

NEW

items inside!

WIRE SHELVING
CASEWORK
WORKTABLES
COUNTERTOPS

2021 PRICE LIST

MATERIAL HANDLING, HEALTHCARE,
CLEANROOM, LAB

SINKS
FLOOR TROUGHS
GOWNING EQUIPMENT
CUSTOM FABRICATION



Material Handling, Healthcare & Cleanroom Equipment

Safer Healthcare.

Protect Patients.

Protect Staff.

Reopen safely.

Eagle's **NEW** Breath/Safety Shields
can help.

See pages 269-273

Eagle's Breath/Safety Shields add another layer of protection to help maintain social distancing and provide a protective physical barrier.

Constructed of durable plexiglass, protective shields come in a variety of styles, sizes and installation options.

Our wide range of configurations ensure that each area of your facility, from waiting rooms to offices to patient treatment rooms, are properly retrofitted to provide safe and secure protection.



- Table of Contents -

Detailed contents listing at the start of each individual section.



Shelving5-88



Wall Shelves.....89-100



Casework101-124



Cleanroom / Lab Equipment125-146



Healthcare147-166



Electronics.....167-182



Tables183-220



Sinks / Floor Troughs221-268



NEW

Breath/Safety Shields.....269-274

Warranty Information2

Terms & Conditions3

SpecFAB® Custom Fabrications275-278

Alphanumeric Price Index279-319

How to order:

EAGLE'S Customer Service Center

Committed to customer service and customer satisfaction along with quality products.

Phone: (302) 653-3000

Fax: (302) 653-2065

Email: customerservice@eaglegrp.com

VISIT US ON THE WEB

To find an EAGLE representative, dealer or service center in your area go to

www.eaglegrp.com

STOCK STATUS IS INDICATED BY:

MTS (•) - make-to-stock items with shipment same day or next day.

MTO () - make-to-order items.

LOOK!

FOR THESE EMBLEMS

Located to the right of or below each appropriate product title and/or product subtitle:

see spec sheet **EG01.00** - catalog spec sheet reference (available online www.eaglegrp.com)



- approved by the National Sanitation Foundation



- approved by Underwriters Laboratories for U.S.A. ONLY

NFPA-96 - Meets the standards of the National Fire Protection Association, Bulletin #96

REGISTERED TRADEMARKS OF EAGLE MHC® - a division of EAGLE GROUP

Add-A-Shelf®, adjusTable®, Cool Trough®, EAGLEbrite®, EAGLEgard®, FLEX-MASTER®, Floor Trak®, MasterSeal®, Master Trak®, MICROGARD®, Q-LEVER®, Quad-Adjust®, QuadPLUS®, QuadTruss®, Quik-Set®, Redi-Pak®, SPEC AIR®, SpecFAB®, SPEC-MASTER®, Snap-n-Slide®, Sterile-Eze®, uni-lok®, Valu-Gard®, VALU-MASTER®, and WALSTOR®.

TRADEMARKS OF EAGLE MHC® - a division of EAGLE GROUP

Lok-n-Fold™, Shelf Select™, and STAND-OUTS™.

WARRANTY INFORMATION

EAGLE Shelving Warranty

EAGLE MHC® warrants that goods supplied hereunder manufactured by EAGLE MHC® will be free from defects in material and workmanship at the time they leave our factory. Upon factory inspection, we guarantee to replace any shelf that is defective for a period of up to one year from the date of original installation, not to exceed 18 months from date of shipment from EAGLE, provided that it has been properly installed and maintained. If a shelf proves to be defective, or not in conformity with the specification, customers are entitled only to replacement of such unit. Under no circumstances will we be liable for any claims for labor or subsequent damage.

To the original owner, EAGLE GROUP warrants against rust formation over more than 5% of the shelving surface as stated below following original date of installation:

	WARRANTY	DRY STORAGE	COOLER STORAGE
Chrome	1-year warranty	✓	-
EAGLEbrite®	3-year warranty	✓	-
VALU-MASTER® and Valu-Gard®	5-year warranty	✓	✓
EAGLEgard® (with MICROGARD®)	12-year warranty	✓	✓
Stainless Steel	15-year warranty	✓	✓
QuadPLUS®	*	✓	✓
* Polymer Shelf Mats have a lifetime warranty against rust and corrosion. * Wire Truss Frames, based on finish, have same warranty duration as outlined above.			
Solid Shelving	1-year warranty	✓	✓

EAGLE wire shelving must be cleaned with soft cloths and mild detergents. Using harsh detergents, abrasive materials, scrapers or stiff brushes will void this warranty, as will physical damage, rupturing the coating or sustained exposure to corrosive substances and vapors. Warranty applies only when shelves have been continuously used within a temperature range from -20°F to +120°F, with intermittent exposure up to +200°F for Valu-Gard®, Valu-Master® or EAGLEgard® epoxy finishes, and up to +175°F for chrome or EAGLEbrite® zinc finishes.

In the event of a warranty claim, an EAGLE GROUP representative will examine the installation and determine return or repair disposition. Repairs will be handled by the initial owner. Returns, including disassembly and subsequent reassembly, become the responsibility of the initial owner. Replacements will be shipped prepaid FOB the nearest distribution point.

There are no warranties which extend beyond these warranties. All other expressed or implied warranties, including those of merchantability or fitness for a particular purpose, which exceed the warranties stated above, are disclaimed by EAGLE MHC® and excluded from this agreement. No employee or agent of ours has any authority to make any representation or warranty which exceeds the warranties stated above.

NO EAGLE EQUIPMENT MAY BE RETURNED EXCEPT UPON WRITTEN AUTHORIZATION FROM EAGLE MHC®. SEE PAGE 3 FOR TERMS & CONDITIONS.

* * *

EAGLE Worktable, Sink and Stainless Steel Inset Casework Warranty

EAGLE MHC® warrants that goods supplied hereunder manufactured by EAGLE MHC® will be free from defects in material and workmanship at the time they leave our factory.

Within a period of one year from the date of original installation of the equipment, not to exceed 18 months from date of shipment from EAGLE, EAGLE MHC®, will replace, without charge, any defective parts or component material upon demonstration to its satisfaction that a breach of warranty did not exist. Under no circumstances will we be liable for any claims for labor or subsequent damage. Using harsh chemicals, abrasive materials, scrapers or stiff brushes may void the warranty.

There are no warranties which extend beyond these warranties. All other expressed or implied warranties, including those of merchantability or fitness for a particular purpose, which exceed the warranties stated above, are disclaimed by EAGLE MHC® and excluded from this agreement. No employee or agent of ours has any authority to make any representation or warranty which exceeds the warranties stated above.

NO EAGLE EQUIPMENT MAY BE RETURNED EXCEPT UPON WRITTEN AUTHORIZATION FROM EAGLE MHC®. SEE PAGE 3 FOR TERMS & CONDITIONS.

* * *

EAGLE Surgical Case Carts

EAGLE MHC® warrants that goods supplied hereunder manufactured by EAGLE MHC® will be free from defects in material and workmanship at the time they leave our factory.

Within a period of three years from the date of shipment from EAGLE, EAGLE MHC® will replace, without charge, any defective parts or component material upon demonstration to its satisfaction that a breach of warranty did not exist. Under no circumstances will we be liable for any claims for labor or subsequent damage.

There are no warranties which extend beyond these warranties. All other expressed or implied warranties, including those of merchantability or fitness for a particular purpose, which exceed the warranties stated above, are disclaimed by EAGLE MHC® and excluded from this agreement. No employee or agent of ours has any authority to make any representation or warranty which exceeds the warranties stated above.

NO EAGLE EQUIPMENT MAY BE RETURNED EXCEPT UPON WRITTEN AUTHORIZATION FROM EAGLE MHC®. SEE PAGE 3 FOR TERMS & CONDITIONS.

- Terms and Conditions -

PRICES

All merchandise will be billed at our current published list prices in effect at the time of shipment.

PERFORMANCE

All shipping dates are approximate. Fulfillment is always subject to availability of material and to conditions affecting shipment that are beyond our control. EAGLE shall not be held liable for any delay in performance due to reasons beyond our control.

SHORTAGE

All claims for shortage must be brought to our attention within five (5) business days from date merchandise is received. Please be certain that you receive the number of packages signed for.

CANCELLATIONS

Cancellations are not accepted on orders in transit or on custom items. Standard orders that are cancelled while already in production will be subject to up to a 30% restocking charge based upon product ordered.

RETURNS

Custom and modified standard equipment is non-returnable.

Authorization Policy for Standard Returns:

- ✓ Previously written approval from EAGLE's Customer Service is mandatory on all returns.
- ✓ Return authorization must be requested within 60 days from date of shipment.
- ✓ Authorized return shipments, in which merchandise is not defective and orders have been properly filled, must be shipped prepaid and properly packaged to prevent merchandise damage.
- ✓ Each return authorization number (*located on the upper right hand corner of the form*), must be written on the outside of each carton returned to EAGLE.
- ✓ No credits will be processed for a return until we have confirmation that the item has been received, has been inspected and it is confirmed that item is in unused and new, sellable condition

Restocking:

- ✓ Restocking and equipment repair fees for merchandise damaged during return shipment to EAGLE will be withheld from issued credit.
- ✓ Returns of made-to-stock merchandise are subject to a 30% restocking fee.
- ✓ Returns of standard made-to-order merchandise are subject to a 50% restocking fee.

Restocking (continued):

- ✓ \$75 net minimum on merchandise returns.
- ✓ No returns on electropolished items.
- ✓ No returns on custom items.

PRINTS & DRAWINGS

All prints and drawings submitted with orders are accepted as a final approval in the custom order process. Errors that arise due to incorrect submittals are the responsibility of the customer. There are no cancellations on custom orders.

DAMAGES

EAGLE's responsibility ceases immediately upon our retaining receipt of pickup from our dock by the transportation company, unless the merchandise is refused by the consignee. If a container shows rough handling, do not give the carrier a clear delivery receipt and inspect the merchandise immediately. Note the damage on the delivery receipt/bill of lading while the driver is there. If you sign your name on the freight bill without noting any damages, then you are stating you have received your order/shipment in acceptable condition. Upon finding damage while unpacking the product, call the carrier without further unpackaging, ask for an inspection, and follow through by filing a claim with the carrier immediately.

ORDER APPROVAL

All orders are subject to final approval by EAGLE's home office. Acceptance and/or performance shall be at all times subject to the approval of EAGLE's Credit Department. Minimum order \$50.00 net.

TERMS

Discount and discount date are clearly marked at the bottom of each invoice should you be entitled to any discount, subject to current status of your account.

FOB

All orders ship FOB Origin freight collect unless otherwise specified. All orders shipped prepaid/add will receive a 20% administrative surcharge added to the freight charge. Shipper is not responsible for any unauthorized accessorial charges. These charges will be billed back to the customer after shipment in the form of a separate invoice.

UPS

All UPS shipments will be charged a minimum of \$25.00.

- MONETARY VALUES ARE BASED ON U.S. CURRENCY. -

IMPORTANT NOTICE:

Due to the continuing cost fluctuations of stainless steel and other materials, we at EAGLE MHC® reserve the right to modify our price lists by charging dealer discounts and/or imposing a surcharge.




100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
<http://www.eaglemh.com>

OTHERS' WIRE SHELVES COMPARED TO EAGLE GROUP'S...

(18" x 60" shelves shown)


EAGLE GROUP's shelves...

...incorporate more perimeter and interior serpentine trusses and mat continuity support wires than any competitive shelves.



Metro and most imported shelves...

...incorporate both perimeter and interior serpentine trusses and mat continuity support wires, but fewer than EAGLE GROUP's.



Eagle Group has the strongest wire shelf in the industry—no matter how you stack it!

SHELF AND POST FINISHES AVAILABLE

Stainless Steel Finish—OUR BEST!

Stainless Steel

- NSF-listed for all environments.
- Type 304 stainless steel.

NOTE: Stainless steel shelving is electropolished.

**15-YEAR
LIMITED
WARRANTY**

EAGLEgard® Hybrid Epoxy

Zinc Chloride
Clear Chromate
MasterSeal® Sealer
Blue Green (translucent)
- hybrid epoxy with MICROGARD®*

- NSF-listed for all environments.
- Zinc chloride plating followed by clear chromate plating with MasterSeal® Sealer and a hybrid epoxy final coat.

**12-YEAR
LIMITED
WARRANTY**

Valu-Gard® Green Epoxy

Phosphate Conversion Coating
MasterSeal® Sealer
Green (opaque)
- hybrid metallic epoxy

- NSF-listed for wet or dry storage environments.
- Phosphate conversion coating followed by green hybrid epoxy coating.

**5-YEAR
LIMITED
WARRANTY**

VALU-MASTER® Gray Epoxy

Phosphate Conversion Coating
MasterSeal® Sealer
Pewter Gray Epoxy

- NSF-listed for wet or dry storage environments.
- Phosphate conversion coating followed by metallic gray epoxy coating.

**5-YEAR
LIMITED
WARRANTY**

Chrome Finish

Bright Nickel
Chrome
Air-dry Lacquer

- NSF-listed for dry storage environments.
- Bright nickel plating followed by chrome plating.

NOTE: Optional clear hybrid epoxy, NSF-listed for all environments, is available.

**1-YEAR
LIMITED
WARRANTY**

EAGLEbrite® Zinc

Zinc chloride
Clear Chromate
MasterSeal® Sealer

- NSF-listed for dry storage environments.
- Bright zinc chloride plating followed by clear chromate plating with MasterSeal® sealer for improved rust protection.

NOTE: Wire shelves feature MasterSeal® Sealer. NSF-listed for all environments.

**3-YEAR
LIMITED
WARRANTY**

* MICROGARD®...

...is an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew on shelf surface that causes stains, odors and degradation.

...combines inorganic antimicrobial silver ions with a patented delivery system. The silver ions react with bacteria in three ways:

1) suffocates the cell, 2) stops the cell reproduction system, and 3) stops the cell from growing.

...is standard on all EAGLEgard® shelving.

Accessories/Components

Casters	9, 10, 61, 66
Casting for Leveling Feet	47
Collar Plug	47
Dividers	16, 49, 62
Enclosure Panels	48
Foot Plates	47
Glides	47
Inlays	61
Label Holders	25, 40
Ledges	50, 62
Leveling Feet	47
Post Cap	47
Post Clamps	47
Retaining Clamp	47
Rods & Tabs	48
"S" Hooks	47
Split Sleeves	47
More Accessories and Components	8-9, 47-55

Add-A-Shelf® and Accessories22-23

Cantilever Shelving System Wall Mount67-71

Carts

Angled Shelf/ Visual Merchandising Carts	33-34
Black Polymer Utility Cart	34
Cart Covers	31-32
Mobile Platform Carts	34
Polymer Utility Carts	34
Utility Carts	25, 27, 28-29
Stem Caster Carts	30
Wire Basket Utility Carts	27

Dolly Frames / Dolly Trucks

Aluminum Truck Dollies	39
Dolly Frames	40
Dolly Trucks	35

Posts.....8, 23, 62

Q-LEVER® Cantilever Shelving System72-85

Accessories	84-85
Four- and Five-Tier Units	75-80
Manager's Stations	83
Overhead Storage Systems	82
Task Stations	82
Utility Stations	83
Worktables	81

QuadPLUS® Polymer Shelf Mats, Starter Units, Accessories ..13-16

Quik-Set® Solid Shelving ...63-66

Racks and Platforms

Dunnage Racks	37-39
Platforms	36
Polymer Dunnage Racks	38
Tank Racks/Accessories	45

Redi-Pak®

Utility Carts	25
Wire Shelving Units	24

Retail Display Shelving and Accessories

Accessories/Components	60-62
Decorative Shelves	60
Garment Racks/Accessories	36

Security Units and Accessories41-44

Shelves / Shelving Units / Kits

Adjustable Wire Shelving	
• Add-A-Shelf®	22-23
• Quad-Adjust®	11-12
Cantilever Shelves	8, 61
Dunnage Shelf; Starter Units	38
Four-/Five-Shelf	
Add-On Units	19, 21
Four-/Five-Shelf	
Starter Units	12, 15, 18, 20
Hybrid Shelves	26-27
Reverse Mat Shelves/ Label Holders	25
Seismic Footplate Kits	17
Slanted Shelves	49
Sliding Shelf	53
Solid Shelves/Accessories	7
Triangle Shelf	52
Wire Basket Shelf	40
Wire Shelves	6

Tables46

Track Systems

Floor Track	
Storage Systems	58-59
Overhead Track	
Storage Systems	56-57

Workstations

Modular Desks/Workstations	45
----------------------------------	----

For the
"Wall Shelves" section,
go to pages 89-100.

Wire Shelves see spec sheet **EG01.00**

WEIGHT CAPACITIES:

- Shelves up to 48" (1219mm): 800 lb. (363 kg).
- 54"-72" (1372-1829mm) shelves: 600 lb. (272 kg) - evenly distributed static load.

Note: Shelving units should not exceed 2400 lbs. (1089 kg) per set of four posts.

- 24"-48" (610-1219mm) lengths: Four per box.
- 54"-72" (1372-1829mm) lengths: Two per box.
- Four pairs of split sleeves per shelf.

PACKAGING:



patented
QuadTruss
design

(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

(•) MTS (made to stock) / () MTO (made to order)

	length		weight		cu ft	EAGLEbrite®		chrome		Valu-Master®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
14" width (356mm)	24"	610	6	2.7	0.5	1424Z •	59	1424C •	68	1424V •	69	1424VG •	69	1424E •	80	1424S •	240
	30"	762	7	3.2	0.5	1430Z •	62	1430C •	71	1430V •	75	1430VG •	75	1430E •	84	1430S •	243
	36"	914	8	3.6	0.5	1436Z •	67	1436C •	77	1436V •	79	1436VG •	79	1436E •	87	1436S •	245
	42"	1067	9	4.1	0.7	1442Z •	79	1442C •	87	1442V •	91	1442VG •	91	1442E •	100	1442S •	301
	48"	1219	10	4.5	0.7	1448Z •	79	1448C •	87	1448V •	91	1448VG •	91	1448E •	100	1448S •	301
	54"	1372	12	5.5	0.9	1454Z •	81	1454C •	91	1454V •	104	1454VG •	104	1454E •	115	1454S •	383
	60"	1524	14	6.4	0.9	1460Z •	93	1460C •	99	1460V •	104	1460VG •	104	1460E •	115	1460S •	383
	72"	1829	17	7.7	1.1	1472Z •	106	1472C •	115	1472V •	122	1472VG •	122	1472E •	133	1472S •	434
18" width (457mm)	24"	610	7	3.2	0.7	1824Z •	75	1824C •	77	1824V •	79	1824VG •	79	1824E •	91	1824S •	295
	30"	762	8	3.6	0.7	1830Z •	77	1830C •	78	1830V •	85	1830VG •	85	1830E •	94	1830S •	299
	36"	914	9	4.1	0.7	1836Z •	79	1836C •	80	1836V •	88	1836VG •	88	1836E •	98	1836S •	301
	42"	1067	11	5.0	0.9	1842Z •	91	1842C •	96	1842V •	105	1842VG •	105	1842E •	118	1842S •	361
	48"	1219	12	5.5	0.9	1848Z •	91	1848C •	96	1848V •	105	1848VG •	105	1848E •	118	1848S •	361
	54"	1372	15	6.8	1.2	1854Z •	106	1854C •	113	1854V •	127	1854VG •	127	1854E •	141	1854S •	460
	60"	1524	17	7.7	1.2	1860Z •	106	1860C •	113	1860V •	127	1860VG •	127	1860E •	141	1860S •	460
	72"	1829	20	9.1	1.3	1872Z •	126	1872C •	134	1872V •	146	1872VG •	146	1872E •	163	1872S •	546
21" width (533mm)	24"	610	8	3.6	0.7	2124Z •	81	2124C •	88	2124V •	89	2124VG •	89	2124E •	104	2124S •	342
	30"	762	9	4.1	0.7	2130Z •	84	2130C •	91	2130V •	96	2130VG •	96	2130E •	106	2130S •	345
	36"	914	11	5.0	0.8	2136Z •	87	2136C •	94	2136V •	98	2136VG •	98	2136E •	112	2136S •	348
	42"	1067	12	5.5	1.1	2142Z •	99	2142C •	109	2142V •	115	2142VG •	115	2142E •	129	2142S •	402
	48"	1219	14	6.4	1.1	2148Z •	99	2148C •	109	2148V •	115	2148VG •	115	2148E •	129	2148S •	402
	54"	1372	16	7.3	1.3	2154Z •	122	2154C •	128	2154V •	140	2154VG •	140	2154E •	152	2154S •	535
	60"	1524	18	8.2	1.3	2160Z •	122	2160C •	128	2160V •	140	2160VG •	140	2160E •	152	2160S •	535
	72"	1829	24	10.9	1.4	2172Z •	146	2172C •	153	2172V •	168	2172VG •	168	2172E •	186	2172S •	634
24" width (610mm)	24"	610	9	4.1	0.8	2424Z •	87	2424C •	93	2424V •	97	2424VG •	97	2424E •	114	2424S •	369
	30"	762	11	5.0	0.8	2430Z •	89	2430C •	97	2430V •	104	2430VG •	104	2430E •	117	2430S •	372
	36"	914	13	5.9	0.8	2436Z •	93	2436C •	99	2436V •	106	2436VG •	106	2436E •	119	2436S •	376
	42"	1067	15	6.8	1.2	2442Z •	112	2442C •	119	2442V •	133	2442VG •	133	2442E •	146	2442S •	456
	48"	1219	16	7.3	1.2	2448Z •	112	2448C •	119	2448V •	133	2448VG •	133	2448E •	146	2448S •	456
	54"	1372	19	8.6	1.5	2454Z •	136	2454C •	143	2454V •	155	2454VG •	155	2454E •	173	2454S •	556
	60"	1524	21	9.5	1.5	2460Z •	136	2460C •	143	2460V •	155	2460VG •	155	2460E •	173	2460S •	556
	72"	1829	26	11.8	1.6	2472Z •	154	2472C •	168	2472V •	182	2472VG •	182	2472E •	203	2472S •	695
30" width (762mm)	30"	762	16	7.3	1.0	3030Z •	113	3030C •	128	3030V •	131	3030VG •	131	3030E •	153	3030S •	439
	36"	914	17	7.7	1.0	3036Z •	127	3036C •	146	3036V •	149	3036VG •	149	3036E •	177	3036S •	498
	48"	1219	20	9.1	1.5	3048Z •	146	3048C •	168	3048V •	173	3048VG •	173	3048E •	202	3048S •	580
	60"	1524	25	11.4	1.8	3060Z •	165	3060C •	185	3060V •	193	3060VG •	193	3060E •	229	3060S •	644
	72"	1829	30	13.6	2.3	3072Z •	198	3072C •	223	3072V •	232	3072VG •	232	3072E •	276	3072S •	781
36" width (914mm)	36"	914	21	9.5	1.3	3636Z •	140	3636C •	164	3636V •	165	3636VG •	165	3636E •	198	3636S •	556
	48"	1219	26	11.8	1.9	3648Z •	166	3648C •	187	3648V •	196	3648VG •	196	3648E •	229	3648S •	654
	60"	1524	34	15.4	2.3	3660Z •	189	3660C •	218	3660V •	224	3660VG •	224	3660E •	271	3660S •	762
	72"	1829	43	19.5	2.8	3672Z •	229	3672C •	255	3672V •	272	3672VG •	272	3672E •	318	3672S •	908

Catalog Section 1

Solid Shelves see spec sheet **EG01.01**

All shelves feature aluminum castings.

Raised ¼"-high "V" Edge on all sides and double hem bending provides quality and strength!

side view of solid shelf, showing raised "V" edge

FEATURES:

- Aluminum corner castings create locking mechanism to fasten shelves to posts with tapered split sleeves.

Notes: Contact factory for availability of 72"-long shelves. Availability based on application.

- 24"-48" (610-1219mm) lengths: Four per box.
- 54"-72" (1372-1829mm) lengths: Two per box.
- Four pairs of split sleeves per shelf.

All items can be shipped UPS.

PACKAGING:

Notes: For cleanroom applications, add prefix "CR" to stainless steel model number. **Example: CRSS1424S.** Alcohol-wiped & bagged, at NO ADDITIONAL PRICE. 316 stainless steel available. Consult factory. Electropolished finish available. Consult factory. Please note: Shelf with electropolished finish will have a flat surface without "V" edge.

(•) MTS (made to stock) / () MTO (made to order)

	length		weight		cu	galvanized		VALU-MASTER®		Valu-Gard®		stainless	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list
14" width (356mm)	24"	610	10	4.5	0.5	SS1424G	176	SS1424V	193	SS1424VG	193	SS1424S	294
	30"	762	12	5.5	0.5	SS1430G	180	SS1430V	197	SS1430VG	197	SS1430S	303
	36"	914	14	6.4	0.5	SS1436G	187	SS1436V	204	SS1436VG	204	SS1436S •	303
	42"	1067	15	6.8	0.7	SS1442G	193	SS1442V	212	SS1442VG	212	SS1442S	365
	48"	1219	17	7.7	0.7	SS1448G	196	SS1448V	216	SS1448VG	216	SS1448S •	365
	54"	1372	20	9.1	0.9	SS1454G	211	SS1454V	234	SS1454VG	234	SS1454S	399
18" width (457mm)	60"	1524	22	10.0	0.9	SS1460G	212	SS1460V	241	SS1460VG	241	SS1460S •	438
	24"	610	11	5.0	0.7	SS1824G	174	SS1824V	197	SS1824VG	197	SS1824S •	333
	30"	762	14	6.4	0.7	SS1830G	183	SS1830V	201	SS1830VG	201	SS1830S •	340
	36"	914	16	7.3	0.7	SS1836G •	186	SS1836V	209	SS1836VG	209	SS1836S •	340
	42"	1067	18	8.2	0.9	SS1842G	198	SS1842V	218	SS1842VG	218	SS1842S	418
	48"	1219	20	9.1	0.9	SS1848G •	201	SS1848V •	223	SS1848VG	223	SS1848S •	418
21" width (533mm)	54"	1372	22	10.0	1.2	SS1854G	217	SS1854V	241	SS1854VG	241	SS1854S	472
	60"	1524	24	10.9	1.2	SS1860G •	222	SS1860V	245	SS1860VG	245	SS1860S •	500
	24"	610	13	5.9	0.7	SS2124G	187	SS2124V	208	SS2124VG	208	SS2124S	372
	30"	762	15	6.8	0.7	SS2130G	193	SS2130V	214	SS2130VG	214	SS2130S	380
	36"	914	18	8.2	0.8	SS2136G	206	SS2136V	226	SS2136VG	226	SS2136S •	380
	42"	1067	21	9.5	1.1	SS2142G	209	SS2142V	234	SS2142VG	234	SS2142S	477
24" width (610mm)	48"	1219	23	10.5	1.1	SS2148G	216	SS2148V	238	SS2148VG	238	SS2148S	477
	54"	1372	25	11.4	1.3	SS2154G	233	SS2154V	260	SS2154VG	260	SS2154S	496
	60"	1524	28	12.7	1.3	SS2160G	233	SS2160V	262	SS2160VG	262	SS2160S	585
	24"	610	15	6.8	0.8	SS2424G •	188	SS2424V	209	SS2424VG	209	SS2424S •	402
	30"	762	17	7.7	0.8	SS2430G	196	SS2430V	214	SS2430VG	214	SS2430S	408
	36"	914	19	8.6	0.8	SS2436G •	207	SS2436V •	228	SS2436VG	228	SS2436S •	408
	42"	1067	23	10.5	1.0	SS2442G	214	SS2442V	240	SS2442VG	240	SS2442S •	499
	48"	1219	24	10.9	1.2	SS2448G •	222	SS2448V	244	SS2448VG	244	SS2448S •	499
	54"	1372	27	12.3	1.5	SS2454G	238	SS2454V	265	SS2454VG	265	SS2454S	560
	60"	1524	31	14.1	1.5	SS2460G •	244	SS2460V	274	SS2460VG	274	SS2460S •	587

Solid Shelf Joining Clamp

see spec sheet **EG01.03D**

model # list per pair
A203078 34

Note: Two required per shelf.

FEATURES:

- Clamp and two additional posts create various shelving add-on configurations.
- Joins shelves end-to-end, back-to-back, or at right angles.

(•) MTS (made to stock) / () MTO (made to order)

Posts

see spec sheets **EG01.00** **EG01.01** **EG01.11A** **EG01.14**



Posts are numbered on vertical 1" (25mm) increments to help ensure fast and level assembly.

- Height includes leveling bolt and cap.
- EAGLEbrite® posts feature air-dry lacquer and can be used for walk-in coolers.

FEATURES:

Notes: For special length post, apply price at next higher length plus a cutting charge of **\$14.00 list per post**.

See page 9 for appropriate stem casters.

(•) MTS (made to stock) / () MTO (made to order)

For Stationary Applications

height		cu		weight		EAGLEbrite®		chrome		Valu-Gard®		VALU-MASTER®		EAGLEgard®		stainless steel	
in.	mm	ft	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
7"	178	0.1	1.0	0.5		P7-Z •	14	P7-C	16	P7-VG	17	P7-V	17	P7-E •	19	P7-S	38
14"	356	0.1	1.0	0.5		P14-Z •	17	P14-C •	18	P14-VG	19	P14-V	19	P14-E •	20	P14-S	40
18"	457	0.1	1.5	0.7		P18-Z •	19	P18-C •	20	P18-VG	21	P18-V	21	P18-E	28	P18-S •	57
33"	838	0.1	2.0	0.9		P33-Z •	20	P33-C •	21	P33-VG •	23	P33-V •	23	P33-E •	29	P33-S •	66
54"	1372	0.1	3.0	1.4		P54-Z •	26	P54-C •	28	P54-VG •	29	P54-V •	29	P54-E •	31	P54-S •	75
63"	1600	0.3	3.5	1.8		P63-Z •	28	P63-C •	29	P63-VG •	31	P63-V •	31	P63-E •	35	P63-S •	82
74"	1880	0.5	4.0	1.8		P74-Z •	29	P74-C •	33	P74-VG •	34	P74-V •	34	P74-E •	38	P74-S •	93
86"	2184	0.8	5.0	2.3		P86-Z •	36	P86-C •	39	P86-VG •	40	P86-V •	40	P86-E •	44	P86-S •	106
96"	2438	0.9	6.0	2.7		n/a		P96-C •*	45	n/a		n/a		n/a		P96-S •*	119

* 96" (2438mm) posts are NOT to be used on units less than 24" (610mm) front-to-back. Recommend using in conjunction with foot plates to affix to floor, and with post clamps where applicable.

For Mobile Applications

height		cu		weight		EAGLEbrite®		chrome		Valu-Gard®		VALU-MASTER®		EAGLEgard®		stainless steel	
in.	mm	ft	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
7"	178	0.1	1.0	0.5		CP7-Z	14	CP7-C	16	CP7-VG	17	CP7-V	17	CP7-E	19	CP7-S	38
14"	356	0.1	1.0	0.5		CP14-Z	17	CP14-C	18	CP14-VG	19	CP14-V	19	CP14-E	20	CP14-S	40
18"	457	0.1	1.5	0.7		CP18-Z	19	CP18-C	20	CP18-VG	21	CP18-V	21	CP18-E	28	CP18-S	57
33"	838	0.1	2.0	0.9		CP33-Z •	20	CP33-C •	21	CP33-VG •	23	CP33-V	23	CP33-E	29	CP33-S •	66
54"	1372	0.1	3.0	1.4		CP54-Z •	26	CP54-C •	28	CP54-VG	29	CP54-V	29	CP54-E	31	CP54-S	75
63"	1600	0.3	3.5	1.8		CP63-Z •	28	CP63-C •	29	CP63-VG •	31	CP63-V •	31	CP63-E •	35	CP63-S •	82
74"	1880	0.5	4.0	1.8		CP74-Z •	29	CP74-C •	33	CP74-VG •	34	CP74-V •	34	CP74-E •	38	CP74-S •	93
86"	2184	0.8	5.0	2.3		CP86-Z •	36	CP86-C •	39	CP86-VG •	40	CP86-V	40	CP86-E •	44	CP86-S	106

Cantilever Shelves

see spec sheet **EG01.03E**



- 1" (25mm) wraparound ledge.
- 12" (305mm) wide shelves.
- 75 lb. (34 kg) - evenly distributed static load.

FEATURES:

NOTE: When ordering back posts, confirm with customer service, the correct post height to accommodate these shelves.

(•) MTS (made to stock) / () MTO (made to order)

length		weight		cubic feet	chrome		stainless steel	
in.	mm	lb.	kg		model #	list	model #	list
24"	610	5	2.3	0.5	CS1224-C	75	CS1224-S	236
30"	762	5	2.3	0.8	CS1230-C	79	CS1230-S	256
36"	914	6	2.7	0.8	CS1236-C	81	CS1236-S	267
42"	1067	7	3.2	0.9	CS1242-C	91	CS1242-S	283
48"	1219	8	3.6	1.0	CS1248-C •	94	CS1248-S	297
54"	1372	9	4.1	1.1	CS1254-C	101	CS1254-S	316
60"	1524	10	4.5	1.3	CS1260-C •	109	CS1260-S	348

Ideal for adding extra storage above an existing shelving unit. Packaged two per box.

Catalog Section 1

Stem Casters see spec sheet **EG01.05A****Note:** Decorative stem casters also available (see page 61).

Conductive stem casters available (see page 176).

These casters cannot be used with Master Trak®.

**Add
mobility to your
stationary unit.**

FEATURES:

- Use with posts.
- Donut bumpers.
- Swivel casters have a temperature rating of -15°F.

(•) MTS (made to stock) / () MTO (made to order)

Cart-Washable Casters

- Features stainless steel boot, swivel stem, sealed precision bearings, and polyurethane wheels.

type	capacity lbs.	kg	wheel diameter in.	mm	wheel face in.	mm	weight lbs.	kg	cubic feet	model #	list
swivel	300	136.1	5"	127	1 1/4"	32	2.0	0.9	0.1	CSS5WPS-300	164
w/brake	300	136.1	5"	127	1 1/4"	32	2.0	0.9	0.1	CSB5WPS-300	178



Resilient

type	wheel diameter		wheel face		weight		cu ft	zinc				stainless steel			
	in.	mm	in.	mm	lbs.	kg		lbs.	kg	model #	list	lbs.	kg	model #	list
swivel	4"	102	1"	25	1.1	0.5	0.1	125	56.7	CSS4-125 •	28	-	-	-	-
swivel	5"	127	1"	25	2.0	0.9	0.1	125	56.7	CSS5-125 •	31	-	-	-	-
swivel	5"	127	1¼"	32	2.5	1.2	0.1	300	136.1	CSS5-300 •	35	200	90.7	CSS5S-200	169
w/brake	5"	127	1¼"	32	2.8	1.3	0.1	300	136.1	CSB5-300 •	41	200	90.7	CSB5S-200	186
w/step-pedal brake	5"	127	1¼"	32	2.8	1.3	0.1	300	136.1	CSPB5-300	60	-	-	-	-
rigid ▼	5"	127	1¼"	32	3.5	1.6	0.1	300	136.1	CSR5-300 •	39	200	90.7	CSR5S-200	164

Polyurethane

type	capacity		wheel diameter		wheel face		weight		cu ft	nickel plated		stainless steel	
	lbs.	kg	in.	mm	in.	mm	lbs.	kg		model #	list	model #	list
swivel	300	136.1	5"	127	1 1/4"	32	2.5	1.2	0.1	CSS5P-300 •	57	CSS5PS-300 •	177
w/brake	300	136.1	5"	127	1 1/4"	32	2.8	1.3	0.1	CSB5P-300 •	63	CSB5PS-300 •	164
w/step-pedal brake	300	136.1	5"	127	1 1/4"	32	2.8	1.3	0.1	CSPB5P-300	68	-	
rigid ▼	300	136.1	5"	127	1 1/4"	32	3.5	1.6	0.1	CSR5P-300 •	63	CSR5PS-300	164



Cart Washable Polymer Casters

- Corrosion-resistant stainless steel axle, stainless steel stem, polymer horn, and 5" (127mm)-diameter polyurethane wheel.


type	type of bearing	capacity lbs.	kg	wheel diameter in.	mm	wheel face in.	mm	weight lbs.	kg	cu ft	model #	list
swivel	delrin	250	113.4	5"	127	1 1/4"	32	2.0	0.9	0.1	CPSS5-250 •	92
w/brake	delrin	250	113.4	5"	127	1 1/4"	32	2.0	0.9	0.1	CPSB5-250 •	113



▼ Channel Frames for Rigid Stem Casters

Please note: Shelf width must be known when ordering rigid stem casters in order to ship appropriate channel frame to lock rigid casters.

shelf width in.	mm	weight lbs.	kg	cubic feet	model #	list
14"	356	1.5	0.7	0.1	A201706	19
18"	457	2.0	0.9	0.1	A201007	24
21"	533	2.5	1.1	0.1	A201008	31
24"	610	2.8	1.3	0.1	A201009	31
30"	762	3.5	1.6	0.1	A204795	34
36"	914	4.0	1.8	0.1	A207562	35



Replacement Donut Bumpers for Stem Casters

description	model #	list
3 1/2" (89mm) diameter	A200019 •	7
5" (127mm) diameter, with swivel center	A213261 •	17



Plate Casters

see spec sheet **EG01.05B**

(•) MTS (made to stock) / () MTO (made to order)

Cart Washable Polymer - Polyurethane tread.

type	capacity		wheel diameter		wheel face		weight		model #	list
	lbs.	kg	in.	mm	in.	mm	lbs.	kg		
swivel	250	90.7	5"	127	1 1/4"	32	2.8	1.3	PCPS5-250	71
lock	250	90.7	5"	127	1 1/4"	32	2.8	1.3	PCPL5-250	89



Resilient

type	capacity		wheel diameter		wheel face		weight		cu ft	EAGLEbrite® zinc	
	lbs.	kg	in.	mm	in.	mm	lbs.	kg		model #	list
swivel	200	90.7	5"	127	1 1/4"	29	2.8	1.3	0.5	CPS5-200	45
brake	200	90.7	5"	127	1 1/4"	29	2.8	1.3	0.5	CPB5-200	51
rigid	200	90.7	5"	127	1 1/4"	29	2.8	1.3	0.5	CPR5-200	51
swivel	250	90.7	5"	127	1 1/4"	32	3.0	1.4	0.5	CPS5-250 •	58
brake	250	90.7	5"	127	1 1/4"	32	3.0	1.4	0.5	CPB5-250	62
rigid	250	90.7	5"	127	1 1/4"	32	3.0	1.4	0.5	CPR5-250	62
swivel	500	226.8	6"	152	2"	51	9.0	4.1	0.5	CPS6-500	87
brake	500	226.8	6"	152	2"	51	9.0	4.1	0.5	CPB6-500	97
rigid	500	226.8	6"	152	2"	51	9.0	4.1	0.5	CPR6-500	87



Polyurethane

type	capacity		wheel diameter		wheel face		weight		cu ft	EAGLEbrite® zinc	
	lbs.	kg	in.	mm	in.	mm	lbs.	kg		model #	list
swivel	300	136.1	5"	127	1 1/4"	32	3.0	1.4	0.5	CPS5P-300 •	51
brake	300	136.1	5"	127	1 1/4"	32	3.0	1.4	0.5	CPB5P-300 •	56
rigid	300	136.1	5"	127	1 1/4"	32	3.0	1.4	0.5	CPR5P-300	52
swivel	500	226.8	5"	127	2"	51	8.0	3.6	0.5	CPS5P-500 •	101
brake	500	226.8	5"	127	2"	51	8.0	3.6	0.5	CPB5P-500 •	117
rigid	500	226.8	5"	127	2"	51	8.0	3.6	0.5	CPR5P-500	117
swivel	600	272.1	6"	152	2"	51	9.0	4.1	0.5	CPS6P-600 •	113
brake	600	272.1	6"	152	2"	51	9.0	4.1	0.5	CPB6P-600 •	127
rigid	600	272.1	6"	152	2"	51	9.0	4.1	0.5	CPR6P-600	127
swivel	700	317.5	8"	203	2"	51	10.5	4.8	1.0	CPS8P-700	127
brake	700	317.5	8"	203	2"	51	10.5	4.8	1.0	CPB8P-700	143
rigid	700	317.5	8"	203	2"	51	10.5	4.8	1.0	CPR8P-700	143



with brake

Swivel/Lock Casters - Polyurethane tread.

type	capacity		wheel diameter		wheel face		weight		cu ft	EAGLEbrite® zinc	
	lbs.	kg	in.	mm	in.	mm	lbs.	kg		model #	list
swivel/lock	800	362.9	6"	152	2"	51	9.0	4.1	1.0	CPL6Z-800	212
swivel	800	362.9	6"	152	2"	51	9.0	4.1	1.0	CPS6Z-800	88
rigid	800	362.9	6"	152	2"	51	9.0	4.1	1.0	CPR6Z-800	82
brake	800	362.9	6"	152	2"	51	9.0	4.1	1.0	CPB6Z-800	105
swivel/lock	900	408.2	8"	203	2"	51	10.0	4.8	1.0	CPL8Z-900	219
swivel	900	408.2	8"	203	2"	51	10.0	4.8	1.0	CPS8Z-900	99
rigid	900	408.2	8"	203	2"	51	10.0	4.8	1.0	CPR8Z-900	91
brake	900	408.2	8"	203	2"	51	10.0	4.8	1.0	CPB8Z-900	115



Stainless Steel Pressure Washable Casters - Polyurethane tread.


type	capacity		wheel diameter		wheel face		weight		cu ft	stainless steel	
	lbs.	kg	in.	mm	in.	mm	lbs.	kg		model #	list
swivel	300	136.1	5"	127	1 1/4"	32	3.0	1.4	0.5	CPS5S-300	168
brake	300	136.1	5"	127	1 1/4"	32	3.0	1.4	0.5	CPB5S-300	183



with brake

Catalog Section 1

Quad-Adjust® Wire Shelving (NSF)

see spec sheet **EG01.14**
PATENTED!
 (patent #7,992,731)

 Each shelf corner fits in
 collar mounted to
 split sleeve

 Quad-Adjust® shelves assembled
 with posts (see page 8 for posts)

QuadTruss®
 design

(Patent #5,390,803)

**Patented QuadTruss®
Design**

 makes shelves up to 25%
 stronger and provides a
 retaining ledge for increased
 strength and product retention.

FEATURES:

- Shelves feature special interlocking corners that fit in collars mounted to split sleeves, allowing addition or removal of a shelf without the need to disassemble the entire shelf unit.
- Tapered split sleeves create a positive lock that becomes stronger as the load increases.
- Posts (page 8) are numbered in increments of 1" (25mm) to ensure fast and level assembly.
- Leveling feet are provided to help compensate for uneven floor surfaces.
- Shelves utilize patented QuadTruss® design: the mat wires are sandwiched between two top truss wires, adding significant strength and distributing the entire load without stress and strain on the welds.

Note: To create a mobile shelf unit, top and bottom shelves must be standard shelves (page 6).

 Weight capacities and packaging are the
 same as that of Wire Shelves (page 6).

**HOW TO
ASSEMBLE:**

 Snap split sleeves onto post
 over number of your choice.

 Attach Quad-Adjust® collar
 onto split sleeves.

 Slide shelf into slots in
 collar to complete.

Quad-Adjust® Shelves

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless steel	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
14" width (356mm)	24"	610	6	2.7	0.5	QA1424Z	105	QA1424C	115	QA1424V	112	QA1424VG	112	QA1424E	127	QA1424S	329
	30"	762	7	3.2	0.5	QA1430Z	112	QA1430C	119	QA1430V	117	QA1430VG	117	QA1430E	131	QA1430S	334
	36"	914	8	3.6	0.5	QA1436Z	114	QA1436C	122	QA1436V	124	QA1436VG	124	QA1436E	136	QA1436S	335
	42"	1067	9	4.1	0.7	QA1442Z	122	QA1442C	134	QA1442V	140	QA1442VG	140	QA1442E	148	QA1442S	400
	48"	1219	10	4.6	0.7	QA1448Z	127	QA1448C	138	QA1448V	143	QA1448VG	143	QA1448E	155	QA1448S	401
	54"	1372	12	5.5	0.9	QA1454Z	136	QA1454C	143	QA1454V	145	QA1454VG	145	QA1454E	163	QA1454S	491
	60"	1524	14	6.4	0.9	QA1460Z	143	QA1460C	148	QA1460V	163	QA1460VG	163	QA1460E	168	QA1460S	502
18" width (457mm)	72"	1829	17	7.7	1.1	QA1472Z	161	QA1472C	168	QA1472V	172	QA1472VG	172	QA1472E	186	QA1472S	562
	24"	610	7	3.2	0.7	QA1824Z	121	QA1824C	122	QA1824V	121	QA1824VG	121	QA1824E	143	QA1824S	396
	30"	762	8	3.6	0.7	QA1830Z	123	QA1830C	126	QA1830V	133	QA1830VG	133	QA1830E	144	QA1830S	400
	36"	914	9	4.1	0.7	QA1836Z	127	QA1836C	128	QA1836V	141	QA1836VG	141	QA1836E	147	QA1836S	403
	42"	1067	11	5.0	0.9	QA1842Z	138	QA1842C	143	QA1842V	149	QA1842VG	149	QA1842E	168	QA1842S	469
	48"	1219	12	5.5	0.9	QA1848Z	143	QA1848C	145	QA1848V	163	QA1848VG	163	QA1848E	172	QA1848S	476
	54"	1372	15	6.8	1.2	QA1854Z	155	QA1854C	163	QA1854V	172	QA1854VG	172	QA1854E	189	QA1854S	588
21" width (533mm)	60"	1524	17	7.7	1.2	QA1860Z	161	QA1860C	166	QA1860V	180	QA1860VG	180	QA1860E	197	QA1860S	595
	72"	1829	20	9.1	1.3	QA1872Z	180	QA1872C	187	QA1872V	209	QA1872VG	209	QA1872E	218	QA1872S	699
	24"	610	8	3.6	0.8	QA2124Z	128	QA2124C	138	QA2124V	131	QA2124VG	131	QA2124E	155	QA2124S	449
	30"	762	9	4.1	0.8	QA2130Z	131	QA2130C	143	QA2130V	143	QA2130VG	143	QA2130E	161	QA2130S	458
	36"	914	11	5.0	0.8	QA2136Z	136	QA2136C	144	QA2136V	155	QA2136VG	155	QA2136E	164	QA2136S	461
	42"	1067	12	5.5	1.1	QA2142Z	145	QA2142C	156	QA2142V	166	QA2142VG	166	QA2142E	180	QA2142S	522
	48"	1219	14	6.4	1.1	QA2148Z	148	QA2148C	163	QA2148V	172	QA2148VG	172	QA2148E	182	QA2148S	525
24" width (610mm)	54"	1372	16	7.3	1.3	QA2154Z	172	QA2154C	178	QA2154V	185	QA2154VG	185	QA2154E	205	QA2154S	681
	60"	1524	18	8.2	1.3	QA2160Z	173	QA2160C	181	QA2160V	187	QA2160VG	187	QA2160E	211	QA2160S	685
	72"	1829	24	10.9	1.4	QA2172Z	204	QA2172C	212	QA2172V	227	QA2172VG	227	QA2172E	248	QA2172S	805
	24"	610	9	4.1	0.8	QA2424Z	136	QA2424C	143	QA2424V	144	QA2424VG	144	QA2424E	167	QA2424S	486
	30"	762	11	5.0	0.8	QA2430Z	140	QA2430C	145	QA2430V	155	QA2430VG	155	QA2430E	169	QA2430S	488
	36"	914	13	5.9	0.8	QA2436Z	143	QA2436C	148	QA2436V	164	QA2436VG	164	QA2436E	173	QA2436S	494
	42"	1067	15	6.8	1.2	QA2442Z	161	QA2442C	169	QA2442V	176	QA2442VG	176	QA2442E	199	QA2442S	585
24" width (610mm)	48"	1219	16	7.3	1.2	QA2448Z	164	QA2448C	173	QA2448V	188	QA2448VG	188	QA2448E	204	QA2448S	587
	54"	1372	19	8.6	1.5	QA2454Z	186	QA2454C	196	QA2454V	206	QA2454VG	206	QA2454E	228	QA2454S	709
	60"	1524	21	9.5	1.5	QA2460Z	188	QA2460C	198	QA2460V	218	QA2460VG	218	QA2460E	233	QA2460S	714
	72"	1829	26	11.8	1.6	QA2472Z	214	QA2472C	227	QA2472V	253	QA2472VG	253	QA2472E	266	QA2472S	881

Note: MICROGARD® antimicrobial protection standard on all EAGLEgard® shelving.

 100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
 Phone: 302-653-3000. Fax: 302-653-2065
<http://www.eagle-mhc.com>

Quad-Adjust® Wire Shelving (continued) see spec sheet **EG01.14**

(•) MTS (made to stock) / () MTO (made to order)

Quad-Adjust® Reverse Mat Shelves

Built-in ledges prevent shelf contents from falling off.

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless steel	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
14" (356mm)	24"	610	6	2.7	0.5	QAR1424Z	114	QAR1424C	122	QAR1424V	118	QAR1424VG	118	QAR1424E	136	QAR1424S	349
	36"	914	8	3.6	0.5	QAR1436Z	121	QAR1436C	129	QAR1436V	133	QAR1436VG	133	QAR1436E	144	QAR1436S	355
	48"	1219	10	4.6	0.7	QAR1448Z	129	QAR1448C	145	QAR1448V	149	QAR1448VG	149	QAR1448E	167	QAR1448S	427
18" (457mm)	24"	610	7	3.2	0.7	QAR1824Z	127	QAR1824C	128	QAR1824V	131	QAR1824VG	131	QAR1824E	149	QAR1824S	421
	36"	914	9	4.1	0.7	QAR1836Z	136	QAR1836C	138	QAR1836V	147	QAR1836VG	147	QAR1836E	156	QAR1836S	431
	48"	1219	12	5.5	0.9	QAR1848Z	149	QAR1848C	154	QAR1848V	171	QAR1848VG	171	QAR1848E	182	QAR1848S	505
21" (533mm)	24"	610	8	3.6	0.7	QAR2124Z	133	QAR2124C	134	QAR2124V	141	QAR2124VG	141	QAR2124E	159	QAR2124S	434
	36"	914	11	5.0	0.8	QAR2136Z	144	QAR2136C	153	QAR2136V	167	QAR2136VG	167	QAR2136E	172	QAR2136S	487
	48"	1219	14	6.4	1.1	QAR2148Z	161	QAR2148C	171	QAR2148V	182	QAR2148VG	182	QAR2148E	196	QAR2148S	560
24" (610mm)	24"	610	9	4.1	0.8	QAR2424Z	145	QAR2424C	149	QAR2424V	152	QAR2424VG	152	QAR2424E	177	QAR2424S	518
	36"	914	13	5.9	0.8	QAR2436Z	152	QAR2436C	161	QAR2436V	172	QAR2436VG	172	QAR2436E	183	QAR2436S	525
	48"	1219	16	7.3	1.2	QAR2448Z	172	QAR2448C	183	QAR2448V	203	QAR2448VG	203	QAR2448E	216	QAR2448S	623

Note: MICROGARD® antimicrobial protection standard on all EAGLEgard® shelving.

Quad-Adjust® 4-Tier Starter Units — Convenient easy-to-order starter unit kits.

see product announcement **EG8115M**

patented
QuadTruss
design
(Patent #5,390,803)

Consists of (2) standard wire shelves, (2) Quad-Adjust® shelves (patent #7,992,731), and (4) 74" (1880mm) posts.

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless steel	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18" width (457mm)	36"	914	65	40	2.7	F2QA2-74-1836Z	531	F2QA2-74-1836C	544	F2QA2-74-1836V	589	F2QA2-74-1836VG	589	F2QA2-74-1836E	627	F2QA2-74-1836S	1783
	48"	1219	78	36	3.6	F2QA2-74-1848Z	585	F2QA2-74-1848C	608	F2QA2-74-1848V	667	F2QA2-74-1848VG	667	F2QA2-74-1848E	717	F2QA2-74-1848S	2044
	60"	1524	102	46	4.3	F2QA2-74-1860Z	651	F2QA2-74-1860C	686	F2QA2-74-1860V	744	F2QA2-74-1860VG	744	F2QA2-74-1860E	812	F2QA2-74-1860S	2482
	72"	1819	117	53	5.1	F2QA2-74-1872Z	728	F2QA2-74-1872C	772	F2QA2-74-1872V	844	F2QA2-74-1872VG	844	F2QA2-74-1872E	899	F2QA2-74-1872S	2862
24" width (610mm)	36"	914	81	37	3.6	F2QA2-74-2436Z	589	F2QA2-74-2436C	623	F2QA2-74-2436V	672	F2QA2-74-2436VG	672	F2QA2-74-2436E	721	F2QA2-74-2436S	2112
	48"	1219	98	45	4.6	F2QA2-74-2448Z	669	F2QA2-74-2448C	713	F2QA2-74-2448V	776	F2QA2-74-2448VG	776	F2QA2-74-2448E	837	F2QA2-74-2448S	2457
	60"	1524	122	55	5.7	F2QA2-74-2460Z	769	F2QA2-74-2460C	808	F2QA2-74-2460V	880	F2QA2-74-2460VG	880	F2QA2-74-2460E	947	F2QA2-74-2460S	2912
	72"	1819	149	68	6.9	F2QA2-74-2472Z	854	F2QA2-74-2472C	920	F2QA2-74-2472V	999	F2QA2-74-2472VG	999	F2QA2-74-2472E	1075	F2QA2-74-2472S	3522

Note: MICROGARD® antimicrobial protection standard on all EAGLEgard® shelving.

Contact us:
revit@eaglegrp.com

Access Eagle's Revit Libraries on
AutoQuotes, KCL, and AutoDesk Seek.


EAGLE
GROUP

Profit from the Eagle Advantage®

Catalog Section 1

QuadPLUS® Polymer Shelf Mats...

see spec sheets **EG01.47A** | **EG01.47B**



FEATURES

- Blue* polymer louvered or solid shelf mats.
- MICROGARD® antimicrobial protection standard on mats.
- Easy assembly—no tools required!

Note: Packaging is the same as that of Wire Shelves (page 6).

- Shelves up to 48" (1219mm): 800 lb. (363 kg).
- 54"-72" (1372-1829mm) shelves: 600 lb. (272 kg) - evenly distributed static load.

WEIGHT CAPACITIES:

Note: Shelving units should not exceed 2400 lbs. (1089 kg) per set of four posts.

...with Standard Wire Truss Frame...

	length		weight		cu ft	w/chrome finish*		w/Valu-Master® finish*		w/chrome finish*		w/Valu-Master® finish*	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list
18" width (457mm)	24"	610	7	3.2	0.7	QPF-1824C-BL	107	QPF-1824V-BL	113	QPF-1824C-BS	113	QPF-1824V-BS	119
	30"	762	8	3.6	0.7	QPF-1830C-BL	113	QPF-1830V-BL	119	QPF-1830C-BS	119	QPF-1830V-BS	125
	36"	914	10	4.5	0.7	QPF-1836C-BL	113	QPF-1836V-BL	119	QPF-1836C-BS	119	QPF-1836V-BS	125
	42"	1067	11	5.0	0.9	QPF-1842C-BL	136	QPF-1842V-BL	143	QPF-1842C-BS	144	QPF-1842V-BS	151
	48"	1219	12	5.4	0.9	QPF-1848C-BL	136	QPF-1848V-BL	143	QPF-1848C-BS	144	QPF-1848V-BS	151
	54"	1372	15	6.8	1.2	QPF-1854C-BL	161	QPF-1854V-BL	169	QPF-1854C-BS	169	QPF-1854V-BS	178
	60"	1524	17	7.7	1.2	QPF-1860C-BL	161	QPF-1860V-BL	169	QPF-1860C-BS	169	QPF-1860V-BS	178
72"	1829	20	9.0	1.3	QPF-1872C-BL	183	QPF-1872V-BL	193	QPF-1872C-BS	193	QPF-1872V-BS	203	
21" width (533mm)	24"	610	8	3.6	0.7	QPF-2124C-BL	122	QPF-2124V-BL	127	QPF-2124C-BS	127	QPF-2124V-BS	134
	30"	762	9	4.1	0.7	QPF-2130C-BL	125	QPF-2130V-BL	131	QPF-2130C-BS	131	QPF-2130V-BS	140
	36"	914	11	5.0	0.8	QPF-2136C-BL	125	QPF-2136V-BL	131	QPF-2136C-BS	131	QPF-2136V-BS	140
	42"	1067	13	5.9	1.1	QPF-2142C-BL	147	QPF-2142V-BL	154	QPF-2142C-BS	154	QPF-2142V-BS	164
	48"	1219	14	6.4	1.1	QPF-2148C-BL	147	QPF-2148V-BL	154	QPF-2148C-BS	154	QPF-2148V-BS	164
	54"	1372	16	7.3	1.3	QPF-2154C-BL	173	QPF-2154V-BL	182	QPF-2154C-BS	183	QPF-2154V-BS	193
	60"	1524	18	8.2	1.3	QPF-2160C-BL	173	QPF-2160V-BL	182	QPF-2160C-BS	183	QPF-2160V-BS	193
72"	1829	23	10.4	1.4	QPF-2172C-BL	211	QPF-2172V-BL	223	QPF-2172C-BS	224	QPF-2172V-BS	236	
24" width (610mm)	24"	610	10	4.5	0.8	QPF-2424C-BL	134	QPF-2424V-BL	142	QPF-2424C-BS	143	QPF-2424V-BS	149
	30"	762	11	5.0	0.8	QPF-2430C-BL	136	QPF-2430V-BL	144	QPF-2430C-BS	145	QPF-2430V-BS	152
	36"	914	13	5.9	0.8	QPF-2436C-BL	136	QPF-2436V-BL	144	QPF-2436C-BS	145	QPF-2436V-BS	152
	42"	1067	15	6.8	1.2	QPF-2442C-BL	167	QPF-2442V-BL	176	QPF-2442C-BS	174	QPF-2442V-BS	183
	48"	1219	16	7.3	1.2	QPF-2448C-BL	167	QPF-2448V-BL	176	QPF-2448C-BS	174	QPF-2448V-BS	183
	54"	1372	19	8.6	1.5	QPF-2454C-BL	198	QPF-2454V-BL	207	QPF-2454C-BS	207	QPF-2454V-BS	218
	60"	1524	21	9.5	1.5	QPF-2460C-BL	198	QPF-2460V-BL	207	QPF-2460C-BS	207	QPF-2460V-BS	218
72"	1829	25	11.3	1.6	QPF-2472C-BL	232	QPF-2472V-BL	243	QPF-2472C-BS	243	QPF-2472V-BS	256	

...with Quad-Adjust® Truss Frame...

	length		weight		cu ft	w/chrome finish*		w/Valu-Master® finish*		w/chrome finish*		w/Valu-Master® finish*	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list
18" width (457mm)	24"	610	7	3.2	0.7	QPF-QA1824C-BL	126	QPF-QA1824V-BL	131	QPF-QA1824C-BS	131	QPF-QA1824V-BS	141
	30"	762	8	3.6	0.7	QPF-QA1830C-BL	131	QPF-QA1830V-BL	141	QPF-QA1830C-BS	141	QPF-QA1830V-BS	147
	36"	914	10	4.5	0.7	QPF-QA1836C-BL	131	QPF-QA1836V-BL	141	QPF-QA1836C-BS	141	QPF-QA1836V-BS	147
	42"	1067	11	5.0	0.9	QPF-QA1842C-BL	161	QPF-QA1842V-BL	167	QPF-QA1842C-BS	169	QPF-QA1842V-BS	178
	48"	1219	12	5.4	0.9	QPF-QA1848C-BL	161	QPF-QA1848V-BL	167	QPF-QA1848C-BS	169	QPF-QA1848V-BS	178
	54"	1372	15	6.8	1.2	QPF-QA1854C-BL	188	QPF-QA1854V-BL	199	QPF-QA1854C-BS	199	QPF-QA1854V-BS	209
	60"	1524	17	7.7	1.2	QPF-QA1860C-BL	188	QPF-QA1860V-BL	199	QPF-QA1860C-BS	199	QPF-QA1860V-BS	209
	72"	1829	20	9.0	1.3	QPF-QA1872C-BL	216	QPF-QA1872V-BL	226	QPF-QA1872C-BS	226	QPF-QA1872V-BS	239
21" width (533mm)	24"	610	8	3.6	0.7	QPF-QA2124C-BL	144	QPF-QA2124V-BL	149	QPF-QA2124C-BS	149	QPF-QA2124V-BS	156
	30"	762	9	4.1	0.7	QPF-QA2130C-BL	147	QPF-QA2130V-BL	154	QPF-QA2130C-BS	154	QPF-QA2130V-BS	164
	36"	914	11	5.0	0.8	QPF-QA2136C-BL	147	QPF-QA2136V-BL	154	QPF-QA2136C-BS	154	QPF-QA2136V-BS	164
	42"	1067	13	5.9	1.1	QPF-QA2142C-BL	173	QPF-QA2142V-BL	182	QPF-QA2142C-BS	182	QPF-QA2142V-BS	192
	48"	1219	14	6.4	1.1	QPF-QA2148C-BL	173	QPF-QA2148V-BL	182	QPF-QA2148C-BS	182	QPF-QA2148V-BS	192
	54"	1372	16	7.3	1.3	QPF-QA2154C-BL	204	QPF-QA2154V-BL	215	QPF-QA2154C-BS	216	QPF-QA2154V-BS	226
	60"	1524	18	8.2	1.3	QPF-QA2160C-BL	204	QPF-QA2160V-BL	215	QPF-QA2160C-BS	216	QPF-QA2160V-BS	226
	72"	1829	23	10.4	1.4	QPF-QA2172C-BL	247	QPF-QA2172V-BL	261	QPF-QA2172C-BS	264	QPF-QA2172V-BS	276
24" width (610mm)	24"	610	10	4.5	0.8	QPF-QA2424C-BL	156	QPF-QA2424V-BL	166	QPF-QA2424C-BS	167	QPF-QA2424V-BS	176
	30"	762	11	5.0	0.8	QPF-QA2430C-BL	161	QPF-QA2430V-BL	169	QPF-QA2430C-BS	171	QPF-QA2430V-BS	180
	36"	914	13	5.9	0.8	QPF-QA2436C-BL	161	QPF-QA2436V-BL	169	QPF-QA2436C-BS	171	QPF-QA2436V-BS	180
	42"	1067	15	6.8	1.2	QPF-QA2442C-BL	197	QPF-QA2442V-BL	206	QPF-QA2442C-BS	205	QPF-QA2442V-BS	216
	48"	1219	16	7.3	1.2	QPF-QA2448C-BL	197	QPF-QA2448V-BL	206	QPF-QA2448C-BS	205	QPF-QA2448V-BS	216
	54"	1372	19	8.6	1.5	QPF-QA2454C-BL	233	QPF-QA2454V-BL	244	QPF-QA2454C-BS	244	QPF-QA2454V-BS	257
	60"	1524	21	9.5	1.5	QPF-QA2460C-BL	233	QPF-QA2460V-BL	244	QPF-QA2460C-BS	244	QPF-QA2460V-BS	257
	72"	1829	25	11.3	1.6	QPF-QA2472C-BL	273	QPF-QA2472V-BL	287	QPF-QA2472C-BS	287	QPF-QA2472V-BS	300

*Available with green polymer mats and truss frames coated with EAGLEgard® green epoxy (w/MICROGARD®) or Valu-Gard® green epoxy finish.

See spec sheets **EG01.47A** and **EG01.47B**.


QuadPLUS® Wire Baskets and Truss Frames

see product announcement **EG8155M**

These baskets are used in conjunction with specially-made truss frames. Once truss frame is assembled to posts, set basket inside frame. It's that easy!


Wire Baskets

	length		depth		chrome finish		Valu-Master® gray epoxy	
	in.	mm	in.	mm	model #	list	model #	list
18" width (457mm)	16"	406	6"	152	QPB1816C-6	246	QPB1816V-6	253
	16"	406	9"	229	QPB1816C-9	265	QPB1816V-9	271
	22"	559	6"	152	QPB1822C-6	274	QPB1822V-6	280
	22"	559	9"	229	QPB1822C-9	294	QPB1822V-9	299
24" width (610mm)	16"	406	6"	152	QPB2416C-6	257	QPB2416V-6	261
	16"	406	9"	229	QPB2416C-9	275	QPB2416V-9	281
	22"	559	6"	152	QPB2422C-6	285	QPB2422V-6	292
	22"	559	9"	229	QPB2422C-9	302	QPB2422V-9	311



Truss Frames with Standard Corners

	length		chrome finish		Valu-Master® gray epoxy		quantity of 16"-long basket	quantity of 22"-long basket
	in.	mm	model #	list	model #	list		
18" width (457mm)	24"	610	QPAF-1824C	76	QPAF-1824V	77		1
	30"	760	QPAF-1830C	78	QPAF-1830V	79		1
	36"	914	QPAF-1836C	80	QPAF-1836V	81		2
	42"	1060	QPAF-1842C	82	QPAF-1842V	84	1	1
	48"	1220	QPAF-1848C	85	QPAF-1848V	86		2
	54"	1372	QPAF-1854C	86	QPAF-1854V	87		2
	60"	1524	QPAF-1860C	88	QPAF-1860V	89	2	1
24" width (610mm)	72"	1829	QPAF-1872C	91	QPAF-1872V	93		3
	24"	610	QPAF-2424C	86	QPAF-2424V	87		1
	30"	760	QPAF-2430C	89	QPAF-2430V	91		1
	36"	914	QPAF-2436C	92	QPAF-2436V	94		2
	42"	1060	QPAF-2442C	94	QPAF-2442V	97	1	1
	48"	1220	QPAF-2448C	100	QPAF-2448V	104		2
	54"	1372	QPAF-2454C	101	QPAF-2454V	105		2
	60"	1524	QPAF-2460C	101	QPAF-2460V	105	2	1
	72"	1829	QPAF-2472C	114	QPAF-2472V	117		3



standard truss frame corner

Truss Frames with Quad-Adjust® Corners

	length		chrome finish		Valu-Master® gray epoxy		quantity of 16"-long basket	quantity of 22"-long basket
	in.	mm	model #	list	model #	list		
18" width (457mm)	24"	610	QPAF-QA1824C	159	QPAF-QA1824V	163		1
	30"	760	QPAF-QA1830C	161	QPAF-QA1830V	165		1
	36"	914	QPAF-QA1836C	161	QPAF-QA1836V	165	2	
	42"	1060	QPAF-QA1842C	164	QPAF-QA1842V	167	1	1
	48"	1220	QPAF-QA1848C	166	QPAF-QA1848V	169		2
	54"	1372	QPAF-QA1854C	171	QPAF-QA1854V	174		2
	60"	1524	QPAF-QA1860C	173	QPAF-QA1860V	177	2	1
24" width (610mm)	72"	1829	QPAF-QA1872C	174	QPAF-QA1872V	178		3
	24"	610	QPAF-QA2424C	167	QPAF-QA2424V	171		1
	30"	760	QPAF-QA2430C	171	QPAF-QA2430V	174		1
	36"	914	QPAF-QA2436C	174	QPAF-QA2436V	178		2
	42"	1060	QPAF-QA2442C	178	QPAF-QA2442V	182	1	1
	48"	1220	QPAF-QA2448C	182	QPAF-QA2448V	185		2
	54"	1372	QPAF-QA2454C	185	QPAF-QA2454V	188		2
	60"	1524	QPAF-QA2460C	186	QPAF-QA2460V	189	2	1
	72"	1829	QPAF-QA2472C	195	QPAF-QA2472V	198		3



Quad-Adjust® truss frame corner
(allows addition or removal of a shelf without having to disassemble the entire shelf unit)

Catalog Section 1

QuadPLUS® 5-Tier Starter Units

see spec sheet **EG01.36M**

*Convenient
Easy-To-Order
Starter Unit Kits*

CONSISTS OF:

- One (1) Standard collar truss frame with louvered QuadPLUS® blue shelf mats.
- Three (3) Quad-Adjust® collar truss frames with louvered QuadPLUS® blue shelf mats.
- One (1) Standard collar truss frame with solid QuadPLUS® blue shelf mats.
- Four (4) 74" (1880mm) posts. Mobile units feature 5" (127mm) resilient swivel stem casters—two with brake.

Stationary Units

	length		with chrome finish		with Valu-Master® finish	
	in.	mm	model #	list	model #	list
18" width (457mm)	36"	914	QPSU1836C-B5-74	906	QPSU1836V-B5-74	755
	48"	1219	QPSU1848C-B5-74	1041	QPSU1848V-B5-74	889
	60"	1524	QPSU1860C-B5-74	1178	QPSU1860V-B5-74	1026
21" width (533mm)	36"	914	QPSU2136C-B5-74	978	QPSU2136V-B5-74	826
	48"	1219	QPSU2148C-B5-74	1101	QPSU2148V-B5-74	948
	60"	1524	QPSU2160C-B5-74	1247	QPSU2160V-B5-74	1095
24" width (610mm)	36"	914	QPSU2436C-B5-74	1043	QPSU2436V-B5-74	891
	48"	1219	QPSU2448C-B5-74	1212	QPSU2448V-B5-74	1058
	60"	1524	QPSU2460C-B5-74	1382	QPSU2460V-B5-74	1229

Mobile Units

	length		with chrome finish		with Valu-Master® finish	
	in.	mm	model #	list	model #	list
18" width (457mm)	36"	914	QPMU1836C-B5-74	948	QPMU1836V-B5-74	797
	48"	1219	QPMU1848C-B5-74	1079	QPMU1848V-B5-74	926
	60"	1524	QPMU1860C-B5-74	1229	QPMU1860V-B5-74	1077
21" width (533mm)	36"	914	QPMU2136C-B5-74	1019	QPMU2136V-B5-74	866
	48"	1219	QPMU2148C-B5-74	1148	QPMU2148V-B5-74	996
	60"	1524	QPMU2160C-B5-74	1304	QPMU2160V-B5-74	1152
24" width (610mm)	36"	914	QPMU2436C-B5-74	1089	QPMU2436V-B5-74	938
	48"	1219	QPMU2448C-B5-74	1262	QPMU2448V-B5-74	1111
	60"	1524	QPMU2460C-B5-74	1444	QPMU2460V-B5-74	1292



QuadPLUS® Accessories

see product announcement **EG8165M**

See page 16 for more QuadPLUS® Accessories.



tray drying rack

Tray Drying Racks

Fits over existing QuadPlus® polymer shelving. Constructed of 6-gauge wire with chrome or Valu-Master® gray epoxy coating. Comes in widths of 18", 21" and 24". Lengths range from 24" long to 60".

		...with 1-1/2" (38mm) Spacing				...with 3" (76mm) Spacing			
length		with Valu-Master®		with stainless finish		with Valu-Master®		with stainless finish	
in. mm		model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36" 914	QTR24361-V	253	QTR24361-S	274	QTR24363-V	247	QTR24363-S	269
	48" 1219	QTR24481-V	264	QTR24481-S	294	QTR24483-V	260	QTR24483-S	289
	60" 1524	QTR24601-V	281	QTR24601-S	317	QTR24603-V	276	QTR24603-S	313

QuadPLUS® Accessories

see product announcement **EG8165M**

Drop-In Drying Racks


Wire rack hangs onto front, center and rear trusses of frame included.
All drying racks are stainless steel, with your choice of Valu-Master® gray epoxy or stainless steel truss frame.

	length		w/Valu-Master® finish on truss frame		with stainless finish on truss frame	
	in.	mm	model #	list	model #	list
24" width (610mm)	36"	914	QDR2436-V	314	QDR2436-S	427
	48"	1219	QDR2448-V	327	QDR2448-S	466
	60"	1524	QDR2460-V	345	QDR2460-S	513



drop-in drying rack

Ledges



left-to-right ledge

front-to-back ledge

Front-to-Back Ledges...

			1"-high (25mm)						4"-high (102mm)					
width		cu	weight		w/chrome		w/Valu-Master®		weight		w/chrome		w/Valu-Master®	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
18"	457	0.3	0.3	0.1	QL18W-1C	38	QL18W-1V	39	0.9	0.4	QL18W-4C	39	QL18W-4V	40
21"	533	0.3	0.4	0.2	QL21W-1C	40	QL21W-1V	41	1.0	0.5	QL21W-4C	42	QL21W-4V	44
24"	610	0.3	0.5	0.2	QL24W-1C	41	QL24W-1V	42	1.2	0.6	QL24W-4C	42	QL24W-4V	44

Left-to-Right Ledges...

			1"-high (25mm)						4"-high (102mm)					
length		cu	weight		w/chrome		w/Valu-Master®		weight		w/chrome		w/Valu-Master®	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
24"	610	0.3	0.5	0.2	QL24L-1C	41	QL24L-1V	42	1.2	0.6	QL24L-4C	42	QL24L-4V	44
30"	762	0.5	0.7	0.3	QL30L-1C	49	QL30L-1V	51	1.4	0.6	QL30L-4C	55	QL30L-4V	56
36"	914	0.6	0.9	0.4	QL36L-1C	58	QL36L-1V	59	1.6	0.7	QL36L-4C	65	QL36L-4V	66
42"	1067	0.6	1.1	0.5	QL42L-1C	60	QL42L-1V	61	1.8	0.8	QL42L-4C	66	QL42L-4V	67
48"	1092	0.7	1.3	0.6	QL48L-1C	61	QL48L-1V	62	2.0	0.9	QL48L-4C	67	QL48L-4V	68
54"	1372	0.8	1.5	0.7	QL54L-1C	67	QL54L-1V	68	2.2	1.0	QL54L-4C	69	QL54L-4V	71
60"	1524	0.8	1.7	0.8	QL60L-1C	76	QL60L-1V	77	2.4	1.1	QL60L-4C	80	QL60L-4V	81
72"	1829	1.0	2.1	1.0	QL72L-1C	82	QL72L-1V	84	2.6	1.2	QL72L-4C	87	QL72L-4V	88

QuadPLUS® Dividers

8" (203mm) height.



length in.	mm	w/chrome		w/Valu-Master®	
		model #	list	model #	list
18"	457	QPSD18-C	84	QPSD18-V	85
21"	533	QPSD21-C	85	QPSD21-V	87
24"	610	QPSD24-C	91	QPSD24-V	92

Post Clamps

Provides maximum strength when shelving units are connected by clamping posts securely together.




stainless steel		black epoxy	
model #	list	model #	list
ADD-A-CLAMP	9	ADD-A-CLAMP-BL	14

Catalog Section 1

Seismic Footplate Kits

see product announcement **EG8144**



one-post bolt plate for #SFP10-1

two-post bolt plate for #SFP10-2

four-post bolt plate for #SFP10-4



post strap for #SFP10-2 and #SFP10-4

FEATURES


- For 1"-diameter posts of pre-existing shelf units.
- 20 PSF per shelf weight capacity.
- Includes hardware to attach to posts.
- Bolt plate is zinc-plated.
- Post straps are chrome-plated.

Note: Shelves and posts sold separately.


Converts standard shelving into seismic shelving!

description	quantity of bolt plates per kit	width x length x height in.	width x length x height mm	kit model #	list
one-post bolt plate	4	2 7/8" x 7" x 4 1/4"	73 x 178 x 108	SFP10-1	206
two-post bolt plate, 2 sets of post straps*	2	8" x 11" x 4 1/4"	203 x 279 x 108	SFP10-2	342
four-post bolt plate, 4 sets of post straps*	1	11" x 11" x 4 1/4"	279 x 279 x 108	SFP10-4	324


* Post straps come with hardware for assembly, and split sleeves for attaching to posts.




For single shelving unit, you need...



one (1) #SFP10-1 kit




For TWO adjacent shelving units, you need...




one (1) #SFP10-1 kit

one (1) #SFP10-2 kit




For FOUR adjacent shelving units, you need...



one (1) #SFP10-1 kit

two (2) #SFP10-2 kits



one (1) #SFP10-4 kit

**OSHDP
APPROVED**

OPM-0349-13

**Approved by the California Office of
Statewide Health Planning and Development.**

Note: OSHDP ongoing evaluation may affect EAGLE GROUP's approve/pre-approve status. Consult factory.

Four-Shelf Starter Units (NSF)

see spec sheet **EG01.25**

- Four shelves.
- Four posts (same finish as shelves).
- Shipped knocked-down.

INCLUDES:

Note: 54" (1372mm) shelves available (see page 6).



**EAGLEgard® finish standard
with MICROGARD® protection.**
See bottom of page 4 for details.

(•) MTS (made to stock) / () MTO (made to order)

patented
QuadTruss®
design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and
provides a retaining ledge for increased
strength and product retention.

Models with 63" (1600mm) Height

	length		weight		cu ft	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18" width (457mm)	24"	610	42	19	1.8	S4-63-1824Z •	407	S4-63-1824C •	422	S4-63-1824V •	438	S4-63-1824VG •	438	S4-63-1824E •	501	S4-63-1824S •	1508
	30"	762	47	21	2.2	S4-63-1830Z •	418	S4-63-1830C •	427	S4-63-1830V •	462	S4-63-1830VG •	462	S4-63-1830E •	517	S4-63-1830S •	1528
	36"	914	53	24	2.6	S4-63-1836Z •	427	S4-63-1836C •	438	S4-63-1836V •	477	S4-63-1836VG •	477	S4-63-1836E •	531	S4-63-1836S •	1537
	42"	1067	57	26	3.0	S4-63-1842Z •	477	S4-63-1842C •	501	S4-63-1842V •	540	S4-63-1842VG •	540	S4-63-1842E •	609	S4-63-1842S •	1773
	48"	1219	63	29	3.5	S4-63-1848Z •	477	S4-63-1848C •	501	S4-63-1848V •	540	S4-63-1848VG •	540	S4-63-1848E •	609	S4-63-1848S •	1773
	60"	1524	82	37	4.2	S4-63-1860Z •	535	S4-63-1860C •	569	S4-63-1860V •	634	S4-63-1860VG •	634	S4-63-1860E •	698	S4-63-1860S •	2166
21" width (533mm)	72"	1829	94	43	5.0	S4-63-1872Z •	648	S4-63-1872C •	653	S4-63-1872V •	707	S4-63-1872VG •	707	S4-63-1872E •	786	S4-63-1872S •	2509
	24"	610	46	21	2.1	S4-63-2124Z •	438	S4-63-2124C •	472	S4-63-2124V •	481	S4-63-2124VG •	481	S4-63-2124E •	551	S4-63-2124S •	1696
	30"	762	52	24	2.6	S4-63-2130Z •	446	S4-63-2130C •	481	S4-63-2130V •	505	S4-63-2130VG •	505	S4-63-2130E •	560	S4-63-2130S •	1709
	36"	914	59	27	3.0	S4-63-2136Z •	462	S4-63-2136C •	497	S4-63-2136V •	517	S4-63-2136VG •	517	S4-63-2136E •	585	S4-63-2136S •	1719
	42"	1067	65	30	3.5	S4-63-2142Z •	511	S4-63-2142C •	555	S4-63-2142V •	585	S4-63-2142VG •	585	S4-63-2142E •	658	S4-63-2142S •	1936
	48"	1219	71	32	4.0	S4-63-2148Z •	511	S4-63-2148C •	555	S4-63-2148V •	585	S4-63-2148VG •	585	S4-63-2148E •	658	S4-63-2148S •	1936
24" width (610mm)	60"	1524	88	40	5.0	S4-63-2160Z •	598	S4-63-2160C •	634	S4-63-2160V •	678	S4-63-2160VG •	678	S4-63-2160E •	745	S4-63-2160S •	2471
	72"	1829	98	45	7.8	S4-63-2172Z •	698	S4-63-2172C •	733	S4-63-2172V •	796	S4-63-2172VG •	796	S4-63-2172E •	884	S4-63-2172S •	2863
	24"	610	50	23	2.4	S4-63-2424Z •	462	S4-63-2424C •	492	S4-63-2424V •	511	S4-63-2424VG •	511	S4-63-2424E •	594	S4-63-2424S •	1803
	30"	762	57	26	2.9	S4-63-2430Z •	472	S4-63-2430C •	505	S4-63-2430V •	535	S4-63-2430VG •	535	S4-63-2430E •	605	S4-63-2430S •	1813
	36"	914	65	30	3.5	S4-63-2436Z •	486	S4-63-2436C •	517	S4-63-2436V •	546	S4-63-2436VG •	546	S4-63-2436E •	614	S4-63-2436S •	1832
	42"	1067	72	33	3.6	S4-63-2442Z •	560	S4-63-2442C •	594	S4-63-2442V •	634	S4-63-2442VG •	634	S4-63-2442E •	722	S4-63-2442S •	2151
24" width (610mm)	48"	1219	79	36	4.5	S4-63-2448Z •	560	S4-63-2448C •	594	S4-63-2448V •	634	S4-63-2448VG •	634	S4-63-2448E •	722	S4-63-2448S •	2151
	60"	1524	98	45	5.6	S4-63-2460Z •	658	S4-63-2460C •	687	S4-63-2460V •	745	S4-63-2460VG •	745	S4-63-2460E •	829	S4-63-2460S •	2554
	72"	1829	120	55	6.8	S4-63-2472Z •	733	S4-63-2472C •	792	S4-63-2472V •	849	S4-63-2472VG •	849	S4-63-2472E •	947	S4-63-2472S •	3103

Models with 74" (1880mm) Height

	length		weight		cu ft	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18" width (457mm)	24"	610	51	23	1.9	S4-74-1824Z •	413	S4-74-1824C •	433	S4-74-1824V •	446	S4-74-1824VG •	446	S4-74-1824E •	517	S4-74-1824S •	1553
	30"	762	58	26	2.3	S4-74-1830Z •	422	S4-74-1830C •	438	S4-74-1830V •	472	S4-74-1830VG •	472	S4-74-1830E •	531	S4-74-1830S •	1572
	36"	914	65	30	2.7	S4-74-1836Z •	433	S4-74-1836C •	446	S4-74-1836V •	486	S4-74-1836VG •	486	S4-74-1836E •	546	S4-74-1836S •	1582
	42"	1067	70	32	3.1	S4-74-1842Z •	481	S4-74-1842C •	511	S4-74-1842V •	551	S4-74-1842VG •	551	S4-74-1842E •	624	S4-74-1842S •	1817
	48"	1219	78	36	3.6	S4-74-1848Z •	481	S4-74-1848C •	511	S4-74-1848V •	551	S4-74-1848VG •	551	S4-74-1848E •	624	S4-74-1848S •	1817
	60"	1524	102	46	4.3	S4-74-1860Z •	540	S4-74-1860C •	580	S4-74-1860V •	644	S4-74-1860VG •	644	S4-74-1860E •	713	S4-74-1860S •	2211
21" width (533mm)	72"	1829	117	53	5.1	S4-74-1872Z •	653	S4-74-1872C •	664	S4-74-1872V •	717	S4-74-1872VG •	717	S4-74-1872E •	800	S4-74-1872S •	2554
	24"	610	57	26	2.2	S4-74-2124Z •	442	S4-74-2124C •	481	S4-74-2124V •	492	S4-74-2124VG •	492	S4-74-2124E •	565	S4-74-2124S •	1739
	30"	762	64	29	2.7	S4-74-2130Z •	451	S4-74-2130C •	492	S4-74-2130V •	517	S4-74-2130VG •	517	S4-74-2130E •	575	S4-74-2130S •	1754
	36"	914	73	33	3.1	S4-74-2136Z •	466	S4-74-2136C •	505	S4-74-2136V •	525	S4-74-2136VG •	525	S4-74-2136E •	598	S4-74-2136S •	1763
	42"	1067	81	37	3.6	S4-74-2142Z •	517	S4-74-2142C •	565	S4-74-2142V •	594	S4-74-2142VG •	594	S4-74-2142E •	673	S4-74-2142S •	1979
	48"	1219	88	40	4.1	S4-74-2148Z •	517	S4-74-2148C •	565	S4-74-2148V •	594	S4-74-2148VG •	594	S4-74-2148E •	673	S4-74-2148S •	1979
24" width (610mm)	60"	1524	109	50	5.1	S4-74-2160Z •	605	S4-74-2160C •	644	S4-74-2160V •	687	S4-74-2160VG •	687	S4-74-2160E •	761	S4-74-2160S •	2514
	72"	1829	122	55	7.7	S4-74-2172Z •	702	S4-74-2172C •	741	S4-74-2172V •	805	S4-74-2172VG •	805	S4-74-2172E •	900	S4-74-2172S •	2907
	24"	610	62	28	2.5	S4-74-2424Z •	466	S4-74-2424C •	501	S4-74-2424V •	521	S4-74-2424VG •	521	S4-74-2424E •	609	S4-74-2424S •	1847
	30"	762	71	32	3.0	S4-74-2430Z •	477	S4-74-2430C •	517	S4-74-2430V •	546	S4-74-2430VG •	546	S4-74-2430E •	619	S4-74-2430S •	1857
	36"	914	81	37	3.6	S4-74-2436Z •	492	S4-74-2436C •	525	S4-74-2436V •	555	S4-74-2436VG •	555	S4-74-2436E •	628	S4-74-2436S •	1877
	42"	1067	89	40	3.7	S4-74-2442Z •	565	S4-74-2442C •	605	S4-74-2442V •	644	S4-74-2442VG •	644	S4-74-2442E •	737	S4-74-2442S •	2196
24" width (610mm)	48"	1219	98	45	4.6	S4-74-2448Z •	565	S4-74-2448C •	605	S4-74-2448V •	644	S4-74-2448VG •	644	S4-74-2448E •	737	S4-74-2448S •	2196
	60"	1524	122	55	5.7	S4-74-2460Z •	664	S4-74-2460C •	698	S4-74-2460V •	757	S4-74-2460VG •	757	S4-74-2460E •	845	S4-74-2460S •	2598
	72"	1829	149	68	6.9	S4-74-2472Z •	737	S4-74-2472C •	800	S4-74-2472V •	860	S4-74-2472VG •	860	S4-74-2472E •	963	S4-74-2472S •	3148

Catalog Section 1

Four-Shelf Add-On Units (NSF)

see spec sheet **EG01.25**



EAGLEgard® finish standard
with **MICROGARD®** protection.
See bottom of page 4 for details.

- Four shelves.
- Two posts (*same finish as shelves*).
- Two “S” hooks per shelf.
- Shipped knocked-down.

INCLUDES:

Note: 54" (1372mm) shelves available (see page 6).

(•) MTS (*made to stock*) / () MTO (*made to order*)



Patented QuadTruss® Design
makes shelves up to 25% stronger and
provides a retaining ledge for increased
strength and product retention.

Models with 63" (1600mm) Height

	length		weight		cu ft	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18" width (457mm)	24"	610	35	16	1.8	A4-63-1824Z •	381	A4-63-1824C •	393	A4-63-1824V •	405	A4-63-1824VG •	405	A4-63-1824E •	462	A4-63-1824S •	1373
	30"	762	40	18	2.2	A4-63-1830Z •	391	A4-63-1830C •	399	A4-63-1830V •	429	A4-63-1830VG •	429	A4-63-1830E •	477	A4-63-1830S •	1392
	36"	914	46	21	2.6	A4-63-1836Z •	401	A4-63-1836C •	407	A4-63-1836V •	444	A4-63-1836VG •	444	A4-63-1836E •	492	A4-63-1836S •	1403
	42"	1067	50	23	3.0	A4-63-1842Z •	448	A4-63-1842C •	472	A4-63-1842V •	508	A4-63-1842VG •	508	A4-63-1842E •	569	A4-63-1842S •	1639
	48"	1219	56	25	3.5	A4-63-1848Z •	448	A4-63-1848C •	472	A4-63-1848V •	508	A4-63-1848VG •	508	A4-63-1848E •	569	A4-63-1848S •	1639
	60"	1524	75	34	4.2	A4-63-1860Z •	508	A4-63-1860C •	540	A4-63-1860V •	602	A4-63-1860VG •	602	A4-63-1860E •	658	A4-63-1860S •	2031
21" width (533mm)	72"	1829	87	40	5.0	A4-63-1872Z •	622	A4-63-1872C •	624	A4-63-1872V •	676	A4-63-1872VG •	676	A4-63-1872E •	745	A4-63-1872S •	2376
	24"	610	39	18	2.1	A4-63-2124Z •	409	A4-63-2124C •	442	A4-63-2124V •	448	A4-63-2124VG •	448	A4-63-2124E •	511	A4-63-2124S •	1559
	30"	762	45	21	2.6	A4-63-2130Z •	420	A4-63-2130C •	451	A4-63-2130V •	475	A4-63-2130VG •	475	A4-63-2130E •	521	A4-63-2130S •	1574
	36"	914	52	24	3.0	A4-63-2136Z •	436	A4-63-2136C •	466	A4-63-2136V •	483	A4-63-2136VG •	483	A4-63-2136E •	546	A4-63-2136S •	1584
	42"	1067	58	26	3.5	A4-63-2142Z •	483	A4-63-2142C •	525	A4-63-2142V •	553	A4-63-2142VG •	553	A4-63-2142E •	619	A4-63-2142S •	1799
	48"	1219	64	29	4.0	A4-63-2148Z •	483	A4-63-2148C •	525	A4-63-2148V •	553	A4-63-2148VG •	553	A4-63-2148E •	619	A4-63-2148S •	1799
24" width (610mm)	60"	1524	81	37	5.0	A4-63-2160Z •	572	A4-63-2160C •	605	A4-63-2160V •	646	A4-63-2160VG •	646	A4-63-2160E •	707	A4-63-2160S •	2335
	72"	1829	92	42	7.8	A4-63-2172Z •	671	A4-63-2172C •	702	A4-63-2172V •	763	A4-63-2172VG •	763	A4-63-2172E •	845	A4-63-2172S •	2729
	24"	610	43	20	2.4	A4-63-2424Z •	436	A4-63-2424C •	462	A4-63-2424V •	479	A4-63-2424VG •	479	A4-63-2424E •	553	A4-63-2424S •	1667
	30"	762	50	23	2.9	A4-63-2430Z •	444	A4-63-2430C •	477	A4-63-2430V •	503	A4-63-2430VG •	503	A4-63-2430E •	562	A4-63-2430S •	1678
	36"	914	58	26	3.5	A4-63-2436Z •	460	A4-63-2436C •	486	A4-63-2436V •	513	A4-63-2436VG •	513	A4-63-2436E •	572	A4-63-2436S •	1698
	42"	1067	65	30	3.6	A4-63-2442Z •	533	A4-63-2442C •	565	A4-63-2442V •	602	A4-63-2442VG •	602	A4-63-2442E •	680	A4-63-2442S •	2016
24" width (610mm)	48"	1219	72	33	4.5	A4-63-2448Z •	533	A4-63-2448C •	565	A4-63-2448V •	602	A4-63-2448VG •	602	A4-63-2448E •	680	A4-63-2448S •	2016
	60"	1524	91	41	5.6	A4-63-2460Z •	631	A4-63-2460C •	658	A4-63-2460V •	715	A4-63-2460VG •	715	A4-63-2460E •	788	A4-63-2460S •	2419
	72"	1829	113	51	6.8	A4-63-2472Z •	704	A4-63-2472C •	761	A4-63-2472V •	818	A4-63-2472VG •	818	A4-63-2472E •	906	A4-63-2472S •	2969

Models with 74" (1880mm) Height

	length		weight		cu ft	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18" width (457mm)	24"	610	43	20	1.9	A4-74-1824Z •	385	A4-74-1824C •	399	A4-74-1824V •	409	A4-74-1824VG •	409	A4-74-1824E •	468	A4-74-1824S •	1395
	30"	762	50	23	2.3	A4-74-1830Z •	395	A4-74-1830C •	403	A4-74-1830V •	436	A4-74-1830VG •	436	A4-74-1830E •	483	A4-74-1830S •	1415
	36"	914	57	26	2.7	A4-74-1836Z •	406	A4-74-1836C •	413	A4-74-1836V •	448	A4-74-1836VG •	448	A4-74-1836E •	499	A4-74-1836S •	1424
	42"	1067	62	28	3.1	A4-74-1842Z •	451	A4-74-1842C •	477	A4-74-1842V •	513	A4-74-1842VG •	513	A4-74-1842E •	577	A4-74-1842S •	1660
	48"	1219	70	32	3.6	A4-74-1848Z •	451	A4-74-1848C •	477	A4-74-1848V •	513	A4-74-1848VG •	513	A4-74-1848E •	577	A4-74-1848S •	1660
	60"	1524	93	42	4.3	A4-74-1860Z •	514	A4-74-1860C •	546	A4-74-1860V •	607	A4-74-1860VG •	607	A4-74-1860E •	666	A4-74-1860S •	2054
21" width (533mm)	72"	1829	108	49	5.1	A4-74-1872Z •	596	A4-74-1872C •	628	A4-74-1872V •	680	A4-74-1872VG •	680	A4-74-1872E •	755	A4-74-1872S •	2397
	24"	610	48	22	2.2	A4-74-2124Z •	413	A4-74-2124C •	446	A4-74-2124V •	455	A4-74-2124VG •	455	A4-74-2124E •	519	A4-74-2124S •	1582
	30"	762	56	26	2.7	A4-74-2130Z •	422	A4-74-2130C •	458	A4-74-2130V •	479	A4-74-2130VG •	479	A4-74-2130E •	528	A4-74-2130S •	1596
	36"	914	65	30	3.1	A4-74-2136Z •	438	A4-74-2136C •	472	A4-74-2136V •	488	A4-74-2136VG •	488	A4-74-2136E •	553	A4-74-2136S •	1606
	42"	1067	73	33	3.6	A4-74-2142Z •	486	A4-74-2142C •	531	A4-74-2142V •	557	A4-74-2142VG •	557	A4-74-2142E •	626	A4-74-2142S •	1823
	48"	1219	80	36	4.1	A4-74-2148Z •	486	A4-74-2148C •	531	A4-74-2148V •	557	A4-74-2148VG •	557	A4-74-2148E •	626	A4-74-2148S •	1823
24" width (610mm)	60"	1524	101	46	5.1	A4-74-2160Z •	575	A4-74-2160C •	609	A4-74-2160V •	651	A4-74-2160VG •	651	A4-74-2160E •	715	A4-74-2160S •	2358
	72"	1829	113	51	7.7	A4-74-2172Z •	673	A4-74-2172C •	707	A4-74-2172V •	769	A4-74-2172VG •	769	A4-74-2172E •	852	A4-74-2172S •	2751
	24"	610	53	24	2.5	A4-74-2424Z •	438	A4-74-2424C •	466	A4-74-2424V •	483	A4-74-2424VG •	483	A4-74-2424E •	557	A4-74-2424S •	1688
	30"	762	62	28	3.0	A4-74-2430Z •	446	A4-74-2430C •	481	A4-74-2430V •	508	A4-74-2430VG •	508	A4-74-2430E •	567	A4-74-2430S •	1700
	36"	914	73	33	3.6	A4-74-2436Z •	462	A4-74-2436C •	492	A4-74-2436V •	519	A4-74-2436VG •	519	A4-74-2436E •	577	A4-74-2436S •	1719
	42"	1067	81	37	3.7	A4-74-2442Z •	535	A4-74-2442C •	569	A4-74-2442V •	607	A4-74-2442VG •	607	A4-74-2442E •	685	A4-74-2442S •	2038
24" width (610mm)	48"	1219	90	41	4.6	A4-74-2448Z •	535	A4-74-2448C •	569	A4-74-2448V •	607	A4-74-2448VG •	607	A4-74-2448E •	685	A4-74-2448S •	2038
	60"	1524	113	51	5.7	A4-74-2460Z •	634	A4-74-2460C •	664	A4-74-2460V •	719	A4-74-2460VG •	719	A4-74-2460E •	794	A4-74-2460S •	2441
	72"	1829	141	64	6.9	A4-74-2472Z •	707	A4-74-2472C •	765	A4-74-2472V •	823	A4-74-2472VG •	823	A4-74-2472E •	911	A4-74-2472S •	2992



100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
<http://www.eaglehmc.com>

Five-Shelf Starter Units (NSF)

see spec sheet **EG01.25**

**EAGLEgard® finish standard
with MICROGARD® protection.**
See bottom of page 4 for details.

- Five wire shelves.
- Four posts (*same finish as shelves*).
- Shipped knocked-down.

INCLUDES:

Note: 54" (1372mm) shelves available (see page 6).

(•) MTS (made to stock) / () MTO (made to order)

patented
QuadTruss®
design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and
provides a retaining ledge for increased
strength and product retention.

Models with 74" (1880mm) Height

	length		weight		cu ft	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18" width (457mm)	24"	610	51	23	1.9	S5-74-1824Z •	486	S5-74-1824C •	508	S5-74-1824V •	525	S5-74-1824VG •	525	S5-74-1824E •	607	S5-74-1824S •	1847
	30"	762	58	26	2.3	S5-74-1830Z •	499	S5-74-1830C •	514	S5-74-1830V •	556	S5-74-1830VG •	556	S5-74-1830E •	625	S5-74-1830S •	1872
	36"	914	65	30	2.7	S5-74-1836Z •	511	S5-74-1836C •	527	S5-74-1836V •	575	S5-74-1836VG •	575	S5-74-1836E •	644	S5-74-1836S •	1883
	42"	1067	70	32	3.1	S5-74-1842Z •	572	S5-74-1842C •	607	S5-74-1842V •	654	S5-74-1842VG •	654	S5-74-1842E •	741	S5-74-1842S •	2178
	48"	1219	78	36	3.6	S5-74-1848Z •	572	S5-74-1848C •	607	S5-74-1848V •	654	S5-74-1848VG •	654	S5-74-1848E •	741	S5-74-1848S •	2178
	60"	1524	102	46	4.3	S5-74-1860Z •	646	S5-74-1860C •	694	S5-74-1860V •	772	S5-74-1860VG •	772	S5-74-1860E •	852	S5-74-1860S •	2671
21" width (533mm)	24"	610	57	26	2.2	S5-74-2124Z •	523	S5-74-2124C •	569	S5-74-2124V •	581	S5-74-2124VG •	581	S5-74-2124E •	668	S5-74-2124S •	2081
	30"	762	64	29	2.7	S5-74-2130Z •	535	S5-74-2130C •	583	S5-74-2130V •	612	S5-74-2130VG •	612	S5-74-2130E •	680	S5-74-2130S •	2099
	36"	914	73	33	3.1	S5-74-2136Z •	554	S5-74-2136C •	599	S5-74-2136V •	624	S5-74-2136VG •	624	S5-74-2136E •	711	S5-74-2136S •	2111
	42"	1067	81	37	3.6	S5-74-2142Z •	615	S5-74-2142C •	675	S5-74-2142V •	709	S5-74-2142VG •	709	S5-74-2142E •	802	S5-74-2142S •	2381
	48"	1219	88	40	4.1	S5-74-2148Z •	615	S5-74-2148C •	675	S5-74-2148V •	709	S5-74-2148VG •	709	S5-74-2148E •	802	S5-74-2148S •	2381
	60"	1524	109	50	5.1	S5-74-2160Z •	725	S5-74-2160C •	773	S5-74-2160V •	826	S5-74-2160VG •	826	S5-74-2160E •	913	S5-74-2160S •	3051
24" width (610mm)	24"	610	62	28	2.5	S5-74-2424Z •	554	S5-74-2424C •	594	S5-74-2424V •	617	S5-74-2424VG •	617	S5-74-2424E •	723	S5-74-2424S •	2215
	30"	762	71	32	3.0	S5-74-2430Z •	566	S5-74-2430C •	613	S5-74-2430V •	648	S5-74-2430VG •	648	S5-74-2430E •	736	S5-74-2430S •	2228
	36"	914	81	37	3.6	S5-74-2436Z •	585	S5-74-2436C •	625	S5-74-2436V •	660	S5-74-2436VG •	660	S5-74-2436E •	746	S5-74-2436S •	2252
	42"	1067	89	40	3.7	S5-74-2442Z •	677	S5-74-2442C •	723	S5-74-2442V •	772	S5-74-2442VG •	772	S5-74-2442E •	883	S5-74-2442S •	2652
	48"	1219	98	45	4.6	S5-74-2448Z •	677	S5-74-2448C •	723	S5-74-2448V •	772	S5-74-2448VG •	772	S5-74-2448E •	883	S5-74-2448S •	2652
	60"	1524	122	55	5.7	S5-74-2460Z •	799	S5-74-2460C •	841	S5-74-2460V •	912	S5-74-2460VG •	912	S5-74-2460E •	1018	S5-74-2460S •	3155
	72"	1829	149	68	6.9	S5-74-2472Z •	891	S5-74-2472C •	968	S5-74-2472V •	1040	S5-74-2472VG •	1040	S5-74-2472E •	1165	S5-74-2472S •	3841

Models with 86" (2184mm) Height

	length		weight		cu ft	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18" width (457mm)	24"	610	55	25	3.9	S5-86-1824Z •	511	S5-86-1824C •	538	S5-86-1824V •	555	S5-86-1824VG •	555	S5-86-1824E •	631	S5-86-1824S •	1896
	30"	762	60	27	3.9	S5-86-1830Z •	523	S5-86-1830C •	543	S5-86-1830V •	586	S5-86-1830VG •	586	S5-86-1830E •	649	S5-86-1830S •	1920
	36"	914	65	30	3.9	S5-86-1836Z •	535	S5-86-1836C •	556	S5-86-1836V •	605	S5-86-1836VG •	605	S5-86-1836E •	668	S5-86-1836S •	1934
	42"	1067	75	34	4.9	S5-86-1842Z •	596	S5-86-1842C •	636	S5-86-1842V •	683	S5-86-1842VG •	683	S5-86-1842E •	765	S5-86-1842S •	2228
	48"	1219	80	36	4.9	S5-86-1848Z •	596	S5-86-1848C •	636	S5-86-1848V •	683	S5-86-1848VG •	683	S5-86-1848E •	765	S5-86-1848S •	2228
	60"	1524	105	48	6.4	S5-86-1860Z •	671	S5-86-1860C •	722	S5-86-1860V •	800	S5-86-1860VG •	800	S5-86-1860E •	877	S5-86-1860S •	2718
21" width (533mm)	24"	610	60	27	3.9	S5-86-2124Z •	548	S5-86-2124C •	598	S5-86-2124V •	611	S5-86-2124VG •	611	S5-86-2124E •	694	S5-86-2124S •	2128
	30"	762	65	30	3.9	S5-86-2130Z •	560	S5-86-2130C •	612	S5-86-2130V •	641	S5-86-2130VG •	641	S5-86-2130E •	704	S5-86-2130S •	2147
	36"	914	75	34	4.4	S5-86-2136Z •	578	S5-86-2136C •	629	S5-86-2136V •	653	S5-86-2136VG •	653	S5-86-2136E •	736	S5-86-2136S •	2160
	42"	1067	80	36	5.9	S5-86-2142Z •	640	S5-86-2142C •	703	S5-86-2142V •	739	S5-86-2142VG •	739	S5-86-2142E •	827	S5-86-2142S •	2429
	48"	1219	90	41	5.9	S5-86-2148Z •	640	S5-86-2148C •	703	S5-86-2148V •	739	S5-86-2148VG •	739	S5-86-2148E •	827	S5-86-2148S •	2429
	60"	1524	110	50	6.9	S5-86-2160Z •	751	S5-86-2160C •	801	S5-86-2160V •	856	S5-86-2160VG •	856	S5-86-2160E •	939	S5-86-2160S •	3099
24" width (610mm)	24"	610	65	30	4.4	S5-86-2424Z •	578	S5-86-2424C •	624	S5-86-2424V •	647	S5-86-2424VG •	647	S5-86-2424E •	746	S5-86-2424S •	2265
	30"	762	75	34	4.4	S5-86-2430Z •	591	S5-86-2430C •	643	S5-86-2430V •	678	S5-86-2430VG •	678	S5-86-2430E •	760	S5-86-2430S •	2276
	36"	914	85	39	4.4	S5-86-2436Z •	609	S5-86-2436C •	654	S5-86-2436V •	689	S5-86-2436VG •	689	S5-86-2436E •	773	S5-86-2436S •	2301
	42"	1067	95	43	6.4	S5-86-2442Z •	701	S5-86-2442C •	754	S5-86-2442V •	800	S5-86-2442VG •	800	S5-86-2442E •	907	S5-86-2442S •	2700
	48"	1219	100	45	6.4	S5-86-2448Z •	701	S5-86-2448C •	754	S5-86-2448V •	800	S5-86-2448VG •	800	S5-86-2448E •	907	S5-86-2448S •	2700
	60"	1524	125	57	7.9	S5-86-2460Z •	824	S5-86-2460C •	869	S5-86-2460V •	942	S5-86-2460VG •	942	S5-86-2460E •	1041	S5-86-2460S •	3203
	72"	1829	150	68	9.4	S5-86-2472Z •	917	S5-86-2472C •	998	S5-86-2472V •	1071	S5-86-2472VG •	1071	S5-86-2472E •	1188	S5-86-2472S •	3892

Catalog Section 1

Five-Shelf Add-On Units (NSF)

see spec sheet **EG01.25**

**EAGLEgard® finish standard
with MICROGARD® protection.**

See bottom of page 4 for details.

- Five wire shelves.
- Two posts (*same finish as shelves*).
- Two “S” hooks per shelf.
- Shipped knocked-down.

INCLUDES:

Note: 54" (1372mm) shelves available (*see page 6*).

(•) MTS (*made to stock*) / () MTO (*made to order*)

patented
QuadTruss®
design

(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

Models with 74" (1880mm) Height

	length		weight		cu ft	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18" width (457mm)	24"	610	43	20	1.9	A5-74-1824Z •	464	A5-74-1824C •	481	A5-74-1824V •	497	A5-74-1824VG •	497	A5-74-1824E •	569	A5-74-1824S •	1700
	30"	762	50	23	2.3	A5-74-1830Z •	477	A5-74-1830C •	487	A5-74-1830V •	527	A5-74-1830VG •	527	A5-74-1830E •	588	A5-74-1830S •	1724
	36"	914	57	26	2.7	A5-74-1836Z •	488	A5-74-1836C •	500	A5-74-1836V •	546	A5-74-1836VG •	546	A5-74-1836E •	607	A5-74-1836S •	1736
	42"	1067	62	28	3.1	A5-74-1842Z •	551	A5-74-1842C •	580	A5-74-1842V •	625	A5-74-1842VG •	625	A5-74-1842E •	704	A5-74-1842S •	2031
	48"	1219	80	36	3.6	A5-74-1848Z •	551	A5-74-1848C •	580	A5-74-1848V •	625	A5-74-1848VG •	625	A5-74-1848E •	704	A5-74-1848S •	2031
	60"	1524	93	42	4.3	A5-74-1860Z •	624	A5-74-1860C •	666	A5-74-1860V •	741	A5-74-1860VG •	741	A5-74-1860E •	816	A5-74-1860S •	2523
21" width (533mm)	72"	1829	108	49	5.1	A5-74-1872Z •	764	A5-74-1872C •	771	A5-74-1872V •	834	A5-74-1872VG •	834	A5-74-1872E •	925	A5-74-1872S •	2952
	24"	610	48	22	2.2	A5-74-2124Z •	501	A5-74-2124C •	542	A5-74-2124V •	554	A5-74-2124VG •	554	A5-74-2124E •	631	A5-74-2124S •	1934
	30"	762	56	26	2.7	A5-74-2130Z •	513	A5-74-2130C •	555	A5-74-2130V •	585	A5-74-2130VG •	585	A5-74-2130E •	644	A5-74-2130S •	1952
	36"	914	65	30	3.1	A5-74-2136Z •	532	A5-74-2136C •	573	A5-74-2136V •	596	A5-74-2136VG •	596	A5-74-2136E •	675	A5-74-2136S •	1963
	42"	1067	73	33	3.6	A5-74-2142Z •	593	A5-74-2142C •	647	A5-74-2142V •	682	A5-74-2142VG •	682	A5-74-2142E •	765	A5-74-2142S •	2234
	48"	1219	80	36	4.1	A5-74-2148Z •	593	A5-74-2148C •	647	A5-74-2148V •	682	A5-74-2148VG •	682	A5-74-2148E •	765	A5-74-2148S •	2234
24" width (610mm)	60"	1524	101	46	5.1	A5-74-2160Z •	703	A5-74-2160C •	744	A5-74-2160V •	799	A5-74-2160VG •	799	A5-74-2160E •	877	A5-74-2160S •	2903
	72"	1829	113	51	7.7	A5-74-2172Z •	826	A5-74-2172C •	867	A5-74-2172V •	946	A5-74-2172VG •	946	A5-74-2172E •	1049	A5-74-2172S •	3394
	24"	610	53	24	2.5	A5-74-2424Z •	532	A5-74-2424C •	567	A5-74-2424V •	591	A5-74-2424VG •	591	A5-74-2424E •	681	A5-74-2424S •	2067
	30"	762	62	28	3.0	A5-74-2430Z •	543	A5-74-2430C •	586	A5-74-2430V •	622	A5-74-2430VG •	622	A5-74-2430E •	695	A5-74-2430S •	2081
	36"	914	73	33	3.6	A5-74-2436Z •	562	A5-74-2436C •	597	A5-74-2436V •	634	A5-74-2436VG •	634	A5-74-2436E •	706	A5-74-2436S •	2104
	42"	1067	81	37	3.7	A5-74-2442Z •	654	A5-74-2442C •	697	A5-74-2442V •	743	A5-74-2442VG •	743	A5-74-2442E •	842	A5-74-2442S •	2504
24" width (610mm)	48"	1219	90	41	4.6	A5-74-2448Z •	654	A5-74-2448C •	697	A5-74-2448V •	743	A5-74-2448VG •	743	A5-74-2448E •	842	A5-74-2448S •	2504
	60"	1524	113	51	5.7	A5-74-2460Z •	777	A5-74-2460C •	814	A5-74-2460V •	885	A5-74-2460VG •	885	A5-74-2460E •	976	A5-74-2460S •	3007
	72"	1829	141	64	6.9	A5-74-2472Z •	869	A5-74-2472C •	942	A5-74-2472V •	1014	A5-74-2472VG •	1014	A5-74-2472E •	1123	A5-74-2472S •	3694

Models with 86" (2184mm) Height

	length		weight		cu ft	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18" width (457mm)	24"	610	45	20	3.7	A5-86-1824Z •	477	A5-86-1824C •	497	A5-86-1824V •	511	A5-86-1824VG •	511	A5-86-1824E •	583	A5-86-1824S •	1724
	30"	762	51	23	3.7	A5-86-1830Z •	488	A5-86-1830C •	502	A5-86-1830V •	541	A5-86-1830VG •	541	A5-86-1830E •	599	A5-86-1830S •	1748
	36"	914	56	25	3.7	A5-86-1836Z •	501	A5-86-1836C •	514	A5-86-1836V •	560	A5-86-1836VG •	560	A5-86-1836E •	619	A5-86-1836S •	1761
	42"	1067	66	30	4.7	A5-86-1842Z •	562	A5-86-1842C •	594	A5-86-1842V •	640	A5-86-1842VG •	640	A5-86-1842E •	717	A5-86-1842S •	2056
	48"	1219	71	32	4.7	A5-86-1848Z •	562	A5-86-1848C •	594	A5-86-1848V •	640	A5-86-1848VG •	640	A5-86-1848E •	717	A5-86-1848S •	2056
	60"	1524	96	44	6.2	A5-86-1860Z •	636	A5-86-1860C •	680	A5-86-1860V •	757	A5-86-1860VG •	757	A5-86-1860E •	827	A5-86-1860S •	2546
21" width (533mm)	72"	1829	111	50	7.2	A5-86-1872Z •	777	A5-86-1872C •	785	A5-86-1872V •	848	A5-86-1872VG •	848	A5-86-1872E •	939	A5-86-1872S •	2976
	24"	610	51	23	3.7	A5-86-2124Z •	513	A5-86-2124C •	557	A5-86-2124V •	568	A5-86-2124VG •	568	A5-86-2124E •	644	A5-86-2124S •	1957
	30"	762	56	25	3.7	A5-86-2130Z •	525	A5-86-2130C •	569	A5-86-2130V •	598	A5-86-2130VG •	598	A5-86-2130E •	655	A5-86-2130S •	1976
	36"	914	66	30	4.2	A5-86-2136Z •	543	A5-86-2136C •	588	A5-86-2136V •	612	A5-86-2136VG •	612	A5-86-2136E •	686	A5-86-2136S •	1987
	42"	1067	71	32	5.7	A5-86-2142Z •	606	A5-86-2142C •	661	A5-86-2142V •	698	A5-86-2142VG •	698	A5-86-2142E •	778	A5-86-2142S •	2258
	48"	1219	81	37	5.7	A5-86-2148Z •	606	A5-86-2148C •	661	A5-86-2148V •	698	A5-86-2148VG •	698	A5-86-2148E •	778	A5-86-2148S •	2258
24" width (610mm)	60"	1524	101	46	6.7	A5-86-2160Z •	716	A5-86-2160C •	760	A5-86-2160V •	815	A5-86-2160VG •	815	A5-86-2160E •	888	A5-86-2160S •	2926
	72"	1829	131	59	8.2	A5-86-2172Z •	838	A5-86-2172C •	883	A5-86-2172V •	962	A5-86-2172VG •	962	A5-86-2172E •	1060	A5-86-2172S •	3418
	24"	610	56	25	4.2	A5-86-2424Z •	543	A5-86-2424C •	583	A5-86-2424V •	606	A5-86-2424VG •	606	A5-86-2424E •	695	A5-86-2424S •	2092
	30"	762	66	30	4.2	A5-86-2430Z •	556	A5-86-2430C •	599	A5-86-2430V •	636	A5-86-2430VG •	636	A5-86-2430E •	706	A5-86-2430S •	2104
	36"	914	76	35	4.2	A5-86-2436Z •	575	A5-86-2436C •	613	A5-86-2436V •	648	A5-86-2436VG •	648	A5-86-2436E •	718	A5-86-2436S •	2128
	42"	1067	86	39	6.2	A5-86-2442Z •	667	A5-86-2442C •	711	A5-86-2442V •	759	A5-86-2442VG •	759	A5-86-2442E •	854	A5-86-2442S •	2528
24" width (610mm)	48"	1219	91	41	6.2	A5-86-2448Z •	667	A5-86-2448C •	711	A5-86-2448V •	759	A5-86-2448VG •	759	A5-86-2448E •	854	A5-86-2448S •	2528
	60"	1524	116	53	7.7	A5-86-2460Z •	791	A5-86-2460C •	827	A5-86-2460V •	901	A5-86-2460VG •	901	A5-86-2460E •	989	A5-86-2460S •	3032
	72"	1829	141	64	9.2	A5-86-2472Z •	882	A5-86-2472C •	956	A5-86-2472V •	1029	A5-86-2472VG •	1029	A5-86-2472E •	1137	A5-86-2472S •	3719

Add-A-Shelf® see spec sheet **E001.11A**


WEIGHT CAPACITY:

- 300 lb. (136.1 kg); per shelf.
- using an evenly distributed load.

Note: Top and bottom shelves of unit must be standard shelves. Post are sold separately.

(For Chrome finish, see page 6;
for black, red, or white epoxy, see page 60).

- Use Add-A-Shelf® shelves for intermediate shelves. Add-A-Shelf® is not recommended for mobile applications.

WARNING:**Add-A-Shelf® Collars**

allows addition or removal of shelf without breaking down the entire unit.

description	model #	list
set of four	A208891	12

- One set of four included with each shelf.

- Must be used with split sleeves.

To order: Model # **PLASTIC SPLIT SLEEVES**, list (per set of four): \$5.

patented
QuadTruss®
design

(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

Add-A-Shelf® Adjustable Shelves - Patent # 5,884,567


	t length	weight	cu	EAGLEbrite®		chrome		black		red		white	
	in. mm	lb. kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
14" width (356mm)	36" 914	8 3.6	0.5	A1436Z	78	A1436C •	84	A1436BL •	85	A1436R	85	A1436W	85
	48" 1219	10 4.5	0.7	A1448Z	87	A1448C •	96	A1448BL	97	A1448R	97	A1448W	97
18" width (457mm)	36" 914	9 4.1	0.7	A1836Z	85	A1836C •	87	A1836BL	88	A1836R	88	A1836W	88
	48" 1219	12 5.5	0.9	A1848Z	99	A1848C •	104	A1848BL	105	A1848R	105	A1848W	105
	60" 1524	15 6.8	1.0	A1860Z	117	A1860C	122	A1860BL	123	A1860R	123	A1860W	123
21" width (533mm)	36" 914	11 5.0	0.8	A2136Z	96	A2136C	101	A2136BL	104	A2136R	104	A2136W	104
	48" 1219	14 6.4	1.1	A2148Z	109	A2148C	118	A2148BL	119	A2148R	119	A2148W	119
	60" 1524	17 7.7	1.3	A2160Z	129	A2160C	145	A2160BL	146	A2160R	146	A2160W	146
24" width (610mm)	36" 914	13 5.9	0.8	A2436Z	100	A2436C •	109	A2436BL	112	A2436R	112	A2436W	112
	48" 1219	16 7.3	1.2	A2448Z	119	A2448C •	128	A2448BL	129	A2448R	129	A2448W	129
	60" 1524	21 9.5	1.5	A2460Z	145	A2460C •	165	A2460BL	166	A2460R	166	A2460W	166

PACKAGING:

- 36" and 48" lengths: Four per box.
- 60" lengths: Two per box.
- Four pairs split sleeves per shelf.
- Four-pack collars per shelf.

Add-A-Shelf® Reverse Mat Shelves - Patent # 5,884,567


	length	weight	cu	EAGLEbrite®		chrome		black		red		white	
	in. mm	lb. kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
14" width (356mm)	36" 914	8 3.6	0.5	D1436Z	80	D1436C	87	D1436BL	88	D1436R	88	D1436W	88
	48" 1219	10 4.5	0.7	D1448Z	89	D1448C	98	D1448BL	99	D1448R	99	D1448W	99
18" width (457mm)	36" 914	9 4.1	0.7	D1836Z	88	D1836C	89	D1836BL	91	D1836R	91	D1836W	91
	48" 1219	12 5.5	0.9	D1848Z	101	D1848C	106	D1848BL	107	D1848R	107	D1848W	107
21" width (533mm)	36" 914	11 5.0	0.8	D2136Z	98	D2136C	105	D2136BL	106	D2136R	106	D2136W	106
	48" 1219	14 6.4	1.1	D2148Z	113	D2148C	122	D2148BL	123	D2148R	123	D2148W	123
24" width (610mm)	36" 914	13 5.9	0.8	D2436Z	104	D2436C	113	D2436BL	114	D2436R	114	D2436W	114
	48" 1219	16 7.3	1.2	D2448Z	123	D2448C	131	D2448BL	133	D2448R	133	D2448W	133

**HOW TO ASSEMBLE:**
Add-A-Shelf® Collar


Numerically calibrated grooved posts, tapered plastic split sleeves and shelf collars combine to make shelving assembly a **SIMPLE 3 STEP EXERCISE:**



1. Snap split sleeves onto post over the number of your choice.



2. Slide collar over split sleeves. When together, a positive lock is created without the use of tools.



3. Place shelf over collar to complete.



Add-A-Shelf® as a merchandise display unit

Catalog Section 1

Posts for Add-A-Shelf®

see spec sheet **EG01.11A**

(•) MTS (made to stock) / () MTO (made to order)



post height		weight		cu	EAGLEbrite®		chrome		black		red		white	
in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
7"	178	0.8	0.4	0.1	P7-Z •	14	P7-C	16	P7-BL	17	P7-R	17	P7-W	17
14"	356	1.0	0.5	0.1	P14-Z •	17	P14-C •	18	P14-BL •	19	P14-R	19	P14-W	19
33"	838	2.0	0.9	0.1	P33-Z •	20	P33-C •	21	P33-BL •	23	P33-R	23	P33-W	23
54"	1372	3.0	1.4	0.1	P54-Z •	26	P54-C •	28	P54-BL •	29	P54-R	29	P54-W	29
63"	1600	3.5	1.8	0.3	P63-Z •	28	P63-C •	29	P63-BL •	31	P63-R	31	P63-W	31
74"	1880	4.0	1.8	0.5	P74-Z •	29	P74-C •	33	P74-BL •	34	P74-R	34	P74-W	34
86"	2184	5.0	2.3	0.8	P86-Z •	36	P86-C •	39	P86-BL •	40	P86-R	40	P86-W	40

Add-A-Shelf® Post Clamps

see spec sheet **EG01.11A**

stainless steel		black epoxy	
model #	list	model #	list
ADD-A-CLAMP	9	ADD-A-CLAMP-BL	14

Add-A-Shelf® Starter Units (NSF)

see spec sheet **EG01.11B**

KIT INCLUDES:

- Two standard shelves.
- Two Add-A-Shelf® shelves.
- Four Redi-Pak® posts.
- Four bags of split sleeves.
- Two bags of Add-A-Shelf® collars.

ALL IN ONE BOX
LOWERING SHIPPING COST!

FEATURES:

- Front edge of shelf can be lowered 4" (102mm) to create slanted shelf.

Note: Top and bottom shelves of unit must be standard shelves.

WARNING:

- Use Add-A-Shelf® shelves for intermediate shelves. Add-A-Shelf® is not recommended for mobile applications.

patented
QuadTruss®
Design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

			Units with 63" (1600mm) Posts				Units with 74" (1880mm) Posts			
length			chrome		black epoxy		chrome		black epoxy	
	in.	mm	model #	list	model #	list	model #	list	model #	list
14" width (356mm)	36"	914	RS4-63-A1436C	595	RS4-63-A1436BL	603	RS4-74-A1436C	634	RS4-74-A1436BL	640
	48"	1219	RS4-63-A1448C	635	RS4-63-A1448BL	641	RS4-74-A1448C	672	RS4-74-A1448BL	679
18" width (457mm)	36"	914	RS4-63-A1836C	636	RS4-63-A1836BL	643	RS4-74-A1836C	677	RS4-74-A1836BL	682
	48"	1219	RS4-63-A1848C	687	RS4-63-A1848BL	695	RS4-74-A1848C	727	RS4-74-A1848BL	735
21" width (533mm)	36"	914	RS4-63-A2136C	654	RS4-63-A2136BL	660	RS4-74-A2136C	695	RS4-74-A2136BL	701
	48"	1219	RS4-63-A2148C	720	RS4-63-A2148BL	731	RS4-74-A2148C	760	RS4-74-A2148BL	767
24" width (610mm)	36"	914	RS4-63-A2436C	695	RS4-63-A2436BL	701	RS4-74-A2436C	733	RS4-74-A2436BL	739
	48"	1219	RS4-63-A2448C	793	RS4-63-A2448BL	800	RS4-74-A2448C	829	RS4-74-A2448BL	837

Redi-Pak® Wire Shelving Units (NSF)

see spec sheet **EG01.26**



Redi-Pak®



Packed and shipped in one box.

**SAVES UP TO 50%
ON SHIPPING COSTS!**

(•) MTS (made to stock) / () MTO (made to order)

4-SHELF UNITS:

- Four wire shelves.
- Four two-piece posts.

5-SHELF UNITS:

- Five wire shelves.
- Four two-piece posts.

Can be shipped UPS.

(•) MTS (made to stock) / () MTO (made to order)

patented
QuadTruss®
design

(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

4-Shelf Units, 63" (1600mm) Height

	length		weight		cu ft	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
18" width (457mm)	36"	914	52	23.6	2.8	1836Z63	514	1836C63	547	1836V63	588	1836VG63	588	1836E63	665
	48"	1219	64	29.0	3.6	1848Z63	580	1848C63	622	1848V63	669	1848VG63	669	1848E63	762
	60"	1524	84	38.1	4.8	1860Z63	682	1860C63	704	1860V63	760	1860VG63	760	1860E63	869
24" width (610mm)	36"	914	68	30.8	3.2	2436Z63	587	2436C63	638	2436V63	686	2436VG63	686	2436E63	769
	48"	1219	80	36.3	4.8	2448Z63	673	2448C63	736	2448V63	791	2448VG63	791	2448E63	908
	60"	1524	100	45.4	6.0	2460Z63	788	2460C63	855	2460V63	918	2460VG63	918	2460E63	1032

4-Shelf Units, 74" (1880mm) Height

	length		weight		cu ft	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
18" width (457mm)	36"	914	52	23.6	2.8	1836Z74	523	1836C74	557	1836V74	598	1836VG74	598	1836E74	667
	48"	1219	74	33.6	3.6	1848Z74	606	1848C74	645	1848V74	695	1848VG74	695	1848E74	786
	60"	1524	84	38.1	4.8	1860Z74	682	1860C74	720	1860V74	777	1860VG74	777	1860E74	923
24" width (610mm)	36"	914	68	30.8	3.2	2436Z74	607	2436C74	648	2436V74	698	2436VG74	698	2436E74	785
	48"	1219	80	36.3	4.8	2448Z74	704	2448C74	757	2448V74	814	2448VG74	814	2448E74	940
	60"	1524	100	45.4	6.0	2460Z74	819	2460C74	877	2460V74	943	2460VG74	943	2460E74	1060

5-Shelf Units, 63" (1600mm) Height

	length		weight		cu ft	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
18" width (457mm)	36"	914	61	27.7	3.5	1836Z63-5	619	1836C63-5	659	1836V63-5	708	1836VG63-5	708	1836E63-5	791
	48"	1219	76	34.5	4.5	1848Z63-5	708	1848C63-5	754	1848V63-5	812	1848VG63-5	812	1848E63-5	928
	60"	1524	101	45.8	6.0	1860Z63-5	773	1860C63-5	864	1860V63-5	931	1860VG63-5	931	1860E63-5	1067
24" width (610mm)	36"	914	81	36.7	4.0	2436Z63-5	720	2436C63-5	778	2436V63-5	834	2436VG63-5	834	2436E63-5	939
	48"	1219	96	43.6	6.0	2448Z63-5	833	2448C63-5	912	2448V63-5	980	2448VG63-5	980	2448E63-5	1020
	60"	1524	121	54.9	7.5	2460Z63-5	974	2460C63-5	1033	2460V63-5	1113	2460VG63-5	1113	2460E63-5	1260

5-Shelf Units, 74" (1880mm) Height

	length		weight		cu ft	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
18" width (457mm)	36"	914	61	27.7	3.5	1836Z74-5	620	1836C74-5	683	1836V74-5	736	1836VG74-5	736	1836E74-5	829
	48"	1219	76	34.5	4.5	1848Z74-5	732	1848C74-5	786	1848V74-5	849	1848VG74-5	849	1848E74-5	964
	60"	1524	101	45.8	6.0	1860Z74-5	786	1860C74-5	894	1860V74-5	963	1860VG74-5	963	1860E74-5	1109
24" width (610mm)	36"	914	81	36.7	4.0	2436Z74-5	742	2436C74-5	808	2436V74-5	867	2436VG74-5	867	2436E74-5	976
	48"	1219	96	43.6	6.0	2448Z74-5	861	2448C74-5	938	2448V74-5	1009	2448VG74-5	1009	2448E74-5	1154
	60"	1524	121	54.9	7.5	2460Z74-5	1001	2460C74-5	1060	2460V74-5	1139	2460VG74-5	1139	2460E74-5	1298

Catalog Section 1

Redi-Pak® Utility Carts (NSF)

see spec sheet **EG01.10****Redi-Pak**

Packed and shipped in one box.

**SAVES UP TO 50%
ON SHIPPING COSTS!****Easy handling
and inventory
tracking!**

WEIGHT CAPACITY:

- Medium-duty 500 lb. (227 kg).

INCLUDES:

- 36½" (927mm) height.
- One handle.
- Two posts.
- Four resilient 4" (102mm) casters with donut bumpers.
- Either two or three chrome shelves with built-in 1" (25mm) ledge on three sides.

Can be shipped UPS.

(•) MTS (made to stock) / () MTO (made to order)


2-Shelf Unit**3-Shelf Unit**

width	length in. mm	cubic feet	weight lb. kg	model #	list	weight lbs. kg	model #	list
18" (457mm)	36" 914	3.0	38 17.2	U2-1836C-RP	417	45 20.4	U3-1836C-RP	502

patented
QuadTruss
design

(Patent #5,390,803)

Reverse Mat Shelves

see spec sheet **EG01.03E****Shelves have
built-in ledges
which prevent
contents from
falling off!**

WEIGHT CAPACITY:

- 250 lb. (113 kg); per shelf.

(•) MTS (made to stock) / () MTO (made to order)

patented
QuadTruss
design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and
provides a retaining ledge for increased
strength and product retention.

	length		weight		cu ft	EAGLEbrite®		chrome		black		red		white	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
14" width (356mm)	36"	914	7	3.2	0.5	RM1436Z	69	RM1436C	79	RM1436BL	80	RM1436R	80	RM1436W	80
	48"	1219	10	4.5	0.7	RM1448Z	81	RM1448C	89	RM1448BL •	91	RM1448R	91	RM1448W	91
18" width (457mm)	36"	914	9	4.1	0.7	RM1836Z	81	RM1836C	81	RM1836BL	82	RM1836R	82	RM1836W	82
	48"	1219	11	4.9	0.9	RM1848Z	94	RM1848C	98	RM1848BL	99	RM1848R	99	RM1848W	99
21" width (533mm)	36"	914	11	4.9	0.8	RM2136Z	89	RM2136C	97	RM2136BL	98	RM2136R	98	RM2136W	98
	48"	1219	13	5.9	1.1	RM2148Z	101	RM2148C	113	RM2148BL	114	RM2148R	114	RM2148W	114
24" width (610mm)	24"	610	9	4.1	0.8	RM2424Z	89	RM2424C	96	RM2424BL	97	RM2424R	97	RM2424W	97
	36"	914	12	5.4	0.8	RM2436Z	96	RM2436C	101	RM2436BL	104	RM2436R	104	RM2436W	104
	48"	1219	15	6.8	1.2	RM2448Z	114	RM2448C	123	RM2448BL	124	RM2448R	124	RM2448W	124

Label Holders for Reverse Mat Shelves

see spec sheet **EG01.03E**

length		fits shelf size		model #	list
in.	mm	in.	mm		
3¼"	83	all		A225494	6
13"	330	18"	457	A225512	12
19"	483	24"	610	A225513	16
25"	635	30"	762	A225514	18
31"	787	36"	914	A225515	29
43"	1092	48"	1219	A225516	33
45"	1143	48"	1219	A225517	56
55"	1397	60"	1524	A225518	58
67"	1702	72"	1829	A225519	60

FEATURES:

- Clear plastic.
- Snaps onto shelf edge.
- Provides easy identification of shelf contents or section.
- Holds 1¼" (32mm) high labels.


Note: These also work on standard shelves.

Hybrid Shelves

see spec sheet **EG01.46**



four-post system
with hybrid shelves



hybrid shelf

- Shelves mount over two crossbraces of a four-post high-density system.
- Available for new systems or can be retrofitted to existing systems.
- Can be mixed or matched with solid metal shelves as required.
- Load tested to 250 lbs. (113.4 kg).
- Open-wire construction.

FEATURES:

PACKAGING:

- 24"-48" (610-1219mm) lengths: Four per box.

Additional Side-to-Side Partitions for Optional Center Stop Assemblies

length		EAGLEbrite®	
in.	mm	model #	list
30"	762	A219390	52
36"	914	A219391	80
42"	1067	A219392	87
48"	1219	A219393	93



front-to-back
ledge

side-to-side
partition

Optional Center Stop Assemblies

- For Standard Four-Post Series only.
- Comes with one side-to-side partition that interlocks with two front-to-back ledges to form an "H".

Standard Four-Post Series

	length		EAGLEbrite®		VALU-MASTER®		stainless steel		EAGLEbrite®		VALU-MASTER®		stainless steel	
	in.	mm	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
12" width (305mm)	24"	610	SP1224Z	70	SP1224V	76	SP1224S	119	SPD1224-Z	98	SPD1224-V	105	SPD1224-S	169
	36"	914	SP1236Z	78	SP1236V	84	SP1236S	166	SPD1236-Z	106	SPD1236-V	117	SPD1236-S	236
	42"	1067	SP1242Z	81	SP1242V	99	SP1242S	184	SPD1242-Z	115	SPD1242-V	138	SPD1242-S	256
	48"	1219	SP1248Z	100	SP1248V	103	SP1248S	188	SPD1248-Z	140	SPD1248-V	145	SPD1248-S	261
15" width (381mm)	30"	762	SP1530Z	76	SP1530V	79	SP1530S	129	SPD1530-Z	138	SPD1530-V	145	SPD1530-S	178
	36"	914	SP1536Z	84	SP1536V	89	SP1536S	174	SPD1536-Z	174	SPD1536-V	182	SPD1536-S	245
	42"	1067	SP1542Z	99	SP1542V	103	SP1542S	190	SPD1542-Z	182	SPD1542-V	195	SPD1542-S	266
	48"	1219	SP1548Z	103	SP1548V	108	SP1548S	195	SPD1548-Z	194	SPD1548-V	201	SPD1548-S	275
16" width (406mm)	30"	762	SP1630Z	80	SP1630V	84	SP1630S	130	SPD1630-Z	143	SPD1630-V	151	SPD1630-S	180
	36"	914	SP1636Z	89	SP1636V	93	SP1636S	151	SPD1636-Z	178	SPD1636-V	185	SPD1636-S	214
	42"	1067	SP1642Z	101	SP1642V	106	SP1642S	176	SPD1642-Z	184	SPD1642-V	198	SPD1642-S	251
	48"	1219	SP1648Z	108	SP1648V	111	SP1648S	199	SPD1648-Z	198	SPD1648-V	205	SPD1648-S	279
18" width (457mm)	30"	762	SP1830Z	81	SP1830V	86	SP1830S	143	SPD1830-Z	145	SPD1830-V	152	SPD1830-S	200
	36"	914	SP1836Z	90	SP1836V	96	SP1836S	168	SPD1836-Z	180	SPD1836-V	194	SPD1836-S	238
	42"	1067	SP1842Z	101	SP1842V	106	SP1842S	195	SPD1842-Z	184	SPD1842-V	201	SPD1842-S	275
	48"	1219	SP1848Z	108	SP1848V	111	SP1848S	221	SPD1848-Z	199	SPD1848-V	209	SPD1848-S	309
21" width (533mm)	30"	762	SP2130Z	89	SP2130V	93	SP2130S	159	SPD2130-Z	151	SPD2130-V	158	SPD2130-S	221
	36"	914	SP2136Z	99	SP2136V	103	SP2136S	188	SPD2136-Z	184	SPD2136-V	198	SPD2136-S	261
	42"	1067	SP2142Z	106	SP2142V	110	SP2142S	213	SPD2142-Z	198	SPD2142-V	205	SPD2142-S	301
	48"	1219	SP2148Z	113	SP2148V	119	SP2148S	241	SPD2148-Z	203	SPD2148-V	214	SPD2148-S	338
24" width (610mm)	30"	762	SP2430Z	101	SP2430V	106	SP2430S	205	SPD2430-Z	158	SPD2430-V	167	SPD2430-S	289
	36"	914	SP2436Z	103	SP2436V	108	SP2436S	241	SPD2436-Z	196	SPD2436-V	204	SPD2436-S	338
	42"	1067	SP2442Z	126	SP2442V	131	SP2442S	279	SPD2442-Z	201	SPD2442-V	212	SPD2442-S	395
	48"	1219	SP2448Z	130	SP2448V	136	SP2448S	310	SPD2448-Z	211	SPD2448-V	220	SPD2448-S	438
30" width (762mm)	30"	762	SP3030Z	119	SP3030V	129	SP3030S	243	SPD3030-Z	173	SPD3030-V	180	SPD3030-S	341
	36"	914	SP3036Z	126	SP3036V	131	SP3036S	280	SPD3036-Z	209	SPD3036-V	217	SPD3036-S	396
	42"	1067	SP3042Z	143	SP3042V	148	SP3042S	329	SPD3042-Z	216	SPD3042-V	229	SPD3042-S	461
	48"	1219	SP3048Z	154	SP3048V	163	SP3048S	363	SPD3048-Z	224	SPD3048-V	238	SPD3048-S	514
32" width (813mm)	36"	914	SP3236Z	134	SP3236V	140	SP3236S	285	SPD3236-Z	245	SPD3236-V	259	SPD3236-S	400
	42"	1067	SP3242Z	155	SP3242V	164	SP3242S	285	SPD3242-Z	256	SPD3242-V	268	SPD3242-S	400
	48"	1219	SP3248Z	165	SP3248V	173	SP3248S	371	SPD3248-Z	263	SPD3248-V	277	SPD3248-S	520
	MTS (made to stock) / CMLD (made to order)													
36" width (914mm)	36"	914	SP3636Z	148	SP3636V	159	SP3636S	370	SPD3636-Z	254	SPD3636-V	266	SPD3636-S	519
	42"	1067	SP3642Z	163	SP3642V	169	SP3642S	425	SPD3642-Z	263	SPD3642-V	277	SPD3642-S	595
	48"	1219	SP3648Z	169	SP3648V	181	SP3648S	483	SPD3648-Z	272	SPD3648-V	285	SPD3648-S	675

Catalog Section 1

Hybrid Shelves (Cont.)

see spec sheet **EG01.46**

Case Work Series

	length		EAGLEbrite®		VALU-MASTER®		stainless steel			length		EAGLEbrite®		VALU-MASTER®		stainless steel	
	in.	mm	model #	list	model #	list	model #	list		in.	mm	model #	list	model #	list	model #	list
12" width (305mm)	28"	711	SPL1224Z	74	SPL1224V	80	SPL1224S	125	21" width (533mm)	28"	711	SPL2130Z	94	SPL2130V	98	SPL2130S	167
	34"	864	SPL1236Z	82	SPL1236V	88	SPL1236S	175		34"	864	SPL2136Z	104	SPL2136V	108	SPL2136S	198
	40"	1016	SPL1242Z	85	SPL1242V	104	SPL1242S	194		40"	1016	SPL2142Z	112	SPL2142V	116	SPL2142S	224
	46"	1168	SPL1248Z	105	SPL1248V	108	SPL1248S	198		46"	1168	SPL2148Z	119	SPL2148V	125	SPL2148S	254
15" width (381mm)	28"	711	SPL1530Z	80	SPL1530V	83	SPL1530S	136	24" width (610mm)	28"	711	SPL2430Z	106	SPL2430V	112	SPL2430S	216
	34"	864	SPL1536Z	88	SPL1536V	94	SPL1536S	183		34"	864	SPL2436Z	108	SPL2436V	114	SPL2436S	254
	40"	1016	SPL1542Z	104	SPL1542V	108	SPL1542S	200		40"	1016	SPL2442Z	133	SPL2442V	138	SPL2442S	294
	46"	1168	SPL1548Z	108	SPL1548V	114	SPL1548S	205		46"	1168	SPL2448Z	137	SPL2448V	143	SPL2448S	326
16" width (406mm)	28"	711	SPL1630Z	84	SPL1630V	88	SPL1630S	137	30" width (762mm)	28"	711	SPL3030Z	125	SPL3030V	136	SPL3030S	256
	34"	864	SPL1636Z	94	SPL1636V	98	SPL1636S	159		34"	864	SPL3036Z	133	SPL3036V	138	SPL3036S	295
	40"	1016	SPL1642Z	106	SPL1642V	112	SPL1642S	185		40"	1016	SPL3042Z	151	SPL3042V	156	SPL3042S	346
	46"	1168	SPL1648Z	114	SPL1648V	117	SPL1648S	209		46"	1168	SPL3048Z	162	SPL3048V	172	SPL3048S	382
18" width (457mm)	28"	711	SPL1830Z	85	SPL1830V	91	SPL1830S	151	32" width (813mm)	34"	864	SPL3236Z	141	SPL3236V	147	SPL3236S	300
	34"	864	SPL1836Z	95	SPL1836V	101	SPL1836S	177		40"	1016	SPL3242Z	163	SPL3242V	173	SPL3242S	300
	40"	1016	SPL1842Z	106	SPL1842V	112	SPL1842S	205		46"	1168	SPL3248Z	174	SPL3248V	182	SPL3248S	391
	46"	1168	SPL1848Z	114	SPL1848V	117	SPL1848S	233		36"	914mm	SPL3636Z	156	SPL3636V	167	SPL3636S	389
												SPL3642Z	172	SPL3642V	178	SPL3642S	447
												SPL3648Z	178	SPL3648V	191	SPL3648S	508

Wire Basket Utility Carts (NSF)

see spec sheet **EG01.35**

- Includes four 4" (102mm) swivel stem casters with bumpers and two push handles.
- 40" (1016mm) overall cart height.

FEATURES:

description	weight		model #		list
	lbs.	kg			
1 chrome basket shelf, 1 chrome standard shelf	31	14.1	WBC1836C-1B1W		420
2 chrome basket shelves	32	14.5	WBC1836C-2B		371

Replacement Wire Basket Shelf — 400-lb. (181.4 kg) weight capacity.

width x length		weight		chrome	
in.	mm	lbs.	kg	model #	list
18" x 36"	457 x 914	10	4.5	WBS1836C	121



Stainless Utility Carts (NSF)

see spec sheet **EG01.42**

FEATURES:

- Type 430 stainless steel construction.
- Three stainless steel hemmed shelves welded to angle legs.
- Galvanized bottom channel frame featuring four 4" (102mm) swivel plate casters, each with 150 lb. (68.0 kg) weight capacity.
- Casters feature thermoplastic rubber wheels.
- 1"-diameter handle on one end.

Shelves are hemmed for further strength and stability!



Standard Duty Carts — 300-lb. weight capacity.

#UUC-322

overall			shelf width x length		shelf		weight		with *		with upturn on all	
width x length x height			(inner dimensions)		clearance		lbs.		standard upturns		sides of all shelves	
in.		mm	in.	mm	in.	mm	lbs.	kg	model #	list	model #	list
16 3/4" x 27" x 32"		426 x 702 x 813	16 1/2" x 25 5/8"	419 x 643	12 1/2"	318	29	13.2	UC-311	851	UUC-311	883
19" x 31" x 32"		483 x 787 x 813	18 3/4" x 28 1/4"	476 x 729	12 1/2"	318	32	14.5	UC-322	875	UUC-322	908

* Upturn on sides and rear of top and center shelves.

A highly flexible and maneuverable transport product which can be configured in either wire or solid shelves, or a combination of both.

Medium Duty Utility Carts (NSF)

see spec sheet **EG01.10**



patented
QuadTruss
design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and
provides a retaining ledge for increased
strength and product retention.

WEIGHT CAPACITY:

- 500 lb. (227 kg) maximum.

INCLUDES:

- Two utility handles.
- Four resilient rubber casters.
- 18" wide carts have 4" (102mm) casters.
- 21" and 24" carts have 5" (127mm) casters.

Note: For conductive use, order aluminum split sleeves or plastic conductive split sleeves (page 47), and optional grounding cable or anti-static drag chain (page 168).

See page 29 for optional stainless steel handles.

2-Shelf Units

(•) MTS (made to stock) / () MTO (made to order)

	width	length		cu ft	weight		EAGLEbrite®		chrome		stainless steel	
		in.	mm		lbs.	kg	model #	list	model #	list	model #	list
40" height* (1016mm)	18" (457mm)	24"	610	2.5	32	14.5	EU2-1824Z•	357	EU2-1824C•	361	EU2-1824S	889
		30"	762	2.5	35	15.8	EU2-1830Z•	366	EU2-1830C•	371	EU2-1830S	965
		36"	914	2.5	38	17.2	EU2-1836Z•	373	EU2-1836C•	376	EU2-1836S	1018
	21" (533mm)	36"	914	2.9	42	19.1	EU2-2136Z•	406	EU2-2136C•	422	EU2-2136S	1138
including casters	24" (610mm)	36"	914	2.9	45	20.4	EU2-2436Z•	422	EU2-2436C•	437	EU2-2436S	1201

* Stainless steel cart are 40" (1016mm) height. Chrome carts 37 1/4" (959mm) height including casters.

3-Shelf Units

	width	length		cu ft	weight		EAGLEbrite®		chrome		stainless steel	
		in.	mm		lbs.	kg	model #	list	model #	list	model #	list
40" height* (1016mm)	18" (457mm)	24"	610	2.5	37	16.7	EU3-1824Z•	437	EU3-1824C•	442	EU3-1824S	1139
		30"	762	2.5	41	18.5	EU3-1830Z•	448	EU3-1830C•	456	EU3-1830S	1254
		36"	914	2.5	45	20.4	EU3-1836Z•	461	EU3-1836C•	464	EU3-1836S	1329
	21" (533mm)	36"	914	2.9	48	21.8	EU3-2136Z•	501	EU3-2136C•	523	EU3-2136S	1492
including casters	24" (610mm)	36"	914	2.9	58	26.3	EU3-2436Z•	522	EU3-2436C•	546	EU3-2436S	1588

* Stainless steel cart are 40" (1016mm) height. Chrome carts 37 1/4" (959mm) height including casters.

Utility Carts with Solid Shelf (NSF)

see spec sheet **EG01.10**



patented
QuadTruss
design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and
provides a retaining ledge for increased
strength and product retention.

INCLUDES:

- Two chrome handles.
- Four casters.
- Two chrome finish open-wire shelves.
- One stainless steel solid shelf.

Note: For conductive use, order aluminum split sleeves or plastic conductive split sleeves (page 47), and optional grounding cable or anti-static drag chain (page 168).

See page 29 for optional stainless steel handles.

	width	length		caster diameter		weight		cu ft	model #	list
		in.	mm	in.	mm	lbs.	kg			
37 1/4" height (959mm)	18" (457mm)	24"	610	4"	102	36	16.3	2.5	EU3-1824CS	634
		30"	762	4"	102	39	17.7	2.5	EU3-1830CS	657
		36"	914	4"	102	42	19.1	2.5	EU3-1836CS	688
including casters	21" (533mm)	36"	914	5"	127	65	29.5	2.9	U3-2136CS	753
	24" (610mm)	36"	914	5"	127	71	32.2	3.3	U3-2436CS	793

Catalog Section 1

Heavy Duty Utility Carts see spec sheet **EG01.10**

patented
QuadTruss
Design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and
provides a retaining ledge for increased
strength and product retention.

WEIGHT CAPACITY:

- 800 lb. (363 kg) maximum.

INCLUDES:

- Two handles (see below)—one on each end.
- Four 5" (127mm) resilient rubber swivel casters.

Note: Carts can be made conductive with the use of aluminum split sleeves or plastic conductive split sleeves (page 47), and optional grounding cable or anti-static drag chain (page 168).

(•) MTS (made to stock) / () MTO (made to order)

2-Shelf Units

		length		cu ft	weight		EAGLEbrite®		chrome		stainless steel	
		in.	mm		lbs.	kg	model #	list	model #	list	model #	list
40" height* (1016mm) including casters	18" width (457mm)	36"	914	2.5	38	17.2	U2-1836Z •	406	U2-1836C •	412	U2-1836S	1107
		42"	1067	2.9	41	18.5	U2-1842Z •	425	U2-1842C •	437	U2-1842S	1223
	21" width (533mm)	36"	914	2.9	42	19.1	U2-2136Z •	425	U2-2136C •	443	U2-2136S	1201
		42"	1067	3.4	44	20.0	U2-2142Z •	448	U2-2142C •	467	U2-2142S	1317
		48"	1219	3.9	48	21.8	U2-2148Z •	458	U2-2148C •	473	U2-2148S	1317
	24" width (610mm)	36"	914	3.3	46	20.9	U2-2436Z •	443	U2-2436C •	461	U2-2436S	1266
		42"	1067	3.9	50	22.7	U2-2442Z •	473	U2-2442C •	494	U2-2442S	1427
		48"	1219	4.4	52	23.6	U2-2448Z •	481	U2-2448C •	502	U2-2448S	1427
		60"	1524	5.5	62	28.1	U2-2460Z •	536	U2-2460C •	549	U2-2460S	1638

* Stainless steel cart are 40" (1016mm) height. Chrome carts 37" (959mm) height including casters.

3-Shelf Units

		length		cu ft	weight		EAGLEbrite®		chrome		stainless steel	
		in.	mm		lbs.	kg	model #	list	model #	list	model #	list
40" height* (1016mm) including casters	18" width (457mm)	36"	914	2.5	48	21.8	U3-1836Z •	491	U3-1836C •	498	U3-1836S	1419
		42"	1067	2.9	52	23.6	U3-1842Z •	521	U3-1842C •	538	U3-1842S	1595
	21" width (533mm)	36"	914	2.9	53	24.0	U3-2136Z •	520	U3-2136C •	547	U3-2136S	1561
		42"	1067	3.4	56	25.4	U3-2142Z •	552	U3-2142C •	581	U3-2142S	1731
		48"	1219	3.9	62	28.1	U3-2148Z •	562	U3-2148C •	591	U3-2148S	1731
	24" width (610mm)	36"	914	3.3	59	26.8	U3-2436Z •	546	U3-2436C •	566	U3-2436S	1652
		42"	1067	3.9	65	29.5	U3-2442Z •	589	U3-2442C •	620	U3-2442S	1896
		48"	1219	4.4	68	30.8	U3-2448Z •	598	U3-2448C •	632	U3-2448S	1896
		60"	1524	5.5	83	37.6	U3-2460Z •	682	U3-2460C •	702	U3-2460S	2211

* Stainless steel cart are 40" (1016mm) height. Chrome carts 37" (959mm) height including casters.

Handles for Utility Carts see spec sheets **EG01.03B** **EG04.07**

Note: Electropolished Utility Hands for cleanroom applications.

(•) MTS (made to stock) / () MTO (made to order)



width		weight		cubic feet	chrome*		stainless steel**		electropolished**	
in.	mm	lbs.	kg		model #	list	model #	list	model #	list
18"	457	4.0	1.8	0.9	UH18-C •	54	UH18-S	138	EPUH18-S	180
21"	533	4.2	1.9	0.9	UH21-C •	55	UH21-S	140	EPUH21-S	182
24"	610	4.5	2.1	0.9	UH24-C •	55	UH24-S	143	EPUH24-S	187

*31" (800mm) height without casters
**33" (848mm) height without casters

Stem Caster Carts (NSF)

see spec sheet **EG01.07**

(•) MTS (made to stock) / () MTO (made to order)



INCLUDES:

- Four 63" (1600mm) posts.
- Four shelves.
- Plastic split sleeves.
- Donut bumpers.
- Indicated 5" x 1 1/4" (127 x 32mm) casters.
- 68" (1727mm) overall height.
- Fast assembly without the use of tools.
- Shipped knocked-down.

Note: Carts can be made conductive with the use of aluminum split sleeves or plastic conductive split sleeves (page 47), and optional grounding cable or anti-static drag chain (page 168).

patented
QuadTruss
design

(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

		weight		cu	caster	wheel	EAGLEbrite®		chrome	
		lbs.	kg				model #	list	model #	list
18" width (457mm)	36" length (914mm)	58	26.3	2.6	swivel	resilient	CC1836Z-S	• 599	CC1836C-S	• 607
					swivel	poly	CC1836Z-SP	• 689	CC1836C-SP	• 697
					swivel/brake	resilient	CC1836Z-SB	• 615	CC1836C-SB	• 620
					swivel/brake	poly	CC1836Z-SBP	• 704	CC1836C-SBP	• 714
					swivel/rigid	resilient	CC1836Z-SR	• 631	CC1836C-SR	• 648
					swivel/rigid	poly	CC1836Z-SRP	• 706	CC1836C-SRP	• 731
	48" length (1219mm)	70	31.7	3.5	swivel	resilient	CC1848Z-S	• 607	CC1848C-S	• 664
					swivel	poly	CC1848Z-SP	• 697	CC1848C-SP	• 756
					swivel/brake	resilient	CC1848Z-SB	• 680	CC1848C-SB	• 699
					swivel/brake	poly	CC1848Z-SBP	• 771	CC1848C-SBP	• 788
					swivel/rigid	resilient	CC1848Z-SR	• 685	CC1848C-SR	• 718
					swivel/rigid	poly	CC1848Z-SRP	• 762	CC1848C-SRP	• 799
	60" length (1524mm)	86	39.0	4.4	swivel	resilient	CC1860Z-S	• 734	CC1860C-S	• 756
					swivel	poly	CC1860Z-SP	• 821	CC1860C-SP	• 845
					swivel/brake	resilient	CC1860Z-SB	• 753	CC1860C-SB	• 771
					swivel/brake	poly	CC1860Z-SBP	• 843	CC1860C-SBP	• 861
					swivel/rigid	resilient	CC1860Z-SR	• 754	CC1860C-SR	• 786
					swivel/rigid	poly	CC1860Z-SRP	• 833	CC1860C-SRP	• 864
21" width (533mm)	36" length (914mm)	67	30.4	3.0	swivel	resilient	CC2136Z-S	• 645	CC2136C-S	• 678
					swivel	poly	CC2136Z-SP	• 734	CC2136C-SP	• 765
					swivel/brake	resilient	CC2136Z-SB	• 660	CC2136C-SB	• 695
					swivel/brake	poly	CC2136Z-SBP	• 753	CC2136C-SBP	• 782
					swivel/rigid	resilient	CC2136Z-SR	• 666	CC2136C-SR	• 715
					swivel/rigid	poly	CC2136Z-SRP	• 744	CC2136C-SRP	• 794
	48" length (1219mm)	79	35.8	4.0	swivel	resilient	CC2148Z-S	• 702	CC2148C-S	• 741
					swivel	poly	CC2148Z-SP	• 793	CC2148C-SP	• 831
					swivel/brake	resilient	CC2148Z-SB	• 718	CC2148C-SB	• 758
					swivel/brake	poly	CC2148Z-SBP	• 808	CC2148C-SBP	• 848
					swivel/rigid	resilient	CC2148Z-SR	• 722	CC2148C-SR	• 778
					swivel/rigid	poly	CC2148Z-SRP	• 801	CC2148C-SRP	• 856
	60" length (1524mm)	96	43.5	5.0	swivel	resilient	CC2160Z-S	• 793	CC2160C-S	• 821
					swivel	poly	CC2160Z-SP	• 881	CC2160C-SP	• 915
					swivel/brake	resilient	CC2160Z-SB	• 808	CC2160C-SB	• 843
					swivel/brake	poly	CC2160Z-SBP	• 900	CC2160C-SBP	• 931
					swivel/rigid	resilient	CC2160Z-SR	• 816	CC2160C-SR	• 860
					swivel/rigid	poly	CC2160Z-SRP	• 898	CC2160C-SRP	• 936
24" width (610mm)	36" length (914mm)	74	33.5	3.5	swivel	resilient	CC2436Z-S	• 671	CC2436C-S	• 702
					swivel	poly	CC2436Z-SP	• 761	CC2436C-SP	• 793
					swivel/brake	resilient	CC2436Z-SB	• 687	CC2436C-SB	• 718
					swivel/brake	poly	CC2436Z-SBP	• 777	CC2436C-SBP	• 808
					swivel/rigid	resilient	CC2436Z-SR	• 696	CC2436C-SR	• 735
					swivel/rigid	poly	CC2436Z-SRP	• 773	CC2436C-SRP	• 814
	48" length (1219mm)	90	40.8	4.5	swivel	resilient	CC2448Z-S	• 746	CC2448C-S	• 785
					swivel	poly	CC2448Z-SP	• 836	CC2448C-SP	• 876
					swivel/brake	resilient	CC2448Z-SB	• 763	CC2448C-SB	• 802
					swivel/brake	poly	CC2448Z-SBP	• 817	CC2448C-SBP	• 892
					swivel/rigid	resilient	CC2448Z-SR	• 769	CC2448C-SR	• 820
					swivel/rigid	poly	CC2448Z-SRP	• 849	CC2448C-SRP	• 903
	60" length (1524mm)	110	49.9	5.6	swivel	resilient	CC2460Z-S	• 857	CC2460C-S	• 881
					swivel	poly	CC2460Z-SP	• 947	CC2460C-SP	• 973
					swivel/brake	resilient	CC2460Z-SB	• 871	CC2460C-SB	• 900
					swivel/brake	poly	CC2460Z-SBP	• 962	CC2460C-SBP	• 987
					swivel/rigid	resilient	CC2460Z-SR	• 877	CC2460C-SR	• 919
					swivel/rigid	poly	CC2460Z-SRP	• 956	CC2460C-SRP	• 1001

Catalog Section 1

Cart Covers see spec sheet **EG01.09****Meets J.C.A.H. standards
for transporting clean linen!**cart cover
enveloping entire cart/truckcart cover with panel folded back for
easy shelf accessibility

FEATURES:

**Light weight,
easy to handle!**

- Top corners are reinforced.
- Choice of coated nylon or uncoated polyester.
- Coated cart covers available in powder blue (suffix "PB") and light green (suffix "LG"). Example: CVC-63-1836PB. Other colors available—consult factory.
- 10" x 12" (254 x 305mm) paperwork pouch at right side, when facing front of cart cover.
- Covers are nonreturnable.

Note: Cart covers to fit Security Units (pages 42-43) available.

To order cart cover for Stationary or Mobile Security Unit, add suffix "-S" to end of model number (ex: CV-63-2436-S) and add 20% to list price.

To order cart cover for Dolly Truck Security Unit, add suffix "-D" to end of model number (ex: CV-63-2436-D) and add 20% to list price.

Double-Flap option available. \$44 upcharge.

To order, add suffix "-DF" to model number (ex: CV-63-2436-DF).

Black electrostatic discharge (ESD) cart covers also available—see page 176.

								White Coated Nylon*				White Uncoated Polyester			
length		post height		weight		cu	with zipper		with velcro		with zipper		with velcro		
in.	mm	in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list	
18" width (457mm)	36"	914	54"	1372	3	1.4	1	CZC-54-1836	289	CVC-54-1836	298	CZ-54-1836	167	CV-54-1836	183
			63"	1600				CZC-63-1836	294	CVC-63-1836	311	CZ-63-1836	177	CV-63-1836	188
	48"	1219	54"	1372	4	1.8	1	CZC-54-1848	298	CVC-54-1848	315	CZ-54-1848	186	CV-54-1848	198
			63"	1600				CZC-63-1848	308	CVC-63-1848	318	CZ-63-1848	187	CV-63-1848	202
	60"	1524	54"	1372	5	2.3	1	CZC-54-1860	324	CVC-54-1860	335	CZ-54-1860	193	CV-54-1860	204
			63"	1600				CZC-63-1860	329	CVC-63-1860	342	CZ-63-1860	196	CV-63-1860	206
21" width (533mm)			54"	1372				CZC-54-2148	333	CVC-54-2148	346	CZ-54-2148	216	CV-54-2148	228
	48"	1219	63"	1600	4	1.8	1	CZC-63-2148	346	CVC-63-2148	362	CZ-63-2148	238	CV-63-2148	248
			74"	1880				CZC-74-2148	352	CVC-74-2148	364	CZ-74-2148	272	CV-74-2148	287
			54"	1372				CZC-54-2160	382	CVC-54-2160	392	CZ-54-2160	225	CV-54-2160	241
	60"	1524	63"	1600	5	2.3	1	CZC-63-2160	387	CVC-63-2160	401	CZ-63-2160	248	CV-63-2160	261
			74"	1880				CZC-74-2160	393	CVC-74-2160	407	CZ-74-2160	292	CV-74-2160	298
	24"	610	54"	1372	3	1.4	1	CZC-54-2424	352	CVC-54-2424	353	CZ-54-2424	394	CV-54-2424	261
			63"	1600				CZC-63-2424	357	CVC-63-2424	366	CZ-63-2424	408	CV-63-2424	314
			54"	1372				CZC-54-2436	294	CVC-54-2436	311	CZ-54-2436	192	CV-54-2436	203
	36"	914	63"	1600	3	1.4	1	CZC-63-2436	311	CVC-63-2436	324	CZ-63-2436	198	CV-63-2436	212
			74"	1880				CZC-74-2436	317	CVC-74-2436	331	CZ-74-2436	241	CV-74-2436	247
			86"	2184				CZC-86-2436	344	CVC-86-2436	366	CZ-86-2436	300	CV-86-2436	308
24" width (610mm)			54"	1372				CZC-54-2448	349	CVC-54-2448	363	CZ-54-2448	206	CV-54-2448	223
	48"	1219	63"	1600	4	1.8	1	CZC-63-2448	364	CVC-63-2448	382	CZ-63-2448	244	CV-63-2448	259
			74"	1880				CZC-74-2448	373	CVC-74-2448	385	CZ-74-2448	264	CV-74-2448	281
			86"	2184				CZC-86-2448	428	CVC-86-2448	441	CZ-86-2448	320	CV-86-2448	331
			54"	1372				CZC-54-2460	391	CVC-54-2460	403	CZ-54-2460	277	CV-54-2460	292
	60"	1524	63"	1600	5	2.3	1	CZC-63-2460	396	CVC-63-2460	413	CZ-63-2460	289	CV-63-2460	298
			74"	1880				CZC-74-2460	403	CVC-74-2460	417	CZ-74-2460	327	CV-74-2460	340
			86"	2184				CZC-86-2460	465	CVC-86-2460	465	CZ-86-2460	382	CV-86-2460	393
			54"	1372				CZC-54-2472	396	CVC-54-2472	413	CZ-54-2472	287	CV-54-2472	296
	72"	1829	63"	1600	6	2.7	1	CZC-63-2472	404	CVC-63-2472	421	CZ-63-2472	308	CV-63-2472	318
			74"	1880				CZC-74-2472	415	CVC-74-2472	424	CZ-74-2472	335	CV-74-2472	349
			86"	2184				CZC-86-2472	487	CVC-86-2472	481	CZ-86-2472	401	CV-86-2472	413

* White-coated nylon covers are fire-retardant

Helps keep equipment clean on shelf carts and shelf trucks.

Transparent Vinyl Cart Covers (NSF)

see spec sheet **EG01.09**

**Meets J.C.A.H. standards
for transporting clean linen!**



transparent cart cover



FEATURES:

- Transparent vinyl allows for ease of viewing cart contents.
- Top corners are reinforced.
- Choice of zipper or velcro closure.
- Fully transparent except for the seams.
- 10" x 12" (254 x 305mm) paperwork pouch at right side, when facing front of cart cover.
- Covers are nonreturnable.

Note: Cart covers to fit Security Units (pages 42-43) available. To order cart cover for Stationary or Mobile Security Unit, add suffix "-S" to end of model number (ex: CV-63-2436-S) and add 20% to list price. To order cart cover for Dolly Truck Security Unit, add suffix "-D" to end of model number (ex: CV-63-2436-D) and add 20% to list price.

Double-Flap option available. \$44 upcharge.

To order, add suffix "-DF" to model number (ex: CV-63-2436-DF).

Black electrostatic discharge (ESD) cart covers also available—see page 176.

(•) MTS (made to stock) / () MTO (made to order)


	length		post height		weight		cu ft	with zipper		with velcro	
	in.	mm	in.	mm	lbs.	kg		model #	list	model #	list
18" width (457mm)	36"	914	54"	1372	3	1.4	1	CZ-54-1836-T	372	CV-54-1836-T	408
			63"	1600				CZ-63-1836-T	372	CV-63-1836-T	408
	48"	1219	54"	1372	4	1.8	1	CZ-54-1848-T	377	CV-54-1848-T	415
			63"	1600				CZ-63-1848-T	377	CV-63-1848-T	415
21" width (533mm)	60"	1524	54"	1372	5	2.3	1	CZ-54-1860-T	391	CV-54-1860-T	428
			63"	1600				CZ-63-1860-T	417	CV-63-1860-T	458
			54"	1372				CZ-54-2148-T	413	CV-54-2148-T	455
	48"	1219	63"	1600	4	1.8	1	CZ-63-2148-T	439	CV-63-2148-T	482
24" width (610mm)			74"	1880				CZ-74-2148-T	462	CV-74-2148-T	508
			54"	1372				CZ-54-2160-T	459	CV-54-2160-T	504
	60"	1524	63"	1600	5	2.3	1	CZ-63-2160-T	486	CV-63-2160-T	535
			74"	1880				CZ-74-2160-T	512	CV-74-2160-T	562
24" width (610mm)	24"	610	54"	1372	3	1.4	1	CZ-54-2424-T	396	CV-54-2424-T	437
			63"	1600				CZ-63-2424-T	396	CV-63-2424-T	437
			54"	1372				CZ-54-2436-T	403	CV-54-2436-T	443
	36"	914	63"	1600	3	1.4	1	CZ-63-2436-T	403	CV-63-2436-T	443
			74"	1880				CZ-74-2436-T	492	CV-74-2436-T	541
			86"	2184				CZ-86-2436-T	519	CV-86-2436-T	571
			54"	1372				CZ-54-2448-T	424	CV-54-2448-T	466
	48"	1219	63"	1600	4	1.8	1	CZ-63-2448-T	424	CV-63-2448-T	466
			74"	1880				CZ-74-2448-T	439	CV-74-2448-T	482
			86"	2184				CZ-86-2448-T	546	CV-86-2448-T	599
			54"	1372				CZ-54-2460-T	465	CV-54-2460-T	513
	60"	1524	63"	1600	5	2.3	1	CZ-63-2460-T	465	CV-63-2460-T	513
24" width (610mm)			74"	1880				CZ-74-2460-T	567	CV-74-2460-T	624
			86"	2184				CZ-86-2460-T	596	CV-86-2460-T	657
			54"	1372				CZ-54-2472-T	521	CV-54-2472-T	573
	72"	1829	63"	1600	6	2.7	1	CZ-63-2472-T	532	CV-63-2472-T	585
24" width (610mm)			74"	1880				CZ-74-2472-T	585	CV-74-2472-T	644
			86"	2184				CZ-86-2472-T	614	CV-86-2472-T	676

Helps keep equipment clean on shelf carts and shelf trucks.

Catalog Section 1

Angled Shelf/ Visual Merchandising Carts

see spec sheet **EG01.44**



**Ideal for displaying
POINT-OF-SALE
or SPECIAL SALE ITEMS.**

FEATURES:

- 68" (1727mm) height.
- 3/4" (83mm) upturn at front.
- 1/4" (32mm) downturn at rear.
- Shelves are reversible.
- Units available in 2' to 5' lengths (610 to 1524mm).

WEIGHT CAPACITY:

- 300 lbs. (136.1 kg) per shelf.

INCLUDES:

- Four shelves adjust on 1" (25mm) vertical increments and the 0°-30° slope of each shelf.
- Four posts.
- Four 5" x 1 1/4" (127 x 32mm) resilient swivel casters, two with brake.
- Additional caster sizes are available.
- Standard wire shelves (page 6) can be used.


Note: To order red or white epoxy finish, add suffix "R" (red) or "W" (white). **Example: M1836R.** Priced same as black epoxy.

Additional shelves and wire dividers available as options.

(•) MTS (made to stock) / () MTO (made to order)

**All carts listed are 18" (457mm)-wide.
24" (610mm)-wide carts available.**

length		weight		cu ft	EAGLEbrite®		chrome		black		VALU-MASTER®		Valu-Gard®	
in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24"	610	52	23.6	3.6	M1824Z-4	714	M1824C-4	800	M1824BL-4	815	M1824V-4	815	M1824VG-4	815
36"	914	60	27.2	4.4	M1836Z-4 •	745	M1836C-4	821	M1836BL-4	834	M1836V-4	834	M1836VG-4	834
48"	1219	68	30.8	5.8	M1848Z-4 •	828	M1848C-4	857	M1848BL-4	892	M1848V-4	892	M1848VG-4	892
60"	1524	76	34.5	7.3	M1860Z-4 •	886	M1860C-4	915	M1860BL-4	944	M1860V-4	944	M1860VG-4	944



Additional Angled Shelves for Angled Shelf / Visual Merchandising Carts - Hanger rails included.

length		weight		cu ft	EAGLEbrite®		chrome		black		VALU-MASTER®		Valu-Gard®	
in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24"	610	4	1.8	2.2	M1824Z	113	M1824C	131	M1824BL	140	M1824V	140	M1824VG	140
36"	914	9	4.1	2.5	M1836Z	121	M1836C	138	M1836BL	144	M1836V	144	M1836VG	144
48"	1219	12	5.5	2.8	M1848Z	141	M1848C	146	M1848BL	154	M1848V	154	M1848VG	154
60"	1524	17	7.7	3.1	M1860Z	154	M1860C	163	M1860BL	168	M1860V	168	M1860VG	168

Note: If purchased as component piece for unit assembly, two 3-sided truss frames must be ordered (see page 34).



Shelf Dividers for Angled Shelf / Visual Merchandising Carts - 4 1/2" (114mm) height.

length		weight		cu ft	chrome		black		VALU-MASTER®		Valu-Gard®	
in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list
18"	457	1.0	0.5	0.6	M18C	47	M18BL	49	M18V	49	M18VG	49

Front-to-Back Hanger Rail for Angled Shelf / Visual Merchandising Carts

length		weight		cu ft	EAGLEbrite®		chrome		black		VALU-MASTER®		Valu-Gard®	
in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
18"	457	0.7	0.3	2.0	WR18-Z	19	WR18-C	21	WR18-BL	25	WR18-V	26	WR18-VG	26

Side-to-Side Hanger Rails for Angled Shelf / Visual Merchandising Carts

length		weight		cu ft	EAGLEbrite®		chrome		black		VALU-MASTER®		Valu-Gard®	
in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24"	610	1.5	0.7	0.3	LR24-Z	26	LR24-C	33	LR24-BL	35	LR24-V	35	LR24-VG	35
36"	914	1.9	0.9	0.6	LR36-Z	28	LR36-C	38	LR36-BL	42	LR36-V	42	LR36-VG	42
48"	1219	2.1	1.0	0.7	LR48-Z	29	LR48-C	47	LR48-BL	49	LR48-V	49	LR48-VG	49
60"	1524	2.5	1.1	0.8	LR60-Z	33	LR60-C	54	LR60-BL	55	LR60-V	55	LR60-VG	55

...Merchandising Carts (Cont.) see spec sheet **EG01.44**

three-sided truss snare
18" (457mm) front-to-back.



four-sided truss snare
18" (457mm) front-to-back.

3-Sided Truss Frame for Angled Shelf/Visual Merchandising Cart

length		weight		cu ft	EAGLEbrite®		chrome		black		VALU-MASTER®		Valu-Gard®	
in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
36"	914	3.5	1.6	2	3TF1836-Z	38	3TF1836-C	40	3TF1836-BL	44	3TF1836-V	44	3TF1836-VG	44
48"	1219	4.0	1.8	3	3TF1848-Z	40	3TF1848-C	47	3TF1848-BL	51	3TF1848-V	51	3TF1848-VG	51
60"	1524	4.5	2.0	4	3TF1860-Z	45	3TF1860-C	51	3TF1860-BL	56	3TF1860-V	56	3TF1860-VG	56

4-Sided Truss Frame for Angled Shelf/Visual Merchandising Carts

length		weight		cu ft	EAGLEbrite®		chrome		black		VALU-MASTER®		Valu-Gard®	
in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
36"	914	3.5	1.6	2	4TF1836-Z	62	4TF1836-C	67	4TF1836-BL	75	4TF1836-V	75	4TF1836-VG	75
48"	1219	4.0	1.8	3	4TF1848-Z	67	4TF1848-C	77	4TF1848-BL	80	4TF1848-V	80	4TF1848-VG	80
60"	1524	4.5	2.0	4	4TF1860-Z	71	4TF1860-C	84	4TF1860-BL	89	4TF1860-V	89	4TF1860-VG	89

Mobile Platform Carts see spec sheet **EG60.36**

- Heavy duty all-aluminum construction.
- 1½" x 2¾" (38 x 70mm) square tubing.
- 5" (127mm) casters—two swivel with brake and two rigid.

FEATURES:



**Lifetime guarantee against
rust and corrosion!**

**5-year guarantee
against workmanship
and material defects!**

overall dimensions width x depth x height			deck size width x depth		weight capacity			
in.	mm		in.	mm	lbs.	kg	model #	list
20" x 37¼" x 42"	508 x 959 x 1067		20" x 36"	508 x 914	1200	544.3	1202	808
20" x 49¼" x 42"	508 x 1264 x 1067		20" x 48"	508 x 1219	1200	544.3	1203	891
20" x 61¼" x 42"	508 x 1569 x 1067		20" x 60"	508 x 1524	1200	544.3	1212	1037

Black Polymer Utility Cart see spec sheet **EG01.06**

WEIGHT CAPACITY:

- 200 lb. (90.7 kg).

FEATURES:

- Four 4" (102mm) diameter swivel casters, two with brake.
- Stylish brushed aluminum uprights.



**Utilizes three heavy duty
black polymer shelves and
utility handles!**

height		width		length		weight			
in.	mm	in.	mm	in.	mm	lbs.	kg	model #	list
37¼" (959mm) including casters		18¾" (473mm)		33¾"	854	30	13.6	EU3-2030-P	862

Catalog Section 1

Dolly Trucks see spec sheet **EG01.08**

FEATURES:

- Fast assembly without tools.
- Open wire construction.
- Shipped knocked-down.

INCLUDES:

- Four shelves.
- Four posts.
- Plastic split sleeves.
- Four designated 5" x 1 1/4" (127 x 32mm) casters.
- Aluminum truck dolly with wraparound bumper.

Patented QuadTruss® Design
(Patent #5,390,803)

makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

			shelf dimensions		weight		cu	caster	wheel	with EAGLEbrite®		with chrome	
			width	length	in.	mm	lbs.	kg	ft	model #	list	model #	list
69" height (1753mm)	23 3/4" width (603mm)	40 1/8" length (1038mm)	18" x 36"	457 x 914	72	32.7	4.2	swivel	resilient	DT1836-ZS	1116	DT1836-CS	1153
								swivel	poly	DT1836-ZSP	1082	DT1836-CSP	1116
								swivel/brake	resilient	DT1836-ZSB	1127	DT1836-CSB	1161
								swivel/brake	poly	DT1836-ZSBP	1095	DT1836-CSBP	1127
		52 1/8" length (1343mm)	18" x 48"	457 x 1219	86	39.0	5.6	swivel	resilient	DT1848-ZS	1203	DT1848-CS	1251
								swivel	poly	DT1848-ZSP	1169	DT1848-CSP	1215
								swivel/brake	resilient	DT1848-ZSB	1213	DT1848-CSB	1261
								swivel/brake	poly	DT1848-ZSBP	1179	DT1848-CSBP	1225
		64 1/8" length (1648mm)	18" x 36"	457 x 914	100	45.4	6.8	swivel	resilient	DT1860-ZS	1313	DT1860-CS	1362
								swivel	poly	DT1860-ZSP	1279	DT1860-CSP	1327
								swivel/brake	resilient	DT1860-ZSB	1324	DT1860-CSB	1371
								swivel/brake	poly	DT1860-ZSBP	1287	DT1860-CSBP	1335
	26 3/4" width (680mm)	40 1/8" length (1038mm)	21" x 36"	533 x 914	82	37.2	4.8	swivel	resilient	DT2136-ZS	1179	DT2136-CS	1239
								swivel	poly	DT2136-ZSP	1149	DT2136-CSP	1205
								swivel/brake	resilient	DT2136-ZSB	1186	DT2136-CSB	1251
								swivel/brake	poly	DT2136-ZSBP	1157	DT2136-CSBP	1215
		52 1/8" length (1343mm)	21" x 48"	533 x 1219	98	44.5	6.4	swivel	resilient	DT2148-ZS	1266	DT2148-CS	1331
								swivel	poly	DT2148-ZSP	1234	DT2148-CSP	1299
								swivel/brake	resilient	DT2148-ZSB	1276	DT2148-CSB	1343
								swivel/brake	poly	DT2148-ZSBP	1242	DT2148-CSBP	1308
		64 1/8" length (1648mm)	21" x 60"	533 x 1524	114	51.7	7.9	swivel	resilient	DT2160-ZS	1392	DT2160-CS	1446
								swivel	poly	DT2160-ZSP	1361	DT2160-CSP	1415
								swivel/brake	resilient	DT2160-ZSB	1403	DT2160-CSB	1456
								swivel/brake	poly	DT2160-ZSBP	1368	DT2160-CSBP	1471
	29 3/4" width (756mm)	40 1/8" length (1038mm)	24" x 36"	610 x 914	90	40.8	5.6	swivel	resilient	DT2436-ZS	1201	DT2436-CS	1256
								swivel	poly	DT2436-ZSP	1167	DT2436-CSP	1220
								swivel/brake	resilient	DT2436-ZSB	1212	DT2436-CSB	1266
								swivel/brake	poly	DT2436-ZSBP	1178	DT2436-CSBP	1234
		52 1/8" length (1343mm)	24" x 48"	610 x 1219	112	50.8	7.2	swivel	resilient	DT2448-ZS	1308	DT2448-CS	1378
								swivel	poly	DT2448-ZSP	1276	DT2448-CSP	1343
								swivel/brake	resilient	DT2448-ZSB	1320	DT2448-CSB	1385
								swivel/brake	poly	DT2448-ZSBP	1284	DT2448-CSBP	1352
		64 1/8" length (1648mm)	24" x 60"	610 x 1524	134	60.8	8.9	swivel	resilient	DT2460-ZS	1453	DT2460-CS	1506
								swivel	poly	DT2460-ZSP	1419	DT2460-CSP	1475
								swivel/brake	resilient	DT2460-ZSB	1465	DT2460-CSB	1515
								swivel/brake	poly	DT2460-ZSBP	1427	DT2460-CSBP	1481

Garment Racks

see spec sheet **EG01.28**

patented
QuadTruss
design

(Patent #5,390,803)

INCLUDES:

- Four chrome post with adjustable feet.
- Two wire chrome plated shelves.
- 74" (1880mm) height on stationary units.
- 80" (3032mm) height on mobile units.
- Mobile racks four 5" (127mm) polyurethane tread casters, with rubber donut bumper.

model #
GRS1836C**Patented QuadTruss® Design**

makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

(•) MTS (made to stock) / () MTO (made to order)



**Convenient
storage of coats,
uniforms, or
garments.**

**18" width
(457mm)**

	length		weight		cu ft	description	STATIONARY		MOBILE	
	in.	mm	lbs.	kg			model #	list	model #	list
	36"	914	48	21.8	2.2	unit as shown	GR1836C	383	UR1836C	606
	36"	914	64	29.0	2.2	same, plus 1 solid shelf	GRS1836C	529	URS1836C	795
	48"	1219	52	23.6	2.6	unit as shown	GR1848C	417	UR1848C	648
	48"	1219	72	32.7	2.6	same, plus 1 solid shelf	GRS1848C	581	URS1848C	871
	60"	1524	58	26.3	3.2	unit as shown	GR1860C	467	UR1860C	701
	60"	1524	82	37.2	3.2	same, plus 1 solid shelf	GRS1860C	666	URS1860C	998

Optional Wire Shelves

	length		weight		cu ft	model #	list
	in.	mm	lbs.	kg			
18" width	36"	914	9	4.1	0.7	1836C •	80
	48"	1219	12	5.5	0.9	1848C •	96
(457mm)	60"	1524	17	7.7	1.2	1860C •	113

Optional Hangers

description	weight		cu ft	chrome	
	lbs.	kg		model #	list
open loop hanger	0.4	0.2	0.3	OLH-C •	17
closed loop hanger	0.4	0.2	0.3	CLH-C	17

Replacement Coat Hanger Tubes

	length		weight		cubic feet	model #	list
	in.	mm	lbs.	kg			
	24"	610	1.5	0.7	0.1	CH24	45
	30"	762	1.7	0.8	0.1	CH30	48
	36"	914	2.2	1.0	0.1	CH36	51
	42"	1067	2.7	1.2	0.1	CH42	52
	48"	1219	3.2	1.5	0.1	CH48 •	54
	54"	1372	3.5	1.6	0.2	CH54	57
	60"	1524	3.8	1.7	0.2	CH60	60

Platforms see spec sheet **EG01.13**

FEATURES:

- Open-wire construction for improved air circulation, minimizing dust.

**600 lbs.
weight capacity**

(•) MTS (made to stock) / () MTO (made to order)



patented
QuadTruss
design
(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

		length		weight		cu ft	EAGLEbrite®		chrome		EAGLEgard®	
		in.	mm	lbs.	kg		model #	list	model #	list	model #	list
14" height (356mm)	18" width (457mm)	24"	610	10	4.5	0.7	PF1824-Z •	138	PF1824-C •	145	PF1824-E •	172
		30"	762	11	5.0	0.7	PF1830-Z •	140	PF1830-C •	146	PF1830-E •	176
		36"	914	13	5.9	0.7	PF1836-Z •	143	PF1836-C •	148	PF1836-E •	180
	21" width (533mm)	24"	610	12	5.4	0.7	PF2124-Z •	145	PF2124-C •	156	PF2124-E •	185
		30"	762	13	5.9	0.7	PF2130-Z •	147	PF2130-C •	163	PF2130-E •	187
		36"	914	14	6.4	0.8	PF2136-Z •	149	PF2136-C •	165	PF2136-E •	189
	24" width (610mm)	24"	610	13	5.9	0.8	PF2424-Z •	149	PF2424-C •	164	PF2424-E •	196
		30"	762	15	6.8	0.8	PF2430-Z •	153	PF2430-C •	167	PF2430-E •	198
		36"	914	17	7.7	0.8	PF2436-Z •	155	PF2436-C •	169	PF2436-E •	201

Catalog Section 1

Dunnage Shelves see spec sheet **EG01.13**

*Improves your system's
weight-bearing capacity.*

FEATURES:

- Four-sided frame with center supports.
- Removable heavy duty $\frac{3}{8}$ " (8mm)-diameter wire mat assembly.

Note: All weights and cubic feet are approximate.

(•) MTS (made to stock) / () MTO (made to order)

	length		weight		cu	chrome		EAGLEgard®		stainless steel	
	in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
18" width (457mm)	24"	610	14	6.4	0.6	DS1824-C	186	DS1824-E	236	n/a	n/a
	30"	762	18	8.2	0.7	DS1830-C	205	DS1830-E	248	n/a	n/a
	36"	914	21	9.5	0.8	DS1836-C	218	DS1836-E	265	DS1836-S	685
	48"	1219	28	12.7	1.1	DS1848-C	254	DS1848-E •	313	DS1848-S	833
	60"	1524	33	15.0	1.3	DS1860-C	295	DS1860-E •	352	DS1860-S	980
21" width (533mm)	24"	610	15	6.8	0.6	DS2124-C	209	DS2124-E	257	n/a	n/a
	30"	762	19	8.6	0.8	DS2130-C	216	DS2130-E	267	n/a	n/a
	36"	914	22	10.0	0.9	DS2136-C	229	DS2136-E	281	n/a	n/a
	48"	1219	28	12.7	1.2	DS2148-C	262	DS2148-E	320	n/a	n/a
	60"	1524	34	15.4	1.5	DS2160-C	299	DS2160-E	380	n/a	n/a
24" width (610mm)	24"	610	16	7.3	0.8	DS2424-C	203	DS2424-E	247	n/a	n/a
	30"	762	20	9.0	0.9	DS2430-C	223	DS2430-E	267	n/a	n/a
	36"	914	24	10.9	1.1	DS2436-C	240	DS2436-E	289	DS2436-S	746
	48"	1219	30	13.6	1.4	DS2448-C	271	DS2448-E •	329	DS2448-S	903
	60"	1524	37	16.8	1.8	DS2460-C	320	DS2460-E •	387	DS2460-S	1083

Dunnage Racks see spec sheet **EG01.13**

*Store large items
off the floor!*

Snag-free wire surface.

WEIGHT CAPACITY:

- Up to 36" long: 1600 lbs. (635 kg).
- 48" long: 1300 lbs. (590 kg).
- 60" long: 1000 lbs. (454 kg).
- static load equally distributed.

Note: All weights and cubic feet are approximate.

(•) MTS (made to stock) / () MTO (made to order)

		length		weight		cu	chrome		EAGLEgard®		stainless steel	
		in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
14" overall height (356mm)	18" width (457mm)	24"	610	21	9.5	0.5	DR1824-C	300	DR1824-E	352	n/a	n/a
		30"	762	24	10.9	1.0	DR1830-C	319	DR1830-E	376	n/a	n/a
		36"	914	31	14.1	1.6	DR1836-C	340	DR1836-E	399	DR1836-S	867
		48"	1219	37	16.8	2.2	DR1848-C	402	DR1848-E •	477	DR1848-S	1157
		60"	1524	43	19.5	3.0	DR1860-C	498	DR1860-E	527	n/a	n/a
	21" width (533mm)	24"	610	24	10.9	0.8	DR2124-C	314	DR2124-E	373	n/a	n/a
		30"	762	27	12.2	2.0	DR2130-C	336	DR2130-E	399	n/a	n/a
		36"	914	33	15.0	2.0	DR2136-C	359	DR2136-E	422	n/a	n/a
		48"	1219	39	17.6	2.9	DR2148-C	425	DR2148-E	499	n/a	n/a
		60"	1524	45	20.4	3.3	DR2160-C	484	DR2160-E	547	n/a	n/a
	24" width (610mm)	24"	610	27	12.2	1.4	DR2424-C	320	DR2424-E	380	n/a	n/a
		30"	762	30	13.6	1.8	DR2430-C	345	DR2430-E	401	n/a	n/a
		36"	914	35	15.9	2.1	DR2436-C •	369	DR2436-E •	434	DR2436-S	996
		48"	1219	41	18.6	2.8	DR2448-C •	436	DR2448-E •	512	DR2448-S	1267
		60"	1524	47	21.3	3.5	DR2460-C	501	DR2460-E	576	n/a	n/a

Mobile Dunnage Racks (NSF)

see spec sheet

EG01.13

WEIGHT CAPACITY:



**Easy to
maneuver!**

INCLUDES:

- 800 lbs. (363 kg).
- equally distributed on the top surface.
- Four 5" swivel polyurethane tread casters, two with brakes.
- 3-sided frame with 1" (25mm)-square tubing.
- Snag-free wire surface.

Note: All weights and cubic feet are approximate.

		length		weight		cu ft	chrome		EAGLEgard®		stainless steel	
		in.	mm	lbs.	kg		model #	list	model #	list	model #	list
14" overall height (356mm)	18" width (457mm)	24"	610	33	15.0	1.0	MDR1824-C	677	MDR1824-E	778	n/a	n/a
		30"	762	36	16.3	2.3	MDR1830-C	689	MDR1830-E	794	n/a	n/a
		36"	914	43	19.5	2.3	MDR1836-C	741	MDR1836-E	829	MDR1836-S	1378
		48"	1219	49	22.2	3.0	MDR1848-C	806	MDR1848-E	944	MDR1848-S	1627
		60"	1524	55	24.9	4.5	MDR1860-C	820	MDR1860-E	956	n/a	n/a
	21" width (533mm)	24"	610	36	16.3	3.1	MDR2124-C	696	MDR2124-E	800	n/a	n/a
		30"	762	39	17.6	3.3	MDR2130-C	701	MDR2130-E	813	n/a	n/a
		36"	914	45	20.4	3.0	MDR2136-C	717	MDR2136-E	829	n/a	n/a
		48"	1219	51	23.1	4.0	MDR2148-C	782	MDR2148-E	909	n/a	n/a
		60"	1524	57	25.9	5.0	MDR2160-C	845	MDR2160-E	961	n/a	n/a
	24" width (610mm)	24"	610	40	18.1	3.0	MDR2424-C	699	MDR2424-E	808	n/a	n/a
		30"	762	42	19.1	3.0	MDR2430-C	706	MDR2430-E	817	n/a	n/a
		36"	914	47	21.3	3.0	MDR2436-C	763	MDR2436-E	857	MDR2436-S	1471
		48"	1219	53	24.0	4.0	MDR2448-C	833	MDR2448-E	943	MDR2448-S	1735
		60"	1524	63	28.6	5.0	MDR2460-C	864	MDR2460-E	1008	n/a	n/a

Polymer Dunnage Racks (NSF)

see spec sheet

EG01.17

**Durable polyethylene construction
prevents corrosion and rust.**



FEATURES:

- No assembly required.

	width		length		weight		cubic feet	capacity		color	model #	list
	in.	mm	in.	mm	lbs.	kg		lbs.	kg			
12" height (305mm)	22"	559	36"	914	18	8.2	5.5	2000	907	black	PD3622	374
	22"	559	48"	1219	24	10.9	7.3	3000	1361	black	PD4822	449
	22"	559	60"	1524	28	12.7	9.2	3000	1361	black	PD6022	519
	36"	914	48"	1219	35	15.9	14.5	3500	1588	black	PD4836	497

Starter Units with Dunnage Shelf (NSF)

see spec sheet

EG01.19

**Heavy duty dunnage shelf improves the
units overall weight-bearing capacity.**

FEATURES:

- Tapered split sleeves create a positive lock that becomes stronger as the load increases.
- 74" (1880mm) posts numbered in increments of 1" (25mm) to ensure fast and level assembly.



Stationary

width x length		zinc		chrome		EAGLEgard®	
in.	mm	model #	list	model #	list	model #	list
24" x 48"	610 x 1219	DS4-P74-2448Z	860	DS4-P74-2448C	985	DS4-P74-2448E	1008

Mobile

width x length		zinc		chrome		EAGLEgard®	
in.	mm	model #	list	model #	list	model #	list
24" x 48"	610 x 1219	DS4-CP74-2448Z	984	DS4-CP74-2448C	1113	DS4-CP74-2448E	1133

**patented
QuadTruss
design**
(Patent #5,390,803)

Note: Mobile models feature 5" resilient swivel casters with bumpers.

Catalog Section 1

Aluminum Dunnage Racks see spec sheet **EG01.17**

FEATURES:

- 1½" (38mm) square tubing.
- Plastic feet.




(•) MTS (made to stock) / () MTO (made to order)

	length		weight		cubic feet	weight capacity		number of lats	RACKS WITH 8" (203mm) HEIGHT		RACKS WITH 12" (305mm) HEIGHT	
	in.	mm	lbs.	kg		lbs.	kg		model #	list	model #	list
20" width (508mm)	36"	914	10	4.5	6.8	2000	907	4	WDR203608-A •	313	WDR203612-A •	313
	48"	1219	14	6.4	8.9	2000	907	4	WDR204808-A •	362	WDR204812-A •	362
	60"	1524	18	8.2	11.0	1500	680	4	WDR206008-A •	407	WDR206012-A •	407
24" width (610mm)	36"	914	12	5.4	8.0	2000	907	5	WDR243608-A •	352	WDR243612-A •	352
	48"	1219	16	7.3	10.5	2000	907	5	WDR244808-A •	395	WDR244812-A •	395
	60"	1524	20	9.1	13.1	1500	680	5	WDR246008-A •	458	WDR246012-A •	458

Nesting Dunnage Racks see spec sheet **EG01.17**

FEATURES:

- All-aluminum construction.

**Racks are stackable, saving space when not in use.**

		length		weight		cubic feet	weight capacity		model #	list
		in.	mm	lbs.	kg		lbs.	kg		
12" height (305mm)	18" width (457mm)	24"	610	8	3.6	3.0	3200	1452	NDR182412-A	298
		36"	914	10	4.5	4.5	3200	1452	NDR183612-A	344
		48"	1219	12	5.4	6.0	2700	1225	NDR184812-A	384
	20" width (508mm)	24"	610	8	3.6	3.4	3200	1452	NDR202412-A	298
		36"	914	10	4.5	5.1	3200	1452	NDR203612-A	344
		48"	1219	12	5.4	6.7	2700	1225	NDR204812-A	384
	24" width (610mm)	24"	610	9	4.1	4.0	3200	1452	NDR242412-A	353
		36"	914	11	5.0	6.0	3200	1452	NDR243612-A	393
		48"	1219	14	6.4	8.0	2700	1225	NDR244812-A	458

Aluminum Truck Dollies

see spec sheet **EG01.03B**

INCLUDES:

- Four designated 5" x 1¼" (127 x 32mm) casters with poly tread.
- Wraparound bumpers.



	length		weight		cubic feet	caster type	caster load rate (each)		model #	list
	in.	mm	lbs.	kg			lbs.	kg		
29½" width (756mm)	52½"	1343	41	18.6	6.3	swivel	300	136.1	TD2448-SP	671
	52½"	1343	44	20.0	6.3	swivel/brake	300	136.1	TD2448-BSP	1381
	64½"	1648	48	21.8	7.6	swivel	300	136.1	TD2460-SP	704
	64½"	1648	50	22.7	7.6	swivel/brake	300	136.1	TD2460-BSP	1388

Dolly Frames with Wraparound Bumper

see spec sheet **EG01.03B**dolly frames
with wraparound bumper

- If ordering casters list dolly frame and caster model numbers separately.
- Holes are prepunched for use with plate casters on page 10.

ORDERING:

(•) MTS (made to stock) / () MTO (made to order)

		Aluminum					Chrome Plated Steel				
length		weight		cu			weight		cu		
in. mm		lbs.	kg	ft	model #	list	lbs.	kg	ft	model #	list
23 3/4" width (603mm)	40 1/2"	14	6.4	1.6	DF1836-A	396	16	7.3	1.6	DF1836-C	598
	46 1/2"	16	7.3	1.9	DF1842-A	417	18	8.2	1.9	DF1842-C	629
	52 1/2"	18	8.2	2.1	DF1848-A	431	20	9.1	2.1	DF1848-C	648
	64 1/2"	21	9.6	2.6	DF1860-A	473	23	10.4	2.6	DF1860-C	717
	76 1/2"	23	10.4	2.9	DF1872-A	551	25	11.3	2.9	DF1872-C	831
26 1/4" width (680mm)	40 1/2"	17	7.7	1.8	DF2136-A	427	19	8.6	1.8	DF2136-C	644
	46 1/2"	19	8.6	2.1	DF2142-A	442	21	9.6	2.1	DF2142-C	666
	52 1/2"	21	9.6	2.4	DF2148-A	462	24	10.9	2.4	DF2148-C	696
	64 1/2"	23	10.4	2.9	DF2160-A	497	23	11.8	2.9	DF2160-C	745
	76 1/2"	25	11.3	3.5	DF2172-A	521	28	12.7	3.5	DF2172-C	788
29 3/4" width (756mm)	40 1/2"	21	9.6	2.1	DF2436-A	419	23	10.4	2.1	DF2436-C	634
	46 1/2"	26	11.8	2.4	DF2442-A	440	29	13.2	2.4	DF2442-C	664
	52 1/2"	29	13.2	3.9	DF2448-A	458	32	14.5	3.9	DF2448-C	688
	64 1/2"	31	14.1	4.2	DF2460-A •	497	34	15.4	4.2	DF2460-C	745
	76 1/2"	39	17.7	4.5	DF2472-A	581	42	19.1	4.5	DF2472-C	876

Plastic Label Holders

see spec sheet **EG01.03D**

gray plastic label holder



black plastic label holder



clear plastic label holder

- Snaps onto shelf edge.
- Provides easy identification of shelf contents or section.
- Holds 1" to 1 1/4" (25 to 32mm) high labels.

FEATURES:

(•) MTS (made to stock) / () MTO (made to order)

length		fits shelf size		gray		black		clear	
in.	mm	in.	mm	model #	list	model #	list	model #	list
3"	76	all	all	A204331*	4	A206216 *	4	A208746	4
13"	330	18"	457	A206196	7	A206217	7	A208747	7
19"	483	24"	610	A206197	12	A206218	12	A208749	12
25"	635	30"	762	A206198	14	A206219	14	A208750	14
31"	787	36"	914	A206199	16	A206220	16	A208751 •	16
33"	838	36"	914	A213096	16	A227763	16	A227764	16
37"	940	42"	1067	A223747	17	A223748	17	A223749	17
43"	1092	48"	1219	A206200	18	A206221	18	A208752	18
45"	1143	48"	1219	A212494	21	A225208	21	A217621	21
55"	1397	60"	1524	A206201	24	A206222	24	A208753	24
67"	1702	72"	1829	A227842	33	A227841	33	A222144	33

* Actual length: 3 1/4" (83mm)

Wire Basket Shelf **(NSF)**see spec sheet **EG01.03E****400-lb. (181.4 kg) weight capacity!**

		length		weight		chrome	
width		in	mm	lbs.	kg	model #	list
18" (457mm)		36"	914	10	4.5	WBS1836C	121

FEATURES:

- Chrome-plated.
- For use with standard shelving posts.
- 4 1/4" (107mm) depth.



Catalog Section 1

Security Modules NSF

see spec sheet **EG01.16**

shown with hinged door
(shown mounted to shelf unit
sold separately)




shown with flip-up door
(shown mounted to shelf unit
sold separately)

- End panels.
- Rear panel.
- Door(s).
- Fits in between two wire shelves spaced 20" (508mm) apart.

INCLUDES:

Note: Shelving units sold separately—see pages 18 and 20.



Converts portion of shelf unit into a lockable enclosed security unit, adding versatility to shelf unit. More than one module can be added to unit, depending on unit's overall height.

Hinged Doors

	length		weight		EAGLEbrite® zinc		chrome		Valu-Gard® green		EAGLEgard®		stainless steel	
	in.	mm	lb.	kg	model #	list	model #	list	model #	list	model #	list	model #	list
18" width (457mm)	30"	762	20	9.0	SECM1830Z	428	SECM1830C	561	SECM1830VG	584	SECM1830E	591	SECM1830S	1516
	36"	914	23	10.4	SECM1836Z	438	SECM1836C	567	SECM1836VG	591	SECM1836E	597	SECM1836S	1544
	48"	1219	27	12.2	SECM1848Z	465	SECM1848C	603	SECM1848VG	628	SECM1848E	635	SECM1848S	1651
	60"	1524	32	14.5	SECM1860Z	468	SECM1860C	678	SECM1860VG	706	SECM1860E	713	SECM1860S	1661
21" width (533mm)	30"	762	21	9.5	SECM2130Z	437	SECM2130C	566	SECM2130VG	589	SECM2130E	596	SECM2130S	1539
	36"	914	24	10.9	SECM2136Z	445	SECM2136C	576	SECM2136VG	600	SECM2136E	607	SECM2136S	1572
	48"	1219	29	13.2	SECM2148Z	477	SECM2148C	614	SECM2148VG	639	SECM2148E	647	SECM2148S	1692
	60"	1524	33	15.0	SECM2160Z	483	SECM2160C	686	SECM2160VG	715	SECM2160E	722	SECM2160S	1709
24" width (610mm)	30"	762	24	10.9	SECM2430Z	443	SECM2430C	575	SECM2430VG	599	SECM2430E	606	SECM2430S	1564
	36"	914	27	12.2	SECM2436Z	459	SECM2436C	614	SECM2436VG	639	SECM2436E	647	SECM2436S	1620
	48"	1219	31	14.1	SECM2448Z	487	SECM2448C	697	SECM2448VG	726	SECM2448E	735	SECM2448S	1729
	60"	1524	35	15.9	SECM2460Z	518	SECM2460C	781	SECM2460VG	814	SECM2460E	820	SECM2460S	1843

Flip-Up Door


	length		weight		EAGLEbrite® zinc		chrome		Valu-Gard® green		EAGLEgard®		stainless steel	
	in.	mm	lb.	kg	model #	list	model #	list	model #	list	model #	list	model #	list
18" width (457mm)	30"	762	24	10.9	SECM1830FZ	504	SECM1830FC	598	SECM1830FVG	623	SECM1830FE	634	SECM1830FS	1771
	36"	914	29	13.2	SECM1836FZ	511	SECM1836FC	607	SECM1836FVG	633	SECM1836FE	639	SECM1836FS	1796
	48"	1219	34	15.4	SECM1848FZ	533	SECM1848FC	636	SECM1848FVG	662	SECM1848FE	669	SECM1848FS	1885
	60"	1524	39	17.6	SECM1860FZ	538	SECM1860FC	636	SECM1860FVG	662	SECM1860FE	723	SECM1860FS	1896
21" width (533mm)	30"	762	26	11.8	SECM2130FZ	509	SECM2130FC	607	SECM2130FVG	633	SECM2130FE	639	SECM2130FS	1793
	36"	914	30	13.6	SECM2136FZ	519	SECM2136FC	614	SECM2136FVG	639	SECM2136FE	647	SECM2136FS	1820
	48"	1219	35	15.9	SECM2148FZ	551	SECM2148FC	648	SECM2148FVG	676	SECM2148FE	682	SECM2148FS	1918
	60"	1524	40	18.1	SECM2160FZ	557	SECM2160FC	698	SECM2160FVG	727	SECM2160FE	736	SECM2160FS	1938
24" width (610mm)	30"	762	28	12.7	SECM2430FZ	517	SECM2430FC	612	SECM2430FVG	637	SECM2430FE	644	SECM2430FS	1813
	36"	914	32	14.5	SECM2436FZ	527	SECM2436FC	644	SECM2436FVG	672	SECM2436FE	679	SECM2436FS	1859
	48"	1219	38	17.2	SECM2448FZ	552	SECM2448FC	708	SECM2448FVG	738	SECM2448FE	743	SECM2448FS	1951
	60"	1524	43	19.5	SECM2460FZ	578	SECM2460FC	771	SECM2460FVG	803	SECM2460FE	813	SECM2460FS	2042

FULL-SIZE SECURITY UNITS

Safely store and transport costly materials and items subject to pilferage.

Full-Size Stationary Security Units (NSF)

see spec sheet **EG01.22**



additional center
shelves
(see page 43)

patented
QuadTruss®
design

(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides
a retaining ledge for increased strength and
product retention.

FEATURES:

- 2" x 2" (51 x 51mm) mesh.
- Shipped knocked-down.


Note: See pages 31-32 for optional cart covers available.
Doors on front and rear of unit available. To order,
add suffix "-2D" (ex: SC2436S-2D). **20% upcharge.**

(•) MTS (made to stock) / () MTO (made to order)

		length		weight		cu ft	chrome		EAGLEgard®		stainless steel	
		in.	mm	lbs.	kg		model #	list	model #	list	model #	list
67" overall height (1702mm)	17 1/4" width (438mm)	33 1/4"	845	114	51.7	5	SC1430	1251	SC1430E	1256	SC1430S	2965
		39 1/4"	997	123	55.8	5	SC1436 •	1389	SC1436E	1395	SC1436S	3292
		51 1/4"	1302	141	64.0	9	SC1448 •	1728	SC1448E	1749	SC1448S	4008
		63 1/4"	1607	159	72.1	10	SC1460	1915	SC1460E	1895	SC1460S	4178
	27 1/4" width (692mm)	33 1/4"	845	123	55.8	9	SC2430	1334	SC2430E	1629	SC2430S	3697
		39 1/4"	997	145	65.8	9	SC2436 •	1481	SC2436E •	1813	SC2436S	4105
		51 1/4"	1302	171	77.6	13	SC2448 •	1847	SC2448E •	2252	SC2448S	5001
		63 1/4"	1607	197	89.4	15	SC2460 •	2002	SC2460E	2444	SC2460S	5178
	33 1/4" width (845mm)	33 1/4"	845	145	65.8	15	SC3030	1678	SC3030E	1994	SC3030S	4618
		39 1/4"	997	163	73.9	13	SC3036	1862	SC3036E	2214	SC3036S	5132
		51 1/4"	1302	181	82.1	15	SC3048	2320	SC3048E	2896	SC3048S	6253
		63 1/4"	1607	207	93.9	18	SC3060	2504	SC3060E	3114	SC3060S	6472

Full-Size Mobile Security Units (NSF)

see spec sheet **EG01.22**



additional center
shelves (see page 43)

patented
QuadTruss®
design

(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides
a retaining ledge for increased strength and
product retention.

FEATURES:

- Four swivel 5" x 1 1/4" (127 x 32mm) stem casters with polyurethane tread, two with brake.
- 2" x 2" (51 x 51mm) mesh.
- Shipped knocked-down.


Note: All stainless steel mobile security units come with stainless steel casters with polyurethane tread.
See page 9 for other stem casters available.
See pages 30-31 for optional cart covers available.
Doors on front and rear of unit available. To order,
add suffix "-2D" (ex: CSC2430-2D). **20% upcharge.**

(•) MTS (made to stock) / () MTO (made to order)

		length		weight		cu ft	chrome		EAGLEgard®		stainless steel	
		in.	mm	lbs.	kg		model #	list	model #	list	model #	list
69" overall height (1753mm)	27 1/4" width (692mm)	33 1/4"	845	135	61.2	9	CSC2430	1567	CSC2430E	1861	CSC2430S	3697
		39 1/4"	997	161	73.0	9	CSC2436 •	1742	CSC2436E •	2067	CSC2436S	4105
		51 1/4"	1302	185	83.9	13	CSC2448 •	2105	CSC2448E •	2513	CSC2448S	5002
		63 1/4"	1607	204	92.5	15	CSC2460 •	2265	CSC2460E	2703	CSC2460S	5178
	33 1/4" width (845mm)	33 1/4"	845	161	73.0	15	CSC3030	1981	CSC3030E	2385	CSC3030S	4618
		39 1/4"	997	179	87.2	13	CSC3036	2202	CSC3036E	2653	CSC3036S	5132
		51 1/4"	1302	203	92.1	15	CSC3048	2655	CSC3048E •	3219	CSC3048S	6253
		63 1/4"	1607	221	100.2	18	CSC3060 •	2855	CSC3060E	3466	CSC3060S	6472

Catalog Section 1

Full-Size Dolly Truck Security Units (NSF)

see spec sheet **EG01.22**optional
center
shelvespatented
QuadTruss®
design

(Patent #5,390,803)

Patented QuadTruss® Designmakes shelves up to 25% stronger and provides
a retaining ledge for increased strength and
product retention.

- Dolly with wraparound bumper.
- 2" x 2" (51x 51mm) mesh.
- Four swivel 5" x 1 1/4" (127 x 32mm) poly plate casters, two with brakes.
- Shipped knocked down.

INCLUDES:

Note: See page 10 for optional plate casters.
See pages 31-32 for optional cart covers available.
Doors on front and rear of unit available. To order,
add suffix "-2D" (ex: DTSC2448-2D). **20% upcharge.**

(•) MTS (made to stock) / () MTO (made to order)

		length		weight		cu ft	chrome shelf unit with aluminum dolly		EAGLEgard® shelf unit with aluminum dolly		stainless steel shelf unit with stainless steel dolly	
		in.	mm	lbs.	kg		model #	list	model #	list	model #	list
69" overall height (1753mm)	29 3/4" width (756mm)	34 1/2"	886	161	73.0	7.3	DTSC2430	1883	DTSC2430E	3264	DTSC2430S	6077
		40 1/2"	1038	177	80.3	10.7	DTSC2436	2092	DTSC2436E	3625	DTSC2436S	6753
		52 1/2"	1343	214	97.1	18.5	DTSC2448	2481	DTSC2448E	4316	DTSC2448S	8014
		64 1/2"	1648	245	111.1	22.9	DTSC2460	2667	DTSC2460E	4760	DTSC2460S	8226

Optional Posts for Full-Size Security Units

post height	weight	cu	chrome		EAGLEgard®		stainless steel	
in. mm	lbs. kg	ft	model #	list	model #	list	model #	list
74" 1880	4 1.8	0.5	SP74-CS	38	SP74-ES	45	SP74-SS	98
86" 2184	5 2.3	0.8	SP86-CS	47	SP86-ES	51	SP86-SS	113

Optional Shelves for Full-Size Security Units

						Wire Shelves					Optional Quad-Adjust® Shelves						
						Must be installed when assembling unit.					For use as intermediate shelves only.						
	length		weight		cu ft	chrome		EAGLEgard®		stainless steel		chrome		EAGLEgard®		stainless steel	
	in.	mm	lbs.	kg		model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
14" width* <i>(356mm)</i>	30"	762	7	3.2	0.5	1430C•	71	1430E•	84	1430S	243	n/a		n/a		n/a	
	36"	914	8	3.6	0.5	1436C•	77	1436E•	87	1436S•	245	QA1436C	122	QA1436E	136	QA1436S	335
	48"	1219	10	4.5	0.7	1448C•	87	1448E•	100	1448S•	301	QA1448C	138	QA1448E	155	QA1448S	401
	60"	1524	14	6.4	0.9	1460C•	99	1460E•	115	1460S•	383	QA1460C	148	QA1460E	168	QA1460S	502
24" width <i>(610mm)</i>	30"	762	11	5.0	0.8	2430C•	97	2430E•	117	2430S•	372	n/a		n/a		n/a	
	36"	914	13	5.9	0.8	2436C•	99	2436E•	119	2436S•	376	QA2436C	148	QA2436E	173	QA2436S	494
	48"	1219	16	7.3	1.2	2448C•	119	2448E•	146	2448S•	456	QA2448C	173	QA2448E	204	QA2448S	587
	60"	1524	21	9.5	1.5	2460C•	143	2460E•	173	2460S•	556	QA2460C	198	QA2460E	233	QA2460S	714
30" width* <i>(762mm)</i>	30"	762	16	7.3	1.0	3030C	128	3030E	153	3030S	439						
	36"	914	17	7.7	1.0	3036C•	146	3036E•	177	3036S•	498						
	48"	1219	20	9.1	1.5	3048C•	168	3048E•	202	3048S•	580						
	60"	1524	25	11.4	1.8	3060C•	185	3060E•	229	3060S•	644						

* 14" and 30" widths (356 and 762mm) do not fit Full-Size Dolly Truck Security Units.

Ordering Full Size Security Units Assembled:

- Security carts shipped assembled, add **\$1316** to list price and add suffix "-A". Example: SC1460E-A.
- For assembled unit with center shelves installed (*evenly spaced*), indicate number of center shelves wanted by adding a number before the "A" in suffix "-A".
- For example, suffix "-1A" indicates assembled unit with one center shelf, suffix "-2A" indicates assembled unit with two center shelves, and so on. Example: SC1460E-2A.
- **PRICING:** add **\$1316** to list price of security unit, and add list price of each applicable center shelf to be added.

Mini Security Units

see spec sheet **EG01.22**



patented
QuadTruss
design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and
provides a retaining ledge for increased
strength and product retention.

- Stationary chrome plated units.
- 40" (1016mm) height.
- Shipped knocked down.

FEATURES:

(•) MTS (made to stock) / () MTO (made to order)

	length		weight		cubic	model #	list
	in.	mm	lbs.	kg	feet		
16" width (406mm)	38"	965	88	39.9	8.6	MSC1436•	1198
	50"	1270	104	47.2	9.6	MSC1448	1532
26" width (660mm)	38"	965	100	45.4	9.2	MSC2436*	1243
	50"	1270	114	51.7	10.6	MSC2448*	1588

* Optional stem casters (page 9) available only for these models.

Optional Shelves for Mini Security Units

- With chrome plated finish.

	length		weight		cubic	model #	list
	in.	mm	lbs.	kg	feet		
14" width (356mm)	36"	914	8	3.6	0.5	1436C •	77
	48"	1219	10	4.5	0.7	1448C •	87
24" width (610mm)	36"	914	13	6.0	0.8	2436C •	99
	48"	1219	16	7.3	1.2	2448C •	119



Optional Add-A-Shelf® Adjustable Shelves for All Security Units

see spec sheet **EG01.22**



optional Add-A-Shelf®
being added to
security unit

WEIGHT CAPACITY:

- 300 lb. (136.1 kg) per shelf.

Note: Top and bottom shelves of unit must be standard shelves—see page 43.

WARNING:

- Use Add-A-Shelf® shelves for intermediate shelves.

FEATURES:

- Chrome finish.

(•) MTS (made to stock) / () MTO (made to order)

patented
QuadTruss
design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides
a retaining ledge for increased strength and
product retention.

	length		weight		cubic	model #	list
	in.	mm	lbs.	kg	feet		
14" width (356mm)	36"	914	8	3.6	0.5	A1436C •	84
	48"	1219	10	4.6	0.7	A1448C •	96
24" width (610mm)	36"	914	13	5.9	0.8	A2436C •	109
	48"	1219	16	7.3	1.2	A2448C •	128
	60"	1524	21	9.5	1.5	A2460C •	165

Just a quick note...



GET FREE DOWNLOADS

- Spec Sheet • Product Instructions •
- Special Flyers • Brochures •

www.eagle-mhc.com

Catalog Section 1

Tank Racks see spec sheet **EG01.31**

FEATURES:

- All models chrome-plated.
- Two styles available.



style "B" tank rack with optional drip pan shown



style "A" tank rack with optional drip pan shown

Style "A" – 33" (838mm) height
Includes:

- One dunnage mat with frame.
- One 3-sided frame.
- Four 33" (838mm) posts.
- Cable assembly.

Style "B" – 74" (1880mm) height
Includes:

- One dunnage mat with frame.
- One 3-sided frame.
- Four 74" (1880mm) posts.
- Cable assembly.
- Two standard shelves.

	length		weight		cu	model #	list	weight		cu	model #	list
	in.	mm	lb.	kg	ft			lb.	kg	ft		
24" width (610mm)	30"	762	40	18.1	0.2	STR2430A	552	68	30.8	0.3	STR2430B	843
	48"	1219	50	22.7	0.3	STR2448A	660	88	39.9	0.4	STR2448B	1022

Optional Drip Pans for Tank Racks

- Stainless steel.



	length		weight		cu	model #	list
	in.	mm	lb.	kg	ft		
24" width (610mm)	30"	762	8	3.6	0.2	DP30	294
	48"	1219	12	5.4	0.3	DP48	334

Optional Cylinder Retainer for Tank Racks

- Chrome-plated.
- Cylinders are secured to retainer to further prevent damage.

width	weight		cu	model #	list
	in.	mm	lb.		
24"	610	7	3.2	0.3	CRR24-C 140

Modular Desks / Workstations see spec sheet **EG01.02**

	length		weight		cubic	model #	list
	in.	mm	lb.	kg	feet		
24" width (610mm)	36"	914	78	35.3	1.0	MD2436	1518
	48"	1219	85	38.6	1.0	MD2448	1644

FEATURES:

- Heavy gauge type 304 stainless steel.
- Two chrome cantilever open-wire shelves.
- 16 gauge 1" (25mm) diameter chrome-plated posts with exclusive MasterSeal® coating.
- Rear grid panel constructed of chrome.
- Three-sided 1" (25mm) channel frame.
- Leveling feet.
- 74" (1880mm) O.A. height.

Note: Optional keyboard drawer available.
To order add suffix "-K" to model number
(example: MD2448-K) and \$357 to list price.

Optional Keyboard Station

- Mounts under tabletop.
- 20½" wide x 11½" deep (521 x 292mm).

weight	cu	chrome		stainless	
		lbs.	kg	model #	list
6.0	2.7	0.35		KBD-1	316
				KBD-1/SS	439



adjustTable® Work Surface Systems

see spec sheet **EG10.09**

CUSTOMIZABLE WORK SURFACE CONFIGURATIONS TO MEET YOUR NEEDS!



basic unit



2-tier unit



1-tier unit

CUSTOM:

- Unit can be expanded and customized by adding optional shelving accessories (pages 48-53).
- Custom configurations available, including alternate finishes and solid shelving. Contact factory to configure your custom workstation.
- Optional drawers available (see pages 212-215).

Note: To order table with 5" (127mm) resilient-tread casters, add suffix **"-CAH"** and add to list price \$668. Example: **T3036EBW-1-CAH**.

To order table with 5" (127mm) poly-tread casters, add suffix **"-CAHP"** and add to list price \$578. Example: **T3036EBW-1-CAHP**.

(•) MTS (made to stock) / () MTO (made to order)

patented QuadTruss® design
(Patent #5,390,803)

Patented QuadTruss® Design makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

adjustTable®

Additional wire undershelves, solid stainless steel undershelves, chrome wire overshelves, or solid stainless steel overshelves make the possibilities almost unlimited.

			Basic Units				1-tier Units				2-tier Units						
			33½" (851mm) overall height.				54½" (1384mm) overall height.				62½" (1588mm) overall height.						
	length	cu	weight	16/304		14/304		weight	16/304		14/304		weight	16/304		14/304	
	in. mm	ft	lbs. kg	model #	list	model #	list	lbs. kg	model #	list	model #	list	lbs. kg	model #	list	model #	list
24" width <i>(610mm)</i>	36" 914	4.5	65 29.5	T2436EBW	1055	T2436EW	1156	73 33.1	T2436EBW-1	1312	T2436EW-1	1414	81 36.7	T2436EBW-2	1439	T2436EW-2	1541
	48" 1219	5.7	81 36.7	T2448EBW	905	T2448EW	1327	91 41.3	T2448EBW-1	1471	T2448EW-1	1608	101 45.8	T2448EBW-2	1622	T2448EW-2	1762
	60" 1524	7.1	99 44.9	T2460EBW	1341	T2460EW	1525	113 51.3	T2460EBW-1	1661	T2460EW-1	1817	127 57.6	T2460EBW-2	1825	T2460EW-2	1982
30" width <i>(762mm)</i>	36" 914	4.5	75 34.0	T3036EBW	1167	T3036EW	1308	83 37.6	T3036EBW-1	1425	T3036EW-1	1572	91 41.3	T3036EBW-2	1551	T3036EW-2	1698
	48" 1219	5.7	94 42.6	T3048EBW	1318	T3048EW	1501	104 47.2	T3048EBW-1	1601	T3048EW-1	1778	114 51.7	T3048EBW-2	1751	T3048EW-2	1939
	60" 1524	7.1	115 52.2	T3060EBW	1525	T3060EW	1736	129 58.5	T3060EBW-1	1817	T3060EW-1	2033	143 64.9	T3060EBW-2	1981	T3060EW-2	2199
			CONSISTS OF: • Stainless steel table top/work surface with hat channel supports. • Four 33" (838mm) chrome posts. • Two chrome wire undershelves.*				CONSISTS OF: • Stainless steel table top/work surface with hat channel supports. • Two 54" (1372mm) rear chrome posts. • Two 33" (838mm) front chrome posts. • Two 21" (533mm) front chrome posts for overshelf. • One 14" (356mm) wide chrome wire overshelf. • Two chrome wire undershelves.*				CONSISTS OF: • Stainless steel table top/work surface with hat channel supports. • Two 63" (1600mm) rear chrome posts. • Two 33" (838mm) front chrome posts. • Two 29" (737mm) front chrome posts for overshelves. • Two 14" (356mm) wide chrome wire overshelves. • Two chrome wire undershelves.*						

*18" (457mm) wide undershelves used for 24" (610mm) wide tables; 24" (610mm) wide undershelves used for 30" (762mm) wide tables.

		Table Mount		Wire Mount	
weight lbs. kg	cu ft	chrome model # list	stainless model # list	chrome model # list	stainless model # list
6.0 2.7	0.35	KBD-1 316	KBD-1/SS 439	KBD-2• 274	KBD-2/SS 478



table mount
keyboard station



wire mount
keyboard station

Post Clamp for 1-tier and 2-tier Units

- Attaches 3" x 3" (76 x 76mm) grid panel (see enclosure panels on page 48 and wall mats on page 90) onto AdjustTable® systems with overshelves.
- Chrome-plated collar with ¼-20 weld stud, chrome acorn nut and heavy gauge clamp.

model #	list each
A210098	5



Catalog Section 1

Shelving Components / Accessories

see spec sheets **EG01.03A** **EG01.03D**

(•) MTS (made to stock) / () MTO (made to order)

Collar Plug

- Fills shelf corner openings where posts have been eliminated by use of "S" hooks.
- Packed four per bag.

model #	list
COLLAR PLUG (set of four)	9



Post Cap

- Fills post end openings at top of shelving unit.

model #	list ea
POST CAP	1



Post Clamps

- Provides maximum strength when shelving units are connected by clamping posts securely together.



chrome		black epoxy	
model #	list ea	model #	list ea
POST CLAMP	7	A214169	9

Note: Will not work with QuadPLUS® or Add-A-Shelf®

Retaining Clamp

- Chrome-plated.
- For use with enclosure panels (page 48) in conjunction with wire shelf.



model #	list ea
RETAINING CLAMP	4

Glides

- Fits under leveling bolt to protect floors from abrasion.



model #	list ea
GLIDES	2

Foot Plates

- These allow unit to be bolted to the floor.
- Can be used without bolts when a wider foot is desired for more stability.



triangular



square



space-saving square



space-saving "slim"

Aluminum Split Sleeves

- For conductive, over-the-road or high-temperature installations.
- Set of four.

with zinc rings		with stainless rings	
model #	list	model #	list
A208909 •	20	A208908 •	33



aluminum split sleeves and ring



Plastic Split Sleeves

- Four included with each shelf.
- High-temperature-resistant ABS plastic create a positive lock that becomes stronger as the load increases.



model #	list
PLASTIC SPLIT SLEEVES (set of four)	5

Plastic Conductive Split Sleeves

- Packed four per bag.


model #	list
A219236	14



Casting

- Stabilizes leveling foot.

model #	list ea
A203568	2



casting

Leveling Foot

- Use these to accommodate for uneven floors.

model #	list ea
LEVELING FOOT	1

leveling foot

Security "S" Hooks

- Discourages separation of adjoined shelf units.
- Hardware included.

model #	list ea
S-HOOKS-SK	8

"S" Hooks

- Join individual shelving units in a number of combinations using "S" hooks.
- Joins end-to-end, back-to-back, or at right angles.
- Two hooks required per connection.
- Stainless steel.

model #	list ea
A200012 •	3



type of foot plate	chrome		black epoxy		stainless steel	
	model #	list ea	model #	list ea	model #	list ea
Triangular	FOOT PLATE	17	FOOT PLATE-BL	17	FOOT PLATE-S	33
Square	A207199	24	A226104	24	A208627	35
"Space-Saving" Square	A226093	26	A226105	26	A226096	38
Space-Saving "Slim"	A230624	26	A230625	26	A230612	36

Enclosure Panels

see spec sheet **EG01.03A**

- Includes four retaining clamps.

*Helps secure shelf contents,
enclosing the back and sides of unit.*


shelf	panel width		post height		weight		cubic feet	chrome		stainless	
	in.	mm	in.	mm	lb.	kg		model #	list	model #	list
18" width (457mm)	14"	356	54"	1372	6	2.7	1.5	E1854-C	81	E1854-S	181
	14"	356	63"	1600	7	3.2	1.8	E1863-C •	85	E1863-S	193
	14"	356	74"	1880	8	3.6	2.0	E1874-C •	93	E1874-S	228
	14"	356	86"	2184	9	4.1	2.3	E1886-C	168	E1886-S	235
24" width (610mm)	20"	233	54"	1372	9	4.1	2.1	E2454-C	96	E2454-S	218
	20"	233	63"	1600	10	4.5	2.3	E2463-C •	101	E2463-S	239
	20"	233	74"	1880	11	5.0	2.6	E2474-C •	106	E2474-S	261
	20"	233	86"	2184	12	5.4	2.8	E2486-C	187	E2486-S	275

CONSULT THESE TABLES FOR NUMBER OF PANELS REQUIRED:

Panels sold individually. Consult charts below for number of panels needed.

For the Back of Unit	shelf length		for 54" (1372mm) post height	for 63" (1600mm) post height	for 74" (1880mm) post height	for 86" (2184mm) post height
	in.	mm	—panel(s) required	—panel(s) required	—panel(s) required	—panel(s) required
	30"	762	one (1) E2454	one (1) E2463	one (1) E2474	one (1) E2486
	36"	914	two (2) E1854	two (2) E1863	two (2) E1874	two (2) E1886
	42"	1067	one (1) E1854	one (1) E1863	one (1) E1874	one (1) E1886
			one (1) E2454	one (1) E2463	one (1) E2474	one (1) E2486
	48"	1092	two (2) E2454	two (2) E2463	two (2) E2474	two (2) E2486
	54"	1372	two (2) E1854	two (2) E1863	two (2) E1874	two (2) E1886
			one (1) E2454	one (1) E2463	one (1) E2474	one (1) E2486
	60"	1524	two (2) E2454	two (2) E2463	two (2) E2474	two (2) E2486
			one (1) E1854	one (1) E1863	one (1) E1874	one (1) E1886
	72"	1829	three (3) E2454	three (3) E2463	three (3) E2474	three (3) E2486

For Each End	shelf width		for 54" (1372mm) post height	for 63" (1600mm) post height	for 74" (1880mm) post height	for 86" (2184mm) post height
	in.	mm	—panel(s) required	—panel(s) required	—panel(s) required	—panel(s) required
	18"	457	one (1) E1854	one (1) E1863	one (1) E1874	one (1) E1886
	21"	533	one (1) E1854	one (1) E1863	one (1) E1874	one (1) E1886
	24"	610	one (1) E2454	one (1) E2463	one (1) E2474	one (1) E2486
	30"	762	one (1) E2454	one (1) E2463	one (1) E2474	one (1) E2486
	36"	914	two (2) E1854	two (2) E1863	two (2) E1874	one (1) E1886



Clips for Solid Shelves (ONLY)

spec sheet **EG01.03A**

...for Bottom Shelves ONLY

Order one for every two (2) enclosure panels.



list
SSENCBKT 56

...for All Other Solid Shelves
Sold individually.



model #	list each
A204318	1

Rods and Tabs

see spec sheet **EG01.03D**



chrome		stainless steel	
model #	list ea	model #	list ea
R54-C	14	R54-S	42
R63-C •	16	R63-S	47
R74-C •	17	R74-S	54
R86-C •	19	R86-S	57

FEATURES:

- Used to enclose backs or sides of shelving units to prevent contents from falling.
- Also used to partition shelving units by positioning rods interior to shelves.
- Model number indicates height.
- Each rod comes with four tabs.

(•) MTS (made to stock) / () MTO (made to order)

Catalog Section 1

Dividers

see spec sheet **EG01.03A**

FEATURES:

- 8" high (203mm) dividers keep shelf contents organized.

Solid Shelving Dividers

length		cubic		weight		chrome		stainless steel	
in.	mm	feet	lb.	kg	model #	list	model #	list	model #
14"	356	0.6	1.0	0.5	SSD14-C	28	SSD14-S	93	
18"	457	0.6	1.3	0.6	SSD18-C	33	SSD18-S	97	
21"	533	0.8	1.5	0.7	SSD21-C	35	SSD21-S	114	
24"	610	1.0	1.8	0.8	SSD24-C •	39	SSD24-S	117	
30"	762	1.2	2.3	1.0	SSD30-C	54	SSD30-S	145	
36"	914	1.4	3.0	1.4	SSD36-C	66	SSD36-S	171	

(•) MTS (made to stock) / () MTO (made to order)



Wire Shelving Dividers (NSF)


length		cubic		weight		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
in.	mm	feet	lb.	kg	model #	list	model #	list	model #	list	model #	list	model #	list	model #
14"	356	0.6	1.0	0.5	SD14-C •	28	SD14-V	29	SD14-VG	29	SD14-E	31	SD14-S	81	
18"	457	0.6	1.0	0.5	SD18-C	33	SD18-V	34	SD18-VG	34	SD18-E	35	SD18-S	92	
21"	533	0.8	2.0	0.9	SD21-C •	35	SD21-V	36	SD21-VG	36	SD21-E	39	SD21-S	105	
24"	610	1.0	2.0	0.9	SD24-C •	40	SD24-V	44	SD24-VG	44	SD24-E	48	SD24-S •	113	
30"	762	1.2	2.0	0.9	SD30-C	48	SD30-V	49	SD30-VG	49	n/a	n/a	SD30-S	138	
36"	914	1.4	3.0	1.4	SD36-C	56	SD36-V	59	SD36-VG	59	n/a	n/a	SD36-S	166	

Slanted Shelves

see spec sheet **EG01.03E**

FEATURES:

- 2" (51mm) slope.
- Shipped knocked-down.



2" slant increases visibility,
allows easy access to shelf contents.

optional
slanted shelves

patented
QuadTruss®
design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and
provides a retaining ledge for increased
strength and product retention.

	length		weight		cubic feet	EAGLEbrite®		chrome		EAGLEgard®	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list
21" width (533mm)	36"	914	11	5.0	0.8	SL2136Z	119	SL2136C	131	SL2136E	154
	48"	1219	14	6.4	1.1	SL2148Z	154	SL2148C	171	SL2148E	205
	60"	1524	18	8.2	1.1	SL2160Z	167	SL2160C	183	SL2160E	239
24" width (610mm)	36"	914	13	5.9	0.8	SL2436Z	147	SL2436C	165	SL2436E	197
	48"	1219	16	7.3	1.2	SL2448Z	172	SL2448C	189	SL2448E	232
	60"	1524	21	9.5	1.5	SL2460Z	186	SL2460C	202	SL2460E	245

Stationary Wire Wall Mounts (NSF)

see spec sheet **EG02.12**

END UNIT:

- One single shelf support and mounting plate.

MID UNIT:

- One double shelf support and mounting plate.



end unit

Designed for fixed application

Note: Shelves (page 6) sold separately.

(•) MTS (made to stock) / () MTO (made to order)

End Units*										Mid Units									
length		cu		weight**		chrome		Valu-Gard®		stainless**		weight**		chrome		Valu-Gard®		stainless**	
in.	mm	ft	lbs.	kg	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list	model #
14"	356	0.5	6	2.7	WB14-C •	56	WB14-VG •	57	WB14-S •	133	8	3.6	DWB14-C •	84	DWB14-VG	85	DWB14-S	202	
18"	457	0.5	8	3.6	WB18-C •	57	WB18-VG •	58	WB18-S •	142	10	4.5	DWB18-C •	86	DWB18-VG	87	DWB18-S	214	
21"	533	0.7	10	4.5	WB21-C •	57	WB21-VG	58	WB21-S	145	12	5.5	DWB21-C	86	DWB21-VG	87	DWB21-S	219	
24"	610	0.7	12	5.5	WB24-C •	58	WB24-VG	60	WB24-S •	149	14	6.4	DWB24-C •	87	DWB24-VG	89	DWB24-S	228	


*End Units priced per piece; **For stainless steel units, add 1 lb. (0.5 kg) weight.

Ledges

see spec sheet **EG01.03A**

FEATURES:

- Prevents contents from falling off unit.
- Easily attaches without the use of tools.

1"-high (25mm) ledge
for wire shelving4"-high (102mm) ledge
for wire shelving

(•) MTS (made to stock) / () MTO (made to order)

Ledges are stackable!

Solid Shelving Ledges

1"-high (25mm) Ledges *

4"-high (102mm) Ledges

length		cu ft	weight		chrome		stainless steel		weight		chrome		stainless steel	
in.	mm		lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
14"	356	0.2	0.2	0.1	SL14-1C	21	SL14-1S	44	0.8	0.4	SL14-4C	28	SL14-4S	54
18"	457	0.3	0.3	0.1	SL18-1C	23	SL18-1S	47	0.9	0.4	SL18-4C	29	SL18-4S	56
21"	533	0.3	0.4	0.2	SL21-1C	24	SL21-1S	51	1.0	0.5	SL21-4C	31	SL21-4S	62
24"	610	0.3	0.5	0.2	SL24-1C	28	SL24-1S	57	1.2	0.6	SL24-4C	33	SL24-4S	75
30"	762	0.5	0.7	0.3	SL30-1C	34	SL30-1S	68	1.4	0.6	SL30-4C	38	SL30-4S	85
36"	914	0.6	0.9	0.4	SL36-1C	36	SL36-1S	80	1.6	0.7	SL36-4C	42	SL36-4S	101
42"	1067	0.6	1.1	0.5	SL42-1C	38	SL42-1S	87	1.8	0.8	SL42-4C	45	SL42-4S	115
48"	1092	0.7	1.3	0.6	SL48-1C	42	SL48-1S	100	2.0	0.9	SL48-4C	52	SL48-4S	143
54"	1372	0.8	1.5	0.7	SL54-1C	45	SL54-1S	112	2.2	1.0	SL54-4C	54	SL54-4S	163
60"	1524	0.8	1.7	0.8	SL60-1C	47	SL60-1S	117	2.4	1.1	SL60-4C	55	SL60-4S	172
72"	1829	1.0	2.1	1.0	SL72-1C	52	SL72-1S	129	2.6	1.2	SL72-4C	63	SL72-4S	177

* When installed, actual height of ledge is 1½" (38mm).

Wire Shelving 1"-high (25mm) Ledges *

length		cu ft	weight		chrome		VALU-MASTER®		Valu-Gard®		stainless	
in.	mm		lb.	kg	model #	list	model #	list	model #	list	model #	list
14"	356	0.2	0.2	0.1	L14-1C	17	L14-1V	18	L14-1VG	18	L14-1S	26
18"	457	0.3	0.3	0.1	L18-1C	18	L18-1V	19	L18-1VG	19	L18-1S	29
21"	533	0.3	0.4	0.2	L21-1C	19	L21-1V	20	L21-1VG	20	L21-1S	33
24"	610	0.3	0.5	0.2	L24-1C •	20	L24-1V	21	L24-1VG	21	L24-1S	35
30"	762	0.5	0.7	0.3	L30-1C	23	L30-1V	24	L30-1VG	24	L30-1S	48
36"	914	0.6	0.9	0.4	L36-1C	28	L36-1V	29	L36-1VG	29	L36-1S	54
42"	1067	0.6	1.1	0.5	L42-1C	29	L42-1V	31	L42-1VG	31	L42-1S	59
48"	1092	0.7	1.3	0.6	L48-1C •	31	L48-1V	33	L48-1VG	33	L48-1S	59
54"	1372	0.8	1.5	0.7	L54-1C •	34	L54-1V	35	L54-1VG	35	L54-1S	75
60"	1524	0.8	1.7	0.8	L60-1C •	34	L60-1V	36	L60-1VG	36	L60-1S	75
72"	1829	1.0	2.1	1.0	L72-1C	35	L72-1V	38	L72-1VG	38	L72-1S	82

* When installed, actual height of ledge is 1½" (38mm).

Wire Shelving 4"-high (102mm) Ledges

length		cu ft	weight		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
in.	mm		lb.	kg	model #	list	model #	list	model #	list	model #	list	model #	list
14"	356	0.2	0.8	0.4	L14-4C •	21	L14-4V	23	L14-4VG	23	L14-4E	24	L14-4S	47
18"	457	0.3	0.9	0.4	L18-4C •	23	L18-4V	24	L18-4VG	24	L18-4E	29	L18-4S •	52
21"	533	0.3	1.0	0.5	L21-4C •	24	L21-4V	26	L21-4VG	26	L21-4E	31	L21-4S	59
24"	610	0.3	1.2	0.6	L24-4C •	28	L24-4V	29	L24-4VG	29	L24-4E	33	L24-4S •	62
30"	762	0.5	1.4	0.6	L30-4C •	33	L30-4V	34	L30-4VG	34	L30-4E	38	L30-4S	78
36"	914	0.6	1.6	0.7	L36-4C •	35	L36-4V	36	L36-4VG	36	L36-4E	40	L36-4S •	91
42"	1067	0.6	1.8	0.8	L42-4C •	42	L42-4V	45	L42-4VG	45	L42-4E	51	L42-4S	115
48"	1092	0.7	2.0	0.9	L48-4C •	42	L48-4V	47	L48-4VG	47	L48-4E	51	L48-4S	115
54"	1372	0.8	2.2	1.0	L54-4C	47	L54-4V	49	L54-4VG	49	L54-4E	55	L54-4S	131
60"	1524	0.8	2.4	1.1	L60-4C •	47	L60-4V	51	L60-4VG	51	L60-4E	55	L60-4S	131
72"	1829	1.0	2.6	1.2	L72-4C •	56	L72-4V	59	L72-4VG	59	L72-4E	66	L72-4S •	166

Catalog Section 1

Slide Systems

see spec sheet **EG01.03C**

LOAD CAPACITY: • Up to 35 lbs. (15.9 kg).

FEATURES: • Easily attaches without the use of tools.



slide system with tote boxes

Clever way to improve space efficiency.

(•) MTS (made to stock) / () MTO (made to order)



fits shelf width	adaptable tote boxes	width x length x depth	weight lbs.	kg	cubic feet	model #	list
24" (610mm)	TB1722-3, TB1722-6, TB1722-9	21½" x 20" x 10¼" (683 x 508 x 260mm)	7.5	3.4	3.8	TS2021•	134
21" (533mm)	TB1016-3, TB1016-6	17½" x 14" x 10¼" (543 x 356 x 260mm)	4.0	1.8	1.8	TS1417	127
21" (533mm)	TB1722-3*, TB1722-6*, TB1722-9*	17½" x 25½" x 10¼" (543 x 797 x 260mm)	5.0	2.3	4.0	TS2517	133

* Fits TS2517 sideways

Tote Boxes for Slide Systems

see spec sheet **EG01.03C**

FEATURES: • Dividable up to 1½" (29mm) square compartments.
• Injection molded from high-density polyethylene material.

Note: Also available in molded fiberglass (see page 52).



ESD Tote Boxes and Accessories also available!
See pages 173 and 174.


(•) MTS (made to stock) / () MTO (made to order)

fits slide system	width x length x depth inches	mm	weight lbs.	kg	cubic feet	color	model #	list
TS1417	10½" x 16½" x 3½"	276 x 419 x 89	1.0	0.5	0.4	gray	TB1016-3	39
TS1417	10½" x 16½" x 6"	276 x 419 x 152	1.5	0.7	0.8	gray	TB1016-6	42
TS2021, TS2517	17½" x 22½" x 3"	444 x 572 x 76	2.3	1.0	0.8	gray	TB1722-3*	63
TS2021, TS2517	17½" x 22½" x 6"	444 x 572 x 152	3.5	1.6	1.5	gray	TB1722-6*•	75
TS2021, TS2517	17½" x 22½" x 8"	444 x 572 x 203	4.0	1.8	3.0	gray	TB1722-9*	88


* Fits TS2517 sideways

Tote Box Dividers and Covers

		Long Dividers			Short Dividers			Covers	
fits tote box	color	model #	list	max. # accepted	model #	list	max. # accepted	model #	list
TB1016-3	gray	A217766	4	7	A217760	4	11	A217765	36
TB1016-6	gray	A203841	5	7	A203843	4	11	A217765	36
TB1722-3	gray	A217763	4	11	A217764	4	15	A217638	45
TB1722-6	gray	A203842	5	11	A203844	6	15	A217638	45
TB1722-9	gray	A203845	7	11	A203846	6	15	A217638	45



cover



dividers

Card Holders for Tote Boxes

see spec sheet **EG01.03C**

- FEATURES:
- Clear vinyl.



holds labels		model #	list
in.	mm		
2" x 8"	51 x 203	CH28	9
3" x 5"	76 x 127	CH35	12
5" x 8"	127 x 203	CH58	14

Molded Fiberglass Boxes and Trays

see spec sheet **EG01.03C**

- FEATURES:
- Made of thermoset polyester composite material.
 - Flame and chemical resistant.

Boxes are stackable for maximum storage efficiency!



assorted molded fiberglass boxes and trays

description	bottom inside dimensions		top outside dimensions		cu ft	model #	list
	length x width x depth		length x width x height				
	in.	mm	in.	mm			
tray	24 3/4" x 16 1/4" x 1"	619 x 413 x 25	25 3/4" x 17 1/8" x 1 1/8"	654 x 454 x 29	0.1	A208505	93
stacking box	23 7/8" x 15 1/2" x 2 3/8"	606 x 403 x 73	25 3/4" x 17 3/4" x 3"	654 x 451 x 76	0.6	A208506	124
stacking box	23 7/8" x 15 1/2" x 4 1/2"	606 x 403 x 114	25 3/4" x 17 3/4" x 4 1/2"	654 x 451 x 114	1.0	A208507	114
stacking box	23 7/8" x 15 1/2" x 5 3/4"	606 x 403 x 146	25 3/4" x 17 3/4" x 6"	654 x 451 x 152	1.3	A208508	109
lid	—	—	25 3/4" x 17 3/4"	654 x 451	—	A208513*	66

* Model #A208513 lid fits models A208506, A208507, and A208508 stacking boxes.

Storage Baskets

see spec sheet **EG01.03E**

- FEATURES:
- Chrome-plated.
 - Easily attaches to hanger rail or side of wire shelf.



width x length x height		weight		cubic feet	model #	list
in.	mm	lbs.	kg			
13 3/8" x 5" x 7"	340 x 127 x 178	9	4.1	0.4	A216650	47
17 7/8" x 7 1/2" x 5"	441 x 191 x 127	7	3.2	0.6	A216651	51
17 7/8" x 7 1/2" x 10"	441 x 191 x 254	11	5.0	1.0	A216652	68

File Basket

see spec sheet **EG01.03E**

- FEATURES:
- Chrome-plated.
 - Fits all widths.



Ideal for organizing standard-sized file folders.

width x length x height		weight		cubic feet	model #	list
in.	mm	lbs.	kg			
2 1/8" x 12 3/4" x 8 3/4"	67 x 324 x 222	2	0.9	0.3	A216649	56

Triangle Shelf

see spec sheet **EG01.03E**

- FEATURES:
- Attached to standard posts (sold separately —see pages 8 and 23), can be a freestanding unit.
 - Or added onto standard 18" wide wire shelving (page 6) via "S" hooks.



width		weight		chrome		black epoxy	
		lbs.	kg	model #	list	model #	list
18"	(457mm)	16	7.3	TR18C	56	TR18BL	62

Catalog Section 1


Sliding Shelf

see spec sheet **EG01.03E**

width x length		weight		chrome	
in	mm	lbs.	kg	model #	list
18" x 36"	457 x 914	9	4.1	SLS1836C	99

FEATURES:

- Chrome-plated.
- For use with standard 1" (25mm)-diameter posts—on wire shelf or solid shelf units.

Tray Slides see spec sheet **EG01.03C**

Slides help maximize your use of space!

FEATURES:

- 1¾" (45mm) spacing, 22" (559mm) height.
- Sold as a set of two.
- 18" or 24" (457 or 610mm) wide applications.
- Can be used with tote boxes on page 51.

Standard

Holds 9 trays.

Heavy Duty

Holds 11 trays. Features panel assembly welded to the back of slides

width	cu ft	weight		chrome		EAGLEgard®		weight		chrome		EAGLEgard®	
		lbs.	kg	model #	list	model #	list	lbs.	kg	model #	list	model #	list
17½" (435mm)	2.3	9	4.1	TS18-C	105	TS18-E	124	12	5.4	HDTS18-C	247	HDTS18-E	275
23½" (587mm)	3.0	11	5.0	TS24-C	112	TS24-E	129	15	6.8	HDTS24-C	273	HDTS24-E	302

Adjustable Undershelf Slides

see spec sheet **EG01.03C**

adjustable undershelf slides with tote box

FEATURES:

- Stainless steel.
- Accommodates any tote box side-to-side dimension.
- Sold as a set.

(•) MTS (made to stock) / () MTO (made to order)

description	weight		model #	list
	lbs.	kg		
slides for 18" (457mm) wide shelf	3	1.4	US18-S	72
slides for 21" (533mm) wide shelf	3	1.4	US21-S	79
slides for 24" (610mm) wide shelf	3	1.4	US24-S	82
slides for 30" (762mm) wide shelf	4	1.8	US30-S	87
slides with side-to-side mount, for 24" (610mm) wide shelf	3	1.4	USS24-S	163
slides with side-to-side mount, for 30" (762mm) wide shelf	4	1.8	USS30-S	196

Tote Boxes for Adjustable Undershelf Slides

width x length x depth			weight		cubic feet	model #	list
in.	mm		lbs.	kg			
17½" x 22½" x 3"	446 x 568 x 76		2	0.9	0.8	TB1722-3	63
17½" x 22½" x 6"	446 x 568 x 152		3	1.4	1.4	TB1722-6•	75
17½" x 22½" x 8"	446 x 568 x 203		4	1.8	2.3	TB1722-9	88

One-Piece Slides

see spec sheet **EG01.03C**

one-piece slide with tote box

FEATURES:

- Easily attaches to shelf.

(•) MTS (made to stock) / () MTO (made to order)

description	weight		cubic feet	model #	list
	lbs.	kg			
slides for 18" (457mm) wide shelf	6	2.7	0.4	OUS18	154
slides for 21" (533mm) wide shelf	8	3.6	0.6	OUS21	156
slides for 24" (610mm) wide shelf	9	4.1	0.8	OUS24	166


Tote Box for One-Piece Slides

width x length x depth			weight		cubic feet	model #	list
in.	mm		lbs.	kg			
17½" x 22½" x 6"	446 x 568 x 152		3.5	1.6	1.5	TB1722-6•	75

Helps prevent shelf clutter!

Post Extension Kit and Components

see spec sheet **EG01.03D**



post extension assembly

Post Extension Kit

description	model #	list
consists of components listed below, set of four	4PEK	79

Components

item	model #	list
double-threaded bolt	A200868	2
wall bracket	B201023	12
casting	A207351	5

- Screw posts together with double-threaded bolt and extra foot casting.


FEATURES:

Note: DO NOT attempt to use any higher combinations than P54 and P86 maximum, 140" (3556mm) total. Any combinations higher than 86" (2184mm) must be attached to walls using wall bracket on post adjacent to wall. Place units only against wall, not in center of room.

(•) MTS (made to stock) / () MTO (made to order)

3-Sided Double Truss Frames

see spec sheet **EG01.03B**



Note: See page 55 for 3-Sided Channel Frames.

**Improves support
and stability!**

	length		weight		cu ft	chrome		EAGLEgard®		stainless steel	
	in.	mm	lbs.	kg		model #	list	model #	list	model #	list
18" width (457mm)	24"	610	5	2.2	0.7	DTF1824-C	87	DTF1824-E	97	DTF1824-S	265
	30"	762	6	2.7	0.7	DTF1830-C	88	DTF1830-E	99	DTF1830-S	273
	36"	914	6	2.7	0.7	DTF1836-C	89	DTF1836-E	104	DTF1836-S	278
	42"	1067	7	3.2	0.8	DTF1842-C	91	DTF1842-E	105	DTF1842-S	288
	48"	1219	7	3.2	0.8	DTF1848-C	94	DTF1848-E	106	DTF1848-S	294
	60"	1524	8	3.6	1.0	DTF1860-C	106	DTF1860-E	124	DTF1860-S	337
	72"	1829	9	4.1	1.4	DTF1872-C	119	DTF1872-E	140	DTF1872-S	374
21" width (533mm)	24"	610	5	2.2	0.8	DTF2124-C	89	DTF2124-E	101	DTF2124-S	269
	30"	762	6	2.7	0.8	DTF2130-C	91	DTF2130-E	104	DTF2130-S	273
	36"	914	6	2.7	0.8	DTF2136-C	94	DTF2136-E	106	DTF2136-S	277
	42"	1067	7	3.2	0.9	DTF2142-C	97	DTF2142-E	115	DTF2142-S	296
	48"	1219	8	3.6	0.9	DTF2148-C	98	DTF2148-E	117	DTF2148-S	299
	60"	1524	8	3.6	1.1	DTF2160-C	118	DTF2160-E	138	DTF2160-S	348
	72"	1829	10	4.5	1.4	DTF2172-C	153	DTF2172-E	182	DTF2172-S	382
24" width (610mm)	24"	610	6	2.7	1.5	DTF2424-C	89	DTF2424-E	104	DTF2424-S	271
	30"	762	7	3.2	1.5	DTF2430-C	91	DTF2430-E	105	DTF2430-S	277
	36"	914	7	3.2	1.5	DTF2436-C	96	DTF2436-E	113	DTF2436-S	291
	42"	1067	8	3.6	2.0	DTF2442-C	97	DTF2442-E	115	DTF2442-S	297
	48"	1219	9	4.1	2.5	DTF2448-C	99	DTF2448-E	119	DTF2448-S	300
	60"	1524	10	4.5	2.5	DTF2460-C	119	DTF2460-E	140	DTF2460-S	352
	72"	1829	11	5.0	2.7	DTF2472-C	153	DTF2472-E	182	DTF2472-S	532
30" width (762mm)	36"	914	7	3.2	2.0	DTF3036-C	109	DTF3036-E	128	DTF3036-S	355
	48"	1219	9	4.1	2.5	DTF3048-C	118	DTF3048-E	138	DTF3048-S	374
	60"	1524	10	4.5	2.5	DTF3060-C	128	DTF3060-E	149	DTF3060-S	431
	72"	1829	11	5.0	2.7	DTF3072-C	165	DTF3072-E	197	DTF3072-S	473
36" width (914mm)	36"	914	7	3.2	2.5	DTF3636-C	127	DTF3636-E	146	DTF3636-S	369
	48"	1219	9	4.1	2.7	DTF3648-C	134	DTF3648-E	153	DTF3648-S	380
	60"	1524	10	4.5	2.7	DTF3660-C	147	DTF3660-E	168	DTF3660-S	437
	72"	1829	11	5.0	3.0	DTF3672-C	185	DTF3672-E	215	DTF3672-S	481

Catalog Section 1

3-Sided Channel Frames

see spec sheet **EG01.03B**


(•) MTS (made to stock) / () MTO (made to order)



	length		weight		cu ft	chrome		EAGLEgard®		stainless steel	
	in.	mm	lbs.	kg		model #	list	model #	list	model #	list
18" width (457mm)	24"	610	5	2.2	0.7	CF1824-C	117	CF1824-E	138	CF1824-S	300
	30"	762	6	2.7	0.7	CF1830-C	122	CF1830-E	145	CF1830-S	316
	36"	914	6	2.7	0.7	CF1836-C	123	CF1836-E	146	CF1836-S	328
	42"	1067	7	3.2	0.8	CF1842-C	127	CF1842-E	149	CF1842-S	331
	48"	1219	7	3.2	0.8	CF1848-C	128	CF1848-E	152	CF1848-S	336
	60"	1524	8	3.6	1.0	CF1860-C	144	CF1860-E	171	CF1860-S	385
	72"	1829	9	4.1	1.4	CF1872-C	163	CF1872-E	196	CF1872-S	423
21" width (533mm)	24"	610	5	2.2	0.8	CF2124-C	119	CF2124-E	141	CF2124-S	306
	30"	762	6	2.7	0.8	CF2130-C	123	CF2130-E	146	CF2130-S	316
	36"	914	6	2.7	0.8	CF2136-C	127	CF2136-E	149	CF2136-S	321
	42"	1067	7	3.2	0.9	CF2142-C	131	CF2142-E	154	CF2142-S	336
	48"	1219	8	3.6	0.9	CF2148-C	133	CF2148-E	155	CF2148-S	339
	60"	1524	8	3.6	1.1	CF2160-C	153	CF2160-E	185	CF2160-S	399
	72"	1829	10	4.5	1.4	CF2172-C	215	CF2172-E	260	CF2172-S	439
24" width (610mm)	24"	610	6	2.7	1.5	CF2424-C	123	CF2424-E	146	CF2424-S	316
	30"	762	7	3.2	1.5	CF2430-C	127	CF2430-E	149	CF2430-S	329
	36"	914	7	3.2	1.5	CF2436-C	131	CF2436-E	154	CF2436-S	336
	42"	1067	8	3.6	2.0	CF2442-C	133	CF2442-E	155	CF2442-S	348
	48"	1219	9	4.1	2.5	CF2448-C•	134	CF2448-E•	163	CF2448-S	352
	60"	1524	10	4.5	2.5	CF2460-C•	163	CF2460-E•	196	CF2460-S	412
	72"	1829	11	5.0	2.7	CF2472-C	224	CF2472-E	267	CF2472-S	449
30" width (762mm)	36"	914	7	3.2	2.0	CF3036-C	138	CF3036-E	167	CF3036-S	412
	48"	1219	9	4.1	2.5	CF3048-C	143	CF3048-E	171	CF3048-S	423
	60"	1524	10	4.5	2.5	CF3060-C	226	CF3060-E	206	CF3060-S	491
	72"	1829	11	5.0	2.7	CF3072-C	239	CF3072-E	291	CF3072-S	540
36" width (914mm)	36"	914	7	3.2	2.5	CF3636-C	148	CF3636-E	181	CF3636-S	420
	48"	1219	9	4.1	2.7	CF3648-C	153	CF3648-E	185	CF3648-S	438
	60"	1524	10	4.5	2.7	n/a	n/a	CF3660-E	223	CF3660-S	500
	72"	1829	11	5.0	3.0	n/a	n/a	CF3672-E	314	CF3672-S	555

Handles for Caster Carts **NSF**see spec sheet **EG01.03B**


Push Handles
Easily slips over posts.



Extended Push Handles
Designed to prevent damage to knuckles.

width		weight		cubic feet	chrome		stainless steel		cubic feet	chrome		stainless steel	
in.	mm	lbs.	kg		model #	list	model #	list		model #	list	model #	list
14"	356	1.7	0.8	0.1	PH14-C	34	PH14-S	91	0.2	EH14-C	121	EH14-S	129
18"	457	1.9	0.9	0.1	PH18-C•	38	PH18-S	104	0.3	EH18-C	124	EH18-S	156
21"	533	2.1	1.0	0.1	PH21-C	39	PH21-S	114	0.3	EH21-C	125	EH21-S	165
24"	610	2.3	1.1	0.2	PH24-C•	39	PH24-S	123	0.4	EH24-C	126	EH24-S	176
30"	762	2.6	1.2	0.3	PH30-C	49	PH30-S	134	0.5	EH30-C	128	EH30-S	183
36"	914	3.0	1.4	0.3	PH36-C	56	PH36-S	143	0.5	EH36-C	129	EH36-S	199

Note: Stainless steel models include electropolished finish.



patented
QuadTruss®
design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and
provides a retaining ledge for increased
strength and product retention.



UNIQUE ROLLER DESIGN

- Patent #5,680,942.
- Makes moving mobile units easy.
- Eliminates binding due to uneven floors.
- Rollers also support track.



SHELVES

sold separately (see page 6)
are available in EAGLEbrite® zinc,
chrome, VALU-MASTER® pewter
gray epoxy, EAGLEgard® green
epoxy, and stainless steel finish.

Maximum shelf length should not
exceed 60" (1524mm).

Master Trak®


Overhead Track High-Density Storage System NSF

Note: Master Trak® not recommended for use in carpeted areas.

Components

Shelves sold separately (see page 6).

- A** front & rear overhead tracks
- B** stationary end units
- C** mobile units
- D** open aisle—30" to 36" (762 to 914mm) is recommended
- E** stationary mid unit (optional—use same model # as stationary end unit kit)



Stationary End / Intermediate Unit Kits

see spec sheet **EG01.18**

- Posts.
- Hardware necessary for connecting stationary end units to track.
- One kit is required for each end unit.
- End units must be anchored to the floor to prevent movement.
- Priced per kit.

Note: Shelves sold separately (see page 6).

(•) MTS (made to stock) / () MTO (made to order)

74" (1880mm) Posts

weight	cu	EAGLEbrite®	chrome	EAGLEgard®
lbs. kg	ft	model # list	model # list	model # list
17 7.7	0.1	EP74-Z• 239	EP74-C• 256	EP74-E• 280

86" (2184mm) Posts

weight	cu	EAGLEbrite®	chrome	EAGLEgard®
lbs. kg	ft	model # list	model # list	model # list
21 9.5	0.1	EP86-Z 249	EP86-C 271	EP86-E 299

Catalog Section 1



(Shelves shown are sold separately—see page 6)

Master Trak® Mobile Unit Kits

see spec sheet **EG01.18**

WEIGHT CAPACITY:

- 900 lbs. (408 kg).

Note: Shelves sold separately see page 6.

- Posts.
- Casters are 5" x 1½" (127 x 38mm) polymer.
- All parts and necessary hardware.
- One kit is required for each mobile unit.
- Priced per kit.

(•) MTS (made to stock) / () MTO (made to order)

Replacement Caster

Offset rigid poly caster replacement

model #	list
CSR05P-300	63

74" (1880mm) Height*

width	cu	weight	EAGLEbrite®	chrome	EAGLEgard®	weight	EAGLEbrite®	chrome	EAGLEgard®
in. mm	ft	lbs. kg	model # list	model # list	model # list	lbs. kg	model # list	model # list	model # list
18" 457	0.1	33 15.0	MUK18-Z 498	MUK18-C• 552	MUK18-E 922	37 16.8	MUK18-Z86 517	MUK18-C86 572	MUK18-E86 936
21" 533	0.1	34 15.4	MUK21-Z 514	MUK21-C 566	MUK21-E 935	38 17.2	MUK21-Z86 536	MUK21-C86 589	MUK21-E86 961
24" 610	0.1	35 15.9	MUK24-Z 520	MUK24-C• 575	MUK24-E• 948	39 17.6	MUK24-Z86 543	MUK24-C86 598	MUK24-E86 983
30" 762	0.1	35 15.9	MUK30-Z 531	MUK30-C 589	MUK30-E 976	39 17.6	MUK30-Z86 552	MUK30-C86 613	MUK30-E86 1009
36" 914	0.1	36 16.3	MUK36-Z 542	MUK36-C 615	MUK36-E 1003	40 18.1	MUK36-Z86 561	MUK36-C86 643	MUK36-E86 1034

* Casters are included in post height.

86" (2184mm) Height*

Master Trak® Overhead Track Kits

see spec sheet **EG01.18**

PACKAGING: • Kits 13' (3962mm) and longer are wood-crated.

- All necessary sections of front and rear tracks for assembling track lengths of 6' to 21' (1829 to 6401mm), plus all hardware.

(•) MTS (made to stock) / () MTO (made to order)

Note: Any kits 9' (2743mm) or longer include two or more front and rear track sections, with joiner pieces and all hardware. A mid-stationary unit is recommended on lengths of over 30' (9144mm).


length	weight	cu	model #	list
ft. mm	lbs. kg	ft		
6' 1829	18 8.2	1.8	OHT-6	542
7' 2134	21 9.5	2.1	OHT-7	605
8' 2438	24 10.9	2.4	OHT-8	908
9' 2743	27 12.2	2.7	OHT-9	987
10' 3048	30 13.6	3.0	OHT-10	1071

length	weight	cu	model #	list
ft. mm	lbs. kg	ft		
11' 3353	33 15.0	3.3	OHT-11	1152
12' 3658	36 16.3	3.6	OHT-12	1234
13' 3962	39 17.7	3.9	OHT-13	1308
14' 4267	42 19.1	4.2	OHT-14	1384
15' 4572	45 20.4	4.5	OHT-15	1681

length	weight	cu	model #	list
ft. mm	lbs. kg	ft		
16' 4877	48 21.8	4.8	OHT-16	1763
17' 5181	51 23.1	5.1	OHT-17•	1844
18' 5486	54 24.5	5.4	OHT-18	1922
19' 5791	57 25.9	5.7	OHT-19	2000
20' 6096	60 27.2	6.0	OHT-20	2080
21' 6401	63 28.6	6.3	OHT-21	2155

Single-Deep Floor-Trak® High-Density Storage System

see spec sheet **EG01.39A**



single deep unit shown assembled with wire starter unit

FEATURES:

- Non-corrosive track constructed of anodized aluminum.
- The system is ADA-compliant. NSF approved.
- Simple and easy to install.
- Easy to add on additional units.
- Open construction allows for the use of cart covers when required.
- Industrial-type, hardened steel bearings allow loaded units to glide effortlessly over the track.

Note: Unit will tilt if not loaded properly.
LOAD BOTTOM FIRST!

Single-Deep Skate Kits

- Two skates.
- All necessary parts and hardware.
- One kit is required for each mobile unit.
- Skates are aircraft-quality aluminum with stainless steel inserts and hardened steel ball bearings.
- Weight capacity of 2000 lbs (907.2 kg) per mobile section.

Note: Shelves (page 6) and posts (page 8) sold separately.

width		weight		cu	model #	list
in.	mm	lbs.	kg	ft		
18"	457	6	2.7	0.09	SDSK-18	702
21"	533	7	3.2	0.11	SDSK-21	728
24"	610	7	3.2	0.23	SDSK-24	758
30"	762	8	3.6	0.15	SDSK-30	846
36"	914	10	4.5	0.18	SDSK-36	1120

Anti-Tip Brackets for use with Floor-Trak® Skate Kits

Stainless steel. Set of four.

model #	list
SDSKATB-S	245

...sold individually

Hardware included.

model #	list
SKATB-S	82



Optional Shim Kits

Accommodates uneven floors.

model #	list
912991	187

Optional Foot Brake Kit

Mounts onto frontmost skate.

model #	list
MFBK-S	118

Single-Deep Floor Track Kits


- Pair of aluminum tracks with plastic end stops.
- All hardware included.

Note: Not recommended to piece tracks together. Order length needed.
Custom lengths available. Consult factory.

length		weight		cu	model #	list
ft.	mm	lbs.	kg	ft		
6'	1829	5	2.3	0.06	SDFT-6	714
7'	2134	5	2.3	0.07	SDFT-7	808
8'	2438	6	2.7	0.08	SDFT-8	904
9'	2743	7	3.2	0.09	SDFT-9	1001
10'	3048	8	3.6	0.10	SDFT-10	1095
11'	3353	8	3.6	0.11	SDFT-11	1187
12'	3658	9	4.1	0.12	SDFT-12	1285
13'	3962	10	4.5	0.13	SDFT-13	1382
14'	4267	11	5.0	0.14	SDFT-14	1477
15'	4572	11	5.0	0.15	SDFT-15	1572
16'	4877	12	5.4	0.16	SDFT-16	1669
17'	5181	13	5.8	0.17	SDFT-17	1765
18'	5486	14	6.4	0.18	SDFT-18	1860
19'	5791	14	6.4	0.19	SDFT-19	1954
20'	6096	15	6.8	0.20	SDFT-20	2052
21'	6401	16	7.3	0.21	SDFT-21	2146
22'	6706	17	7.7	0.21	SDFT-22	2199
23'	7010	18	8.2	0.21	SDFT-23	2232
24'	7315	19	8.6	0.21	SDFT-24	2322
25'	7620	20	9.0	0.21	SDFT-25	2414
26'	7925	21	9.5	0.21	SDFT-26	2504
27'	8230	22	10.0	0.21	SDFT-27	2594
28'	8534	23	10.4	0.21	SDFT-28	2685
29'	8839	24	10.9	0.21	SDFT-29	2776
30'	9144	25	11.3	0.21	SDFT-30	2868

Catalog Section 1

Double-Deep Floor-Trak® High-Density Storage System (NSF)

see spec sheet **EG01.39B**

Double-Deep Skate Kits

- Three skates.
- All necessary parts and hardware.
- One kit is required for each mobile unit.
- Skates are aircraft-quality aluminum with stainless steel inserts and hardened steel ball bearings.
- Weight capacity of 1500 lbs (680.4 kg) per mobile section —3000 lbs. (1361 kg) at middle skate.

Note: Shelves (see page 6) and posts (see page 8) sold separately.

width		weight		cu			
in.	mm	lbs.	kg	ft	model #	list	
18"	457	10	4.5	0.14	DDSK-18	1276	
21"	533	11	5.0	0.16	DDSK-21	1312	
24"	610	12	5.4	0.18	DDSK-24	1361	
30"	762	14	6.4	0.23	DDSK-30	1492	
36"	914	16	7.3	0.27	DDSK-36	1899	

Optional Shim Kits

Accommodates uneven floors.

model #	list
912991	187

Optional Foot Brake Kit

Mounts onto frontmost skate.

model #	list
MFBK-S	118

Inside Posts for Double-Deep Units

- Each double-deep unit requires a set of four 'inside' posts (listed below) along with four standard stationary posts.

Note: See page 8 for standard stationary posts and page 6 for wire shelves (posts and shelves sold separately).

Sets of four 74" (1880mm) posts

weight		cu	EAGLEbrite®		chrome		EAGLEgard®	
lbs.	kg	ft	model #	list	model #	list	model #	list
17	7.7	0.1	TEP74-Z	181	TEP74-C	204	TEP74-E	219

Sets of four 86" (2184mm) posts

weight		cu	EAGLEbrite®		chrome		EAGLEgard®	
lbs.	kg	ft	model #	list	model #	list	model #	list
21	9.5	0.1	TEP86-Z	212	TEP86-C	227	TEP86-E	244

IMPORTANT: Maximum post height per skate size: 18"-, 21"-, and 24"-wide skates on 74" post height or less; 30"- and 36"-wide skates on 86" post height or less.

Note: Unit will tilt if not loaded properly.
LOAD BOTTOM FIRST!

Double-Deep Floor Track Kits

- Three aluminum tracks with plastic end stops.
- All hardware included.

Note: Not recommended to piece tracks together. Order length needed. Custom lengths available. Consult factory.

Double-deep units should not exceed depths of 12' (3658mm). 11' and 12' (2794 and 3658mm)-deep units should be used only with 24", 30" or 36" (610, 762, or 914mm)-wide shelves.

length		weight		cu			
ft.	mm	lbs.	kg	ft	model #	list	
6'	1829	7	3.2	0.09	DDFT-6	1069	
7'	2134	8	3.6	0.11	DDFT-7	1213	
8'	2438	9	4.1	0.12	DDFT-8	1354	
9'	2743	10	4.5	0.14	DDFT-9	1498	
10'	3048	13	5.8	0.16	DDFT-10	1643	
11'	3353	14	6.4	0.17	DDFT-11	1786	
12'	3658	15	6.8	0.18	DDFT-12	1932	
13'	3962	16	7.3	0.20	DDFT-13	2071	
14'	4267	16	7.3	0.21	DDFT-14	2216	
15'	4572	17	7.7	0.23	DDFT-15	2359	
16'	4877	18	8.2	0.24	DDFT-16	2501	
17'	5181	19	8.6	0.26	DDFT-17	2646	
18'	5486	21	9.5	0.27	DDFT-18	2791	
19'	5791	22	10.0	0.29	DDFT-19	2933	
20'	6096	23	10.4	0.30	DDFT-20	3076	
21'	6401	24	10.9	0.32	DDFT-21	3219	
22'	6706	25	11.3	0.32	DDFT-22	3305	
23'	7010	26	11.8	0.32	DDFT-23	3345	
24'	7315	27	12.2	0.32	DDFT-24	3482	
25'	7620	28	12.7	0.32	DDFT-25	3619	
26'	7925	29	13.2	0.32	DDFT-26	3755	
27'	8230	30	13.6	0.32	DDFT-27	3892	
28'	8534	31	14.1	0.32	DDFT-28	4029	
29'	8839	32	14.5	0.32	DDFT-29	4167	
30'	9144	33	15.0	0.32	DDFT-30	4302	

Anti-Tip Brackets for use with Floor-Trak® Skate Kits

Stainless steel. Set of six.

model #	list
DDSKATB-S	335

...sold individually

Hardware included.

model #	list
SKATB-S	82





Show-off your merchandise when you use our wire display shelving units in various configurations highlighted by our brilliant finishes.

- Open wire grid shelf allows maximum merchandise visibility.
- Easy to assemble.
- Shelf spacing adjusts in seconds.
- Choose from our custom and standard colors.

Decorative Shelves

see spec sheet **EG01.34A**



(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.



INCLUDES:

- Four plastic split sleeves per shelf ordered, packaged four per bag.
- Black sleeves except white shelves.
- White shelves come with white sleeves.

Note: To order custom decorative colors, add suffix **"BM"** (black matte), **"L"** (lilac), **"M"** (maroon), **"SV"** (silver vein), **"SA"** (sapphire), **"SG"** (smoked glass), **"T"** (teal), **"GV"** (gold vein), **"CV"** (copper vein), or **"RU"** (ruby) to the desired shelf size model number when ordering. **Call for custom decorative color pricing.** There is also a **\$263 NET set up charge** for any custom color orders less than 250 pieces.

(•) MTS (made to stock) / () MTO (made to order)

	length		weight		cubic feet	red		white		black	
	in.	mm	lbs.	kg		model #	list	model #	list	model #	list
14" width (356mm)	24"	610	6	2.9	0.5	1424R •	69	1424W •	69	1424BL •	69
	30"	762	7	3.2	0.5	1430R	75	1430W	75	1430BL	75
	36"	914	8	3.6	0.5	1436R	79	1436W	79	1436BL •	79
	42"	1067	9	3.9	0.7	1442R	88	1442W	88	1442BL	88
	48"	1219	10	4.4	0.7	1448R	91	1448W	91	1448BL •	91
	54"	1372	12	5.4	0.9	1454R	99	1454W	99	1454BL •	99
	60"	1524	14	6.4	0.9	1460R	104	1460W	104	1460BL •	104
18" width (457mm)	72"	1829	17	7.7	1.1	1472R	122	1472W	122	1472BL •	122
	24"	610	7	3.2	0.7	1824R	79	1824W	79	1824BL	79
	30"	762	8	3.6	0.7	1830R	85	1830W •	85	1830BL •	85
	36"	914	9	3.9	0.7	1836R	88	1836W	88	1836BL •	88
	42"	1067	11	5.0	0.9	1842R	98	1842W	98	1842BL •	98
	48"	1219	12	5.4	0.9	1848R	105	1848W	105	1848BL	105
	54"	1372	15	6.8	1.2	1854R	126	1854W	126	1854BL •	126
21" width (533mm)	60"	1524	17	7.7	1.2	1860R	127	1860W	127	1860BL •	127
	72"	1829	20	9.1	1.3	1872R	146	1872W	146	1872BL	146
	24"	610	8	3.7	0.7	2124R	89	2124W	89	2124BL	89
	30"	762	9	4.1	0.7	2130R	96	2130W	96	2130BL •	96
	36"	914	11	5.0	0.8	2136R	98	2136W	98	2136BL	98
	42"	1067	12	5.4	1.1	2142R	114	2142W	114	2142BL •	114
	48"	1219	14	6.4	1.1	2148R	115	2148W	115	2148BL	115
24" width (610mm)	54"	1372	16	7.3	1.3	2154R	136	2154W	136	2154BL	136
	60"	1524	18	8.2	1.3	2160R	140	2160W	140	2160BL	140
	72"	1829	24	10.9	1.4	2172R	168	2172W	168	2172BL •	168
	24"	610	9	4.1	0.8	2424R	97	2424W	97	2424BL	97
	30"	762	11	5.0	0.8	2430R •	104	2430W	104	2430BL •	104
	36"	914	13	5.9	0.8	2436R	106	2436W	106	2436BL	106
	42"	1067	15	6.8	1.2	2442R	127	2442W	127	2442BL •	127
	48"	1219	16	7.3	1.2	2448R	133	2448W	133	2448BL	133
	54"	1372	19	8.6	1.5	2454R	148	2454W	148	2454BL •	148
	60"	1524	21	9.5	1.5	2460R	155	2460W	155	2460BL •	155
	72"	1829	26	11.8	1.6	2472R	182	2472W	182	2472BL	182

Catalog Section 1

STAND-OUTS™ Decorative Shelving Accessories

see spec sheet **EG01.34A** **EG01.34B**

(•) MTS (made to stock) / () MTO (made to order)

Inlays

- Fits between posts and levels with top of shelf edge.

Black & White Hardboard
Reversible. Priced per inlay. 1/8"-thick.

Clear * Plastic
Priced per pack of four. 1/32"-thick.

	length		weight**		cu ft	model #		list		model #		list	
	in.	mm	lbs.	kg									
14" width (356mm)	30"	762	1.0	0.5	0.2	DSI-1430	59	CSI-1430	94				
	36"	914	1.0	0.5	0.2	DSI-1436	63	CSI-1436	99				
	48"	1219	1.0	0.5	0.2	DSI-1448	75	CSI-1448 •	121				
	60"	1524	1.0	0.5	0.2	DSI-1460	78	CSI-1460	168				
18" width (457mm)	36"	914	1.0	0.5	0.2	DSI-1836	72	CSI-1836 •	104				
	48"	1219	1.0	0.5	0.2	DSI-1848	82	CSI-1848	123				
	60"	1524	1.0	0.5	0.2	DSI-1860	85	CSI-1860	145				
	72"	1829	1.0	0.5	0.2	DSI-1872	89	CSI-1872	166				
21" width (533mm)	36"	914	1.1	0.5	0.2	DSI-2136	80	CSI-2136	112				
	48"	1219	1.2	0.5	0.3	DSI-2148	85	CSI-2148	128				
	60"	1524	1.3	0.5	0.3	DSI-2160	89	CSI-2160	147				
	72"	1829	1.4	0.5	0.3	DSI-2172	93	CSI-2172	168				
24" width (610mm)	24"	610	1.0	0.5	0.2	DSI-2424	68	CSI-2424	96				
	30"	762	1.0	0.5	0.3	DSI-2430	76	CSI-2430	109				
	36"	914	1.0	0.5	0.3	DSI-2436	82	CSI-2436	115				
	48"	1219	1.1	0.5	0.3	DSI-2448	96	CSI-2448	134				
	54"	1372	1.3	0.6	0.3	DSI-2454	100	CSI-2454	148				
	60"	1524	1.4	0.6	0.3	DSI-2460	106	CSI-2460	169				
30" width (762mm)	72"	1829	1.8	0.8	0.3	DSI-2472	113	CSI-2472	185				
	60"	1524	2.0	0.9	0.3	DSI-3060	118	CSI-3060	266				
	72"	1829	2.5	1.1	0.3	DSI-3072	124	CSI-3072	271				

* Actual width of CSI Inlays is minus 1 1/4" (32mm); CSI Inlays shipped with protective blue film. Remove film before installing.

** Weight shown per inlay.

Cantilever Shelves

see spec sheet **EG01.34B**

FEATURES:

- 1" (25mm) wraparound ledge.
- 12" (305mm) wide shelves.
- 75 lb. (34 kg) - evenly distributed static load.

NOTE: When ordering back posts, confirm with customer service, the correct post height to accommodate these shelves.



Packaged
two per box.

*Ideal for adding extra storage
above an existing shelving unit.*

	length		weight		cu ft	red		white		black	
	in.	mm	lbs.	kg		model #	list	model #	list	model #	list
12" width (305mm)	24"	610	4	1.8	0.5	CS1224-R	77	CS1224-W	77	CS1224-BL	77
	30"	762	5	2.3	0.8	CS1230-R	81	CS1230-W	81	CS1230-BL	81
	36"	914	6	2.7	0.8	CS1236-R	84	CS1236-W	84	CS1236-BL	84
	42"	1067	7	3.2	0.9	CS1242-R	93	CS1242-W	93	CS1242-BL	93
	48"	1219	8	3.6	1.0	CS1248-R	97	CS1248-W	97	CS1248-BL	97
	54"	1371	8	3.6	1.0	CS1254-R	105	CS1254-W	105	CS1254-BL	105
	60"	1524	9	4.1	1.0	CS1260-R	113	CS1260-W	113	CS1260-BL	113

Decorative Casters

For use with Stationary Posts (page 62). 150-lb. (68.0 kg) wt. cap.

type	wheel diameter		weight		cubic feet	model #	list
	in.	mm	lbs.	kg			
swivel	2"	51	0.4	0.2	0.03	A208903 •	12
swivel/brake	2"	51	0.4	0.2	0.03	A208904 •	14
swivel	4"	102	0.7	0.3	0.03	A208905 •	28
swivel/brake	4"	102	0.8	0.4	0.03	A208906 •	36



Decorative Foot Plate



diameter		model #	list
in.	mm		
2"	51	A204942	5


STAND-OUTS™ Decorative Shelving Accessories

see spec sheet **EG01.34A** **EG01.34B**

Ledges

see spec sheet **EG01.34A**

(•) MTS (made to stock) / () MTO (made to order)



1" (25mm) Ledges*

4" (102mm) Ledges

length in. mm	cu ft	weight lbs. kg	Model numbers				weight lbs. kg	Model numbers			
			red	white	black	list		red	white	black	list
14"	356	0.2 0.2 0.1	L14-1R	L14-1W	L14-1BL	18	0.8 0.4	L14-4R	L14-4W	L14-4BL	23
18"	457	0.3 0.3 0.1	L18-1R	L18-1W	L18-1BL	19	0.9 0.4	L18-4R	L18-4W	L18-4BL	24
21"	533	0.3 0.4 0.2	L21-1R	L21-1W	L21-1BL	20	1.0 0.5	L21-4R	L21-4W	L21-4BL	26
24"	610	0.3 0.5 0.2	L24-1R	L24-1W	L24-1BL	21	1.2 0.6	L24-4R	L24-4W	L24-4BL	29
30"	762	0.5 0.7 0.3	L30-1R	L30-1W	L30-1BL	24	1.4 0.6	L30-4R	L30-4W	L30-4BL	34
36"	914	0.6 0.9 0.4	L36-1R	L36-1W	L36-1BL	29	1.6 0.7	L36-4R	L36-4W	L36-4BL•	36
42"	1067	0.6 1.1 0.5	L42-1R	L42-1W	L42-1BL	31	1.8 0.8	L42-4R	L42-4W	L42-4BL	45
48"	1219	0.7 1.3 0.6	L48-1R	L48-1W	L48-1BL	33	2.0 0.9	L48-4R	L48-4W	L48-4BL•	47
54"	1372	0.8 1.5 0.7	L54-1R	L54-1W	L54-1BL	35	2.2 1.0	L54-4R	L54-4W	L54-4BL	49
60"	1524	0.8 1.7 0.8	L60-1R	L60-1W	L60-1BL	36	2.4 1.1	L60-4R	L60-4W	L60-4BL	51
72"	1829	1.0 2.1 1.0	L72-1R	L72-1W	L72-1BL	38	2.6 1.2	L72-4R	L72-4W	L72-4BL	59

* When installed, actual height of ledge is 1½" (38mm).

Shelf Dividers see spec sheet **EG01.34A**

(•) MTS (made to stock) / () MTO (made to order)

Organize shelf contents with these snap-on dividers!

length in. mm	weight lbs. kg	cubic feet	red		white		black	
			model #	list	model #	list	model #	list
14"	356	1.0 0.5 0.6	SD14-R	29	SD14-W	29	SD14-BL	29
18"	457	1.3 0.6 0.6	SD18-R	34	SD18-W	34	SD18-BL	34
21"	533	1.5 0.7 0.8	SD21-R	36	SD21-W	36	SD21-BL	36
24"	610	1.8 0.8 1.0	SD24-R	44	SD24-W	44	SD24-BL	44
30"	762	2.2 1.0 1.2	SD30-R	49	SD30-W	49	SD30-BL	49
36"	914	2.7 1.2 1.4	SD36-R	59	SD36-W	59	SD36-BL	59



Posts

see spec sheet **EG01.34A**

(•) MTS (made to stock) / () MTO (made to order)



					For Stationary Applications				For Mobile Applications			
height in. mm	weight lbs. kg	cu ft	Model #				list		Model #			
			red	white	black	list			red	white	black	list
7"	178	0.8 0.4 0.1	P7-R	P7-W	P7-BL	17			CP7-R	CP7-W	CP7-BL	17
14"	356	1.0 0.5 0.1	P14-R	P14-W	P14-BL•	19			CP14-R	CP14-W	CP14-BL	19
33"	838	2.0 0.9 0.1	P33-R	P33-W	P33-BL•	23			CP33-R	CP33-W	CP33-BL	23
54"	1372	3.0 1.4 0.1	P54-R	P54-W	P54-BL•	29			CP54-R	CP54-W	CP54-BL•	29
63"	1600	3.5 1.8 0.3	P63-R	P63-W	P63-BL•	31			CP63-R	CP63-W	CP63-BL	31
74"	1880	4.0 1.8 0.5	P74-R	P74-W	P74-BL•	34			CP74-R	CP74-W	CP74-BL•	34
86"	2184	5.0 2.3 0.8	P86-R	P86-W	P86-BL•	40			CP86-R	CP86-W	CP86-BL	40

Catalog Section 1

Quik-Set® Flat Solid Shelves see spec sheet **EG01.23**

FEATURES:

- Heavy duty.
- All sides of shelves are constructed with a 2" (51mm) downturn and marine edge.
- Each corner is fitted with a heavy-duty aluminum casting to accept a split sleeve.
- No tools are required for assembly.

Stainless Steel

	length		cu ft	14 gauge				16 gauge			
	in.	mm		weight		model #	list	weight		model #	list
				lb.	kg			lb.	kg		
18" width (457mm)	36"	914	0.8	24	10.9	SHDS1836SF	535	19	8.6	HDS1836SF	512
	42"	1067	0.9	26	11.8	SHDS1842SF	594	21	9.5	HDS1842SF	556
	48"	1219	1.0	29	13.2	SHDS1848SF	647	24	10.9	HDS1848SF	599
	54"	1372	1.1	33	15.0	SHDS1854SF	704	27	12.2	HDS1854SF	657
	60"	1524	1.3	36	16.3	SHDS1860SF	760	29	13.2	HDS1860SF	717
24" width (610mm)	36"	914	1.0	35	15.9	SHDS2436SF	695	28	12.7	HDS2436SF	636
	42"	1067	1.2	39	17.6	SHDS2442SF	761	32	14.5	HDS2442SF	717
	48"	1219	1.3	43	19.5	SHDS2448SF	855	36	16.3	HDS2448SF	777
	54"	1372	1.5	48	21.8	SHDS2454SF	923	41	18.6	HDS2454SF	846
	60"	1524	1.7	55	24.9	SHDS2460SF	989	47	21.3	HDS2460SF	908

VALU-MASTER® Gray Epoxy


	length		cu ft	weight		14 gauge		weight		16 gauge	
	in.	mm		lb.	kg	model #	list	lb.	kg	model #	list
18" width (457mm)	36"	914	0.8	24	10.9	SHDS1836VF	273	19	8.6	HDS1836VF	264
	42"	1067	0.9	26	11.8	SHDS1842VF	291	21	9.5	HDS1842VF	276
	48"	1219	1.0	29	13.2	SHDS1848VF	298	24	10.9	HDS1848VF	287
	54"	1372	1.1	33	15.0	SHDS1854VF	319	27	12.2	HDS1854VF	288
	60"	1524	1.3	36	16.3	SHDS1860VF	335	29	13.2	HDS1860VF	316
24" width (610mm)	36"	914	1.0	35	15.9	SHDS2436VF	296	28	12.7	HDS2436VF	283
	42"	1067	1.2	39	17.6	SHDS2442VF	312	32	14.5	HDS2442VF	295
	48"	1219	1.3	43	19.5	SHDS2448VF	320	36	16.3	HDS2448VF	303
	54"	1372	1.5	48	21.8	SHDS2454VF	351	41	18.6	HDS2454VF	329
	60"	1524	1.7	55	24.9	SHDS2460VF	361	47	21.3	HDS2460VF	343

Valu-Gard® Green Epoxy

					14 gauge				16 gauge			
length			cu	weight				weight				
in. mm			ft	lb.	kg	model #	list	lb.	kg	model #	list	
18" width (457mm)	36"	914	0.8	24	10.9	SHDS1836VGF	273	19	8.6	HDS1836VGF	264	
	42"	1067	0.9	26	11.8	SHDS1842VGF	291	21	9.5	HDS1842VGF	276	
	48"	1219	1.0	29	13.2	SHDS1848VGF	298	24	10.9	HDS1848VGF	287	
	54"	1372	1.1	33	15.0	SHDS1854VGF	319	27	12.2	HDS1854VGF	288	
	60"	1524	1.3	36	16.3	SHDS1860VGF	335	29	13.2	HDS1860VGF	316	
24" width (610mm)	36"	914	1.0	35	15.9	SHDS2436VGF	296	28	12.7	HDS2436VGF	283	
	42"	1067	1.2	39	17.6	SHDS2442VGF	312	32	14.5	HDS2442VGF	295	
	48"	1219	1.3	43	19.5	SHDS2448VGF	320	36	16.3	HDS2448VGF	303	
	54"	1372	1.5	48	21.8	SHDS2454VGF	351	41	18.6	HDS2454VGF	329	
	60"	1524	1.7	55	24.9	SHDS2460VGF	361	47	21.3	HDS2460VGF	343	

Quik-Set® Embossed Solid Shelves

see spec sheet **EG01.23**



- Heavy duty.
- Constructed with a 2" (51mm) downturn and marine edge.
- Each corner is fitted with a heavy-duty aluminum casting to accept a split sleeve.
- Top of shelf is die stamped with a 1" (25mm) diameter drawn impression to provide a raised area for air circulation.
- Each emboss is on 3" (76mm) centers for the width and 3" (76mm) centers for the length.

FEATURES:

Stainless Steel

	length		cu ft	14 gauge				16 gauge			
	in.	mm		weight lb.	kg	model #	list	weight lb.	kg	model #	list
18" width (457mm)	36"	914	0.8	24	10.9	SHDS1836SE	584	19	8.6	HDS1836SE	566
	42"	1067	0.9	26	11.8	SHDS1842SE	647	21	9.5	HDS1842SE	627
	48"	1219	1.0	29	13.2	SHDS1848SE	703	24	10.9	HDS1848SE	686
	54"	1372	1.1	33	15.0	SHDS1854SE	756	27	12.2	HDS1854SE	717
	60"	1524	1.3	36	16.3	SHDS1860SE	806	29	13.2	HDS1860SE	754
24" width (610mm)	36"	914	1.0	35	15.9	SHDS2436SE	728	28	12.7	HDS2436SE	678
	42"	1067	1.2	39	17.6	SHDS2442SE	746	32	14.5	HDS2442SE	737
	48"	1219	1.3	43	19.5	SHDS2448SE	812	36	16.3	HDS2448SE	781
	54"	1372	1.5	48	21.8	SHDS2454SE	909	41	18.6	HDS2454SE	867
	60"	1524	1.7	55	24.9	SHDS2460SE	1008	47	21.3	HDS2460SE	931


VALU-MASTER® Gray Epoxy

	length		cu ft	14 gauge				16 gauge			
	in.	mm		weight lb.	kg	model #	list	weight lb.	kg	model #	list
18" width (457mm)	36"	914	0.8	24	10.9	SHDS1836VE	283	19	8.6	HDS1836VE	271
	42"	1067	0.9	26	11.8	SHDS1842VE	296	21	9.5	HDS1842VE	285
	48"	1219	1.0	29	13.2	SHDS1848VE	301	24	10.9	HDS1848VE	291
	54"	1372	1.1	33	15.0	SHDS1854VE	327	27	12.2	HDS1854VE	314
	60"	1524	1.3	36	16.3	SHDS1860VE	339	29	13.2	HDS1860VE	320
24" width (610mm)	36"	914	1.0	35	15.9	SHDS2436VE	300	28	12.7	HDS2436VE	291
	42"	1067	1.2	39	17.6	SHDS2442VE	316	32	14.5	HDS2442VE	299
	48"	1219	1.3	43	19.5	SHDS2448VE	327	36	16.3	HDS2448VE	313
	54"	1372	1.5	48	21.8	SHDS2454VE	354	41	18.6	HDS2454VE	337
	60"	1524	1.7	55	24.9	SHDS2460VE	371	47	21.3	HDS2460VE	348

Valu-Gard® Green Epoxy

	length		cu ft	14 gauge				16 gauge			
	in.	mm		weight lb.	kg	model #	list	weight lb.	kg	model #	list
18" width (457mm)	36"	914	0.8	24	10.9	SHDS1836VGE	283	19	8.6	HDS1836VGE	271
	42"	1067	0.9	26	11.8	SHDS1842VGE	296	21	9.5	HDS1842VGE	285
	48"	1219	1.0	29	13.2	SHDS1848VGE	301	24	10.9	HDS1848VGE	291
	54"	1372	1.1	33	15.0	SHDS1854VGE	327	27	12.2	HDS1854VGE	314
	60"	1524	1.3	36	16.3	SHDS1860VGE	339	29	13.2	HDS1860VGE	320
24" width (610mm)	36"	914	1.0	35	15.9	SHDS2436VGE	300	28	12.7	HDS2436VGE	291
	42"	1067	1.2	39	17.6	SHDS2442VGE	316	32	14.5	HDS2442VGE	299
	48"	1219	1.3	43	19.5	SHDS2448VGE	327	36	16.3	HDS2448VGE	313
	54"	1372	1.5	48	21.8	SHDS2454VGE	354	41	18.6	HDS2454VGE	337
	60"	1524	1.7	55	24.9	SHDS2460VGE	371	47	21.3	HDS2460VGE	348

Catalog Section 1

Quik-Set® Louvered Solid Shelves see spec sheet **EG01.23**

**1,000 lbs.
evenly distributed
weight capacity
per shelf!!**

- Heavy duty.
- Shelves are constructed with a 2" (51mm) downturn and marine edge.
- Each corner is fitted with a heavy-duty aluminum casting to accept a split sleeve.
- Top of shelf is die stamped with a 2 3/4" x 1/2" (70 x 13mm) opening with a 1/16" (2mm) drawn depression around the opening to provide reinforcement.
- Each opening is on 3" (76mm) centers for the width and 3" (76mm) centers for the length.

FEATURES:

Stainless Steel

	length		cu ft	14 gauge				16 gauge			
				weight				weight			
	in.	mm		lb.	kg	model #	list	lb.	kg	model #	list
18" width (457mm)	36"	914	0.8	24	10.9	SHDS1836SL	584	17	7.7	HDS1836SL	566
	42"	1067	0.9	26	11.8	SHDS1842SL	647	19	8.6	HDS1842SL	627
	48"	1219	1.0	29	13.2	SHDS1848SL	703	22	10.0	HDS1848SL	686
	54"	1372	1.1	33	15.0	SHDS1854SL	756	25	11.3	HDS1854SL	717
	60"	1524	1.3	36	16.3	SHDS1860SL	806	27	12.2	HDS1860SL	754
24" width (610mm)	36"	914	1.0	35	15.9	SHDS2436SL	728	26	11.8	HDS2436SL	678
	42"	1067	1.2	39	17.6	SHDS2442SL	746	30	13.6	HDS2442SL	737
	48"	1219	1.3	43	19.5	SHDS2448SL	812	34	15.4	HDS2448SL	802
	54"	1372	1.5	48	21.8	SHDS2454SL	909	39	17.6	HDS2454SL	867
	60"	1524	1.7	55	24.9	SHDS2460SL	1008	45	20.4	HDS2460SL	931

VALU-MASTER® Gray Epoxy

	length		cu ft	14 gauge				16 gauge			
				weight				weight			
	in.	mm		lb.	kg	model #	list	lb.	kg	model #	list
18" width (457mm)	36"	914	0.8	22	10.4	SHDS1836VL	287	17	7.7	HDS1836VL	272
	42"	1067	0.9	24	10.9	SHDS1842VL	298	19	8.6	HDS1842VL	288
	48"	1219	1.0	27	12.2	SHDS1848VL	311	22	10.0	HDS1848VL	295
	54"	1372	1.1	31	14.5	SHDS1854VL	315	25	11.3	HDS1854VL	306
	60"	1524	1.3	34	15.4	SHDS1860VL	344	27	12.2	HDS1860VL	317
24" width (610mm)	36"	914	1.0	33	15.0	SHDS2436VL	303	26	11.8	HDS2436VL	292
	42"	1067	1.2	37	16.8	SHDS2442VL	318	30	13.6	HDS2442VL	301
	48"	1219	1.3	41	18.6	SHDS2448VL	333	34	15.4	HDS2448VL	315
	54"	1372	1.5	47	21.3	SHDS2454VL	361	39	17.6	HDS2454VL	344
	60"	1524	1.7	53	24.0	SHDS2460VL	374	45	20.4	HDS2460VL	352

Valu-Gard® Green Epoxy

	length		cu ft	14 gauge				16 gauge			
				weight				weight			
	in.	mm		lb.	kg	model #	list	lb.	kg	model #	list
18" width (457mm)	36"	914	0.8	22	10.4	SHDS1836VGL	287	17	7.7	HDS1836VGL	272
	42"	1067	0.9	24	10.9	SHDS1842VGL	298	19	8.6	HDS1842VGL	288
	48"	1219	1.0	27	12.2	SHDS1848VGL	311	22	10.0	HDS1848VGL	295
	54"	1372	1.1	31	14.5	SHDS1854VGL	315	25	11.3	HDS1854VGL	306
	60"	1524	1.3	34	15.4	SHDS1860VGL	344	27	12.2	HDS1860VGL	317
24" width (610mm)	36"	914	1.0	33	15.0	SHDS2436VGL	303	26	11.8	HDS2436VGL	292
	42"	1067	1.2	37	16.8	SHDS2442VGL	318	30	13.6	HDS2442VGL	301
	48"	1219	1.3	41	18.6	SHDS2448VGL	333	34	15.4	HDS2448VGL	315
	54"	1372	1.5	47	21.3	SHDS2454VGL	361	39	17.6	HDS2454VGL	344
	60"	1524	1.7	53	24.0	SHDS2460VGL	374	45	20.4	HDS2460VGL	352

Quik-Set® Solid Shelving Accessories see spec sheet **EG01.23A**

(•) MTS (made to stock) / () MTO (made to order)

Posts

1½" (42mm) diameter. Grooved in 2" (51mm) increments.

				Stationary Posts		Caster Posts		
height		weight		cu ft	stainless steel		stainless steel	
in.	mm	lb.	kg		model #	list	model #	list
14"	356	1.0	0.5	0.2	HDSP14-S	66	HDSCP14-S	66
33"	838	2.0	0.9	0.2	HDSP33-S	91	HDSCP33-S	91
54"	1372	3.0	1.4	0.2	HDSP54-S	96	HDSCP54-S	96
63"	1600	3.5	1.8	0.2	HDSP63-S	112	HDSCP63-S	112
74"	1880	4.0	1.8	0.2	HDSP74-S	126	HDSCP74-S	126

Adjustable Foot

Adjust from minimum height of 1½" to maximum height of 2½" (38 to 64mm).

weight		model #	list
lb.	kg		
0.25	0.1	301036	12

Post Cap

Black plastic cap fits inside 1½" (32mm) diameter post.

weight		model #	list
lb.	kg		
0.25	0.1	330010	4

Casters

- 5" (127mm) diameter.
- Set of four (two swivel, two with brake).

Polymer Cart Washable with Polymer Tread

weight capacity per caster		model #	list per set
lbs.	kg		
250	113.4	CAHW4-SB •	718

Nickel with Poly Tread

weight capacity per caster		model #	list per set
lbs.	kg		
250	113.4	CAHP4-SB •	578


Stainless Steel Caster Cradle®see product announcement **EG8108M****PATENTED!**
(patent #US 8,678,335 B2)**FEATURES:**

- The only caster stabilizing device with a patented uniform circular design (patent #US 8,678,335 B2) that allows for approach from any angle.
- Units are secured to the floor where the casters are to be centered.



description	model #	list/pkg
quantity of 2 per package	CC-S-2	112
quantity of 10 per package	CC-S-10	444
quantity of 60 per package	CC-S-60	2488

Catalog Section 1



**For Use
with Both
Standard Wire
and Solid
Shelving!**

Weight Capacities

**Allowable Bracket Loading
(per bracket)**

Shelf Load Capacity (per shelf)
Shelves not included.

bracket length		maximum load recommended	
in.	mm	lb.	kg
14"	356	540	244.9
18"	457	465	210.9
21"	533	395	179.2
24"	610	360	163.3

shelf description	weight capacity	
	lb.	kg
Shelves 24" to 48" (610 to 1219mm) long	800	362.8
Shelves 54" to 72" (1372 to 1829mm) long	600	272.2

Features:

- Requires no post supports to get in the way, making shelf loading and unloading easier.
- 100% usable shelving surface, from section to section, wall to wall, and front to back.
- Floor is unobstructed.
- Infinite height adjustability, no slots or keyholes to line up for leveling.
- Heavy-duty, rugged construction.
- Cantilever shelving components are listed on pages 67 through 71.

Cantilever Shelving Systems

Standard Uprights

see spec sheet **EG01.45A**



**For wall-mounted
storage.**

- 14 gauge.
- Continuously seam-welded.
- Rust and corrosion resistant.

FEATURES:

Note: Prices do not include ceiling brackets.

			Gray Epoxy						Stainless Steel						Aluminum					
height		cu	weight		REGULAR		NSF		weight		REGULAR		NSF		weight		REGULAR		NSF	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
12"	305	0.02	1	0.5	MMU-1	29	MMNSU-1	34	1	0.5	MMUSS-1	100	MMNSUSS-1	106	1	0.5	MMU/A-1	29	MMNSU/A-1	34
24"	610	0.04	3	1.4	MMU-2	54	MMNSU-2	56	3	1.4	MMUSS-2	183	MMNSUSS-2	192	2	0.9	MMU/A-2	54	MMNSU/A-2	56
36"	914	0.06	4	1.8	MMU-3	85	MMNSU-3	89	4	1.8	MMUSS-3	275	MMNSUSS-3	292	2	0.9	MMU/A-3	85	MMNSU/A-3	89
48"	1219	0.08	6	2.7	MMU-4	99	MMNSU-4	106	5	2.3	MMUSS-4	366	MMNSUSS-4	384	3	1.4	MMU/A-4	99	MMNSU/A-4	106
60"	1524	0.10	7	3.2	MMU-5	125	MMNSU-5	133	7	3.2	MMUSS-5	461	MMNSUSS-5	484	4	1.8	MMU/A-5	125	MMNSU/A-5	133
72"	1829	0.13	9	4.1	MMU-6	149	MMNSU-6	163	8	3.6	MMUSS-6	549	MMNSUSS-6	571	4	1.8	MMU/A-6	149	MMNSU/A-6	163
84"	2134	0.15	10	4.5	MMU-7	177	MMNSU-7	188	9	4.1	MMUSS-7	639	MMNSUSS-7	667	5	2.3	MMU/A-7	177	MMNSU/A-7	188
96"	2438	0.17	11	5.0	MMU-8	203	MMNSU-8	219	11	5.0	MMUSS-8	728	MMNSUSS-8	763	6	2.7	MMU/A-8	203	MMNSU/A-8	219
108"	2743	0.19	13	5.8	MMU-9	228	MMNSU-9	248	12	5.4	MMUSS-9	817	MMNSUSS-9	858	7	3.2	MMU/A-9	228	MMNSU/A-9	248
120"	3048	0.21	14	6.4	MMU-10	256	MMNSU-10	275	13	5.8	MMUSS-10	906	MMNSUSS-10	954	7	3.2	MMU/A-10	256	MMNSU/A-10	275
144"	3658	0.23	17	7.7	MMU-12	315	MMNSU-12	339	16	7.3	MMUSS-12	1089	MMNSUSS-12	1145	9	4.1	MMU/A-12	315	MMNSU/A-12	339
156"	3962	0.25	20	9.0	MMU-14	369	n/a	n/a	-	-	n/a	n/a	n/a	n/a	10	4.5	MMU/A-14	369	MMNSU/A-14	394
168"	4267	0.30	23	10.4	MMU-16	419	n/a	n/a	-	-	n/a	n/a	n/a	n/a	12	5.4	MMU/A-16	419	MMNSU/A-16	449

Back-To-Back Uprights — Floor-To-Ceiling

see spec sheet **EG01.45A**

FEATURES:

- Attaches to floor and ceiling.
- Two uprights are bolted or welded back-to-back.

Note: Prices do not include ceiling brackets.



*For center
room storage.*

		Gray Epoxy							Stainless Steel							Aluminum			
height		cu	weight		REGULAR		NSF		weight		REGULAR		NSF		weight		REGULAR		
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	
48"	1219	0.29	11	5.0	MMBB/FC-4	218	MMNSBB/FC-4	238	11	5.0	MMBBSS/FC-4	732	MMNSBBSS/FC-4	837	11	5.0	MMBB/FC/A-4	218	
60"	1524	0.37	14	6.4	MMBB/FC-5	273	MMNSBB/FC-5	294	24	10.9	MMBBSS/FC-5	918	MMNSBBSS/FC-5	1054	14	6.4	MMBB/FC/A-5	273	
72"	1829	0.44	17	7.7	MMBB/FC-6	328	MMNSBB/FC-6	354	28	12.7	MMBBSS/FC-6	1089	MMNSBBSS/FC-6	1255	17	7.7	MMBB/FC/A-6	328	
84"	2134	0.51	20	9.0	MMBB/FC-7	385	MMNSBB/FC-7	418	33	15.0	MMBBSS/FC-7	1272	MMNSBBSS/FC-7	1464	20	9.0	MMBB/FC/A-7	385	
96"	2438	0.59	23	10.4	MMBB/FC-8	443	MMNSBB/FC-8	481	38	17.2	MMBBSS/FC-8	1451	MMNSBBSS/FC-8	1667	23	10.4	MMBB/FC/A-8	443	
108"	2743	0.66	26	11.8	MMBB/FC-9	500	MMNSBB/FC-9	541	42	19.1	MMBBSS/FC-9	1631	MMNSBBSS/FC-9	1876	26	11.8	MMBB/FC/A-9	500	
120"	3048	0.73	29	13.2	MMBB/FC-10	691	MMNSBB/FC-10	605	47	21.3	MMBBSS/FC-10	1814	MMNSBBSS/FC-10	2085	29	13.2	MMBB/FC/A-10	691	
144"	3658	0.88	34	15.4	MMBB/FC-12	713	MMNSBB/FC-12	745	57	25.9	MMBBSS/FC-12	2178	MMNSBBSS/FC-12	2505	34	15.4	MMBB/FC/A-12	713	

Heavy-Duty Back-To-Back Uprights — Floor-To-Ceiling

see spec sheet **EG01.45C**

FEATURES:

- Double-faced unitized uprights.
- Attaches to floor and ceiling.
- Two uprights are bolted or welded back-to-back.

Note: Prices do not include ceiling brackets.



*For center
room storage.*

			Gray Epoxy						Stainless Steel						Aluminum			
height		cu	weight		REGULAR		NSF		weight		REGULAR		NSF		weight		REGULAR	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list	lb.	kg	model #	list
48"	1219	0.29	20	9.0	MMBB-4	376	MMNSBB-4	425	11	5.0	MMBBSS-4	869	MMNSBBSS-4	998	14	6.4	MMBB/A-4	382
60"	1524	0.37	25	11.3	MMBB-5	443	MMNSBB-5	512	24	10.9	MMBBSS-5	1094	MMNSBBSS-5	1258	17	7.7	MMBB/A-5	433
72"	1829	0.44	30	13.6	MMBB-6	533	MMNSBB-6	612	28	12.7	MMBBSS-6	1319	MMNSBBSS-6	1514	21	9.5	MMBB/A-6	517
84"	2134	0.51	35	15.9	MMBB-7	622	MMNSBB-7	714	33	15.0	MMBBSS-7	1538	MMNSBBSS-7	1762	24	10.9	MMBB/A-7	607
96"	2438	0.59	40	18.1	MMBB-8	714	MMNSBB-8	815	38	17.2	MMBBSS-8	1757	MMNSBBSS-8	2014	28	12.7	MMBB/A-8	689
108"	2743	0.66	45	20.4	MMBB-9	802	MMNSBB-9	913	42	19.1	MMBBSS-9	1975	MMNSBBSS-9	2267	31	14.1	MMBB/A-9	779
120"	3048	0.73	50	22.7	MMBB-10	891	MMNSBB-10	1022	47	21.3	MMBBSS-10	2193	MMNSBBSS-10	2520	34	15.4	MMBB/A-10	863
144"	3658	0.88	60	27.2	MMBB-12	1066	MMNSBB-12	1223	57	25.9	MMBBSS-12	2644	MMNSBBSS-12	3017	41	18.6	MMBB/A-12	1037

Ceiling Brackets for Standard and Back-To-Back Uprights


see spec sheet **EG01.45B**

Note: Required for all installations.

Note: In a run of shelving, left or right brackets can be used as "center" brackets.



		Gray Epoxy				Stainless Steel				Aluminum			
description		REGULAR		NSF		REGULAR		NSF		REGULAR		NSF	
		model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
left		MMCB-6-L	26	MMNSCB-6-L	26	MMCBSS-6-L	66	MMNSCBSS-6-L	68	MMCB/A6-L	42	MMNSCB/A6-L	42
right		MMCB-6-R	26	MMNSCB-6-R	26	MMCBSS-6-R	66	MMNSCBSS-6-R	68	MMCB/A6-R	42	MMNSCB/A6-R	42

see spec sheet **EG01.45C**

FEATURES:

- Adds to stability of unit.
- 1" (25mm) wide 7-gauge steel.

				Gray Epoxy				Nickel			
fits		crossbrace		weight		model #		weight		model #	
shelf	length	length	length								
in.	mm	in.	mm	lb.	kg	list	lb.	kg	list	lb.	kg
36"	914	48"	1219	2	0.9	MMXB-48	28	2	0.9	MMXB-N-48	75
48"	1219	60"	1524	3	1.4	MMXB-60	34	3	1.4	MMXB-N-60	89
60"	1524	72"	1829	4	1.8	MMXB-72	39	4	1.8	MMXB-N-72	106
72"	1829	84"	2134	5	2.3	MMXB-84	45	5	2.3	MMXB-N-84	124

see spec sheet **EG01.45B**

FEATURES:

- With flange on top left or right, these brackets support single shelf or end of shelf run.

Gray Epoxy

		Gray Epoxy								Stainless Steel								Aluminum							
length		cu	weight		REGULAR		NSF		weight		REGULAR		NSF		weight		REGULAR		NSF						
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list					
14"	356	0.09	2	0.9	MMB-K-14-L	75	MMNSB-K-14-L	81	2	0.9	MMBSS-K-14-L	159	MMNSBSS-K-14-L	172	1	0.5	MMB-K/A-14-L	85	MMNSB-K/A-14-L	91					
18"	457	0.12	3	1.4	MMB-K-18-L	91	MMNSB-K-18-L	99	2	0.9	MMBSS-K-18-L	222	MMNSBSS-K-18-L	229	1	0.5	MMB-K/A-18-L	96	MMNSB-K/A-18-L	105					
21"	533	0.15	3	1.4	MMB-K-21-L	100	MMNSB-K-21-L	114	3	1.4	MMBSS-K-21-L	264	MMNSBSS-K-21-L	277	1	0.5	MMB-K/A-21-L	106	MMNSB-K/A-21-L	119					
24"	610	0.17	3	1.4	MMB-K-24-L	114	MMNSB-K-24-L	123	3	1.4	MMBSS-K-24-L	287	MMNSBSS-K-24-L	298	2	0.9	MMB-K/A-24-L	123	MMNSB-K/A-24-L	133					

Gray Epoxy

length		cu	weight		REGULAR		NSF		weight		REGULAR		NSF		weight		REGULAR		NSF	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
14"	356	0.09	2	0.9	MMB-K-14-R	75	MMNSB-K-14-R	81	2	0.9	MMBSS-K-14-R	159	MMNSBSS-K-14-R	172	1	0.5	MMB-K/A-14-R	85	MMNSB-K/A-14-R	91
18"	457	0.12	3	1.4	MMB-K-18-R	91	MMNSB-K-18-R	99	2	0.9	MMBSS-K-18-R	222	MMNSBSS-K-18-R	229	1	0.5	MMB-K/A-18-R	96	MMNSB-K/A-18-R	105
21"	533	0.15	3	1.4	MMB-K-21-R	100	MMNSB-K-21-R	114	3	1.4	MMBSS-K-21-R	264	MMNSBSS-K-21-R	277	1	0.5	MMB-K/A-21-R	106	MMNSB-K/A-21-R	119
24"	610	0.17	3	1.4	MMB-K-24-R	114	MMNSB-K-24-R	123	3	1.4	MMBSS-K-24-R	287	MMNSBSS-K-24-R	298	2	0.9	MMB-K/A-24-R	123	MMNSB-K/A-24-R	133

see spec sheet **EG01.45B**

***For use with wire
or solid shelving***

FEATURES:

- With flanges on top left and right, these brackets support two adjoining wire or solid shelves on a common upright.

		Gray Epoxy						Stainless Steel						Aluminum						
length		cu	weight		REGULAR		NSF		weight		REGULAR		NSF		weight		REGULAR		NSF	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
14"	356	0.19	3	1.4	MMDB-K-14	127	MMNSDB-K-14	126	3	1.4	MMDBSS-K-14	222	MMNSDBSS-K-14	239	1	0.5	MMDB-K/A-14	126	MMNSDB-K/A-14	141
18"	457	0.25	4	1.8	MMDB-K-18	149	MMNSDB-K-18	166	3	1.4	MMDBSS-K-18	317	MMNSDBSS-K-18	335	2	0.9	MMDB-K/A-18	166	MMNSDB-K/A-18	181
21"	533	0.29	4	1.8	MMDB-K-21	166	MMNSDB-K-21	183	4	1.8	MMDBSS-K-21	378	MMNSDBSS-K-21	400	2	0.9	MMDB-K/A-21	177	MMNSDB-K/A-21	196
24"	610	0.33	5	2.3	MMDB-K-24	171	MMNSDB-K-24	187	4	1.8	MMDBSS-K-24	413	MMNSDBSS-K-24	424	2	0.9	MMDB-K/A-24	186	MMNSDB-K/A-24	206

Optional Single Foot Brackets with Knobs

see spec sheet **EG01.45B**

*For use with wire
and solid shelving*

- Serves as a base for bottom shelf.
- Left brackets and right brackets available.
- 9 7/8" (238mm) height.

FEATURES:

Left Single Foot Brackets with Knobs

Gray Epoxy								Stainless Steel							
length		cu	weight		REGULAR		NSF		weight	REGULAR		NSF			
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list	
14"	356	0.13	4	1.8	MMFB-K-14-L	124	MMNSFB-K-14-L	134	4	1.8	MMFBSSK-149-L	364	MMNSFBSSK-149-L	419	
18"	457	0.17	5	2.3	MMFB-K-18-L	148	MMNSFB-K-18-L	164	6	2.7	MMFBSSK-189-L	482	MMNSFBSSK-189-L	552	
21"	533	0.19	6	2.7	MMFB-K-21-L	168	MMNSFB-K-21-L	186	-	-	n/a	n/a	n/a	n/a	
24"	610	0.21	6	2.7	MMFB-K-24-L	183	MMNSFB-K-24-L	203	7	3.2	MMFBSSK-249-L	622	MMNSFBSSK-249-L	713	

Right Single Foot Brackets with Knobs

Gray Epoxy								Stainless Steel							
length		cu	weight		REGULAR		NSF		weight		REGULAR		NSF		
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list	
14"	356	0.13	4	1.8	MMFB-K-14-R	124	MMNSFB-K-14-R	134	4	1.8	MMFBSSK-149-R	364	MMNSFBSSK-149-R	419	
18"	457	0.17	5	2.3	MMFB-K-18-R	148	MMNSFB-K-18-R	164	6	2.7	MMFBSSK-189-R	482	MMNSFBSSK-189-R	552	
21"	533	0.19	6	2.7	MMFB-K-21-R	168	MMNSFB-K-21-R	186	-	-	n/a	n/a	n/a	n/a	
24"	610	0.21	6	2.7	MMFB-K-24-R	183	MMNSFB-K-24-R	203	7	3.2	MMFBSSK-249-R	622	MMNSFBSSK-249-R	713	

Optional Double Foot Brackets with Knobs

see spec sheet **EG01.45B**

- For use with wire or solid shelving.
- Serves as a base for adjoining two bottom shelves.
- 9 7/8" (238mm) height.

FEATURES:

		Gray Epoxy								Stainless Steel							
length		cu	weight		REGULAR		NSF		weight		REGULAR		NSF				
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list			
14"	356	0.26	4	1.8	MMDFB-K-14	202	MMNSDFB-K-14	222	5	2.3	MMDFBSSK-149	418	MMNSDFBSSK-149	481			
18"	457	0.33	5	2.3	MMDFB-K-18	260	MMNSDFB-K-18	289	7	3.2	MMDFBSSK-189	532	MMNSDFBSSK-189	614			
21"	533	0.39	6	2.7	MMDFB-K-21	288	MMNSDFB-K-21	315	-	-	n/a	n/a	n/a	n/a			
24"	610	0.42	7	3.2	MMDFB-K-24	296	MMNSDFB-K-24	327	8	3.6	MMDFBSSK-249	708	MMNSDFBSSK-249	817			

Catalog Section 1

Heavy Duty Single Knob "C" Brackets

see spec sheet **EG01.45C**

FEATURES:

- For dynamic loads.
- For use with wire or solid shelving.



Left Single Knob Brackets

Gray Epoxy										Stainless Steel								Aluminum							
length		cu	weight		REGULAR		NSF		weight		REGULAR		NSF		weight		REGULAR		NSF						
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list					
18"	457	0.12	3	1.4	MMBC-K-18-L	79	MMNSBC-K-18-L	85	2	0.9	MMBCSS-K-18-L	145	MMNSBCSS-K-18-L	152	1	0.5	MMBC-K/A-18-L	75	MMNSBC-K/A-18-L	79					
21"	533	0.15	3	1.4	MMBC-K-21-L	89	MMNSBC-K-21-L	96	3	1.4	MMBCSS-K-21-L	180	MMNSBCSS-K-21-L	197	1	0.5	MMBC-K/A-21-L	85	MMNSBC-K/A-21-L	89					
24"	610	0.17	3	1.4	MMBC-K-24-L	100	MMNSBC-K-24-L	106	3	1.4	MMBCSS-K-24-L	214	MMNSBCSS-K-24-L	229	2	0.9	MMBC-K/A-24-L	89	MMNSBC-K/A-24-L	96					

Right Single Knob Brackets

Gray Epoxy										Stainless Steel								Aluminum							
length		cu	weight		REGULAR		NSF		weight		REGULAR		NSF		weight		REGULAR		NSF						
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list					
18"	457	0.12	3	1.4	MMBC-K-18-R	79	MMNSBC-K-18-R	85	2	0.9	MMBCSS-K-18-R	145	MMNSBCSS-K-18-R	152	1	0.5	MMBC-K/A-18-R	75	MMNSBC-K/A-18-R	79					
21"	533	0.15	3	1.4	MMBC-K-21-R	89	MMNSBC-K-21-R	96	3	1.4	MMBCSS-K-21-R	180	MMNSBCSS-K-21-R	197	1	0.5	MMBC-K/A-21-R	85	MMNSBC-K/A-21-R	89					
24"	610	0.17	3	1.4	MMBC-K-24-R	100	MMNSBC-K-24-R	106	3	1.4	MMBCSS-K-24-R	214	MMNSBCSS-K-24-R	229	2	0.9	MMBC-K/A-24-R	89	MMNSBC-K/A-24-R	96					

Heavy Duty Double Knob "C" Brackets

see spec sheet **EG01.45C**

FEATURES:

- For dynamic loads.
- With flanges on top left and right, these brackets support two adjoining wire or solid shelves on a common upright.



		Gray Epoxy						Stainless Steel						Aluminum							
length		cu	weight			REGULAR		NSF		weight		REGULAR		NSF		weight		REGULAR		NSF	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list	
18"	457	0.25	4	1.8	MMDBC-K-18	127	MMNSDBC-K-18	141	3	1.4	MMDBCSS-K-18	218	MMNSDBCSS-K-18	229	2	0.9	MMDBC-K/A-18	118	MMNSDBC-K/A-18	127	
21"	533	0.29	4	1.8	MMDBC-K-21	145	MMNSDBC-K-21	156	4	1.8	MMDBCSS-K-21	253	MMNSDBCSS-K-21	269	2	0.9	MMDBC-K/A-21	134	MMNSDBC-K/A-21	141	
24"	610	0.33	5	2.3	MMDBC-K-24	152	MMNSDBC-K-24	164	4	1.8	MMDBCSS-K-24	281	MMNSDBCSS-K-24	301	2	0.9	MMDBC-K/A-24	145	MMNSDBC-K/A-24	145	



UP TO
2,800-LB.
WEIGHT
CAPACITY



PATENTED!
(patent #10,159,339)

SEE PAGES 75
THROUGH 80 FOR Q-LEVER®
STARTER AND ADD-ON UNITS.

SEE PAGES 81 THROUGH 83
FOR VARIOUS Q-LEVER®
WORKSTATIONS.

Q-LEVER
CLEVER STORAGE SOLUTIONS

Heavy Duty Cantilever Shelving Systems




(pages 73 through 85)

No one else offers brackets that can be positioned...




...level or...



...at a 15° angle!

Q-LEVER

CLEVER STORAGE SOLUTIONS



up to
2,800-lb.
CAPACITY

PATENTED!
(patent #10,159,339)

Q-LEVER® Shelving
has a load bearing capacity of
600 lbs. per shelf and 1,000 lbs.
on the bottom dunnage shelf.
Unit safely holds up to 2,800 lbs.

ADDITIONAL NOTES

- Evenly distribute the weight across each shelf, and keep heavier loads on the bottom.
- Unit must be bolted to the floor if bottom shelf is removed.
- Unit must be placed on a level surface to avoid a tipping hazard.



5-Tier Starter Unit




Starter and Add-On Units joined

Overview...

- Maximizes storage, free standing shelving allows access to all corners.
- With no front uprights, accessibility and productivity are improved.
- Uprights utilize 2" adjustment for shelf and accessory spacing.
- Shelves and accessories can be easily adjusted without tools.
- Can be expanded side to side with Add-On units which share a common upright with existing unit; saving cost and space.
- Units allow for sheet metal or wire overlays.
- Sizing available:
 - Widths: 18", 21", 24" and 30".
 - Lengths: 24", 30", 36", 42", 48", 54", 60", 66" and 72".

Q-LEVER

CLEVER STORAGE SOLUTIONS



Overview of chart dimensions...

- Add 4" to the shelf length for nominal length of starter unit.
- Add 1/2" to the shelf length for nominal length of add-on unit.
- Add 5" to the shelf width for both starter unit and add-on unit.

Applicable charts are on pages 75 through 80.

Q-LEVER® standard starter and add-on units feature standard wire shelves and dunnage shelves. The Q-LEVER® system can also accommodate...

Solid Shelves • Quad-PLUS® • Double Wire Mat Shelves • Reverse Mat Shelves • Dunnage Shelves
...or a mixture of same based upon your storage needs.



Contact Factory for a quotation on a Q-LEVER® System utilizing these shelving options.

Catalog Section 1

Q-LEVER® 76" (1930mm) Four-Tier Starter Units

unit with
all wire shelvesunit with bottom
dunnage shelf

FEATURES:

- Features two 76" (1930mm) uprights, two braces, X-brace assembly, and hardware.
- Uprights utilize pins on 2" (51mm) centers for maximum flexibility for shelves and accessories
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on uprights.

Consult factory for pricing.

Starter Units with All Wire Shelves

Includes four wire shelves and three pairs of brackets.

		...with 18" (457mm)-wide Shelves *		...with 21" (533mm)-wide Shelves *		...with 24" (610mm)-wide Shelves *		...with 30" (762mm)-wide Shelves *	
shelf length	unit**	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
in. mm	in. mm								
24" 610	28" 711	Q1824V76-4	Q1824VG76-4	Q2124V76-4	Q2124VG76-4	Q2424V76-4	Q2424VG76-4	-	-
30" 762	34" 864	Q1830V76-4	Q1830VG76-4	Q2130V76-4	Q2130VG76-4	Q2430V76-4	Q2430VG76-4	Q3030V76-4	Q3030VG76-4
36" 914	40" 1016	Q1836V76-4	Q1836VG76-4	Q2136V76-4	Q2136VG76-4	Q2436V76-4	Q2436VG76-4	Q3036V76-4	Q3036VG76-4
42" 1067	46" 1168	Q1842V76-4	Q1842VG76-4	Q2142V76-4	Q2142VG76-4	Q2442V76-4	Q2442VG76-4	Q3042V76-4	Q3042VG76-4
48" 1219	52" 1320	Q1848V76-4	Q1848VG76-4	Q2148V76-4	Q2148VG76-4	Q2448V76-4	Q2448VG76-4	Q3048V76-4	Q3048VG76-4
54" 1372	58" 1473	Q1854V76-4	Q1854VG76-4	Q2154V76-4	Q2154VG76-4	Q2454V76-4	Q2454VG76-4	Q3054V76-4	Q3054VG76-4
60" 1524	64" 1626	Q1860V76-4	Q1860VG76-4	Q2160V76-4	Q2160VG76-4	Q2460V76-4	Q2460VG76-4	Q3060V76-4	Q3060VG76-4
66" 1676	70" 1778	Q1866V76-4	Q1866VG76-4	Q2166V76-4	Q2166VG76-4	Q2466V76-4	Q2466VG76-4	Q3066V76-4	Q3066VG76-4
72" 1829	76" 1930	Q1872V76-4	Q1872VG76-4	Q2172V76-4	Q2172VG76-4	Q2472V76-4	Q2472VG76-4	Q3072V76-4	Q3072VG76-4

* For unit width, add 5" (127mm) to shelf width.

** Dimensions are nominal.

Starter Units with Bottom Dunnage Shelf

Includes three wire shelves, three pairs of brackets and one dunnage shelf.

		...with 18" (457mm)-wide Shelves *		...with 21" (533mm)-wide Shelves *		...with 24" (610mm)-wide Shelves *		...with 30" (762mm)-wide Shelves *	
shelf length	unit**	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
in. mm	in. mm								
24" 610	28" 711	Q1824V76-4D	Q1824VG76-4D	Q2124V76-4D	Q2124VG76-4D	Q2424V76-4D	Q2424VG76-4D	-	-
30" 762	34" 864	Q1830V76-4D	Q1830VG76-4D	Q2130V76-4D	Q2130VG76-4D	Q2430V76-4D	Q2430VG76-4D	Q3030V76-4D	Q3030VG76-4D
36" 914	40" 1016	Q1836V76-4D	Q1836VG76-4D	Q2136V76-4D	Q2136VG76-4D	Q2436V76-4D	Q2436VG76-4D	Q3036V76-4D	Q3036VG76-4D
42" 1067	46" 1168	Q1842V76-4D	Q1842VG76-4D	Q2142V76-4D	Q2142VG76-4D	Q2442V76-4D	Q2442VG76-4D	Q3042V76-4D	Q3042VG76-4D
48" 1219	52" 1320	Q1848V76-4D	Q1848VG76-4D	Q2148V76-4D	Q2148VG76-4D	Q2448V76-4D	Q2448VG76-4D	Q3048V76-4D	Q3048VG76-4D
54" 1372	58" 1473	Q1854V76-4D	Q1854VG76-4D	Q2154V76-4D	Q2154VG76-4D	Q2454V76-4D	Q2454VG76-4D	Q3054V76-4D	Q3054VG76-4D
60" 1524	64" 1626	Q1860V76-4D	Q1860VG76-4D	Q2160V76-4D	Q2160VG76-4D	Q2460V76-4D	Q2460VG76-4D	Q3060V76-4D	Q3060VG76-4D
66" 1676	70" 1778	Q1866V76-4D	Q1866VG76-4D	Q2166V76-4D	Q2166VG76-4D	Q2466V76-4D	Q2466VG76-4D	Q3066V76-4D	Q3066VG76-4D
72" 1829	76" 1930	Q1872V76-4D	Q1872VG76-4D	Q2172V76-4D	Q2172VG76-4D	Q2472V76-4D	Q2472VG76-4D	Q3072V76-4D	Q3072VG76-4D

* For unit width, add 5" (127mm) to shelf width.

** Dimensions are nominal.

Q-LEVER® 76" (1930mm) Four-Tier Add-On Units

unit with
all wire shelvesunit with bottom
dunnage shelf

- Features one 76" (1930mm) upright, two braces, X-brace assembly, and hardware.
- Uprights utilize pins on 2" (51mm) centers for maximum flexibility for shelves and accessories
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on upright.

FEATURES:

Consult factory for pricing.

Add-On Units with All Wire Shelves

Includes four wire shelves and three pairs of brackets.

		...with 18" (457mm)-wide Shelves *		...with 21" (533mm)-wide Shelves *		...with 24" (610mm)-wide Shelves *		...with 30" (762mm)-wide Shelves *	
shelf length	unit** length	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
in. mm	in. mm								
24" 610	25½" 648	Q1824V76A-4	Q1824VG76A-4	Q2124V76A-4	Q2124VG76A-4	Q2424V76A-4	Q2424VG76A-4	-	-
30" 762	31½" 800	Q1830V76A-4	Q1830VG76A-4	Q2130V76A-4	Q2130VG76A-4	Q2430V76A-4	Q2430VG76A-4	Q3030V76A-4	Q3030VG76A-4
36" 914	37½" 953	Q1836V76A-4	Q1836VG76A-4	Q2136V76A-4	Q2136VG76A-4	Q2436V76A-4	Q2436VG76A-4	Q3036V76A-4	Q3036VG76A-4
42" 1067	43½" 1105	Q1842V76A-4	Q1842VG76A-4	Q2142V76A-4	Q2142VG76A-4	Q2442V76A-4	Q2442VG76A-4	Q3042V76A-4	Q3042VG76A-4
48" 1219	49½" 1257	Q1848V76A-4	Q1848VG76A-4	Q2148V76A-4	Q2148VG76A-4	Q2448V76A-4	Q2448VG76A-4	Q3048V76A-4	Q3048VG76A-4
54" 1372	55½" 1410	Q1854V76A-4	Q1854VG76A-4	Q2154V76A-4	Q2154VG76A-4	Q2454V76A-4	Q2454VG76A-4	Q3054V76A-4	Q3054VG76A-4
60" 1524	61½" 1562	Q1860V76A-4	Q1860VG76A-4	Q2160V76A-4	Q2160VG76A-4	Q2460V76A-4	Q2460VG76A-4	Q3060V76A-4	Q3060VG76A-4
66" 1676	67½" 1715	Q1866V76A-4	Q1866VG76A-4	Q2166V76A-4	Q2166VG76A-4	Q2466V76A-4	Q2466VG76A-4	Q3066V76A-4	Q3066VG76A-4
72" 1829	73½" 1867	Q1872V76A-4	Q1872VG76A-4	Q2172V76A-4	Q2172VG76A-4	Q2472V76A-4	Q2472VG76A-4	Q3072V76A-4	Q3072VG76A-4

* For unit width, add 5" (127mm) to shelf width.

** Dimensions are nominal.

Add-On Units with Bottom Dunnage Shelf

Includes three wire shelves, three pairs of brackets and one dunnage shelf.

		...with 18" (457mm)-wide Shelves *		...with 21" (533mm)-wide Shelves *		...with 24" (610mm)-wide Shelves *		...with 30" (762mm)-wide Shelves *	
shelf length	unit** length	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
in. mm	in. mm								
24" 610	28" 711	Q1824V76A-4D	Q1824VG76A-4D	Q2124V76A-4D	Q2124VG76A-4D	Q2424V76A-4D	Q2424VG76A-4D	-	-
30" 762	34" 864	Q1830V76A-4D	Q1830VG76A-4D	Q2130V76A-4D	Q2130VG76A-4D	Q2430V76A-4D	Q2430VG76A-4D	Q3030V76A-4D	Q3030VG76A-4D
36" 914	40" 1016	Q1836V76A-4D	Q1836VG76A-4D	Q2136V76A-4D	Q2136VG76A-4D	Q2436V76A-4D	Q2436VG76A-4D	Q3036V76A-4D	Q3036VG76A-4D
42" 1067	46" 1168	Q1842V76A-4D	Q1842VG76A-4D	Q2142V76A-4D	Q2142VG76A-4D	Q2442V76A-4D	Q2442VG76A-4D	Q3042V76A-4D	Q3042VG76A-4D
48" 1219	52" 1320	Q1848V76A-4D	Q1848VG76A-4D	Q2148V76A-4D	Q2148VG76A-4D	Q2448V76A-4D	Q2448VG76A-4D	Q3048V76A-4D	Q3048VG76A-4D
54" 1372	58" 1473	Q1854V76A-4D	Q1854VG76A-4D	Q2154V76A-4D	Q2154VG76A-4D	Q2454V76A-4D	Q2454VG76A-4D	Q3054V76A-4D	Q3054VG76A-4D
60" 1524	64" 1626	Q1860V76A-4D	Q1860VG76A-4D	Q2160V76A-4D	Q2160VG76A-4D	Q2460V76A-4D	Q2460VG76A-4D	Q3060V76A-4D	Q3060VG76A-4D
66" 1676	70" 1778	Q1866V76A-4D	Q1866VG76A-4D	Q2166V76A-4D	Q2166VG76A-4D	Q2466V76A-4D	Q2466VG76A-4D	Q3066V76A-4D	Q3066VG76A-4D
72" 1829	76" 1930	Q1872V76A-4D	Q1872VG76A-4D	Q2172V76A-4D	Q2172VG76A-4D	Q2472V76A-4D	Q2472VG76A-4D	Q3072V76A-4D	Q3072VG76A-4D

* For unit width, add 5" (127mm) to shelf width.

** Dimensions are nominal.

Catalog Section 1

Q-LEVER® 76" (1930mm) Five-Tier Starter Units



FEATURES:

- Features two 76" (1930mm) uprights, two braces, X-brace assembly, and hardware.
- Uprights utilize pins on 2" (51mm) centers for maximum flexibility for shelves and accessories
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on uprights.

Consult factory for pricing.

Starter Units with All Wire Shelves

Includes five wire shelves and four pairs of brackets.

		...with 18" (457mm)-wide Shelves *		...with 21" (533mm)-wide Shelves *		...with 24" (610mm)-wide Shelves *		...with 30" (762mm)-wide Shelves *	
shelf length in. mm	unit** length in. mm	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
24" 610	28" 711	Q1824V76-5	Q1824VG76-5	Q2124V76-5	Q2124VG76-5	Q2424V76-5	Q2424VG76-5	-	-
30" 762	34" 864	Q1830V76-5	Q1830VG76-5	Q2130V76-5	Q2130VG76-5	Q2430V76-5	Q2430VG76-5	Q3030V76-5	Q3030VG76-5
36" 914	40" 1016	Q1836V76-5	Q1836VG76-5	Q2136V76-5	Q2136VG76-5	Q2436V76-5	Q2436VG76-5	Q3036V76-5	Q3036VG76-5
42" 1067	46" 1168	Q1842V76-5	Q1842VG76-5	Q2142V76-5	Q2142VG76-5	Q2442V76-5	Q2442VG76-5	Q3042V76-5	Q3042VG76-5
48" 1219	52" 1320	Q1848V76-5	Q1848VG76-5	Q2148V76-5	Q2148VG76-5	Q2448V76-5	Q2448VG76-5	Q3048V76-5	Q3048VG76-5
54" 1372	58" 1473	Q1854V76-5	Q1854VG76-5	Q2154V76-5	Q2154VG76-5	Q2454V76-5	Q2454VG76-5	Q3054V76-5	Q3054VG76-5
60" 1524	64" 1626	Q1860V76-5	Q1860VG76-5	Q2160V76-5	Q2160VG76-5	Q2460V76-5	Q2460VG76-5	Q3060V76-5	Q3060VG76-5
66" 1676	70" 1778	Q1866V76-5	Q1866VG76-5	Q2166V76-5	Q2166VG76-5	Q2466V76-5	Q2466VG76-5	Q3066V76-5	Q3066VG76-5
72" 1829	76" 1930	Q1872V76-5	Q1872VG76-5	Q2172V76-5	Q2172VG76-5	Q2472V76-5	Q2472VG76-5	Q3072V76-5	Q3072VG76-5

* For unit width, add 5" (127mm) to shelf width.

** Dimensions are nominal.

Starter Units with Bottom Dunnage Shelf


Includes four wire shelves, four pairs of brackets and one dunnage shelf.

		...with 18" (457mm)-wide Shelves *		...with 21" (533mm)-wide Shelves *		...with 24" (610mm)-wide Shelves *		...with 30" (762mm)-wide Shelves *	
shelf length in. mm	unit** length in. mm	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
24" 610	28" 711	Q1824V76-5D	Q1824VG76-5D	Q2124V76-5D	Q2124VG76-5D	Q2424V76-5D	Q2424VG76-5D	-	-
30" 762	34" 864	Q1830V76-5D	Q1830VG76-5D	Q2130V76-5D	Q2130VG76-5D	Q2430V76-5D	Q2430VG76-5D	Q3030V76-5D	Q3030VG76-5D
36" 914	40" 1016	Q1836V76-5D	Q1836VG76-5D	Q2136V76-5D	Q2136VG76-5D	Q2436V76-5D	Q2436VG76-5D	Q3036V76-5D	Q3036VG76-5D
42" 1067	46" 1168	Q1842V76-5D	Q1842VG76-5D	Q2142V76-5D	Q2142VG76-5D	Q2442V76-5D	Q2442VG76-5D	Q3042V76-5D	Q3042VG76-5D
48" 1219	52" 1320	Q1848V76-5D	Q1848VG76-5D	Q2148V76-5D	Q2148VG76-5D	Q2448V76-5D	Q2448VG76-5D	Q3048V76-5D	Q3048VG76-5D
54" 1372	58" 1473	Q1854V76-5D	Q1854VG76-5D	Q2154V76-5D	Q2154VG76-5D	Q2454V76-5D	Q2454VG76-5D	Q3054V76-5D	Q3054VG76-5D
60" 1524	64" 1626	Q1860V76-5D	Q1860VG76-5D	Q2160V76-5D	Q2160VG76-5D	Q2460V76-5D	Q2460VG76-5D	Q3060V76-5D	Q3060VG76-5D
66" 1676	70" 1778	Q1866V76-5D	Q1866VG76-5D	Q2166V76-5D	Q2166VG76-5D	Q2466V76-5D	Q2466VG76-5D	Q3066V76-5D	Q3066VG76-5D
72" 1829	76" 1930	Q1872V76-5D	Q1872VG76-5D	Q2172V76-5D	Q2172VG76-5D	Q2472V76-5D	Q2472VG76-5D	Q3072V76-5D	Q3072VG76-5D

* For unit width, add 5" (127mm) to shelf width.

** Dimensions are nominal.

Q-LEVER® 76" (1930mm) Five-Tier Add-On Units



- Features one 76" (1930mm) upright, two braces, X-brace assembly, and hardware.
- Uprights utilize pins on 2" (51mm) centers for maximum flexibility for shelves and accessories
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on upright(s)

FEATURES:

Consult factory for pricing.

Add-On Units with All Wire Shelves

Includes five wire shelves and four pairs of brackets.

		...with 18" (457mm)-wide Shelves *		...with 21" (533mm)-wide Shelves *		...with 24" (610mm)-wide Shelves *		...with 30" (762mm)-wide Shelves *	
shelf length	unit** length	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
in. mm	in. mm								
24" 610	25½" 648	Q1824V76A-5	Q1824VG76A-5	Q2124V76A-5	Q2124VG76A-5	Q2424V76A-5	Q2424VG76A-5	-	-
30" 762	31½" 800	Q1830V76A-5	Q1830VG76A-5	Q2130V76A-5	Q2130VG76A-5	Q2430V76A-5	Q2430VG76A-5	Q3030V76A-5	Q3030VG76A-5
36" 914	37½" 953	Q1836V76A-5	Q1836VG76A-5	Q2136V76A-5	Q2136VG76A-5	Q2436V76A-5	Q2436VG76A-5	Q3036V76A-5	Q3036VG76A-5
42" 1067	43½" 1105	Q1842V76A-5	Q1842VG76A-5	Q2142V76A-5	Q2142VG76A-5	Q2442V76A-5	Q2442VG76A-5	Q3042V76A-5	Q3042VG76A-5
48" 1219	49½" 1257	Q1848V76A-5	Q1848VG76A-5	Q2148V76A-5	Q2148VG76A-5	Q2448V76A-5	Q2448VG76A-5	Q3048V76A-5	Q3048VG76A-5
54" 1372	55½" 1410	Q1854V76A-5	Q1854VG76A-5	Q2154V76A-5	Q2154VG76A-5	Q2454V76A-5	Q2454VG76A-5	Q3054V76A-5	Q3054VG76A-5
60" 1524	61½" 1562	Q1860V76A-5	Q1860VG76A-5	Q2160V76A-5	Q2160VG76A-5	Q2460V76A-5	Q2460VG76A-5	Q3060V76A-5	Q3060VG76A-5
66" 1676	67½" 1715	Q1866V76A-5	Q1866VG76A-5	Q2166V76A-5	Q2166VG76A-5	Q2466V76A-5	Q2466VG76A-5	Q3066V76A-5	Q3066VG76A-5
72" 1829	73½" 1867	Q1872V76A-5	Q1872VG76A-5	Q2172V76A-5	Q2172VG76A-5	Q2472V76A-5	Q2472VG76A-5	Q3072V76A-5	Q3072VG76A-5

* For unit width, add 5" (127mm) to shelf width.

** Dimensions are nominal.

Add-On Units with Bottom Dunnage Shelf

Includes four wire shelves, four pairs of brackets and one dunnage shelf.

		...with 18" (457mm)-wide Shelves *		...with 21" (533mm)-wide Shelves *		...with 24" (610mm)-wide Shelves *		...with 30" (762mm)-wide Shelves *	
shelf length	unit** length	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
in. mm	in. mm								
24" 610	28" 711	Q1824V76A-5D	Q1824VG76A-5D	Q2124V76A-5D	Q2124VG76A-5D	Q2424V76A-5D	Q2424VG76A-5D	-	-
30" 762	34" 864	Q1830V76A-5D	Q1830VG76A-5D	Q2130V76A-5D	Q2130VG76A-5D	Q2430V76A-5D	Q2430VG76A-5D	Q3030V76A-5D	Q3030VG76A-5D
36" 914	40" 1016	Q1836V76A-5D	Q1836VG76A-5D	Q2136V76A-5D	Q2136VG76A-5D	Q2436V76A-5D	Q2436VG76A-5D	Q3036V76A-5D	Q3036VG76A-5D
42" 1067	46" 1168	Q1842V76A-5D	Q1842VG76A-5D	Q2142V76A-5D	Q2142VG76A-5D	Q2442V76A-5D	Q2442VG76A-5D	Q3042V76A-5D	Q3042VG76A-5D
48" 1219	52" 1320	Q1848V76A-5D	Q1848VG76A-5D	Q2148V76A-5D	Q2148VG76A-5D	Q2448V76A-5D	Q2448VG76A-5D	Q3048V76A-5D	Q3048VG76A-5D
54" 1372	58" 1473	Q1854V76A-5D	Q1854VG76A-5D	Q2154V76A-5D	Q2154VG76A-5D	Q2454V76A-5D	Q2454VG76A-5D	Q3054V76A-5D	Q3054VG76A-5D
60" 1524	64" 1626	Q1860V76A-5D	Q1860VG76A-5D	Q2160V76A-5D	Q2160VG76A-5D	Q2460V76A-5D	Q2460VG76A-5D	Q3060V76A-5D	Q3060VG76A-5D
66" 1676	70" 1778	Q1866V76A-5D	Q1866VG76A-5D	Q2166V76A-5D	Q2166VG76A-5D	Q2466V76A-5D	Q2466VG76A-5D	Q3066V76A-5D	Q3066VG76A-5D
72" 1829	76" 1930	Q1872V76A-5D	Q1872VG76A-5D	Q2172V76A-5D	Q2172VG76A-5D	Q2472V76A-5D	Q2472VG76A-5D	Q3072V76A-5D	Q3072VG76A-5D

* For unit width, add 5" (127mm) to shelf width.

** Dimensions are nominal.

Catalog Section 1

Q-LEVER® 86" (2184mm) Five-Tier Starter Units

unit with
all wire shelvesunit with bottom
dunnage shelf

FEATURES:

- Features two 86" (2184mm) uprights, two braces, X-brace assembly, and hardware.
- Uprights utilize pins on 2" (51mm) centers for maximum flexibility for shelves and accessories
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on upright(s)

Consult factory for pricing.

Starter Units with All Wire Shelves

Includes five wire shelves and four pairs of brackets.

		...with 18" (457mm)-wide Shelves *		...with 21" (533mm)-wide Shelves *		...with 24" (610mm)-wide Shelves *		...with 30" (762mm)-wide Shelves *	
shelf length	unit**	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
in. mm	in. mm								
24" 610	28" 711	Q1824V86-5	Q1824VG86-5	Q2124V86-5	Q2124VG86-5	Q2424V86-5	Q2424VG86-5	-	-
30" 762	34" 864	Q1830V86-5	Q1830VG86-5	Q2130V86-5	Q2130VG86-5	Q2430V86-5	Q2430VG86-5	Q3030V86-5	Q3030VG86-5
36" 914	40" 1016	Q1836V86-5	Q1836VG86-5	Q2136V86-5	Q2136VG86-5	Q2436V86-5	Q2436VG86-5	Q3036V86-5	Q3036VG86-5
42" 1067	46" 1168	Q1842V86-5	Q1842VG86-5	Q2142V86-5	Q2142VG86-5	Q2442V86-5	Q2442VG86-5	Q3042V86-5	Q3042VG86-5
48" 1219	52" 1320	Q1848V86-5	Q1848VG86-5	Q2148V86-5	Q2148VG86-5	Q2448V86-5	Q2448VG86-5	Q3048V86-5	Q3048VG86-5
54" 1372	58" 1473	Q1854V86-5	Q1854VG86-5	Q2154V86-5	Q2154VG86-5	Q2454V86-5	Q2454VG86-5	Q3054V86-5	Q3054VG86-5
60" 1524	64" 1626	Q1860V86-5	Q1860VG86-5	Q2160V86-5	Q2160VG86-5	Q2460V86-5	Q2460VG86-5	Q3060V86-5	Q3060VG86-5
66" 1676	70" 1778	Q1866V86-5	Q1866VG86-5	Q2166V86-5	Q2166VG86-5	Q2466V86-5	Q2466VG86-5	Q3066V86-5	Q3066VG86-5
72" 1829	76" 1930	Q1872V86-5	Q1872VG86-5	Q2172V86-5	Q2172VG86-5	Q2472V86-5	Q2472VG86-5	Q3072V86-5	Q3072VG86-5

* For unit width, add 5" (127mm) to shelf width.

** Dimensions are nominal.

Starter Units with Bottom Dunnage Shelf

Includes four wire shelves, four pairs of brackets and one dunnage shelf.

		...with 18" (457mm)-wide Shelves *		...with 21" (533mm)-wide Shelves *		...with 24" (610mm)-wide Shelves *		...with 30" (762mm)-wide Shelves *	
shelf length	unit**	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
in. mm	in. mm								
24" 610	28" 711	Q1824V86-5D	Q1824VG86-5D	Q2124V86-5D	Q2124VG86-5D	Q2424V86-5D	Q2424VG86-5D	-	-
30" 762	34" 864	Q1830V86-5D	Q1830VG86-5D	Q2130V86-5D	Q2130VG86-5D	Q2430V86-5D	Q2430VG86-5D	Q3030V86-5D	Q3030VG86-5D
36" 914	40" 1016	Q1836V86-5D	Q1836VG86-5D	Q2136V86-5D	Q2136VG86-5D	Q2436V86-5D	Q2436VG86-5D	Q3036V86-5D	Q3036VG86-5D
42" 1067	46" 1168	Q1842V86-5D	Q1842VG86-5D	Q2142V86-5D	Q2142VG86-5D	Q2442V86-5D	Q2442VG86-5D	Q3042V86-5D	Q3042VG86-5D
48" 1219	52" 1320	Q1848V86-5D	Q1848VG86-5D	Q2148V86-5D	Q2148VG86-5D	Q2448V86-5D	Q2448VG86-5D	Q3048V86-5D	Q3048VG86-5D
54" 1372	58" 1473	Q1854V86-5D	Q1854VG86-5D	Q2154V86-5D	Q2154VG86-5D	Q2454V86-5D	Q2454VG86-5D	Q3054V86-5D	Q3054VG86-5D
60" 1524	64" 1626	Q1860V86-5D	Q1860VG86-5D	Q2160V86-5D	Q2160VG86-5D	Q2460V86-5D	Q2460VG86-5D	Q3060V86-5D	Q3060VG86-5D
66" 1676	70" 1778	Q1866V86-5D	Q1866VG86-5D	Q2166V86-5D	Q2166VG86-5D	Q2466V86-5D	Q2466VG86-5D	Q3066V86-5D	Q3066VG86-5D
72" 1829	76" 1930	Q1872V86-5D	Q1872VG86-5D	Q2172V86-5D	Q2172VG86-5D	Q2472V86-5D	Q2472VG86-5D	Q3072V86-5D	Q3072VG86-5D

* For unit width, add 5" (127mm) to shelf width.

** Dimensions are nominal.

Q-LEVER® 86" (2184mm) Five-Tier Add-On Units



unit with
all wire shelves

unit with bottom
dunnage shelf

- Features one 86" (2184mm) upright, two braces, X-brace assembly, and hardware.
- Uprights utilize pins on 2" (51mm) centers for maximum flexibility for shelves and accessories
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on upright(s)

FEATURES:

Consult factory for pricing.

Add-On Units with All Wire Shelves

Includes five wire shelves and four pairs of brackets.

		...with 18" (457mm)-wide Shelves *		...with 21" (533mm)-wide Shelves *		...with 24" (610mm)-wide Shelves *		...with 30" (762mm)-wide Shelves *	
shelf length	unit** length	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
in. mm	in. mm								
24" 610	25 1/2" 648	Q1824V86A-5	Q1824VG86A-5	Q2124V86A-5	Q2124VG86A-5	Q2424V86A-5	Q2424VG86A-5	-	-
30" 762	31 1/2" 800	Q1830V86A-5	Q1830VG86A-5	Q2130V86A-5	Q2130VG86A-5	Q2430V86A-5	Q2430VG86A-5	Q3030V86A-5	Q3030VG86A-5
36" 914	37 1/2" 953	Q1836V86A-5	Q1836VG86A-5	Q2136V86A-5	Q2136VG86A-5	Q2436V86A-5	Q2436VG86A-5	Q3036V86A-5	Q3036VG86A-5
42" 1067	43 1/2" 1105	Q1842V86A-5	Q1842VG86A-5	Q2142V86A-5	Q2142VG86A-5	Q2442V86A-5	Q2442VG86A-5	Q3042V86A-5	Q3042VG86A-5
48" 1219	49 1/2" 1257	Q1848V86A-5	Q1848VG86A-5	Q2148V86A-5	Q2148VG86A-5	Q2448V86A-5	Q2448VG86A-5	Q3048V86A-5	Q3048VG86A-5
54" 1372	55 1/2" 1410	Q1854V86A-5	Q1854VG86A-5	Q2154V86A-5	Q2154VG86A-5	Q2454V86A-5	Q2454VG86A-5	Q3054V86A-5	Q3054VG86A-5
60" 1524	61 1/2" 1562	Q1860V86A-5	Q1860VG86A-5	Q2160V86A-5	Q2160VG86A-5	Q2460V86A-5	Q2460VG86A-5	Q3060V86A-5	Q3060VG86A-5
66" 1676	67 1/2" 1715	Q1866V86A-5	Q1866VG86A-5	Q2166V86A-5	Q2166VG86A-5	Q2466V86A-5	Q2466VG86A-5	Q3066V86A-5	Q3066VG86A-5
72" 1829	73 1/2" 1867	Q1872V86A-5	Q1872VG86A-5	Q2172V86A-5	Q2172VG86A-5	Q2472V86A-5	Q2472VG86A-5	Q3072V86A-5	Q3072VG86A-5

* For unit width, add 5" (127mm) to shelf width.

** Dimensions are nominal.

Add-On Units with Bottom Dunnage Shelf

Includes four wire shelves, four pairs of brackets and one dunnage shelf.

		...with 18" (457mm)-wide Shelves *		...with 21" (533mm)-wide Shelves *		...with 24" (610mm)-wide Shelves *		...with 30" (762mm)-wide Shelves *	
shelf length	unit** length	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
in. mm	in. mm								
24" 610	28" 711	Q1824V86A-5D	Q1824VG86A-5D	Q2124V86A-5D	Q2124VG86A-5D	Q2424V86A-5D	Q2424VG86A-5D	-	-
30" 762	34" 864	Q1830V86A-5D	Q1830VG86A-5D	Q2130V86A-5D	Q2130VG86A-5D	Q2430V86A-5D	Q2430VG86A-5D	Q3030V86A-5D	Q3030VG86A-5D
36" 914	40" 1016	Q1836V86A-5D	Q1836VG86A-5D	Q2136V86A-5D	Q2136VG86A-5D	Q2436V86A-5D	Q2436VG86A-5D	Q3036V86A-5D	Q3036VG86A-5D
42" 1067	46" 1168	Q1842V86A-5D	Q1842VG86A-5D	Q2142V86A-5D	Q2142VG86A-5D	Q2442V86A-5D	Q2442VG86A-5D	Q3042V86A-5D	Q3042VG86A-5D
48" 1219	52" 1320	Q1848V86A-5D	Q1848VG86A-5D	Q2148V86A-5D	Q2148VG86A-5D	Q2448V86A-5D	Q2448VG86A-5D	Q3048V86A-5D	Q3048VG86A-5D
54" 1372	58" 1473	Q1854V86A-5D	Q1854VG86A-5D	Q2154V86A-5D	Q2154VG86A-5D	Q2454V86A-5D	Q2454VG86A-5D	Q3054V86A-5D	Q3054VG86A-5D
60" 1524	64" 1626	Q1860V86A-5D	Q1860VG86A-5D	Q2160V86A-5D	Q2160VG86A-5D	Q2460V86A-5D	Q2460VG86A-5D	Q3060V86A-5D	Q3060VG86A-5D
66" 1676	70" 1778	Q1866V86A-5D	Q1866VG86A-5D	Q2166V86A-5D	Q2166VG86A-5D	Q2466V86A-5D	Q2466VG86A-5D	Q3066V86A-5D	Q3066VG86A-5D
72" 1829	76" 1930	Q1872V86A-5D	Q1872VG86A-5D	Q2172V86A-5D	Q2172VG86A-5D	Q2472V86A-5D	Q2472VG86A-5D	Q3072V86A-5D	Q3072VG86A-5D

* For unit width, add 5" (127mm) to shelf width.

** Dimensions are nominal.

Catalog Section 1

Q-LEVER® Workstations with Open Base



worktable with open base

FEATURES:

- Features tabletop, two 36" (914mm) uprights with legs & feet, and X-brace assembly.
- Tabletop constructed of 14 gauge type 304 stainless steel.
- Removable tabletop, no need for tools.
- 4½" backsplash.
- Valu-Master® gray epoxy finish on uprights.

Consult factory for pricing.

		...with 24" (610mm)-wide Tabletop		...with 30" (762mm)-wide Tabletop	
shelf length in. mm	unit* length in. mm	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
36"	914	37½"	953	Q2436V36-WO	Q2436VG36-WO
42"	1067	43½"	1105	Q2442V36-WO	Q2442VG36-WO
48"	1219	49½"	1257	Q2448V36-WO	Q2448VG36-WO
54"	1372	55½"	1410	Q2454V36-WO	Q2454VG36-WO
60"	1524	61½"	1562	Q2460V36-WO	Q2460VG36-WO

* Dimensions are nominal.

Q-LEVER® Workstations with Storage Shelf



worktable with storage shelf

FEATURES:

- Features tabletop, two 36" (914mm) uprights with legs & feet, X-brace assembly, and heavy duty dunnage shelf.
- Tabletop constructed of 14 gauge type 304 stainless steel.
- Removable tabletop, no need for tools.
- 4½" backsplash.
- Valu-Master® gray epoxy finish on uprights.

Consult factory for pricing.

		...with 24" (610mm)-wide Tabletop		...with 30" (762mm)-wide Tabletop	
shelf length in. mm	unit* length in. mm	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
36"	914	37½"	953	Q2436V36-WS	Q2436VG36-WS
42"	1067	43½"	1105	Q2442V36-WS	Q2442VG36-WS
48"	1219	49½"	1257	Q2448V36-WS	Q2448VG36-WS
54"	1372	55½"	1410	Q2454V36-WS	Q2454VG36-WS
60"	1524	61½"	1562	Q2460V36-WS	Q2460VG36-WS

* Dimensions are nominal.

Q-LEVER® Overhead Storage Stations



FEATURES:

- Features two 76" (1930mm) uprights with legs & feet, X-brace assembly, and two overselves.
- Overselves adjust on 2" (51mm) increments.
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves.
- Valu-Master® gray epoxy finish on uprights.

Consult factory for pricing.

		...with 24" (610mm)-wide Overall Width		...with 30" (762mm)-wide Overall Width	
shelf length	unit* length	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
in. mm	in. mm				
36" 914	37½" 953	Q2436V76-OS	Q2436VG76-OS	Q3036V76-OS	Q3036VG76-OS
42" 1067	43½" 1105	Q2442V76-OS	Q2442VG76-OS	Q3042V76-OS	Q3042VG76-OS
48" 1219	49½" 1257	Q2448V76-OS	Q2448VG76-OS	Q3048V76-OS	Q3048VG76-OS
54" 1372	55½" 1410	Q2454V76-OS	Q2454VG76-OS	Q3054V76-OS	Q3054VG76-OS
60" 1524	61½" 1562	Q2460V76-OS	Q2460VG76-OS	Q3060V76-OS	Q3060VG76-OS

* Dimensions are nominal.

Q-LEVER® Task Stations



FEATURES:

- Features tabletop, two 76" (1930mm) uprights with legs & feet, X-brace assembly, wall grid, and two adjustable overselves.
- Wall grid features 3" x 3" (76 x 76mm) mesh.
- Tabletop is removable, no need for tools.
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves.
- Valu-Master® gray epoxy finish on uprights.

Consult factory for pricing.

		...with 24" (610mm)-wide Tabletop		...with 30" (762mm)-wide Tabletop	
shelf length	unit* length	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
in. mm	in. mm				
36" 914	37½" 953	Q2436V76-TS	Q2436VG76-TS	Q3036V76-TS	Q3036VG76-TS
42" 1067	43½" 1105	Q2442V76-TS	Q2442VG76-TS	Q3042V76-TS	Q3042VG76-TS
48" 1219	49½" 1257	Q2448V76-TS	Q2448VG76-TS	Q3048V76-TS	Q3048VG76-TS
54" 1372	55½" 1410	Q2454V76-TS	Q2454VG76-TS	Q3054V76-TS	Q3054VG76-TS
60" 1524	61½" 1562	Q2460V76-TS	Q2460VG76-TS	Q3060V76-TS	Q3060VG76-TS

* Dimensions are nominal.

Catalog Section 1

Q-LEVER® Utility Stations



FEATURES:

- Features tabletop, drawers, two 76" (1930mm) uprights with legs & feet, X-brace assembly, wall grid, two adjustable overshelves, and heavy duty dunnage shelf.
- Overshelves adjust on 2" (51mm) increments.
- Tabletop is removable, no need for tools.
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves.
- Valu-Master® gray epoxy finish on uprights.

Consult factory for pricing.

		...with 24" (610mm)-wide Tabletop		...with 30" (762mm)-wide Tabletop	
shelf length	unit* length	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
in. mm	in. mm				
36" 914	37½" 953	Q2436V76-US	Q2436VG76-US	Q3036V76-US	Q3036VG76-US
42" 1067	43½" 1105	Q2442V76-US	Q2442VG76-US	Q3042V76-US	Q3042VG76-US
48" 1219	49½" 1257	Q2448V76-US	Q2448VG76-US	Q3048V76-US	Q3048VG76-US
54" 1372	55½" 1410	Q2454V76-US	Q2454VG76-US	Q3054V76-US	Q3054VG76-US
60" 1524	61½" 1562	Q2460V76-US	Q2460VG76-US	Q3060V76-US	Q3060VG76-US

* Dimensions are nominal.

Q-LEVER® Manager's Stations



*shown with optional storage
baskets, supply bins and hooks*

FEATURES:

- Features tabletop, drawers, two 76" (1930mm) uprights with legs & feet, X-brace assembly, power strip, overhead light, monitor arm, wall grid, and bin holder.
- Tabletop is removable, no need for tools.
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves.
- Valu-Master® gray epoxy finish on uprights.

Consult factory for pricing.

		...with 24" (610mm)-wide Tabletop		...with 30" (762mm)-wide Tabletop	
shelf length	unit* length	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
in. mm	in. mm				
36" 914	37½" 953	Q2436V76-MS	Q2436VG76-MS	Q3036V76-MS	Q3036VG76-MS
42" 1067	43½" 1105	Q2442V76-MS	Q2442VG76-MS	Q3042V76-MS	Q3042VG76-MS
48" 1219	49½" 1257	Q2448V76-MS	Q2448VG76-MS	Q3048V76-MS	Q3048VG76-MS
54" 1372	55½" 1410	Q2454V76-MS	Q2454VG76-MS	Q3054V76-MS	Q3054VG76-MS
60" 1524	61½" 1562	Q2460V76-MS	Q2460VG76-MS	Q3060V76-MS	Q3060VG76-MS

* Dimensions are nominal.

Q-LEVER® Accessories

Drawers

- Stainless steel construction.
- Choice of two 3" (76mm) tall drawers, or one 6" tall drawer.
- Screws into existing holes in underside of Q-LEVER® workstation top.
- Precision steel ball bearing drawer slides for medium-duty applications.
- Drawer profile features an easy to operate disconnect finger release trigger.
- Load capacity is 100 lbs. (45 kg).

description	model #
one 6"-tall drawer	QDRAWER-1
two 3"-tall drawers	QDRAWER-2



Tabletops

- Heavy gauge polished stainless steel construction.
- 4½" (114mm) backsplash.
- Square edges are turned down 90°, with a 30° kick in the front.
- Reinforced with hat channel construction underneath.
- Channel construction provides holes to accept drawers.
- Tabletops are removable.



		24" (610mm)-wide	30" (762mm)-wide
length		model	model
24"	610	Q2424T	Q3024T
30"	762	Q2430T	Q3030T
36"	914	Q2436T	Q3036T
42"	1067	Q2442T	Q3042T
48"	1219	Q2448T	Q3048T
54"	1372	Q2454T	Q3054T
60"	1524	Q2460T	Q3060T
72"	1829	Q2472T	Q3072T

Overhead Lights

- Overhead light shelf is powder-coated Valu-Master® gray.
- Dimmable light fixture is powder white.
- Built-in ON/OFF switch with a high/low output option.
- Color temp = Warm White
- Power cord is 78" (1981mm) in length.
- Adjustable on Q-LEVER® uprights.



length		model	length		model
24"	610	Q24VL	48"	1219	Q48VL
30"	762	Q30VL	54"	1372	Q54VL
36"	914	Q36VL	60"	1524	Q60VL
42"	1067	Q42VL	72"	1829	Q72VL

Power Strips


- Power strip is powder-coated black, mount is powder-coated Valu-Master® gray.
- 120-volt, NEMA 5-15P.
- Outlets are placed at right angle to accommodate bulky transformers.
- Comes with a 15' AC power cord.
- Lighted power switch confirms power ON/OFF status.
- Snap-in switch guard prevents accidental turnoff.
- Uses a 15-amp circuit breaker.
- Adjustable on Q-LEVER® uprights.



length		model	length		model
24"	610	Q24VP	48"	1219	Q48VP
30"	762	Q30VP	54"	1372	Q54VP
36"	914	Q36VP	60"	1524	Q60VP
42"	1067	Q42VP	72"	1829	Q72VP

Flat Panel Monitor Arm

- Plated powder-coated black.
- Can pivot left-to-right.
- Universal VESA mount – 100 x 100mm and 75 x 75 mm hole pattern.
- Accepts all flat pattern monitors 10" to 30".
- Has internal area for internal cable management for a neat appearance.
- Adjustable on Q-LEVER® uprights.
- Can be mounted on either side of upright.
- Weight capacity is 14 lbs (6.4 kg).



model #
QARM

Consult factory for pricing.


Catalog Section 1

Q-LEVER® Accessories

Wall Grids

- Wires are 2-gauge mild steel, crisscrossed to create a 3" x 3" mesh.
- Easily hooks onto uprights without the need for tools.
- Holds wall mat accessories.
- Valu-Master® gray epoxy finish.

height x length in. mm	model
18" x 36" 457 x 914	Q1836VW
18" x 48" 457 x 1219	Q1848VW
18" x 60" 457 x 1524	Q1860VW
30" x 36" 762 x 914	Q3036VW
30" x 48" 762 x 1219	Q3048VW



Hanger Rails

- Easily hooks onto uprights.
- Accommodates all accessories.
- Can be used as a backstop.
- Valu-Master® gray epoxy finish.

length in. mm	model	length in. mm	model
24" 610	Q24VH	48" 1219	Q48VH
30" 762	Q30VH	54" 1372	Q54VH
36" 914	Q36VH	60" 1524	Q60VH
42" 1067	Q42VH	72" 1829	Q72VH



Supply Bins

- Made of durable polypropylene, providing longlasting years of service.
- Integral molded slots accept ID labels.

color	width x length x height in. mm	carton quantity	model
blue	5½" x 10½" x 5" 140 x 276 x 127	12	A203877
blue	11" x 10½" x 5" 279 x 276 x 127	6	A203879
blue	8¼" x 14¼" x 7" 210 x 375 x 178	12	A203881
blue	16½" x 14¼" x 7" 419 x 375 x 178	6	A203883



Storage Baskets

- Easily attaches to hanger rail or side of wire shelf.
- Valu-Master® gray epoxy finish.

width x length x height in. mm	model
5" x 13½" x 7" 127 x 340 x 178	WB-V
7½" x 17½" x 5" 191 x 441 x 127	WB-M-V
7½" x 17½" x 10" 191 x 441 x 254	WB-L-V



Consult factory for pricing.

NOTES

This image shows a single page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, leaving small margins at the top and bottom. There are no vertical margin lines, and the page is completely blank except for the lines themselves.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

NOTES

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Wall Shelves

Adjustable Post Wire Wall Mounts

Sold as Components.....	97
Sold as Prepackaged Units	96

Snap-n-Slide®

Wall Shelves	92
Wire Wall Shelves	93

Wall Shelves

Piggyback Wall Mounted Shelf Kits	94
Shelves with Removable Hooks	95

Single Bar Utility Racks	95
Stationary Wire Wall Mounts	97
Tab Lock Shelves	93
Wall Mounted Shelves	94
Equipment Shelves with Cord Cutout	96
Wire Wall Shelf Kits	93

WALSTOR® Modular Wall System90

WALSTOR® Modular Wall System Accessories91

Printer Shelves

see spec sheet **EG02.17**



slanted printer shelf

standard printer shelf

**Designed for
label printers!**

FEATURES:

- Heavy gauge stainless steel.
- Hole with grommet, for wiring, located at rear.
- Four mounting holes.
- Available in standard or slanted.

Can be shipped UPS.

						Standard		Slanted	
side-to-side		front-to-rear		weight		model #	list	model #	list
in.	mm	in.	mm	lbs.	kg				
7"	178	10"	254	2.48	1.22	MWS0710-PS	97	MWS0710-SPS	100
9"	229	12"	305	2.80	1.27	MWS0912-PS	115	MWS0912-SPS	118




Modular Wall System

Imagine the possibilities!

- Maximize space.
- Keep every thing within easy reach, without taking up valuable floor space.
- Organize room effectively and efficiently with total flexibility.
- Sway-resistant design locks individual shelves firmly into place uneven loads safely on the system.
- Positioned anywhere on a wall, regardless of stud position.

**To learn more about WalStor®,
see pages 90 and 91.**


**Convert wasted
wall space into
a productive
and organized
work area.**



Single Shelf Kit



Double Shelf Kit
(with extra shelves)



**WalStor® system
shown demonstrating
an uneven load capability.**

Modular Wall System

see spec sheet **EG02.00A**

Wall Mats


- 3" x 3" (76 x 76mm) zinc-plated grids.
- Required only for hanging accessories.

	length		weight		cubic feet	model #	list
	height in.	mm	lbs.	kg			
18" (457mm)	36"	914	9	4.1	0.2	WM1836 •	104
	48"	1219	11	5.0	0.3	WM1848 •	134
	60"	1524	14	6.4	0.3	WM1860	156
24" (609mm)	48"	1219	13	5.8	0.3	WM2448 •	159
	72"	1828	19	8.6	0.5	WM2472	183
	84"	2133	22	9.9	0.6	WM2484	219
	96"	2438	25	11.3	0.7	WM2496	232
33" (838mm)	54"	1372	22	9.9	0.5	WM3354	267
48" (1219mm)	48"	1219	19	8.6	0.7	WM4848	259

Vertical Wall Uprights

- Zinc-plated finish.
- Sold in pairs.

height in.	mm	weight		cu ft	model #	list
		lbs.	kg			
12"	305	2	0.9	0.2	PR12VU •	60
30"	762	4	1.8	0.4	PR30VU •	99
45"	1143	5	2.3	0.5	PR45VU •	123



Wire Shelf Brackets


- Zinc-plated finish.
 - Sold in pairs.
- (Note: Must be ordered with Vertical Wall Uprights)

depth in.	mm	weight		cubic feet	model #	list
		lbs.	kg			
14"	356	3	1.5	0.1	PR14B •	132
18"	457	4	2.0	0.1	PR18B •	144
21"	533	4	2.0	0.1	PR21B	148
24"	610	5	2.0	0.1	PR24B	191



Wall Grid Shelving - see spec sheet **EG02.00C**

width x length in. mm		weight		cubic feet	chrome		Valu-Gard®		EAGLEbrite®	
		lbs.	kg		model #	list	model #	list	model #	list
14" x 30"	356 x 762	7	3.2	3.1	1430WGS-C	148	1430WGS-VG	153	1430WGS-Z	136
14" x 36"	356 x 914	9	4.1	3.6	1436WGS-C	154	1436WGS-VG	160	1436WGS-Z	145
18" x 30"	457 x 762	9	4.1	3.7	1830WGS-C	159	1830WGS-VG	163	1830WGS-Z	148
18" x 36"	457 x 914	12	5.4	4.5	1836WGS-C	165	1836WGS-VG	171	1836WGS-Z	152
18" x 48"	457 x 1219	15	6.8	6.0	1848WGS-C	191	1848WGS-VG •	196	1848WGS-Z	176



Note: WalStor® must be mounted to a solid surface or studs in a wall. User needs to determine installation materials and methods suitable to hold and support the WalStor® system.

(•) MTS (made to stock) / () MTO (made to order)

Single Shelf Kits

- One EAGLEbrite® shelf.
- One wall mat.
- One pair of 30" (762mm) vertical wall uprights.
- One pair of 18" (457mm) wire shelf brackets.

	shelf and wall mat size		weight		cu ft	model #	list
	in.	mm	lbs.	kg			
18" width (457mm)	36"	914	35	15.9	3.5	WAL-1-1836	437
	48"	1219	36	16.3	4.5	WAL-1-1848	483

Double Shelf Kits

- Two EAGLEbrite® shelves.
- Two wall mats.
- One pair of 45" (1143mm) vertical wall uprights.
- Two pairs of 18" (457mm) wire shelf brackets.

	shelf dimensions		weight		cubic feet	model #	list
	in.	mm	lbs.	kg			
18" width (457mm)	36"	914	41	18.6	2.0	WAL-2-1836	799
	48"	1219	49	22.2	2.4	WAL-2-1848	892



Custom configurations allow you to personalize your WalStor® system for merchandise displays or over-the-workstation storage. Engineered with the idea that a perfect storage system adapts easily to individual requirements.

Modular Wall System Accessories

see spec sheet **EG02.00B**

(•) MTS (made to stock) / () MTO (made to order)



WalStor® system with optional accessories shown

shelf collar plugs ▶

Model #: **COLLAR PLUG**
List: \$9 (4 per shelf required)



utensil rack ▶

Model #: **SCOOP10-VG**. List: \$77
5" depth x 10-1/2" length (127 x 267mm),
2 lbs., 0.5 cu. ft. ValuGuard® epoxy finish.



small** snap hook ▶



large** snap hook ▶



utensil** hook ▶



large** double hook ▶




book holder ▶



light duty utility shelf ▶



grid shelf ▶



triangle shelf ▶



towel rack ▶




spice rack ▶



merchandising** display hook ▶



large bin ▶



small bin ▶



hanging file holder ▶



plastic bin holder ▶



grid panel wall bracket ▶



1/2-size pan holder ▶



drop basket ▶



wire basket ▶



grid panel basket ▶



description	length x width x height		weight		cu	model #	list	description	length x width x height		weight		cu	model #	list
	in.	mm	lbs.	kg	ft				in.	mm	lbs.	kg	ft		
1/2 size pan holder	12" x 8" x 3"	305 x 203 x 76	1.0	0.5	0.2	PH3RD	66	plastic bin dividers	10 1/2" x 5"	276 x 127	2.0	0.9	0.1	A204237	25
book holder	3" x 12" x 10"	76 x 305 x 254	2.0	0.9	0.2	BH-1	187	plastic bin holder	4" x 2"	102 x 51	0.3	0.1	0.4	PBH •	48
drop basket	22" x 18" x 11"	559 x 457 x 280	3.0	1.4	0.3	DB	143	small plastic bin	10 1/2" x 5 1/2" x 5"	276 x 140 x 127	0.75	0.3	0.2	A203877 *	22
(for 18" wire shelf)								small snap hook	1 1/4" x 4 1/4" x 3/8"	32 x 127 x 76	0.3	0.1	0.1	SH ** •	4
grid shelf	16 1/2" x 16 1/2"	426 x 426	4.0	1.8	0.6	GS17	185	spice rack	14" x 2"	356 x 51	1.0	0.5	0.1	SR14	81
hanging file holder	12" x 8" x 3"	305 x 203 x 76	1.0	0.5	0.2	HFH	65	spice rack	24" x 2"	610 x 51	1.5	0.7	0.2	SR24	86
large double hook	2 1/4" x 4 1/4" x 3/8"	57 x 108 x 3	0.3	0.1	0.1	LDH ** •	12	towel rack	10 1/2" x 5" x 3.5"	267 x 127 x 76	1.0	0.5	0.3	TR10	65
large plastic bin	10 1/2" x 11" x 5"	276 x 280 x 127	1.0	0.5	0.3	A203879 *	29	utensil hook	2 1/2" x 2"	64 x 51	0.3	0.1	0.1	UH ** •	16
large snap hook	2 1/4" x 4 1/4" x 3/8"	57 x 108 x 3	0.3	0.1	0.1	LH ** •	7	wire basket	13 3/8" x 5" x 7"	340 x 127 x 178	0.5	0.2	0.2	WB •	42
lt. duty utility shelf	11 1/4" x 8" x 3 1/2"	286 x 203 x 89	2.0	0.9	0.2	LDUS12	79	2-deck can rack	8 3/8" x 13" x 14"	219 x 330 x 356	1.0	0.5	0.1	CR2D	212
merch. dspl hook	4" x 3"	101 x 76	0.2	0.1	0.1	MDH-4 **	18	4-deck can rack	8 3/4" x 8 1/2" x 28 1/2"	210 x 216 x 724	3.0	1.3	1.2	CR4D	237
merch. dspl hook	6" x 3"	152 x 76	0.2	0.1	0.1	MDH-6 **	19	wall bracket	3" x 4" x 4"	76 x 102 x 102	0.2	0.1	0.1	GPWB	28
merch. dspl hook	8" x 3"	203 x 76	0.2	0.1	0.1	MDH-8 **	25	triangle shelf	24" x 24"	610 x 610	3.6	1.6	0.5	GPS24-C	92
merch. dspl hook	10" x 3"	254 x 76	0.2	0.1	0.1	MDH-10 **	26	grid panel basket	15" x 24"	381 x 610	2.8	1.2	0.4	GBP15-C	103
merch. dspl hook	12" x 3"	304 x 76	0.2	0.1	0.1	MDH-12 **	29								

*A203877 requires (1) PBH. A203879 requires (2) PBH. **All hooks are heavy gauge chrome-plated.

Snap-n-Slide® Wall Shelves

see spec sheet **EG02.01**



- Brackets can be mounted to wall studs – no wall backing required.
- 1½" (38mm) upturn on rear and ends.
- Heavy gauge stainless steel construction.
- No tools required to attach shelf to wall brackets.

FEATURES:

(•) MTS (made to stock) / () MTO (made to order)

Optional Dividers for Snap-n-Slide® Wall Shelves

- 4" (102mm) height.

description	model #	list
for 12" (305mm) shelving	358114	49
for 15" (381mm) shelving	358115	52



12" (305mm) wide Snap-n-Slide® Shelves with Rolled Front Edge

length		weight		wt. capacity*		cu	16 gauge type 430		16 gauge type 304		14 gauge type 304	
in.	mm	lbs.	kg	lbs.	kg	ft	model #	list	model #	list	model #	list
24"	610	12	5.4	90	40.8	0.7	SWS1224-16/4 •	302	SWS1224-16/3 •	363	SWS1224-14/3	385
36"	915	14	6.4	135	61.2	1.1	SWS1236-16/4 •	327	SWS1236-16/3 •	460	SWS1236-14/3 •	491
48"	1219	17	7.7	180	81.6	1.4	SWS1248-16/4 •	402	SWS1248-16/3 •	509	SWS1248-14/3 •	548
60"	1524	23	10.4	225	102.1	1.8	SWS1260-16/4 •	427	SWS1260-16/3 •	556	SWS1260-14/3	593
72"	1829	25	11.3	270	122.5	2.1	SWS1272-16/4 •	528	SWS1272-16/3 •	685	SWS1272-14/3	751

15" (381mm) wide Snap-n-Slide® Shelves with Rolled Front Edge

length		weight		wt. capacity*		cu	16 gauge type 430		16 gauge type 304		14 gauge type 304	
in.	mm	lbs.	kg	lbs.	kg	ft	model #	list	model #	list	model #	list
24"	610	15	6.8	90	40.8	1.1	SWS1524-16/4	327	SWS1524-16/3	398	SWS1524-14/3	433
36"	915	17	7.7	135	61.2	1.7	SWS1536-16/4 •	337	SWS1536-16/3 •	475	SWS1536-14/3	535
48"	1219	21	9.5	180	81.6	2.2	SWS1548-16/4 •	405	SWS1548-16/3 •	577	SWS1548-14/3	651
60"	1524	28	12.7	225	102.1	2.7	SWS1560-16/4 •	441	SWS1560-16/3 •	633	SWS1560-14/3	669
72"	1829	30	13.6	270	122.5	3.3	SWS1572-16/4	539	SWS1572-16/3	788	SWS1572-14/3	891

15" (381mm) wide Snap-n-Slide® Shelves with "V" Marine Front Edge 14 gauge

length		weight		wt. capacity*		cu	14 gauge type 304		14 gauge type 316	
in.	mm	lbs.	kg	lbs.	kg	ft	model #	list	model #	list
24"	610	15	6.8	90	40.8	1.1	SWS1524-14/304-VMAR	562	SWS1524-14/316-VMAR	627
36"	915	17	7.7	135	61.2	1.7	SWS1536-14/304-VMAR	588	SWS1536-14/316-VMAR	725
48"	1219	21	9.5	180	81.6	2.2	SWS1548-14/304-VMAR	764	SWS1548-14/316-VMAR	902
60"	1524	28	12.7	225	102.1	2.7	SWS1560-14/304-VMAR	851	SWS1560-14/316-VMAR	1014
72"	1829	30	13.6	270	122.5	3.3	SWS1572-14/304-VMAR	1007	SWS1572-14/316-VMAR	1188

15" (381mm) wide Snap-n-Slide® Shelves with "V" Marine Front Edge 16 gauge

length		weight		wt. capacity*		cu	16 gauge type 430		16 gauge type 304	
in.	mm	lbs.	kg	lbs.	kg	ft	model #	list	model #	list
24"	610	15	6.8	90	40.8	1.1	SWS1524-16/430-VMAR	491	SWS1524-16/304-VMAR	552
36"	915	17	7.7	135	61.2	1.7	SWS1536-16/430-VMAR	533	SWS1536-16/304-VMAR	614
48"	1219	21	9.5	180	81.6	2.2	SWS1548-16/430-VMAR	628	SWS1548-16/304-VMAR	735
60"	1524	28	12.7	225	102.1	2.7	SWS1560-16/430-VMAR	675	SWS1560-16/304-VMAR	806
72"	1829	30	13.6	270	122.5	3.3	SWS1572-16/430-VMAR	794	SWS1572-16/304-VMAR	944

* Weight capacities pertain to evenly distributed weight.

Catalog Section 1

Snap-n-Slide® Wire Wall Shelves

see spec sheet **EG02.02**



- Wire design allows for air circulation.
- Brackets can be mounted to studs with no backing required.

FEATURES:

Note: See page 92 for solid Snap-n-Slide® Wall Shelves.

	length		weight		weight *		cu	chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®	
	in.	mm	lbs.	kg	lbs.	kg		model #	list	model #	list	model #	list	model #	list
12" width (305mm)	24"	610	5	2.3	70	31.8	0.7	SNSW1224C	140	SNSW1224V	146	SNSW1224VG	146	SNSW1224E	162
	36"	915	7	3.2	105	47.6	1.1	SNSW1236C	183	SNSW1236V	193	SNSW1236VG	193	SNSW1236E	209
	48"	1219	9	4.1	140	63.5	1.4	SNSW1248C	228	SNSW1248V	239	SNSW1248VG	239	SNSW1248E	255
	60"	1524	11	5.0	175	79.5	1.8	SNSW1260C	247	SNSW1260V	260	SNSW1260VG	260	SNSW1260E	279
	72"	1829	14	6.4	210	95.3	2.1	SNSW1272C	317	SNSW1272V	335	SNSW1272VG	335	SNSW1272E	351

* Weight capacity pertains to evenly distributed weight.

Wire Wall Shelf Kits

see spec sheet **EG02.04**



- One wire shelf.
- Two stationary wire wall mounts.

INCLUDES:

	length		weight		chrome		VALU-MASTER®		Valu-Gard®	
	in.	mm	lb.	kg	model #	list	model #	list	model #	list
14" width (356mm)	36"	914	12	5.4	GWB1436C	144	GWB1436V	146	GWB1436VG	146
	48"	1219	14	6.4	GWB1448C	160	GWB1448V	163	GWB1448VG	163
18" width (457mm)	36"	914	14	6.4	GWB1836C	152	GWB1836V	163	GWB1836VG	163
	48"	1219	17	7.7	GWB1848C	169	GWB1848V	185	GWB1848VG	185

Tab Lock Shelves

see spec sheet **EG02.09**



- 16 gauge, type 430 stainless steel.
- 1½" (38mm) roll on front.
- 1½" (38mm) upturn on rear and ends.
- Tab lock for easy assembly.
- Die-formed stainless steel mounting brackets.
- Not available in other widths.
- 60" (1524mm) length max.

FEATURES:

(•) MTS (made to stock) / () MTO (made to order)

	length		weight		cubic	model #	
	in.	mm	lbs.	kg		list	
10" width (254mm)	24"	610	10	4.5	0.6	WS1024TL •	252
	36"	915	12	5.4	0.9	WS1036TL •	269
	48"	1219	15	6.8	1.3	WS1048TL •	307
	60"	1524	20	9.0	1.6	WS1060TL •	346
12" width (305mm)	24"	610	12	5.4	0.6	WS1224TL •	271
	36"	915	14	6.4	0.9	WS1236TL •	293
	48"	1219	17	7.7	1.3	WS1248TL •	331
	60"	1524	23	10.4	1.6	WS1260TL •	369

Wall Mounted Shelves

see spec sheet **EG02.05**



Die-formed stainless steel mounting brackets are stud-welded to shelf.

- 1½" (38mm) roll on front.
- 1½" (38mm) upturn on rear and ends.

FEATURES:

Note: 15" and 18" (381 and 457mm) wide shelves available. To order, replace "12" in model number with a "15" or "18" indicating desired shelf width (example: **WS1548-16/3**). For 15" (381mm) wide shelves, add 15% to list price of 12" (305mm) wide models. For 18" wide shelves, add 30% to list price of 12" (305mm) shelves.

(•) MTS (made to stock) / () MTO (made to order)

	length		weight		cubic feet	16 gauge, type 430		16 gauge, type 304		14 gauge, type 304	
	in.	mm	lbs.	kg		model #	list	model #	list	model #	list
10" width (254mm)	24"	610	10	4.5	0.5	WS1024-16/4	576	WS1024-16/3	675	WS1024-14/3	742
	36"	915	12	5.4	0.7	WS1036-16/4 •	619	WS1036-16/3	761	WS1036-14/3	839
	48"	1219	15	6.8	0.9	WS1048-16/4 •	626	WS1048-16/3	813	WS1048-14/3	888
	60"	1524	20	9.0	1.2	WS1060-16/4 •	668	WS1060-16/3	898	WS1060-14/3	983
	72"	1829	22	10.0	1.4	WS1072-16/4 •	713	WS1072-16/3	980	WS1072-14/3	1073
	84"	2133	24	10.9	1.7	WS1084-16/4	752	WS1084-16/3	1062	WS1084-14/3	1163
	96"	2438	29	13.2	1.9	WS1096-16/4	869	WS1096-16/3	1224	WS1096-14/3	1346
	108"	2743	32	14.5	2.1	WS10108-16/4	945	WS10108-16/3	1343	WS10108-14/3	1479
12" width (305mm)	120"	3048	34	15.4	2.3	WS10120-16/4	992	WS10120-16/3	1517	WS10120-14/3	1667
	24"	610	12	5.4	0.6	WS1224-16/4 •	619	WS1224-16/3 •	720	WS1224-14/3	794
	36"	915	14	6.4	0.9	WS1236-16/4 •	665	WS1236-16/3 •	809	WS1236-14/3	887
	48"	1219	17	7.7	1.1	WS1248-16/4 •	680	WS1248-16/3 •	867	WS1248-14/3	954
	60"	1524	23	10.4	1.4	WS1260-16/4 •	724	WS1260-16/3 •	957	WS1260-14/3	1051
	72"	1829	25	11.3	1.7	WS1272-16/4 •	776	WS1272-16/3 •	1046	WS1272-14/3 •	1146
	84"	2133	28	12.7	2.0	WS1284-16/4 •	820	WS1284-16/3 •	1135	WS1284-14/3	1248
	96"	2438	31	14.1	2.2	WS1296-16/4 •	962	WS1296-16/3 •	1242	WS1296-14/3	1365
	108"	2743	36	16.3	2.5	WS12108-16/4	1053	WS12108-16/3	1457	WS12108-14/3	1599
	120"	3048	39	17.6	2.8	WS12120-16/4	1096	WS12120-16/3	1539	WS12120-14/3	1694

Piggyback Wall Mounted Shelf Kits

see spec sheet **EG02.13**

PATENTED!
(patent #8,025,163 B2)



Additional Brackets (pair)

18" (457mm) width. Chrome.

FEATURES:

- Brackets can be mounted to studs – no wall backing required.
- Freedom to move the shelves left or right.
- Wire design allows for air circulation.
- 18" (457mm) width.
- No tools required to attach shelf to wall brackets.

description	weight		model #	list
	lbs.	kg		
three-tier	7.3	3.3	SSW18B3-C	113
five-tier	10.8	4.9	SSW18B5-C	133

Three-Tier Units – Includes one pair of 23¾" (606mm)-high brackets.

shelf width x length in. mm	Units with One Chrome Shelf				Units with Two Chrome Shelves				Units with Three Chrome Shelves				Additional Shelves			
	weight	lbs.	kg	model #	list	weight	lbs.	kg	model #	list	weight	lbs.	kg	model #	list	chrome
18" x 24" 457 x 610	12	5.4	S1-3B-SSW1824C	144	17	7.7	S2-3B-SSW1824C	219	22	10.0	S3-3B-SSW1824C	294	5	2.3	SSW1824C	77
18" x 30" 457 x 762	13	5.9	S1-3B-SSW1830C	161	19	8.6	S2-3B-SSW1830C	252	25	11.3	S3-3B-SSW1830C	340	6	2.7	SSW1830C	93
18" x 36" 457 x 914	14	6.4	S1-3B-SSW1836C	171	21	9.5	S2-3B-SSW1836C	272	28	12.7	S3-3B-SSW1836C	372	7	3.2	SSW1836C	104
18" x 42" 457 x 1067	16	7.3	S1-3B-SSW1842C	186	24	10.9	S2-3B-SSW1842C	308	33	15.0	S3-3B-SSW1842C	428	9	4.1	SSW1842C	125
18" x 48" 457 x 1219	17	7.7	S1-3B-SSW1848C	196	27	12.2	S2-3B-SSW1848C	324	37	16.8	S3-3B-SSW1848C	449	10	4.5	SSW1848C	131
18" x 60" 457 x 1524	22	10.0	S1-3B-SSW1860C	229	37	16.8	S2-3B-SSW1860C	391	51	23.1	S3-3B-SSW1860C	551	15	6.8	SSW1860C	167

Five-Tier Units – Includes one pair of 33¾" (860mm)-high brackets.

shelf width x length in. mm	Units with Three Chrome Shelf				Units with Four Chrome Shelves				Units with Five Chrome Shelves				Additional Shelves			
	weight	lbs.	kg	model #	list	weight	lbs.	kg	model #	list	weight	lbs.	kg	model #	list	chrome
18" x 24" 457 x 610	19	8.6	S3-5B-SSW1824C	319	22	10.0	S4-5B-SSW1824C	392	29	13.2	S5-5B-SSW1824C	464	5	2.3	SSW1824C	77
18" x 30" 457 x 762	22	10.0	S3-5B-SSW1830C	365	28	12.7	S4-5B-SSW1830C	459	34	15.4	S5-5B-SSW1830C	549	6	2.7	SSW1830C	93
18" x 36" 457 x 914	25	11.3	S3-5B-SSW1836C	398	32	14.5	S4-5B-SSW1836C	498	39	17.6	S5-5B-SSW1836C	598	7	3.2	SSW1836C	104
18" x 42" 457 x 1067	30	13.6	S3-5B-SSW1842C	454	38	17.2	S4-5B-SSW1842C	575	47	21.3	S5-5B-SSW1842C	695	9	4.1	SSW1842C	125
18" x 48" 457 x 1219	34	15.4	S3-5B-SSW1848C	477	44	20.0	S4-5B-SSW1848C	604	54	24.5	S5-5B-SSW1848C	732	10	4.5	SSW1848C	131
18" x 60" 457 x 1524	49	22.2	S3-5B-SSW1860C	576	64	29.0	S4-5B-SSW1860C	737	79	35.8	S5-5B-SSW1860C	898	15	6.8	SSW1860C	167

Catalog Section 1

Shelves with Removable Hooks

see spec sheet **EG02.06**



FEATURES:

- 16 gauge type 430 shelf with type 304 stainless steel pot rack.
- 1½" (38mm) roll on front.
- 1½" (38mm) upturn on rear and ends.
- Furnished with one double-prong hook per foot.

(•) MTS (made to stock) / () MTO (made to order)



Additional Hook for Shelves with Removable Hooks

- Stainless steel.

weight	cu	model #	list
lbs. kg	ft		ea.
0.2 0.1	0.1	300696	34

10" (254mm) Wide Shelves						12" (305mm) Wide Shelves					
length		weight		cu	model #	list	weight		cu	model #	list
in.	mm	lbs.	kg	ft			lbs.	kg	ft		
36"	914	12	5.4	1.0	WSP1036	1047	15	6.8	1.1	WSP1236	1087
48"	1219	23	10.4	1.3	WSP1048	1069	29	13.2	1.5	WSP1248 •	1125
60"	1524	37	16.8	1.6	WSP1060	1116	43	19.5	1.8	WSP1260 •	1179
72"	1829	51	23.1	1.9	WSP1072	1156	57	25.9	2.2	WSP1272 •	1223
84"	2134	65	29.5	2.2	WSP1084	1213	71	32.2	2.6	WSP1284	1294
96"	2438	79	35.8	2.5	WSP1096	1296	85	38.6	2.9	WSP1296	1323
108"	2743	93	42.2	2.8	WSP10108	1700	99	44.9	3.3	WSP12108	1806
120"	3048	107	48.5	3.1	WSP10120	1739	113	51.3	3.6	WSP12120	1848
132"	3353	121	54.9	3.4	WSP10132	1843	127	57.6	4.0	WSP12132	1943
144"	3658	135	61.2	3.7	WSP10144	1882	141	64.0	4.4	WSP12144	1979

15" (381mm) Wide Shelves						18" (457mm) Wide Shelves					
length		weight		cu	model #	list	weight		cu	model #	list
in.	mm	lbs.	kg	ft			lbs.	kg	ft		
36"	914	21	9.5	1.3	WSP1536	1420	27	12.2	1.6	WSP1836	1700
48"	1219	35	15.9	1.8	WSP1548	1451	41	18.6	2.2	WSP1848	1728
60"	1524	49	22.2	2.3	WSP1560	1649	55	24.9	2.7	WSP1860	1818
72"	1829	63	28.6	2.7	WSP1572	1791	69	31.3	3.2	WSP1872	1946
84"	2134	77	34.9	3.2	WSP1584	2051	83	37.6	3.7	WSP1884	2112
96"	2438	91	41.3	3.6	WSP1596	2148	97	44.0	4.3	WSP1896	2236
108"	2743	105	47.6	4.0	WSP15108	2333	111	50.3	4.8	WSP18108	2717
120"	3048	119	54.0	4.5	WSP15120	2371	125	56.7	5.3	WSP18120	2759
132"	3353	133	60.3	4.9	WSP15132	2547	139	63.1	5.9	WSP18132	2813
144"	3658	147	66.7	5.4	WSP15144	2589	153	69.4	6.4	WSP18144	2857

Single Bar Utility Racks

see spec sheet **EG10.06**



FEATURES:

- Flat ⅝" (5mm)-thick, 2" (51mm)-wide solid bar.
- 24" (610mm) racks are one-piece, all others come with support brackets.
- Includes one two-prong hook per foot.



Additional Hook for Single Bar Utility Racks

- Stainless steel.

weight	cu	model #	list
lbs. kg	ft		ea.
0.2 0.1	0.1	300696	34

ALUMINUM						STAINLESS STEEL					
length*		weight		model #	list	weight		model #	list		
in.	mm	lbs.	kg			lbs.	kg				
24"	610	5	2.3	SBPR-24-A	198	9	4.1	SBPR-24-S	267		
36"	915	6	2.7	SBPR-36-A	301	12	5.4	SBPR-36-S	378		
48"	1219	7	3.2	SBPR-48-A	320	15	6.8	SBPR-48-S	424		
8½" width (216mm)	60"	1524	9	4.1	SBPR-60-A	344	18	8.2	SBPR-60-S	469	
	72"	1829	11	5.0	SBPR-72-A	475	21	9.5	SBPR-72-S	613	
	84"	2134	13	5.9	SBPR-84-A	493	25	11.3	SBPR-84-S	654	
	96"	2438	15	6.8	SBPR-96-A	615	29	13.2	SBPR-96-S	791	
	108"	2743	17	7.7	SBPR-108-A	658	34	15.4	SBPR-108-S	855	
	120"	3048	20	9.0	SBPR-120-A	677	39	17.6	SBPR-120-S	897	

* For overall lengths, add 5-1/8" (130mm).

Equipment Shelves with Cord Cutout

see spec sheet **EG02.10M**



- 24" (610mm) length.
- Made of highly polished heavy gauge type 430 stainless steel.
- Marine counter edge in front that prevents contents from sliding off.
- Hole with grommet at center rear for wiring.


FEATURES:

width in.	mm	weight lbs.	kg	cubic feet	model #	list
18"	457	17	7.7	4.8	MWS1824 •	614
24"	610	23	10.4	4.8	MWS2424 •	68

(•) MTS (made to stock) / () MTO (made to order)

Adjustable Post Wire Wall Mounts Sold as Prepackaged Units

see spec sheet **EG02.11**



Adjustable post wall mounts are sold as prepackaged end and mid units, or sold as components (see page 97). The prepackaged units contain all needed components except shelves and wall bolts. Wall bolts must be selected according to wall type.

FEATURES:

END UNITS.

- Two posts, single shelf brackets, post supports.
- Number of shelf brackets depends on the height of the posts.
 - 14" (356mm) posts: one row of brackets.
 - 33" (838mm) posts: two rows of brackets
 - ...and so on.

MID UNITS

- One post, double shelf brackets, post supports.
- Number of shelf brackets corresponds to post height the same as end units.

ORDERING:

- One shelf long, order only one end unit.
- Two shelves long, order one end and one mid unit.
- Three shelves long, order one end and two mid units. And so on.

Note: Shelves (page 6) and accessories (pages 49 & 50) are sold separately.


						Prepackaged End Units						Prepackaged Mid Units						
post height		# of	cu	weight*		chrome		Valu-Gard®		stainless steel		chrome		Valu-Gard®		stainless steel		
	in.	mm	shelves	ft	lbs.	kg	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
14" width (356mm)	14"	356	1	0.6	7	3.2	PWE14-1C	233	PWE14-1VG	233	PWE14-1S	629	PWM14-1C	149	PWM14-1VG	149	PWM14-1S	418
	33"	838	2	0.7	14	6.4	PWE14-2C	376	PWE14-2VG	376	PWE14-2S	1151	PWM14-2C	254	PWM14-2VG	254	PWM14-2S	757
	54"	1372	3	0.7	22	10.0	PWE14-3C	521	PWE14-3VG	521	PWE14-3S	1479	PWM14-3C	358	PWM14-3VG	358	PWM14-3S	1009
	63"	1600	4	0.7	28	13.0	PWE14-4C	629	PWE14-4VG	629	PWE14-4S	1814	PWM14-4C	444	PWM14-4VG	444	PWM14-4S	1264
18" width (457mm)	14"	356	1	0.6	8	3.6	PWE18-1C	235	PWE18-1VG	235	PWE18-1S	669	PWM18-1C	152	PWM18-1VG	152	PWM18-1S	431
	33"	838	2	0.6	15	6.8	PWE18-2C	376	PWE18-2VG	376	PWE18-2S	1201	PWM18-2C	255	PWM18-2VG	255	PWM18-2S	788
	54"	1372	3	0.7	23	10.0	PWE18-3C	523	PWE18-3VG	523	PWE18-3S	1548	PWM18-3C	363	PWM18-3VG	363	PWM18-3S	1045
	63"	1600	4	0.7	29	13.0	PWE18-4C	632	PWE18-4VG	632	PWE18-4S	1908	PWM18-4C	447	PWM18-4VG	447	PWM18-4S	1217
21" width (533mm)	14"	356	1	0.7	9	4.1	PWE21-1C	238	PWE21-1VG	238	PWE21-1S	675	PWM21-1C	156	PWM21-1VG	156	PWM21-1S	438
	33"	838	2	0.8	16	7.3	PWE21-2C	387	PWE21-2VG	387	PWE21-2S	1208	PWM21-2C	272	PWM21-2VG	272	PWM21-2S	796
	54"	1372	3	0.9	25	11.0	PWE21-3C	541	PWE21-3VG	541	PWE21-3S	1559	PWM21-3C	381	PWM21-3VG	381	PWM21-3S	1060
	63"	1600	4	0.9	32	15.0	PWE21-4C	658	PWE21-4VG	658	PWE21-4S	1908	PWM21-4C	476	PWM21-4VG	476	PWM21-4S	1306
24" width (610mm)	14"	356	1	0.7	10	4.5	PWE24-1C	238	PWE24-1VG	238	PWE24-1S	688	PWM24-1C	159	PWM24-1VG	159	PWM24-1S	442
	33"	838	2	0.8	17	7.7	PWE24-2C	392	PWE24-2VG	392	PWE24-2S	1235	PWM24-2C	272	PWM24-2VG	272	PWM24-2S	799
	54"	1372	3	0.9	26	12.0	PWE24-3C	548	PWE24-3VG	548	PWE24-3S	1596	PWM24-3C	384	PWM24-3VG	384	PWM24-3S	1073
	63"	1600	4	0.9	34	16.0	PWE24-4C	664	PWE24-4VG	664	PWE24-4S	1972	PWM24-4C	478	PWM24-4VG	478	PWM24-4S	1353

* For stainless steel units, add 1 lb. (0.5 kg) weight.

Catalog Section 1

Adjustable Post Wire Wall Mounts Sold as Components

see spec sheet **EG02.11**



brackets used in conjunction with posts and center supports

- Designed to allow inter-mixing of shelf widths or customizing of units to fit specification needs.
- All components priced individually.

FEATURES:

(•) MTS (made to stock) / () MTO (made to order)

End Brackets

length in. mm	weight lbs. kg	cu ft	chrome model # list	Valu-Gard® model # list	stainless steel model # list
14" 356	3 1.4	0.5	PWB14C • 56	PWB14VG • 56	PWB14S • 182
18" 457	4 1.8	0.6	PWB18C • 57	PWB18VG • 57	PWB18S • 185
21" 533	5 2.3	1.0	PWB21C • 58	PWB21VG • 58	PWB21S • 196
24" 610	6 2.7	1.0	PWB24C • 61	PWB24VG • 61	PWB24S • 202

Note: Must be used with posts to mount to the wall.

Posts

height in. mm	weight lbs. kg	cu ft	chrome model # list	Valu-Gard® model # list	stainless steel model # list
14" 356	2 0.9	0.1	PW14C • 65	PW14VG • 65	PW14S • 185
33" 838	3 1.4	0.1	PW33C • 82	PW33VG • 82	PW33S • 297
54" 1372	5 2.3	0.1	PW54C • 103	PW54VG • 103	PW54S • 301
63" 1524	6 2.7	0.2	PW63C • 105	PW63VG • 105	PW63S • 308

Mid Brackets

length in. mm	weight lbs. kg	cu ft	chrome model # list	Valu-Gard® model # list	stainless steel model # list
14" 356	6 2.7	0.5	PDWB14C • 87	PDWB14VG • 87	PDWB14S • 276
18" 457	8 3.6	0.6	PDWB18C • 91	PDWB18VG • 91	PDWB18S • 283
21" 533	10 4.5	1.0	PDWB21C • 94	PDWB21VG • 94	PDWB21S • 297
24" 610	12 5.4	1.0	PDWB24C • 97	PDWB24VG • 97	PDWB24S • 301

Note: Must be used with posts to mount to the wall.

Center Support for Posts

weight lbs. kg	cu ft	chrome model # list	Valu-Gard® model # list	stainless steel model # list
1 0.5	0.5	A228162 • 16	A218017 • 16	A207016 • 55

Note: Must be used in conjunction with post.

Stationary Wire Wall Mounts

see spec sheet **EG02.12**

Designed for fixed application where vertical adjustment is not required.



End Units*

One single shelf support and mounting plate.



Mid Units

One double shelf support and mounting plate.

length in. mm	cu ft	weight** lbs. kg	chrome model # list	Valu-Gard® model # list	stainless** model # list	weight** lbs. kg	chrome model # list	Valu-Gard® model # list	stainless** model # list
14" 356	0.5	6 2.7	WB14-C • 56	WB14-VG • 57	WB14-S • 133	8 3.6	DWB14-C • 84	DWB14-VG • 85	DWB14-S • 202
18" 457	0.5	8 3.6	WB18-C • 57	WB18-VG • 58	WB18-S • 142	10 4.5	DWB18-C • 86	DWB18-VG • 87	DWB18-S • 214
21" 533	0.7	10 4.5	WB21-C • 57	WB21-VG • 58	WB21-S • 145	12 5.5	DWB21-C • 86	DWB21-VG • 87	DWB21-S • 219
24" 610	0.7	12 5.5	WB24-C • 58	WB24-VG • 60	WB24-S • 149	14 6.4	DWB24-C • 87	DWB24-VG • 89	DWB24-S • 228

*End Units priced per piece; **For stainless steel units, add 1 lb. (0.5 kg) weight.

Wall Mounted Drop Tables/Shelves

see product announcement **EG02.15**

FEATURES:

- 3/4" (19mm) thick shelf.
- Pair of chrome-plated drop brackets.
- Weight capacity of 80 lbs. (36.3 kg).



drop bracket shown in raised-up position



poly drop table/shelf mounted onto wall
—shown in dropped-down position

				Poly *				Richlite® **				16/3 Stainless Steel with Wooden Core			
width	length	weight		weight		model #		weight		model #		weight		model #	
in.	mm	in.	mm	lb.	kg		list	lb.	kg		list	lb.	kg		list
10"	254	24"	610	7	3.2	DSP-1024	306	7	3.2	DSR-1024	461	11	5.0	DSS-1024	358
10"	254	30"	762	9	4.1	DSP-1030	319	9	4.1	DSR-1030	525	13	5.9	DSS-1030	364
10"	254	36"	914	11	5.0	DSP-1036	337	11	5.0	DSR-1036	596	15	6.8	DSS-1036	382
12"	305	24"	610	8	3.6	DSP-1224	314	8	3.6	DSR-1224	500	12	5.4	DSS-1224	361
12"	305	30"	762	10	4.5	DSP-1230	331	10	4.5	DSR-1230	503	14	6.4	DSS-1230	381
12"	305	36"	914	12	5.4	DSP-1236	353	12	5.4	DSR-1236	677	16	7.3	DSS-1236	392

* Poly tables/shelves can withstand hot items up to 180°F without discoloration.

** Richlite® tables/shelves can withstand hot items up to 350°F without discoloration.

Wall Cabinets

see spec sheet **EG02.07**

FEATURES:

- Heavy gauge stainless steel.
- Back is recessed with full-length concealed mounting plate for easy installation.
- Fixed center shelf.
- Hinged doors provided with lift-off pin hinges.
- 15" (381mm) width. 28" (711mm) overall height.



wall cabinet with hinged doors



wall cabinet with sliding doors

			Open Front				Hinged Doors				Sliding Doors			
length	cu	weight					weight					weight		
in.	mm	ft	lbs.	kg	model #	list	lbs.	kg	model #	list	lbs.	kg	model #	list
24"	610	13.5	117	53.1	WCO-24	4168	136	61.7	WCH-24	5656	136	61.7	WCS-24	4715
30"	762	17.3	129	58.5	WCO-30	4173	154	69.9	WCH-30	6268	154	69.9	WCS-30	5745
36"	914	18.0	141	64.0	WCO-36	4327	172	78.0	WCH-36	6377	172	78.0	WCS-36	5923
42"	1067	18.2	—		—		191	86.6	WCH-42	6702	191	86.6	WCS-42	5952
48"	1219	18.3	165	74.8	WCO-48	4985	208	94.3	WCH-48	6908	208	94.3	WCS-48	6488
54"	1372	25.4	—		—		226	102.5	WCH-54	7065	226	102.5	WCS-54	6609
60"	1524	22.6	189	85.7	WCO-60	5455	244	110.7	WCH-60	7922	244	110.7	WCS-60	7503
66"	1676	30.6	—		—		256	115.1	WCH-66	7979	—		—	
72"	1829	26.8	213	96.6	WCO-72	5788	262	118.8	WCH-72	8876	262	118.8	WCS-72	8404
84"	2134	38.5	225	102.1	WCO-84	6107	281	127.5	WCH-84*	9124	281	127.5	WCS-84*	8622
90"	2286	41.7	—		—		298	135.3	WCH-90*	9642	298	135.3	WCS-90*	9131
96"	2438	35.2	249	112.9	WCO-96	6839	316	143.3	WCH-96*	9941	316	143.3	WCS-96*	9414
120"	3048	55.8	—		—		—		—		359	162.9	WCS-120*	11342

* Features two pairs of doors.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

NOTES

[illegible]



Stainless Steel Modular Casework

Base Units -

Sitting Height Cabinets

with Door/Drawer Combo.....	109
with Drawer Bank.....	108
with Full-Height Door(s).....	108
with Open Front	108
Sink Bases	109

Base Units -

Standing Height Cabinets

with Door/Drawer Combo	105-106
with Drawer Bank(s)	103-104
with Full-Height Door(s).....	103
with Open Front	103
Sink Bases	107

Base Fillers

Corner Fillers	111
Knee Space Apron Kits.....	110
Knee Space Panels	110
Rear Filler Panels	111
Rear Filler Scribes	111
Toe Fillers	110
Toe Scribes.....	110

Bench Frames

Standard.....	116
with Drawer(s)	117

Pegboards120

Stainless Steel

Countertops.....118-119

Tall Cabinets

Framed Glass Swinging	
Tall Cases	115
Open Tall Cases	114
Solid Swinging Tall Cases	114

Upper Cabinets

Framed Glass Swinging	
Wall Cases	113
Open Wall Cases	112
Solid Swinging Wall Cases.....	112

Vertical Storage Cabinets116

Pharmaceutical • Biotech • Medical Device • Cleanroom • Lab • Research





Eagle MHC manufactures a broadline of stainless steel inset casework featuring a wide variety of drawer and door configurations to meet your laboratory requirements.

Our casework construction and performance characteristics are in full compliance with SEFA 8M Metal standards.

In addition to our extensive casework product line, Eagle MHC offers stainless steel countertops, custom stainless steel fabrication, laboratory sinks, workstations and storage solutions.



Standard Casework Construction Specifications



Catalog Section 3

Base Units - Standing Height Cabinets




with Open Base

see spec sheet **EG03.00A**

depth		width		weight		description	model #
in	mm	in	mm	lbs.	kg		
22"	559	18"	457	74	33.6	open base	SSC-HOB-18
22"	559	24"	610	99	44.9	open base	SSC-HOB-24
22"	559	30"	762	124	56.2	open base	SSC-HOB-30
22"	559	36"	914	133	60.3	open base	SSC-HOB-36
22"	559	48"	1218	149	67.6	open base	SSC-HOB-48

FEATURES:

- Open Base with interior shelf
- Standing Height - 35" (889mm) high.
- 22" (559mm) depth.




with Full-Height Door(s)

see spec sheet **EG03.00A**

depth		width		weight		description	model #
in	mm	in	mm	lbs.	kg		
22"	559	18"	457	99	44.9	left swing door	SSC-HCBL-18
22"	559	18"	457	99	44.9	right swing door	SSC-HCBR-18
22"	559	24"	610	124	56.2	left swing door	SSC-HCBL-24
22"	559	24"	610	124	56.2	right swing door	SSC-HCBR-24
22"	559	30"	762	174	78.9	double doors	SSC-HCB-30
22"	559	36"	914	183	83.0	double doors	SSC-HCB-36
22"	559	48"	1219	199	90.3	double doors	SSC-HCB-48

FEATURES:

- Full-height hinged door(s) with wire style pull.
- Intermediate shelf.
- Standing Height - 35" (889mm) high.
- 22" (559mm) depth.



with Single-Bank Drawers

see spec sheet **EG03.00B**

FEATURES:


- Units with single-bank full-length drawers.
- Standing Height - 35" (889mm) high.
- 22" (559mm) depth.

Four 7" (178mm) Drawers Per Unit

depth		width		weight		no. of drawers	drawer height		model #
in	mm	in	mm	lbs.	kg		in.	mm	
22"	559	18"	457	142	64.4	4	7"	178	SSC-HDB7-18
22"	559	24"	610	167	75.7	4	7"	178	SSC-HDB7-24
22"	559	30"	762	260	117.9	4	7"	178	SSC-HDB7-30
22"	559	36"	914	269	122.0	4	7"	178	SSC-HDB7-36
22"	559	48"	1219	285	129.0	4	7"	178	SSC-HDB7-48

Three 10" (254mm) Drawers Per Unit

depth		width		weight		no. of drawers	drawer height		model #
in	mm	in	mm	lbs.	kg		in.	mm	
22"	559	18"	457	134	60.8	3	10"	254	SSC-HDB10-18
22"	559	24"	610	159	72.1	3	10"	254	SSC-HDB10-24
22"	559	30"	762	244	110.7	3	10"	254	SSC-HDB10-30
22"	559	36"	914	253	114.8	3	10"	254	SSC-HDB10-36
22"	559	48"	1219	269	122.1	3	10"	254	SSC-HDB10-48



Consult factory for pricing.

Base Units - Standing Height Cabinets (continued)

with Single-Bank Drawers (continued)

see spec sheet **EG03.00B**

FEATURES:


- Units with single-bank full-length drawers.
- Standing Height - 35" (889mm) high.
- 22" (559mm) depth.

Ten 3" (76mm) Drawers Per Unit

depth in	mm	width in	mm	weight lbs.	kg	no. of drawers	drawer height in.	mm	model #
22"	559	18"	457	174	78.9	10	3"	76	SSC-HDB3-18
22"	559	24"	610	199	90.3	10	3"	76	SSC-HDB3-24
22"	559	30"	762	324	146.9	10	3"	76	SSC-HDB3-30
22"	559	36"	914	333	151.0	10	3"	76	SSC-HDB3-36
22"	559	48"	1219	349	158.0	10	3"	76	SSC-HDB3-48

Five 6" (152mm) Drawers Per Unit


depth in	mm	width in	mm	weight lbs.	kg	no. of drawers	drawer height in.	mm	model #
22"	559	18"	457	149	67.6	5	6"	152	SSC-HDB6-18
22"	559	24"	610	174	78.9	5	6"	152	SSC-HDB6-24
22"	559	30"	762	274	124.3	5	6"	152	SSC-HDB6-30
22"	559	36"	914	283	128.4	5	6"	152	SSC-HDB6-36
22"	559	48"	1219	299	135.6	5	6"	152	SSC-HDB6-48



SSC-HDB3-24



SSC-HDB6-18



SSC-HDB6-48

with Double-Bank Drawers

see spec sheet **EG03.00C**

FEATURES:

- Units with double-bank of drawers.
- Standing Height - 35" (889mm) high.
- 22" (559mm) depth.

Ten 6" (152mm) Drawers Per Unit

depth in	mm	width in	mm	weight lbs.	kg	no. of drawers	drawer height in.	mm	model #
22"	559	30"	762	548	248.6	10	6"	152	SSC-HDBD6-30
22"	559	36"	914	566	256.7	10	6"	152	SSC-HDBD6-36
22"	559	48"	1219	598	271.2	10	6"	152	SSC-HDBD6-48



SSC-HDBD6-36

Eight 7" (178mm) Drawers Per Unit

depth in	mm	width in	mm	weight lbs.	kg	no. of drawers	drawer height in.	mm	model #
22"	559	30"	762	520	235.9	8	7"	152	SSC-HDBD7-30
22"	559	36"	914	538	244.0	8	7"	152	SSC-HDBD7-36
22"	559	48"	1219	570	258.6	8	7"	152	SSC-HDBD7-48



SSC-HDBD7-48

Consult factory for pricing.

Catalog Section 3




Base Units - Standing Height Cabinets (continued)

with Door/Drawer Combination

see spec sheet **EG03.00D**

FEATURES:

- Units with hinged door(s) and drawer(s).
- Standing Height - 35" (889mm) high.
- 22" (559mm) depth.



Units with 3" (76mm) Drawers


depth in mm	width in mm	weight lbs. kg	no. of drawers	drawer height in. mm	description	model #
22" 559	18" 457	94 42.6	2	3" 76	left swing door	SSC-HDDL3-18
22" 559	18" 457	94 42.6	2	3" 76	right swing door	SSC-HDDR3-18
22" 559	24" 610	119 53.9	2	3" 76	left swing door	SSC-HDDL3-24
22" 559	24" 610	119 53.9	2	3" 76	right swing door	SSC-HDDR3-24
22" 559	30" 762	214 97.1	2	3" 76	double doors	SSC-HDDT3-30
22" 559	36" 914	223 101.1	2	3" 76	double doors	SSC-HDDT3-36
22" 559	48" 1219	239 108.4	2	3" 76	double doors	SSC-HDDT3-48
22" 559	30" 762	224 101.6	4	3" 76	double doors	SSC-HDDT3D-30
22" 559	36" 914	233 105.7	4	3" 76	double doors	SSC-HDDT3D-36
22" 559	48" 1219	249 112.9	4	3" 76	double doors	SSC-HDDT3D-48



SSC-HDDL6-18



SSC-HDDL6-18



SSC-HDDT6D-30

Units with One or Two 6" (152mm) Drawers

depth in mm	width in mm	weight lbs. kg	no. of drawers	drawer height in. mm	description	model #
22" 559	18" 457	114 51.7	1	6" 152	left swing door	SSC-HDDL6-18
22" 559	18" 457	114 51.7	1	6" 152	right swing door	SSC-HDDR6-18
22" 559	24" 610	139 63.0	1	6" 152	left swing door	SSC-HDDL6-24
22" 559	24" 610	139 63.0	1	6" 152	right swing door	SSC-HDDR6-24
22" 559	30" 762	204 92.5	1	6" 152	double doors	SSC-HDDT6-30
22" 559	36" 914	213 96.6	1	6" 152	double doors	SSC-HDDT6-36
22" 559	48" 1218	229 103.9	1	6" 152	double doors	SSC-HDDT6-48
22" 559	30" 762	214 97.1	2	6" 152	double doors	SSC-HDDT6D-30
22" 559	36" 914	223 101.2	2	6" 152	double doors	SSC-HDDT6D-36
22" 559	48" 1218	239 108.4	2	6" 152	double doors	SSC-HDDT6D-48

Consult factory for pricing.

Base Units - Standing Height Cabinets (continued)

with Door/Drawer Combination (cont.)


see spec sheet **EG03.00E** and **EG03.00F**

FEATURES:

- Units with door(s) and drawer(s).
- Standing Height - 35" (889mm) high.
- 22" (559mm) depth.

Units with Five 6" (152mm) Drawers

depth in mm	width in mm	weight lbs. kg	no. of drawers	drawer height in. mm	description	model #
22" 559	30" 762	209 94.8	5	6" 152	left swing door	SSC-HDDL6-30
22" 559	30" 762	209 94.8	5	6" 152	right swing door	SSC-HDDR6-30
22" 559	36" 914	218 98.9	5	6" 152	left swing door	SSC-HDDL6-36
22" 559	36" 914	218 98.9	5	6" 152	right swing door	SSC-HDDR6-36
22" 559	48" 1219	234 106.1	5	6" 152	left swing door	SSC-HDDL6-48
22" 559	48" 1219	234 106.1	5	6" 152	right swing door	SSC-HDDR6-48




SSC-HDDL6-30




SSC-HDDR6-30

Units with Six 6" (152mm) Drawers

depth in mm	width in mm	weight lbs. kg	no. of drawers	drawer height in. mm	description	model #
22" 559	30" 762	234 106.1	6	6" 152	left swing door	SSC-HDDL6D-30
22" 559	30" 762	234 106.1	6	6" 152	right swing door	SSC-HDDRT6D-30
22" 559	36" 914	243 110.2	6	6" 152	left swing door	SSC-HDDL6D-36
22" 559	36" 914	243 110.2	6	6" 152	right swing door	SSC-HDDRT6D-36
22" 559	48" 1219	259 117.5	6	6" 152	left swing door	SSC-HDDL6D-48
22" 559	48" 1219	259 117.5	6	6" 152	right swing door	SSC-HDDRT6D-48




SSC-HDDL6D-48




SSC-HDDRT6D-48

Units with Four 7" (178mm) Drawers

depth in mm	width in mm	weight lbs. kg	no. of drawers	drawer height in. mm	description	model #
22" 559	30" 762	202 91.6	4	7" 178	left swing door	SSC-HDDL7-30
22" 559	30" 762	202 91.6	4	7" 178	right swing door	SSC-HDDR7-30
22" 559	36" 914	211 95.7	4	7" 178	left swing door	SSC-HDDL7-36
22" 559	36" 914	211 95.7	4	7" 178	right swing door	SSC-HDDR7-36
22" 559	48" 1219	227 102.9	4	7" 178	left swing door	SSC-HDDL7-48
22" 559	48" 1219	227 102.9	4	7" 178	right swing door	SSC-HDDR7-48



SSC-HDDL7-36



SSC-HDDR7-36

Units with Five 7" (178mm) Drawers

depth in mm	width in mm	weight lbs. kg	no. of drawers	drawer height in. mm	description	model #
22" 559	30" 762	244 110.7	5	7" 178	left swing door	SSC-HDDL7D-30
22" 559	30" 762	244 110.7	5	7" 178	right swing door	SSC-HDDRT7D-30
22" 559	36" 914	253 114.8	5	7" 178	left swing door	SSC-HDDL7D-36
22" 559	36" 914	253 114.8	5	7" 178	right swing door	SSC-HDDRT7D-36
22" 559	48" 1219	269 122.0	5	7" 178	left swing door	SSC-HDDL7D-48
22" 559	48" 1219	269 122.0	5	7" 178	right swing door	SSC-HDDRT7D-48



SSC-HDDL7D-30

Consult factory for pricing.

Catalog Section 3


Base Units - Standing Height Cabinets (continued)

Sink Bases

see spec sheet **EG03.00G**

FEATURES:

- Units with hinged door(s).
- Standing Height - 35" (889mm) high.
- Partial height back panel.
- 22" (559mm) depth.



depth in mm	width in mm	weight lbs. kg	description		model #
22" 559	18" 457	99 44.9	left swing door		SSC-HSBL-18
22" 559	18" 457	99 44.9	right swing door		SSC-HSBR-18
22" 559	24" 610	124 56.2	left swing door		SSC-HSBL-24
22" 559	24" 610	124 56.2	right swing door		SSC-HSBR-24
22" 559	30" 762	174 78.9	double doors		SSC-HSB-30
22" 559	36" 914	183 83.0	double doors		SSC-HSB-36
22" 559	48" 1219	199 90.2	double doors		SSC-HSB-48
22" 559	56" 1422	219 99.3	double doors		SSC-HSB-56
22" 559	58" 1473	222 100.7	double doors		SSC-HSB-58


Angled Sink Bases

see spec sheet **EG03.00G**

FEATURES:

- Removable access panel at front
- Open design at rear for plumbing
- Mounts to adjacent freestanding base units

depth in mm	width in mm	weight lbs. kg	model #
22" 559	24" 610	53 24.0	SSC-HSBA-24
22" 559	30" 762	56 25.4	SSC-HSBA-30
22" 559	36" 914	62 28.2	SSC-HSBA-36
22" 559	48" 1219	75 34.0	SSC-HSBA-48



SSC-HSBS-36

Consult factory for pricing.

Base Units - Sitting Height Cabinets




with Open Base

see spec sheet **EG03.01A**

depth		width		weight		description	model #
in	mm	in	mm	lbs.	kg		
22"	559	18"	457	72	32.7	open base	SSC-SOB-18
22"	914	24"	610	97	44.0	open base	SSC-SOB-24
22"	914	30"	610	122	55.3	open base	SSC-SOB-30
22"	914	36"	610	131	59.4	open base	SSC-SOB-36
22"	914	48"	610	147	66.7	open base	SSC-SOB-48

FEATURES:

- Open Base with interior shelf
- Sitting Height - 29 1/8" (740mm) high.
- 22" (559mm) depth.




with Full Height Door(s)

see spec sheet **EG03.01A**

depth		width		weight		description	model #
in	mm	in	mm	lbs.	kg		
22"	559	18"	457	97	44.0	left swing door	SSC-SCBL-18
22"	914	18"	457	97	44.0	right swing door	SSC-SCBR-18
22"	914	24"	610	122	55.3	left swing door	SSC-SCBL-24
22"	914	24"	610	122	55.3	right swing door	SSC-SCBR-24
22"	914	30"	762	172	78.0	double doors	SSC-SCB-30
22"	914	36"	914	181	82.1	double doors	SSC-SCB-36
22"	914	48"	1219	197	89.4	double doors	SSC-SCB-48

FEATURES:

- Full height door with interior shelf
- Sitting Height - 29 1/8" (740mm) high.
- 22" (559mm) depth.



with Drawers

see spec sheet **EG03.01B**

FEATURES:

- Units with single-bank full-length drawers.
- Sitting Height - 29 1/8" (740mm) high.
- 22" (559mm) depth.

Two 12" (305mm) Drawers Per Unit

depth		width		weight		no. of drawers	drawer height		model #
in	mm	in	mm	lbs.	kg		in.	mm	
22"	559	18"	457	112	50.8	2	12"	305	SSC-SDB12-18
22"	559	24"	610	137	62.1	2	12"	305	SSC-SDB12-24

Four 6" (152mm) Drawers Per Unit

depth		width		weight		no. of drawers	drawer height		model #
in	mm	in	mm	lbs.	kg		in.	mm	
22"	559	18"	457	132	59.9	4	6"	152	SSC-SDB6-18
22"	559	24"	610	157	71.2	4	6"	152	SSC-SDB6-24



SSC-SDB12-18



SSC-SDB6-18

Consult factory for pricing.

Catalog Section 3

Base Units - Sitting Height Cabinets (continued)



with Door/Drawer Combination

see spec sheet **EG03.01C**

FEATURES:

- Units with door(s) and drawer(s).
- Sitting Height - 29½" (740mm) high.
- 22" (559mm) depth.

Units with 3" (76mm) Drawers

depth in mm	width in mm	weight lbs. kg	no. of drawers	drawer height in. mm	description	model #
22" 559	18" 457	117 53.1	2	3" 152	left swing door	SSC-SDDL3-18
22" 559	18" 457	117 53.1	2	3" 152	right swing door	SSC-SDDRT3-18
22" 559	24" 610	142 64.4	2	3" 152	left swing door	SSC-SDDL3-24
22" 559	24" 610	142 64.4	2	3" 152	right swing door	SSC-SDDRT3-24



SSC-SDDL3-24



SSC-SDDRT3-24

Units with 6" (152mm) Drawer

depth in mm	width in mm	weight lbs. kg	no. of drawers	drawer height in. mm	description	model #
22" 559	18" 457	112 50.8	1	6" 152	left swing door	SSC-SDDL6-18
22" 914	18" 457	112 50.8	1	6" 152	right swing door	SSC-SDDRT6-18
22" 914	24" 457	137 62.1	1	6" 152	left swing door	SSC-SDDL6-24
22" 914	24" 610	137 62.1	1	6" 152	right swing door	SSC-SDDRT6-24



SSC-SDDL6-18



SSC-SDDRT6-18

Sink Bases

see spec sheet **EG03.01D**

FEATURES:

- Units with hinged door(s).
- Sitting Height - 29½" (740mm) high.
- Partial height back panel.
- 22" (559mm) depth.

depth in mm	width in mm	weight lbs. kg	description	model #
22" 559	18" 457	97 44.0	left swing door	SSC-SSBL-18
22" 914	18" 457	97 44.0	right swing door	SSC-SSBR-18
22" 914	24" 610	122 55.3	left swing door	SSC-SSBL-24
22" 914	24" 610	122 55.3	right swing door	SSC-SSBR-24
22" 914	30" 762	172 78.0	double doors	SSC-SSB-30
22" 914	36" 914	181 82.1	double doors	SSC-SSB-36
22" 914	48" 1219	197 89.4	double doors	SSC-SSB-48
22" 559	56 1422	217 98.4	double doors	SSC-SSB-56
22" 559	58 1473	220 99.8	double doors	SSC-SSB-58



SSC-SSBL-24



SSC-SSB-56


Angled Sink Bases

see spec sheet **EG03.01D**

FEATURES:

- Removable access panel at front
- Open design at rear for plumbing
- Mounts to adjacent freestanding base units

depth in mm	width in mm	weight lbs. kg	model #
22" 559	24" 610	49 22.2	SSC-SSBA-24
22" 559	30" 762	52 23.6	SSC-SSBA-30
22" 559	36" 914	56 25.4	SSC-SSBA-36
22" 559	48" 1219	65 29.5	SSC-SSBA-48



SSC-SSBA-18

Consult factory for pricing.

Base Fillers


Knee Space Apron Kits

see spec sheet **EG03.02A**

		without Drawer		w/One 3" Drawer	
depth	width	weight	model #	weight	model #
in mm	in. mm	lbs. kg		lbs. kg	
22"	559	24" 610	32 14.5	SSC-KAK-24	46 20.8
22"	559	30" 762	35 15.9	SSC-KAK-30	49 22.2
22"	559	36" 914	38 17.2	SSC-KAK-36	52 23.6
22"	559	48" 1219	41 18.5	SSC-KAK-48	55 25.0
				SSC-KAK1D-24	
				SSC-KAK1D-30	
				SSC-KAK1D-36	
				SSC-KAK1D-48	

FEATURES:

- Ships knocked down.
- Mounts to adjacent freestanding bases.
- Kits with Drawer feature 3" drawer assembly with wire pull.



Knee-Space Filler Panels

see spec sheet **EG03.02A**

		35" Standing Height		29 1/2" Sitting Height	
width	weight	weight	model #	weight	model #
in mm	lbs. kg	lbs. kg		lbs. kg	
24"	610	20.0 9.1	SSC-HKPL-24	17.0 7.7	SSC-SKPL-24
30"	762	22.0 10.1	SSC-HKPL-30	18.5 8.6	SSC-SKPL-30
36"	914	24.0 10.9	SSC-HKPL-36	20.0 9.0	SSC-SKPL-36

FEATURES:

- 29 1/2" (740mm) Sitting or 35" (889mm) Standing Height.
- For use with no apron above.



Toe Fillers

see spec sheet **EG03.02A**

		35" Standing Height		29 1/2" Sitting Height		84" Tall Height	
depth	width	weight	model #	weight	model #	weight	model #
in mm	in. mm	lbs. kg		lbs. kg		lbs. kg	
1"	25	3" 76	1.0 0.5	SSC-HTF-3	0.9 0.5	SSC-STF-3	2.4 1.1
1"	25	6" 152	2.0 0.9	SSC-HTF-6	1.7 0.8	SSC-STF-6	4.8 2.2
1"	25	12" 305	3.0 1.4	SSC-HTF-12	2.5 1.1	SSC-STF-12	9.6 4.4

FEATURES:

- 29 1/2" (740mm) Sitting, 35" (889mm) Standing Height, or 84" (2134mm) Tall Height.



Toe Scribes

see spec sheet **EG03.02A**

		35" Standing Height		29 1/2" Sitting Height		84" Tall Height	
depth	width	weight	model #	weight	model #	weight	model #
in mm	in. mm	orientation	lbs. kg	lbs. kg		lbs. kg	
1"	25	1" 25 left	1.0 0.5	SSC-HTSL-1	0.9 0.5	SSC-STSL-1	2.4 1.1
1"	25	2" 51 left	1.5 0.7	SSC-HTSL-2	1.0 0.5	SSC-STSL-2	3.6 1.6
1"	25	3" 76 left	2.0 0.9	SSC-HTSL-3	1.3 0.6	SSC-STSL-3	4.8 2.2
1"	25	1" 25 right	1.0 0.5	SSC-HTSR-1	0.9 0.5	SSC-STSR-1	2.4 1.1
1"	25	2" 51 right	1.5 0.7	SSC-HTSR-2	1.0 0.5	SSC-STSR-2	3.6 1.6
1"	25	3" 76 right	2.0 0.9	SSC-HTSR-3	1.3 0.6	SSC-STSR-3	4.8 2.2

FEATURES:

- 29 1/2" (740mm) Sitting, 35" (889mm) Standing Height, or 84" (2134mm) Tall Height.



Consult factory for pricing.

Catalog Section 3

Base Fillers (continued)

Rear Filler Panels

see spec sheet **EG03.02B**

FEATURES:

- 29½" (740mm) Sitting, 35" (889mm) Standing Height, or 84" (2134mm) Tall Height.

				35" Standing Height			29½" Sitting Height			84" Tall Height		
depth		width		weight			weight			weight		
in	mm	in.	mm	lbs.	kg	model #	lbs.	kg	model #	lbs.	kg	model #
3"	76	6"	152	4.0	1.8	SSC-HRFP-6	3.0	1.4	SSC-SRFP-6	9.6	4.4	SSC-TRFP-6
3"	76	12"	305	5.0	2.3	SSC-HRFP-12	4.0	1.8	SSC-SRFP-12	14.4	6.5	SSC-TRFP-12

Rear Filler Scribes

see spec sheet **EG03.02B**

FEATURES:

- 29½" (740mm) Sitting, 35" (889mm) Standing Height, or 84" (2134mm) Tall Height.

				35" Standing Height			29½" Sitting Height			84" Tall Height			
depth		width		orientation	weight		weight		weight		model #		
in	mm	in.	mm		lbs.	kg	lbs.	kg	lbs.	kg			
1"	25	1"	25	left	1.2	0.5	SSC-HRFSL-1	1.0	0.5	SSC-SRFSL-1	2.9	1.3	SSC-TRFSL-1
1"	25	2"	51	left	1.4	0.6	SSC-HRFSL-2	1.0	0.5	SSC-SRFSL-2	3.4	1.5	SSC-TRFSL-2
1"	25	3"	76	left	2.2	1.0	SSC-HRFSL-3	2.0	0.9	SSC-SRFSL-3	5.3	2.4	SSC-TRFSL-3
1"	25	6"	152	left	3.3	1.5	SSC-HRFSL-6	3.0	1.4	SSC-SRFSL-6	7.9	3.6	SSC-TRFSL-6
1"	25	1"	25	right	1.2	0.5	SSC-HRFSR-1	1.0	0.5	SSC-SRFSR-1	2.9	1.3	SSC-TRFSR-1
1"	25	2"	51	right	1.4	0.6	SSC-HRFSR-2	1.0	0.5	SSC-SRFSR-2	3.4	1.5	SSC-TRFSR-2
1"	25	3"	76	right	2.2	1.0	SSC-HRFSR-3	2.0	0.9	SSC-SRFSR-3	5.3	2.4	SSC-TRFSR-3
1"	25	6"	152	right	3.3	1.5	SSC-HRFSR-6	3.0	1.4	SSC-SRFSR-6	7.9	3.6	SSC-TRFSR-6

Corner Fillers

see spec sheet **EG03.02B**

FEATURES:

- 29½" (740mm) Sitting, 35" (889mm) Standing Height, or 84" (2134mm) Tall Height.

		35" Standing Height				29½" Sitting Height				84" Tall Height					
depth		width		weight		model #		weight		model #		weight		model #	
in	mm	in.	mm	lbs.	kg	model #		lbs.	kg	model #		lbs.	kg	model #	
1"	25	3"	76	2.0	0.9	SSC-HCF-3		1.5	0.7	SSC-SCF-3		4.8	2.2	SSC-TCF-3	
1"	25	6"	152	3.0	1.4	SSC-HCF-6		2.5	1.1	SSC-SCF-6		7.2	3.3	SSC-TCF-6	

Consult factory for pricing.

Upper Cabinets




Open Wall Cases

see spec sheet **EG03.03A**

		with Flat Top		with Sloped Top	
depth	width	weight	model #	weight	model #
in mm	in mm	lbs. kg		lbs. kg	
13"	330	117 53.1	SSC-WCO-1318	132 59.9	SSC-WCOST-1318
13"	330	123 55.8	SSC-WCO-1324	138 62.6	SSC-WCOST-1324
13"	330	129 58.5	SSC-WCO-1330	144 65.3	SSC-WCOST-1330
13"	330	141 63.9	SSC-WCO-1336	156 70.7	SSC-WCOST-1336
13"	330	165 74.8	SSC-WCO-1348	180 81.6	SSC-WCOST-1348
16"	406	122 55.3	SSC-WCO-1618	137 62.1	SSC-WCOST-1618
16"	406	128 58.0	SSC-WCO-1624	143 64.9	SSC-WCOST-1624
16"	406	134 60.8	SSC-WCO-1630	149 67.6	SSC-WCOST-1630
16"	406	146 66.2	SSC-WCO-1636	161 73.0	SSC-WCOST-1636
16"	406	170 77.1	SSC-WCO-1648	185 83.9	SSC-WCOST-1648

FEATURES:

- Open front.
- Two adjustable shelves.
- 31" (787mm) height.
- 13" (330mm) or 16" (406mm) depth.



Solid Swinging Wall Cases

see spec sheet **EG03.03B**

with Flat Top

depth	width	weight			model #
in mm	in mm	lbs. kg			
13"	330	136 61.7	left swing door		SSC-WCHL-1318
13"	330	136 61.7	right swing door		SSC-WCHR-1318
13"	330	142 64.4	left swing door		SSC-WCHL-1324
13"	330	142 64.4	right swing door		SSC-WCHR-1324
13"	330	154 69.8	double doors		SSC-WCH-1330
13"	330	172 78.0	double doors		SSC-WCH-1336
13"	330	208 94.3	double doors		SSC-WCH-1348
16"	406	142 64.4	left swing door		SSC-WCHL-1618
16"	406	142 64.4	right swing door		SSC-WCHR-1618
16"	406	148 67.1	left swing door		SSC-WCHL-1624
16"	406	148 67.1	right swing door		SSC-WCHR-1624
16"	406	160 72.6	double doors		SSC-WCH-1630
16"	406	166 75.3	double doors		SSC-WCH-1636
16"	406	214 97.1	double doors		SSC-WCH-1648

FEATURES:


- Full height solid hinged door(s).
- Two adjustable shelves.
- 31" (787mm) height.
- 13" (330mm) or 16" (406mm) depth.



SSC-WCHL-1324




SSC-WCHR-1324



SSC-WCH-1348

with Sloped Top


depth	width	weight			model #
in mm	in mm	lbs. kg			
13"	330	156 70.7	left swing door		SSC-WCHLST-1318
13"	330	156 70.7	right swing door		SSC-WCHRST-1318
13"	330	162 73.5	left swing door		SSC-WCHLST-1324
13"	330	162 73.5	right swing door		SSC-WCHRST-1324
13"	330	174 78.9	double doors		SSC-WCHST-1330
13"	330	192 87.1	double doors		SSC-WCHST-1336
13"	330	228 103.4	double doors		SSC-WCHST-1348
16"	406	162 73.5	left swing door		SSC-WCHLST-1618
16"	406	162 73.5	right swing door		SSC-WCHRST-1618
16"	406	168 76.2	left swing door		SSC-WCHLST-1624
16"	406	168 76.2	right swing door		SSC-WCHRST-1624
16"	406	180 81.6	double doors		SSC-WCHST-1630
16"	406	186 84.4	double doors		SSC-WCHST-1636
16"	406	234 106.1	double doors		SSC-WCHST-1648



SSC-WCHLST-1324



SSC-WCHRST-1324



SSC-WCHST-1330

Consult factory for pricing.

Catalog Section 3

Upper Cabinets (continued)

Framed Glass Swinging Wall Cases


see spec sheet **EG03.03C**

with Flat Top


depth in mm	width in mm	weight lbs. kg	description	model #
13" 330	18" 457	166 75.3	left swing door	SSC-WCGHL-1318
13" 330	18" 457	166 75.3	right swing door	SSC-WCGHR-1318
13" 330	24" 610	172 78.0	left swing door	SSC-WCGHL-1324
13" 330	24" 610	172 78.0	right swing door	SSC-WCGHR-1324
13" 330	30" 762	184 83.4	double doors	SSC-WCGH-1330
13" 330	36" 914	184 83.4	double doors	SSC-WCGH-1336
13" 330	48" 1219	202 91.6	double doors	SSC-WCGH-1348
16" 406	18" 457	172 78.0	left swing door	SSC-WCGHL-1618
16" 406	18" 457	172 78.0	right swing door	SSC-WCGHR-1618
16" 406	24" 610	178 80.7	left swing door	SSC-WCGHL-1624
16" 406	24" 610	178 80.7	right swing door	SSC-WCGHR-1624
16" 406	30" 762	160 72.6	double doors	SSC-WCGH-1630
16" 406	36" 914	166 75.3	double doors	SSC-WCGH-1636
16" 406	48" 1219	214 97.1	double doors	SSC-WCGH-1648

FEATURES:


- Full height hinged door(s) with framed glass.
- Two adjustable shelves.
- 31" (787mm) height.
- 13" (330mm) or 16" (406mm) depth.



SSC-WCGHL-1324




SSC-WCGHR-1324




SSC-WCGH-1348

with Sloped Top


depth in mm	width in mm	weight lbs. kg	description	model #
13" 330	18" 457	186 84.4	left swing door	SSC-WCGHLST-1318
13" 330	18" 457	186 84.4	right swing door	SSC-WCGHRST-1318
13" 330	24" 610	192 87.1	left swing door	SSC-WCGHLST-1324
13" 330	24" 610	192 87.1	right swing door	SSC-WCGHRST-1324
13" 330	30" 762	244 110.7	double doors	SSC-WCGHST-1330
13" 330	36" 914	222 100.7	double doors	SSC-WCGHST-1336
13" 330	48" 1219	158 71.7	double doors	SSC-WCGHST-1348
16" 406	18" 457	192 87.1	left swing door	SSC-WCGHLST-1618
16" 406	18" 457	192 87.1	right swing door	SSC-WCGHRST-1618
16" 406	24" 610	198 89.8	left swing door	SSC-WCGHLST-1624
16" 406	24" 610	198 89.8	right swing door	SSC-WCGHRST-1624
16" 406	30" 762	210 95.2	double doors	SSC-WCGHST-1630
16" 406	36" 914	216 98.0	double doors	SSC-WCGHST-1636
16" 406	48" 1219	264 119.7	double doors	SSC-WCGHST-1648



SSC-WCGHLST-1324



SSC-WCGHRST-1324



SSC-WCGHST-1630

Consult factory for pricing.

Tall Cabinets




Open Tall Cases

see spec sheet **EG03.04A**

				with Flat Top				with Sloped Top			
depth		width		weight				weight			
in	mm	in	mm	lbs.	kg	model #		lbs.	kg	model #	
18"	457	24"	610	263	119.3	SSC-TOB-1824		283	128.3	SSC-TOBST-1824	
18"	457	30"	762	293	132.9	SSC-TOB-1830		313	142.0	SSC-TOBST-1830	
18"	457	36"	914	301	136.5	SSC-TOB-1836		321	145.6	SSC-TOBST-1836	
18"	457	48"	1219	331	150.1	SSC-TOB-1848		351	159.2	SSC-TOBST-1848	
24"	610	24"	610	338	153.3	SSC-TOB-2424		358	162.4	SSC-TOBST-2424	
24"	610	30"	762	368	166.9	SSC-TOB-2430		388	176.0	SSC-TOBST-2430	
24"	610	36"	914	413	187.3	SSC-TOB-2436		433	196.4	SSC-TOBST-2436	
24"	610	48"	1219	443	200.9	SSC-TOB-2448		463	210.0	SSC-TOBST-2448	

FEATURES:

- Open front.
- Five adjustable shelves.
- 84" (2134mm) height.
- 18" (457mm) or 24" (610mm) depth.



Solid Swinging Tall Cases

see spec sheet **EG03.04B**

with Flat Top

depth	width	weight			model #
in mm	in mm	lbs. kg	description		
18"	457	24"	610	left swing door	SSC-TCBL-1824
18"	457	24"	610	right swing door	SSC-TCBR-1824
18"	457	30"	762	double doors	SSC-TCB-1830
18"	457	36"	914	double doors	SSC-TCB-1836
18"	457	48"	1219	double doors	SSC-TCB-1848
24"	610	24"	610	left swing door	SSC-TCBL-2424
24"	610	24"	610	right swing door	SSC-TCBR-2424
24"	610	30"	762	double doors	SSC-TCB-2430
24"	610	36"	914	double doors	SSC-TCB-2436
24"	610	48"	1219	double doors	SSC-TCB-2448


FEATURES:

- Full height solid hinged door(s).
- Five adjustable shelves.
- 84" (2134mm) height.
- 18" (457mm) or 24" (610mm) depth.




with Sloped Top

depth	width	weight			model #
in mm	in mm	lbs. kg	description		
18"	457	24"	610	left swing door	SSC-TCBSTL-1824
18"	457	24"	610	right swing door	SSC-TCBSTR-1824
18"	457	30"	762	double doors	SSC-TCBST-1830
18"	457	36"	914	double doors	SSC-TCBST-1836
18"	457	48"	1219	double doors	SSC-TCBST-1848
24"	610	24"	610	left swing door	SSC-TCBSTL-2424
24"	610	24"	610	right swing door	SSC-TCBSTR-2424
24"	610	30"	762	double doors	SSC-TCBST-2430
24"	610	36"	914	double doors	SSC-TCBST-2436
24"	610	48"	1219	double doors	SSC-TCBST-2448



Consult factory for pricing.

Catalog Section 3

Tall Cabinets (continued) 

Framed Glass Swinging Tall Cases

see spec sheet **EG03.04C**

with Flat Top


depth in mm	width in mm	weight lbs. kg	description	model #
18" 457	24" 610	443 200.9	left swing door	SSC-TCBGL-1824
18" 457	24" 610	443 200.9	right swing door	SSC-TCBGR-1824
18" 457	30" 762	481 218.1	double doors	SSC-TCBG-1830
18" 457	36" 914	481 218.1	double doors	SSC-TCBG-1836
18" 457	48" 1219	518 234.9	double doors	SSC-TCBG-1848
24" 610	24" 610	473 214.5	left swing door	SSC-TCBGL-2424
24" 610	24" 610	473 214.5	right swing door	SSC-TCBGR-2424
24" 610	30" 762	548 248.5	double doors	SSC-TCBG-2430
24" 610	36" 914	593 268.9	double doors	SSC-TCBG-2436
24" 610	48" 1219	623 282.5	double doors	SSC-TCBG-2448

with Sloped Top

depth in mm	width in mm	weight lbs. kg	description	model #
18" 457	24" 610	463 210.0	left swing door	SSC-TCBGLST-1824
18" 457	24" 610	463 210.0	right swing door	SSC-TCBGRST-1824
18" 457	30" 762	501 227.2	double doors	SSC-TCBGST-1830
18" 457	36" 914	531 240.8	double doors	SSC-TCBGST-1836
18" 457	48" 1219	538 244.0	double doors	SSC-TCBGST-1848
24" 610	24" 610	493 223.6	left swing door	SSC-TCBGLST-2424
24" 610	24" 610	493 223.6	right swing door	SSC-TCBGRST-2424
24" 610	30" 762	568 257.6	double doors	SSC-TCBGST-2430
24" 610	36" 914	613 278.0	double doors	SSC-TCBGST-2436
24" 610	48" 1219	643 291.6	double doors	SSC-TCBGST-2448

- Full height hinged door(s) with framed glass.
- Five adjustable shelves.
- 84" (2134mm) height.
- 18" (457mm) or 24" (610mm) depth.

FEATURES:



Consult factory for pricing.

Vertical Storage Cabinets



see spec sheet **EG04.11**

FEATURES:

- Type 304 stainless steel construction.
- Four (4) adjustable intermediate shelves.
- Hinged doors with wire-style pulls.
- Stationary units feature stainless steel legs with 1" (25mm) adjustable bullet feet.
- Mobile "-CPB" units include 5" (127mm)-diameter swivel/brake casters with poly tread.



vertical storage cabinet
with flat top


Note: Custom sizes, glass doors, locks, and additional shelves available upon request. Please contact factory for pricing on these options.

			with Flat Top				with Sloped Top								
depth	width		height	weight			height	weight							
in	mm	in.	mm	lbs.	kg	model #	in.	lbs.	kg	model #					
18"	457	36"	914	stationary	72"	1829	416	188.7		SSC-TSC-1836	77"	1956	419	190.0	SSC-TSCST-1836
18"	457	48"	1219	stationary	72"	1829	490	222.3		SSC-TSC-1848	77"	1956	495	224.5	SSC-TSCST-1848
24"	610	36"	914	stationary	72"	1829	458	207.7		SSC-TSC-2436	77"	1956	461	209.1	SSC-TSCST-2436
24"	610	48"	1219	stationary	72"	1829	539	244.5		SSC-TSC-2448	77"	1956	545	247.2	SSC-TSCST-2448
24"	610	36"	914	mobile	72"	1829	462	209.6		SSC-TSC-2436-CPB	78"	1981	465	210.9	SSC-TSCST-2436-CPB
24"	610	48"	1219	mobile	72"	1829	543	246.3		SSC-TSC-2448-CPB	78"	1981	549	249.0	SSC-TSCST-2448-CPB

Bench Frames



Model Number Configuration



#SSC-HT-2460
shown

Model Number: **SSC - HT - 2460**

stainless steel
casework

"HT" = Standing Height
"ST" = Sitting Height

actual dimension of top
(in inches)

Note: Allow 1" overhang from each side of table frame to be fitted for top.

Standard Bench Frames


see spec sheet **EG03.05A**

FEATURES:

- Standing and Sitting-Height models available.
- 22" (559mm) or 28" (712mm) depth.

				35" Standing Height				29 1/2" Sitting Height			
depth		width		weight				weight			
in	mm	in	mm	lbs.	kg	model #		lbs.	kg	model #	
22"	559	22"	559	50	22.7	SSC-HT-2424		48	21.8	SSC-ST-2424	
22"	559	28"	711	55	24.9	SSC-HT-2430		53	24.0	SSC-ST-2430	
22"	559	34"	864	60	27.2	SSC-HT-2436		58	26.3	SSC-ST-2436	
22"	559	40"	1016	65	29.5	SSC-HT-2442		63	28.6	SSC-ST-2442	
22"	559	46"	1168	70	31.7	SSC-HT-2448		68	30.8	SSC-ST-2448	
22"	559	58"	1473	78	35.4	SSC-HT-2460		76	34.5	SSC-ST-2460	
22"	559	64"	1626	84	38.1	SSC-HT-2466		82	37.2	SSC-ST-2466	
22"	559	70"	1778	90	40.8	SSC-HT-2472		88	39.9	SSC-ST-2472	
28"	711	22"	559	55	24.9	SSC-HT-3024		53	24.0	SSC-ST-3024	
28"	711	28"	711	58	26.3	SSC-HT-3030		56	25.4	SSC-ST-3030	
28"	711	34"	864	65	29.5	SSC-HT-3036		63	28.6	SSC-ST-3036	
28"	711	40"	1016	70	31.7	SSC-HT-3042		68	30.8	SSC-ST-3042	
28"	711	46"	1168	75	34.0	SSC-HT-3048		73	33.1	SSC-ST-3048	
28"	711	58"	1473	84	38.1	SSC-HT-3060		82	37.2	SSC-ST-3060	
28"	711	64"	1626	91	41.3	SSC-HT-3066		89	40.4	SSC-ST-3066	
28"	711	70"	1778	98	44.4	SSC-HT-3072		96	43.5	SSC-ST-3072	

Consult factory for pricing.



Catalog Section 3

Bench Frames with Drawers


with One Drawer

see spec sheet **EG03.05B**

FEATURES:

- Standing and Sitting-Height models available.
- 22" (559mm) or 28" (712mm) depth.

		35"			29½"		
		Standing Height			Sitting Height		
depth	width	weight		model #	weight	model #	
in mm	in mm	lbs.	kg		lbs.	kg	
22"	559	22"	559	50 22.7	SSC-HT1D-2424	48 21.8	SSC-ST1D-2424
22"	559	28"	711	55 24.9	SSC-HT1D-2430	53 24.0	SSC-ST1D-2430
22"	559	34"	864	60 27.2	SSC-HT1D-2436	58 26.3	SSC-ST1D-2436
22"	559	40"	1016	65 29.5	SSC-HT1D-2442	63 28.6	SSC-ST1D-2442
22"	559	46"	1168	70 31.7	SSC-HT1D-2448	68 30.8	SSC-ST1D-2448
22"	559	58"	1473	78 35.4	SSC-HT1D-2460	76 34.5	SSC-ST1D-2460
22"	559	64"	1626	84 38.1	SSC-HT1D-2466	82 37.2	SSC-ST1D-2466
22"	559	70"	1778	90 40.8	SSC-HT1D-2472	88 39.9	SSC-ST1D-2472
28"	711	22"	559	55 24.9	SSC-HT1D-3024	53 24.0	SSC-ST1D-3024
28"	711	28"	711	58 26.3	SSC-HT1D-3030	56 25.4	SSC-ST1D-3030
28"	711	34"	864	65 29.5	SSC-HT1D-3036	63 28.6	SSC-ST1D-3036
28"	711	40"	1016	70 31.7	SSC-HT1D-3042	68 30.8	SSC-ST1D-3042
28"	711	46"	1168	75 34.0	SSC-HT1D-3048	73 33.1	SSC-ST1D-3048
28"	711	58"	1473	84 38.1	SSC-HT1D-3060	82 37.2	SSC-ST1D-3060
28"	711	64"	1626	91 41.3	SSC-HT1D-3066	89 40.4	SSC-ST1D-3066
28"	711	70"	1778	98 44.4	SSC-HT1D-3072	96 43.5	SSC-ST1D-3072




with Two Drawers

see spec sheet **EG03.05C**

FEATURES:

- Standing and Sitting-Height models available.
- 22" (559mm) or 28" (712mm) depth.

		35"			29½"		
		Standing Height			Sitting Height		
depth	width	weight		model #	weight	model #	
in mm	in mm	lbs.	kg		lbs.	kg	
22"	559	22"	559	50 22.7	SSC-HT2D-2424	48 21.8	SSC-ST2D-2424
22"	559	28"	711	55 24.9	SSC-HT2D-2430	53 24.0	SSC-ST2D-2430
22"	559	34"	864	60 27.2	SSC-HT2D-2436	58 26.3	SSC-ST2D-2436
22"	559	40"	1016	65 29.5	SSC-HT2D-2442	63 28.6	SSC-ST2D-2442
22"	559	46"	1168	70 31.7	SSC-HT2D-2448	68 30.8	SSC-ST2D-2448
22"	559	58"	1473	78 35.4	SSC-HT2D-2460	76 34.5	SSC-ST2D-2460
22"	559	64"	1626	84 38.1	SSC-HT2D-2466	82 37.2	SSC-ST2D-2466
22"	559	70"	1778	90 40.8	SSC-HT2D-2472	88 39.9	SSC-ST2D-2472
28"	711	22"	559	55 24.9	SSC-HT2D-3024	53 24.0	SSC-ST2D-3024
28"	711	28"	711	58 26.3	SSC-HT2D-3030	56 25.4	SSC-ST2D-3030
28"	711	34"	864	65 29.5	SSC-HT2D-3036	63 28.6	SSC-ST2D-3036
28"	711	40"	1016	70 31.7	SSC-HT2D-3042	68 30.8	SSC-ST2D-3042
28"	711	46"	1168	75 34.0	SSC-HT2D-3048	73 33.1	SSC-ST2D-3048
28"	711	58"	1473	84 38.1	SSC-HT2D-3060	82 37.2	SSC-ST2D-3060
28"	711	64"	1626	91 41.3	SSC-HT2D-3066	89 40.4	SSC-ST2D-3066
28"	711	70"	1778	98 44.4	SSC-HT2D-3072	96 43.5	SSC-ST2D-3072



Consult factory for pricing.

Stainless Steel Countertops



stainless steel countertops fabricated to drawings indicating backplash height, raised edge and field condition requirements




- 16 or 14 gauge, type 304 or 316 stainless steel. Other gauges and types of stainless available to meet the function and chemical resistant demands of highly specialized labs.
- Standard front edge Square or Box Marine, unless otherwise specified. See *detail 1* on next page.
- Back and end splashes are manufactured per specification. See *details 2 & 3* on next page. All working surfaces and sink bowls have coved sanitary horizontal and vertical corners.
- Either a mechanical hairline seam or field welded joint available per your specifications.
Maximum length without seam is 144" if no end splash. Length is reduced by 5½" for each end splash that may be required.
- Fabricated sink bowls available in most any size and depth with single or multiple compartments.
- For backplash mounted faucets, splash will need to be at least 2" deep for plumbing access, holes for deck mounted faucets are typically centered 1½" from the edge of sink bowl.
- Both L-shaped and U-shaped tops are available per your drawings.
 - Corners are mitered and factory welded.
 - Maximum size without field joint provisions is 96" x 96" to fit into standard trailer for ground shipment.
- Countertops have stainless steel reinforcing hat channels. Sound deadening tape is factory installed. Top support options include National Sanitation Foundation (NSF)-listed sprayed latex sound deadening and marine grade plywood backing with white laminate facing.
- Standard packaging is wood reinforced cardboard and is included in the cost. Should full crating be required, it too will be included in the cost.




Stainless Steel Countertops




see spec sheet **EG04.12**



detail 1: edges



detail 2:
example of a 4 1/2" backsplash with 45° return
(backsplash built to specification)



detail 3:
example of a 4 1/2" backsplash with 90° return
(backsplash built to specification)

NOTE: – Drawings to be submitted for approval prior to fabrication using the latest version of AutoCad software. They will be emailed in Adobe Acrobat format (.pdf) unless specified otherwise. AutoCad files (.dwg) are available upon request.
– Complete field welding and finishing services are available at additional expense.

Pegboards



see spec sheet **EG03.06**

- Heavy gauge 304 stainless steel construction
- Comes standard with 6" white polymer pegs
- 4" integral drip trough
- All drip troughs come with 36" long clear flexible drain tubing
- Wall mounting bracket included

FEATURES:



width		height		weight		no. of pegs	model #
in	mm	in	mm	lbs.	kg		
18"	457	24"	610	13	5.9	15	SSC-PB1824-4
24"	610	18"	457	15	6.8	16	SSC-PB2418-4
24"	610	24"	610	17	7.7	20	SSC-PB2424-4
24"	610	30"	762	23	10.4	32	SSC-PB2430-4
24"	610	36"	914	25	11.3	40	SSC-PB2436-4
30"	762	24"	610	23	10.4	25	SSC-PB3024-4
30"	762	30"	762	25	11.3	50	SSC-PB3030-4
30"	762	36"	914	25	11.3	40	SSC-PB3036-4
36"	914	24"	610	25	11.3	30	SSC-PB3624-4
36"	914	30"	762	26	11.8	60	SSC-PB3630-4
36"	914	36"	914	27	12.2	66	SSC-PB3636-4
48"	1219	24"	610	26	11.8	40	SSC-PB3624-4
48"	1219	30"	762	28	12.7	48	SSC-PB3630-4
48"	1219	36"	914	30	13.6	88	SSC-PB3636-4

Options for Pegboards

description	weight		model #
	lbs.	kg	
10-pack of pegs	4	1.8	SSC-PB-6PEG
10-pack of hole covers	4	1.8	SSC-PB-BLANK

Consult factory for pricing.

SpecFAB® Custom Capabilities

Custom Equipment Manufactured to Your Specifications!

CUSTOM APPLICATIONS COMPRISED OF SPECIALLY FABRICATED, STAINLESS STEEL EQUIPMENT OR PRE-FAB MODULAR COMPONENTS, OR A COMBINATION OF BOTH, WORK THEIR WAY QUICKLY THROUGH A SIMPLE YET SOPHISTICATED DESIGN, APPROVAL AND FABRICATION PROCESS. EQUIPMENT BUILT TO YOUR EXACT SPECIFICATIONS, PRE-WIRED AND PRE-PLUMBED (IF APPLICABLE), IS SHIPPED WITH SHORTER LEAD TIMES AND AT A LOWER OVERALL COST.



Manufacturing Capabilities:

- Engineering and design assistance.
- Room layouts provided.
- Standard and custom built stainless products.
- Small to large order capacities.
- Designed and built to industry standards.
- Quality controlled throughout process.
- In-house equipment capabilities and standard products provide **economical** solutions.
- Electropolishing services.



Eagle's SpecFAB® Division was formed to fill the gap between standard equipment and high-cost "wish-and-wait" highly customized equipment. SpecFAB® provides a way to short-cut the design and fabrication process. Depending on our customer's needs, we can build custom configurations from scratch or we can design pre-fab modular components. Having this flexibility means we can deliver custom equipment faster and at a lower cost. There's more that separates SpecFAB® from other custom equipment providers – its investment in the most sophisticated manufacturing systems means that each and every custom piece is consistent. We can make multiple pieces with repeat precision.

With SpecFAB®, you get quality custom equipment, built to your specifications and delivered to you fast – at affordable prices. The process begins with our staff of professional designers who analyze your idea, your needs and your budget. We create many of our custom configurations from superior pre-fab modular components. In this way we custom-fit an custom-build equipment while passing along important cost-efficiencies to you.

Design Services for Carts, Work Flow, and Room Layouts

Shelf-Select™


A *no-cost* design and layout service for wire shelving products.

Provide us with...


- Dimensions of the space available
- Number of shelves required per unit
- Post heights
- Indicate stationary, mobile or high-density
- Any additional pertinent storage requirements

And we'll provide you with...


- **Plan View**
Shelving systems layout makes the most efficient utilization of your available space.
- **Perspective View**
Illustrates the proposed equipment assembled in the available space. A great tool for presentation which reduces field assembly time provided to your installer.
- **Quote**
Includes model numbers, net prices and shipping weights for all components in specified job.



plan view



perspective view



quote



SPACEPlanning



Since joining the Revit® community in late 2012, Eagle has been working diligently to create our Revit® content library of catalog items. You can access Eagle's Revit® library through our website—www.eaglehmc.com—which features a link on the homepage which takes you directly to our offering in the KCL library.



Contact us...

If you are interested in a model that is not yet available via our website, please contact us via email at: revit@eaglegrp.com

Please include the following information with your request, if applicable:

- Contact information
- Project name
- Requested timeline
- Deliverable media
- Custom or standard (include Model #)
- Plans and/or specifications related
- Special considerations
- Revit version (2014-2017 available)

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

NOTES



Accessories/Components

Hangers & Hanger Bar Kits.....	128-129
Polymer Stem Casters	129
Posts, Electropolished	129
Replacement Garment Hanger Tubes ..	129

adjuSTable® Work Surface Systems

adjuSTable® Work Surface Systems	136-137
with Cantilevered Overhead System	138-139
with Wire Overshelf System	140-141

Freestanding Gowning Racks

with Hanger Rail.....	126
with Wire Shelving Components	127

Workstations

Mobile Computer Workstations	135
Workstations	135

More Cleanroom/Lab Equipment

Cleanroom Tables	132-134
Gowning Benches	130-131
Roll Bag Dispensers.....	142
Shoe Racks	143

Stainless Steel Countertops	144-145
Vertical Storage Cabinets	143
Wall Mounted Gowning Racks	128

NEW Breath/Safety Shields

See pages 269-273

- A variety of styles to choose from, including countertop, bolted-on, and ceiling-mounted shields.
- All shields feature 1" (25mm) radius corners.
- All models constructed of durable 7/32" (6mm) Plexiglas®.
- Custom sizes available upon request.



Freestanding Gowning Racks with Hanger Rail

see spec sheet **EG04.01A**



single gowning rack –
facilitating hangers*
to be non-removable



double gowning rack –
facilitating hangers*
to be removable



cantilevered gowning rack
– facilitating hangers*
to be removable

* hangers shown sold separately

- Stainless steel construction offers a non-contaminating surface that eliminates particle shedding.
- Electropolished models feature electrochemically passivated surfaces for the most demanding requirements.
- 75" (1905mm) height.
- Hanger slots are standard 3" (76mm) centers, but other center configurations are available.

FEATURES:

Notes: All models use open loop hangers—sold separately. See page 128.
Prices do not include hangers.
25% upcharge to change slot spacing from standard.
Casters not available for these units.

Designed for efficient storage of garments in the cleanroom.

Single Rack Models

							for Non-Removable Hangers				for Removable Hangers				
		length		weight		cu ft	number of hanger slots	stainless steel		electropolished		stainless steel		electropolished	
		in.	mm	lbs.	kg			model #	list	model #	list	model #	list	model #	list
24" width (610mm)	48"	1219	40	18.1	15.0	15	S2448-SGRN	3137	EP2448-SGRN	3767	S2448-SGRR	2719	EP2448-SGRR	3335	
	60"	1524	45	20.4	15.0	19	S2460-SGRN	3207	EP2460-SGRN	4081	S2460-SGRR	2774	EP2460-SGRR	3618	
	72"	1829	50	22.7	15.0	23	S2472-SGRN	3259	EP2472-SGRN	4225	S2472-SGRR	2846	EP2472-SGRR	3778	
	84"	2134	55	24.9	17.5	27	S2484-SGRN	3494	EP2484-SGRN	4460	S2484-SGRR	3057	EP2484-SGRR	3991	

Double Rack Models

							for Non-Removable Hangers				for Removable Hangers			
length		weight		cu ft	number of hanger slots	stainless steel		electropolished		stainless steel		electropolished		
in.	mm	lbs.	kg			model #	list	model #	list	model #	list	model #	list	
24" width (610mm)	48"	1219	59	26.7	15.0	32	S2448-DGRN	4693	EP2448-DGRN	5887	S2448-DGRR	4255	EP2448-DGRR	5260
	60"	1524	68	30.8	15.0	40	S2460-DGRN	4883	EP2460-DGRN	6283	S2460-DGRR	4512	EP2460-DGRR	5609
	72"	1829	77	34.9	15.0	48	S2472-DGRN	5097	EP2472-DGRN	6683	S2472-DGRR	4658	EP2472-DGRR	5966
	84"	2134	86	39.0	17.5	56	S2484-DGRN	5321	EP2484-DGRN	6919	S2484-DGRR	4885	EP2484-DGRR	6178

Cantilevered Rack Models

						for Non-Removable Hangers				for Removable Hangers				
length		weight		cu	number of hanger slots	stainless steel		electropolished		stainless steel		electropolished		
in.	mm	lbs.	kg	ft		model #	list	model #	list	model #	list	model #	list	
24" width (610mm)	48"	1219	45	20.4	15.0	16	S2448-CGRN	3137	EP2448-CGRN	3767	S2448-CGRR	2719	EP2448-CGRR	3335
	60"	1524	50	22.7	15.0	20	S2460-CGRN	3207	EP2460-CGRN	4081	S2460-CGRR	2774	EP2460-CGRR	3618
	72"	1829	55	24.9	15.0	24	S2472-CGRN	3259	EP2472-CGRN	4225	S2472-CGRR	2846	EP2472-CGRR	3778
	84"	2134	60	27.2	17.5	28	S2484-CGRN	3493	EP2484-CGRN	4460	S2484-CGRR	3057	EP2484-CGRR	3991

Catalog Section 4

EAGLE offers gowning racks that incorporate wire shelving components with specially designed gown storage options. They offer a more economical rack option in less demanding environments in chrome plated steel as well as electropolished stainless steel models.

Freestanding Gowning Racks with Wire Shelving Components

see spec sheet **EG04.01B**

- 86" (2184mm) height.
- Wire shelf features QuadTruss® Design. Patent #5,390,803.

FEATURES:

Note: See each model for spacing centers.
25% upcharge to change slot spacing from standard.

with Hanger Slots

- Hanger slots on standard 2½" (64mm) centers.
- Custom spacing available.
- Prices do not include hangers – see page 128 for optional hangers.

	length		weight		cubic feet	number of hanger slots	electropolished		chrome	
	in.	mm	lbs.	kg			model #	list	model #	list
24"	48"	1219	30	13.6	5.4	17	EP2448-GR	1572	C2448-GR	652
width (610mm)	60"	1524	37	16.8	6.5	22	EP2460-GR	1875	C2460-GR	736
	72"	1829	40	18.1	7.0	27	EP2472-GR	2198	C2472-GR	837

Optional Keeper Bars for above Gowning Racks

- Makes hangers non-removable.

length in. mm	number of hanger slots	electropolished		chrome	
		model #	list	model #	list
48" 1219	17	KB48-EP	96	KB48-C	79
60" 1524	22	KB60-EP	106	KB60-C	88
72" 1829	27	KB72-EP	119	KB72-C	97

with Hooks


- Hooks welded on all four shelf sides are spaced on 1½" (38mm) centers and are staggered 1" (25mm) vertically hook-to-hook for ease of access.

	length		weight		cubic feet	number of hooks	electropolished		chrome	
	in.	mm	lbs.	kg			model #	list	model #	list
14"	48"	1219	56	25.4	5.4	72	EP1448-GRH	3112	C1448-GRH	1543
width (356mm)	60"	1524	68	30.8	6.5	88	EP1460-GRH	3718	C1460-GRH	1607
	72"	1829	80	36.3	7.0	104	EP1472-GRH	4529	C1472-GRH	1928

with Hanger Tube

- 1" (25mm) diameter tubular bar which easily mounts to underside of wire shelf.
- Facilitates laminar flow.
- See page 129 for replacement garment hanger tubes.

	length		weight		cubic feet	stainless steel		chrome	
	in.	mm	lbs.	kg		model #	list	model #	list
24"	48"	1219	27	12.2	5.4	S2448-GRT	1131	C2448-GRT	448
width (610mm)	60"	1524	34	15.4	6.5	S2460-GRT	1235	C2460-GRT	487
	72"	1829	37	16.7	7.0	S2472-GRT	1367	C2472-GRT	551



Convenient for storage of lab coats, uniforms and garments.

Weight Capacity: 50 lbs.




* hangers shown sold separately

Wall Mounted Gowning Racks

see spec sheet **EG04.08**

When space management is critical, EAGLE offers three wall mounted options for garment storage.



gowning rack –
wall mounted with optional hangers



gowning rack –
wall mounted with hooks



wall mounted tubular gowning rack

- Open wire top shelf for laminar flow. Features QuadTruss® Design. Patent #5,390,803.
- Hangers are not included.

FEATURES:

Note: See bottom of this page for optional hangers available.

with Hanger Slots

- Hanger slots on 2½" (64mm) centers. Prices do not include hangers.

	length		weight		cubic feet	number of hanger slots	electropolished		chrome	
	in.	mm	lbs.	kg			model #	list	model #	list
24"	48"	1219	19	8.6	1.4	17	EP2448-WGR	1240	C2448-WGR	500
width	60"	1524	24	10.9	1.7	22	EP2460-WGR	1513	C2460-WGR	606
(610mm)	72"	1829	29	13.2	2.0	27	EP2472-WGR	1815	C2472-WGR	697

Optional Keeper Bars for above Gowning Racks

- Makes hangers non-removable.

length in. mm	number of hanger slots	electropolished		chrome	
		model #	list	model #	list
48" 1219	17	KB48-EP	96	KB48-C	79
60" 1524	22	KB60-EP	106	KB60-C	88
72" 1829	27	KB72-EP	119	KB72-C	97

with Hooks

- Hooks welded on 1½" (38mm) centers.

	length		weight		cubic feet	number of hooks	electropolished		chrome	
	in.	mm	lbs.	kg			model #	list	model #	list
14"	48"	1219	21	9.5	1.4	30	EP1448-WGRH	1609	C1448-WGRH	702
width	60"	1524	27	12.2	1.7	38	EP1460-WGRH	1918	C1460-WGRH	808
(356mm)	72"	1829	31	14.1	2.0	46	EP1472-WGRH	2305	C1472-WGRH	983


with Hanger Tube

- See page 129 for replacement garment hanger tubes.

	length		weight		cubic feet	electropolished		chrome	
	in.	mm	lbs.	kg		model #	list	model #	list
18"	48"	1219	17	7.7	1.4	S1848-WGRT	629	C1848-WGRT	262
width	60"	1524	22	10.0	1.7	S1860-WGRT	722	C1860-WGRT	281
(457mm)	72"	1829	27	12.2	2.0	S1872-WGRT	843	C1872-WGRT	301

Hangers

see spec sheet **EG04.06**



closed loop hanger

Open Loop Hangers

weight lbs. kg	cu ft	chrome		stainless steel		electropolished	
		model #	list	model #	list	model #	list
0.4 0.2	0.3	OLH-C•	17	OLH-S•	23	OLH-EP	27

Closed Loop Hangers

weight lbs. kg	cu ft	chrome		stainless steel		electropolished	
		model #	list	model #	list	model #	list
0.4 0.2	0.3	CLH-C	17	CLH-S	23	CLH-EP	25

2-Piece Hangers

weight lbs. kg	cu ft	chrome		stainless steel		electropolished	
		model #	list	model #	list	model #	list
0.5 0.2	0.3	TPH-C	54	TPH-S	62	TPH-EP	71



- Use with non-removable hanger rack models.
- Top component affixed to gowning rack, while bottom component is removable for convenient mounting of the garment.
- These hangers discourage removal from the gowning area.

Accessories

Hanger Bar Kits



see spec sheet **EG04.06**

Note: For freestanding or wall mounted gowning racks, removable or non-removable models (pages 126-128).

FEATURES:

- For use with 2-piece and open loop hangers.
- Retrofits existing shelving into freestanding or wall mounted gowning racks.
- 24" (610mm) wide shelves only.
- Hanger slots on standard 2½" (64mm) centers.
- Custom spacing available.
- Prices do not include hangers.

length		weight		cu	number of hanger slots	electropolished		stainless steel		chrome	
in.	mm	lbs.	kg	ft		model #	list	model #	list	model #	list
48"	1219	7.0	3.2	0.8	17	HBK-48EP	412	HBK-48S	342	HBK-48C	283
60"	1524	9.5	4.3	1.2	22	HBK-60EP	459	HBK-60S	380	HBK-60C	325
72"	1829	12.0	5.4	1.6	27	HBK-72EP	481	HBK-72S	421	HBK-72C	361

Replacement Garment Hanger Tubes

see spec sheet **EG04.07**

length		weight		cubic	chrome		stainless steel	
in.	mm	lbs.	kg	feet	model #	list	model #	list
24"	610	1.5	0.7	0.1	CH24	45	CH24-S	98
30"	762	1.7	0.8	0.1	CH30	48	CH30-S	100
36"	914	2.2	1.0	0.1	CH36	51	CH36-S	104
42"	1067	2.7	1.2	0.1	CH42	52	CH42-S	108
48"	1219	3.2	1.5	0.1	CH48 •	54	CH48-S	112
54"	1372	3.5	1.6	0.2	CH54	57	CH54-S	125
60"	1524	3.8	1.7	0.2	CH60	60	CH60-S	136
72"	1929	4.7	2.1	0.2	CH72	63	CH72-S	142

**Weight
Capacity:
50 lbs.**

Note: Mounts onto 18", 21", and 24" (457, 533, and 610mm) wide shelves only.

For freestanding or wall mounted gowning racks with hanger tubes (pages 127 & 128).

(•) MTS (made to stock) / () MTO (made to order)



garment hanger tube

Electropolished Posts

see spec sheet **EG04.07**

**Stationary posts
come standard with
electropolished
foot plates.**



stationary post

					...Stationary		...Mobile	
post height	in.	mm	weight	cu	model #	list	model #	list
33"	383	2.0	0.9	0.4	P33-EPS	82	CP33-EPS	82
54"	1372	3.0	1.4	0.4	P54-EPS	109	CP54-EPS	109
63"	1600	3.5	1.6	0.4	P63-EPS	118	CP63-EPS	118
74"	1880	4.0	1.8	0.5	P74-EPS	133	CP74-EPS	133
86"	2184	5.0	2.3	0.5	P86-EPS	145	CP86-EPS	145

Polymer Stem Casters

see spec sheets **EG01.05** **EG04.07**

- Stainless steel axle.
- Zinc-plated stem.
- Polymer horn.
- Polyurethane wheel.

type	type of bearing	capacity	lbs.	kg	wheel diameter	in.	mm	wheel face	in.	mm	weight	lbs.	kg	cu	ft	model #	list
stem/swivel	delrin	250	113.4	5"	127	1½"	32	2.0	0.9	0.1	CPSS5-250 •	92					
stem/brake	delrin	250	113.4	5"	127	1½"	32	2.0	0.9	0.1	CPSB5-250 •	113					

Note: For use with mobile posts (see above).

(•) MTS (made to stock) / () MTO (made to order)




**These casters offer total
corrosion resistance.**

Note: These casters are not autoclave.

Stainless Steel Caster Cradle®

see product announcement **EG8108M**



FEATURES:

- The only caster stabilizing device with a patented uniform circular design (patent #US 8,678,335 B2) that allows for approach from any angle.
- Units are secured to the floor where the casters are to be centered.



description	model #	list/pkg
quantity of 2 per package	CC-S-2	112
quantity of 10 per package	CC-S-10	444
quantity of 60 per package	CC-S-60	2488

EL Series Heavy Duty Solid Gowning Benches

see spec sheet **EG04.13**


FEATURES:

- 14 gauge type 304 stainless steel.
- Available with welded or adjustable h-frame or 4-sided frame.
- Hat channel on underside of seat.
- Stainless steel legs and foot plates.
- 17" (432mm) overall height.



Optional Shelf Section

10" x 12" (254 x 305mm). For units with 4-sided frame only.



model	list
ELGB-TRAY	75

...with Adjustable Frame

	length in. mm	weight lbs. kg	cubic feet	4-SIDED FRAME model # list	H-FRAME BASE model # list
16" width (406mm)	36" 914	33 15.0	2.6	ELGB1636-4 1607	ELGB1636-H 1662
	48" 1219	40 18.1	3.5	ELGB1648-4 1692	ELGB1648-H 1733
	60" 1524	47 21.3	2.5	ELGB1660-4 2656	ELGB1660-H 1845
	72" 1829	54 24.5	3.0	ELGB1672-4 2681	ELGB1672-H 1871

...with Welded Frame

	length in. mm	weight lbs. kg	cubic feet	4-SIDED FRAME model # list	H-FRAME BASE model # list
16" width (406mm)	36" 914	36 16.3	6.8	ELGB1636-4W 2024	ELGB1636-HW 2079
	48" 1219	43 19.5	9.0	ELGB1648-4W 2107	ELGB1648-HW 2148
	60" 1524	50 22.7	11.3	ELGB1660-4W 3072	ELGB1660-HW 2260
	72" 1829	57 25.9	13.5	ELGB1672-4W 3098	ELGB1672-HW 2287

Catalog Section 4

Standard Gowning Benches

see spec sheet **EG04.03**

Solid

- 14 gauge type 304 stainless steel seat.
- Front and rear feature a rolled edge, with ends turned down at 90°.
- Shipped knocked-down.
- 17" (432mm) overall height.

FEATURES:

- Flanged stainless foot plates for convenient attachment to the floor.
- Available in brushed finish 304 stainless steel or electropolished finish.

(•) MTS (made to stock) / () MTO (made to order)

Hold up to 500 lbs.!

	length		weight		cubic feet	electropolished		stainless steel	
	in.	mm	lbs.	kg		model #	list	model #	list
9" width (229mm)	36"	914	26	11.8	5.8	CRB0936EP	1604	CRB0936	1241
	48"	1219	32	14.5	8.2	CRB0948EP	1688	CRB0948	1303
	60"	1524	39	17.6	11.0	CRB0960EP	1892	CRB0960	1392
	72"	1829	46	20.9	14.6	CRB0972EP	2046	CRB0972	1513
12" width (305mm)	24"	610	24	10.9	2.2	CRB1224EP	1694	CRB1224	1324
	36"	914	30	13.6	2.5	CRB1236EP	1694	CRB1236•	1324
	48"	1219	40	18.1	3.4	CRB1248EP	1781	CRB1248•	1391
	60"	1524	50	22.7	3.6	CRB1260EP	1956	CRB1260•	1454
	72"	1829	60	27.2	4.3	CRB1272EP*	2114	CRB1272**	1578
	84"	2134	70	31.8	5.2	CRB1284EP*	2185	CRB1284*	1643

* Comes with six legs.



#CRB0948



#CRB1284

Wire

- Four (4) 18" (457mm) legs with foot plates.
- One (1) three-sided channel frame.
- One (1) wire shelf featuring QuadTruss® Design (patent #5,390,803).

	length		weight		cubic feet	chrome		stainless steel	
	in.	mm	lbs.	kg		model #	list	model #	list
14" width (356mm)	36"	914	15	6.8	0.5	W1436-GBC	329	W1436-GBS	989
	48"	1219	19	8.6	0.7	W1448-GBC	363	W1448-GBS	1097
	60"	1524	25	11.3	0.9	W1460-GBC	395	W1460-GBS	1146
	72"	1829	30	13.6	1.1	W1472-GBC	415	W1472-GBS	1215



An economical gowning bench using wire shelving components that offers 62% laminar flow.

Ideal for less demanding environments, or during construction as the room is brought into clean.

Gowning Benches with Standard Undershelf...

- Designated seat, legs, foot plates, and one wire undershelf (additional wire undershelves and dividers are optional).
- 72" (1829mm) units have six legs.
- Standard undershelf for all 72" (1829mm) units consists of two #1436S wire shelves with S-hooks.
- All wire undershelves are 14" (356mm)-wide and feature QuadTruss® Design (patent #5,390,803).
- 19" (483mm) overall height.

...with Perforated Seat

3/4" (19mm) perforations on 1" (25mm) center.

Seats hold up to 500 lbs.!

	length		weight		cubic feet	electropolished		stainless steel	
	in.	mm	lbs.	kg		model #	list	model #	list
18" width (457mm)	36"	914	38	17.2	4.4	PCRB1836EP	2560	PCRB1836	2058
	48"	1219	43	19.5	5.7	PCRB1848EP	2697	PCRB1848	2167
	60"	1524	49	22.0	7.1	PCRB1860EP	2968	PCRB1860	2298
	72"	1829	55	24.9	8.5	PCRB1872EP	3203	PCRB1872	2480

...with Solid Seat

	length		weight		cubic feet	electropolished		stainless steel	
	in.	mm	lbs.	kg		model #	list	model #	list
18" width (457mm)	36"	914	38	17.2	4.4	CRB1836EP	2274	CRB1836	1786
	48"	1219	43	19.5	5.7	CRB1848EP	2392	CRB1848	1881
	60"	1524	49	22.0	7.1	CRB1860EP	2629	CRB1860	1991
	72"	1829	55	25.0	8.5	CRB1872EP	2838	CRB1872	2153



gowning bench with standard undershelf and perforated seat, shown with additional undershelf and dividers

Options for Gowning Benches with Undershelf

Dividers — 4" high.

model	list
SD14-4S	65

Additional Undershelves*

model	list
1436S••	245
1448S•	301
1460S•	383

* 72" (1829mm)-long benches require two #1436S undershelves and two #A200012 S-hooks (\$3 List ea.).

Cleanroom Tables with Flat Top—Stainless

see spec sheets **EG04.02A** and **EG04.02B**

All tables feature brushed stainless steel finish.

Please note: Cleanroom Tables are not eligible for returns.

FEATURES:

“CRT” Series tables – Solid top with choice of:

- Knocked down stainless steel C-frame
- Knocked down stainless steel H-frame
- Solid stainless steel fixed undershelf.

For Optional Casters and Glides, see page 134.

- Available with solid or perforated top, with C-Frame, H-Frame, or undershelf base.
- All tops are 14 gauge type 304* stainless.
- Perforated tops ($\frac{3}{4}$ "-dia. holes on 1" center) allow for 40% laminar flow, depending on size.
- Shipped knocked down, reducing freight costs and the potential for freight damage.
- 35½" overall height.

* To upgrade to 316 stainless steel construction, add suffix “-316” (ex: CRT3060T-C-316) with 35% upcharge.

	length		weight		cu ft	C-FRAME BASE		H-FRAME BASE		UNDERSHELF BASE	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list
24" width (610mm)	24"	610	40	18.1	2.9	CRT2424T-C	1543	CRT2424T-H	1543	CRT2424T-US	1928
	36"	914	50	22.7	3.5	CRT2436T-C	1714	CRT2436T-H	1714	CRT2436T-US	2143
	48"	1219	60	27.3	4.6	CRT2448T-C	1791	CRT2448T-H	1791	CRT2448T-US	2238
	60"	1524	68	30.9	5.7	CRT2460T-C	1862	CRT2460T-H	1862	CRT2460T-US	2328
	72"	1829	86	39.1	6.9	CRT2472T-C	2117	CRT2472T-H	2117	CRT2472T-US	2645
	84"	2134	90	40.9	7.9	CRT2484T-C	2556	CRT2484T-H	2556	CRT2484T-US	3196
30" width (762mm)	96"	2438	111	50.5	9.1	CRT2496T-C	2731	CRT2496T-H	2731	CRT2496T-US	2645
	30"	762	42	19.1	2.9	CRT3030T-C	1566	CRT3030T-H	1566	CRT3030T-US	1958
	36"	914	52	23.6	3.5	CRT3036T-C	1741	CRT3036T-H	1741	CRT3036T-US	2176
	48"	1219	65	29.5	4.6	CRT3048T-C	1808	CRT3048T-H	1808	CRT3048T-US	2260
	60"	1524	76	34.5	5.7	CRT3060T-C	2063	CRT3060T-H	2063	CRT3060T-US	2580
	72"	1829	89	40.5	6.9	CRT3072T-C	2243	CRT3072T-H	2243	CRT3072T-US	2804
36" width (914mm)	84"	2134	101	45.9	7.9	CRT3084T-C	2658	CRT3084T-H	2658	CRT3084T-US	3323
	96"	2438	122	55.5	9.1	CRT3096T-C	2841	CRT3096T-H	2841	CRT3096T-US	3552
	36"	914	60	27.3	4.4	CRT3636T-C	1804	CRT3636T-H	1804	CRT3636T-US	2255
	48"	1219	73	33.2	5.5	CRT3648T-C	1897	CRT3648T-H	1897	CRT3648T-US	2371
	60"	1524	85	38.6	6.8	CRT3660T-C	2402	CRT3660T-H	2402	CRT3660T-US	3004
	72"	1829	100	45.5	8.1	CRT3672T-C	2605	CRT3672T-H	2605	CRT3672T-US	3257
	84"	2134	116	52.7	9.5	CRT3684T-C	2780	CRT3684T-H	2780	CRT3684T-US	3475
	96"	2438	135	61.4	10.8	CRT3696T-C	3048	CRT3696T-H	3048	CRT3696T-US	3811



with solid top and C-frame



with perforated top and H-frame

“CRPT” Series – Perforated top ($\frac{3}{4}$ "-dia. holes on 1" center) with choice of:

- Knocked down stainless steel H-frame
- Knocked down stainless steel C-frame
- Perforated stainless steel fixed undershelf ($\frac{3}{4}$ "-dia. holes on 1" center)

For Optional Casters and Glides, see page 134.


	length		weight		cu ft	C-FRAME BASE		H-FRAME BASE		UNDERSHELF BASE	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list
24" width (610mm)	24"	610	30	13.6	2.9	CRPT2424T-C	1760	CRPT2424T-H	1760	CRPT2424T-US	2199
	36"	914	40	18.1	3.5	CRPT2436T-C	2069	CRPT2436T-H	2069	CRPT2436T-US	2587
	48"	1219	50	22.7	4.6	CRPT2448T-C	2420	CRPT2448T-H	2420	CRPT2448T-US	3025
	60"	1524	58	26.3	5.7	CRPT2460T-C	2614	CRPT2460T-H	2614	CRPT2460T-US	3266
	72"	1829	76	34.5	6.9	CRPT2472T-C	3347	CRPT2472T-H	3347	CRPT2472T-US	4185
	84"	2134	80	36.3	7.9	CRPT2484T-C	3709	CRPT2484T-H	3709	CRPT2484T-US	4637
30" width (762mm)	96"	2438	101	45.8	9.1	CRPT2496T-C	4824	CRPT2496T-H	4824	CRPT2496T-US	4185
	30"	762	32	14.5	2.9	CRPT3030T-C	1827	CRPT3030T-H	1827	CRPT3030T-US	2285
	36"	914	42	19.1	3.5	CRPT3036T-C	2153	CRPT3036T-H	2153	CRPT3036T-US	2692
	48"	1219	55	24.9	4.6	CRPT3048T-C	2498	CRPT3048T-H	2498	CRPT3048T-US	3122
	60"	1524	66	29.9	5.7	CRPT3060T-C	2700	CRPT3060T-H	2700	CRPT3060T-US	3376
	72"	1829	79	35.8	6.9	CRPT3072T-C	3357	CRPT3072T-H	3357	CRPT3072T-US	4196
36" width (914mm)	84"	2134	91	41.3	7.9	CRPT3084T-C	4003	CRPT3084T-H	4003	CRPT3084T-US	5004
	96"	2438	112	50.8	9.1	CRPT3096T-C	4945	CRPT3096T-H	4945	CRPT3096T-US	6182
	36"	914	50	22.7	4.4	CRPT3636T-C	2260	CRPT3636T-H	2260	CRPT3636T-US	2826
	48"	1219	63	28.6	5.5	CRPT3648T-C	2571	CRPT3648T-H	2571	CRPT3648T-US	3214
	60"	1524	75	34.0	6.8	CRPT3660T-C	2987	CRPT3660T-H	2987	CRPT3660T-US	3734
	72"	1829	90	40.8	8.1	CRPT3672T-C	3380	CRPT3672T-H	3380	CRPT3672T-US	4225
	84"	2134	106	48.1	9.5	CRPT3684T-C	4037	CRPT3684T-H	4037	CRPT3684T-US	5045
	96"	2438	125	56.7	10.8	CRPT3696T-C	5071	CRPT3696T-H	5071	CRPT3696T-US	6337

Optional Base Frames available for Cleanroom Tables

The following options are not included in the table price. Contact Customer Service for pricing.

For CRT and CRPT Series tables only:

- Welded construction C-frame.
- Welded construction H-frame.



Catalog Section 4

Cleanroom Tables with Backsplash—Stainless

see spec sheets **EG04.02E** and **EG04.02F**

All tables feature brushed stainless steel finish.

Please note: Cleanroom Tables are not eligible for returns.

FEATURES:

- Available with solid or perforated top, with C-Frame, H-Frame, or undershelf base.
- All tops are 14 gauge type 304* stainless.
- Perforated tops ($\frac{3}{4}$ "-dia. holes on 1" center). allow for 40% laminar flow, depending on size.
- 4½" (114mm) backsplash.
- Shipped knocked down.
- 35½" overall height.

* To upgrade to **316 stainless steel construction**, add suffix **"-316"** (ex: CRT3060T-C-**316**) with 35% upcharge.

"CRT" Series tables – Solid top with 4½" backsplash, with choice of:

- Knocked down stainless steel C-frame
- Knocked down stainless steel H-frame
- Solid stainless steel fixed undershelf.

	length		weight		cu ft	C-FRAME BASE		H-FRAME BASE		UNDERSHELF BASE	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list
24" width (610mm)	24"	610	40	18.1	2.9	CRT2424T-C-BS	1775	CRT2424T-H-BS	1775	CRT2424T-US-BS	2218
	36"	914	50	22.7	3.5	CRT2436T-C-BS	1971	CRT2436T-H-BS	1971	CRT2436T-US-BS	2464
	48"	1219	60	27.3	4.6	CRT2448T-C-BS	2059	CRT2448T-H-BS	2059	CRT2448T-US-BS	2574
	60"	1524	68	30.9	5.7	CRT2460T-C-BS	2141	CRT2460T-H-BS	2141	CRT2460T-US-BS	2678
	72"	1829	86	39.1	6.9	CRT2472T-C-BS	2435	CRT2472T-H-BS	2435	CRT2472T-US-BS	3042
	84"	2134	90	40.9	7.9	CRT2484T-C-BS	2939	CRT2484T-H-BS	2939	CRT2484T-US-BS	3675
30" width (762mm)	96"	2438	111	50.5	9.1	CRT2496T-C-BS	3140	CRT2496T-H-BS	3140	CRT2496T-US-BS	3042
	30"	762	42	19.1	2.9	CRT3030T-C-BS	1801	CRT3030T-H-BS	1801	CRT3030T-US-BS	2252
	36"	914	52	23.6	3.5	CRT3036T-C-BS	2002	CRT3036T-H-BS	2002	CRT3036T-US-BS	2502
	48"	1219	65	29.5	4.6	CRT3048T-C-BS	2080	CRT3048T-H-BS	2080	CRT3048T-US-BS	2599
	60"	1524	76	34.5	5.7	CRT3060T-C-BS	2373	CRT3060T-H-BS	2373	CRT3060T-US-BS	2967
	72"	1829	89	40.5	6.9	CRT3072T-C-BS	2580	CRT3072T-H-BS	2580	CRT3072T-US-BS	3225
36" width (914mm)	84"	2134	101	45.9	7.9	CRT3084T-C-BS	3057	CRT3084T-H-BS	3057	CRT3084T-US-BS	3822
	96"	2438	122	55.5	9.1	CRT3096T-C-BS	3267	CRT3096T-H-BS	3267	CRT3096T-US-BS	4084
	36"	914	60	27.3	4.4	CRT3636T-C-BS	2075	CRT3636T-H-BS	2075	CRT3636T-US-BS	2593
	48"	1219	73	33.2	5.5	CRT3648T-C-BS	2181	CRT3648T-H-BS	2181	CRT3648T-US-BS	2726
	60"	1524	85	38.6	6.8	CRT3660T-C-BS	2762	CRT3660T-H-BS	2762	CRT3660T-US-BS	3455
	72"	1829	100	45.5	8.1	CRT3672T-C-BS	2996	CRT3672T-H-BS	2996	CRT3672T-US-BS	3745
36" width (914mm)	84"	2134	116	52.7	9.5	CRT3684T-C-BS	3197	CRT3684T-H-BS	3197	CRT3684T-US-BS	3996
	96"	2438	135	61.4	10.8	CRT3696T-C-BS	3505	CRT3696T-H-BS	3505	CRT3696T-US-BS	4382

For Optional Casters
and Glides,
see page 134.

"CRPT" Series – Perforated top ($\frac{3}{4}$ "-dia. holes on 1" center) with 4½" backsplash, with choice of:

- Knocked down stainless steel H-frame
- Knocked down stainless steel C-frame
- Perforated stainless steel fixed undershelf ($\frac{3}{4}$ "-dia. holes on 1" center)

	length		weight		cu ft	C-FRAME BASE		H-FRAME BASE		UNDERSHELF BASE	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list
24" width (610mm)	24"	610	30	13.6	2.9	CRPT2424T-C-BS	2024	CRPT2424T-H-BS	2024	CRPT2424T-US-BS	2528
	36"	914	40	18.1	3.5	CRPT2436T-C-BS	2380	CRPT2436T-H-BS	2380	CRPT2436T-US-BS	2976
	48"	1219	50	22.7	4.6	CRPT2448T-C-BS	2783	CRPT2448T-H-BS	2783	CRPT2448T-US-BS	3479
	60"	1524	58	26.3	5.7	CRPT2460T-C-BS	3005	CRPT2460T-H-BS	3005	CRPT2460T-US-BS	3756
	72"	1829	76	34.5	6.9	CRPT2472T-C-BS	3849	CRPT2472T-H-BS	3849	CRPT2472T-US-BS	4813
	84"	2134	80	36.3	7.9	CRPT2484T-C-BS	4266	CRPT2484T-H-BS	4266	CRPT2484T-US-BS	5333
30" width (762mm)	96"	2438	101	45.8	9.1	CRPT2496T-C-BS	5547	CRPT2496T-H-BS	5547	CRPT2496T-US-BS	4813
	30"	762	32	14.5	2.9	CRPT3030T-C-BS	2101	CRPT3030T-H-BS	2101	CRPT3030T-US-BS	2628
	36"	914	42	19.1	3.5	CRPT3036T-C-BS	2476	CRPT3036T-H-BS	2476	CRPT3036T-US-BS	3096
	48"	1219	55	24.9	4.6	CRPT3048T-C-BS	2873	CRPT3048T-H-BS	2873	CRPT3048T-US-BS	3591
	60"	1524	66	29.9	5.7	CRPT3060T-C-BS	3105	CRPT3060T-H-BS	3105	CRPT3060T-US-BS	3882
	72"	1829	79	35.8	6.9	CRPT3072T-C-BS	3860	CRPT3072T-H-BS	3860	CRPT3072T-US-BS	4825
36" width (914mm)	84"	2134	91	41.3	7.9	CRPT3084T-C-BS	4603	CRPT3084T-H-BS	4603	CRPT3084T-US-BS	5755
	96"	2438	112	50.8	9.1	CRPT3096T-C-BS	5687	CRPT3096T-H-BS	5687	CRPT3096T-US-BS	7109
	36"	914	50	22.7	4.4	CRPT3636T-C-BS	2599	CRPT3636T-H-BS	2599	CRPT3636T-US-BS	3251
	48"	1219	63	28.6	5.5	CRPT3648T-C-BS	2956	CRPT3648T-H-BS	2956	CRPT3648T-US-BS	3696
	60"	1524	75	34.0	6.8	CRPT3660T-C-BS	3436	CRPT3660T-H-BS	3436	CRPT3660T-US-BS	4294
	72"	1829	90	40.8	8.1	CRPT3672T-C-BS	3887	CRPT3672T-H-BS	3887	CRPT3672T-US-BS	4859
36" width (914mm)	84"	2134	106	48.1	9.5	CRPT3684T-C-BS	4642	CRPT3684T-H-BS	4642	CRPT3684T-US-BS	5802
	96"	2438	125	56.7	10.8	CRPT3696T-C-BS	5832	CRPT3696T-H-BS	5832	CRPT3696T-US-BS	7287

For Optional Casters
and Glides,
see page 134.

Cleanroom Tables - Electropolished Stainless

see spec sheets **EG04.02C** and **EG04.02D**

Please note: Cleanroom Tables are not eligible for returns.

FEATURES:

- Available with solid or perforated top, with C-Frame, H-Frame, or undershelf base.
- All tops are 14 gauge type 304* stainless.
- Perforated tops ($\frac{3}{4}$ "-dia. holes on 1" center).
- allow for 40% laminar flow, depending on size.
- Shipped knocked down, reducing freight costs and the potential for freight damage.
- 35½" overall height.

* To upgrade to **316 stainless steel construction**, add suffix **"-316"** (ex: SEP3048T-C-**316**) with 35% upcharge.

"SEP" Series tables – Electropolished stainless solid top with choice of:

- Knocked down electropolished C-frame
- Knocked down electropolished H-frame
- Solid electropolished fixed undershelf.


	length		weight		cu ft	C-FRAME BASE		H-FRAME BASE		UNDERSHELF BASE	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list
24" width (610mm)	24"	610	30	18.1	2.9	SEP2424T-C	2337	SEP2424T-H	2337	SEP2424T-US	2922
	36"	914	50	22.7	3.5	SEP2436T-C	2598	SEP2436T-H	2598	SEP2436T-US	3248
	48"	1219	60	27.3	4.6	SEP2448T-C	3253	SEP2448T-H	3253	SEP2448T-US	4066
	60"	1524	68	30.9	5.7	SEP2460T-C	3497	SEP2460T-H	3497	SEP2460T-US	4372
	72"	1829	86	39.1	6.9	SEP2472T-C	4327	SEP2472T-H	4327	SEP2472T-US	5411
30" width (762mm)	84"	2134	90	40.9	7.9	SEP2484T-C	4956	SEP2484T-H	4956	SEP2484T-US	6196
	36"	914	52	23.6	3.5	SEP3036T-C	2928	SEP3036T-H	2928	SEP3036T-US	3662
	48"	1219	65	29.5	4.6	SEP3048T-C	3399	SEP3048T-H	3399	SEP3048T-US	4249
	60"	1524	76	34.5	5.7	SEP3060T-C	3812	SEP3060T-H	3812	SEP3060T-US	4764
	72"	1829	89	40.5	6.9	SEP3072T-C	4404	SEP3072T-H	4404	SEP3072T-US	5505
36" width (914mm)	84"	2134	101	45.9	7.9	SEP3084T-C	5106	SEP3084T-H	5106	SEP3084T-US	6382
	36"	914	60	27.3	4.4	SEP3636T-C	3036	SEP3636T-H	3036	SEP3636T-US	3796
	48"	1219	73	33.2	5.5	SEP3648T-C	3578	SEP3648T-H	3578	SEP3648T-US	4472
	60"	1524	85	38.6	6.8	SEP3660T-C	4125	SEP3660T-H	4125	SEP3660T-US	5157
	72"	1829	100	45.5	8.1	SEP3672T-C	4551	SEP3672T-H	4551	SEP3672T-US	5691



"EPCRT" Series tables – Brushed electropolished perforated top ($\frac{3}{4}$ "-dia. holes on 1" center) with choice of:

- Knocked down electropolished H-frame
- Knocked down electropolished C-frame
- Perforated electropolished fixed undershelf ($\frac{3}{4}$ "-dia. holes on 1" center)

	length		weight		cu ft	C-FRAME BASE		H-FRAME BASE		UNDERSHELF BASE	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list
24" width (610mm)	24"	610	30	18.1	2.9	EPCRT2424T-C	2231	EPCRT2424T-H	2231	EPCRT2424T-US	2788
	36"	914	40	22.7	3.5	EPCRT2436T-C	2620	EPCRT2436T-H	2620	EPCRT2436T-US	3276
	48"	1219	50	27.3	4.6	EPCRT2448T-C	3267	EPCRT2448T-H	3267	EPCRT2448T-US	4085
	60"	1524	58	30.9	5.7	EPCRT2460T-C	3526	EPCRT2460T-H	3526	EPCRT2460T-US	4408
	72"	1829	76	39.1	6.9	EPCRT2472T-C	4352	EPCRT2472T-H	4352	EPCRT2472T-US	5441
30" width (762mm)	84"	2134	80	40.9	7.9	EPCRT2484T-C	4996	EPCRT2484T-H	4996	EPCRT2484T-US	6244
	36"	914	42	23.6	3.5	EPCRT3036T-C	2949	EPCRT3036T-H	2949	EPCRT3036T-US	3687
	48"	1219	55	29.5	4.6	EPCRT3048T-C	3417	EPCRT3048T-H	3417	EPCRT3048T-US	4272
	60"	1524	66	34.5	5.7	EPCRT3060T-C	3836	EPCRT3060T-H	3836	EPCRT3060T-US	4796
	72"	1829	79	40.5	6.9	EPCRT3072T-C	4421	EPCRT3072T-H	4421	EPCRT3072T-US	5525
36" width (914mm)	84"	2134	92	45.9	7.9	EPCRT3084T-C	5131	EPCRT3084T-H	5131	EPCRT3084T-US	6414
	36"	914	50	27.3	4.4	EPCRT3636T-C	3227	EPCRT3636T-H	3227	EPCRT3636T-US	4033
	48"	1219	63	33.2	5.5	EPCRT3648T-C	3807	EPCRT3648T-H	3807	EPCRT3648T-US	4759
	60"	1524	75	38.6	6.8	EPCRT3660T-C	4400	EPCRT3660T-H	4400	EPCRT3660T-US	5499
	72"	1829	90	45.5	8.1	EPCRT3672T-C	4854	EPCRT3672T-H	4854	EPCRT3672T-US	6066



Optional Casters and Glides for Cleanroom Tables

see spec sheet **EG10.59**

For Cleanroom Tables on pages 132 through 134.

Polymer Cart Washable Casters with Polymer Tread

description	weight lbs.	kg	model #	list
5" (127mm) dia., set of four (two swivel, two w/brake)	250	113.4	CAHW4-SB	718
5" (127mm) dia., set of six (three swivel, three w/brake)	250	113.4	CAHW6-SB	1078



NEW



Glides for Cleanroom Table Foot

description	model #	list ea.
black, plastic, fits on hex foot	387622	5

Catalog Section 4

Workstations

see spec sheet **EG04.10**



basic wire workstation



wire top workstation
with two overshelves

WEIGHT CAPACITY:

- Up to 800 lb. (363kg) load-bearing capacity.

FEATURES:

- Mobile units come with four 5" (127mm) poly stem casters (two with brake).
- Wire units offer 62% laminar flow.
- All units have standard working height of 33" (838mm).

(•) MTS (made to stock) / () MTO (made to order)

Basic Wire Units

			Stationary Units								Mobile Units							
			length		cu	weight		chrome		stainless steel		weight		chrome		stainless steel		
			in.	mm	ft	lbs.	kg	model #	list	model #	list	lbs.	kg	model #	list	model #	list	
24" width (610mm)	36"	914	3.0	21	9.5	WS2436C	293	WS2436S	1083	29	13.2	MWS2436C	673	MWS2436S	1497			
	48"	1219	3.8	28	12.7	WS2448C	333	WS2448S	1181	36	16.3	MWS2448C	713	MWS2448S	1596			

Wire Top Units with Two Overshelves

				Stationary Units						Mobile Units					
length			cu	weight		chrome		stainless steel		weight		chrome		stainless steel	
	in.	mm	ft	lbs.	kg	model #	list	model #	list	lbs.	kg	model #	list	model #	list
24" width (610mm)	36"	914	4.4	34	15.4	WS2436WT	449	WS2436WT-S	1696	42	19.1	MWS2436WT	837	MWS2436WT-S	1995
	48"	1219	5.5	41	18.6	WS2448WT	521	WS2448WT-S	1738	56	25.4	MWS2448WT	902	MWS2448WT-S	2153

Optional Keyboard Stations for Workstations

- 20½" wide x 11½" deep (521 x 292mm).
- Works on 24" (610mm) wide shelves.



chrome keyboard station shown

weight		cubic		chrome		stainless steel	
lbs.	kg	feet		model #	list	model #	list
6.0	2.7	0.35		KBD-2•	274	KBD-2/SS	478

Mobile Computer Workstations

see spec sheet **EG01.04**



with optional
mouse shelf

Optional Mouse Shelf

width x length		cu	weight		chrome	
in.	mm	ft	lbs.	kg	model #	list
7" x 7"	178 x 178	0.1	2.0	0.9	MS-C	16

patented
QuadTruse
design
(Patent #5,390,803)

FEATURES:

- 5" (127mm) casters—two with brake.
- Cantilevered shelf, undershelf, keyboard drawer.
- 38½" (981mm) working height.
- 53½" (1362mm) overall height.

Note: Call factory for information on other casters available.

(•) MTS (made to stock) / () MTO (made to order)

(Patent #5,390,803)						with Resilient-Tread Casters				w/Polyurethane-Tread Casters				
		length		weight		cu ft	chrome		stainless steel		chrome		stainless steel	
width**	in.	mm	lbs.	kg	model #		*list	model #	*list	model #	*list	model #	*list	
24" (610mm)	24"	610	40	18.1	3.7	MCWS2424C	• 1027	MCWS2424S	1653	MCWS2424C-P	1049	MCWS2424S-P	1675	
30" (762mm)	30"	762	56	25.4	4.5	MCWS3030C	1108	MCWS3030S	1725	MCWS3030C-P	1131	MCWS3030S-P	1747	

* List prices do not include cost of mouse shelf.

** 24" x 24" (610 x 610mm) units feature 14" x 24" (357 x 610mm) undershelf, 30" x 30" (762 x 762mm) units feature 18" x 30" (457 x 762mm) undershelf.

adjusTable® Work Surface Systems


see spec sheet **EG04.04A**



Now NSF!

FEATURES:

- Four 33" (838mm) posts and your choice of base combination.
- Tabletops on all models feature hat channels underneath for added strength.
- 34½" (876mm) overall height.



with H-frame base
and wire shelf
(suffix "-1H-1W")

with C-frame base
and wire shelf
(suffix "-1C-1W")

EAGLE's adjusTable® system allows you to create work surfaces in the configuration of your choice.

Note: To order table with 5" (127mm) resilient tread casters, add suffix "-CAH" and add to list price \$668.

Example: AC2436T-2H-CAH.

To order table with 5" (127mm) poly tread casters, add suffix "-CAHP" and add to list price \$578.

Example: AS2436T-2H-CAHP.

See page 142 for optional drawers and keyboard station.

"AC" Series tables – Brushed 16/304 stainless steel solid top with choice of:

- Two knocked down chrome C-frames
- Two knocked down chrome H-frames
- One chrome C-frame and one chrome wire undershelf
- One chrome H-frame and one chrome wire undershelf
- Two chrome wire undershelves

	length		weight		cu ft	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.5	AC2436T-2C	966	AC2436T-2H	966	AC2436T-1C-1W	966	AC2436T-1H-1W	966	AC2436T-2W	966
	48"	1219	81	36.7	5.7	AC2448T-2C	1131	AC2448T-2H	1131	AC2448T-1C-1W	1131	AC2448T-1H-1W	1131	AC2448T-2W	1131
	60"	1524	97	44.0	7.1	AC2460T-2C	1276	AC2460T-2H	1276	AC2460T-1C-1W	1276	AC2460T-1H-1W	1276	AC2460T-2W	1276
	72"	1829	113	51.3	8.5	AC2472T-2C	1389	AC2472T-2H	1389	AC2472T-1C-1W	1389	AC2472T-1H-1W	1389	AC2472T-2W	1389
30" width (762mm)	36"	914	75	34.0	4.5	AC3036T-2C	1055	AC3036T-2H	1055	AC3036T-1C-1W	1055	AC3036T-1H-1W	1055	AC3036T-2W	1055
	48"	1219	94	42.6	5.7	AC3048T-2C	1249	AC3048T-2H	1249	AC3048T-1C-1W	1249	AC3048T-1H-1W	1249	AC3048T-2W	1249
	60"	1524	113	51.3	7.1	AC3060T-2C	1416	AC3060T-2H	1416	AC3060T-1C-1W	1416	AC3060T-1H-1W	1416	AC3060T-2W	1416
	72"	1829	132	59.9	8.5	AC3072T-2C	1543	AC3072T-2H	1543	AC3072T-1C-1W	1543	AC3072T-1H-1W	1543	AC3072T-2W	1543
36" width (914mm)	36"	914	85	38.6	5.6	AC3636T-2C	1328	AC3636T-2H	1328	AC3636T-1C-1W	1328	AC3636T-1H-1W	1328	AC3636T-2W	1328
	48"	1219	108	49.0	7.1	AC3648T-2C	1518	AC3648T-2H	1518	AC3648T-1C-1W	1518	AC3648T-1H-1W	1518	AC3648T-2W	1518
	60"	1524	131	59.4	8.9	AC3660T-2C	1662	AC3660T-2H	1662	AC3660T-1C-1W	1662	AC3660T-1H-1W	1662	AC3660T-2W	1662
	72"	1829	154	69.9	10.6	AC3672T-2C	1848	AC3672T-2H	1848	AC3672T-1C-1W	1848	AC3672T-1H-1W	1848	AC3672T-2W	1848

"AS" Series tables – Brushed 16/304 stainless steel solid top with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one chrome wire undershelf
- Two stainless steel wire undershelves

	length		weight		cu ft	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.5	AS2436T-2C	1455	AS2436T-2H	1455	AS2436T-1C-1W	1455	AS2436T-1H-1W	1455	AS2436T-2W	1455
	48"	1219	81	36.7	5.7	AS2448T-2C	1680	AS2448T-2H	1680	AS2448T-1C-1W	1680	AS2448T-1H-1W	1680	AS2448T-2W	1680
	60"	1524	97	44.0	7.1	AS2460T-2C	1946	AS2460T-2H	1946	AS2460T-1C-1W	1946	AS2460T-1H-1W	1946	AS2460T-2W	1946
	72"	1829	113	51.3	8.5	AS2472T-2C	2215	AS2472T-2H	2215	AS2472T-1C-1W	2215	AS2472T-1H-1W	2215	AS2472T-2W	2215
30" width (762mm)	36"	914	75	34.0	4.5	AS3036T-2C	1657	AS3036T-2H	1657	AS3036T-1C-1W	1657	AS3036T-1H-1W	1657	AS3036T-2W	1657
	48"	1219	94	42.6	5.7	AS3048T-2C	1932	AS3048T-2H	1932	AS3048T-1C-1W	1932	AS3048T-1H-1W	1932	AS3048T-2W	1932
	60"	1524	113	51.3	7.1	AS3060T-2C	2214	AS3060T-2H	2214	AS3060T-1C-1W	2214	AS3060T-1H-1W	2214	AS3060T-2W	2214
	72"	1829	132	59.9	8.5	AS3072T-2C	2584	AS3072T-2H	2584	AS3072T-1C-1W	2584	AS3072T-1H-1W	2584	AS3072T-2W	2584
36" width (914mm)	36"	914	85	38.6	5.6	AS3636T-2C	1922	AS3636T-2H	1922	AS3636T-1C-1W	1922	AS3636T-1H-1W	1922	AS3636T-2W	1922
	48"	1219	108	49.0	7.1	AS3648T-2C	2322	AS3648T-2H	2322	AS3648T-1C-1W	2322	AS3648T-1H-1W	2322	AS3648T-2W	2322
	60"	1524	131	59.4	8.9	AS3660T-2C	2673	AS3660T-2H	2673	AS3660T-1C-1W	2673	AS3660T-1H-1W	2673	AS3660T-2W	2673
	72"	1829	154	69.9	10.6	AS3672T-2C	3053	AS3672T-2H	3053	AS3672T-1C-1W	3053	AS3672T-1H-1W	3053	AS3672T-2W	3053

Contact factory for custom workstation configurations.

Catalog Section 4

adjuSTable® Work Surface Systems

see spec sheet **EG04.04A**

(continued from page 136)

Note: To order table with 5" (127mm) resilient tread casters, add suffix "-CAH" and add to list price \$668. Example: AP2436T-2H-CAH.
To order table with 5" (127mm) poly tread casters, add suffix "-CAHP" and add to list price \$578. Example: AP2436T-2H-CAHP.
See page 142 for optional drawers and keyboard station.

"AP" Series tables – Brushed 14/304 stainless steel perforated* top (3/4"-dia. holes on 1" center) with choice of

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one s/s wire undershelf
- Two stainless steel wire undershelves

* For perforated tops, laminar air flow is 23-25% depending on size.

	length		weight		cu ft	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.5	AP2436T-2C	1827	AP2436T-2H	1827	AP2436T-1C-1W	1827	AP2436T-1H-1W	1827	AP2436T-2W	1827
	48"	1219	81	36.7	5.7	AP2448T-2C	2057	AP2448T-2H	2057	AP2448T-1C-1W	2057	AP2448T-1H-1W	2057	AP2448T-2W	2057
	60"	1524	97	44.0	7.1	AP2460T-2C	2324	AP2460T-2H	2324	AP2460T-1C-1W	2324	AP2460T-1H-1W	2324	AP2460T-2W	2324
	72"	1829	113	51.3	8.5	AP2472T-2C	2593	AP2472T-2H	2593	AP2472T-1C-1W	2593	AP2472T-1H-1W	2593	AP2472T-2W	2593
30" width (762mm)	36"	914	75	34.0	4.5	AP3036T-2C	2031	AP3036T-2H	2031	AP3036T-1C-1W	2031	AP3036T-1H-1W	2031	AP3036T-2W	2031
	48"	1219	94	42.6	5.7	AP3048T-2C	2308	AP3048T-2H	2308	AP3048T-1C-1W	2308	AP3048T-1H-1W	2308	AP3048T-2W	2308
	60"	1524	113	51.3	7.1	AP3060T-2C	2592	AP3060T-2H	2592	AP3060T-1C-1W	2592	AP3060T-1H-1W	2592	AP3060T-2W	2592
	72"	1829	132	59.9	8.5	AP3072T-2C	2956	AP3072T-2H	2956	AP3072T-1C-1W	2956	AP3072T-1H-1W	2956	AP3072T-2W	2956
36" width (914mm)	36"	914	85	38.6	5.6	AP3636T-2C	2297	AP3636T-2H	2297	AP3636T-1C-1W	2297	AP3636T-1H-1W	2297	AP3636T-2W	2297
	48"	1219	108	49.0	7.1	AP3648T-2C	2697	AP3648T-2H	2697	AP3648T-1C-1W	2697	AP3648T-1H-1W	2697	AP3648T-2W	2697
	60"	1524	131	59.4	8.9	AP3660T-2C	3047	AP3660T-2H	3047	AP3660T-1C-1W	3047	AP3660T-1H-1W	3047	AP3660T-2W	3047
	72"	1829	154	69.9	10.6	AP3672T-2C	3246	AP3672T-2H	3246	AP3672T-1C-1W	3246	AP3672T-1H-1W	3246	AP3672T-2W	3246

"AEP" Series tables – Electropolished solid top with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one s/s wire undershelf
- Two stainless steel wire undershelves

	length		weight		cu ft	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.5	AEP2436T-2C	1852	AEP2436T-2H	1852	AEP2436T-1C-1W	1852	AEP2436T-1H-1W	1852	AEP2436T-2W	1852
	48"	1219	81	36.7	5.7	AEP2448T-2C	2220	AEP2448T-2H	2220	AEP2448T-1C-1W	2220	AEP2448T-1H-1W	2220	AEP2448T-2W	2220
	60"	1524	97	44.0	7.1	AEP2460T-2C	2698	AEP2460T-2H	2698	AEP2460T-1C-1W	2698	AEP2460T-1H-1W	2698	AEP2460T-2W	2698
	72"	1829	113	51.3	8.5	AEP2472T-2C	3036	AEP2472T-2H	3036	AEP2472T-1C-1W	3036	AEP2472T-1H-1W	3036	AEP2472T-2W	3036
30" width (762mm)	36"	914	75	34.0	4.5	AEP3036T-2C	2393	AEP3036T-2H	2393	AEP3036T-1C-1W	2393	AEP3036T-1H-1W	2393	AEP3036T-2W	2393
	48"	1219	94	42.6	5.7	AEP3048T-2C	2781	AEP3048T-2H	2781	AEP3048T-1C-1W	2781	AEP3048T-1H-1W	2781	AEP3048T-2W	2781
	60"	1524	113	51.3	7.1	AEP3060T-2C	3083	AEP3060T-2H	3083	AEP3060T-1C-1W	3083	AEP3060T-1H-1W	3083	AEP3060T-2W	3083
	72"	1829	132	59.9	8.5	AEP3072T-2C	3506	AEP3072T-2H	3506	AEP3072T-1C-1W	3506	AEP3072T-1H-1W	3506	AEP3072T-2W	3506
36" width (914mm)	36"	914	85	38.6	5.6	AEP3636T-2C	2667	AEP3636T-2H	2667	AEP3636T-1C-1W	2667	AEP3636T-1H-1W	2667	AEP3636T-2W	2667
	48"	1219	108	49.0	7.1	AEP3648T-2C	3143	AEP3648T-2H	3143	AEP3648T-1C-1W	3143	AEP3648T-1H-1W	3143	AEP3648T-2W	3143
	60"	1524	131	59.4	8.9	AEP3660T-2C	3634	AEP3660T-2H	3634	AEP3660T-1C-1W	3634	AEP3660T-1H-1W	3634	AEP3660T-2W	3634
	72"	1829	154	69.9	10.6	AEP3672T-2C	4075	AEP3672T-2H	4075	AEP3672T-1C-1W	4075	AEP3672T-1H-1W	4075	AEP3672T-2W	4075

"APEP" Series tables – Electropolished perforated* top (3/4"-dia. holes on 1" center) with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one s/s wire undershelf
- Two stainless steel wire undershelves

* For perforated tops, laminar air flow is 23-25% depending on size.

	length		weight		cu ft	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.5	APEP2436T-2C	2245	APEP2436T-2H	2245	APEP2436T-1C-1W	2245	APEP2436T-1H-1W	2245	APEP2436T-2W	2245
	48"	1219	81	36.7	5.7	APEP2448T-2C	2617	APEP2448T-2H	2617	APEP2448T-1C-1W	2617	APEP2448T-1H-1W	2617	APEP2448T-2W	2617
	60"	1524	97	44.0	7.1	APEP2460T-2C	3094	APEP2460T-2H	3094	APEP2460T-1C-1W	3094	APEP2460T-1H-1W	3094	APEP2460T-2W	3094
	72"	1829	113	51.3	8.5	APEP2472T-2C	3427	APEP2472T-2H	3427	APEP2472T-1C-1W	3427	APEP2472T-1H-1W	3427	APEP2472T-2W	3427
30" width (762mm)	36"	914	75	34.0	4.5	APEP3036T-2C	2789	APEP3036T-2H	2789	APEP3036T-1C-1W	2789	APEP3036T-1H-1W	2789	APEP3036T-2W	2789
	48"	1219	94	42.6	5.7	APEP3048T-2C	3180	APEP3048T-2H	3180	APEP3048T-1C-1W	3180	APEP3048T-1H-1W	3180	APEP3048T-2W	3180
	60"	1524	113	51.3	7.1	APEP3060T-2C	3481	APEP3060T-2H	3481	APEP3060T-1C-1W	3481	APEP3060T-1H-1W	3481	APEP3060T-2W	3481
	72"	1829	132	59.9	8.5	APEP3072T-2C	3912	APEP3072T-2H	3912	APEP3072T-1C-1W	3912	APEP3072T-1H-1W	3912	APEP3072T-2W	3912
36" width (914mm)	36"	914	85	38.6	5.6	APEP3636T-2C	2960	APEP3636T-2H	2960	APEP3636T-1C-1W	2960	APEP3636T-1H-1W	2960	APEP3636T-2W	2960
	48"	1219	108	49.0	7.1	APEP3648T-2C	3487	APEP3648T-2H	3487	APEP3648T-1C-1W	3487	APEP3648T-1H-1W	3487	APEP3648T-2W	3487
	60"	1524	131	59.4	8.9	APEP3660T-2C	4039	APEP3660T-2H	4039	APEP3660T-1C-1W	4039	APEP3660T-1H-1W	4039	APEP3660T-2W	4039
	72"	1829	154	69.9	10.6	APEP3672T-2C	4483	APEP3672T-2H	4483	APEP3672T-1C-1W	4483	APEP3672T-1H-1W	4483	APEP3672T-2W	4483

Contact factory for custom workstation configurations.

adjuSTable® Work Surface Systems with Cantilevered Overhead System

see spec sheet **EG04.04B**

FEATURES:

- 34½" (876mm) working height.
- 63" (1600mm) overall height.



shown with
two C-frame bases
(suffix "-2C")

Note: To order table with 5" (127mm) resilient tread casters, add suffix "-CAH" and add to list price \$668.

Example: OAC2436T-2H--CAH.

To order table with 5" (127mm) poly tread casters, add suffix "-CAHP" and add to list price \$578.

Example: OAC2436T-2H-CAHP.

See page 142 for optional drawers and keyboard station.

**Allows you to create work surfaces of your choice.
Tabletops on all models feature hat channels
underneath for added strength.**

Work surface of your choice is combined with two 33" (838mm) front posts, two 63" (1600mm) rear posts, two cantilevered wire overshelves, and your choice of base combination. Overall height of 63" (1600mm).

"OAC" Series tables – Brushed 16/304 stainless steel solid top and chrome wire overshelves, with choice of:

- Two knocked down chrome C-frames
- Two knocked down chrome H-frames
- One chrome C-frame and one chrome wire undershelf
- One chrome H-frame and one chrome wire undershelf
- Two chrome wire undershelves

	length		weight		cu ft	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.4	OAC2436T-2C	1152	OAC2436T-2H	1152	OAC2436T-1C-1W	1152	OAC2436T-1H-1W	1152	OAC2436T-2W	1152
	48"	1219	81	36.7	5.7	OAC2448T-2C	1326	OAC2448T-2H	1326	OAC2448T-1C-1W	1326	OAC2448T-1H-1W	1326	OAC2448T-2W	1326
	60"	1524	97	44.0	7.0	OAC2460T-2C	1502	OAC2460T-2H	1502	OAC2460T-1C-1W	1502	OAC2460T-1H-1W	1502	OAC2460T-2W	1502
30" width (762mm)	36"	914	75	34.0	4.4	OAC3036T-2C	1225	OAC3036T-2H	1225	OAC3036T-1C-1W	1225	OAC3036T-1H-1W	1225	OAC3036T-2W	1225
	48"	1219	94	42.6	5.7	OAC3048T-2C	1445	OAC3048T-2H	1445	OAC3048T-1C-1W	1445	OAC3048T-1H-1W	1445	OAC3048T-2W	1445
	60"	1524	113	51.3	7.0	OAC3060T-2C	1641	OAC3060T-2H	1641	OAC3060T-1C-1W	1641	OAC3060T-1H-1W	1641	OAC3060T-2W	1641
36" width (914mm)	36"	914	85	38.6	5.0	OAC3636T-2C	1496	OAC3636T-2H	1496	OAC3636T-1C-1W	1496	OAC3636T-1H-1W	1496	OAC3636T-2W	1496
	48"	1219	108	49.0	7.0	OAC3648T-2C	1711	OAC3648T-2H	1711	OAC3648T-1C-1W	1711	OAC3648T-1H-1W	1711	OAC3648T-2W	1711
	60"	1524	131	59.4	9.0	OAC3660T-2C	1868	OAC3660T-2H	1868	OAC3660T-1C-1W	1868	OAC3660T-1H-1W	1868	OAC3660T-2W	1868

"OAS" Series tables – Brushed 16/304 stainless steel solid top and stainless steel wire overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one chrome wire undershelf
- Two stainless steel wire undershelves

	length		weight		cu ft	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.4	OAS2436T-2C	2002	OAS2436T-2H	2002	OAS2436T-1C-1W	2002	OAS2436T-1H-1W	2002	OAS2436T-2W	2002
	48"	1219	81	36.7	5.7	OAS2448T-2C	2291	OAS2448T-2H	2291	OAS2448T-1C-1W	2291	OAS2448T-1H-1W	2291	OAS2448T-2W	2291
	60"	1524	97	44.0	7.0	OAS2460T-2C	2657	OAS2460T-2H	2657	OAS2460T-1C-1W	2657	OAS2460T-1H-1W	2657	OAS2460T-2W	2657
30" width (762mm)	36"	914	75	34.0	4.4	OAS3036T-2C	2206	OAS3036T-2H	2206	OAS3036T-1C-1W	2206	OAS3036T-1H-1W	2206	OAS3036T-2W	2206
	48"	1219	94	42.6	5.7	OAS3048T-2C	2541	OAS3048T-2H	2541	OAS3048T-1C-1W	2541	OAS3048T-1H-1W	2541	OAS3048T-2W	2541
	60"	1524	113	51.3	7.0	OAS3060T-2C	2926	OAS3060T-2H	2926	OAS3060T-1C-1W	2926	OAS3060T-1H-1W	2926	OAS3060T-2W	2926
36" width (914mm)	36"	914	85	38.6	5.0	OAS3636T-2C	2469	OAS3636T-2H	2469	OAS3636T-1C-1W	2469	OAS3636T-1H-1W	2469	OAS3636T-2W	2469
	48"	1219	108	49.0	7.0	OAS3648T-2C	2929	OAS3648T-2H	2929	OAS3648T-1C-1W	2929	OAS3648T-1H-1W	2929	OAS3648T-2W	2929
	60"	1524	131	59.4	9.0	OAS3660T-2C	3381	OAS3660T-2H	3381	OAS3660T-1C-1W	3381	OAS3660T-1H-1W	3381	OAS3660T-2W	3381

**Contact factory for custom
workstation configurations.**

adjuSTable® Work Surface Systems with Cantilevered Overhead System

see spec sheet **EG04.04B**

(continued from page 138)

Note: To order table with 5" (127mm) resilient tread casters, add suffix "-CAH" and add to list price \$668. Example: OAP2436T-2H-CAH.

To order table with 5" (127mm) poly tread casters, add suffix "-CAHP" and add to list price \$578. Example: OAP2436T-2H-CAHP.

See page 142 for optional drawers and keyboard station.

"OAP" Series tables – Brushed 14/304 stainless steel top with 3/4" (19mm) perforations* on 1" (25mm) centers and stainless steel wire overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one s/s wire undershelf
- Two stainless steel wire undershelves

* For perforated tops, laminar air flow is 23-25% depending on size.

		length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
		in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.4		OAP2436T-2C	2302	OAP2436T-2H	2302	OAP2436T-1C-1W	2302	OAP2436T-1H-1W	2302	OAP2436T-2W	2302
	48"	1219	81	36.7	5.7		OAP2448T-2C	2665	OAP2448T-2H	2665	OAP2448T-1C-1W	2665	OAP2448T-1H-1W	2665	OAP2448T-2W	2665
	60"	1524	97	44.0	7.0		OAP2460T-2C	3034	OAP2460T-2H	3034	OAP2460T-1C-1W	3034	OAP2460T-1H-1W	3034	OAP2460T-2W	3034
30" width (762mm)	36"	914	75	34.0	4.4		OAP3036T-2C	2581	OAP3036T-2H	2581	OAP3036T-1C-1W	2581	OAP3036T-1H-1W	2581	OAP3036T-2W	2581
	48"	1219	94	42.6	5.7		OAP3048T-2C	2917	OAP3048T-2H	2917	OAP3048T-1C-1W	2917	OAP3048T-1H-1W	2917	OAP3048T-2W	2917
	60"	1524	113	51.3	7.0		OAP3060T-2C	3304	OAP3060T-2H	3304	OAP3060T-1C-1W	3304	OAP3060T-1H-1W	3304	OAP3060T-2W	3304
36" width (914mm)	36"	914	85	38.6	5.0		OAP3636T-2C	2846	OAP3636T-2H	2846	OAP3636T-1C-1W	2846	OAP3636T-1H-1W	2846	OAP3636T-2W	2846
	48"	1219	108	49.0	7.0		OAP3648T-2C	3305	OAP3648T-2H	3305	OAP3648T-1C-1W	3305	OAP3648T-1H-1W	3305	OAP3648T-2W	3305
	60"	1524	131	59.4	9.0		OAP3660T-2C	3755	OAP3660T-2H	3755	OAP3660T-1C-1W	3755	OAP3660T-1H-1W	3755	OAP3660T-2W	3755

"OAP" Series tables – 14/304 electropolished solid top and stainless steel wire overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one s/s wire undershelf
- Two stainless steel wire undershelves

		length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
		in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.4		OAP2436T-2C	2512	OAP2436T-2H	2512	OAP2436T-1C-1W	2512	OAP2436T-1H-1W	2512	OAP2436T-2W	2512
	48"	1219	81	36.7	5.7		OAP2448T-2C	2861	OAP2448T-2H	2861	OAP2448T-1C-1W	2861	OAP2448T-1H-1W	2861	OAP2448T-2W	2861
	60"	1524	97	44.0	7.0		OAP2460T-2C	3451	OAP2460T-2H	3451	OAP2460T-1C-1W	3451	OAP2460T-1H-1W	3451	OAP2460T-2W	3451
30" width (762mm)	36"	914	75	34.0	4.4		OAP3036T-2C	2976	OAP3036T-2H	2976	OAP3036T-1C-1W	2976	OAP3036T-1H-1W	2976	OAP3036T-2W	2976
	48"	1219	94	42.6	5.7		OAP3048T-2C	3422	OAP3048T-2H	3422	OAP3048T-1C-1W	3422	OAP3048T-1H-1W	3422	OAP3048T-2W	3422
	60"	1524	113	51.3	7.0		OAP3060T-2C	3832	OAP3060T-2H	3832	OAP3060T-1C-1W	3832	OAP3060T-1H-1W	3832	OAP3060T-2W	3832
36" width (914mm)	36"	914	85	38.6	5.0		OAP3636T-2C	3244	OAP3636T-2H	3244	OAP3636T-1C-1W	3244	OAP3636T-1H-1W	3244	OAP3636T-2W	3244
	48"	1219	108	49.0	7.0		OAP3648T-2C	3783	OAP3648T-2H	3783	OAP3648T-1C-1W	3783	OAP3648T-1H-1W	3783	OAP3648T-2W	3783
	60"	1524	131	59.4	9.0		OAP3660T-2C	4382	OAP3660T-2H	4382	OAP3660T-1C-1W	4382	OAP3660T-1H-1W	4382	OAP3660T-2W	4382

"OAP" Series tables – 14/304 electropolished top with 3/4" (19mm) perforations* on 1" (25mm) centers and stainless steel wire overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one s/s wire undershelf
- Two stainless steel wire undershelves

* For perforated tops, laminar air flow is 23-25% depending on size.

		length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
		in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.4		OAP2436T-2C	2825	OAP2436T-2H	2825	OAP2436T-1C-1W	2825	OAP2436T-1H-1W	2825	OAP2436T-2W	2825
	48"	1219	81	36.7	5.7		OAP2448T-2C	3260	OAP2448T-2H	3260	OAP2448T-1C-1W	3260	OAP2448T-1H-1W	3260	OAP2448T-2W	3260
	60"	1524	97	44.0	7.0		OAP2460T-2C	3845	OAP2460T-2H	3845	OAP2460T-1C-1W	3845	OAP2460T-1H-1W	3845	OAP2460T-2W	3845
30" width (762mm)	36"	914	75	34.0	4.4		OAP3036T-2C	3368	OAP3036T-2H	3368	OAP3036T-1C-1W	3368	OAP3036T-1H-1W	3368	OAP3036T-2W	3368
	48"	1219	94	42.6	5.7		OAP3048T-2C	3821	OAP3048T-2H	3821	OAP3048T-1C-1W	3821	OAP3048T-1H-1W	3821	OAP3048T-2W	3821
	60"	1524	113	51.3	7.0		OAP3060T-2C	4228	OAP3060T-2H	4228	OAP3060T-1C-1W	4228	OAP3060T-1H-1W	4228	OAP3060T-2W	4228
36" width (914mm)	36"	914	85	38.6	5.0		OAP3636T-2C	3541	OAP3636T-2H	3541	OAP3636T-1C-1W	3541	OAP3636T-1H-1W	3541	OAP3636T-2W	3541
	48"	1219	108	49.0	7.0		OAP3648T-2C	4128	OAP3648T-2H	4128	OAP3648T-1C-1W	4128	OAP3648T-1H-1W	4128	OAP3648T-2W	4128
	60"	1524	131	59.4	9.0		OAP3660T-2C	4787	OAP3660T-2H	4787	OAP3660T-1C-1W	4787	OAP3660T-1H-1W	4787	OAP3660T-2W	4787

Contact factory for custom workstation configurations.

adjuSTable® Work Surface Systems with Wire Overshelf System

see spec sheet **EG04.04C**



FEATURES:

- 34½" (876mm) working height.
- 63" (1600mm) overall height.



shown with
two C-frame bases
(suffix "-2C")

Note: To order table with 5" (127mm) resilient tread casters, add suffix "-CAH" and add to list price \$668.

Example: WOAC2436T-2H-CAH.

To order table with 5" (127mm) poly tread casters, add suffix "-CAHP" and add to list price \$578.

Example: WOAS2436T-2H-CAHP.

See page 142 for optional drawers and keyboard station.

**Allows you to create work surfaces of your choice.
Tabletops on all models feature hat channels
underneath for added strength.**

Work surface of your choice is combined with two 33" (838mm) front posts, two 63" (1600mm) rear posts, two wire overshelves, two 29" (737mm) front posts for wire overshelves, and your choice of base combination. 63" (1600mm) overall height.

"WOAC" Series tables – 16/304 brushed stainless solid top and chrome overshelves, with choice of:

- Two knocked down chrome C-frames
- Two knocked down chrome H-frames
- One chrome C-frame and one chrome wire undershelf
- One chrome H-frame and one chrome wire undershelf
- Two chrome wire undershelves

	length		weight		cu ft	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.4	WOAC2436T-2C	1218	WOAC2436T-2H	1218	WOAC2436T-1C-1W	1218	WOAC2436T-1H-1W	1218	WOAC2436T-2W	1218
	48"	1219	81	36.7	5.7	WOAC2448T-2C	1386	WOAC2448T-2H	1386	WOAC2448T-1C-1W	1386	WOAC2448T-1H-1W	1386	WOAC2448T-2W	1386
	60"	1524	97	44.0	7.0	WOAC2460T-2C	1557	WOAC2460T-2H	1557	WOAC2460T-1C-1W	1557	WOAC2460T-1H-1W	1557	WOAC2460T-2W	1557
30" width (762mm)	36"	914	75	34.0	4.4	WOAC3036T-2C	1288	WOAC3036T-2H	1288	WOAC3036T-1C-1W	1288	WOAC3036T-1H-1W	1288	WOAC3036T-2W	1288
	48"	1219	94	42.6	5.7	WOAC3048T-2C	1503	WOAC3048T-2H	1503	WOAC3048T-1C-1W	1503	WOAC3048T-1H-1W	1503	WOAC3048T-2W	1503
	60"	1524	113	51.3	7.0	WOAC3060T-2C	1693	WOAC3060T-2H	1693	WOAC3060T-1C-1W	1693	WOAC3060T-1H-1W	1693	WOAC3060T-2W	1693
36" width (914mm)	36"	914	85	38.6	5.0	WOAC3636T-2C	1563	WOAC3636T-2H	1563	WOAC3636T-1C-1W	1563	WOAC3636T-1H-1W	1563	WOAC3636T-2W	1563
	48"	1219	108	49.0	7.0	WOAC3648T-2C	1769	WOAC3648T-2H	1769	WOAC3648T-1C-1W	1769	WOAC3648T-1H-1W	1769	WOAC3648T-2W	1769
	60"	1524	131	59.4	9.0	WOAC3660T-2C	1921	WOAC3660T-2H	1921	WOAC3660T-1C-1W	1921	WOAC3660T-1H-1W	1921	WOAC3660T-2W	1921

"WOAS" Series tables – 16/304 brushed stainless solid top and stainless steel overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one chrome wire undershelf
- Two stainless steel wire undershelves

	length		weight		cu ft	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.4	WOAS2436T-2C	2109	WOAS2436T-2H	2109	WOAS2436T-1C-1W	2109	WOAS2436T-1H-1W	2109	WOAS2436T-2W	2109
	48"	1219	81	36.7	5.7	WOAS2448T-2C	2451	WOAS2448T-2H	2451	WOAS2448T-1C-1W	2451	WOAS2448T-1H-1W	2451	WOAS2448T-2W	2451
	60"	1524	97	44.0	7.0	WOAS2460T-2C	2877	WOAS2460T-2H	2877	WOAS2460T-1C-1W	2877	WOAS2460T-1H-1W	2877	WOAS2460T-2W	2877
30" width (762mm)	36"	914	75	34.0	4.4	WOAS3036T-2C	2312	WOAS3036T-2H	2312	WOAS3036T-1C-1W	2312	WOAS3036T-1H-1W	2312	WOAS3036T-2W	2312
	48"	1219	94	42.6	5.7	WOAS3048T-2C	2702	WOAS3048T-2H	2702	WOAS3048T-1C-1W	2702	WOAS3048T-1H-1W	2702	WOAS3048T-2W	2702
	60"	1524	113	51.3	7.0	WOAS3060T-2C	3145	WOAS3060T-2H	3145	WOAS3060T-1C-1W	3145	WOAS3060T-1H-1W	3145	WOAS3060T-2W	3145
36" width (914mm)	36"	914	85	38.6	5.0	WOAS3636T-2C	2575	WOAS3636T-2H	2575	WOAS3636T-1C-1W	2575	WOAS3636T-1H-1W	2575	WOAS3636T-2W	2575
	48"	1219	108	49.0	7.0	WOAS3648T-2C	3089	WOAS3648T-2H	3089	WOAS3648T-1C-1W	3089	WOAS3648T-1H-1W	3089	WOAS3648T-2W	3089
	60"	1524	131	59.4	9.0	WOAS3660T-2C	3602	WOAS3660T-2H	3602	WOAS3660T-1C-1W	3602	WOAS3660T-1H-1W	3602	WOAS3660T-2W	3602

**Contact factory for custom
workstation configurations.**

Catalog Section 4

adjuSTable® Work Surface Systems with Wire Overshelf System

see spec sheet **EG04.04C**

(continued from page 141)

Note: To order table with 5" (127mm) resilient tread casters, add suffix "-CAH" and add to list price \$668.

Example: WOAP2436T-2H-CAH.

To order table with 5" (127mm) poly tread casters, add suffix "-CAHP" and add to list price \$578.

Example: WOAP2436T-2H-CAHP.

See page 142 for optional drawers and keyboard station.

"WOAP" Series tables – 14/304 brushed stainless steel top with 3/4" (19mm) perforations on 1" (25mm) centers and stainless steel overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one s/s wire undershelf
- Two stainless steel wire undershelves

* For perforated tops, laminar air flow is 23-25% depending on size.

	length		weight		cu ft	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.4	WOAP2436T-2C	2408	WOAP2436T-2H	2408	WOAP2436T-1C-1W	2408	WOAP2436T-1H-1W	2408	WOAP2436T-2W	2408
	48"	1219	81	36.7	5.7	WOAP2448T-2C	2823	WOAP2448T-2H	2823	WOAP2448T-1C-1W	2823	WOAP2448T-1H-1W	2823	WOAP2448T-2W	2823
	60"	1524	97	44.0	7.0	WOAP2460T-2C	3252	WOAP2460T-2H	3252	WOAP2460T-1C-1W	3252	WOAP2460T-1H-1W	3252	WOAP2460T-2W	3252
30" width (762mm)	36"	914	75	34.0	4.4	WOAP3036T-2C	2602	WOAP3036T-2H	2602	WOAP3036T-1C-1W	2602	WOAP3036T-1H-1W	2602	WOAP3036T-2W	2602
	48"	1219	94	42.6	5.7	WOAP3048T-2C	3076	WOAP3048T-2H	3076	WOAP3048T-1C-1W	3076	WOAP3048T-1H-1W	3076	WOAP3048T-2W	3076
	60"	1524	113	51.3	7.0	WOAP3060T-2C	3520	WOAP3060T-2H	3520	WOAP3060T-1C-1W	3520	WOAP3060T-1H-1W	3520	WOAP3060T-2W	3520
36" width (914mm)	36"	914	85	38.6	5.0	WOAP3636T-2C	2949	WOAP3636T-2H	2949	WOAP3636T-1C-1W	2949	WOAP3636T-1H-1W	2949	WOAP3636T-2W	2949
	48"	1219	108	49.0	7.0	WOAP3648T-2C	3464	WOAP3648T-2H	3464	WOAP3648T-1C-1W	3464	WOAP3648T-1H-1W	3464	WOAP3648T-2W	3464
	60"	1524	131	59.4	9.0	WOAP3660T-2C	3974	WOAP3660T-2H	3974	WOAP3660T-1C-1W	3974	WOAP3660T-1H-1W	3974	WOAP3660T-2W	3974

"WOAEP" Series tables – 14/304 electropolished solid top and stainless steel overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one s/s wire undershelf
- Two stainless steel wire undershelves

	length		weight		cu ft	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.4	WOAEP2436T-2C	2621	WOAEP2436T-2H	2621	WOAEP2436T-1C-1W	2621	WOAEP2436T-1H-1W	2621	WOAEP2436T-2W	2621
	48"	1219	81	36.7	5.7	WOAEP2448T-2C	3031	WOAEP2448T-2H	3031	WOAEP2448T-1C-1W	3031	WOAEP2448T-1H-1W	3031	WOAEP2448T-2W	3031
	60"	1524	97	44.0	7.0	WOAEP2460T-2C	3680	WOAEP2460T-2H	3680	WOAEP2460T-1C-1W	3680	WOAEP2460T-1H-1W	3680	WOAEP2460T-2W	3680
30" width (762mm)	36"	914	75	34.0	4.4	WOAEP3036T-2C	3084	WOAEP3036T-2H	3084	WOAEP3036T-1C-1W	3084	WOAEP3036T-1H-1W	3084	WOAEP3036T-2W	3084
	48"	1219	94	42.6	5.7	WOAEP3048T-2C	3594	WOAEP3048T-2H	3594	WOAEP3048T-1C-1W	3594	WOAEP3048T-1H-1W	3594	WOAEP3048T-2W	3594
	60"	1524	113	51.3	7.0	WOAEP3060T-2C	4065	WOAEP3060T-2H	4065	WOAEP3060T-1C-1W	4065	WOAEP3060T-1H-1W	4065	WOAEP3060T-2W	4065
36" width (914mm)	36"	914	85	38.6	5.0	WOAEP3636T-2C	3358	WOAEP3636T-2H	3358	WOAEP3636T-1C-1W	3358	WOAEP3636T-1H-1W	3358	WOAEP3636T-2W	3358
	48"	1219	108	49.0	7.0	WOAEP3648T-2C	3955	WOAEP3648T-2H	3955	WOAEP3648T-1C-1W	3955	WOAEP3648T-1H-1W	3955	WOAEP3648T-2W	3955
	60"	1524	131	59.4	9.0	WOAEP3660T-2C	4614	WOAEP3660T-2H	4614	WOAEP3660T-1C-1W	4614	WOAEP3660T-1H-1W	4614	WOAEP3660T-2W	4614

"WOAPEP" Series tables – 14/304 electropolished perforated top and stainless steel overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one s/s wire undershelf
- Two stainless steel wire undershelves

* For perforated tops, laminar air flow is 23-25% depending on size.

	length		weight		cu ft	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.4	WOAPEP2436T-2C	2936	WOAPEP2436T-2H	2936	WOAPEP2436T-1C-1W	2936	WOAPEP2436T-1H-1W	2936	WOAPEP2436T-2W	2936
	48"	1219	81	36.7	5.7	WOAPEP2448T-2C	3427	WOAPEP2448T-2H	3427	WOAPEP2448T-1C-1W	3427	WOAPEP2448T-1H-1W	3427	WOAPEP2448T-2W	3427
	60"	1524	97	44.0	7.0	WOAPEP2460T-2C	4077	WOAPEP2460T-2H	4077	WOAPEP2460T-1C-1W	4077	WOAPEP2460T-1H-1W	4077	WOAPEP2460T-2W	4077
30" width (762mm)	36"	914	75	34.0	4.4	WOAPEP3036T-2C	3481	WOAPEP3036T-2H	3481	WOAPEP3036T-1C-1W	3481	WOAPEP3036T-1H-1W	3481	WOAPEP3036T-2W	3481
	48"	1219	94	42.6	5.7	WOAPEP3048T-2C	3989	WOAPEP3048T-2H	3989	WOAPEP3048T-1C-1W	3989	WOAPEP3048T-1H-1W	3989	WOAPEP3048T-2W	3989
	60"	1524	113	51.3	7.0	WOAPEP3060T-2C	4457	WOAPEP3060T-2H	4457	WOAPEP3060T-1C-1W	4457	WOAPEP3060T-1H-1W	4457	WOAPEP3060T-2W	4457
36" width (914mm)	36"	914	85	38.6	5.0	WOAPEP3636T-2C	3652	WOAPEP3636T-2H	3652	WOAPEP3636T-1C-1W	3652	WOAPEP3636T-1H-1W	3652	WOAPEP3636T-2W	3652
	48"	1219	108	49.0	7.0	WOAPEP3648T-2C	4301	WOAPEP3648T-2H	4301	WOAPEP3648T-1C-1W	4301	WOAPEP3648T-1H-1W	4301	WOAPEP3648T-2W	4301
	60"	1524	131	59.4	9.0	WOAPEP3660T-2C	5018	WOAPEP3660T-2H	5018	WOAPEP3660T-1C-1W	5018	WOAPEP3660T-1H-1W	5018	WOAPEP3660T-2W	5018


Contact factory for custom workstation configurations.

Options for adjusTable® Work Surface Systems

Optional Table Mount Keyboard Station

20½" wide x 11½" deep (521 x 292mm).

weight		cubic feet	stainless steel		
lbs.	kg		model #	list	
6.0	2.7	0.35	KBD-1/SS	439	



keyboard station

Optional Utility Drawers

Stainless steel construction. Enclosed assembly comes complete with housing, drawer, drawer pan, and drawer front. Guides and rollers included.

length x width x height in. mm		cu ft	with Pull Flange and Full Front				Enclosed Assembly			
			weight lbs. kg	part #	list		weight lbs. kg	part #	list	
20" x 20" x 5"	508 x 508 x 127	3.0	25 11.3	501571•	499		35 15.9	501572•	907	



model #501571
utility drawer



model #501572
enclosed assembly

Roll Bag Dispensers

see spec sheet **EG04.00**



Not recommended on casters.

*An effective means for
dispensing rolls of bags,
film, or tube stock. An
easy way to establish
protocol by avoiding
inadvertent mixing of
non-compatible
chemicals.*

FEATURES:

- Two 14" x 48" (356 x 1219mm) wire shelves.
- Eight removable dispensing bars.
- One 3-sided channel frame.
- Four 74" (1829mm) posts with 30" (762mm) triangular foot plates for stability.
- Dispensing bars are adjustable on 1" (25mm) increments.
- Custom sizes available.

60-lb. weight capacity per bar!

overall width x length in. mm		shelf width x length in. mm		weight lbs. kg		cu ft	chrome		stainless steel	
							model #	list	model #	list
30" x 48"	762 x 1219	14" x 48"	356 x 1219	79	35.8	2.3	BD1448C	1960	BD1448S	2923

Catalog Section 4

Shoe Racks

see spec sheet **EG04.09**



patented
QuadTruss
design
(Patent #5,390,803)

Wire shelves offer the optimum combination of laminar flow and ventilation for the storage of cleanroom shoes.

FEATURES:

- Rods & tabs run through the shelves to create the cubbies for each pair of shoes.
- Shoe racks may be configured in chrome plated as well as electropolished stainless steel.
- Foot plates are included for fastening to the floor.
- 86" (2184mm) post height.

Note: Optional snap-on plastic label holders are available for identification of each cubby.

	length*		weight		cu ft	# of cubbies	cubby size width x height		chrome		stainless steel	
	in.	mm	lbs.	kg			in.	mm	model #	list	model #	list
14" width (356mm)	36"	914	133	60.3	4	40	9" x 6 1/2"	229 x 165	SR1436C	1466	SR1436S	5063
	48"	102	153	69.4	4	50	9 1/2" x 6 1/2"	241 x 165	SR1448C	1667	SR1448S	4484
	60"	1524	190	86.2	8	60	10" x 6 1/2"	254 x 165	SR1460C	1882	SR1460S	5264
	72"	1829	220	99.8	8	80	9" x 6 1/2"	229 x 165	SR1472C	2083	SR1472S	6339

*Available in any shelf length. For information on shelf lengths, see "Wire Shelves," page 6.

Vertical Storage Cabinets



see spec sheet **EG04.11**



vertical storage cabinet with flat top

FEATURES:

- Type 304 stainless steel construction.
- Four (4) adjustable intermediate shelves.
- Hinged doors with wire-style pulls.
- Stationary units feature stainless steel legs with 1" (25mm) adjustable bullet feet.
- Mobile "-CPB" units include 5" (127mm)-diameter swivel/brake casters with poly tread.

Note: Custom sizes, glass doors, locks, and additional shelves available upon request. Please contact factory for pricing on these options.

Consult factory for pricing.

				with Flat Top				with Sloped Top			
depth	width			height	weight			height	weight		
in mm	in. mm			in. mm	lbs. kg	model #		in. mm	lbs. kg	model #	
18"	457	36"	914	stationary	72" 1829	416 188.7	SSC-TSC-1836	77"	1956	419 190.0	SSC-TSCST-1836
18"	457	48"	1219	stationary	72" 1829	490 222.3	SSC-TSC-1848	77"	1956	495 224.5	SSC-TSCST-1848
24"	610	36"	914	stationary	72" 1829	458 207.7	SSC-TSC-2436	77"	1956	461 209.1	SSC-TSCST-2436
24"	610	48"	1219	stationary	72" 1829	539 244.5	SSC-TSC-2448	77"	1956	545 247.2	SSC-TSCST-2448
24"	610	36"	914	mobile	72" 1829	462 209.6	SSC-TSC-2436-CPB	78"	1981	465 210.9	SSC-TSCST-2436-CPB
24"	610	48"	1219	mobile	72" 1829	543 246.3	SSC-TSC-2448-CPB	78"	1981	549 249.0	SSC-TSCST-2448-CPB

Stainless Steel Countertops





stainless steel countertops fabricated to drawings indicating backsplash height, raised edge and field condition requirements


- 16 or 14 gauge, type 304 or 316 stainless steel. Other gauges and types of stainless available to meet the function and chemical resistant demands of highly specialized labs.
- Standard front edge Square or Box Marine, unless otherwise specified. See *detail 1* on next page.
- Back and end splashes are manufactured per specification. See *details 2 & 3* on next page. All working surfaces and sink bowls have coved sanitary horizontal and vertical corners.
- Either a mechanical hairline seam or field welded joint available per your specifications.
Maximum length without seam is 144" if no end splash. Length is reduced by 5½" for each end splash that may be required.
- Fabricated sink bowls available in most any size and depth with single or multiple compartments.
- For backsplash mounted faucets, splash will need to be at least 2" deep for plumbing access, holes for deck mounted faucets are typically centered 1½" from the edge of sink bowl.
- Both L-shaped and U-shaped tops are available per your drawings.
 - Corners are mitered and factory welded.
 - Maximum size without field joint provisions is 96" x 96" to fit into standard trailer for ground shipment.
- Countertops have stainless steel reinforcing hat channels. Sound deadening tape is factory installed. Top support options include National Sanitation Foundation (NSF)-listed sprayed latex sound deadening and marine grade plywood backing with white laminate facing.
- Standard packaging is wood reinforced cardboard and is included in the cost. Should full crating be required, it too will be included in the cost.




Stainless Steel Countertops



detail 1: edges



detail 2:
example of a 4 1/2" backsplash with 45° return
(backsplash built to specification)



detail 3:
example of a 4 1/2" backsplash with 90° return
(backsplash built to specification)

NOTE: – Drawings to be submitted for approval prior to fabrication using the latest version of AutoCad software. They will be emailed in Adobe Acrobat format (.pdf) unless specified otherwise. AutoCad files (.dwg) are available upon request.
– Complete field welding and finishing services are available at additional expense.

Consult factory for pricing.

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Exchange Carts

EC Series	150
ECD Series	150
ECD7/ECE7 Series	153
ECDS Series	151
ECDT Series	152
ECE Series	150
ECES Series	151
ECET Series	153
ECS Series	151
ECT Series	152

Carts

Basket	159
Catheter Procedure	158
Catheter Storage	157
Inhalation Therapy	156
Linen	156
Mail	156
Patient Article Carts/Accessories	154
Sterile Wrap	157
Suture	155
Wire Basket Utility	158

Steril-Eze® Surgical Case Carts

Open	159
Open Wire	159

More Healthcare

Cart Covers	162
Double-Sided Bin-Holder Rails	164
Foot Stools	155
I.V. Stands	154
Instrument Tables	161
Mobile Garment Racks	161
Plate Casters	154
Shower Benches	160
Stainless Steel Overlays	164
Storage Bins	163
Surgical Scrub Sinks	160

Kanban Supply Storage Carts

product announcement **EG8097**



patented
QuadTruss
design

(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

FEATURES:

- Six wire reverse mat shelves each contain a lip on all sides to ensure bins stay in place. Each shelf accommodates two rows of 14 3/4" (375mm)-deep bins (see photo at left).
- Shelf slanted for ease of sliding supply bins forward, and for greater visibility of contents.
- 68" (1727mm) overall height includes 63" (1600mm)-high 1" (25mm) diameter posts, and 5" (127mm)-diameter swivel casters—two with brake.
- Shelves and posts feature chrome finish.

Consult factory for additional configurations.

width x length in. mm	bin capacity per shelf			model #	list
	bin size: 14-3/4" x 5-1/2" x 5"	bin size: 14-3/4" x 8-1/4" x 7"	bin size: 14-3/4" x 16-1/2" x 7"		
30" x 36" 914 x 914	12	8	4	ELKB-3036-C	2013
30" x 48" 914 x 1219	12	10	4	ELKB-3048-C	2300

Optional Supply Bins

width		length		height		model #	list
in.	mm	in.	mm	in.	mm		
14 3/4"	375	5 1/2"	140	7"	178	KB-234-BL	26
14 3/4"	375	8 1/4"	210	7"	178	KB-240-BL	44
14 3/4"	375	16 1/2"	419	7"	178	KB-250-BL	72

Healthcare Products For Hospitals

Products for Environmental Services



Products for Facilities and Biomedical



Products for Laboratories



Products for Pharmacy



Click on the brochure cover to download the latest brochure

Healthcare Products For Hospitals


Products for Sterile Processing



Products for Facilities and Biomedical



Stainless Steel Inset Casework



Safety Breath Shields



Click on the brochure cover to download the latest brochure

Exchange Carts

see spec sheet **EG05.09A**

Meets all requirements for supply exchange in any healthcare environment.

patented
QuadTruss®
design

(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

- Chrome-plated posts are grooved and are numbered on one-inch increments, enabling shelving to be adjusted up and down.
- Open-wire construction reduces dust and contamination build-up.
- Five chrome-plated wire shelves.
- With various shelving configurations, caster styles, accessory packages, and a number of sizes, these carts are the ultimate in versatility!

FEATURES:



#EC2160C

EC Series

5" (127mm) resilient stem casters (*two with brake*). Six plastic label holders. 69" (1753mm) overall height.

shelf width x length		weight		cubic	model #	list
in.	mm	lbs.	kg	feet		
21" x 48"	533 x 1219	93	42.2	6.3	EC2148C	787
21" x 60"	533 x 1524	114	51.7	7.3	EC2160C	881
24" x 48"	610 x 1219	106	48.1	6.8	EC2448C	849
24" x 60"	610 x 1524	131	59.4	8.3	EC2460C	959



#ECD2448C

ECD Series

6" (152mm) polyurethane casters (*two with brake*). Chrome dolly frame with wraparound bumper. 6" (152mm) deep tote boxes with dividers. Shelf dividers. Six plastic label holders. One slide assembly. 70" (1778mm) overall height.

shelf width x length		weight		cubic	# of tote	# of shelf	model #	list
in.	mm	lbs.	kg	feet	boxes	dividers		
21" x 48"	533 x 1219	123	55.8	9.9	2	2	ECD2148C	2388
21" x 60"	533 x 1524	146	66.2	12.2	2	3	ECD2160C	2505
24" x 48"	610 x 1219	163	73.9	19.6	2	2	ECD2448C	2471
24" x 60"	610 x 1524	188	85.3	19.6	2	3	ECD2460C	2624



#ECE2448C

ECE Series

8" (203mm) polyurethane casters (*two with brake*). Chrome dolly frame with wraparound bumper. Side and back enclosure panels. Slide assemblies. 6" (152mm) deep tote boxes with box dividers. Shelf dividers. 12 plastic label holders. 72" (1829mm) overall height.

shelf width x length		weight		cubic	# of tote	# of shelf	# of super	model #	list
in.	mm	lbs.	kg	feet	boxes	dividers	slides		
21" x 48"	533 x 1219	160	72.6	20.3	2	4	1	ECE2148C	2897
21" x 60"	533 x 1524	185	83.9	25.2	4	6	2	ECE2160C	3411
24" x 48"	610 x 1219	178	80.7	23.5	2	4	1	ECE2448C	2978
24" x 60"	610 x 1524	203	92.1	34.8	4	6	2	ECE2460C	3540

Catalog Section 5

Exchange Carts

see spec sheet **EG05.09A** **EG05.09B**

**Meets all requirements for supply exchange
in any healthcare environment.**



(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides
a retaining ledge for increased strength and
product retention.

FEATURES:

- Chrome-plated posts are grooved and are numbered on one-inch increments, enabling shelving to be adjusted up and down.
- Open-wire construction reduces dust and contamination build-up.
- Four chrome-plated wire shelves.
- With various shelving configurations, caster styles, accessory packages, and a number of sizes, these carts are the ultimate in versatility!

ECS Series

5" (127mm) resilient stem casters (*two with brake*). One stainless steel solid shelf. Six plastic label holders. 69" (1753mm) overall height.

shelf width x length in. mm	weight lbs. kg	cubic feet	model #	list
21" x 48" 533 x 1219	158 71.6	6.3	ECS2148C	1007
21" x 60" 533 x 1524	183 83.0	7.3	ECS2160C	1133
24" x 48" 610 x 1219	173 78.5	6.8	ECS2448C	1072
24" x 60" 610 x 1524	193 87.5	8.3	ECS2460C	1221



#ECS2160C

ECDS Series

6" (152mm) polyurethane casters (*two with brake*). One stainless steel solid shelf. Chrome dolly frame with wraparound bumper. One slide assembly. 6" (152mm) deep tote boxes with box dividers. Shelf dividers. Six plastic label holders. 70" (1778mm) overall height.

shelf width x length in. mm	weight lbs. kg	cubic feet	# of tote boxes	# of shelf dividers	model #	list
21" x 48" 533 x 1219	185 83.9	15.8	2	2	ECDS2148C	2611
21" x 60" 533 x 1524	200 90.7	19.2	2	3	ECDS2160C	2786
24" x 48" 610 x 1219	192 87.1	15.8	2	2	ECDS2448C	2662
24" x 60" 610 x 1524	218 98.9	19.2	2	3	ECDS2460C	2887



#ECDS2160C

ECES Series

8" (203mm) polyurethane casters (*two with brake*). One stainless steel solid shelf. Chrome dolly frame with wraparound bumper. Side and back enclosure panels. Slide assemblies. 6" (152mm) deep tote boxes with box dividers. Shelf dividers. 12 plastic label holders. 72" (1829mm) overall height.

shelf width x length in. mm	weight lbs. kg	cubic feet	# of tote boxes	# of shelf dividers	# of super slides	model #	list
21" x 48" 533 x 1219	160 72.6	20.3	2	4	1	ECES2148C	3072
21" x 60" 533 x 1524	185 83.9	25.2	4	6	2	ECES2160C	3412
24" x 48" 610 x 1219	178 80.7	23.5	2	4	1	ECES2448C	3143
24" x 60" 610 x 1524	203 92.1	34.8	4	6	2	ECES2460C	3627



#ECES2160C

Exchange Carts

see spec sheet **EG05.09B** **EG05.09C**

(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

FEATURES:

- Chrome-plated posts are grooved and are numbered on one-inch increments, enabling shelving to be adjusted up and down.
- Open-wire construction reduces dust and contamination build-up.
- Four chrome-plated wire shelves.
- Choice of chrome-plated wire or stainless steel solid fifth shelf.

Meets all requirements for supply exchange in any healthcare environment.

With various shelving configurations, caster styles, accessory packages, and a number of sizes, these exchange carts are the ultimate in versatility.



#ECT2160C

ECT Series

5" (127mm) resilient stem casters (*two with brake*). One slide assembly. Two 6" (152mm) deep tote boxes with box dividers. Six plastic label holders. 69" (1753mm) overall height.

shelf width x length		weight		cubic	# of tote	shelves	model #	list
in.	mm	lbs.	kg	feet	boxes			
21" x 60"	533 x 1524	166	75.3	11.6	2	5-wire	ECT2160C	1151
21" x 60"	533 x 1524	191	86.6	11.6	2	4-wire, 1-solid	ECTS2160C	1407
24" x 60"	610 x 1524	181	82.1	11.6	2	5-wire	ECT2460C	1233
24" x 60"	610 x 1524	206	93.4	11.6	2	4-wire, 1-solid	ECTS2460C	1495



#ECDTS2160C

ECDT Series

6" (152mm) polyurethane casters (*two with brake*). Chrome dolly frame with wraparound bumper. Three slide assemblies. Six tote boxes with box dividers. Three shelf dividers. Six plastic label holders. 70" (1778mm) overall height.

shelf width x length		weight		cu	tote boxes	tote boxes	tote boxes	shelves	model #	list
in.	mm	lbs.	kg	ft	3" (76mm)	6" (152mm)	9" (229mm)			
21" x 60"	533 x 1524	231	104.7	26.6	1	4	1	5-wire	ECDT2160C	3069
21" x 60"	533 x 1524	241	109.3	26.6	1	4	1	4-wire, 1-solid	ECDTS2160C	3326
24" x 60"	610 x 1524	246	111.6	26.6	1	4	1	5-wire	ECDT2460C	3173
24" x 60"	610 x 1524	256	116.1	26.6	1	4	1	4-wire, 1-solid	ECDTS2460C	3435

Catalog Section 5

Exchange Carts

see spec sheet **EG05.09C**

(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

Meets all requirements for supply exchange in any healthcare environment.

With various shelving configurations, caster styles, accessory packages, and a number of sizes, these exchange carts are the ultimate in versatility.

- Chrome-plated posts are grooved and are numbered on one-inch increments, enabling shelving to be adjusted up and down.
- Open-wire construction reduces dust and contamination build-up.
- Four chrome-plated wire shelves.
- Choice of chrome-plated wire or stainless steel solid fifth shelf.

FEATURES:**ECET Series**

6" (152mm) polyurethane casters (two with brake). Chrome dolly frame with wraparound bumper. Side and back enclosure panels. Three slide assemblies. Six tote boxes with box dividers. 12 plastic label holders. 72" (1829mm) overall height.

shelf width x length in. mm	weight lbs. kg	cu ft	tote boxes 3" (76mm)	tote boxes 6" (152mm)	tote boxes 9" (229mm)	shelves	model #	list
21" x 60" 533 x 1524	250 113.4	29.6	1	4	1	5-wire	ECET2160C	3420
21" x 60" 533 x 1524	260 117.9	29.6	1	4	1	4-wire, 1-solid	ECETS2160C	3676
24" x 60" 610 x 1524	262 118.8	29.6	1	4	1	5-wire	ECET2460C	3498
24" x 60" 610 x 1524	272 123.4	29.6	1	4	1	4-wire, 1-solid	ECETS2460C	3761

**ECD7/ECE7 Series**

8" (203mm) polyurethane casters (two with brake). Choice of three shelf dividers or side and back enclosure panels. Three slide assemblies. Seven tote boxes with snap on card holders and box dividers. 12 plastic label holders. Chrome dolly frame with wraparound bumper. 72" (1829mm) overall height.

shelf width x length in. mm	weight lbs. kg	cu ft	tote boxes 3" (76mm)	tote boxes 6" (152mm)	shelves	other	model #	list
24" x 60" 610 x 1524	226 102.5	19.6	2	5	5-wire	shelf dividers	ECD72460C	3378
24" x 60" 610 x 1524	236 107.0	19.6	2	5	4-wire, 1-solid	shelf dividers	ECD7S2460C	3642
24" x 60" 610 x 1524	250 113.4	28.8	2	5	5-wire	enclosure panels	ECE72460C	3711
24" x 60" 610 x 1524	260 117.9	28.8	2	5	4-wire, 1-solid	enclosure panels	ECE7S2460C	3975



I.V. Stands

see product announcement **EG05.19**

description	weight		cu	model #	list
	lbs.	kg	ft		
with black epoxy coated top	28	12.7	2.7	IV-1	583
with blue epoxy coated top	28	12.7	2.7	IV-2	583
with green epoxy coated top	28	12.7	2.7	IV-3	583
with red epoxy coated top	28	12.7	2.7	IV-4	583


Accessories for I.V. Stands

description	weight		model #	list
	lbs.	kg		
patient handle & accessory tray	3	1.4	380401	183
two-cylinder holder	5	2.3	380402	149
electrical strip	4	1.8	380403	549
wire basket	4	1.8	380404	149

*Easily adjusts
from 66" to 99"
height by a turn
of the knob.*

FEATURES:

- 16 gauge type 304 stainless steel 1" (25mm)-diameter pole.
- Heavy carbon steel five-leg base with black epoxy finish.
- 3" (76mm) swivel casters with chrome-plated hood and rubber tread—two with brake.
- Four-hook top with stainless steel finish.



Patient Article Carts

see spec sheet **EG05.10**

FEATURES:

- 24" (610mm) long coat hanger tube and 12 rods.

Overall Heights:
 "PC" carts = 68" (1727mm)
 "PCH" carts = 68½" (1740mm)



PCH model shown

	length		weight		cu	intermediate shelf length		style	# of dividers	# of bin markers	model #	list
	in.	mm	lbs.	kg		in.	mm					
24" width (610mm)	48"	1219	103	46.7	13.6	24"	610	standard	8	12	PC2448-C	1375
	60"	1524	126	57.2	18.2	36"	914	standard	12	16	PC2460-C	1600
	48"	1219	166	75.8	24.8	24"	610	heavy duty	8	12	PCH2448-C	1639
	60"	1524	188	85.3	25.4	36"	914	heavy duty	12	16	PCH2460-C	1797

Patient Article Cart Covers

shelf width x length		post height		weight		cu	uncoated w/zipper		coated w/zipper	
in.	mm	in.	mm	lbs.	kg		model #	list	model #	list
24" x 48"	610 x 1219	63"	1600	4	1.8	0.5	CZ-63-2448	244	CZC-63-2448	364
24" x 60"	610 x 1524	63"	1600	5	2.3	0.6	CZ-63-2460	289	CZC-63-2460	396

Accessories for Patient Article Carts

description	weight		cubic	model #	list
	lbs.	kg			
8" (203mm) divider	1.8	0.8	0.5	SD24-C	40
rod (includes 4 fastening tabs)	0.5	0.2	0.4	R63-C	16
plastic label holder	—	—	—	A204331	4
24" x 24" (610 x 610mm) chrome shelf	9.5	4.3	0.8	2424C	93
24" x 36" (610 x 914mm) chrome shelf	13.6	6.2	0.8	2436C	99

Polyurethane Plate Casters

see spec sheet **EG01.05B**

(•) MTS (made to stock) / () MTO (made to order)

type	capacity		wheel diameter		wheel face		weight		cu	EAGLEbrite® zinc	
	lbs.	kg	in.	mm	in.	mm	lbs.	kg		model #	list
swivel	600	272.1	6"	152	2"	51	9.0	4.1	0.5	CPS6P-600 •	113
brake	600	272.1	6"	152	2"	51	9.0	4.1	0.5	CPB6P-600 •	127
rigid	600	272.1	6"	152	2"	51	9.0	4.1	0.5	CPR6P-600	127
swivel	700	317.5	8"	203	2"	51	10.5	4.8	1.0	CPS8P-700	127
brake	700	317.5	8"	203	2"	51	10.5	4.8	1.0	CPB8P-700	143
rigid	700	317.5	8"	203	2"	51	10.5	4.8	1.0	CPR8P-700	143



with brake

Catalog Section 5

Suture Carts

see spec sheet **EG05.08**

- 18" (457mm) width.
- Four or five specially designed, adjustable slanted shelves for quick and easy access to sutures.
- Shelves adjust up to 30° slant.
- Open-wire construction.
- All models include three dividers per shelf.
- 5" (127mm) casters, two of which have brakes, are chrome-plated with polyurethane tread.
- All components are chrome-plated.

FEATURES:

(•) MTS (made to stock) / () MTO (made to order)

4-Shelf Units — 63" (1600mm) overall height.

	length		post height		weight		cu	model #	list
	in.	mm	in.	mm	lbs.	kg	ft		
18" width (457mm)	36"	914	54"	1372	62	28.1	2.5	SCH1836C-4	1144
	48"	1219	54"	1372	66	29.9	3.5	SCH1848C-4	1148

5-Shelf Units — 70" (1778mm) overall height.

	length		post height		weight		cu	model #	list
	in.	mm	in.	mm	lbs.	kg	ft		
18" width (457mm)	36"	914	63"	1600	73	33.1	3.5	SCH1836C-5	1368
	48"	1219	63"	1600	81	36.7	5.3	SCH1848C-5	1443

Options for Suture Carts

Customize your unit to suit any application.

length	weight	cubic	description	model #	list
in.	mm	lbs.			
36"	914	3	3 shelf add-on	SCH1836C	117
48"	1219	5	4 shelf add-on	SCH1848C	131
18"	457	1	divider	M18C •	47

Suture Cart Covers...

Suture Cart Covers...						...White Coated Nylon*				...White Uncoated Polyester				
shelf width x length		post height		weight	cu	with zipper		with velcro		with zipper		with velcro		
in.	mm	in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list
18" x 36"	457 x 914	54"	1372	3	1.4	1	CZC-54-1836	289	CVC-54-1836	298	CZ-54-1836	167	CV-54-1836	183
18" x 48"	457 x 1219	54"	1372	4	1.8	1	CZC-54-1848	298	CVC-54-1848	315	CZ-54-1848	186	CV-54-1848	198
18" x 36"	457 x 914	63"	1600	3	1.4	1	CZC-63-1836	294	CVC-63-1836	311	CZ-63-1836	177	CV-63-1836	188
18" x 48"	457 x 1219	63"	1600	4	1.8	1	CZC-63-1848	308	CVC-63-1848	318	CZ-63-1848	187	CV-63-1848	202

* White-coated nylon covers are fire-retardant.

Foot Stools

see spec sheet **EG05.04**

300-lb.
Weight capacity!

FEATURES:

- Single-step foot stool.
- All-welded construction.
- Flared legs with rubber tips.
- Non-slip rubber mat.
- Chrome or stainless steel finish.

width x length x height in. mm		weight lbs. kg		cubic feet	finish	model #	list
11 1/2" x 14 1/4" x 9"	289 x 362 x 229	8	3.6	1.0	stainless steel	SFS16S	424
11 1/2" x 14 1/4" x 9"	289 x 362 x 229	10	4.5	1.0	chrome	SFS14C	156

Linen Carts

see spec sheet **EG05.02**



STANDARD FEATURES:

- Four chrome-plated wire shelves.
- One solid stainless steel shelf.
- Chrome-plated 63" (1600mm) posts.
- 5" (127mm) resilient stem casters (two with brake).
- Donut bumpers.

HEAVY DUTY FEATURES:

- Four chrome-plated wire shelves.
- One solid stainless steel shelf.
- Chrome-plated dolly frame with wraparound bumper.
- 6" (152mm) polyurethane casters (two with brake).
- Side and back enclosure panels.
- Chrome plated posts, aluminum split sleeves.
- Locking hardware.

Heavy Duty Linen Cart — 69" (1753mm) overall height.

*width x length in. mm	weight lbs. kg	cubic feet	model #	list
24" x 60" 610 x 1524	240 108.9	29	LCD2460C	3053

* Shelf width x length. Dolly is 29 1/4" width x 64 1/4" length (756 x 1648mm).

Standard Duty Linen Cart — 72" (1829mm) overall height.

*width x length in. mm	weight lbs. kg	cubic feet	model #	list
24" x 60" 610 x 1524	190 86.2	8.3	LC2460C	1223

* Shelf width x length. Dolly is 29 1/4" width x 64 1/4" length (756 x 1648mm).

Mail Cart

see spec sheet **EG05.04**



**Designed to handle
internal/external mail
distribution.**

FEATURES:

- 5" (127mm) swivel casters on front.
- 10" (254mm) rigid roller-bearing casters on rear.
- Nickel-chrome finished.
- 1" (25mm) tubular frame.
- 11" (279mm) height top basket for files.
- 7" (178mm) height bottom basket for boxes.

overall width x length x height in. mm	weight lbs. kg	cubic feet	model #	list
28" x 47" x 38 1/2" 711 x 1194 x 978	60 27.2	6.0	MC-1	1229

Inhalation Therapy Cart

see spec sheet **EG05.12**



patented
QuadTruss
design

(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

FEATURES:

- Bottom shelf, handles and trussed frames are chrome plated.
- Cylinder racks are 5/16" (8mm) in diameter with 4 1/2" x 4 1/2" (114 x 114mm) openings for gas cylinders.
- Racks accommodate twelve D or E cylinders and are plastisol coated.
- Cart design conforms to NFPA-99.
- Aluminum split sleeves and four UL recognized 5" (127mm) conductive casters.

(•) MTS (made to stock) / () MTO (made to order)

width x length x height in. mm	weight lbs. kg	cubic feet	model #	list
20" x 27" x 31 1/2" 508 x 686 x 1016	41 19	3.5	GCC1•	874

Catalog Section 5

Sterile Wrap Carts

see spec sheet **EG05.05**

FEATURES:

- Chrome bottom shelf.
- Channel frame - chrome.
- Post material are chrome.
- 5" (127mm) swivel casters with poly tread.

(•) MTS (made to stock) / () MTO (made to order)

width x length x height		weight		cubic	model #	list
in.	mm	lbs.	kg	feet		
24" x 48" x 68"	610 x 1219 x 1727	83	37.6	7.6	SWC2448C	1405
24" x 60" x 68"	610 x 1524 x 1727	94	42.6	8.3	SWC2460C	1512

Sterile Wrap Cart Covers

shelf width x length		post height		weight		cu	uncoated		coated	
in.	mm	in.	mm	lbs.	kg	ft	model #	list	model #	list
24" x 48"	610 x 1219	63"	1600	4	1.8	0.4	CZ-63-2448	244	CZC-63-2448	364
24" x 48"	610 x 1219	63"	1600	4	1.8	0.4	CV-63-2448	259	CVC-63-2448	382
24" x 60"	610 x 1524	63"	1600	5	2.3	0.4	CZ-63-2460	289	CZC-63-2460	396
24" x 60"	610 x 1524	63"	1600	5	2.3	0.4	CV-63-2460	298	CVC-63-2460	413

NOTE: In model numbers, "Z" stands for zipper and "V" for velcro enclosures

Additional Support Bars

length		weight		cu	model #	list
in.	mm	lbs.	kg	ft		
48"	1219	2.7	1.2	0.1	SB48	77
60"	1524	3.4	1.5	0.2	SB60	88

Catheter Storage Carts

product announcement **EG8094**

	length		# of slides	# of hooks per slide	chrome	
	in.	mm			model #	list
18" width (457mm)	36"	914	6	5	ELCTH-1836C	3313
	48"	1219	7	5	ELCTH-1848C	3814
	60"	1524	10	5	ELCTH-1860C	5197
	72"	1829	13	5	ELCTH-1872C	6677
21" width (533mm)	36"	914	6	6	ELCTH-2136C	3452
	48"	1219	7	6	ELCTH-2148C	4017
	60"	1524	10	6	ELCTH-2160C	5523
	72"	1829	13	6	ELCTH-2172C	7007
24" width (610mm)	36"	914	6	7	ELCTH-2436C	3642
	48"	1219	7	7	ELCTH-2448C	4237
	60"	1524	10	7	ELCTH-2460C	5779
	72"	1829	13	7	ELCTH-2472C	7340

Catheter Storage Cart Covers

White coated nylon, with velcro fasteners.


	length		model #	list
	in.	mm		
18" width (457mm)	36"	914	CVC-74-1836	325
	48"	1219	CVC-74-1848	334
	60"	1524	CVC-74-1860	358
	72"	1829	CVC-74-1872	378
21" width (533mm)	36"	914	CVC-74-2136	346
	48"	1219	CVC-74-2148	364
	60"	1524	CVC-74-2160	407
	72"	1829	CVC-74-2172	421
24" width (610mm)	36"	914	CVC-74-2436	331
	48"	1219	CVC-74-2448	385
	60"	1524	CVC-74-2460	417
	72"	1829	CVC-74-2472	424

Optional Additional Single Storage Slides

fits shelves	model #	list
18" (457mm) front-to-back	ELCTH-18	442
21" (533mm) front-to-back	ELCTH-21	464
24" (610mm) front-to-back	ELCTH-24	487

FEATURES:

- Catheter storage slides hang from underside of top shelf.
- Each slide accommodates 5 to 7 catheters.
- Card holder featured on front of each slide.
- Intermediate three-sided truss frame.
- Four 5"-diameter swivel casters, two with brake, with resilient tread and donut bumpers.
- 80" (203mm) total height.
- Chrome finish.



storage slide



#ELCTH-2436C

Catheter Procedure Carts

see spec sheet **EG05.03**

model #CPC6024D



model #CPC48B

Capable of holding a variety of sizes and styles of catheter packages.

FEATURES:

- All components are adjustable.
- Support bars are readily removable.
- Hooks, boxes, slides, bins, and wire ledges included with appropriate models.
- 5" (127mm) swivel casters with polyurethane tread, two with brakes.
- 73" (1854mm) height.

(•) MTS (made to stock) / () MTO (made to order)



(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

Combination-Style Carts with 36" (914mm) Side Shelves and four 24" (610mm) Bars

	length		weight		cubic	# of hooks	maximum	max.	tote	super	ledges	model #	list
	in.	mm	lbs.	kg	feet	included	# of hooks per bar	# of boxes	slides	bins			
24" width (610mm)	60"	1524	146	66.2	15.0	16	5	N/A	N/A	N/A	N/A	CPC6036	2138
	60"	1524	174	78.9	17.8	16	5	2	1	6	6	CPC6036D	2795

Replacement Catheter Hook

11 1/4" (299mm) length. Black epoxy finish.

model #	list
A204176	204

Combination-Style Carts with 24" (610mm) Side Shelves and four 36" (914mm) Bars

	length		weight		cubic	# of hooks	maximum	max.	tote	super	ledges	model #	list
	in.	mm	lbs.	kg	feet	included	# of hooks per bar	# of boxes	slides	bins			
24" width (610mm)	60"	1524	149	67.6	9.8	24	9	N/A	N/A	N/A	N/A	CPC6024	2291
	60"	1524	162	73.5	18.6	24	9	2	1	6	6	CPC6024D	2909

Bulk Storage Carts with four 48" (1219mm) Bars

	length		weight		cubic	# of hooks	maximum	max.	tote	super	ledges	model #	list
	in.	mm	lbs.	kg	feet	included	# of hooks per bar	# of boxes	slides	bins			
24" (610mm)	48"	1219	82	37.2	8.7	32	13	N/A	N/A	6	6	CPC48B	2256

Bulk Storage Carts with four 60" (1524mm) Bars

	length		weight		cubic	# of hooks	maximum	max.	tote	super	ledges	model #	list
	in.	mm	lbs.	kg	feet	included	# of hooks per bar	# of boxes	slides	bins			
24" (610mm)	60"	1524	101	45.8	7.4	40	17	N/A	N/A	6	6	CPC60B	2494

Wire Basket Utility Carts spec sheet **EG01.35**

FEATURES:

- Includes swivel stem casters with bumpers and two push handles.
- 36 1/2" (927mm) overall cart height.

description	weight		model #	list
	lbs.	kg		
1 chrome basket shelf, 1 chrome standard shelf	31	14.1	WBC1836C-1B1W	420
2 chrome basket shelves	32	14.5	WBC1836C-2B	371
1 replacement chrome basket shelf	10	4.5	WBS1836C	121

Catalog Section 5

Basket Carts

see spec sheet **EG05.04**

Collapsible X-frame is ideal for mail, pharmacy, lab, medical records and other small tasks.

FEATURES:

- Maneuvers easily and quietly on 3" (76mm) swivel casters with rubber tread.
- Tubular, chrome plated frame.
- Poly-coated wire baskets and basket support.

width x length x height in. mm	weight lbs. kg	cubic feet	description	model #	list
18" x 26" x 37" 457 x 661 x 940	26 11.8	12.0	cart with (2) 6" baskets	BC18	751
18" x 26" x 37" 457 x 661 x 940	27 12.2	12.0	cart with (1) 6" and (1) 12" basket	BC18-1	779

Baskets for Basket Carts - Poly-coated white wire baskets.

width x length x height in. mm	weight lbs. kg	cubic feet	model #	list
14¼" x 24½" x 6" 362 x 620 x 152	5.5 2.5	1.8	A203895	85
14¼" x 24½" x 12" 362 x 620 x 305	6.5 3.0	2.8	A203929	115

Steril-Eze® Open Surgical Case Carts

see spec sheet **EG05.15**

FEATURES:

- Adjustable shelves.
- All type 304 stainless steel.
- Hemmed safety edges.
- 5" (127mm) swivel casters with polyurethane tread, two with brakes.

(•) MTS (made to stock) / () MTO (made to order)

width x length x height in. mm	weight lbs. kg	cu ft	description	model #	list
24" x 36" x 36" 610 x 914 x 914	89 40.4	3.8	open surgical case cart	OSCC2436	2123
24" x 48" x 36" 610 x 1219 x 914	118 53.5	3.8	open surgical case cart	OSCC2448	2259
12" x 20" x 4" 305 x 508 x 102	6 2.7	4.9	optional drawer	A204178	274

Steril-Eze® Open Wire Surgical Case Carts

see spec sheet **EG05.17**

**patented
QuadTruss®
design**
(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

FEATURES:

- Wire shelves.
- Tote boxes & slides.
- Enclosure panels.
- Stainless steel finish.
- 5" (127mm) swivel casters with polyurethane tread, two with brakes.

(•) MTS (made to stock) / () MTO (made to order)

width x length x height* in. mm	weight lbs. kg	description	model #	list
24" x 24" x 60¼" 610 x 610 x 1530	88 39.9	4 wire shelves, 1 tote box	OCC2424S	3054
24" x 48" x 60¼" 610 x 1219 x 1530	130 59.0	4 wire shelves, 2 tote boxes	OCC2448S	3681

* Height includes casters.

Surgical Scrub Sinks

see product announcement **EG8178**



ADA-compliant

- 16 gauge type 304 stainless steel.
- Removable front access panel.
- Electronic-eye gooseneck faucet.
- 4" (102mm)-high backsplash.
- Square edge on front and sides.
- Sink bowl with deep slope basin.
- Temperature control mixing valve.
- Z-clips for wall mounting.
- Includes stainless steel flat strainer drain, tail piece, and p-trap.
- Includes flexible stainless steel supply hoses.


FEATURES:

#SHS2424-1D

description	overall width x length x height in. mm	bowl width x length x depth in. mm	weight lbs. kg	model #	list
wall-mount unit with deck mount faucet	24½" x 24" x 28" 622 x 610 x 711	17½" x 20" x 11" 445 x 508 x 279	87 39.5	SHS2424-1D	5556
ADA wall-mount unit with splash-mount faucet	20" x 24" x 29½" 508 x 610 x 749	16½" x 20" x 6½" 419 x 508 x 165	83 37.6	SHS2424-1W-ADA	5021

Wall Mounted Multi-Station Hand Sinks

see product announcement **EG8099**



Optional Faucet

description	model #	list
gooseneck spout, 8" (203mm) center	313075	173

FEATURES:


- Single full-length bowl with basket drain(s) and rolled edge.
- 14/3 stainless steel construction.
- Wall-mounted tubular supports consists of 16 gauge 1½" (41mm)-diameter tubing.
- Basket drain—two drains on sink #HSA-WM-96.
- Faucet holes at 8" (203mm) on center.
- 9½" (241mm) backsplash.

overall width x length x height in. mm	bowl width x length x depth in. mm	# of faucets required	weight lbs. kg	model #	list
21½" x 48" x 27½" 551 x 1219 x 538	14" x 43" x 8" 356 x 1092 x 203	2	61 27.2	HSA-WM-48	5426
21½" x 60" x 27½" 551 x 1524 x 538	14" x 55" x 8" 356 x 1397 x 203	2	72 32.7	HSA-WM-60	5571
21½" x 72" x 27½" 551 x 1829 x 538	14" x 67" x 8" 356 x 1702 x 203	3	81 36.7	HSA-WM-72	5701
21½" x 96" x 27½" 551 x 2438 x 538	14" x 91" x 8" 356 x 2311 x 203	4	102 46.3	HSA-WM-96	6616

Shower Benches

product announcement **EG8189**

Teak wood slats offer superior water resistance, and can withstand heat, moisture and mold.



Consult factory for pricing.


FEATURES:

- Seat is made of full-length 1½"-thick x 3½"-wide (29 x 89mm) Burmese teak wood slats, featuring finished top edges, spaced for drainage.
- Wall-mounted model includes 11-gauge stainless steel drop brackets, allowing the bench to be folded down when not in use.
- Options available include lengths from 24" to 36" (610 to 914mm), towel ring, soap/shower basket.

description	width in. mm	length in. mm	model #
wall mount, stainless brackets	16" 762	30" 762	SB1630W
floor mount, stainless base	16" 762	30" 762	SB1630-S
floor mount, teak wood base	16" 762	30" 762	SB1630-T

Catalog Section 5

Mobile Garment Racks

see spec sheet **EG01.28**model #
UR1836C

Convenient storage or transportation of lab coats, uniforms, or garments.

FEATURES:

- Top shelf for hats or flat items.
- Bottom shelf (*shelves*) for drying shoes or boots.
- 74" (1880mm) height on stationary units,
- 80" (2032mm) height on mobile units.
- 5" (127mm) polyurethane tread casters.

(•) MTS (made to stock) / () MTO (made to order)

width x length x height in. mm	weight lbs. kg	cubic feet	description	model #	list
18" x 36" x 80" 457 x 914 x 2032	48 21.8	2.2	unit as shown	UR1836C	606
18" x 36" x 80" 457 x 914 x 2032	64 29.0	2.2	same, plus 1 solid shelf	URS1836C	795
18" x 48" x 80" 457 x 1219 x 2032	52 23.6	2.6	unit as shown	UR1848C	648
18" x 48" x 80" 457 x 1219 x 2032	72 32.7	2.6	same, plus 1 solid shelf	URS1848C	871
18" x 60" x 80" 457 x 1524 x 2032	58 26.3	3.2	unit as shown	UR1860C	701
18" x 60" x 80" 457 x 1524 x 2032	82 37.2	3.2	same, plus 1 solid shelf	URS1860C	998

Optional Wire Shelves

width x length in. mm	weight lbs. kg	cubic feet	model #	list
18" x 36" 457 x 914	9 4.1	0.7	1836C	80
18" x 48" 457 x 1219	12 5.5	0.9	1848C	96
18" x 60" 457 x 1524	17 7.7	1.2	1860C	113

Optional Open Loop Hangers

weight lbs. kg	cubic feet	chrome model #	list	stainless steel model #	list	electropolished model #	list
0.4 0.2	0.3	OLH-C•	17	OLH-S•	23	OLH-EP	27

Optional Closed Loop Hangers

weight lbs. kg	cubic feet	chrome model #	list	stainless steel model #	list	electropolished model #	list
0.4 0.2	0.3	CLH-C	17	CLH-S	23	CLH-EP	25

Replacement Coat Hanger Tubes

length in. mm	weight lbs. kg	cubic feet	model #	list
24" 610	1.5 0.7	0.1	CH24	45
30" 762	1.7 0.8	0.1	CH30	48
36" 914	2.2 1.0	0.1	CH36	51
42" 1067	2.7 1.2	0.1	CH42	52
48" 1219	3.2 1.5	0.1	CH48	54
54" 1372	3.5 1.6	0.2	CH54	57
60" 1524	3.8 1.7	0.2	CH60	60

Instrument Tables

see spec sheet **EG05.01**

with undershelf

All Welded Assembly.

FEATURES:

- Top surface, undershelf, and legs are heavy gauge type 304 stainless steel.
- Edges of the top are safety hemmed.
- 1" (25mm) diameter tubular legs with 4" (102mm) diameter swivel casters.
- 34" (864mm) overall height.

width x length in. mm	weight lbs. kg	cu ft	with H-frame model #	list	with undershelf model #	list
16" x 20" 406 x 508	25 11.3	6.3	ITT1620	1351	ITU1620	1275
16" x 30" 406 x 762	30 13.6	9.5	ITT1630	1384	ITU1630	1327
18" x 34" 457 x 864	33 15.0	12.1	ITT1834	1395	ITU1834	1349
20" x 36" 508 x 914	36 16.3	14.2	ITT2036	1423	ITU2036	1407
20" x 48" 508 x 1219	47 21.3	18.9	ITT2048	1471	ITU2048	1491
24" x 36" 610 x 914	39 17.7	17.0	ITT2436	1448	ITU2436	1455
24" x 46" 610 x 1168	50 22.7	21.8	ITT2446	1493	ITU2446	1538
24" x 58" 610 x 1473	59 26.8	37.4	ITT2458	1545	ITU2458	1631

Cart Covers

see spec sheet **EG01.09**



cart cover
enveloping entire cart/truck



cart cover with panel folded back
for easy shelf accessibility

**Light weight,
easy to handle!**

**Meets J.C.A.H. standards
for transporting clean linen!**

- Top corners are reinforced.
- Choice of white coated, white uncoated, or transparent vinyl.
- Coated cart covers available in powder blue (suffix "PB") and light green (suffix "LG").
Example: CVC-63-1836PB
- 10" x 12" (254 x 305mm) paperwork pouch at right side, when facing front of cart cover.
- Covers are nonreturnable.

FEATURES:

Note: Black electrostatic discharge (ESD) cart covers also available—see page 176.

Double-Flap option available. \$44 upcharge.

To order, add suffix "-DF" to model number
(ex: CV-63-2436-DF).

				White Coated Nylon*				White Uncoated Polyester				Transparent**			
	length		post height	weight	cu	zipper		velcro		zipper		velcro		zipper	
	in.	mm		lbs.		model #	list	model #	list	model #	list	model #	list	model #	list
18" width (457mm)	36"	914	54"	1372	3	1.4	1	CZC-54-1836	289	CVC-54-1836	298	CZ-54-1836	167	CV-54-1836-T	372
			63"	1600				CZC-63-1836	294	CVC-63-1836	311	CZ-63-1836	177	CV-63-1836-T	372
	48"	1219	54"	1372	4	1.8	1	CZC-54-1848	298	CVC-54-1848	315	CZ-54-1848	186	CV-54-1848-T	377
			63"	1600				CZC-63-1848	308	CVC-63-1848	318	CZ-63-1848	187	CV-63-1848-T	377
21" width (533mm)	60"	1524	54"	1372	5	2.3	1	CZC-54-1860	324	CVC-54-1860	335	CZ-54-1860	193	CV-54-1860-T	391
			63"	1600				CZC-63-1860	329	CVC-63-1860	342	CZ-63-1860	196	CV-63-1860-T	417
	48"	1219	54"	1372				CZC-54-2148	333	CVC-54-2148	346	CZ-54-2148	216	CV-54-2148-T	413
			63"	1600	4	1.8	1	CZC-63-2148	346	CVC-63-2148	362	CZ-63-2148	238	CV-63-2148-T	439
24" width (610mm)			74"	1880				CZC-74-2148	352	CVC-74-2148	364	CZ-74-2148	272	CV-74-2148-T	462
			54"	1372				CZC-54-2160	382	CVC-54-2160	392	CZ-54-2160	225	CV-54-2160-T	459
	60"	1524	63"	1600	5	2.3	1	CZC-63-2160	387	CVC-63-2160	401	CZ-63-2160	248	CV-63-2160-T	486
			74"	1880				CZC-74-2160	393	CVC-74-2160	407	CZ-74-2160	292	CV-74-2160-T	512
24" width (610mm)	24"	610	54"	1372	3	1.4	1	CZC-54-2424	352	CVC-54-2424	353	CZ-54-2424	394	CV-54-2424-T	396
			63"	1600				CZC-63-2424	357	CVC-63-2424	366	CZ-63-2424	408	CV-63-2424-T	396
			54"	1372				CZC-54-2436	294	CVC-54-2436	311	CZ-54-2436	192	CV-54-2436-T	403
	36"	914	63"	1600	3	1.4	1	CZC-63-2436	311	CVC-63-2436	324	CZ-63-2436	198	CV-63-2436-T	403
			74"	1880				CZC-74-2436	317	CVC-74-2436	331	CZ-74-2436	241	CV-74-2436-T	492
			86"	2184				CZC-86-2436	344	CVC-86-2436	366	CZ-86-2436	300	CV-86-2436-T	519
			54"	1372				CZC-54-2448	349	CVC-54-2448	363	CZ-54-2448	206	CV-54-2448-T	424
	48"	1219	63"	1600	4	1.8	1	CZC-63-2448	364	CVC-63-2448	382	CZ-63-2448	244	CV-63-2448-T	424
			74"	1880				CZC-74-2448	373	CVC-74-2448	385	CZ-74-2448	264	CV-74-2448-T	439
			86"	2184				CZC-86-2448	428	CVC-86-2448	441	CZ-86-2448	320	CV-86-2448-T	546
			54"	1372				CZC-54-2460	391	CVC-54-2460	403	CZ-54-2460	277	CV-54-2460-T	465
	60"	1524	63"	1600	5	2.3	1	CZC-63-2460	396	CVC-63-2460	413	CZ-63-2460	289	CV-63-2460-T	465
			74"	1880				CZC-74-2460	403	CVC-74-2460	417	CZ-74-2460	327	CV-74-2460-T	567
			86"	2184				CZC-86-2460	465	CVC-86-2460	465	CZ-86-2460	382	CV-86-2460-T	596
			54"	1372				CZC-54-2472	396	CVC-54-2472	413	CZ-54-2472	287	CV-54-2472-T	521
	72"	1829	63"	1600	6	2.7	1	CZC-63-2472	404	CVC-63-2472	421	CZ-63-2472	308	CV-63-2472-T	532
			74"	1880				CZC-74-2472	415	CVC-74-2472	424	CZ-74-2472	335	CV-74-2472-T	585
			86"	2184				CZC-86-2472	487	CVC-86-2472	481	CZ-86-2472	401	CV-86-2472-T	614

* White-coated nylon covers are fire-retardant; ** Entire cover is transparent except for the seams.

Helps keep equipment clean on shelf carts and shelf trucks.

Catalog Section 5

Storage Bins

see spec sheet **EG05.07***The perfect solution to organizing or storing small, easy-to-lose items. Lightweight but durable.*

Exchange Bins


Available in three sizes.

color	length x width x height in. mm	weight lbs. kg	cubic feet	minimum order qty	model #	list each
blue	18" x 4 1/2" x 4" 457 x 105 x 102	8 3.6	0.2	12	A203885	6
blue	18" x 6 5/8" x 4" 457 x 168 x 102	12 5.5	0.3	12	A203887	9
blue	23 3/4" x 6 5/8" x 4" 600 x 168 x 102	8 3.6	0.4	6	A203889	18

Dividers for Exchange Bins

Note: Sold only in cartons of 24.

color	length x height in. mm	weight lbs. kg	cubic feet	carton quantity	model #	list per ctn.
black	4 1/2" x 4" 105 x 102	1 0.5	—	24	A204235	24
black	6 5/8" x 4" 168 x 102	2 0.9	—	24	A204236	31



Supply Bins

Available in four sizes.

color	length x width x height in. mm	weight lbs. kg	cubic feet	minimum order qty	model #	list each
blue	10 1/2" x 5 1/2" x 5" 276 x 140 x 127	12 5.5	0.2	12	A203877	22
blue	10 1/2" x 11" x 5" 276 x 280 x 127	9 4.1	0.4	6	A203879	29
blue	14 1/4" x 8 1/4" x 7" 374 x 210 x 178	22 10.0	0.6	12	A203881	26
blue	14 1/4" x 16 1/2" x 7" 374 x 419 x 178	18 8.1	1.0	6	A203883	36



Dividers for Supply Bins

Note: Sold only in cartons of 6.

color	length x height in. mm	weight lbs. kg	cubic feet	carton quantity	model #	list per ctn.
black	10 1/2" x 5" 276 x 127	2 0.9	—	6	A204237	25
black	14 1/4" x 7" 374 x 178	3 1.4	—	6	A204238	33

Stock Bin

These stackable bins are built for heavy-duty use.

color	length x width x height in. mm	weight lbs. kg	cubic feet	carton quantity	model #	list each
beige	17 1/2" x 8 1/2" x 4" 454 x 216 x 102	21 9.5	0.8	6	A203891	38



Divider for Stock Bin

Note: Shipped in cartons only.

color	length x height in. mm	weight lbs. kg	cubic feet	carton quantity	model #	list each
black	8 1/2" x 4" 216 x 102	1 0.5	—	6	A204239	20

Bulk Supply Tub

Durable. Perfect for transporting or storing larger items.

color	length x width x height in. mm	weight lbs. kg	cubic feet	carton quantity	model #	list each
gray	24 1/2" x 19" x 9 1/2" 622 x 483 x 241	20 9.1	2.8	6	A203893	75




Stainless Steel Overlays

see product announcement **EG8177**

width x length *		model#	list
in.	mm		
24" x 24"	610 x 610	353761	498
24" x 30"	610 x 762	353762	523
24" x 36"	610 x 914	353763	557
24" x 48"	610 x 1219	353764	620
24" x 51"	610 x 1295	353765	654
24" x 60"	610 x 1524	353766	765
24" x 72"	610 x 1829	353767	844
24" x 96"	610 x 2438	353768	1038
30" x 30"	762 x 762	353770	554
30" x 36"	762 x 914	353771	597
30" x 48"	762 x 1219	353772	675
30" x 51"	762 x 1295	353773	703
30" x 60"	762 x 1524	353774	837
30" x 72"	762 x 1829	353775	911
30" x 96"	762 x 2438	353776	1128
36" x 60"	914 x 1524	382984	1196
36" x 72"	914 x 1829	362659	1328

* inside measurements



overlay fitted onto tabletop

FEATURES:

- For process tables.
- Economical upgrade to existing work surface, with no fasteners required.
- 20 gauge type 304 stainless steel construction with satin finish.
- Liquid adhesive could be used per application.
- Durable finish allowing easy cleanup.
- Hemmed safety edge on all four sides.
- Corners are welded and polished.
- Custom sizes and material gauges are available.



Double-Sided Bin-Holder Rails **PATENTED!**

see product announcement **EG07.14**

(patent #8,141,724 B2)

BIN-HOLDER RAILS:

- Bin-holder rails are sold as an accessory or purchased with posts as a kit.
- EAGLEbrite® zinc or chrome plated.
- Bins attach to both sides of rail - no tools required.

BIN-HOLDER RAIL CARTS:

- Carts consist of four bin-holder rails and four 63" posts with casters.
- Posts are numbered in increments of 1" (25mm) to ensure fast and level assembly.



shown assembled as a cart
(*bins sold separately)



Assembly — numerically calibrated grooved posts, tapered plastic split sleeves and rail collars combine to make shelving assembly a simple two-step exercise:

- 1) snap the split sleeves onto a post over the number of your choice
- 2) slide a rail collar over the split sleeves. A positive lock between rail bin and post is created without the use of any tools.



Bin holder rails can also be used on EAGLE Floor-Trak® units

*For additional information on Floor-Trak® Systems, refer to spec sheet EG01.39 or visit us on-line, www.eaglegrp.com.

Bin-Holder Rails

		length		weight		Zinc		Chrome		weight		Zinc		Chrome	
		in.	mm	lbs.	kg	model #	list	model#	list	lbs.	kg	model #	list	model#	list
24" width (610mm)	36"	914	11.0	5.0		DBH2436Z	196	DBH2436C	271	64	29.0	DBHC2436Z-4	1214	DBHC2436C-4	1279
	42"	1067	12.5	5.7		DBH2442Z	269	DBH2442C	274	70	31.8	DBHC2442Z-4	1297	DBHC2442C-4	1297
	48"	1219	14.0	6.4		DBH2448Z	285	DBH2448C	315	76	34.5	DBHC2448Z-4	1340	DBHC2448C-4	1455
	54"	1372	15.5	7.0		DBH2454Z	292	DBH2454C	319	82	37.2	DBHC2454Z-4	1366	DBHC2454C-4	1477
	60"	1524	17.0	7.7		DBH2460Z	311	DBH2460C	345	88	39.9	DBHC2460Z-4	1440	DBHC2460C-4	1577
30" width (762mm)	36"	914	12.5	5.7		DBH3036Z	266	DBH3036C	296	70	31.8	DBHC3036Z-4	1273	DBHC3036C-4	1383
	42"	1067	14.0	6.4		DBH3042Z	273	DBH3042C	308	76	34.5	DBHC3042Z-4	1299	DBHC3042C-4	1426
	48"	1219	15.5	7.0		DBH3048Z	311	DBH3048C	348	82	37.2	DBHC3048Z-4	1439	DBHC3048C-4	1593
	54"	1372	17.0	7.7		DBH3054Z	316	DBH3054C	363	88	39.9	DBHC3054Z-4	1466	DBHC3054C-4	1652
	60"	1524	18.5	8.4		DBH3060Z	342	DBH3060C	408	94	42.6	DBHC3060Z-4	1566	DBHC3060C-4	1835

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

NOTES

This image shows a full page of blank white paper with horizontal grey ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for handwriting practice or general writing. There are no margins, text, or other markings on the page.

Accessories

Card Holders	174
Conductive Bins and Dividers	175
Conductive Casters	176
Dividers for ESD Tote Boxes	174
ESD Cart Covers	176
ESD Tote Boxes & Accessories	173-174
Split Sleeves	176

adjuSTable®

Extras	179
with Cantilever Overhead System ..	177
with Wire Overshelf System	178

Carts

Burn-In Carts.....	170
Electronic Tray.....	168
Electronic Vibration Dampening	168
Gravity Flow Line Feed	169

More Electronics

All-Welded Units with Solid Tray Racks	170
Benchside Tote Box Carriers	173
Double-Sided Bin-Holder Rails	180
Mobile Computer Workstation.....	171
Reel Shelves	171
Stencil Shelf	170
Tote Box Carriers.....	172



Electronic Tray Carts

see spec sheet **EG07.05**

- Knock-down units.
- EAGLEbrite® zinc-plated wire shelves.
- Chrome posts.
- Aluminum split sleeves.
- End-load and side-load racks offer a practical and economical method of transporting or storing 17½" x 25¼" (454 x 654mm) product on trays.
- Units require no tools for assembly.
- 5" (127mm) diameter resilient swivel casters, two with brake.
- Units can be made conductive by adding drag chain or ESD cable.

FEATURES:

(•) MTS (made to stock) / () MTO (made to order)

description	overall dimensions		weight		cu ft	sliding space		full size pan capacity	model #	list
	width x length x height in.	mm	lbs.	kg		in.	mm			
end load	30" x 21" x 67½"	762 x 533 x 1711	65	29.5	15.0	1½"	38	38	WTRE38-Z	645
end load	30" x 21" x 67½"	762 x 533 x 1711	74	33.6	15.0	3"	76	20	WTRE20-Z	640
side load	21" x 30" x 67½"	533 x 762 x 1711	65	29.5	15.0	1½"	38	38	WTRS38-Z	645
side load	21" x 30" x 67½"	533 x 762 x 1711	74	33.6	15.0	3"	76	20	WTRS20-Z	640

Electronic Vibration Dampening Tray Carts

see spec sheet **EG07.04**

Engineered to provide maximum benefit in three key areas: vibration transfer, ESD safe, and cost.

FEATURES:

- Polyurethane 50 shore A casters dramatically reduce vibration transfer.
- Standard caster configuration features two swivel and two with brake.
- Carts are made ESD safe with the use of aluminum split sleeves and optional grounding device.
- EAGLEbrite® zinc-plated wire shelves.
- Product safety is ensured with front and back locks on all models.


(•) MTS (made to stock) / () MTO (made to order)

electronic vibration dampening tray cart (half size)

description	overall dimensions		weight		cu ft	sliding space		full size pan capacity	model #	list
	width x length x height in.	mm	lbs.	kg		in.	mm			
end load, half height	31¼" x 21¼" x 49½"	807 x 543 x 1254	80	36.3	15.0	1¼"	45	20	ETCE20-Z	1047
end load, full height	31¼" x 21¼" x 62½"	807 x 543 x 1584	97	44.0	15.0	1¼"	45	30	ETCE30-Z *	1181
side load, half height	21¼" x 31¼" x 49½"	543 x 807 x 1254	80	36.3	15.0	1¼"	45	20	ETCS20-Z	1047
side load, full height	21¼" x 31¼" x 62½"	543 x 807 x 1584	97	44.0	15.0	1¼"	45	30	ETCS30-Z *	1181

* Half-height carts include two ergonomically positioned push handles.


Options for Electronic Tray Carts and Vibration Dampening Tray Carts



Optional ESD Grounding Cable

- Provides greater dependability on mobile units.
- Replaces conductive casters when used with conductive split sleeves.
- Easily installed.

model #	list
GC-16	28



Optional Anti-Static Drag Chain

- 16" (406mm) long.
- Used for conductive applications.
- Clips into shelf.

model #	list
DC16-S•	26

Catalog Section 7

Gravity Flow Line Feed Carts

see spec sheet **EG07.03**

Offers the ergonomic advantage of an angled shelf along with added visibility in the storage bins.

- Standard model includes three EAGLEbrite® zinc-plated angled shelves, four posts, four casters (*two with brake*), one 3-sided truss, and one 4-sided truss.
- Flexibility to adjust shelves on 1" (25mm) vertical increments and the slope of each shelf.
- Open-wire construction for high visibility of merchandise.
- Chrome posts.
- 5" x 1¼" (127 x 32mm) standard resilient swivel casters, two with brake — each with a weight capacity of 300 lbs. (136.1 kg).
- Mobile units are 69" (1753mm) height, including casters.
- Stationary units are 63" (1600mm) height.

FEATURES:

Note: Additional shelves available as options.
Additional caster sizes available.

			Stationary		Mobile		
length		weight		cubic feet	EAGLEbrite®		EAGLEbrite®
in.	mm	lbs.	kg		model #	list	
36"	914	93	42.2	6	SM3636Z-3	764	M3636Z-3
48"	1219	114	51.7	8	SM3648Z-3	858	M3648Z-3
60"	1524	144	65.3	10	SM3660Z-3	1058	M3660Z-3

Replacement/Additional Components for Gravity Flow Line Feed Carts:



Angled Shelves


- Hanger rails included.

length		weight		cubic feet	EAGLEbrite®	
in.	mm	lbs.	kg		model #	list
36"	914	26	11.8	5	M3636Z	215
48"	1219	32	14.5	7	M3648Z	233
60"	1524	40	18.1	9	M3660Z	277



Side-to-Side Hanger Rails...

length		weight		cubic feet	EAGLEbrite®	
in.	mm	lbs.	kg		model #	list
36"	914	3	1.4	1.5	A215543	39
48"	1219	4	1.8	2.0	A215544	44
60"	1524	5	2.3	2.5	A215546	47



3-Sided Truss Frame

- 36" (914mm) wide.

length		weight		cubic feet	EAGLEbrite®	
in.	mm	lbs.	kg		model #	list
36"	914	7	3.2	2	A215538	47
48"	1219	10	4.5	3	A215539	60
60"	1524	12	5.4	4	A215541	66



4-Sided Truss Frame

- 36" (914mm) wide.

length		weight		cubic feet	EAGLEbrite®	
in.	mm	lbs.	kg		model #	list
36"	914	9	4.1	2	A215532	69
48"	1219	12	5.4	3	A215534	84
60"	1524	15	6.8	4	A215536	96

Burn-In Carts

see spec sheet **EG07.07**

A simple testing and preparation station for electronic products.

FEATURES:

- For transporting products to and from testing areas.
- Casters are resilient swivel 5" (127mm) diameter and include donut bumpers.
- Standard power harness is designed to be used on four-shelf unit as shown.
- 69" (1753mm) high.
- Aluminum split sleeves.

width x length in. mm	weight lbs. kg	cubic feet	chrome model #	zinc model #
28" x 64" 711 x 1626	114 51.7	6.0	BIC 4695	BIC-Z 4667

Replacement Power Harness

Nine outlets each. NEMA 5-15P plug.

description	weight lbs. kg	cubic feet	model #	list
one strip w/cord & plug	2 0.9	0.7	MHPH	964
four strips wired to one cord & plug	8 3.6	2.8	MHPH-4	1823

patented
QuadTruss
design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

All-Welded Units with Solid Tray Racks

see spec sheet **EG07.00**

**Holds
18" x 26"
pans.**

FEATURES:

- All-welded aluminum frame construction.
- Frame and supports are 1" (25mm) square aluminum tubing.
- Tray slides are 1½" (48mm) wide with two raised beads to minimize friction.
- 5" (127mm) casters.

(•) MTS (made to stock) / () MTO (made to order)

description	overall dimensions width x length x height		weight		cu ft	sliding space		full size pan capacity	model #	list
	in.	mm				in.	mm			
front load	20½" x 26" x 69¼"	518 x 660 x 1759	47	21.3	21.0	2"	51	30	OUR-1830-2/W •	1298
side load	28½" x 20" x 69¼"	724 x 457 x 1759	32	14.5	25.2	2"	51	30	OUR-2630-2/W	1247

Aluminum Tray

description	dimensions		model #	list
	in.	mm		
solid, 18 gauge	17½" x 25¼"	451 x 654	SP1826-18 •	38



Stencil Shelf

see spec sheet **EG07.08**

two tiers of stencil
shelves shown in mobile
unit configuration

The stencil shelf may be used with any combination of posts and casters that best meets your requirements.

posts and casters sold separately
—see pages 8 & 9

#ST1836Z-13 includes two shelves.

width x length in. mm	weight lbs. kg	cu ft	capacity	model #	list
18" x 36" 457 x 914	18 8.2	5.0	holds (15) stencils	ST1836Z-13	381

FEATURES:

- EAGLEbrite® zinc finish.
- One bottom and one top partitioned shelf.
- One ST1836Z-13 is required for each tier desired.
- Each unit has (15) 2" (51mm) partitions.

Note: Stationary unit can be made conductive with the use of optional aluminum split sleeves (page 176).

Mobile unit may be made conductive with the use of optional aluminum split sleeves (page 176) and an optional drag chain (page 168).

Catalog Section 7

Mobile Computer Workstations

see spec sheet **EG01.04**

with optional mouse shelf

patented
QuadTruss
design

(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

FEATURES:

- 5" (127mm) casters—two with brake.
- Cantilevered shelf, undershelf, keyboard drawer.
- 38 $\frac{3}{8}$ " (981mm) working height.
- 53 $\frac{3}{8}$ " (1362mm) overall height.

Note: See page 176 for other casters available.

(•) MTS (made to stock) / () MTO (made to order)

						with Resilient-Tread Casters				w/Polyurethane-Tread Casters				
width**		length		weight		cu	chrome		stainless steel		chrome		stainless steel	
	in.	mm	lbs.	kg	ft	model #	*list	model #	*list	model #	*list	model #	*list	
24"	(610mm)	24"	610	40	18.1	3.7	MCWS2424C • 1027	MCWS2424S	1653	MCWS2424C-P	1049	MCWS2424S-P	1675	
30"	(762mm)	30"	762	56	25.4	4.5	MCWS3030C 1108	MCWS3030S	1725	MCWS3030C-P	1131	MCWS3030S-P	1747	

* List prices do not include cost of mouse shelf.


** 24" x 24" (610 x 610mm) units feature 14" x 24" (357 x 610mm) undershelf, 30" x 30" (762 x 762mm) units feature 18" x 30" (457 x 762mm) undershelf.

Optional Mouse Shelf for Mobile Computer Workstation

width x length		cu	weight		chrome	
in.	mm		lbs.	kg	model #	list
7" x 7"	178 x 178	0.1	2.0	0.9	MS-C	16



Reel Shelves

see spec sheet **EG07.06**

reel shelves shown in mobile unit configuration - posts and casters sold separately (see pages 8 & 9)

FEATURES:

- EAGLEbrite® zinc plated finish with MasterSeal®, 9-gauge wire for the mat, and 6-gauge wire for the cradle and trusses.
- R1836-7 has a $\frac{3}{4}$ " (19mm) open space for each reel.
- R1836-13 has a 2" (51mm) open space for each reel.
- The reel shelves may be used with any combination of posts and casters that best meets your requirements.


The perfect solution to store and transport surface mount reels.

width x length		weight		cubic	capacity	model #	list
in.	mm	lbs.	kg	feet			
18" x 36"	457 x 914	10	4.5	5.0	holds (78) 7"-diameter reels	R1836Z-7	231
18" x 36"	457 x 914	9	4.1	5.0	holds (15) 13"-diameter reels or 15"-diameter reels	R1836Z-13	205

Tote Box Carriers

see spec sheet **EG07.01**

*The ideal way to transport totes, trays,
and other containers.*



FEATURES:

- Three sets of tote box slides.
- Two brake and two swivel casters, resilient or polymer.
- 68" (1727mm) height, includes casters
- 63" (1600mm) 16-gauge chrome-plated posts.
- 26" (660mm) length from front to back.

Note: See pages 173 and 174 for tote boxes and tote box accessories.

Note: To order units with aluminum split sleeves in place of standard plastic split sleeves, add suffix "-ESD".
Example: TBC1-R-ESD

(•) MTS (made to stock) / () MTO (made to order)

One-Bay

- Adjustable or standard.
- Comes with three single slide sets.

width x length in. mm	weight lbs. kg	cubic feet	caster type	description	model #	list
26" x 22 1/2" 660 x 575	55 24.9	3.5	resilient	1 section, non-adjustable	TBC1-R *	863
	55 24.9	3.5	poly	1 section, non-adjustable	TBC1-P *	885
26" x 20 1/2" 660 x 524	55 24.9	3.5	resilient	1 section, adjustable	TBC-R	856
to 26" x 29 1/2" to 660 x 746	55 24.9	3.5	poly	1 section, adjustable	TBC-P	943

* For Non-Adjustable units, applicable tote boxes are #TB3030XL, TB3060XL, TB3080XL, and TB3120XL (page 173).



one-bay tote
box carrier
shown with
optional tote
boxes

Two-Bay

- Comes with three single slide sets and three double slides.

width x length in. mm	weight lbs. kg	cubic feet	caster type	description	model #	list
26" x 41 1/2" 660 x 1060	112 50.8	9	resilient	2 section, non-adjustable	TBC2-R *	1261
26" x 41 1/2" 660 x 1060	112 50.8	9	poly	2 section, non-adjustable	TBC2-P *	1287

* For Non-Adjustable units, applicable tote boxes are #TB3030XL, TB3060XL, TB3080XL, and TB3120XL (page 173).



two-bay tote
box carrier
shown with
optional tote
boxes

Three-Bay

- Comes with three single slide sets and six double slides.

width x length in. mm	weight lbs. kg	cubic feet	caster type	description	model #	list
26" x 60 1/2" 660 x 1546	168 76.2	12	resilient	3 section, non-adjustable	TBC3-R *	1780
26" x 60 1/2" 660 x 1546	168 76.2	12	poly	3 section, non-adjustable	TBC3-P *	1806

* For Non-Adjustable units, applicable tote boxes are #TB3030XL, TB3060XL, TB3080XL, and TB3120XL (page 173).



three-bay tote box carrier
shown with optional tote boxes
and additional slides

Tote Box Slides for Tote Box Carriers

- Made of 16 gauge chrome plated steel with a channel opening of 1 1/2" (29mm).

type	weight lbs. kg	cubic feet	model #	list
single slides (sold in pairs)	1.5 0.7	0.5	TBC-S •	114 per pair
double slide (sold individually)	3.0 1.4	0.5	TBC-SD	108 each

Catalog Section 7

Benchside Tote Box Carriers

see spec sheet **EG07.02**

Variable shelf angle is ergonomically sensitive to repetitive pick-and-place activity.



benchside tote box carrier
shown with optional tote boxes

- Angled wire shelf with 3½" (89mm) upturn.
- Wire undershelf.
- Posts joined to 5" (127mm)-diameter swivel casters with resilient tread—two with brake.
- All shelves and posts are zinc-plated.

FEATURES:

Note: For static dissipation, add aluminum split sleeves (page 176) and drag chain (page 168).

width x length in. mm	height in. mm	weight lbs. kg	cubic feet	caster type	model #	list
18" x 24" 457 x 610	(rear) 39" 991 (front) 30" 762	50 22.7	3.3	(2) 5" resilient swivel (2) 5" resilient w/brake	1824BTZ	498
18" x 36" 457 x 914	(rear) 39" 991 (front) 30" 762	55 24.9	4.5	(2) 5" resilient swivel (2) 5" resilient w/brake	1836BTZ	520
18" x 48" 457 x 1219	(rear) 39" 991 (front) 30" 762	60 27.2	6.0	(2) 5" resilient swivel (2) 5" resilient w/brake	1848BTZ	548
18" x 60" 457 x 1524	(rear) 39" 991 (front) 30" 762	65 29.5	7.5	(2) 5" resilient swivel (2) 5" resilient w/brake	1860BTZ	600

Optional ESD Tote Boxes & Tote Box Accessories

see spec sheet **EG07.09**

(•) MTS (made to stock) / () MTO (made to order)



ESD Tote Boxes

- Made of conductive material.
- Fits tote box carriers (page 172).
- Containers can be divided into compartments by length and/or width.
- Dividers are on 1¼" (32mm) centers.

dimensions of outside top length x width x height in. mm			weight lbs. kg		cu ft	max. divider slots long short in. mm in. mm		model #	list
10.8" x 8.5" x 3.5"	274	216 x 89	0.7	0.3	0.2	5" 127	7" 178	TB1035XL	31
10.8" x 8.5" x 5.0"	274	216 x 127	0.9	0.4	0.3	5" 127	7" 178	TB1050XL	35
16.5" x 10.9" x 3.5"	419	277 x 89	1.2	0.5	0.4	7" 178	11" 279	TB2035XL	36
16.5" x 10.9" x 6.0"	419	277 x 152	1.6	0.7	0.6	7" 178	11" 279	TB2060XL	51
16.5" x 10.9" x 8.0"	419	277 x 203	2.0	0.9	0.8	7" 178	11" 279	TB2080XL	57
22.4" x 17.4" x 3.0"	567	442 x 76	1.8	0.8	0.7	11" 279	15" 381	TB3030XL *	88
22.4" x 17.4" x 6.0"	567	442 x 152	3.5	1.6	1.3	11" 279	15" 381	TB3060XL *	92
22.4" x 17.4" x 8.0"	567	442 x 203	4.1	1.9	1.8	11" 279	15" 381	TB3080XL *	112
22.4" x 17.4" x 12.0"	567	442 x 305	6.0	2.7	1.7	11" 279	15" 381	TB3120XL *	153

* Only the TB3000 series tote boxes fit non-adjustable tote box carriers (page 172).

ESD Snap-On Tote Box Covers

Conductive. Black.

*Protect the contents of your
divider box with these hi-density
injection molded covers.*

for container model	weight lbs. kg	cubic feet	model #	list
TB1000 Series	0.2 0.1	0.1	CTB1000-XL	23
TB2000 Series	0.5 0.2	0.1	CTB2000-XL	42
TB3000 Series	1.2 0.5	0.3	CTB3000-XL	68




For ESD Tote Box Dividers and Card Holders, see page 174.

ESD Tote Box Accessories (continued)

see spec sheet **EG07.09**

Dividers



Conductive. These injection molded dividers compartmentalize width and length of box interior to prevent part movement.

fits tote box	Long Dividers			Short Dividers		
	model #	list	max. # accepted	model #	list	max. # accepted
TB1035XL	DL1035-XL	4	5	DS1035-XL	3	7
TB1050XL	DL1050-XL	5	5	DS1050-XL	4	7
TB2035XL	DL2035-XL	5	7	DS2035-XL	4	11
TB2060XL	DL2060-XL	7	7	DS2060-XL	6	11
TB2080XL	DL2080-XL	12	7	DS2080-XL	7	11
TB3030XL	DL3030-XL	7	11	DS3030-XL	5	15
TB3060XL	DL3060-XL	9	11	DS3060-XL	6	15
TB3080XL	DL3080-XL	12	11	DS3080-XL	7	15
TB3120XL	DL3120-XL	33	11	DS3120-XL	26	15

Card Holders for ESD Tote Boxes



- Static dissipative.
- Transparent blue vinyl material.
- Easily snaps onto TB3000 Series divider boxes (page 173).

FEATURES:

holds labels		model #	list
in.	mm		
2" x 8"	51 x 203	CH28S	12
3" x 5"	76 x 127	CH35S	16
5" x 8"	127 x 203	CH58S	17

Go Green. Go ECO-Built™ by EAGLE.

For institutions concerned about meeting their own green standards, buying Eco-Built™ is simply the right thing to do.

Look for the ECO-Built™ tag on the bar code ➡




Catalog Section 7

Conductive Bins and Dividers

see spec sheet **EG07.11**

- Molded with a carbon-filled copolymer polypropylene material which protects sensitive electronic components from typical electromagnetic interference (EMI).

FEATURES:



Ultra-strong stackable containers are ideal for storage and transportation of electronic components and parts, assemblies, and loaded circuit boards.



overall dimensions width x length x height in. mm		weight*		cu*	carton	Bins		Dividers	
		lbs.	kg	ft	quantity	model #	list each	model #	list each
4 1/8" x 4 1/2" x 3"	105 x 114 x 76	0.5	0.2	0.7	48	A208336	6	A208348	9
4 1/8" x 5 1/2" x 3"	105 x 138 x 76	0.5	0.2	0.8	48	A208337	6	A208349	12
4 1/8" x 7 1/2" x 3"	105 x 191 x 76	0.5	0.2	1.0	48	A208338	9	A208350	17
5 1/2" x 11" x 5"	138 x 279 x 127	0.5	0.2	0.6	12	A208339	25	A208351	23
11" x 11" x 5"	279 x 279 x 127	1.5	0.7	0.5	8	A208341	35	A208353	23
8 1/4" x 11" x 7"	210 x 279 x 178	1.5	0.7	0.5	8	A208342	36	A208354	38
8 1/4" x 14 1/4" x 7"	210 x 375 x 178	1.5	0.7	1.1	8	A208343	39	A208355	45
16 1/2" x 14 1/4" x 7"	419 x 375 x 178	3.0	1.4	1.8	6	A208344	69	A208356	45
11" x 16" x 8"	279 x 406 x 203	2.5	1.1	1.3	4	A208345	75	A208357	55
11" x 18" x 10"	279 x 457 x 254	2.8	1.2	1.7	4	A208346	84	A208358	62
16 1/2" x 18" x 11"	419 x 457 x 279	4.0	1.8	2.6	4	A208347	113	A208359	62


* Total carton

Contact us:
revit@eaglegrp.com

Access Eagle's Revit Libraries on
AutoQuotes, KCL, and AutoDesk Seek.

EAGLE
GROUP

Profit from the Eagle Advantage®



ESD Cart Covers

see spec sheet **EG07.12**

Controls electrostatic discharge while protecting contents from moisture and contamination.



**Black outside,
Green inside.**

FEATURES:

- Controls electrostatic discharge while protecting contents from moisture and contamination.
- All cart covers have a flap on one side.
- "ETC" model cart covers have both side and end flaps for side or end load.
- Comes with paperwork pouch.
- ESD cart covers are waterproof, tear-resistant, antibacterial and flame retardant.

shelf width x length in. mm	post height in. mm	weight lbs. kg	cubic feet	model #	list
18" x 36" 457 x 914	63" 1600	3 1.4	2.5	CZ-63-1836-ESD	525
18" x 48" 457 x 1219	63" 1600	4 1.8	2.5	CZ-63-1848-ESD	589
24" x 24" 610 x 610	63" 1600	3 1.4	2.5	CZ-63-2424-ESD	525
24" x 36" 610 x 914	63" 1600	3 1.4	2.5	CZ-63-2436-ESD	549
24" x 48" 610 x 1219	63" 1600	4 1.8	2.5	CZ-63-2448-ESD	638
24" x 60" 610 x 1524	63" 1600	5 2.3	2.5	CZ-63-2460-ESD	688
fits #ETCE20-Z (page 168) fits #ETCS20-Z (page 168)	49" 1245	3 1.4	2.5	CZ-49-ETC	538
fits #ETCE30-Z (page 168) fits #ETCS30-Z (page 168)	63" 1600	4 1.8	2.5	CZ-63-ETC	608

Conductive Casters

see spec sheets **EG01.05A** **EG07.12**

FEATURES:

- Meets federal specification FF-C-88C regarding conductivity.

(•) MTS (made to stock) / () MTO (made to order)

type	capacity lbs. kg	wheel diameter in. mm	wheel face in. mm	weight lbs. kg	cu ft	zinc model #	list
stem/swivel	200 90.7	5" 127	1 1/4" 32	2.5 1.2	0.1	CSS5-CC •	72
stem/brake	200 90.7	5" 127	1 1/4" 32	2.8 1.3	0.1	CSB5-CC •	80
stem/rigid*	200 90.7	5" 127	1 1/4" 32	3.5 1.6	0.1	CSR5-CC	82

* Channel frames for rigid stem casters available. See page 9.

Split Sleeves

see spec sheets **EG01.03D** **EG07.12**

(•) MTS (made to stock) / () MTO (made to order)

Aluminum Split Sleeves

- For conductive, over the road or high-temperature installations.
- Set of four.

with zinc rings		with stainless rings	
model #	list	model #	list
A208909 •	20	A208908 •	33



aluminum
split sleeves
and ring

Plastic Conductive Split Sleeves

- Packed four per bag.

model #	list
A219236	14



Catalog Section 7

adjuSTable® Work Surface Systems with Cantilevered Overhead System

see spec sheet **EG07.13A**

FEATURES:

- 34½" (876mm) working height.
- Tabletops on all models feature hat channels underneath for added strength.

Now NSF!



adjuSTable® with overhead cantilevered system shown with H-frame & wire undershelf base, and optional bin holder, reel holder, and bench power center

Note: To order table with 5" (127mm) resilient tread casters, add suffix "-CAH" and add to list price \$668.

Example: OAC2436T-2H-CAH.

To order table with 5" (127mm) poly tread casters, add suffix "-CAHP" and add to list price \$578.

Example: OAC2436T-2H-CAHP.

***Allows you to create work surfaces of your choice.
Tabletops on all models feature hat channels
underneath for added strength.***

Work surface of your choice is combined with two 33" (838mm) front posts, two 63" (1600mm) rear posts, two cantilevered wire overshelves, and your choice of base combination. Overall height of 63" (1600mm).

"OAC" Series tables – Brushed 16/304 stainless steel solid top and chrome wire overshelves, with choice of:

- Two knocked down chrome C-frames
- Two knocked down chrome H-frames
- One chrome C-frame and one chrome wire undershelf
- One chrome H-frame and one chrome wire undershelf
- Two chrome wire undershelves

	length		weight		cu ft	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.4	OAC2436T-2C	1152	OAC2436T-2H	1152	OAC2436T-1C-1W	1152	OAC2436T-1H-1W	1152	OAC2436T-2W	1152
	48"	1219	81	36.7	5.7	OAC2448T-2C	1326	OAC2448T-2H	1326	OAC2448T-1C-1W	1326	OAC2448T-1H-1W	1326	OAC2448T-2W	1326
	60"	1524	97	44.0	7.0	OAC2460T-2C	1502	OAC2460T-2H	1502	OAC2460T-1C-1W	1502	OAC2460T-1H-1W	1502	OAC2460T-2W	1502
30" width (762mm)	36"	914	75	34.0	4.4	OAC3036T-2C	1225	OAC3036T-2H	1225	OAC3036T-1C-1W	1225	OAC3036T-1H-1W	1225	OAC3036T-2W	1225
	48"	1219	94	42.6	5.7	OAC3048T-2C	1445	OAC3048T-2H	1445	OAC3048T-1C-1W	1445	OAC3048T-1H-1W	1445	OAC3048T-2W	1445
	60"	1524	113	51.3	7.0	OAC3060T-2C	1641	OAC3060T-2H	1641	OAC3060T-1C-1W	1641	OAC3060T-1H-1W	1641	OAC3060T-2W	1641
36" width (914mm)	36"	914	85	38.6	5.0	OAC3636T-2C	1496	OAC3636T-2H	1496	OAC3636T-1C-1W	1496	OAC3636T-1H-1W	1496	OAC3636T-2W	1496
	48"	1219	108	49.0	7.0	OAC3648T-2C	1711	OAC3648T-2H	1711	OAC3648T-1C-1W	1711	OAC3648T-1H-1W	1711	OAC3648T-2W	1711
	60"	1524	131	59.4	9.0	OAC3660T-2C	1868	OAC3660T-2H	1868	OAC3660T-1C-1W	1868	OAC3660T-1H-1W	1868	OAC3660T-2W	1868

"OAS" Series tables – Brushed 16/304 stainless steel solid top and stainless steel wire overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one chrome wire undershelf
- Two stainless steel wire undershelves

	length		weight		cu ft	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.4	OAS2436T-2C	2002	OAS2436T-2H	2002	OAS2436T-1C-1W	2002	OAS2436T-1H-1W	2002	OAS2436T-2W	2002
	48"	1219	81	36.7	5.7	OAS2448T-2C	2291	OAS2448T-2H	2291	OAS2448T-1C-1W	2291	OAS2448T-1H-1W	2291	OAS2448T-2W	2291
	60"	1524	97	44.0	7.0	OAS2460T-2C	2657	OAS2460T-2H	2657	OAS2460T-1C-1W	2657	OAS2460T-1H-1W	2657	OAS2460T-2W	2657
30" width (762mm)	36"	914	75	34.0	4.4	OAS3036T-2C	2206	OAS3036T-2H	2206	OAS3036T-1C-1W	2206	OAS3036T-1H-1W	2206	OAS3036T-2W	2206
	48"	1219	94	42.6	5.7	OAS3048T-2C	2541	OAS3048T-2H	2541	OAS3048T-1C-1W	2541	OAS3048T-1H-1W	2541	OAS3048T-2W	2541
	60"	1524	113	51.3	7.0	OAS3060T-2C	2926	OAS3060T-2H	2926	OAS3060T-1C-1W	2926	OAS3060T-1H-1W	2926	OAS3060T-2W	2926
36" width (914mm)	36"	914	85	38.6	5.0	OAS3636T-2C	2469	OAS3636T-2H	2469	OAS3636T-1C-1W	2469	OAS3636T-1H-1W	2469	OAS3636T-2W	2469
	48"	1219	108	49.0	7.0	OAS3648T-2C	2929	OAS3648T-2H	2929	OAS3648T-1C-1W	2929	OAS3648T-1H-1W	2929	OAS3648T-2W	2929
	60"	1524	131	59.4	9.0	OAS3660T-2C	3381	OAS3660T-2H	3381	OAS3660T-1C-1W	3381	OAS3660T-1H-1W	3381	OAS3660T-2W	3381

***Contact factory for custom
workstation configurations.***

adjuSTable® Work Surface Systems with Wire Overshelf System

see spec sheet **EG07.13A**



Now NSF!



shown with
two C-frame bases
(suffix "-2C")

FEATURES:

- 34½" (876mm) working height.
- Tabletops on all models feature hat channels underneath for added strength.

Note: To order table with 5" (127mm) resilient tread casters, add suffix "-CAH" and add to list price \$668.

Example: WOAC2436T-2H-CAH.

To order table with 5" (127mm) poly tread casters, add suffix "-CAHP" and add to list price \$578.

Example: WOAC2436T-2H-CAHP.

**Allows you to create work surfaces of your choice.
Tabletops on all models feature hat channels
underneath for added strength.**

Work surface of your choice is combined with two 33" (838mm) front posts, two 63" (1600mm) rear posts, two wire overshelves, two 29" (737mm) front posts for wire overshelves, and your choice of base combination. 63" (1600mm) overall height.

"WOAC" Series tables – 16/304 brushed stainless solid top and chrome overshelves, with choice of:

- Two knocked down chrome C-frames
- Two knocked down chrome H-frames
- One chrome C-frame and one chrome wire undershelf
- One chrome H-frame and one chrome wire undershelf
- Two chrome wire undershelves

	length		weight		cu ft	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.4	WOAC2436T-2C	1218	WOAC2436T-2H	1218	WOAC2436T-1C-1W	1218	WOAC2436T-1H-1W	1218	WOAC2436T-2W	1218
	48"	1219	81	36.7	5.7	WOAC2448T-2C	1386	WOAC2448T-2H	1386	WOAC2448T-1C-1W	1386	WOAC2448T-1H-1W	1386	WOAC2448T-2W	1386
	60"	1524	97	44.0	7.0	WOAC2460T-2C	1557	WOAC2460T-2H	1557	WOAC2460T-1C-1W	1557	WOAC2460T-1H-1W	1557	WOAC2460T-2W	1557
30" width (762mm)	36"	914	75	34.0	4.4	WOAC3036T-2C	1288	WOAC3036T-2H	1288	WOAC3036T-1C-1W	1288	WOAC3036T-1H-1W	1288	WOAC3036T-2W	1288
	48"	1219	94	42.6	5.7	WOAC3048T-2C	1503	WOAC3048T-2H	1503	WOAC3048T-1C-1W	1503	WOAC3048T-1H-1W	1503	WOAC3048T-2W	1503
	60"	1524	113	51.3	7.0	WOAC3060T-2C	1693	WOAC3060T-2H	1693	WOAC3060T-1C-1W	1693	WOAC3060T-1H-1W	1693	WOAC3060T-2W	1693
36" width (914mm)	36"	914	85	38.6	5.0	WOAC3636T-2C	1563	WOAC3636T-2H	1563	WOAC3636T-1C-1W	1563	WOAC3636T-1H-1W	1563	WOAC3636T-2W	1563
	48"	1219	108	49.0	7.0	WOAC3648T-2C	1769	WOAC3648T-2H	1769	WOAC3648T-1C-1W	1769	WOAC3648T-1H-1W	1769	WOAC3648T-2W	1769
	60"	1524	131	59.4	9.0	WOAC3660T-2C	1921	WOAC3660T-2H	1921	WOAC3660T-1C-1W	1921	WOAC3660T-1H-1W	1921	WOAC3660T-2W	1921

"WOAS" Series tables – 16/304 brushed stainless solid top and stainless steel overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one chrome wire undershelf
- Two stainless steel wire undershelves

	length		weight		cu ft	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.4	WOAS2436T-2C	2109	WOAS2436T-2H	2109	WOAS2436T-1C-1W	2109	WOAS2436T-1H-1W	2109	WOAS2436T-2W	2109
	48"	1219	81	36.7	5.7	WOAS2448T-2C	2451	WOAS2448T-2H	2451	WOAS2448T-1C-1W	2451	WOAS2448T-1H-1W	2451	WOAS2448T-2W	2451
	60"	1524	97	44.0	7.0	WOAS2460T-2C	2877	WOAS2460T-2H	2877	WOAS2460T-1C-1W	2877	WOAS2460T-1H-1W	2877	WOAS2460T-2W	2877
30" width (762mm)	36"	914	75	34.0	4.4	WOAS3036T-2C	2312	WOAS3036T-2H	2312	WOAS3036T-1C-1W	2312	WOAS3036T-1H-1W	2312	WOAS3036T-2W	2312
	48"	1219	94	42.6	5.7	WOAS3048T-2C	2702	WOAS3048T-2H	2702	WOAS3048T-1C-1W	2702	WOAS3048T-1H-1W	2702	WOAS3048T-2W	2702
	60"	1524	113	51.3	7.0	WOAS3060T-2C	3145	WOAS3060T-2H	3145	WOAS3060T-1C-1W	3145	WOAS3060T-1H-1W	3145	WOAS3060T-2W	3145
36" width (914mm)	36"	914	85	38.6	5.0	WOAS3636T-2C	2575	WOAS3636T-2H	2575	WOAS3636T-1C-1W	2575	WOAS3636T-1H-1W	2575	WOAS3636T-2W	2575
	48"	1219	108	49.0	7.0	WOAS3648T-2C	3089	WOAS3648T-2H	3089	WOAS3648T-1C-1W	3089	WOAS3648T-1H-1W	3089	WOAS3648T-2W	3089
	60"	1524	131	59.4	9.0	WOAS3660T-2C	3602	WOAS3660T-2H	3602	WOAS3660T-1C-1W	3602	WOAS3660T-1H-1W	3602	WOAS3660T-2W	3602

**Contact factory for custom
workstation configurations.**

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.

Phone: 302-653-3000. Fax: 302-653-2065

<http://www.eaglegrp.com>



Catalog Section 7

Extras for adjusTable®
with Overhead Systems

(•) MTS (made to stock) / () MTO (made to order)

see spec sheet **EG07.13B**

Bin Holders

- Accommodates supply and conductive bins.
- Constructed of 1½" x ½" (41 x 13mm) 12-gauge mild steel, angle-welded to two conical collars for support.
- Shipped with two plastic split sleeves for attachment to posts.

workstation length		weight		cu	bin capacity		model #	list
in.	mm	lbs.	kg	ft	in.	mm		
36"	914	3.0	1.4	0.1	33"	838	BH36C	39
48"	1219	4.0	1.8	0.1	45"	1143	BH48C •	41
60"	1524	4.5	2.0	0.3	57"	1448	BH60C •	44



Chrome-plated bin holders allow you to sort, store and separate supplies.

Reel Holders

- Constructed of 1¼" x 1¼" x 3" (32 x 32 x 76mm) chrome-plated 14-gauge "C" channel, welded to a conical collar.
- Shipped with plastic split sleeves for attachment to posts.
- Rod is constructed of ½" (16mm) diameter 16 gauge stainless steel tubing.
- Tubing is held within rod holders with removable 1½" (38mm) long zinc-plated hairpin cotter clips.

workstation length		weight		cu	reel capacity		model #	list
in.	mm	lbs.	kg	ft	in.	mm		
36"	914	3.0	1.4	0.1	31"	787	RH36-C	88
48"	1219	4.0	1.8	0.1	42"	1067	RH48-C	92
60"	1524	4.5	2.0	0.3	54"	1372	RH60-C	94



Chrome-plated reel holders allow you to sort and store wire and labels.

Bench Power Centers

- UL-approved 115-volt, 20-amp power strip comes complete with mounting hardware and 6' (1829mm) cord.
- Cleat included to secure power cord when not in use.

workstation length		weight		cu	outlet capacity	model #	list
in.	mm	lbs.	kg	ft	115V - 20A		
36"	914	10	4.5	0.1	5	BPC36C	408
48"	1219	15	6.8	0.1	7	BPC48C	413
60"	1524	20	9.0	0.3	9	BPC60C	418



See pages 212-215 for optional utility drawers.

Stainless Steel Cleaner & Polish

weight		model #	list
oz.	kg		
15	0.4	004026	23



FEATURES:

- Cleans and polishes in one step.
- Does not streak or leave fingerprints.
- Leaves a protective invisible coating.

Double-Sided Bin-Holder Rails


see product announcement **EG07.14****PATENTED!**

(patent #8,141,724 B2)

- Bin-holder rails are sold as an accessory or purchased with posts as a kit.
- EAGLEbrite® zinc or chrome plated.
- Bins attach to both sides of rail – no tools required.

BIN-HOLDER RAILS:

- Carts consist of four bin-holder rails and four 63" (1600mm) posts with casters.
- Posts are numbered in increments of 1" (25mm) to ensure fast and level assembly.
- Assembly — numerically calibrated grooved posts, tapered plastic split sleeves and rail collars combine to make shelving assembly a simple two-step exercise:
 - 1) snap the split sleeves onto a post over the number of your choice; and
 - 2) slide a rail collar over the split sleeves. A positive lock between rail bin and post is created without the use of any tools.

BIN-HOLDER
RAIL CARTS:shown assembled as a cart
(bins sold separately)bin holder rail
(bins sold separately)

Bin-Holder Rails

	length		weight		Zinc		Chrome	
	in.	mm	lbs.	kg	model #	list	model#	list
24" width (610mm)	36"	914	11.0	5.0	DBH2436Z	196	DBH2436C	271
	42"	1067	12.5	5.7	DBH2442Z	269	DBH2442C	274
	48"	1219	14.0	6.4	DBH2448Z	285	DBH2448C	315
	54"	1372	15.5	7.0	DBH2454Z	292	DBH2454C	319
	60"	1524	17.0	7.7	DBH2460Z	311	DBH2460C	345
30" width (762mm)	36"	914	12.5	5.7	DBH3036Z	266	DBH3036C	296
	42"	1067	14.0	6.4	DBH3042Z	273	DBH3042C	308
	48"	1219	15.5	7.0	DBH3048Z	311	DBH3048C	348
	54"	1372	17.0	7.7	DBH3054Z	316	DBH3054C	363
	60"	1524	18.5	8.4	DBH3060Z	342	DBH3060C	408

Bin holder rails can also be used on
Eagle Floor-Trak® units

Bin-Holder Rail Carts

	length		weight		Zinc		Chrome	
	in.	mm	lbs.	kg	model #	list	model#	list
24" width (610mm)	36"	914	64	29.0	DBHC2436Z-4	1214	DBHC2436C-4	1279
	42"	1067	70	31.8	DBHC2442Z-4	1297	DBHC2442C-4	1297
	48"	1219	76	34.5	DBHC2448Z-4	1340	DBHC2448C-4	1455
	54"	1372	82	37.2	DBHC2454Z-4	1366	DBHC2454C-4	1477
	60"	1524	88	39.9	DBHC2460Z-4	1440	DBHC2460C-4	1577
30" width (762mm)	36"	914	70	31.8	DBHC3036Z-4	1273	DBHC3036C-4	1383
	42"	1067	76	34.5	DBHC3042Z-4	1299	DBHC3042C-4	1426
	48"	1219	82	37.2	DBHC3048Z-4	1439	DBHC3048C-4	1593
	54"	1372	88	39.9	DBHC3054Z-4	1466	DBHC3054C-4	1652
	60"	1524	94	42.6	DBHC3060Z-4	1566	DBHC3060C-4	1835

For additional information on Floor-Trak® Systems, refer to spec sheet EG01.39, or visit us online at www.eaglegrp.com

[illegible]

NOTES

This image shows a full page of blank, white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page, typical of notebook or legal stationery. There are no margins, text, or other markings on the paper.

Tables for Non-Critical Environments

Accessories/Components

Casters	198-199, 205
More Accessories and Components	198, 200, 209-211

Custom Options218

Drawers212-215

Hardwood Worktables199

Overshelves / Table Mounted

Flex-Master® Adjustable.....	207-209
Microwave	211
Non-Adjustable / All-Welded	210

SPEC-MASTER®

Enclosed Worktables	
with Backsplash	203
with Flat Top	201
with Upturn	202

Specialty Tables

adjustable® Work Surface Systems	204
Folding Tables	206

Stands

Mobile Utility Stands.....	206
Mobile with Undershef.....	206
Stationary Utility Stands	205

Utility Tool Racks216-217

Wall Cabinets209

Worktables w/Stainless Steel Top


with Backsplash and Tubular Base	196-197
with Backsplash and Undershef Base	194-195
with Flat Top and Tubular Base	188-189
with Flat Top and Undershef Base	186-187
with Upturn and Tubular Base	192-193
with Upturn and Undershef Base	190-191
Filler Tables	200
Knock Down Worktables with Cabinet Kit	200

For Wall Shelves, see page 89.

Wall Mounted Stainless Steel Tables

see spec sheet **EG10.01**

*Facilitates
small rolling
cabinets which
can be moved
in and out.*




FEATURES:

- Tabletop available in 16- or 14-gauge stainless steel.
- 14-gauge brackets with hole for electrical wire run.
- Wall mounted for environments with frequent wash downs.
- Available in same configuration as a standard worktable (*pages 186-197*).
- 200 lb. (90.7 kg) weight capacity.
- Options available include integral sink bowls, drawers, end splashes, and sound deadening.

						16/304 TABLETOP WITH ROLLED EDGE		14/304 TABLETOP * WITH ROLLED EDGE		14/304 TABLETOP WITH * BOX MARINE COUNTER EDGE	
	length	weights*	no. of			model #	list	model #	list	model #	list
	in.	mm	lbs.	kg	brackets						
Tables with Flat Top											
30"	48"	1219	71	32.2	3	WT3048SEB	732	WT3048SE	1034	WT3048SEM	1453
width	60"	1524	82	37.6	3	WT3060SEB	856	WT3060SE	1181	WT3060SEM	1548
(762mm)	72"	1829	95	43.1	4	WT3072SEB	960	WT3072SE	1381	WT3072SEM	1749
Tables with 1½" Upturn											
30"	48"	1219	71	32.2	3	UWT3048SEB	860	UWT3048SE	1217	UWT3048SEM	1706
width	60"	1524	83	37.6	3	UWT3060SEB	1007	UWT3060SE	1388	UWT3060SEM	1822
(762mm)	72"	1829	95	43.1	4	UWT3072SEB	1129	UWT3072SE	1623	UWT3072SEM	2057
Tables with 4½" Backsplash											
30"	48"	1219	73	33.1	3	WT3048SEB-BS	912	WT3048SE-BS	1293	WT3048SEM-BS	1816
width	60"	1524	84	38.1	3	WT3060SEB-BS	1069	WT3060SE-BS	1477	WT3060SEM-BS	1936
(762mm)	72"	1829	97	44.0	4	WT3072SEB-BS	1198	WT3072SE-BS	1725	WT3072SEM-BS	2185


* Increase stated weight by 10%.

Optional table edges available:



SPEC-MASTER® Marine Series

14 gauge, 300 series stainless steel tabletop.
Features a marine counter edge to prevent spillage.



**WITH
FLAT TOP AND
UNDERSHELF...**
See pages 186-187



**WITH
FLAT TOP AND
TUBULAR BASE...**
See pages 188-189



**WITH
4½" (267MM)
BACKSPLASH AND
UNDERSHELF...**
See pages 194-195




**WITH
4½" (267MM)
BACKSPLASH AND
TUBULAR BASE...**
See pages 196-197

EM, SEM, GTEM, and STEM series

SPEC-MASTER® Series

14 gauge, 300 series stainless steel tabletop.



**WITH
FLAT TOP AND
UNDERSHELF...**
See pages 186-187



**WITH
UPTURN AND
UNDERSHELF...**
See pages 190-191



**WITH
BACKSPLASH AND
UNDERSHELF...**
See pages 194-195



**WITH
FLAT TOP AND
TUBULAR BASE...**
See pages 188-189



**WITH
UPTURN AND
TUBULAR BASE...**
See pages 192-193



**WITH
BACKSPLASH AND
TUBULAR BASE...**
See pages 196-197

E, SE, GTE, and STE series

Deluxe Series

16 gauge, 300 series stainless steel table top.

typical rolled edge
construction



**WITH
FLAT TOP AND
UNDERSHELF...**

See pages 186-187



**WITH
UPTURN AND
UNDERSHELF...**

See pages 190-191



**WITH
BACKSPLASH AND
UNDERSHELF...**

See pages 194-195



**WITH
FLAT TOP AND
TUBULAR BASE...**

See pages 188-189



**WITH
UPTURN AND
TUBULAR BASE...**

See pages 192-193



**WITH
BACKSPLASH AND
TUBULAR BASE...**

See pages 196-197

EB, SEB, GTEB, and STEB series

Budget Series

16 gauge, type 430 stainless steel table top.

typical rolled edge
construction



**WITH
FLAT TOP AND
UNDERSHELF...**

See pages 186-187



**WITH
UPTURN AND
UNDERSHELF...**

See pages 190-191



**WITH
BACKSPLASH AND
UNDERSHELF...**

See pages 194-195



**WITH
FLAT TOP AND
TUBULAR BASE...**

See pages 188-189



**WITH
UPTURN AND
TUBULAR BASE...**

See pages 192-193



**WITH
BACKSPLASH AND
TUBULAR BASE...**

See pages 196-197

B, SB, GTB, and STB series


TABLES FOR NON-CRITICAL ENVIRONMENTS*

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Catalog Section 10

Worktables with Stainless Steel Flat Top & Galvanized Legs/Undershelf

see spec sheets **EG10.40A** **EG10.40B** **EG10.40C** **EG10.40D**



FEATURES:

patented
uni-lok
system

(Patent #5,165,349)

Adjustable undershelf
welded gusset standard
on all tables!

- 1½" (41mm) diameter legs and adjustable undershelf are heavy gauge galvanized steel.
- Heavy gauge polished stainless steel top.
- Offers worktables with a rolled edge on front and rear, with ends turned 90°, except SPEC-MASTER® Marine edge.
- 35½" - 36½" (892 - 918mm) adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **\$861 to list price** and suffix **"-SD"**. Example: **T2424B-SD**.

Optional fixed undershelf available in place of standard adjustable undershelf. To order, add **10% to list price**, and **"-F"** to end of suffix. Example: **T2424B-F**.

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.



See page 198 for optional casters available.

(•) MTS (made to stock) / () MTO (made to order)

	length		# of legs	weight		cu ft	BUDGET		DELUXE		*SPEC-MASTER®		* ▼ Marine	
	in.	mm		lbs.	kg		16 ga. type 430 top	list	16 ga. 300 series top	list	14 ga. 300 series top	list	14 ga. 300 series top	list
24" width (610mm)	24"	610	4	40	18.1	3.5	T2424B •	872	T2424EB	962	T2424E	1011	T2424EM	1687
	30"	762	4	45	20.4	3.8	T2430B •	945	T2430EB	1049	T2430E	1118	T2430EM	1808
	36"	914	4	50	22.7	4.4	T2436B •	1028	T2436EB	1128	T2436E	1197	T2436EM	1887
	48"	1219	4	60	27.2	5.7	T2448B •	1047	T2448EB	1146	T2448E	1218	T2448EM	1918
	60"	1524	4	70	31.8	7.1	T2460B •	1104	T2460EB	1243	T2460E	1335	T2460EM	2029
	72"	1829	4	80	36.3	8.5	T2472B •	1182	T2472EB	1346	T2472E	1447	T2472EM	2154
	84"	2134	4	90	40.8	11.2	T2484B •	1508	T2484EB	1925	T2484E	1972	T2484EM	2629
	96"	2438	6	100	45.4	11.2	T2496B •	1715	T2496EB	2065	T2496E	2118	T2496EM	2781
	108"	2743	6	110	49.9	14.0	T24108B	2791	T24108EB	2982	T24108E	2920	T24108EM	3648
	120"	3048	6	120	54.4	14.0	T24120B	2868	T24120EB	3067	T24120E	3216	T24120EM	3733
30" width (762mm)	132"	3353	8	130	59.0	16.8	T24132B	2884	T24132EB	3122	T24132E	3384	T24132EM	4005
	144"	3658	8	140	63.5	16.8	T24144B	2886	T24144EB	3216	T24144E	3396	T24144EM	4092
	30"	762	4	46	20.9	3.8	T3030B •	973	T3030EB	1087	T3030E	1156	T3030EM	1848
	36"	914	4	52	23.6	4.4	T3036B •	1051	T3036EB	1165	T3036E	1235	T3036EM	1934
	48"	1219	4	64	29.0	5.7	T3048B •	1066	T3048EB •	1201	T3048E	1284	T3048EM	1982
	60"	1524	4	76	34.5	7.1	T3060B •	1165	T3060EB •	1320	T3060E	1415	T3060EM	2126
	72"	1829	4	84	38.1	8.5	T3072B •	1267	T3072EB •	1447	T3072E	1548	T3072EM	2269
	84"	2134	4	96	43.6	11.2	T3084B •	1581	T3084EB	1956	T3084E	2080	T3084EM	2744
	96"	2438	6	108	49.0	11.2	T3096B •	1831	T3096EB	2132	T3096E	2273	T3096EM	2936
	108"	2743	6	120	54.4	14.0	T30108B	2818	T30108EB	3159	T30108E	3325	T30108EM	3925
36" width (914mm)	120"	3048	6	132	59.9	14.0	T30120B	2912	T30120EB	3252	T30120E	3415	T30120EM	4012
	132"	3353	8	144	65.3	16.8	T30132B	3058	T30132EB	3432	T30132E	3527	T30132EM	4248
	144"	3658	8	156	70.8	16.8	T30144B	3148	T30144EB	3457	T30144E	3723	T30144EM	4338
	48"	1219	4	70	31.8	7.0	T3648B	1328	T3648EB	1461	T3648E	1506	T3648EM	2385
	60"	1524	4	82	37.2	8.8	T3660B	1496	T3660EB	1640	T3660E	1687	T3660EM	2571
	72"	1829	4	96	43.6	10.5	T3672B	1638	T3672EB	1778	T3672E	1840	T3672EM	2738
	84"	2134	4	108	49.0	12.2	T3684B	2251	T3684EB	2416	T3684E	2462	T3684EM	3302
	96"	2438	6	120	54.4	13.9	T3696B	2393	T3696EB	2561	T3696E	2634	T3696EM	3460
	108"	2743	6	132	59.9	17.3	T36108B	3401	T36108EB	3793	T36108E	3882	T36108EM	4535
	120"	3048	6	144	65.3	17.3	T36120B	3476	T36120EB	3882	T36120E	3974	T36120EM	4625
48" width (1219mm)	132"	3353	8	156	70.8	20.7	T36132B	3564	T36132EB	4012	T36132E	4151	T36132EM	4898
	144"	3658	8	168	76.2	20.7	T36144B	3762	T36144EB	4099	T36144E	4363	T36144EM	4992
	48"	1219	4	124	56.2	9.3	—	—	—	—	T4848E	3512	T4848EM	4679
	60"	1524	4	146	66.2	14.0	—	—	—	—	T4860E	3925	T4860EM	5095
	72"	1829	6	171	77.6	14.0	—	—	—	—	T4872E	4261	T4872EM	5434
	84"	2134	6	197	89.4	18.7	—	—	—	—	T4884E	5787	T4884EM	6954
	96"	2438	8	241	109.3	18.7	—	—	—	—	T4896E	6120	T4896EM	7291
	108"	2743	8	278	126.1	23.3	—	—	—	—	T48108E	9157	T48108EM	10334
	120"	3048	8	316	143.3	23.3	—	—	—	—	T48120E	9263	T48120EM	10417
	132"	3353	10	353	160.1	27.9	—	—	—	—	T48132E	10061	T48132EM	11220
	144"	3658	10	391	177.4	27.9	—	—	—	—	T48144E	10134	T48144EM	11309

* On SPEC-MASTER® and SPEC-MASTER® Marine tables, increase stated weight by 10%. ▼ SPEC-MASTER® Marine tables feature a marine counter edge to prevent spillage.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.

Phone: 302-653-3000. Fax: 302-653-2065

http://www.eaglehmc.com



TABLES FOR NON-CRITICAL ENVIRONMENTS*

Catalog Section 10

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Worktables with Stainless Steel Flat Top & Stainless Steel Legs/Undershelf

see spec sheets **EG10.41A** **EG10.41B** **EG10.41C** **EG10.41D**



patented
uni-lok
system

(Patent #5,165,349)



See page 198 for optional casters available.

FEATURES:

- 1 $\frac{1}{2}$ " (41mm) diameter legs and adjustable undershelf are heavy gauge stainless steel.
- Heavy gauge polished stainless steel top.
- Offers worktables with a rolled edge on front and rear, with ends turned 90°, except SPEC-MASTER® Marine.
- 35 $\frac{1}{2}$ " - 36 $\frac{1}{2}$ " (892 - 918mm) adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **\$861** to list price and suffix **"-SD"**. Example: **T2424SB-SD**.

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.

(•) MTS (made to stock) / () MTO (made to order)

	length		# of legs	weight		cu ft	BUDGET		DELUXE		*SPEC-MASTER®		* ▼ Marine	
							16 ga. type 430 top		16 ga. 300 series top		14 ga. 300 series top		14 ga. 300 series top	
	in.	mm		lbs.	kg		model #	list	model #	list	model #	list	model #	list
24" width (610mm)	24"	610	4	40	18.1	3.5	T2424SB	1224	T2424SEB •	1307	T2424SE •	1409	T2424SEM	2106
	30"	762	4	45	20.4	3.8	T2430SB	1335	T2430SEB	1439	T2430SE	1565	T2430SEM	2258
	36"	914	4	50	22.7	4.4	T2436SB •	1411	T2436SEB •	1518	T2436SE	1644	T2436SEM	2339
	48"	1219	4	60	27.2	5.7	T2448SB •	1452	T2448SEB •	1573	T2448SE	1715	T2448SEM	2412
	60"	1524	4	70	31.8	7.1	T2460SB	1567	T2460SEB	1712	T2460SE	1869	T2460SEM	2565
	72"	1829	4	80	36.3	8.5	T2472SB	1681	T2472SEB	1847	T2472SE	2026	T2472SEM	2724
	84"	2134	4	90	40.8	11.2	T2484SB	2077	T2484SEB	2541	T2484SE	2769	T2484SEM	3361
	96"	2438	6	100	45.4	11.2	T2496SB	2229	T2496SEB	2717	T2496SE	2969	T2496SEM	3553
	108"	2743	6	110	49.9	14.0	T24108SB	3619	T24108SEB	3773	T24108SE	4249	T24108SEM	4591
	120"	3048	6	120	54.4	14.0	T24120SB	3704	T24120SEB	4006	T24120SE	4336	T24120SEM	4678
	132"	3353	8	130	59.0	16.8	T24132SB	3786	T24132SEB	4122	T24132SE	4480	T24132SEM	5044
	144"	3658	8	140	63.5	16.8	T24144SB	3984	T24144SEB	4205	T24144SE	4701	T24144SEM	5134
30" width (762mm)	30"	762	4	46	20.9	3.8	T3030SB	1389	T3030SEB •	1529	T3030SE	1658	T3030SEM	2356
	36"	914	4	52	23.6	4.4	T3036SB •	1486	T3036SEB •	1605	T3036SE	1741	T3036SEM	2436
	48"	1219	4	64	29.0	5.7	T3048SB •	1545	T3048SEB •	1687	T3048SE	1846	T3048SEM	2533
	60"	1524	4	76	34.5	7.1	T3060SB •	1692	T3060SEB •	1859	T3060SE	2029	T3060SEM	2725
	72"	1829	4	84	38.1	8.5	T3072SB •	1832	T3072SEB •	2026	T3072SE	2223	T3072SEM	3012
	84"	2134	4	96	43.6	11.2	T3084SB	2153	T3084SEB	2654	T3084SE	2892	T3084SEM	3476
	96"	2438	6	108	49.0	11.2	T3096SB •	2413	T3096SEB •	2935	T3096SE	3203	T3096SEM	3618
	108"	2743	6	120	54.4	14.0	T30108SB	3839	T30108SEB	4192	T30108SE	4540	T30108SEM	4965
	120"	3048	6	132	59.9	14.0	T30120SB	3927	T30120SEB	4281	T30120SE	4632	T30120SEM	5055
	132"	3353	8	144	65.3	16.8	T30132SB	4172	T30132SEB	4576	T30132SE	4969	T30132SEM	5387
	144"	3658	8	156	70.8	16.8	T30144SB	4259	T30144SEB	4669	T30144SE	5061	T30144SEM	5477
36" width (914mm)	48"	1219	4	70	31.8	7.0	T3648SB	1783	T3648SEB	1992	T3648SE	2106	T3648SEM	2959
	60"	1524	4	82	37.2	8.8	T3660SB	1974	T3660SEB	2183	T3660SE	2319	T3660SEM	3182
	72"	1829	4	96	43.6	10.5	T3672SB	2159	T3672SEB	2383	T3672SE	2532	T3672SEM	3412
	84"	2134	4	108	49.0	12.2	T3684SB	2984	T3684SEB	3239	T3684SE	3429	T3684SEM	4161
	96"	2438	6	120	54.4	13.9	T3696SB	3217	T3696SEB	3472	T3696SE	3687	T3696SEM	4416
	108"	2743	6	132	59.9	17.3	T36108SB	4567	T36108SEB	4980	T36108SE	5277	T36108SEM	5724
	120"	3048	6	144	65.3	17.3	T36120SB	4660	T36120SEB	5067	T36120SE	5368	T36120SEM	5807
	132"	3353	8	156	70.8	20.7	T36132SB	4824	T36132SEB	5282	T36132SE	5769	T36132SEM	6205
	144"	3658	8	168	76.2	20.7	T36144SB	5049	T36144SEB	5524	T36144SE	5857	T36144SEM	6297
48" width (1219mm)	48"	1219	4	124	56.2	9.3	—	—	—	—	T4848SE	4071	T4848SEM	5242
	60"	1524	4	146	66.2	14.0	—	—	—	—	T4860SE	4503	T4860SEM	5680
	72"	1829	6	171	77.6	14.0	—	—	—	—	T4872SE	4918	T4872SEM	6094
	84"	2134	6	197	89.4	18.7	—	—	—	—	T4884SE	6649	T4884SEM	7819
	96"	2438	8	241	109.3	18.7	—	—	—	—	T4896SE	7177	T4896SEM	8352
	108"	2743	8	278	126.1	23.3	—	—	—	—	T48108SE	10464	T48108SEM	11642
	120"	3048	8	316	143.3	23.3	—	—	—	—	T48120SE	10556	T48120SEM	11727
	132"	3353	10	353	160.1	27.9	—	—	—	—	T48132SE	11351	T48132SEM	12521
	144"	3658	10	391	177.4	27.9	—	—	—	—	T48144SE	11435	T48144SEM	12609

* SPEC-MASTER® and SPEC-MASTER® Marine tables feature all stainless steel construction. Increase stated weight by 10%.

▼ SPEC-MASTER® Marine tables feature a marine counter edge to prevent spillage.

TABLES FOR NON-CRITICAL ENVIRONMENTS*

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.


Catalog Section 10

Worktables with Stainless Steel Flat Top & Galvanized Tubular Base

see spec sheets **EG10.42A** **EG10.42B** **EG10.42C** **EG10.42D**



patented
uni-lok
system
(Patent #5,165,349)



corner connection



See page 198 for optional casters available.

FEATURES:

- Tubular base.
- 1½" (41mm)-diameter legs and 1¼" (32mm)-diameter crossbracing are heavy gauge galvanized steel.
- Heavy gauge polished stainless steel top.
- Offers worktables with a rolled edge on front and rear, with ends turned 90°, except SPEC-MASTER® Marine.
- 35½" - 36½" (892 - 918mm) adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add

\$861 to list price and suffix **"-SD"**. Example: **T2424GTB-SD**.

C-frame standard. To order table with H-frame, add **\$177 to list price** and suffix **"-H"**. Example: **T3036GTBE-H**.

(•) MTS (made to stock) / () MTO (made to order)

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.

	length		# of legs	weight		cu ft	BUDGET		DELUXE		*SPEC-MASTER®		* ▼ Marine	
	in.	mm		lbs.	kg		16 ga. type 430 top	list	16 ga. 300 series top	list	14 ga. 300 series top	list	14 ga. 300 series top	list
24" width (610mm)	24"	610	4	40	18.1	3.5	T2424GTB	1019	T2424GTB	1114	T2424GTE	1158	T2424GTEM	1841
	30"	762	4	45	20.4	3.8	T2430GTB	1094	T2430GTB	1201	T2430GTE	1268	T2430GTEM	1954
	36"	914	4	50	22.7	4.4	T2436GTB	1174	T2436GTB	1281	T2436GTE	1346	T2436GTEM	2037
	48"	1219	4	60	27.2	5.7	T2448GTB	1191	T2448GTB	1298	T2448GTE	1373	T2448GTEM	2071
	60"	1524	4	70	31.8	7.1	T2460GTB	1251	T2460GTB	1393	T2460GTE	1482	T2460GTEM	2183
	72"	1829	4	80	36.3	8.5	T2472GTB	1331	T2472GTB	1498	T2472GTE	1594	T2472GTEM	2311
	84"	2134	4	90	40.8	11.2	T2484GTB	1652	T2484GTB	2080	T2484GTE	2125	T2484GTEM	2783
	96"	2438	6	100	45.4	11.2	T2496GTB	1859	T2496GTB	2218	T2496GTE	2261	T2496GTEM	2929
	108"	2743	6	110	49.9	14.0	T24108GTB	2839	T24108GTB	3124	T24108GTE	3437	T24108GTEM	3799
	120"	3048	6	120	54.4	14.0	T24120GTB	2941	T24120GTB	3213	T24120GTE	3474	T24120GTEM	3882
30" width (762mm)	132"	3353	8	130	59.0	16.8	T24132GTB	3013	T24132GTB	3276	T24132GTE	3522	T24132GTEM	4155
	144"	3658	8	140	63.5	16.8	T24144GTB	3025	T24144GTB	3364	T24144GTE	3534	T24144GTEM	4244
	30"	762	4	47	21.3	3.8	T3030GTB	1121	T3030GTB	1237	T3030GTE	1307	T3030GTEM	2002
	36"	914	4	53	24.0	4.4	T3036GTB	1196	T3036GTB	1320	T3036GTE	1386	T3036GTEM	2082
	48"	1219	4	65	29.5	5.7	T3048GTB	1216	T3048GTB	1347	T3048GTE	1436	T3048GTEM	2134
	60"	1524	4	77	34.9	7.1	T3060GTB	1313	T3060GTB	1471	T3060GTE	1571	T3060GTEM	2278
	72"	1829	4	89	40.4	8.5	T3072GTB	1409	T3072GTB •	1594	T3072GTE	1700	T3072GTEM	2421
	84"	2134	4	101	45.8	11.2	T3084GTB	1725	T3084GTB	2107	T3084GTE	2227	T3084GTEM	2896
	96"	2438	6	113	51.3	11.2	T3096GTB	1978	T3096GTB	2281	T3096GTE	2425	T3096GTEM	3089
	108"	2743	6	125	56.7	14.0	T30108GTB	2971	T30108GTB	3306	T30108GTE	3472	T30108GTEM	4075
36" width (914mm)	120"	3048	6	137	62.1	14.0	T30120GTB	3058	T30120GTB	3399	T30120GTE	3564	T30120GTEM	4166
	132"	3353	8	149	67.6	16.8	T30132GTB	3109	T30132GTB	3487	T30132GTE	3676	T30132GTEM	4399
	144"	3658	8	161	73.0	16.8	T30144GTB	3289	T30144GTB	3682	T30144GTE	3872	T30144GTEM	4488
	48"	1219	4	73	33.1	7.0	T3648GTB	1478	T3648GTB	1612	T3648GTE	1841	T3648GTEM	2533
	60"	1524	4	87	39.5	8.8	T3660GTB	1644	T3660GTB	1787	T3660GTE	1846	T3660GTEM	2717
	72"	1829	4	101	45.8	10.5	T3672GTB	1783	T3672GTB	1925	T3672GTE	1992	T3672GTEM	2892
	84"	2134	4	115	52.2	12.2	T3684GTB	2396	T3684GTB	2565	T3684GTE	2635	T3684GTEM	3457
	96"	2438	6	129	58.5	13.9	T3696GTB	2511	T3696GTB	2711	T3696GTE	2784	T3696GTEM	3617
	108"	2743	6	143	64.9	17.3	T36108GTB	3439	T36108GTB	3829	T36108GTE	4035	T36108GTEM	4688
	120"	3048	6	157	71.2	17.3	T36120GTB	3626	T36120GTB	4035	T36120GTE	4126	T36120GTEM	4779
48" width (1219mm)	132"	3353	8	171	77.6	20.7	T36132GTB	3705	T36132GTB	4159	T36132GTE	4299	T36132GTEM	5055
	144"	3658	8	185	83.9	20.7	T36144GTB	3904	T36144GTB	4373	T36144GTE	4386	T36144GTEM	5145
	48"	1219	4	87	39.5	9.3	—	—	—	—	T4848GTE	3657	T4848GTEM	4802
	60"	1524	4	101	45.8	14.0	—	—	—	—	T4860GTE	4079	T4860GTEM	5242
	72"	1829	6	115	52.2	14.0	—	—	—	—	T4872GTE	4414	T4872GTEM	5686
	84"	2134	6	120	54.4	18.7	—	—	—	—	T4884GTE	5940	T4884GTEM	7101
	96"	2438	8	143	64.9	18.7	—	—	—	—	T4896GTE	6262	T4896GTEM	7440
	108"	2743	8	157	71.2	23.3	—	—	—	—	T48108GTE	9302	T48108GTEM	10478
	120"	3048	8	171	77.6	23.3	—	—	—	—	T48120GTE	9406	T48120GTEM	10567
	132"	3353	10	185	83.9	27.9	—	—	—	—	T48132GTE	10212	T48132GTEM	11364
	144"	3658	10	199	90.3	27.9	—	—	—	—	T48144GTE	10297	T48144GTEM	11452

* On SPEC-MASTER® and SPEC-MASTER® Marine tables, increase stated weight by 10%. ▼ SPEC-MASTER® Marine tables feature a marine counter edge to prevent spillage.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.

Phone: 302-653-3000. Fax: 302-653-2065

http://www.eaglehmc.com



TABLES FOR NON-CRITICAL ENVIRONMENTS*

Catalog Section 10

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Worktables with Stainless Steel Flat Top & Stainless Steel Tubular Base

see spec sheets **EG10.43A** **EG10.43B** **EG10.43C** **EG10.43D**



FEATURES:

- Tubular base.
- 1½" (41mm)-diameter legs and 1¼" (32mm)-diameter crossbracing are heavy gauge stainless steel.
- Heavy gauge polished stainless steel top.
- Offers worktables with a rolled edge on front and rear, with ends turned 90°, except SPEC-MASTER® Marine.
- 35½" - 36½" (892 - 918mm) adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **\$861 to list price** and suffix "-SD". Example: **T2424STB-SD**.

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.

C-frame standard. To order table with H-frame, add **\$177 to list price** and suffix "-H". Example: **T2448STE-H**.

(•) MTS (made to stock) / () MTO (made to order)

	length		# of legs	weight		cu ft	BUDGET		DELUXE		*SPEC-MASTER®		* ▼ Marine	
	in.	mm		lbs.	kg		16 ga. type 430 top model #	list	16 ga. 300 series top model #	list	14 ga. 300 series top model #	list	14 ga. 300 series top model #	list
24" width (610mm)	24"	610	4	40	18.1	3.5	T2424STB	1369	T2424STEB	1457	T2424STE	1561	T2424STEM	2256
	30"	762	4	45	20.4	3.8	T2430STB	1482	T2430STEB	1591	T2430STE	1715	T2430STEM	2412
	36"	914	4	50	22.7	4.4	T2436STB	1559	T2436STEB	1672	T2436STE	1795	T2436STEM	2492
	48"	1219	4	60	27.2	5.7	T2448STB	1596	T2448STEB	1724	T2448STE	1865	T2448STEM	2501
	60"	1524	4	70	31.8	7.1	T2460STB	1712	T2460STEB	1859	T2460STE	2020	T2460STEM	2716
	72"	1829	4	80	36.3	8.5	T2472STB	1829	T2472STEB	2001	T2472STE	2178	T2472STEM	2880
	84"	2134	4	90	40.8	11.2	T2484STB	2220	T2484STEB	2696	T2484STE	2915	T2484STEM	3511
	96"	2438	6	100	45.4	11.2	T2496STB	2379	T2496STEB	2876	T2496STE	3116	T2496STEM	3778
	108"	2743	6	110	49.9	14.0	T24108STB	3654	T24108STEB	4067	T24108STE	4403	T24108STEM	4736
	120"	3048	6	120	54.4	14.0	T24120STB	3848	T24120STEB	4157	T24120STE	4485	T24120STEM	4827
	132"	3353	8	130	59.0	16.8	T24132STB	3929	T24132STEB	4269	T24132STE	4628	T24132STEM	5191
	144"	3658	8	140	63.5	16.8	T24144STB	4014	T24144STEB	4356	T24144STE	4715	T24144STEM	5281
30" width (762mm)	30"	762	4	47	21.3	3.8	T3030STB	1554	T3030STEB	1679	T3030STE	1812	T3030STEM	2507
	36"	914	4	53	24.0	4.4	T3036STB	1633	T3036STEB	1756	T3036STE	1892	T3036STEM	2586
	48"	1219	4	65	29.5	5.7	T3048STB	1694	T3048STEB •	1841	T3048STE	1999	T3048STEM	2693
	60"	1524	4	77	34.9	7.1	T3060STB	1841	T3060STEB •	2008	T3060STE	2197	T3060STEM	2881
	72"	1829	4	89	40.4	8.5	T3072STB	1979	T3072STEB •	2178	T3072STE	2375	T3072STEM	3163
	84"	2134	4	101	45.8	11.2	T3084STB •	2306	T3084STEB	2805	T3084STE	3043	T3084STEM	3636
	96"	2438	6	113	51.3	11.2	T3096STB	2556	T3096STEB	3087	T3096STE	3361	T3096STEM	3767
	108"	2743	6	125	56.7	14.0	T30108STB	3984	T30108STEB	4340	T30108STE	4689	T30108STEM	5117
	120"	3048	6	137	62.1	14.0	T30120STB	4075	T30120STEB	4434	T30120STE	4780	T30120STEM	5203
	132"	3353	8	149	67.6	16.8	T30132STB	4194	T30132STEB	4591	T30132STE	4978	T30132STEM	5542
	144"	3658	8	161	73.0	16.8	T30144STB	4405	T30144STEB	4815	T30144STE	5213	T30144STEM	5631
36" width (914mm)	48"	1219	4	73	33.1	7.0	T3648STB	1934	T3648STEB	2144	T3648STE	2256	T3648STEM	3108
	60"	1524	4	87	39.5	8.8	T3660STB	2120	T3660STEB	2334	T3660STE	2472	T3660STEM	3336
	72"	1829	4	101	45.8	10.5	T3672STB	2308	T3672STEB	2532	T3672STE	2691	T3672STEM	3563
	84"	2134	4	115	52.2	12.2	T3684STB	3134	T3684STEB	3382	T3684STE	3577	T3684STEM	4315
	96"	2438	6	129	58.5	13.9	T3696STB	3363	T3696STEB	3626	T3696STE	3835	T3696STEM	4574
	108"	2743	6	143	64.9	17.3	T36108STB	4585	T36108STEB	5077	T36108STE	5425	T36108STEM	5872
	120"	3048	6	157	71.2	17.3	T36120STB	4804	T36120STEB	5224	T36120STE	5517	T36120STEM	5959
	132"	3353	8	171	77.6	20.7	T36132STB	4964	T36132STEB	5517	T36132STE	5742	T36132STEM	6352
	144"	3658	8	185	83.9	20.7	T36144STB	5049	T36144STEB	5677	T36144STE	6015	T36144STEM	6445
48" width (1219mm)	48"	1219	4	87	39.5	9.3	—	—	—	—	T4848STE	4377	T4848STEM	5389
	60"	1524	4	101	45.8	14.0	—	—	—	—	T4860STE	4651	T4860STEM	5831
	72"	1829	6	115	52.2	14.0	—	—	—	—	T4872STE	5065	T4872STEM	6236
	84"	2134	6	120	54.4	18.7	—	—	—	—	T4884STE	6806	T4884STEM	7971
	96"	2438	8	143	64.9	18.7	—	—	—	—	T4896STE	7323	T4896STEM	8493
	108"	2743	8	157	71.2	23.3	—	—	—	—	T48108STE	10632	T48108STEM	11786
	120"	3048	8	171	77.6	23.3	—	—	—	—	T48120STE	10703	T48120STEM	11872
	132"	3353	10	185	83.9	27.9	—	—	—	—	T48132STE	11513	T48132STEM	12668
	144"	3658	10	199	90.3	27.9	—	—	—	—	T48144STE	11576	T48144STEM	12755

* SPEC-MASTER® and SPEC-MASTER® Marine tables feature all stainless steel construction. Increase stated weight by 10%.

▼ SPEC-MASTER® Marine tables feature a marine counter edge to prevent spillage.


TABLES FOR NON-CRITICAL ENVIRONMENTS*

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Catalog Section 10

Worktables with Stainless Steel Top, Upturn & Galvanized Legs/Undershelf

see spec sheets **EG10.02A** **EG10.02B** **EG10.02C**



adjustable undershelf
welded gusset

patented
uni-lok
system
(Patent #5,165,349)

NOW STANDARD!



See page 198 for
optional casters
available.

FEATURES:

- 1½" (38mm) upturn at the rear of the table.
- 1½" (41mm)-diameter legs and adjustable undershelf are heavy gauge galvanized steel.
- Heavy gauge polished stainless steel top.
- 35½" - 36½" (892 - 918mm) adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **\$861** to list price and suffix **"-SD"**. Example: **UT2424B-SD**.

Optional fixed undershelf available in place of standard adjustable undershelf. To order, add **10% to list price**, and **"-F"** to end of suffix. Example: **UT2424EB-F**.

For **FLEX-MASTER®** overshelf kits, see page 209.

For drawer kits, see page 215.

(•) MTS (made to stock) / () MTO (made to order)

	length		# of legs	weight		cu ft	BUDGET		DELUXE		*SPEC-MASTER®	
	in.	mm		lbs.	kg		16 gauge type 430 top	list	16 gauge 300 series top	list	14 gauge 300 series top	list
24" width (610mm)	24"	610	4	40	18.1	3.5	UT2424B	987	UT2424EB	1085	UT2424E	1128
	30"	762	4	45	20.4	3.8	UT2430B •	1065	UT2430EB	1165	UT2430E	1237
	36"	914	4	50	22.7	4.4	UT2436B •	1138	UT2436EB	1244	UT2436E	1320
	48"	1219	4	60	27.2	5.7	UT2448B •	1157	UT2448EB	1268	UT2448E	1343
	60"	1524	4	70	31.8	7.1	UT2460B •	1223	UT2460EB	1364	UT2460E	1454
	72"	1829	4	80	36.3	8.5	UT2472B •	1300	UT2472EB	1465	UT2472E	1565
	84"	2134	4	90	40.8	11.2	UT2484B	1620	UT2484EB	2055	UT2484E	2096
	96"	2438	6	100	45.4	11.2	UT2496B	1832	UT2496EB	2187	UT2496E	2234
	108"	2743	6	110	49.9	14.0	UT24108B	2897	UT24108EB	3007	UT24108E	3158
	120"	3048	6	120	54.4	14.0	UT24120B	2956	UT24120EB	3186	UT24120E	3342
30" width (762mm)	132"	3353	8	130	59.0	16.8	UT24132B	2985	UT24132EB	3247	UT24132E	3520
	144"	3658	8	140	63.5	16.8	UT24144B	3003	UT24144EB	3433	UT24144E	3625
	30"	762	4	50	22.7	3.8	UT3030B •	1092	UT3030EB	1207	UT3030E	1272
	36"	914	4	55	24.9	4.4	UT3036B •	1165	UT3036EB	1288	UT3036E	1352
	48"	1219	4	65	29.5	5.7	UT3048B •	1182	UT3048EB	1319	UT3048E	1401
	60"	1524	4	75	34.0	7.1	UT3060B •	1282	UT3060EB	1447	UT3060E	1538
	72"	1829	4	85	38.6	8.5	UT3072B •	1381	UT3072EB	1565	UT3072E	1672
	84"	2134	4	95	43.1	11.2	UT3084B	1698	UT3084EB	2077	UT3084E	2203
	96"	2438	6	105	47.6	11.2	UT3096B •	1946	UT3096EB	2255	UT3096E	2393
	108"	2743	6	115	52.2	14.0	UT30108B	2935	UT30108EB	3277	UT30108E	3446
36" width (914mm)	120"	3048	6	125	56.7	14.0	UT30120B	3020	UT30120EB	3373	UT30120E	3536
	132"	3353	8	135	61.2	16.8	UT30132B	3172	UT30132EB	3465	UT30132E	3644
	144"	3658	8	145	65.8	16.8	UT30144B	3262	UT30144EB	3549	UT30144E	3729
	48"	1219	4	75	34.0	7.0	UT3648B	1447	UT3648EB	1585	UT3648E	1628
	60"	1524	4	85	38.6	8.8	UT3660B	1614	UT3660EB	1756	UT3660E	1812
	72"	1829	4	95	43.1	10.5	UT3672B	1754	UT3672EB	1901	UT3672E	1956
	84"	2134	4	105	47.6	12.2	UT3684B	2365	UT3684EB	2532	UT3684E	2606
	96"	2438	6	115	52.2	13.9	UT3696B	2507	UT3696EB	2679	UT3696E	2754
	108"	2743	6	125	56.7	17.3	UT36108B	3513	UT36108EB	3774	UT36108E	3894
	120"	3048	6	135	61.2	17.3	UT36120B	3602	UT36120EB	4006	UT36120E	4096
	132"	3353	8	145	65.8	20.7	UT36132B	3678	UT36132EB	4128	UT36132E	4271
	144"	3658	8	155	70.3	20.7	UT36144B	3878	UT36144EB	4218	UT36144E	4358

* On SPEC-MASTER® tables, increase stated weight by 10%.

TABLES FOR NON-CRITICAL ENVIRONMENTS*

Catalog Section 10

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Worktables with Stainless Steel Top Upturn & Stainless Steel Legs/Undershelf

see spec sheets **EG10.48A** **EG10.48B** **EG10.48C**



patented
uni-lok
system

(Patent #5,165,349)

FEATURES:

- 1½" (38mm) upturn at the rear of the table.
- 1½" (41mm)-diameter legs and adjustable undershelf are heavy gauge stainless steel.
- Heavy gauge polished stainless steel top.
- 35½" - 36½" (892 - 918mm) adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **\$861** to list price and suffix **"-SD"**. Example: **UT2424SB-SD**.

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.



See page 198 for optional casters available.

	length		# of legs	weight		cu ft	BUDGET		DELUXE		*SPEC-MASTER®	
	in.	mm		lbs.	kg		16 gauge type 430 top		16 gauge 300 series top		14 gauge 300 series top	
							model #	list	model #	list	model #	list
24" width (610mm)	24"	610	4	40	18.1	3.5	UT2424SB	1345	UT2424SEB	1425	UT2424SE	1531
	30"	762	4	45	20.4	3.8	UT2430SB	1453	UT2430SEB	1558	UT2430SE	1686
	36"	914	4	50	22.7	4.4	UT2436SB	1529	UT2436SEB	1643	UT2436SE	1767
	48"	1219	4	60	27.2	5.7	UT2448SB	1571	UT2448SEB	1696	UT2448SE	1840
	60"	1524	4	70	31.8	7.1	UT2460SB	1681	UT2460SEB	1829	UT2460SE	1997
	72"	1829	4	80	36.3	8.5	UT2472SB	1795	UT2472SEB	1963	UT2472SE	2149
	84"	2134	4	90	40.8	11.2	UT2484SB	2192	UT2484SEB	2664	UT2484SE	2891
	96"	2438	6	100	45.4	11.2	UT2496SB	2348	UT2496SEB	2836	UT2496SE	3087
	108"	2743	6	110	49.9	14.0	UT24108SB	3733	UT24108SEB	4035	UT24108SE	4363
	120"	3048	6	120	54.4	14.0	UT24120SB	3819	UT24120SEB	4126	UT24120SE	4454
30" width (762mm)	132"	3353	8	130	59.0	16.8	UT24132SB	3899	UT24132SEB	4362	UT24132SE	4593
	144"	3658	8	140	63.5	16.8	UT24144SB	4102	UT24144SEB	4451	UT24144SE	4824
	30"	762	4	50	22.7	3.8	UT3030SB	1525	UT3030SEB	1646	UT3030SE	1778
	36"	914	4	55	24.9	4.4	UT3036SB	1602	UT3036SEB	1731	UT3036SE	1855
	48"	1219	4	65	29.5	5.7	UT3048SB	1661	UT3048SEB	1812	UT3048SE	1961
	60"	1524	4	75	34.0	7.1	UT3060SB	1806	UT3060SEB	1980	UT3060SE	2154
	72"	1829	4	85	38.6	8.5	UT3072SB	1954	UT3072SEB	2149	UT3072SE	2345
	84"	2134	4	95	43.1	11.2	UT3084SB	2276	UT3084SEB	2774	UT3084SE	3012
	96"	2438	6	105	47.6	11.2	UT3096SB	2527	UT3096SEB	3062	UT3096SE	3325
	108"	2743	6	115	52.2	14.0	UT30108SB	3958	UT30108SEB	4312	UT30108SE	4666
36" width (914mm)	120"	3048	6	125	56.7	14.0	UT30120SB	4046	UT30120SEB	4400	UT30120SE	4755
	132"	3353	8	135	61.2	16.8	UT30132SB	4168	UT30132SEB	4557	UT30132SE	5092
	144"	3658	8	145	65.8	16.8	UT30144SB	4251	UT30144SEB	4782	UT30144SE	5185
	48"	1219	4	75	34.0	7.0	UT3648SB	1899	UT3648SEB	2107	UT3648SE	2224
	60"	1524	4	85	38.6	8.8	UT3660SB	2087	UT3660SEB	2311	UT3660SE	2440
	72"	1829	4	95	43.1	10.5	UT3672SB	2279	UT3672SEB	2507	UT3672SE	2655
	84"	2134	4	105	47.6	12.2	UT3684SB	3099	UT3684SEB	3361	UT3684SE	3552
	96"	2438	6	115	52.2	13.9	UT3696SB	3334	UT3696SEB	3592	UT3696SE	3816
	108"	2743	6	125	56.7	17.3	UT36108SB	4685	UT36108SEB	4952	UT36108SE	5397
	120"	3048	6	135	61.2	17.3	UT36120SB	4778	UT36120SEB	5191	UT36120SE	5491
	132"	3353	8	145	65.8	20.7	UT36132SB	5078	UT36132SEB	5401	UT36132SE	5717
	144"	3658	8	155	70.3	20.7	UT36144SB	5175	UT36144SEB	5651	UT36144SE	5980

* On SPEC-MASTER® tables, increase stated weight by 10%. All stainless steel construction.

TABLES FOR NON-CRITICAL ENVIRONMENTS*

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Catalog Section 10

Worktables with Stainless Steel Top, Upturn & Galvanized Tubular Base

see spec sheets **EG10.03A** **EG10.03B** **EG10.03C**



FEATURES:

- 1½" (38mm) upturn at the rear of the table.
- Tubular base.
- 1½" (41mm)-diameter legs and 1¼" (32mm)-diameter crossbracing are heavy gauge galvanized steel.
- Heavy gauge polished stainless steel top.
- 35½" - 36½" (892 - 918mm) adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **\$861 to list price** and suffix "-SD". Example: **UT2424GTB-SD**.

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.

C-frame standard. To order table with H-frame, add **\$177 to list price** and suffix "-H". Example: **UT3036GTE-H**.



See page 198 for optional casters available.

	length		# of legs	weight		cu ft	BUDGET		DELUXE		*SPEC-MASTER®	
	in.	mm		lbs.	kg		16 gauge type 430 top		16 gauge 300 series top		14 gauge 300 series top	
							model #	list	model #	list	model #	list
24" width (610mm)	24"	610	4	40	18.1	3.5	UT2424GTB	1134	UT2424GTB	1236	UT2424GTE	1391
	30"	762	4	45	20.4	3.8	UT2430GTB	1212	UT2430GTB	1319	UT2430GTE	1454
	36"	914	4	50	22.7	4.4	UT2436GTB	1288	UT2436GTB	1397	UT2436GTE	1478
	48"	1219	4	60	27.2	5.7	UT2448GTB	1306	UT2448GTB	1417	UT2448GTE	1549
	60"	1524	4	70	31.8	7.1	UT2460GTB	1367	UT2460GTB	1516	UT2460GTE	1601
	72"	1829	4	80	36.3	8.5	UT2472GTB	1448	UT2472GTB	1622	UT2472GTE	1715
	84"	2134	4	90	40.8	11.2	UT2484GTB	1768	UT2484GTB	2203	UT2484GTE	2248
	96"	2438	6	100	45.4	11.2	UT2496GTB	1979	UT2496GTB	2339	UT2496GTE	2385
	108"	2743	6	110	49.9	14.0	UT24108GTB	2956	UT24108GTB	3157	UT24108GTE	3302
	120"	3048	6	120	54.4	14.0	UT24120GTB	3137	UT24120GTB	3338	UT24120GTE	3487
30" width (762mm)	132"	3353	8	130	59.0	16.8	UT24132GTB	3142	UT24132GTB	3391	UT24132GTE	3564
	144"	3658	8	140	63.5	16.8	UT24144GTB	3155	UT24144GTB	3475	UT24144GTE	3651
	30"	762	4	50	22.7	3.8	UT3030GTB	1236	UT3030GTB	1360	UT3030GTE	1425
	36"	914	4	53	24.0	4.4	UT3036GTB	1313	UT3036GTB	1439	UT3036GTE	1506
	48"	1219	4	57	25.9	5.7	UT3048GTB	1331	UT3048GTB	1467	UT3048GTE	1556
	60"	1524	4	67	30.4	7.1	UT3060GTB	1427	UT3060GTB	1594	UT3060GTE	1687
	72"	1829	4	77	34.9	8.5	UT3072GTB	1525	UT3072GTB	1715	UT3072GTE	1820
	84"	2134	4	87	39.5	11.2	UT3084GTB	1846	UT3084GTB	2226	UT3084GTE	2356
	96"	2438	6	97	44.0	11.2	UT3096GTB	2093	UT3096GTB	2404	UT3096GTE	2543
	108"	2743	6	107	48.5	14.0	UT30108GTB	3002	UT30108GTB	3433	UT30108GTE	3592
36" width (914mm)	120"	3048	6	117	53.1	14.0	UT30120GTB	3163	UT30120GTB	3522	UT30120GTE	3687
	132"	3353	8	127	57.6	16.8	UT30132GTB	3229	UT30132GTB	3613	UT30132GTE	3903
	144"	3658	8	137	62.1	16.8	UT30144GTB	3314	UT30144GTB	3699	UT30144GTE	4002
	48"	1219	4	61	27.7	7.0	UT3648GTB	1593	UT3648GTB	1735	UT3648GTE	1778
	60"	1524	4	73	33.1	8.8	UT3660GTB	1762	UT3660GTB	1911	UT3660GTE	1958
	72"	1829	4	85	38.6	10.5	UT3672GTB	1899	UT3672GTB	2055	UT3672GTE	2107
	84"	2134	4	97	44.0	12.2	UT3684GTB	2517	UT3684GTB	2691	UT3684GTE	2755
	96"	2438	6	109	49.4	13.9	UT3696GTB	2654	UT3696GTB	2829	UT3696GTE	2905
	108"	2743	6	121	54.9	17.3	UT36108GTB	3659	UT36108GTB	3952	UT36108GTE	4040
	120"	3048	6	133	60.3	17.3	UT36120GTB	3746	UT36120GTB	4157	UT36120GTE	4248
	132"	3353	8	145	65.8	20.7	UT36132GTB	3820	UT36132GTB	4278	UT36132GTE	4415
	144"	3658	8	157	71.2	20.7	UT36144GTB	3907	UT36144GTB	4369	UT36144GTE	4503

* On SPEC-MASTER® tables, increase stated weight by 10%.


TABLES FOR NON-CRITICAL ENVIRONMENTS*

Catalog Section 10

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Worktables with Stainless Steel Top, Upturn & Stainless Steel Tubular Base

see spec sheets **EG10.49A** **EG10.49B** **EG10.49C**



FEATURES:

- 1½" (38mm) upturn at the rear of the table.
- Tubular base.
- 1½" (41mm)-diameter legs and 1¼" (32mm)-diameter crossbracing are heavy gauge stainless steel.
- Heavy gauge polished stainless steel top.
- 35½" - 36½" (892 - 918mm) adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **\$861 to list price** and suffix **"-SD"**. Example: **UT2424STB-SD**.

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.

C-frame standard. To order table with H-frame, add **\$177 to list price** and suffix **"-H"**. Example: **UT2448STB-H**.



See page 198 for optional casters available.

	length		# of legs	weight		cu ft	BUDGET		DELUXE		*SPEC-MASTER®	
	in.	mm		lbs.	kg		16 gauge type 430 top model #	list	16 gauge 300 series top model #	list	14 gauge 300 series top model #	list
24" width (610mm)	24"	610	4	40	18.1	3.5	UT2424STB	1515	UT2424STEB	1574	UT2424STE	1679
	30"	762	4	45	20.4	3.8	UT2430STB	1599	UT2430STEB	1712	UT2430STE	1840
	36"	914	4	50	22.7	4.4	UT2436STB	1679	UT2436STEB	1791	UT2436STE	1918
	48"	1219	4	60	27.2	5.7	UT2448STB	1714	UT2448STEB	1847	UT2448STE	1992
	60"	1524	4	70	31.8	7.1	UT2460STB	1829	UT2460STEB	1980	UT2460STE	2145
	72"	1829	4	80	36.3	8.5	UT2472STB	1945	UT2472STEB	2119	UT2472STE	2301
	84"	2134	4	90	40.8	11.2	UT2484STB	2340	UT2484STEB	2814	UT2484STE	3037
	96"	2438	6	100	45.4	11.2	UT2496STB	2491	UT2496STEB	2993	UT2496STE	3244
	108"	2743	6	110	49.9	14.0	UT24108STB	3769	UT24108STEB	4071	UT24108STE	4517
	120"	3048	6	120	54.4	14.0	UT24120STB	3965	UT24120STEB	4278	UT24120STE	4611
30" width (762mm)	132"	3353	8	130	59.0	16.8	UT24132STB	4045	UT24132STEB	4384	UT24132STE	4741
	144"	3658	8	140	63.5	16.8	UT24144STB	4048	UT24144STEB	4476	UT24144STE	4974
	30"	762	4	50	22.7	3.8	UT3030STB	1676	UT3030STEB	1803	UT3030STE	1925
	36"	914	4	53	24.0	4.4	UT3036STB	1753	UT3036STEB	1882	UT3036STE	2007
	48"	1219	4	57	25.9	5.7	UT3048STB	1812	UT3048STEB	1958	UT3048STE	2118
	60"	1524	4	67	30.4	7.1	UT3060STB	1955	UT3060STEB	2132	UT3060STE	2311
	72"	1829	4	77	34.9	8.5	UT3072STB	2094	UT3072STEB	2301	UT3072STE	2498
	84"	2134	4	87	39.5	11.2	UT3084STB	2421	UT3084STEB	2928	UT3084STE	3163
	96"	2438	6	97	44.0	11.2	UT3096STB	2674	UT3096STEB	3208	UT3096STE	3472
	108"	2743	6	107	48.5	14.0	UT30108STB	3991	UT30108STEB	4462	UT30108STE	4813
36" width (914mm)	120"	3048	6	117	53.1	14.0	UT30120STB	4192	UT30120STEB	4553	UT30120STE	4898
	132"	3353	8	127	57.6	16.8	UT30132STB	4307	UT30132STEB	4707	UT30132STE	5242
	144"	3658	8	137	62.1	16.8	UT30144STB	4398	UT30144STEB	4935	UT30144STE	5334
	48"	1219	4	61	27.7	7.0	UT3648STB	2043	UT3648STEB	2258	UT3648STE	2381
	60"	1524	4	73	33.1	8.8	UT3660STB	2237	UT3660STEB	2457	UT3660STE	2591
	72"	1829	4	85	38.6	10.5	UT3672STB	2427	UT3672STEB	2655	UT3672STE	2806
	84"	2134	4	97	44.0	12.2	UT3684STB	3247	UT3684STEB	3511	UT3684STE	3699
	96"	2438	6	109	49.4	13.9	UT3696STB	3475	UT3696STEB	3745	UT3696STE	3959
	108"	2743	6	121	54.9	17.3	UT36108STB	4696	UT36108STEB	5100	UT36108STE	5548
	120"	3048	6	133	60.3	17.3	UT36120STB	4921	UT36120STEB	5340	UT36120STE	5640
	132"	3353	8	145	65.8	20.7	UT36132STB	5074	UT36132STEB	5544	UT36132STE	5839
	144"	3658	8	157	71.2	20.7	UT36144STB	5163	UT36144STEB	5801	UT36144STE	5958

* On SPEC-MASTER® tables, increase stated weight by 10%.
SPEC-MASTER® tables feature all stainless steel construction.


TABLES FOR NON-CRITICAL ENVIRONMENTS*

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Catalog Section 10

Worktables with Stainless Steel Top, Backsplash & Galvanized Legs/Undershelf

see spec sheets **EG10.44A** **EG10.44B** **EG10.44C** **EG10.44D**



adjustable undershelf welded gusset

FEATURES:

- 4½" (114mm) backsplash at the rear of the table.
- 1½" (41mm)-diameter legs and adjustable undershelf are heavy gauge galvanized steel.
- Heavy gauge polished stainless steel top.
- SPEC-MASTER® Marine series worktables feature a marine counter edge on front and both ends.
- 35½" - 36½" (892 - 918mm) adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **\$861** to list price and suffix "-SD". Example: **T2424B-BS-SD**.

Optional fixed undershelf available in place of standard adjustable undershelf. To order, add **10%** to list price, and "-F" to end of suffix. Example: **T3048EM-BS-F**.

patented
uni-lok
system

NOW STANDARD!

(Patent #5,165,349)

For optional power strips (only for tables with backsplash), see page 198.

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.



See page 198 for optional casters available.

(•) MTS (made to stock) / () MTO (made to order)

	length		# of legs	weight		cu ft	BUDGET		DELUXE		*SPEC-MASTER®		* ▼ Marine	
	in.	mm		lbs.	kg		16 ga. type 430 top model #	list	16 ga. 300 series top model #	list	14 ga. 300 series top model #	list	14 ga. 300 series top model #	list
24" width (610mm)	24"	610	4	43	19.5	3.5	T2424B-BS	1198	T2424EB-BS	1308	T2424E-BS	1342	T2424EM-BS	2254
	30"	762	4	48	21.8	3.8	T2430B-BS	1282	T2430EB-BS	1415	T2430E-BS	1457	T2430EM-BS	2443
	36"	914	4	53	24.0	4.4	T2436B-BS	1359	T2436EB-BS	1495	T2436E-BS	1537	T2436EM-BS	2454
	48"	1219	4	63	28.6	5.7	T2448B-BS •	1366	T2448EB-BS	1528	T2448E-BS	1573	T2448EM-BS	2565
	60"	1524	4	73	33.1	7.1	T2460B-BS •	1458	T2460EB-BS	1640	T2460E-BS	1687	T2460EM-BS	2612
	72"	1829	4	85	38.6	8.5	T2472B-BS •	1541	T2472EB-BS	1749	T2472E-BS	1812	T2472EM-BS	2736
	84"	2134	4	97	44.0	11.2	T2484B-BS	1891	T2484EB-BS	2226	T2484E-BS	2303	T2484EM-BS	3221
	96"	2438	6	114	51.7	11.2	T2496B-BS	2109	T2496EB-BS	2402	T2496E-BS	2457	T2496EM-BS	3378
	108"	2743	6	142	64.4	14.0	T24108B-BS	3179	T24108EB-BS	3403	T24108E-BS	3517	T24108EM-BS	4282
	120"	3048	6	154	69.9	14.0	T24120B-BS	3262	T24120EB-BS	3480	T24120E-BS	3592	T24120EM-BS	4501
30" width (762mm)	132"	3353	8	166	75.3	16.8	T24132B-BS	3342	T24132EB-BS	3485	T24132E-BS	3680	T24132EM-BS	4652
	144"	3658	8	178	80.7	16.8	T24144B-BS	3522	T24144EB-BS	3756	T24144E-BS	3879	T24144EM-BS	4741
	30"	762	4	50	22.7	3.8	T3030B-BS •	1306	T3030EB-BS	1457	T3030E-BS	1498	T3030EM-BS	2398
	36"	914	4	53	24.0	4.4	T3036B-BS •	1385	T3036EB-BS	1537	T3036E-BS	1577	T3036EM-BS	2412
	48"	1219	4	70	31.8	5.7	T3048B-BS •	1408	T3048EB-BS	1585	T3048E-BS	1639	T3048EM-BS	2634
	60"	1524	4	81	36.7	7.1	T3060B-BS •	1512	T3060EB-BS	1715	T3060E-BS	1774	T3060EM-BS	2787
	72"	1829	4	94	42.6	8.5	T3072B-BS •	1613	T3072EB-BS	1851	T3072E-BS	1918	T3072EM-BS	2851
	84"	2134	4	108	49.0	11.2	T3084B-BS	1978	T3084EB-BS	2329	T3084E-BS	2412	T3084EM-BS	3440
	96"	2438	6	130	59.0	11.2	T3096B-BS •	2237	T3096EB-BS	2526	T3096E-BS	2616	T3096EM-BS	3655
	108"	2743	6	150	68.0	14.0	T30108B-BS	3348	T30108EB-BS	3577	T30108E-BS	3699	T30108EM-BS	4580
36" width (914mm)	120"	3048	6	170	77.1	14.0	T30120B-BS	3439	T30120EB-BS	3671	T30120E-BS	3789	T30120EM-BS	4666
	132"	3353	8	188	85.3	16.8	T30132B-BS	3642	T30132EB-BS	3882	T30132E-BS	4023	T30132EM-BS	4913
	144"	3658	8	207	93.9	16.8	T30144B-BS	3727	T30144EB-BS	3974	T30144E-BS	4115	T30144EM-BS	4994
	48"	1219	4	77	34.9	7.0	T3648B-BS	1831	T3648EB-BS	1908	T3648E-BS	1963	T3648EM-BS	2978
	60"	1524	4	90	40.8	8.8	T3660B-BS	1981	T3660EB-BS	2183	T3660E-BS	2256	T3660EM-BS	3165
	72"	1829	4	106	48.1	10.5	T3672B-BS	2104	T3672EB-BS	2333	T3672E-BS	2416	T3672EM-BS	3341
	84"	2134	4	123	55.8	12.2	T3684B-BS	2485	T3684EB-BS	2731	T3684E-BS	2829	T3684EM-BS	3927
	96"	2438	6	132	59.9	13.9	T3696B-BS	2794	T3696EB-BS	3072	T3696E-BS	3181	T3696EM-BS	4087
	108"	2743	6	169	76.7	17.3	T36108B-BS	3952	T36108EB-BS	4196	T36108E-BS	4338	T36108EM-BS	5213
	120"	3048	6	192	87.1	17.3	T36120B-BS	4038	T36120EB-BS	4285	T36120E-BS	4429	T36120EM-BS	5298
	132"	3353	8	216	98.0	20.7	T36132B-BS	4149	T36132EB-BS	4412	T36132E-BS	4701	T36132EM-BS	5593
	144"	3658	8	239	108.4	20.7	T36144B-BS	4234	T36144EB-BS	4632	T36144E-BS	4797	T36144EM-BS	5680

* On SPEC-MASTER® and SPEC-MASTER® Marine tables, increase stated weight by 10%.

▼ SPEC-MASTER® Marine tables feature a marine counter edge to prevent spillage.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.

Phone: 302-653-3000. Fax: 302-653-2065

<http://www.eaglehmc.com>



TABLES FOR NON-CRITICAL ENVIRONMENTS*

Catalog Section 10

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Worktables with Stainless Steel Top, Backsplash & Stainless Steel Legs/Undershelf

see spec sheets **EG10.45A** **EG10.45B** **EG10.45C** **EG10.45D**



patented
uni-lok
system

(Patent #5,165,349)

FEATURES:

- 4½" (114mm) backsplash at the rear of the table.
- 1½" (41mm)-diameter legs and adjustable undershelf are heavy gauge stainless steel.
- Heavy gauge polished stainless steel top.
- SPEC-MASTER® Marine series worktables feature a marine counter edge on front and both ends.
- 35½" - 36½" (892 - 918mm) adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **\$8618** to list price and suffix **"-SD"**. Example: **T2424SB-BS-SD**.

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.

For optional power strips (only for tables with backsplash), see page 198.



See page 198 for optional casters available.

(•) MTS (made to stock) / () MTO (made to order)

	length		# of legs	weight		cu ft	BUDGET		DELUXE		*SPEC-MASTER®		* ▼ Marine	
	in.	mm		lbs.	kg		16 ga. type 430 top model #	list	16 ga. 300 series top model #	list	14 ga. 300 series top model #	list	14 ga. 300 series top model #	list
24" width (610mm)	24"	610	4	43	19.5	3.5	T2424SB-BS	1646	T2424SEB-BS	1718	T2424SE-BS	1814	T2424SEM-BS	2654
	30"	762	4	48	21.8	3.8	T2430SB-BS	1774	T2430SEB-BS	1848	T2430SE-BS	1973	T2430SEM-BS	2806
	36"	914	4	53	24.0	4.4	T2436SB-BS	1851	T2436SEB-BS •	1934	T2436SE-BS	2096	T2436SEM-BS	2891
	48"	1219	4	63	28.6	5.7	T2448SB-BS	1891	T2448SEB-BS •	2001	T2448SE-BS •	2144	T2448SEM-BS	2965
	60"	1524	4	73	33.1	7.1	T2460SB-BS	2004	T2460SEB-BS	2149	T2460SE-BS •	2303	T2460SEM-BS	3115
	72"	1829	4	85	38.6	8.5	T2472SB-BS	2123	T2472SEB-BS	2301	T2472SE-BS •	2471	T2472SEM-BS	3269
	84"	2134	4	97	44.0	11.2	T2484SB-BS	2517	T2484SEB-BS	2951	T2484SE-BS	3163	T2484SEM-BS	3903
	96"	2438	6	114	51.7	11.2	T2496SB-BS	2667	T2496SEB-BS	3142	T2496SE-BS	3374	T2496SEM-BS	4098
	108"	2743	6	142	64.4	14.0	T24108SB-BS	3789	T24108SEB-BS	4379	T24108SE-BS	4701	T24108SEM-BS	5148
	120"	3048	6	154	69.9	14.0	T24120SB-BS	4141	T24120SEB-BS	4466	T24120SE-BS	4782	T24120SEM-BS	5231
30" width (762mm)	132"	3353	8	166	75.3	16.8	T24132SB-BS	4216	T24132SEB-BS	4728	T24132SE-BS	4933	T24132SEM-BS	5591
	144"	3658	8	178	80.7	16.8	T24144SB-BS	4429	T24144SEB-BS	4818	T24144SE-BS	5173	T24144SEM-BS	5680
	30"	762	4	50	22.7	3.8	T3030SB-BS	1849	T3030SEB-BS	1940	T3030SE-BS	2072	T3030SEM-BS	2903
	36"	914	4	53	24.0	4.4	T3036SB-BS	1927	T3036SEB-BS •	2020	T3036SE-BS	2153	T3036SEM-BS	2984
	48"	1219	4	70	31.8	5.7	T3048SB-BS •	1992	T3048SEB-BS •	2109	T3048SE-BS •	2261	T3048SEM-BS	3086
	60"	1524	4	81	36.7	7.1	T3060SB-BS •	2131	T3060SEB-BS •	2297	T3060SE-BS •	2462	T3060SEM-BS	3275
	72"	1829	4	94	42.6	8.5	T3072SB-BS •	2265	T3072SEB-BS •	2475	T3072SE-BS •	2665	T3072SEM-BS	3464
	84"	2134	4	108	49.0	11.2	T3084SB-BS	2593	T3084SEB-BS	3062	T3084SE-BS	3285	T3084SEM-BS	4028
	96"	2438	6	130	59.0	11.2	T3096SB-BS	2852	T3096SEB-BS •	3361	T3096SE-BS	3616	T3096SEM-BS	4327
	108"	2743	6	150	68.0	14.0	T30108SB-BS	4279	T30108SEB-BS	4641	T30108SE-BS	4989	T30108SEM-BS	5517
36" width (914mm)	120"	3048	6	170	77.1	14.0	T30120SB-BS	4369	T30120SEB-BS	4734	T30120SE-BS	5081	T30120SEM-BS	5606
	132"	3353	8	188	85.3	16.8	T30132SB-BS	4612	T30132SEB-BS	5055	T30132SE-BS	5441	T30132SEM-BS	5942
	144"	3658	8	207	93.9	16.8	T30144SB-BS	4699	T30144SEB-BS	5145	T30144SE-BS	5528	T30144SEM-BS	6036
	48"	1219	4	77	34.9	7.0	T3648SB-BS	2220	T3648SEB-BS	2479	T3648SE-BS	2664	T3648SEM-BS	3514
	60"	1524	4	90	40.8	8.8	T3660SB-BS	2413	T3660SEB-BS	2799	T3660SE-BS	3003	T3660SEM-BS	3735
	72"	1829	4	106	48.1	10.5	T3672SB-BS	2605	T3672SEB-BS	3002	T3672SE-BS	3218	T3672SEM-BS	3963
	84"	2134	4	123	55.8	12.2	T3684SB-BS	3422	T3684SEB-BS	3567	T3684SE-BS	3835	T3684SEM-BS	4716
	96"	2438	6	132	59.9	13.9	T3696SB-BS	3652	T3696SEB-BS	3819	T3696SE-BS	4109	T3696SEM-BS	4974
	108"	2743	6	169	76.7	17.3	T36108SB-BS	5011	T36108SEB-BS	5417	T36108SE-BS	5823	T36108SEM-BS	6260
	120"	3048	6	192	87.1	17.3	T36120SB-BS	5098	T36120SEB-BS	5503	T36120SE-BS	5916	T36120SEM-BS	6353
	132"	3353	8	216	98.0	20.7	T36132SB-BS	5404	T36132SEB-BS	5713	T36132SE-BS	6147	T36132SEM-BS	6755
	144"	3658	8	239	108.4	20.7	T36144SB-BS	5499	T36144SEB-BS	5803	T36144SE-BS	6423	T36144SEM-BS	6846

* SPEC-MASTER® and SPEC-MASTER® Marine tables feature all stainless steel construction. Increase stated weight by 10%.

▼ SPEC-MASTER® Marine tables feature a marine counter edge to prevent spillage.

TABLES FOR NON-CRITICAL ENVIRONMENTS*

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Catalog Section 10

Worktables with Stainless Steel Top, Backsplash & Galvanized Tubular Base

see spec sheets **EG10.46A** **EG10.46B** **EG10.46C** **EG10.46D**



corner connection

FEATURES:

- 4½" (114mm) backsplash at the rear of the table.
- Tubular base.
- 1½" (41mm)-diameter legs and 1¼" (32mm)-diameter crossbracing are heavy gauge galvanized steel.
- Heavy gauge polished stainless steel top.
- SPEC-MASTER® Marine series worktables feature a marine counter edge on front and both ends.
- 35½" - 36½" (892 - 918mm) adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **\$861 to list price** and suffix **"-SD"**. Example: **T2424GTB-BS-SD**.

C-frame standard. To order table with H-frame, add **\$168 to list price** and suffix **"-H"**. Example: **T2448GTB-BS-H**.

For optional power strips (only for tables with backsplash), see page 198.

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.



See page 198 for optional casters available.

	length		# of legs	weight		cu ft	BUDGET		DELUXE		*SPEC-MASTER®		* ▼ Marine	
	in.	mm		lbs.	kg		16 ga. type 430 top	model #	16 ga. 300 series top	model #	14 ga. 300 series top	model #	14 ga. 300 series top	model #
24" width (610mm)	24"	610	4	41	18.6	3.5	T2424GTB-BS	1347	T2424GTB-BS	1458	T2424GTE-BS	1494	T2424GTE-BS	2472
	30"	762	4	46	20.9	3.8	T2430GTB-BS	1426	T2430GTB-BS	1571	T2430GTE-BS	1603	T2430GTE-BS	2601
	36"	914	4	51	23.1	4.4	T2436GTB-BS	1509	T2436GTB-BS	1646	T2436GTE-BS	1686	T2436GTE-BS	2677
	48"	1219	4	61	27.7	5.7	T2448GTB-BS	1512	T2448GTB-BS	1676	T2448GTE-BS	1724	T2448GTE-BS	2716
	60"	1524	4	71	32.2	7.1	T2460GTB-BS	1605	T2460GTB-BS	1787	T2460GTE-BS	1841	T2460GTE-BS	2836
	72"	1829	4	81	36.7	8.5	T2472GTB-BS	1688	T2472GTB-BS	1901	T2472GTE-BS	1958	T2472GTE-BS	2969
	84"	2134	4	91	41.3	11.2	T2484GTB-BS	2036	T2484GTB-BS	2382	T2484GTE-BS	2455	T2484GTE-BS	3469
	96"	2438	6	101	45.8	11.2	T2496GTB-BS	2255	T2496GTB-BS	2528	T2496GTE-BS	2609	T2496GTE-BS	3636
	108"	2743	6	111	50.3	14.0	T24108GTB-BS	3229	T24108GTB-BS	3452	T24108GTE-BS	3566	T24108GTE-BS	4569
	120"	3048	6	121	54.9	14.0	T24120GTB-BS	3409	T24120GTB-BS	3638	T24120GTE-BS	3745	T24120GTE-BS	4648
30" width (762mm)	132"	3353	8	131	59.4	16.8	T24132GTB-BS	3480	T24132GTB-BS	3711	T24132GTE-BS	3825	T24132GTE-BS	4945
	144"	3658	8	141	64.0	16.8	T24144GTB-BS	3564	T24144GTB-BS	3819	T24144GTE-BS	3915	T24144GTE-BS	5031
	30"	762	4	51	23.1	3.8	T3030GTB-BS	1453	T3030GTB-BS	1603	T3030GTE-BS	1646	T3030GTE-BS	2636
	36"	914	4	56	25.4	4.4	T3036GTB-BS	1529	T3036GTB-BS	1686	T3036GTE-BS	1731	T3036GTE-BS	2716
	48"	1219	4	66	29.9	5.7	T3048GTB-BS	1549	T3048GTB-BS	1735	T3048GTE-BS	1784	T3048GTE-BS	2784
	60"	1524	4	76	34.5	7.1	T3060GTB-BS	1657	T3060GTB-BS	1865	T3060GTE-BS	1922	T3060GTE-BS	2935
	72"	1829	4	86	39.0	8.5	T3072GTB-BS	1759	T3072GTB-BS	2005	T3072GTE-BS	2071	T3072GTE-BS	3087
	84"	2134	4	96	43.6	11.2	T3084GTB-BS	2127	T3084GTB-BS	2479	T3084GTE-BS	2564	T3084GTE-BS	3591
	96"	2438	6	106	48.1	11.2	T3096GTB-BS	2382	T3096GTB-BS	2676	T3096GTE-BS	2762	T3096GTE-BS	3816
	108"	2743	6	116	52.6	14.0	T30108GTB-BS	3500	T30108GTB-BS	3625	T30108GTE-BS	3848	T30108GTE-BS	4864
36" width (914mm)	120"	3048	6	126	57.2	14.0	T30120GTB-BS	3581	T30120GTB-BS	3824	T30120GTE-BS	3938	T30120GTE-BS	4951
	132"	3353	8	136	61.7	16.8	T30132GTB-BS	3786	T30132GTB-BS	3922	T30132GTE-BS	4052	T30132GTE-BS	5203
	144"	3658	8	146	66.2	16.8	T30144GTB-BS	3882	T30144GTB-BS	4009	T30144GTE-BS	4142	T30144GTE-BS	5298
	48"	1219	4	71	32.1	7.0	T3648GTB-BS	1978	T3648GTB-BS	2057	T3648GTE-BS	2119	T3648GTE-BS	3212
	60"	1524	4	81	36.7	8.8	T3660GTB-BS	2131	T3660GTB-BS	2334	T3660GTE-BS	2406	T3660GTE-BS	3406
	72"	1829	4	91	41.3	10.5	T3672GTB-BS	2180	T3672GTB-BS	2480	T3672GTE-BS	2565	T3672GTE-BS	3588
	84"	2134	4	101	45.8	12.2	T3684GTB-BS	2633	T3684GTB-BS	2888	T3684GTE-BS	2984	T3684GTE-BS	4193
	96"	2438	6	111	50.3	13.9	T3696GTB-BS	2845	T3696GTB-BS	3218	T3696GTE-BS	3334	T3696GTE-BS	4361
	108"	2743	6	121	54.9	17.3	T36108GTB-BS	3979	T36108GTB-BS	4225	T36108GTE-BS	4488	T36108GTE-BS	5515
	120"	3048	6	131	59.4	17.3	T36120GTB-BS	4182	T36120GTB-BS	4439	T36120GTE-BS	4581	T36120GTE-BS	5602
	132"	3353	8	141	64.0	20.7	T36132GTB-BS	4293	T36132GTB-BS	4556	T36132GTE-BS	4715	T36132GTE-BS	5904
	144"	3658	8	151	68.5	20.7	T36144GTB-BS	4374	T36144GTB-BS	4644	T36144GTE-BS	4802	T36144GTE-BS	5995

* On SPEC-MASTER® and SPEC-MASTER® Marine tables, increase stated weight by 10%.

▼ SPEC-MASTER® Marine tables feature a marine counter edge to prevent spillage.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.

Phone: 302-653-3000. Fax: 302-653-2065

<http://www.eaglehmc.com>




TABLES FOR NON-CRITICAL ENVIRONMENTS*

Catalog Section 10

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Worktables with Stainless Steel Top, Backsplash & Stainless Steel Tubular Base

see spec sheets **EG10.47A** **EG10.47B** **EG10.47C** **EG10.47D**



FEATURES:

- 4½" (114mm) backsplash at the rear of the table.
- Tubular base.
- 1½" (41mm)-diameter legs and 1¼" (32mm)-diameter crossbracing are heavy gauge stainless steel.
- Heavy gauge polished stainless steel top.
- SPEC-MASTER® Marine series worktables feature a marine counter edge on front and both ends.
- 35½" - 36½" (892 - 918mm) adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **\$861** to list price and suffix **"-SD"**. Example: **T2424STB-BS-SD**.

C-frame standard. To order table with H-frame, add **\$168** to list price and suffix **"-H"**. Example: **T2436STB-BS-H**.

For optional power strips (only for tables with backsplash), see page 198.

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.



See page 198 for optional casters available.

	length		# of legs	weight		cu ft	BUDGET		DELUXE		*SPEC-MASTER®		* ▼ Marine	
							16 ga. type 430 top	list	16 ga. 300 series top	list	14 ga. 300 series top	list	14 ga. 300 series top	list
	in.	mm		lbs.	kg		model #		model #		model #		model #	
24" width (610mm)	24"	610	4	41	18.6	3.5	T2424STB-BS	1793	T2424STEB-BS	1869	T2424STE-BS •	1961	T2424STEM-BS	2805
	30"	762	4	46	20.9	3.8	T2430STB-BS	1920	T2430STEB-BS	2002	T2430STE-BS	2126	T2430STEM-BS	2963
	36"	914	4	51	23.1	4.4	T2436STB-BS	1999	T2436STEB-BS	2082	T2436STE-BS	2208	T2436STEM-BS	3040
	48"	1219	4	61	27.7	5.7	T2448STB-BS	2036	T2448STEB-BS	2149	T2448STE-BS	2289	T2448STEM-BS	3109
	60"	1524	4	71	32.2	7.1	T2460STB-BS	2148	T2460STEB-BS	2301	T2460STE-BS	2455	T2460STEM-BS	3268
	72"	1829	4	81	36.7	8.5	T2472STB-BS	2271	T2472STEB-BS	2452	T2472STE-BS	2619	T2472STEM-BS	3424
	84"	2134	4	91	41.3	11.2	T2484STB-BS	2659	T2484STEB-BS	3102	T2484STE-BS	3314	T2484STEM-BS	4052
	96"	2438	6	101	45.8	11.2	T2496STB-BS	2814	T2496STEB-BS	3288	T2496STE-BS	3524	T2496STEM-BS	4251
	108"	2743	6	111	50.3	14.0	T24108STB-BS	4083	T24108STEB-BS	4398	T24108STE-BS	4707	T24108STEM-BS	5293
	120"	3048	6	121	54.9	14.0	T24120STB-BS	4288	T24120STEB-BS	4616	T24120STE-BS	4935	T24120STEM-BS	5384
	132"	3353	8	131	59.4	16.8	T24132STB-BS	4358	T24132STEB-BS	4739	T24132STE-BS	5086	T24132STEM-BS	5743
	144"	3658	8	141	64.0	16.8	T24144STB-BS	4442	T24144STEB-BS	4969	T24144STE-BS	5173	T24144STEM-BS	5833
30" width (762mm)	30"	762	4	51	23.1	3.8	T3030STB-BS	1998	T3030STEB-BS	2091	T3030STE-BS	2223	T3030STEM-BS	3055
	36"	914	4	56	25.4	4.4	T3036STB-BS	2076	T3036STEB-BS	2173	T3036STE-BS	2308	T3036STEM-BS	3139
	48"	1219	4	66	29.9	5.7	T3048STB-BS	2132	T3048STEB-BS	2260	T3048STE-BS	2429	T3048STEM-BS	3243
	60"	1524	4	76	34.5	7.1	T3060STB-BS	2278	T3060STEB-BS	2448	T3060STE-BS	2618	T3060STEM-BS	3325
	72"	1829	4	86	39.0	8.5	T3072STB-BS	2421	T3072STEB-BS	2629	T3072STE-BS	2815	T3072STEM-BS	3618
	84"	2134	4	96	43.6	11.2	T3084STB-BS	2740	T3084STEB-BS	3208	T3084STE-BS	3437	T3084STEM-BS	4181
	96"	2438	6	106	48.1	11.2	T3096STB-BS	3002	T3096STEB-BS	3511	T3096STE-BS	3762	T3096STEM-BS	4483
	108"	2743	6	116	52.6	14.0	T30108STB-BS	4429	T30108STEB-BS	4738	T30108STE-BS	5140	T30108STEM-BS	5671
	120"	3048	6	126	57.2	14.0	T30120STB-BS	4518	T30120STEB-BS	4792	T30120STE-BS	5235	T30120STEM-BS	5763
	132"	3353	8	136	61.7	16.8	T30132STB-BS	4624	T30132STEB-BS	5203	T30132STE-BS	5593	T30132STEM-BS	6096
	144"	3658	8	146	66.2	16.8	T30144STB-BS	4704	T30144STEB-BS	5298	T30144STE-BS	5681	T30144STEM-BS	6186
	144"	3658	8	146	66.2	16.8	T30144STB-BS	4704	T30144STEB-BS	5298	T30144STE-BS	5681	T30144STEM-BS	6186
36" width (914mm)	48"	1219	4	71	32.1	7.0	T3648STB-BS	2365	T3648STEB-BS	2634	T3648STE-BS	2814	T3648STEM-BS	3357
	60"	1524	4	81	36.7	8.8	T3660STB-BS	2556	T3660STEB-BS	2944	T3660STE-BS	3156	T3660STEM-BS	3769
	72"	1829	4	91	41.3	10.5	T3672STB-BS	2744	T3672STEB-BS	3152	T3672STE-BS	3375	T3672STEM-BS	4118
	84"	2134	4	101	45.8	12.2	T3684STB-BS	3565	T3684STEB-BS	3723	T3684STE-BS	3992	T3684STEM-BS	4869
	96"	2438	6	111	50.3	13.9	T3696STB-BS	3804	T3696STEB-BS	3972	T3696STE-BS	4260	T3696STEM-BS	5125
	108"	2743	6	121	54.9	17.3	T36108STB-BS	5158	T36108STEB-BS	5409	T36108STE-BS	5976	T36108STEM-BS	6416
	120"	3048	6	131	59.4	17.3	T36120STB-BS	5246	T36120STEB-BS	5659	T36120STE-BS	6061	T36120STEM-BS	6505
	132"	3353	8	141	64.0	20.7	T36132STB-BS	5388	T36132STEB-BS	5867	T36132STE-BS	6486	T36132STEM-BS	6903
	144"	3658	8	151	68.5	20.7	T36144STB-BS	5473	T36144STEB-BS	5951	T36144STE-BS	6585	T36144STEM-BS	6994
	144"	3658	8	151	68.5	20.7	T36144STB-BS	5473	T36144STEB-BS	5951	T36144STE-BS	6585	T36144STEM-BS	6994

* SPEC-MASTER® and SPEC-MASTER® Marine tables feature all stainless steel construction. Increase stated weight by 10%.

▼ SPEC-MASTER® Marine tables feature a marine counter edge to prevent spillage.

Optional Power Strips for Stainless Steel Worktables with Backsplash

length in.	mm	number of outlets	model #	list
24"	610	8	PS2408	224
36"	914	12	PS3612	244
48"	1219	16	PS4816	253
60"	1524	20	PS6020	314



FEATURES:

- Brushed aluminum finish.
- 15' (4572mm) cord and plug.
- Reset button.
- Toggle ON-OFF switch.
- Mounts via pair of stainless steel clips—no tools required.

Optional Casters

see spec sheet **EG10.59**

Note: To determine set of casters applicable, see "# of legs" column in Worktables charts (pages 186-197). See page 215 for optional caster stabilizers.

description	wt. cap. per caster lbs.	kg	model #	list
Zinc with Resilient Tread				
4" (102mm) dia., set of four (two swivel, two w/brake)	115	52.2	CA4-SB •	504
4" (102mm) dia., set of six (three swivel, three w/brake)	115	52.2	CA6-SB	755
4" (102mm) dia., set of eight (four swivel, four w/brake)	115	52.2	CA8-SB	1008
5" (127mm) dia., set of four (two swivel, two w/brake)	200	90.7	CAH4-SB •	668
5" (127mm) dia., set of six (three swivel, three w/brake)	200	90.7	CAH6-SB	1003
5" (127mm) dia., set of eight (four swivel, four w/brake)	200	90.7	CAH8-SB	1338
Nickel with Poly Tread				
5" (127mm) dia., set of four (two swivel, two w/brake)	250	113.4	CAHP4-SB •	578
5" (127mm) dia., set of six (three swivel, three w/brake)	250	113.4	CAHP6-SB	868
5" (127mm) dia., set of eight (four swivel, four w/brake)	250	113.4	CAHP8-SB	1157
Polymer Cart Washable with Polymer Tread				
5" (127mm) dia., set of four (two swivel, two w/brake)	250	113.4	CAHW4-SB	718
5" (127mm) dia., set of six (three swivel, three w/brake)	250	113.4	CAHW6-SB	1078
5" (127mm) dia., set of eight (four swivel, four w/brake)	250	113.4	CAHW8-SB	1436

(•) MTS (made to stock) / () MTO (made to order)



Go Green. Go ECO-Built™ by EAGLE.

The advantages may be invisible. But when you see the tag you'll know the product you purchase has been produced in the EAGLE plant, under the principles that drive the ECO-Built™ program.

For institutions concerned about meeting their own green standards, buying ECO-Built™ is simply the right thing to do.

Look for the ECO-Built™ tag on the bar code ➡



TABLES FOR NON-CRITICAL ENVIRONMENTS

Catalog Section 10

Hardwood Worktables

see spec sheet **EG10.10**

FEATURES:

- 1 1/4" (44mm) hardwood tops.
- With flat top or with 4" (102mm) coved backsplash and end splashes.
- Shipped knocked down.

Note: All shipping weights and cubic feet are approximate.
For optional drawer assemblies, see page 214.



hardwood table
with flat top and
undershelf...

...with flat top
and tubular base...

...with backsplash and
undershelf...

...with backsplash
and tubular base

(•) MTS (made to stock) / () MTO (made to order)

Flat Top Hardwood Worktables...

36 1/4" (921mm) overall height.

				...with Adjustable Undershelf						...with Tubular Base					
	length		cu ft	weight		galvanized legs & undershelf		stainless steel legs and undershelf		weight		galvanized tubular base		stainless steel tubular base	
	in.	mm		lbs.	kg	model #	list	model #	list	lbs.	kg	model #	list	model #	list
24" width (610mm)	48"	1219	5.3	94	42.6	MT2448B	1119	MT2448S	1346	92	41.7	MT2448GT	994	MT2448ST	1268
	60"	1524	6.6	118	53.5	MT2460B	1256	MT2460S	1528	117	53.1	MT2460GT	1100	MT2460ST	1420
	72"	1829	8.0	141	64.0	MT2472B	1392	MT2472S	1706	138	62.6	MT2472GT	1206	MT2472ST	1578
	96"	2438	10.7	189	85.7	MT2496B	1974	MT2496S	2383	182	82.6	MT2496GT	1731	MT2496ST	1973
30" width (762mm)	48"	1219	6.7	141	64.0	MT3048B	1236	MT3048S	1528	139	63.1	MT3048GT	1116	MT3048ST	1452
	60"	1524	8.3	147	66.7	MT3060B	1404	MT3060S	1752	145	65.8	MT3060GT	1255	MT3060ST	1655
	72"	1829	9.9	177	80.3	MT3072B	1571	MT3072S	1975	174	77.8	MT3072GT	1388	MT3072ST	1852
	96"	2438	13.2	235	106.6	MT3096B	2251	MT3096S	2754	230	104.3	MT3096GT	2000	MT3096ST	2588

Hardwood Worktables with Backsplash & End Splashes...

40 1/4" (1022mm) overall height.

			...with Adjustable Undershelf						...with Tubular Base						
30" width (762mm)	length	cu	weight		galvanized legs & undershelf		stainless steel legs and undershelf		weight		galvanized tubular base		stainless steel tubular base		
	in.	mm	lbs.	kg	model #	list	model #	list	lbs.	kg	model #	list	model #	list	
	48"	1219	7.0	110	49.9	MT3048B-BS	2361	MT3048S-BS	3036	119	54.0	MT3048GT-BS	2267	MT3048ST-BS	2880
	60"	1524	9.8	149	67.6	MT3060B-BS	2469	MT3060S-BS	3196	147	66.7	MT3060GT-BS	2309	MT3060ST-BS	3032
	72"	1829	11.7	180	81.6	MT3072B-BS	2969	MT3072S-BS	3654	177	80.3	MT3072GT-BS	2775	MT3072ST-BS	3560
96"	2438	15.5	240	108.9	MT3096B-BS	4060	MT3096S-BS	4835	235	106.6	MT3096GT-BS	3804	MT3096ST-BS	4580	

Optional Casters for Hardwood Worktables



zinc casters

cart washable casters

Note: See page 215 for optional caster stabilizers.

description	Zinc with Resilient Tread				Nickel with Poly Tread				Polymer Cart Washable with Polymer Tread			
	wt. cap. per caster lbs.	kg	list per set	model #	wt. cap. per caster lbs.	kg	list per set	model #	wt. cap. per caster lbs.	kg	list per set	model #
4" (102mm) dia., set of 4 (2 swivel, 2 w/brake)	115	52.2	504	CA4-SB•	—	—	n/a	n/a	—	—	n/a	n/a
4" (102mm) dia., set of 6 (3 swivel, 3 w/brake)	115	52.2	755	CA6-SB	—	—	n/a	n/a	—	—	n/a	n/a
5" (127mm) dia., set of 4 (2 swivel, 2 w/brake)	200	90.7	668	CAH4-SB•	250	113.4	578	CAHP4-SB•	250	113.4	718	CAHW4-SB
5" (127mm) dia., set of 6 (3 swivel, 3 w/brake)	200	90.7	1003	CAH6-SB	250	113.4	868	CAHP6-SB	250	113.4	1078	CAHW6-SB

TABLES FOR NON-CRITICAL ENVIRONMENTS

Catalog Section 10

Knock Down Worktables with Cabinet Kit

see spec sheet **EG10.36**



Patented

Patent # 6,981,751

- Type 430 stainless steel tabletop and side panels.
- Tabletop is 30" (762mm) front-to-back, with 4½" (114mm) high backsplash.
- Stainless steel side panels and front doors with open rear.
- Easy assembly via machine screws and threaded inserts.
- 34½" (876mm) height.

FEATURES:

(•) MTS (made to stock) / () MTO (made to order)

patented
uni-lok
system

(Patent #5,165,349)

					...with Hinged Doors		...with Sliding Doors	
30" width (914mm)	length		cubic feet	weight	model #	list	model #	list
	in.	mm						
	36"	914	4.4	52 lbs.	T3036BA-BS-HGD	2014	T3036BA-BS-SLD	2216
	48"	1219	5.4	66 lbs.	T3048BA-BS-HGD	2149	T3048BA-BS-SLD	2365
	60"	1524	7.1	79 lbs.	T3060BA-BS-HGD	2306	T3060BA-BS-SLD	2532

Filler Tables

see spec sheet **EG10.51**



Note: Filler tables are not designed to stand alone or to hold heavy equipment loads. Application and safe installation are the responsibility of the end user.

FEATURES:

- Standard flanged feet adds stability to 12" and 15" (305 and 381mm) long tables.
- 18" (457mm) feature bullet feet.
- 1½" (38mm) upturn.
- Stainless steel legs crossbraced front-to-back and side-to-side.
- 34½" (876mm) working height.

(•) MTS (made to stock) / () MTO (made to order)

patented
uni-lok
system

(Patent #5,165,349)

					Deluxe 16 gauge type 304 stainless steel top.		SPEC-MASTER® * 14 gauge type 304 stainless steel top.	
24" width (610mm)	length		cubic feet	weight *	model #	list	model #	list
	in.	mm						
	12"	305	2.9	30 lbs.	UT2412STEB	993	UT2412STE	1079
	15"	381	2.9	34 lbs.	UT2415STEB	1016	UT2415STE	1104
30" width (762mm)	12"	305	2.9	34 lbs.	UT2418STEB	1062	UT2418STE	1154
	15"	381	2.9	36 lbs.	UT3012STEB •	1072	UT3012STE	1165
	15"	381	2.9	36 lbs.	UT3015STEB •	1096	UT3015STE	1191
	18"	457	2.9	40 lbs.	UT3018STEB •	1157	UT3018STE	1258
36" width (914mm)	12"	305	3.5	37 lbs.	UT3612STEB	1143	UT3612STE	1242
	15"	381	3.5	40 lbs.	UT3615STEB	1179	UT3615STE	1280
	18"	457	3.5	45 lbs.	UT3618STEB	1223	UT3618STE	1331

* Add 10% weight for SPEC-MASTER®.

Worktable Stabilizer Bar (pair)

see spec sheet **EG10.59**



model #	list
WTSA30	223

FEATURES:

- Fits standard 30" and 36" (762 and 914mm) width worktables.
- Heavy 12 gauge steel angle and gussets.
- Valu-Master® epoxy coated.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.

Phone: 302-653-3000. Fax: 302-653-2065

http://www.eaglemhc.com




SPEC-MASTER® Enclosed Worktables with Flat Top

see spec sheet **EG10.30**



patented
uni-lok
system
(Patent #5,165,349)



FEATURES:

- All-welded cabinet.
- Top mechanically polished to satin finish.
- Sound-deadened between top and frame.
- 1 1/8" (42mm) diameter type 304 stainless legs.
- 1" (25mm) adjustable feet.
- 1 1/2" (38mm) sanitary rolled rim on front and back with square edge on ends for flush fit.
- 3 1/2" (876mm) overall height.

Note: Full length fixed center shelf available. To order full width, add **20% to list price** and suffix **"-FCS"**.

To order two-thirds width, add **20% to list price** and suffix **"-CS"**. **Example: OB2436SE-CS.**

To order table with 4" (102mm) casters, add suffix **"-CA"** and add to list price **\$504** (for tables with four legs) or **\$755** (for tables with six legs).

Example: OB2436SE-CA.

To order table with 5" (127mm) casters, add suffix **"-CAH"** and add to list price **\$668** (for tables with four legs) or **\$953** (for tables with six legs).

Example: OB2436SE-CAH.

NSF sprayed-on sound deadening available.


To order, add **\$861 to list price** and suffix **"-SD"**.

Example: OB2436SE-SD.

For enhanced utility, add overselves from page 210.

				with Open Front				with Sliding Doors*				with Hinged Doors*			
	length	# of	cu	weight		model #	list	weight		model #	list	weight		model #	list
	in.	legs	ft	lbs.	kg			lbs.	kg			lbs.	kg		
24" width (610mm)	36"	4	36	132	59.9	OB2436SE	2989	138	62.6	CB2436SE	3817	138	62.6	CBH2436SE	4677
	48"	4	49	160	72.6	OB2448SE	3104	170	77.1	CB2448SE	4269	170	77.1	CBH2448SE	4897
	60"	4	63	200	90.7	OB2460SE	3322	212	96.2	CB2460SE	4586	212	96.2	CBH2460SE	5222
	72"	4	72	240	108.9	OB2472SE	3541	254	115.2	CB2472SE	4918	254	115.2	CBH2472SE	5541
	84"	6	83	281	127.5	OB2484SE	3853	299	135.6	CB2484SE**	5622	299	135.6	CBH2484SE**	6235
	96"	6	95	322	146.1	OB2496SE	4047	339	153.8	CB2496SE**	6075	339	153.8	CBH2496SE**	6687
30" width (762mm)	120"	6	105	366	166.0	OB24120SE	4799	384	174.2	CB24120SE**	7017	384	174.2	CBH24120SE**	7626
	36"	4	36	136	61.7	OB3036SE	3157	142	64.4	CB3036SE	3985	142	64.4	CBH3036SE	4835
	48"	4	49	166	75.3	OB3048SE	3267	173	78.5	CB3048SE	4429	173	78.5	CBH3048SE	5056
	60"	4	63	199	90.3	OB3060SE	3513	219	99.3	CB3060SE	4780	219	99.3	CBH3060SE	5412
	72"	4	72	248	112.5	OB3072SE	3763	261	118.4	CB3072SE	5136	261	118.4	CBH3072SE	5764
	84"	6	83	294	133.4	OB3084SE	4019	312	141.5	CB3084SE**	5777	312	141.5	CBH3084SE**	6398
	96"	6	95	340	154.2	OB3096SE	4436	350	158.8	CB3096SE**	6328	350	158.8	CBH3096SE**	6941
	120"	6	105	432	196.0	OB30120SE	5102	450	204.1	CB30120SE**	7319	450	204.1	CBH30120SE**	7923

* 20 gauge stainless steel doors. To order optional door locks, add suffix **"-L"** and \$178 list price; ** Tables 84" (2134mm) and longer have two sets of doors.



SPEC-MASTER® Marine Counter Edge Cabinets

To order, add **20% to list price** and add **"M"** after **"SE"** in model number.
Example: OB2436SEM.


see spec sheet **EG10.33A**

SPEC-MASTER® Enclosed Worktables with Upturn

see spec sheet **EG10.31**



patented
uni-lok
system
(Patent #5,165,349)



FEATURES:

- All-welded cabinet.
- Top mechanically polished to satin finish.
- Top is 14 gauge type 304 stainless steel reinforced with a full length "hat" channel support.
- Body is heavy gauge type 430 stainless steel.
- Sound-deadened between top and frame.
- 1 1/2" (42mm) diameter type 304 stainless legs.
- 1" (25mm) adjustable feet.
- 1 1/2" (38mm) sanitary rolled rim on front, 1 1/2" (38mm) rear upturn, and square edge on ends for flush fit.
- 34 1/2" (876mm) working height, 36" (914mm) overall height.

Note: Full length fixed center shelf available. To order full width, add 20% to list price and suffix "-FCS". To order two-thirds width, add 20% to list price and suffix "-CS". **Example:** UOB2436SE-CS.

To order table with 4" (102mm) casters, add suffix "-CA" and add to list price \$504 (for tables with four legs) or \$717 (for tables with six legs).

Example: UOB3036SE-CA.

To order table with 5" (127mm) casters, add suffix "-CAH" and add to list price \$668 (for tables with four legs) or \$1003 (for tables with six legs).

Example: UOB3036SE-CAH.

NSF sprayed-on sound deadening available.


To order, add \$861 to list price and suffix "-SD".

Example: UOB3036SE-SD.

For enhanced utility, add overselves from page 210.

				with Open Front				with Sliding Doors*				with Hinged Doors*			
length		# of	cu	weight		model #	list	weight		model #	list	weight		model #	list
in.	mm	legs	ft	lbs.	kg			lbs.	kg			lbs.	kg		
24" width (610mm)	36"	4	36	132	59.9	UOB2436SE	2989	138	62.6	UCB2436SE	3817	138	62.6	UCBH2436SE	4677
	48"	4	49	160	72.6	UOB2448SE	3104	170	77.1	UCB2448SE	4269	170	77.1	UCBH2448SE	4897
	60"	4	63	200	90.7	UOB2460SE	3322	212	96.2	UCB2460SE	4586	212	96.2	UCBH2460SE	5222
	72"	4	72	240	108.9	UOB2472SE	3541	254	115.2	UCB2472SE	4918	254	115.2	UCBH2472SE	5541
	84"	6	83	281	127.5	UOB2484SE	3853	299	135.6	UCB2484SE**	5622	299	135.6	UCBH2484SE**	6235
	96"	6	95	322	146.1	UOB2496SE	4047	339	153.8	UCB2496SE**	6075	339	153.8	UCBH2496SE**	6687
30" width (762mm)	120"	6	105	366	166.0	UOB24120SE	4799	384	174.2	UCB24120SE**	7017	384	174.2	UCBH24120SE**	7626
	36"	4	36	136	61.7	UOB3036SE	3157	142	64.4	UCB3036SE	3985	142	64.4	UCBH3036SE	4835
	48"	4	49	166	75.3	UOB3048SE	3267	173	78.5	UCB3048SE	4429	173	78.5	UCBH3048SE	5056
	60"	4	63	199	90.3	UOB3060SE	3513	219	99.3	UCB3060SE	4780	219	99.3	UCBH3060SE	5412
	72"	4	72	248	112.5	UOB3072SE	3757	261	118.4	UCB3072SE	5136	261	118.4	UCBH3072SE	5764
	84"	6	83	294	133.4	UOB3084SE	4019	312	141.5	UCB3084SE**	5777	312	141.5	UCBH3084SE**	6398
	96"	6	95	340	154.2	UOB3096SE	4436	350	158.8	UCB3096SE**	6328	350	158.8	UCBH3096SE**	6941
	120"	6	105	432	196.0	UOB30120SE	5102	450	204.1	UCB30120SE**	7319	450	204.1	UCBH30120SE**	7923

* 20 gauge stainless steel doors. To order optional door locks, add suffix "-L" and \$178 list price; ** Tables 84" (2134mm) and longer have two sets of doors.



SPEC-MASTER® Marine Counter Edge Cabinets

To order, add 20% to list price and add "M" after "SE" in model number.
Example: UOB2436SEM.

see spec sheet **EG10.33B**



TABLES FOR NON-CRITICAL ENVIRONMENTS

Catalog Section 10


SPEC-MASTER® Enclosed Worktables with Backsplash



see spec sheet **EG10.32**



patented
uni-lok
system
(Patent #5,165,349)



FEATURES:

- All-welded cabinet.
- Top mechanically polished to satin finish.
- Top is 14 gauge type 304 stainless steel reinforced with a full length "hat" channel support.
- Body is heavy gauge type 430 stainless steel.
- Sound-deadened between top and frame.
- 1 1/2" (42mm) diameter type 304 stainless legs.
- 1" (25mm) adjustable stainless steel feet.
- 1 1/2" (38mm) sanitary rolled rim on front, 4 1/2" (114mm) backsplash on rear, and square edge on ends for flush fit.
- 34 1/2" (876mm) working height, 39" (991mm) overall height.

Note: Full length fixed center shelf available. To order full width, add 20% to list price and suffix "-FCS". To order two-thirds width, add 20% to list price and suffix "-CS". **Example:** UOB2436SE-BS-CS.

To order table with 4" (102mm) casters, add suffix "-CA" and add to list price \$504 (for tables with four legs) or \$717 (for tables with six legs).

Example: UOB3036SE-BS-CA.

To order table with 5" (127mm) casters, add suffix "-CAH" and add to list price \$668 (for tables with four legs) or \$1003 (for tables with six legs).

Example: UOB3036SE-BS-CAH.

NSF sprayed-on sound deadening available.


To order, add \$861 to list price and suffix "-SD".

Example: UOB3036SE-BS-SD.

For enhanced utility, add overselves from page 210.

				with Open Front				with Sliding Doors*				with Hinged Doors*			
length		# of	cu	weight				weight				weight			
in.	mm	legs	ft	lbs.	kg	model #	list	lbs.	kg	model #	list	lbs.	kg	model #	list
24" width (610mm)	36"	4	36	133	60.3	OB2436SE-BS	3024	139	63.1	CB2436SE-BS	4012	139	63.1	CBH2436SE-BS	4711
	48"	4	49	161	73.0	OB2448SE-BS	3136	171	77.6	CB2448SE-BS	4299	171	77.6	CBH2448SE-BS	4929
	60"	4	63	202	91.6	OB2460SE-BS	3362	214	97.1	CB2460SE-BS	4631	214	97.1	CBH2460SE-BS	5258
	72"	4	72	243	110.2	OB2472SE-BS	3591	256	116.1	CB2472SE-BS	4969	256	116.1	CBH2472SE-BS	5593
	84"	6	83	284	128.8	OB2484SE-BS	3909	304	137.9	CB2484SE-BS**	5676	304	137.9	CBH2484SE-BS**	6295
	96"	6	95	326	147.9	OB2496SE-BS	4111	343	155.6	CB2496SE-BS**	6133	343	155.6	CBH2496SE-BS**	6756
	120"	6	105	390	176.9	OB24120SE-BS	4880	390	176.9	CB24120SE-BS**	7097	390	176.9	CBH24120SE-BS**	7703
30" width (762mm)	36"	4	36	137	62.1	OB3036SE-BS	3287	143	64.9	CB3036SE-BS	4143	143	64.9	CBH3036SE-BS	4867
	48"	4	49	167	75.8	OB3048SE-BS	3298	174	78.9	CB3048SE-BS	4457	174	78.9	CBH3048SE-BS	5086
	60"	4	63	201	91.2	OB3060SE-BS	3682	221	100.2	CB3060SE-BS	4826	221	100.2	CBH3060SE-BS	5446
	72"	4	72	251	113.9	OB3072SE-BS	3808	264	119.8	CB3072SE-BS	5184	264	119.8	CBH3072SE-BS	5806
	84"	6	83	299	135.6	OB3084SE-BS	4073	319	144.7	CB3084SE-BS**	5833	319	144.7	CBH3084SE-BS**	6457
	96"	6	95	344	156.0	OB3096SE-BS	4499	355	161.0	CB3096SE-BS**	6386	355	161.0	CBH3096SE-BS**	7422
	120"	6	105	438	198.7	OB30120SE-BS	5183	458	207.8	CB30120SE-BS**	7398	458	207.8	CBH30120SE-BS**	8001

* 20 gauge stainless steel doors. To order optional door locks, add suffix "-L" and \$178 list price; ** Tables 84" (2134mm) and longer have two sets of doors.




SPEC-MASTER® Marine Counter Edge Cabinets

To order, add 20% to list price and add "M" after "SE" in model number.
Example: OB2436SEM-BS.

see spec sheet **EG10.33C**

adjustable® Work Surface Systems

see spec sheet **EG10.09**



basic unit

1-tier unit

2-tier unit

adjustable®

Additional wire undershelves, solid stainless steel undershelves, chrome wire overshelves, or solid stainless steel overshelves make the possibilities almost unlimited.

patented
QuadTruss®
design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

- CUSTOM:**
- Unit can be further expanded and customized by adding optional shelving accessories (pages 47-53).
 - Custom configurations available, including alternate finishes and solid shelving. Contact factory to configure your custom workstation.
 - All units come with non-marring grey vinyl foot glides.
 - Optional drawers available (see pages 212-215).

Note: To order table with 5" (127mm) resilient tread casters, add suffix "-CAH" and add to list price \$668.

Example: T3036EBW-1-CAH.

To order table with 5" (127mm) poly tread casters, add suffix "-CAHP" and add to list price \$578.

Example: T3036EBW-1-CAHP.

For Post Clamps for 1-tier and 2-tier unit, see page 46.

For Keyboard stations, see page 46.

Basic Units — 33½" (851mm) overall height.

	length		cu ft	weight		16/304		14/304	
	in.	mm		lbs.	kg	model #	list	model #	list
24" width (610mm)	36"	914	4.5	65	29.5	T2436EBW	1055	T2436EW	1156
	48"	1219	5.7	81	36.7	T2448EBW	1145	T2448EW	1327
	60"	1524	7.1	99	44.9	T2460EBW	1341	T2460EW	1525
30" width (762mm)	36"	914	4.5	75	34.0	T3036EBW	1167	T3036EW	1308
	48"	1219	5.7	94	42.6	T3048EBW	1318	T3048EW	1501
	60"	1524	7.1	115	52.2	T3060EBW	1525	T3060EW	1736

CONSISTS OF:

- Stainless steel table top/work surface with hat channel supports.
- Four 33" (838mm) chrome posts.
- Two chrome wire undershelves.*

1-tier Units — 54½" (1384mm) overall height.

	length		cu ft	weight		16/304		14/304	
	in.	mm		lbs.	kg	model #	list	model #	list
24" width (610mm)	36"	914	4.5	73	33.1	T2436EBW-1	1312	T2436EW-1	1414
	48"	1219	5.7	91	41.3	T2448EBW-1	1471	T2448EW-1	1608
	60"	1524	7.1	113	51.3	T2460EBW-1	1661	T2460EW-1	1817
30" width (762mm)	36"	914	4.5	83	37.6	T3036EBW-1	1425	T3036EW-1	1572
	48"	1219	5.7	104	47.2	T3048EBW-1	1601	T3048EW-1	1778
	60"	1524	7.1	129	58.5	T3060EBW-1	1817	T3060EW-1	2033

CONSISTS OF:

- Stainless steel table top/work surface with hat channel supports.
- Two 54" (1372mm) rear chrome posts.
- Two 33" (838mm) front chrome posts.
- Two 21" (533mm) front chrome posts for overshelf.
- One 14" (356mm) wide chrome wire overshelf.
- Two chrome wire undershelves.*

2-tier Units — 62½" (1588mm) overall height.

	length		cu ft	weight		16/304		14/304	
	in.	mm		lbs.	kg	model #	list	model #	list
24" width (610mm)	36"	914	4.5	81	36.7	T2436EBW-2	1439	T2436EW-2	1541
	48"	1219	5.7	101	45.8	T2448EBW-2	1622	T2448EW-2	1762
	60"	1524	7.1	127	57.6	T2460EBW-2	1825	T2460EW-2	1982
30" width (762mm)	36"	914	4.5	91	41.3	T3036EBW-2	1551	T3036EW-2	1698
	48"	1219	5.7	114	51.7	T3048EBW-2	1751	T3048EW-2	1939
	60"	1524	7.1	143	64.9	T3060EBW-2	1981	T3060EW-2	2199

CONSISTS OF:

- Stainless steel table top/work surface with hat channel supports.
- Two 63" (1600mm) rear chrome posts.
- Two 33" (838mm) front chrome posts.
- Two 29" (737mm) front chrome posts for overshelves.
- Two 14" (356mm) wide chrome wire overshelves.
- Two chrome wire undershelves.*

* 18" (457mm) wide undershelves used for 24" (610mm) wide tables; 24" (610mm) wide undershelves used for 30" (762mm) wide tables.

TABLES FOR NON-CRITICAL ENVIRONMENTS

Catalog Section 10

Utility Stands

see spec sheet **EG10.26A**



FEATURES:

- Highly polished 16 gauge, 300 series stainless steel flat top.
- Adjustable undershelf or adjustable crossbracing.
- 24" (610mm) working height.

WEIGHT

CAPACITIES:

- 600 lb. (272.2 kg) weight capacity of top.
- 150 lb. (68.0 kg) weight capacity of undershelf.
- evenly distributed static load.

patented
uni-lok
system

(Patent #5,165,349)

(•) MTS (made to stock) / () MTO (made to order)

...with Undershelf

...with Tubular Base

	length		weight		cubic feet	galvanized legs		stainless steel legs		galvanized legs		stainless steel legs	
	width	in. mm	lbs.	kg		model #	list	model #	list	model #	list	model #	list
24" (610mm)	24"	610	42	19.1	3.5	MS2424 • 1065	1065	MS2424S	1294	TMS2424	1065	TMS2424S	1294
	24"	610	47	21.3	3.8	MS3024 • 1111	1111	MS3024S	1359	TMS3024	1111	TMS3024S	1359
30" (762mm)	30"	762	49	22.2	3.8	MS3030 • 1237	1237	MS3030S	1539	TMS3030	1237	TMS3030S	1539
	36"	914	51	23.1	4.0	MS3036 • 1269	1269	MS3036S	1565	TMS3036	1269	TMS3036S	1565
36" (914mm)	36"	914	53	24.0	4.2	MS3636	1332	MS3636S	1639	TMS3636	1332	TMS3636S	1639




caster caster with brake

Optional Casters for Utility Stands

Optional Utensil Rack for Utility Stands

- Stainless steel.
- 54" (1371mm) height.

weight lbs.	kg	cubic feet	add to model #	unit list
23	10.4	5.3	UR-501	863



utility stand with undershelf
and optional utensil rack


description	wt. cap. per caster		model #	list
	lbs.	kg		
4" (102mm) dia., set of four (two swivel, two w/brake)	115	52.2	CA4-SB •	504
4" (102mm) dia., set of six (three swivel, three w/brake)	115	52.2	CA6-SB	755
5" (127mm) dia., set of four (two swivel, two w/brake)	200	90.7	CAH4-SB •	668
5" (127mm) dia., set of six (three swivel, three w/brake)	200	90.7	CAH6-SB	1003

Note: see page 215 for optional
caster stabilizers.

ADA/Ergonomic Height Adjustable Tables

see product announcement **EG10.37**

Adjusts from
32" to 40" height!



patented
uni-lok
system

(Patent #5,165,349)

...with Flat Top

...with 4" Backsplash

width	length		weight cap.		16/304 top		14/304 top		16/304 top		14/304 top	
	in.	mm	lbs.	kg	model #	list	model #	list	model #	list	model #	list
24" (610mm)	48"	1219	575	260.8	T2448SEB-HA	5760	T2448SE-HA	5894	T2448SEB-BS-HA	6166	T2448SE-BS-HA	6680
	60"	1524	550	249.5	T2460SEB-HA	5891	T2460SE-HA	6040	T2460SEB-BS-HA	6308	T2460SE-BS-HA	6833
	72"	1829	525	238.1	T2472SEB-HA	6019	T2472SE-HA	6189	T2472SEB-BS-HA	6448	T2472SE-BS-HA	6992
30" (762mm)	48"	1219	575	260.8	T3048SEB-HA	5867	T3048SE-HA	6018	T3048SEB-BS-HA	6271	T3048SE-BS-HA	6795
	60"	1524	550	249.5	T3060SEB-HA	6034	T3060SE-HA	6193	T3060SEB-BS-HA	6446	T3060SE-BS-HA	6984
	72"	1829	525	238.1	T3072SEB-HA	6189	T3072SE-HA	6376	T3072SEB-BS-HA	6615	T3072SE-BS-HA	7177

To indicate location of crank case, add suffix "-L" (left end), "-R" (right end), or "-C" (center) at end of model number. Example: T2448-SE-HA-L

Notes: For optional mobility, only THESE 5" casters can be used: Model #A205340 swivel, list \$103 ea., #A205341 swivel w/brake, list \$117 ea.
5" (127mm) rotary bumper: Model #A205342, list \$22 each.

Optional H- and C-frame tubular bases available in lieu of undershelf. Consult factory.

Mobile Utility Stands

see spec sheet **EG10.26B**



patented
uni-lok
system
(Patent #5,165,349)

Note: see page 215 for optional caster stabilizers.

FEATURES:

- 34" (864mm) working height.
- 14 gauge 300 series stainless steel top with no-drip marine counter edge.
- Stainless steel crossbracing on three sides.
- Four 4" (102mm) casters (two with brakes).
- Pan rack slide holds six 18" x 26" (457 x 660mm) pans.
- 400 lb. (181.4 kg) total weight capacity (top and slides) - evenly distributed static load.

(•) MTS (made to stock) / () MTO (made to order)

	length		weight		cubic feet	galvanized		stainless steel	
	in.	mm	lbs.	kg		model #	list	model #	list
30" width (762mm)	30"	762	55	24.9	3.8	MMT3030G	2722	MMT3030S •	3037
	36"	914	60	27.2	4.1	MMT3036G	2785	MMT3036S	3128

Mobile Utility Stand with Undershelf

see spec sheet **EG10.26B**



patented
uni-lok
system
(Patent #5,165,349)

FEATURES:

- Top is 14 gauge 300 series stainless steel with no-drip marine counter edge.
- Stainless steel undershelf.
- Two 4" (102mm) casters with brake.

Note: see page 215 for optional caster stabilizers.

width	length		weight		cubic feet	model #	list
	in.	mm	lbs.	kg			
24" (610mm)	30"	762	47	21.3	3.8	MET2430S	2375

Stainless Steel Lok-n-Fold™ Tables

see spec sheet **EG10.57**



with removable undershelf


FEATURES:

- Heavy gauge type 430 stainless steel top.
- Folding legs constructed of heavy gauge painted mild steel.
- Locking dimples, a safety mechanism, ensure legs are locked in place.
- 30" (762mm) non-adjustable height.

	length		weight capacity		cu ft	WITH OPEN BASE				WITH REMOVABLE GALVANIZED UNDERSHELF				WITH REMOVABLE STAINLESS STEEL UNDERSHELF			
	in.	mm	lbs.	kg		lbs.	kg	model #	list	lbs.	kg	model #	list	lbs.	kg	model #	list
24" width (610mm)	48"	1219	360	163.3	6.0	44	20.0	T2448F	777	61	27.7	T2448F-US	936	61	27.7	T2448F-USS	1015
	60"	1524	450	204.1	7.5	48	21.8	T2460F	818	65	29.5	T2460F-US	1011	65	29.5	T2460F-USS	1103
	72"	1829	540	244.9	8.9	52	23.6	T2472F	934	70	31.8	T2472F-US	1071	70	31.8	T2472F-USS	1184
30" width (762mm)	48"	1219	450	204.1	7.4	46	20.9	T3048F	852	63	28.6	T3048F-US	962	63	28.6	T3048F-USS	1035
	60"	1524	562	254.9	9.2	50	22.7	T3060F	912	69	31.3	T3060F-US	1037	69	31.3	T3060F-USS	1122
	72"	1829	675	306.2	11.0	56	25.4	T3072F	967	75	34.0	T3072F-US	1106	75	34.0	T3072F-USS	1207

TABLES FOR NON-CRITICAL ENVIRONMENTS

Catalog Section 10



patented
uni-lok
system
(Patent #5,165,349)

Features:

- Any table can be customized with overshelves of the same length.
- System can easily be changed or expanded as needed.
- Tables are caster-capable for workstation mobility.
- Overshelves' height adjustable in 1" (25mm) increments for flexible and accurate placement.
- 10" and 12" (254 and 305mm) shelf widths can be intermixed on same posts.
- Split sleeve.
- Tapered collar for easy assembly.
- Overshelves shipped knocked-down.
- All shipping weights and cubic feet are approximate.

FLEX-MASTER® Overshelf System

Continued on pages 208 & 209

Overshelves

see spec sheet **EG10.08**

Note: 15" and 18" (381 and 457mm) wide shelves available. To order, replace "12" in model number with a "15" or "18" indicating desired shelf width (example: 411584). For 15" (381mm) wide shelves, add 15% to list price of 12" (305mm) wide models. For 18" (457mm) wide shelves, add 30% to list price of 12" (305mm) shelves.



FEATURES:

- 14 gauge 300 series shelves available upon request.
- Priced per shelf.

(•) MTS (made to stock) / () MTO (made to order)


	length		weight		cubic feet	16/430		16/300	
	in.	mm	lbs.	kg		model #	list ea	model #	list ea
10" width (254mm)	30"	762	10.1	4.6	0.5	411030	400	421030	437
	36"	915	12.1	5.5	0.6	411036	404	421036	449
	48"	1219	13.1	6.0	0.8	411048	437	421048	497
	60"	1524	15.2	6.9	1.0	411060	477	421060	557
	72"	1829	17.2	7.8	1.2	411072	540	421072	624
	84"	2133	19.3	8.8	1.5	411084	603	421084	685
	96"	2438	21.3	9.7	1.7	411096	664	421096	776
	108"	2743	23.4	10.6	1.9	411010	719	421010	831
	120"	3048	25.4	11.5	2.1	411012	777	421012	885
	132"	3353	27.4	12.5	2.3	411013	841	421013	949
12" width (305mm)	144"	3658	29.4	13.4	2.5	411014	902	421014	1033
	30"	762	11.1	5.1	0.6	411230	404	421230	449
	36"	915	12.3	5.6	0.8	411236	424	421236	503
	48"	1219	14.8	6.7	1.0	411248 •	461	421248	525
	60"	1524	17.2	7.8	1.3	411260 •	496	421260 •	585
	72"	1829	19.7	9.1	1.5	411272 •	567	421272 •	662
	84"	2133	22.1	10.0	1.8	411284	632	421284	742
	96"	2438	24.6	11.2	2.0	411296	683	421296	829
	108"	2743	27.0	12.3	2.3	411210	760	421210	891
	120"	3048	29.5	13.4	2.5	411212	847	421212	957
	132"	3353	31.5	14.3	2.7	411213	907	421213	1018
	144"	3658	33.5	15.2	2.9	411214	967	421214	1078

TABLES FOR NON-CRITICAL ENVIRONMENTS

Catalog Section 10

Posts - FLEX-MASTER® Overshelf System

see spec sheet **EG10.08**



- Sold in pairs.
- Each pair includes mounting plate.
- For 30" to 72" (762 to 1829mm) shelves: two pairs.
- For 84" to 120" (2134 to 3048mm) shelves: three pairs required.
- For 132" and 144" (3353 and 3658mm) shelves: four pairs required.

ORDERING:

(•) MTS (made to stock) / () MTO (made to order)

height		weight		cubic feet	chrome		stainless steel	
in.	mm	lbs.	kg		model #	list	model #	list
18"	457	1.7	0.8	0.1	418202 •	174	418002 •	203
30"	762	2.4	1.1	0.2	430202 •	191	430002 •	260
48"	1219	5.6	2.5	0.2	448202 •	233	448002 •	343

Utility Racks

see spec sheet **EG10.08**



FEATURES:

- Chrome plated.

(•) MTS (made to stock) / () MTO (made to order)

for overshelf length		weight		cubic feet			for overshelf length		weight		cubic feet		
in.	mm	lbs.	kg		model #	list	in.	mm	lbs.	kg		model #	list
30"	762	1.7	0.8	0.2	PRT30-C	93	84"	2133	4.1	1.9	0.4	PRT84-C *	192
36"	915	1.9	0.9	0.2	PRT36-C	109	96"	2438	4.9	2.2	0.4	PRT96-C *	225
48"	1219	2.1	1.0	0.2	PRT48-C	121	108"	2743	5.6	2.5	0.5	PRT108-C *	228
60"	1524	2.5	1.1	0.3	PRT60-C	142	120"	3048	6.2	2.8	0.5	PRT120-C *	236
72"	1829	2.9	1.3	0.4	PRT72-C •	165	132"	3353	6.9	3.1	0.6	PRT132-C **	255
							144"	3658	7.6	3.5	0.6	PRT144-C **	277

* Utility racks 84" to 120" (2133 to 3048mm) come in two pieces.

**132" and 144" (3353 and 3658mm) racks come in three pieces.

Mounting Plate

see spec sheet **EG10.08**



model #	list each
311915 •	31

FEATURES:

- Aluminum.
- Designed to accommodate both 10" and 12" (254 and 305mm) wide shelves.

(•) MTS (made to stock) / () MTO (made to order)

Hooks

see spec sheet **EG10.08**

For use with utility racks.

description	weight		cubic feet	model #	list each
	lbs.	kg			
stainless double-prong hook	0.2	0.1	0.1	300696 •	34
6" (176mm)-long chrome hook	0.1	0.1	0.1	379769	6



FEATURES:

- Stainless steel double-prong with 2 1/4" (57mm) prongs, or 6" (176mm)-long chrome.
- Slips over utility racks.

(•) MTS (made to stock) / () MTO (made to order)

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.

Phone: 302-653-3000. Fax: 302-653-2065

<http://www.eaglehmc.com>



TABLES FOR NON-CRITICAL ENVIRONMENTS

Catalog Section 10

FLEX-MASTER® Kits for All Stainless Steel Worktables



see spec sheet **EG10.08**

Kit A

description	for Budget tables* add to list	for all other tables add to list
fits 36" (914mm) long worktables	1667	1825
fits 48" (1219mm) long worktables	1765	1896
fits 60" (1524mm) long worktables	1874	2054
fits 72" (1829mm) long worktables	2068	2257

* **Note:** Kits for "Budget" worktables include 16 gauge type 430 shelves and stainless steel posts.

Kit B

description	for Budget tables* add to list	for all other tables add to list
fits 36" (914mm) long worktables	1367	1524
fits 48" (1219mm) long worktables	1440	1573
fits 60" (1524mm) long worktables	1603	1688
fits 72" (1829mm) long worktables	1652	1844

* **Note:** Kits for "Budget" worktables include 16 gauge type 430 shelves and stainless steel posts.

Kit A
INCLUDES:

- Two 12" (305mm) wide 16 gauge type 304 shelves.
 - Two 30" (762mm) stainless steel front posts.
 - Two 48" (1219mm) stainless steel rear posts.
 - Two chrome utility racks.
- To order, add suffix "-FM-PL" to model number.
Example: T3060SE-FM-PL.

Tabletops are predrilled for rear mounting of posts and shelves.

Kit B
INCLUDES:

- Two 12" (305mm) wide 16 gauge type 304 shelves.
 - Four 30" (762mm) stainless steel posts.
- To order, add suffix "-FM" to model number.
Example: T3060SE-FM.

Stainless Steel Bins

see spec sheet **EG10.59**



width x length x height in.	width x length x height mm	weight lbs.	weight kg	cubic feet	model #	list
6½" x 5½" x 6"	165 x 140 x 152	1.5	0.7	0.1	SB-1	367

FEATURES:

- Designed for either overshell or wall shelf applications.
- 22 gauge stainless steel with fully covered deep-drawn construction, complete with label holders.
- Removable bin must be allowed 7¼" (197mm) space and slides on stainless steel angle supports secured to underside of shelf.

Note: Shipping weight and cubic feet are approximate.

Wall Cabinets



see spec sheet **EG02.07**

		Open Front				Hinged Doors				Sliding Doors				
length	cu	weight				weight				weight				
in.	mm	ft	lbs.	kg	model #	list	lbs.	kg	model #	list	lbs.	kg	model #	list
24"	610	13.5	117	53.1	WCO-24	4168	136	61.7	WCH-24	5656	136	61.7	WCS-24	4715
30"	762	17.3	129	58.5	WCO-30	4173	154	69.9	WCH-30	6268	154	69.9	WCS-30	5745
36"	914	18.0	141	64.0	WCO-36	4327	172	78.0	WCH-36	6377	172	78.0	WCS-36	5923
42"	1067	18.2	—	—	—	—	191	86.6	WCH-42	6702	191	86.6	WCS-42	5952
48"	1219	18.3	165	74.8	WCO-48	4985	208	94.3	WCH-48	6908	208	94.3	WCS-48	6488
54"	1372	25.4	—	—	—	—	226	102.5	WCH-54	7065	226	102.5	WCS-54	6609
60"	1524	22.6	189	85.7	WCO-60	5455	244	110.7	WCH-60	7922	244	110.7	WCS-60	7503
66"	1676	30.6	—	—	—	—	256	115.1	WCH-66	7979	256	115.1	—	—
72"	1829	26.8	213	96.6	WCO-72	5788	262	118.8	WCH-72	8876	262	118.8	WCS-72	8404
84"	2134	38.5	225	102.1	WCO-84	6107	281	127.5	WCH-84*	9124	281	127.5	WCS-84*	8622
90"	2286	41.7	—	—	—	—	298	135.3	WCH-90*	9642	298	135.3	WCS-90*	9131
96"	2438	35.2	249	112.9	WCO-96	6839	316	143.3	WCH-96*	9941	316	143.3	WCS-96*	9414
120"	3048	55.8	—	—	—	—	359	162.9	—	—	359	162.9	WCS-120*	11342

* Features two pairs of doors.

FEATURES:

- Heavy gauge stainless steel.
- Back recessed, w/full-length concealed mounting plate for easy installation.
- Fixed center shelf.
- Hinged doors with lift-off pin hinges.
- 15" (381mm) width. 28" (711mm) overall height.



wall cabinet with hinged doors

TABLES FOR NON-CRITICAL ENVIRONMENTS

Catalog Section 10

Overshelves, Non-Adjustable

see spec sheet **EG10.28**



single deck overshelf



double deck overshelf

- Mounted on four stainless steel, 1" (25mm) diameter tubular base legs.
- Special width shelves available.

FEATURES:

Note: Recommended that overshelves be ordered when ordering tables. Specify choice of centered or rear-mounted on table. Otherwise, table must be field-drilled for mounting overshelves.

Single Deck Overshelves, Non-Adjustable - Shipped knocked-down.

	length		# of legs	weight		cu ft	16 gauge, type 430		16 gauge, type 304		14 gauge, type 304	
	in.	mm		lbs.	kg		model #	list	model #	list	model #	list
10" width (254mm)	36"	915	4	15	6.8	0.9	OS1036-16/4	725	OS1036-16/3	879	OS1036-14/3	972
	48"	1219	4	19	8.6	1.3	OS1048-16/4	774	OS1048-16/3	961	OS1048-14/3	1067
	60"	1524	4	24	10.9	1.6	OS1060-16/4	820	OS1060-16/3	1055	OS1060-14/3	1172
	72"	1829	4	29	13.2	1.9	OS1072-16/4	879	OS1072-16/3	1151	OS1072-14/3	1276
	84"	2133	6	34	15.4	2.2	OS1084-16/4	929	OS1084-16/3	1242	OS1084-14/3	1378
	96"	2438	6	37	16.8	2.5	OS1096-16/4	1135	OS1096-16/3	1479	OS1096-14/3	1644
	108"	2743	6	38	17.2	2.8	OS10108-16/4	1163	OS10108-16/3	1522	OS10108-14/3	1687
	120"	3048	6	39	17.6	3.1	OS10120-16/4	1206	OS10120-16/3	1649	OS10120-14/3	1840
	132"	3353	8	42	19.1	3.7	OS10132-16/4	1262	OS10132-16/3	1753	OS10132-14/3	1951
	144"	3658	8	46	20.9	4.2	OS10144-16/4	1308	OS10144-16/3	1843	OS10144-14/3	2047
12" width (305mm)	36"	915	4	16	7.3	0.9	OS1236-16/4	769	OS1236-16/3	917	OS1236-14/3	1018
	48"	1219	4	20	9.0	1.3	OS1248-16/4	815	OS1248-16/3	1007	OS1248-14/3	1118
	60"	1524	4	25	11.3	1.6	OS1260-16/4	869	OS1260-16/3	1102	OS1260-14/3	1224
	72"	1829	4	30	13.6	1.9	OS1272-16/4	931	OS1272-16/3	1206	OS1272-14/3	1341
	84"	2133	6	35	15.9	2.2	OS1284-16/4	989	OS1284-16/3	1303	OS1284-14/3	1452
	96"	2438	6	38	17.2	2.5	OS1296-16/4	1206	OS1296-16/3	1572	OS1296-14/3	1749
	108"	2743	6	39	17.6	2.5	OS12108-16/4	1282	OS12108-16/3	1687	OS12108-14/3	1879
	120"	3048	6	40	18.1	3.1	OS12120-16/4	1326	OS12120-16/3	1774	OS12120-14/3	1972
	132"	3353	8	43	19.5	3.7	OS12132-16/4	1402	OS12132-16/3	1895	OS12132-14/3	2107
	144"	3658	8	47	21.3	4.2	OS12144-16/4	1446	OS12144-16/3	1981	OS12144-14/3	2201

Double Deck Overshelves, Non-Adjustable - All welded construction, shipped assembled.

	length		# of legs	weight		cu ft	16 gauge, type 430		16 gauge, type 304		14 gauge, type 304	
	in.	mm		lbs.	kg		model #	list	model #	list	model #	list
10" width (254mm)	36"	915	4	31	14.1	8.6	DOS1036-16/4	1425	DOS1036-16/3	1597	DOS1036-14/3	1756
	48"	1219	4	39	17.6	11.4	DOS1048-16/4	1471	DOS1048-16/3	1679	DOS1048-14/3	1849
	60"	1524	4	48	21.8	14.2	DOS1060-16/4	1581	DOS1060-16/3	1832	DOS1060-14/3	2016
	72"	1829	4	59	26.8	17.0	DOS1072-16/4	1679	DOS1072-16/3	1980	DOS1072-14/3	2176
	84"	2134	6	69	31.3	19.8	DOS1084-16/4	1777	DOS1084-16/3	2121	DOS1084-14/3	2333
	96"	2438	6	75	34.0	22.6	DOS1096-16/4	2171	DOS1096-16/3	2564	DOS1096-14/3	2822
	108"	2743	6	77	34.9	25.4	DOS10108-16/4	2324	DOS10108-16/3	2769	DOS10108-14/3	3044
	120"	3048	6	79	35.8	28.2	DOS10120-16/4	2372	DOS10120-16/3	2858	DOS10120-14/3	3141
	132"	3353	8	85	38.6	35.8	DOS10132-16/4	2528	DOS10132-16/3	3066	DOS10132-14/3	3373
	144"	3658	8	92	41.7	41.8	DOS10144-16/4	2575	DOS10144-16/3	3144	DOS10144-14/3	3460
12" width (305mm)	36"	915	4	32	14.5	8.6	DOS1236-16/4	1508	DOS1236-16/3	1678	DOS1236-14/3	1946
	48"	1219	4	40	18.1	11.4	DOS1248-16/4	1549	DOS1248-16/3	1805	DOS1248-14/3	2089
	60"	1524	4	48	21.8	14.2	DOS1260-16/4	1672	DOS1260-16/3	1939	DOS1260-14/3	2248
	72"	1829	4	60	27.2	17.0	DOS1272-16/4	1791	DOS1272-16/3	2077	DOS1272-14/3	2414
	84"	2134	6	70	31.8	19.8	DOS1284-16/4	1903	DOS1284-16/3	2276	DOS1284-14/3	2593
	96"	2438	6	76	34.5	22.6	DOS1296-16/4	2313	DOS1296-16/3	2695	DOS1296-14/3	2876
	108"	2743	6	78	35.4	25.4	DOS12108-16/4	2504	DOS12108-16/3	2807	DOS12108-14/3	3089
	120"	3048	6	80	36.3	28.3	DOS12120-16/4	2551	DOS12120-16/3	2948	DOS12120-14/3	3246
	132"	3353	8	87	39.5	35.9	DOS12132-16/4	2738	DOS12132-16/3	3277	DOS12132-14/3	3606
	144"	3658	8	95	43.1	42.0	DOS12144-16/4	2783	DOS12144-16/3	3367	DOS12144-14/3	3701

TABLES FOR NON-CRITICAL ENVIRONMENTS

Catalog Section 10

Extra Undershelves

see spec sheet **EG10.59**



For tables with uni-lok® hat channel frame.

FEATURES:

- For tables with uni-lok® hat channel frame.
- Designed for storage of shorter, smaller items under worktable where only one undershelf might not suffice.
- Available in galvanized or stainless steel.

Note: When ordering an extra or replacement undershelf, please order per the size of your tabletop. Please note the "for table size" column in chart.

(•) MTS (made to stock) / () MTO (made to order)

	for table size *		weight		cu ft	galvanized (adjustable)		stainless steel (adjustable)			
	in.	mm	lbs.	kg		model #	list	model #	list	model #	list
24" width (610mm)	24"	610	15	6.6	1.6	2424GADJUS	224	2424SADJUS-18/4	500	2424SADJUS-18/3	549
	30"	762	18	8.2	1.9	2430GADJUS	267	2430SADJUS-18/4	548	2430SADJUS-18/3	602
	36"	915	21	9.6	2.3	2436GADJUS	273	2436SADJUS-18/4	577	2436SADJUS-18/3	631
	48"	1219	27	12.2	3.0	2448GADJUS	282	2448SADJUS-18/4	633	2448SADJUS-18/3	694
	60"	1524	33	15.0	3.7	2460GADJUS	294	2460SADJUS-18/4	713	2460SADJUS-18/3	779
	72"	1829	39	17.6	4.5	2472GADJUS	298	2472SADJUS-18/4	798	2472SADJUS-18/3	876
	84"	2134	45	20.4	5.2	2484GADJUS	300	2484SADJUS-18/4	889	2484SADJUS-18/3	972
	96"	2438	51	23.1	5.9	2496GADJUS	319	2496SADJUS-18/4	960	2496SADJUS-18/3	1051
	108"	2743	57	25.9	6.6	24108GADJUS	331	24108SADJUS-18/4	1094	24108SADJUS-18/3	1185
	120"	3048	63	28.6	7.3	24120GADJUS	356	24120SADJUS-18/4	1100	24120SADJUS-18/3	1197
	132"	3353	69	31.3	8.1	24132GADJUS	398	24132SADJUS-18/4	1176	24132SADJUS-18/3	1281
	144"	3658	75	34.0	8.8	24144GADJUS	439	24144SADJUS-18/4	1393	24144SADJUS-18/3	1512
30" width (762mm)	24"	610	17	7.5	1.9	3024GADJUS	233	3024SADJUS-18/4	584	3024SADJUS-18/3	635
	30"	762	21	9.5	2.4	3030GADJUS	282	3030SADJUS-18/4	627	3030SADJUS-18/3	686
	36"	915	24	10.7	2.8	3036GADJUS	285	3036SADJUS-18/4	664	3036SADJUS-18/3	723
	48"	1219	30	13.6	3.7	3048GADJUS •	294	3048SADJUS-18/4	722	3048SADJUS-18/3	793
	60"	1524	36	16.3	4.6	3060GADJUS •	300	3060SADJUS-18/4	827	3060SADJUS-18/3	906
	72"	1829	42	19.1	5.5	3072GADJUS •	319	3072SADJUS-18/4	925	3072SADJUS-18/3	1012
	84"	2134	48	21.8	6.4	3084GADJUS	328	3084SADJUS-18/4	1024	3084SADJUS-18/3	1119
	96"	2438	54	24.5	7.3	3096GADJUS	331	3096SADJUS-18/4	1138	3096SADJUS-18/3	1244
	108"	2743	60	27.2	8.2	30108GADJUS	378	30108SADJUS-18/4	1257	30108SADJUS-18/3	1402
	120"	3048	66	29.9	9.0	30120GADJUS	402	30120SADJUS-18/4	1397	30120SADJUS-18/3	1479
	132"	3353	72	32.7	9.9	30132GADJUS	433	30132SADJUS-18/4	1546	30132SADJUS-18/3	1628
	144"	3658	78	35.4	10.8	30144GADJUS	479	30144SADJUS-18/4	1676	30144SADJUS-18/3	1820

* Undershelves for 30" (762mm) wide tables listed above also fit 36" (915mm) wide tables.

Table Mounted Microwave Shelves

see spec sheet **EG10.25**



FEATURES:

- 16 gauge type 304 stainless steel.
- 24" x 24" (610 x 610mm) microwave area.
- 16 1/2" (422mm) clearance above tabletop.
- Six stainless steel posts.

	length		weight		cu ft	Left Side		Right Side		Center	
	in.	mm	lbs.	kg		model #	list	model #	list	model #	list
12" width (305mm)	60"	1524	30	13.6	1.9	MOS1260L	1361	MOS1260R	1361	MOS1260C	1543
	72"	1829	35	15.9	2.4	MOS1272L	1540	MOS1272R	1540	MOS1272C	1723
	84"	2133	40	18.1	3.0	MOS1284L	1666	MOS1284R	1666	MOS1284C	1846
	96"	2438	45	20.4	3.4	MOS1296L	1846	MOS1296R	1846	MOS1296C	1922

Drawers

- For stainless steel and hardwood tables.
- Type 430 stainless steel.

Note: To specify drawer assemblies for hardwood tables (page 199), you must order model #605500 mounting kit (at no additional charge) along with drawer selected.

To specify drawer assemblies for custom equipment (fabricated through SpecFAB®) which requires angle frame construction, you must order model #605499 (at no additional charge) mounting kit along with drawer selected.

Drawer Capacity Per Table

Drawers can be centered, left or right.

Holes are predrilled for 20" x 20" drawers only.

table length in. mm	15" x 20" (381 x 508mm) drawer capacity per table	20" x 20" (508 x 508mm) drawer capacity per table
24"	0	0
30"	1 centered	0
36"	1 centered	1 centered
48"	1 centered; or 1 left & 1 right	1 centered
60"	1 centered; or 1 left & 1 right	1 centered; or 1 left & 1 right
72"	3 (1 centered, 1 left, 1 right)	1 centered; or 1 left & 1 right
84"	4	1 centered; or 1 left & 1 right
96"	4 (2 left, 2 right)	2 (1 left, 1 right)
108"	4 (2 left, 2 right)	4 (2 left, 2 right)
120"	4 (2 left, 2 right)	4 (2 left, 2 right)
132"	6 (3 left, 3 right)	4 (2 left, 2 right)
144"	6 (3 left, 3 right)	4 (2 left, 2 right)

Drawers with Polymer Slides

see spec sheet **EG10.13A**

Weight
Capacity
up to
20 lbs.

Note: For use on standard worktables only, not for equipment using angle frame construction.

No locks are available for these drawers.

FEATURES:

- ½" (13mm) thick polycarbonate grooved friction slides.
- To specify drawer assemblies for tabletops with box marine edge, you must order one of the following based on the table width, along with drawer selected:
 - #611383 for 24"-wide tables
 - #611384 for 30"-wide tables
 - For tables 36" and wider, consult factory.

(•) MTS (made to stock) / () MTO (made to order)

For ALL 24" STANDARD tables

For ALL 30" & 36" STANDARD tables

For 36" tables with FRAMING specified AT 30% CENTER LINES

width x length x height in. mm	cu ft	weight lbs. kg	model #	list	weight lbs. kg	model #	list	weight lbs. kg	model #	list
20" x 15" x 5" 508 x 381 x 127	1.4	13 5.8	502976*	225	13 5.8	503007*	225	13 5.8	503011*	225
20" x 20" x 5" 508 x 508 x 127	1.4	13 5.8	502975**	267	13 5.8	503006	267	13 5.8	503010	267

* Tables must be field drilled for mounting; ** #502975 will protrude past tabletop width.

Drawers with Pull Flange

see spec sheet **EG10.13A**

FEATURES:

- Includes full-extension zinc-plated steel slides with rubber stops.

Note: No locks are available for these drawers.

(•) MTS (made to stock) / () MTO (made to order)

width x length x height in. mm	weight lbs. kg	cubic feet	model #	list
20" x 15" x 5" 508 x 381 x 127	13 5.8	1.4	502941* •	307
20" x 20" x 5" 508 x 508 x 127	13 5.8	1.4	500772 •	354

* Tables must be field drilled for mounting.

TABLES FOR NON-CRITICAL ENVIRONMENTS

Catalog Section 10

Drawers with Pull Flange & Full Front

see spec sheet **EG10.13A**



FEATURES:

- Includes full-extension zinc-plated steel slides with rubber stops.
- Hemmed safety pull handle.

Note: No locks are available for these drawers.

(•) MTS (made to stock) / () MTO (made to order)

width x length x height in. mm	weight lbs. kg	cubic feet	model #	list
20" x 15" x 5" 508 x 381 x 127	25 11.3	3.0	502942 •	457
20" x 20" x 5" 508 x 508 x 127	25 11.3	3.0	501571 •	499

* Tables must be field drilled for mounting.

Tier Drawers - Regular

see spec sheet **EG10.13B**



tier drawer



tier drawer with legs

FEATURES:

- Heavy gauge type 430 stainless steel cabinet with three roller-track drawers.
- With or without legs.
- Guides.
- Full-extension zinc-plated steel slides.
- Stainless steel drawer.
- Hemmed safety pull handle on each drawer.

Note: All shipping weights and cubic feet are approximate.

(•) MTS (made to stock) / () MTO (made to order)


width x length x height inches mm	description	weight lbs. kg	cubic feet	model #	list
22½" x 24" x 22" 572 x 610 x 559	3 drawers, nylon feet	75 34.0	9.8	TD3 •	3069
22½" x 24" x 34½" 572 x 610 x 876	3 drawers, with legs	78 35.4	9.8	TD3L	3465

NSF-Approved Tier Drawers

see spec sheet **EG10.13B**



model #NTD3L
with NSF-certified drawer



removable NSF
drawer slide

FEATURES:

- Utilizes totally removable drawer slides certified by the National Sanitation Foundation.
- Otherwise, design and features are the same as tier drawers mentioned above.
- Hemmed safety pull handle on each drawer.

Notes: These drawers can be integrated into a table.

Model #NTD3L. \$4220 list.

Optional Pan Replacement available.

Model #608120. \$160 list.

width x length x height inches mm	description	weight lbs. kg	cubic feet	model #	list
22½" x 24" x 22" 572 x 610 x 559	3 drawers, nylon feet	75 34.0	9.8	NTD3	3288
22½" x 24" x 34½" 572 x 610 x 876	3 drawers, with legs	78 35.4	9.8	NTD3L	3469

Drawer Assemblies

see spec sheet **EG10.13B**



enclosed drawer assembly



SPEC-MASTER® heavy duty drawer assembly

For Stainless Steel and Hardwood Tables!

FEATURES:

- Removable drawer pan.

Note: All shipping weights and cubic feet are approximate.

Lock available. **\$178 list.** To order, add suffix “-L”.

Example: 502972-L.

To determine number of drawers per table, see chart on page 212.

(•) MTS (made to stock) / () MTO (made to order)

Enclosed Assemblies NSF

Type 430 stainless steel, front with hemmed safety pull handle, and full-extension stainless steel slides.

width x length x height (drawer pan only)		cu ft	weight		model #		OPTIONAL PAN REPLACEMENT		weight	cu ft	model #		OPTIONAL PAN REPLACEMENT	
in.	mm		lbs.	kg			model #	list					model #	list
20" x 15" x 5"	508 x 381 x 127	3.0	35	15.9	502943	•	872	608115	241	40	18.1	502972	•	1409
20" x 20" x 5"	508 x 508 x 127	3.0	35	15.9										
					501572	•	907	608118	**	40	18.1	502971	•	1458
													606826	303

* Tables must be field drilled for mounting.

** Pan replacement #608118 does NOT fit drawer assembly #501572 with optional lock (#501572-L).

Drawer assembly #501572-L only accepts pan replacement #608119, **list \$340.**


SPEC-MASTER® Heavy Duty Assemblies NSF

Type 304 stainless steel, insulated front and self-closing drawer slides that fully extend from housing.


THESE ASSEMBLIES ARE STACKABLE!!

Drawer Assemblies With NSF-Approved Slides NSF

see spec sheet **EG10.13B**



removable NSF
drawer slide



#502946 or 502947
drawer assembly

FEATURES:

- Type 430 stainless steel.
- Utilizes a totally removable drawer slide, making it easy to clean for complete sanitation.
- Requires no tools.
- All-stainless steel housing, frame, drawer front complete with full-length front pull flange, and removable drawer pan with large radius corners.
- Hemmed safety pull handle.

Note: To determine number of drawers per table, see chart on page 212. Optional lock available. **\$187 list.**

To order, add suffix “-L”. **Example: 502946-L.**

(•) MTS (made to stock) / () MTO (made to order)

width x length x height (drawer pan only)		weight	cubic	model #		OPTIONAL PAN REPLACEMENT	
in.	mm					model #	list
20" x 15" x 5"	508 x 381 x 127	35	15.9	502947	•	898	608115
20" x 20" x 5"	508 x 508 x 127	35	15.9				
				502946	•	941	608116
							**

* Tables must be field drilled for mounting.

** Pan replacement #608116 does NOT fit drawer assembly #502946 with optional lock (#502946-L).

Drawer assembly #502946-L only accepts pan replacement #608119, **list \$340.**

TABLES FOR NON-CRITICAL ENVIRONMENTS


Catalog Section 10

Polymer Drawers

see spec sheet **EG10.13A**

FEATURES:

- Made of heavy gauge polymer.
- With pull flange and built-in drawer stop.



width x length x depth in.	width x length x depth mm	weight lbs.	weight kg	cubic feet	model #	list
13 7/8" x 19" x 3"	352 x 483 x 76	9	4.1	1.4	502948	362
13 7/8" x 19" x 6"	352 x 483 x 152	13	5.8	3.0	502949	434
13 7/8" x 19" x 9"	352 x 483 x 229	18	8.2	4.5	502950	527

Drawer Kits for All Stainless Steel Worktables

see spec sheet **EG10.13A**

description	add * suffix #	add to list
enclosed assembly (#501572) with 20" x 20" x 5" (508 x 508 x 127mm) drawer pan	-D1	907
20" x 20" x 5" (508 x 508 x 127mm) drawer with pull flange and full front (#501571)	-D2	499
20" x 20" x 5" (508 x 508 x 127mm) drawer with pull flange (#500772)	-D3	354

* Example: **T3060SB-D3**

Stainless Steel Caster Cradle®

see product announcement **EG8108M**

FEATURES:

- The only caster stabilizing device with a patented uniform circular design (patent #US 8,678,335 B2) that allows for approach from any angle.
- Units are secured to the floor where the casters are to be centered.



PATENTED!
(patent #US 8,678,335 B2)

description	model #	list/pkg
quantity of 2 per package	CC-S-2	112
quantity of 10 per package	CC-S-10	444
quantity of 60 per package	CC-S-60	2488

The Benefits of Broadline Manufacturing from EAGLE.

Call Your EAGLE GROUP Representative Now To Place Your Order.

Table Mounted Utility Tool Racks

see spec sheet **EG10.12**



- Furnished with 1½" (41mm) stainless steel tubular supports extending through table top and fastened securely to adjustable undershelf.
- Racks are triple-bar type made of ⅝" x 2" (5 x 51mm), aluminum or type 304 stainless steel bars bolted together and fitted with one two-prong sliding hook per foot.

FEATURES:

NOTE: All shipping weights and cubic feet are approximate. Worktables with Utility Tool Rack not recommended for use with casters.

(•) MTS (made to stock) / () MTO (made to order)


				Aluminum				Stainless Steel					
fits table length		rack length		weight		cu	model #	list	weight		cu	model #	list
in.	mm	in.	mm	lbs.	kg	ft			lbs.	kg	ft		
36"	914	28"	711	38	17.2	1.7	TM36APR	1164	50	22.7	1.7	TM36PR	1392
48"	1219	40"	1016	42	19.1	1.9	TM48APR	1212	57	25.9	1.9	TM48PR	1471
60"	1524	52"	1321	46	20.9	1.9	TM60APR	1252	64	29.0	1.9	TM60PR	1549
72"	1829	64"	1626	50	22.7	1.9	TM72APR	1311	70	31.8	1.9	TM72PR •	1631
84"	2134	76"	1930	54	24.5	1.9	TM84APR	1563	77	34.9	1.9	TM84PR	1927
96"	2438	88"	2235	58	26.3	2.1	TM96APR	1612	83	37.6	2.1	TM96PR	2007
108"	2743	100"	2540	62	28.1	2.3	TM108APR*	1955	89	40.4	2.3	TM108PR*	2427
120"	3048	112"	2845	66	29.9	2.5	TM120APR*	2014	95	43.1	2.5	TM120PR*	2528
132"	3353	124"	3150	71	32.2	2.8	TM132APR*	2073	102	46.3	2.8	TM132PR*	2655
144"	3658	136"	3454	76	34.5	3.1	TM144APR*	2143	109	49.4	3.1	TM144PR*	2704

* These racks include center tubular support.

Optional Adjustable Shelves for Table Mounted Pan/Pot Racks

12" (305mm) wide. 16 gauge, type 304 stainless steel.

shelf length		weight		cubic feet	model #	list
in.	mm	lbs.	kg			
36"	914	16	7.3	0.9	TM36PRS	567
48"	1219	20	9.0	1.3	TM48PRS	613
60"	1524	25	11.3	1.6	TM60PRS	658
72"	1829	30	13.6	1.9	TM72PRS	708
84"	2134	35	15.9	2.2	TM84PRS	760
96"	2438	39	17.6	2.5	TM96PRS	842
108"	2743	41	18.6	3.1	TM108PRS	2103
120"	3048	45	20.4	3.6	TM120PRS	2124
132"	3353	49	22.2	4.1	TM132PRS	2218
144"	3658	53	24.0	4.7	TM144PRS	2243



optional adjustable shelf
for table mounted pot/pan racks

Single Bar Pot Racks

see spec sheet **EG10.06**

length		ALUMINUM				STAINLESS STEEL			
		weight		model #	list	weight		model #	list
in.	mm	lbs.	kg			lbs.	kg		
24"	610	5	2.3	SBPR-24-A	198	9	4.1	SBPR-24-S	267
36"	915	6	2.7	SBPR-36-A	301	12	5.4	SBPR-36-S	378
48"	1219	7	3.2	SBPR-48-A	320	15	6.8	SBPR-48-S	424
60"	1524	9	4.1	SBPR-60-A	344	18	8.2	SBPR-60-S	469
72"	1829	11	5.0	SBPR-72-A	475	21	9.5	SBPR-72-S	613
84"	2134	13	5.9	SBPR-84-A	493	25	11.3	SBPR-84-S	654
96"	2438	15	6.8	SBPR-96-A	615	29	13.2	SBPR-96-S	791
108"	2743	17	7.7	SBPR-108-A	658	34	15.4	SBPR-108-S	855
120"	3048	20	9.0	SBPR-120-A	677	39	17.6	SBPR-120-S	897

* For overall lengths, add 5-1/8" (130mm).

FEATURES:

- Flat ⅝" (5mm)-thick, 2" (51mm)-wide solid bar.
- 24" (610mm) racks are one-piece, all others come with support brackets.
- Includes one two-prong hook per foot.

(•) MTS (made to stock) / () MTO (made to order)



single bar utility rack



utility hook

Additional Hook for Single Bar Utility Racks

- Stainless steel.


weight		cu ft	model #	list ea.
lbs.	kg			
0.2	0.1	0.1	300696 •	34

TABLES FOR NON-CRITICAL ENVIRONMENTS

Catalog Section 10

Ceiling Mounted Utility Tool Racks

see spec sheet **EG10.12**



- Furnished with chain hangers for ceiling suspension.
- Racks are triple-bar type made of $\frac{3}{16}$ " x 2" (5 x 51mm), aluminum or type 304 stainless steel bars bolted together, and fitted with one two-prong sliding hook per foot.

FEATURES:


Note: All shipping weights and cubic feet are approximate.

(•) MTS (made to stock) / () MTO (made to order)

Aluminum						Stainless Steel					
rack length		weight		cu	model #	list	weight		cu	model #	list
in.	mm	lbs.	kg	ft			lbs.	kg	ft		
28"	711	28	12.7	0.7	CM36APR	938	41	18.6	0.7	CM36PR	1197
40"	1016	32	14.5	0.9	CM48APR •	984	48	21.8	0.9	CM48PR •	1251
52"	1321	36	16.3	1.2	CM60APR •	1029	54	24.5	1.2	CM60PR •	1335
64"	1626	40	18.1	1.6	CM72APR •	1088	60	27.2	1.6	CM72PR •	1414
76"	1930	44	20.0	1.9	CM84APR	1345	67	30.4	1.8	CM84PR	1720
88"	2235	48	21.8	2.1	CM96APR	1388	74	33.6	2.1	CM96PR	1795
100"	2540	53	24.0	2.5	CM108APR	1623	81	36.7	2.5	CM108PR	2260
112"	2845	58	26.3	2.9	CM120APR	1643	87	39.5	2.9	CM120PR	2385
124"	3150	63	28.6	3.3	CM132APR	1729	94	42.6	3.3	CM132PR	2418
136"	3454	68	30.8	3.7	CM144APR	1765	101	45.8	3.7	CM144PR	2758

Wall Mounted Utility Tool Racks

see spec sheet **EG10.12**



- Racks are double-bar type made of $\frac{3}{16}$ " x 2" (5 x 51mm), aluminum or type 304 stainless steel bars bolted together, and fitted with one two-prong sliding hook per foot.
- Stainless steel brackets.

FEATURES:

(•) MTS (made to stock) / () MTO (made to order)

Aluminum						Stainless Steel					
rack length		weight		cu	model #	list	weight		cu	model #	list
in.	mm	lbs.	kg	ft			lbs.	kg	ft		
36"	914	13	5.8	1.0	WM36APR •	338	18	8.2	1.0	WM36PR •	391
48"	1219	15	6.8	1.2	WM48APR •	354	22	10.0	1.2	WM48PR •	472
60"	1524	17	7.7	1.4	WM60APR •	403	26	11.8	1.4	WM60PR •	503
72"	1829	19	8.6	1.8	WM72APR •	517	29	13.2	1.8	WM72PR •	639
84"	2134	21	9.5	2.0	WM84APR •	543	33	15.0	2.0	WM84PR •	695
96"	2438	23	10.4	2.3	WM96APR •	667	37	16.8	2.3	WM96PR •	985
108"	2743	25	11.3	2.6	WM108APR	806	41	18.6	2.6	WM108PR	1106
120"	3048	28	12.7	2.9	WM120APR	816	45	20.4	2.9	WM120PR	1172
132"	3353	31	14.1	3.2	WM132APR	944	50	22.7	3.3	WM132PR	1188
144"	3658	34	15.4	3.5	WM144APR	1014	55	24.9	3.5	WM144PR	1495

Corner Guards

see spec sheet **EG10.14**

- Adheres to corner of adjacent wall(s).
- Heavy gauge stainless steel.
- Adhesive tape backing.

		2" x 2" Inner Corner Guards		2" x 2" Outer Corner Guards	
height					
in.	mm	model #	list	model #	list
36"	914	CG-I-36	134	CG-O-36	134
48"	1219	CG-I-48	159	CG-O-48	159
60"	1524	CG-I-60	181	CG-O-60	181
72"	1829	CG-I-72	199	CG-O-72	199

- Options / Accessories / Replacements -

see spec sheet **EG10.50** (MFI)

Please allow six to eight weeks shipping cycle for custom fabrication after receipt of approved drawings.
Add 10% upcharge to expedite 4-week shipping cycle.



model #	description	unit	list	model #	description	unit	list
E10	Square edge table - front and/or rear	per table	269	300720	Lever drains - 1.5" I.P.S. (38mm)	each	294
E11	Marine counter edge	per table	578	300721	Lever drains - 2" I.P.S. (51mm)	each	294
E12	"V" type marine edge	per table	578	300722	Lever drains - 2" I.P.S. (51mm) with overflow	each	603
E13	Bullnose edge	per table	549	341189 ***	Twist handle drains - 1.5" I.P.S. (38mm)	each	309
E15	Vertical tray dividers - 4-section assembly, 3" on centers	each	855	336002 ***	Twist handle drains - 2" I.P.S. (51mm)	each	309
300698	Castors - 4" (102mm)-diameter with brake	each	131	341190 ***	Twist handle drains - 2" I.P.S. (51mm) with overflow	each	700
300699	Castors - 4" (102mm)-diameter without brake	each	125	E27	Top cutout - square or round (Specify location)	each	362
317635	Castors - 5" (127mm)-diameter with brake	each	171	E28	Angle slides for pans, up to six pairs Specify location and pan size.	set	751
317636	Castors - 5" (127mm)-diameter without brake	each	171	E29	Urn trough, 4.5" wide x 1.25" deep (114 x 32mm) with 1.5" (38mm) drain, complete with louvered grate. (Length must be maximum of 6" shorter than table. Specify location.)	lin. ft	183
313835	Stainless steel flanged bullet feet	each	34	E30	End splash — per end (Specify end), all heights	each	395
300692	Bullet feet - stainless steel	each	23	E31	1.5" (38mm) rear upturn for undershelf	table	159
301036	Bullet feet - white metal	each	12	E32	Can opener hole with under table support (Specify location)		257
300293	Bullet feet - plastic	each	2	E33	Sink splashes — single thickness 4" tall (102mm)	each	406
E17	Special height legs	per table	202	E34	Column cutout (Send floor plan/sketch)	each	843
E18 *	Duplex receptacle and mounting plate (under table)	each	506	NOT PICTURED			
E18.1 *	Duplex receptacle in splash (requires at least 6"-high splash)	each	488	model #	description	unit	list
E18.2 *	Pedestal duplex receptacle (top of table or overshelf)	each	565	606329	Scrap chute, 6" (152mm)-diameter	each	283
E19	Stainless steel gussets	each	43	606331	Knife rack (fits rolled rim, poly, and square edge tables)	each	414
E20	Sinks — complete with faucet and basket drain (Specify location)	each	1365	E35	16 gauge s/s apron in front of sinks or cutouts	lin. ft	199
E21	- 10" x 14" x 9.5" bowl (254 x 356 x 241mm)	each	1433	E36	Fully welded - top, undershelf & legs	each	638
E22 **	- 14" x 16" x 9.5" bowl (356 x 406 x 241mm)	each	1528	E36A	Welded base only - undershelf & legs	each	428
E23 **	- 16" x 20" x 8" bowl (406 x 508 x 203mm)	each	1696	E37	NSF sprayed-on sound deadening up to 12' (3658mm)	table	861
E24 **	- 16" x 20" x 14" bowl (406 x 508 x 356mm)	each	1858	E37A	- for each additional foot	lin. ft	68
E24A **	- 18" x 20" x 14" bowl (457 x 508 x 356mm)	each	1872	E38-6****	Cantilever mount up to 6' (1829mm) - add to wall shelf price	each	500
E25	- 24" x 24" x 14" (610 x 610 x 356mm) for 36" (914mm)-wide tables	each	2532	E38-12****	Cantilever mount up to 12' (3658mm) - add to wall shelf price	each	749
313304	T&S faucet upgrade - deck mount 4" (102mm) centers	each	758	E39	Enclosed backsplash	lin. ft	107


* For GFI receptacle, add "-GFI" to E number (example: E18.1-GFI) and \$51 to list price.

** These sink bowls will not fit in a table any less than 30" (762mm) wide.


*** Optional twist drain brackets available for use with twist handle drains.

**** Applicable to wall mount shelves and pot racks.


Optional Sinks Built Into Tables – Standard Locations



sink on left/right side of table




sink on center of table



sink with faucet on end of table

Optional Table Edges



NOTES

Accessories/Replacements

Hand Sinks	233-236
All Other Sinks	237, 242, 259-261

Custom Options259

412, 414, and 314 Series Sinks

One-Compartment	238
Two-Compartment	239
Three-Compartment	240
Four-Compartment	241

Cool Trough® Water

Tempering Systems264-265

Portable Cool Trough®	267
-----------------------------	-----

Counter Drop-In Sinks254-256

Floor Drains/Troughs262-26

Hand Sinks222-236

Accessories	233-236
Electronic.....	225-226
HFL-5000 Touchless	
Handwashing System	222
Physically Challenged / ADA	229
With Waste Receptacle	232

Seamless

Welded-In Sinks257-259

SPEC-MASTER® Heavy Duty Sinks

One-Compartment FN Series	243
Two-Compartment FN Series	244
Three-Compartment FN Series	245
Four-Compartment FN Series	246
FFN Series Flush Front	249
Specialty Use/Parts Cleaning	251

Specialty Sinks

314 Series Corner	250
310 / 312 Series Specialty Use	251
Lavatory	236
Mop Sink Storage Cabinets	253
Mop Sinks.....	252

Utility Sinks247-249

EAGLE HAND SINKS WITH MICROGARD® Antimicrobial Protection.

**THE
INDUSTRY'S
CLEAN
LEADER.**

NOW HERE'S A GREAT IDEA:

Making your handwashing stations more convenient and accessible by integrating them into your work sequence. What better way to attain more frequent handwashing.

Let the industry's clean leader help by giving you the widest range of hand sink choices – many available with exclusive MICROGARD® Antimicrobial Protection. More models, configurations and accessories mean more design options for you... so you'll have more efficient work areas, along with improved hygiene.

For all the details on how EAGLE hand sinks add up to better sanitation, visit www.eaglegrp.com.



Stainless Steel Fabricated Sinks

see spec sheets **EG20.14** **EG20.15**



- 14"-deep (356mm) bowls with 3/4" (19mm) radius corners.
- 8" (203mm)-high backsplash with 3/4" (19mm) upturn and tile edge.

FEATURES:



S14-20-3-18-SL



S16-20-3-18

						S14 Series		S16 Series	
						Stainless steel legs, crossbracing, gussets and bullet feet.		Galvanized legs, crossbracing and gussets, and plastic bullet feet.	
drainboard				overall		14 gauge type 304 stainless steel construction		16 gauge type 304 stainless steel construction	
# of bowls	length in.	length mm	# of drbds	length in.	length mm	model #	list	model #	list
1	n/a		0	29"	737	S14-20-1-SL	2048	S16-20-1	1804
2	18"	457	1	67 1/2"	1715	S14-20-2-18R-SL	3560	S16-20-2-18R	3134
	18"	457	1	67 1/2"	1715	S14-20-2-18L-SL	3560	S16-20-2-18L	3134
	18"	457	2	81"	2057	S14-20-2-18-SL	3745	S16-20-2-18	3298
3	18"	457	1	89 1/2"	2273	S14-20-3-18R-SL	4696	S16-20-3-18R	4131
	18"	457	1	89 1/2"	2273	S14-20-3-18L-SL	4696	S16-20-3-18L	4131
	18"	457	2	103"	2616	S14-20-3-18-SL	4942	S16-20-3-18	4348
	24"	610	1	95 1/2"	2426	S14-20-3-24R-SL	4896	S16-20-3-24R	4309
	24"	610	1	95 1/2"	2426	S14-20-3-24L-SL	4896	S16-20-3-24L	4309
	24"	610	2	115"	2921	S14-20-3-24-SL	5156	S16-20-3-24	4535
3	18"	457	2	103"	2616	S14-28-3-18-SL *	6259	S16-28-3-18 *	5503


* #S14-28-3-18-SL and #S16-28-3-18 sinks feature 28"-wide x 20"-long (711 x 508mm) sink bowls and two sets of faucet holes.

HFL-5000 Touch-Free Handwashing Systems

see spec sheet **EG20.55**

- EAGLE hand sink with MICROGARD® antimicrobial protection.
- Automated paper towel dispenser. EAGLE part #384796.
- Splash-mount gooseneck faucet, with electronic eye sensor. Eagle part #384969 or EAGLE part #369865.
- Hand sanitizing dispenser. EAGLE part #377455.
- Hand soap dispenser. EAGLE part #377456.
- Glove rack with single service gloves. EAGLE part #352855.
- Soft bristle white nail brush. EAGLE part #348602

Refer to specification sheet for full component details and specifications.



Optional MICROGARD®[®] for Hand Sinks!

(See pages 223-232 for applicable hand sinks.)

- MICROGARD® is an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew on the surface that cause stains, odors and degradation.
- MICROGARD® combines inorganic antimicrobial silver ions with a patented delivery system. The patented delivery system triggers the release of silver ions which react with bacteria in three ways:
 - 1) Suffocates the cell.
 - 2) Stops the cell reproduction system.
 - 3) Stops the cell from growing.
- MICROGARD® is a second line of defense. In keeping with good hygiene practices, clean this product as usual. The protection will not wash out, while organic bactericides may.**
- MICROGARD® is applied onto top and underside of sink deck, backsplash, and inside & outside of sink bowl (excludes faucets, drains, towel/soap dispensers, waste receptacle, skirt, pedal valves, and nail brush holder).

* MICROGARD® does not protect users or others against bacteria, viruses, germs or other disease organisms. Always clean this product thoroughly after each use.

** Note: To clean, use mild soap and water, rinse, and wipe entire surface dry. Soft non-abrasive cleaners may be used when necessary. Strong abrasive cleaners will scratch and dull the surface.

description of hand sink included	model #	list
with waste receptacle	HFL-5000	5312
with skirt (no waste receptacle)	HFL-5000-S	4736
with waste receptacle and end splashes	HFL-5000-LRS	5627

Catalog Section 20

Traditional Hand Sinks see spec sheet **EG20.40****MICROGARD®**

an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

- All sinks are wall mountable.
- Deep-drawn seamless design.
- Positive drain, included on all models.
- All type 304 stainless steel.
- Splash mount gooseneck faucet included on all models except HSA-10.

FEATURES:

(•) MTS (made to stock) / () MTO (made to order)

Cleanest sinks in the industry!

HSA-10* •		list: 647
	bowl size:	9¼" x 13½" x 6¼" (248 x 343 x 173mm)
	overall size:	14¼" x 18½" x 12¼" (376 x 480 x 324mm)
	weight:	10 lbs. (4.5 kg)
	cubic feet:	3.0
MICROGARD® available: To order, add suffix "-MG" to model # / add \$147 to list price.		includes: 4" (102mm) centerline faucet holes, basket drain.

HSA-10-FAW •		list: 1019
	bowl size:	9¼" x 13½" x 6¼" (248 x 343 x 173mm)
	overall size:	14¼" x 18½" x 12¼" (376 x 480 x 324mm)
	weight:	14 lbs. (6.4 kg)
	cubic feet:	2.8
MICROGARD® available: To order, add suffix "-MG" to model # / add \$147 to list price.		includes: Faucet with wrist handles, p-trap, tail piece, basket drain.

HSA-10-F •		list: 758
	bowl size:	9¼" x 13½" x 6¼" (248 x 343 x 173mm)
	overall size:	14¼" x 18½" x 12¼" (376 x 480 x 324mm)
	weight:	12 lbs. (5.2 kg)
	cubic feet:	2.8
MICROGARD® available: To order, add suffix "-MG" to model # / add \$147 to list price.		includes: Faucet, basket drain.

HSA-10-FL •		list: 1085
	bowl size:	10" x 14" x 5" (254 x 356 x 127mm)
	overall size:	14¼" x 18½" x 12¼" (376 x 480 x 318mm)
	weight:	15 lbs. (6.6 kg)
	cubic feet:	3.0
		includes: Faucet, polymer lever drain.

HSA-10-FA •		list: 800
	bowl size:	9¼" x 13½" x 6¼" (248 x 343 x 173mm)
	overall size:	14¼" x 18½" x 12¼" (376 x 480 x 324mm)
	weight:	14 lbs. (6.4 kg)
	cubic feet:	3.0
MICROGARD® available: To order, add suffix "-MG" to model # / add \$147 to list price.		includes: Faucet, p-trap, tail piece, basket drain.

HSA-10-FO •		list: 899
	bowl size:	10" x 14" x 5" (254 x 356 x 127mm)
	overall size:	14¼" x 18½" x 12¼" (376 x 480 x 318mm)
	weight:	13 lbs. (5.6 kg)
	cubic feet:	3.0
		includes: Faucet, polymer lever drain w/overflow.

* To order hand sink with no faucet holes, add suffix "-NH" to model number (example: HSA-10-NH). \$188 upcharge.

Hand Sinks with Standard Towel Dispenser and/or Soap Dispenser

see spec sheets **EG20.05** **EG20.41**

MICROGARD®

an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

- Deep-drawn positive drain and splash mount gooseneck faucet included on all models.
- All 304 series stainless steel, including towel dispenser.
- Soap dispenser on all models holds 16 ounces.
- Towel dispenser holds 4" x 10" (102 x 254mm) C-fold disposable paper towels.

FEATURES:

HSA-10-FDP		list: 1596
	bowl size:	9 1/4" x 13 1/2" x 6 1/4" (248 x 343 x 173mm)
	overall size:	14 1/4" x 19 1/4" x 28 1/4" (376 x 489 x 718mm)
	weight:	29 lbs. (13.2 kg)
	cubic feet:	6.2
MICROGARD® available: To order, add suffix "-MG" to model # / add \$147 to list price.		includes: Faucet, towel dispenser, soap dispenser, basket drain.

HSA-10-FODP		list: 1958
	bowl size:	10" x 14" x 5" (254 x 356 x 127mm)
	overall size:	14 1/4" x 19 1/4" x 28" (376 x 489 x 711mm)
	weight:	30 lbs. (13.6 kg)
	cubic feet:	6.2
		includes: Faucet, towel dispenser, soap dispenser, polymer lever drain w/overflow.

HSA-10-FDPS		list: 2436
	bowl size:	9 1/4" x 13 1/2" x 6 1/4" (248 x 343 x 173mm)
	overall size:	14 1/4" x 19 1/4" x 30" (376 x 489 x 762mm)
	weight:	29 lbs. (13.2 kg)
	cubic feet:	6.2
MICROGARD® available: To order, add suffix "-MG" to model # / add \$147 to list price.		includes: Faucet, towel dispenser, soap dispenser, skirt, basket drain.

HSA-10-F-DS*		list: 997
	bowl size:	9 1/4" x 13 1/2" x 6 1/4" (248 x 343 x 165mm)
	overall size:	14 13/16" x 18 1/4" x 12 3/4" (376 x 480 x 324mm)
	weight:	12 lbs. (5.2 kg)
	cubic feet:	2.8
MICROGARD® available: To order, add suffix "-MG" to model # / add \$147 to list price.		includes: Faucet, 16-oz deck-mt soap dispenser, basket drain.

HSA-10-FLDP		list: 1916
	bowl size:	10" x 14" x 5" (254 x 356 x 127mm)
	overall size:	14 1/4" x 19 1/4" x 28" (376 x 489 x 711mm)
	weight:	32 lbs. (14.5 kg)
	cubic feet:	6.2
		includes: Faucet, towel dispenser, soap dispenser, polymer lever drain.

HSA-10-FWLDP-LRS		list: 2585
	bowl size:	10" x 14" x 5" (254 x 356 x 127mm)
	overall size:	14 1/4" x 19 1/4" x 28" (376 x 489 x 711mm)
	weight:	30 lbs. (13.6 kg)
	cubic feet:	6.2
		includes: Faucet with wrist handles, towel dispenser, soap dispenser, polymer lever drain, and side splashes.

* Overall height does not include soap dispenser bottle. See page 231 for "Space-Saver" hand sink with deck-mount soap dispenser.

Catalog Section 20

Electronic Eye Hand Sinks - AC POWER see spec sheet **EG20.42**

Note: For regulating water temperature, Temperature Adjustment Valve (see page 234) is required.

MICROGARD®

an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

- Electronic “eye” sensor beam activates water flow and adjusts from 3” to 12” (76 to 305mm).
- Requires 120-volt, 15-amp electricity.
- 120-volt AC adapter.
- Splash mount gooseneck spout.
- Lever or basket drain.
- Y-Inlet Non-Adjustable Mixing Valve.

FEATURES:

(•) MTS (made to stock) / () MTO (made to order)

HSA-10-FE*•		list: 2758
	bowl size:	9¼" x 13½" x 6¼" (248 x 343 x 173mm)
	overall size:	14¾" x 18¾" x 12¾" (376 x 480 x 324mm)
	weight:	14 lbs. (6.3 kg)
	cubic feet:	3.0
MICROGARD® available: To order, add suffix “-MG” to model # / add \$147 to list price.		includes: Spout, electronic eye, and basket drain.

HSA-10-FDPE *		list: 3948
	bowl size:	9¼" x 13½" x 6¼" (248 x 343 x 173mm)
	overall size:	14¾" x 19¼" x 28¼" (376 x 489 x 718mm)
	weight:	31 lbs. (14.1 kg)
	cubic feet:	6.2
MICROGARD® available: To order, add suffix “-MG” to model # / add \$147 to list price.		includes: Spout, electronic eye, soap dispenser, towel dispenser, and basket drain.

HSA-10-FOE		list: 2900
	bowl size:	10" x 14" x 5" (254 x 356 x 127mm)
	overall size:	14¾" x 18¾" x 12½" (376 x 480 x 318mm)
	weight:	13 lbs. (5.7 kg)
	cubic feet:	3.0
		includes: Spout, electronic eye, and polymer lever drain with overflow.

HSA-10-FODPE		list: 3965
	bowl size:	10" x 14" x 5" (254 x 356 x 127mm)
	overall size:	14¾" x 19¼" x 28" (376 x 489 x 711mm)
	weight:	30 lbs. (13.6 kg)
	cubic feet:	6.2
		includes: Spout, electronic eye, soap dispenser, towel dispenser, and polymer lever drain with overflow.

HSA-10-FA-PE		list: 3672
	bowl size:	9¼" x 13½" x 6¼" (248 x 343 x 173mm)
	overall size:	14¾" x 18¾" x 40¼" (376 x 480 x 1036mm)
	weight:	28 lbs. (12.7 kg)
	cubic feet:	9.5
MICROGARD® available: To order, add suffix “-MG” to model # / add \$147 to list price.		includes: Spout, electronic eye, soap dispenser, P-trap, tail piece, and basket drain.

HSA-10-FDPEE		list: 4324
	bowl size:	9¼" x 13½" x 6¼" (248 x 343 x 173mm)
	overall size:	14¾" x 19¼" x 31¼" (376 x 489 x 794mm)
	weight:	30 lbs. (13.6 kg)
	cubic feet:	6.2
MICROGARD® available: To order, add suffix “-MG” to model # / add \$147 to list price.		includes: Spout, electronic eye, towel dispenser, electronic soap dispenser, and basket drain.

* Optional waste receptacle available for models HSA-10-FE, HSA-10-FDPE, and HSA-10-FDPEE. See page 235.

Electronic Hand Sinks - Battery Power

see spec sheets **EG20.07** **EG20.49**

MICROGARD®

an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

- Battery-powered electronic-eye faucet which operates on four "AA" batteries (included).
- Y-Inlet Non-Adjustable Mixing Valve.
- "Low battery" indicator light.

FEATURES:

HSA-10-FDPEE-B-T		list: 6069
	bowl size:	9¼" x 13½" x 6¼" (248 x 343 x 173mm)
	overall size:	14¼" x 19¼" x 47½" (376 x 489 x 1207mm)
	weight:	54 lbs. (24.5 kg)
	cubic feet:	9.8
MICROGARD® available: To order, add suffix "-MG" to model # / add \$147 to list price.		includes: Battery-powered electronic eye faucet, towel dispenser, electronic soap dispenser, waste receptacle & skirt, and basket drain.

HSAP-14-ADA-FE-B		list: 6052
	bowl size:	16" x 14" x 5" (406 x 356 x 127mm)
	overall size:	24" x 22" x 24½" (610 x 559 x 623mm)
	weight:	65 lbs. (29.5 kg)
	cubic feet:	19.2
		includes: Battery-powered electronic eye faucet, basket drain, c-fold towel dispenser in front, deck-mount soap dispenser, skirt.

HSA-10-FE-B-DS *		list: 3427
	bowl size:	9¼" x 13½" x 6¼" (248 x 343 x 173mm)
	overall size:	14¼" x 18" x 12¼" (376 x 480 x 324mm)
	weight:	16 lbs. (7.3 kg)
	cubic feet:	3.0
MICROGARD® available: To order, add suffix "-MG" to model # / add \$147 to list price.		includes: Battery-powered electronic eye faucet, deck-mount soap dispenser, basket drain.

HSA-10-FE-B-NB-MG		list: 3494
	bowl size:	9¼" x 13½" x 6¼" (248 x 343 x 173mm)
	overall size:	14¼" x 18" x 12¼" (376 x 480 x 324mm)
	weight:	26 lbs. (11.8 kg)
	cubic feet:	3.0
MICROGARD® Standard		includes: Battery-powered electronic eye faucet, splash-mount nail brush holder, nail brush, MICROGARD®, basket drain.

HSAN-10-FE-B-DS*		list: 3839
	bowl size:	13½" x 9¼" x 6¼" (343 x 248 x 171mm)
	overall size:	17¼" x 12¼" x 14¼" (457 x 308 x 362mm)
	weight:	16 lbs. (7.3 kg)
	cubic feet:	2.8
		includes: Battery-powered electronic eye faucet, deck-mount soap dispenser, basket drain.

HSA-10-FE-B-T-NB-MG		list: 4306
	bowl size:	9¼" x 13½" x 6¼" (248 x 343 x 173mm)
	overall size:	14¼" x 18" x 29½" (376 x 480 x 740mm)
	weight:	25 lbs. (11.3 kg)
	cubic feet:	8.1
MICROGARD® Standard		includes: Battery-powered electronic eye faucet, splash-mount nail brush holder, nail brush, MICROGARD®, waste receptacle & skirt, basket drain.

* Overall height does not include soap dispenser bottle.

Catalog Section 20

Miscellaneous Hand Sinks see spec sheets **EG20.21** **EG20.44**

(•) MTS (made to stock) / () MTO (made to order)

MICROGARD®

an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

HSA-10-FKP**list: 1832**

single knee pedal valve

MICROGARD® available:

To order, add suffix "-MG" to model # / add \$147 to list price.

bowl size: 9¼" x 13½" x 6¼"
(248 x 343 x 173mm)overall size: 14¾" x 18½" x 17½"
(376 x 480 x 445mm)

weight: 26 lbs. (11.8 kg)

cubic feet: 6.0

includes: Spout, single pedal knee valve, skirt, basket drain.

HSA-10-FA-P•**list: 1677**

with Foot Valve Operation

MICROGARD® available:

To order, add suffix "-MG" to model # / add \$147 to list price.

bowl size: 9¼" x 13½" x 6¼"
(248 x 343 x 173mm)overall size: 14¾" x 18½" x 40½"
(376 x 480 x 1019mm)

weight: 32 lbs. (14.5 kg)

cubic feet: 7.4

includes: Spout, foot pedal valves, P-trap, tail piece, basket drain.

HSA-10-1FK*•**list: 1643**

with Knee Valve Operation

MICROGARD® available:

To order, add suffix "-MG" to model # / add \$147 to list price.

bowl size: 9¼" x 13½" x 6¼"
(248 x 343 x 173mm)overall size: 14¾" x 18½" x 17½"
(376 x 480 x 445mm)

weight: 27 lbs. (12.2 kg)

cubic feet: 4.0

includes: Spout, single knee pedal, skirt, and basket drain.

HSA-10-FA-1P•**list: 1677**

with Foot Valve Operation

MICROGARD® available:

To order, add suffix "-MG" to model # / add \$147 to list price.

bowl size: 9¼" x 13½" x 6¼"
(248 x 343 x 173mm)overall size: 14¾" x 18½" x 40½"
(376 x 480 x 1019mm)

weight: 32 lbs. (14.5 kg)

cubic feet: 10.2

includes: Spout, single foot pedal valve, P-trap, tail piece, basket drain.

HSA-10-FDPK***list: 2517**

with Knee Valve Operation

MICROGARD® available:

To order, add suffix "-MG" to model # / add \$147 to list price.

bowl size: 9¼" x 13½" x 6¼"
(248 x 343 x 173mm)overall size: 14¾" x 19¼" x 33"
(376 x 489 x 838mm)

weight: 44 lbs. (20.0 kg)

cubic feet: 6.2

includes: Spout, knee pedals, skirt, soap dispenser, towel dispenser, basket drain.

HSA-10-FK*•**list: 1643**

with Knee Valve Operation

MICROGARD® available:

To order, add suffix "-MG" to model # / add \$147 to list price.

bowl size: 9¼" x 13½" x 6¼"
(248 x 343 x 173mm)overall size: 14¾" x 18½" x 17½"
(376 x 480 x 445mm)

weight: 27 lbs. (12.2 kg)

cubic feet: 3.9

includes: Spout, knee pedals, skirt, and basket drain.

HSA-10-FW•**list: 876**

with Standard Wrist Handles

MICROGARD® available:

To order, add suffix "-MG" to model # / add \$147 to list price.

bowl size: 9¼" x 13½" x 6¼"
(248 x 343 x 173mm)overall size: 14¾" x 18½" x 12¼"
(376 x 480 x 324mm)

weight: 14 lbs. (6.4 kg)

cubic feet: 3.0

includes: Faucet with wrist handles, basket drain.

* Overall height does not include skirt and knee valves.

Portable Hand Sinks

see spec sheets **EG20.06A** **EG8132**



portable hand sink with stainless steel cabinet and single sink bowl



portable hand sink with laminated cabinet and removable water plate.

FEATURES:

- Stainless steel top features box marine edge and rear backsplash.
- 5-gallon fresh water tank, 7-gallon gray water tank.
- Deck mount faucet with 1/4-turn handles.
- Towel rack and trash chute included.
- NEMA 5-15 plug & cord.

Notes: Optional Poly Cutting Board available. 3/4"-thick. Green color. Model #376509, list \$222.

Custom portable hand sinks available through SpecFAB®.

Sinks with Stainless Steel Cabinet—Comes with 4" (102mm) swivel casters* (two with brake).

description	bowl size		overall size		WITH COLD WATER ONLY				WITH HOT & COLD WATER			
	width x length x depth		width x length x height		weight *		model #	list			model #	list
	in.	mm	in.	mm	lbs.	kg			lbs.	kg		
with single S/S bowl	14" x 10" x 5"	356 x 254 x 127	24" x 26" x 44 1/2"	610 x 660 x 1130	232	105.2	PHS-S-C	6442	204	92.5	PHS-S-H	7954
with 3-compartment bowl	11 1/2" x 6 1/2" x 5"	295 x 156 x 127	24" x 26" x 44 1/2"	610 x 660 x 1130	232	105.2	PHS-S3-C	6651	251	113.9	PHS-S3-H	8373
with acrylic water plate**	12 1/2" x 16"	32 x 406	24" x 26" x 44 1/2"	610 x 660 x 1130	232	105.2	PHS-A-C	7725	251	113.9	PHS-A-H	9161

Sinks with Laminated Cabinet—Features Wilsonart® "Biltmore Cherry." Comes with 3" (76mm) swivel casters* (two with brake).

description	bowl size		overall size		WITH COLD WATER ONLY				WITH HOT & COLD WATER			
	width	length x depth	width	length x height	weight *		model #	list	lbs.	kg	model #	list
	in.	mm	in.	mm	lbs.	kg						
with single S/S bowl	14" x 10" x 5"	356 x 254 x 127	25" x 28" x 44 1/2"	635 x 711 x 1130	237	107.5	PHS-S-C-LB	7215	214	97.1	PHS-S-H-LB	8081
with 3-compartment bowl	11 1/2" x 6 1/2" x 5"	295 x 156 x 127	25" x 28" x 44 1/2"	635 x 711 x 1130	237	107.5	PHS-S3-C-LB	7315	262	118.8	PHS-S3-H-LB	9517
with acrylic water plate**	12 1/2" x 16"	32 x 406	25" x 28" x 44 1/2"	635 x 711 x 1130	237	107.5	PHS-A-C-LB	8498	237	107.5	PHS-A-H-LB	10078

* 150 lb. (68.0 kg) weight capacity per caster.

* Weights shown reflect empty tanks.

** Features 12 1/2" x 16" (32 x 406mm) removable polycarbonate water plate which drains into a stainless steel trough, and deck-mount faucet.

Portable Hand Sinks with Open Base

see spec sheet **EG20.06B**



shown with optional wrist handle faucet

Units with Wire Undershelf also available!

—See Spec Sheet

FEATURES:

- Same inclusions as Portable Hand Sinks with Cabinet (above), but with open base instead.
- Stainless steel undershelf with cord wrap and marine edge.
- 1 5/8" (41mm)-diameter stainless steel legs with 4" (102mm)-diameter casters, two w/brake.
- Removable 12 1/2" x 10 1/2" x 6" pan.

overall width x length x height* inmm		WITH COLD WATER ONLY				WITH HOT & COLD WATER			
		weight		model #		weight		model #	
lbs.	kg	model #	list	lbs.	kg	model #	list		
21½" x 24½" x 15½"	546 x 625 x 394	217	98.4	PHSE-S-C	5388	217	98.4	PHSE-S-H	6586

* Working height, excludes height of faucet.

Portable Hand Sink Supply Cart

see spec sheet **EG20.06C**

Accommodates two 5-gallon tanks and two 7-gallon tanks (sold separately)

—See Spec Sheet



FEATURES:

- 24" x 24" (610 x 610mm) chrome-plated wire shelf and wire storage basket and four-sided wire truss frame.
- 5" (127mm) casters—two with brake—with resilient tread and donut bumper.

overall width x length x height	in	mm	model #	list
31 1/4" x 26 1/4" x 39"	1811 x 665 x 991		PHS-SUPCRT-A	721

Catalog Section 20

Hand Wash Sinks see spec sheet **EG20.47**Model #
HWC-EModel #
HWB-E

FEATURES:

- Type 304 stainless steel all-welded construction.
- 1½" (38mm) bull nose front edge.
- Hinged door with pull handle and magnetic catch.
- Pump-action soap dispenser on rear deck.
- Built-in front-loading C-fold towel dispenser located in front of sink bowl.
- Deck-mounted faucet.
- Basket drain.
- Crumb cup.

Space-Saver Models—Wall-mountable. Furnished with Z-clips to secure to wall.

bowl size		overall size		WITH STANDARD FAUCET				WITH T&S FAUCET			
width x length x depth		width x length x height		weight		model #		weight		model #	
in.	mm	in.	mm	lbs.	kg		list	lbs.	kg		list
9¼" x 11½" x 6"	235 x 292 x 152	16¾" x 14" x 21¼"	421 x 356 x 540	36	16.3	HWC-E	3040	37	16.8	HWC-T	3319

Drop-In Models

bowl size		overall size		cutout dimensions		WITH STANDARD FAUCET				WITH T&S FAUCET			
width x length x depth		width x length x height		width x length		weight		model #		weight		model #	
in.	mm	in.	mm	in.	mm	lbs.	kg		list	lbs.	kg		list
9¼" x 11½" x 6"	235 x 292 x 152	17½" x 16½" x 17¼"	445 x 419 x 438	16" x 14½"	406 x 378	32	14.5	HWB-E	3181	33	15.0	HWB-T	3457

Physically Challenged Hand Sinks see spec sheet **EG20.45**

FEATURES:


- Standard with faucet and basket drain.

Designed for unique applications!

(•) MTS (made to stock) / () MTO (made to order)

HSAP-14-FW		list: 2182
	bowl size:	16" x 14" x 5" (406 x 356 x 127mm)
	overall size:	24½" x 19" x 16½" (613 x 483 x 419mm)
	weight:	26 lbs. (11.8 kg)
	cubic feet:	6.5
includes: Faucet, basket drain, and wall brackets.		

HSAP-14-ADA-FE-B		list: 6052
	bowl size:	16" x 14" x 5" (406 x 356 x 127mm)
	overall size:	24" x 22" x 24½" (610 x 559 x 623mm)
	weight:	65 lbs. (29.5 kg)
	cubic feet:	19.2
includes: Battery-powered electronic eye splash-mount faucet, c-fold towel dispenser in front, deck mount soap dispenser, skirt, basket drain.		

HSAP-14-ADA-FW		list: 5176
	bowl size:	16" x 14" x 5" (406 x 356 x 127mm)
	overall size:	24" x 22" x 24½" (610 x 559 x 623mm)
	weight:	55 lbs. (24.9 kg)
	cubic feet:	14.1
includes: Splash-mount faucet w/wrist handles, c-fold towel dispenser in front, deck mount soap dispenser, skirt, basket drain.		

Replacement T&S Faucets for HSAP-14-ADA-FW

Top quality splash-mount faucets. 4" center.

features	model #	list
gooseneck spout	306134	677
wrist handles, gooseneck spout	313305	675



#313305

Hand Sinks with Side Splashes



see spec sheet **EG20.56**

FEATURES: • Standard with faucet and basket drain.

(•) MTS (made to stock) / () MTO (made to order)

HSA-10-F-LRS •		list: 1340
	bowl size:	9¼" x 13½" x 6¼" (248 x 343 x 173mm)
	overall size:	14¼" x 18½" x 12¼" (376 x 480 x 324mm)
	weight:	14 lbs. (6.4 kg)
	cubic feet:	3.9
includes:		Faucet, basket drain, and side splashes.

HSAN-10-F-LRS •		list: 1482
	bowl size:	13½" x 9¼" x 6¼" (343 x 248 x 173mm)
	overall size:	18" x 12" x 14¼" (457 x 305 x 362mm)
	weight:	13 lbs. (5.9 kg)
	cubic feet:	2.8
includes:		12" (305mm) side-to-side, faucet, basket drain, and side splashes.

HSA-10-FTWS-LRS		list: 1777
	bowl size:	9¼" x 13½" x 6¼" (248 x 343 x 173mm)
	overall size:	14¼" x 18½" x 12¼" (376 x 480 x 324mm)
	weight:	21 lbs. (9.5 kg)
	cubic feet:	3.5
includes:		Faucet, tubular wall brackets, basket drain, and side splashes.

HSA-10-FDPE-LRS		list: 4528
	bowl size:	9¼" x 13½" x 6¼" (248 x 343 x 173mm)
	overall size:	14¼" x 19¼" x 28¼" (376 x 489 x 718mm)
	weight:	31 lbs. (14.1 kg)
	cubic feet:	2.8
includes:		Spout with electronic eye, towel dispenser, soap dispenser, basket drain, and side splashes.

Miscellaneous Hand Sinks



see spec sheet **EG20.31**

(•) MTS (made to stock) / () MTO (made to order)

MICROGARD®

an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

HSA-10-FAW •		list: 1019
 <i>with Standard Wrist Handles</i>	bowl size:	9¼" x 13½" x 6¼" (248 x 343 x 173mm)
	overall size:	14¼" x 18½" x 12¼" (376 x 480 x 324mm)
	weight:	14 lbs. (6.4 kg)
	cubic feet:	2.8
includes:		Faucet with wrist handles, P-trap, tail piece, basket drain.
MICROGARD® available:		To order, add suffix "-MG" to model # / add \$147 to list price.

HSA-10-FTWS		list: 1196
 <i>with Tubular Wall Support</i>	bowl size:	9¼" x 13½" x 6¼" (248 x 343 x 173mm)
	overall size:	14¼" x 18½" x 12¼" (376 x 480 x 324mm)
	weight:	20 lbs. (9.0 kg)
	cubic feet:	3.0
includes:		Faucet, tubular wall brackets, basket drain.
MICROGARD® available:		To order, add suffix "-MG" to model # / add \$147 to list price.

Catalog Section 20

Space-Saver Series Hand Sinks see spec sheets **EG20.05** **EG20.43****MICROGARD®**

an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

FEATURES: • Standard with faucet and basket drain.

(•) MTS (made to stock) / () MTO (made to order)

HSAN-10-F•		list:	902
	bowl size:	13½" x 9¼" x 6¼" (343 x 248 x 171mm)	
	overall size:	18" x 12" x 14¼" (457 x 305 x 362mm)	
	weight:	12 lbs. (5.2 kg)	
	cubic feet:	2.8	
Only 12" (305mm) side-to-side to maximum space efficiency.			
MICROGARD® available: To order, add suffix "-MG" to model # / add \$140 to list price.		includes:	Splash mount faucet, basket drain.

HSAND-10-F•		list:	753
	bowl size:	13½" x 9¼" x 6¼" (343 x 248 x 171mm)	
	overall size:	19½" x 12" x 14¼" (498 x 305 x 362mm)	
	weight:	12 lbs. (5.2 kg)	
	cubic feet:	2.8	
Only 12" (305mm) side-to-side to maximum space efficiency.			
		includes:	Deck mount faucet, basket drain.

HSANT-FS		list:	1065
	bowl size:	13½" x 9¼" x 6¼" (343 x 248 x 171mm)	
	overall size:	18" x 12" x 26½" (457 x 305 x 673mm)	
	weight:	26 lbs. (11.8 kg)	
	cubic feet:	6.5	
19½" (495mm) backsplash and skirt		includes:	Faucet, 19½" (495mm) high backsplash, basket drain.

HSAN-10-F-DS*		list:	1151
	bowl size:	13½" x 9¼" x 6¼" (343 x 248 x 165mm)	
	overall size:	17½" x 12" x 14¼" (457 x 308 x 362mm)	
	weight:	12 lbs., 5.2 kg	
	cubic feet:	2.8	
		includes:	Faucet, deck-mount soap dispenser, basket drain.

* Overall height does not include soap dispenser globe.

Stainless Steel Cleaner & Polish



- Cleans and polishes in one step.
- Does not streak or leave fingerprints.
- Leaves a protective invisible coating.

weight		model #	list
oz.	kg		
15	0.4	004026	23

Special Purpose Hand Sinks

see spec sheets **EG20.20** **EG20.36** **EG20.37** **EG20.48**

Hand Sink with Deck Mount Faucet

HSAD-10-F •		list: 700
	bowl size:	9¼" x 13½" x 6¾" (249 x 343 x 171mm)
	overall size:	16½" x 18¾" x 12¼" (419 x 479 x 324mm)
	weight:	14 lbs. (6.4 kg)
	cubic feet:	3.0
	includes:	Faucet and basket drain.

Economical Hand Sink

- Faucet is deck mounted gooseneck.

HSAE-10-FA •		list: 843
	bowl size:	10" x 14" x 5" (254 x 356 x 127mm)
	overall size:	15" x 16¾" x 9" (381 x 425 x 229mm)
	weight:	10 lbs. (4.5 kg)
	cubic feet:	3.0
	includes:	Faucet, p-trap, tail piece, basket drain, wall brackets, 4" (102mm) high backsplash.

Hand Sink with 8" (203mm) Centerline Faucet Holes

- Accommodates splash-mount faucet with 8" (203mm) centerline.

HSA-10-8		list: 628
	bowl size:	9¼" x 13½" x 6¾" (248 x 343 x 173mm)
	overall size:	14¾" x 18¾" x 12¼" (376 x 480 x 324mm)
	weight:	10 lbs. (4.5 kg)
	cubic feet:	3.0
	includes:	8" (203mm) centerline faucet holes (no faucet), basket drain
MICROGARD® available: To order, add suffix "-MG" to model # / add \$147 to list price.		

FEATURES: • Standard with faucet and basket drain.

(•) MTS (made to stock) / () MTO (made to order)

Designed for unique applications!

MICROGARD®

an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

Hand Sink with Waste Receptacle-*Patent protected*

- U.S. Patent #5,732,422.
- Faucet is splash mounted gooseneck.

HSA-10-FDP-T		list: 2325
	bowl size:	9¼" x 13½" x 6¾" (248 x 343 x 173mm)
	overall size:	14¾" x 19¼" x 44¾" (376 x 480 x 1133mm)
	weight:	29 lbs. (13.2 kg)
	cubic feet:	6.2
	includes:	Faucet, basket drain, 12-oz soap dispenser, towel dispenser, waste skirt, and waste receptacle.
MICROGARD® available: To order, add suffix "-MG" to model # / add \$147 to list price.		


Hand Sink with 8" (203mm) Centerline Faucet

- Faucet is splash mounted gooseneck.

HSA-10-8F		list: 807
	bowl size:	9¼" x 13½" x 6¾" (248 x 343 x 173mm)
	overall size:	14¾" x 18¾" x 12¼" (376 x 480 x 324mm)
	weight:	12 lbs. (5.2 kg)
	cubic feet:	3.0
	includes:	Faucet on 8" (203mm) center, basket drain.
MICROGARD® available: To order, add suffix "-MG" to model # / add \$147 to list price.		

Catalog Section 20

Hand Sink Accessories -Faucets & Valves

see spec sheet **EG20.52A**

Standard Faucets

- With 4" (102mm) center, except #313075.

description	model #	list
splash mounted, gooseneck spout	303987	209
wrist handles	307120	131
splash mounted with wrist handles, gooseneck spout	306495	436
deck mounted, gooseneck spout, 1/4-turn handles	302004	232
deck mounted, 8" (203mm) spout, 1/4-turn handles	301248	207
drinking bubbler	318495	735
splash mounted, gooseneck spout, 8" (203mm) center	313075	204

Repair Kit for Standard Faucets

- For faucets #303987, 302004, and 301248 only.

description	model #	list
hot/cold ceramic cartridge	368421	37

Faucet-Mount
Emergency Eyewash Units

- Fits in place of standard aerator on spout.

description	model #	list
pull valve activation, includes two dust covers, chrome finish	326272	596
rotate to activate, polished stainless finish, "eye-pod" design	377563	1191

IMPORTANT NOTE: If anti-scald valve (see below) is needed, order #373848 only.

Anti-Scald Valve for Faucet-Mount Emergency Eyewash Units

- This is the only anti-scald valve to be used with faucet-mount emergency eyewash units (above).
- Meets ANSI Z358.1 and ASSE 1071 standards.

description	model #	list
1/2" (13mm) NPT, 65 - 90°F	373848	2691

FEATURES:

- All faucets below feature 4" (102mm) centers, except where noted.

Note: Faucets listed are lead-free AB1953-compliant.

Can be shipped UPS.

Battery-Powered Electronic-Eye Faucets

- Used as a replacement to sinks on page 225 (by adding suffix **"-B"**), or as a replacement faucet for sinks on page 226 via the model number below.



description	model #	list
Splash mount. Comes with four "AA" batteries and built-in low-battery indicator	326014	1981
Upgrade: T&S electric-eye faucet, splash-mtd with batteries and AC adapter for dual operation. With AC adapter plugged in, faucet automatically switches to AC power to conserve batteries.	356128	2122

Short 90° for Splash Mount Faucets

description	model #	list
set of two, 1/2" NPT female x male	376740	69

Spouts/Spout Assemblies

description	model #	list
splash-mount replacement gooseneck for knee/foot valve-operated models	312162	424

Shut-Off Valve

- Antibacterial surface.
- Screws onto faucet aerator.
- Polished chrome finish.

description	model #	list
shut-off push bar	349921	87

Anti-Scald Valve

- Automatic shutdown with either hot or cold water failure.
- ASSE 1016 and 1017 listed.

IMPORTANT: Not for use with Faucet-Mount Emergency Eyewash Units.

description	model #	list
1/2" (13mm) NPT, 100 - 145°F	326696	793

Hand Sink Accessories - Valves

see spec sheet **EG20.52A**

Can be shipped UPS.

(•) MTS (made to stock) / () MTO (made to order)

Temperature Adjustment Valve ("Mixing Valve")

- For hand sinks with AC-powered electronic faucet or hand sinks with single pedal valves.
- Cast brass body.
- ¾" (10mm) all connections.



description	model #	list
built-in check valves to prevent backflow and adjustment screw valves to mix hot and cold	326015	120

Non-Adjustable Y-Inlet Mixing Valve

- For electronic hand sinks and hand sinks with single pedal valves only.
- "Y" shaped single-piece component. Chrome-plated brass body.



description	model #	list
Male connections; threads are ¾"-24 UNEF	342938	40

Tempering Valve

- Maximum output of 120°F.
- Maximum pressure of 150 psi.
- ASSE 1016 and 1070 listed.



description	model #	list
thermoplastic body, ¾" (10mm) male compression fittings, 80°F-120°F, 0.5-2.5 gpm, built-in check valve	375612	427



single foot pedal valve



double foot pedal valve



knee pedal valve

Pedal Valves

description	DOUBLE PEDALS		SINGLE PEDALS	
	model #	list	model #	list
foot pedal valve, floor mount	300604	473	355994	473
knee pedal valve	313481	632	351738	632

Replacement Cartridge for all Pedal Valves: **Model # 374955. List: \$43**

Hand Sink Accessories - Miscellaneous

see spec sheet **EG20.52B**

Can be shipped UPS.

(•) MTS (made to stock) / () MTO (made to order)



#318496 towel dispenser



#DP-10 towel dispenser



#384796 towel dispenser

Towel/Soap Dispensers

description	model #	list
type 304 with conventional soap dispenser	DP-10 ••	1037
type 304 stainless, with electric eye soap dispenser	DP-20 *	2159
type 304 stainless, wall mounted	318496	362
break-resistant plastic, touchless, wall mounted	384796	252

* Fits all HSA hand sinks except Space Saver models.

Hand Sanitizing Dispenser

description	model #	list
Purell/LTX, wall mounted	377455	332



hand sanitizing dispenser

Plumbing

description	model #	list
tail piece, nickel-plated	300791	21
P-trap, nickel-plated	300789	115



tail piece



P-trap



conventional soap dispenser



soap dispenser with electric eye




deck mount soap dispenser

Soap Dispensers

description	model #	list
soap dispenser, conventional, 12-oz	300602	39
soap dispenser, wall mounted with electric eye	377456	332
soap dispenser, deck-mount, 16-oz	324074	152

nail brush

nail brush holder



Nail Brush and Nail Brush Holder

- To order nail brush and nail brush holder, add suffix "-NB" to hand sink model number. **Example: HSA-10-F-NB .**

description	model #	list each
infectious-control nail brush made of FDA-approved material, splash-mount stainless steel nail brush holder	add suffix "-NB"	142

Catalog Section 20

Hand Sink Accessories - Miscellaneous

see spec sheet **EG20.52B**

Can be shipped UPS.

(•) MTS (made to stock) / () MTO (made to order)

Waste Receptacle

- U.S. Patent #5,732,422.
- 20 gauge stainless steel.
- Removable.
- Comes with skirt.
- Must be factory installed.

Note: To order, add suffix “-T” to hand sink model number.**Example:** HSA-10-F-T.

for models:	model #	list
HSA-10; HSA-10-F; HSA-10-FA; HSA-10-FDP; HSA-10-FE; HSA-10-FDPE; HSA-10-FDPEE; and HSA-10-FW	add suffix “-T”	785

**PATENTED
DESIGN**HSA-10-FDP-T
hand sink with waste receptacle

End Splashes...

- Type 304 stainless steel.

Note: Will not work with Space Saver Hand Sinks (page 231) that have faucets with wrist handles.

...Factory-installed

Notes: To order, add suffix “-LS” (left end splash), “-RS” (right end splash), or “-LRS” (both end splashes). **Example:** HSA-10-F-LRS.

MICROGARD® cannot be put on hand sinks with end splashes.

descriptions	model #	list
left end splash only	add suffix “-LS”	293
right end splash only	add suffix “-RS”	293
left and right end splash	add suffix “-LRS”	586



hand sink with optional end splashes

...for Field-installation

descriptions	model #	list each
one self-adhesive side splash, can be used for right or left application	HSA-SSK •	185
same as above, but fits only on Physically Challenged sinks (page 229)	HSAP-SSK	225


pair of end splashes
for field installation

polymer lever drain

Wall Brackets

- 14 gauge type 304 stainless steel.

descriptions	model #	list
side mounting, one pair	606396 •	273
same as above, but fit only Space Saver models	611869	273



pair of wall brackets

Skirt Assembly

- Type 304 stainless steel.

fits models:	model #	list
HSA-10; HSA-10-F; HSA-10-FA; HSA-10-FDP; HSA-10-FE; HSA-10-FDPE; HSA-10-FDPEE; and HSA-10-FW.	606215 •	613
HSAN-10-F	607560	434



Drains

description	maximum flow rate		model #	list
	gallons per minute	gallons per hour		
polymer lever drain fits 3½" (89mm) diameter holes	11	660	319931	99
overflow assembly for lever drain #319931 (above)	-	-	319932	45
1½" (38mm) drain assembly, fits 2" (51mm) dia. hole	12	720	300886	17
mini crumb cup for 1½" (38mm) drain	-	-	300966	5
s/s basket drain assembly fits 3½" (89mm) diameter holes w/crumb cups	18	1080	300287	26
cast metal lever drain with overflow assembly, with 7¼" (185mm) long lever, fits 3½" (89mm) diameter holes	-	-	347771*	278

* Applicable only for hand sinks with overflow, replaces #319931/319932 assembly.

Hot Water Heater

see spec sheet **EG20.52B**

99% EFFICIENT!
Flow switch activates heater only on demand—no standby heat loss.

No temperature/pressure relief valve needed (check local codes), reducing installation cost.

applicable hand sinks include:

HSA-10; HSA-10-F; HSA-10-FA; HSA-10-FDP;
 HSA-10-FE; HSA-10-FDPE; HSA-10-FDPEE;
 HSA-10-FW; HSA-10-FA-P; and HSAD-10-F.

add
suffix # list
each

“-WH” 2892

FEATURES:

- For EAGLE hand sinks with 10" x 14" (254 x 356mm) rounded bowl.
 - Stainless steel pedestal base features notches for electrical wiring and front access panel.
 - Unit comes equipped with an energy-saving tankless water heater. 120V 29A electricity. 0.5 GPM. 150 PSI maximum operating pressure (minimum 25 PSI).
 - Water is heated instantaneously when faucet is on.
 - To order, add suffix “-WH” to model number and **add \$2892 to list price** of hand sink.
- Example: HSA-10-FDPEE-WH**

Note: Must be field-wired.

(•) MTS (made to stock) / () MTO (made to order)

Lavatory Sinks

see spec sheet **EG20.12**

Replacements for Lavatory Sinks

description	to fit process sink model #	model #	list
splash mount spout	P1916, P1916FE, W1916	300600	238
drain assembly	P1916, P1916FE, W1916,	300287	26
temperature adjustment valve, or “mixing valve”	P1916FE	326015	120

FEATURES:

- A marine edge.
- Type 304 stainless steel sink bowl.
- Gooseneck spout.
- Soap dispenser.
- Basket drain.
- Wall mount and pedestal models available.

(•) MTS (made to stock) / () MTO (made to order)

W1916-FA •

list: 1859



wall mounted

bowl size:	15¼" x 19¼" x 8⅞" (400 x 500 x 225mm)
sink overall size:	23" x 24¼" x 16⅞" (584 x 616 x 408mm)
shipping wt:	35 lbs., 15.9 kg
cubic feet:	1.6

includes: Gooseneck faucet, soap
dispenser, basket drain.

P1916 •

list: 2979

pedestal mounted,
foot pedal valve

bowl size:	15¼" x 19¼" x 8⅞" (400 x 500 x 225mm)
sink overall size:	23" x 24¼" x 39⅞" (584 x 616 x 992mm)
shipping wt:	48 lbs., 21.8 kg
cubic feet:	1.6

includes: Gooseneck spout, soap
dispenser, pedestal with
foot valves, basket drain.

W1916

list: 3562

wall mounted, knee
valve operation

bowl size:	15¼" x 19¼" x 8⅞" (400 x 500 x 225mm)
sink overall size:	23" x 24¼" x 16⅞" (584 x 616 x 408mm)
shipping wt:	43 lbs., 19.5 kg
cubic feet:	1.6

includes: Gooseneck spout, soap
dispenser, knee valves,
basket drain.

P1916FE

list: 4198

pedestal mounted,
electronic-eye operation

bowl size:	15¼" x 19¼" x 8⅞" (400 x 500 x 225mm)
sink overall size:	23" x 24¼" x 39⅞" (584 x 616 x 992mm)
shipping wt:	48 lbs., 21.8 kg
cubic feet:	1.6

includes: Gooseneck spout with
electronic-eye operation,
soap dispenser, pedestal,
basket drain.


*Euro-style
edging on
front and
sides.*

Sink Kits for 314, 412, and 414 Series Sinks

see spec sheet **EG20.51A**

Standard Sink Kit components:

Stainless steel gussets
Stainless steel crossbraced legs
Stainless steel feet
T&S faucet #313293



Kit A

Add suffix “-CLF” to sink model number.

description	add to list price
1 faucet	1522
2 faucets	2283

Kit B

Standard sink kit components plus lever drain. Add suffix “-CLFD” to sink model number.

description	add to list price
1 faucet	1522
2 faucets	2283
per lever drain	294

Kit C

Standard sink kit components plus lever drain with overflow. Add suffix “-CLFDO” to sink model number.

description	add to list price
1 faucet	1522
2 faucets	2283
per lever drain with overflow	603

description	add to list price
1 faucet	1522
2 faucets	2283
per twist handle drain	309

Kit E

Standard sink kit components plus twist handle drain with overflow and twist handle bracket. Add suffix “-CLFDOT” to sink model number.

description	add to list price
1 faucet	1522
2 faucets	2283
per twist handle drain with overflow	700

412, 414, and 314 Series Sinks Deep Drawn Construction

- Deep drawn seamless covered corner sink bowls of all units have a generous radius and are rectangular for maximum capacity.
- Legs are galvanized, 1½” (41mm) diameter.
- Crossbraced front-to-back with 1” (25mm) diameter galvanized tubing.
- Leg gussets are welded to a die-cut heavy-gauge reinforcing plate, and welded adjacent to sink bowl for maximum stability and support.
- 9½” (241mm) standard backsplash includes 1” (25mm) upturn and tile edge for easy installation and feathering to wall/splash surface.
- Basket-type waste drains are included to fit sink bowl's 3½” (89mm) opening and feature 1½” (38mm) outlet.
- 30” and 36” (762 and 914mm) drainboards available upon request.

Note: Stainless steel legs with front-to-back crossbracing available (does not include stainless steel feet).

To order, add \$456 to list price and suffix “-SL” to model number (example: 414-16-1-SL).

To order stainless steel legs and gussets, add \$631 to list price and suffix “-SLG” to model number (example: 414-16-1-SLG).

Adjustable front-to-back crossbracing available.

Add suffix “-ACB” to model number, and add \$212 to list price. Example: 414-16-1-ACB

Left-to-right crossbracing available.

For galvanized, add 5% to list price and suffix “-CBG” to model number.

For stainless steel (does not include stainless steel legs), add 10% to list price and suffix “-CBS” to model number (example: 414-16-1-CBS).

Twist drain brackets available.

Works in conjunction with optional twist handle drains (not included – see page 260). To order, add \$37 per compartment to list price and suffix “-TB” to model number. Example: 414-16-1-TB.

For overflow hole (does not include drain), add \$55 per compartment to list price and suffix “-OF” to model number (example: 414-16-1-OF).


Sink accessories, see pages 259-261.

All shipping weights and cubic feet are approximate.

ALL SINKS SHIPPED FULLY CRATED.

412, 414, and 314 Series Sinks One-Compartment Sinks

see spec sheets **EG20.03** **EG20.23** **EG20.27**



- All heavy gauge type 430 construction.
 - 10½" (267mm) deep sink bowl.
 - 44" (1118mm) overall height.
- 412 SERIES:
- 14" (356mm) deep heavy gauge type 304 sink bowl with type 430 drainboards, and backsplash.
 - 44" (1118mm) overall height.
- 414 SERIES:
- All heavy gauge type 304 construction.
 - 14" (356mm) deep sink bowl.
 - 44" (1118mm) overall height.
- 314 SERIES:
- (•) MTS (made to stock) / () MTO (made to order)

One Compartment, No Drainboards

					GOOD		BETTER		BEST	
					412 Series		414 Series		314 Series	
					- see spec sheet -		- see spec sheet -		- see spec sheet -	
					EG20.03		EG20.23		EG20.27	
bowl size	drainboard	weight	cu	overall size	model #	list	model #	list	model #	list
width x length	length	lbs.	ft	width x length						
in. mm	in. mm	kg		in. mm						
20" x 16"	—	40	10.5	27½" x 23½"	412-16-1•	2119	414-16-1•	2436	314-16-1•	2755
508 x 406		18.1	699	699 x 591						
24" x 18"	—	45	10.0	31¾" x 25½"	—		414-18-1•	2852	314-18-1	3188
610 x 457		20.4	807	807 x 648						
22" x 22"	—	55	14.5	29¾" x 29¾"	—		414-22-1•	3032	314-22-1	3207
559 x 559		24.9	756	756 x 749						
24" x 24"	—	60	16.5	31¾" x 31¾"	—		414-24-1•	3074	314-24-1	3424
610 x 610		27.2	807	807 x 800						

One Compartment, One Drainboard (right or left)

					GOOD		BETTER		BEST	
					412 Series		414 Series		314 Series	
					- see spec sheet -		- see spec sheet -		- see spec sheet -	
					EG20.03		EG20.23		EG20.27	
bowl size	drainboard	weight	cu	overall size	model #	list	model #	list	model #	list
width x length	length	lbs.	ft	width x length						
in. mm	in. mm	kg		in. mm						
20" x 16"	18"	59	18.1	27½" x 38½"	412-16-1-18R or L•	2972	414-16-1-18R or L•	3338	314-16-1-18R or L	3699
508 x 406	457	26.8	699	699 x 987						
	24"	65	19.5	27½" x 44½"	412-16-1-24R or L	2995	414-16-1-24R or L•	3377	314-16-1-24R or L•	3744
	610	29.5	699	1140						
24" x 18"	18"	64	22.0	31¾" x 40¾"	—		414-18-1-18R or L	3672	314-18-1-18R or L	4040
610 x 457	457	29.0	807	1035						
	24"	70	22.9	31¾" x 46¾"	—		414-18-1-24R or L	3699	314-18-1-24R or L	4067
	610	31.8	807	1188						
22" x 22"	18"	74	23.0	29¾" x 45"	—		414-22-1-18R or L	4012	314-22-1-18R or L	4157
559 x 559	457	33.6	756	1143						
	24"	80	26.0	29¾" x 51"	—		414-22-1-24R or L	4039	314-22-1-24R or L	4186
	610	36.3	756	1295						
24" x 24"	18"	79	25.0	31¾" x 46¾"	—		414-24-1-18R or L	4433	314-24-1-18R or L	4824
610 x 610	457	35.8	807	1188						
	24"	85	28.6	31¾" x 52¾"	—		414-24-1-24R or L•	4478	314-24-1-24R or L	4894
	610	38.6	787	1340						

One Compartment, Double Drainboards


					GOOD		BETTER		BEST	
					412 Series		414 Series		314 Series	
					- see spec sheet -		- see spec sheet -		- see spec sheet -	
					EG20.03		EG20.23		EG20.27	
bowl size	drainboard	weight	cu	overall size	model #	list	model #	list	model #	list
width x length	length	lbs.	ft	width x length						
in. mm	in. mm	kg		in. mm						
20" x 16"	18"	78	25.7	27½" x 54½"	412-16-1-18•	3152	414-16-1-18	3494	314-16-1-18	3865
508 x 406	457	35.4	699	1384						
	24"	90	30.8	27½" x 66½"	412-16-1-24	3159	414-16-1-24	3606	314-16-1-24	3982
	610	40.8	699	1689						
24" x 18"	18"	83	29.6	31¾" x 56"	—		414-18-1-18	3992	314-18-1-18	4384
610 x 457	457	37.6	807	1422						
	24"	95	38.1	31¾" x 68"	—		414-18-1-24	4028	314-18-1-24	4424
	610	43.1	807	1727						
22" x 22"	18"	93	30.3	29¾" x 60¾"	—		414-22-1-18	4371	314-22-1-18	4523
559 x 559	457	42.2	756	1537						
	24"	105	37.1	29¾" x 72½"	—		414-22-1-24	4406	314-22-1-24	4560
	610	47.6	756	1842						
24" x 24"	18"	98	32.5	31¾" x 62"	—		414-24-1-18	4613	314-24-1-18	4935
610 x 610	457	44.5	807	1575						
	24"	110	40.6	31¾" x 74"	—		414-24-1-24	4682	314-24-1-24	5112
	610	49.9	807	1880						

Catalog Section 20

412, 414, and 314 Series Sinks

Two-Compartment Sinks

see spec sheets **EG20.03** **EG20.24** **EG20.28**



two-compartment sink
with double drainboards

two-compartment sink
with no drainboards

- All heavy gauge type 430 construction.
- 10½" (267mm) deep sink bowls.
- 44" (1118mm) overall height.

412 SERIES:

- 14" (356mm) deep heavy gauge type 304 sink bowls with type 430 drainboards, and backsplash.
- 44" (1118mm) overall height.

414 SERIES:

- All heavy gauge type 304 construction.
- 14" (356mm) deep sink bowls.
- 44" (1118mm) overall height.

314 SERIES:


(•) MTS (made to stock) / () MTO (made to order)

Two Compartments, No Drainboards

bowl size width x length			drainboard length		weight		cu	overall size width x length		- see spec sheet - EG20.03		- see spec sheet - EG20.24		- see spec sheet - EG20.28	
in.	mm		in.	mm	lbs.	kg	ft	in.	mm	model #	list	model #	list	model #	list
20" x 16"	508 x 406		—		64	29.0	18.1	27½" x 41"	699 x 1041	412-16-2 •	2897	414-16-2 •	3336	314-16-2 •	3698
24" x 18"	610 x 457		—		75	33.8	24.0	31¼" x 45½"	807 x 1156	—		414-18-2 •	3838	314-18-2	4434
22" x 22"	559 x 559		—		80	36.3	25.8	29¾" x 53¾"	756 x 1359	—		414-22-2	4188	314-22-2	4565
24" x 24"	610 x 610		—		90	40.8	29.6	31¼" x 57¾"	807 x 1461	—		414-24-2 •	4628	314-24-2 •	5259

412, 414, and 314 Series Sinks Three-Compartment Sinks

see spec sheets **EG20.03** **EG20.25** **EG20.29**



three-compartment sink with double drainboards (faucet not included)

three-compartment sink with no drainboards

- 412 SERIES:
 - All heavy gauge type 430 construction.
 - 10½" (267mm) deep sink bowls.
 - 44" (1118mm) overall height.
- 414 SERIES:
 - 14" (356mm) deep heavy gauge type 304 sink bowls with type 430 drainboards, and backsplash.
 - 44" (1118mm) overall height.
- 314 SERIES:
 - All heavy gauge type 304 construction.
 - 14" (356mm) deep sink bowls.
 - 44" (1118mm) overall height.

(•) MTS (made to stock) / () MTO (made to order)

Three Compartments, No Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cu ft		overall size width x length in. mm		GOOD 412 Series - see spec sheet - EG20.03		BETTER 414 Series - see spec sheet - EG20.25		BEST 314 Series - see spec sheet - EG20.29	
										model #	list	model #	list	model #	list
20" x 16"	508 x 406	—	—	85	38.6	25.7	27½" x 58¾"	699 x 1492		412-16-3 •	3673	414-16-3 •	4043	314-16-3 •	4625
24" x 18"	610 x 457	—	—	114	51.7	33.0	31¼" x 65½"	807 x 1664		—	—	414-18-3 •	4994	314-18-3 •	5853
22" x 22"	559 x 559	—	—	120	54.4	37.1	29¾" x 77½"	756 x 1969		—	—	414-22-3 *	5552	314-22-3 *	6129
24" x 24"	610 x 610	—	—	125	56.7	41.5	31¼" x 83½"	807 x 2121		—	—	414-24-3 •	6058	314-24-3 *	6834

* Features two sets of faucet holes.

Three Compartments, One Drainboard (right or left)

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cu ft		overall size width x length in. mm		GOOD 412 Series - see spec sheet - EG20.03		BETTER 414 Series - see spec sheet - EG20.25		BEST 314 Series - see spec sheet - EG20.29	
										model #	list	model #	list	model #	list
20" x 16"	508 x 406	18"	457	104	47.2	33.3	27½" x 74¾"	699 x 1889		412-16-3-18R or L •	3881	414-16-3-18R or L •	5114	314-16-3-18R or L	6209
		24"	610	110	49.9	35.8	27½" x 80¾"	699 x 2042		412-16-3-24R or L	3921	414-16-3-24R or L	5154	314-16-3-24R or L	6253
24" x 18"	610 x 457	18"	457	133	60.3	42.0	31¼" x 80¾"	807 x 2051		—	—	414-18-3-18R or L *	6423	314-18-3-18R or L *	7344
		24"	610	139	63.1	68.0	31¼" x 86¾"	807 x 2203		—	—	414-18-3-24R or L *	6448	314-18-3-24R or L *	7369
22" x 22"	559 x 559	18"	457	139	63.1	45.0	29¾" x 93"	756 x 2362		—	—	414-22-3-18R or L *	7228	314-22-3-18R or L *	7781
		24"	610	145	65.8	48.4	29¾" x 99"	756 x 2515		—	—	414-22-3-24R or L *	7257	314-22-3-24R or L *	7813
24" x 24"	610 x 610	18"	457	144	65.3	50.0	31¼" x 98¾"	807 x 2508		—	—	414-24-3-18R or L *	7988	314-24-3-18R or L *	8735
		24"	610	150	68.0	54.6	31¼" x 104¾"	807 x 2661		—	—	414-24-3-24R or L •	8101	314-24-3-24R or L *	9100

* Features two sets of faucet holes.

Three Compartments, Double Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cu ft		overall size width x length in. mm		GOOD 412 Series - see spec sheet - EG20.03		BETTER 414 Series - see spec sheet - EG20.25		BEST 314 Series - see spec sheet - EG20.29	
										model #	list	model #	list	model #	list
20" x 16"	508 x 406	18"	457	123	55.8	40.9	27½" x 90"	699 x 2286		412-16-3-18 •	4018	414-16-3-18 •	5252	314-16-3-18 •	6360
		24"	610	135	61.2	46.0	27½" x 102"	699 x 2591		412-16-3-24 •	4086	414-16-3-24 •	4002	314-16-3-24 •	6449
24" x 18"	610 x 457	18"	457	152	68.9	50.5	31¼" x 96"	807 x 2438		—	—	414-18-3-18 •	6591	314-18-3-18 •	7520
		24"	610	164	74.4	57.0	31¼" x 108"	807 x 2743		—	—	414-18-3-24 •	6755	314-18-3-24 •	7649
22" x 22"	559 x 559	18"	457	158	71.6	54.0	29¾" x 108¾"	756 x 2756		—	—	414-22-3-18 •	7425	314-22-3-18 *	7977
		24"	610	170	77.1	59.6	29¾" x 120¾"	756 x 3061		—	—	414-22-3-24 •	7617	314-22-3-24 •	8167
24" x 24"	610 x 610	18"	457	163	73.9	60.0	31¼" x 114"	807 x 2896		—	—	414-24-3-18 •	7994	314-24-3-18 *	8657
		24"	610	175	79.4	65.2	31¼" x 126"	807 x 3200		—	—	414-24-3-24 •	8346	314-24-3-24 *	9359

* Features two sets of faucet holes.

Catalog Section 20


414 and 314 Series Sinks

Four-Compartment Sinks

see spec sheets **EG20.26** **EG20.30**



four-compartment sink
with double drainboards



2"-wide
euro-style edging

414 SERIES:

- 14" (356mm) deep heavy gauge type 304 sink bowls with type 430 drainboards, and backsplash.
- 44" (1118mm) overall height.
- Two sets of faucet holes.

314 SERIES:

- All heavy gauge type 304 construction.
- 14" (356mm) deep sink bowls.
- 44" (1118mm) overall height.
- Two sets of faucet holes.

(•) MTS (made to stock) / () MTO (made to order)

Four Compartments, No Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cu ft	overall size width x length in. mm		BETTER 414 Series - see spec sheet - EG20.26 model # list		BEST 314 Series - see spec sheet - EG20.30 model # list	
20" x 16"	508 x 406	n/a	n/a	125	56.7	33.3	27½" x 76½"	699 x 1943	414-16-4	5459	314-16-4	6536
24" x 18"	610 x 457	n/a	n/a	135	61.2	48.4	31¾" x 85½"	807 x 2172	414-18-4	6309	314-18-4	7425
24" x 24"	610 x 610	n/a	n/a	153	69.4	55.6	31¾" x 109½"	807 x 2783	414-24-4	7776	314-24-4	8964

Four Compartments, One Drainboard (right or left)

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cu ft	overall size width x length in. mm		BETTER 414 Series - see spec sheet - EG20.26 model # list		BEST 314 Series - see spec sheet - EG20.30 model # list	
20" x 16"	508 x 406	18"	457	144	65.3	41.0	27½" x 92½"	699 x 2340	414-16-4-18R or L	6633	314-16-4-18R or L	7773
		24"	610	150	68.0	43.4	27½" x 98½"	699 x 2492	414-16-4-24R or L	6677	314-16-4-24R or L	7818
24" x 18"	610 x 457	18"	457	154	69.9	49.0	31¾" x 100½"	807 x 2559	414-18-4-18R or L	7965	314-18-4-18R or L	9132
		24"	610	160	72.6	59.6	31¾" x 106½"	807 x 2711	414-18-4-24R or L	8171	314-18-4-24R or L	9161
24" x 24"	610 x 610	18"	457	172	78.0	61.0	31¾" x 124½"	807 x 3169	414-24-4-18R or L	9555	314-24-4-18R or L	11047
		24"	610	178	80.7	67.7	31¾" x 130½"	807 x 3321	414-24-4-24R or L	10280	314-24-4-24R or L	11588

Four Compartments, Double Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cu ft	overall size width x length in. mm		BETTER 414 Series - see spec sheet - EG20.26 model # list		BEST 314 Series - see spec sheet - EG20.30 model # list	
20" x 16"	508 x 406	18"	457	163	73.9	48.5	27½" x 107½"	699 x 2737	414-16-4-18 •	6907	314-16-4-18	8055
		24"	610	175	79.5	53.6	27½" x 119½"	699 x 3042	414-16-4-24	7012	314-16-4-24	8167
24" x 18"	610 x 457	18"	457	173	78.5	65.0	31¾" x 116"	807 x 2946	414-18-4-18	8094	314-18-4-18	9296
		24"	610	185	83.9	70.9	31¾" x 128"	807 x 3251	414-18-4-24	8188	314-18-4-24	9398
24" x 24"	610 x 610	18"	457	191	86.6	73.0	31¾" x 140"	807 x 3556	414-24-4-18	10055	314-24-4-18	11281
		24"	610	203	92.1	79.7	31¾" x 152"	807 x 3861	414-24-4-24 •	10513	314-24-4-24	11827

Stainless Steel Cleaner & Polish

weight		model #	list
oz.	kg		
15	0.4	004026	23



FEATURES:

- Cleans and polishes in one step.
- Does not streak or leave fingerprints.
- Leaves a protective invisible coating.

Sink Kits for SPEC-MASTER® FN Series Sinks

- Includes T&S faucet #313293.



lever drain (with sink kits B)



lever drain with overflow (with sink kits C)

**Go Green.
Go EAGLE.**

Look for the tag
on the bar code



Kit A

- Add suffix “-F” to sink model number.

description	add to list price
1 faucet	760
2 faucets	1520

Kit B

- T&S faucet plus lever drain. Add suffix “-FD” to sink model number.

description	add to list price
1 faucet	760
2 faucets	1520
per lever drain	294

Kit C

- T&S faucet plus lever drain with overflow. Add suffix “-FDO” to sink model number.

description	add to list price
1 faucet	760
2 faucets	1520
per lever drain with overflow	603

Kit D

- T&S faucet plus twist handle drain and twist handle bracket. Add suffix “-FDT” to sink model number.

description	add to list price
1 faucet	760
2 faucets	1520
per twist handle drain	309

Kit E

- T&S faucet plus twist handle drain with overflow and twist handle bracket. Add suffix “-FDOT” to sink model number.

description	add to list price
1 faucet	760
2 faucets	1520
per twist handle drain with overflow	700

**Quality...
Value...
Reliability!**

**Service
for over 60
years.**

Catalog Section 20

SPEC-MASTER® FN Series Coved Corner Sinks

One-Compartment Sinks

see spec sheet **EG20.32**



*The
Consultant's
Choice*

Notes: Twist drain bracket available.

Works in conjunction with optional twist handle drain (*not included* – see page 260). To order, add \$37 per compartment to list price and suffix “-TB” to model number (example: FN2016-1-14/3-TB).

For overflow hole (*does not include drain*), add \$55 per compartment to list price and suffix “-OF” to model number (example: FN2016-1-14/3-OF).

- 14 gauge 300 series 18-8 stainless steel.
- All bowls are 14" (356mm) deep and have 9/16" (16mm) radius corners, both vertical and horizontal.
- Stainless steel gussets, feet, legs and crossbracing.
- Adjustable crossbracing front-to-back and side-to-side for increased stability.
- 9 1/2" (241mm) standard backsplash includes 1" (25mm) upturn and tile edge.
- Basket-type waste drains are included to fit sink bowl's 3 1/2" (89mm) opening and feature 1 1/2" (38mm) outlet.
- 30" and 36" (762 and 914mm) drainboards* available upon request.
- 44 1/2" (1130mm) overall height.

FEATURES:

* On sinks with drainboard(s) 30" and 36", legs are under the outer end of the drainboard(s).

Note: All shipping weights and cubic feet are approximate.

ALL SINKS SHIPPED FULLY CRATED.

For sink accessories, see pages 260-261.

For sink kits, see page 242.

(•) MTS (*made to stock*) / () MTO (*made to order*)

One Compartment, No Drainboards

bowl size width x length in. mm	drainboard length in. mm	weight lbs. kg	cubic feet	overall size width x length in. mm	model #	list
20" x 16" 508 x 406	—	55 24.9	10.1	27" x 21" 686 x 533	FN2016-1-14/3	3654
20" x 18" 508 x 457	—	58 26.3	11.9	27" x 23" 686 x 584	FN2018-1-14/3 •	4118
20" x 20" 508 x 508	—	60 27.2	12.9	27" x 25" 686 x 635	FN2020-1-14/3	4118
24" x 24" 610 x 610	—	69 31.2	17.8	31" x 29" 787 x 737	FN2424-1-14/3	4407
28" x 20" 711 x 508	—	79 35.8	16.7	35" x 25" 889 x 635	FN2820-1-14/3	4861




One Compartment, One Drainboard (right or left)

bowl size width x length in. mm	drainboard length in. mm	weight lbs. kg	cubic feet	overall size width x length in. mm	model #	list
20" x 16" 508 x 406	18" 457	74 30.8	18.7	27" x 37 1/2" 686 x 953	FN2016-1-18R or L-14/3	3891
	24" 610	80 33.1	21.5	27" x 43 1/2" 686 x 1105	FN2016-1-24R or L-14/3	3955
20" x 18" 508 x 457	18" 457	76 34.4	20.3	27" x 39 1/2" 686 x 1003	FN2018-1-18R or L-14/3	4265
	24" 610	81 36.7	22.4	27" x 45 1/2" 686 x 1156	FN2018-1-24R or L-14/3	4338
20" x 20" 508 x 508	24" 610	85 37.2	23.4	27" x 47 1/2" 686 x 1207	FN2020-1-24R or L-14/3	4338
24" x 24" 610 x 610	24" 610	88 37.6	30.5	31" x 51 1/2" 787 x 1308	FN2424-1-24R or L-14/3	4962
28" x 20" 711 x 508	24" 610	104 43.1	30.2	35" x 47 1/2" 889 x 1207	FN2820-1-24R or L-14/3	5071



One Compartment, Double Drainboards

bowl size width x length in. mm	drainboard length in. mm	weight lbs. kg	cubic feet	overall size width x length in. mm	model #	list
20" x 16" 508 x 406	18" 457	93 37.6	26.3	27" x 54" 686 x 1372	FN2016-1-18-14/3	4042
	24" 610	105 42.1	32.0	27" x 66" 686 x 1676	FN2016-1-24-14/3	4201
20" x 18" 508 x 457	18" 457	96 43.5	28.7	27" x 56" 686 x 1422	FN2018-1-18-14/3	4438
	24" 610	106 48.1	32.9	27" x 68" 686 x 1727	FN2018-1-24-14/3	4580
20" x 20" 508 x 508	24" 610	110 48.5	33.9	27" x 70" 686 x 1778	FN2020-1-24-14/3	4580
24" x 24" 610 x 610	24" 610	119 49.0	43.9	31" x 74" 787 x 1880	FN2424-1-24-14/3	5251
28" x 20" 711 x 508	24" 610	129 55.3	43.8	35" x 70" 889 x 1778	FN2820-1-24-14/3	5303



SPEC-MASTER® FN Series Coved Corner Sinks Two-Compartment Sinks

see spec sheet **EG20.33**



(faucet not included)

**The
Consultant's
Choice**

Notes: Twist drain brackets available.

Works in conjunction with optional twist handle drains (not included – see page 260). To order, add \$37 per compartment to list price and suffix “-TB” to model number (example: FN2032-2-14/3-TB).

For overflow hole (does not include drain), add \$57 per compartment to list price and suffix “-OF” to model number (example: FN2032-2-14/3-OF).

- 14 gauge 300 series 18-8 stainless steel.
- All bowls are 14" (356mm) deep and have 5/8" (16mm) radius corners, both vertical and horizontal.
- Stainless steel gussets, feet, legs and crossbracing.
- Adjustable crossbracing front-to-back and side-to-side for increased stability.
- 9 1/2" (241mm) standard backsplash includes 1" (25mm) upturn and tile edge.
- Basket-type waste drains are included to fit sink bowls' 3 1/2" (89mm) opening and feature 1 1/2" (38mm) outlet.
- 30" and 36" (762 and 914mm) drainboards* available upon request.
- 44 1/2" (1130mm) overall height.

FEATURES:

* On sinks with drainboard(s) 30" and 36", legs are under the outer end of the drainboard(s).

Note: All shipping weights and cubic feet are approximate.
ALL SINKS SHIPPED FULLY CRATED.
For sink accessories, see pages 260-261.
For sink kits, see page 242.

(•) MTS (made to stock) / () MTO (made to order)

Two Compartments, No Drainboards

bowl size width x length in. mm	drainboard length in. mm	weight lbs. kg	cubic feet	overall size width x length in. mm	model #	list
20" x 16" 508 x 406	—	77 34.9	20.4	27" x 39" 686 x 991	FN2032-2-14/3	4886
20" x 18" 508 x 457	—	82 37.2	22.4	27" x 43" 686 x 1092	FN2036-2-14/3	5366
20" x 20" 508 x 508	—	86 39.0	23.9	27" x 47" 686 x 1194	FN2040-2-14/3	5366
24" x 24" 610 x 610	—	91 41.3	32.2	31" x 55" 787 x 1397	FN2448-2-14/3	6379
28" x 20" 711 x 508	—	96 43.6	31.3	35" x 47" 889 x 1194	FN2840-2-14/3	6391




Two Compartments, One Drainboard (right or left)

bowl size width x length in. mm	drainboard length in. mm	weight lbs. kg	cubic feet	overall size width x length in. mm	model #	list
20" x 16" 508 x 406	18" 457	96 43.6	28.2	27" x 55 1/2" 686 x 1410	FN2032-2-18R or L-14/3	5251
	24" 610	102 46.3	31.1	27" x 61 1/2" 686 x 1562	FN2032-2-24R or L-14/3	5342
20" x 18" 508 x 457	18" 457	101 45.8	30.6	27" x 59 1/2" 686 x 1511	FN2036-2-18R or L-14/3	5941
	24" 610	107 48.5	33.1	27" x 65 1/2" 686 x 1664	FN2036-2-24R or L-14/3	6015
20" x 20" 508 x 508	24" 610	111 50.3	35.0	27" x 69 1/2" 686 x 1763	FN2040-2-24R or L-14/3	6015
24" x 24" 610 x 610	24" 610	116 52.6	45.0	31" x 77 1/2" 787 x 1969	FN2448-2-24R or L-14/3	7235
28" x 20" 711 x 508	24" 610	121 54.9	45.0	35" x 69 1/2" 889 x 1763	FN2840-2-24R or L-14/3	7235



Two Compartments, Double Drainboards

bowl size width x length in. mm	drainboard length in. mm	weight lbs. kg	cubic feet	overall size width x length in. mm	model #	list
20" x 16" 508 x 406	18" 457	115 52.2	36.0	27" x 72" 686 x 1829	FN2032-2-18-14/3	5434
	24" 610	127 57.6	41.8	27" x 84" 686 x 2134	FN2032-2-24-14/3	5565
20" x 18" 508 x 457	18" 457	120 54.4	39.4	27" x 76" 686 x 1930	FN2036-2-18-14/3 •	5824
	24" 610	132 59.9	43.8	27" x 88" 686 x 2235	FN2036-2-24-14/3	6234
20" x 20" 508 x 508	24" 610	136 61.7	45.7	27" x 92" 686 x 2337	FN2040-2-24-14/3	6234
24" x 24" 610 x 610	24" 610	141 64.0	58.4	31" x 100" 787 x 2540	FN2448-2-24-14/3	7494
28" x 20" 711 x 508	24" 610	146 66.2	58.8	35" x 92" 889 x 2337	FN2840-2-24-14/3	7542



Catalog Section 20

SPEC-MASTER® FN Series Coved Corner Sinks

Three-Compartment Sinks

see spec sheet **EG20.34**

(faucets not included)

*The
Consultant's
Choice*

Notes: Twist drain brackets available.

Works in conjunction with optional twist handle drains (*not included* – see page 260). To order, add **\$37 per compartment** to list price and suffix “-TB” to model number (example: FN2048-3-14/3-TB).

For overflow hole (*does not include drain*), add **\$55 per compartment** to list price and suffix “-OF” to model number (example: FN2048-3-14/3-OF).

- 14 gauge 300 series 18-8 stainless steel.
- All bowls are 14" (356mm) deep and have 9/16" (16mm) radius corners, both vertical and horizontal.
- Stainless steel gussets, feet, legs and crossbracing.
- Adjustable crossbracing front-to-back and side-to-side for increased stability.
- 9 1/2" (241mm) standard backsplash includes 1" (25mm) upturn and tile edge.
- Basket-type waste drains are included to fit sink bowls' 3 1/2" (89mm) opening and feature 1 1/2" (38mm) outlet.
- 30" and 36" (762 and 914mm) drainboards* available upon request.
- 44 1/2" (1130mm) overall height.

FEATURES:

* On sinks with drainboard(s) 30" and 36", legs are under the outer end of the drainboard(s).

Note: All shipping weights and cubic feet are approximate.

ALL SINKS SHIPPED FULLY CRATED.

For sink accessories, see pages 260-261.

For sink kits, see page 242.

Three Compartments, No Drainboards

bowl size width x length in. mm	drainboard length in. mm	weight lbs. kg	cubic feet	overall size width x length in. mm	model #	list
20" x 16" 508 x 406	—	99 44.9	29.2	27" x 57" 686 x 1448	FN2048-3-14/3	6041
20" x 18" 508 x 457	—	102 46.3	32.1	27" x 63" 686 x 1600	FN2054-3-14/3 *	6905
20" x 20" 508 x 508	—	114 51.7	35.0	27" x 69" 686 x 1753	FN2060-3-14/3 *	6905
24" x 24" 610 x 610	—	127 57.6	46.7	31" x 81" 787 x 2057	FN2472-3-14/3 *	8031
28" x 20" 711 x 508	—	130 59.0	45.0	35" x 69" 889 x 1753	FN2860-3-14/3 *	8273



* Features two sets of faucet holes.

Three Compartments, One Drainboard (right or left)

bowl size width x length in. mm	drainboard length in. mm	weight lbs. kg	cubic feet	overall size width x length in. mm	model #	list
20" x 16" 508 x 406	18" 457	118 53.5	36.9	27" x 73 1/2" 686 x 1867	FN2048-3-18R or L-14/3	6293
	24" 610	124 56.2	39.9	27" x 79 1/2" 686 x 2019	FN2048-3-24R or L-14/3	6356
20" x 18" 508 x 457	18" 457	121 54.9	40.4	27" x 79 1/2" 686 x 2019	FN2054-3-18R or L-14/3 *	7420
	24" 610	127 57.6	42.8	27" x 85 1/2" 686 x 2172	FN2054-3-24R or L-14/3 *	7472
20" x 20" 508 x 508	24" 610	139 63.1	45.7	27" x 91 1/2" 686 x 2324	FN2060-3-24R or L-14/3 *	7472
	24" 610	152 68.9	59.5	31" x 103 1/2" 787 x 2629	FN2472-3-24R or L-14/3 *	9082
28" x 20" 711 x 508	24" 610	155 70.3	58.8	35" x 91 1/2" 889 x 2324	FN2860-3-24R or L-14/3 *	9246



* Features two sets of faucet holes.

Three Compartments, Double Drainboards

bowl size width x length in. mm	drainboard length in. mm	weight lbs. kg	cubic feet	overall size width x length in. mm	model #	list
20" x 16" 508 x 406	18" 457	137 61.7	44.7	27" x 90" 686 x 2286	FN2048-3-18-14/3	6446
	24" 610	149 67.6	50.6	27" x 102" 686 x 2591	FN2048-3-24-14/3	6577
20" x 18" 508 x 457	18" 457	140 63.5	49.1	27" x 96" 686 x 2438	FN2054-3-18-14/3 *	7593
	24" 610	158 71.6	53.5	27" x 108" 686 x 2743	FN2054-3-24-14/3 *	7814
20" x 20" 508 x 508	24" 610	164 74.4	56.4	27" x 114" 686 x 2896	FN2060-3-24-14/3 *	7814
24" x 24" 610 x 610	24" 610	177 80.3	72.8	31" x 126" 787 x 3200	FN2472-3-24-14/3 *	9322
28" x 20" 711 x 508	24" 610	180 81.6	72.5	35" x 114" 889 x 2896	FN2860-3-24-14/3 *	9569



* Features two sets of faucet holes.

SPEC-MASTER® FN Series Coved Corner Sinks Four-Compartment Sinks

see spec sheet **E620.35**



all sinks two sets of faucets holes

*The
Consultant's
Choice*

Notes: Twist drain brackets available.

Works in conjunction with optional twist handle drains (not included – see page 260). To order, add \$37 per compartment to list price and suffix “-TB” to model number (example: FN2064-4-14/3-TB).

For overflow hole (does not include drain), add \$55 per compartment to list price and suffix “-OF” to model number (example: FN2064-4-14/3-OF).

- 14 gauge 300 series 18-8 stainless steel.
- All bowls are 14" (356mm) deep and have 5/8" (16mm) radius corners, both vertical and horizontal.
- Stainless steel gussets, feet, legs and crossbracing.
- Adjustable crossbracing front-to-back and side-to-side for increased stability.
- 9 1/2" (241mm) standard backsplash includes 1" (25mm) upturn and tile edge.
- Basket-type waste drains are included to fit sink bowls' 3 1/2" (89mm) opening and feature 1 1/2" (38mm) outlet.
- 30" and 36" (762 and 914mm) drainboards* available upon request.
- 44 1/2" (1130mm) overall height.

FEATURES:

* On sinks with drainboard(s) 30" and 36", legs are under the outer end of the drainboard(s).

Note: All shipping weights and cubic feet are approximate.

ALL SINKS SHIPPED FULLY CRATED.

For sink accessories, see pages 260-261.

For sink kits, see page 242.

Four Compartments, No Drainboards


bowl size width x length in. mm	drainboard length in. mm	weight lbs. kg	cubic feet	overall size width x length in. mm	model #	list
20" x 16" 508 x 406	—	121 54.9	35.4	27" x 75" 686 x 1905	FN2064-4-14/3	7724
20" x 18" 508 x 457	—	132 59.9	39.0	27" x 83" 686 x 2108	FN2072-4-14/3	8678
20" x 20" 508 x 508	—	142 64.4	42.7	27" x 91" 686 x 2311	FN2080-4-14/3	8678
24" x 24" 610 x 610	—	163 73.9	57.1	31" x 107" 787 x 2718	FN2496-4-14/3	9984
28" x 20" 711 x 508	—	170 77.1	54.9	35" x 91" 889 x 2311	FN2880-4-14/3	10561

(•) MTS (made to stock) / () MTO (made to order)



Four Compartments, One Drainboard (right or left)

bowl size width x length in. mm	drainboard length in. mm	weight lbs. kg	cubic feet	overall size width x length in. mm	model #	list
20" x 16" 508 x 406	18" 457	140 63.5	45.7	27" x 91 1/2" 686 x 2324	FN2064-4-18R or L-14/3	7780
	24" 610	146 66.2	48.6	27" x 97 1/2" 686 x 2477	FN2064-4-24R or L-14/3	7851
20" x 18" 508 x 457	18" 457	151 68.5	50.1	27" x 99 1/2" 686 x 2527	FN2072-4-18R or L-14/3	9183
	24" 610	157 71.2	52.5	27" x 105 1/2" 686 x 2680	FN2072-4-24R or L-14/3	9236
20" x 20" 508 x 508	24" 610	167 75.8	56.4	27" x 113 1/2" 686 x 2883	FN2080-4-24R or L-14/3	9236
24" x 24" 610 x 610	24" 610	188 85.3	68.5	31" x 129 1/2" 787 x 3289	FN2496-4-24R or L-14/3	10927
28" x 20" 711 x 508	24" 610	195 88.5	67.7	35" x 113 1/2" 889 x 2883	FN2880-4-24R or L-14/3	11235



Four Compartments, Double Drainboards

bowl size width x length in. mm	drainboard length in. mm	weight lbs. kg	cubic feet	overall size width x length in. mm	model #	list
20" x 16" 508 x 406	18" 457	159 72.1	53.5	27" x 108" 686 x 2743	FN2064-4-18-14/3	8067
	24" 610	171 77.6	55.4	27" x 120" 686 x 3048	FN2064-4-24-14/3	8218
20" x 18" 508 x 457	18" 457	170 77.1	54.9	27" x 116" 686 x 2646	FN2072-4-18-14/3 •	9415
	24" 610	182 82.6	59.0	27" x 128" 686 x 3251	FN2072-4-24-14/3	9503
20" x 20" 508 x 508	24" 610	192 87.1	62.6	27" x 136" 686 x 3454	FN2080-4-24-14/3	9503
24" x 24" 610 x 610	24" 610	213 96.6	81.4	31" x 152" 787 x 3861	FN2496-4-24-14/3	11233
28" x 20" 711 x 508	24" 610	220 99.8	110.2	35" x 136" 889 x 3454	FN2880-4-24-14/3	11556



Catalog Section 20

Utility Sinks

One- and Two-Compartment Sinks

see spec sheets **EG20.13A** **EG20.13B**



Note: Overflow hole available (*does not include drain*). To order, add **\$55 per compartment to list price** and suffix **"-OF"** to model number (example: **1818-1-16/3-OF**).

For detachable drainboards, see page 249.

For NSF-approved utility sinks, add **35% to list price** and add prefix **"N-"** to model number. Example: **N-2460-2-16/3**.

FEATURES:

- For numerous applications when NSF construction is not required.
- Square-corner construction.
- 8" (203mm) backsplash.
- Adjustable bullet feet.
- Heavy gauge stainless steel.
- 304 and 430 series construction available.
- Sink compartments are 13 3/4" (340mm) deep.
- Legs are 1 1/2" (41mm) diameter galvanized tubing and are located directly under sink compartments for maximum stability and weight support.
- 42 3/4" (1086mm) overall height.

These sinks are NOT recommended for healthcare and laboratory applications. If you are unsure as to your application needs, please contact Factory.

(•) MTS (*made to stock*) / () MTO (*made to order*)

One Compartment, No Drainboards

bowl size		drainboard		weight		cubic feet	overall size		type 430 stainless steel		type 304 stainless steel	
width	length	length		lbs.	kg		width	length	model #	list	model #	list
in.	mm	in.	mm				in.	mm				
18" x 18"	457 x 457	—		53	24.0	0.9	22" x 19"	559 x 492	1818-1-16/4 •	1196	1818-1-16/3	1396
18" x 24"	457 x 610	—		56	25.4	11.6	22" x 25"	559 x 645	1824-1-16/4	1205	1824-1-16/3	1459
21" x 18"	533 x 457	—		56	25.4	10.5	25" x 19"	635 x 492	2118-1-16/4 •	1191	2118-1-16/3	1431
21" x 24"	533 x 610	—		59	26.8	13.1	25" x 25"	635 x 645	2124-1-16/4 •	1234	2124-1-16/3	1499
21" x 36"	533 x 914	—		65	29.5	18.1	25" x 37"	635 x 949	2136-1-16/4	1327	2136-1-16/3	1666
24" x 24"	610 x 610	—		60	27.2	14.6	28" x 25"	711 x 645	2424-1-16/4 •	1284	2424-1-16/3	1574
24" x 36"	610 x 914	—		68	30.8	20.2	28" x 37"	711 x 949	2436-1-16/4 •	1366	2436-1-16/3	1744

One Compartment, Double Drainboards

bowl size		drainboard		weight		cubic feet	overall size		type 430 stainless steel		type 304 stainless steel	
width	length	length		lbs.	kg		width	length	model #	list	model #	list
in.	mm	in.	mm				in.	mm				
21" x 24"	533 x 610	18"	457	99	44.9	28.3	25" x 60"	635 x 1530	2124-1-18-16/4	2654	2124-1-18-16/3	3236
24" x 24"	610 x 610	24"	610	108	49.0	37.1	28" x 72"	711 x 1835	2424-1-24-16/4	2856	2424-1-24-16/3	3343

Two Compartments, No Drainboards

bowl size		drainboard		weight		cubic feet	overall size		type 430 stainless steel		type 304 stainless steel	
width	length	length		lbs.	kg		width	length	model #	list	model #	list
in.	mm	in.	mm				in.	mm				
18" x 18"	457 x 457	—		75	34.0	16.1	22" x 37"	559 x 949	1836-2-16/4 •	1614	1836-2-16/3	1973
18" x 24"	457 x 610	—		80	36.3	20.6	22" x 49"	559 x 1254	1848-2-16/4	1692	1848-2-16/3	2125
21" x 18"	533 x 457	—		80	36.3	18.1	25" x 37"	635 x 949	2136-2-16/4 •	1649	2136-2-16/3	2031
21" x 24"	533 x 610	—		85	38.6	23.2	25" x 49"	635 x 1254	2148-2-16/4	1668	2148-2-16/3	2145
24" x 24"	610 x 610	—		89	40.4	25.8	28" x 49"	711 x 1254	2448-2-16/4 •	1831	2448-2-16/3	2278
24" x 30"	610 x 762	—		95	43.1	31.5	28" x 61"	711 x 1559	2460-2-16/4	2271	2460-2-16/3	2616

Two Compartments, Double Drainboards

bowl size		drainboard		weight		cubic feet	overall size		type 430 stainless steel		type 304 stainless steel	
width	length	length		lbs.	kg		width	length	model #	list	model #	list
in.	mm	in.	mm				in.	mm				
21" x 18"	533 x 457	18"	457	120	3048	33.3	25" x 72"	635 x 1835	2136-2-18-16/4	3271	2136-2-18-16/3	3982
24" x 24"	610 x 610	24"	610	139	3531	48.4	28" x 96"	711 x 2445	2448-2-24-16/4	3406	2448-2-24-16/3	4089

Utility Sinks Three- and Four-Compartment Sinks

see spec sheets **EG20.13C** **EG20.13D**



Note: Overflow hole available (*does not include drain*). To order, add \$55 per compartment to list price and suffix “-OF” to model number (example: 1836-3-16/3-OF).

For detachable drainboards, see page 249.

For NSF-approved utility sinks, add 35% to list price and add prefix “N-” to model number. Example: N-1836-3-16/3.

(•) MTS (*made to stock*) / () MTO (*made to order*)

Three Compartments, No Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet		overall size width x length in. mm		type 430 stainless steel model # list		type 304 stainless steel model # list	
18" x 12"	457 x 305	—	—	79	35.8	16.1	—	22" x 37"	559 x 949	1836-3-16/4 •	1859	1836-3-16/3	2260
18" x 16"	457 x 406	—	—	90	40.8	20.6	—	22" x 49"	559 x 1254	1848-3-16/4	1939	1848-3-16/3	2401
18" x 18"	457 x 457	—	—	97	44.0	22.8	—	22" x 55"	559 x 1407	1854-3-16/4 •	2203	1854-3-16/3	2622
21" x 12"	533 x 305	—	—	85	38.6	18.1	—	25" x 37"	635 x 949	2136-3-16/4 •	1907	2136-3-16/3	2334
21" x 16"	533 x 406	—	—	87	39.5	23.2	—	25" x 49"	635 x 1254	2148-3-16/4 •	1992	2148-3-16/3	2479
21" x 18"	533 x 457	—	—	100	45.4	25.7	—	25" x 55"	635 x 1407	2154-3-16/4 •	2211	2154-3-16/3	2694
21" x 20"	533 x 508	—	—	110	49.9	28.3	—	25" x 61"	635 x 1559	2160-3-16/4 *	2285	2160-3-16/3 *	3852
24" x 16"	610 x 406	—	—	92	41.7	25.8	—	28" x 49"	711 x 1254	2448-3-16/4	2091	2448-3-16/3	2591
24" x 20"	610 x 508	—	—	115	52.2	31.5	—	28" x 61"	711 x 1559	2460-3-16/4 *	2418	2460-3-16/3 *	2907
24" x 24"	610 x 610	—	—	125	56.7	37.1	—	28" x 73"	711 x 1864	2472-3-16/4 *•	2477	2472-3-16/3 *	3077

* Features two sets of faucet holes.

Three Compartments, Double Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet		overall size width x length in. mm		type 430 stainless steel model # list		type 304 stainless steel model # list	
21" x 12"	533 x 305	18"	457	125	56.7	33.3	—	25" x 72"	635 x 1835	2136-3-18-16/4	3342	2136-3-18-16/3	3953
21" x 16"	533 x 406	18"	457	127	57.6	38.4	—	25" x 84"	635 x 2140	2148-3-18-16/4	3452	2148-3-18-16/3	4255
21" x 18"	533 x 457	18"	457	140	63.5	40.9	—	25" x 90"	635 x 2292	2154-3-18-16/4	3771	2154-3-18-16/3	4522
24" x 24"	610 x 610	24"	610	175	79.4	59.6	—	28" x 120"	711 x 3054	2472-3-24-16/4*	4068	2472-3-24-16/3 *	5182

* Features two sets of faucet holes.

Four Compartments, No Drainboards (*All sinks feature two sets of faucet holes.*)


bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet		overall size width x length in. mm		type 430 stainless steel model # list		type 304 stainless steel model # list	
18" x 18"	457 x 457	—	—	110	49.9	29.5	—	22" x 73"	559 x 1864	1872-4-16/4	2533	1872-4-16/3	3158
21" x 18"	533 x 457	—	—	115	52.2	33.3	—	25" x 73"	635 x 1864	2172-4-16/4	2654	2172-4-16/3	3208
24" x 18"	610 x 457	—	—	125	56.7	37.1	—	28" x 73"	711 x 1864	2472-4-16/4	2727	2472-4-16/3	3357

Four Compartments, Double Drainboards - (*All sinks feature two sets of faucet holes.*)

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet		overall size width x length in. mm		type 430 stainless steel model # list		type 304 stainless steel model # list	
21" x 18"	533 x 457	18"	457	155	70.3	48.5	—	25" x 108"	635 x 2750	2172-4-18-16/4	4181	2172-4-18-16/3	4880

Catalog Section 20

Detachable Drainboards for Utility Sinks

see spec sheet **EG20.13E**

Drainboards will not work on NSF utility sinks!

- Unique die-stamped rolled rim construction.
- All drainboards are fully reversible, allowing for left- or right-hand operation.
- "Easy clip-on installation" utilizes two support brackets that bolt to sink gussets.
- Available in 430 or 304 series stainless steel.
- Drainboards 30" (762mm) long are furnished with legs.

FEATURES:

(•) MTS (made to stock) / () MTO (made to order)

width (front-to-back) x length (side-to-side)		weight		cu ft	16 gauge type 430 stainless steel		16 gauge type 304 stainless steel	
in.	mm	lbs.	kg		model #	list	model #	list
18" x 18"	457 x 457	19	8.6	1.8	18x18 RRDEDB •	336	18x18 RRDEDB-16/3	562
18" x 24"	457 x 610	23	10.4	1.9	18x24 RRDEDB •	356	18x24 RRDEDB-16/3	591
18" x 30"	457 x 762	27	12.2	2.8	18x30 RRDEDB	606	18x30 RRDEDB-16/3	661
21" x 18"	533 x 457	20	9.0	1.8	21x18 RRDEDB •	336	21x18 RRDEDB-16/3	562
21" x 24"	533 x 610	24	10.9	2.1	21x24 RRDEDB •	361	21x24 RRDEDB-16/3	591
21" x 30"	533 x 762	28	12.7	2.5	21x30 RRDEDB	677	21x30 RRDEDB-16/3	711
24" x 18"	610 x 457	21	9.5	2.3	24x18 RRDEDB •	346	24x18 RRDEDB-16/3	554
24" x 24"	610 x 610	25	11.3	2.4	24x24 RRDEDB •	375	24x24 RRDEDB-16/3	611
24" x 30"	610 x 762	29	13.2	2.7	24x30 RRDEDB	664	24x30 RRDEDB-16/3	700

SPEC-MASTER® FFN Series Flush Front Sinks

see spec sheet **EG20.54**

- Full front and 10" (254mm) high backsplash are 14 gauge stainless steel.
- 14 gauge double drainboards, rolled rims and sink bowl partitions.
- 1" (25mm) downturn at rear.
- Sink compartments feature 3/4" (19mm) covered inside radii.
- Basket-type waste drain fits 3 1/2" (89mm) opening and features 1 1/2" (38mm) outlet.
- Legs are located directly under sink bowls.
- All-welded base constructed of 1 1/2" (41mm) diameter tubular stainless steel.
- Adjustable stainless steel bullet feet.
- 14" (356mm) water level and swirl-away drainage.
- 44 1/2" (1134mm) overall height.

FEATURES:

				Two Compartments				Three Compartments *			
bowl size width x length		drainboard length		overall size width x length				overall size width x length			
in.	mm	in.	mm	in.	mm	model #	list	in.	mm	model #	list
27" x 18"	686 x 457	24"	610	30½" x 85"	775 x 2216	FFN2736-2-24-14/3	13923	30½" x 105¼"	775 x 2673	FFN2754-3-24-14/3	16797
27" x 18"	686 x 457	30"	762	30½" x 97"	775 x 2480	FFN2736-2-30-14/3	15584	30½" x 117¼"	775 x 2978	FFN2754-3-30-14/3	18712
27" x 20"	686 x 508	24"	610	30½" x 89"	775 x 2318	FFN2740-2-24-14/3	14565	30½" x 111¼"	775 x 2826	FFN2760-3-24-14/3	17759
27" x 20"	686 x 508	30"	762	30½" x 101"	775 x 2581	FFN2740-2-30-14/3	16218	30½" x 123¼"	775 x 3131	FFN2760-3-30-14/3	19675
27" x 24"	686 x 610	24"	610	30½" x 97"	775 x 2521	FFN2748-2-24-14/3	15840	30½" x 123¼"	775 x 3131	FFN2772-3-24-14/3	19675
27" x 24"	686 x 610	30"	762	30½" x 109"	775 x 2785	FFN2748-2-30-14/3	17500	30½" x 135¼"	775 x 3435	FFN2772-3-30-14/3	21585
27" x 30"	686 x 762	24"	610	30½" x 109"	775 x 2826	FFN2760-2-24-14/3	17759	30½" x 141¼"	775 x 3588	FFN2790-3-24-14/3	22546
27" x 30"	686 x 762	30"	762	30½" x 121"	775 x 3089	FFN2760-2-30-14/3	19411	30½" x 153¼"	775 x 3893	FFN2790-3-30-14/3	24463

* Three-Compartment sinks feature two sets of faucet holes.

SPEC-MASTER® Specialty Use/Parts Cleaning Sinks

see spec sheet **EG20.38**



FEATURES:

- All bowls have 14" depth (356mm), 5/8" (16mm) radius corners.
- 14 gauge type 304 18-8 stainless steel construction.
- Available with one, two, or no drainboards.

Note: All shipping weights and cubic feet are approximate.

Two Compartments

inside bowl dimensions width x length in. mm		overall dimensions width x length x height in. mm		drain boards	weight lbs. kg		cu ft	model #	list
14" x 32"	356 x 813	37" x 37" x 44 1/2"	902 x 940 x 1130	none	155	70.3	23	SFN2832-2-14/3	6215
14" x 32"	356 x 813	37" x 53 1/2" x 44 1/2"	902 x 1359 x 1130	one 18" (457mm) R or L	175	79.3	26	SFN2832-2-18R or L-14/3	6994
14" x 32"	356 x 813	37" x 70" x 44 1/2"	902 x 1778 x 1130	two 18" (457mm) R & L	200	90.7	46	SFN2832-2-18-14/3	7657

Three Compartments

inside bowl dimensions width x length in. mm		overall dimensions width x length x height in. mm		drain boards	weight lbs. kg		cu ft	model #	list
two 14" x 32" (356 x 813mm) bowls, & one 20" x 30" (508 x 762mm) bowl		37" x 59" x 44 1/2"	902 x 1499 x 1130	none	164	74.4	36	SFN3052-3-14/3	7965
		37" x 75 1/2" x 44 1/2"	902 x 1918 x 1130	one 18" (457mm) R or L	192	87.1	47	SFN3052-3-18R or L-14/3	8622
		37" x 92" x 44 1/2"	902 x 2337 x 1130	two 18" (457mm) R & L	210	95.3	58	SFN3052-3-18-14/3	8842
three 32" x 14" (813 x 356mm) bowls		39" x 51" x 44 1/2"	991 x 1265 x 1130	none	160	72.6	32	SFN3242-3-14/3	8300
		39" x 67 1/2" x 44 1/2"	991 x 1715 x 1130	one 18" (457mm) R or L	175	79.4	45	SFN3242-3-18R or L-14/3	8557
		39" x 84" x 44 1/2"	991 x 2134 x 1130	two 18" (457mm) R & L	200	90.7	56	SFN3242-3-18-14/3	8864

314 Series Corner Sinks

see spec sheet **EG20.09**



all sinks have two sets of faucet holes

FEATURES:

- Deep-drawn, heavy gauge type 304 construction.
- Poly cutting board/sink cover.

Note: All shipping weights and cubic feet are approximate.
ALL UNITS SHIPPED FULLY CRATED.

Twist drain brackets available.

Works in conjunction with optional twist handle drains (not included - see page 260). To order, add **\$37 per compartment to list price** and suffix **"-TB"** to model number. **Example: C314-10-3-12-TB.**

(•) MTS (made to stock) / () MTO (made to order)

no. bowls	bowl size width x length x depth	drain boards	overall size width x length x height	shipping weight	cu ft	model #	list
3	10" x 14" x 10" (254 x 355 x 254mm)	two 12" (305mm)	39" x 43" x 44" (991 x 1092 x 1118mm)	152 lbs. (68.9 kg)	30	C314-10-3-12	6320
3	16" x 20" x 14" (406 x 508 x 356mm)	two 18" (457mm)	57 1/4" x 59 3/4" x 44" (1454 x 1518 x 1118mm)	211 lbs. (95.7 kg)	77	C314-16-3-18•	8315
3	22" x 22" x 14" (558 x 558 x 356mm)	two 18" (457mm)	69" x 69" x 44" (1753 x 1753 x 1118mm)	227 lbs. (103.0 kg)	90	C314-22-3-18	9019
3	24" x 24" x 14" (610 x 610 x 356mm)	two 24" (610mm)	79" x 79" x 44" (2007 x 2007 x 1118mm)	258 lbs. (117.0 kg)	108	C314-24-3-24	9747

Catalog Section 20

310 and 312 Series Specialty Use Sinks see spec sheet **EG20.19**

FEATURES:

- Heavy gauge type 304 construction.
- Sink bowls are deep-drawn, except where noted.
- 9½" (241mm) backsplash includes 1" (25mm) upturn and tile edge for easy installation and feathering to wall/splash surface.

Note: All shipping weights and cubic feet are approximate.**Twist drain brackets available.**

Works in conjunction with optional twist handle drains (not included – see page 260). To order, add **\$37 per compartment to list price** and suffix **"-TB"** to model number (example: **310-10-3-12-TB**).

(•) MTS (made to stock) / () MTO (made to order)

310 Series

no. bowls	bowl size width x length x depth	drain boards	overall size width x length x height	shipping weight	cu ft	model #	list
3	14" x 10" x 9½" (355 x 254 x 247mm)	two 12" (305mm)	21½" x 60" x 41" (551 x 1524 x 1041mm)	71 lbs. (32.2 kg)	23	310-10-3-12•	3767
3	14" x 10" x 9½" (355 x 254 x 247mm)	two 18" (457mm)	21½" x 72" x 41" (551 x 1829 x 1041mm)	78 lbs. (35.4 kg)	27	310-10-3-18•	3862
3	14" x 10" x 9½" (355 x 254 x 247mm)	two 24" (610mm)	21½" x 84" x 41" (551 x 2134 x 1041mm)	87 lbs. (39.5 kg)	32	310-10-3-24	3931

312 Series

no. bowls	bowl size width x length x depth	drain boards	overall size width x length x height	shipping weight	cu ft	model #	list
3	20" x 12" x 12" (508 x 305 x 305mm)	two 12" (305mm)	27½" x 66" x 41" (703 x 1676 x 1041mm)	89 lbs. (40.4 kg)	22	312-12-3-12**	3997
3	14" x 16" x 12" (356 x 406 x 305mm)	two 12" (305mm)	23½" x 72" x 41" (602 x 1829 x 1041mm)	105 lbs. (47.6 kg)	46	312-14-3-12•	4281

* #312-12-3-12 features fabricated sink bowls.

Faucet for Convenience Store Sinks

description	model #	list
10" (254mm) spout	300489	348



Go Green. Go ECO-Built™ by EAGLE.

The advantages may be invisible. But when you see the tag you'll know the product you purchase has been produced in the EAGLE plant, under the principles that drive the ECO-Built™ program.

For institutions concerned about meeting their own green standards, buying ECO-Built™ is simply the right thing to do.

Look for the ECO-Built™ tag on the bar code 

Mop Sinks see spec sheet **EG20.01**

- 304 18-8 stainless steel construction.
- Sink bowl is heavy gauge with deep-drawn coved corners.
- Drain with flat strainer plate.

FEATURES:



Note: See page 253 for Mop Storage Cabinets and optional Utility Shelves with Mop Hangers.

(•) MTS (*made to stock*) / () MTO (*made to order*)

bowl width x length x depth in mm	cu ft	overall width x length x height in. mm	sh. weight lbs. kg	model #	list
16" x 20" x 8" 406 x 508 x 203	8.4	21½" x 24¾" x 15½" 546 x 625 x 394	35 15.8	F1916••	1859
16" x 20" x 12" 406 x 508 x 305	8.4	21½" x 24¾" x 19½" 546 x 625 x 495	53 24.0	F1916-12••	1925
20" x 28" x 8" 508 x 711 x 203	11.9	25½" x 32¾" x 15½" 648 x 829 x 394	68 30.8	F2820 *	2127
20" x 28" x 12" 508 x 711 x 305	11.9	25½" x 32¾" x 19½" 648 x 829 x 495	86 39.0	F2820-12••	2363

* Includes 3¼" high backsplash. 12½" deck height.

•• Includes 3¼" high backsplash. 16½" deck height.



Optional Accessories for Mop Sink

description	weight		model #	list
	lbs.	kg		
3-pole mop holder, 18" (457mm) length	4	1.8	312688	238
4-pole mop holder, 24" (610mm) length	4.5	2.0	321561 •	348
30" (762mm) hose & wall mounted bracket	8	3.6	312689	228
service faucet (<i>comes with vacuum breaker</i>)	11	5.0	312690	666

**NEW**

Optional 16" Splash Kits for Mop Sinks

16 gauge type 304 stainless steel. 3" radius on front of end splashes. Kits come with hardware for attaching to mop sink.

descriptions	fits "F1916" mop sinks		fits "F2820" mop sinks	
	model #	list	model #	list
left and rear splash kit	503095	669	503098	708
right and rear splash kit	503096	669	503099	708
left, right and rear splash kit	503097	1055	503100	1156

Quality...

Value...

Reliability!

Service for over 60 years.

Catalog Section 20

NEW Chemical Storage Wall Cabinetssee product announcement **EG8092**

*Overall dimensions of all units:
15" width x 24" length x 28" height.*

- FEATURES:**
- Heavy gauge 300 or 430 series stainless steel construction.
 - Stationary center shelf with safety edge.
 - Top is slanted at a 15° angle.
 - Sides are louvered along the top for ventilation.
 - Double-panel removable doors with or without key lock.
 - Recessed back accommodates and conceals full-length mounting plate.

features	TYPE 430 STAINLESS		TYPE 300 STAINLESS	
	model #	list	model #	list
left-hinged door	WCH4-24C-L	4733	WCH-24C-L	5244
left-hinged door with key lock	WCH4-24C-LL	5053	WCH-24C-LL	5564
right-hinged door	WCH4-24C-R	4733	WCH-24C-R	5244
right-hinged door with key lock	WCH4-24C-RL	5053	WCH-24C-RL	5564

Mop Sink Storage Cabinets see spec sheet **EG20.04**

**Double-Width
Cabinets
available!**

**All cabinets
include one
16" x 20" x 8"
stainless steel
mop sink!**

(mops shown not included)



- FEATURES:**
- Heavy gauge type 430 stainless steel construction.
 - Overhead shelf (Double-width units feature four shelves).
 - Double-pan 20 gauge stainless steel hinged doors.
 - Transverse rod handles featuring keyed locks.
 - Top is slanted at a 15° angle.
 - Sides are louvered along the top for ventilation.
 - Mop sink holds two mops.
 - Cabinets comes with service faucet, 30" (762mm) hose and wall mounted bracket.

Note: Optional upgrade to type 300 stainless steel cabinet available.

To order, add 15% to list price and suffix "-SE" to model number (example: F1916-VSCS-SE).

description	width x length x height		weight		cubic feet	model #	list
	in.	mm	lbs.	kg			
single-width cabinet	22¼" x 25" x 84¼"	565 x 635 x 2140	274	124.3	39.0	F1916-VSCS	6915
double-width cabinet, mop sink at left	22¼" x 47½" x 84¼"	565 x 1207 x 2140	544	246.7	81.9	F1916-VSCS-DL	7899
double-width cabinet, mop sink at right	22¼" x 47½" x 84¼"	565 x 1207 x 2140	544	246.7	81.9	F1916-VSCS-DR	7899

Utility Shelves with Mop Hangers

see spec sheet **EG20.02**

width x length		model #	list
in.	mm		
8" x 24"	203 x 610	US0824-16/3•	744
8" x 36"	203 x 914	US0836-16/3	856
8" x 48"	203 x 1219	US0848-16/3	1083



- FEATURES:**
- 16 gauge type 304 stainless steel.
 - Mop hangers. Flat hooks.
 - Hangers and hooks are riveted to front of shelf.


Note: Faucets listed are lead-free AB1953-compliant.

(•) MTS (made to stock) / () MTO (made to order)

Countertop Drop-In Sinks with Self Rim Design

Not NSF approved for warewashing and/or food preparation operations. Not intended for NSF installation into stainless steel worksurface. Please consult factory if need arises.

see spec sheet **EG20.39**



#SR-10-14-9.5-1
one-compartment sink

#SR-10-14-9.5-2
two-compartment sink

FEATURES:

- 304 series stainless steel.
- Faucet and 1½" (38mm) outlet basket drain.

(•) MTS (made to stock) / () MTO (made to order)

Note: Faucet holes are punched on 4" (102mm) centers.

To order sinks with faucet holes punched on 8" (203mm) centers, add \$196 to list price and add suffix "-8CL" (example: SR18-24-13.5-2-8CL). Faucets sold separately for "-8CL" sinks. See page 255.

All weights and cubic feet in charts are approximate.

Recommended for 1"-thick countertops. If countertop is thicker than 1", please indicate at time of order.

One Compartment – Furnished with #302004 faucet with gooseneck spout, except where noted. See page 255 for other available faucets.

inside bowl dimensions width x length x depth in. mm		overall width x length in. mm		TOP MOUNT cutout width x length in. mm		BOTTOM MOUNT cutout* width x length in. mm		weight lbs. kg		cu ft	model #	list
14" x 10" x 5"	356 x 254 x 127	19" x 12½"	483 x 324	17½" x 11½"	448 x 286	14½" x 10½"	376 x 275	10	4.5	0.7	SR10-14-5-1▲	612
14" x 10" x 9½"	356 x 254 x 241	18½" x 12½"	480 x 324	17½" x 11½"	445 x 286	14½" x 10½"	376 x 275	12	5.4	1.4	SR10-14-9.5-1●	671
14" x 12" x 9½"	356 x 305 x 241	19" x 14½"	483 x 375	17½" x 13½"	448 x 337	14½" x 12½"	365 x 314	14	6.4	1.7	SR12-14-9.5-1▲	902
10" x 14" x 5"	254 x 356 x 127	15" x 16½"	381 x 426	13½" x 15½"	346 x 387	10½" x 14½"	275 x 376	10	4.5	0.8	SR14-10-5-1▲	612
10" x 14" x 5"	254 x 356 x 127	15" x 16½"	381 x 426	13½" x 15½"	346 x 387	n/a		12	5.4	0.8	SRU14-10-5-1***▲	1154
10" x 14" x 9½"	254 x 356 x 241	15" x 16½"	381 x 422	13½" x 15½"	346 x 384	10½" x 14½"	275 x 376	12	5.4	1.6	SR14-10-9.5-1	876
12" x 14" x 9½"	305 x 356 x 241	17" x 16½"	432 x 426	15½" x 15½"	397 x 387	12½" x 14½"	314 x 365	14	6.4	1.8	SR14-12-9.5-1▲	892
16" x 14" x 9½"	406 x 356 x 241	21" x 16½"	533 x 425	19½" x 15½"	499 x 387	16½" x 14½"	422 x 372	23	10.4	2.1	SR14-16-9.5-1▲	1051
14" x 16" x 9½"	356 x 406 x 241	19" x 18½"	483 x 476	17½" x 17½"	448 x 448	14½" x 16½"	372 x 422	23	10.4	2.1	SR16-14-9.5-1▲	1051
20" x 16" x 8"	508 x 406 x 203	24½" x 18½"	629 x 470	23½" x 17"	594 x 432	20½" x 16½"	524 x 422	26	11.8	2.2	SR16-19-8-1★	899
20" x 16" x 13½"	508 x 406 x 343	24½" x 18½"	629 x 470	23½" x 17"	594 x 432	20½" x 16½"	524 x 422	28	12.7	3.9	SR16-19-13.5-1★	1125
24" x 18" x 13½"	610 x 457 x 343	28½" x 20½"	730 x 521	27½" x 19"	695 x 483	24½" x 18½"	626 x 473	32	14.5	4.9	SR18-24-13.5-1★	1193
16" x 20" x 8"	406 x 508 x 203	20½" x 22½"	527 x 572	19½" x 21"	492 x 533	16½" x 20½"	422 x 524	24	10.9	2.3	SR19-16-8-1■●	1051
16" x 20" x 13½"	406 x 508 x 343	20½" x 22½"	527 x 572	19½" x 21"	492 x 533	16½" x 20½"	422 x 524	25	11.3	3.9	SR19-16-13.5-1■●	1125
12" x 20" x 6½"	305 x 508 x 165	17" x 22½"	432 x 578	15½" x 21½"	397 x 540	12½" x 20½"	310 x 511	28	12.7	1.6	SR20-12-6.5-1▲	1135
22" x 22" x 13½"	559 x 559 x 343	27" x 24½"	686 x 629	25½" x 23½"	651 x 591	see template included w/sink		34	15.4	5.5	SR22-22-13.5-1■	1891
18" x 24" x 13½"	457 x 610 x 343	22½" x 26½"	578 x 673	21½" x 25"	543 x 635	18½" x 24½"	473 x 626	32	14.5	5.0	SR24-18-13.5-1★	1096
24" x 24" x 13½"	610 x 610 x 343	28½" x 26½"	730 x 673	27½" x 25"	695 x 635	24½" x 24½"	627 x 627	36	16.3	6.4	SR24-24-13.5-1■	1436

* See page 255 for Bottom Mount Kit; ** #SRU14-10-5-1 features an upturn on sides and rear; ▲ 20 gauge stainless steel. All others constructed of 18 gauge stainless steel;

★ These sinks utilize #301248 faucet with 8" (203mm) swivel spout; ■ These sinks utilize #300490 faucet with 12" (305mm) swivel spout

Optional Deck-Mount Electronic-Eye Faucet for One Compartment Drop-In Sinks only

deck mount
electronic-eye
faucet



To order, add suffix "-FE" to model #.

Example: SR10-14-5-1-FE. Consult factory for list price.

Two Compartment – Furnished with #300490 faucet with 12" (203mm) spout, except where noted. See page 255 for other available faucets.

inside bowl dimensions width x length x depth in. mm		overall width x length in. mm		TOP MOUNT cutout width x length in. mm		BOTTOM MOUNT cutout* width x length in. mm		weight lbs. kg		cu ft	model #	list
14" x 10" x 9½"	356 x 254 x 241	18½" x 24½"	480 x 629	17½" x 23½"	445 x 591	14½" x 23"	376 x 584	25	11.3	2.8	SR10-14-9.5-2■	1420
14" x 12" x 9½"	356 x 305 x 241	19" x 28½"	483 x 730	17½" x 27½"	448 x 692	14½" x 26½"	365 x 676	27	12.2	3.2	SR12-14-9.5-2▲	1562
16" x 14" x 9½"	406 x 356 x 241	21" x 32½"	525 x 832	19½" x 31½"	499 x 794	16½" x 30½"	422 x 778	42	19.1	4.0	SR14-16-9.5-2▲	1665
20" x 16" x 8"	508 x 406 x 203	24½" x 36½"	527 x 921	23½" x 34½"	594 x 883	20½" x 34½"	524 x 870	48	21.8	4.3	SR16-19-8-2	1867
20" x 16" x 13½"	508 x 406 x 343	24½" x 36½"	527 x 921	23½" x 34½"	594 x 883	20½" x 34½"	524 x 870	52	23.6	7.5	SR16-19-13.5-2●	1961
24" x 18" x 13½"	610 x 457 x 343	28½" x 40½"	578 x 1022	27½" x 38½"	695 x 984	24½" x 38½"	626 x 978	56	24.9	9.7	SR18-24-13.5-2	2248
22" x 22" x 13½"	559 x 559 x 343	27" x 48½"	686 x 1238	25½" x 47½"	651 x 1200	see template included w/sink		57	25.9	10.7	SR22-22-13.5-2	3366
24" x 24" x 13½"	610 x 610 x 343	28½" x 52½"	730 x 1324	27½" x 50½"	695 x 1286	24½" x 50½"	630 x 1276	64	29.0	12.5	SR24-24-13.5-2	3034

* See page 255 for Bottom Mount Kit; ■ Model #SR10-14-9.5-2 utilizes #301248 faucet with 8" (203mm) swivel spout;


▲ 20 gauge stainless steel. All others constructed of 18 gauge stainless steel.

Catalog Section 20

Countertop Drop-In Sinks with Self Rim Design

see spec sheet **EG20.39**

Not NSF approved for warewashing and/or food preparation operations. Not intended for NSF installation into stainless steel worksurface. Please consult factory if need arises.



#SR-10-14-9.5-3
three-compartment sink

FEATURES:

- 304 series stainless steel.
- Faucet and 1½" (38mm) outlet basket drain.

(•) MTS (made to stock) / () MTO (made to order)

Note: Faucet holes are punched on 4" (102mm) centers. To order sinks with faucet holes punched on 8" (203mm) centers, add \$196 to list price and add suffix "-8CL" (example: SR18-24-13.5-3-8CL). Faucets sold separately for "-8CL" sinks. See "T&S Deck Mount Faucets" chart below.

All weights and cubic feet in charts are approximate.

Recommended for 1"-thick countertops. For countertops thicker than 1", consult factory.

Three Compartment — Furnished with #300490 faucet with 12" (305mm) spout, except where noted. See below for other available faucets.

inside bowl dimensions width x length x depth in. mm		overall width x length in. mm		TOP MOUNT cutout width x length in. mm		BOTTOM MOUNT cutout* width x length in. mm		weight lbs. kg		cu ft	model #	list
14" x 10" x 9½"	356 x 254 x 241	18⅞" x 36¾"	480 x 933	17⅞" x 35¼"	445 x 895	14⅜" x 35"	376 x 889	37	16.8	4.1	SR10-14-9.5-3●	1899
14" x 12" x 9½"	356 x 305 x 241	19" x 42¾"	483 x 1086	17⅞" x 41¼"	448 x 1031	14⅜" x 40⅝"	365 x 1032	39	17.6	4.7	SR12-14-9.5-3▲	2292
16" x 14" x 9½"	406 x 356 x 241	21" x 48¾"	533 x 1238	19⅞" x 47¼"	498 x 1200	16⅞" x 46⅝"	422 x 1184	66	29.9	6.0	SR14-16-9.5-3●▲	2339
20" x 16" x 8"	508 x 406 x 203	24¾" x 54"	629 x 1372	23¾" x 52½"	594 x 1334	20⅝" x 52¼"	524 x 1327	72	32.7	6.3	SR16-19-8-3	2429
20" x 16" x 13½"	508 x 406 x 343	24¾" x 54"	629 x 1372	23¾" x 52½"	594 x 1334	20⅝" x 52¼"	524 x 1327	77	34.9	10.9	SR16-19-13.5-3●	2572
24" x 18" x 13½"	610 x 457 x 343	28¾" x 60"	730 x 1524	27⅞" x 58½"	695 x 1486	24⅞" x 58¼"	626 x 1480	82	37.2	14.1	SR18-24-13.5-3■	3120

* See below for Bottom Mount Kit; ■ These sinks utilize #301440 faucet with 14" (356mm) swivel spout;

▲ 20 gauge stainless steel. All others constructed of 18 gauge stainless steel.

Options for Countertop Drop-In Sinks

see spec sheet **EG20.39**

Note: Faucets listed are lead-free AB1953-compliant.

Faucets can be shipped UPS.

Standard Deck Mount Faucets — with 1/4-turn handles

description	model #	list
gooseneck faucet, 4" (102mm) center, for single bowls	302004	232
8" (203mm) spout, 4" (102mm) centers, for single and double bowls	301248	207
12" (305mm) spout, 4" (102mm) centers, for triple bowls	300490	220
14" (356mm) spout, 4" (102mm) centers, for triple bowls	301440	239



#302004 faucet



#301248 faucet

T&S Deck Mount Faucets **OUR BEST**

description	model #	list
gooseneck faucet, 4" (102mm) center, for single bowls	313308	553
8" (203mm) spout, 4" (102mm) center, for single and double bowls	313306	534
8" (203mm) spout, 4" (102mm) center, for single and double bowls, with spray arm	377430 *	55
8" (203mm) spout, 8" (203mm) center, for single and double bowls, with spray arm	303560 *	615
12" (305mm) spout, 4" (102mm) center, for triple bowls	313303	552
12" (305mm) spout, 8" (203mm) center, for triple bowls, with spray arm	303561 *	696
14" (356mm) spout, 4" (102mm) center, for triple bowls	313307	553
14" (356mm) spout, 8" (203mm) center, for triple bowls, with spray arm	303562 *	694


* Faucets with spray arm require special faucet holes.




#303560 faucet

Bottom-Mount Kit — One kit per one-compartment sinks, two kits per two-compartment sink, three kits per three-compartment sink.

description	model #	list
8 undermount clips per kit	362188	33



undermount clip



Countertop Drop-Ins with No Deck

see product announcement **EG8207**

FEATURES:

- 304 series stainless steel.
- Basket drain.
- 1½" trim on all four sides.



One Compartment

inside bowl dimensions width x length x depth in. mm		overall width x length in. mm		TOP MOUNT cutout width x length in. mm		BOTTOM MOUNT cutout* width x length in. mm		weight lbs. kg	cu ft	model #	list
14" x 10" x 5"	356 x 254 x 127	16½" x 12¼"	422 x 324	15¼" x 11¼"	387 x 286	14⅜" x 10⅜"	376 x 275	10 4.5	0.7	SR10-14-5-1-ND•▲	557
14" x 10" x 9½"	356 x 254 x 241	16½" x 12¼"	419 x 324	15¼" x 11¼"	387 x 286	14⅜" x 10⅜"	376 x 275	12 5.4	1.4	SR10-14-9.5-1-ND•	733
14" x 12" x 9½"	356 x 305 x 241	16½" x 14¼"	422 x 375	15¼" x 13¼"	387 x 337	14½" x 12¾"	365 x 314	14 6.4	1.7	SR12-14-9.5-1-ND•▲	882
16" x 14" x 9½"	406 x 356 x 241	18½" x 16¼"	473 x 425	17¼" x 15¼"	438 x 387	16½" x 14½"	422 x 372	23 10.4	2.1	SR14-16-9.5-1-ND•▲	1003
20" x 16" x 8"	508 x 406 x 203	22½" x 18½"	568 x 470	21" x 17"	533 x 432	20½" x 16½"	524 x 422	26 11.8	2.2	SR16-19-8-1-ND	903
20" x 16" x 13½"	508 x 406 x 343	22½" x 18½"	568 x 470	21" x 17"	533 x 432	20½" x 16½"	524 x 422	28 12.7	3.9	SR16-19-13.5-1-ND	994
24" x 18" x 13½"	610 x 457 x 343	26½" x 20½"	670 x 521	25" x 19"	635 x 483	24½" x 18½"	626 x 473	32 14.5	4.9	SR18-24-13.5-1-ND	1059
22" x 22" x 13½"	559 x 559 x 343	24½" x 24½"	626 x 629	23¼" x 23¼"	591 x 591	22½" x 22½"	575 x 575	34 15.4	5.5	SR22-22-13.5-1-ND	1829
24" x 24" x 13½"	610 x 610 x 343	26½" x 26½"	670 x 673	25" x 25"	635 x 635	24⅜" x 24⅜"	627 x 627	36 16.3	6.4	SR24-24-13.5-1-ND	1160

* See page 255 for Bottom Mount Kit; ▲ 20 gauge stainless steel. All others constructed of 18 gauge stainless steel.

Two Compartment

inside bowl dimensions width x length x depth in. mm		overall width x length in. mm		TOP MOUNT cutout width x length in. mm		BOTTOM MOUNT cutout* width x length in. mm		weight lbs. kg	cu ft	model #	list
14" x 10" x 9½"	356 x 254 x 241	16½" x 24¼"	419 x 629	15¼" x 23¼"	387 x 591	14⅜" x 23"	376 x 584	25 11.3	2.8	SR10-14-9.5-2-ND•	1386
14" x 12" x 9½"	356 x 305 x 241	16½" x 28¼"	422 x 730	15¼" x 27¼"	387 x 692	14½" x 26½"	365 x 676	27 12.2	3.2	SR12-14-9.5-2-ND▲	1601
16" x 14" x 9½"	406 x 356 x 241	18½" x 32¼"	473 x 832	17¼" x 31¼"	438 x 794	16½" x 30½"	422 x 778	42 19.1	4.0	SR14-16-9.5-2-ND▲	1713
20" x 16" x 8"	508 x 406 x 203	22½" x 36¼"	568 x 921	21" x 34¼"	533 x 883	20½" x 34½"	524 x 876	48 21.8	4.3	SR16-19-8-2-ND	1363
20" x 16" x 13½"	508 x 406 x 343	22½" x 36¼"	568 x 921	21" x 34¼"	533 x 883	20½" x 34½"	524 x 876	52 23.6	7.5	SR16-19-13.5-2-ND•	1543
24" x 18" x 13½"	610 x 457 x 343	26½" x 40¼"	670 x 1022	25" x 38¼"	635 x 984	24½" x 38½"	626 x 978	56 24.9	9.7	SR18-24-13.5-2-ND	1853
22" x 22" x 13½"	559 x 559 x 343	24½" x 48¼"	626 x 1238	23¼" x 47¼"	591 x 1200	22½" x 46½"	575 x 1184	57 25.9	10.7	SR22-22-13.5-2-ND	3401
24" x 24" x 13½"	610 x 610 x 343	26½" x 52½"	670 x 1324	25" x 50½"	635 x 1286	24⅜" x 50¼"	630 x 1276	64 29.0	12.5	SR24-24-13.5-2-ND	1958

* See page 255 for Bottom Mount Kit; ▲ 20 gauge stainless steel. All others constructed of 18 gauge stainless steel.

Three Compartment

inside bowl dimensions width x length x depth in. mm		overall width x length in. mm		TOP MOUNT cutout width x length in. mm		BOTTOM MOUNT cutout* width x length in. mm		weight lbs. kg	cu ft	model #	list
14" x 10" x 9½"	356 x 254 x 241	16½" x 36¼"	419 x 933	15¼" x 35¼"	387 x 895	14⅜" x 35"	376 x 889	37 16.8	4.1	SR10-14-9.5-3-ND•	1477
14" x 12" x 9½"	356 x 305 x 241	16½" x 42¼"	422 x 1086	15¼" x 41¼"	387 x 1031	14½" x 40½"	331 x 1032	39 17.6	4.7	SR12-14-9.5-3-ND▲	2204
16" x 14" x 9½"	406 x 356 x 241	18½" x 48¼"	473 x 1238	17¼" x 47¼"	438 x 1200	16½" x 46½"	422 x 1184	66 29.9	6.0	SR14-16-9.5-3-ND•▲	2364
20" x 16" x 8"	508 x 406 x 203	22½" x 54"	568 x 1372	21" x 52½"	533 x 1334	20½" x 52¼"	524 x 1327	72 32.7	6.3	SR16-19-8-3-ND	1919
20" x 16" x 13½"	508 x 406 x 343	22½" x 54"	568 x 1372	21" x 52½"	533 x 1334	20½" x 52¼"	524 x 1327	77 34.9	10.9	SR16-19-13.5-3-ND•	2129
24" x 18" x 13½"	610 x 457 x 343	26½" x 60"	670 x 1524	25" x 58½"	635 x 1486	24½" x 58¼"	626 x 1480	82 37.2	14.1	SR18-24-13.5-3-ND	2559

* See page 255 for Bottom Mount Kit; ▲ 20 gauge stainless steel. All others constructed of 18 gauge stainless steel.

Catalog Section 20


Seamless Welded-In Sinks see spec sheet **EG20.18**

- For NSF-approved welded fabrication.
- Deep-drawn seamless bowls.
- Type 304 stainless steel construction.
- Basket drain.

FEATURES:

Note: All shipping weights and cubic feet are approximate.**For Undermount...**

An understructure* is secured atop cabinet, then the sink's flanges are secured between understructure and countertop.

**One Compartment**

inside bowl dimensions width x length x depth in. mm		overall dimensions width x length in. mm		gauge	drain in. mm		weight lbs. kg		cu ft	model #	list
14" x 10" x 5"	356 x 254 x 127	16" x 12"	406 x 305	20	3½"	89	9	4.1	1.4	FDI-10-14-5-1	403
14" x 10" x 9½"	356 x 254 x 241	16" x 12"	406 x 305	18	3½"	89	11	5.0	1.4	FDI-10-14-9.5-1	447
14" x 12" x 9½"	356 x 305 x 241	16" x 14"	406 x 356	20	3½"	89	13	5.8	2.4	FDI-12-14-9.5-1	466
20" x 12" x 6½"	508 x 305 x 165	22" x 14"	559 x 356	20	2"	51	14	6.4	2.6	FDI-12-20-6.5-1	487
16" x 14" x 6"	406 x 356 x 152	18" x 16"	457 x 406	20	3½"	89	14	6.4	2.5	FDI-14-16-6-1	500
16" x 14" x 9½"	406 x 356 x 241	18" x 16"	457 x 406	20	3½"	89	14	6.4	2.3	FDI-14-16-9.5-1	514
20" x 16" x 8"	508 x 406 x 203	21¾" x 18"	552 x 457	18	3½"	89	23	10.4	3.7	FDI-16-19-8-1	629
20" x 16" x 13½"	508 x 406 x 343	21¾" x 18"	552 x 457	18	3½"	89	25	11.3	3.7	FDI-16-19-13.5-1	635
24" x 18" x 13½"	610 x 457 x 343	26" x 20"	660 x 508	18	3½"	89	37	16.8	8.6	FDI-18-24-13.5-1	771
20" x 20" x 5"	508 x 508 x 127	22" x 22"	559 x 559	20	3½"	89	19	8.6	1.5	FDI-20-20-5-1	493
22" x 22" x 13½"	559 x 559 x 343	24" x 24"	610 x 610	18	3½"	89	39	17.6	7.3	FDI-22-22-13.5-1	899
24" x 24" x 13½"	610 x 610 x 343	26" x 26"	660 x 660	18	3½"	89	41	18.6	8.3	FDI-24-24-13.5-1	938

Two Compartment

inside bowl dimensions width x length x depth in. mm		overall dimensions width x length in. mm		gauge	drain in. mm		weight lbs. kg		cu ft	model #	list
14" x 10" x 9½"	356 x 254 x 241	16" x 24"	406 x 610	18	3½"	89	19	8.6	6.5	FDI-10-14-9.5-2	861
14" x 12" x 9½"	356 x 305 x 241	16" x 28"	406 x 711	20	3½"	89	21	9.5	4.5	FDI-12-14-9.5-2	929
16" x 14" x 9½"	406 x 356 x 241	18" x 32"	457 x 813	20	3½"	89	25	11.3	6.2	FDI-14-16-9.5-2	1001
20" x 16" x 8"	508 x 406 x 203	21¾" x 36"	552 x 914	18	3½"	89	43	19.5	5.1	FDI-16-19-8-2	1217
20" x 16" x 13½"	508 x 406 x 343	21¾" x 36"	552 x 914	18	3½"	89	50	22.7	7.6	FDI-16-19-13.5-2	1251
24" x 18" x 13½"	610 x 457 x 343	26" x 40"	660 x 1016	18	3½"	89	73	33.1	15.7	FDI-18-24-13.5-2	1461
22" x 22" x 13½"	559 x 559 x 343	24" x 48"	610 x 1219	18	3½"	89	75	34.0	12.6	FDI-22-22-13.5-2	1733
24" x 24" x 13½"	610 x 610 x 343	26" x 52"	660 x 1321	18	3½"	89	81	36.7	15.0	FDI-24-24-13.5-2	1806

Seamless Welded-In Sinks

see spec sheet **EG20.18**

- For NSF-approved welded fabrication.
- Deep-drawn seamless bowls.
- Type 304 stainless steel construction.
- Basket drain.


FEATURES:

Note: All shipping weights and cubic feet are approximate.



For Undermount...

An understructure* is secured atop cabinet, then the sink's flanges are secured between understructure and countertop.



Three Compartment

inside bowl dimensions width x length x depth in. mm		overall dimensions width x length in. mm		gauge	drain in. mm		weight lbs. kg		cu ft	model #	list
14" x 10" x 9½"	356 x 254 x 241	16" x 36"	406 x 914	18	3½"	89	27	12.2	4.0	FDI-10-14-9.5-3	1286
14" x 12" x 9½"	356 x 305 x 241	16" x 42"	406 x 1067	20	3½"	89	30	13.6	5.3	FDI-12-14-9.5-3	1299
16" x 14" x 9½"	406 x 356 x 241	18" x 48"	457 x 1219	20	3½"	89	36	16.3	7.2	FDI-14-16-9.5-3	1458
20" x 16" x 8"	508 x 406 x 203	21¼" x 54"	552 x 1372	18	3½"	89	63	28.6	11.3	FDI-16-19-8-3	1756
20" x 16" x 13½"	508 x 406 x 343	21¼" x 54"	552 x 1372	18	3½"	89	75	34.0	15.9	FDI-16-19-13.5-3	1832
24" x 18" x 13½"	610 x 457 x 343	26" x 60"	660 x 1524	18	3½"	89	101	45.8	21.8	FDI-18-24-13.5-3	2123
22" x 22" x 13½"	559 x 559 x 343	24" x 72"	610 x 1829	18	3½"	89	113	51.3	19.8	FDI-22-22-13.5-3	2406
24" x 24" x 13½"	610 x 610 x 343	26" x 78"	660 x 1981	18	3½"	89	123	55.8	21.8	FDI-24-24-13.5-3	2511

Four Compartment

inside bowl dimensions width x length x depth in. mm		overall dimensions width x length in. mm		gauge	drain in. mm		weight lbs. kg		cu ft	model #	list
14" x 10" x 9½"	356 x 254 x 241	16" x 48"	406 x 1219	18	3½"	89	35	15.9	6.0	FDI-10-14-9.5-4	1546
14" x 12" x 9½"	356 x 305 x 241	16" x 56"	406 x 1422	20	3½"	89	39	17.6	7.2	FDI-12-14-9.5-4	1728
16" x 14" x 9½"	406 x 356 x 241	18" x 64"	457 x 1626	20	3½"	89	47	21.3	9.7	FDI-14-16-9.5-4	1794
20" x 16" x 8"	508 x 406 x 203	21¼" x 72"	552 x 1829	18	3½"	89	83	37.6	16.9	FDI-16-19-8-4	2123
20" x 16" x 13½"	508 x 406 x 343	21¼" x 72"	552 x 1829	18	3½"	89	100	45.4	14.8	FDI-16-19-13.5-4	2192
24" x 18" x 13½"	610 x 457 x 343	26" x 80"	660 x 3032	18	3½"	89	129	58.5	28.4	FDI-18-24-13.5-4	2498
22" x 22" x 13½"	559 x 559 x 343	24" x 96"	610 x 2438	18	3½"	89	151	68.6	23.5	FDI-22-22-13.5-4	2920
24" x 24" x 13½"	610 x 610 x 343	26" x 104"	660 x 2642	18	3½"	89	163	73.9	28.5	FDI-24-24-13.5-4	3039


Catalog Section 20

Seamless Welded-In Sinks
with Fabricated Wallsee spec sheet **EG20.16**


- For NSF-approved welded fabrication.
- Type 304 18-8 stainless steel construction.
- Bowls are tapered to allow for 60% nesting which facilitates shipping and storage.
- $\frac{5}{8}$ " (16mm) radius corners.
- $3\frac{1}{2}$ " (89mm) drain hole with sump.
- Swirl away drainage.

FEATURES:

inside bowl dimensions (W x L x D)		gauge	weight		cu ft	model #	list
in.	mm		lbs.	kg			
9" x 12" x 6"	229 x 305 x 432	16	6	2.7	0.4	FNWNF-9-12-6-1	829
9" x 14" x 8"	229 x 356 x 203	16	8	3.6	0.5	FNWNF-9-14-8-1	880
12" x 14" x 8"	305 x 356 x 203	16	11	5.0	0.8	FNWNF-12-14-8-1	906
14" x 16" x 8"	356 x 406 x 203	16	12	5.4	1.0	FNWNF-14-16-8-1	949
18" x 18" x 10"	457 x 457 x 254	14	24	10.9	1.9	FNWNF-18-18-10-1	849
18" x 18" x 12"	457 x 457 x 305	14	27	12.2	2.3	FNWNF-18-18-12-1	861
20" x 20" x 10"	508 x 508 x 254	14	25	11.3	2.3	FNWNF-20-20-10-1	899
20" x 20" x 12"	508 x 508 x 305	14	29	13.2	2.8	FNWNF-20-20-12-1	944
20" x 20" x 14"	508 x 508 x 356	14	32	14.5	3.2	FNWNF-20-20-14-1	995
20" x 27" x 6"	508 x 686 x 432	14	20	9.0	1.5	FNWNF-20-27-6-1	849
20½" x 20½" x 5"	521 x 521 x 127	14	18	8.2	1.2	FNWNF-20.5-20.5-5-1	781
20½" x 20½" x 8"	521 x 521 x 203	14	24	10.9	1.9	FNWNF-20.5-20.5-8-1	857
24" x 24" x 12"	610 x 610 x 305	14	38	17.2	4.0	FNWNF-24-24-12-1	1051
24" x 24" x 14"	610 x 610 x 356	14	42	19.1	4.7	FNWNF-24-24-14-1	1103



Custom Sink Modifications

see spec sheet **EG20.50**

model #	description	list
E30	End splash - per end, all heights	395
E40	Provision for sink heater	224
E41	Disposal provision package—collar	928
E41A	Disposal provision package—cone	928
E43	Stand pipe with corner guard, available only on FN-style and utility sinks	279
E44	Faucet hole revision - adding or moving	208
E45	Trough installed in drainboard	1138
E46	Rubber scrap block installed	456
E101A	Turn down backsplash - per sink, includes Z-clips	307

Not Pictured

model #	description	list
E37	NSF sprayed-on sound deadening - up to 12' (3658mm)	861
E37A	- for each additional foot	68
E38-6 *	Cantilever mount up to 6' (1829mm) - add to wall shelf price	500
E38-12 *	Cantilever mount up to 12' (3658mm) - add to wall shelf price	749
E39	Enclosed backsplash	107/lin. ft.
E47	Sink cover holders, sized for stainless steel or poly (includes upper and lower track)	855/slot
E48	Stainless steel apron, to cover sink bowls - 2 or 3 compartment	1368
E48A	- for each additional compartment over 3	228
E49	s/s undershelf under drainboards - up to 24" (610mm) w/short legs	736
E49A	- for each additional foot over 24" (610mm)	322
E50	Provision for water pump	1918
E51	Optional size drainboard	424/lin. ft.
E52	High backsplash up to 13" (330mm)	220/lin. ft.
E53	High backsplash up to 18" (457mm)	394/lin. ft.
E54	Working height revision	373/sink
E55	Drainboard corner turn	1725/ea.
E56	overflow hole	55

* Applicable to wall mount shelves and pot racks.

Sink Accessories/Replacements

see spec sheet **EG20.51A**

Can be shipped UPS.

Sink Covers...

For 412, 414, 314, and Spec-Master® FN Series Sinks only.

fits sink bowl size	Polyboard		Stainless Steel	
	model #	list	model #	list
14" x 10" (356 x 254mm)	313207	169	321555	209
16" x 20" (483 x 508mm)	351584	192	351585	238
20" x 18" (508 x 457mm)	335377	198	346175	252
20" x 20" (508 x 508mm)	326267	202	305428	254
22" x 22" (559 x 559mm)	313204	207	321557	267
24" x 18" (610 x 457mm)	326268	203	326270	259
24" x 24" (610 x 610mm)	313205	224	321558	327
28" x 20" (711 x 508mm)	326269	223	326271	262



polyboard sink cover



stainless steel sink cover



lever handle drain with overflow



crumb cup strainer



twist handle drain



lever handle drain

Drains

description	max. flow rate		model #	list
	gal. per minute	gal. per hour		
lever handle drain with 1.5" or 2" (38 or 51mm) NPS connection	27	1620	300720	294
lever handle drain with 2" (51mm) NPS connection	32	1920	300721	294
lever handle drain with 2" (51mm) NPS connection and overflow	32	1920	300722	603
twist handle drain with 1.5" or 2" (38 or 51mm) NPS connection	27	1620	341189 *	309
twist handle drain with 2" (51mm) NPS connection	32	1920	336002 *	309
twist handle drain with 2" (51mm) NPS connection and overflow	32	1920	341190 *	700
nickel-plated brass rotary drain with 1.5" or 2" (38 or 51mm) NPS connection	40	2400	369653	499
crumb cup strainer with 1.5" (38mm) outlet	18	1080	300287	26

* Twist handle bracket, for use with twist handle drain, should be ordered as sink option "-TB" at time of sink order —or see 'Sink Kits' on page 217 (for 314, 412, or 414 Series sinks) or page 242 (for FN Series sinks).

Control Bracket

description	model #	list each
3" x 5" (76 x 127mm), extra heavy duty	309796	87

Note: Requires custom mounting.



stainless steel flanged bullet foot

Leg Components

description	model #	list each
19" (483mm) stainless steel leg for utility sinks	300315	40
stainless steel bullet feet	300692	23
stainless steel flanged bullet feet	313835	34
plastic bullet feet	300293	2

Plumbing Components

description	model #	list each
P-trap, nickel-plated	300789	115
tail piece for 1.5" (38.1mm) IPS connection, nickel-plated	300791	21
anti-siphon vacuum breaker	313832	223
backflow preventer	313834	260



P-trap



tail piece



anti-siphon vacuum breaker



backflow preventer

Catalog Section 20

Sink Accessories/Replacements

see spec sheet **EG20.51B**

T&S Extra Heavy Duty Faucets

- Top-of-the-line, T&S quality products.
- Splash mounted with 8" (203mm) centers.

description	model #	list
8" (203mm) spout	313920	741
10" (254mm) spout	340380	757
12" (305mm) spout	313293	760
14" (356mm) spout	313294	767

Standard Faucets

- 8" (203mm) centers.
- Splash mounted

description	model #	list
8" (203mm) spout, standard	313918	277
12" (305mm) spout, standard	300716	283
14" (356mm) spout, standard	300804	293
16" (406mm) spout, standard	313919	294
12" (305mm) spout, heavy duty	301001	685
14" (356mm) spout, heavy duty	301002	694
19" (489mm) double-jointed spout	301003	769
gooseneck, 8" (203mm) center	313075	204

Standard Faucets with Wrist Handles

- Deck mounted with 4" (102mm) centers.
- 4" (102mm) long wrist handles and gooseneck spout.

description	model #	list
standard, rigid gooseneck spout	301005	392
heavy duty, swivel gooseneck spout	301004	638

Prerinse Units and Components

Standard

description	model #	list
splash mounted spray unit	300719	1419
deck mounted spray unit	300718	1415
faucet add-on with 12" (305mm) spout	301189	376
wall bracket	301190	94
prerinse hose, 36" (914mm) length	313116	271
prerinse spray valve assembly for spray units #300718 and 300719	313323	233

T&S Extra Heavy Duty - Top-of-the-line. **OUR BEST**

description	model #	list
splash mounted spray unit with wall bracket	313296	1857
deck mounted spray unit with wall bracket	313295	1749
faucet add-on with 12" (305mm) spout for use with #313296 faucet	313297	462

Note: Faucets listed are lead-free AB1953-compliant.

Can be shipped UPS.



12" (305mm) T&S faucet

OUR BEST**OUR BEST**

T&S Extra Heavy Duty Faucet with Wrist Handles

- Top-of-the-line T&S quality.
- Deck mounted with 4" (102mm) centers.
- 4" (102mm) long wrist handles and rigid gooseneck spout.



description	model #	list
extra heavy duty	313304	758

19" (483mm)
double-jointed spout faucet12" (305mm)
heavy duty faucet

Repair Kits for Standard Faucets

description	for faucets #	model #	list
hot/cold stems, handles, seats, bonnet nuts, O-rings	313918, 313919	304146	126
hot/cold ceramic cartridge	300716, 300804	368421	37

standard
wrist handle faucet



Prerinse Units and Components

Standard

description	model #	list
splash mounted spray unit	300719	1419
deck mounted spray unit	300718	1415
faucet add-on with 12" (305mm) spout	301189	376
wall bracket	301190	94
prerinse hose, 36" (914mm) length	313116	271
prerinse spray valve assembly for spray units #300718 and 300719	313323	233

T&S Extra Heavy Duty - Top-of-the-line. **OUR BEST**

description	model #	list
splash mounted spray unit with wall bracket	313296	1857
deck mounted spray unit with wall bracket	313295	1749
faucet add-on with 12" (305mm) spout for use with #313296 faucet	313297	462

splash mounted
prerinse spray unitdeck mounted
prerinse spray unit


prerinse wall bracket




prerinse faucet add-on

Floor Troughs


see spec sheet **EG25.00**



floor trough with subway-style grating



(see chart below for dimensions A through E)



FEATURES:

- Built-in pitch towards drain ensures complete drainage.
- Secured with anchor straps.
- Stainless steel drain accommodates up to a 4" (102mm) diameter pipe, and removable perforated stainless steel basket.
- Stainless steel subway-style grating or fiberglass grating.

Note: Custom sizes available. Contact factory for pricing.

Gray Fiberglass Grating available.

To order add suffix "G" to model #.

Example FT-1218-FGG.

(•) MTS (made to stock) / () MTO (made to order)

Note: Floor Troughs with ADA-compliant Grating* available! Provides a more solid walking area, and objects are less likely to fall through. Available for Floor Troughs with Fiberglass AND Stainless Steel Grating! To order, add suffix "ADA". **Example: FT-1224-FG-ADA.**

...with Yellow Fiberglass Grating

* Troughs with optional ADA-compliant Fiberglass Grating features wider T-bars resistant to corrosion, skid, fire, chipping and cracking. To order, add 5% to list price.

dimension D		dimension E		12" (305mm) WIDE TROUGHs		15" (381mm) WIDE TROUGHs		18" (457mm) WIDE TROUGHs		24" (610mm) WIDE TROUGHs	
in.	mm	in.	mm	model #	list	model #	list	model #	list	model #	list
18"	457	15"	381	FT-1218-FG	2416	-	-	-	-	-	-
24"	610	21"	533	FT-1224-FG	2619	FT-1524-FG	2673	FT-1824-FG	2868	FT-2424-FG	3071
30"	762	27"	686	FT-1230-FG	2876	FT-1530-FG	2903	FT-1830-FG	3167	FT-2430-FG	3460
36"	914	33"	838	FT-1236-FG	3012	FT-1536-FG	3037	FT-1836-FG	3394	FT-2436-FG •	3731
48"	1219	45"	1143	FT-1248-FG	3457	FT-1548-FG	3498	FT-1848-FG	3929	FT-2448-FG	4380
60"	1524	57"	1448	FT-1260-FG	3743	FT-1560-FG	3907	FT-1860-FG	4388	FT-2460-FG	5022
72"	1829	69"	1753	FT-1272-FG	4228	FT-1572-FG	4312	FT-1872-FG	4905	FT-2472-FG	5067
84"	2134	81"	2057	FT-1284-FG	4625	FT-1584-FG	4757	FT-1884-FG	5475	FT-2484-FG	6314
96"	2438	93"	2362	FT-1296-FG	5047	FT-1596-FG	5134	FT-1896-FG	5980	FT-2496-FG	6908
120"	3048	117"	2972	FT-12120-FG	5891	FT-15120-FG	6213	FT-18120-FG	7243	FT-24120-FG	8403

...with Subway-Style Stainless Steel Grating


* Troughs with optional ADA-compliant Stainless Steel Grating features added stainless steel flat bars spaced only 1/4" apart. Call factory for pricing

dimension D		dimension E		12" (305mm) WIDE TROUGHs		15" (381mm) WIDE TROUGHs		18" (457mm) WIDE TROUGHs		24" (610mm) WIDE TROUGHs	
in.	mm	in.	mm	model #	list	model #	list	model #	list	model #	list
18"	457	15"	381	FT-1218-SG	3359	-	-	-	-	-	-
24"	610	21"	533	FT-1224-SG •	3522	FT-1524-SG	3745	FT-1824-SG •	3960	FT-2424-SG	4796
30"	762	27"	686	FT-1230-SG	3631	FT-1530-SG	3835	FT-1830-SG	4181	FT-2430-SG	4993
36"	914	33"	838	FT-1236-SG •	3742	FT-1536-SG	4357	FT-1836-SG •	4403	FT-2436-SG •	5693
48"	1219	45"	1143	FT-1248-SG •	4624	FT-1548-SG	5303	FT-1848-SG	5235	FT-2448-SG	6593
60"	1524	57"	1448	FT-1260-SG	5545	FT-1560-SG	6209	FT-1860-SG	6460	FT-2460-SG	7392
72"	1829	69"	1753	FT-1272-SG	6373	FT-1572-SG	7142	FT-1872-SG	7072	FT-2472-SG	8592
84"	2134	81"	2057	FT-1284-SG	7491	FT-1584-SG	8077	FT-1884-SG	8588	FT-2484-SG	9392
96"	2438	93"	2362	FT-1296-SG	7704	FT-1596-SG	8953	FT-1896-SG	8807	FT-2496-SG	10391
120"	3048	117"	2972	FT-12120-SG	10127	FT-15120-SG	10902	FT-18120-SG	11672	FT-24120-SG	12586

Catalog Section 20

Anti-Splash Floor Troughs see spec sheet **EG25.01**

"Anti-Splash" design assures complete drainage while preventing splashing back onto the floor.



FEATURES:

- Built-in pitch towards drain ensures complete drainage.
- Secured with anchor straps.
- Stainless steel drain accommodates up to a 4" (102mm) diameter pipe, and removable perforated stainless steel basket.
- Stainless steel subway-style grating or fiberglass grating.

Note: Custom sizes available. Contact factory for pricing.

Gray Fiberglass Grating available.

To order add suffix "G" to model #.

Example ASFT-1218-FGG.

(see chart below for dimensions A through E)

Note: Floor Troughs with ADA-compliant Grating* available! Provides a more solid walking area, and objects are less likely to fall through. Available for Floor Troughs with Fiberglass AND Stainless Steel Grating! To order, add suffix "-ADA". **Example: ASFT-1224-SG-ADA.**

...with Yellow Fiberglass Grating

* Troughs with optional ADA-compliant Fiberglass Grating features wider T-bars resistant to corrosion, skid, fire, chipping and cracking. To order, add 5% to list price.

dimension D		dimension E		12" (305mm) WIDE TROUGHs		15" (381mm) WIDE TROUGHs		18" (457mm) WIDE TROUGHs		24" (610mm) WIDE TROUGHs	
in.	mm	in.	mm	model #	list	model #	list	model #	list	model #	list
18"	457	15"	381	ASFT-1218-FG	2713	-	-	-	-	-	-
24"	610	21"	533	ASFT-1224-FG	2943	ASFT-1524-FG	3003	ASFT-1824-FG	3223	ASFT-2424-FG	3452
30"	762	27"	686	ASFT-1230-FG	3231	ASFT-1530-FG	3258	ASFT-1830-FG	3560	ASFT-2430-FG	3892
36"	914	33"	838	ASFT-1236-FG	3383	ASFT-1536-FG	3413	ASFT-1836-FG	3813	ASFT-2436-FG	4194
48"	1219	45"	1143	ASFT-1248-FG	3882	ASFT-1548-FG	3929	ASFT-1848-FG	4415	ASFT-2448-FG	4923
60"	1524	57"	1448	ASFT-1260-FG	4204	ASFT-1560-FG	4395	ASFT-1860-FG	4929	ASFT-2460-FG	5641
72"	1829	69"	1753	ASFT-1272-FG	4752	ASFT-1572-FG	4845	ASFT-1872-FG	5509	ASFT-2472-FG	5697
84"	2134	81"	2057	ASFT-1284-FG	5198	ASFT-1584-FG	5342	ASFT-1884-FG	6156	ASFT-2484-FG	7096
96"	2438	93"	2362	ASFT-1296-FG	5672	ASFT-1596-FG	5768	ASFT-1896-FG	6718	ASFT-2496-FG	7761
120"	3048	117"	2972	ASFT-12120-FG	6618	ASFT-15120-FG	6982	ASFT-18120-FG	8138	ASFT-24120-FG	8968

...with Subway-Style Stainless Steel Grating

* Troughs with optional ADA-compliant Stainless Steel Grating features added stainless steel flat bars spaced only 1/4" apart. Call factory for pricing

dimension D		dimension E		12" (305mm) WIDE TROUGHs		15" (381mm) WIDE TROUGHs		18" (457mm) WIDE TROUGHs		24" (610mm) WIDE TROUGHs	
in.	mm	in.	mm	model #	list	model #	list	model #	list	model #	list
18"	457	15"	381	ASFT-1218-SG	3762	-	-	-	-	-	-
24"	610	21"	533	ASFT-1224-SG	3778	ASFT-1524-SG	3655	ASFT-1824-SG	4218	ASFT-2424-SG	5053
30"	762	27"	686	ASFT-1230-SG	3952	ASFT-1530-SG	4060	ASFT-1830-SG	4502	ASFT-2430-SG	5853
36"	914	33"	838	ASFT-1236-SG	4125	ASFT-1536-SG	4720	ASFT-1836-SG	4787	ASFT-2436-SG	6078
48"	1219	45"	1143	ASFT-1248-SG	5136	ASFT-1548-SG	5681	ASFT-1848-SG	5744	ASFT-2448-SG	7107
60"	1524	57"	1448	ASFT-1260-SG	6184	ASFT-1560-SG	6279	ASFT-1860-SG	7101	ASFT-2460-SG	8031
72"	1829	69"	1753	ASFT-1272-SG	7140	ASFT-1572-SG	7678	ASFT-1872-SG	7843	ASFT-2472-SG	9361
84"	2134	81"	2057	ASFT-1284-SG	8382	ASFT-1584-SG	8735	ASFT-1884-SG	9485	ASFT-2484-SG	10287
96"	2438	93"	2362	ASFT-1296-SG	8731	ASFT-1596-SG	9629	ASFT-1896-SG	9831	ASFT-2496-SG	11413
120"	3048	117"	2972	ASFT-12120-SG	11408	ASFT-15120-SG	11979	ASFT-18120-SG	12948	ASFT-24120-SG	13867


Cool Trough® Water Tempering Systems ^{NSF}

see spec sheet **EG25.03A**

PATENTED!
(patent #9,588,525)




#WTFT-1215-FGG
Cool Trough®



FEATURES:

- Integral mechanical temperature sensor maintains water temperature of 130°F or less.
- Built-in pitch towards drain ensures complete drainage.
- No electrical connection required.



(see chart below for dimensions A through E)

...with Gray Fiberglass Grating



		12" (305mm) WIDE TROUGHS		15" (381mm) WIDE TROUGHS		18" (457mm) WIDE TROUGHS		24" (610mm) WIDE TROUGHS	
		dimension A: 7" (178mm)		dimension A: 10" (254mm)		dimension A: 13" (330mm)		dimension A: 19" (483mm)	
		dimension B: 9" (229mm)		dimension B: 12" (305mm)		dimension B: 15" (381mm)		dimension B: 21" (533mm)	
		dimension C: 12" (305mm)		dimension C: 15" (381mm)		dimension C: 18" (457mm)		dimension C: 24" (610mm)	
dimension D	dimension E	model #	list	model #	list	model #	list	model #	list
in.	mm								
15"	381	WTFT-1215-FGG	12959	-	-	-	-	-	-
18"	457	WTFT-1218-FGG	13609	WTFT-1518-FGG	13242	-	-	-	-
24"	610	WTFT-1224-FGG	13824	WTFT-1524-FGG	13877	WTFT-1824-FGG	14085	WTFT-2424-FGG	14296
30"	762	WTFT-1230-FGG	14089	WTFT-1530-FGG	14118	WTFT-1830-FGG	14395	WTFT-2430-FGG	14701
36"	914	WTFT-1236-FGG	14234	WTFT-1536-FGG	14260	WTFT-1836-FGG	14632	WTFT-2436-FGG	14984
48"	1219	WTFT-1248-FGG	14698	WTFT-1548-FGG	14741	WTFT-1848-FGG	15194	WTFT-2448-FGG	15664
60"	1524	WTFT-1260-FGG	14998	WTFT-1560-FGG	15112	WTFT-1860-FGG	15673	WTFT-2460-FGG	16336
72"	1829	WTFT-1272-FGG	15504	WTFT-1572-FGG	15592	WTFT-1872-FGG	16808	WTFT-2472-FGG	16381
84"	2134	WTFT-1284-FGG	15919	WTFT-1584-FGG	16057	WTFT-1884-FGG	16808	WTFT-2484-FGG	17683
96"	2438	WTFT-1296-FGG	16362	WTFT-1596-FGG	16449	WTFT-1896-FGG	17335	WTFT-2496-FGG	18306

...with Subway-Style Stainless Steel Grating

		12" (305mm) WIDE TROUGHS		15" (381mm) WIDE TROUGHS		18" (457mm) WIDE TROUGHS		24" (610mm) WIDE TROUGHS	
		dimension A: 7" (178mm)		dimension A: 10" (254mm)		dimension A: 13" (330mm)		dimension A: 19" (483mm)	
		dimension B: 9" (229mm)		dimension B: 12" (305mm)		dimension B: 15" (381mm)		dimension B: 21" (533mm)	
		dimension C: 12" (305mm)		dimension C: 15" (381mm)		dimension C: 18" (457mm)		dimension C: 24" (610mm)	
dimension D	dimension E	model #	list	model #	list	model #	list	model #	list
in.	mm								
15"	381	WTFT-1215-SG	14277	-	-	-	-	-	-
18"	457	WTFT-1218-SG	14594	WTFT-1518-SG	14464	-	-	-	-
24"	610	WTFT-1224-SG	14766	WTFT-1524-SG	15001	WTFT-1824-SG	15224	WTFT-2424-SG	16099
30"	762	WTFT-1230-SG	14881	WTFT-1530-SG	15093	WTFT-1830-SG	15455	WTFT-2430-SG	16304
36"	914	WTFT-1236-SG	14996	WTFT-1536-SG	15640	WTFT-1836-SG	15686	WTFT-2436-SG	17037
48"	1219	WTFT-1248-SG	15918	WTFT-1548-SG	16627	WTFT-1848-SG	17244	WTFT-2448-SG	17975
60"	1524	WTFT-1260-SG	16882	WTFT-1560-SG	17577	WTFT-1860-SG	17836	WTFT-2460-SG	18812
72"	1829	WTFT-1272-SG	17745	WTFT-1572-SG	18549	WTFT-1872-SG	19378	WTFT-2472-SG	20063
84"	2134	WTFT-1284-SG	18912	WTFT-1584-SG	19525	WTFT-1884-SG	20060	WTFT-2484-SG	20900
96"	2438	WTFT-1296-SG	19137	WTFT-1596-SG	20440	WTFT-1896-SG	21479	WTFT-2496-SG	21942

Catalog Section 20

Anti-Splash Cool Trough® Water Tempering Systems

see spec sheet **EG25.03B**
PATENTED!
(patent #9,588,525)
#ASWTFT-1215-FGG
Cool Trough®

(see chart below for dimensions A through E)

- Integral mechanical temperature sensor maintains water temperature of 130°F or less.
- Built-in pitch towards drain ensures complete drainage.
- No electrical connection required.

FEATURES:

...with Gray Fiberglass Grating

dimension D		dimension E		12" (305mm) WIDE TROUGHS		15" (381mm) WIDE TROUGHS		18" (457mm) WIDE TROUGHS		24" (610mm) WIDE TROUGHS	
in. mm		in. mm		dimension A: 7" (178mm) dimension B: 9" (229mm) dimension C: 12" (305mm)		dimension A: 10" (254mm) dimension B: 12" (305mm) dimension C: 15" (381mm)		dimension A: 13" (330mm) dimension B: 15" (381mm) dimension C: 18" (457mm)		dimension A: 19" (483mm) dimension B: 21" (533mm) dimension C: 24" (610mm)	
in.	mm	in.	mm	model #	list	model #	list	model #	list	model #	list
15"	381	12"	305	ASWTFT-1215-FGG	13614	-	-	-	-	-	-
18"	457	15"	381	ASWTFT-1218-FGG	13920	ASWTFT-1518-FGG	13888	-	-	-	-
24"	610	21"	533	ASWTFT-1224-FGG	14162	ASWTFT-1524-FGG	14223	ASWTFT-1824-FGG	14456	ASWTFT-2424-FGG	14694
30"	762	27"	686	ASWTFT-1230-FGG	14462	ASWTFT-1530-FGG	14491	ASWTFT-1830-FGG	14805	ASWTFT-2430-FGG	15154
36"	914	33"	838	ASWTFT-1236-FGG	14622	ASWTFT-1536-FGG	14652	ASWTFT-1836-FGG	15071	ASWTFT-2436-FGG	15468
48"	1219	45"	1143	ASWTFT-1248-FGG	15142	ASWTFT-1548-FGG	15194	ASWTFT-1848-FGG	15701	ASWTFT-2448-FGG	16231
60"	1524	57"	1448	ASWTFT-1260-FGG	15479	ASWTFT-1560-FGG	15677	ASWTFT-1860-FGG	16238	ASWTFT-2460-FGG	16980
72"	1829	69"	1753	ASWTFT-1272-FGG	16049	ASWTFT-1572-FGG	16151	ASWTFT-1872-FGG	16843	ASWTFT-2472-FGG	17039
84"	2134	81"	2057	ASWTFT-1284-FGG	16520	ASWTFT-1584-FGG	16669	ASWTFT-1884-FGG	17520	ASWTFT-2484-FGG	18501
96"	2438	93"	2362	ASWTFT-1296-FGG	17013	ASWTFT-1596-FGG	17115	ASWTFT-1896-FGG	18106	ASWTFT-2496-FGG	19196

...with Subway-Style Stainless Steel Grating

dimension D		dimension E		12" (305mm) WIDE TROUGHS		15" (381mm) WIDE TROUGHS		18" (457mm) WIDE TROUGHS		24" (610mm) WIDE TROUGHS	
in. mm		in. mm		dimension A: 7" (178mm) dimension B: 9" (229mm) dimension C: 12" (305mm)		dimension A: 10" (254mm) dimension B: 12" (305mm) dimension C: 15" (381mm)		dimension A: 13" (330mm) dimension B: 15" (381mm) dimension C: 18" (457mm)		dimension A: 19" (483mm) dimension B: 21" (533mm) dimension C: 24" (610mm)	
in.	mm	in.	mm	model #	list	model #	list	model #	list	model #	list
15"	381	12"	305	ASWTFT-1215-SG	14920	-	-	-	-	-	-
18"	457	15"	381	ASWTFT-1218-SG	15015	ASWTFT-1518-SG	14223	-	-	-	-
24"	610	21"	533	ASWTFT-1224-SG	15035	ASWTFT-1524-SG	14905	ASWTFT-1824-SG	15494	ASWTFT-2424-SG	16365
30"	762	27"	686	ASWTFT-1230-SG	15215	ASWTFT-1530-SG	15328	ASWTFT-1830-SG	15789	ASWTFT-2430-SG	17201
36"	914	33"	838	ASWTFT-1236-SG	15397	ASWTFT-1536-SG	16019	ASWTFT-1836-SG	16088	ASWTFT-2436-SG	17437
48"	1219	45"	1143	ASWTFT-1248-SG	16454	ASWTFT-1548-SG	17022	ASWTFT-1848-SG	17089	ASWTFT-2448-SG	18511
60"	1524	57"	1448	ASWTFT-1260-SG	17549	ASWTFT-1560-SG	17647	ASWTFT-1860-SG	18506	ASWTFT-2460-SG	19479
72"	1829	69"	1753	ASWTFT-1272-SG	18545	ASWTFT-1572-SG	18545	ASWTFT-1872-SG	19281	ASWTFT-2472-SG	20867
84"	2134	81"	2057	ASWTFT-1284-SG	19846	ASWTFT-1584-SG	20236	ASWTFT-1884-SG	20996	ASWTFT-2484-SG	21836
96"	2438	93"	2362	ASWTFT-1296-SG	20208	ASWTFT-1596-SG	21149	ASWTFT-1896-SG	21360	ASWTFT-2496-SG	23012

Replacement Subway-Style Grating for Floor Troughs and Drains

see spec sheet **EG25.02**

Stainless Steel Grating

- Constructed of $\frac{3}{16}$ " x 1" (5 x 25mm) vertically positioned bars, spaced 1" (25mm) apart to allow ease of drainage.
- $\frac{13}{16}$ " (21mm) clearance between bars prevents casters on mobile equipment from wedging in grate.
- Two $\frac{5}{16}$ " (8mm) rods, set $2\frac{1}{4}$ " (57mm) in from each edge, are welded to the bars to eliminate swaying.
- Standard on floor troughs.
- Sizes available fit floor drains up to 24" (610mm) wide.
- Grates 12" and 15" (305 and 381mm) wide feature three rods.
- Grates 21" (533mm) wide feature five rods.



for floor trough widths		grate width x length		model #	list each
in.	mm	in.	mm		
12"	305	9" x 7½"	229 x 191	341169	463
12"	305	9" x 9"	229 x 229	341117	591
12"	305	9" x 12"	229 x 305	341123	644
15"	381	12" x 9"	305 x 229	340992	704
15"	381	12" x 12"	305 x 305	331006	760
18"	457	15" x 6"	381 x 154	341330	654
18"	457	15" x 7½"	381 x 191	341110	695
18"	457	15" x 9"	381 x 229	341113	744
18"	457	15" x 12"	381 x 305	336992	814
18"	457	15" x 15"	381 x 381	345934	883
24"	610	21" x 9"	533 x 229	341109	842
24"	610	21" x 11"	533 x 279	351572	903
24"	610	21" x 12"	533 x 305	336976	931

Wide "T" Bar Fiberglass Grating — ADA-compliant!

- Conforms with the Americans with Disabilities Act for use with the physically handicapped.
- Provides a more solid walking area than traditional "T" bar shape, and prevents objects from falling through grating.
- Corrosion-, skid- and fire-resistant.
- High strength, low thermal conductivity.
- Resistant to chipping and cracking.
- Temperature rating of 250°F.



GRAY

for floor trough widths		grate width x length		Gray	
in.	mm	in.	mm	model #	list ea
12"	305	9" x 9"	229 x 229	370000	181
12"	305	9" x 12"	229 x 305	370001	220
12"	305	9" x 15"	229 x 381	370002	238
15"	381	12" x 9"	305 x 229	370003	188
15"	381	12" x 12"	305 x 305	370004	232
18"	457	15" x 9"	381 x 229	370005	241
18"	457	15" x 12"	381 x 305	370006	300
18"	457	15" x 15"	381 x 381	370007	372
24"	610	21" x 9"	533 x 229	370008	306
24"	610	21" x 12"	533 x 305	370009	385

Fiberglass Grating

- Constructed of 1" (25mm) high yellow or gray polyester material with a non-slip grit on top surface.
- Tapered "I" beam construction for ease of cleaning and draining.
- Temperature rating of 250°F.
- Other sizes available—consult factory.



GRAY OR YELLOW

for floor trough widths		grate width x length		Yellow		Gray	
in.	mm	in.	mm	model #	list ea	model #	list ea
12"	305	9" x 9"	229 x 229	362648	146	374015	153
12"	305	9" x 12"	229 x 305	362647	174	374018	184
12"	305	9" x 15"	229 x 381	373030	185	374021	195
15"	381	12" x 9"	305 x 229	362650	146	374044	153
15"	381	12" x 12"	305 x 305	362649	174	374047	184
18"	457	15" x 9"	381 x 229	362652	187	374073	198
18"	457	15" x 12"	381 x 305	362651	228	374076	239
18"	457	15" x 15"	381 x 381	373206	281	374079	299
24"	610	21" x 9"	533 x 229	362654	229	374102	241
24"	610	21" x 12"	533 x 305	362653	285	374105	302

Floor Drains

see spec sheet **EG25.00**



shown without grating

description	width x length		model #	list
	in.	mm		
with yellow fiberglass grating	12" x 12"	305 x 305	FD-FG	1922
with subway-style grating	12" x 12"	305 x 305	FD-SG	2561

Note: Floor opening = 11½" x 11½" (292 x 292)

FEATURES:

- Perforated waste cup can be inverted to double as a bee hive strainer.
- Yellow fiberglass grating or subway-style stainless steel grating.

Note: Gray Fiberglass Grating available. To order add suffix "G" to model #. Example FD-FGG.

see spec sheet **EG25.03C**

PATENTED!
(patent #9,588,525)

- Integral mechanical temperature sensor maintains water temperature of 130°F or less.
- Built-in pitch towards drain ensures complete drainage.
- 3" (76mm)-diameter casters—two rigid, two swivel with brake.
- No electrical connection required.
- 12 gauge base.

FEATURES:

Note: Water line and connection provided by plumbing contractor.

overall side-to-side		overall * front-to-back		overall height			
in.	mm	in.	mm	in.	mm	model #	list
15"	381	12"	305	36"	914	PWTF1-1215	12035

* Includes base and handle.

NOTES

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

NOTES



Breath/Safety Shields

Dividers

- for Square or Round Tables.....271
- for Oval or Rectangular Tables.....271

Divider Wall Extensions273

Freestanding Countertop270

Knock-Down Desk Partitions ..270

Mobile Partitions273

Mounted Breath Shields

- Ceiling.....272
- Bolted-On272
- Clamp-On272



ADD ANOTHER LAYER OF PROTECTION...


...for your employees and customers with Eagle's NEW Breath/Safety Shields. These protective panels provide a layer of safety between your customers and the employees serving them.

For all the details, visit www.eaglemhc.com.



Freestanding Countertop Breath/Safety Shields

see spec sheet **EG06.00**



FEATURES:

- Vertical and horizontal shields available.
- 7/32"-thick durable plexiglass.
- Available with or without pass-through.
- Easy assembly—NO TOOLS required. Two 8" x 14" stands lock into place with shield.
- Knocks down flat for storage.
- Sold in packs of four (4).

description	height		length		quantity per pack	model #
	in	mm	in	mm		
solid	24"	610	24"	610	4	BGFC-2424
with pass through	24"	610	24"	610	4	BGFC-2424-PT
solid	24"	610	36"	914	4	BGFC-2436
with pass through	24"	610	36"	914	4	BGFC-2436-PT
solid	24"	610	48"	1219	4	BGFC-2448
with pass through	24"	610	48"	1219	4	BGFC-2448-PT
solid	30"	762	24"	610	4	BGFC-3024
with pass through	30"	762	24"	610	4	BGFC-3024-PT
solid	30"	762	36"	914	4	BGFC-3036
with pass through	30"	762	36"	914	4	BGFC-3036-PT
solid	30"	762	48"	1219	4	BGFC-3048
with pass through	30"	762	48"	1219	4	BGFC-3048-PT
solid	36"	914	24"	610	4	BGFC-3624
with pass through	36"	914	24"	610	4	BGFC-3624-PT

Knock-Down Desk Partitions

see spec sheet **EG06.01**



FEATURES:


- 7/32"-thick durable plexiglass.
- Paper slot pass-thru.
- Tab and slot assembly.
- Knocks down flat for storage.
- No tools required for assembly.

height		length		quantity	model #
in	mm	in	mm	per pack	
24"	610	24"	610	1	BGDP-2424
24"	610	30"	762	1	BGDP-2430
24"	610	36"	914	1	BGDP-2436
24"	610	48"	1219	1	BGDP-2448

Consult factory for pricing.

Dividers for Square or Round Tables

see spec sheet **EG06.02**



- 7/32"-thick durable plexiglass.
- Knocks down flat for storage.
- Optional drop edge can be added to prevent sliding on tabletop.
- 3-Way dividers feature panels with curved design, which create the "Y"-shaped divider.
- 4-Way dividers feature two interlocking panels, which form the four-way "X"-shaped divider.

FEATURES:

3-Way Dividers


height		diameter		model #
in	mm	in	mm	
24"	610	36"	914	BGTD-3Y36
24"	610	42"	1067	BGTD-3Y42
24"	610	48"	1219	BGTD-3Y48

4-Way Dividers

height		length		width		model #
in.	mm	in.	mm	in.	mm	
24"	610	48"	1219	48"	1219	BGTD-2448
24"	610	60"	1524	60"	1524	BGTD-2460
30"	762	48"	1219	48"	1219	BGTD-3048
30"	762	60"	1524	60"	1524	BGTD-3060

Dividers for Oval or Rectangular Tables

see spec sheet **EG06.03**



- Panels interlock to create dividers to section off tabletop.
- 7/32"-thick durable plexiglass.
- Knocks down flat for storage.
- Optional drop edge can be added to prevent sliding on tabletop.

FEATURES:

description	height		length		width		model #
	in	mm	in	mm	in	mm	
creates 4 sections	24"	610	60"	1524	30"	914	BGTD-2460-4
creates 4 sections	24"	610	72"	1829	30"	914	BGTD-2472-4
creates 6 sections	24"	610	72"	1829	30"	914	BGTD-2472-6
creates 8 sections	24"	610	72"	1829	30"	914	BGTD-2472-8
creates 4 sections	30"	914	60"	1524	30"	914	BGTD-3060-4
creates 4 sections	30"	762	72"	1829	30"	914	BGTD-3072-4
creates 6 sections	30"	762	72"	1829	30"	914	BGTD-3072-6
creates 8 sections	30"	762	72"	1829	30"	914	BGTD-3072-8

Consult factory for pricing.

Ceiling-Mounted Breath/Safety Shields

see spec sheet **EG06.04**




FEATURES:

- 7/32"-thick durable plexiglass.
- Three (3) 60"-long chains.
- Six (6) "S" hooks.

height		length		quantity per pack	model #
in	mm	in	mm		
24"	610	24"	610	1	BGCM-2424
24"	610	36"	914	1	BGCM-2436
24"	610	48"	1219	1	BGCM-2448
30"	762	24"	610	1	BGCM-3024
30"	762	36"	914	1	BGCM-3036
30"	762	48"	1219	1	BGCM-3048

Bolted-On Breath/Safety Shields

see spec sheet **EG06.05**



FEATURES:

- Easily mounts onto front of counter.
- 7/32"-thick durable plexiglass.
- 1" radius corners.
- Sold in packs of two (2).

height		length		quantity per pack	model #
in	mm	in	mm		
30"	762	24"	610	2	BGBO-3024
30"	762	36"	914	2	BGBO-3036
30"	762	48"	1219	2	BGBO-3048
36"	914	24"	610	2	BGBO-3624
36"	914	36"	914	2	BGBO-3636
36"	914	48"	1219	2	BGBO-3648

Clamp-On Breath/Safety Shields

see spec sheet **EG06.06**



FEATURES:

- Shields clamp onto table edge surface.
- 7/32"-thick durable plexiglass.
- Clamp range is 1" to 1-1/2" (can be customized).
- Stainless clamps have protective rubber inside to protect table surface.

height		length		quantity per pack	model #
in	mm	in	mm		
24"	610	24"	610	1	BGCM-2424
24"	610	36"	914	1	BGCM-2436
24"	610	48"	1219	1	BGCM-2448
30"	762	24"	610	1	BGCM-3024
30"	762	36"	914	1	BGCM-3036
30"	762	48"	1219	1	BGCM-3048

Consult factory for pricing.

Divider Wall Extension Shields

see spec sheet **EG06.07**



FEATURES:

- Clamps onto standard cubicle/divider wall to extend protection.
- Clamps provide customizable range to accommodate range of thicknesses.
- 7/32"-thick durable plexiglass.

height		length		quantity per pack	model #
in	mm	in	mm		
24"	610	24"	610	1	BGDW-2424
24"	610	36"	914	1	BGDW-2436
24"	610	48"	1219	1	BGDW-2448
24"	610	60"	1524	1	BGDW-2460
24"	610	72"	1829	1	BGDW-2472

Mobile Partitions

see spec sheet **EG06.08**



FEATURES:

- 7/32"-thick durable plexiglass.
- 1" stainless steel tubing frame.
- 1-1/2" stainless tubing base.
- 2" twin wheel casters.
- Nestable for storage.

description	height		width		model #
	in	mm	in	mm	
full screen, solid	72"	1829	30"	914	BGMP-3072
full screen, 2" access hole	72"	1829	30"	914	BGMP-3072-TT
half screen	72"	1829	30"	914	BGMP-3072-TH

Consult factory for pricing.

NOTES

SpecFAB® Custom Fabrications

Shelf Select™	271
The SpecFAB® Division	270



EAGLE
SpecFAB Division

Quality Stainless & Millwork Fabrication



EAGLE's SpecFAB® Division fills the gap between standard equipment and high-cost, highly customized equipment. Depending on the custom need, configurations can be designed from pre-fab pieces by using existing components, or designed completely from scratch to match exacting consultant and architect's plans and details. This flexibility means custom equipment can be delivered faster and at a lower cost directly to the job site.

Frequently Asked Questions about Project Quotations:

How do I request a Quote?

- Standard or modified product using listed 'E' numbers from the catalog:
 - Email requests to the Customer Service Representative for your geographical area or custserv@eaglegrp.com
 - Telephone (800) 441-8440 and ask for the Customer Service Representative for your city and state.
 - Fax (302) 653-2065
 - Eagle Group, ATTN: Customer Service, 100 Industrial Blvd., Clayton, DE 19938
- Custom products not found in the catalog:
 - Email requests to quotes@eaglegrp.com
 - Fax (302) 653-2065
 - Eagle Group, ATTN: Project Quotations, 100 Industrial Blvd., Clayton, DE 19938

What to include with your request?

- Your Name and Dealer Name
- Job or Project Name
- Required Date for Quote
- Bid Date for Project
- Projected Installation Date and Timeline
- Consultant Name when Applicable
- Plans and Specs related to the Project
- Special Considerations

How long will it take to process my request for a custom quote?

- Typical lead time of 72 hours for most new incoming projects.
- Large scale projects will carry longer lead times. Please be sure to communicate required bid dates.

How can I find out the status of my custom quote request?

- Customer Service - The Customer Service representative for your area can access information regarding the status of your request via email or call (800) 441-8440.
- SpecFAB® Customer Service.
- SpecFAB® Quote Coordinator - call (800) 441-8440 and ask for the Quote Coordinator.
- Outgoing email signatures for quotes sent from SpecFAB® highlight the primary points of contact.

Frequently Asked Questions about Project Submittals:

How do I get a Submittal Drawing?

- Submit a purchase order for the project with plans and specifications if not previously provided to the Quotations Department.
- Provide a letter of intent for the project.
- Request quote drawings via quotes@eaglegrp.com.
- Shelf Select™ requests through quotes@eaglegrp.com.

How long will it take to receive drawings?

- Typical requests for drawings are addressed within 72-hours.
- Large scale projects will carry longer lead times. Please be sure to communicate required bid dates.
- To contact Project Submittals regarding your drawings, contact the Submittals Manager, Bruce Moffett at bmoffett@eaglegrp.com or (800) 441-8440, ext. 3158.
- Outgoing email signatures for drawings sent from SpecFAB® highlight the primary points of contact.

Shelf Select™

**A No-Cost Design &
Layout Service for Shelving Products.**



**Typical Shelf Select™ applications include walk-in coolers and freezers;
dry storage areas; supermarkets; and department stores.**

Provide Us With:

- Dimensions of a storage space available.
- Number of shelves per unit.
- Post heights.
- Indicate stationary, mobile or high density shelving.
- Any additional specific or pertinent storage requirements.

And We'll Provide You With:

- **Plan View**
Shelving system layout makes the most efficient utilization of your space available.
- **Perspective View***
Illustrates the proposed equipment assembled in the available space. A great tool for presentation which reduces field assembly time when provided to your installer.
- **Quote***
Includes model numbers, net prices and shipping weights for all components in specified job.

* Will be provided after plan view is approved.

**For more information about Shelf Select™,
request Shelf Select™ service
announcement EG8027**



Simply

Email: quotes@eaglegrp.com

Fax: 302-653-2065

in your order and our trained staff will begin planning, layout and quotation upon receipt.

A completed Shelf Select™ custom layout and quotation will be mailed, emailed or faxed back to you within 48 hours.



FINAL OUTCOME!

NOTES

2021 PRICELIST

Material Handling, Healthcare, Cleanroom, Lab

Alphanumeric Price Index

EAGLE's Alphanumeric Price Index has been developed to assist our customers in quickly locating items found in our main Price List.

EAGLE is committed to *customer service* and *customer satisfaction* along with *quality products*.

**If you need assistance,
please call EAGLE's Customer Service Center at
1-800-637-5100.**



ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
004026	23	179, 231, 241	1460S	383	6,43,131	1836WGS-C	165	90	1860C63-5	864	24
1202	808	34	1460V	104	6	1836WGS-VG	171	90	1860C74	720	24
1203	891	34	1460VG	104	6	1836WGS-Z	152	90	1860C74-5	894	24
1212	1037	34	1460W	104	60	1836Z	79	6	1860E	141	6
1424BL	69	60	1460Z	93	6	1836Z63	514	24	1860EG63	869	24
1424C	68	6	1472BL	122	60	1836Z63-5	619	24	1860EG63-5	1067	24
1424E	80	6	1472C	115	6	1836Z74	523	24	1860EG74	923	24
1424R	69	60	1472E	133	6	1836Z74-5	620	24	1860E74-5	1109	24
1424S	240	6	1472R	122	60	1842BL	98	60	1860R	127	60
1424V	69	6	1472S	434	6	1842C	96	6	1860S	460	6
1424VG	69	6	1472V	122	6	1842E	118	6	1860V	127	6
1424W	69	60	1472VG	122	6	1842R	98	60	1860V63	760	24
1424Z	59	6	1472W	122	60	1842S	361	6	1860V63-5	931	24
1430BL	75	60	1472Z	106	6	1842V	105	6	1860V74	777	24
1430C	71	6,43	1818-1-16/3	1396	247	1842VG	105	6	1860V74-5	963	24
1430E	84	6,43	1818-1-16/4	1196	247	1842W	98	60	1860VG	127	6
1430R	75	60	1824-1-16/3	1459	247	1842Z	91	6	1860VG63	760	24
1430S	243	6,43	1824-1-16/4	1205	247	1848-2-16/3	2125	247	1860VG63-5	931	24
1430V	75	6	1824BL	79	60	1848-2-16/4	1692	247	1860VG74	777	24
1430VG	75	6	1824BTZ	498	173	1848-3-16/3	2401	248	1860VG74-5	963	24
1430W	75	60	1824C	77	6	1848-3-16/4	1939	248	1860W	127	60
1430WGS-C	148	90	1824E	91	6	1848BL	105	60	1860Z	106	6
1430WGS-VG	153	90	1824R	79	60	1848BTZ	548	173	1860Z63	682	24
1430WGS-Z	136	90	1824S	295	6	1848C	96	6,36,161	1860Z63-5	773	24
1430Z	62	6	1824V	79	6	1848C63	622	24	1860Z74	682	24
1436BL	79	60	1824VG	79	6	1848C63-5	754	24	1860Z74-5	786	24
1436C	77	6,43,44	1824W	79	60	1848C74	645	24	1872-4-16/3	3158	248
1436E	87	6,44	1824Z	75	6	1848C74-5	786	24	1872-4-16/4	2533	248
1436R	79	60	1830BL	85	60	1848E	118	6	1872BL	146	60
1436S	245	6,43,131	1830C	78	6	1848EG63	762	24	1872C	134	6
1436V	79	6	1830E	94	6	1848EG63-5	928	24	1872E	163	6
1436VG	79	6	1830R	85	60	1848EG74	786	24	1872R	146	60
1436W	79	60	1830S	299	6	1848E74-5	964	24	1872S	546	6
1436WGS-C	154	90	1830V	85	6	1848R	105	60	1872V	146	6
1436WGS-VG	160	90	1830VG	85	6	1848S	361	6	1872VG	146	6
1436WGS-Z	145	90	1830W	85	60	1848V	105	6	1872W	146	60
1436Z	67	6	1830WGS-C	159	90	1848V63	669	24	1872Z	126	6
1442BL	88	60	1830WGS-VG	163	90	1848V63-5	812	24	18x18 RRDEDB	336	249
1442C	87	6	1830WGS-Z	148	90	1848V74	695	24	18x18 RRDEDB-16/3	562	249
1442E	100	6	1830Z	77	6	1848V74-5	849	24	18x24 RRDEDB	356	249
1442R	88	60	1836-2-16/3	1973	247	1848VG	105	6	18x24 RRDEDB-16/3	591	249
1442S	301	6	1836-2-16/4	1614	247	1848VG63	669	24	18x30 RRDEDB	606	249
1442V	91	6	1836-3-16/3	2260	248	1848VG63-5	812	24	18x30 RRDEDB-16/3	661	249
1442VG	91	6	1836-3-16/4	1859	248	1848VG74	695	24	2118-1-16/3	1431	247
1442W	88	60	1836BL	88	60	1848VG74-5	849	24	2118-1-16/4	1191	247
1442Z	79	6	1836BTZ	520	173	1848W	105	60	2124-1-16/3	1499	247
1448BL	91	60	1836C	80	6,36,161	1848WGS-C	191	90	2124-1-16/4	1234	247
1448C	87	6,43,44	1836C63	547	24	1848WGS-VG	196	90	2124-1-18-16/3	3236	247
1448E	100	6,43	1836C63-5	659	24	1848WGS-Z	176	90	2124-1-18-16/4	2654	247
1448R	91	60	1836C74	557	24	1848Z	91	6	2124BL	89	60
1448S	301	6,43,131	1836C74-5	683	24	1848Z63	580	24	2124C	88	6
1448V	91	6	1836E	98	6	1848Z63-5	708	24	2124E	104	6
1448VG	91	6	1836EG63	665	24	1848Z74	606	24	2124R	89	60
1448W	91	60	1836EG63-5	791	24	1848Z74-5	732	24	2124S	342	6
1448Z	79	6	1836EG74	667	24	1854-3-16/3	2622	248	2124V	89	6
1454BL	99	60	1836E74-5	829	24	1854-3-16/4	2203	248	2124VG	89	6
1454C	91	6	1836R	88	60	1854BL	126	60	2124W	89	60
1454E	115	6	1836S	301	6	1854C	113	6	2124Z	81	6
1454R	99	60	1836V	88	6	1854E	141	6	2130BL	96	60
1454S	383	6	1836VG	588	24	1854R	126	60	2130C	91	6
1454V	104	6	1836VG63	588	24	1854S	460	6	2130E	106	6
1454VG	104	6	1836VG63-5	708	24	1854V	127	6	2130R	96	60
1454W	99	60	1836V74	598	24	1854VG	127	6	2130S	345	6
1454Z	81	6	1836V74-5	736	24	1854W	126	60	2130V	96	6
1460BL	104	60	1836VG	88	6	1854Z	106	6	2130VG	96	6
1460C	99	6,43	1836VG63	588	24	1854Z	106	6	2130W	96	60
1460E	115	6,43	1836VG63-5	708	24	1860BL	127	60	2130Z	84	6
1460R	104	60	1836VG74	598	24	1860BTZ	600	173	2136-1-16/3	1666	247
			1836VG74-5	736	24	1860C	113	6,36,161	2136-1-16/4	1327	247
			1836W	88	60	1860C63	704	24			

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
2136-2-16/3	2031	247	2172BL	168	60	2436E74-5	976	24	2454BL	148	60
2136-2-16/4	1649	247	2172C	153	6	2436GADJUS	273	211	2454C	143	6
2136-2-18-16/3	3982	247	2172E	186	6	2436R	106	60	2454E	173	6
2136-2-18-16/4	3271	247	2172R	168	60	2436S	376	6,43	2454R	148	60
2136-3-16/3	2334	248	2172S	634	6	2436SADJUS-18/3	631	211	2454S	556	6
2136-3-16/4	1907	248	2172V	168	6	2436SADJUS-18/4	577	211	2454V	155	6
2136-3-18-16/3	3953	248	2172VG	168	6	2436V	106	6	2454VG	155	6
2136-3-18-16/4	3342	248	2172W	168	60	2436V63	686	24	2454W	148	60
2136BL	98	60	2172Z	146	6	2436V63-5	834	24	2454Z	136	6
2136C	94	6	21x18 RRDEDB	336	249	2436V74	698	24	2460-2-16/3	2616	247
2136E	112	6	21x18 RRDEDB-16/3	562	249	2436V74-5	867	24	2460-2-16/4	2271	247
2136R	98	60	21x24 RRDEDB	361	249	2436VG	106	6	2460-3-16/3	2907	248
2136S	348	6	21x24 RRDEDB-16/3	591	249	2436VG63	686	24	2460-3-16/4	2418	248
2136V	98	6	21x30 RRDEDB	677	249	2436VG63-5	834	24	2460BL	155	60
2136VG	98	6	21x30 RRDEDB-16/3	711	249	2436VG74	698	24	2460C	143	6,43
2136W	98	60	24108GADJUS	331	211	2436VG74-5	867	24	2460C63	855	24
2136Z	87	6	24108SADJUS-18/3	1185	211	2436W	106	60	2460C63-5	1033	24
2142BL	114	60	24108SADJUS-18/4	1094	211	2436Z	93	6	2460C74	877	24
2142C	109	6	24120GADJUS	356	211	2436Z63	587	24	2460C74-5	1060	24
2142E	129	6	24120SADJUS-18/3	1197	211	2436Z63-5	720	24	2460E	173	6,43
2142R	114	60	24120SADJUS-18/4	1100	211	2436Z74	607	24	2460EG63	1032	24
2142S	402	6	24132GADJUS	398	211	2436Z74-5	742	24	2460E63-5	1260	24
2142V	115	6	24132SADJUS-18/3	1281	211	2442BL	127	60	2460EG74	1060	24
2142VG	115	6	24132SADJUS-18/4	1176	211	2442C	119	6	2460E74-5	1298	24
2142W	114	60	24144GADJUS	439	211	2442E	146	6	2460GADJUS	294	211
2142Z	99	6	24144SADJUS-18/3	1512	211	2442R	127	60	2460R	155	60
2148-2-16/3	2145	247	24144SADJUS-18/4	1393	211	2442S	456	6	2460S	556	6,43
2148-2-16/4	1668	247	2424-1-16/3	1574	247	2442V	133	6	2460SADJUS-18/3	779	211
2148-3-16/3	2479	248	2424-1-16/4	1284	247	2442VG	133	6	2460SADJUS-18/4	713	211
2148-3-16/4	1992	248	2424-1-24-16/3	3343	247	2442W	127	60	2460V	155	6
2148-3-18-16/3	4255	248	2424-1-24-16/4	2856	247	2442Z	112	6	2460V63	918	24
2148-3-18-16/4	3452	248	2424BL	97	60	2448-2-16/3	2278	247	2460V63-5	1113	24
2148BL	115	60	2424C	93	6,154	2448-2-16/4	1831	247	2460V74	943	24
2148C	109	6	2424E	114	6	2448-2-24-16/3	4089	247	2460V74-5	1139	24
2148E	129	6	2424GADJUS	224	211	2448-2-24-16/4	3406	247	2460VG	155	6
2148R	115	60	2424R	97	60	2448-3-16/3	2591	248	2460VG63	918	24
2148S	402	6	2424S	369	6	2448-3-16/4	2091	248	2460VG63-5	1113	24
2148V	115	6	2424SADJUS-18/3	549	211	2448BL	133	60	2460VG74	943	24
2148VG	115	6	2424SADJUS-18/4	500	211	2448C	119	6,43,44	2460VG74-5	1139	24
2148W	115	60	2424V	97	6	2448C63	736	24	2460W	155	60
2148Z	99	6	2424VG	97	6	2448C63-5	912	24	2460Z	136	6
2154-3-16/3	2694	248	2424W	97	60	2448C74	757	24	2460Z63	788	24
2154-3-16/4	2211	248	2424Z	87	6	2448C74-5	938	24	2460Z63-5	974	24
2154-3-18-16/3	4522	248	2430BL	104	60	2448E	146	6,43	2460Z74	819	24
2154-3-18-16/4	3771	248	2430C	97	6,43	2448EG63	908	24	2460Z74-5	1001	24
2154BL	136	60	2430E	117	6,43	2448EG63-5	1020	24	2472-3-16/3	3077	248
2154C	128	6	2430GADJUS	267	211	2448EG74	940	24	2472-3-16/4	2477	248
2154E	152	6	2430R	104	60	2448E74-5	1154	24	2472-3-24-16/3	5182	248
2154R	136	60	2430S	372	6,43	2448GADJUS	282	211	2472-3-24-16/4	4068	248
2154S	535	6	2430SADJUS-18/3	602	211	2448R	133	60	2472-4-16/3	3357	248
2154V	140	6	2430SADJUS-18/4	548	211	2448S	456	6,43	2472-4-16/4	2727	248
2154VG	140	6	2430V	104	6	2448SADJUS-18/3	694	211	2472BL	182	60
2154W	136	60	2430VG	104	6	2448SADJUS-18/4	633	211	2472C	168	6
2154Z	122	6	2430W	104	60	2448V	133	6	2472E	203	6
2160-3-16/3	3852	248	2430Z	89	6	2448V63	791	24	2472GADJUS	298	211
2160-3-16/4	2285	248	2436-1-16/3	1744	247	2448V63-5	980	24	2472R	182	60
2160BL	140	60	2436-1-16/4	1366	247	2448V74	814	24	2472S	695	6
2160C	128	6	2436BL	106	60	2448V74-5	1009	24	2472SADJUS-18/3	876	211
2160E	152	6	2436C	99	6,43,44,154	2448VG	133	6	2472SADJUS-18/4	798	211
2160R	140	60	2436C63	638	24	2448VG63	791	24	2472V	182	6
2160S	535	6	2436C63-5	778	24	2448VG63-5	980	24	2472VG	182	6
2160V	140	6	2436C74	648	24	2448VG74	814	24	2472W	182	60
2160VG	140	6	2436C74	648	24	2448VG74-5	1009	24	2472Z	154	6
2160W	140	60	2436C74-5	808	24	2448W	133	60	2484GADJUS	300	211
2160Z	122	6	2436E	119	6,43	2448Z	112	6	2484SADJUS-18/3	972	211
2172-4-16/3	3208	248	2436EG63	769	24	2448Z63	673	24	2484SADJUS-18/4	889	211
2172-4-16/4	2654	248	2436EG63-5	939	24	2448Z63-5	833	24	2496GADJUS	319	211
2172-4-18-16/3	4880	248	2436EG74	785	24	2448Z74	704	24	2496SADJUS-18/3	1051	211
2172-4-18-16/4	4181	248				2448Z74-5	861	24	2496SADJUS-18/4	960	211

ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
24x18 RRDEDB	346	249	3036C	146	6.43	313297	462	261	314-18-4-24L	9161	241
24x18 RRDEDB-16/3	554	249	3036E	177	6.43	313303	552	255	314-18-4-24R	9161	241
24x24 RRDEDB	375	249	3036GADJUS	285	211	313304	758	218,261	314-22-1	3207	238
24x24 RRDEDB-16/3	611	249	3036S	498	6.43	313305	675	229	314-22-1-18	4523	238
24x30 RRDEDB	664	249	3036SADJUS-18/3	723	211	313306	534	255	314-22-1-18L	4157	238
24x30 RRDEDB-16/3	700	249	3036SADJUS-18/4	664	211	313307	553	255	314-22-1-18R	4157	238
300287	26	235,236, 260	3036V	149	6	313308	553	255	314-22-1-24	4560	238
300293	2	218,260	3036VG	149	6	313323	233	261	314-22-1-24L	4186	238
300315	40	260	3036Z	127	6	313481	632	234	314-22-1-24R	4186	238
300489	348	251	303987	209	233	313832	223	260	314-22-2	4565	239
300490	220	255	304146	126	261	313834	260	260	314-22-2-18	6273	239
300600	238	236	3048C	168	6.43	313835	34	218,260	314-22-2-18L	6092	239
300602	39	234	3048E	202	6.43	313918	277	261	314-22-2-18R	6092	239
300604	473	234	3048GADJUS	294	211	313919	294	261	314-22-2-24	6338	239
300692	23	218,260	3048S	580	6.43	313920	741	261	314-22-2-24L	6124	239
300696	34	95,208, 216	3048SADJUS-18/3	793	211	314-16-1	2755	238	314-22-2-24R	6124	239
300698	127	218	3048SADJUS-18/4	722	211	314-16-1-18	3865	238	314-22-3	6129	240
300699	122	218	3048V	173	6	314-16-1-18L	3699	238	314-22-3-18	7977	240
300716	283	261	3048VG	173	6	314-16-1-18R	3699	238	314-22-3-18L	7781	240
300718	1415	261	3048Z	146	6	314-16-1-24	3982	238	314-22-3-18R	7781	240
300719	1419	261	305428	254	260	314-16-1-24L	3744	238	314-22-3-24	8167	240
300720	294	218,260	3060C	185	6.43	314-16-1-24R	3744	238	314-22-3-24L	7813	240
300721	294	218,260	3060E	229	6.43	314-16-2	3698	239	314-22-3-24R	7813	240
300722	603	218,260	3060GADJUS	300	211	314-16-2-18	5213	239	314-24-1	3424	238
300789	115	234,260	3060S	644	6.43	314-16-2-18L	4827	239	314-24-1-18	4935	238
300791	21	234,260	3060SADJUS-18/3	906	211	314-16-2-18R	617	239	314-24-1-18L	4824	238
300804	293	261	3060SADJUS-18/4	827	211	314-16-2-24	5299	239	314-24-1-18R	4824	238
300886	17	235	3060V	193	6	314-16-2-24L	5103	239	314-24-1-24	5112	238
300966	5	235	3060VG	193	6	314-16-2-24R	5103	239	314-24-1-24L	4894	238
301001	685	261	3060Z	165	6	314-16-3	4625	240	314-24-1-24R	4894	238
301002	694	261	306134	677	229	314-16-3-18	6360	240	314-24-2	5259	239
301003	769	261	306495	436	233	314-16-3-18L	6209	240	314-24-2-18	7046	239
301004	638	261	307120	131	233	314-16-3-18R	6209	240	314-24-2-18L	6764	239
301005	392	261	3072C	223	6	314-16-3-24	6449	240	314-24-2-18R	6764	239
301036	12	66,218	3072E	276	6	314-16-3-24L	6253	240	314-24-2-24	7356	239
30108GADJUS	378	211	3072GADJUS	319	211	314-16-3-24R	6253	240	314-24-2-24L	7217	239
30108SADJUS-18/3	1402	211	3072S	781	6	314-16-4	6536	241	314-24-2-24R	7217	239
30108SADJUS-18/4	1257	211	3072SADJUS-18/3	1012	211	314-16-4-18	8055	241	314-24-3	6834	240
30120GADJUS	402	211	3072SADJUS-18/4	925	211	314-16-4-18L	7773	241	314-24-3-18	8657	240
30120SADJUS-18/3	1479	211	3072V	232	6	314-16-4-18R	7773	241	314-24-3-18L	8735	240
30120SADJUS-18/4	1397	211	3072VG	232	6	314-16-4-24	8167	241	314-24-3-18R	8735	240
30132GADJUS	433	211	3072Z	198	6	314-16-4-24L	7818	241	314-24-3-24	9359	240
30132SADJUS-18/3	1628	211	3084GADJUS	328	211	314-16-4-24R	7818	241	314-24-3-24L	9100	240
30132SADJUS-18/4	1546	211	3084SADJUS-18/3	1119	211	314-18-1	3188	238	314-24-3-24R	9100	240
30144GADJUS	479	211	3084SADJUS-18/4	1024	211	314-18-1-18	4384	238	314-24-4	8964	241
30144SADJUS-18/3	1820	211	3096GADJUS	331	211	314-18-1-18L	4040	238	314-24-4-18	11281	241
30144SADJUS-18/4	1676	211	3096SADJUS-18/3	1244	211	314-18-1-18R	4040	238	314-24-4-18L	11047	241
301189	376	261	3096SADJUS-18/4	1138	211	314-18-1-24	4424	238	314-24-4-18R	11047	241
301190	94	261	309796	87	260	314-18-1-24L	4067	238	314-24-4-24	11827	241
301248	207	233,255	310-10-3-12	3767	251	314-18-1-24R	4067	238	314-24-4-24L	11588	241
301440	239	255	310-10-3-18	3862	251	314-18-2	4434	239	314-24-4-24R	11588	241
302004	232	233,255	310-10-3-24	3931	251	314-18-2-18	5972	239	317635	166	218
3024GADJUS	233	211	311915	31	208	314-18-2-18L	5807	239	317636	166	218
3024SADJUS-18/3	635	211	312-12-3-12	3997	251	314-18-2-18R	5807	239	318495	735	233
3024SADJUS-18/4	584	211	312-14-3-12	4281	251	314-18-2-24	6035	239	318496	362	234
3030C	128	6.43	312162	424	233	314-18-2-24L	5841	239	319931	99	235
3030E	153	6.43	312688	238	252	314-18-2-24R	5841	239	319932	45	235
3030GADJUS	282	211	312689	228	252	314-18-3	5853	240	321555	209	260
3030S	439	6.43	312690	666	252	314-18-3-18	7520	240	321557	267	260
3030SADJUS-18/3	686	211	313075	204	160, 233,261	314-18-3-18L	7344	240	321558	327	260
3030SADJUS-18/4	627	211	313116	271	261	314-18-3-18R	7344	240	321561	348	252
3030V	131	6	313204	207	260	314-18-3-24	7649	240	324074	152	234
3030VG	131	6	313205	224	260	314-18-3-24L	7369	240	326014	1981	233
3030Z	113	6	313207	169	260	314-18-3-24R	7369	240	326015	120	234,236
303560	615	255	313293	760	261	314-18-4	7425	241	326267	202	260
303561	696	255	313294	767	261	314-18-4-18	9296	241	326268	203	260
303562	694	255	313295	1749	261	314-18-4-18L	9132	241	326269	223	260
			313296	1857	261	314-18-4-18R	9132	241	326270	259	260
						314-18-4-24	9398	241	326271	262	260

ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
326272	596	233	3660C	218	6	411012	777	207	414-16-4-24R	6677	241
326696	793	233	3660E	271	6	411013	841	207	414-18-1	2852	238
330010	4	66	3660S	762	6	411014	902	207	414-18-1-18	3992	238
331006	760	266	3660V	224	6	411030	400	207	414-18-1-18L	3672	238
335377	198	260	3660VG	224	6	411036	404	207	414-18-1-18R	3672	238
336002	309	218,260	3660Z	189	6	411048	437	207	414-18-1-24	4028	238
336976	931	266	3672C	255	6	411060	477	207	414-18-1-24L	3699	238
336992	814	266	3672E	318	6	411072	540	207	414-18-1-24R	3699	238
340380	757	261	3672S	908	6	411084	603	207	414-18-2	3838	239
340992	704	266	3672V	272	6	411096	664	207	414-18-2-18	5308	239
341109	842	266	3672VG	272	6	411210	760	207	414-18-2-18L	5155	239
341110	695	266	3672Z	229	6	411212	847	207	414-18-2-18R	5155	239
341113	744	266	368421	37	233,261	411213	907	207	414-18-2-24	5368	239
341117	591	266	369653	499	260	411214	967	207	414-18-2-24L	5186	239
341123	644	266	370000	181	266	411230	404	207	414-18-2-24R	5186	239
341169	463	266	370001	220	266	411236	424	207	414-18-3	4994	240
341189	309	218,260	370002	238	266	411248	461	207	414-18-3-18	6591	240
341190	700	218,260	370003	188	266	411260	496	207	414-18-3-18L	6423	240
341330	654	266	370004	232	266	411272	567	207	414-18-3-18R	6423	240
342938	40	234	370005	241	266	411284	632	207	414-18-3-24	6755	240
345934	883	266	370006	300	266	411296	683	207	414-18-3-24L	6448	240
346175	252	260	370007	372	266	412-16-1	2119	238	414-18-3-24R	6448	240
347771	278	235	370008	306	266	412-16-1-18	3152	238	414-18-4	6309	241
349921	87	233	370009	385	266	412-16-1-18L	2972	238	414-18-4-18	8094	241
351572	903	266	373030	185	266	412-16-1-18R	2972	238	414-18-4-18L	7965	241
351584	192	260	373206	281	266	412-16-1-24	3159	238	414-18-4-18R	7965	241
351585	238	260	373848	2691	233	412-16-1-24L	2995	238	414-18-4-24	8188	241
351738	632	234	374015	153	266	412-16-1-24R	2995	238	414-18-4-24L	8171	241
353761	498	164	374018	184	266	412-16-2	2897	239	414-18-4-24R	8171	241
353762	523	164	374021	195	266	412-16-2-18	3967	239	414-22-1	3032	238
353763	557	164	374044	153	266	412-16-2-18L	3840	239	414-22-1-18	4371	238
353764	620	164	374047	184	266	412-16-2-18R	3840	239	414-22-1-18L	4012	238
353765	654	164	374073	239	266	412-16-2-24	4029	239	414-22-1-18R	4012	238
353766	765	164	374076	239	266	412-16-2-24L	3879	239	414-22-1-24	4406	238
353767	844	164	374079	299	266	412-16-2-24R	3879	239	414-22-1-24L	4039	238
353768	1038	164	374102	241	266	412-16-3	3673	240	414-22-1-24R	4039	238
353770	554	164	374105	302	266	412-16-3-18	4018	240	414-22-2	4188	239
353771	597	164	374955	42	234	412-16-3-18L	3881	240	414-22-2-18	5918	239
353772	675	164	375612	427	234	412-16-3-18R	3881	240	414-22-2-18L	5738	239
353773	703	164	376509	215	228	412-16-3-24	4086	240	414-22-2-18R	5738	239
353774	837	164	376740	69	233	412-16-3-24L	3921	240	414-22-2-24	5985	239
353775	911	164	377430	55	255	412-16-3-24R	3921	240	414-22-2-24L	5768	239
353776	1128	164	377455	332	234	414-16-1	2436	238	414-22-2-24R	5768	239
355994	473	234	377456	332	234	414-16-1-18	3494	238	414-22-3	5552	240
356128	2122	233	377563	1191	233	414-16-1-18L	3338	238	414-22-3-18	7425	240
358114	49	92	379769	183	208	414-16-1-18R	3338	238	414-22-3-18L	7228	240
358115	52	92	380401	183	154	414-16-1-24	3606	238	414-22-3-18R	7228	240
362188	33	255	380402	149	154	414-16-1-24L	3377	238	414-22-3-24	7617	240
362647	174	266	380403	549	154	414-16-1-24R	3377	238	414-22-3-24L	7257	240
362648	146	266	380404	149	154	414-16-2	3336	239	414-22-3-24R	7257	240
362649	174	266	382984	1196	164	414-16-2-18	4585	239	414-24-1	3074	238
362650	146	266	384796	252	234	414-16-2-18L	4413	239	414-24-1-18	4613	238
362651	228	266	387622	5	134	414-16-2-18R	4413	239	414-24-1-18L	4433	238
362652	187	266	3TF1836-BL	44	34	414-16-2-24	4669	239	414-24-1-18R	4433	238
362653	285	266	3TF1836-C	40	34	414-16-2-24L	4482	239	414-24-1-24	4682	238
362654	229	266	3TF1836-V	44	34	414-16-2-24R	4482	239	414-24-1-24L	4478	238
362659	1328	164	3TF1836-VG	44	34	414-16-3	4043	240	414-24-1-24R	4478	238
3636C	164	6	3TF1836-Z	38	34	414-16-3-18	5252	240	414-24-2	4628	239
3636E	198	6	3TF1848-BL	51	34	414-16-3-18L	5114	240	414-24-2-18	6433	239
3636S	556	6	3TF1848-C	47	34	414-16-3-18R	5114	240	414-24-2-18L	6225	239
3636V	165	6	3TF1848-V	51	34	414-16-3-24	5334	240	414-24-2-18R	6225	239
3636VG	165	6	3TF1848-VG	51	34	414-16-3-24L	5154	240	414-24-2-24	6632	239
3636Z	140	6	3TF1848-Z	40	34	414-16-3-24R	5154	240	414-24-2-24L	6360	239
3648C	187	6	3TF1860-BL	56	34	414-16-4	5459	241	414-24-2-24R	6360	239
3648E	229	6	3TF1860-C	51	34	414-16-4-18	6907	241	414-24-3	6058	240
3648S	654	6	3TF1860-V	56	34	414-16-4-18L	6633	241	414-24-3-18	7994	240
3648V	196	6	3TF1860-VG	56	34	414-16-4-18R	6633	241	414-24-3-18L	7988	240
3648VG	196	6	3TF1860-Z	45	34	414-16-4-24	7012	241	414-24-3-18R	7988	240
3648Z	166	6	411010	719	207	414-16-4-24L	6677	241	414-24-3-24	8346	240

ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
414-24-3-24L	8101	240	503007	225	212	A203893	75	163	A208905	28	61
414-24-3-24R	8101	240	503010	267	212	A203895	85	159	A208906	36	61
414-24-4	7776	241	503011	225	212	A203929	115	159	A208908	33	47,176
414-24-4-18	10055	241	503095	669	252	A204176	274	158	A208909	20	47,176
414-24-4-18L	9555	241	503096	669	252	A204178	274	159	A210098	5	45
414-24-4-18R	9555	241	503097	1055	252	A204235	24	163	A212494	21	40
414-24-4-24	10513	241	503098	708	252	A204236	31	163	A213096	16	40
414-24-4-24L	10280	241	503099	708	252	A204237	25	91,163	A213261	17	9
414-24-4-24R	10280	241	503100	1156	252	A204238	33	163	A2136BL	104	22
418002	203	208	606215	613	235	A204239	20	163	A2136C	101	22
418202	174	208	606329	283	218	A204318	1	48	A2136R	104	22
421010	831	207	606331	414	218	A204331	4	40,154	A2136W	104	22
421012	885	207	606396	273	235	A204795	34	9	A2136Z	96	22
421013	949	207	606826	303	214	A204942	5	61	A214169	9	47
421014	1033	207	607560	434	235	A206196	7	40	A2148BL	119	22
421030	437	207	608115	241	214	A206197	12	40	A2148C	118	22
421036	449	207	608116	241	214	A206198	14	40	A2148R	119	22
421048	497	207	608117	294	214	A206199	16	40	A2148W	119	22
421060	557	207	608118	254	214	A206200	18	40	A2148Z	109	22
421072	624	207	611869	273	235	A206201	24	40	A215532	69	169
421084	685	207	912991	187	58,59	A206216	4	40	A215534	84	169
421096	776	207	A1436BL	85	22	A206217	7	40	A215536	96	169
421210	891	207	A1436C	84	22,44	A206218	12	40	A215538	47	169
421212	957	207	A1436R	85	22	A206219	14	40	A215539	60	169
421213	1018	207	A1436W	85	22	A206220	16	40	A215541	66	169
421214	1078	207	A1436Z	78	22	A206221	18	40	A215543	39	169
421230	449	207	A1448BL	97	22	A206222	24	40	A215544	44	169
421236	503	207	A1448C	96	22,44	A207016	55	97	A215546	47	169
421248	525	207	A1448R	97	22	A207199	24	47	A2160BL	146	22
421260	585	207	A1448W	97	22	A207351	5	54	A2160C	145	22
421272	662	207	A1448Z	87	22	A207562	35	9	A2160R	146	22
421284	742	207	A1836BL	88	22	A208336	6	175	A2160W	146	22
421296	829	207	A1836C	87	22	A208337	6	175	A2160Z	129	22
430002	260	208	A1836R	88	22	A208338	9	175	A216649	56	52
430202	191	208	A1836W	88	22	A208339	25	175	A216650	47	52
448002	343	208	A1836Z	85	22	A208341	35	175	A216651	51	52
448202	233	208	A1848BL	105	22	A208342	36	175	A216652	68	52
4PEK	79	54	A1848C	104	22	A208343	39	175	A217621	21	40
4TF1836-BL	75	34	A1848R	105	22	A208344	69	175	A217638	45	51
4TF1836-C	67	34	A1848W	105	22	A208345	75	175	A217760	4	51
4TF1836-V	75	34	A1848Z	99	22	A208346	84	175	A217763	4	51
4TF1836-VG	75	34	A1860BL	123	22	A208347	113	175	A217764	4	51
4TF1836-Z	62	34	A1860C	122	22	A208348	9	175	A217765	36	51
4TF1848-BL	80	34	A1860R	123	22	A208349	12	175	A217766	4	51
4TF1848-C	77	34	A1860W	123	22	A208350	17	175	A218017	16	97
4TF1848-V	80	34	A1860Z	117	22	A208351	23	175	A219236	14	47,176
4TF1848-VG	80	34	A200012	3	47	A208353	23	175	A219390	52	26
4TF1848-Z	67	34	A200019	7	9	A208354	38	175	A219391	80	26
4TF1860-BL	89	34	A200868	2	54	A208355	45	175	A219392	87	26
4TF1860-C	84	34	A201007	24	9	A208356	45	175	A219393	93	26
4TF1860-V	89	34	A201008	31	9	A208357	55	175	A222144	33	40
4TF1860-VG	89	34	A201009	31	9	A208358	62	175	A223747	17	40
4TF1860-Z	71	34	A201706	19	9	A208359	62	175	A223748	17	40
500772	354	212	A203078	34	7	A208505	93	52	A223749	17	40
501571	499	142,213	A203568	2	47	A208506	124	52	A225208	21	40
501572	907	142,214	A203841	5	51	A208507	114	52	A225494	6	25
502941	307	212	A203842	5	51	A208508	109	52	A225512	12	25
502942	457	213	A203843	4	51	A208513	66	52	A225513	16	25
502943	872	214	A203844	6	51	A208627	35	47	A225514	18	25
502946	941	214	A203845	7	51	A208746	4	40	A225515	29	25
502947	898	214	A203846	6	51	A208747	7	40	A225516	33	25
502948	362	215	A203877	22	91,163	A208749	12	40	A225517	56	25
502949	434	215	A203879	29	91,163	A208750	14	40	A225518	58	25
502950	527	215	A203881	26	163	A208751	16	40	A225519	60	25
502971	1458	214	A203883	36	163	A208752	18	40	A226093	26	47
502972	1409	214	A203885	6	163	A208753	24	40	A226096	38	47
502975	267	212	A203887	9	163	A208891	12	22	A226104	24	47
502976	225	212	A203889	18	163	A208903	12	61	A226105	26	47
503006	267	212	A203891	38	163	A208904	14	61	A227763	16	40

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.

Phone: 302-653-3000. Fax: 302-653-2065

<http://www.eagle-mhc.com>



ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
A227764	16	40	A4-63-2124Z	409	19	A4-63-2460S	2419	19	A4-74-2136Z	438	19
A227841	33	40	A4-63-2130C	451	19	A4-63-2460V	715	19	A4-74-2142C	531	19
A227842	33	40	A4-63-2130E	521	19	A4-63-2460VG	715	19	A4-74-2142E	626	19
A228162	16	97	A4-63-2130S	1574	19	A4-63-2460Z	631	19	A4-74-2142S	1823	19
A230612	36	47	A4-63-2130V	475	19	A4-63-2472C	761	19	A4-74-2142V	557	19
A230624	26	47	A4-63-2130VG	475	19	A4-63-2472E	906	19	A4-74-2142VG	557	19
A230625	26	47	A4-63-2130Z	420	19	A4-63-2472S	2969	19	A4-74-2142Z	486	19
A2436BL	112	22	A4-63-2136C	466	19	A4-63-2472V	818	19	A4-74-2148C	531	19
A2436C	109	22,44	A4-63-2136E	546	19	A4-63-2472VG	818	19	A4-74-2148E	626	19
A2436R	112	22	A4-63-2136S	1584	19	A4-63-2472Z	704	19	A4-74-2148S	1823	19
A2436W	112	22	A4-63-2136V	483	19	A4-74-1824C	399	19	A4-74-2148V	557	19
A2436Z	100	22	A4-63-2136VG	483	19	A4-74-1824E	468	19	A4-74-2148VG	557	19
A2448BL	129	22	A4-63-2136Z	436	19	A4-74-1824S	1395	19	A4-74-2148Z	486	19
A2448C	128	22,44	A4-63-2142C	525	19	A4-74-1824V	409	19	A4-74-2160C	609	19
A2448R	129	22	A4-63-2142E	619	19	A4-74-1824VG	409	19	A4-74-2160E	715	19
A2448W	129	22	A4-63-2142S	1799	19	A4-74-1824Z	385	19	A4-74-2160S	2358	19
A2448Z	119	22	A4-63-2142V	553	19	A4-74-1830C	403	19	A4-74-2160V	651	19
A2460BL	166	22	A4-63-2142VG	553	19	A4-74-1830E	483	19	A4-74-2160VG	651	19
A2460C	165	22,44	A4-63-2142Z	483	19	A4-74-1830S	1415	19	A4-74-2160Z	575	19
A2460R	166	22	A4-63-2148C	525	19	A4-74-1830V	436	19	A4-74-2172C	707	19
A2460W	166	22	A4-63-2148E	619	19	A4-74-1830VG	436	19	A4-74-2172E	852	19
A2460Z	145	22	A4-63-2148S	1799	19	A4-74-1830Z	395	19	A4-74-2172S	2751	19
A4-63-1824C	393	19	A4-63-2148V	553	19	A4-74-1836C	413	19	A4-74-2172V	769	19
A4-63-1824E	462	19	A4-63-2148VG	553	19	A4-74-1836E	499	19	A4-74-2172VG	769	19
A4-63-1824S	1373	19	A4-63-2148Z	483	19	A4-74-1836S	1424	19	A4-74-2172Z	673	19
A4-63-1824V	405	19	A4-63-2160C	605	19	A4-74-1836V	448	19	A4-74-2424C	466	19
A4-63-1824VG	405	19	A4-63-2160E	707	19	A4-74-1836VG	448	19	A4-74-2424E	557	19
A4-63-1824Z	381	19	A4-63-2160S	2335	19	A4-74-1836Z	406	19	A4-74-2424S	1688	19
A4-63-1830C	399	19	A4-63-2160V	646	19	A4-74-1842C	477	19	A4-74-2424V	483	19
A4-63-1830E	477	19	A4-63-2160VG	646	19	A4-74-1842E	577	19	A4-74-2424VG	483	19
A4-63-1830S	1392	19	A4-63-2160Z	572	19	A4-74-1842S	1660	19	A4-74-2424Z	438	19
A4-63-1830V	429	19	A4-63-2172C	702	19	A4-74-1842V	513	19	A4-74-2430C	481	19
A4-63-1830VG	429	19	A4-63-2172E	845	19	A4-74-1842VG	513	19	A4-74-2430E	567	19
A4-63-1830Z	391	19	A4-63-2172S	2729	19	A4-74-1842Z	451	19	A4-74-2430S	1700	19
A4-63-1836C	407	19	A4-63-2172V	763	19	A4-74-1848C	477	19	A4-74-2430V	508	19
A4-63-1836E	492	19	A4-63-2172VG	763	19	A4-74-1848E	577	19	A4-74-2430VG	508	19
A4-63-1836S	1403	19	A4-63-2172Z	671	19	A4-74-1848S	1660	19	A4-74-2430Z	446	19
A4-63-1836V	444	19	A4-63-2424C	462	19	A4-74-1848V	513	19	A4-74-2436C	492	19
A4-63-1836VG	444	19	A4-63-2424E	553	19	A4-74-1848VG	513	19	A4-74-2436E	577	19
A4-63-1836Z	401	19	A4-63-2424S	1667	19	A4-74-1848Z	451	19	A4-74-2436S	1719	19
A4-63-1842C	472	19	A4-63-2424V	479	19	A4-74-1860C	546	19	A4-74-2436V	519	19
A4-63-1842E	569	19	A4-63-2424VG	479	19	A4-74-1860E	666	19	A4-74-2436VG	519	19
A4-63-1842S	1639	19	A4-63-2424Z	436	19	A4-74-1860S	2054	19	A4-74-2436Z	462	19
A4-63-1842V	508	19	A4-63-2430C	477	19	A4-74-1860V	607	19	A4-74-2442C	569	19
A4-63-1842VG	508	19	A4-63-2430E	562	19	A4-74-1860VG	607	19	A4-74-2442E	685	19
A4-63-1842Z	448	19	A4-63-2430S	1678	19	A4-74-1860Z	514	19	A4-74-2442S	2038	19
A4-63-1848C	472	19	A4-63-2430V	503	19	A4-74-1872C	628	19	A4-74-2442V	607	19
A4-63-1848E	569	19	A4-63-2430VG	503	19	A4-74-1872E	755	19	A4-74-2442VG	607	19
A4-63-1848S	1639	19	A4-63-2430Z	444	19	A4-74-1872S	2397	19	A4-74-2442Z	535	19
A4-63-1848V	508	19	A4-63-2436C	486	19	A4-74-1872V	680	19	A4-74-2448C	569	19
A4-63-1848VG	508	19	A4-63-2436E	572	19	A4-74-1872VG	680	19	A4-74-2448E	685	19
A4-63-1848Z	448	19	A4-63-2436S	1698	19	A4-74-1872Z	596	19	A4-74-2448S	2038	19
A4-63-1860C	540	19	A4-63-2436V	513	19	A4-74-2124C	446	19	A4-74-2448V	607	19
A4-63-1860E	658	19	A4-63-2436VG	513	19	A4-74-2124E	519	19	A4-74-2448VG	607	19
A4-63-1860S	2031	19	A4-63-2436Z	460	19	A4-74-2124S	1582	19	A4-74-2448Z	535	19
A4-63-1860V	602	19	A4-63-2442C	565	19	A4-74-2124V	455	19	A4-74-2460C	664	19
A4-63-1860VG	602	19	A4-63-2442E	680	19	A4-74-2124VG	455	19	A4-74-2460E	794	19
A4-63-1860Z	508	19	A4-63-2442S	2016	19	A4-74-2124Z	413	19	A4-74-2460S	2441	19
A4-63-1872C	624	19	A4-63-2442V	602	19	A4-74-2130C	458	19	A4-74-2460V	719	19
A4-63-1872E	745	19	A4-63-2442VG	602	19	A4-74-2130E	528	19	A4-74-2460VG	719	19
A4-63-1872S	2376	19	A4-63-2442Z	533	19	A4-74-2130S	1596	19	A4-74-2460Z	634	19
A4-63-1872V	676	19	A4-63-2448C	565	19	A4-74-2130V	479	19	A4-74-2472C	765	19
A4-63-1872VG	676	19	A4-63-2448E	680	19	A4-74-2130VG	479	19	A4-74-2472E	911	19
A4-63-1872Z	622	19	A4-63-2448S	2016	19	A4-74-2130Z	422	19	A4-74-2472S	2992	19
A4-63-2124C	442	19	A4-63-2448V	602	19	A4-74-2136C	472	19	A4-74-2472V	823	19
A4-63-2124E	511	19	A4-63-2448VG	602	19	A4-74-2136E	553	19	A4-74-2472VG	823	19
A4-63-2124S	1559	19	A4-63-2448Z	533	19	A4-74-2136S	1606	19	A4-74-2472Z	707	19
A4-63-2124V	448	19	A4-63-2460C	658	19	A4-74-2136V	488	19	A5-74-1824C	481	21
A4-63-2124VG	448	19	A4-63-2460E	788	19	A4-74-2136VG	488	19	A5-74-1824E	569	21

ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
A5-74-1824S	1700	21	A5-74-2148Z	593	21	A5-86-1836S	1761	21	A5-86-2172Z	838	21
A5-74-1824V	497	21	A5-74-2160C	744	21	A5-86-1836V	560	21	A5-86-2424C	583	21
A5-74-1824VG	497	21	A5-74-2160E	877	21	A5-86-1836VG	560	21	A5-86-2424E	695	21
A5-74-1824Z	464	21	A5-74-2160S	2903	21	A5-86-1836Z	501	21	A5-86-2424S	2092	21
A5-74-1830C	487	21	A5-74-2160V	799	21	A5-86-1842C	594	21	A5-86-2424V	606	21
A5-74-1830E	588	21	A5-74-2160VG	799	21	A5-86-1842E	717	21	A5-86-2424VG	606	21
A5-74-1830S	1724	21	A5-74-2160Z	703	21	A5-86-1842S	2056	21	A5-86-2424Z	543	21
A5-74-1830V	527	21	A5-74-2172C	867	21	A5-86-1842V	640	21	A5-86-2430C	599	21
A5-74-1830VG	527	21	A5-74-2172E	1049	21	A5-86-1842VG	640	21	A5-86-2430E	706	21
A5-74-1830Z	477	21	A5-74-2172S	3394	21	A5-86-1842Z	562	21	A5-86-2430S	2104	21
A5-74-1836C	500	21	A5-74-2172V	946	21	A5-86-1848C	594	21	A5-86-2430V	636	21
A5-74-1836E	607	21	A5-74-2172VG	946	21	A5-86-1848E	717	21	A5-86-2430VG	636	21
A5-74-1836S	1736	21	A5-74-2172Z	826	21	A5-86-1848S	2056	21	A5-86-2430Z	556	21
A5-74-1836V	546	21	A5-74-2424C	567	21	A5-86-1848V	640	21	A5-86-2436C	613	21
A5-74-1836VG	546	21	A5-74-2424E	681	21	A5-86-1848VG	640	21	A5-86-2436E	718	21
A5-74-1836Z	488	21	A5-74-2424S	2067	21	A5-86-1848Z	562	21	A5-86-2436S	2128	21
A5-74-1842C	580	21	A5-74-2424V	591	21	A5-86-1860C	680	21	A5-86-2436V	648	21
A5-74-1842E	704	21	A5-74-2424VG	591	21	A5-86-1860E	827	21	A5-86-2436VG	648	21
A5-74-1842S	2031	21	A5-74-2424Z	532	21	A5-86-1860S	2546	21	A5-86-2436Z	575	21
A5-74-1842V	625	21	A5-74-2430C	586	21	A5-86-1860V	757	21	A5-86-2442C	711	21
A5-74-1842VG	625	21	A5-74-2430E	695	21	A5-86-1860VG	757	21	A5-86-2442E	854	21
A5-74-1842Z	551	21	A5-74-2430S	2081	21	A5-86-1860Z	636	21	A5-86-2442S	2528	21
A5-74-1848C	580	21	A5-74-2430V	622	21	A5-86-1872C	785	21	A5-86-2442V	759	21
A5-74-1848E	704	21	A5-74-2430VG	622	21	A5-86-1872E	939	21	A5-86-2442VG	759	21
A5-74-1848S	2031	21	A5-74-2430Z	543	21	A5-86-1872S	2976	21	A5-86-2442Z	667	21
A5-74-1848V	625	21	A5-74-2436C	597	21	A5-86-1872V	848	21	A5-86-2448C	711	21
A5-74-1848VG	625	21	A5-74-2436E	706	21	A5-86-1872VG	848	21	A5-86-2448E	854	21
A5-74-1848Z	551	21	A5-74-2436S	2104	21	A5-86-1872Z	777	21	A5-86-2448S	2528	21
A5-74-1860C	666	21	A5-74-2436V	634	21	A5-86-2124C	557	21	A5-86-2448V	759	21
A5-74-1860E	816	21	A5-74-2436VG	634	21	A5-86-2124E	644	21	A5-86-2448VG	759	21
A5-74-1860S	2523	21	A5-74-2436Z	562	21	A5-86-2124S	1957	21	A5-86-2448Z	667	21
A5-74-1860V	741	21	A5-74-2442C	697	21	A5-86-2124V	568	21	A5-86-2460C	827	21
A5-74-1860VG	741	21	A5-74-2442E	842	21	A5-86-2124VG	568	21	A5-86-2460E	989	21
A5-74-1860Z	624	21	A5-74-2442S	2504	21	A5-86-2124Z	513	21	A5-86-2460S	3032	21
A5-74-1872C	771	21	A5-74-2442V	743	21	A5-86-2130C	569	21	A5-86-2460V	901	21
A5-74-1872E	925	21	A5-74-2442VG	743	21	A5-86-2130E	655	21	A5-86-2460VG	901	21
A5-74-1872S	2952	21	A5-74-2442Z	654	21	A5-86-2130S	1976	21	A5-86-2460Z	791	21
A5-74-1872V	834	21	A5-74-2448C	697	21	A5-86-2130V	598	21	A5-86-2472C	956	21
A5-74-1872VG	834	21	A5-74-2448E	842	21	A5-86-2130VG	598	21	A5-86-2472E	1137	21
A5-74-1872Z	764	21	A5-74-2448S	2504	21	A5-86-2130Z	525	21	A5-86-2472S	3719	21
A5-74-2124C	542	21	A5-74-2448V	743	21	A5-86-2136C	588	21	A5-86-2472V	1029	21
A5-74-2124E	631	21	A5-74-2448VG	743	21	A5-86-2136E	686	21	A5-86-2472VG	1029	21
A5-74-2124S	1934	21	A5-74-2448Z	654	21	A5-86-2136S	1987	21	A5-86-2472Z	882	21
A5-74-2124V	554	21	A5-74-2460C	814	21	A5-86-2136V	612	21	AC2436T-1C-1W	966	136
A5-74-2124VG	554	21	A5-74-2460E	976	21	A5-86-2136VG	612	21	AC2436T-1H-1W	966	136
A5-74-2124Z	501	21	A5-74-2460S	3007	21	A5-86-2136Z	543	21	AC2436T-2C	966	136
A5-74-2130C	555	21	A5-74-2460V	885	21	A5-86-2142C	661	21	AC2436T-2H	966	136
A5-74-2130E	644	21	A5-74-2460VG	885	21	A5-86-2142E	778	21	AC2436T-2W	966	136
A5-74-2130S	1952	21	A5-74-2460Z	777	21	A5-86-2142S	2258	21	AC2448T-1C-1W	1131	136
A5-74-2130V	585	21	A5-74-2472C	942	21	A5-86-2142V	698	21	AC2448T-1H-1W	1131	136
A5-74-2130VG	585	21	A5-74-2472E	1123	21	A5-86-2142VG	698	21	AC2448T-2C	1131	136
A5-74-2130Z	513	21	A5-74-2472S	3694	21	A5-86-2142Z	606	21	AC2448T-2H	1131	136
A5-74-2136C	573	21	A5-74-2472V	1014	21	A5-86-2148C	661	21	AC2448T-2W	1131	136
A5-74-2136E	675	21	A5-74-2472VG	1014	21	A5-86-2148E	778	21	AC2460T-1C-1W	1276	136
A5-74-2136S	1963	21	A5-74-2472Z	869	21	A5-86-2148S	2258	21	AC2460T-1H-1W	1276	136
A5-74-2136V	596	21	A5-86-1824C	497	21	A5-86-2148V	698	21	AC2460T-2C	1276	136
A5-74-2136VG	596	21	A5-86-1824E	583	21	A5-86-2148VG	698	21	AC2460T-2H	1276	136
A5-74-2136Z	532	21	A5-86-1824S	1724	21	A5-86-2148Z	606	21	AC2460T-2W	1276	136
A5-74-2142C	647	21	A5-86-1824V	511	21	A5-86-2160C	760	21	AC2472T-1C-1W	1389	136
A5-74-2142E	765	21	A5-86-1824VG	511	21	A5-86-2160E	888	21	AC2472T-1H-1W	1389	136
A5-74-2142S	2234	21	A5-86-1824Z	477	21	A5-86-2160S	2926	21	AC2472T-2C	1389	136
A5-74-2142V	682	21	A5-86-1830C	502	21	A5-86-2160V	815	21	AC2472T-2H	1389	136
A5-74-2142VG	682	21	A5-86-1830E	599	21	A5-86-2160VG	815	21	AC2472T-2W	1389	136
A5-74-2142Z	593	21	A5-86-1830S	1748	21	A5-86-2160Z	716	21	AC3036T-1C-1W	1055	136
A5-74-2148C	647	21	A5-86-1830V	541	21	A5-86-2172C	883	21	AC3036T-1H-1W	1055	136
A5-74-2148E	765	21	A5-86-1830VG	541	21	A5-86-2172E	1060	21	AC3036T-2C	1055	136
A5-74-2148S	2234	21	A5-86-1830Z	488	21	A5-86-2172S	3418	21	AC3036T-2H	1055	136
A5-74-2148V	682	21	A5-86-1836C	514	21	A5-86-2172V	962	21	AC3036T-2W	1055	136
A5-74-2148VG	682	21	A5-86-1836E	619	21	A5-86-2172VG	962	21	AC3048T-1C-1W	1249	136

ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
AC3048T-1H-1W	1249	136	AEP3060T-2H	3083	137	AP3636T-2C	2297	137	APEP3660T-1H-1W	4039	137
AC3048T-2C	1249	136	AEP3060T-2W	3083	137	AP3636T-2H	2297	137	APEP3660T-2C	4039	137
AC3048T-2H	1249	136	AEP3072T-1C-1W	3506	137	AP3636T-2W	2297	137	APEP3660T-2H	4039	137
AC3048T-2W	1249	136	AEP3072T-1H-1W	3506	137	AP3648T-1C-1W	2697	137	APEP3660T-2W	4039	137
AC3060T-1C-1W	1416	136	AEP3072T-2C	3506	137	AP3648T-1H-1W	2697	137	APEP3672T-1C-1W	4483	137
AC3060T-1H-1W	1416	136	AEP3072T-2H	3506	137	AP3648T-2C	2697	137	APEP3672T-1H-1W	4483	137
AC3060T-2C	1416	136	AEP3072T-2W	3506	137	AP3648T-2H	2697	137	APEP3672T-2C	4483	137
AC3060T-2H	1416	136	AEP3636T-1C-1W	2667	137	AP3648T-2W	2697	137	APEP3672T-2H	4483	137
AC3060T-2W	1416	136	AEP3636T-1H-1W	2667	137	AP3660T-1C-1W	3047	137	APEP3672T-2W	4483	137
AC3072T-1C-1W	1543	136	AEP3636T-2C	2667	137	AP3660T-1H-1W	3047	137	AS2436T-1C-1W	1455	136
AC3072T-1H-1W	1543	136	AEP3636T-2H	2667	137	AP3660T-2C	3047	137	AS2436T-1H-1W	1455	136
AC3072T-2C	1543	136	AEP3636T-2W	2667	137	AP3660T-2H	3047	137	AS2436T-2C	1455	136
AC3072T-2H	1543	136	AEP3648T-1C-1W	3143	137	AP3660T-2W	3047	137	AS2436T-2H	1455	136
AC3072T-2W	1543	136	AEP3648T-1H-1W	3143	137	AP3672T-1C-1W	3246	137	AS2436T-2W	1455	136
AC3636T-1C-1W	1328	136	AEP3648T-2C	3143	137	AP3672T-1H-1W	3246	137	AS2448T-1C-1W	1680	136
AC3636T-1H-1W	1328	136	AEP3648T-2H	3143	137	AP3672T-2C	3246	137	AS2448T-1H-1W	1680	136
AC3636T-2C	1328	136	AEP3648T-2W	3143	137	AP3672T-2H	3246	137	AS2448T-2C	1680	136
AC3636T-2H	1328	136	AEP3660T-1C-1W	3634	137	AP3672T-2W	3246	137	AS2448T-2H	1680	136
AC3636T-2W	1328	136	AEP3660T-1H-1W	3634	137	APEP2436T-1C-1W	2245	137	AS2448T-2W	1680	136
AC3648T-1C-1W	1518	136	AEP3660T-2C	3634	137	APEP2436T-1H-1W	2245	137	AS2460T-1C-1W	1946	136
AC3648T-1H-1W	1518	136	AEP3660T-2H	3634	137	APEP2436T-2C	2245	137	AS2460T-1H-1W	1946	136
AC3648T-2C	1518	136	AEP3660T-2W	3634	137	APEP2436T-2H	2245	137	AS2460T-2C	1946	136
AC3648T-2H	1518	136	AEP3672T-1C-1W	4075	137	APEP2436T-2W	2245	137	AS2460T-2H	1946	136
AC3648T-2W	1518	136	AEP3672T-1H-1W	4075	137	APEP2448T-1C-1W	2617	137	AS2460T-2W	1946	136
AC3660T-1C-1W	1662	136	AEP3672T-2C	4075	137	APEP2448T-1H-1W	2617	137	AS2472T-1C-1W	2215	136
AC3660T-1H-1W	1662	136	AEP3672T-2H	4075	137	APEP2448T-2C	2617	137	AS2472T-1H-1W	2215	136
AC3660T-2C	1662	136	AEP3672T-2W	4075	137	APEP2448T-2H	2617	137	AS2472T-2C	2215	136
AC3660T-2H	1662	136	AP2436T-1C-1W	1827	137	APEP2448T-2W	2617	137	AS2472T-2H	2215	136
AC3660T-2W	1662	136	AP2436T-1H-1W	1827	137	APEP2460T-1C-1W	3094	137	AS2472T-2W	2215	136
AC3672T-1C-1W	1848	136	AP2436T-2C	1827	137	APEP2460T-1H-1W	3094	137	AS3036T-1C-1W	1657	136
AC3672T-1H-1W	1848	136	AP2436T-2H	1827	137	APEP2460T-2C	3094	137	AS3036T-1H-1W	1657	136
AC3672T-2C	1848	136	AP2436T-2W	1827	137	APEP2460T-2H	3094	137	AS3036T-2C	1657	136
AC3672T-2H	1848	136	AP2448T-1C-1W	2057	137	APEP2460T-2W	3094	137	AS3036T-2H	1657	136
AC3672T-2W	1848	136	AP2448T-1H-1W	2057	137	APEP2472T-1C-1W	3427	137	AS3036T-2W	1657	136
ADD-A-CLAMP	9	16,23	AP2448T-2C	2057	137	APEP2472T-1H-1W	3427	137	AS3048T-1C-1W	1932	136
ADD-A-CLAMP-BL	14	16,23	AP2448T-2H	2057	137	APEP2472T-2C	3427	137	AS3048T-1H-1W	1932	136
AEP2436T-1C-1W	1852	137	AP2448T-2W	2057	137	APEP2472T-2H	3427	137	AS3048T-2C	1932	136
AEP2436T-1H-1W	1852	137	AP2460T-1C-1W	2324	137	APEP2472T-2W	3427	137	AS3048T-2H	1932	136
AEP2436T-2C	1852	137	AP2460T-1H-1W	2324	137	APEP3036T-1C-1W	2789	137	AS3048T-2W	1932	136
AEP2436T-2H	1852	137	AP2460T-2C	2324	137	APEP3036T-1H-1W	2789	137	AS3060T-1C-1W	2214	136
AEP2436T-2W	1852	137	AP2460T-2H	2324	137	APEP3036T-2C	2789	137	AS3060T-1H-1W	2214	136
AEP2448T-1C-1W	2220	137	AP2460T-2W	2324	137	APEP3036T-2H	2789	137	AS3060T-2C	2214	136
AEP2448T-1H-1W	2220	137	AP2472T-1C-1W	2593	137	APEP3036T-2W	2789	137	AS3060T-2H	2214	136
AEP2448T-2C	2220	137	AP2472T-1H-1W	2593	137	APEP3048T-1C-1W	3180	137	AS3060T-2W	2214	136
AEP2448T-2H	2220	137	AP2472T-2C	2593	137	APEP3048T-1H-1W	3180	137	AS3072T-1C-1W	2584	136
AEP2448T-2W	2220	137	AP2472T-2H	2593	137	APEP3048T-2C	3180	137	AS3072T-1H-1W	2584	136
AEP2460T-1C-1W	2698	137	AP2472T-2W	2593	137	APEP3048T-2H	3180	137	AS3072T-2C	2584	136
AEP2460T-1H-1W	2698	137	AP3036T-1C-1W	2031	137	APEP3048T-2W	3180	137	AS3072T-2H	2584	136
AEP2460T-2C	2698	137	AP3036T-1H-1W	2031	137	APEP3060T-1C-1W	3481	137	AS3072T-2W	2584	136
AEP2460T-2H	2698	137	AP3036T-2C	2031	137	APEP3060T-1H-1W	3481	137	AS3636T-1C-1W	1922	136
AEP2460T-2W	2698	137	AP3036T-2H	2031	137	APEP3060T-2C	3481	137	AS3636T-1H-1W	1922	136
AEP2472T-1C-1W	3036	137	AP3036T-2W	2031	137	APEP3060T-2H	3481	137	AS3636T-2C	1922	136
AEP2472T-1H-1W	3036	137	AP3048T-1C-1W	2308	137	APEP3060T-2W	3481	137	AS3636T-2H	1922	136
AEP2472T-2C	3036	137	AP3048T-1H-1W	2308	137	APEP3072T-1C-1W	3912	137	AS3636T-2W	1922	136
AEP2472T-2H	3036	137	AP3048T-2C	2308	137	APEP3072T-1H-1W	3912	137	AS3648T-1C-1W	2322	136
AEP2472T-2W	3036	137	AP3048T-2H	2308	137	APEP3072T-2C	3912	137	AS3648T-1H-1W	2322	136
AEP3036T-1C-1W	2393	137	AP3048T-2W	2308	137	APEP3072T-2H	3912	137	AS3648T-2C	2322	136
AEP3036T-1H-1W	2393	137	AP3060T-1C-1W	2592	137	APEP3072T-2W	3912	137	AS3648T-2H	2322	136
AEP3036T-2C	2393	137	AP3060T-1H-1W	2592	137	APEP3636T-1C-1W	2960	137	AS3648T-2W	2322	136
AEP3036T-2H	2393	137	AP3060T-2C	2592	137	APEP3636T-1H-1W	2960	137	AS3660T-1C-1W	2673	136
AEP3036T-2W	2393	137	AP3060T-2H	2592	137	APEP3636T-2C	2960	137	AS3660T-1H-1W	2673	136
AEP3048T-1C-1W	2781	137	AP3060T-2W	2592	137	APEP3636T-2H	2960	137	AS3660T-2C	2673	136
AEP3048T-1H-1W	2781	137	AP3072T-1C-1W	2956	137	APEP3636T-2W	2960	137	AS3660T-2H	2673	136
AEP3048T-2C	2781	137	AP3072T-1H-1W	2956	137	APEP3648T-1C-1W	3487	137	AS3660T-2W	2673	136
AEP3048T-2H	2781	137	AP3072T-2C	2956	137	APEP3648T-1H-1W	3487	137	AS3672T-1C-1W	3053	136
AEP3048T-2W	2781	137	AP3072T-2H	2956	137	APEP3648T-2C	3487	137	AS3672T-1H-1W	3053	136
AEP3060T-1C-1W	3083	137	AP3072T-2W	2956	137	APEP3648T-2H	3487	137	AS3672T-2C	3053	136
AEP3060T-1H-1W	3083	137	AP3636T-1C-1W	2297	137	APEP3648T-2W	3487	137	AS3672T-2H	3053	136
AEP3060T-2C	3083	137	AP3636T-1H-1W	2297	137	APEP3660T-1C-1W	4039	137	AS3672T-2W	3053	136

ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
ASFT-12120-FG	6618	263	ASFT-2472-SG	9361	263	ASWTFT-2472-FGG	17039	265	CB2472SE	4918	201
ASFT-12120-SG	11408	263	ASFT-2484-FG	7096	263	ASWTFT-2472-SG	20867	265	CB2472SE-BS	4969	203
ASFT-1218-FG	2713	263	ASFT-2484-SG	10287	263	ASWTFT-2484-FGG	18501	265	CB2484SE	5622	201
ASFT-1218-SG	3762	263	ASFT-2496-FG	7761	263	ASWTFT-2484-SG	21836	265	CB2484SE-BS	5676	203
ASFT-1224-FG	2943	263	ASFT-2496-SG	11413	263	ASWTFT-2496-FGG	19196	265	CB2496SE	6075	201
ASFT-1224-SG	3778	263	ASWTFT-1215-FGG	13614	265	ASWTFT-2496-SG	23012	265	CB2496SE-BS	6133	203
ASFT-1230-FG	3231	263	ASWTFT-1215-SG	14920	265	B201023	12	54	CB30120SE	7319	201
ASFT-1230-SG	3952	263	ASWTFT-1218-FGG	13920	265	BC18	751	159	CB30120SE-BS	7398	203
ASFT-1236-FG	3383	263	ASWTFT-1218-SG	15015	265	BC18-1	779	159	CB3036SE	3985	201
ASFT-1236-SG	4125	263	ASWTFT-1224-FGG	14162	265	BD1448C	1960	142	CB3036SE-BS	4143	203
ASFT-1248-FG	3882	263	ASWTFT-1224-SG	15035	265	BD1448S	2923	142	CB3048SE	4429	201
ASFT-1248-SG	5136	263	ASWTFT-1230-FGG	14462	265	BH-1	187	91	CB3048SE-BS	4457	203
ASFT-1260-FG	4204	263	ASWTFT-1230-SG	15215	265	BH36C	39	179	CB3060SE	4780	201
ASFT-1260-SG	6184	263	ASWTFT-1236-FGG	14622	265	BH48C	41	179	CB3060SE-BS	4826	203
ASFT-1272-FG	4752	263	ASWTFT-1236-SG	15397	265	BH60C	44	179	CB3072SE	5136	201
ASFT-1272-SG	7140	263	ASWTFT-1248-FGG	15142	265	BIC	4695	170	CB3072SE-BS	5184	203
ASFT-1284-FG	5198	263	ASWTFT-1248-SG	16454	265	BIC-Z	4667	170	CB3084SE	5777	201
ASFT-1284-SG	8382	263	ASWTFT-1260-FGG	15479	265	BPC36C	408	179	CB3084SE-BS	5833	203
ASFT-1296-FG	5672	263	ASWTFT-1260-SG	17549	265	BPC48C	413	179	CB3096SE	6328	201
ASFT-1296-SG	8731	263	ASWTFT-1272-FGG	16049	265	BPC60C	418	179	CB3096SE-BS	6386	203
ASFT-15120-FG	6982	263	ASWTFT-1272-SG	18545	265	C1448-GRH	1543	127	CBH24120SE	7626	201
ASFT-15120-SG	11979	263	ASWTFT-1284-FGG	16520	265	C1448-WGRH	702	128	CBH24120SE-BS	7703	203
ASFT-1524-FG	3003	263	ASWTFT-1284-SG	19846	265	C1460-GRH	1607	127	CBH2436SE	4677	201
ASFT-1524-SG	3655	263	ASWTFT-1296-FGG	17013	265	C1460-WGRH	808	128	CBH2436SE-BS	4711	203
ASFT-1530-FG	3258	263	ASWTFT-1296-SG	20208	265	C1472-GRH	1928	127	CBH2448SE	4897	201
ASFT-1530-SG	4060	263	ASWTFT-1518-FGG	13888	265	C1472-WGRH	983	128	CBH2448SE-BS	4929	203
ASFT-1536-FG	3413	263	ASWTFT-1518-SG	14223	265	C1848-WGRT	262	128	CBH2460SE	5222	201
ASFT-1536-SG	4720	263	ASWTFT-1524-FGG	14223	265	C1860-WGRT	281	128	CBH2460SE-BS	5258	203
ASFT-1548-FG	3929	263	ASWTFT-1524-SG	14905	265	C1872-WGRT	301	128	CBH2472SE	5541	201
ASFT-1548-SG	5681	263	ASWTFT-1530-FGG	14491	265	C2448-GR	652	127	CBH2472SE-BS	5593	203
ASFT-1560-FG	4395	263	ASWTFT-1530-SG	15328	265	C2448-GRT	448	127	CBH2484SE	6235	201
ASFT-1560-SG	6279	263	ASWTFT-1536-FGG	14652	265	C2448-WGR	500	128	CBH2484SE-BS	6295	203
ASFT-1572-FG	4845	263	ASWTFT-1536-SG	16019	265	C2460-GR	736	127	CBH2496SE	6687	201
ASFT-1572-SG	7678	263	ASWTFT-1548-FGG	15194	265	C2460-GRT	487	127	CBH2496SE-BS	6756	203
ASFT-1584-FG	5342	263	ASWTFT-1548-SG	17022	265	C2460-WGR	606	128	CBH30120SE	7923	201
ASFT-1584-SG	8735	263	ASWTFT-1560-FGG	15677	265	C2472-GR	837	127	CBH30120SE-BS	8001	203
ASFT-1596-FG	5768	263	ASWTFT-1560-SG	17647	265	C2472-GRT	551	127	CBH3036SE	4835	201
ASFT-1596-SG	9629	263	ASWTFT-1572-FGG	16151	265	C2472-WGR	697	128	CBH3036SE-BS	4867	203
ASFT-18120-FG	8138	263	ASWTFT-1572-SG	18545	265	C314-10-3-12	6320	250	CBH3048SE	5056	201
ASFT-18120-SG	12948	263	ASWTFT-1584-FGG	16669	265	C314-16-3-18	8315	250	CBH3048SE-BS	5086	203
ASFT-1824-FG	3223	263	ASWTFT-1584-SG	20236	265	C314-22-3-18	9019	250	CBH3060SE	5412	201
ASFT-1824-SG	4218	263	ASWTFT-1596-FGG	17115	265	C314-24-3-24	9747	250	CBH3060SE-BS	5446	203
ASFT-1830-FG	3560	263	ASWTFT-1596-SG	21149	265	CA4-SB	504	198,199, 205	CBH3072SE	5764	201
ASFT-1830-SG	4502	263	ASWTFT-1824-FGG	14456	265	CA6-SB	755	198,199, 205	CBH3072SE-BS	5806	203
ASFT-1836-FG	3813	263	ASWTFT-1824-SG	15494	265	CA8-SB	1008	198	CBH3084SE	6398	201
ASFT-1836-SG	4787	263	ASWTFT-1830-FGG	14805	265	CAH4-SB	668	198,199, 205	CBH3084SE-BS	6457	203
ASFT-1848-FG	4415	263	ASWTFT-1830-SG	15789	265	CAH6-SB	1003	198,199, 205	CBH3096SE	6941	201
ASFT-1848-SG	5744	263	ASWTFT-1836-FGG	15071	265	CAH8-SB	1338	198	CBH3096SE-BS	7422	203
ASFT-1860-FG	4929	263	ASWTFT-1836-SG	16088	265	CAHP4-SB	578	66,198, 199	CC-S-10	444	66,130, 215
ASFT-1860-SG	7101	263	ASWTFT-1848-FGG	15701	265	CAHP6-SB	868	198,199	CC-S-2	112	66,130, 215
ASFT-1872-FG	5509	263	ASWTFT-1848-SG	17089	265	CAHP8-SB	1157	198	CC-S-60	2488	66,130, 215
ASFT-1872-SG	7843	263	ASWTFT-1860-FGG	16238	265	CAHW4-SB	718	66,134, 198,199	CC1836C-S	607	30
ASFT-1884-FG	6156	263	ASWTFT-1860-SG	18506	265	CAHW6-SB	1078	134,198, 199	CC1836C-SB	620	30
ASFT-1884-SG	9485	263	ASWTFT-1872-FGG	16843	265	CAHW8-SB	1436	198	CC1836C-SBP	714	30
ASFT-1896-FG	6718	263	ASWTFT-1872-SG	19281	265	CB24120SE	7017	201	CC1836C-SP	697	30
ASFT-1896-SG	9831	263	ASWTFT-1884-FGG	17520	265	CB24120SE-BS	7097	203	CC1836C-SR	648	30
ASFT-24120-FG	8968	263	ASWTFT-1884-SG	20996	265	CB2436SE	3817	201	CC1836C-SRP	731	30
ASFT-24120-SG	13867	263	ASWTFT-1896-FGG	18106	265	CB2436SE-BS	4012	203	CC1836Z-S	599	30
ASFT-2424-FG	3452	263	ASWTFT-1896-SG	21360	265	CB2448SE	4269	201	CC1836Z-SB	615	30
ASFT-2424-SG	5053	263	ASWTFT-2424-FGG	14694	265	CB2448SE-BS	4299	203	CC1836Z-SBP	704	30
ASFT-2430-FG	3892	263	ASWTFT-2424-SG	16365	265	CB2460SE	4586	201	CC1836Z-SP	689	30
ASFT-2430-SG	5853	263	ASWTFT-2430-FGG	15154	265	CB2460SE-BS	4631	203	CC1836Z-SR	631	30
ASFT-2436-FG	4194	263	ASWTFT-2430-SG	17201	265				CC1836Z-SRP	706	30
ASFT-2436-SG	6078	263	ASWTFT-2436-FGG	15468	265				CC1848C-S	664	30
ASFT-2448-FG	4923	263	ASWTFT-2436-SG	17437	265				CC1848C-SB	699	30
ASFT-2448-SG	7107	263	ASWTFT-2448-FGG	16231	265				CC1848C-SBP	788	30
ASFT-2460-FG	5641	263	ASWTFT-2448-SG	18511	265						
ASFT-2460-SG	8031	263	ASWTFT-2460-FGG	16980	265						
ASFT-2472-FG	5697	263	ASWTFT-2460-SG	19479	265						

ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
CC1848C-SP	756	30	CC2448C-S	785	30	CF2430-C	127	55	CH54-S	125	129
CC1848C-SR	718	30	CC2448C-SB	802	30	CF2430-E	149	55	CH58	14	52
CC1848C-SRP	799	30	CC2448C-SBP	892	30	CF2430-S	329	55	CH58S	17	174
CC1848Z-S	607	30	CC2448C-SP	876	30	CF2436-C	131	55	CH60	60	36,129,161
CC1848Z-SB	680	30	CC2448C-SR	820	30	CF2436-E	154	55	CH60-S	136	129
CC1848Z-SBP	771	30	CC2448C-SRP	903	30	CF2436-S	336	55	CH72	63	129
CC1848Z-SP	697	30	CC2448Z-S	746	30	CF2442-C	133	55	CH72-S	142	129
CC1848Z-SR	685	30	CC2448Z-SB	763	30	CF2442-E	155	55	CLH-C	17	36,128,161
CC1848Z-SRP	762	30	CC2448Z-SBP	817	30	CF2442-S	348	55	CLH-EP	25	128,161
CC1860C-S	756	30	CC2448Z-SP	836	30	CF2448-C	134	55	CLH-S	23	128,161
CC1860C-SB	771	30	CC2448Z-SR	769	30	CF2448-E	163	55	CM108APR	1623	217
CC1860C-SBP	861	30	CC2448Z-SRP	849	30	CF2448-S	352	55	CM108PR	2260	217
CC1860C-SP	845	30	CC2460C-S	881	30	CF2460-C	163	55	CM120APR	1643	217
CC1860C-SR	786	30	CC2460C-SB	900	30	CF2460-E	196	55	CM120PR	2385	217
CC1860C-SRP	864	30	CC2460C-SP	987	30	CF2460-S	412	55	CM132APR	1729	217
CC1860Z-S	734	30	CC2460C-SBP	973	30	CF2472-C	224	55	CM132PR	2418	217
CC1860Z-SB	753	30	CC2460C-SR	919	30	CF2472-E	267	55	CM144APR	1765	217
CC1860Z-SBP	843	30	CC2460C-SRP	1001	30	CF2472-S	449	55	CM144PR	2758	217
CC1860Z-SP	821	30	CC2460Z-S	857	30	CF3036-C	138	55	CM36APR	938	217
CC1860Z-SR	754	30	CC2460Z-SB	871	30	CF3036-E	167	55	CM36PR	1197	217
CC1860Z-SRP	833	30	CC2460Z-SBP	962	30	CF3036-S	412	55	CM48APR	984	217
CC2136C-S	678	30	CC2460Z-SP	947	30	CF3048-C	143	55	CM48PR	1251	217
CC2136C-SB	695	30	CC2460Z-SR	877	30	CF3048-E	171	55	CM60APR	1029	217
CC2136C-SBP	782	30	CC2460Z-SRP	956	30	CF3048-S	423	55	CM60PR	1335	217
CC2136C-SP	765	30	CF1824-C	117	55	CF3060-C	226	55	CM72APR	1088	217
CC2136C-SR	715	30	CF1824-E	138	55	CF3060-E	206	55	CM72PR	1414	217
CC2136C-SRP	794	30	CF1824-S	300	55	CF3060-S	491	55	CM84APR	1345	217
CC2136Z-S	645	30	CF1830-C	122	55	CF3072-C	239	55	CM84PR	1720	217
CC2136Z-SB	660	30	CF1830-E	145	55	CF3072-E	291	55	CM96APR	1388	217
CC2136Z-SBP	753	30	CF1830-S	316	55	CF3072-S	540	55	CM96PR	1795	217
CC2136Z-SP	734	30	CF1836-C	123	55	CF3636-C	148	55	COLLAR PLUG	9	47,91
CC2136Z-SR	666	30	CF1836-E	146	55	CF3636-E	181	55	CP14-BL	19	62
CC2136Z-SRP	744	30	CF1836-S	328	55	CF3636-S	420	55	CP14-C	18	8
CC2148C-S	741	30	CF1842-C	127	55	CF3648-C	153	55	CP14-E	20	8
CC2148C-SB	758	30	CF1842-E	149	55	CF3648-E	185	55	CP14-R	19	62
CC2148C-SBP	848	30	CF1842-S	331	55	CF3648-S	438	55	CP14-S	40	8
CC2148C-SP	831	30	CF1848-C	128	55	CF3660-E	223	55	CP14-V	19	8
CC2148C-SR	778	30	CF1848-E	152	55	CF3660-S	500	55	CP14-VG	19	8
CC2148C-SRP	856	30	CF1848-S	336	55	CF3672-E	314	55	CP14-W	19	62
CC2148Z-S	702	30	CF1860-C	144	55	CF3672-S	555	55	CP14-Z	17	8
CC2148Z-SB	718	30	CF1860-E	171	55	CG-I-36	134	217	CP18-C	20	8
CC2148Z-SBP	808	30	CF1860-S	385	55	CG-I-48	159	217	CP18-E	28	8
CC2148Z-SP	793	30	CF1872-C	163	55	CG-I-60	181	217	CP18-S	57	8
CC2148Z-SR	722	30	CF1872-E	196	55	CG-O-36	199	217	CP18-V	21	8
CC2148Z-SRP	801	30	CF1872-S	423	55	CG-O-48	134	217	CP18-VG	21	8
CC2160C-S	821	30	CF2124-C	119	55	CG-O-60	181	217	CP18-Z	19	8
CC2160C-SB	843	30	CF2124-E	141	55	CG-O-72	199	217	CP33-BL	23	62
CC2160C-SBP	931	30	CF2124-S	306	55	CH24	45	36,129,161	CP33-C	21	8
CC2160C-SP	915	30	CF2130-C	123	55	CH24-S	98	129	CP33-E	29	8
CC2160C-SR	860	30	CF2130-E	146	55	CH28	9	52	CP33-EPS	82	129
CC2160C-SRP	936	30	CF2130-S	316	55	CH28S	12	174	CP33-R	23	62
CC2160Z-S	793	30	CF2136-C	127	55	CH30	48	36,129,161	CP33-S	66	8
CC2160Z-SB	808	30	CF2136-E	149	55	CH30-S	100	129	CP33-V	23	8
CC2160Z-SBP	900	30	CF2136-S	321	55	CH35	12	52	CP33-VG	23	8
CC2160Z-SP	881	30	CF2142-C	131	55	CH35S	16	174	CP33-W	23	62
CC2160Z-SR	816	30	CF2142-E	154	55	CH36	51	36,129,161	CP33-Z	20	8
CC2160Z-SRP	898	30	CF2142-S	336	55	CH36-S	104	129	CP54-BL	29	62
CC2436C-S	702	30	CF2148-C	133	55	CH42	52	36,129,161	CP54-C	28	8
CC2436C-SB	718	30	CF2148-E	155	55	CH42-S	108	129	CP54-E	31	8
CC2436C-SBP	808	30	CF2148-S	339	55	CH48	54	36,129,161	CP54-EPS	109	129
CC2436C-SP	793	30	CF2160-C	153	55	CH48-S	112	129	CP54-R	29	62
CC2436C-SR	735	30	CF2160-E	185	55	CH54	57	36,129,161	CP54-S	75	8
CC2436C-SRP	814	30	CF2160-S	399	55	CH54-S	57	36,129,161	CP54-V	29	8
CC2436Z-S	671	30	CF2172-C	215	55	CH54	57	36,129,161	CP54-VG	29	8
CC2436Z-SB	687	30	CF2172-E	260	55	CH54	57	36,129,161	CP54-W	29	62
CC2436Z-SBP	777	30	CF2172-S	439	55	CH54	57	36,129,161	CP54-Z	26	8
CC2436Z-SP	761	30	CF2424-C	123	55	CH54	57	36,129,161	CP63-BL	31	62
CC2436Z-SR	696	30	CF2424-E	146	55	CH54	57	36,129,161			
CC2436Z-SRP	773	30	CF2424-S	316	55	CH54	57	36,129,161			

ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
CP63-C	29	8	CPS5S-300	168	10	CRPT2484T-C-BS	4266	133	CRPT3660T-US	3734	132
CP63-E	35	8	CPS6-500	87	10	CRPT2484T-H	3709	132	CRPT3660T-US-BS	4294	133
CP63-EPS	118	129	CPS6P-600	113	10,154	CRPT2484T-H-BS	4266	133	CRPT3672T-C	3380	132
CP63-R	31	62	CPS6Z-800	88	10	CRPT2484T-US	4637	132	CRPT3672T-C-BS	3887	133
CP63-S	82	8	CPS8P-700	127	10,154	CRPT2484T-US-BS	5333	133	CRPT3672T-H	3380	132
CP63-V	31	8	CPS8Z-900	99	10	CRPT2496T-C	4824	132	CRPT3672T-H-BS	3887	133
CP63-VG	31	8	CPSB5-250	113	9,129	CRPT2496T-C-BS	5547	133	CRPT3672T-US	4225	132
CP63-W	31	62	CPS5S-250	92	9,129	CRPT2496T-H	4824	132	CRPT3672T-US-BS	4859	133
CP63-Z	28	8	CR2D	212	91	CRPT2496T-H-BS	5547	133	CRPT3684T-C	4037	132
CP7-BL	17	62	CR4D	237	91	CRPT2496T-US	6031	132	CRPT3684T-C-BS	4642	133
CP7-C	16	8	CRB0936	1241	131	CRPT2496T-US-BS	4813	133	CRPT3684T-H	4037	132
CP7-E	19	8	CRB0936EP	1604	131	CRPT3030T-C	1827	132	CRPT3684T-H-BS	4642	133
CP7-R	17	62	CRB0948	1303	131	CRPT3030T-C-BS	2101	133	CRPT3684T-US	5045	132
CP7-S	38	8	CRB0948EP	1688	131	CRPT3030T-H	1827	132	CRPT3684T-US-BS	5802	133
CP7-V	17	8	CRB0960	1392	131	CRPT3030T-H-BS	2101	133	CRPT3696T-C	5071	132
CP7-VG	17	8	CRB0960EP	1892	131	CRPT3030T-US	2285	132	CRPT3696T-C-BS	5832	133
CP7-W	17	62	CRB0972	1513	131	CRPT3030T-US-BS	2628	133	CRPT3696T-H	5071	132
CP7-Z	14	8	CRB0972EP	2046	131	CRPT3036T-C	2153	132	CRPT3696T-H-BS	5832	133
CP74-BL	34	62	CRB1224	1324	131	CRPT3036T-C-BS	2476	133	CRPT3696T-US	6337	132
CP74-C	33	8	CRB1224EP	1694	131	CRPT3036T-H	2153	132	CRPT3696T-US-BS	7287	133
CP74-E	38	8	CRB1236	1324	131	CRPT3036T-H-BS	2476	133	CRRT24-C	140	45
CP74-EPS	133	129	CRB1236EP	1694	131	CRPT3036T-US	2692	132	CRT2424T-C	1543	132
CP74-R	34	62	CRB1248	1391	131	CRPT3036T-US-BS	3096	133	CRT2424T-C-BS	1775	133
CP74-S	93	8	CRB1248EP	1781	131	CRPT3048T-C	2498	132	CRT2424T-H	1543	132
CP74-V	34	8	CRB1260	1454	131	CRPT3048T-C-BS	2873	133	CRT2424T-H-BS	1775	133
CP74-VG	34	8	CRB1260EP	1956	131	CRPT3048T-H	2498	132	CRT2424T-US	1928	132
CP74-W	34	62	CRB1272	1578	131	CRPT3048T-H-BS	2873	133	CRT2424T-US-BS	2218	133
CP74-Z	29	8	CRB1272EP	2114	131	CRPT3048T-US	3122	132	CRT2436T-C	1714	132
CP86-BL	39	62	CRB1284	1643	131	CRPT3048T-US-BS	3591	133	CRT2436T-C-BS	1971	133
CP86-C	39	8	CRB1284EP	2185	131	CRPT3060T-C	2700	132	CRT2436T-H	1714	132
CP86-E	44	8	CRB1836	1786	131	CRPT3060T-C-BS	3105	133	CRT2436T-H-BS	1971	133
CP86-EPS	145	129	CRB1836EP	2274	131	CRPT3060T-H	2700	132	CRT2436T-US	2143	132
CP86-R	39	62	CRB1848	1881	131	CRPT3060T-H-BS	3105	133	CRT2436T-US-BS	2464	133
CP86-S	106	8	CRB1848EP	2392	131	CRPT3060T-US	3376	132	CRT2448T-C	1791	132
CP86-V	40	8	CRB1860	1991	131	CRPT3060T-US-BS	3882	133	CRT2448T-C-BS	2059	133
CP86-VG	40	8	CRB1860EP	2629	131	CRPT3072T-C	3357	132	CRT2448T-H	1791	132
CP86-W	39	62	CRB1872	2153	131	CRPT3072T-C-BS	3860	133	CRT2448T-H-BS	2059	133
CP86-Z	36	8	CRB1872EP	2838	131	CRPT3072T-H	3357	132	CRT2448T-US	2238	132
CPB5-200	51	10	CRPT2424T-C	1760	132	CRPT3072T-H-BS	3860	133	CRT2448T-US-BS	2574	133
CPB5-250	62	10	CRPT2424T-C-BS	2024	133	CRPT3072T-US	4196	132	CRT2460T-C	1862	132
CPB5P-300	56	10	CRPT2424T-H	1760	132	CRPT3072T-US-BS	4825	133	CRT2460T-C-BS	2141	133
CPB5P-500	117	10	CRPT2424T-H-BS	2024	133	CRPT3084T-C	4003	132	CRT2460T-H	1862	132
CPB5S-300	183	10	CRPT2424T-US	2199	132	CRPT3084T-C-BS	4603	133	CRT2460T-H-BS	2141	133
CPB6-500	97	10	CRPT2424T-US-BS	2528	133	CRPT3084T-H	4003	132	CRT2460T-US	2328	132
CPB6P-600	127	10,154	CRPT2436T-C	2069	132	CRPT3084T-H-BS	4603	133	CRT2460T-US-BS	2678	133
CPB6Z-800	105	10	CRPT2436T-C-BS	2380	133	CRPT3084T-US	5004	132	CRT2472T-C	2117	132
CPB8P-700	143	10,154	CRPT2436T-H	2069	132	CRPT3084T-US-BS	5755	133	CRT2472T-C-BS	2435	133
CPB8Z-900	115	10	CRPT2436T-H-BS	2380	133	CRPT3096T-C	4945	132	CRT2472T-H	2117	132
CPC48B	2256	158	CRPT2436T-US	2587	132	CRPT3096T-C-BS	5687	133	CRT2472T-H-BS	2435	133
CPC6024	2291	158	CRPT2436T-US-BS	2976	133	CRPT3096T-H	4945	132	CRT2472T-US	2645	132
CPC6024D	2909	158	CRPT2448T-C	2420	132	CRPT3096T-H-BS	5687	133	CRT2472T-US-BS	3042	133
CPC6036	2138	158	CRPT2448T-C-BS	2783	133	CRPT3096T-US	6182	132	CRT2484T-C	2556	132
CPC6036D	2795	158	CRPT2448T-H	2420	132	CRPT3096T-US-BS	7109	133	CRT2484T-C-BS	2939	133
CPC60B	2494	158	CRPT2448T-H-BS	2783	133	CRPT3636T-C	2260	132	CRT2484T-H	2556	132
CPL6Z-800	212	10	CRPT2448T-US	3025	132	CRPT3636T-C-BS	2599	133	CRT2484T-H-BS	2939	133
CPL8Z-900	219	10	CRPT2448T-US-BS	3479	133	CRPT3636T-H	2260	132	CRT2484T-US	3196	132
CPR5-200	51	10	CRPT2460T-C	2614	132	CRPT3636T-H-BS	2599	133	CRT2484T-US-BS	3675	133
CPR5-250	62	10	CRPT2460T-C-BS	3005	133	CRPT3636T-US	2826	132	CRT2496T-C	2731	132
CPR5P-300	52	10	CRPT2460T-H	2614	132	CRPT3636T-US-BS	3251	133	CRT2496T-C-BS	3140	133
CPR5P-500	117	10	CRPT2460T-H-BS	3005	133	CRPT3648T-C	2571	132	CRT2496T-H	2731	132
CPR6-500	87	10	CRPT2460T-US	3266	132	CRPT3648T-C-BS	2956	133	CRT2496T-H-BS	3140	133
CPR6P-600	127	10,154	CRPT2460T-US-BS	3756	133	CRPT3648T-H	2571	132	CRT2496T-US	3413	132
CPR6Z-800	82	10	CRPT2472T-C	3347	132	CRPT3648T-H-BS	2956	133	CRT2496T-US-BS	3042	133
CPR8P-700	143	10,154	CRPT2472T-C-BS	3849	133	CRPT3648T-US	3214	132	CRT3030T-C	1566	132
CPR8Z-900	91	10	CRPT2472T-H	3347	132	CRPT3648T-US-BS	3696	133	CRT3030T-C-BS	1801	133
CPS5-200	45	10	CRPT2472T-H-BS	3849	133	CRPT3660T-C	2987	132	CRT3030T-H	1566	132
CPS5-250	58	10	CRPT2472T-US	4185	132	CRPT3660T-C-BS	3436	133	CRT3030T-H-BS	1801	133
CPS5P-300	51	10	CRPT2472T-US-BS	4813	133	CRPT3660T-H	2987	132	CRT3030T-US	1958	132
CPS5P-500	101	10	CRPT2484T-C	3709	132	CRPT3660T-H-BS	3436	133	CRT3030T-US-BS	2252	133

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.

Phone: 302-653-3000. Fax: 302-653-2065

<http://www.eaglehmc.com>



ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
CRT3036T-C.....	1741	132	CRT3696T-H-BS.....	3505	133	CSI-1436.....	99	61	CV-63-2148.....	248	31,162
CRT3036T-C-BS.....	2002	133	CRT3696T-US.....	3811	132	CSI-1448.....	121	61	CV-63-2148-T.....	482	32,162
CRT3036T-H.....	1741	132	CRT3696T-US-BS.....	4382	133	CSI-1460.....	168	61	CV-63-2160.....	261	31,162
CRT3036T-H-BS.....	2002	133	CS1224-BL.....	77	61	CSI-1836.....	104	61	CV-63-2160-T.....	535	32,162
CRT3036T-US.....	2176	132	CS1224-C.....	75	8	CSI-1848.....	123	61	CV-63-2424.....	314	31,162
CRT3036T-US-BS.....	2502	133	CS1224-R.....	77	61	CSI-1860.....	145	61	CV-63-2424-T.....	437	32,162
CRT3048T-C.....	1808	132	CS1224-S.....	236	8	CSI-1872.....	166	61	CV-63-2436.....	212	31,162
CRT3048T-C-BS.....	2080	133	CS1224-W.....	77	61	CSI-2136.....	112	61	CV-63-2436-T.....	443	32,162
CRT3048T-H.....	1808	132	CS1230-BL.....	81	61	CSI-2148.....	128	61	CV-63-2448.....	259	31,157,
CRT3048T-H-BS.....	2080	133	CS1230-C.....	79	8	CSI-2160.....	147	61		162	
CRT3048T-US.....	2260	132	CS1230-R.....	81	61	CSI-2172.....	168	61	CV-63-2448-T.....	466	32,162
CRT3048T-US-BS.....	2599	133	CS1230-S.....	256	8	CSI-2424.....	96	61	CV-63-2460.....	298	31,157,
CRT3060T-C.....	2063	132	CS1230-W.....	81	61	CSI-2430.....	109	61		162	
CRT3060T-C-BS.....	2373	133	CS1236-BL.....	84	61	CSI-2436.....	115	61	CV-63-2460-T.....	513	32,162
CRT3060T-H.....	2063	132	CS1236-C.....	81	8	CSI-2448.....	134	61	CV-63-2472.....	318	31,162
CRT3060T-H-BS.....	2373	133	CS1236-R.....	84	61	CSI-2454.....	148	61	CV-63-2472-T.....	585	32,162
CRT3060T-US.....	2580	132	CS1236-S.....	267	8	CSI-2460.....	169	61	CV-74-2148.....	287	31,162
CRT3060T-US-BS.....	2967	133	CS1236-W.....	84	61	CSI-2472.....	185	61	CV-74-2148-T.....	508	32,162
CRT3072T-C.....	2243	132	CS1242-BL.....	93	61	CSI-3060.....	266	61	CV-74-2160.....	298	31,162
CRT3072T-C-BS.....	2580	133	CS1242-C.....	91	8	CSI-3072.....	271	61	CV-74-2160-T.....	562	32,162
CRT3072T-H.....	2243	132	CS1242-R.....	93	61	CSPB5-300.....	60	9	CV-74-2436.....	247	31,162
CRT3072T-H-BS.....	2580	133	CS1242-S.....	283	8	CSPB5P-300.....	68	9	CV-74-2436-T.....	541	32,162
CRT3072T-US.....	2804	132	CS1242-W.....	93	61	CSR5-300.....	39	9	CV-74-2448.....	281	31,162
CRT3072T-US-BS.....	3225	133	CS1248-BL.....	97	61	CSR5-CC.....	82	176	CV-74-2448-T.....	482	32,162
CRT3084T-C.....	2658	132	CS1248-C.....	94	8	CSR5P-300.....	63	9	CV-74-2460.....	340	31,162
CRT3084T-C-BS.....	3057	133	CS1248-R.....	97	61	CSR5PS-300.....	164	9	CV-74-2460-T.....	624	32,162
CRT3084T-H.....	2658	132	CS1248-S.....	297	8	CSR5S-200.....	164	9	CV-74-2472.....	349	31,162
CRT3084T-H-BS.....	3057	133	CS1248-W.....	97	61	CSRO5P-300.....	63	57	CV-74-2472-T.....	644	32,162
CRT3084T-US.....	3323	132	CS1254-BL.....	105	61	CSS4-125.....	28	9	CV-86-2436.....	308	31,162
CRT3084T-US-BS.....	3822	133	CS1254-C.....	101	8	CSS5-125.....	31	9	CV-86-2436-T.....	571	32,162
CRT3096T-C.....	2841	132	CS1254-R.....	105	61	CSS5-300.....	35	9	CV-86-2448.....	331	31,162
CRT3096T-C-BS.....	3267	133	CS1254-S.....	316	8	CSS5-CC.....	72	176	CV-86-2448-T.....	599	32,162
CRT3096T-H.....	2841	132	CS1254-W.....	105	61	CSS5P-300.....	57	9	CV-86-2460.....	393	31,162
CRT3096T-H-BS.....	3267	133	CS1260-BL.....	113	61	CSS5PS-300.....	177	9	CV-86-2460-T.....	657	32,162
CRT3096T-US.....	3552	132	CS1260-C.....	109	8	CSS5S-200.....	169	9	CV-86-2472.....	413	31,162
CRT3096T-US-BS.....	4084	133	CS1260-R.....	113	61	CSS5WPS-300.....	164	9	CV-86-2472-T.....	676	32,162
CRT3636T-C.....	1804	132	CS1260-S.....	348	8	CTB1000-XL.....	23	173	CVC-54-1836.....	298	31,155,
CRT3636T-C-BS.....	2075	133	CS1260-W.....	113	61	CTB2000-XL.....	42	173		162	
CRT3636T-H.....	1804	132	CSB5-300.....	41	9	CTB3000-XL.....	68	173	CVC-54-1848.....	315	31,155,
CRT3636T-H-BS.....	2075	133	CSB5-CC.....	80	176	CV-54-1836.....	183	31,155,		162	
CRT3636T-US.....	2255	132	CSB5P-300.....	62	9				CVC-54-1860.....	335	31,162
CRT3636T-US-BS.....	2593	133	CSB5PS-300.....	196	9	CV-54-1836-T.....	408	32,162	CVC-54-2148.....	346	31,162
CRT3648T-C.....	1897	132	CSB5S-200.....	186	9	CV-54-1848.....	198	31,155,	CVC-54-2160.....	392	31,162
CRT3648T-C-BS.....	2181	133	CSB5WPS-300.....	178	9			162	CVC-54-2424.....	353	31,162
CRT3648T-H.....	1897	132	CSC2430.....	1567	42	CV-54-1848-T.....	415	32,162	CVC-54-2436.....	311	31,162
CRT3648T-H-BS.....	2181	133	CSC2430E.....	1861	42	CV-54-1860.....	204	31,162	CVC-54-2448.....	363	31,162
CRT3648T-US.....	2371	132	CSC2430S.....	3697	42	CV-54-1860-T.....	428	32,162	CVC-54-2460.....	403	31,162
CRT3648T-US-BS.....	2726	133	CSC2436.....	1742	42	CV-54-2148.....	228	31,162	CVC-54-2472.....	413	31,162
CRT3660T-C.....	2402	132	CSC2436E.....	2067	42	CV-54-2148-T.....	455	32,162	CVC-63-1836.....	311	31,155,
CRT3660T-C-BS.....	2762	133	CSC2436S.....	4105	42	CV-54-2160.....	241	31,162		162	
CRT3660T-H.....	2402	132	CSC2448.....	2105	42	CV-54-2160-T.....	504	32,162	CVC-63-1848.....	318	31,155,
CRT3660T-H-BS.....	2762	133	CSC2448E.....	2513	42	CV-54-2424.....	261	31,162		162	
CRT3660T-US.....	3004	132	CSC2448S.....	5002	42	CV-54-2424-T.....	437	32,162	CVC-63-1860.....	342	31,162
CRT3660T-US-BS.....	3455	133	CSC2460.....	2265	42	CV-54-2436.....	203	31,162	CVC-63-2148.....	362	31,162
CRT3672T-C.....	2605	132	CSC2460E.....	2703	42	CV-54-2436-T.....	443	32,162	CVC-63-2160.....	401	31,162
CRT3672T-C-BS.....	2996	133	CSC2460S.....	5178	42	CV-54-2448.....	223	31,162	CVC-63-2424.....	366	31,162
CRT3672T-H.....	2605	132	CSC3030.....	1981	42	CV-54-2448-T.....	466	32,162	CVC-63-2436.....	324	31,162
CRT3672T-H-BS.....	2996	133	CSC3030E.....	2385	42	CV-54-2460.....	292	31,162	CVC-63-2448.....	382	31,157,
CRT3672T-US.....	3257	132	CSC3030S.....	4618	42	CV-54-2460-T.....	513	32,162		162	
CRT3672T-US-BS.....	3745	133	CSC3036.....	2202	42	CV-54-2472.....	296	31,162	CVC-63-2460.....	413	31,157,
CRT3684T-C.....	2780	132	CSC3036E.....	2653	42	CV-54-2472-T.....	573	32,162		162	
CRT3684T-C-BS.....	3197	133	CSC3036S.....	5132	42	CV-63-1836.....	188	31,155,	CVC-63-2472.....	421	31,162
CRT3684T-H.....	2780	132	CSC3048.....	2655	42			162	CVC-74-1836.....	325	157
CRT3684T-H-BS.....	3197	133	CSC3048E.....	3219	42	CV-63-1836-T.....	408	32,162	CVC-74-1848.....	334	157
CRT3684T-US.....	3475	132	CSC3048S.....	6253	42	CV-63-1848.....	202	31,155,	CVC-74-1860.....	358	157
CRT3684T-US-BS.....	3996	133	CSC3060.....	2855	42			162	CVC-74-1872.....	378	157
CRT3696T-C.....	3048	132	CSC3060E.....	3466	42	CV-63-1848-T.....	415	32,162	CVC-74-2136.....	346	157
CRT3696T-C-BS.....	3505	133	CSC3060S.....	6472	42	CV-63-1860.....	206	31,162	CV-74-2148.....	364	31,157,
CRT3696T-H.....	3048	132	CSI-1430.....	94	61	CV-63-1860-T.....	458	32,162		162	

ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
CVC-74-2160	407	31,157, 162	CZ-74-2148	272	31,162	D1836W	91	22	DDFT-10	1643	59
CVC-74-2172	421	31,157	CZ-74-2148-T	462	32,162	D1836Z	88	22	DDFT-11	1786	59
CVC-74-2436	331	31,157, 162	CZ-74-2160	292	31,162	D1848BL	107	22	DDFT-12	1932	59
CVC-74-2448	385	31,157, 162	CZ-74-2160-T	512	32,162	D1848C	106	22	DDFT-13	2071	59
CVC-74-2460	417	31,157, 162	CZ-74-2436	241	31,162	D1848R	107	22	DDFT-14	2216	59
CVC-74-2472	424	31,157, 162	CZ-74-2436-T	492	32,162	D1848W	107	22	DDFT-15	2359	59
CVC-86-2436	366	31,162	CZ-74-2448	264	31,162	D1848Z	101	22	DDFT-16	2501	59
CVC-86-2448	441	31,162	CZ-74-2448-T	439	32,162	D2136BL	106	22	DDFT-17	2646	59
CVC-86-2460	465	31,162	CZ-74-2460	327	31,162	D2136C	105	22	DDFT-18	2791	59
CVC-86-2472	481	31,162	CZ-74-2460-T	567	32,162	D2136R	106	22	DDFT-19	2933	59
CZ-49-ETC	538	176	CZ-74-2472	335	31,162	D2136W	106	22	DDFT-20	3076	59
CZ-54-1836	167	31,155, 162	CZ-74-2472-T	585	32,162	D2136Z	98	22	DDFT-21	3219	59
CZ-54-1836-T	372	32,162	CZ-86-2436	300	31,162	D2148BL	123	22	DDFT-22	3305	59
CZ-54-1848	186	31,155, 162	CZ-86-2436-T	519	32,162	D2148C	122	22	DDFT-23	3345	59
CZ-54-1848-T	377	32,162	CZ-86-2448	320	31,162	D2148R	123	22	DDFT-24	3482	59
CZ-54-1860	193	31,162	CZ-86-2448-T	546	32,162	D2148W	123	22	DDFT-25	3619	59
CZ-54-1860-T	391	32,162	CZ-86-2460	382	31,162	D2148Z	113	22	DDFT-26	3755	59
CZ-54-2148	216	31,162	CZ-86-2460-T	596	32,162	D2436BL	114	22	DDFT-27	3892	59
CZ-54-2148-T	413	32,162	CZ-86-2472	401	31,162	D2436C	113	22	DDFT-28	4029	59
CZ-54-2160	225	31,162	CZ-86-2472-T	614	32,162	D2436R	114	22	DDFT-29	4167	59
CZ-54-2160-T	459	32,162	CZC-54-1836	289	31,155, 162	D2436W	114	22	DDFT-30	4302	59
CZ-54-2424	394	31,162	CZC-54-1848	298	31,155, 162	D2436Z	104	22	DDFT-6	1069	59
CZ-54-2424-T	396	32,162	CZC-54-1860	324	31,162	D2448BL	133	22	DDFT-7	1213	59
CZ-54-2436	192	31,162	CZC-54-2148	333	31,162	D2448C	131	22	DDFT-8	1354	59
CZ-54-2436-T	403	32,162	CZC-54-2160	382	31,162	D2448R	133	22	DDFT-9	1498	59
CZ-54-2448	206	31,162	CZC-54-2160-T	352	31,162	D2448W	133	22	DDSK-18	1276	59
CZ-54-2448-T	424	32,162	CZC-54-2424	352	31,162	D2448Z	123	22	DDSK-21	1312	59
CZ-54-2460	277	31,162	CZC-54-2436	294	31,162	DB	143	91	DDSK-24	1361	59
CZ-54-2460-T	465	32,162	CZC-54-2448	349	31,162	DBH2436C	271	164,180	DDSK-30	1492	59
CZ-54-2472	287	31,162	CZC-54-2460	391	31,162	DBH2436Z	196	164,180	DDSK-36	1899	59
CZ-54-2472-T	521	32,162	CZC-54-2472	396	31,162	DBH2442C	274	164,180	DDSKATB-S	335	59
CZ-63-1836	177	31,155, 162	CZC-63-1836	294	31,155, 162	DBH2442Z	269	164,180	DF1836-A	396	40
CZ-63-1836-ESD	525	176	CZC-63-1848	308	31,155, 162	DBH2448C	315	164,180	DF1836-C	598	40
CZ-63-1836-T	372	32,162	CZC-63-1860	329	31,162	DBH2448Z	285	164,180	DF1842-A	417	40
CZ-63-1848	187	31,155, 162	CZC-63-2148	346	31,162	DBH2454C	319	164,180	DF1842-C	629	40
CZ-63-1848-ESD	589	176	CZC-63-2160	387	31,162	DBH2454Z	292	164,180	DF1848-A	431	40
CZ-63-1848-T	377	32,162	CZC-63-2160-T	357	31,162	DBH2460C	345	164,180	DF1848-C	648	40
CZ-63-1860	196	31,162	CZC-63-2424	357	31,162	DBH2460Z	311	164,180	DF1860-A	473	40
CZ-63-1860-T	417	32,162	CZC-63-2436	311	31,162	DBH3036C	296	164,180	DF1860-C	717	40
CZ-63-2148	238	31,162	CZC-63-2448	364	31,154, 157,162	DBH3036Z	266	164,180	DF1872-A	551	40
CZ-63-2148-T	439	32,162	CZC-63-2460	396	31,154, 157,162	DBH3042C	308	164,180	DF1872-C	831	40
CZ-63-2160	248	31,162	CZC-63-2472	404	31,162	DBH3042Z	273	164,180	DF2136-A	427	40
CZ-63-2160-T	486	32,162	CZC-74-2148	352	31,162	DBH3048C	348	164,180	DF2136-C	644	40
CZ-63-2424	408	31,162	CZC-74-2160	393	31,162	DBH3048Z	311	164,180	DF2142-A	442	40
CZ-63-2424-ESD	525	176	CZC-74-2436	317	31,162	DBH3054C	363	164,180	DF2142-C	666	40
CZ-63-2424-T	396	32,162	CZC-74-2448	373	31,162	DBH3054Z	316	164,180	DF2148-A	462	40
CZ-63-2436	198	31,162	CZC-74-2460	403	31,162	DBH3060C	408	164,180	DF2148-C	696	40
CZ-63-2436-ESD	549	176	CZC-74-2472	415	31,162	DBH3060Z	342	164,180	DF2160-A	497	40
CZ-63-2436-T	403	32,162	CZC-86-2436	344	31,162	DBHC2436C-4	1279	164,180	DF2160-C	745	40
CZ-63-2448	244	31,154, 157,162	CZC-86-2448	428	31,162	DBHC2436Z-4	1214	164,180	DF2172-A	521	40
CZ-63-2448-ESD	638	176	CZC-86-2460	465	31,162	DBHC2442C-4	1297	164,180	DF2172-C	788	40
CZ-63-2448-T	424	32,162	CZC-86-2472	487	31,162	DBHC2442Z-4	1297	164,180	DF2436-A	419	40
CZ-63-2460	289	31,154, 157,162	D1436BL	88	22	DBHC2448C-4	1455	164,180	DF2436-C	634	40
CZ-63-2460-ESD	688	176	D1436C	87	22	DBHC2448Z-4	1340	164,180	DF2442-A	440	40
CZ-63-2460-T	465	32,162	D1436R	88	22	DBHC2454C-4	1477	164,180	DF2442-C	664	40
CZ-63-2472	308	31,162	D1436W	88	22	DBHC2454Z-4	1366	164,180	DF2448-A	458	40
CZ-63-2472-T	532	32,162	D1436Z	80	22	DBHC2460C-4	1577	164,180	DF2448-C	688	40
CZ-63-ETC	608	176	D1448BL	99	22	DBHC2460Z-4	1440	164,180	DF2460-A	497	40
			D1448C	98	22	DBHC3036C-4	1383	164,180	DF2460-C	745	40
			D1448R	99	22	DBHC3036Z-4	1273	164,180	DF2472-A	581	40
			D1448W	99	22	DBHC3042C-4	1426	164,180	DF2472-C	876	40
			D1448Z	89	22	DBHC3042Z-4	1299	164,180	DL1035-XL	4	174
			D1836BL	91	22	DBHC3048C-4	1593	164,180	DL1050-XL	5	174
			D1836C	89	22	DBHC3048Z-4	1439	164,180	DL2035-XL	5	174
			D1836R	91	22	DBHC3054C-4	1652	164,180	DL2060-XL	7	174
						DBHC3054Z-4	1466	164,180	DL2080-XL	12	174
						DBHC3060C-4	1835	164,180	DL3030-XL	7	174
						DBHC3060Z-4	1566	164,180	DL3060-XL	9	174
						DC16-S	26	168	DL3080-XL	12	174

ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
DL3120-XL	33	174	DR1836-C	340	37	DS2460-E	387	37	DT1860-CSBP	1335	35
DOS10108-14/3	3044	210	DR1836-E	399	37	DS2460-S	1083	37	DT1860-CSP	1327	35
DOS10108-16/3	2769	210	DR1836-S	867	37	DS3030-XL	5	174	DT1860-ZS	1313	35
DOS10108-16/4	2324	210	DR1848-C	402	37	DS3060-XL	6	174	DT1860-ZSB	1324	35
DOS10120-14/3	3141	210	DR1848-E	477	37	DS3080-XL	7	174	DT1860-ZSBP	1287	35
DOS10120-16/3	2858	210	DR1848-S	1157	37	DS3120-XL	26	174	DT1860-ZSP	1279	35
DOS10120-16/4	2372	210	DR1860-C	498	37	DS4-CP74-2448C	1113	38	DT2136-CS	1239	35
DOS10132-14/3	3373	210	DR1860-E	527	37	DS4-CP74-2448E	1133	38	DT2136-CSB	1251	35
DOS10132-16/3	3066	210	DR2124-C	314	37	DS4-CP74-2448Z	984	38	DT2136-CSBP	1215	35
DOS10132-16/4	2528	210	DR2124-E	373	37	DS4-P74-2448C	985	38	DT2136-CSP	1205	35
DOS10144-14/3	3460	210	DR2130-C	336	37	DS4-P74-2448E	1008	38	DT2136-ZS	1179	35
DOS10144-16/3	3144	210	DR2130-E	399	37	DS4-P74-2448Z	860	38	DT2136-ZSB	1186	35
DOS10144-16/4	2575	210	DR2136-C	359	37	DSI-1430	59	61	DT2136-ZSBP	1157	35
DOS1036-14/3	1756	210	DR2136-E	422	37	DSI-1436	63	61	DT2136-ZSP	1149	35
DOS1036-16/3	1597	210	DR2148-C	425	37	DSI-1448	75	61	DT2148-CS	1331	35
DOS1036-16/4	1425	210	DR2148-E	499	37	DSI-1460	78	61	DT2148-CSB	1343	35
DOS1048-14/3	1849	210	DR2160-C	484	37	DSI-1836	72	61	DT2148-CSBP	1308	35
DOS1048-16/3	1679	210	DR2160-E	547	37	DSI-1848	82	61	DT2148-CSP	1299	35
DOS1048-16/4	1471	210	DR2424-C	320	37	DSI-1860	85	61	DT2148-ZS	1266	35
DOS1060-14/3	2016	210	DR2424-E	380	37	DSI-1872	89	61	DT2148-ZSB	1276	35
DOS1060-16/3	1832	210	DR2430-C	345	37	DSI-2136	80	61	DT2148-ZSBP	1242	35
DOS1060-16/4	1581	210	DR2430-E	401	37	DSI-2148	85	61	DT2148-ZSP	1234	35
DOS1072-14/3	2176	210	DR2436-C	369	37	DSI-2160	89	61	DT2160-CS	1446	35
DOS1072-16/3	1980	210	DR2436-E	434	37	DSI-2172	93	61	DT2160-CSB	1456	35
DOS1072-16/4	1679	210	DR2436-S	996	37	DSI-2424	68	61	DT2160-CSBP	1471	35
DOS1084-14/3	2333	210	DR2448-C	436	37	DSI-2430	76	61	DT2160-CSP	1415	35
DOS1084-16/3	2121	210	DR2448-E	512	37	DSI-2436	82	61	DT2160-ZS	1392	35
DOS1084-16/4	1777	210	DR2448-S	1267	37	DSI-2448	96	61	DT2160-ZSB	1403	35
DOS1096-14/3	2822	210	DR2460-C	501	37	DSI-2454	100	61	DT2160-ZSBP	1368	35
DOS1096-16/3	2564	210	DR2460-E	576	37	DSI-2460	106	61	DT2160-ZSP	1361	35
DOS1096-16/4	2171	210	DS1035-XL	3	174	DSI-2472	113	61	DT2436-CS	1256	35
DOS12108-14/3	3089	210	DS1050-XL	4	174	DSI-3060	118	61	DT2436-CSB	1266	35
DOS12108-16/3	2807	210	DS1824-C	186	37	DSI-3072	124	61	DT2436-CSBP	1234	35
DOS12108-16/4	2504	210	DS1824-E	236	37	DSP-1024	306	98	DT2436-CSP	1220	35
DOS12120-14/3	3246	210	DS1830-C	205	37	DSP-1030	319	98	DT2436-ZS	1201	35
DOS12120-16/3	2948	210	DS1830-E	248	37	DSP-1036	337	98	DT2436-ZSB	1212	35
DOS12120-16/4	2551	210	DS1836-C	218	37	DSP-1224	314	98	DT2436-ZSBP	1178	35
DOS12132-14/3	3606	210	DS1836-E	265	37	DSP-1230	331	98	DT2436-ZSP	1167	35
DOS12132-16/3	3277	210	DS1836-S	685	37	DSP-1236	353	98	DT2448-CS	1378	35
DOS12132-16/4	2738	210	DS1848-C	254	37	DSR-1024	461	98	DT2448-CSB	1385	35
DOS12144-14/3	3701	210	DS1848-E	313	37	DSR-1030	525	98	DT2448-CSBP	1352	35
DOS12144-16/3	3367	210	DS1848-S	833	37	DSR-1036	596	98	DT2448-CSP	1343	35
DOS12144-16/4	2783	210	DS1860-C	295	37	DSR-1224	500	98	DT2448-ZS	1308	35
DOS1236-14/3	1946	210	DS1860-E	352	37	DSR-1230	503	98	DT2448-ZSB	1320	35
DOS1236-16/3	1678	210	DS1860-S	980	37	DSR-1236	677	98	DT2448-ZSBP	1284	35
DOS1236-16/4	1508	210	DS2035-XL	4	174	DSS-1024	358	98	DT2448-ZSP	1276	35
DOS1248-14/3	2089	210	DS2060-XL	6	174	DSS-1030	364	98	DT2460-CS	1506	35
DOS1248-16/3	1805	210	DS2080-XL	7	174	DSS-1036	382	98	DT2460-CSB	1515	35
DOS1248-16/4	1549	210	DS2124-C	209	37	DSS-1224	361	98	DT2460-CSBP	1481	35
DOS1260-14/3	2248	210	DS2124-E	257	37	DSS-1230	381	98	DT2460-CSP	1475	35
DOS1260-16/3	1939	210	DS2130-C	216	37	DSS-1236	392	98	DT2460-ZS	1453	35
DOS1260-16/4	1672	210	DS2130-E	267	37	DT1836-CS	1153	35	DT2460-ZSB	1465	35
DOS1272-14/3	2414	210	DS2136-C	229	37	DT1836-CSB	1161	35	DT2460-ZSBP	1427	35
DOS1272-16/3	2077	210	DS2136-E	281	37	DT1836-CSBP	1127	35	DT2460-ZSP	1419	35
DOS1272-16/4	1791	210	DS2148-C	262	37	DT1836-CSP	1116	35	DTF1824-C	87	54
DOS1284-14/3	2593	210	DS2148-E	320	37	DT1836-ZS	1116	35	DTF1824-E	97	54
DOS1284-16/3	2276	210	DS2160-C	299	37	DT1836-ZSB	1127	35	DTF1824-S	265	54
DOS1284-16/4	1903	210	DS2160-E	380	37	DT1836-ZSBP	1095	35	DTF1830-C	88	54
DOS1296-14/3	2876	210	DS2424-C	203	37	DT1836-ZSP	1082	35	DTF1830-E	99	54
DOS1296-16/3	2695	210	DS2424-E	247	37	DT1848-CS	1251	35	DTF1830-S	273	54
DOS1296-16/4	2313	210	DS2430-C	223	37	DT1848-CSB	1261	35	DTF1836-C	89	54
DP-10	1037	234	DS2430-E	267	37	DT1848-CSBP	1225	35	DTF1836-E	104	54
DP-20	2159	234	DS2436-C	240	37	DT1848-CSP	1215	35	DTF1836-S	278	54
DP30	294	45	DS2436-E	289	37	DT1848-ZS	1203	35	DTF1842-C	91	54
DP48	334	45	DS2436-S	746	37	DT1848-ZSB	1213	35	DTF1842-E	105	54
DR1824-C	300	37	DS2448-C	271	37	DT1848-ZSBP	1179	35	DTF1842-S	288	54
DR1824-E	352	37	DS2448-E	329	37	DT1848-ZSP	1169	35	DTF1848-C	94	54
DR1830-C	319	37	DS2448-S	903	37	DT1860-CS	1362	35	DTF1848-E	106	54
DR1830-E	376	37	DS2460-C	320	37	DT1860-CSB	1371	35	DTF1848-S	294	54

ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
DTF1860-C	106	54	DTF3672-C	185	54	ECES2448C	3143	151	EP2448-DGRR	5260	126
DTF1860-E	124	54	DTF3672-E	215	54	ECES2460C	3627	151	EP2448-GR	1572	127
DTF1860-S	337	54	DTF3672-S	481	54	ECET2160C	3420	153	EP2448-SGRN	3767	126
DTF1872-C	119	54	DTSC2430	1883	43	ECET2460C	3498	153	EP2448-SGRR	3335	126
DTF1872-E	140	54	DTSC2430E	3264	43	ECETS2160C	3676	153	EP2448-WGR	1240	128
DTF1872-S	374	54	DTSC2430S	6077	43	ECETS2460C	3761	153	EP2460-CGRN	4081	126
DTF2124-C	89	54	DTSC2436	2092	43	ECS2148C	1007	151	EP2460-CGRR	3618	126
DTF2124-E	101	54	DTSC2436E	3625	43	ECS2160C	1133	151	EP2460-DGRN	6283	126
DTF2124-S	269	54	DTSC2436S	6753	43	ECS2448C	1072	151	EP2460-DGRR	5609	126
DTF2130-C	91	54	DTSC2448	2481	43	ECS2460C	1221	151	EP2460-GR	1875	127
DTF2130-E	104	54	DTSC2448E	4316	43	ECT2160C	1151	152	EP2460-SGRN	4081	126
DTF2130-S	273	54	DTSC2448S	8014	43	ECT2460C	1233	152	EP2460-SGRR	3618	126
DTF2136-C	94	54	DTSC2460	2667	43	ECTS2160C	1407	152	EP2460-WGR	1513	128
DTF2136-E	106	54	DTSC2460E	4760	43	ECTS2460C	1495	152	EP2472-CGRN	4225	126
DTF2136-S	277	54	DTSC2460S	8226	43	EH14-C	121	55	EP2472-CGRR	3778	126
DTF2142-C	97	54	DWB14-C	84	49,97	EH14-S	129	55	EP2472-DGRN	6683	126
DTF2142-E	115	54	DWB14-S	202	49,97	EH18-C	124	55	EP2472-DGRR	5966	126
DTF2142-S	296	54	DWB14-VG	85	49,97	EH18-S	156	55	EP2472-GR	2198	127
DTF2148-C	98	54	DWB18-C	86	49,97	EH21-C	125	55	EP2472-SGRN	4225	126
DTF2148-E	117	54	DWB18-S	214	49,97	EH21-S	165	55	EP2472-SGRR	3778	126
DTF2148-S	299	54	DWB18-VG	87	49,97	EH24-C	126	55	EP2472-WGR	1815	128
DTF2160-C	118	54	DWB21-C	86	49,97	EH24-S	176	55	EP2484-CGRN	4460	126
DTF2160-E	138	54	DWB21-S	219	49,97	EH30-C	128	55	EP2484-CGRR	3991	126
DTF2160-S	348	54	DWB21-VG	87	49,97	EH30-S	183	55	EP2484-DGRN	6919	126
DTF2172-C	153	54	DWB24-C	87	49,97	EH36-C	129	55	EP2484-DGRR	6178	126
DTF2172-E	182	54	DWB24-S	228	49,97	EH36-S	199	55	EP2484-SGRN	4460	126
DTF2172-S	382	54	DWB24-VG	89	49,97	ELCTH-18	442	157	EP2484-SGRR	3991	126
DTF2424-C	89	54	E1854-C	81	48	ELCTH-1836C	3313	157	EP74-C	256	56
DTF2424-E	104	54	E1854-S	181	48	ELCTH-1848C	3814	157	EP74-E	280	56
DTF2424-S	271	54	E1863-C	85	48	ELCTH-1860C	5197	157	EP74-Z	239	56
DTF2430-C	91	54	E1863-S	193	48	ELCTH-1872C	6677	157	EP86-C	271	56
DTF2430-E	105	54	E1874-C	93	48	ELCTH-21	464	157	EP86-E	299	56
DTF2430-S	277	54	E1874-S	228	48	ELCTH-2136C	3452	157	EP86-Z	249	56
DTF2436-C	96	54	E1886-C	168	48	ELCTH-2148C	4017	157	EPCRT2424T-C	2231	134
DTF2436-E	113	54	E1886-S	235	48	ELCTH-2160C	5523	157	EPCRT2424T-H	2231	134
DTF2436-S	291	54	E2454-C	96	48	ELCTH-2172C	7007	157	EPCRT2424T-US	2788	134
DTF2442-C	97	54	E2454-S	218	48	ELCTH-24	487	157	EPCRT2436T-C	2620	134
DTF2442-E	115	54	E2463-C	101	48	ELCTH-2436C	3642	157	EPCRT2436T-H	2620	134
DTF2442-S	297	54	E2463-S	239	48	ELCTH-2448C	4237	157	EPCRT2436T-US	3276	134
DTF2448-C	99	54	E2474-C	106	48	ELCTH-2460C	5779	157	EPCRT2448T-C	3267	134
DTF2448-E	119	54	E2474-S	261	48	ELCTH-2472C	7340	157	EPCRT2448T-H	3267	134
DTF2448-S	300	54	E2486-C	187	48	ELGB1636-4	1607	130	EPCRT2448T-US	4085	134
DTF2460-C	119	54	E2486-S	275	48	ELGB1636-4W	2024	130	EPCRT2460T-C	3526	134
DTF2460-E	140	54	EC2148C	787	150	ELGB1636-H	1662	130	EPCRT2460T-H	3526	134
DTF2460-S	352	54	EC2160C	881	150	ELGB1636-HW	2079	130	EPCRT2460T-US	4408	134
DTF2472-C	153	54	EC2448C	849	150	ELGB1648-4	1692	130	EPCRT2472T-C	4352	134
DTF2472-E	182	54	EC2460C	959	150	ELGB1648-4W	2107	130	EPCRT2472T-H	4352	134
DTF2472-S	532	54	ECD2148C	2388	150	ELGB1648-H	1733	130	EPCRT2472T-US	5441	134
DTF3036-C	109	54	ECD2160C	2505	150	ELGB1648-HW	2148	130	EPCRT2484T-C	4996	134
DTF3036-E	128	54	ECD2448C	2471	150	ELGB1660-4	2656	130	EPCRT2484T-H	4996	134
DTF3036-S	355	54	ECD2460C	2624	150	ELGB1660-4W	3072	130	EPCRT2484T-US	6244	134
DTF3048-C	118	54	ECD72460C	3378	153	ELGB1660-H	1845	130	EPCRT3036T-C	2949	134
DTF3048-E	138	54	ECOD7S2460C	3642	153	ELGB1660-HW	2260	130	EPCRT3036T-H	2949	134
DTF3048-S	374	54	ECDS2148C	2611	151	ELGB1672-4	2681	130	EPCRT3036T-US	3687	134
DTF3060-C	128	54	ECDS2160C	2786	151	ELGB1672-4W	3098	130	EPCRT3048T-C	3417	134
DTF3060-E	149	54	ECDS2448C	2662	151	ELGB1672-H	1871	130	EPCRT3048T-H	3417	134
DTF3060-S	431	54	ECDS2460C	2887	151	ELGB1672-HW	2287	130	EPCRT3048T-US	4272	134
DTF3072-C	165	54	ECDT2160C	3069	152	ELGB-TRAY	75	130	EPCRT3060T-C	3836	134
DTF3072-E	197	54	ECDT2460C	3173	152	ELKB-3036-C	2013	147	EPCRT3060T-H	3836	134
DTF3072-S	473	54	ECOTS2160C	3326	152	ELKB-3048-C	2300	147	EPCRT3060T-US	4796	134
DTF3636-C	127	54	ECOTS2460C	3435	152	EP1448-GRH	3112	127	EPCRT3072T-C	4421	134
DTF3636-E	146	54	ECE2148C	2897	150	EP1448-WGRH	1609	128	EPCRT3072T-H	4421	134
DTF3636-S	369	54	ECE2160C	3411	150	EP1460-GRH	3718	127	EPCRT3072T-US	5525	134
DTF3648-C	134	54	ECE2448C	2978	150	EP1460-WGRH	1918	128	EPCRT3084T-C	5131	134
DTF3648-E	153	54	ECE2460C	3540	150	EP1472-GRH	4529	127	EPCRT3084T-H	5131	134
DTF3648-S	380	54	ECE72460C	3711	153	EP1472-WGRH	2305	128	EPCRT3084T-US	6414	134
DTF3660-C	147	54	ECET7S2460C	3975	153	EP2448-CGRN	3767	126	EPCRT3636T-C	3227	134
DTF3660-E	168	54	ECES2148C	3072	151	EP2448-CGRR	3335	126	EPCRT3636T-H	3227	134
DTF3660-S	437	54	ECES2160C	3412	151	EP2448-DGRN	5887	126	EPCRT3636T-US	4033	134

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.

Phone: 302-653-3000. Fax: 302-653-2065

<http://www.eagle-mhc.com>



ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
EPCRT3648T-C	3807	134	F2QA2-74-1860C	686	12	FDI-22-22-13.5-4	2920	258	FN2054-3-24L-14/3	7472	245
EPCRT3648T-H	3807	134	F2QA2-74-1860E	812	12	FDI-24-24-13.5-1	938	257	FN2054-3-24R-14/3	7472	245
EPCRT3648T-US	4759	134	F2QA2-74-1860S	2482	12	FDI-24-24-13.5-2	1806	257	FN2060-3-14/3	6905	245
EPCRT3660T-C	4400	134	F2QA2-74-1860V	744	12	FDI-24-24-13.5-3	2511	258	FN2060-3-24-14/3	7814	245
EPCRT3660T-H	4400	134	F2QA2-74-1860VG	744	12	FDI-24-24-13.5-4	3039	258	FN2060-3-24L-14/3	7472	245
EPCRT3660T-US	5499	134	F2QA2-74-1860Z	651	12	FFN2736-2-24-14/3	13923	249	FN2060-3-24R-14/3	7472	245
EPCRT3672T-C	4854	134	F2QA2-74-1872C	772	12	FFN2736-2-30-14/3	15584	249	FN2064-4-14/3	7724	246
EPCRT3672T-H	4854	134	F2QA2-74-1872E	899	12	FFN2740-2-24-14/3	14565	249	FN2064-4-18-14/3	8067	246
EPCRT3672T-US	6066	134	F2QA2-74-1872S	2862	12	FFN2740-2-30-14/3	16218	249	FN2064-4-18L-14/3	7780	246
EPUH18-S	180	29	F2QA2-74-1872V	844	12	FFN2748-2-24-14/3	15840	249	FN2064-4-18R-14/3	7780	246
EPUH21-S	182	29	F2QA2-74-1872VG	844	12	FFN2748-2-30-14/3	17500	249	FN2064-4-24-14/3	8218	246
EPUH24-S	187	29	F2QA2-74-1872Z	728	12	FFN2754-3-24-14/3	16797	249	FN2064-4-24L-14/3	7851	246
ETCE20-Z	1047	168	F2QA2-74-2436C	623	12	FFN2754-3-30-14/3	18712	249	FN2064-4-24R-14/3	7851	246
ETCE30-Z	1181	168	F2QA2-74-2436E	721	12	FFN2760-2-24-14/3	17759	249	FN2072-4-14/3	8678	246
ETCS20-Z	1047	168	F2QA2-74-2436S	2112	12	FFN2760-2-30-14/3	19411	249	FN2072-4-18-14/3	9415	246
ETCS30-Z	1181	168	F2QA2-74-2436V	672	12	FFN2760-3-24-14/3	17759	249	FN2072-4-18L-14/3	9183	246
EU2-1824C	361	28	F2QA2-74-2436VG	672	12	FFN2760-3-30-14/3	19675	249	FN2072-4-18R-14/3	9183	246
EU2-1824S	889	28	F2QA2-74-2436Z	589	12	FFN2772-3-24-14/3	19675	249	FN2072-4-24-14/3	9503	246
EU2-1824Z	357	28	F2QA2-74-2448C	713	12	FFN2772-3-30-14/3	21585	249	FN2072-4-24L-14/3	9236	246
EU2-1830C	371	28	F2QA2-74-2448E	837	12	FFN2790-3-24-14/3	22546	249	FN2072-4-24R-14/3	9236	246
EU2-1830S	965	28	F2QA2-74-2448S	2457	12	FFN2790-3-30-14/3	24463	249	FN2080-4-14/3	8678	246
EU2-1830Z	366	28	F2QA2-74-2448V	776	12	FN2016-1-14/3	3654	243	FN2080-4-24-14/3	9503	246
EU2-1836C	376	28	F2QA2-74-2448VG	776	12	FN2016-1-18-14/3	4042	243	FN2080-4-24L-14/3	9236	246
EU2-1836S	1018	28	F2QA2-74-2448Z	669	12	FN2016-1-18L-14/3	3891	243	FN2080-4-24R-14/3	9236	246
EU2-1836Z	373	28	F2QA2-74-2460C	808	12	FN2016-1-18R-14/3	3891	243	FN2424-1-14/3	4407	243
EU2-2136C	422	28	F2QA2-74-2460E	947	12	FN2016-1-24-14/3	4201	243	FN2424-1-24-14/3	5251	243
EU2-2136S	1138	28	F2QA2-74-2460S	2912	12	FN2016-1-24L-14/3	3955	243	FN2424-1-24L-14/3	4962	243
EU2-2136Z	406	28	F2QA2-74-2460V	880	12	FN2016-1-24R-14/3	3955	243	FN2424-1-24R-14/3	4962	243
EU2-2436C	437	28	F2QA2-74-2460VG	880	12	FN2018-1-14/3	4118	243	FN2448-2-14/3	6379	244
EU2-2436S	1201	28	F2QA2-74-2460Z	769	12	FN2018-1-18-14/3	4438	243	FN2448-2-24-14/3	7494	244
EU2-2436Z	422	28	F2QA2-74-2472C	920	12	FN2018-1-18L-14/3	4265	243	FN2448-2-24L-14/3	7235	244
EU3-1824C	442	28	F2QA2-74-2472E	1075	12	FN2018-1-18R-14/3	4265	243	FN2448-2-24R-14/3	7235	244
EU3-1824CS	634	28	F2QA2-74-2472S	3522	12	FN2018-1-24-14/3	4580	243	FN2472-3-14/3	8031	245
EU3-1824S	1139	28	F2QA2-74-2472V	999	12	FN2018-1-24L-14/3	4338	243	FN2472-3-24-14/3	9322	245
EU3-1824Z	437	28	F2QA2-74-2472VG	999	12	FN2018-1-24R-14/3	4338	243	FN2472-3-24L-14/3	9082	245
EU3-1830C	456	28	F2QA2-74-2472Z	854	12	FN2020-1-14/3	4118	243	FN2472-3-24R-14/3	9082	245
EU3-1830CS	657	28	FD-FG	1922	266	FN2020-1-24-14/3	4580	243	FN2496-4-14/3	9984	246
EU3-1830S	1254	28	FD-SG	2561	266	FN2020-1-24L-14/3	4338	243	FN2496-4-24-14/3	11233	246
EU3-1830Z	448	28	FDI-10-14-5-1	403	257	FN2020-1-24R-14/3	4338	243	FN2496-4-24L-14/3	10927	246
EU3-1836C	464	28	FDI-10-14-9.5-1	447	257	FN2032-2-14/3	4886	244	FN2496-4-24R-14/3	10927	246
EU3-1836CS	688	28	FDI-10-14-9.5-2	861	257	FN2032-2-18-14/3	5434	244	FN2820-1-14/3	4861	243
EU3-1836S	1329	28	FDI-10-14-9.5-3	1286	258	FN2032-2-18L-14/3	5251	244	FN2820-1-24-14/3	5303	243
EU3-1836Z	461	28	FDI-10-14-9.5-4	1546	258	FN2032-2-18R-14/3	5251	244	FN2820-1-24L-14/3	5071	243
EU3-2030-P	862	34	FDI-12-14-9.5-1	466	257	FN2032-2-24-14/3	5565	244	FN2820-1-24R-14/3	5071	243
EU3-2136C	523	28	FDI-12-14-9.5-2	929	257	FN2032-2-24L-14/3	5342	244	FN2840-2-14/3	6391	244
EU3-2136S	1492	28	FDI-12-14-9.5-3	1299	258	FN2032-2-24R-14/3	5342	244	FN2840-2-24-14/3	7542	244
EU3-2136Z	501	28	FDI-12-14-9.5-4	1728	258	FN2036-2-14/3	5366	244	FN2840-2-24L-14/3	7235	244
EU3-2436C	546	28	FDI-12-20-6.5-1	487	257	FN2036-2-18-14/3	5824	244	FN2840-2-24R-14/3	7235	244
EU3-2436S	1588	28	FDI-14-16-6-1	500	257	FN2036-2-18L-14/3	5941	244	FN2860-3-14/3	8273	245
EU3-2436Z	522	28	FDI-14-16-9.5-1	514	257	FN2036-2-18R-14/3	5941	244	FN2860-3-24-14/3	9569	245
F1916	1859	252	FDI-14-16-9.5-2	1001	257	FN2036-2-24-14/3	6234	244	FN2860-3-24L-14/3	9246	245
F1916-12	1925	252	FDI-14-16-9.5-3	1458	258	FN2036-2-24L-14/3	6015	244	FN2860-3-24R-14/3	9246	245
F1916-VSCS	6915	253	FDI-14-16-9.5-4	1794	258	FN2036-2-24R-14/3	6015	244	FN2880-4-14/3	10561	246
F1916-VSCS-DL	7899	253	FDI-16-19-13.5-1	635	257	FN2040-2-14/3	5366	244	FN2880-4-24-14/3	11556	246
F1916-VSCS-DR	7899	253	FDI-16-19-13.5-2	1251	257	FN2040-2-24-14/3	6234	244	FN2880-4-24L-14/3	11235	246
F2820	2127	252	FDI-16-19-13.5-3	1832	258	FN2040-2-24L-14/3	6015	244	FN2880-4-24R-14/3	11235	246
F2820-12	2363	252	FDI-16-19-13.5-4	2192	258	FN2040-2-24R-14/3	6015	244	FNWNF-12-14-8-1	906	259
F2QA2-74-1836C	544	12	FDI-16-19-8-1	629	257	FN2048-3-14/3	6041	245	FNWNF-14-16-8-1	949	259
F2QA2-74-1836E	627	12	FDI-16-19-8-2	1217	257	FN2048-3-18-14/3	6446	245	FNWNF-18-18-10-1	849	259
F2QA2-74-1836S	1783	12	FDI-16-19-8-3	1756	258	FN2048-3-18L-14/3	6293	245	FNWNF-18-18-12-1	861	259
F2QA2-74-1836V	589	12	FDI-16-19-8-4	2123	258	FN2048-3-18R-14/3	6293	245	FNWNF-20-20-10-1	899	259
F2QA2-74-1836VG	589	12	FDI-18-24-13.5-1	771	257	FN2048-3-24-14/3	6577	245	FNWNF-20-20-12-1	944	259
F2QA2-74-1836Z	531	12	FDI-18-24-13.5-2	1461	257	FN2048-3-24L-14/3	6356	245	FNWNF-20-24-12-1	995	259
F2QA2-74-1848C	608	12	FDI-18-24-13.5-3	2123	258	FN2048-3-24R-14/3	6356	245	FNWNF-20-27-6-1	849	259
F2QA2-74-1848E	717	12	FDI-18-24-13.5-4	2498	258	FN2054-3-14/3	6905	245	FNWNF-20.5-20.5-5-1	781	259
F2QA2-74-1848S	2044	12	FDI-20-20-5-1	493	257	FN2054-3-18-14/3	7593	245	FNWNF-20.5-20.5-8-1	857	259
F2QA2-74-1848V	667	12	FDI-22-22-13.5-1	899	257	FN2054-3-18L-14/3	7420	245	FNWNF-24-24-12-1	1051	259
F2QA2-74-1848VG	667	12	FDI-22-22-13.5-2	1733	257	FN2054-3-18R-14/3	7420	245	FNWNF-24-24-14-1	1103	259
F2QA2-74-1848Z	585	12	FDI-22-22-13.5-3	2406	258	FN2054-3-24-14/3	7814	245	FNWNF-9-12-6-1	829	259

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
FNWNF-9-14-8-1	.880	259	FT-2448-SG	.6593	262	HDS1848VL	.295	65	HDSP14-S	.66	66
FOOT PLATE	.14	47	FT-2460-FG	.5022	262	HDS1854SE	.717	64	HDSP33-S	.91	66
FOOT PLATE-BL	.15	47	FT-2460-SG	.7392	262	HDS1854SF	.657	63	HDSP54-S	.96	66
FOOT PLATE-S	.27	47	FT-2472-FG	.5067	262	HDS1854SL	.717	65	HDSP63-S	.112	66
FT-12120-FG	5891	262	FT-2472-SG	.8592	262	HDS1854VE	.314	64	HDSP74-S	.126	66
FT-12120-SG	10127	262	FT-2484-FG	.6314	262	HDS1854VF	.288	63	HDTS18-C	.247	53
FT-1218-FG	2416	262	FT-2484-SG	.9392	262	HDS1854VGE	.314	64	HDTS18-E	.275	53
FT-1218-SG	3359	262	FT-2496-FG	.6908	262	HDS1854VGF	.288	63	HDTS24-C	.273	53
FT-1224-FG	2619	262	FT-2496-SG	10391	262	HDS1854VGL	.306	65	HDTS24-E	.302	53
FT-1224-SG	3522	262	GBP15-C	.103	91	HDS1854VL	.306	65	HFH	.65	91
FT-1230-FG	2876	262	GC-16	.28	168	HDS1860SE	.754	64	HFL-5000	.5312	222
FT-1230-SG	3631	262	GCC1	.874	156	HDS1860SF	.717	63	HFL-5000-LRS	.5627	222
FT-1236-FG	3012	262	GLIDES	.2	47	HDS1860SL	.754	65	HFL-5000-S	.4736	222
FT-1236-SG	3742	262	GPS24-C	.92	91	HDS1860VE	.320	64	HSA-10	.647	223
FT-1248-FG	3457	262	GPWB	.28	91	HDS1860VF	.316	63	HSA-10-1FK	.1643	227
FT-1248-SG	4624	262	GR1836C	.383	36	HDS1860VGE	.320	64	HSA-10-8	.628	232
FT-1260-FG	3743	262	GR1848C	.417	36	HDS1860VGF	.316	63	HSA-10-8F	.807	232
FT-1260-SG	5545	262	GR1860C	.467	36	HDS1860VGL	.317	65	HSA-10-F	.758	223
FT-1272-FG	4228	262	GRS1836C	.529	36	HDS1860VL	.317	65	HSA-10-F-DS	.997	224
FT-1272-SG	6373	262	GRS1848C	.581	36	HDS2436SE	.678	64	HSA-10-F-LRS	.1340	230
FT-1284-FG	4625	262	GRS1860C	.666	36	HDS2436SF	.636	63	HSA-10-FA	.800	223
FT-1284-SG	7491	262	GS17	.185	91	HDS2436SL	.678	65	HSA-10-FA-1P	.1677	227
FT-1296-FG	5047	262	GWB1436C	.144	93	HDS2436VE	.291	64	HSA-10-FA-P	.1677	227
FT-1296-SG	7704	262	GWB1436V	.146	93	HDS2436VF	.283	63	HSA-10-FA-PE	.3672	225
FT-15120-FG	6213	262	GWB1436VG	.146	93	HDS2436VGE	.291	64	HSA-10-FAW	.1019	223,230
FT-15120-SG	10902	262	GWB1448C	.160	93	HDS2436VGF	.283	63	HSA-10-FDP	.1596	224
FT-1524-FG	2673	262	GWB1448V	.163	93	HDS2436VGL	.292	65	HSA-10-FDP-T	.2325	232
FT-1524-SG	3745	262	GWB1448VG	.163	93	HDS2436VL	.292	65	HSA-10-FDPE	.3948	225
FT-1530-FG	2903	262	GWB1836C	.152	93	HDS2442SE	.737	64	HSA-10-FDPE-LRS	.4528	230
FT-1530-SG	3835	262	GWB1836V	.163	93	HDS2442SF	.717	63	HSA-10-FDPEE	.4324	225
FT-1536-FG	3037	262	GWB1836VG	.163	93	HDS2442SL	.737	65	HSA-10-FDPEE-B-T	.6069	226
FT-1536-SG	4357	262	GWB1848C	.169	93	HDS2442VE	.299	64	HSA-10-FDPK	.2517	227
FT-1548-FG	3498	262	GWB1848V	.185	93	HDS2442VF	.295	63	HSA-10-FDPS	.2436	224
FT-1548-SG	5303	262	GWB1848VG	.185	93	HDS2442VGE	.299	64	HSA-10-FE	.2758	225
FT-1560-FG	3907	262	HBK-48C	.283	129	HDS2442VGF	.295	63	HSA-10-FE-B-DS	.3427	226
FT-1560-SG	6209	262	HBK-48EP	.412	129	HDS2442VGL	.301	65	HSA-10-FE-B-NB-MG	.3494	226
FT-1572-FG	4312	262	HBK-48S	.342	129	HDS2442VL	.301	65	HSA-10-FE-B-T-NB-MG	.4306	226
FT-1572-SG	7142	262	HBK-60C	.325	129	HDS2448SE	.781	64	HSA-10-FK	.1643	227
FT-1584-FG	4757	262	HBK-60EP	.459	129	HDS2448SF	.777	63	HSA-10-FKP	.1832	227
FT-1584-SG	8077	262	HBK-60S	.380	129	HDS2448SL	.802	65	HSA-10-FL	.1085	223
FT-1596-FG	5134	262	HBK-72C	.361	129	HDS2448VE	.313	64	HSA-10-FLDP	.1916	224
FT-1596-SG	8953	262	HBK-72EP	.481	129	HDS2448VF	.303	63	HSA-10-FO	.899	223
FT-18120-FG	7243	262	HBK-72S	.421	129	HDS2448VGE	.313	64	HSA-10-FODP	.1958	224
FT-18120-SG	11672	262	HDS1836SE	.566	64	HDS2448VGF	.303	63	HSA-10-FODPE	.3965	225
FT-1824-FG	2868	262	HDS1836SF	.512	63	HDS2448VGL	.315	65	HSA-10-FOE	.2900	225
FT-1824-SG	3960	262	HDS1836SL	.566	65	HDS2448VL	.315	65	HSA-10-FTWS	.1196	230
FT-1830-FG	3167	262	HDS1836VE	.271	64	HDS2454SE	.867	64	HSA-10-FTWS-LRS	.1777	230
FT-1830-SG	4181	262	HDS1836VF	.264	63	HDS2454SF	.846	63	HSA-10-FW	.876	227
FT-1836-FG	3394	262	HDS1836VGE	.271	64	HDS2454SL	.867	65	HSA-10-FWLDL-LRS	.2585	224
FT-1836-SG	4403	262	HDS1836VGF	.264	63	HDS2454VE	.337	64	HSA-SSK	.185	235
FT-1848-FG	3929	262	HDS1836VGL	.272	65	HDS2454VF	.329	63	HSA-WM-48	.5426	160
FT-1848-SG	5235	262	HDS1836VL	.272	65	HDS2454VGE	.337	64	HSA-WM-60	.5571	160
FT-1860-FG	4388	262	HDS1842SE	.627	64	HDS2454VGF	.329	63	HSA-WM-72	.5701	160
FT-1860-SG	6460	262	HDS1842SF	.556	63	HDS2454VGL	.344	65	HSA-WM-96	.6616	160
FT-1872-FG	4905	262	HDS1842SL	.627	65	HDS2454VL	.344	65	HSAD-10-F	.700	232
FT-1872-SG	7072	262	HDS1842VE	.285	64	HDS2460SE	.931	64	HSAD-10-FA	.843	232
FT-1884-FG	5475	262	HDS1842VF	.276	63	HDS2460SF	.908	63	HSAN-10-F	.902	231
FT-1884-SG	8588	262	HDS1842VGE	.285	64	HDS2460SL	.931	65	HSAN-10-F-DS	.1151	231
FT-1896-FG	5980	262	HDS1842VGF	.276	63	HDS2460VE	.348	64	HSAN-10-F-LRS	.1482	230
FT-1896-SG	8807	262	HDS1842VGL	.288	65	HDS2460VF	.343	63	HSAN-10-FE-B-DS	.3839	226
FT-24120-FG	8403	262	HDS1842VL	.288	65	HDS2460VGE	.348	64	HSAND-10-F	.753	231
FT-24120-SG	12586	262	HDS1848SE	.686	64	HDS2460VGF	.343	63	HSANT-FS	.1065	231
FT-2424-FG	3071	262	HDS1848SF	.599	63	HDS2460VGL	.352	65	HSAP-14-ADA-FE-B	.6052	226,229
FT-2424-SG	4796	262	HDS1848SL	.686	65	HDS2460VL	.352	65	HSAP-14-ADA-FW	.5176	229
FT-2430-FG	3460	262	HDS1848VE	.291	64	HDSCP14-S	.66	66	HSAP-14-FW	.2182	229
FT-2430-SG	4993	262	HDS1848VF	.287	63	HDSCP33-S	.91	66	HSAP-SSK	.225	235
FT-2436-FG	3731	262	HDS1848VGE	.291	64	HDSCP54-S	.96	66	HWB-E	.3181	229
FT-2436-SG	5693	262	HDS1848VGF	.287	63	HDSCP63-S	.112	66	HWB-T	.3457	229
FT-2448-FG	4380	262	HDS1848VGL	.295	65	HDSCP74-S	.126	66	HWC-E	.3040	229

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.

Phone: 302-653-3000. Fax: 302-653-2065

<http://www.eaglehmc.com>



ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
HWC-T	3319	229	L21-1VG	20	50	L42-4W	45	62	LR24-V	35	33
ITT1620	1351	161	L21-1W	20	62	L48-1BL	33	62	LR24-VG	35	33
ITT1630	1384	161	L21-4BL	26	62	L48-1C	31	50	LR24-Z	26	33
ITT1834	1395	161	L21-4C	24	50	L48-1R	33	62	LR36-BL	42	33
ITT2036	1423	161	L21-4E	31	50	L48-1S	59	50	LR36-C	38	33
ITT2048	1471	161	L21-4R	26	62	L48-1V	33	50	LR36-V	42	33
ITT2436	1448	161	L21-4S	59	50	L48-1VG	33	50	LR36-VG	42	33
ITT2446	1493	161	L21-4V	26	50	L48-1W	33	62	LR36-Z	28	33
ITT2458	1545	161	L21-4VG	26	50	L48-4BL	47	62	LR48-BL	49	33
ITU1620	1275	161	L21-4W	26	62	L48-4C	42	50	LR48-C	47	33
ITU1630	1327	161	L24-1BL	21	62	L48-4E	51	50	LR48-V	49	33
ITU1834	1349	161	L24-1C	20	50	L48-4R	47	62	LR48-VG	49	33
ITU2036	1407	161	L24-1R	21	62	L48-4S	115	50	LR48-Z	29	33
ITU2048	1491	161	L24-1S	35	50	L48-4V	47	50	LR60-BL	55	33
ITU2436	1455	161	L24-1V	21	50	L48-4VG	47	50	LR60-C	54	33
ITU2446	1538	161	L24-1VG	21	50	L48-4W	47	62	LR60-V	55	33
ITU2458	1631	161	L24-1W	21	62	L54-1BL	35	62	LR60-VG	55	33
IV-1	583	154	L24-4BL	29	62	L54-1C	34	50	LR60-Z	55	32
IV-2	583	154	L24-4C	28	50	L54-1R	35	62	M1824BL	140	33
IV-3	583	154	L24-4E	33	50	L54-1S	75	50	M1824BL-4	815	33
IV-4	583	154	L24-4R	29	62	L54-1V	35	50	M1824C	131	33
KB-234-BL	26	147	L24-4S	62	50	L54-1VG	35	50	M1824C-4	800	33
KB-240-BL	44	147	L24-4V	29	50	L54-1W	35	62	M1824V	140	33
KB-250-BL	72	147	L24-4VG	29	50	L54-4BL	49	62	M1824V-4	815	33
KB48-C	79	127,128	L24-4W	29	62	L54-4C	47	50	M1824VG	140	33
KB48-EP	96	127,128	L30-1BL	24	62	L54-4E	55	50	M1824VG-4	815	33
KB60-C	88	127,128	L30-1C	23	50	L54-4R	49	62	M1824Z	113	33
KB60-EP	106	127,128	L30-1R	24	62	L54-4S	131	50	M1824Z-4	714	33
KB72-C	97	127,128	L30-1S	48	50	L54-4V	49	50	M1836BL	144	33
KB72-EP	119	127,128	L30-1V	24	50	L54-4VG	49	50	M1836BL-4	834	33
KBD-1	119	45,46	L30-1VG	24	50	L54-4W	49	62	M1836C	138	33
KBD-1/SS	439	45,46,142	L30-1W	24	62	L60-1BL	36	62	M1836C-4	821	33
KBD-2	274	46,135	L30-4BL	34	62	L60-1C	34	50	M1836V	144	33
KBD-2/SS	478	46,135	L30-4C	33	50	L60-1R	36	62	M1836V-4	834	33
L14-1BL	18	62	L30-4E	38	50	L60-1S	75	50	M1836VG	144	33
L14-1C	17	50	L30-4R	34	62	L60-1V	36	50	M1836VG-4	834	33
L14-1R	18	62	L30-4S	78	50	L60-1VG	36	50	M1836Z	121	33
L14-1S	26	50	L30-4V	34	50	L60-1W	36	62	M1836Z-4	745	33
L14-1V	18	50	L30-4VG	34	50	L60-4BL	51	62	M1848BL	154	33
L14-1VG	18	50	L30-4W	34	62	L60-4C	47	50	M1848BL-4	892	33
L14-1W	18	62	L36-1BL	29	62	L60-4E	55	50	M1848C	146	33
L14-4BL	23	62	L36-1C	28	50	L60-4R	51	62	M1848C-4	857	33
L14-4C	21	50	L36-1R	29	62	L60-4S	131	50	M1848V	154	33
L14-4E	24	50	L36-1S	54	50	L60-4V	51	50	M1848V-4	892	33
L14-4R	23	62	L36-1V	29	50	L60-4VG	51	50	M1848VG	154	33
L14-4S	47	50	L36-1VG	29	50	L60-4W	51	62	M1848VG-4	892	33
L14-4V	23	50	L36-1W	29	62	L72-1BL	38	62	M1848Z	141	33
L14-4VG	23	50	L36-4BL	36	62	L72-1C	35	50	M1848Z-4	828	33
L14-4W	23	62	L36-4C	35	50	L72-1R	38	62	M1860BL	168	33
L18-1BL	19	62	L36-4E	40	50	L72-1S	82	50	M1860BL-4	944	33
L18-1C	18	50	L36-4R	36	62	L72-1V	38	50	M1860C	163	33
L18-1R	19	62	L36-4S	91	50	L72-1VG	38	50	M1860C-4	915	33
L18-1S	29	50	L36-4V	36	50	L72-1W	38	62	M1860V	168	33
L18-1V	19	50	L36-4VG	36	50	L72-4BL	59	62	M1860V-4	944	33
L18-1VG	19	50	L36-4W	36	62	L72-4C	56	50	M1860VG	168	33
L18-1W	19	62	L42-1BL	31	62	L72-4E	66	50	M1860VG-4	944	33
L18-4BL	24	62	L42-1C	29	50	L72-4R	59	62	M1860Z	154	33
L18-4C	23	50	L42-1R	31	62	L72-4S	166	50	M1860Z-4	886	33
L18-4E	29	50	L42-1S	59	50	L72-4V	59	50	M18BL	49	33
L18-4R	24	62	L42-1V	31	50	L72-4VG	59	50	M18C	47	33,155
L18-4S	52	50	L42-1VG	31	50	L72-4W	59	62	M18V	49	33
L18-4V	24	50	L42-1W	31	62	LC2460C	1223	156	M18VG	49	33
L18-4VG	24	50	L42-4BL	45	62	LCD2460C	3053	156	M3636Z	215	169
L18-4W	24	62	L42-4C	42	50	LDH	12	91	M3636Z-3	893	169
L21-1BL	20	62	L42-4E	51	50	LDUST2	79	91	M3648Z	233	169
L21-1C	19	50	L42-4R	45	62	LEVELING FOOT	1	47	M3648Z-3	987	169
L21-1R	20	62	L42-4S	115	50	LH	7	91	M3660Z	277	169
L21-1S	33	50	L42-4V	45	50	LR24-BL	35	33	M3660Z-3	1162	169
L21-1V	20	50	L42-4VG	45	50	LR24-C	33	33	MC-1	1229	156

ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
MCWS2424C	1027	135,171	MMBB-10	891	68	MMBSS-K-18-R	222	69	MMNSBB-10	1022	68
MCWS2424C-P	1049	135,171	MMBB-12	1066	68	MMBSS-K-21-L	264	69	MMNSBB-12	1223	68
MCWS2424S	1653	135,171	MMBB-4	376	68	MMBSS-K-21-R	264	69	MMNSBB-4	425	68
MCWS2424S-P	1675	135,171	MMBB-5	443	68	MMBSS-K-24-L	287	69	MMNSBB-5	512	68
MCWS3030C	1108	135,171	MMBB-6	533	68	MMBSS-K-24-R	287	69	MMNSBB-6	612	68
MCWS3030C-P	1131	135,171	MMBB-7	622	68	MMCB-6-L	26	68	MMNSBB-7	714	68
MCWS3030S	1725	135,171	MMBB-8	714	68	MMCB-6-R	26	68	MMNSBB-8	815	68
MCWS3030S-P	1747	135,171	MMBB-9	802	68	MMCB/A6-L	42	68	MMNSBB-9	913	68
MD2436	1518	45	MMBB/A-10	863	68	MMCB/A6-R	42	68	MMNSBB/FC-10	605	68
MD2448	1644	45	MMBB/A-12	1037	68	MMCBSS-6-L	66	68	MMNSBB/FC-12	745	68
MDH-10	26	91	MMBB/A-4	382	68	MMCBSS-6-R	66	68	MMNSBB/FC-4	238	68
MDH-12	29	91	MMBB/A-5	433	68	MMDB-K-14	127	69	MMNSBB/FC-5	294	68
MDH-4	18	91	MMBB/A-6	517	68	MMDB-K-18	149	69	MMNSBB/FC-6	354	68
MDH-6	19	91	MMBB/A-7	607	68	MMDB-K-21	166	69	MMNSBB/FC-7	418	68
MDH-8	25	91	MMBB/A-8	689	68	MMDB-K-24	171	69	MMNSBB/FC-8	481	68
MDR1824-C	677	38	MMBB/A-9	779	68	MMDB-K/A-14	126	69	MMNSBB/FC-9	541	68
MDR1824-E	778	38	MMBB/FC-10	691	68	MMDB-K/A-18	166	69	MMNSBBSS-10	2520	68
MDR1830-C	689	38	MMBB/FC-12	713	68	MMDB-K/A-21	177	69	MMNSBBSS-12	3017	68
MDR1830-E	794	38	MMBB/FC-4	218	68	MMDB-K/A-24	186	69	MMNSBBSS-4	998	68
MDR1836-C	741	38	MMBB/FC-5	273	68	MMDB-K/A-18	186	69	MMNSBBSS-5	1258	68
MDR1836-E	829	38	MMBB/FC-6	328	68	MMDB-K-18	127	71	MMNSBBSS-6	1514	68
MDR1836-S	1378	38	MMBB/FC-7	385	68	MMDB-K-21	145	71	MMNSBBSS-7	1762	68
MDR1848-C	806	38	MMBB/FC-8	443	68	MMDB-K-24	152	71	MMNSBBSS-8	2014	68
MDR1848-E	944	38	MMBB/FC-9	500	68	MMDB-K/A-18	118	71	MMNSBBSS-9	2267	68
MDR1848-S	1627	38	MMBB/FC-A-10	691	68	MMDB-K/A-21	134	71	MMNSBBSS-FC-10	2085	68
MDR1860-C	820	38	MMBB/FC-A-12	713	68	MMDB-K/A-24	145	71	MMNSBBSS/FC-12	2505	68
MDR1860-E	956	38	MMBB/FC-A-4	218	68	MMDBCSS-K-18	218	71	MMNSBBSS/FC-4	837	68
MDR2124-C	696	38	MMBB/FC-A-5	273	68	MMDBCSS-K-21	253	71	MMNSBBSS/FC-5	1054	68
MDR2124-E	800	38	MMBB/FC-A-6	328	68	MMDBCSS-K-24	281	71	MMNSBBSS/FC-6	1255	68
MDR2130-C	701	38	MMBB/FC-A-7	385	68	MMDBSS-K-14	222	69	MMNSBBSS/FC-7	1464	68
MDR2130-E	813	38	MMBB/FC-A-8	443	68	MMDBSS-K-18	317	69	MMNSBBSS/FC-8	1667	68
MDR2136-C	717	38	MMBB/FC-A-9	500	68	MMDBSS-K-21	378	69	MMNSBBSS/FC-9	1876	68
MDR2136-E	829	38	MMBBSS-10	2193	68	MMDBSS-K-24	413	69	MMNSBC-K-18-L	85	71
MDR2148-C	782	38	MMBBSS-12	2644	68	MMDFB-K-14	202	70	MMNSBC-K-18-R	85	71
MDR2148-E	909	38	MMBBSS-4	869	68	MMDFB-K-18	260	70	MMNSBC-K-21-L	96	71
MDR2160-C	845	38	MMBBSS-5	1094	68	MMDFB-K-21	288	70	MMNSBC-K-21-R	96	71
MDR2160-E	961	38	MMBBSS-6	1319	68	MMDFB-K-24	296	70	MMNSBC-K-24-L	106	71
MDR2424-C	699	38	MMBBSS-7	1538	68	MMDFBSSK-149	418	70	MMNSBC-K-24-R	106	71
MDR2424-E	808	38	MMBBSS-8	1757	68	MMDFBSSK-189	532	70	MMNSBC-K/A-18-L	79	71
MDR2430-C	706	38	MMBBSS-9	1975	68	MMDFBSSK-249	708	70	MMNSBC-K/A-18-R	79	71
MDR2430-E	817	38	MMBBSS/FC-10	1814	68	MMFB-K-14-L	124	70	MMNSBC-K/A-21-L	89	71
MDR2436-C	763	38	MMBBSS/FC-12	2178	68	MMFB-K-14-R	124	70	MMNSBC-K/A-21-R	89	71
MDR2436-E	857	38	MMBBSS/FC-4	732	68	MMFB-K-18-L	148	70	MMNSBC-K/A-24-L	96	71
MDR2436-S	1471	38	MMBBSS/FC-5	918	68	MMFB-K-18-R	148	70	MMNSBC-K/A-24-R	96	71
MDR2448-C	833	38	MMBBSS/FC-6	1089	68	MMFB-K-21-L	168	70	MMNSBCSS-K-18-L	152	71
MDR2448-E	943	38	MMBBSS/FC-7	1272	68	MMFB-K-21-R	168	70	MMNSBCSS-K-18-R	152	71
MDR2448-S	1735	38	MMBBSS/FC-8	1451	68	MMFB-K-24-L	183	70	MMNSBCSS-K-21-L	197	71
MDR2460-C	864	38	MMBBSS/FC-9	1631	68	MMFB-K-24-R	183	70	MMNSBCSS-K-21-R	197	71
MDR2460-E	1008	38	MMBC-K-18-L	79	71	MMFBSSK-149-L	364	70	MMNSBCSS-K-24-L	229	71
MET2430S	2375	206	MMBC-K-18-R	79	71	MMFBSSK-149-R	364	70	MMNSBCSS-K-24-R	229	71
MFBK-S	118	58,59	MMBC-K-21-L	89	71	MMFBSSK-189-L	482	70	MMNSBSS-K-14-L	172	69
MHPH	964	170	MMBC-K-21-R	89	71	MMFBSSK-189-R	482	70	MMNSBSS-K-14-R	172	69
MHPH-4	1823	170	MMBC-K-24-L	100	71	MMFBSSK-249-L	622	70	MMNSBSS-K-18-L	229	69
MMB-K-14-L	75	69	MMBC-K-24-R	100	71	MMFBSSK-249-R	622	70	MMNSBSS-K-18-R	229	69
MMB-K-14-R	75	69	MMBC-K/A-18-L	75	71	MMNSB-K-14-L	81	69	MMNSBSS-K-21-L	277	69
MMB-K-18-L	91	69	MMBC-K/A-18-R	75	71	MMNSB-K-14-R	81	69	MMNSBSS-K-21-R	277	69
MMB-K-18-R	91	69	MMBC-K/A-21-L	85	71	MMNSB-K-18-L	99	69	MMNSBSS-K-24-L	298	69
MMB-K-21-L	100	69	MMBC-K/A-21-R	85	71	MMNSB-K-18-R	99	69	MMNSBSS-K-24-R	298	69
MMB-K-21-R	100	69	MMBC-K/A-24-L	89	71	MMNSB-K-21-L	114	69	MMNSCB-6-L	26	68
MMB-K-24-L	114	69	MMBC-K/A-24-R	89	71	MMNSB-K-21-R	114	69	MMNSCB-6-R	26	68
MMB-K-24-R	114	69	MMBCSS-K-18-L	145	71	MMNSB-K-24-L	123	69	MMNSCB/A6-L	42	68
MMB-K/A-14-L	85	69	MMBCSS-K-18-R	145	71	MMNSB-K-24-R	123	69	MMNSCB/A6-R	42	68
MMB-K/A-14-R	85	69	MMBCSS-K-21-L	180	71	MMNSB-K/A-14-L	91	69	MMNSCBSS-6-L	68	68
MMB-K/A-18-L	96	69	MMBCSS-K-21-R	180	71	MMNSB-K/A-14-R	91	69	MMNSCBSS-6-R	68	68
MMB-K/A-18-R	96	69	MMBCSS-K-24-L	214	71	MMNSB-K/A-18-L	105	69	MMNSDB-K-14	126	69
MMB-K/A-21-L	106	69	MMBCSS-K-24-R	214	71	MMNSB-K/A-18-R	105	69	MMNSDB-K-18	166	69
MMB-K/A-21-R	106	69	MMBSS-K-14-L	159	69	MMNSB-K/A-21-L	119	69	MMNSDB-K-21	183	69
MMB-K/A-24-L	123	69	MMBSS-K-14-R	159	69	MMNSB-K/A-21-R	119	69	MMNSDB-K-24	187	69
MMB-K/A-24-R	123	69	MMBSS-K-18-L	222	69	MMNSB-K/A-24-L	133	69	MMNSDB-K/A-14	141	69
						MMNSB-K/A-24-R	133	69			

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.

Phone: 302-653-3000. Fax: 302-653-2065

<http://www.eaglehmc.com>



ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
MMNSDB-K/A-18	181	69	MMNSUSS-7	667	67	MS3030	1237	205	MUK21-Z86	536	57
MMNSDB-K/A-21	196	69	MMNSUSS-8	763	67	MS3030S	1539	205	MUK24-C	575	57
MMNSDB-K/A-24	206	69	MMNSUSS-9	858	67	MS3036	1269	205	MUK24-C86	598	57
MMNSDBC-K-18	141	71	MMT3030G	2722	206	MS3036S	1565	205	MUK24-E	948	57
MMNSDBC-K-21	156	71	MMT3030S	3037	206	MS3636	1332	205	MUK24-E86	983	57
MMNSDBC-K-24	164	71	MMT3036G	2785	206	MS3636S	1639	205	MUK24-Z	520	57
MMNSDBC-K/A-18	127	71	MMT3036S	3128	206	MSC1436	1198	44	MUK24-Z86	543	57
MMNSDBC-K/A-21	141	71	MMU-1	29	67	MSC1448	1532	44	MUK30-C	589	57
MMNSDBC-K/A-24	145	71	MMU-10	256	67	MSC2436	1243	44	MUK30-C86	613	57
MMNSDBCSS-K-18	229	71	MMU-12	315	67	MSC2448	1588	44	MUK30-E	976	57
MMNSDBCSS-K-21	269	71	MMU-14	369	67	MT2448B	1119	199	MUK30-E86	1009	57
MMNSDBCSS-K-24	301	71	MMU-16	419	67	MT2448GT	994	199	MUK30-Z	531	57
MMNSDBSS-K-14	239	69	MMU-2	54	67	MT2448S	1346	199	MUK30-Z86	552	57
MMNSDBSS-K-18	335	69	MMU-3	85	67	MT2448ST	1268	199	MUK36-C	615	57
MMNSDBSS-K-21	400	69	MMU-4	99	67	MT2460B	1256	199	MUK36-C86	643	57
MMNSDBSS-K-24	424	69	MMU-5	125	67	MT2460GT	1100	199	MUK36-E	1003	57
MMNSDFB-K-14	222	70	MMU-6	149	67	MT2460S	1528	199	MUK36-E86	1034	57
MMNSDFB-K-18	289	70	MMU-7	177	67	MT2460ST	1420	199	MUK36-Z	542	57
MMNSDFB-K-21	315	70	MMU-8	203	67	MT2472B	1392	199	MUK36-Z86	561	57
MMNSDFB-K-24	327	70	MMU-9	228	67	MT2472GT	1206	199	MWS0710-PS	614	89
MMNSDFBSSK-149	481	70	MMU/A-1	29	67	MT2472S	1706	199	MWS0710-SPS	614	89
MMNSDFBSSK-189	614	70	MMU/A-10	256	67	MT2472ST	1578	199	MWS0912-PS	614	89
MMNSDFBSSK-249	817	70	MMU/A-12	315	67	MT2496B	1974	199	MWS0912-SPS	614	89
MMNSFB-K-14-L	134	70	MMU/A-14	369	67	MT2496GT	1731	199	MWS1824	614	96
MMNSFB-K-14-R	134	70	MMU/A-16	419	67	MT2496S	2383	199	MWS2424	68	96
MMNSFB-K-18-L	164	70	MMU/A-2	54	67	MT2496ST	1973	199	MWS2436C	673	135
MMNSFB-K-18-R	164	70	MMU/A-3	85	67	MT3048B	1236	199	MWS2436S	1497	135
MMNSFB-K-21-L	186	70	MMU/A-4	99	67	MT3048B-BS	2361	199	MWS2436WT	837	135
MMNSFB-K-21-R	186	70	MMU/A-5	125	67	MT3048GT	1116	199	MWS2436WT-S	1995	135
MMNSFB-K-24-L	203	70	MMU/A-6	149	67	MT3048GT-BS	2267	199	MWS2448C	713	135
MMNSFB-K-24-R	203	70	MMU/A-7	177	67	MT3048S	1528	199	MWS2448S	1596	135
MMNSFBSSK-149-L	419	70	MMU/A-8	203	67	MT3048S-BS	3036	199	MWS2448WT	902	135
MMNSFBSSK-149-R	419	70	MMU/A-9	228	67	MT3048ST	1452	199	MWS2448WT-S	2153	135
MMNSFBSSK-189-L	552	70	MMUSS-1	100	67	MT3048ST-BS	2880	199	NDR182412-A	298	39
MMNSFBSSK-189-R	552	70	MMUSS-10	906	67	MT3060B	1404	199	NDR183612-A	344	39
MMNSFBSSK-249-L	713	70	MMUSS-12	1089	67	MT3060B-BS	2469	199	NDR184812-A	384	39
MMNSFBSSK-249-R	713	70	MMUSS-2	183	67	MT3060GT	1255	199	NDR202412-A	298	39
MMNSU-1	34	67	MMUSS-3	275	67	MT3060GT-BS	2309	199	NDR203612-A	344	39
MMNSU-10	275	67	MMUSS-4	366	67	MT3060S	1752	199	NDR204812-A	384	39
MMNSU-12	339	67	MMUSS-5	461	67	MT3060S-BS	3196	199	NDR242412-A	353	39
MMNSU-2	56	67	MMUSS-6	549	67	MT3060ST	1655	199	NDR243612-A	393	39
MMNSU-3	89	67	MMUSS-7	639	67	MT3060ST-BS	3032	199	NDR244812-A	458	39
MMNSU-4	106	67	MMUSS-8	728	67	MT3072B	1571	199	NTD3	3288	213
MMNSU-5	133	67	MMUSS-9	817	67	MT3072B-BS	2969	199	NTD3L	3469	213
MMNSU-6	163	67	MMXB-48	28	69	MT3072GT	1388	199	OAC2436T-1C-1W	1152	138,177
MMNSU-7	188	67	MMXB-60	34	69	MT3072GT-BS	2775	199	OAC2436T-1H-1W	1152	138,177
MMNSU-8	219	67	MMXB-72	39	69	MT3072S	1975	199	OAC2436T-2C	1152	138,177
MMNSU-9	248	67	MMXB-84	45	69	MT3072S-BS	3654	199	OAC2436T-2H	1152	138,177
MMNSU/A-1	34	67	MMXB-N-48	75	69	MT3072ST	1852	199	OAC2436T-2W	1152	138,177
MMNSU/A-10	275	67	MMXB-N-60	89	69	MT3072ST-BS	3560	199	OAC2448T-1C-1W	1326	138,177
MMNSU/A-12	339	67	MMXB-N-72	106	69	MT3096B	2251	199	OAC2448T-1H-1W	1326	138,177
MMNSU/A-14	394	67	MMXB-N-84	124	69	MT3096B-BS	4060	199	OAC2448T-2C	1326	138,177
MMNSU/A-16	449	67	MOS1260C	1543	211	MT3096GT	2000	199	OAC2448T-2H	1326	138,177
MMNSU/A-2	56	67	MOS1260L	1361	211	MT3096GT-BS	3804	199	OAC2448T-2W	1326	138,177
MMNSU/A-3	89	67	MOS1260R	1361	211	MT3096S	2754	199	OAC2460T-1C-1W	1502	138,177
MMNSU/A-4	106	67	MOS1272C	1723	211	MT3096S-BS	4835	199	OAC2460T-1H-1W	1502	138,177
MMNSU/A-5	133	67	MOS1272L	1540	211	MT3096ST	2588	199	OAC2460T-2C	1502	138,177
MMNSU/A-6	163	67	MOS1272R	1540	211	MT3096ST-BS	4580	199	OAC2460T-2H	1502	138,177
MMNSU/A-7	188	67	MOS1284C	1846	211	MUK18-C	552	57	OAC2460T-2W	1502	138,177
MMNSU/A-8	219	67	MOS1284L	1666	211	MUK18-C86	572	57	OAC3036T-1C-1W	1225	138,177
MMNSU/A-9	248	67	MOS1284R	1666	211	MUK18-E	922	57	OAC3036T-1H-1W	1225	138,177
MMNSUSS-1	106	67	MOS1296C	1922	211	MUK18-E86	936	57	OAC3036T-2C	1225	138,177
MMNSUSS-10	954	67	MOS1296L	1846	211	MUK18-Z	498	57	OAC3036T-2H	1225	138,177
MMNSUSS-12	1145	67	MOS1296R	1846	211	MUK18-Z86	517	57	OAC3036T-2W	1225	138,177
MMNSUSS-2	192	67	MS-C	16	135,171	MUK21-C	566	57	OAC3048T-1C-1W	1445	138,177
MMNSUSS-3	292	67	MS2424	1065	205	MUK21-C86	589	57	OAC3048T-1H-1W	1445	138,177
MMNSUSS-4	384	67	MS2424S	1294	205	MUK21-E	935	57	OAC3048T-2C	1445	138,177
MMNSUSS-5	484	67	MS3024	1111	205	MUK21-E86	961	57	OAC3048T-2H	1445	138,177
MMNSUSS-6	571	67	MS3024S	1359	205	MUK21-Z	514	57	OAC3048T-2W	1445	138,177

ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
OAC3060T-1C-1W	1641	138,177	OAP2436T-2W	2302	139	OAPEP3060T-2H	4228	139	OB2460SE-BS	3362	203
OAC3060T-1H-1W	1641	138,177	OAP2448T-1C-1W	2665	139	OAPEP3060T-2W	4228	139	OB2472SE	3541	201
OAC3060T-2C	1641	138,177	OAP2448T-1H-1W	2665	139	OAPEP3636T-1C-1W	3541	139	OB2472SE-BS	3591	203
OAC3060T-2H	1641	138,177	OAP2448T-2C	2665	139	OAPEP3636T-1H-1W	3541	139	OB2484SE	3853	201
OAC3060T-2W	1641	138,177	OAP2448T-2H	2665	139	OAPEP3636T-2C	3541	139	OB2484SE-BS	3909	203
OAC3636T-1C-1W	1496	138,177	OAP2448T-2W	2665	139	OAPEP3636T-2H	3541	139	OB2496SE	4047	201
OAC3636T-1H-1W	1496	138,177	OAP2460T-1C-1W	3034	139	OAPEP3636T-2W	3541	139	OB2496SE-BS	4111	203
OAC3636T-2C	1496	138,177	OAP2460T-1H-1W	3034	139	OAPEP3648T-1C-1W	4128	139	OB30120SE	5102	201
OAC3636T-2H	1496	138,177	OAP2460T-2C	3034	139	OAPEP3648T-1H-1W	4128	139	OB30120SE-BS	5183	203
OAC3636T-2W	1496	138,177	OAP2460T-2H	3034	139	OAPEP3648T-2C	4128	139	OB3036SE	3157	201
OAC3648T-1C-1W	1711	138,177	OAP2460T-2W	3034	139	OAPEP3648T-2H	4128	139	OB3036SE-BS	3287	203
OAC3648T-1H-1W	1711	138,177	OAP3036T-1C-1W	2581	139	OAPEP3648T-2W	4128	139	OB3048SE	3267	201
OAC3648T-2C	1711	138,177	OAP3036T-1H-1W	2581	139	OAPEP3660T-1C-1W	4787	139	OB3048SE-BS	3298	203
OAC3648T-2H	1711	138,177	OAP3036T-2C	2581	139	OAPEP3660T-1H-1W	4787	139	OB3060SE	3513	201
OAC3648T-2W	1711	138,177	OAP3036T-2H	2581	139	OAPEP3660T-2C	4787	139	OB3060SE-BS	3682	203
OAC3660T-1C-1W	1868	138,177	OAP3036T-2W	2581	139	OAPEP3660T-2H	4787	139	OB3072SE	3763	201
OAC3660T-1H-1W	1868	138,177	OAP3048T-1C-1W	2917	139	OAPEP3660T-2W	4787	139	OB3072SE-BS	3808	203
OAC3660T-2C	1868	138,177	OAP3048T-1H-1W	2917	139	OAS2436T-1C-1W	2002	138,177	OB3084SE	4019	201
OAC3660T-2H	1868	138,177	OAP3048T-2C	2917	139	OAS2436T-1H-1W	2002	138,177	OB3084SE-BS	4073	203
OAC3660T-2W	1868	138,177	OAP3048T-2H	2917	139	OAS2436T-2C	2002	138,177	OB3096SE	4436	201
OAEP2436T-1C-1W	2512	139	OAP3048T-2W	2917	139	OAS2436T-2H	2002	138,177	OB3096SE-BS	4499	203
OAEP2436T-1H-1W	2512	139	OAP3060T-1C-1W	3304	139	OAS2436T-2W	2002	138,177	OCC2424S	3054	159
OAEP2436T-2C	2512	139	OAP3060T-1H-1W	3304	139	OAS2448T-1C-1W	2291	138,177	OCC2448S	3681	159
OAEP2436T-2H	2512	139	OAP3060T-2C	3304	139	OAS2448T-1H-1W	2291	138,177	OHT-10	1071	57
OAEP2436T-2W	2512	139	OAP3060T-2H	3304	139	OAS2448T-2C	2291	138,177	OHT-11	1152	57
OAEP2448T-1C-1W	2861	139	OAP3060T-2W	3304	139	OAS2448T-2H	2291	138,177	OHT-12	1234	57
OAEP2448T-1H-1W	2861	139	OAP3636T-1C-1W	2846	139	OAS2448T-2W	2291	138,177	OHT-13	1308	57
OAEP2448T-2C	2861	139	OAP3636T-1H-1W	2846	139	OAS2460T-1C-1W	2657	138,177	OHT-14	1384	57
OAEP2448T-2H	2861	139	OAP3636T-2C	2846	139	OAS2460T-1H-1W	2657	138,177	OHT-15	1681	57
OAEP2448T-2W	2861	139	OAP3636T-2H	2846	139	OAS2460T-2C	2657	138,177	OHT-16	1763	57
OAEP2460T-1C-1W	3451	139	OAP3636T-2W	2846	139	OAS2460T-2H	2657	138,177	OHT-17	1844	57
OAEP2460T-1H-1W	3451	139	OAP3648T-1C-1W	3305	139	OAS2460T-2W	2657	138,177	OHT-18	1922	57
OAEP2460T-2C	3451	139	OAP3648T-1H-1W	3305	139	OAS3036T-1C-1W	2206	138,177	OHT-19	2000	57
OAEP2460T-2H	3451	139	OAP3648T-2C	3305	139	OAS3036T-1H-1W	2206	138,177	OHT-20	2080	57
OAEP2460T-2W	3451	139	OAP3648T-2H	3305	139	OAS3036T-2C	2206	138,177	OHT-21	2155	57
OAEP3036T-1C-1W	2976	139	OAP3648T-2W	3305	139	OAS3036T-2H	2206	138,177	OHT-6	542	57
OAEP3036T-1H-1W	2976	139	OAP3660T-1C-1W	3755	139	OAS3036T-2W	2206	138,177	OHT-7	605	57
OAEP3036T-2C	2976	139	OAP3660T-1H-1W	3755	139	OAS3048T-1C-1W	2541	138,177	OHT-8	908	57
OAEP3036T-2H	2976	139	OAP3660T-2C	3755	139	OAS3048T-1H-1W	2541	138,177	OHT-9	987	57
OAEP3036T-2W	2976	139	OAP3660T-2H	3755	139	OAS3048T-2C	2541	138,177	OLH-C	17	36,128,
OAEP3048T-1C-1W	3422	139	OAP3660T-2W	3755	139	OAS3048T-2H	2541	138,177			161
OAEP3048T-1H-1W	3422	139	OAPEP2436T-1C-1W	2825	139	OAS3048T-2W	2541	138,177	OLH-EP	27	128,161
OAEP3048T-2C	3422	139	OAPEP2436T-1H-1W	2825	139	OAS3060T-1C-1W	2926	138,177	OLH-S	23	128,161
OAEP3048T-2H	3422	139	OAPEP2436T-2C	2825	139	OAS3060T-1H-1W	2926	138,177	OS10108-14/3	1687	210
OAEP3048T-2W	3422	139	OAPEP2436T-2H	2825	139	OAS3060T-2C	2926	138,177	OS10108-16/3	1522	210
OAEP3060T-1C-1W	3832	139	OAPEP2436T-2W	2825	139	OAS3060T-2H	2926	138,177	OS10108-16/4	1163	210
OAEP3060T-1H-1W	3832	139	OAPEP2448T-1C-1W	3260	139	OAS3060T-2W	2926	138,177	OS10120-14/3	1840	210
OAEP3060T-2C	3832	139	OAPEP2448T-1H-1W	3260	139	OAS3636T-1C-1W	2469	138,177	OS10120-16/3	1649	210
OAEP3060T-2H	3832	139	OAPEP2448T-2C	3260	139	OAS3636T-1H-1W	2469	138,177	OS10120-16/4	1206	210
OAEP3060T-2W	3832	139	OAPEP2448T-2H	3260	139	OAS3636T-2C	2469	138,177	OS10132-14/3	1951	210
OAEP3636T-1C-1W	3244	139	OAPEP2448T-2W	3260	139	OAS3636T-2H	2469	138,177	OS10132-16/3	1753	210
OAEP3636T-1H-1W	3244	139	OAPEP2460T-1C-1W	3845	139	OAS3636T-2W	2469	138,177	OS10132-16/4	1262	210
OAEP3636T-2C	3244	139	OAPEP2460T-1H-1W	3845	139	OAS3648T-1C-1W	2929	138,177	OS10144-14/3	2047	210
OAEP3636T-2H	3244	139	OAPEP2460T-2C	3845	139	OAS3648T-1H-1W	2929	138,177	OS10144-16/3	1843	210
OAEP3636T-2W	3244	139	OAPEP2460T-2H	3845	139	OAS3648T-2C	2929	138,177	OS10144-16/4	1308	210
OAEP3648T-1C-1W	3783	139	OAPEP2460T-2W	3845	139	OAS3648T-2H	2929	138,177	OS1036-14/3	972	210
OAEP3648T-1H-1W	3783	139	OAPEP3036T-1C-1W	3368	139	OAS3648T-2W	2929	138,177	OS1036-16/3	879	210
OAEP3648T-2C	3783	139	OAPEP3036T-1H-1W	3368	139	OAS3660T-1C-1W	3381	138,177	OS1036-16/4	725	210
OAEP3648T-2H	3783	139	OAPEP3036T-2C	3368	139	OAS3660T-1H-1W	3381	138,177	OS1048-14/3	1067	210
OAEP3648T-2W	3783	139	OAPEP3036T-2H	3368	139	OAS3660T-2C	3381	138,177	OS1048-16/3	961	210
OAEP3660T-1C-1W	4382	139	OAPEP3036T-2W	3368	139	OAS3660T-2H	3381	138,177	OS1048-16/4	774	210
OAEP3660T-1H-1W	4382	139	OAPEP3048T-1C-1W	3821	139	OAS3660T-2W	3381	138,177	OS1060-14/3	1172	210
OAEP3660T-2C	4382	139	OAPEP3048T-1H-1W	3821	139	OB24120SE	4799	201	OS1060-16/3	1055	210
OAEP3660T-2H	4382	139	OAPEP3048T-2C	3821	139	OB24120SE-BS	4880	203	OS1060-16/4	820	210
OAEP3660T-2W	4382	139	OAPEP3048T-2H	3821	139	OB2436SE	2989	201	OS1072-14/3	1276	210
OAP2436T-1C-1W	2302	139	OAPEP3048T-2W	3821	139	OB2436SE-BS	3024	203	OS1072-16/3	1151	210
OAP2436T-1H-1W	2302	139	OAPEP3060T-1C-1W	4228	139	OB2448SE	3104	201	OS1072-16/4	879	210
OAP2436T-2C	2302	139	OAPEP3060T-1H-1W	4228	139	OB2448SE-BS	3136	203	OS1084-14/3	1378	210
OAP2436T-2H	2302	139	OAPEP3060T-2C	4228	139	OB2460SE	3322	201	OS1084-16/3	1242	210

ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
OS1084-16/4	929	210	P54-C	28	8,23	PDWB14C	87	97	POST CLAMP	7	47
OS1096-14/3	1644	210	P54-E	31	8	PDWB14S	276	97	PR12VU	60	90
OS1096-16/3	1479	210	P54-EPS	109	129	PDWB14VG	87	97	PR14B	132	90
OS1096-16/4	1135	210	P54-R	29	23,62	PDWB18C	91	97	PR18B	144	90
OS12108-14/3	1879	210	P54-S	75	8	PDWB18S	283	97	PR21B	148	90
OS12108-16/3	1687	210	P54-V	29	8	PDWB18VG	91	97	PR24B	191	90
OS12108-16/4	1282	210	P54-VG	29	8	PDWB21C	94	97	PR30VU	99	90
OS12120-14/3	1972	210	P54-W	29	23,62	PDWB21S	297	97	PR45VU	123	90
OS12120-16/3	1774	210	P54-Z	26	8,23	PDWB21VG	94	97	PRT108-C	228	208
OS12120-16/4	1326	210	P63-BL	31	23,62	PDWB24C	97	97	PRT120-C	236	208
OS12132-14/3	2107	210	P63-C	29	8,23	PDWB24S	301	97	PRT132-C	255	208
OS12132-16/3	1895	210	P63-E	35	8	PDWB24VG	97	97	PRT144-C	277	208
OS12132-16/4	1402	210	P63-EPS	118	129	PF1824-C	145	36	PRT30-C	93	208
OS12144-14/3	2201	210	P63-R	31	23,62	PF1824-E	172	36	PRT36-C	109	208
OS12144-16/3	1981	210	P63-S	82	8	PF1824-Z	138	36	PRT48-C	121	208
OS12144-16/4	1446	210	P63-V	31	8	PF1830-C	146	36	PRT60-C	142	208
OS1236-14/3	1018	210	P63-VG	31	8	PF1830-E	176	36	PRT72-C	165	208
OS1236-16/3	917	210	P63-W	31	23,62	PF1830-Z	140	36	PRT84-C	192	208
OS1236-16/4	769	210	P63-Z	28	8,23	PF1836-C	148	36	PRT96-C	225	208
OS1248-14/3	1118	210	P7-BL	17	23,62	PF1836-E	180	36	PS2408	224	198
OS1248-16/3	1007	210	P7-C	16	8,23	PF1836-Z	143	36	PS3612	244	198
OS1248-16/4	815	210	P7-E	19	8	PF2124-C	156	36	PS4816	253	198
OS1260-14/3	1224	210	P7-R	17	23,62	PF2124-E	185	36	PS6020	314	198
OS1260-16/3	1102	210	P7-S	38	8	PF2124-Z	145	36	PW14C	65	97
OS1260-16/4	869	210	P7-V	17	8	PF2130-C	163	36	PW14S	185	97
OS1272-14/3	1341	210	P7-VG	17	8	PF2130-E	187	36	PW14VG	65	97
OS1272-16/3	1206	210	P7-W	17	23,62	PF2130-Z	147	36	PW33C	82	97
OS1272-16/4	931	210	P7-Z	14	8,23	PF2136-C	165	36	PW33S	297	97
OS1284-14/3	1452	210	P74-BL	34	23,62	PF2136-E	189	36	PW33VG	82	97
OS1284-16/3	1303	210	P74-C	33	8,23	PF2136-Z	149	36	PW54C	103	97
OS1284-16/4	989	210	P74-E	38	8	PF2424-C	164	36	PW54S	301	97
OS1296-14/3	1749	210	P74-EPS	133	129	PF2424-E	196	36	PW54VG	103	97
OS1296-16/3	1572	210	P74-R	34	23,62	PF2424-Z	149	36	PW63C	105	97
OS1296-16/4	1206	210	P74-S	93	8	PF2430-C	167	36	PW63S	308	97
OSCC2436	2123	159	P74-V	34	8	PF2430-E	198	36	PW63VG	105	97
OSCC2448	2259	159	P74-VG	34	8	PF2430-Z	153	36	PWB14C	56	97
OUR-1830-2/W	1298	170	P74-W	34	23,62	PF2436-C	169	36	PWB14S	182	97
OUR-2630-2/W	1247	170	P74-Z	29	8,23	PF2436-E	201	36	PWB14VG	56	97
OUS18	154	53	P86-BL	40	23,62	PF2436-Z	155	36	PWB18C	57	97
OUS21	156	53	P86-C	39	8,23	PH14-C	34	55	PWB18S	185	97
OUS24	166	53	P86-E	44	8	PH14-S	91	55	PWB18VG	57	97
P14-BL	19	23,62	P86-EPS	145	129	PH18-C	38	55	PWB21C	58	97
P14-C	18	8,23	P86-R	40	23,62	PH18-S	104	55	PWB21S	196	97
P14-E	20	8	P86-S	106	8	PH21-C	39	55	PWB21VG	58	97
P14-R	19	23,62	P86-V	40	8	PH21-S	114	55	PWB24C	61	97
P14-S	40	8	P86-VG	40	8	PH24-C	39	55	PWB24S	202	97
P14-V	19	8	P86-W	40	23,62	PH24-S	123	55	PWB24VG	61	97
P14-VG	19	8	P86-Z	36	8,23	PH30-C	49	55	PWE14-1C	233	96
P14-W	19	23,62	P96-C	45	8	PH30-S	134	55	PWE14-1S	629	96
P14-Z	17	8,23	P96-S	119	8	PH36-C	56	55	PWE14-1VG	233	96
P18-C	20	8	PBH	48	91	PH36-S	143	55	PWE14-2C	376	96
P18-E	28	8	PC2448-C	1375	154	PH3RD	66	91	PWE14-2S	1151	96
P18-S	57	8	PC2460-C	1600	154	PHS-A-C	7725	228	PWE14-2VG	376	96
P18-V	21	8	PCH2448-C	1639	154	PHS-A-C-LB	8498	228	PWE14-3C	521	96
P18-VG	21	8	PCH2460-C	1797	154	PHS-A-H	9161	228	PWE14-3S	1479	96
P18-Z	19	8	PCPL5-250	1797	10	PHS-A-H-LB	10078	228	PWE14-3VG	521	96
P1916	3136	236	PCPS5-250	1797	10	PHS-S-C	6442	228	PWE14-4C	629	96
P1916FE	4198	236	PCRB1836	2058	131	PHS-S-C-LB	7215	228	PWE14-4S	1814	96
P33-BL	23	23,62	PCRB1836EP	2560	131	PHS-S-H	7954	228	PWE14-4VG	629	96
P33-C	21	8,23	PCRB1848	2167	131	PHS-S-H-LB	8081	228	PWE18-1C	235	96
P33-E	29	8	PCRB1848EP	2697	131	PHS-S3-C	6651	228	PWE18-1S	669	96
P33-EPS	82	129	PCRB1860	2298	131	PHS-S3-C-LB	7315	228	PWE18-1VG	235	96
P33-R	23	23,62	PCRB1860EP	2968	131	PHS-S3-H	8373	228	PWE18-2C	376	96
P33-S	66	8	PCRB1872	2480	131	PHS-S3-H-LB	9517	228	PWE18-2S	1201	96
P33-V	23	8	PCRB1872EP	3203	131	PHS-SUPCRT-A	6586	228	PWE18-2VG	376	96
P33-VG	23	8	PD3622	374	38	PHSE-S-C	6586	228	PWE18-3C	523	96
P33-W	23	23,62	PD4822	449	38	PHSE-S-H	6586	228	PWE18-3S	1548	96
P33-Z	20	8,23	PD4836	497	38	PLASTIC SPLIT SLEEVES	5	47	PWE18-3VG	523	96
P54-BL	29	23,62	PD6022	519	38	POST CAP	1	47	PWE18-4C	632	96

ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
PWE18-4S	1908	96	PWM24-3S	1073	96	QA1836V	141	11	QA2160C	181	11
PWE18-4VG	632	96	PWM24-3VG	384	96	QA1836VG	141	11	QA2160E	211	11
PWE21-1C	238	96	PWM24-4C	478	96	QA1836Z	127	11	QA2160S	685	11
PWE21-1S	675	96	PWM24-4S	1353	96	QA1842C	143	11	QA2160V	187	11
PWE21-1VG	238	96	PWM24-4VG	478	96	QA1842E	168	11	QA2160VG	187	11
PWE21-2C	387	96	PWTFT-1215	12035	267	QA1842S	469	11	QA2160Z	173	11
PWE21-2S	1208	96	QA1424C	115	11	QA1842V	149	11	QA2172C	212	11
PWE21-2VG	387	96	QA1424E	127	11	QA1842VG	149	11	QA2172E	248	11
PWE21-3C	541	96	QA1424S	329	11	QA1842Z	138	11	QA2172S	805	11
PWE21-3S	1559	96	QA1424V	112	11	QA1848C	145	11	QA2172V	227	11
PWE21-3VG	541	96	QA1424VG	112	11	QA1848E	172	11	QA2172VG	227	11
PWE21-4C	658	96	QA1424Z	105	11	QA1848S	476	11	QA2172Z	204	11
PWE21-4S	1908	96	QA1430C	119	11	QA1848V	163	11	QA2424C	143	11
PWE21-4VG	658	96	QA1430E	131	11	QA1848VG	163	11	QA2424E	167	11
PWE24-1C	238	96	QA1430S	334	11	QA1848Z	143	11	QA2424S	486	11
PWE24-1S	688	96	QA1430V	117	11	QA1854C	163	11	QA2424V	144	11
PWE24-1VG	238	96	QA1430VG	117	11	QA1854E	189	11	QA2424VG	144	11
PWE24-2C	392	96	QA1430Z	112	11	QA1854S	588	11	QA2424Z	136	11
PWE24-2S	1235	96	QA1436C	122	11,43	QA1854V	172	11	QA2430C	145	11
PWE24-2VG	392	96	QA1436E	136	11,43	QA1854VG	172	11	QA2430E	169	11
PWE24-3C	548	96	QA1436S	335	11,43	QA1854Z	155	11	QA2430S	488	11
PWE24-3S	1596	96	QA1436V	124	11	QA1860C	166	11	QA2430V	155	11
PWE24-3VG	548	96	QA1436VG	124	11	QA1860E	197	11	QA2430VG	155	11
PWE24-4C	664	96	QA1436Z	114	11	QA1860S	595	11	QA2430Z	140	11
PWE24-4S	1972	96	QA1442C	134	11	QA1860V	180	11	QA2436C	148	11,43
PWE24-4VG	664	96	QA1442E	148	11	QA1860VG	180	11	QA2436E	173	11,43
PWM14-1C	149	96	QA1442S	400	11	QA1860Z	161	11	QA2436S	494	11,43
PWM14-1S	418	96	QA1442V	140	11	QA1872C	187	11	QA2436V	164	11
PWM14-1VG	149	96	QA1442VG	140	11	QA1872E	218	11	QA2436VG	164	11
PWM14-2C	254	96	QA1442Z	122	11	QA1872S	699	11	QA2436Z	143	11
PWM14-2S	757	96	QA1448C	138	11,43	QA1872V	209	11	QA2442C	169	11
PWM14-2VG	254	96	QA1448E	155	11,43	QA1872VG	209	11	QA2442E	199	11
PWM14-3C	358	96	QA1448S	401	11,43	QA1872Z	180	11	QA2442S	585	11
PWM14-3S	1009	96	QA1448V	143	11	QA2124C	138	11	QA2442V	176	11
PWM14-3VG	358	96	QA1448VG	143	11	QA2124E	155	11	QA2442VG	176	11
PWM14-4C	444	96	QA1448Z	127	11	QA2124S	449	11	QA2442Z	161	11
PWM14-4S	1264	96	QA1454C	143	11	QA2124V	131	11	QA2448C	173	11,43
PWM14-4VG	444	96	QA1454E	163	11	QA2124VG	131	11	QA2448E	204	11,43
PWM18-1C	152	96	QA1454S	491	11	QA2124Z	128	11	QA2448S	587	11,43
PWM18-1S	431	96	QA1454V	145	11	QA2130C	143	11	QA2448V	188	11
PWM18-1VG	152	96	QA1454VG	145	11	QA2130E	161	11	QA2448VG	188	11
PWM18-2C	255	96	QA1454Z	136	11	QA2130S	458	11	QA2448Z	164	11
PWM18-2S	788	96	QA1460C	148	11,43	QA2130V	143	11	QA2454C	196	11
PWM18-2VG	255	96	QA1460E	168	11,43	QA2130VG	143	11	QA2454E	228	11
PWM18-3C	363	96	QA1460S	502	11,43	QA2130Z	131	11	QA2454S	709	11
PWM18-3S	1045	96	QA1460V	163	11	QA2136C	144	11	QA2454V	206	11
PWM18-3VG	363	96	QA1460VG	163	11	QA2136E	164	11	QA2454VG	206	11
PWM18-4C	447	96	QA1460Z	143	11	QA2136S	461	11	QA2454Z	186	11
PWM18-4S	1217	96	QA1472C	168	11	QA2136V	155	11	QA2460C	198	11,43
PWM18-4VG	447	96	QA1472E	186	11	QA2136VG	155	11	QA2460E	233	11,43
PWM21-1C	156	96	QA1472S	562	11	QA2136Z	136	11	QA2460S	714	11,43
PWM21-1S	438	96	QA1472V	172	11	QA2142C	156	11	QA2460V	218	11
PWM21-1VG	156	96	QA1472VG	172	11	QA2142E	180	11	QA2460VG	218	11
PWM21-2C	272	96	QA1472Z	161	11	QA2142S	522	11	QA2460Z	188	11
PWM21-2S	796	96	QA1824C	122	11	QA2142V	166	11	QA2472C	227	11
PWM21-2VG	272	96	QA1824E	143	11	QA2142VG	166	11	QA2472E	266	11
PWM21-3C	381	96	QA1824S	396	11	QA2142Z	145	11	QA2472S	881	11
PWM21-3S	1060	96	QA1824V	121	11	QA2148C	163	11	QA2472V	253	11
PWM21-3VG	381	96	QA1824VG	121	11	QA2148E	182	11	QA2472VG	253	11
PWM21-4C	476	96	QA1824Z	121	11	QA2148S	525	11	QA2472Z	214	11
PWM21-4S	1306	96	QA1830C	126	11	QA2148V	172	11	QAR1424C	122	12
PWM21-4VG	476	96	QA1830E	144	11	QA2148VG	172	11	QAR1424E	136	12
PWM24-1C	159	96	QA1830S	400	11	QA2148Z	148	11	QAR1424S	349	12
PWM24-1S	442	96	QA1830V	133	11	QA2154C	178	11	QAR1424V	118	12
PWM24-1VG	159	96	QA1830VG	133	11	QA2154E	205	11	QAR1424VG	118	12
PWM24-2C	272	96	QA1830Z	123	11	QA2154S	681	11	QAR1424Z	114	12
PWM24-2S	799	96	QA1836C	128	11	QA2154V	185	11	QAR1436C	129	12
PWM24-2VG	272	96	QA1836E	147	11	QA2154VG	185	11	QAR1436E	144	12
PWM24-3C	384	96	QA1836S	403	11	QA2154Z	172	11	QAR1436S	355	12

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.

Phone: 302-653-3000. Fax: 302-653-2065

<http://www.eaglehmc.com>



ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
QAR1436V.....	133.....	12	QL18W-1C.....	38.....	16	QPAF-QA2448V.....	185.....	14	QPF-1842V-BL.....	143.....	13
QAR1436VG.....	133.....	12	QL18W-1V.....	39.....	16	QPAF-QA2454C.....	185.....	14	QPF-1842V-BS.....	151.....	13
QAR1436Z.....	121.....	12	QL18W-4C.....	39.....	16	QPAF-QA2454V.....	188.....	14	QPF-1848C-BL.....	136.....	13
QAR1448C.....	145.....	12	QL18W-4V.....	40.....	16	QPAF-QA2460C.....	186.....	14	QPF-1848C-BS.....	144.....	13
QAR1448E.....	167.....	12	QL21W-1C.....	40.....	16	QPAF-QA2460V.....	189.....	14	QPF-1848V-BL.....	143.....	13
QAR1448S.....	427.....	12	QL21W-1V.....	41.....	16	QPAF-QA2472C.....	195.....	14	QPF-1848V-BS.....	151.....	13
QAR1448V.....	149.....	12	QL21W-4C.....	42.....	16	QPAF-QA2472V.....	198.....	14	QPF-1854C-BL.....	161.....	13
QAR1448VG.....	149.....	12	QL21W-4V.....	44.....	16	QPAF-1824C.....	76.....	14	QPF-1854C-BS.....	169.....	13
QAR1448Z.....	129.....	12	QL24L-1C.....	41.....	16	QPAF-1824V.....	77.....	14	QPF-1854V-BL.....	169.....	13
QAR1824C.....	128.....	12	QL24L-1V.....	42.....	16	QPAF-1830C.....	78.....	14	QPF-1854V-BS.....	178.....	13
QAR1824E.....	149.....	12	QL24L-4C.....	42.....	16	QPAF-1830V.....	79.....	14	QPF-1860C-BL.....	161.....	13
QAR1824S.....	421.....	12	QL24L-4V.....	44.....	16	QPAF-1836C.....	80.....	14	QPF-1860C-BS.....	169.....	13
QAR1824V.....	131.....	12	QL24W-1C.....	41.....	16	QPAF-1836V.....	81.....	14	QPF-1860V-BL.....	169.....	13
QAR1824VG.....	131.....	12	QL24W-1V.....	42.....	16	QPAF-1842C.....	82.....	14	QPF-1860V-BS.....	178.....	13
QAR1824Z.....	127.....	12	QL24W-4C.....	42.....	16	QPAF-1842V.....	84.....	14	QPF-1872C-BL.....	183.....	13
QAR1836C.....	138.....	12	QL24W-4V.....	44.....	16	QPAF-1848C.....	85.....	14	QPF-1872C-BS.....	193.....	13
QAR1836E.....	156.....	12	QL30L-1C.....	49.....	16	QPAF-1848V.....	86.....	14	QPF-1872V-BL.....	193.....	13
QAR1836S.....	431.....	12	QL30L-1V.....	51.....	16	QPAF-1854C.....	86.....	14	QPF-1872V-BS.....	203.....	13
QAR1836V.....	147.....	12	QL30L-4C.....	55.....	16	QPAF-1854V.....	87.....	14	QPF-2124C-BL.....	122.....	13
QAR1836VG.....	147.....	12	QL30L-4V.....	56.....	16	QPAF-1860C.....	88.....	14	QPF-2124C-BS.....	127.....	13
QAR1836Z.....	136.....	12	QL36L-1C.....	58.....	16	QPAF-1860V.....	89.....	14	QPF-2124V-BL.....	127.....	13
QAR1848C.....	154.....	12	QL36L-1V.....	59.....	16	QPAF-1872C.....	91.....	14	QPF-2124V-BS.....	134.....	13
QAR1848E.....	182.....	12	QL36L-4C.....	65.....	16	QPAF-1872V.....	93.....	14	QPF-2130C-BL.....	125.....	13
QAR1848S.....	505.....	12	QL36L-4V.....	66.....	16	QPAF-2424C.....	86.....	14	QPF-2130C-BS.....	131.....	13
QAR1848V.....	171.....	12	QL42L-1C.....	60.....	16	QPAF-2424V.....	87.....	14	QPF-2130V-BL.....	131.....	13
QAR1848VG.....	171.....	12	QL42L-1V.....	61.....	16	QPAF-2430C.....	89.....	14	QPF-2130V-BS.....	140.....	13
QAR1848Z.....	149.....	12	QL42L-4C.....	66.....	16	QPAF-2430V.....	91.....	14	QPF-2136C-BL.....	125.....	13
QAR2124C.....	134.....	12	QL42L-4V.....	67.....	16	QPAF-2436C.....	92.....	14	QPF-2136C-BS.....	131.....	13
QAR2124E.....	159.....	12	QL48L-1C.....	61.....	16	QPAF-2436V.....	94.....	14	QPF-2136V-BL.....	131.....	13
QAR2124S.....	434.....	12	QL48L-1V.....	62.....	16	QPAF-2442C.....	94.....	14	QPF-2136V-BS.....	140.....	13
QAR2124V.....	141.....	12	QL48L-4C.....	67.....	16	QPAF-2442V.....	97.....	14	QPF-2142C-BL.....	147.....	13
QAR2124VG.....	141.....	12	QL48L-4V.....	68.....	16	QPAF-2448C.....	100.....	14	QPF-2142C-BS.....	154.....	13
QAR2124Z.....	133.....	12	QL54L-1C.....	67.....	16	QPAF-2448V.....	104.....	14	QPF-2142V-BL.....	154.....	13
QAR2136C.....	153.....	12	QL54L-1V.....	68.....	16	QPAF-2454C.....	101.....	14	QPF-2142V-BS.....	164.....	13
QAR2136E.....	172.....	12	QL54L-4C.....	69.....	16	QPAF-2454V.....	105.....	14	QPF-2148C-BL.....	147.....	13
QAR2136S.....	487.....	12	QL54L-4V.....	71.....	16	QPAF-2460C.....	101.....	14	QPF-2148C-BS.....	154.....	13
QAR2136V.....	167.....	12	QL60L-1C.....	76.....	16	QPAF-2460V.....	105.....	14	QPF-2148V-BL.....	154.....	13
QAR2136VG.....	167.....	12	QL60L-1V.....	77.....	16	QPAF-2472C.....	114.....	14	QPF-2148V-BS.....	164.....	13
QAR2136Z.....	144.....	12	QL60L-4C.....	80.....	16	QPAF-2472V.....	117.....	14	QPF-2154C-BL.....	173.....	13
QAR2148C.....	171.....	12	QL60L-4V.....	81.....	16	QPB1816C-6.....	246.....	14	QPF-2154C-BS.....	183.....	13
QAR2148E.....	196.....	12	QL72L-1C.....	82.....	16	QPB1816C-9.....	265.....	14	QPF-2154V-BL.....	182.....	13
QAR2148S.....	560.....	12	QL72L-1V.....	84.....	16	QPB1816V-6.....	253.....	14	QPF-2154V-BS.....	193.....	13
QAR2148V.....	182.....	12	QL72L-4C.....	87.....	16	QPB1816V-9.....	271.....	14	QPF-2160C-BL.....	173.....	13
QAR2148VG.....	182.....	12	QL72L-4V.....	88.....	16	QPB1822C-6.....	274.....	14	QPF-2160C-BS.....	183.....	13
QAR2148Z.....	161.....	12	QPAF-QA1824C.....	159.....	14	QPB1822C-9.....	294.....	14	QPF-2160V-BL.....	182.....	13
QAR2424C.....	149.....	12	QPAF-QA1824V.....	163.....	14	QPB1822V-6.....	280.....	14	QPF-2160V-BS.....	193.....	13
QAR2424E.....	177.....	12	QPAF-QA1830C.....	161.....	14	QPB1822V-9.....	299.....	14	QPF-2172C-BL.....	211.....	13
QAR2424S.....	518.....	12	QPAF-QA1830V.....	165.....	14	QPB2416C-6.....	257.....	14	QPF-2172C-BS.....	224.....	13
QAR2424V.....	152.....	12	QPAF-QA1836C.....	161.....	14	QPB2416C-9.....	275.....	14	QPF-2172V-BL.....	223.....	13
QAR2424VG.....	152.....	12	QPAF-QA1836V.....	165.....	14	QPB2416V-6.....	261.....	14	QPF-2172V-BS.....	236.....	13
QAR2424Z.....	145.....	12	QPAF-QA1842C.....	164.....	14	QPB2416V-9.....	281.....	14	QPF-2424C-BL.....	134.....	13
QAR2436C.....	161.....	12	QPAF-QA1842V.....	167.....	14	QPB2422C-6.....	285.....	14	QPF-2424C-BS.....	143.....	13
QAR2436E.....	183.....	12	QPAF-QA1848C.....	166.....	14	QPB2422C-9.....	302.....	14	QPF-2424V-BL.....	142.....	13
QAR2436S.....	525.....	12	QPAF-QA1848V.....	169.....	14	QPB2422V-6.....	292.....	14	QPF-2424V-BS.....	149.....	13
QAR2436V.....	172.....	12	QPAF-QA1854C.....	171.....	14	QPB2422V-9.....	311.....	14	QPF-2430C-BL.....	136.....	13
QAR2436VG.....	172.....	12	QPAF-QA1854V.....	174.....	14	QPF-1824C-BL.....	107.....	13	QPF-2430C-BS.....	145.....	13
QAR2436Z.....	152.....	12	QPAF-QA1860C.....	173.....	14	QPF-1824C-BS.....	113.....	13	QPF-2430V-BL.....	144.....	13
QAR2448C.....	183.....	12	QPAF-QA1860V.....	177.....	14	QPF-1824V-BL.....	113.....	13	QPF-2430V-BS.....	152.....	13
QAR2448E.....	216.....	12	QPAF-QA1872C.....	174.....	14	QPF-1824V-BS.....	119.....	13	QPF-2436C-BL.....	136.....	13
QAR2448S.....	623.....	12	QPAF-QA1872V.....	178.....	14	QPF-1830C-BL.....	113.....	13	QPF-2436C-BS.....	145.....	13
QAR2448V.....	203.....	12	QPAF-QA2424C.....	167.....	14	QPF-1830C-BS.....	119.....	13	QPF-2436V-BL.....	144.....	13
QAR2448VG.....	203.....	12	QPAF-QA2424V.....	171.....	14	QPF-1830V-BL.....	119.....	13	QPF-2436V-BS.....	152.....	13
QAR2448Z.....	172.....	12	QPAF-QA2430C.....	171.....	14	QPF-1830V-BS.....	125.....	13	QPF-2442C-BL.....	167.....	13
QDR2436-S.....	427.....	16	QPAF-QA2430V.....	174.....	14	QPF-1836C-BL.....	113.....	13	QPF-2442C-BS.....	174.....	13
QDR2436-V.....	314.....	16	QPAF-QA2436C.....	174.....	14	QPF-1836C-BS.....	119.....	13	QPF-2442V-BL.....	176.....	13
QDR2448-S.....	466.....	16	QPAF-QA2436V.....	178.....	14	QPF-1836V-BL.....	119.....	13	QPF-2442V-BS.....	183.....	13
QDR2448-V.....	327.....	16	QPAF-QA2442C.....	178.....	14	QPF-1836V-BS.....	125.....	13	QPF-2448C-BL.....	167.....	13
QDR2460-S.....	513.....	16	QPAF-QA2442V.....	182.....	14	QPF-1842C-BL.....	136.....	13	QPF-2448C-BS.....	174.....	13
QDR2460-V.....	345.....	16	QPAF-QA2448C.....	182.....	14	QPF-1842C-BS.....	144.....	13	QPF-2448V-BL.....	176.....	13

ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
QPF-2448V-BS	183	13	QPF-QA2160C-BL	204	13	QPSU1860V-B5-74	1026	15	RM2424BL	97	25
QPF-2454C-BL	198	13	QPF-QA2160C-BS	216	13	QPSU2136C-B5-74	978	15	RM2424C	96	25
QPF-2454C-BS	207	13	QPF-QA2160V-BL	215	13	QPSU2136V-B5-74	826	15	RM2424R	97	25
QPF-2454V-BL	207	13	QPF-QA2160V-BS	226	13	QPSU2148C-B5-74	1101	15	RM2424W	97	25
QPF-2454V-BS	218	13	QPF-QA2172C-BL	247	13	QPSU2148V-B5-74	948	15	RM2424Z	89	25
QPF-2460C-BL	198	13	QPF-QA2172C-BS	264	13	QPSU2160C-B5-74	1247	15	RM2436BL	104	25
QPF-2460C-BS	207	13	QPF-QA2172V-BL	261	13	QPSU2160V-B5-74	1095	15	RM2436C	101	25
QPF-2460V-BL	207	13	QPF-QA2172V-BS	276	13	QPSU2436C-B5-74	1043	15	RM2436R	104	25
QPF-2460V-BS	218	13	QPF-QA2424C-BL	156	13	QPSU2436V-B5-74	891	15	RM2436W	104	25
QPF-2472C-BL	232	13	QPF-QA2424C-BS	167	13	QPSU2448C-B5-74	1212	15	RM2436Z	96	25
QPF-2472C-BS	243	13	QPF-QA2424V-BL	166	13	QPSU2448V-B5-74	1058	15	RM2448BL	124	25
QPF-2472V-BL	243	13	QPF-QA2424V-BS	176	13	QPSU2460C-B5-74	1382	15	RM2448C	123	25
QPF-2472V-BS	256	13	QPF-QA2430C-BL	161	13	QPSU2460V-B5-74	1229	15	RM2448R	124	25
QPF-QA1824C-BL	126	13	QPF-QA2430C-BS	171	13	QTR24361-S	274	15	RM2448W	124	25
QPF-QA1824C-BS	131	13	QPF-QA2430V-BL	169	13	QTR24361-V	253	15	RM2448Z	114	25
QPF-QA1824V-BL	131	13	QPF-QA2430V-BS	180	13	QTR24363-S	269	15	RS4-63-A1436BL	603	23
QPF-QA1824V-BS	141	13	QPF-QA2436C-BL	161	13	QTR24363-V	247	15	RS4-63-A1436C	595	23
QPF-QA1830C-BL	131	13	QPF-QA2436C-BS	171	13	QTR24481-S	294	15	RS4-63-A1448BL	641	23
QPF-QA1830C-BS	141	13	QPF-QA2436V-BL	169	13	QTR24481-V	264	15	RS4-63-A1448C	635	23
QPF-QA1830V-BL	141	13	QPF-QA2436V-BS	180	13	QTR24483-S	289	15	RS4-63-A1836BL	643	23
QPF-QA1830V-BS	147	13	QPF-QA2442C-BL	197	13	QTR24483-V	260	15	RS4-63-A1836C	636	23
QPF-QA1836C-BL	131	13	QPF-QA2442C-BS	205	13	QTR24601-S	317	15	RS4-63-A1848BL	695	23
QPF-QA1836C-BS	141	13	QPF-QA2442V-BL	206	13	QTR24601-V	281	15	RS4-63-A1848C	687	23
QPF-QA1836V-BL	141	13	QPF-QA2442V-BS	216	13	QTR24603-S	313	15	RS4-63-A2136BL	660	23
QPF-QA1836V-BS	147	13	QPF-QA2448C-BL	197	13	QTR24603-V	276	15	RS4-63-A2136C	654	23
QPF-QA1842C-BL	161	13	QPF-QA2448C-BS	205	13	R1836Z-13	205	171	RS4-63-A2148BL	731	23
QPF-QA1842C-BS	169	13	QPF-QA2448V-BL	206	13	R1836Z-7	231	171	RS4-63-A2148C	720	23
QPF-QA1842V-BL	167	13	QPF-QA2448V-BS	216	13	R54-C	14	48	RS4-63-A2436BL	701	23
QPF-QA1842V-BS	178	13	QPF-QA2454C-BL	233	13	R54-S	42	48	RS4-63-A2436C	695	23
QPF-QA1848C-BL	161	13	QPF-QA2454C-BS	244	13	R63-C	16	48,154	RS4-63-A2448BL	800	23
QPF-QA1848C-BS	169	13	QPF-QA2454V-BL	244	13	R63-S	47	48	RS4-63-A2448C	793	23
QPF-QA1848V-BL	167	13	QPF-QA2454V-BS	257	13	R74-C	17	48	RS4-74-A1436BL	640	23
QPF-QA1848V-BS	178	13	QPF-QA2460C-BL	233	13	R74-S	54	48	RS4-74-A1436C	634	23
QPF-QA1854C-BL	188	13	QPF-QA2460C-BS	244	13	R86-C	19	48	RS4-74-A1448BL	679	23
QPF-QA1854C-BS	199	13	QPF-QA2460V-BL	244	13	R86-S	57	48	RS4-74-A1448C	672	23
QPF-QA1854V-BL	199	13	QPF-QA2460V-BS	257	13	RETAINING CLAMP	4	47	RS4-74-A1836BL	682	23
QPF-QA1854V-BS	209	13	QPF-QA2472C-BL	273	13	RH36-C	88	179	RS4-74-A1836C	677	23
QPF-QA1860C-BL	188	13	QPF-QA2472C-BS	287	13	RH48-C	92	179	RS4-74-A1848BL	735	23
QPF-QA1860C-BS	199	13	QPF-QA2472V-BL	287	13	RH60-C	94	179	RS4-74-A1848C	727	23
QPF-QA1860V-BL	199	13	QPF-QA2472V-BS	300	13	RM1436BL	80	25	RS4-74-A2136BL	701	23
QPF-QA1860V-BS	209	13	QPMU1836C-B5-74	948	15	RM1436C	79	25	RS4-74-A2136C	695	23
QPF-QA1872C-BL	216	13	QPMU1836V-B5-74	797	15	RM1436R	80	25	RS4-74-A2148BL	767	23
QPF-QA1872C-BS	226	13	QPMU1848C-B5-74	1079	15	RM1436W	80	25	RS4-74-A2148C	760	23
QPF-QA1872V-BL	226	13	QPMU1848V-B5-74	926	15	RM1436Z	69	25	RS4-74-A2436BL	739	23
QPF-QA1872V-BS	239	13	QPMU1860C-B5-74	1229	15	RM1448BL	91	25	RS4-74-A2436C	733	23
QPF-QA2124C-BL	144	13	QPMU1860V-B5-74	1077	15	RM1448C	89	25	RS4-74-A2448BL	837	23
QPF-QA2124C-BS	149	13	QPMU2136C-B5-74	1019	15	RM1448R	91	25	RS4-74-A2448C	829	23
QPF-QA2124V-BL	149	13	QPMU2136V-B5-74	866	15	RM1448W	91	25	S-HOOKS-SK	9	47
QPF-QA2124V-BS	156	13	QPMU2148C-B5-74	1148	15	RM1448Z	81	25	S1-3B-SSW1824C	144	94
QPF-QA2130C-BL	147	13	QPMU2148V-B5-74	996	15	RM1836BL	82	25	S1-3B-SSW1830C	161	94
QPF-QA2130C-BS	154	13	QPMU2160C-B5-74	1304	15	RM1836C	81	25	S1-3B-SSW1836C	171	94
QPF-QA2130V-BL	154	13	QPMU2160V-B5-74	1152	15	RM1836R	82	25	S1-3B-SSW1842C	186	94
QPF-QA2130V-BS	164	13	QPMU2436C-B5-74	1089	15	RM1836W	82	25	S1-3B-SSW1848C	196	94
QPF-QA2136C-BL	147	13	QPMU2436V-B5-74	938	15	RM1836Z	81	25	S1-3B-SSW1860C	229	94
QPF-QA2136C-BS	154	13	QPMU2448C-B5-74	1262	15	RM1848BL	99	25	S14-20-1-SL	2048	222
QPF-QA2136V-BL	154	13	QPMU2448V-B5-74	1111	15	RM1848C	98	25	S14-20-2-18-SL	3745	222
QPF-QA2136V-BS	164	13	QPMU2460C-B5-74	1444	15	RM1848R	99	25	S14-20-2-18L-SL	3560	222
QPF-QA2142C-BL	173	13	QPMU2460V-B5-74	1292	15	RM1848W	99	25	S14-20-2-18R-SL	3560	222
QPF-QA2142C-BS	182	13	QPSD18-C	84	16	RM1848Z	94	25	S14-20-3-18-SL	4942	222
QPF-QA2142V-BL	182	13	QPSD18-V	85	16	RM2136BL	98	25	S14-20-3-18L-SL	4696	222
QPF-QA2142V-BS	192	13	QPSD21-C	85	16	RM2136C	97	25	S14-20-3-18R-SL	4696	222
QPF-QA2148C-BL	173	13	QPSD21-V	87	16	RM2136R	98	25	S14-20-3-24-SL	5156	222
QPF-QA2148C-BS	182	13	QPSD24-C	91	16	RM2136W	98	25	S14-20-3-24L-SL	4896	222
QPF-QA2148V-BL	182	13	QPSD24-V	92	16	RM2136Z	89	25	S14-20-3-24R-SL	4896	222
QPF-QA2148V-BS	192	13	QPSU1836C-B5-74	906	15	RM2148BL	114	25	S14-28-3-18-SL	6259	222
QPF-QA2154C-BL	204	13	QPSU1836V-B5-74	755	15	RM2148C	113	25	S16-20-1	1804	222
QPF-QA2154C-BS	216	13	QPSU1848C-B5-74	1041	15	RM2148R	114	25	S16-20-2-18	3298	222
QPF-QA2154V-BL	215	13	QPSU1848V-B5-74	889	15	RM2148W	114	25	S16-20-2-18L	3134	222
QPF-QA2154V-BS	226	13	QPSU1860C-B5-74	1178	15	RM2148Z	101	25	S16-20-2-18R	3134	222

ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
S16-20-3-18	4348	222	S4-63-1830S	1528	18	S4-63-2160Z	598	18	S4-74-1842S	1817	18
S16-20-3-18L	4131	222	S4-63-1830V	462	18	S4-63-2172C	733	18	S4-74-1842V	551	18
S16-20-3-18R	4131	222	S4-63-1830VG	462	18	S4-63-2172E	884	18	S4-74-1842VG	551	18
S16-20-3-24	4535	222	S4-63-1830Z	418	18	S4-63-2172S	2863	18	S4-74-1842Z	481	18
S16-20-3-24L	4309	222	S4-63-1836C	438	18	S4-63-2172V	796	18	S4-74-1848C	511	18
S16-20-3-24R	4309	222	S4-63-1836E	531	18	S4-63-2172VG	796	18	S4-74-1848E	624	18
S16-28-3-18	5503	222	S4-63-1836S	1537	18	S4-63-2172Z	698	18	S4-74-1848S	1817	18
S1848-WGRT	629	128	S4-63-1836V	477	18	S4-63-2424C	492	18	S4-74-1848V	551	18
S1860-WGRT	722	128	S4-63-1836VG	477	18	S4-63-2424E	594	18	S4-74-1848VG	551	18
S1872-WGRT	843	128	S4-63-1836Z	427	18	S4-63-2424S	1803	18	S4-74-1848Z	481	18
S2-3B-SSW1824C	219	94	S4-63-1842C	501	18	S4-63-2424V	511	18	S4-74-1860C	580	18
S2-3B-SSW1830C	252	94	S4-63-1842E	609	18	S4-63-2424VG	511	18	S4-74-1860E	713	18
S2-3B-SSW1836C	272	94	S4-63-1842S	1773	18	S4-63-2424Z	462	18	S4-74-1860S	2211	18
S2-3B-SSW1842C	308	94	S4-63-1842V	540	18	S4-63-2430C	505	18	S4-74-1860V	644	18
S2-3B-SSW1848C	324	94	S4-63-1842VG	540	18	S4-63-2430E	605	18	S4-74-1860VG	644	18
S2-3B-SSW1860C	391	94	S4-63-1842Z	477	18	S4-63-2430S	1813	18	S4-74-1860Z	540	18
S2448-CGRN	3137	126	S4-63-1848C	501	18	S4-63-2430V	535	18	S4-74-1872C	664	18
S2448-CGRR	2719	126	S4-63-1848E	609	18	S4-63-2430VG	535	18	S4-74-1872E	800	18
S2448-DGRN	4693	126	S4-63-1848S	1773	18	S4-63-2430Z	472	18	S4-74-1872S	2554	18
S2448-DGRR	4255	126	S4-63-1848V	540	18	S4-63-2436C	517	18	S4-74-1872V	717	18
S2448-GRT	1131	127	S4-63-1848VG	540	18	S4-63-2436E	614	18	S4-74-1872VG	717	18
S2448-SGRN	3137	126	S4-63-1848Z	477	18	S4-63-2436S	1832	18	S4-74-1872Z	653	18
S2448-SGRR	2719	126	S4-63-1860C	569	18	S4-63-2436V	546	18	S4-74-2124C	481	18
S2460-CGRN	3207	126	S4-63-1860E	698	18	S4-63-2436VG	546	18	S4-74-2124E	565	18
S2460-CGRR	2774	126	S4-63-1860S	2166	18	S4-63-2436Z	486	18	S4-74-2124S	1739	18
S2460-DGRN	4883	126	S4-63-1860V	634	18	S4-63-2442C	594	18	S4-74-2124V	492	18
S2460-DGRR	4512	126	S4-63-1860VG	634	18	S4-63-2442E	722	18	S4-74-2124VG	492	18
S2460-GRT	1235	127	S4-63-1860Z	535	18	S4-63-2442S	2151	18	S4-74-2124Z	442	18
S2460-SGRN	3207	126	S4-63-1872C	653	18	S4-63-2442V	634	18	S4-74-2130C	492	18
S2460-SGRR	2774	126	S4-63-1872E	786	18	S4-63-2442VG	634	18	S4-74-2130E	575	18
S2472-CGRN	3259	126	S4-63-1872S	2509	18	S4-63-2442Z	560	18	S4-74-2130S	1754	18
S2472-CGRR	2846	126	S4-63-1872V	707	18	S4-63-2448C	594	18	S4-74-2130V	517	18
S2472-DGRN	5097	126	S4-63-1872VG	707	18	S4-63-2448E	722	18	S4-74-2130VG	517	18
S2472-DGRR	4658	126	S4-63-1872Z	648	18	S4-63-2448S	2151	18	S4-74-2130Z	451	18
S2472-GRT	1367	127	S4-63-2124C	472	18	S4-63-2448V	634	18	S4-74-2136C	505	18
S2472-SGRN	3259	126	S4-63-2124E	551	18	S4-63-2448VG	634	18	S4-74-2136E	598	18
S2472-SGRR	2846	126	S4-63-2124S	1696	18	S4-63-2448Z	560	18	S4-74-2136S	1763	18
S2484-CGRN	3493	126	S4-63-2124V	481	18	S4-63-2460C	687	18	S4-74-2136V	525	18
S2484-CGRR	3057	126	S4-63-2124VG	481	18	S4-63-2460E	829	18	S4-74-2136VG	525	18
S2484-DGRN	5321	126	S4-63-2124Z	438	18	S4-63-2460S	2554	18	S4-74-2136Z	466	18
S2484-DGRR	4885	126	S4-63-2130C	481	18	S4-63-2460V	745	18	S4-74-2142C	565	18
S2484-SGRN	3494	126	S4-63-2130E	560	18	S4-63-2460VG	745	18	S4-74-2142E	673	18
S2484-SGRR	3057	126	S4-63-2130S	1709	18	S4-63-2460Z	658	18	S4-74-2142S	1979	18
S3-3B-SSW1824C	294	94	S4-63-2130V	505	18	S4-63-2472C	792	18	S4-74-2142V	594	18
S3-3B-SSW1830C	340	94	S4-63-2130VG	505	18	S4-63-2472E	947	18	S4-74-2142VG	594	18
S3-3B-SSW1836C	372	94	S4-63-2130Z	446	18	S4-63-2472S	3103	18	S4-74-2142Z	517	18
S3-3B-SSW1842C	428	94	S4-63-2136C	497	18	S4-63-2472V	849	18	S4-74-2148C	565	18
S3-3B-SSW1848C	449	94	S4-63-2136E	585	18	S4-63-2472VG	849	18	S4-74-2148E	673	18
S3-3B-SSW1860C	551	94	S4-63-2136S	1719	18	S4-63-2472Z	733	18	S4-74-2148S	1979	18
S3-5B-SSW1824C	319	94	S4-63-2136V	517	18	S4-74-1824C	433	18	S4-74-2148V	594	18
S3-5B-SSW1830C	365	94	S4-63-2136VG	517	18	S4-74-1824E	517	18	S4-74-2148VG	594	18
S3-5B-SSW1836C	398	94	S4-63-2136Z	462	18	S4-74-1824S	1553	18	S4-74-2148Z	517	18
S3-5B-SSW1842C	454	94	S4-63-2142C	555	18	S4-74-1824V	446	18	S4-74-2160C	644	18
S3-5B-SSW1848C	477	94	S4-63-2142E	658	18	S4-74-1824VG	446	18	S4-74-2160E	761	18
S3-5B-SSW1860C	576	94	S4-63-2142S	1936	18	S4-74-1824Z	413	18	S4-74-2160S	2514	18
S4-5B-SSW1824C	392	94	S4-63-2142V	585	18	S4-74-1830C	438	18	S4-74-2160V	687	18
S4-5B-SSW1830C	459	94	S4-63-2142VG	585	18	S4-74-1830E	531	18	S4-74-2160VG	687	18
S4-5B-SSW1836C	498	94	S4-63-2142Z	511	18	S4-74-1830S	1572	18	S4-74-2160Z	605	18
S4-5B-SSW1842C	575	94	S4-63-2148C	555	18	S4-74-1830V	472	18	S4-74-2172C	741	18
S4-5B-SSW1848C	604	94	S4-63-2148E	658	18	S4-74-1830VG	472	18	S4-74-2172E	900	18
S4-5B-SSW1860C	737	94	S4-63-2148S	1936	18	S4-74-1830Z	422	18	S4-74-2172S	2907	18
S4-63-1824C	422	18	S4-63-2148V	585	18	S4-74-1836C	446	18	S4-74-2172V	805	18
S4-63-1824E	501	18	S4-63-2148VG	585	18	S4-74-1836E	546	18	S4-74-2172VG	805	18
S4-63-1824S	1508	18	S4-63-2148Z	511	18	S4-74-1836S	1582	18	S4-74-2172Z	702	18
S4-63-1824V	438	18	S4-63-2160C	634	18	S4-74-1836V	486	18	S4-74-2424C	501	18
S4-63-1824VG	438	18	S4-63-2160E	745	18	S4-74-1836VG	486	18	S4-74-2424E	609	18
S4-63-1824Z	407	18	S4-63-2160S	2471	18	S4-74-1836Z	433	18	S4-74-2424S	1847	18
S4-63-1830C	427	18	S4-63-2160V	678	18	S4-74-1842C	511	18	S4-74-2424V	521	18
S4-63-1830E	517	18	S4-63-2160VG	678	18	S4-74-1842E	624	18	S4-74-2424VG	521	18

ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
S4-74-2424Z	.466	18	S5-74-1848S	.2178	20	S5-74-2430Z	.566	20	S5-86-1872S	.3148	20
S4-74-2430C	.517	18	S5-74-1848V	.654	20	S5-74-2436C	.625	20	S5-86-1872V	.892	20
S4-74-2430E	.619	18	S5-74-1848VG	.654	20	S5-74-2436E	.746	20	S5-86-1872VG	.892	20
S4-74-2430S	.1857	18	S5-74-1848Z	.572	20	S5-74-2436S	.2252	20	S5-86-1872Z	.813	20
S4-74-2430V	.546	18	S5-74-1860C	.694	20	S5-74-2436V	.660	20	S5-86-2124C	.598	20
S4-74-2430VG	.546	18	S5-74-1860E	.852	20	S5-74-2436VG	.660	20	S5-86-2124E	.694	20
S4-74-2430Z	.477	18	S5-74-1860S	.2671	20	S5-74-2436Z	.585	20	S5-86-2124S	.2128	20
S4-74-2436C	.525	18	S5-74-1860V	.772	20	S5-74-2442C	.723	20	S5-86-2124V	.611	20
S4-74-2436E	.628	18	S5-74-1860VG	.772	20	S5-74-2442E	.883	20	S5-86-2124VG	.611	20
S4-74-2436S	.1877	18	S5-74-1860Z	.646	20	S5-74-2442S	.2652	20	S5-86-2124Z	.548	20
S4-74-2436V	.555	18	S5-74-1872C	.797	20	S5-74-2442V	.772	20	S5-86-2130C	.612	20
S4-74-2436VG	.555	18	S5-74-1872E	.963	20	S5-74-2442VG	.772	20	S5-86-2130E	.704	20
S4-74-2436Z	.492	18	S5-74-1872S	.3099	20	S5-74-2442Z	.677	20	S5-86-2130S	.2147	20
S4-74-2442C	.605	18	S5-74-1872V	.863	20	S5-74-2448C	.723	20	S5-86-2130V	.641	20
S4-74-2442E	.737	18	S5-74-1872VG	.863	20	S5-74-2448E	.883	20	S5-86-2130VG	.641	20
S4-74-2442S	.2196	18	S5-74-1872Z	.787	20	S5-74-2448S	.2652	20	S5-86-2130Z	.560	20
S4-74-2442V	.644	18	S5-74-2124C	.569	20	S5-74-2448V	.772	20	S5-86-2136C	.629	20
S4-74-2442VG	.644	18	S5-74-2124E	.668	20	S5-74-2448VG	.772	20	S5-86-2136E	.736	20
S4-74-2442Z	.565	18	S5-74-2124S	.2081	20	S5-74-2448Z	.677	20	S5-86-2136S	.2160	20
S4-74-2448C	.605	18	S5-74-2124V	.581	20	S5-74-2460C	.841	20	S5-86-2136V	.653	20
S4-74-2448E	.737	18	S5-74-2124VG	.581	20	S5-74-2460E	.1018	20	S5-86-2136VG	.653	20
S4-74-2448S	.2196	18	S5-74-2124Z	.523	20	S5-74-2460S	.3155	20	S5-86-2136Z	.578	20
S4-74-2448V	.644	18	S5-74-2130C	.583	20	S5-74-2460V	.912	20	S5-86-2142C	.703	20
S4-74-2448VG	.644	18	S5-74-2130E	.680	20	S5-74-2460VG	.912	20	S5-86-2142E	.827	20
S4-74-2448Z	.565	18	S5-74-2130S	.2099	20	S5-74-2460Z	.799	20	S5-86-2142S	.2429	20
S4-74-2460C	.698	18	S5-74-2130V	.612	20	S5-74-2472C	.968	20	S5-86-2142V	.739	20
S4-74-2460E	.845	18	S5-74-2130VG	.612	20	S5-74-2472E	.1165	20	S5-86-2142VG	.739	20
S4-74-2460S	.2598	18	S5-74-2130Z	.535	20	S5-74-2472S	.3841	20	S5-86-2142Z	.640	20
S4-74-2460V	.757	18	S5-74-2136C	.599	20	S5-74-2472V	.1040	20	S5-86-2148C	.703	20
S4-74-2460VG	.757	18	S5-74-2136E	.711	20	S5-74-2472VG	.1040	20	S5-86-2148E	.827	20
S4-74-2460Z	.664	18	S5-74-2136S	.2111	20	S5-74-2472Z	.891	20	S5-86-2148S	.2429	20
S4-74-2472C	.800	18	S5-74-2136V	.624	20	S5-86-1824C	.538	20	S5-86-2148V	.739	20
S4-74-2472E	.963	18	S5-74-2136VG	.624	20	S5-86-1824E	.631	20	S5-86-2148VG	.739	20
S4-74-2472S	.3148	18	S5-74-2136Z	.554	20	S5-86-1824S	.1896	20	S5-86-2148Z	.640	20
S4-74-2472V	.860	18	S5-74-2142C	.675	20	S5-86-1824V	.555	20	S5-86-2160C	.801	20
S4-74-2472VG	.860	18	S5-74-2142E	.802	20	S5-86-1824VG	.555	20	S5-86-2160E	.939	20
S4-74-2472Z	.737	18	S5-74-2142S	.2381	20	S5-86-1824Z	.511	20	S5-86-2160S	.3099	20
S5-5B-SSW1824C	.464	94	S5-74-2142V	.709	20	S5-86-1830C	.543	20	S5-86-2160V	.856	20
S5-5B-SSW1830C	.549	94	S5-74-2142VG	.709	20	S5-86-1830E	.649	20	S5-86-2160VG	.856	20
S5-5B-SSW1836C	.598	94	S5-74-2142Z	.615	20	S5-86-1830S	.1920	20	S5-86-2160Z	.751	20
S5-5B-SSW1842C	.695	94	S5-74-2148C	.675	20	S5-86-1830V	.586	20	S5-86-2172C	.924	20
S5-5B-SSW1848C	.732	94	S5-74-2148E	.802	20	S5-86-1830VG	.586	20	S5-86-2172E	.1111	20
S5-5B-SSW1860C	.898	94	S5-74-2148S	.2381	20	S5-86-1830Z	.523	20	S5-86-2172S	.3591	20
S5-74-1824C	.508	20	S5-74-2148V	.709	20	S5-86-1836C	.556	20	S5-86-2172V	.1003	20
S5-74-1824E	.607	20	S5-74-2148VG	.709	20	S5-86-1836E	.668	20	S5-86-2172VG	.1003	20
S5-74-1824S	.1847	20	S5-74-2148Z	.615	20	S5-86-1836S	.1934	20	S5-86-2172Z	.873	20
S5-74-1824V	.525	20	S5-74-2160C	.773	20	S5-86-1836V	.605	20	S5-86-2424C	.624	20
S5-74-1824VG	.525	20	S5-74-2160E	.913	20	S5-86-1836VG	.605	20	S5-86-2424E	.746	20
S5-74-1824Z	.486	20	S5-74-2160S	.3051	20	S5-86-1836Z	.535	20	S5-86-2424S	.2265	20
S5-74-1830C	.514	20	S5-74-2160V	.826	20	S5-86-1842C	.636	20	S5-86-2424V	.647	20
S5-74-1830E	.625	20	S5-74-2160VG	.826	20	S5-86-1842E	.765	20	S5-86-2424VG	.647	20
S5-74-1830S	.1872	20	S5-74-2160Z	.725	20	S5-86-1842S	.2228	20	S5-86-2424Z	.578	20
S5-74-1830V	.556	20	S5-74-2172C	.894	20	S5-86-1842V	.683	20	S5-86-2430C	.643	20
S5-74-1830VG	.556	20	S5-74-2172E	.1086	20	S5-86-1842VG	.683	20	S5-86-2430E	.760	20
S5-74-1830Z	.499	20	S5-74-2172S	.3541	20	S5-86-1842Z	.596	20	S5-86-2430S	.2276	20
S5-74-1836C	.527	20	S5-74-2172V	.974	20	S5-86-1848C	.636	20	S5-86-2430V	.678	20
S5-74-1836E	.644	20	S5-74-2172VG	.974	20	S5-86-1848E	.765	20	S5-86-2430VG	.678	20
S5-74-1836S	.1883	20	S5-74-2172Z	.848	20	S5-86-1848S	.2228	20	S5-86-2430Z	.591	20
S5-74-1836V	.575	20	S5-74-2424C	.594	20	S5-86-1848V	.683	20	S5-86-2436C	.654	20
S5-74-1836VG	.575	20	S5-74-2424E	.723	20	S5-86-1848VG	.683	20	S5-86-2436E	.773	20
S5-74-1836Z	.511	20	S5-74-2424S	.2215	20	S5-86-1848Z	.596	20	S5-86-2436S	.2301	20
S5-74-1842C	.607	20	S5-74-2424V	.617	20	S5-86-1860C	.722	20	S5-86-2436V	.689	20
S5-74-1842E	.741	20	S5-74-2424VG	.617	20	S5-86-1860E	.877	20	S5-86-2436VG	.689	20
S5-74-1842S	.2178	20	S5-74-2424Z	.554	20	S5-86-1860S	.2718	20	S5-86-2436Z	.609	20
S5-74-1842V	.654	20	S5-74-2430C	.613	20	S5-86-1860V	.800	20	S5-86-2442C	.754	20
S5-74-1842VG	.654	20	S5-74-2430E	.736	20	S5-86-1860VG	.800	20	S5-86-2442E	.907	20
S5-74-1842Z	.572	20	S5-74-2430S	.2228	20	S5-86-1860Z	.671	20	S5-86-2442S	.2700	20
S5-74-1848C	.607	20	S5-74-2430V	.648	20	S5-86-1872C	.826	20	S5-86-2442V	.800	20
S5-74-1848E	.741	20	S5-74-2430VG	.648	20	S5-86-1872E	.987	20	S5-86-2442VG	.800	20

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.

Phone: 302-653-3000. Fax: 302-653-2065

<http://www.eaglehmc.com>



ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
S5-86-2442Z	701	20	SC3036S	5132	42	SDFT-18	1860	58	SECM2130FZ	509	41
S5-86-2448C	754	20	SC3048	2320	42	SDFT-19	1954	58	SECM2130S	1539	41
S5-86-2448E	907	20	SC3048E	2896	42	SDFT-20	2052	58	SECM2130VG	589	41
S5-86-2448S	2700	20	SC3048S	6253	42	SDFT-21	2146	58	SECM2130Z	437	41
S5-86-2448V	800	20	SC3060	2504	42	SDFT-22	2199	58	SECM2136C	576	41
S5-86-2448VG	800	20	SC3060E	3114	42	SDFT-23	2232	58	SECM2136E	607	41
S5-86-2448Z	701	20	SC3060S	6472	42	SDFT-24	2322	58	SECM2136FC	614	41
S5-86-2460C	869	20	SCH1836C	117	155	SDFT-25	2414	58	SECM2136FE	647	41
S5-86-2460E	1041	20	SCH1836C-4	1144	155	SDFT-26	2504	58	SECM2136FS	1820	41
S5-86-2460S	3203	20	SCH1836C-5	1368	155	SDFT-27	2594	58	SECM2136FVG	639	41
S5-86-2460V	942	20	SCH1848C	131	155	SDFT-28	2685	58	SECM2136FZ	519	41
S5-86-2460VG	942	20	SCH1848C-4	1148	155	SDFT-29	2776	58	SECM2136S	1572	41
S5-86-2460Z	824	20	SCH1848C-5	1443	155	SDFT-30	2868	58	SECM2136VG	600	41
S5-86-2472C	998	20	SC00P10-VG	77	91	SDFT-6	714	58	SECM2136Z	445	41
S5-86-2472E	1188	20	SD14-4S	65	131	SDFT-7	808	58	SECM2148C	614	41
S5-86-2472S	3892	20	SD14-BL	29	62	SDFT-8	904	58	SECM2148E	647	41
S5-86-2472V	1071	20	SD14-C	28	49	SDFT-9	1001	58	SECM2148FC	648	41
S5-86-2472VG	1071	20	SD14-E	31	49	SDSK-18	702	58	SECM2148FE	682	41
S5-86-2472Z	917	20	SD14-R	29	62	SDSK-21	728	58	SECM2148FS	1918	41
SB-1	367	209	SD14-S	81	49	SDSK-24	758	58	SECM2148FVG	676	41
SB48	77	157	SD14-V	29	49	SDSK-30	846	58	SECM2148FZ	551	41
SB60	88	157	SD14-VG	29	49	SDSK-36	1120	58	SECM2148S	1692	41
SBPR-108-A	658	95,216	SD14-W	29	62	SDSKATB-S	245	59	SECM2148VG	639	41
SBPR-108-S	855	95,216	SD18-BL	34	62	SECM1830C	561	41	SECM2148Z	477	41
SBPR-120-A	677	95,216	SD18-C	33	49	SECM1830E	591	41	SECM2160C	686	41
SBPR-120-S	897	95,216	SD18-E	35	49	SECM1830FC	598	41	SECM2160E	722	41
SBPR-24-A	198	95,216	SD18-R	34	62	SECM1830FE	634	41	SECM2160FC	698	41
SBPR-24-S	267	95,216	SD18-S	92	49	SECM1830FS	1771	41	SECM2160FE	736	41
SBPR-36-A	301	95,216	SD18-V	34	49	SECM1830FVG	623	41	SECM2160FS	1938	41
SBPR-36-S	378	95,216	SD18-VG	34	49	SECM1830FZ	504	41	SECM2160FVG	727	41
SBPR-48-A	320	95,216	SD18-W	34	62	SECM1830S	1516	41	SECM2160FZ	557	41
SBPR-48-S	424	95,216	SD21-BL	36	62	SECM1830VG	584	41	SECM2160S	1709	41
SBPR-60-A	344	95,216	SD21-C	35	49	SECM1830Z	428	41	SECM2160VG	715	41
SBPR-60-S	469	95,216	SD21-E	39	49	SECM1836C	567	41	SECM2160Z	483	41
SBPR-72-A	475	95,216	SD21-R	36	62	SECM1836E	597	41	SECM2430C	575	41
SBPR-72-S	613	95,216	SD21-S	105	49	SECM1836FC	607	41	SECM2430E	606	41
SBPR-84-A	493	95,216	SD21-V	36	49	SECM1836FE	639	41	SECM2430FC	612	41
SBPR-84-S	654	95,216	SD21-VG	36	49	SECM1836FS	1796	41	SECM2430FE	644	41
SBPR-96-A	615	95,216	SD21-W	36	62	SECM1836FVG	633	41	SECM2430FS	1813	41
SBPR-96-S	791	95,216	SD24-BL	44	62	SECM1836FZ	511	41	SECM2430FVG	637	41
SC1430	1251	42	SD24-C	40	49,154	SECM1836S	1544	41	SECM2430FZ	517	41
SC1430E	1256	42	SD24-E	48	49	SECM1836VG	591	41	SECM2430S	1564	41
SC1430S	2965	42	SD24-R	44	62	SECM1836Z	438	41	SECM2430VG	599	41
SC1436	1389	42	SD24-S	113	49	SECM1848C	603	41	SECM2430Z	443	41
SC1436E	1395	42	SD24-V	44	49	SECM1848E	635	41	SECM2436C	614	41
SC1436S	3292	42	SD24-VG	44	49	SECM1848FC	636	41	SECM2436E	647	41
SC1448	1728	42	SD24-W	44	62	SECM1848FE	669	41	SECM2436FC	644	41
SC1448E	1749	42	SD30-BL	49	62	SECM1848FS	1885	41	SECM2436FE	679	41
SC1448S	4008	42	SD30-C	48	49	SECM1848FVG	662	41	SECM2436FS	1859	41
SC1460	1915	42	SD30-R	49	62	SECM1848FZ	533	41	SECM2436FVG	672	41
SC1460E	1895	42	SD30-S	138	49	SECM1848S	1651	41	SECM2436FZ	527	41
SC1460S	4178	42	SD30-V	49	49	SECM1848VG	628	41	SECM2436S	1620	41
SC2430	1334	42	SD30-VG	49	49	SECM1848Z	465	41	SECM2436VG	639	41
SC2430E	1629	42	SD30-W	49	62	SECM1860C	678	41	SECM2436Z	459	41
SC2430S	3697	42	SD36-BL	59	62	SECM1860E	713	41	SECM2448C	697	41
SC2436	1481	42	SD36-C	56	49	SECM1860FC	636	41	SECM2448E	735	41
SC2436E	1813	42	SD36-R	59	62	SECM1860FE	723	41	SECM2448FC	708	41
SC2436S	4105	42	SD36-S	166	49	SECM1860FS	1896	41	SECM2448FE	743	41
SC2448	1847	42	SD36-V	59	49	SECM1860FVG	662	41	SECM2448FS	1951	41
SC2448E	2252	42	SD36-VG	59	49	SECM1860FZ	538	41	SECM2448FVG	738	41
SC2448S	5001	42	SD36-W	59	62	SECM1860S	1661	41	SECM2448FZ	552	41
SC2460	2002	42	SDFT-10	1095	58	SECM1860VG	706	41	SECM2448S	1729	41
SC2460E	2444	42	SDFT-11	1187	58	SECM1860Z	468	41	SECM2448VG	726	41
SC2460S	5178	42	SDFT-12	1285	58	SECM2130C	566	41	SECM2448Z	487	41
SC3030	1678	42	SDFT-13	1382	58	SECM2130E	596	41	SECM2460C	781	41
SC3030E	1994	42	SDFT-14	1477	58	SECM2130FC	607	41	SECM2460E	820	41
SC3030S	4618	42	SDFT-15	1572	58	SECM2130FE	639	41	SECM2460FC	771	41
SC3036	1862	42	SDFT-16	1669	58	SECM2130FS	1793	41	SECM2460FE	813	41
SC3036E	2214	42	SDFT-17	1765	58	SECM2130FVG	633	41	SECM2460FS	2042	41

ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
SECM2460FVG	.803	41	SHDS1836SF	.535	63	SHDS2448VGL	.333	65	SL48-1C	.42	50
SECM2460FZ	.578	41	SHDS1836SL	.584	65	SHDS2448VL	.333	65	SL48-1S	100	50
SECM2460S	.1843	41	SHDS1836VE	.283	64	SHDS2454SE	.909	64	SL48-4C	.52	50
SECM2460VG	.814	41	SHDS1836VF	.273	63	SHDS2454SF	.923	63	SL48-4S	143	50
SECM2460Z	.518	41	SHDS1836VGE	.283	64	SHDS2454SL	.909	65	SL54-1C	.45	50
SEP2424T-C	.2337	134	SHDS1836VGL	.273	63	SHDS2454VE	.354	64	SL54-1S	112	50
SEP2424T-H	.2337	134	SHDS1836VGL	.287	65	SHDS2454VF	.351	63	SL54-4C	.54	50
SEP2424T-US	.2922	134	SHDS1836VL	.287	65	SHDS2454VGE	.354	64	SL54-4S	163	50
SEP2436T-C	.2598	134	SHDS1842SE	.647	64	SHDS2454VGF	.351	63	SL60-1C	.47	50
SEP2436T-H	.2598	134	SHDS1842SF	.594	63	SHDS2454VGL	.361	65	SL60-1S	117	50
SEP2436T-US	.3248	134	SHDS1842SL	.647	65	SHDS2454VL	.361	65	SL60-4C	.55	50
SEP2448T-C	.3253	134	SHDS1842VE	.296	64	SHDS2460SE	1008	64	SL60-4S	172	50
SEP2448T-H	.3253	134	SHDS1842VF	.291	63	SHDS2460SF	.989	63	SL72-1C	.52	50
SEP2448T-US	.4066	134	SHDS1842VGE	.296	64	SHDS2460SL	1008	65	SL72-1S	129	50
SEP2460T-C	.3497	134	SHDS1842VGL	.291	63	SHDS2460VE	.371	64	SL72-4C	.63	50
SEP2460T-H	.3497	134	SHDS1842VGL	.298	65	SHDS2460VF	.361	63	SL72-4S	177	50
SEP2460T-US	.4372	134	SHDS1842VL	.298	65	SHDS2460VGE	.371	64	SLS1836C	.99	52
SEP2472T-C	.4327	134	SHDS1848SE	.703	64	SHDS2460VGF	.361	63	SM3636Z-3	764	169
SEP2472T-H	.4327	134	SHDS1848SF	.647	63	SHDS2460VGL	.374	65	SM3648Z-3	858	169
SEP2472T-US	.5411	134	SHDS1848SL	.703	65	SHDS2460VL	.374	65	SM3660Z-3	1058	169
SEP2484T-C	.4956	134	SHDS1848VE	.301	64	SHS2424-1D	5556	160	SNSW1224C	140	93
SEP2484T-H	.4956	134	SHDS1848VF	.298	63	SHS2424-1W-ADA	5021	160	SNSW1224E	162	93
SEP2484T-US	.6196	134	SHDS1848VGE	.301	64	SKATB-S	.82	58.59	SNSW1224V	146	93
SEP3036T-C	.2928	134	SHDS1848VGF	.298	63	SL14-1C	.21	50	SNSW1224VG	146	93
SEP3036T-H	.2928	134	SHDS1848VGL	.311	65	SL14-1S	.44	50	SNSW1236C	183	93
SEP3036T-US	.3662	134	SHDS1848VL	.311	65	SL14-4C	.28	50	SNSW1236E	209	93
SEP3048T-C	.3399	134	SHDS1854SE	.756	64	SL14-4S	.54	50	SNSW1236V	193	93
SEP3048T-H	.3399	134	SHDS1854SF	.704	63	SL18-1C	.23	50	SNSW1236VG	193	93
SEP3048T-US	.4249	134	SHDS1854SL	.756	65	SL18-1S	.47	50	SNSW1248C	228	93
SEP3060T-C	.3812	134	SHDS1854VE	.327	64	SL18-4C	.29	50	SNSW1248E	255	93
SEP3060T-H	.3812	134	SHDS1854VF	.319	63	SL18-4S	.56	50	SNSW1248V	239	93
SEP3060T-US	.4764	134	SHDS1854VGE	.327	64	SL21-1C	.24	50	SNSW1248VG	239	93
SEP3072T-C	.4404	134	SHDS1854VGF	.319	63	SL21-1S	.51	50	SNSW1260C	247	93
SEP3072T-H	.4404	134	SHDS1854VGL	.315	65	SL21-4C	.31	50	SNSW1260E	279	93
SEP3072T-US	.5505	134	SHDS1854VL	.315	65	SL21-4S	.62	50	SNSW1260V	260	93
SEP3084T-C	.5106	134	SHDS1860SE	.806	64	SL2136C	131	49	SNSW1260VG	260	93
SEP3084T-H	.5106	134	SHDS1860SF	.760	63	SL2136E	154	49	SNSW1272C	317	93
SEP3084T-US	.6382	134	SHDS1860SL	.806	65	SL2136Z	119	49	SNSW1272E	351	93
SEP3636T-C	.3036	134	SHDS1860VE	.339	64	SL2148C	171	49	SNSW1272V	335	93
SEP3636T-H	.3036	134	SHDS1860VF	.335	63	SL2148E	205	49	SNSW1272VG	335	93
SEP3636T-US	.3796	134	SHDS1860VGE	.339	64	SL2148Z	154	49	SP1224S	125	26
SEP3648T-C	.3578	134	SHDS1860VGF	.335	63	SL2160C	183	49	SP1224V	.80	26
SEP3648T-H	.3578	134	SHDS1860VGL	.344	65	SL2160E	239	49	SP1224Z	.74	26
SEP3648T-US	.4472	134	SHDS1860VL	.344	65	SL2160Z	167	49	SP1236S	175	26
SEP3660T-C	.4125	134	SHDS2436SE	.728	64	SL24-1C	.28	50	SP1236V	.88	26
SEP3660T-H	.4125	134	SHDS2436SF	.695	63	SL24-1S	.57	50	SP1236Z	.82	26
SEP3660T-US	.5157	134	SHDS2436SL	.728	65	SL24-4C	.33	50	SP1242S	194	26
SEP3672T-C	.4551	134	SHDS2436VE	.300	64	SL24-4S	.75	50	SP1242V	104	26
SEP3672T-H	.4551	134	SHDS2436VF	.296	63	SL2436C	165	49	SP1242Z	.85	26
SEP3672T-US	.5691	134	SHDS2436VGE	.300	64	SL2436E	197	49	SP1248S	198	26
SFN2832-2-14/3	.6215	250	SHDS2436VGL	.296	63	SL2436Z	147	49	SP1248V	108	26
SFN2832-2-18-14/3	.7657	250	SHDS2436VGL	.303	65	SL2448C	189	49	SP1248Z	105	26
SFN2832-2-18L-14/3	.6994	250	SHDS2436VL	.303	65	SL2448E	232	49	SP1530S	136	26
SFN2832-2-18R-14/3	.6994	250	SHDS2442SE	.746	64	SL2448Z	172	49	SP1530V	.83	26
SFN3052-3-14/3	.7965	250	SHDS2442SF	.761	63	SL2460C	202	49	SP1530Z	.80	26
SFN3052-3-18-14/3	.8842	250	SHDS2442SL	.746	65	SL2460E	245	49	SP1536S	183	26
SFN3052-3-18L-14/3	.8622	250	SHDS2442VE	.316	64	SL2460Z	186	49	SP1536V	.94	26
SFN3052-3-18R-14/3	.8622	250	SHDS2442VF	.312	63	SL30-1C	.34	50	SP1536Z	.88	26
SFN3242-3-14/3	.8300	250	SHDS2442VGE	.316	64	SL30-1S	.68	50	SP1542S	200	26
SFN3242-3-18-14/3	.8864	250	SHDS2442VGL	.312	63	SL30-4C	.38	50	SP1542V	108	26
SFN3242-3-18L-14/3	.8557	250	SHDS2442VGL	.318	65	SL30-4S	.85	50	SP1542Z	104	26
SFN3242-3-18R-14/3	.8557	250	SHDS2442VL	.318	65	SL36-1C	.36	50	SP1548S	205	26
SFP10-1	.206	17	SHDS2448SE	.812	64	SL36-1S	.80	50	SP1548V	114	26
SFP10-2	.342	17	SHDS2448SF	.855	63	SL36-4C	.42	50	SP1548Z	108	26
SFP10-4	.324	17	SHDS2448SL	.812	65	SL36-4S	101	50	SP1630S	137	26
SFS14C	.156	155	SHDS2448VE	.327	64	SL42-1C	.38	50	SP1630V	.88	26
SFS16S	.424	155	SHDS2448VF	.320	63	SL42-1S	.87	50	SP1630Z	.84	26
SH	.4	91	SHDS2448VGE	.327	64	SL42-4C	.45	50	SP1636S	159	26
SHDS1836SE	.584	64	SHDS2448VGL	.320	63	SL42-4S	115	50	SP1636V	.98	26

ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
SP1636Z	94	26	SP3642V	178	26	SPD2148-V	214	26	SPL1630V	88	27
SP1642S	185	26	SP3642Z	172	26	SPD2148-Z	203	26	SPL1630Z	84	27
SP1642V	112	26	SP3648S	508	26	SPD2430-S	289	26	SPL1636S	159	27
SP1642Z	106	26	SP3648V	191	26	SPD2430-V	167	26	SPL1636V	98	27
SP1648S	209	26	SP3648Z	178	26	SPD2430-Z	158	26	SPL1636Z	94	27
SP1648V	117	26	SP74-CS	38	43	SPD2436-S	338	26	SPL1642S	185	27
SP1648Z	114	26	SP74-ES	45	43	SPD2436-V	204	26	SPL1642V	112	27
SP1826-18	38	170	SP74-SS	98	43	SPD2436-Z	196	26	SPL1642Z	106	27
SP1830S	151	26	SP86-CS	47	43	SPD2442-S	395	26	SPL1648S	209	27
SP1830V	91	26	SP86-ES	51	43	SPD2442-V	212	26	SPL1648V	117	27
SP1830Z	85	26	SP86-SS	113	43	SPD2442-Z	201	26	SPL1648Z	114	27
SP1836S	177	26	SPD1224-S	169	26	SPD2448-S	438	26	SPL1830S	151	27
SP1836V	101	26	SPD1224-V	105	26	SPD2448-V	220	26	SPL1830V	91	27
SP1836Z	95	26	SPD1224-Z	98	26	SPD2448-Z	211	26	SPL1830Z	85	27
SP1842S	205	26	SPD1236-S	236	26	SPD3030-S	341	26	SPL1836S	177	27
SP1842V	112	26	SPD1236-V	117	26	SPD3030-V	180	26	SPL1836V	101	27
SP1842Z	106	26	SPD1236-Z	106	26	SPD3030-Z	173	26	SPL1836Z	95	27
SP1848S	233	26	SPD1242-S	256	26	SPD3036-S	396	26	SPL1842S	205	27
SP1848V	117	26	SPD1242-V	138	26	SPD3036-V	217	26	SPL1842V	112	27
SP1848Z	114	26	SPD1242-Z	115	26	SPD3036-Z	209	26	SPL1842Z	106	27
SP2130S	167	26	SPD1248-S	261	26	SPD3042-S	461	26	SPL1848S	233	27
SP2130V	98	26	SPD1248-V	145	26	SPD3042-V	229	26	SPL1848V	117	27
SP2130Z	94	26	SPD1248-Z	140	26	SPD3042-Z	216	26	SPL1848Z	114	27
SP2136S	198	26	SPD1530-S	178	26	SPD3048-S	514	26	SPL2130S	167	27
SP2136V	108	26	SPD1530-V	145	26	SPD3048-V	238	26	SPL2130V	98	27
SP2136Z	104	26	SPD1530-Z	138	26	SPD3048-Z	224	26	SPL2130Z	94	27
SP2142S	224	26	SPD1536-S	245	26	SPD3236-S	400	26	SPL2136S	198	27
SP2142V	116	26	SPD1536-V	182	26	SPD3236-V	259	26	SPL2136V	108	27
SP2142Z	112	26	SPD1536-Z	174	26	SPD3236-Z	245	26	SPL2136Z	104	27
SP2148S	254	26	SPD1542-S	266	26	SPD3242-S	400	26	SPL2142S	224	27
SP2148V	125	26	SPD1542-V	195	26	SPD3242-V	268	26	SPL2142V	116	27
SP2148Z	119	26	SPD1542-Z	182	26	SPD3242-Z	256	26	SPL2142Z	112	27
SP2430S	216	26	SPD1548-S	275	26	SPD3248-S	520	26	SPL2148S	254	27
SP2430V	112	26	SPD1548-V	201	26	SPD3248-V	277	26	SPL2148V	125	27
SP2430Z	106	26	SPD1548-Z	194	26	SPD3248-Z	263	26	SPL2148Z	119	27
SP2436S	254	26	SPD1630-S	180	26	SPD3636-S	519	26	SPL2430S	216	27
SP2436V	114	26	SPD1630-V	151	26	SPD3636-V	266	26	SPL2430V	112	27
SP2436Z	108	26	SPD1630-Z	143	26	SPD3636-Z	254	26	SPL2430Z	106	27
SP2442S	294	26	SPD1636-S	214	26	SPD3642-S	595	26	SPL2436S	254	27
SP2442V	138	26	SPD1636-V	185	26	SPD3642-V	277	26	SPL2436V	114	27
SP2442Z	133	26	SPD1636-Z	178	26	SPD3642-Z	263	26	SPL2436Z	108	27
SP2448S	326	26	SPD1642-S	251	26	SPD3648-S	675	26	SPL2442S	294	27
SP2448V	143	26	SPD1642-V	198	26	SPD3648-V	285	26	SPL2442V	138	27
SP2448Z	137	26	SPD1642-Z	184	26	SPD3648-Z	272	26	SPL2442Z	133	27
SP3030S	256	26	SPD1648-S	279	26	SPL1224S	125	27	SPL2448S	326	27
SP3030V	136	26	SPD1648-V	205	26	SPL1224V	80	27	SPL2448V	143	27
SP3030Z	125	26	SPD1648-Z	198	26	SPL1224Z	74	27	SPL2448Z	137	27
SP3036S	295	26	SPD1830-S	200	26	SPL1236S	175	27	SPL3030S	256	27
SP3036V	138	26	SPD1830-V	152	26	SPL1236V	88	27	SPL3030V	136	27
SP3036Z	133	26	SPD1830-Z	145	26	SPL1236Z	82	27	SPL3030Z	125	27
SP3042S	346	26	SPD1836-S	238	26	SPL1242S	194	27	SPL3036S	295	27
SP3042V	156	26	SPD1836-V	194	26	SPL1242V	104	27	SPL3036V	138	27
SP3042Z	151	26	SPD1836-Z	180	26	SPL1242Z	85	27	SPL3036Z	133	27
SP3048S	382	26	SPD1842-S	275	26	SPL1248S	198	27	SPL3042S	346	27
SP3048V	172	26	SPD1842-V	201	26	SPL1248V	108	27	SPL3042V	156	27
SP3048Z	162	26	SPD1842-Z	184	26	SPL1248Z	105	27	SPL3042Z	151	27
SP3236S	300	26	SPD1848-S	309	26	SPL1530S	136	27	SPL3048S	382	27
SP3236V	147	26	SPD1848-V	209	26	SPL1530V	83	27	SPL3048V	172	27
SP3236Z	141	26	SPD1848-Z	199	26	SPL1530Z	80	27	SPL3048Z	162	27
SP3242S	300	26	SPD2130-S	221	26	SPL1536S	183	27	SPL3236S	300	27
SP3242V	173	26	SPD2130-V	158	26	SPL1536V	94	27	SPL3236V	147	27
SP3242Z	163	26	SPD2130-Z	151	26	SPL1536Z	88	27	SPL3236Z	141	27
SP3248S	391	26	SPD2136-S	261	26	SPL1542S	200	27	SPL3242S	300	27
SP3248V	182	26	SPD2136-V	198	26	SPL1542V	108	27	SPL3242V	173	27
SP3248Z	174	26	SPD2136-Z	184	26	SPL1542Z	104	27	SPL3242Z	163	27
SP3636S	389	26	SPD2142-S	301	26	SPL1548S	205	27	SPL3248S	391	27
SP3636V	167	26	SPD2142-V	205	26	SPL1548V	114	27	SPL3248V	182	27
SP3636Z	156	26	SPD2142-Z	198	26	SPL1548Z	108	27	SPL3248Z	174	27
SP3642S	447	26	SPD2148-S	338	26	SPL1630S	137	27	SPL3636S	389	27

ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
SPL3636V	167	27	SR24-24-13.5-1-ND	1160	256	SS2136S	380	7	STR2430A	552	45
SPL3636Z	156	27	SR24-24-13.5-2	3034	254	SS2136V	226	7	STR2430B	843	45
SPL3642S	447	27	SR24-24-13.5-2-ND	1958	256	SS2136VG	226	7	STR2448A	660	45
SPL3642V	178	27	SRU14-10-5-1	1154	254	SS2142G	209	7	STR2448B	1022	45
SPL3642Z	172	27	SS1424G	176	7	SS2142S	477	7	SWC2448C	1405	157
SPL3648S	508	27	SS1424S	294	7	SS2142V	234	7	SWC2460C	1512	157
SPL3648V	191	27	SS1424V	193	7	SS2142VG	234	7	SWS1224-14/3	385	92
SPL3648Z	178	27	SS1424VG	193	7	SS2148G	216	7	SWS1224-16/3	363	92
SR10-14-5-1	612	254	SS1430G	180	7	SS2148S	477	7	SWS1224-16/4	302	92
SR10-14-5-1-ND	557	256	SS1430S	303	7	SS2148V	238	7	SWS1236-14/3	491	92
SR10-14-9.5-1	671	254	SS1430V	197	7	SS2148VG	238	7	SWS1236-16/3	460	92
SR10-14-9.5-1-ND	733	256	SS1430VG	197	7	SS2154G	233	7	SWS1236-16/4	327	92
SR10-14-9.5-2	1420	254	SS1436G	187	7	SS2154S	496	7	SWS1248-14/3	548	92
SR10-14-9.5-2-ND	1386	256	SS1436S	303	7	SS2154V	260	7	SWS1248-16/3	509	92
SR10-14-9.5-3	1899	255	SS1436V	204	7	SS2154VG	260	7	SWS1248-16/4	402	92
SR10-14-9.5-3-ND	1477	256	SS1436VG	204	7	SS2160G	233	7	SWS1260-14/3	593	92
SR12-14-9.5-1	902	254	SS1442G	193	7	SS2160S	585	7	SWS1260-16/3	556	92
SR12-14-9.5-1-ND	882	256	SS1442S	365	7	SS2160V	262	7	SWS1260-16/4	427	92
SR12-14-9.5-2	1562	254	SS1442V	212	7	SS2160VG	262	7	SWS1272-14/3	751	92
SR12-14-9.5-2-ND	1601	256	SS1442VG	212	7	SS2424G	188	7	SWS1272-16/3	685	92
SR12-14-9.5-3	2292	255	SS1448G	196	7	SS2424S	402	7	SWS1272-16/4	528	92
SR12-14-9.5-3-ND	2204	256	SS1448S	365	7	SS2424V	209	7	SWS1524-14/3	433	92
SR14	81	91	SS1448V	216	7	SS2424VG	209	7	SWS1524-14/304-VMAR	562	92
SR14-10-5-1	612	254	SS1448VG	216	7	SS2430G	196	7	SWS1524-14/316-VMAR	627	92
SR14-10-9.5-1	876	254	SS1454G	211	7	SS2430S	408	7	SWS1524-16/3	398	92
SR14-12-9.5-1	892	254	SS1454S	399	7	SS2430V	214	7	SWS1524-16/304-VMAR	552	92
SR14-16-9.5-1	1051	254	SS1454V	234	7	SS2430VG	214	7	SWS1524-16/4	327	92
SR14-16-9.5-1-ND	1003	256	SS1454VG	234	7	SS2436G	207	7	SWS1524-16/430-VMAR	491	92
SR14-16-9.5-2	1665	254	SS1460G	212	7	SS2436S	408	7	SWS1536-14/3	535	92
SR14-16-9.5-2-ND	1713	256	SS1460S	438	7	SS2436V	228	7	SWS1536-14/304-VMAR	588	92
SR14-16-9.5-3	2339	255	SS1460V	241	7	SS2436VG	228	7	SWS1536-14/316-VMAR	725	92
SR14-16-9.5-3-ND	2364	256	SS1460VG	241	7	SS2442G	214	7	SWS1536-16/3	475	92
SR1436C	1466	143	SS1824G	174	7	SS2442S	499	7	SWS1536-16/304-VMAR	614	92
SR1436S	5063	143	SS1824S	333	7	SS2442V	240	7	SWS1536-16/4	337	92
SR1448C	1667	143	SS1824V	197	7	SS2442VG	240	7	SWS1536-16/430-VMAR	533	92
SR1448S	4484	143	SS1824VG	197	7	SS2448G	222	7	SWS1548-14/3	651	92
SR1460C	1882	143	SS1830G	183	7	SS2448S	499	7	SWS1548-14/304-VMAR	764	92
SR1460S	5264	143	SS1830S	340	7	SS2448V	244	7	SWS1548-14/316-VMAR	902	92
SR1472C	2083	143	SS1830V	201	7	SS2448VG	244	7	SWS1548-16/3	577	92
SR1472S	6339	143	SS1830VG	201	7	SS2454G	238	7	SWS1548-16/304-VMAR	735	92
SR16-14-9.5-1	1051	254	SS1836G	186	7	SS2454S	560	7	SWS1548-16/4	405	92
SR16-19-13.5-1	1125	254	SS1836S	340	7	SS2454V	265	7	SWS1548-16/430-VMAR	628	92
SR16-19-13.5-1-ND	994	256	SS1836V	209	7	SS2454VG	265	7	SWS1560-14/3	669	92
SR16-19-13.5-2	1961	254	SS1836VG	209	7	SS2460G	244	7	SWS1560-14/304-VMAR	851	92
SR16-19-13.5-2-ND	1543	256	SS1842G	198	7	SS2460S	587	7	SWS1560-14/316-VMAR	1014	92
SR16-19-13.5-3	2572	255	SS1842S	418	7	SS2460V	274	7	SWS1560-16/3	633	92
SR16-19-13.5-3-ND	2129	256	SS1842V	218	7	SS2460VG	274	7	SWS1560-16/304-VMAR	806	92
SR16-19-8-1	899	254	SS1842VG	218	7	SSD14-C	28	49	SWS1560-16/4	441	92
SR16-19-8-1-ND	903	256	SS1848G	201	7	SSD14-S	93	49	SWS1560-16/430-VMAR	675	92
SR16-19-8-2	1867	254	SS1848S	418	7	SSD18-C	33	49	SWS1572-14/3	891	92
SR16-19-8-2-ND	1363	256	SS1848V	223	7	SSD18-S	97	49	SWS1572-14/304-VMAR	1007	92
SR16-19-8-3	2429	255	SS1848VG	223	7	SSD21-C	35	49	SWS1572-14/316-VMAR	1188	92
SR16-19-8-3-ND	1919	256	SS1854G	217	7	SSD21-S	114	49	SWS1572-16/3	788	92
SR18-24-13.5-1	1193	254	SS1854S	472	7	SSD24-C	39	49	SWS1572-16/304-VMAR	944	92
SR18-24-13.5-1-ND	1059	256	SS1854V	241	7	SSD24-S	117	49	SWS1572-16/4	539	92
SR18-24-13.5-2	2248	254	SS1854VG	241	7	SSD30-C	54	49	SWS1572-16/430-VMAR	794	92
SR18-24-13.5-2-ND	1853	256	SS1860G	222	7	SSD30-S	145	49	T24108B	2791	186
SR18-24-13.5-3	3120	255	SS1860S	500	7	SSD36-C	66	49	T24108B-BS	3179	194
SR18-24-13.5-3-ND	2559	256	SS1860V	245	7	SSD36-S	171	49	T24108E	2920	186
SR19-16-13.5-1	1125	254	SS1860VG	245	7	SSENCBKT	68	48	T24108E-BS	3517	194
SR19-16-8-1	1051	254	SS2124G	187	7	SSW1824C	77	94	T24108EB	2982	186
SR20-12-6.5-1	1135	254	SS2124S	372	7	SSW1830C	93	94	T24108EB-BS	3403	194
SR22-22-13.5-1	1891	254	SS2124V	208	7	SSW1836C	104	94	T24108EM	3648	186
SR22-22-13.5-1-ND	1829	256	SS2124VG	208	7	SSW1842C	125	94	T24108EM-BS	4282	194
SR22-22-13.5-2	3366	254	SS2130G	193	7	SSW1848C	131	94	T24108GTB	2839	188
SR22-22-13.5-2-ND	3401	256	SS2130S	380	7	SSW1860C	167	94	T24108GTB-BS	3229	196
SR24	86	91	SS2130V	214	7	SSW1883-C	113	94	T24108GTE	3437	188
SR24-18-13.5-1	1096	254	SS2130VG	214	7	SSW1885-C	133	94	T24108GTE-BS	3566	196
SR24-24-13.5-1	1436	254	SS2136G	206	7	ST1836Z-13	381	170	T24108GTEB	3124	188

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.

Phone: 302-653-3000. Fax: 302-653-2065

<http://www.eaglehmc.com>



ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
T24108GTB-BS	3452	196	T24132SE	4480	187	T2424SEM-BS	2654	195	T2436SEM	2339	187
T24108GTEM	3799	188	T24132SE-BS	4933	195	T2424STB	1369	189	T2436SEM-BS	2891	195
T24108GTB-BS	4569	196	T24132SEB	4122	187	T2424STB-BS	1793	197	T2436STB	1559	189
T24108SB	3619	187	T24132SEB-BS	4728	195	T2424STE	1561	189	T2436STB-BS	1999	197
T24108SB-BS	3789	195	T24132SEM	5044	187	T2424STE-BS	1961	197	T2436STE	1795	189
T24108SE	4249	187	T24132SEM-BS	5591	195	T2424STEB	1457	189	T2436STE-BS	2208	197
T24108SE-BS	4701	195	T24132STB	3929	189	T2424STEB-BS	1869	197	T2436STEB	1672	189
T24108SEB	3773	187	T24132STB-BS	4358	197	T2424STEM	2256	189	T2436STEB-BS	2082	197
T24108SEB-BS	4379	195	T24132STE	4628	189	T2424STEM-BS	2805	197	T2436STEM	2492	189
T24108SEM	4591	187	T24132STE-BS	5086	197	T2430B	945	186	T2436STEM-BS	3040	197
T24108SEM-BS	5148	195	T24132STEB	4269	197	T2430B-BS	1282	194	T2448B	1047	186
T24108STB	3654	189	T24132STEB-BS	4739	189	T2430E	1118	186	T2448B-BS	1366	194
T24108STB-BS	4083	197	T24132STEM	5191	189	T2430E-BS	1457	194	T2448E	1218	186
T24108STE	4403	189	T24132STEM-BS	5743	197	T2430EB	1049	186	T2448E-BS	1573	194
T24108STE-BS	4707	197	T24144B	2886	186	T2430EB-BS	1415	194	T2448EB	1146	186
T24108STEB	4067	189	T24144B-BS	3522	194	T2430EM	1808	186	T2448EB-BS	1528	194
T24108STEB-BS	4398	197	T24144E	3396	186	T2430EM-BS	2443	194	T2448EBW	1145	46,204
T24108STEM	4736	189	T24144E-BS	3879	194	T2430GTB	1094	188	T2448EBW-1	1471	46,204
T24108STEM-BS	5293	197	T24144EB	3216	186	T2430GTB-BS	1426	196	T2448EBW-2	1622	46,204
T24120B	2868	186	T24144EB-BS	3756	194	T2430GTE	1268	188	T2448EM	1918	186
T24120B-BS	3262	194	T24144EM	4092	186	T2430GTE-BS	1603	196	T2448EM-BS	2565	194
T24120E	3216	186	T24144EM-BS	4741	194	T2430GTB	1201	188	T2448EW	1327	46,204
T24120E-BS	3592	194	T24144GTB	3025	188	T2430GTB-BS	1571	196	T2448EW-1	1608	46,204
T24120EB	3067	186	T24144GTB-BS	3564	196	T2430GTEM	1954	188	T2448EW-2	1762	46,204
T24120EB-BS	3480	194	T24144GTE	3534	188	T2430GTEM-BS	2601	196	T2448F	777	206
T24120EM	3733	186	T24144GTE-BS	3915	196	T2430SB	1335	187	T2448F-US	936	206
T24120EM-BS	4501	194	T24144GTB	3364	188	T2430SB-BS	1774	195	T2448F-USS	1015	206
T24120GTB	2941	188	T24144GTB-BS	3819	196	T2430SE	1565	187	T2448GTB	1191	188
T24120GTB-BS	3409	196	T24144GTEM	4244	188	T2430SE-BS	1973	195	T2448GTB-BS	1512	196
T24120GTE	3474	188	T24144GTEM-BS	5031	196	T2430SEB	1439	187	T2448GTE	1373	188
T24120GTE-BS	3745	196	T24144SB	3984	187	T2430SEB-BS	1848	195	T2448GTE-BS	1724	196
T24120GTB	3213	188	T24144SB-BS	4429	195	T2430SEM	2258	187	T2448GTB	1298	188
T24120GTB-BS	3638	196	T24144SE	4701	187	T2430SEM-BS	2806	195	T2448GTB-BS	1676	196
T24120GTEM	3882	188	T24144SE-BS	5173	195	T2430STB	1482	189	T2448GTEM	2071	188
T24120GTEM-BS	4648	196	T24144SEB	4205	187	T2430STB-BS	1920	197	T2448GTEM-BS	2716	196
T24120SB	3704	187	T24144SEB-BS	4818	195	T2430STE	1715	189	T2448SB	1452	187
T24120SB-BS	4141	195	T24144SEM	5134	187	T2430STE-BS	2126	197	T2448SB-BS	1891	195
T24120SE	4336	187	T24144SEM-BS	5680	195	T2430STEB	1591	189	T2448SE	1715	187
T24120SE-BS	4782	195	T24144STB	4014	189	T2430STEB-BS	2002	197	T2448SE-BS	2144	195
T24120SEB	4006	187	T24144STB-BS	4442	197	T2430STEM	2412	189	T2448SE-BS-HA	6680	205
T24120SEB-BS	4466	195	T24144STE	4715	189	T2430STEM-BS	2963	197	T2448SE-HA	5894	205
T24120SEM	4678	187	T24144STE-BS	5173	197	T2436B	1028	186	T2448SEB	1573	187
T24120SEM-BS	5231	195	T24144STEB	4356	189	T2436B-BS	1359	194	T2448SEB-BS	2001	195
T24120STB	3848	189	T24144STEB-BS	4969	197	T2436E	1197	186	T2448SEB-BS-HA	6166	205
T24120STB-BS	4288	197	T24144STEM	5281	189	T2436E-BS	1537	194	T2448SEB-HA	5760	205
T24120STE	4485	189	T24144STEM-BS	5833	197	T2436EB	1128	186	T2448SEM	2412	187
T24120STE-BS	4935	197	T2424B	872	186	T2436EB-BS	1495	194	T2448SEM-BS	2965	195
T24120STEB	4157	189	T2424B-BS	1198	194	T2436EBW	1055	46,204	T2448STB	1596	189
T24120STEB-BS	4616	197	T2424E	1011	186	T2436EBW-1	1312	46,204	T2448STB-BS	2036	197
T24120STEM	4827	189	T2424E-BS	1342	194	T2436EBW-2	1439	46,204	T2448STE	1865	189
T24120STEM-BS	5384	197	T2424EB	962	186	T2436EM	1887	186	T2448STE-BS	2289	197
T24132B	2884	186	T2424EB-BS	1308	194	T2436EM-BS	2454	194	T2448STEB	1724	189
T24132B-BS	3342	194	T2424EM	1687	186	T2436EW	1156	46,204	T2448STEB-BS	2149	197
T24132E	3384	186	T2424EM-BS	2254	194	T2436EW-1	1414	46,204	T2448STEM	2501	189
T24132E-BS	3680	194	T2424GTB	1019	188	T2436EW-2	1541	46,204	T2448STEM-BS	3109	197
T24132EB	3122	186	T2424GTB-BS	1347	196	T2436GTB	1174	188	T2460B	1104	186
T24132EB-BS	3485	194	T2424GTE	1158	188	T2436GTB-BS	1509	196	T2460B-BS	1458	194
T24132EM	4005	186	T2424GTE-BS	1494	196	T2436GTE	1346	188	T2460E	1335	186
T24132EM-BS	4652	194	T2424GTB	1114	188	T2436GTE-BS	1686	196	T2460E-BS	1687	194
T24132GTB	3013	188	T2424GTB-BS	1458	196	T2436GTB	1281	188	T2460EB	1243	186
T24132GTB-BS	3480	196	T2424GTEM	1841	188	T2436GTB-BS	1646	196	T2460EB-BS	1640	194
T24132GTE	3522	188	T2424GTEM-BS	2472	196	T2436GTEM	2037	188	T2460EBW	1341	46,204
T24132GTE-BS	3825	196	T2424SB	1224	187	T2436GTEM-BS	2677	196	T2460EBW-1	1661	46,204
T24132GTB	3276	188	T2424SB-BS	1646	195	T2436SB	1411	187	T2460EBW-2	1825	46,204
T24132GTB-BS	3711	196	T2424SE	1409	187	T2436SB-BS	1851	195	T2460EM	2029	186
T24132GTEM	4155	188	T2424SE-BS	1814	195	T2436SE	1644	187	T2460EM-BS	2612	194
T24132GTEM-BS	4945	196	T2424SEB	1307	187	T2436SE-BS	2096	195	T2460EW	1525	46,204
T24132SB	3786	187	T2424SEB-BS	1718	195	T2436SEB	1518	187	T2460EW-1	1817	46,204
T24132SB-BS	4216	195	T2424SEM	2106	187	T2436SEB-BS	1934	195	T2460EW-2	1982	46,204

ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
T2460F.....	818.....	206	T2472STE-BS	2619.....	197	T2496STEB	2876.....	189	T30120STEB-BS	4792.....	197
T2460F-US.....	1011.....	206	T2472STEB	2001.....	189	T2496STEB-BS	3288.....	197	T30120STEM	5203.....	189
T2460F-USS	1103.....	206	T2472STEB-BS	2452.....	197	T2496STEM	3778.....	189	T30120STEM-BS	5763.....	197
T2460GTB	1251.....	188	T2472STEM	2880.....	189	T2496STEM-BS	4251.....	197	T30132B	3058.....	186
T2460GTB-BS	1605.....	196	T2472STEM-BS	3424.....	197	T30108B	2818.....	186	T30132B-BS	3642.....	194
T2460GTE	1482.....	188	T2484B	1508.....	186	T30108B-BS	3348.....	194	T30132E	3527.....	186
T2460GTE-BS	1841.....	196	T2484B-BS	1891.....	194	T30108E	3325.....	186	T30132E-BS	4023.....	194
T2460GTB	1393.....	188	T2484E	1972.....	186	T30108E-BS	3699.....	194	T30132EB	3432.....	186
T2460GTB-BS	1787.....	196	T2484E-BS	2303.....	194	T30108EB	3159.....	186	T30132EB-BS	3882.....	194
T2460GTEM	2183.....	188	T2484EB	1925.....	186	T30108EB-BS	3577.....	194	T30132EM	4248.....	186
T2460GTEM-BS	2836.....	196	T2484EB-BS	2226.....	194	T30108EM	3925.....	186	T30132EM-BS	4913.....	194
T2460SB	1567.....	187	T2484EM	2629.....	186	T30108EM-BS	4580.....	194	T30132GTB	3109.....	188
T2460SB-BS	2004.....	195	T2484EM-BS	3221.....	194	T30108GTB	2971.....	188	T30132GTB-BS	3786.....	196
T2460SE	1869.....	187	T2484GTB	1652.....	188	T30108GTB-BS	3500.....	196	T30132GTE	3676.....	188
T2460SE-BS	2303.....	195	T2484GTB-BS	2036.....	196	T30108GTE	3472.....	188	T30132GTE-BS	4052.....	196
T2460SE-BS-HA	6833.....	205	T2484GTE	2125.....	188	T30108GTE-BS	3848.....	196	T30132GTB	3487.....	188
T2460SE-HA	6040.....	205	T2484GTE-BS	2455.....	196	T30108GTB	3306.....	188	T30132GTB-BS	3922.....	196
T2460SEB	1712.....	187	T2484GTEB	2080.....	188	T30108GTB-BS	3625.....	196	T30132GTEM	4399.....	188
T2460SEB-BS	2149.....	195	T2484GTEB-BS	2382.....	196	T30108GTEM	4075.....	188	T30132GTEM-BS	5203.....	196
T2460SEB-BS-HA	6308.....	205	T2484GTEM	2783.....	188	T30108GTEM-BS	4864.....	196	T30132SB	4172.....	187
T2460SEB-HA	5891.....	205	T2484GTEM-BS	3469.....	196	T30108SB	3839.....	187	T30132SB-BS	4612.....	195
T2460SEM	2565.....	187	T2484SB	2077.....	187	T30108SB-BS	4279.....	195	T30132SE	4969.....	187
T2460SEM-BS	3115.....	195	T2484SB-BS	2517.....	195	T30108SE	4540.....	187	T30132SE-BS	5441.....	195
T2460STB	1712.....	189	T2484SE	2769.....	187	T30108SE-BS	4989.....	195	T30132SEB	4576.....	187
T2460STB-BS	2148.....	197	T2484SE-BS	3163.....	195	T30108SEB	4192.....	187	T30132SEB-BS	5055.....	195
T2460STE	2020.....	189	T2484SEB	2541.....	187	T30108SEB-BS	4641.....	195	T30132SEM	5387.....	187
T2460STE-BS	2455.....	197	T2484SEB-BS	2951.....	195	T30108SEM	4965.....	187	T30132SEM-BS	5942.....	195
T2460STEB	1859.....	189	T2484SEM	3361.....	187	T30108SEM-BS	5517.....	195	T30132STB	4194.....	189
T2460STEB-BS	2301.....	197	T2484SEM-BS	3903.....	195	T30108STB	3984.....	189	T30132STB-BS	4624.....	197
T2460STEM	2716.....	189	T2484STB	2220.....	189	T30108STB-BS	4429.....	197	T30132STE	4978.....	189
T2460STEM-BS	3268.....	197	T2484STB-BS	2659.....	197	T30108STE	4689.....	189	T30132STE-BS	5593.....	197
T2472B	1182.....	186	T2484STE	2915.....	189	T30108STE-BS	5140.....	197	T30132STEB	4591.....	189
T2472B-BS	1541.....	194	T2484STE-BS	3314.....	197	T30108STEB	4340.....	189	T30132STEB-BS	5203.....	197
T2472E	1447.....	186	T2484STEB	2696.....	189	T30108STEB-BS	4738.....	197	T30132STEM	5542.....	189
T2472E-BS	1812.....	194	T2484STEB-BS	3102.....	197	T30108STEM	5117.....	189	T30132STEM-BS	6096.....	197
T2472EB	1346.....	186	T2484STEM	3511.....	189	T30108STEM-BS	5671.....	197	T30144B	3148.....	186
T2472EB-BS	1749.....	194	T2484STEM-BS	4052.....	197	T30120B	2912.....	186	T30144B-BS	3727.....	194
T2472EM	2154.....	186	T2496B	1715.....	186	T30120B-BS	3439.....	194	T30144E	3723.....	186
T2472EM-BS	2736.....	194	T2496B-BS	2109.....	194	T30120E	3415.....	186	T30144E-BS	4115.....	194
T2472F	934.....	206	T2496E	2118.....	186	T30120E-BS	3789.....	194	T30144EB	3457.....	186
T2472F-US	1071.....	206	T2496E-BS	2457.....	194	T30120EB	3252.....	186	T30144EB-BS	3974.....	194
T2472F-USS	1184.....	206	T2496EB	2065.....	186	T30120EB-BS	3671.....	194	T30144EM	4338.....	186
T2472GTB	1331.....	188	T2496EB-BS	2402.....	194	T30120EM	4012.....	186	T30144EM-BS	4994.....	194
T2472GTB-BS	1688.....	196	T2496EM	2781.....	186	T30120EM-BS	4666.....	194	T30144GTB	3289.....	188
T2472GTE	1594.....	188	T2496EM-BS	3378.....	194	T30120GTB	3058.....	188	T30144GTB-BS	3882.....	196
T2472GTE-BS	1958.....	196	T2496GTB	1859.....	188	T30120GTB-BS	3581.....	196	T30144GTE	3872.....	188
T2472GTB	1498.....	188	T2496GTB-BS	2255.....	196	T30120GTE	3564.....	188	T30144GTE-BS	4142.....	196
T2472GTB-BS	1901.....	196	T2496GTE	2261.....	188	T30120GTE-BS	3938.....	196	T30144GTB	3682.....	188
T2472GTEM	2311.....	188	T2496GTE-BS	2609.....	196	T30120GTB	3399.....	188	T30144GTB-BS	4009.....	196
T2472GTEM-BS	2969.....	196	T2496GTB	2218.....	188	T30120GTB-BS	3824.....	196	T30144GTEM	4488.....	188
T2472SB	1681.....	187	T2496GTB-BS	2528.....	196	T30120GTEM	4166.....	188	T30144GTEM-BS	5298.....	196
T2472SB-BS	2123.....	195	T2496GTEM	2929.....	188	T30120GTEM-BS	4951.....	196	T30144SB	4259.....	187
T2472SE	2026.....	187	T2496GTEM-BS	3636.....	196	T30120SB	3927.....	187	T30144SB-BS	4699.....	195
T2472SE-BS	2471.....	195	T2496SB	2229.....	187	T30120SB-BS	4369.....	195	T30144SE	5061.....	187
T2472SE-BS-HA	6992.....	205	T2496SB-BS	2667.....	195	T30120SE	4632.....	187	T30144SE-BS	5528.....	195
T2472SE-HA	6189.....	205	T2496SE	2969.....	187	T30120SE-BS	5081.....	195	T30144SEB	4669.....	187
T2472SEB	1847.....	187	T2496SE-BS	3374.....	195	T30120SEB	4281.....	187	T30144SEB-BS	5145.....	195
T2472SEB-BS	2301.....	195	T2496SEB	2717.....	187	T30120SEB-BS	4734.....	195	T30144SEM	5477.....	187
T2472SEB-BS-HA	6448.....	205	T2496SEB-BS	3142.....	195	T30120SEM	5055.....	187	T30144SEM-BS	6036.....	195
T2472SEB-HA	6019.....	205	T2496SEM	3553.....	187	T30120SEM-BS	5606.....	195	T30144STB	4405.....	189
T2472SEM	2724.....	187	T2496SEM-BS	4098.....	195	T30120STB	4075.....	189	T30144STB-BS	4704.....	197
T2472SEM-BS	3269.....	195	T2496STB	2379.....	189	T30120STB-BS	4518.....	197	T30144STE	5213.....	189
T2472STB	1829.....	189	T2496STB-BS	2814.....	197	T30120STE	4780.....	189	T30144STE-BS	5681.....	197
T2472STB-BS	2271.....	197	T2496STE	3116.....	189	T30120STE-BS	5235.....	197	T30144STEB	4815.....	189
T2472STE	2178.....	189	T2496STE-BS	3524.....	197	T30120STEB	4434.....	189	T30144STEB-BS	5298.....	197

ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
T30144STEM	5631	189	T3036SEM-BS	2984	195	T3060EBW-1	1817	46,204	T3072SEB-BS-HA	6615	205
T30144STEM-BS	6186	197	T3036STB	1633	189	T3060EBW-2	1981	46,204	T3072SEB-HA	6189	205
T3030B	973	186	T3036STB-BS	2076	197	T3060EM	2126	186	T3072SEM	3012	187
T3030B-BS	1306	194	T3036STE	1892	189	T3060EM-BS	2787	194	T3072SEM-BS	3464	195
T3030E	1156	186	T3036STE-BS	2308	197	T3060EW	1736	46,204	T3072STB	1979	189
T3030E-BS	1498	194	T3036STEB	1756	189	T3060EW-1	2033	46,204	T3072STB-BS	2421	197
T3030EB	1087	186	T3036STEB-BS	2173	197	T3060EW-2	2199	46,204	T3072STE	2375	189
T3030EB-BS	1457	194	T3036STEM	2586	189	T3060F	912	206	T3072STE-BS	2815	197
T3030EM	1848	186	T3036STEM-BS	3139	197	T3060F-US	1037	206	T3072STEB	2178	189
T3030EM-BS	2398	194	T3048B	1066	186	T3060F-USS	1122	206	T3072STEB-BS	2629	197
T3030GTB	1121	188	T3048B-BS	1408	194	T3060GTB	1313	188	T3072STEM	3163	189
T3030GTB-BS	1453	196	T3048BA-BS-HGD	2149	200	T3060GTB-BS	1657	196	T3072STEM-BS	3618	197
T3030GTE	1307	188	T3048BA-BS-SLD	2365	200	T3060GTE	1571	188	T3084B	1581	186
T3030GTE-BS	1646	196	T3048E	1284	186	T3060GTE-BS	1922	196	T3084B-BS	1978	194
T3030GTB	1237	188	T3048E-BS	1639	194	T3060GTB	1471	188	T3084E	2080	186
T3030GTB-BS	1603	196	T3048EB	1201	186	T3060GTB-BS	1865	196	T3084E-BS	2412	194
T3030GTEM	2002	188	T3048EB-BS	1585	194	T3060GTEM	2278	188	T3084EB	1956	186
T3030GTEM-BS	2636	196	T3048EBW	1318	46,204	T3060GTEM-BS	2935	196	T3084EB-BS	2329	194
T3030SB	1389	187	T3048EBW-1	1601	46,204	T3060SB	1692	187	T3084EM	2744	186
T3030SB-BS	1849	195	T3048EBW-2	1751	46,204	T3060SB-BS	2131	195	T3084EM-BS	3440	194
T3030SE	1658	187	T3048EM	1982	186	T3060SE	2029	187	T3084GTB	1725	188
T3030SE-BS	2072	195	T3048EM-BS	2634	194	T3060SE-BS	2462	195	T3084GTB-BS	2127	196
T3030SEB	1529	187	T3048EW	1501	46,204	T3060SE-BS-HA	6984	205	T3084GTE	2227	188
T3030SEB-BS	1940	195	T3048EW-1	1778	46,204	T3060SE-HA	6193	205	T3084GTE-BS	2564	196
T3030SEM	2356	187	T3048EW-2	1939	46,204	T3060SEB	1859	187	T3084GTB	2107	188
T3030SEM-BS	2903	195	T3048F	852	206	T3060SEB-BS	2297	195	T3084GTB-BS	2479	196
T3030STB	1554	189	T3048F-US	962	206	T3060SEB-BS-HA	6446	205	T3084GTEM	2896	188
T3030STB-BS	1998	197	T3048F-USS	1035	206	T3060SEB-HA	6034	205	T3084GTEM-BS	3591	196
T3030STE	1812	189	T3048GTB	1216	188	T3060SEM	2725	187	T3084SB	2153	187
T3030STE-BS	2223	197	T3048GTB-BS	1549	196	T3060SEM-BS	3275	195	T3084SB-BS	2593	195
T3030STEB	1679	189	T3048GTE	1436	188	T3060STB	1841	189	T3084SE	2892	187
T3030STEB-BS	2091	197	T3048GTE-BS	1784	196	T3060STB-BS	2278	197	T3084SE-BS	3285	195
T3030STEM	2507	189	T3048GTB	1347	188	T3060STE	2197	189	T3084SEB	2654	187
T3030STEM-BS	3055	197	T3048GTB-BS	1735	196	T3060STE-BS	2618	197	T3084SEB-BS	3062	195
T3036B	1051	186	T3048GTE	2134	188	T3060STEB	2008	189	T3084SEM	3476	187
T3036B-BS	1385	194	T3048GTE-BS	2784	196	T3060STEB-BS	2448	197	T3084SEM-BS	4028	195
T3036BA-BS-HGD	2014	200	T3048SB	1545	187	T3060STEM	2881	189	T3084STB	2306	189
T3036BA-BS-SLD	2216	200	T3048SB-BS	1992	195	T3060STEM-BS	3325	197	T3084STB-BS	2740	197
T3036E	1235	186	T3048SE	1846	187	T3072B	1267	186	T3084STE	3043	189
T3036E-BS	1577	194	T3048SE-BS	2261	195	T3072B-BS	1613	194	T3084STE-BS	3437	197
T3036EB	1165	186	T3048SE-BS-HA	6795	205	T3072E	1548	186	T3084STEB	2805	189
T3036EB-BS	1537	194	T3048SE-HA	6018	205	T3072E-BS	1918	194	T3084STEB-BS	3208	197
T3036EBW	1167	46,204	T3048SEB	1687	187	T3072EB	1447	186	T3084STEM	3636	189
T3036EBW-1	1425	46,204	T3048SEB-BS	2109	195	T3072EB-BS	1851	194	T3084STEM-BS	4181	197
T3036EBW-2	1551	46,204	T3048SEB-BS-HA	6271	205	T3072EM	2269	186	T3096B	1831	186
T3036EM	1934	186	T3048SEB-HA	5867	205	T3072EM-BS	2851	194	T3096B-BS	2237	194
T3036EM-BS	2412	194	T3048SEM	2533	187	T3072F	967	206	T3096E	2273	186
T3036EW	1308	46,204	T3048SEM-BS	3086	195	T3072F-US	1106	206	T3096E-BS	2616	194
T3036EW-1	1572	46,204	T3048STB	1694	189	T3072F-USS	1207	206	T3096EB	2132	186
T3036EW-2	1698	46,204	T3048STB-BS	2132	197	T3072GTB	1409	188	T3096EB-BS	2526	194
T3036GTB	1196	188	T3048STE	1999	189	T3072GTB-BS	1759	196	T3096EM	2936	186
T3036GTB-BS	1529	196	T3048STE-BS	2429	197	T3072GTE	1700	188	T3096EM-BS	3655	194
T3036GTE	1386	188	T3048STEB	1841	189	T3072GTE-BS	2071	196	T3096GTB	1978	188
T3036GTE-BS	1731	196	T3048STEB-BS	2260	197	T3072GTB	1594	188	T3096GTB-BS	2382	196
T3036GTB	1320	188	T3048STEM	2693	189	T3072GTB-BS	2005	196	T3096GTE	2425	188
T3036GTB-BS	1686	196	T3048STEM-BS	3243	197	T3072GTE	2421	188	T3096GTE-BS	2762	196
T3036GTEM	2082	188	T3060B	1165	186	T3072GTE-BS	3087	196	T3096GTB	2281	188
T3036GTEM-BS	2716	196	T3060B-BS	1512	194	T3072SB	1832	187	T3096GTB-BS	2676	196
T3036SB	1486	187	T3060BA-BS-HGD	2306	200	T3072SB-BS	2265	195	T3096GTEM	3089	188
T3036SB-BS	1927	195	T3060BA-BS-SLD	2532	162	T3072SE	2223	187	T3096GTEM-BS	3816	196
T3036SE	1741	187	T3060E	1415	186	T3072SE-BS	2665	195	T3096SB	2413	187
T3036SE-BS	2153	195	T3060E-BS	1774	194	T3072SE-BS-HA	7177	205	T3096SB-BS	2852	195
T3036SEB	1605	187	T3060EB	1320	186	T3072SE-HA	6376	205	T3096SE	3203	187
T3036SEB-BS	2020	195	T3060EB-BS	1715	194	T3072SEB	2026	187	T3096SE-BS	3616	195
T3036SEM	2436	187	T3060EBW	1525	46,204	T3072SEB-BS	2475	195	T3096SEB	2935	187

ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
T3096SEB-BS	3361	195	T36120SEM	5807	187	T36144SEM-BS	6846	195	T3660STB	2120	189
T3096SEM	3618	187	T36120SEM-BS	6353	195	T36144STB	5049	189	T3660STB-BS	2556	197
T3096SEM-BS	4327	195	T36120STB	4804	189	T36144STB-BS	5473	197	T3660STE	2472	189
T3096STB	2556	189	T36120STB-BS	5246	197	T36144STE	6015	189	T3660STE-BS	3156	197
T3096STB-BS	3002	197	T36120STE	5517	189	T36144STE-BS	6585	197	T3660STEB	2334	189
T3096STE	3361	189	T36120STE-BS	6061	197	T36144STEB	5677	189	T3660STEB-BS	2944	197
T3096STE-BS	3762	197	T36120STEB	5224	189	T36144STEB-BS	5951	197	T3660STEM	3336	189
T3096STEB	3087	189	T36120STEB-BS	5659	197	T36144STEM	6445	189	T3660STEM-BS	3769	197
T3096STEB-BS	3511	197	T36120STEM	5959	189	T36144STEM-BS	6994	197	T3672B	1638	186
T3096STEM	3767	189	T36120STEM-BS	6505	197	T3648B	1328	186	T3672B-BS	2104	194
T3096STEM-BS	4483	197	T36132B	3564	186	T3648B-BS	1831	194	T3672E	1840	186
T36108B	3401	186	T36132B-BS	4149	194	T3648E	1506	186	T3672E-BS	2416	194
T36108B-BS	3952	194	T36132E	4151	186	T3648E-BS	1963	194	T3672EB	1778	186
T36108E	3882	186	T36132E-BS	4701	194	T3648EB	1461	186	T3672EB-BS	2333	194
T36108E-BS	4338	194	T36132EB	4012	186	T3648EB-BS	1908	194	T3672EM	2738	186
T36108EB	3793	186	T36132EB-BS	4412	194	T3648EM	2385	186	T3672EM-BS	3341	194
T36108EB-BS	4196	194	T36132EM	4898	186	T3648EM-BS	2978	194	T3672GTB	1783	188
T36108EM	4535	186	T36132EM-BS	5593	194	T3648GTB	1478	188	T3672GTB-BS	2180	196
T36108EM-BS	5213	194	T36132GTB	3705	188	T3648GTB-BS	1978	196	T3672GTE	1992	188
T36108GTB	3439	188	T36132GTB-BS	4293	196	T3648GTE	1841	188	T3672GTE-BS	2565	196
T36108GTB-BS	3979	196	T36132GTE	4299	188	T3648GTE-BS	2119	196	T3672GTB	1925	188
T36108GTE	4035	188	T36132GTE-BS	4715	196	T3648GTB	1612	188	T3672GTB-BS	2480	196
T36108GTE-BS	4488	196	T36132GTB	4159	188	T3648GTB-BS	2057	196	T3672GTE	2892	188
T36108GTB	3829	188	T36132GTB-BS	4556	196	T3648GTE	2533	188	T3672GTE-BS	3588	196
T36108GTB-BS	4225	196	T36132GTE	5055	188	T3648GTE-BS	3212	196	T3672SB	2159	187
T36108GTE	4688	188	T36132GTE-BS	5904	196	T3648SB	1783	187	T3672SB-BS	2605	195
T36108GTE-BS	5515	196	T36132SB	4824	187	T3648SB-BS	2220	195	T3672SE	2532	187
T36108SB	4567	187	T36132SB-BS	5404	195	T3648SE	2106	187	T3672SE-BS	3218	195
T36108SB-BS	5011	195	T36132SE	5769	187	T3648SE-BS	2664	195	T3672SEB	2383	187
T36108SE	5277	187	T36132SE-BS	6147	195	T3648SEB	1992	187	T3672SEB-BS	3002	195
T36108SE-BS	5823	195	T36132SEB	5282	187	T3648SEB-BS	2479	195	T3672SEM	3412	187
T36108SEB	4980	187	T36132SEB-BS	5713	195	T3648SEM	2959	187	T3672SEM-BS	3963	195
T36108SEB-BS	5417	195	T36132SEM	6205	187	T3648SEM-BS	3514	195	T3672STB	2308	189
T36108SEM	5724	187	T36132SEM-BS	6755	195	T3648STB	1934	189	T3672STB-BS	2744	197
T36108SEM-BS	6260	195	T36132STB	4964	189	T3648STB-BS	2365	197	T3672STE	2691	189
T36108STB	4585	189	T36132STB-BS	5388	197	T3648STE	2256	189	T3672STE-BS	3375	197
T36108STB-BS	5158	197	T36132STE	5742	189	T3648STE-BS	2814	197	T3672STEB	2532	189
T36108STE	5425	189	T36132STE-BS	6486	197	T3648STEB	2144	189	T3672STEB-BS	3152	197
T36108STE-BS	5976	197	T36132STEB	5517	189	T3648STEB-BS	2634	197	T3672STEM	3563	189
T36108STEB	5077	189	T36132STEB-BS	5867	197	T3648STEM	3108	189	T3672STEM-BS	4118	197
T36108STEB-BS	5409	197	T36132STEM	6352	189	T3648STEM-BS	3357	197	T3684B	2251	186
T36108STEM	5872	189	T36132STEM-BS	6903	197	T3660B	1496	186	T3684B-BS	2485	194
T36108STEM-BS	6416	197	T36144B	3762	186	T3660B-BS	1981	194	T3684E	2462	186
T36120B	3476	186	T36144B-BS	4234	194	T3660E	1687	186	T3684E-BS	2829	194
T36120B-BS	4038	194	T36144E	4363	186	T3660E-BS	2256	194	T3684EB	2416	186
T36120E	3974	186	T36144E-BS	4797	194	T3660EB	1640	186	T3684EB-BS	2731	194
T36120E-BS	4429	194	T36144EB	4099	186	T3660EB-BS	2183	194	T3684EM	3302	186
T36120EB	3882	186	T36144EB-BS	4632	194	T3660EM	2571	186	T3684EM-BS	3927	194
T36120EB-BS	4285	194	T36144EM	4992	186	T3660EM-BS	3165	194	T3684GTB	2396	188
T36120EM	4625	186	T36144EM-BS	5680	194	T3660GTB	1644	188	T3684GTB-BS	2633	196
T36120EM-BS	5298	194	T36144GTB	3904	188	T3660GTB-BS	2131	196	T3684GTE	2635	188
T36120GTB	3626	188	T36144GTB-BS	4374	196	T3660GTE	1846	188	T3684GTE-BS	2984	196
T36120GTB-BS	4182	196	T36144GTE	4386	188	T3660GTE-BS	2406	196	T3684GTB	2565	188
T36120GTE	4126	188	T36144GTE-BS	4802	196	T3660GTB	1787	188	T3684GTB-BS	2888	196
T36120GTE-BS	4581	196	T36144GTB	4373	188	T3660GTB-BS	2334	196	T3684GTE	3457	188
T36120GTB	4035	188	T36144GTB-BS	4644	196	T3660GTE	2717	188	T3684GTE-BS	4193	196
T36120GTB-BS	4439	196	T36144GTE	5145	188	T3660GTE-BS	3406	196	T3684SB	2984	187
T36120GTE	4779	188	T36144GTE-BS	5995	196	T3660SB	1974	187	T3684SB-BS	3422	195
T36120GTE-BS	5602	196	T36144SB	5049	187	T3660SB-BS	2413	195	T3684SE	3429	187
T36120SB	4660	187	T36144SB-BS	5499	195	T3660SE	2319	187	T3684SE-BS	3835	195
T36120SB-BS	5098	195	T36144SE	5857	187	T3660SE-BS	3003	195	T3684SEB	3239	187
T36120SE	5368	187	T36144SE-BS	6423	195	T3660SEB	2183	187	T3684SEB-BS	3567	195
T36120SE-BS	5916	195	T36144SEB	5524	187	T3660SEB-BS	2799	195	T3684SEM	4161	187
T36120SEB	5067	187	T36144SEB-BS	5803	195	T3660SEM	3182	187	T3684SEM-BS	4716	195
T36120SEB-BS	5503	195	T36144SEM	6297	187	T3660SEM-BS	3735	195	T3684STB	3134	189

ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
T3684STB-BS	3565	197	T48144GTE	10297	188	TBC1-R	863	172	TS18-E	124	53
T3684STE	3577	189	T48144GTEM	11452	188	TBC2-P	1287	172	TS2021	134	51
T3684STE-BS	3992	197	T48144SE	11435	187	TBC2-R	1261	172	TS24-C	112	53
T3684STEB	3382	189	T48144SEM	12609	187	TBC3-P	1806	172	TS24-E	129	53
T3684STEB-BS	3723	197	T48144STE	11576	189	TBC3-R	1780	172	TS2517	133	51
T3684STEM	4315	189	T48144STEM	12755	189	TD2448-BSP	1381	39	U2-1836C	412	29
T3684STEM-BS	4869	197	T4848E	3512	186	TD2448-SP	671	39	U2-1836C-RP	417	25
T3696B	2393	186	T4848EM	4679	186	TD2460-BSP	1388	39	U2-1836S	1107	29
T3696B-BS	2794	194	T4848GTE	3657	188	TD2460-SP	704	39	U2-1836Z	406	29
T3696E	2634	186	T4848GTEM	4802	188	TD3	3069	213	U2-1842C	437	29
T3696E-BS	3181	194	T4848SE	4071	187	TD3L	3465	213	U2-1842S	1223	29
T3696EB	2561	186	T4848SEM	5242	187	TEP74-C	204	59	U2-1842Z	425	29
T3696EB-BS	3072	194	T4848STE	4377	189	TEP74-E	219	59	U2-2136C	443	29
T3696EM	3460	186	T4848STEM	5389	189	TEP74-Z	181	59	U2-2136S	1201	29
T3696EM-BS	4087	194	T4860E	3925	186	TEP86-C	227	59	U2-2136Z	425	29
T3696GTB	2511	188	T4860EM	5095	186	TEP86-E	244	59	U2-2142C	467	29
T3696GTB-BS	2845	196	T4860GTE	4079	188	TEP86-Z	212	59	U2-2142S	1317	29
T3696GTE	2784	188	T4860GTEM	5242	188	TM108APR	1955	216	U2-2142Z	448	29
T3696GTE-BS	3334	196	T4860SE	4503	187	TM108PR	2427	216	U2-2148C	473	29
T3696GTB	2711	188	T4860SEM	5680	187	TM108PRS	2103	216	U2-2148S	1317	29
T3696GTB-BS	3218	196	T4860STE	4651	189	TM120APR	2014	216	U2-2148Z	458	29
T3696GTEM	3617	188	T4860STEM	5831	189	TM120PR	2528	216	U2-2436C	461	29
T3696GTEM-BS	4361	196	T4872E	4261	186	TM120PRS	2124	216	U2-2436S	1266	29
T3696SB	3217	187	T4872EM	5434	186	TM132APR	2073	216	U2-2436Z	443	29
T3696SB-BS	3652	195	T4872GTE	4414	188	TM132PR	2655	216	U2-2442C	494	29
T3696SE	3687	187	T4872GTEM	5686	188	TM132PRS	2218	216	U2-2442S	1427	29
T3696SE-BS	4109	195	T4872SE	4918	187	TM144APR	2143	216	U2-2442Z	473	29
T3696SEB	3472	187	T4872SEM	6094	187	TM144PR	2704	216	U2-2448C	502	29
T3696SEB-BS	3819	195	T4872STE	5065	189	TM144PRS	2243	216	U2-2448S	1427	29
T3696SEM	4416	187	T4872STEM	6236	189	TM36APR	1164	216	U2-2448Z	481	29
T3696SEM-BS	4974	195	T4884E	5787	186	TM36PR	1392	216	U2-2460C	549	29
T3696STB	3363	189	T4884EM	6954	186	TM36PRS	567	216	U2-2460S	1638	29
T3696STB-BS	3804	197	T4884GTE	5940	188	TM48APR	1212	216	U2-2460Z	536	29
T3696STE	3835	189	T4884GTEM	7101	188	TM48PR	1471	216	U3-1836C	498	29
T3696STE-BS	4260	197	T4884SE	6649	187	TM48PRS	613	216	U3-1836C-RP	502	25
T3696STEB	3626	189	T4884SEM	7819	187	TM60APR	1252	216	U3-1836S	1419	29
T3696STEB-BS	3972	197	T4884STE	6806	189	TM60PR	1549	216	U3-1836Z	491	29
T3696STEM	4574	189	T4884STEM	7971	189	TM60PRS	658	216	U3-1842C	538	29
T3696STEM-BS	5125	197	T4896E	6120	186	TM72APR	1311	216	U3-1842S	1595	29
T48108E	9157	186	T4896EM	7291	186	TM72PR	1631	216	U3-1842Z	521	29
T48108EM	10334	186	T4896GTE	6262	188	TM72PRS	708	216	U3-2136C	547	29
T48108GTE	9302	188	T4896GTEM	7440	188	TM84APR	1563	216	U3-2136CS	753	28
T48108GTEM	10478	188	T4896SE	7177	187	TM84PR	1927	216	U3-2136S	1561	29
T48108SE	10464	187	T4896SEM	8352	187	TM84PRS	760	216	U3-2136Z	520	29
T48108SEM	11642	187	T4896STE	7323	189	TM96APR	1612	216	U3-2142C	581	29
T48108STE	10632	189	T4896STEM	8493	189	TM96PR	2007	216	U3-2142S	1731	29
T48108STEM	11786	189	TB1016-3	39	51	TM96PRS	842	216	U3-2142Z	552	29
T48120E	9263	186	TB1016-6	42	51	TMS2424	1065	205	U3-2148C	591	29
T48120EM	10417	186	TB1035XL	31	173	TMS2424S	1294	205	U3-2148S	1731	29
T48120GTE	9406	188	TB1050XL	35	173	TMS3024	1111	205	U3-2148Z	562	29
T48120GTEM	10567	188	TB1722-3	63	51,53	TMS3024S	1359	205	U3-2436C	566	29
T48120SE	10556	187	TB1722-6	75	51,53	TMS3030	1237	205	U3-2436CS	793	28
T48120SEM	11727	187	TB1722-9	88	51,53	TMS3030S	1539	205	U3-2436S	1652	29
T48120STE	10703	189	TB2035XL	36	173	TMS3036	1269	205	U3-2436Z	546	29
T48120STEM	11872	189	TB2060XL	51	173	TMS3036S	1565	205	U3-2442C	620	29
T48132E	10061	186	TB2080XL	57	173	TMS3636	1332	205	U3-2442S	1896	29
T48132EM	11220	186	TB3030XL	88	173	TMS3636S	1639	205	U3-2442Z	589	29
T48132GTE	10212	188	TB3060XL	92	173	TPH-C	54	128	U3-2448C	632	29
T48132GTEM	11364	188	TB3080XL	112	173	TPH-EP	71	128	U3-2448S	1896	29
T48132SE	11351	187	TB3120XL	153	173	TPH-S	62	128	U3-2448Z	598	29
T48132SEM	12521	187	TBC-P	943	172	TR10	65	91	U3-2460C	702	29
T48132STE	11513	189	TBC-R	856	172	TR18BL	62	52	U3-2460S	2211	29
T48132STEM	12668	189	TBC-S	114	172	TR18C	56	52	U3-2460Z	682	29
T48144E	10134	186	TBC-SD	108	172	TS1417	127	51	UC-311	851	27
T48144EM	11309	186	TBC1-P	885	172	TS18-C	105	53	UC-322	875	27

ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
UCB24120SE	7017	202	UT24108B	2897	190	UT2424STEB	1574	193	UT2484GTE	2248	192
UCB2436SE	3817	202	UT24108E	3158	190	UT2430B	1065	190	UT2484GTEB	2203	192
UCB2448SE	4269	202	UT24108EB	3007	190	UT2430E	1237	190	UT2484SB	2192	191
UCB2460SE	4586	202	UT24108GTB	2956	192	UT2430EB	1165	190	UT2484SE	2891	191
UCB2472SE	4918	202	UT24108GTE	3302	192	UT2430GTB	1212	192	UT2484SEB	2664	191
UCB2484SE	5622	202	UT24108GTETB	3157	192	UT2430GTE	1454	192	UT2484STB	2340	193
UCB2496SE	6075	202	UT24108SB	3733	191	UT2430GTETB	1319	192	UT2484STE	3037	193
UCB30120SE	7319	202	UT24108SE	4363	191	UT2430SB	1453	191	UT2484STEB	2814	193
UCB3036SE	3985	202	UT24108SEB	4035	191	UT2430SE	1686	191	UT2496B	1832	190
UCB3048SE	4429	202	UT24108STB	3769	193	UT2430SEB	1558	191	UT2496E	2234	190
UCB3060SE	4780	202	UT24108STE	4517	193	UT2430STB	1599	193	UT2496EB	2187	190
UCB3072SE	5136	202	UT24108STETB	4071	193	UT2430STE	1840	193	UT2496GTB	1979	192
UCB3084SE	5777	202	UT24120B	2956	190	UT2430STEB	1712	193	UT2496GTE	2385	192
UCB3096SE	6328	202	UT24120E	3342	190	UT2436B	1138	190	UT2496GTETB	2339	192
UCBH24120SE	7626	202	UT24120EB	3186	190	UT2436E	1320	190	UT2496SB	2348	191
UCBH2436SE	4677	202	UT24120GTB	3137	192	UT2436EB	1244	190	UT2496SE	3087	191
UCBH2448SE	4897	202	UT24120GTE	3487	192	UT2436GTB	1288	192	UT2496SEB	2836	191
UCBH2460SE	5222	202	UT24120GTETB	3338	192	UT2436GTE	1478	192	UT2496STB	2491	193
UCBH2472SE	5541	202	UT24120SB	3819	191	UT2436GTETB	1397	192	UT2496STE	3244	193
UCBH2484SE	6235	202	UT24120SE	4454	191	UT2436SB	1529	191	UT2496STEB	2993	193
UCBH2496SE	6687	202	UT24120SEB	4126	191	UT2436SE	1767	191	UT30108B	2935	190
UCBH30120SE	7923	202	UT24120STB	3965	193	UT2436SEB	1643	191	UT30108E	3446	190
UCBH3036SE	4835	202	UT24120STE	4611	193	UT2436STB	1679	193	UT30108EB	3277	190
UCBH3048SE	5056	202	UT24120STETB	4278	193	UT2436STE	1918	193	UT30108GTB	3002	192
UCBH3060SE	5412	202	UT2412STE	1079	200	UT2436STEB	1791	193	UT30108GTE	3592	192
UCBH3072SE	5764	202	UT2412STEB	993	200	UT2448B	1157	190	UT30108GTETB	3433	192
UCBH3084SE	6398	202	UT24132B	2985	190	UT2448E	1343	190	UT30108SB	3958	191
UCBH3096SE	6941	202	UT24132E	3520	190	UT2448EB	1268	190	UT30108SE	4666	191
UH	16	91	UT24132EB	3247	190	UT2448GTB	1306	192	UT30108SEB	4312	191
UH18-C	54	29	UT24132GTB	3142	192	UT2448GTE	1549	192	UT30108STB	3991	193
UH18-S	138	29	UT24132GTE	3564	192	UT2448GTETB	1417	192	UT30108STE	4813	193
UH21-C	55	29	UT24132GTETB	3391	192	UT2448SB	1571	191	UT30108STEB	4462	193
UH21-S	140	29	UT24132SB	3899	191	UT2448SE	1840	191	UT30120B	3020	190
UH24-C	55	29	UT24132SE	4593	191	UT2448SEB	1696	191	UT30120E	3536	190
UH24-S	143	29	UT24132SEB	4362	191	UT2448STB	1714	193	UT30120EB	3373	190
UOB24120SE	4799	202	UT24132STB	4045	193	UT2448STE	1992	193	UT30120GTB	3163	192
UOB2436SE	2989	202	UT24132STE	4741	193	UT2448STEB	1847	193	UT30120GTE	3687	192
UOB2448SE	3104	202	UT24132STEB	4384	193	UT2460B	1223	190	UT30120GTETB	3522	192
UOB2460SE	3322	202	UT24144B	3003	190	UT2460E	1454	190	UT30120SB	4046	191
UOB2472SE	3541	202	UT24144E	3625	190	UT2460EB	1364	190	UT30120SE	4755	191
UOB2484SE	3853	202	UT24144EB	3433	190	UT2460GTB	1367	192	UT30120SEB	4400	191
UOB2496SE	4047	202	UT24144GTB	3155	192	UT2460GTE	1601	192	UT30120STB	4192	193
UOB30120SE	5102	202	UT24144GTE	3651	192	UT2460GTETB	1516	192	UT30120STE	4898	193
UOB3036SE	3157	202	UT24144GTETB	3475	192	UT2460SB	1681	191	UT30120STEB	4553	193
UOB3048SE	3267	202	UT24144SB	4102	191	UT2460SE	1997	191	UT3012STE	1165	200
UOB3060SE	3513	202	UT24144SE	4824	191	UT2460SEB	1829	191	UT3012STE	1165	200
UOB3072SE	3757	202	UT24144SEB	4451	191	UT2460STB	1829	193	UT3012STEB	1072	200
UOB3084SE	4019	202	UT24144STB	4048	193	UT2460STE	2145	193	UT30132B	3172	190
UOB3096SE	4436	202	UT24144STE	4974	193	UT2460STEB	1980	193	UT30132E	3644	190
UR-501	863	205	UT24144STEB	4476	193	UT2472B	1300	190	UT30132EB	3465	190
UR1836C	606	36,161	UT24155STE	1104	200	UT2472E	1565	190	UT30132GTB	3229	192
UR1848C	648	36,161	UT24155STEB	1016	200	UT2472EB	1465	190	UT30132GTE	3903	192
UR1860C	701	36,161	UT2418STE	1154	200	UT2472GTB	1448	192	UT30132GTETB	3613	192
URS1836C	795	36,161	UT2418STEB	1062	200	UT2472GTE	1715	192	UT30132SB	4168	191
URS1848C	871	36,161	UT2424B	987	190	UT2472GTETB	1622	192	UT30132SE	5092	191
URS1860C	998	36,161	UT2424E	1128	190	UT2472SB	1795	191	UT30132SEB	4557	191
US0824-16/3	744	253	UT2424EB	1085	190	UT2472SE	2149	191	UT30132STB	4307	193
US0836-16/3	856	253	UT2424GTB	1134	192	UT2472SEB	1963	191	UT30132STE	5242	193
US0848-16/3	1083	253	UT2424GTE	1391	192	UT2472STB	1945	193	UT30132STEB	4707	193
US18-S	72	53	UT2424GTETB	1236	192	UT2472STE	2301	193	UT30144B	3262	190
US21-S	79	53	UT2424SB	1345	191	UT2472STEB	2119	193	UT30144E	3729	190
US24-S	82	53	UT2424SE	1531	191	UT2484B	1620	190	UT30144EB	3549	190
US30-S	87	53	UT2424SEB	1425	191	UT2484E	2096	190	UT30144GTB	3314	192
USS24-S	163	53	UT2424STB	1515	193	UT2484EB	2055	190	UT30144GTE	4002	192
USS30-S	196	53	UT2424STE	1679	193	UT2484GTB	1768	192	UT30144GTETB	3699	192

ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
UT30144SB	4251	191	UT3072SE	2345	191	UT36132STE	5839	193	UT3684STEB	3511	193
UT30144SE	5185	191	UT3072SEB	2149	191	UT36132STEB	5544	193	UT3696B	2507	190
UT30144SEB	4782	191	UT3072STB	2094	193	UT36144B	3878	190	UT3696E	2754	190
UT30144STB	4398	193	UT3072STE	2498	193	UT36144E	4358	190	UT3696EB	2679	190
UT30144STE	5334	193	UT3072STEB	2301	193	UT36144EB	4218	190	UT3696GTB	2654	192
UT30144STEB	4935	193	UT3084B	1698	190	UT36144GTB	3907	192	UT3696GTE	2905	192
UT3015STE	1191	200	UT3084E	2203	190	UT36144GTE	4503	192	UT3696GTB	2829	192
UT3015STEB	1096	200	UT3084EB	2077	190	UT36144GTB	4369	192	UT3696SB	3334	191
UT3018STE	1258	200	UT3084GTB	1846	192	UT36144SB	5175	191	UT3696SE	3816	191
UT3018STEB	1157	200	UT3084GTE	2356	192	UT36144SE	5980	191	UT3696SEB	3592	191
UT3030B	1092	190	UT3084GTB	2226	192	UT36144SEB	5651	191	UT3696STB	3475	193
UT3030E	1272	190	UT3084SB	2276	191	UT36144STB	5163	193	UT3696STE	3959	193
UT3030EB	1207	190	UT3084SE	3012	191	UT36144STE	5958	193	UT3696STEB	3745	193
UT3030GTB	1236	192	UT3084SEB	2774	191	UT36144STEB	5801	193	UUC-311	883	27
UT3030GTE	1425	192	UT3084STB	2421	193	UT3615STE	1280	200	UUC-322	908	27
UT3030GTB	1360	192	UT3084STE	3163	193	UT3615STEB	1179	200	UWT3048SE	1217	183
UT3030SB	1525	191	UT3084STEB	2928	193	UT3618STE	1331	200	UWT3048SEB	860	183
UT3030SE	1778	191	UT3096B	1946	190	UT3618STEB	1223	200	UWT3048SEM	1706	183
UT3030SEB	1646	191	UT3096E	2393	190	UT3648B	1447	190	UWT3060SE	1388	183
UT3030STB	1676	193	UT3096EB	2255	190	UT3648E	1628	190	UWT3060SEB	1007	183
UT3030STE	1925	193	UT3096GTB	2093	192	UT3648EB	1585	190	UWT3060SEM	1822	183
UT3030STEB	1803	193	UT3096GTE	2543	192	UT3648GTB	1593	192	UWT3072SE	1623	183
UT3036B	1165	190	UT3096GTB	2404	192	UT3648GTE	1778	192	UWT3072SEB	1129	183
UT3036E	1352	190	UT3096SB	2527	191	UT3648GTB	1735	192	UWT3072SEM	2057	183
UT3036EB	1288	190	UT3096SE	3325	191	UT3648SB	1899	191	W1436-GBC	329	131
UT3036GTB	1313	192	UT3096SEB	3062	191	UT3648SE	2224	191	W1436-GBS	989	131
UT3036GTE	1506	192	UT3096STB	2674	193	UT3648SEB	2107	191	W1448-GBC	363	131
UT3036GTB	1439	192	UT3096STE	3472	193	UT3648STB	2043	193	W1448-GBS	1097	131
UT3036SB	1602	191	UT3096STEB	3208	193	UT3648STE	2381	193	W1460-GBC	395	131
UT3036SE	1855	191	UT36108B	3513	190	UT3648STEB	2258	193	W1460-GBS	1146	131
UT3036SEB	1731	191	UT36108E	3894	190	UT3660B	1614	190	W1472-GBC	415	131
UT3036STB	1753	193	UT36108EB	3774	190	UT3660E	1812	190	W1472-GBS	1215	131
UT3036STE	2007	193	UT36108GTB	3659	192	UT3660EB	1756	190	W1916	3562	236
UT3036STEB	1882	193	UT36108GTE	4040	192	UT3660GTB	1762	192	W1916-FA	1859	236
UT3048B	1182	190	UT36108GTB	3952	192	UT3660GTE	1958	192	WAL-1-1836	437	90
UT3048E	1401	190	UT36108SB	4685	191	UT3660GTB	1911	192	WAL-1-1848	483	90
UT3048EB	1319	190	UT36108SE	5397	191	UT3660SB	2087	191	WAL-2-1836	799	90
UT3048GTB	1331	192	UT36108SEB	4952	191	UT3660SE	2440	191	WAL-2-1848	892	90
UT3048GTE	1556	192	UT36108STB	4696	193	UT3660SEB	2311	191	WB	42	91
UT3048GTB	1467	192	UT36108STE	5548	193	UT3660STB	2237	193	WB14-C	56	49,97
UT3048SB	1661	191	UT36108STEB	5100	193	UT3660STE	2591	193	WB14-S	133	49,97
UT3048SE	1961	191	UT36120B	3602	190	UT3660STEB	2457	193	WB14-VG	57	49,97
UT3048SEB	1812	191	UT36120E	4096	190	UT3672B	1754	190	WB18-C	57	49,97
UT3048STB	1812	193	UT36120EB	4006	190	UT3672E	1956	190	WB18-S	142	49,97
UT3048STE	2118	193	UT36120GTB	3746	192	UT3672EB	1901	190	WB18-VG	58	49,97
UT3048STEB	1958	193	UT36120GTE	4248	192	UT3672GTB	1899	192	WB21-C	57	49,97
UT3060B	1282	190	UT36120GTB	4157	192	UT3672GTE	2107	192	WB21-S	145	49,97
UT3060E	1538	190	UT36120SB	4778	191	UT3672GTB	2055	192	WB21-VG	58	49,97
UT3060EB	1447	190	UT36120SE	5491	191	UT3672GTE	2055	192	WB24-C	58	49,97
UT3060GTB	1427	192	UT36120SEB	5191	191	UT3672SB	2279	191	WB24-S	149	49,97
UT3060GTE	1687	192	UT36120STB	4921	193	UT3672SE	2655	191	WB24-VG	60	49,97
UT3060GTB	1594	192	UT36120STE	5640	193	UT3672SEB	2507	191	WBC1836C-1B1W	420	27,158
UT3060SB	1806	191	UT36120STEB	5340	193	UT3672STB	2427	193	WBC1836C-2B	371	27,158
UT3060SE	2154	191	UT3612STE	1242	200	UT3672STEB	2655	193	WBS1836C	121	40
UT3060SEB	1980	191	UT3612STEB	1143	200	UT3684B	2365	190	WCH-24	5656	98,209
UT3060STB	1955	193	UT36132B	3678	190	UT3684E	2606	190	WCH-24C-L	5244	253
UT3060STE	2311	193	UT36132E	4271	190	UT3684EB	2532	190	WCH-24C-LL	5564	253
UT3060STEB	2132	193	UT36132EB	4128	190	UT3684GTB	2517	192	WCH-24C-R	5244	253
UT3072B	1381	190	UT36132GTB	3820	192	UT3684GTE	2755	192	WCH-24C-RL	5564	253
UT3072E	1672	190	UT36132GTE	4415	192	UT3684GTB	2691	192	WCH-30	6268	98,209
UT3072EB	1565	190	UT36132GTB	4278	192	UT3684SE	3099	191	WCH-36	6377	98,209
UT3072GTB	1525	192	UT36132SE	5078	191	UT3684SEB	3552	191	WCH-42	6702	98,209
UT3072GTE	1820	192	UT36132SEB	5717	191	UT3684STB	3361	191	WCH-48	6908	98,209
UT3072GTB	1715	192	UT36132STB	5401	191	UT3684STE	3247	193	WCH-54	7065	98,209
UT3072SB	1954	191		5074	193		3699	193	WCH-60	7922	98,209

ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
WCH-66	7979	98,209	WM72PR	639	217	WOAEP3036T-1C-1W	3084	141	WOAP3648T-1C-1W	3464	141
WCH-72	8876	98,209	WM84APR	543	217	WOAEP3036T-1H-1W	3084	141	WOAP3648T-1H-1W	3464	141
WCH-84	9124	98,209	WM84PR	695	217	WOAEP3036T-2C	3084	141	WOAP3648T-2C	3464	141
WCH-90	9642	98,209	WM96APR	667	217	WOAEP3036T-2H	3084	141	WOAP3648T-2H	3464	141
WCH-96	9941	98,209	WM96PR	985	217	WOAEP3036T-2W	3084	141	WOAP3648T-2W	3464	141
WCH4-24C-L	4733	253	WOAC2436T-1C-1W	1218	140,178	WOAEP3048T-1C-1W	3594	141	WOAP3660T-1C-1W	3974	141
WCH4-24C-LL	5053	253	WOAC2436T-1H-1W	1218	140,178	WOAEP3048T-1H-1W	3594	141	WOAP3660T-1H-1W	3974	141
WCH4-24C-R	4733	253	WOAC2436T-2C	1218	140,178	WOAEP3048T-2C	3594	141	WOAP3660T-2C	3974	141
WCH4-24C-RL	5053	253	WOAC2436T-2H	1218	140,178	WOAEP3048T-2H	3594	141	WOAP3660T-2H	3974	141
WCO-24	4168	98,209	WOAC2436T-2W	1218	140,178	WOAEP3048T-2W	3594	141	WOAP3660T-2W	3974	141
WCO-30	4173	98,209	WOAC2448T-1C-1W	1386	140,178	WOAEP3060T-1C-1W	4065	141	WOAPEP2436T-1C-1W	2936	141
WCO-36	4327	98,209	WOAC2448T-1H-1W	1386	140,178	WOAEP3060T-1H-1W	4065	141	WOAPEP2436T-1H-1W	2936	141
WCO-48	4985	98,209	WOAC2448T-2C	1386	140,178	WOAEP3060T-2C	4065	141	WOAPEP2436T-2C	2936	141
WCO-60	5455	98,209	WOAC2448T-2H	1386	140,178	WOAEP3060T-2H	4065	141	WOAPEP2436T-2H	2936	141
WCO-72	5788	98,209	WOAC2448T-2W	1386	140,178	WOAEP3060T-2W	4065	141	WOAPEP2436T-2W	2936	141
WCO-84	6107	98,209	WOAC2460T-1C-1W	1557	140,178	WOAEP3636T-1C-1W	3358	141	WOAPEP2448T-1C-1W	3427	141
WCO-96	6839	98,209	WOAC2460T-1H-1W	1557	140,178	WOAEP3636T-1H-1W	3358	141	WOAPEP2448T-1H-1W	3427	141
WCS-120	11342	98,209	WOAC2460T-2C	1557	140,178	WOAEP3636T-2C	3358	141	WOAPEP2448T-2C	3427	141
WCS-24	4715	98,209	WOAC2460T-2H	1557	140,178	WOAEP3636T-2H	3358	141	WOAPEP2448T-2H	3427	141
WCS-30	5745	98,209	WOAC2460T-2W	1557	140,178	WOAEP3636T-2W	3358	141	WOAPEP2448T-2W	3427	141
WCS-36	5923	98,209	WOAC3036T-1C-1W	1288	140,178	WOAEP3648T-1C-1W	3955	141	WOAPEP2460T-1C-1W	4077	141
WCS-42	5952	98,209	WOAC3036T-1H-1W	1288	140,178	WOAEP3648T-1H-1W	3955	141	WOAPEP2460T-1H-1W	4077	141
WCS-48	6488	98,209	WOAC3036T-2C	1288	140,178	WOAEP3648T-2C	3955	141	WOAPEP2460T-2C	4077	141
WCS-54	6609	98,209	WOAC3036T-2H	1288	140,178	WOAEP3648T-2H	3955	141	WOAPEP2460T-2H	4077	141
WCS-60	7503	98,209	WOAC3036T-2W	1288	140,178	WOAEP3648T-2W	3955	141	WOAPEP2460T-2W	4077	141
WCS-72	8404	98,209	WOAC3048T-1C-1W	1503	140,178	WOAEP3660T-1C-1W	4614	141	WOAPEP3036T-1C-1W	3481	141
WCS-84	8622	98,209	WOAC3048T-1H-1W	1503	140,178	WOAEP3660T-1H-1W	4614	141	WOAPEP3036T-1H-1W	3481	141
WCS-90	9131	98,209	WOAC3048T-2C	1503	140,178	WOAEP3660T-2C	4614	141	WOAPEP3036T-2C	3481	141
WCS-96	9414	98,209	WOAC3048T-2H	1503	140,178	WOAEP3660T-2H	4614	141	WOAPEP3036T-2H	3481	141
WDR203608-A	313	39	WOAC3048T-2W	1503	140,178	WOAEP3660T-2W	4614	141	WOAPEP3036T-2W	3481	141
WDR203612-A	313	39	WOAC3060T-1C-1W	1693	140,178	WOAP2436T-1C-1W	2408	141	WOAPEP3048T-1C-1W	3989	141
WDR204808-A	362	39	WOAC3060T-1H-1W	1693	140,178	WOAP2436T-1H-1W	2408	141	WOAPEP3048T-1H-1W	3989	141
WDR204812-A	362	39	WOAC3060T-2C	1693	140,178	WOAP2436T-2C	2408	141	WOAPEP3048T-2C	3989	141
WDR206008-A	407	39	WOAC3060T-2H	1693	140,178	WOAP2436T-2H	2408	141	WOAPEP3048T-2H	3989	141
WDR206012-A	407	39	WOAC3060T-2W	1693	140,178	WOAP2436T-2W	2408	141	WOAPEP3048T-2W	3989	141
WDR243608-A	352	39	WOAC3636T-1C-1W	1563	140,178	WOAP2448T-1C-1W	2823	141	WOAPEP3060T-1C-1W	4457	141
WDR243612-A	352	39	WOAC3636T-1H-1W	1563	140,178	WOAP2448T-1H-1W	2823	141	WOAPEP3060T-1H-1W	4457	141
WDR244808-A	395	39	WOAC3636T-2C	1563	140,178	WOAP2448T-2C	2823	141	WOAPEP3060T-2C	4457	141
WDR244812-A	395	39	WOAC3636T-2H	1563	140,178	WOAP2448T-2H	2823	141	WOAPEP3060T-2H	4457	141
WDR246008-A	458	39	WOAC3636T-2W	1563	140,178	WOAP2448T-2W	2823	141	WOAPEP3060T-2W	4457	141
WDR246012-A	458	39	WOAC3648T-1C-1W	1769	140,178	WOAP2460T-1C-1W	3252	141	WOAPEP3636T-1C-1W	3652	141
WM108APR	806	217	WOAC3648T-1H-1W	1769	140,178	WOAP2460T-1H-1W	3252	141	WOAPEP3636T-1H-1W	3652	141
WM108PR	1106	217	WOAC3648T-2C	1769	140,178	WOAP2460T-2C	3252	141	WOAPEP3636T-2C	3652	141
WM120APR	816	217	WOAC3648T-2H	1769	140,178	WOAP2460T-2H	3252	141	WOAPEP3636T-2H	3652	141
WM120PR	1172	217	WOAC3648T-2W	1769	140,178	WOAP2460T-2W	3252	141	WOAPEP3636T-2W	3652	141
WM132APR	944	217	WOAC3660T-1C-1W	1921	140,178	WOAP3036T-1C-1W	2602	141	WOAPEP3648T-1C-1W	4301	141
WM132PR	1188	217	WOAC3660T-1H-1W	1921	140,178	WOAP3036T-1H-1W	2602	141	WOAPEP3648T-1H-1W	4301	141
WM144APR	1014	217	WOAC3660T-2C	1921	140,178	WOAP3036T-2C	2602	141	WOAPEP3648T-2C	4301	141
WM144PR	1495	217	WOAC3660T-2H	1921	140,178	WOAP3036T-2H	2602	141	WOAPEP3648T-2H	4301	141
WM1836	104	90	WOAC3660T-2W	1921	140,178	WOAP3036T-2W	2602	141	WOAPEP3648T-2W	4301	141
WM1848	134	90	WOAEP2436T-1C-1W	2621	141	WOAP3048T-1C-1W	3076	141	WOAPEP3660T-1C-1W	5018	141
WM1860	156	90	WOAEP2436T-1H-1W	2621	141	WOAP3048T-1H-1W	3076	141	WOAPEP3660T-1H-1W	5018	141
WM2448	159	90	WOAEP2436T-2C	2621	141	WOAP3048T-2C	3076	141	WOAPEP3660T-2C	5018	141
WM2472	183	90	WOAEP2436T-2H	2621	141	WOAP3048T-2H	3076	141	WOAPEP3660T-2H	5018	141
WM2484	219	90	WOAEP2436T-2W	2621	141	WOAP3048T-2W	3076	141	WOAPEP3660T-2W	5018	141
WM2496	232	90	WOAEP2448T-1C-1W	3031	141	WOAP3060T-1C-1W	3520	141	WOAS2436T-1C-1W	2109	140,178
WM3354	267	90	WOAEP2448T-1H-1W	3031	141	WOAP3060T-1H-1W	3520	141	WOAS2436T-1H-1W	2109	140,178
WM36APR	338	217	WOAEP2448T-2C	3031	141	WOAP3060T-2C	3520	141	WOAS2436T-2C	2109	140,178
WM36PR	391	217	WOAEP2448T-2H	3031	141	WOAP3060T-2H	3520	141	WOAS2436T-2H	2109	140,178
WM4848	259	90	WOAEP2448T-2W	3031	141	WOAP3060T-2W	3520	141	WOAS2436T-2W	2109	140,178
WM48APR	354	217	WOAEP2460T-1C-1W	3680	141	WOAP3636T-1C-1W	2949	141	WOAS2448T-1C-1W	2451	140,178
WM48PR	472	217	WOAEP2460T-1H-1W	3680	141	WOAP3636T-1H-1W	2949	141	WOAS2448T-1H-1W	2451	140,178
WM60APR	403	217	WOAEP2460T-2C	3680	141	WOAP3636T-2C	2949	141	WOAS2448T-2C	2451	140,178
WM60PR	503	217	WOAEP2460T-2H	3680	141	WOAP3636T-2H	2949	141	WOAS2448T-2H	2451	140,178
WM72APR	517	217	WOAEP2460T-2W	3680	141	WOAP3636T-2W	2949	141	WOAS2448T-2W	2451	140,178

ALPHANUMERIC PRICE INDEX

Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.	Part Num ber	List Price	Page No.
WOAS2460T-1C-1W	2877	140,178	WS1072-14/3	1073	94	WSP1236	1087	95	WTFT-1296-FGG	16362	264
WOAS2460T-1H-1W	2877	140,178	WS1072-16/3	980	94	WSP1248	1125	95	WTFT-1296-SG	19137	264
WOAS2460T-2C	2877	140,178	WS1072-16/4	713	94	WSP1260	1179	95	WTFT-1518-FGG	13242	264
WOAS2460T-2H	2877	140,178	WS1084-14/3	1163	94	WSP1272	1223	95	WTFT-1518-SG	14464	264
WOAS2460T-2W	2877	140,178	WS1084-16/3	1062	94	WSP1284	1294	95	WTFT-1524-FGG	13877	264
WOAS3036T-1C-1W	2312	140,178	WS1084-16/4	752	94	WSP1296	1323	95	WTFT-1524-SG	15001	264
WOAS3036T-1H-1W	2312	140,178	WS1096-14/3	1346	94	WSP15108	2333	95	WTFT-1530-FGG	14118	264
WOAS3036T-2C	2312	140,178	WS1096-16/3	1224	94	WSP15120	2371	95	WTFT-1530-SG	15093	264
WOAS3036T-2H	2312	140,178	WS1096-16/4	869	94	WSP15132	2547	95	WTFT-1536-FGG	14260	264
WOAS3036T-2W	2196	140,178	WS12108-14/3	1599	94	WSP15144	2589	95	WTFT-1536-SG	15640	264
WOAS3048T-1C-1W	2567	140,178	WS12108-16/3	1457	94	WSP1536	1420	95	WTFT-1548-FGG	14741	264
WOAS3048T-1H-1W	2567	140,178	WS12108-16/4	1053	94	WSP1548	1451	95	WTFT-1548-SG	16627	264
WOAS3048T-2C	2567	140,178	WS12120-14/3	1694	94	WSP1560	1649	95	WTFT-1560-FGG	15112	264
WOAS3048T-2H	2567	140,178	WS12120-16/3	1539	94	WSP1572	1791	95	WTFT-1560-SG	17577	264
WOAS3048T-2W	2567	140,178	WS12120-16/4	1096	94	WSP1584	2051	95	WTFT-1572-FGG	15592	264
WOAS3060T-1C-1W	2988	140,178	WS1224-14/3	794	94	WSP1596	2148	95	WTFT-1572-SG	18549	264
WOAS3060T-1H-1W	2988	140,178	WS1224-16/3	720	94	WSP18108	2717	95	WTFT-1584-FGG	16057	264
WOAS3060T-2C	2988	140,178	WS1224-16/4	619	94	WSP18120	2759	95	WTFT-1584-SG	19525	264
WOAS3060T-2H	2988	140,178	WS1224TL	271	93	WSP18132	2813	95	WTFT-1596-FGG	16449	264
WOAS3060T-2W	2988	140,178	WS1236-14/3	887	94	WSP18144	2857	95	WTFT-1596-SG	20440	264
WOAS3636T-1C-1W	2446	140,178	WS1236-16/3	809	94	WSP1836	1700	95	WTFT-1824-FGG	14085	264
WOAS3636T-1H-1W	2446	140,178	WS1236-16/4	665	94	WSP1848	1728	95	WTFT-1824-SG	15224	264
WOAS3636T-2C	2446	140,178	WS1236TL	293	93	WSP1860	1818	95	WTFT-1830-FGG	14395	264
WOAS3636T-2H	2446	140,178	WS1248-14/3	954	94	WSP1872	1946	95	WTFT-1830-SG	15455	264
WOAS3636T-2W	2446	140,178	WS1248-16/3	867	94	WSP1884	2112	95	WTFT-1836-FGG	14632	264
WOAS3648T-1C-1W	2935	140,178	WS1248-16/4	680	94	WSP1896	2236	95	WTFT-1836-SG	15686	264
WOAS3648T-1H-1W	2935	140,178	WS1248TL	331	93	WT3048SE	1034	183	WTFT-1848-FGG	15194	264
WOAS3648T-2C	2935	140,178	WS1260-14/3	1051	94	WT3048SE-BS	1293	183	WTFT-1848-SG	17244	264
WOAS3648T-2H	2935	140,178	WS1260-16/3	957	94	WT3048SEB	732	183	WTFT-1860-FGG	15673	264
WOAS3648T-2W	2935	140,178	WS1260-16/4	724	94	WT3048SEB-BS	912	183	WTFT-1860-SG	17836	264
WOAS3660T-1C-1W	3422	140,178	WS1260TL	369	93	WT3048SEM	1453	183	WTFT-1872-FGG	16808	264
WOAS3660T-1H-1W	3422	140,178	WS1272-14/3	1146	94	WT3048SEM-BS	1816	183	WTFT-1872-SG	19378	264
WOAS3660T-2C	3422	140,178	WS1272-16/3	1046	94	WT3060SE	1181	183	WTFT-1884-FGG	16808	264
WOAS3660T-2H	3422	140,178	WS1272-16/4	776	94	WT3060SE-BS	1477	183	WTFT-1884-SG	20060	264
WOAS3660T-2W	3422	140,178	WS1284-14/3	1248	94	WT3060SEB	856	183	WTFT-1896-FGG	17335	264
WR18-BL	25	33	WS1284-16/3	1135	94	WT3060SEB-BS	1069	183	WTFT-1896-SG	21479	264
WR18-C	21	33	WS1284-16/4	820	94	WT3060SEM	1548	183	WTFT-2424-FGG	14296	264
WR18-V	26	33	WS1296-14/3	1365	94	WT3060SEM-BS	1936	183	WTFT-2424-SG	16099	264
WR18-VG	26	33	WS1296-16/3	1242	94	WT3072SE	1381	183	WTFT-2430-FGG	14701	264
WR18-Z	19	33	WS1296-16/4	962	94	WT3072SE-BS	1725	183	WTFT-2430-SG	16304	264
WS10108-14/3	1479	94	WS2436C	293	135	WT3072SEB	960	183	WTFT-2436-FGG	14984	264
WS10108-16/3	1343	94	WS2436S	1083	135	WT3072SEB-BS	1198	183	WTFT-2436-SG	17037	264
WS10108-16/4	945	94	WS2436WT	449	135	WT3072SEM	1749	183	WTFT-2448-FGG	15664	264
WS10120-14/3	1667	94	WS2436WT-S	1696	135	WT3072SEM-BS	2185	183	WTFT-2448-SG	17975	264
WS10120-16/3	1517	94	WS2448C	333	135	WTFT-1215-FGG	12959	264	WTFT-2460-FGG	16336	264
WS10120-16/4	992	94	WS2448S	1181	135	WTFT-1215-SG	14277	264	WTFT-2460-SG	18812	264
WS1024-14/3	742	94	WS2448WT	521	135	WTFT-1218-FGG	13609	264	WTFT-2472-FGG	16381	264
WS1024-16/3	675	94	WS2448WT-S	1738	135	WTFT-1218-SG	14594	264	WTFT-2472-SG	20063	264
WS1024-16/4	576	94	WSP10108	1700	95	WTFT-1224-FGG	13824	264	WTFT-2484-FGG	17683	264
WS1024TL	252	93	WSP10120	1739	95	WTFT-1224-SG	14766	264	WTFT-2484-SG	20900	264
WS1036-14/3	839	94	WSP10132	1843	95	WTFT-1230-FGG	14089	264	WTFT-2496-FGG	18306	264
WS1036-16/3	761	94	WSP10144	1882	95	WTFT-1230-SG	14881	264	WTFT-2496-SG	21942	264
WS1036-16/4	619	94	WSP1036	1047	95	WTFT-1236-FGG	14234	264	WTRE20-Z	640	168
WS1036TL	269	93	WSP1048	1069	95	WTFT-1236-SG	14996	264	WTRE38-Z	645	168
WS1048-14/3	888	94	WSP1060	1116	95	WTFT-1248-FGG	14698	264	WTRS20-Z	640	168
WS1048-16/3	813	94	WSP1072	1156	95	WTFT-1248-SG	15918	264	WTRS38-Z	645	168
WS1048-16/4	626	94	WSP1084	1213	95	WTFT-1260-FGG	14998	264	WTSA30	223	200
WS1048TL	307	93	WSP1096	1296	95	WTFT-1260-SG	16882	264			
WS1060-14/3	983	94	WSP12108	1806	95	WTFT-1272-FGG	15504	264			
WS1060-16/3	898	94	WSP12120	1848	95	WTFT-1272-SG	17745	264			
WS1060-16/4	668	94	WSP12132	1943	95	WTFT-1284-FGG	15919	264			
WS1060TL	346	93	WSP12144	1979	95	WTFT-1284-SG	18912	264			

NOTES

[illegible]

Some of our new products featured inside...



◀ **Breath/Safety Shields** ▶
pages 269-273



▶ **Portable
Hand Sink
with Open
Base** ◀
page 228



▶ **Mop Sink
Splash Kits** ◀
page 252



◀ **Q-LEVER
Storage
Solutions** ◀
pages 72-85



◀ **Pegboards** ◀
page 120

Introducing **NEW** Catalog Section...

Stainless Steel Inset Casework

See pages 101 through 124.



Material Handling, Healthcare & Cleanroom Equipment

100 Industrial Boulevard, Clayton, DE 19938
Phone: 302-653-3000 • Fax: 302-653-2065
Eagle MHC website: www.eaglemhc.com
Eagle Group website: www.eaglegrp.com

Rev 04/21 EG9065

© 2021 EAGLE GROUP. Profit From The EAGLE Advantage® is a registered trademark of EAGLE GROUP.

Although every attempt has been made to ensure the accuracy of the data in this publication, we cannot be responsible for printing or typographical errors or omissions.