

SEPTEMBER
2026



CATALOG PRICE LIST

CASEWORK • CLEANROOM FURNITURE •
COUNTERTOPS • GOWNING EQUIPMENT
LAB FURNITURE • SINKS & FLOOR TROUGHS
TABLES & WORKSTATIONS • SHELVING & CARTS
CUSTOM FABRICATION

EAGLE DELIVERS...

Standard Products • Custom Fabrication
Exceptional Service • Made in U.S.A.

Stainless Steel Inset Casework




Eagle MHC manufactures a broad line of stainless steel inset casework featuring a wide variety of drawer and door configurations to meet your laboratory requirements with all casework proudly made in the U.S.A.



Our casework construction and performance characteristics are in full compliance with SEFA 8M Metal standards.

In addition to our extensive casework product line, Eagle MHC offers stainless steel countertops, custom stainless steel fabrication, laboratory sinks, workstations, shelving and other storage solutions.

FROM THE DRAWING BOARD TO YOUR LAB SPACE



Use Our **CASEWORK CONFIGURATOR** to design your casework layout for a lab tailored to your specific requirements, workflow, and space.

TRY IT FOR YOURSELF

CLICK HERE TO VISIT OUR
CONFIGURATOR



Design your
perfect casework
layout with just
a few clicks.

- ✓ simplifies planning
- ✓ generates CAD/REVIT files
- ✓ creates equipment list
- ✓ facilitates quote request



Material Handling, Healthcare & Cleanroom Equipment

- Standard Terms and Conditions of Sale - Effective January 2025

These terms and conditions, as may be modified by Metal Masters Foodservice Equipment Co., Inc. d/b/a Eagle Group's ("Eagle") sales quotation or proposal, and all documents incorporated by specific reference therein are the complete agreement ("Agreement") governing the sale of goods ("Goods") by Eagle to the customer ("Customer"). Customer's placement of an order manifests Customer's assent to this Agreement. This Agreement shall govern in the event of a conflict between this Agreement and any purchase order or other document from the Customer. This Agreement shall not be modified without a writing signed by Eagle and Customer.

PRICES

All merchandise will be billed at our current published list prices in effect at the time of shipment. Freight charges are in addition to merchandise charges unless shipped freight collect or freight prepaid at customer expense. Any sales tax or export fee Eagle must collect will be added to the Customer's invoice. Order consolidation is available for an additional charge.

PERFORMANCE

All shipping dates are approximate. Eagle is not responsible for any delays in processing, production, or shipping. Fulfillment is always subject to the availability of material and to conditions affecting shipment that are beyond our control. Eagle shall not be held liable for any delay.

SHORTAGE

All claims for shortage must be brought to our attention within five (5) business days from the date merchandise is received. Failure to notify Eagle Group of any shortage within five (5) business days of receipt shall result in a waiver of any claim of a shortage. Please be certain that you receive the number of packages signed for. A clear delivery ticket constitutes shipment was delivered without shortage and releases Eagle from liability.

CANCELLATIONS

Cancellations are not accepted on orders in transit, custom items, and electro-polished items. Standard orders that are canceled in production will be subject to up to a 30% cancellation charge.

RETURNS

Custom, modified standard equipment, and electro-polished items are non-returnable.

Authorization Policy for Standard Returns:

- ✓ \$75.00 minimum on merchandise returns exclusive of freight.
- ✓ Written approval from Eagle's Customer Service is mandatory on all returns.
- ✓ Return authorization must be requested within 60 days from the date of shipment.
- ✓ Authorized return shipments, in which merchandise is not defective and orders have been properly filled, must be shipped prepaid and properly packaged in original Eagle Group packaging to prevent merchandise damage.
- ✓ Each return authorization number must be written on the outside of each carton returned to Eagle.
- ✓ No credits will be processed for a return until we have confirmation that the item has been received, has been inspected, and is confirmed that the item is in unused, new, and sellable condition. All items returned without proper authorization will not be credited and Eagle Group will not be responsible for shipping costs associated with the attempted return.

Restocking:

- ✓ Restocking and equipment repair fees for merchandise damaged during return shipment to Eagle will be withheld from the issued credit.
- ✓ Returns of made-to-stock merchandise are subject to a 30% restocking fee.
- ✓ Returns of standard made-to-order merchandise are subject to a 50% restocking fee.
- ✓ Returns of Cool Trough® Water Tempering System floor troughs (Models beginning with ASWT and WT) are subject to a 100% restocking fee.
- ✓ The minimum restocking fee on merchandise returns shall be \$75.00.

CUSTOM ORDERS & DRAWINGS

Custom orders require submittal drawings for customer approval prior to the start of fabrication. All prints and drawings submitted with orders are accepted as final approval in the custom order process. Errors that arise due to incorrect submittals are the responsibility of the customer. If an order is canceled after drawings are provided by Eagle, a drawing fee equal to 10% of the custom item's net value will apply. Orders for custom work already in production are not permitted to be canceled.

DAMAGES

EAGLE's responsibility ceases immediately upon our retaining receipt of pickup from our dock by the transportation company. Therefore, all liability passes to the customer at our loading dock (FOB Origin), regardless of who pays the carrier, except in the rare case that we deliver using our truck (not a common carrier). If a container shows rough handling, do not give the carrier a clear delivery receipt and inspect the merchandise immediately or refuse the piece(s) of damaged merchandise. Note the damage on the delivery receipt/bill of lading while the driver is there. If you sign your name on the freight bill without noting any damages, then you are stating you have received your order/shipment in acceptable condition. Upon finding damage while unpacking the product, call the carrier without further unpacking, ask for an inspection, and follow-through by filing a claim with the carrier immediately. Concealed damage claims must be reported in writing to the carrier within five (5) business days of receipt.

ORDER APPROVAL

All orders are subject to final approval by Eagle's home office. Acceptance and/or performance shall be at all times subject to the approval of Eagle's Credit Department. A deposit may be required on larger orders, the amount of the deposit is to be determined at Eagle's sole discretion based on payment history and D&B reports. Minimum order of \$50.00 net after any credits required. Shipping cost is not included towards the minimum order.

- MONETARY VALUES ARE BASED ON U.S. CURRENCY. -



100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
<http://www.eagle-mhc.com>

- Standard Terms and Conditions of Sale - Effective January 2025

These terms and conditions, as may be modified by Metal Masters Foodservice Equipment Co., Inc. d/b/a Eagle Group's ("Eagle") sales quotation or proposal, and all documents incorporated by specific reference therein are the complete agreement ("Agreement") governing the sale of goods ("Goods") by Eagle to the customer ("Customer"). Customer's placement of an order manifests Customer's assent to this Agreement. This Agreement shall govern in the event of a conflict between this Agreement and any purchase order or other document from the Customer. This Agreement shall not be modified without a writing signed by Eagle and Customer.

TERMS

- ✓ Discount and discount dates are clearly marked at the bottom of each invoice should you be entitled to any discount, subject to the current status of your account. If any payment owed to Eagle is not paid when due, it shall bear interest at 1.5% per month, from the date on which it is due, until it is paid. Eagle shall have the right, among other remedies, in the event of delinquency to suspend further performance under this Agreement and/or other agreements with Customer. The customer shall be liable for all expenses, including attorneys' fees, relating to the collection of past due amounts.
- ✓ Credit memos expire one year from date of issuance, hold no cash value and cannot be redeemed or refunded for cash unless previously agreed upon by both parties.
- ✓ Sales Tax - Customers claiming sales tax exemption must provide a valid and up-to-date exemption certificate at the time of purchase. Once an order has been invoiced, customers are liable for any tax incurred, and Eagle Group will not issue credits or allowances.

UPS/FEDEX

All UPS and FedEx shipments will be charged a minimum shipping fee of \$25.00.

FOB/FREIGHT

All orders ship FOB Origin unless otherwise specified. All orders shipped prepaid/add will receive an administrative surcharge added to the freight charge.

Freight rates are based on standard dock to dock shipments via Eagle's preferred carriers. Guaranteed delivery, expedited freight, and dedicated shipments are all subject to additional charges. Eagle is not responsible for any unauthorized accessorial charges including but not limited to lift gate, re-delivery, advance notification, limited access, residential, inside delivery, diversion miles, etc. All unauthorized accessorial charges will be billed back to the Customer. These charges will be applied after shipment in the form of a separate invoice. The customer is responsible for arranging and all costs associated with overweight, over height, and overwidth shipments and any logistical obligations such as permits and transportation escorts. Eagle reserves the right to make partial shipments and to segregate special orders and made-to-order Goods. Estimated shipping dimensions and weights serve as a guide only. The customer's shipping documents will include freight charges based on class.

ASSIGNMENT

Customer shall not assign its rights or duties hereunder without the prior written consent of Eagle. The rights and obligations of Eagle under this Agreement shall inure to the benefit of the successors, affiliates, and assigns of Eagle.

PATENTS AND COPYRIGHTS

In the event Eagle sells Customer an item infringing any valid U.S. patent or copyright and the use of such Goods is enjoined, Eagle shall have the right at its option and expense to: (i) procure for Customer the right to continue using such Goods; or (ii) replace them with non-infringing Goods; or (iii) modify same to become non-infringing; or (iv) grant Customer a credit for the depreciated value of such Goods and accept return of them. Any additional remedy is waived by the customer.

Eagle's (and its affiliates') name, logo, designs, trademarks, and other intellectual property remains the property of Eagle and may not be disclosed, reproduced, or used without its prior written consent.

USE OF GOODS

Customer shall not use any Goods for an unlawful purpose.

JURISDICTION

This Agreement shall be construed in accordance with the laws of the State of Delaware without regard to conflicts of laws. The parties hereto each irrevocably consent to the exclusive jurisdiction of the State courts of the State of Delaware for the resolution of any dispute hereunder and waive removal to Federal Court. This Agreement shall be deemed to be performed in Delaware. Customer specifically agrees to accept service of process by hand-delivery or Certified Mail even if same is not effectuated upon Customer within the territorial jurisdiction of the State of Delaware.

THIRD PARTY OFFERS

EAGLE Group only will honor pricing on proposals submitted by Eagle Group. No third-party pricing offers shall be valid.

CONTROLLING LAW

This Agreement is made under and shall be governed by, construed, and enforced in accordance with, the laws of Delaware without regard to conflicts of law principles.

EXCLUSIVE JURISDICTION

The parties consent to the exclusive jurisdiction of the courts of Delaware and/or the United States District Court for the District of Delaware in any action between the parties arising out of this and Agreement.

LIMITED WARRANTY

Eagle Group warrants only that goods supplied hereunder manufactured by Eagle Group will be free from defects in material and workmanship at the time they leave our factory and are fit only for the purposes intended and no other use or purpose. Remedies in the event of a breach or default by Eagle Group of any kind, including but not limited to the foregoing, arising or not arising under this Agreement, are limited to the cost of goods sold, exclusive of shipping charges. Eagle Group makes no implied warranties to end-users or third persons except as set forth specifically in its written warranties. To view our complete warranty information please visit our website.

- MONETARY VALUES ARE BASED ON U.S. CURRENCY. -

*All orders are to be sent to our corporate office.
Please call our corporate office to place your order.
All addresses are subject to change.*

Delaware (corporate office):
EAGLE GROUP
100 Industrial Blvd., Clayton, DE 19938
Toll Free Ph: 1-800-441-8440

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
<http://www.eaglehmc.com>



WARRANTY INFORMATION



**CLICK
HERE
FOR FULL
WARRANTY
INFORMATION**

General Terms

- Warranty does not cover any cost associated with maintenance, misuse, abuse, or improper installation.
- Warranty applies in the contiguous United States only.
- Eagle will cover mileage up to 2 hrs or 100 miles round trip up to a maximum of \$150.00 for approved warranty work, any overage is a customer responsibility.
- Any warranty work must be authorized by Eagle's service department before the repair appointment.
- The cost of warranty work cannot exceed the cost of the original item.
- Warranty does not cover items purchased as excess, seconds, or closeout inventory.
- Repair parts will be sent on ground transportation, air options available at customer expense.
- All purchases made by the Buyer from the Seller are subject to the seller's warranty and return policy.

To Obtain Service Under Eagle Warranty:

- 1** Email our service department at service@eaglegrp.com
- 2** Include with email the following information...
 - a. Date of purchase and installation
 - b. Proof of purchase (copy of the original dated invoice)
 - c. Description of nature of the defect
 - d. Model number, serial number, or description of model or component part
 - e. Photographs, if applicable

- 3** Wait for disposition from our service team.


Note: Service work performed without Eagle approval will not be covered.

OTHERS' WIRE SHELVES COMPARED TO EAGLE GROUP'S...

(18" x 60" shelves shown)


EAGLE GROUP's shelves...

...incorporate more perimeter and interior serpentine trusses and mat continuity support wires than any competitive shelves.



Metro and most imported shelves...

...incorporate both perimeter and interior serpentine trusses and mat continuity support wires, but fewer than EAGLE GROUP's.



Eagle Group has the strongest wire shelf in the industry—no matter how you stack it!

SHELF AND POST FINISHES AVAILABLE

Stainless Steel Finish—OUR BEST!

Stainless Steel

- NSF-listed for all environments.
- Type 304 stainless steel.

NOTE: Stainless steel shelving is electropolished.

**15-YEAR
LIMITED
WARRANTY**

EAGLEgard® Hybrid Epoxy

Zinc Chloride
Clear Chromate
MasterSeal® Sealer
Blue Green (translucent)
- hybrid epoxy with MICROGARD®*

- NSF-listed for all environments.
- Zinc chloride plating followed by clear chromate plating with MasterSeal® Sealer and a hybrid epoxy final coat.

**12-YEAR
LIMITED
WARRANTY**

Valu-Gard® Green Epoxy

Phosphate Conversion Coating
MasterSeal® Sealer
Green (opaque)
- hybrid metallic epoxy

- NSF-listed for wet or dry storage environments.
- Phosphate conversion coating followed by green hybrid epoxy coating.

**5-YEAR
LIMITED
WARRANTY**

VALU-MASTER® Gray Epoxy

Phosphate Conversion Coating
MasterSeal® Sealer
Pewter Gray Epoxy

- NSF-listed for wet or dry storage environments.
- Phosphate conversion coating followed by metallic gray epoxy coating.

**5-YEAR
LIMITED
WARRANTY**

Chrome Finish

Bright Nickel
Chrome
Air-dry Lacquer

- NSF-listed for dry storage environments.
- Bright nickel plating followed by chrome plating.

NOTE: Optional clear hybrid epoxy, NSF-listed for all environments, is available.

**1-YEAR
LIMITED
WARRANTY**

EAGLEbrite® Zinc

Zinc chloride
Clear Chromate
MasterSeal® Sealer

- NSF-listed for dry storage environments.
- Bright zinc chloride plating followed by clear chromate plating with MasterSeal® sealer for improved rust protection.

NOTE: Wire shelves feature MasterSeal® Sealer. NSF-listed for all environments.

**3-YEAR
LIMITED
WARRANTY**

* MICROGARD®...

...is an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew on shelf surface that causes stains, odors and degradation.

...combines inorganic antimicrobial silver ions with a patented delivery system. The silver ions react with bacteria in three ways:

1) suffocates the cell, 2) stops the cell reproduction system, and 3) stops the cell from growing.

...is standard on all EAGLEgard® shelving.

Accessories/Components

Casters	9, 10, 61, 66
Casting for Leveling Feet	47
Collar Plug	47
Dividers	16, 49, 62
Enclosure Panels	48
Foot Plates	47
Glides	47
Inlays	61
Label Holders	25, 40
Ledges	50, 62
Leveling Feet	47
Post Cap	47
Post Clamps	47
Retaining Clamp	47
Rods & Tabs	48
"S" Hooks	47
Split Sleeves	47
More Accessories and Components	8-9, 47-55

Add-A-Shelf® and Accessories 22-23

Cantilever Shelving System Wall Mount..... 67-71

Carts

Angled Shelf/ Visual Merchandising Carts	33-34
Black Polymer Utility Cart	34
Cart Covers.....	31-32
Mobile Platform Carts	34
Polymer Utility Carts	34
Utility Carts.....	25, 27, 28-29
Stem Caster Carts	30
Wire Basket Utility Carts	27

Dolly Frames / Dolly Trucks

Aluminum Truck Dollies	39
Dolly Frames	40
Dolly Trucks.....	35

Posts..... 8, 23, 62

Q-LEVER® Cantilever Shelving System 72-86

Accessories	85-86
Four- and Five-Tier Units	75-80
Manager's Stations.....	83
Overhead Storage Systems.....	82
Task Stations.....	82
Units with Cabinets.....	84
Utility Stations	83
Worktables	81

QuadPLUS® Polymer Shelf Mats, Starter Units, Accessories..... 13-16

Quik-Set® Solid Shelving 63-66

Racks and Platforms

Dunnage Racks	37-39
Platforms.....	36
Polymer Dunnage Racks.....	38
Tank Racks/Accessories	45

Redi-Pak®

Utility Carts.....	25
--------------------	----

Retail Display Shelving and Accessories

Accessories/Components.....	60-62
Decorative Shelves	60
Garment Racks/Accessories	36

Security Units and Accessories 41-44

Shelves / Shelving Units / Kits

Adjustable Wire Shelving	
• Add-A-Shelf®	22-23
• Quad-Adjust®	11-12
Cantilever Shelves	8, 61
Dunnage Shelf; Starter Units	38
Four-/Five-Shelf	
Add-On Units.....	19, 21
Four-/Five-Shelf	
Starter Units.....	12, 15, 18, 20
Hybrid Shelves.....	26-27
Reverse Mat Shelves/	
Label Holders.....	25
Seismic Footplate Kits	17
Slanted Shelves.....	49
Sliding Shelf	53
Solid Shelves/Accessories	7
Triangle Shelf	52
Wire Basket Shelf	40
Wire Shelves	6

Tables - AdjuSTable®..... 46

Track Systems - High Density


Floor Track	
Storage Systems	58-59
Overhead Track	
Storage Systems	56-57

Workstations

Modular Desks/Workstations	45
----------------------------------	----

For the
"Wall Shelves" section,
go to pages 89-100.

Wire Shelves NSF

see spec sheet **EG01.00**

patented
QuadTruss®
design

(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides
a retaining ledge for increased strength and
product retention.

WEIGHT CAPACITIES:

- Shelves up to 48" (1219mm): 800 lb. (363 kg).
- 54"-72" (1372-1829mm) shelves: 600 lb. (272 kg) - evenly distributed static load.

Note: Shelving units should not exceed 2400 lbs. (1089 kg) per set of four posts.

PACKAGING:

- 24"-48" (610-1219mm) lengths: Four per box.
- 54"-72" (1372-1829mm) lengths: Two per box.
- Four pairs of split sleeves per shelf.

(•) MTS (made to stock) / () MTO (made to order)

	length		weight		cu ft	EAGLEbrite®		chrome		Valu-Master®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
14" width (356mm)	24"	610	6	2.7	0.5	1424Z •	97	1424C •	115	1424V •	116	1424VG •	116	1424E •	133	1424S •	395
	30"	762	7	3.2	0.5	1430Z •	105	1430C •	118	1430V •	125	1430VG •	125	1430E •	139	1430S •	399
	36"	914	8	3.6	0.5	1436Z •	110	1436C •	129	1436V •	132	1436VG •	132	1436E •	145	1436S •	404
	42"	1067	9	4.1	0.7	1442Z •	132	1442C •	145	1442V •	152	1442VG •	152	1442E •	166	1442S •	495
	48"	1219	10	4.5	0.7	1448Z •	132	1448C •	145	1448V •	152	1448VG •	152	1448E •	166	1448S •	495
	54"	1372	12	5.5	0.9	1454Z •	134	1454C •	152	1454V •	173	1454VG •	173	1454E •	192	1454S •	629
	60"	1524	14	6.4	0.9	1460Z •	155	1460C •	164	1460V •	173	1460VG •	173	1460E •	192	1460S •	629
	72"	1829	17	7.7	1.1	1472Z •	176	1472C •	192	1472V •	203	1472VG •	203	1472E •	219	1472S •	714
18" width (457mm)	24"	610	7	3.2	0.7	1824Z •	125	1824C •	129	1824V •	132	1824VG •	132	1824E •	152	1824S •	486
	30"	762	8	3.6	0.7	1830Z •	129	1830C •	130	1830V •	142	1830VG •	142	1830E •	156	1830S •	493
	36"	914	9	4.1	0.7	1836Z •	132	1836C •	133	1836V •	147	1836VG •	147	1836E •	162	1836S •	495
	42"	1067	11	5.0	0.9	1842Z •	152	1842C •	159	1842V •	174	1842VG •	174	1842E •	196	1842S •	594
	48"	1219	12	5.5	0.9	1848Z •	152	1848C •	159	1848V •	174	1848VG •	174	1848E •	196	1848S •	594
	54"	1372	15	6.8	1.2	1854Z •	176	1854C •	188	1854V •	210	1854VG •	210	1854E •	233	1854S •	756
	60"	1524	17	7.7	1.2	1860Z •	176	1860C •	188	1860V •	210	1860VG •	210	1860E •	233	1860S •	756
	72"	1829	20	9.1	1.3	1872Z •	207	1872C •	220	1872V •	242	1872VG •	242	1872E •	269	1872S •	897
21" width (533mm)	24"	610	8	3.6	0.7	2124Z •	134	2124C •	147	2124V •	148	2124VG •	148	2124E •	173	2124S •	563
	30"	762	9	4.1	0.7	2130Z •	139	2130C •	152	2130V •	159	2130VG •	159	2130E •	176	2130S •	567
	36"	914	11	5.0	0.8	2136Z •	145	2136C •	156	2136V •	162	2136VG •	162	2136E •	185	2136S •	573
	42"	1067	12	5.5	1.1	2142Z •	164	2142C •	180	2142V •	192	2142VG •	192	2142E •	215	2142S •	660
	48"	1219	14	6.4	1.1	2148Z •	164	2148C •	180	2148V •	192	2148VG •	192	2148E •	215	2148S •	660
	54"	1372	16	7.3	1.3	2154Z •	203	2154C •	214	2154V •	232	2154VG •	232	2154E •	252	2154S •	877
	60"	1524	18	8.2	1.3	2160Z •	203	2160C •	214	2160V •	232	2160VG •	232	2160E •	252	2160S •	877
	72"	1829	24	10.9	1.4	2172Z •	242	2172C •	254	2172V •	278	2172VG •	278	2172E •	307	2172S •	1042
24" width (610mm)	24"	610	9	4.1	0.8	2424Z •	145	2424C •	155	2424V •	160	2424VG •	160	2424E •	189	2424S •	608
	30"	762	11	5.0	0.8	2430Z •	148	2430C •	160	2430V •	173	2430VG •	173	2430E •	194	2430S •	612
	36"	914	13	5.9	0.8	2436Z •	155	2436C •	164	2436V •	176	2436VG •	176	2436E •	197	2436S •	617
	42"	1067	15	6.8	1.2	2442Z •	185	2442C •	197	2442V •	219	2442VG •	219	2442E •	242	2442S •	749
	48"	1219	16	7.3	1.2	2448Z •	185	2448C •	197	2448V •	219	2448VG •	219	2448E •	242	2448S •	749
	54"	1372	19	8.6	1.5	2454Z •	226	2454C •	238	2454V •	256	2454VG •	256	2454E •	285	2454S •	914
	60"	1524	21	9.5	1.5	2460Z •	226	2460C •	238	2460V •	256	2460VG •	256	2460E •	285	2460S •	914
	72"	1829	26	11.8	1.6	2472Z •	255	2472C •	278	2472V •	300	2472VG •	300	2472E •	334	2472S •	1140
30" width (762mm)	30"	762	16	7.3	1.0	3030Z •	188	3030C •	214	3030V •	217	3030VG •	217	3030E •	254	3030S •	722
	36"	914	17	7.7	1.0	3036Z •	210	3036C •	242	3036V •	245	3036VG •	245	3036E •	293	3036S •	818
	48"	1219	20	9.1	1.5	3048Z •	242	3048C •	278	3048V •	285	3048VG •	285	3048E •	333	3048S •	954
	60"	1524	25	11.4	1.8	3060Z •	272	3060C •	306	3060V •	319	3060VG •	319	3060E •	377	3060S •	1056
	72"	1829	30	13.6	2.3	3072Z •	327	3072C •	367	3072V •	382	3072VG •	382	3072E •	454	3072S •	1283
36" width (914mm)	36"	914	21	9.5	1.3	3636Z •	232	3636C •	270	3636V •	272	3636VG •	272	3636E •	327	3636S •	914
	48"	1219	26	11.8	1.9	3648Z •	273	3648C •	308	3648V •	325	3648VG •	325	3648E •	377	3648S •	1074
	60"	1524	34	15.4	2.3	3660Z •	312	3660C •	358	3660V •	369	3660VG •	369	3660E •	445	3660S •	1250
	72"	1829	43	19.5	2.8	3672Z •	377	3672C •	419	3672V •	448	3672VG •	448	3672E •	523	3672S •	1489

Catalog Section 1

Solid Shelves see spec sheet **EG01.01**

Raised 1/4"-high "V" Edge on all sides and double hem bending provides quality and strength!

side view of solid shelf, showing raised "V" edge

FEATURES:

- Shelf corner collars and tapered split sleeves create locking mechanism to fasten shelves to posts.

Notes: Contact factory for availability of 72"-long shelves. Availability based on application.

PACKAGING:

- 24"-48" (610-1219mm) lengths: Four per box.
- 54"-72" (1372-1829mm) lengths: Two per box.
- Four pairs of split sleeves per shelf.

All items can be shipped UPS.

Notes: For cleanroom applications, add prefix "CR" to stainless steel model number. **Example: CRSS1424S.** Alcohol-wiped & bagged, at NO ADDITIONAL PRICE. 316 stainless steel available. Consult factory.

(•) MTS (made to stock) / () MTO (made to order)

Shelves are autoclave and cart washable when used with Autoclave Posts and Aluminum Split Sleeves #A208908. To order Autoclave Posts: model #CP33-S-CAP (33" height), #CP54-S-CAP (54" height), or #CP63-S-CAP (63" height).

	length		weight		cu ft	galvanized		VALU-MASTER®		Valu-Gard®		stainless	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list
14" width (356mm)	24"	610	10	4.5	0.5	SS1424G	289	SS1424V	319	SS1424VG	319	SS1424S	485
	30"	762	12	5.5	0.5	SS1430G	297	SS1430V	326	SS1430VG	326	SS1430S	499
	36"	914	14	6.4	0.5	SS1436G	308	SS1436V	337	SS1436VG	337	SS1436S •	499
	42"	1067	15	6.8	0.7	SS1442G	319	SS1442V	350	SS1442VG	350	SS1442S	599
	48"	1219	17	7.7	0.7	SS1448G	325	SS1448V	355	SS1448VG	355	SS1448S •	599
	54"	1372	20	9.1	0.9	SS1454G	349	SS1454V	386	SS1454VG	386	SS1454S	655
18" width (457mm)	60"	1524	22	10.0	0.9	SS1460G	350	SS1460V	396	SS1460VG	396	SS1460S •	720
	24"	610	11	5.0	0.7	SS1824G	287	SS1824V	326	SS1824VG	326	SS1824S •	548
	30"	762	14	6.4	0.7	SS1830G	303	SS1830V	330	SS1830VG	330	SS1830S •	560
	36"	914	16	7.3	0.7	SS1836G •	307	SS1836V	344	SS1836VG	344	SS1836S •	560
	42"	1067	18	8.2	0.9	SS1842G	327	SS1842V	358	SS1842VG	358	SS1842S	686
	48"	1219	20	9.1	0.9	SS1848G •	330	SS1848V •	367	SS1848VG	367	SS1848S •	686
21" width (533mm)	54"	1372	22	10.0	1.2	SS1854G	356	SS1854V	396	SS1854VG	396	SS1854S	776
	60"	1524	24	10.9	1.2	SS1860G •	366	SS1860V	404	SS1860VG	404	SS1860S •	822
	24"	610	13	5.9	0.7	SS2124G	308	SS2124V	343	SS2124VG	343	SS2124S	612
	30"	762	15	6.8	0.7	SS2130G	319	SS2130V	353	SS2130VG	353	SS2130S	626
	36"	914	18	8.2	0.8	SS2136G	340	SS2136V	372	SS2136VG	372	SS2136S •	626
	42"	1067	21	9.5	1.1	SS2142G	344	SS2142V	386	SS2142VG	386	SS2142S	784
24" width (610mm)	48"	1219	23	10.5	1.1	SS2148G	355	SS2148V	393	SS2148VG	393	SS2148S	784
	54"	1372	25	11.4	1.3	SS2154G	384	SS2154V	429	SS2154VG	429	SS2154S	815
	60"	1524	28	12.7	1.3	SS2160G	384	SS2160V	432	SS2160VG	432	SS2160S	960
	24"	610	15	6.8	0.8	SS2424G •	309	SS2424V	344	SS2424VG	344	SS2424S •	660
	30"	762	17	7.7	0.8	SS2430G	325	SS2430V	353	SS2430VG	353	SS2430S	672
	36"	914	19	8.6	0.8	SS2436G •	342	SS2436V •	376	SS2436VG	376	SS2436S •	672
	42"	1067	23	10.5	1.0	SS2442G	353	SS2442V	395	SS2442VG	395	SS2442S •	820
	48"	1219	24	10.9	1.2	SS2448G •	366	SS2448V	403	SS2448VG	403	SS2448S •	820
	54"	1372	27	12.3	1.5	SS2454G	393	SS2454V	437	SS2454VG	437	SS2454S	919
	60"	1524	31	14.1	1.5	SS2460G •	403	SS2460V	452	SS2460VG	452	SS2460S •	964

Solid Shelf Joining Clamp

see spec sheet **EG01.03D**

model # list per pair
A203078 59

Note: Two required per shelf.


FEATURES:

- Clamp and two additional posts create various shelving add-on configurations.
- Joins shelves end-to-end, back-to-back, or at right angles.

(•) MTS (made to stock) / () MTO (made to order)

Posts

see spec sheets

EG01.00 EG01.01 EG01.11A EG01.14


**Posts are numbered on vertical
1" (25mm) increments to help ensure
fast and level assembly.**

FEATURES:

- Height includes leveling bolt and cap.
- EAGLEbrite® posts feature air-dry lacquer and can be used for walk-in coolers.

Notes: For special length post, apply price at next higher length plus a cutting charge of **\$22.00 list per post**.

See page 9 for appropriate stem casters.

(●) MTS (made to stock) / () MTO (made to order)

For Stationary Applications

height		cu	weight		EAGLEbrite®		chrome		Valu-Gard®		VALU-MASTER®		EAGLEgard®		stainless steel	
in.	mm	ft	lb.	kg	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
7"	178	0.1	1.0	0.5	P7-Z ●	25	P7-C	28	P7-VG	29	P7-V	29	P7-E ●	33	P7-S	65
14"	356	0.1	1.0	0.5	P14-Z ●	29	P14-C ●	32	P14-VG	33	P14-V	33	P14-E ●	36	P14-S	67
18"	457	0.1	1.5	0.7	P18-Z ●	33	P18-C ●	36	P18-VG	37	P18-V	37	P18-E	48	P18-S ●	95
33"	838	0.1	2.0	0.9	P33-Z ●	36	P33-C ●	37	P33-VG ●	40	P33-V ●	40	P33-E ●	49	P33-S ●	109
54"	1372	0.1	3.0	1.4	P54-Z ●	45	P54-C ●	48	P54-VG ●	49	P54-V ●	49	P54-E ●	53	P54-S ●	125
63"	1600	0.3	3.5	1.8	P63-Z ●	48	P63-C ●	49	P63-VG ●	53	P63-V ●	53	P63-E ●	60	P63-S ●	136
74"	1880	0.5	4.0	1.8	P74-Z ●	49	P74-C ●	55	P74-VG ●	59	P74-V ●	59	P74-E ●	65	P74-S ●	155
86"	2184	0.8	5.0	2.3	P86-Z ●	62	P86-C ●	66	P86-VG ●	67	P86-V ●	67	P86-E ●	74	P86-S ●	176
96"	2438	0.9	6.0	2.7	n/a		P96-C ●*	75	n/a		n/a		n/a		P96-S ●*	197

* 96" (2438mm) posts are NOT to be used on units less than 24" (610mm) front-to-back. Recommend using in conjunction with foot plates to affix to floor, and with post clamps where applicable.

For Mobile Applications

height		cu	weight		EAGLEbrite®		chrome		Valu-Gard®		VALU-MASTER®		EAGLEgard®		stainless steel	
in.	mm	ft	lb.	kg	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
7"	178	0.1	1.0	0.5	CP7-Z	25	CP7-C	28	CP7-VG	29	CP7-V	29	CP7-E	33	CP7-S	65
14"	356	0.1	1.0	0.5	CP14-Z	29	CP14-C	32	CP14-VG	33	CP14-V	33	CP14-E	36	CP14-S	67
18"	457	0.1	1.5	0.7	CP18-Z	33	CP18-C	36	CP18-VG	37	CP18-V	37	CP18-E	48	CP18-S	95
33"	838	0.1	2.0	0.9	CP33-Z ●	36	CP33-C ●	37	CP33-VG ●	40	CP33-V	40	CP33-E	49	CP33-S ●	109
54"	1372	0.1	3.0	1.4	CP54-Z ●	45	CP54-C ●	48	CP54-VG	49	CP54-V	49	CP54-E	53	CP54-S	125
63"	1600	0.3	3.5	1.8	CP63-Z ●	48	CP63-C ●	49	CP63-VG ●	53	CP63-V ●	53	CP63-E ●	60	CP63-S ●	136
74"	1880	0.5	4.0	1.8	CP74-Z ●	49	CP74-C ●	55	CP74-VG ●	59	CP74-V ●	59	CP74-E ●	65	CP74-S ●	155
86"	2184	0.8	5.0	2.3	CP86-Z ●	62	CP86-C ●	66	CP86-VG ●	67	CP86-V	67	CP86-E ●	74	CP86-S	176

Cantilever Shelves

see spec sheet **EG01.03E**

FEATURES:

- 1" (25mm) wraparound ledge.
- 12" (305mm) wide shelves.
- 75 lb. (34 kg) - evenly distributed static load.

NOTE: When ordering back posts, confirm with customer service, the correct post height to accommodate these shelves.

(●) MTS (made to stock) / () MTO (made to order)

length		weight		cubic	chrome		stainless steel	
in.	mm	lb.	kg	feet	model #	list	model #	list
24"	610	5	2.3	0.5	CS1224-C	125	CS1224-S	389
30"	762	5	2.3	0.8	CS1230-C	132	CS1230-S	420
36"	914	6	2.7	0.8	CS1236-C	134	CS1236-S	439
42"	1067	7	3.2	0.9	CS1242-C	152	CS1242-S	465
48"	1219	8	3.6	1.0	CS1248-C ●	156	CS1248-S	488
54"	1372	9	4.1	1.1	CS1254-C	169	CS1254-S	519
60"	1524	10	4.5	1.3	CS1260-C ●	180	CS1260-S	573

**Ideal for adding extra storage
above an existing shelving unit.
Packaged two per box.**

Catalog Section 1

Stem Casters see spec sheet **EG01.05A****Note:** Decorative stem casters also available (see page 61).

Conductive stem casters available (see page 176).

These casters cannot be used with Master Trak®.

**Add
mobility to your
stationary unit.****FEATURES:**

- Use with posts.
- Donut bumpers.
- Swivel casters have a temperature rating of -15°F.

Cart-Washable Casters

- Features stainless steel boot, swivel stem, sealed precision bearings, and polyurethane wheels.

type	capacity		wheel diameter		wheel face		weight		cubic feet	model #	list
	lbs.	kg	in.	mm	in.	mm	lbs.	kg			
swivel	300	136.1	5"	127	1 1/4"	32	2.0	0.9	0.1	CSS5WPS-300	270
w/brake	300	136.1	5"	127	1 1/4"	32	2.0	0.9	0.1	CSB5WPS-300	294



(•) MTS (made to stock) / () MTO (made to order)

Resilient

type	capacity		wheel diameter		wheel face		weight		cu ft	zinc model #	list
	lbs.	kg	in.	mm	in.	mm	lbs.	kg			
swivel	175	79.4	3"	76	1"	25	1.1	0.5	0.1	CSS3-175	47
w/brake	175	79.4	3"	76	1"	25	1.1	0.5	0.1	CSB3-175	52
swivel	125	56.7	4"	102	1"	25	1.1	0.5	0.1	CSS4-125 •	48
swivel	300	136.1	5"	127	1 1/4"	32	2.5	1.2	0.1	CSS5-300 •	60
w/brake	300	136.1	5"	127	1 1/4"	32	2.8	1.3	0.1	CSB5-300 •	69
rigid ▼	300	136.1	5"	127	1 1/4"	32	3.5	1.6	0.1	CSR5-300 •	66



resilient

Polyurethane

- Also available: Eaglebrite® zinc caster with step-pedal brake. Model #CSPB5-300. List \$103

type	capacity		wheel diameter		wheel face		weight		cu ft	nickel plated		stainless steel	
	lbs.	kg	in.	mm	in.	mm	lbs.	kg		model #	list	model #	list
swivel	300	136.1	5"	127	1 1/4"	32	2.5	1.2	0.1	CSS5P-300 •	95	CSS5PS-300 •	293
w/brake	300	136.1	5"	127	1 1/4"	32	2.8	1.3	0.1	CSB5P-300 •	105	CSB5PS-300 •	325
rigid ▼	300	136.1	5"	127	1 1/4"	32	3.5	1.6	0.1	CSR5P-300 •	106	CSR5PS-300	270



(nickel plated) swivel stem caster with polyurethane tread

Cart Washable Polymer Casters

- Corrosion-resistant stainless steel axle, stainless steel stem, polymer horn, and 5" (127mm)-diameter polyurethane wheel.

type	type of bearing	capacity		wheel diameter		wheel face		weight		cu ft	model #	list
		lbs.	kg	in.	mm	in.	mm	lbs.	kg			
swivel	delrin	250	113.4	5"	127	1 1/4"	32	2.0	0.9	0.1	CPSS5-250 •	153
w/brake	delrin	250	113.4	5"	127	1 1/4"	32	2.0	0.9	0.1	CPSB5-250 •	188



(nickel plated) swivel stem caster with polyurethane tread

▼ Channel Frames for Rigid Stem Casters

Please note: Shelf width must be known when ordering rigid stem casters in order to ship appropriate channel frame to lock rigid casters.

shelf width		weight		cubic feet	model #	list
in.	mm	lbs.	kg			
14"	356	1.5	0.7	0.1	A201706	33
18"	457	2.0	0.9	0.1	A201007	42
21"	533	2.5	1.1	0.1	A201008	53
24"	610	2.8	1.3	0.1	A201009	53
30"	762	3.5	1.6	0.1	A204795	59
36"	914	4.0	1.8	0.1	A207562	60



channel frame for rigid stem casters

Replacement Donut Bumpers for Stem Casters

description	model #	list
3 1/2" (89mm) diameter	A200019 •	14
5" (127mm) diameter, with swivel center	A213261 •	29



donut bumper

Plate Casters

see spec sheet **EG01.05B**

(•) MTS (made to stock) / () MTO (made to order)

Cart Washable Polymer - Polyurethane tread.

type	capacity		wheel diameter		wheel face		weight		model #	list
	lbs.	kg	in.	mm	in.	mm	lbs.	kg		
swivel	250	90.7	5"	127	1 1/4"	32	2.8	1.3	PCPS5-250	118
lock	250	90.7	5"	127	1 1/4"	32	2.8	1.3	PCPL5-250	148



Resilient

type	capacity		wheel diameter		wheel face		weight		cu ft	EAGLEbrite® zinc	
	lbs.	kg	in.	mm	in.	mm	lbs.	kg		model #	list
swivel	200	90.7	5"	127	1 1/8"	29	2.8	1.3	0.5	CPS5-200	75
brake	200	90.7	5"	127	1 1/8"	29	2.8	1.3	0.5	CPB5-200	86
rigid	200	90.7	5"	127	1 1/8"	29	2.8	1.3	0.5	CPR5-200	86
swivel	250	90.7	5"	127	1 1/4"	32	3.0	1.4	0.5	CPS5-250 •	96
brake	250	90.7	5"	127	1 1/4"	32	3.0	1.4	0.5	CPB5-250	105
rigid	250	90.7	5"	127	1 1/4"	32	3.0	1.4	0.5	CPR5-250	105
swivel	500	226.8	6"	152	2"	51	9.0	4.1	0.5	CPS6-500	145
brake	500	226.8	6"	152	2"	51	9.0	4.1	0.5	CPB6-500	160
rigid	500	226.8	6"	152	2"	51	9.0	4.1	0.5	CPR6-500	145



Polyurethane

type	capacity		wheel diameter		wheel face		weight		cu ft	EAGLEbrite® zinc	
	lbs.	kg	in.	mm	in.	mm	lbs.	kg		model #	list
swivel	300	136.1	5"	127	1 1/4"	32	3.0	1.4	0.5	CPS5P-300 •	86
brake	300	136.1	5"	127	1 1/4"	32	3.0	1.4	0.5	CPB5P-300 •	94
rigid	300	136.1	5"	127	1 1/4"	32	3.0	1.4	0.5	CPR5P-300	87
swivel	500	226.8	5"	127	2"	51	8.0	3.6	0.5	CPS5P-500 •	169
brake	500	226.8	5"	127	2"	51	8.0	3.6	0.5	CPB5P-500 •	194
rigid	500	226.8	5"	127	2"	51	8.0	3.6	0.5	CPR5P-500	194
swivel	600	272.1	6"	152	2"	51	9.0	4.1	0.5	CPS6P-600 •	188
brake	600	272.1	6"	152	2"	51	9.0	4.1	0.5	CPB6P-600 •	210
rigid	600	272.1	6"	152	2"	51	9.0	4.1	0.5	CPR6P-600	210
swivel	700	317.5	8"	203	2"	51	10.5	4.8	1.0	CPS8P-700	210
brake	700	317.5	8"	203	2"	51	10.5	4.8	1.0	CPB8P-700	238
rigid	700	317.5	8"	203	2"	51	10.5	4.8	1.0	CPR8P-700	238



with brake

Swivel/Lock Casters - Polyurethane tread.

type	capacity		wheel diameter		wheel face		weight		cu ft	EAGLEbrite® zinc	
	lbs.	kg	in.	mm	in.	mm	lbs.	kg		model #	list
swivel/lock	800	362.9	6"	152	2"	51	9.0	4.1	1.0	CPL6Z-800	350
swivel	800	362.9	6"	152	2"	51	9.0	4.1	1.0	CPS6Z-800	147
rigid	800	362.9	6"	152	2"	51	9.0	4.1	1.0	CPR6Z-800	136
brake	800	362.9	6"	152	2"	51	9.0	4.1	1.0	CPB6Z-800	174
swivel/lock	900	408.2	8"	203	2"	51	10.0	4.8	1.0	CPL8Z-900	362
swivel	900	408.2	8"	203	2"	51	10.0	4.8	1.0	CPS8Z-900	164
rigid	900	408.2	8"	203	2"	51	10.0	4.8	1.0	CPR8Z-900	152
brake	900	408.2	8"	203	2"	51	10.0	4.8	1.0	CPB8Z-900	192



Stainless Steel Pressure Washable Casters - Polyurethane tread.

type	capacity		wheel diameter		wheel face		weight		cu ft	stainless steel	
	lbs.	kg	in.	mm	in.	mm	lbs.	kg		model #	list
swivel	300	136.1	5"	127	1 1/4"	32	3.0	1.4	0.5	CPS5S-300	278
brake	300	136.1	5"	127	1 1/4"	32	3.0	1.4	0.5	CPB5S-300	303




with brake

Catalog Section 1

Quad-Adjust® Wire Shelving see spec sheet **EG01.14A****PATENTED!**
(patent #7,992,731)

Quad-Adjust® shelf assembled to posts (see page 8 for posts)



Each shelf corner fits in collar mounted to split sleeve

patented
QuadTruss®
design
(Patent #5,390,803)**Patented QuadTruss® Design**

makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

FEATURES:

- Shelves feature special interlocking corners that fit in collars mounted to split sleeves, allowing addition or removal of a shelf without the need to disassemble the entire shelf unit.
- Tapered split sleeves create a positive lock that becomes stronger as the load increases.
- Posts (page 8) are numbered in increments of 1" (25mm) to ensure fast and level assembly.
- Leveling feet are provided to help compensate for uneven floor surfaces.
- Shelves utilize patented QuadTruss® design: the mat wires are sandwiched between two top truss wires, adding significant strength and distributing the entire load without stress and strain on the welds.

Note: To create a mobile shelf unit, top and bottom shelves must be standard shelves (page 6).**HOW TO ASSEMBLE:**

1. Snap split sleeves onto post over number of your choice.



2. Attach Quad-Adjust® collar onto split sleeves.



3. Slide shelf into slots in collar to complete.

Weight capacities and packaging are the same as that of Wire Shelves (page 6).

(•) MTS (made to stock) / () MTO (made to order)

Quad-Adjust® Shelves


	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless steel	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
14" width (356mm)	24"	610	6	2.7	0.5	QA1424Z	174	QA1424C	192	QA1424V	185	QA1424VG	185	QA1424E	210	QA1424S	542
	30"	762	7	3.2	0.5	QA1430Z	185	QA1430C	197	QA1430V	194	QA1430VG	194	QA1430E	217	QA1430S	549
	36"	914	8	3.6	0.5	QA1436Z	189	QA1436C	203	QA1436V	205	QA1436VG	205	QA1436E	226	QA1436S	550
	42"	1067	9	4.1	0.7	QA1442Z	203	QA1442C	220	QA1442V	232	QA1442VG	232	QA1442E	244	QA1442S	658
	48"	1219	10	4.6	0.7	QA1448Z	210	QA1448C	228	QA1448V	238	QA1448VG	238	QA1448E	256	QA1448S	659
	54"	1372	12	5.5	0.9	QA1454Z	226	QA1454C	238	QA1454V	240	QA1454VG	240	QA1454E	269	QA1454S	807
	60"	1524	14	6.4	0.9	QA1460Z	238	QA1460C	244	QA1460V	269	QA1460VG	269	QA1460E	278	QA1460S	825
18" width (457mm)	72"	1829	17	7.7	1.1	QA1472Z	266	QA1472C	278	QA1472V	284	QA1472VG	284	QA1472E	307	QA1472S	923
	24"	610	7	3.2	0.7	QA1824Z	200	QA1824C	203	QA1824V	200	QA1824VG	200	QA1824E	238	QA1824S	652
	30"	762	8	3.6	0.7	QA1830Z	204	QA1830C	207	QA1830V	219	QA1830VG	219	QA1830E	239	QA1830S	658
	36"	914	9	4.1	0.7	QA1836Z	210	QA1836C •	214	QA1836V •	233	QA1836VG •	233	QA1836E •	243	QA1836S	663
	42"	1067	11	5.0	0.9	QA1842Z	228	QA1842C	238	QA1842V	245	QA1842VG	245	QA1842E	278	QA1842S	770
	48"	1219	12	5.5	0.9	QA1848Z	238	QA1848C	240	QA1848V •	269	QA1848VG •	269	QA1848E •	284	QA1848S	783
	54"	1372	15	6.8	1.2	QA1854Z	256	QA1854C	269	QA1854V	284	QA1854VG	284	QA1854E	312	QA1854S	966
21" width (533mm)	60"	1524	17	7.7	1.2	QA1860Z	266	QA1860C	273	QA1860V •	297	QA1860VG •	297	QA1860E •	326	QA1860S	978
	72"	1829	20	9.1	1.3	QA1872Z	297	QA1872C	308	QA1872V	344	QA1872VG	344	QA1872E	358	QA1872S	1148
	24"	610	8	3.6	0.8	QA2124Z	214	QA2124C	228	QA2124V	217	QA2124VG	217	QA2124E	256	QA2124S	738
	30"	762	9	4.1	0.8	QA2130Z	217	QA2130C	238	QA2130V	238	QA2130VG	238	QA2130E	266	QA2130S	752
	36"	914	11	5.0	0.8	QA2136Z	226	QA2136C	239	QA2136V	256	QA2136VG	256	QA2136E	270	QA2136S	759
	42"	1067	12	5.5	1.1	QA2142Z	240	QA2142C	258	QA2142V	273	QA2142VG	273	QA2142E	297	QA2142S	858
	48"	1219	14	6.4	1.1	QA2148Z	244	QA2148C	269	QA2148V	284	QA2148VG	284	QA2148E	300	QA2148S	863
24" width (610mm)	54"	1372	16	7.3	1.3	QA2154Z	284	QA2154C	294	QA2154V	306	QA2154VG	306	QA2154E	338	QA2154S	1118
	60"	1524	18	8.2	1.3	QA2160Z	285	QA2160C	299	QA2160V	308	QA2160VG	308	QA2160E	349	QA2160S	1125
	72"	1829	24	10.9	1.4	QA2172Z	337	QA2172C	350	QA2172V	375	QA2172VG	375	QA2172E	408	QA2172S	1322
	24"	610	9	4.1	0.8	QA2424Z	226	QA2424C	238	QA2424V	239	QA2424VG	239	QA2424E	276	QA2424S	799
	30"	762	11	5.0	0.8	QA2430Z	232	QA2430C	240	QA2430V	256	QA2430VG	256	QA2430E	280	QA2430S	803
	36"	914	13	5.9	0.8	QA2436Z	238	QA2436C	244	QA2436V •	270	QA2436VG •	270	QA2436E •	285	QA2436S	810
	42"	1067	15	6.8	1.2	QA2442Z	266	QA2442C	280	QA2442V	289	QA2442VG	289	QA2442E	328	QA2442S	960
24" width (610mm)	48"	1219	16	7.3	1.2	QA2448Z	270	QA2448C •	285	QA2448V •	309	QA2448VG •	309	QA2448E •	337	QA2448S	964
	54"	1372	19	8.6	1.5	QA2454Z	307	QA2454C	325	QA2454V	340	QA2454VG	340	QA2454E	376	QA2454S	1164
	60"	1524	21	9.5	1.5	QA2460Z	309	QA2460C	327	QA2460V •	358	QA2460VG •	358	QA2460E •	384	QA2460S	1173
	72"	1829	26	11.8	1.6	QA2472Z	353	QA2472C	375	QA2472V	417	QA2472VG	417	QA2472E	438	QA2472S	1445

Note: MICROGARD® antimicrobial protection standard on all EAGLEgard® shelving.

Quad-Adjust® Wire Shelving (continued)

see spec sheet **EG01.14A**

(•) MTS (made to stock) / () MTO (made to order)



Quad-Adjust® Reverse Mat Shelves

Built-in ledges prevent shelf contents from falling off.

	length		weight		cu ft	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless steel	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
14" (356mm)	24"	610	6	2.7	0.5	QAR1424Z	189	QAR1424C	203	QAR1424V	196	QAR1424VG	196	QAR1424E	226	QAR1424S	574
	36"	914	8	3.6	0.5	QAR1436Z	200	QAR1436C	215	QAR1436V	219	QAR1436VG	219	QAR1436E	239	QAR1436S	585
	48"	1219	10	4.6	0.7	QAR1448Z	215	QAR1448C	240	QAR1448V	245	QAR1448VG	245	QAR1448E	276	QAR1448S	700
18" (457mm)	24"	610	7	3.2	0.7	QAR1824Z	210	QAR1824C	214	QAR1824V	217	QAR1824VG	217	QAR1824E	245	QAR1824S	693
	36"	914	9	4.1	0.7	QAR1836Z	226	QAR1836C	228	QAR1836V	243	QAR1836VG	243	QAR1836E	258	QAR1836S	708
	48"	1219	12	5.5	0.9	QAR1848Z	245	QAR1848C	255	QAR1848V	283	QAR1848VG	283	QAR1848E	300	QAR1848S	830
21" (533mm)	24"	610	8	3.6	0.7	QAR2124Z	219	QAR2124C	220	QAR2124V	233	QAR2124VG	233	QAR2124E	263	QAR2124S	714
	36"	914	11	5.0	0.8	QAR2136Z	239	QAR2136C	254	QAR2136V	276	QAR2136VG	276	QAR2136E	284	QAR2136S	800
	48"	1219	14	6.4	1.1	QAR2148Z	266	QAR2148C	283	QAR2148V	300	QAR2148VG	300	QAR2148E	325	QAR2148S	919
24" (610mm)	24"	610	9	4.1	0.8	QAR2424Z	240	QAR2424C	245	QAR2424V	252	QAR2424VG	252	QAR2424E	293	QAR2424S	850
	36"	914	13	5.9	0.8	QAR2436Z	252	QAR2436C	266	QAR2436V	284	QAR2436VG	284	QAR2436E	303	QAR2436S	863
	48"	1219	16	7.3	1.2	QAR2448Z	284	QAR2448C	303	QAR2448V	334	QAR2448VG	334	QAR2448E	355	QAR2448S	1023

Note: MICROGARD® antimicrobial protection standard on all EAGLEgard® shelving.

To create a mobile shelf unit, top and bottom shelves must be standard shelves (page 6).

Quad-Adjust® 4-Tier Starter Units

see spec sheet **EG01.14B**

patented
QuadTruss®
design
(Patent #5,390,803)

Convenient easy-to-order starter unit kits.

Consists of (2) standard wire shelves, (2) Quad-Adjust® shelves (patent #7,992,731), and (4) 74" (1880mm) posts.
Configure the unit with standard wire shelves at the top and bottom, and Quad-Adjust® shelves inbetween.



	length		weight		cu ft	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless steel	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18" width (457mm)	36"	914	65	40	2.7	F2QA2-74-1836Z	873	F2QA2-74-1836C • 894	894	F2QA2-74-1836V • 967	967	F2QA2-74-1836VG • 967	967	F2QA2-74-1836E • 1029	1029	F2QA2-74-1836S	2923
	48"	1219	78	36	3.6	F2QA2-74-1848Z	960	F2QA2-74-1848C	998	F2QA2-74-1848V • 1095	1095	F2QA2-74-1848VG • 1095	1095	F2QA2-74-1848E • 1177	1177	F2QA2-74-1848S	3353
	60"	1524	102	46	4.3	F2QA2-74-1860Z	1069	F2QA2-74-1860C	1127	F2QA2-74-1860V • 1220	1220	F2QA2-74-1860VG • 1220	1220	F2QA2-74-1860E • 1332	1332	F2QA2-74-1860S	4070
	72"	1819	117	53	5.1	F2QA2-74-1872Z	1195	F2QA2-74-1872C	1267	F2QA2-74-1872V • 1386	1386	F2QA2-74-1872VG • 1386	1386	F2QA2-74-1872E • 1476	1476	F2QA2-74-1872S	4692
24" width (610mm)	36"	914	81	37	3.6	F2QA2-74-2436Z	967	F2QA2-74-2436C	1023	F2QA2-74-2436V • 1105	1105	F2QA2-74-2436VG • 1105	1105	F2QA2-74-2436E • 1184	1184	F2QA2-74-2436S	3464
	48"	1219	98	45	4.6	F2QA2-74-2448Z	1097	F2QA2-74-2448C • 1172	1172	F2QA2-74-2448V • 1273	1273	F2QA2-74-2448VG • 1273	1273	F2QA2-74-2448E • 1374	1374	F2QA2-74-2448S	4029
	60"	1524	122	55	5.7	F2QA2-74-2460Z	1263	F2QA2-74-2460C	1327	F2QA2-74-2460V • 1444	1444	F2QA2-74-2460VG • 1444	1444	F2QA2-74-2460E • 1554	1554	F2QA2-74-2460S	4774
	72"	1819	149	68	6.9	F2QA2-74-2472Z	1400	F2QA2-74-2472C	1509	F2QA2-74-2472V • 1639	1639	F2QA2-74-2472VG • 1639	1639	F2QA2-74-2472E • 1764	1764	F2QA2-74-2472S	5774

Note: MICROGARD® antimicrobial protection standard on all EAGLEgard® shelving.

Contact us:
revit@eaglegrp.com

Access Eagle's Revit Libraries on
AutoQuotes, KCL, and AutoDesk Seek

EAGLE
GROUP

Profit from the Eagle Advantage®




Catalog Section 1

QuadPLUS® Polymer Shelf Mats...



see spec sheets **EG01.47A** **EG01.47B**



FEATURES

- Blue* polymer louvered or solid shelf mats.
- MICROGARD® antimicrobial protection standard on mats.
- Easy assembly—no tools required!

Note: Packaging is the same as that of Wire Shelves (page 6).

WEIGHT CAPACITIES:

- Shelves up to 48" (1219mm): 800 lb. (363 kg).
- 54"-72" (1372-1829mm) shelves: 600 lb. (272 kg) - evenly distributed static load.

Note: Shelving units should not exceed 2400 lbs. (1089 kg) per set of four posts.

...with Standard Wire Truss Frame...

	length		weight		cu ft	w/chrome finish*		w/Valu-Master® finish*		w/chrome finish*		w/Valu-Master® finish*	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list
18" width (457mm)	24"	610	7	3.2	0.7	QPF-1824C-BL	177	QPF-1824V-BL	188	QPF-1824C-BS	188	QPF-1824V-BS	197
	30"	762	8	3.6	0.7	QPF-1830C-BL	188	QPF-1830V-BL	197	QPF-1830C-BS	197	QPF-1830V-BS	206
	36"	914	10	4.5	0.7	QPF-1836C-BL	188	QPF-1836V-BL	197	QPF-1836C-BS	197	QPF-1836V-BS	206
	42"	1067	11	5.0	0.9	QPF-1842C-BL	226	QPF-1842V-BL	238	QPF-1842C-BS	239	QPF-1842V-BS	248
	48"	1219	12	5.4	0.9	QPF-1848C-BL	226	QPF-1848V-BL	238	QPF-1848C-BS	239	QPF-1848V-BS	248
	54"	1372	15	6.8	1.2	QPF-1854C-BL	266	QPF-1854V-BL	280	QPF-1854C-BS	280	QPF-1854V-BS	294
21" width (533mm)	60"	1524	17	7.7	1.2	QPF-1860C-BL	266	QPF-1860V-BL	280	QPF-1860C-BS	280	QPF-1860V-BS	294
	72"	1829	20	9.0	1.3	QPF-1872C-BL	303	QPF-1872V-BL	319	QPF-1872C-BS	319	QPF-1872V-BS	334
	24"	610	8	3.6	0.7	QPF-2124C-BL	203	QPF-2124V-BL	210	QPF-2124C-BS	210	QPF-2124V-BS	220
	30"	762	9	4.1	0.7	QPF-2130C-BL	206	QPF-2130V-BL	217	QPF-2130C-BS	217	QPF-2130V-BS	232
	36"	914	11	5.0	0.8	QPF-2136C-BL	206	QPF-2136V-BL	217	QPF-2136C-BS	217	QPF-2136V-BS	232
	42"	1067	13	5.9	1.1	QPF-2142C-BL	243	QPF-2142V-BL	255	QPF-2142C-BS	255	QPF-2142V-BS	270
24" width (610mm)	48"	1219	14	6.4	1.1	QPF-2148C-BL	243	QPF-2148V-BL	255	QPF-2148C-BS	255	QPF-2148V-BS	270
	54"	1372	16	7.3	1.3	QPF-2154C-BL	285	QPF-2154V-BL	300	QPF-2154C-BS	303	QPF-2154V-BS	319
	60"	1524	18	8.2	1.3	QPF-2160C-BL	285	QPF-2160V-BL	300	QPF-2160C-BS	303	QPF-2160V-BS	319
	72"	1829	23	10.4	1.4	QPF-2172C-BL	349	QPF-2172V-BL	367	QPF-2172C-BS	369	QPF-2172V-BS	389
	24"	610	10	4.5	0.8	QPF-2424C-BL	220	QPF-2424V-BL	234	QPF-2424C-BS	238	QPF-2424V-BS	245
	30"	762	11	5.0	0.8	QPF-2430C-BL	226	QPF-2430V-BL	239	QPF-2430C-BS	240	QPF-2430V-BS	252
	36"	914	13	5.9	0.8	QPF-2436C-BL	226	QPF-2436V-BL	239	QPF-2436C-BS	240	QPF-2436V-BS	252
	42"	1067	15	6.8	1.2	QPF-2442C-BL	276	QPF-2442V-BL	289	QPF-2442C-BS	287	QPF-2442V-BS	303
	48"	1219	16	7.3	1.2	QPF-2448C-BL	276	QPF-2448V-BL	289	QPF-2448C-BS	287	QPF-2448V-BS	303
	54"	1372	19	8.6	1.5	QPF-2454C-BL	327	QPF-2454V-BL	342	QPF-2454C-BS	342	QPF-2454V-BS	358
	60"	1524	21	9.5	1.5	QPF-2460C-BL	327	QPF-2460V-BL	342	QPF-2460C-BS	342	QPF-2460V-BS	358
	72"	1829	25	11.3	1.6	QPF-2472C-BL	382	QPF-2472V-BL	399	QPF-2472C-BS	399	QPF-2472V-BS	420

...with Quad-Adjust® Truss Frame...

	length		weight		cu ft	w/chrome finish*		w/Valu-Master® finish*		w/chrome finish*		w/Valu-Master® finish*	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list
18" width (457mm)	24"	610	7	3.2	0.7	QPF-QA1824C-BL	207	QPF-QA1824V-BL	217	QPF-QA1824C-BS	217	QPF-QA1824V-BS	233
	30"	762	8	3.6	0.7	QPF-QA1830C-BL	217	QPF-QA1830V-BL	233	QPF-QA1830C-BS	233	QPF-QA1830V-BS	243
	36"	914	10	4.5	0.7	QPF-QA1836C-BL	217	QPF-QA1836V-BL	233	QPF-QA1836C-BS	233	QPF-QA1836V-BS	243
	42"	1067	11	5.0	0.9	QPF-QA1842C-BL	266	QPF-QA1842V-BL	276	QPF-QA1842C-BS	280	QPF-QA1842V-BS	294
	48"	1219	12	5.4	0.9	QPF-QA1848C-BL	266	QPF-QA1848V-BL	276	QPF-QA1848C-BS	280	QPF-QA1848V-BS	294
	54"	1372	15	6.8	1.2	QPF-QA1854C-BL	309	QPF-QA1854V-BL	328	QPF-QA1854C-BS	328	QPF-QA1854V-BS	344
21" width (533mm)	60"	1524	17	7.7	1.2	QPF-QA1860C-BL	309	QPF-QA1860V-BL	328	QPF-QA1860C-BS	328	QPF-QA1860V-BS	344
	72"	1829	20	9.0	1.3	QPF-QA1872C-BL	355	QPF-QA1872V-BL	372	QPF-QA1872C-BS	372	QPF-QA1872V-BS	394
	24"	610	8	3.6	0.7	QPF-QA2124C-BL	239	QPF-QA2124V-BL	245	QPF-QA2124C-BS	245	QPF-QA2124V-BS	258
	30"	762	9	4.1	0.7	QPF-QA2130C-BL	243	QPF-QA2130V-BL	255	QPF-QA2130C-BS	255	QPF-QA2130V-BS	270
	36"	914	11	5.0	0.8	QPF-QA2136C-BL	243	QPF-QA2136V-BL	255	QPF-QA2136C-BS	255	QPF-QA2136V-BS	270
	42"	1067	13	5.9	1.1	QPF-QA2142C-BL	285	QPF-QA2142V-BL	300	QPF-QA2142C-BS	300	QPF-QA2142V-BS	316
24" width (610mm)	48"	1219	14	6.4	1.1	QPF-QA2148C-BL	285	QPF-QA2148V-BL	300	QPF-QA2148C-BS	300	QPF-QA2148V-BS	316
	54"	1372	16	7.3	1.3	QPF-QA2154C-BL	337	QPF-QA2154V-BL	354	QPF-QA2154C-BS	355	QPF-QA2154V-BS	372
	60"	1524	18	8.2	1.3	QPF-QA2160C-BL	337	QPF-QA2160V-BL	354	QPF-QA2160C-BS	355	QPF-QA2160V-BS	372
	72"	1829	23	10.4	1.4	QPF-QA2172C-BL	407	QPF-QA2172V-BL	430	QPF-QA2172C-BS	436	QPF-QA2172V-BS	454
	24"	610	10	4.5	0.8	QPF-QA2424C-BL	258	QPF-QA2424V-BL	273	QPF-QA2424C-BS	276	QPF-QA2424V-BS	289
	30"	762	11	5.0	0.8	QPF-QA2430C-BL	266	QPF-QA2430V-BL	280	QPF-QA2430C-BS	283	QPF-QA2430V-BS	297
	36"	914	13	5.9	0.8	QPF-QA2436C-BL	266	QPF-QA2436V-BL	280	QPF-QA2436C-BS	283	QPF-QA2436V-BS	297
	42"	1067	15	6.8	1.2	QPF-QA2442C-BL	326	QPF-QA2442V-BL	340	QPF-QA2442C-BS	338	QPF-QA2442V-BS	355
	48"	1219	16	7.3	1.2	QPF-QA2448C-BL	326	QPF-QA2448V-BL	340	QPF-QA2448C-BS	338	QPF-QA2448V-BS	355
	54"	1372	19	8.6	1.5	QPF-QA2454C-BL	384	QPF-QA2454V-BL	403	QPF-QA2454C-BS	403	QPF-QA2454V-BS	423
	60"	1524	21	9.5	1.5	QPF-QA2460C-BL	384	QPF-QA2460V-BL	403	QPF-QA2460C-BS	403	QPF-QA2460V-BS	423
	72"	1829	25	11.3	1.6	QPF-QA2472C-BL	450	QPF-QA2472V-BL	474	QPF-QA2472C-BS	474	QPF-QA2472V-BS	494

*Available with green polymer mats and truss frames coated with EAGLEgard® green epoxy (w/MICROGARD®) or Valu-Gard® green epoxy finish.

See spec sheets **EG01.47A** and **EG01.47B**.


QuadPLUS® Wire Baskets and Truss Frames

see spec sheet **EG01.47DM**

These baskets are used in conjunction with specially-made truss frames. Once truss frame is assembled to posts, set basket inside frame. It's that easy!

Wire Baskets

	length		depth		chrome finish		Valu-Master® gray epoxy	
	in.	mm	in.	mm	model #	list	model #	list
18" width (457mm)	16"	406	6"	152	QPB1816C-6	406	QPB1816V-6	417
	16"	406	9"	229	QPB1816C-9	437	QPB1816V-9	445
	22"	559	6"	152	QPB1822C-6	452	QPB1822V-6	462
	22"	559	9"	229	QPB1822C-9	485	QPB1822V-9	493
24" width (610mm)	16"	406	6"	152	QPB2416C-6	423	QPB2416V-6	430
	16"	406	9"	229	QPB2416C-9	453	QPB2416V-9	463
	22"	559	6"	152	QPB2422C-6	467	QPB2422V-6	480
	22"	559	9"	229	QPB2422C-9	498	QPB2422V-9	512



Truss Frames with Standard Corners

	length		chrome finish		Valu-Master® gray epoxy		quantity of 16"-long basket	quantity of 22"-long basket
	in.	mm	model #	list	model #	list		
18" width (457mm)	24"	610	QPAF-1824C	128	QPAF-1824V	129		1
	30"	760	QPAF-1830C	130	QPAF-1830V	132		1
	36"	914	QPAF-1836C	133	QPAF-1836V	134		2
	42"	1060	QPAF-1842C	136	QPAF-1842V	139	1	1
	48"	1220	QPAF-1848C	142	QPAF-1848V	143		2
	54"	1372	QPAF-1854C	143	QPAF-1854V	145		2
	60"	1524	QPAF-1860C	147	QPAF-1860V	148	2	1
24" width (610mm)	72"	1829	QPAF-1872C	152	QPAF-1872V	155		3
	24"	610	QPAF-2424C	143	QPAF-2424V	145		1
	30"	760	QPAF-2430C	148	QPAF-2430V	152		1
	36"	914	QPAF-2436C	153	QPAF-2436V	156		2
	42"	1060	QPAF-2442C	156	QPAF-2442V	160	1	1
	48"	1220	QPAF-2448C	166	QPAF-2448V	173		2
	54"	1372	QPAF-2454C	169	QPAF-2454V	174		2
	60"	1524	QPAF-2460C	169	QPAF-2460V	174	2	1
	72"	1829	QPAF-2472C	189	QPAF-2472V	194		3



standard truss frame corner

Truss Frames with Quad-Adjust® Corners

	length		chrome finish		Valu-Master® gray epoxy		quantity of 16"-long basket	quantity of 22"-long basket
	in.	mm	model #	list	model #	list		
18" width (457mm)	24"	610	QPAF-QA1824C	263	QPAF-QA1824V	269		1
	30"	760	QPAF-QA1830C	266	QPAF-QA1830V	272		1
	36"	914	QPAF-QA1836C	266	QPAF-QA1836V	272		2
	42"	1060	QPAF-QA1842C	270	QPAF-QA1842V	276	1	1
	48"	1220	QPAF-QA1848C	273	QPAF-QA1848V	280		2
	54"	1372	QPAF-QA1854C	283	QPAF-QA1854V	287		2
	60"	1524	QPAF-QA1860C	285	QPAF-QA1860V	293	2	1
24" width (610mm)	72"	1829	QPAF-QA1872C	287	QPAF-QA1872V	294		3
	24"	610	QPAF-QA2424C	276	QPAF-QA2424V	283		1
	30"	760	QPAF-QA2430C	283	QPAF-QA2430V	287		1
	36"	914	QPAF-QA2436C	287	QPAF-QA2436V	294		2
	42"	1060	QPAF-QA2442C	294	QPAF-QA2442V	300	1	1
	48"	1220	QPAF-QA2448C	300	QPAF-QA2448V	306		2
	54"	1372	QPAF-QA2454C	306	QPAF-QA2454V	309		2
	60"	1524	QPAF-QA2460C	307	QPAF-QA2460V	312	2	1
	72"	1829	QPAF-QA2472C	322	QPAF-QA2472V	327		3



Quad-Adjust® truss frame corner
(allows addition or removal of a shelf without having to disassemble the entire shelf unit)

Catalog Section 1

QuadPLUS® 5-Tier Starter Units

see spec sheet **EG01.36M**

*Convenient
Easy-To-Order
Starter Unit Kits*

CONSISTS OF:

- One (1) Standard collar truss frame with louvered QuadPLUS® blue shelf mats.
- Three (3) Quad-Adjust® collar truss frames with louvered QuadPLUS® blue shelf mats.
- One (1) Standard collar truss frame with solid QuadPLUS® blue shelf mats.
- Four (4) 74" (1880mm) posts. Mobile units feature 5" (127mm) resilient swivel stem casters—two with brake.

Stationary Units

	length		with chrome finish		with Valu-Master® finish	
	in.	mm	model #	list	model #	list
18" width (457mm)	36"	914	QPSU1836C-B5-74	1487	QPSU1836V-B5-74	1240
	48"	1219	QPSU1848C-B5-74	1708	QPSU1848V-B5-74	1460
	60"	1524	QPSU1860C-B5-74	1933	QPSU1860V-B5-74	1684
21" width (533mm)	36"	914	QPSU2136C-B5-74	1605	QPSU2136V-B5-74	1355
	48"	1219	QPSU2148C-B5-74	1807	QPSU2148V-B5-74	1555
	60"	1524	QPSU2160C-B5-74	2045	QPSU2160V-B5-74	1796
24" width (610mm)	36"	914	QPSU2436C-B5-74	1712	QPSU2436V-B5-74	1463
	48"	1219	QPSU2448C-B5-74	1987	QPSU2448V-B5-74	1737
	60"	1524	QPSU2460C-B5-74	2267	QPSU2460V-B5-74	2017

Mobile Units

	length		with chrome finish		with Valu-Master® finish	
	in.	mm	model #	list	model #	list
18" width (457mm)	36"	914	QPMU1836C-B5-74	1555	QPMU1836V-B5-74	1308
	48"	1219	QPMU1848C-B5-74	1770	QPMU1848V-B5-74	1519
	60"	1524	QPMU1860C-B5-74	2017	QPMU1860V-B5-74	1766
21" width (533mm)	36"	914	QPMU2136C-B5-74	1673	QPMU2136V-B5-74	1420
	48"	1219	QPMU2148C-B5-74	1884	QPMU2148V-B5-74	1634
	60"	1524	QPMU2160C-B5-74	2139	QPMU2160V-B5-74	1889
24" width (610mm)	36"	914	QPMU2436C-B5-74	1787	QPMU2436V-B5-74	1540
	48"	1219	QPMU2448C-B5-74	2070	QPMU2448V-B5-74	1823
	60"	1524	QPMU2460C-B5-74	2369	QPMU2460V-B5-74	2119



QuadPLUS® Accessories

see spec sheet **EG01.47CM**

See page 16 for more QuadPLUS® Accessories.



tray drying rack

Tray Drying Racks

Fits over existing QuadPlus® polymer shelving. Constructed of 6-gauge wire with chrome or Valu-Master® gray epoxy coating. Comes in widths of 18", 21" and 24". Lengths range from 24" long to 60".

		...with 1-1/2" (38mm) Spacing				...with 3" (76mm) Spacing				
length		with Valu-Master®		with stainless finish		with Valu-Master®		with stainless finish		
in. mm		model #	list	model #	list	model #	list	model #	list	
24" width (610mm)	36"	914	QTR24361-V	417	QTR24361-S	452	QTR24363-V	407	QTR24363-S	443
	48"	1219	QTR24481-V	436	QTR24481-S	485	QTR24483-V	429	QTR24483-S	476
	60"	1524	QTR24601-V	463	QTR24601-S	522	QTR24603-V	454	QTR24603-S	516

QuadPLUS® Accessories

see spec sheet **EG01.47CM**

Drop-In Drying Racks


Wire rack hangs onto front, center and rear trusses of frame included.
All drying racks are stainless steel, with your choice of Valu-Master® gray epoxy or stainless steel truss frame.

	length		w/Valu-Master® finish on truss frame		with stainless finish on truss frame	
	in.	mm	model #	list	model #	list
24" width (610mm)	36"	914	QDR2436-V	517	QDR2436-S	700
	48"	1219	QDR2448-V	539	QDR2448-S	765
	60"	1524	QDR2460-V	567	QDR2460-S	844



drop-in drying rack

Ledges



Front-to-Back Ledges...

			1"-high (25mm)						4"-high (102mm)					
width		cu	weight		w/chrome		w/Valu-Master®		weight		w/chrome		w/Valu-Master®	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
18"	457	0.3	0.3	0.1	QL18W-1C	65	QL18W-1V	66	0.9	0.4	QL18W-4C	66	QL18W-4V	67
21"	533	0.3	0.4	0.2	QL21W-1C	67	QL21W-1V	69	1.0	0.5	QL21W-4C	70	QL21W-4V	74
24"	610	0.3	0.5	0.2	QL24W-1C	69	QL24W-1V	70	1.2	0.6	QL24W-4C	70	QL24W-4V	74

Left-to-Right Ledges...

			1"-high (25mm)						4"-high (102mm)					
length		cu	weight		w/chrome		w/Valu-Master®		weight		w/chrome		w/Valu-Master®	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
24"	610	0.3	0.5	0.2	QL24L-1C	69	QL24L-1V	70	1.2	0.6	QL24L-4C	70	QL24L-4V	74
30"	762	0.5	0.7	0.3	QL30L-1C	83	QL30L-1V	86	1.4	0.6	QL30L-4C	93	QL30L-4V	94
36"	914	0.6	0.9	0.4	QL36L-1C	96	QL36L-1V	97	1.6	0.7	QL36L-4C	108	QL36L-4V	109
42"	1067	0.6	1.1	0.5	QL42L-1C	103	QL42L-1V	104	1.8	0.8	QL42L-4C	109	QL42L-4V	110
48"	1092	0.7	1.3	0.6	QL48L-1C	104	QL48L-1V	105	2.0	0.9	QL48L-4C	110	QL48L-4V	115
54"	1372	0.8	1.5	0.7	QL54L-1C	110	QL54L-1V	115	2.2	1.0	QL54L-4C	116	QL54L-4V	118
60"	1524	0.8	1.7	0.8	QL60L-1C	128	QL60L-1V	129	2.4	1.1	QL60L-4C	133	QL60L-4V	134
72"	1829	1.0	2.1	1.0	QL72L-1C	136	QL72L-1V	139	2.6	1.2	QL72L-4C	145	QL72L-4V	147

QuadPLUS® Dividers

8" (203mm) height.



length		w/chrome		w/Valu-Master®	
in.	mm	model #	list	model #	list
18"	457	QPSD18-C	139	QPSD18-V	142
21"	533	QPSD21-C	142	QPSD21-V	145
24"	610	QPSD24-C	152	QPSD24-V	153

Post Clamps

Provides maximum strength when shelving units are connected by clamping posts securely together.



stainless steel		black epoxy	
model #	list	model #	list
ADD-A-CLAMP	14	ADD-A-CLAMP-BL	19

Catalog Section 1

Seismic Footplate Kits

see spec sheet **EG01.27**bolt plate for
#SFP10-1two-post bolt plate
for #SFP10-2four-post bolt plate
for #SFP10-4post strap for
#SFP10-2 and
#SFP10-4

FEATURES


- For 1"-diameter posts of pre-existing shelf units.
- 20 PSF per shelf weight capacity.
- Includes hardware to attach to posts.
- Bolt plate is zinc-plated.
- Post straps are chrome-plated.

Note: Shelves and posts sold separately.



**Converts standard shelving
into seismic shelving!**

description	quantity of bolt plates per kit	width x length x height in. mm	weight lbs. kg	kit model #	list
one-post bolt plate	4	2 1/8" x 7" x 4 1/4" 73 x 178 x 108	10 4.5	SFP10-1	340
two-post bolt plate, 2 sets of post straps*	2	8" x 11" x 4 1/4" 203 x 279 x 108	15 6.8	SFP10-2	563
four-post bolt plate, 4 sets of post straps*	1	11" x 11" x 4 1/4" 279 x 279 x 108	18 8.2	SFP10-4	532



* Post straps come with hardware for assembly, and split sleeves for attaching to posts.




**For single shelving unit,
you need...**

one (1)
#SFP10-1 kit


**For TWO adjacent shelving units,
you need...**

one (1)
#SFP10-1 kit
one (1) #SFP10-2 kit

For FOUR adjacent shelving units, you need...



two (2) #SFP10-2 kits



one (1) #SFP10-4 kit

**OSHDP
APPROVED**
OPM-0349-13

**Approved by the California Office of
Statewide Health Planning and Development.**

Note: OSHDP ongoing evaluation may affect EAGLE GROUP's
approve/pre-approve status. Consult factory.

Four-Shelf Starter Units

see spec sheet **EG01.25**

- Four shelves.
- Four posts (same finish as shelves).
- Shipped knocked-down.

INCLUDES:

Note: 54" (1372mm) shelves available (see page 6).



**EAGLEgard® finish standard
with MICROGARD® protection.**
See bottom of page 4 for details.

(•) MTS (made to stock) / () MTO (made to order)

patented
QuadTruss®
design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and
provides a retaining ledge for increased
strength and product retention.

Models with 63" (1600mm) Height

	length		weight		cu ft	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18" width (457mm)	24"	610	42	19	1.8	S4-63-1824Z •	670	S4-63-1824C •	695	S4-63-1824V •	720	S4-63-1824VG •	720	S4-63-1824E •	823	S4-63-1824S •	2475
	30"	762	47	21	2.2	S4-63-1830Z •	686	S4-63-1830C •	700	S4-63-1830V •	760	S4-63-1830VG •	760	S4-63-1830E •	849	S4-63-1830S •	2506
	36"	914	53	24	2.6	S4-63-1836Z •	700	S4-63-1836C •	720	S4-63-1836V •	784	S4-63-1836VG •	784	S4-63-1836E •	873	S4-63-1836S •	2522
	42"	1067	57	26	3.0	S4-63-1842Z •	784	S4-63-1842C •	823	S4-63-1842V •	887	S4-63-1842VG •	887	S4-63-1842E •	999	S4-63-1842S •	2907
	48"	1219	63	29	3.5	S4-63-1848Z •	784	S4-63-1848C •	823	S4-63-1848V •	887	S4-63-1848VG •	887	S4-63-1848E •	999	S4-63-1848S •	2907
	60"	1524	82	37	4.2	S4-63-1860Z •	877	S4-63-1860C •	934	S4-63-1860V •	1042	S4-63-1860VG •	1042	S4-63-1860E •	1147	S4-63-1860S •	3552
21" width (533mm)	72"	1829	94	43	5.0	S4-63-1872Z •	1065	S4-63-1872C •	1072	S4-63-1872V •	1160	S4-63-1872VG •	1160	S4-63-1872E •	1289	S4-63-1872S •	4115
	24"	610	46	21	2.1	S4-63-2124Z •	720	S4-63-2124C •	776	S4-63-2124V •	789	S4-63-2124VG •	789	S4-63-2124E •	905	S4-63-2124S •	2783
	30"	762	52	24	2.6	S4-63-2130Z •	734	S4-63-2130C •	789	S4-63-2130V •	830	S4-63-2130VG •	830	S4-63-2130E •	919	S4-63-2130S •	2804
	36"	914	59	27	3.0	S4-63-2136Z •	760	S4-63-2136C •	816	S4-63-2136V •	849	S4-63-2136VG •	849	S4-63-2136E •	960	S4-63-2136S •	2819
	42"	1067	65	30	3.5	S4-63-2142Z •	838	S4-63-2142C •	912	S4-63-2142V •	960	S4-63-2142VG •	960	S4-63-2142E •	1082	S4-63-2142S •	3176
	48"	1219	71	32	4.0	S4-63-2148Z •	838	S4-63-2148C •	912	S4-63-2148V •	960	S4-63-2148VG •	960	S4-63-2148E •	1082	S4-63-2148S •	3176
24" width (610mm)	60"	1524	88	40	5.0	S4-63-2160Z •	983	S4-63-2160C •	1042	S4-63-2160V •	1112	S4-63-2160VG •	1112	S4-63-2160E •	1222	S4-63-2160S •	4053
	72"	1829	98	45	7.8	S4-63-2172Z •	1147	S4-63-2172C •	1204	S4-63-2172V •	1307	S4-63-2172VG •	1307	S4-63-2172E •	1452	S4-63-2172S •	4693
	24"	610	50	23	2.4	S4-63-2424Z •	760	S4-63-2424C •	808	S4-63-2424V •	838	S4-63-2424VG •	838	S4-63-2424E •	975	S4-63-2424S •	2958
	30"	762	57	26	2.9	S4-63-2430Z •	776	S4-63-2430C •	830	S4-63-2430V •	877	S4-63-2430VG •	877	S4-63-2430E •	995	S4-63-2430S •	2973
	36"	914	65	30	3.5	S4-63-2436Z •	799	S4-63-2436C •	849	S4-63-2436V •	897	S4-63-2436VG •	897	S4-63-2436E •	1008	S4-63-2436S •	3005
	42"	1067	72	33	3.6	S4-63-2442Z •	919	S4-63-2442C •	975	S4-63-2442V •	1042	S4-63-2442VG •	1042	S4-63-2442E •	1185	S4-63-2442S •	3527
24" width (610mm)	48"	1219	79	36	4.5	S4-63-2448Z •	919	S4-63-2448C •	975	S4-63-2448V •	1042	S4-63-2448VG •	1042	S4-63-2448E •	1185	S4-63-2448S •	3527
	60"	1524	98	45	5.6	S4-63-2460Z •	1082	S4-63-2460C •	1129	S4-63-2460V •	1222	S4-63-2460VG •	1222	S4-63-2460E •	1359	S4-63-2460S •	4188
	72"	1829	120	55	6.8	S4-63-2472Z •	1204	S4-63-2472C •	1300	S4-63-2472V •	1394	S4-63-2472VG •	1394	S4-63-2472E •	1554	S4-63-2472S •	5087

Models with 74" (1880mm) Height

	length		weight		cu ft	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18" width (457mm)	24"	610	51	23	1.9	S4-74-1824Z •	678	S4-74-1824C •	712	S4-74-1824V •	734	S4-74-1824VG •	734	S4-74-1824E •	849	S4-74-1824S •	2548
	30"	762	58	26	2.3	S4-74-1830Z •	695	S4-74-1830C •	720	S4-74-1830V •	776	S4-74-1830VG •	776	S4-74-1830E •	873	S4-74-1830S •	2577
	36"	914	65	30	2.7	S4-74-1836Z •	712	S4-74-1836C •	734	S4-74-1836V •	799	S4-74-1836VG •	799	S4-74-1836E •	897	S4-74-1836S •	2594
	42"	1067	70	32	3.1	S4-74-1842Z •	789	S4-74-1842C •	838	S4-74-1842V •	905	S4-74-1842VG •	905	S4-74-1842E •	1025	S4-74-1842S •	2982
	48"	1219	78	36	3.6	S4-74-1848Z •	789	S4-74-1848C •	838	S4-74-1848V •	905	S4-74-1848VG •	905	S4-74-1848E •	1025	S4-74-1848S •	2982
	60"	1524	102	46	4.3	S4-74-1860Z •	887	S4-74-1860C •	954	S4-74-1860V •	1056	S4-74-1860VG •	1056	S4-74-1860E •	1172	S4-74-1860S •	3626
21" width (533mm)	72"	1829	117	53	5.1	S4-74-1872Z •	1072	S4-74-1872C •	1092	S4-74-1872V •	1177	S4-74-1872VG •	1177	S4-74-1872E •	1314	S4-74-1872S •	4188
	24"	610	57	26	2.2	S4-74-2124Z •	726	S4-74-2124C •	789	S4-74-2124V •	808	S4-74-2124VG •	808	S4-74-2124E •	929	S4-74-2124S •	2852
	30"	762	64	29	2.7	S4-74-2130Z •	740	S4-74-2130C •	808	S4-74-2130V •	849	S4-74-2130VG •	849	S4-74-2130E •	944	S4-74-2130S •	2876
	36"	914	73	33	3.1	S4-74-2136Z •	765	S4-74-2136C •	830	S4-74-2136V •	863	S4-74-2136VG •	863	S4-74-2136E •	983	S4-74-2136S •	2893
	42"	1067	81	37	3.6	S4-74-2142Z •	849	S4-74-2142C •	929	S4-74-2142V •	975	S4-74-2142VG •	975	S4-74-2142E •	1106	S4-74-2142S •	3245
	48"	1219	88	40	4.1	S4-74-2148Z •	849	S4-74-2148C •	929	S4-74-2148V •	975	S4-74-2148VG •	975	S4-74-2148E •	1106	S4-74-2148S •	3245
24" width (610mm)	60"	1524	109	50	5.1	S4-74-2160Z •	995	S4-74-2160C •	1056	S4-74-2160V •	1129	S4-74-2160VG •	1129	S4-74-2160E •	1248	S4-74-2160S •	4122
	72"	1829	122	55	7.7	S4-74-2172Z •	1153	S4-74-2172C •	1217	S4-74-2172V •	1322	S4-74-2172VG •	1322	S4-74-2172E •	1477	S4-74-2172S •	4766
	24"	610	62	28	2.5	S4-74-2424Z •	765	S4-74-2424C •	823	S4-74-2424V •	856	S4-74-2424VG •	856	S4-74-2424E •	999	S4-74-2424S •	3029
	30"	762	71	32	3.0	S4-74-2430Z •	784	S4-74-2430C •	849	S4-74-2430V •	897	S4-74-2430VG •	897	S4-74-2430E •	1017	S4-74-2430S •	3045
	36"	914	81	37	3.6	S4-74-2436Z •	808	S4-74-2436C •	863	S4-74-2436V •	912	S4-74-2436VG •	912	S4-74-2436E •	1030	S4-74-2436S •	3078
	42"	1067	89	40	3.7	S4-74-2442Z •	929	S4-74-2442C •	995	S4-74-2442V •	1056	S4-74-2442VG •	1056	S4-74-2442E •	1208	S4-74-2442S •	3600
24" width (610mm)	48"	1219	98	45	4.6	S4-74-2448Z •	929	S4-74-2448C •	995	S4-74-2448V •	1056	S4-74-2448VG •	1056	S4-74-2448E •	1208	S4-74-2448S •	3600
	60"	1524	122	55	5.7	S4-74-2460Z •	1092	S4-74-2460C •	1147	S4-74-2460V •	1243	S4-74-2460VG •	1243	S4-74-2460E •	1387	S4-74-2460S •	4260
	72"	1829	149	68	6.9	S4-74-2472Z •	1208	S4-74-2472C •	1314	S4-74-2472V •	1412	S4-74-2472VG •	1412	S4-74-2472E •	1578	S4-74-2472S •	5162

Catalog Section 1

Four-Shelf Add-On Units

see spec sheet **EG01.25**

EAGLEgarden® finish standard with MICROGARD® protection.
See bottom of page 4 for details.

- Four shelves.
- Two posts (*same finish as shelves*).
- Two "S" hooks per shelf.
- Shipped knocked-down.

INCLUDES:

Note: 54" (1372mm) shelves available (see page 6).

(•) MTS (*made to stock*) / () MTO (*made to order*)

patented
QuadTruss®
design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

Models with 63" (1600mm) Height

	length		weight		cu ft	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgarden®		stainless	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18" width (457mm)	24"	610	35	16	1.8	A4-63-1824Z	• 627	A4-63-1824C	• 647	A4-63-1824V	• 665	A4-63-1824VG	• 665	A4-63-1824E	• 760	A4-63-1824S	• 2252
	30"	762	40	18	2.2	A4-63-1830Z	• 642	A4-63-1830C	• 655	A4-63-1830V	• 705	A4-63-1830VG	• 705	A4-63-1830E	• 784	A4-63-1830S	• 2284
	36"	914	46	21	2.6	A4-63-1836Z	• 659	A4-63-1836C	• 670	A4-63-1836V	• 728	A4-63-1836VG	• 728	A4-63-1836E	• 808	A4-63-1836S	• 2303
	42"	1067	50	23	3.0	A4-63-1842Z	• 737	A4-63-1842C	• 776	A4-63-1842V	• 834	A4-63-1842VG	• 834	A4-63-1842E	• 934	A4-63-1842S	• 2687
	48"	1219	56	25	3.5	A4-63-1848Z	• 737	A4-63-1848C	• 776	A4-63-1848V	• 834	A4-63-1848VG	• 834	A4-63-1848E	• 934	A4-63-1848S	• 2687
	60"	1524	75	34	4.2	A4-63-1860Z	• 834	A4-63-1860C	• 887	A4-63-1860V	• 987	A4-63-1860VG	• 987	A4-63-1860E	• 1082	A4-63-1860S	• 3330
21" width (533mm)	72"	1829	87	40	5.0	A4-63-1872Z	• 1022	A4-63-1872C	• 1025	A4-63-1872V	• 1109	A4-63-1872VG	• 1109	A4-63-1872E	• 1222	A4-63-1872S	• 3896
	24"	610	39	18	2.1	A4-63-2124Z	• 673	A4-63-2124C	• 726	A4-63-2124V	• 737	A4-63-2124VG	• 737	A4-63-2124E	• 838	A4-63-2124S	• 2556
	30"	762	45	21	2.6	A4-63-2130Z	• 692	A4-63-2130C	• 740	A4-63-2130V	• 782	A4-63-2130VG	• 782	A4-63-2130E	• 856	A4-63-2130S	• 2580
	36"	914	52	24	3.0	A4-63-2136Z	• 717	A4-63-2136C	• 765	A4-63-2136V	• 794	A4-63-2136VG	• 794	A4-63-2136E	• 897	A4-63-2136S	• 2598
	42"	1067	58	26	3.5	A4-63-2142Z	• 794	A4-63-2142C	• 863	A4-63-2142V	• 909	A4-63-2142VG	• 909	A4-63-2142E	• 1017	A4-63-2142S	• 2949
	48"	1219	64	29	4.0	A4-63-2148Z	• 794	A4-63-2148C	• 863	A4-63-2148V	• 909	A4-63-2148VG	• 909	A4-63-2148E	• 1017	A4-63-2148S	• 2949
24" width (610mm)	60"	1524	81	37	5.0	A4-63-2160Z	• 939	A4-63-2160C	• 995	A4-63-2160V	• 1062	A4-63-2160VG	• 1062	A4-63-2160E	• 1160	A4-63-2160S	• 3828
	72"	1829	92	42	7.8	A4-63-2172Z	• 1104	A4-63-2172C	• 1153	A4-63-2172V	• 1253	A4-63-2172VG	• 1253	A4-63-2172E	• 1387	A4-63-2172S	• 4474
	24"	610	43	20	2.4	A4-63-2424Z	• 717	A4-63-2424C	• 760	A4-63-2424V	• 787	A4-63-2424VG	• 787	A4-63-2424E	• 909	A4-63-2424S	• 2734
	30"	762	50	23	2.9	A4-63-2430Z	• 728	A4-63-2430C	• 784	A4-63-2430V	• 827	A4-63-2430VG	• 827	A4-63-2430E	• 923	A4-63-2430S	• 2752
	36"	914	58	26	3.5	A4-63-2436Z	• 756	A4-63-2436C	• 799	A4-63-2436V	• 844	A4-63-2436VG	• 844	A4-63-2436E	• 939	A4-63-2436S	• 2785
	42"	1067	65	30	3.6	A4-63-2442Z	• 875	A4-63-2442C	• 929	A4-63-2442V	• 987	A4-63-2442VG	• 987	A4-63-2442E	• 1117	A4-63-2442S	• 3306
24" width (610mm)	48"	1219	72	33	4.5	A4-63-2448Z	• 875	A4-63-2448C	• 929	A4-63-2448V	• 987	A4-63-2448VG	• 987	A4-63-2448E	• 1117	A4-63-2448S	• 3306
	60"	1524	91	41	5.6	A4-63-2460Z	• 1036	A4-63-2460C	• 1082	A4-63-2460V	• 1174	A4-63-2460VG	• 1174	A4-63-2460E	• 1294	A4-63-2460S	• 3966
	72"	1829	113	51	6.8	A4-63-2472Z	• 1156	A4-63-2472C	• 1248	A4-63-2472V	• 1343	A4-63-2472VG	• 1343	A4-63-2472E	• 1487	A4-63-2472S	• 4867

Models with 74" (1880mm) Height

	length		weight		cu ft	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgarden®		stainless	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18" width (457mm)	24"	610	43	20	1.9	A4-74-1824Z	• 633	A4-74-1824C	• 655	A4-74-1824V	• 673	A4-74-1824VG	• 673	A4-74-1824E	• 769	A4-74-1824S	• 2288
	30"	762	50	23	2.3	A4-74-1830Z	• 650	A4-74-1830C	• 663	A4-74-1830V	• 717	A4-74-1830VG	• 717	A4-74-1830E	• 794	A4-74-1830S	• 2322
	36"	914	57	26	2.7	A4-74-1836Z	• 667	A4-74-1836C	• 678	A4-74-1836V	• 737	A4-74-1836VG	• 737	A4-74-1836E	• 820	A4-74-1836S	• 2337
	42"	1067	62	28	3.1	A4-74-1842Z	• 740	A4-74-1842C	• 784	A4-74-1842V	• 844	A4-74-1842VG	• 844	A4-74-1842E	• 947	A4-74-1842S	• 2723
	48"	1219	70	32	3.6	A4-74-1848Z	• 740	A4-74-1848C	• 784	A4-74-1848V	• 844	A4-74-1848VG	• 844	A4-74-1848E	• 947	A4-74-1848S	• 2723
	60"	1524	93	42	4.3	A4-74-1860Z	• 845	A4-74-1860C	• 897	A4-74-1860V	• 997	A4-74-1860VG	• 997	A4-74-1860E	• 1094	A4-74-1860S	• 3369
21" width (533mm)	72"	1829	108	49	5.1	A4-74-1872Z	• 980	A4-74-1872C	• 1030	A4-74-1872V	• 1117	A4-74-1872VG	• 1117	A4-74-1872E	• 1240	A4-74-1872S	• 3930
	24"	610	48	22	2.2	A4-74-2124Z	• 678	A4-74-2124C	• 734	A4-74-2124V	• 748	A4-74-2124VG	• 748	A4-74-2124E	• 852	A4-74-2124S	• 2594
	30"	762	56	26	2.7	A4-74-2130Z	• 695	A4-74-2130C	• 752	A4-74-2130V	• 787	A4-74-2130VG	• 787	A4-74-2130E	• 869	A4-74-2130S	• 2617
	36"	914	65	30	3.1	A4-74-2136Z	• 720	A4-74-2136C	• 776	A4-74-2136V	• 803	A4-74-2136VG	• 803	A4-74-2136E	• 909	A4-74-2136S	• 2634
	42"	1067	73	33	3.6	A4-74-2142Z	• 799	A4-74-2142C	• 873	A4-74-2142V	• 915	A4-74-2142VG	• 915	A4-74-2142E	• 1028	A4-74-2142S	• 2988
	48"	1219	80	36	4.1	A4-74-2148Z	• 799	A4-74-2148C	• 873	A4-74-2148V	• 915	A4-74-2148VG	• 915	A4-74-2148E	• 1028	A4-74-2148S	• 2988
24" width (610mm)	60"	1524	101	46	5.1	A4-74-2160Z	• 944	A4-74-2160C	• 999	A4-74-2160V	• 1069	A4-74-2160VG	• 1069	A4-74-2160E	• 1174	A4-74-2160S	• 3865
	72"	1829	113	51	7.7	A4-74-2172Z	• 1106	A4-74-2172C	• 1160	A4-74-2172V	• 1263	A4-74-2172VG	• 1263	A4-74-2172E	• 1398	A4-74-2172S	• 4510
	24"	610	53	24	2.5	A4-74-2424Z	• 720	A4-74-2424C	• 765	A4-74-2424V	• 794	A4-74-2424VG	• 794	A4-74-2424E	• 915	A4-74-2424S	• 2769
	30"	762	62	28	3.0	A4-74-2430Z	• 734	A4-74-2430C	• 789	A4-74-2430V	• 834	A4-74-2430VG	• 834	A4-74-2430E	• 932	A4-74-2430S	• 2788
	36"	914	73	33	3.6	A4-74-2436Z	• 760	A4-74-2436C	• 808	A4-74-2436V	• 852	A4-74-2436VG	• 852	A4-74-2436E	• 947	A4-74-2436S	• 2819
	42"	1067	81	37	3.7	A4-74-2442Z	• 877	A4-74-2442C	• 934	A4-74-2442V	• 997	A4-74-2442VG	• 997	A4-74-2442E	• 1125	A4-74-2442S	• 3342
24" width (610mm)	48"	1219	90	41	4.6	A4-74-2448Z	• 877	A4-74-2448C	• 934	A4-74-2448V	• 997	A4-74-2448VG	• 997	A4-74-2448E	• 1125	A4-74-2448S	• 3342
	60"	1524	113	51	5.7	A4-74-2460Z	• 1042	A4-74-2460C	• 1092	A4-74-2460V	• 1180	A4-74-2460VG	• 1180	A4-74-2460E	• 1304	A4-74-2460S	• 4004
	72"	1829	141	64	6.9	A4-74-2472Z	• 1160	A4-74-2472C	• 1256	A4-74-2472V	• 1352	A4-74-2472VG	• 1352	A4-74-2472E	• 1495	A4-74-2472S	• 4906

Five-Shelf Starter Units

see spec sheet **EG01.25**

**EAGLEgard® finish standard
with MICROGARD® protection.**
See bottom of page 4 for details.

- Five wire shelves.
- Four posts (same finish as shelves).
- Shipped knocked-down.

INCLUDES:

Note: 54" (1372mm) shelves available (see page 6).

(•) MTS (made to stock) / () MTO (made to order)

patented
QuadTruss®
design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and
provides a retaining ledge for increased
strength and product retention.

Models with 74" (1880mm) Height

	length		weight		cu ft	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18" width (457mm)	24"	610	51	23	1.9	S5-74-1824Z •	799	S5-74-1824C •	834	S5-74-1824V •	863	S5-74-1824VG •	863	S5-74-1824E •	997	S5-74-1824S •	3029
	30"	762	58	26	2.3	S5-74-1830Z •	820	S5-74-1830C •	845	S5-74-1830V •	914	S5-74-1830VG •	914	S5-74-1830E •	1026	S5-74-1830S •	3070
	36"	914	65	30	2.7	S5-74-1836Z •	838	S5-74-1836C •	865	S5-74-1836V •	944	S5-74-1836VG •	944	S5-74-1836E •	1056	S5-74-1836S •	3087
	42"	1067	70	32	3.1	S5-74-1842Z •	939	S5-74-1842C •	997	S5-74-1842V •	1074	S5-74-1842VG •	1074	S5-74-1842E •	1217	S5-74-1842S •	3573
	48"	1219	78	36	3.6	S5-74-1848Z •	939	S5-74-1848C •	997	S5-74-1848V •	1074	S5-74-1848VG •	1074	S5-74-1848E •	1217	S5-74-1848S •	3573
	60"	1524	102	46	4.3	S5-74-1860Z •	1062	S5-74-1860C •	1139	S5-74-1860V •	1267	S5-74-1860VG •	1267	S5-74-1860E •	1398	S5-74-1860S •	4380
21" width (533mm)	72"	1829	117	53	5.1	S5-74-1872Z •	1292	S5-74-1872C •	1308	S5-74-1872V •	1417	S5-74-1872VG •	1417	S5-74-1872E •	1578	S5-74-1872S •	5082
	24"	610	57	26	2.2	S5-74-2124Z •	859	S5-74-2124C •	934	S5-74-2124V •	955	S5-74-2124VG •	955	S5-74-2124E •	1096	S5-74-2124S •	3414
	30"	762	64	29	2.7	S5-74-2130Z •	877	S5-74-2130C •	958	S5-74-2130V •	1006	S5-74-2130VG •	1006	S5-74-2130E •	1117	S5-74-2130S •	3442
	36"	914	73	33	3.1	S5-74-2136Z •	910	S5-74-2136C •	984	S5-74-2136V •	1025	S5-74-2136VG •	1025	S5-74-2136E •	1167	S5-74-2136S •	3463
	42"	1067	81	37	3.6	S5-74-2142Z •	1009	S5-74-2142C •	1108	S5-74-2142V •	1164	S5-74-2142VG •	1164	S5-74-2142E •	1316	S5-74-2142S •	3905
	48"	1219	88	40	4.1	S5-74-2148Z •	1009	S5-74-2148C •	1108	S5-74-2148V •	1164	S5-74-2148VG •	1164	S5-74-2148E •	1316	S5-74-2148S •	3905
24" width (610mm)	60"	1524	109	50	5.1	S5-74-2160Z •	1192	S5-74-2160C •	1269	S5-74-2160V •	1355	S5-74-2160VG •	1355	S5-74-2160E •	1499	S5-74-2160S •	5004
	72"	1829	122	55	7.7	S5-74-2172Z •	1393	S5-74-2172C •	1466	S5-74-2172V •	1598	S5-74-2172VG •	1598	S5-74-2172E •	1783	S5-74-2172S •	5807
	24"	610	62	28	2.5	S5-74-2424Z •	910	S5-74-2424C •	975	S5-74-2424V •	1012	S5-74-2424VG •	1012	S5-74-2424E •	1186	S5-74-2424S •	3633
	30"	762	71	32	3.0	S5-74-2430Z •	930	S5-74-2430C •	1007	S5-74-2430V •	1065	S5-74-2430VG •	1065	S5-74-2430E •	1207	S5-74-2430S •	3654
	36"	914	81	37	3.6	S5-74-2436Z •	960	S5-74-2436C •	1026	S5-74-2436V •	1084	S5-74-2436VG •	1084	S5-74-2436E •	1226	S5-74-2436S •	3695
	42"	1067	89	40	3.7	S5-74-2442Z •	1110	S5-74-2442C •	1186	S5-74-2442V •	1267	S5-74-2442VG •	1267	S5-74-2442E •	1449	S5-74-2442S •	4349
24" width (610mm)	48"	1219	98	45	4.6	S5-74-2448Z •	1110	S5-74-2448C •	1186	S5-74-2448V •	1267	S5-74-2448VG •	1267	S5-74-2448E •	1449	S5-74-2448S •	4349
	60"	1524	122	55	5.7	S5-74-2460Z •	1312	S5-74-2460C •	1380	S5-74-2460V •	1497	S5-74-2460VG •	1497	S5-74-2460E •	1672	S5-74-2460S •	5172
	72"	1829	149	68	6.9	S5-74-2472Z •	1463	S5-74-2472C •	1588	S5-74-2472V •	1707	S5-74-2472VG •	1707	S5-74-2472E •	1912	S5-74-2472S •	6296

Models with 86" (2184mm) Height

	length		weight		cu ft	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18" width (457mm)	24"	610	55	25	3.9	S5-86-1824Z •	838	S5-86-1824C •	884	S5-86-1824V •	912	S5-86-1824VG •	912	S5-86-1824E •	1036	S5-86-1824S •	3109
	30"	762	60	27	3.9	S5-86-1830Z •	859	S5-86-1830C •	893	S5-86-1830V •	962	S5-86-1830VG •	962	S5-86-1830E •	1066	S5-86-1830S •	3149
	36"	914	65	30	3.9	S5-86-1836Z •	877	S5-86-1836C •	914	S5-86-1836V •	995	S5-86-1836VG •	995	S5-86-1836E •	1096	S5-86-1836S •	3173
	42"	1067	75	34	4.9	S5-86-1842Z •	980	S5-86-1842C •	1044	S5-86-1842V •	1120	S5-86-1842VG •	1120	S5-86-1842E •	1256	S5-86-1842S •	3654
	48"	1219	80	36	4.9	S5-86-1848Z •	980	S5-86-1848C •	1044	S5-86-1848V •	1120	S5-86-1848VG •	1120	S5-86-1848E •	1256	S5-86-1848S •	3654
	60"	1524	105	48	6.4	S5-86-1860Z •	1104	S5-86-1860C •	1185	S5-86-1860V •	1314	S5-86-1860VG •	1314	S5-86-1860E •	1439	S5-86-1860S •	4456
21" width (533mm)	72"	1829	120	54	7.4	S5-86-1872Z •	1334	S5-86-1872C •	1355	S5-86-1872V •	1464	S5-86-1872VG •	1464	S5-86-1872E •	1618	S5-86-1872S •	5162
	24"	610	60	27	3.9	S5-86-2124Z •	899	S5-86-2124C •	983	S5-86-2124V •	1004	S5-86-2124VG •	1004	S5-86-2124E •	1139	S5-86-2124S •	3489
	30"	762	65	30	3.9	S5-86-2130Z •	919	S5-86-2130C •	1006	S5-86-2130V •	1053	S5-86-2130VG •	1053	S5-86-2130E •	1156	S5-86-2130S •	3522
	36"	914	75	34	4.4	S5-86-2136Z •	950	S5-86-2136C •	1033	S5-86-2136V •	1072	S5-86-2136VG •	1072	S5-86-2136E •	1207	S5-86-2136S •	3543
	42"	1067	80	36	5.9	S5-86-2142Z •	1050	S5-86-2142C •	1154	S5-86-2142V •	1215	S5-86-2142VG •	1215	S5-86-2142E •	1356	S5-86-2142S •	3984
	48"	1219	90	41	5.9	S5-86-2148Z •	1050	S5-86-2148C •	1154	S5-86-2148V •	1215	S5-86-2148VG •	1215	S5-86-2148E •	1356	S5-86-2148S •	3984
24" width (610mm)	60"	1524	110	50	6.9	S5-86-2160Z •	1233	S5-86-2160C •	1315	S5-86-2160V •	1405	S5-86-2160VG •	1405	S5-86-2160E •	1542	S5-86-2160S •	5082
	72"	1829	140	64	8.4	S5-86-2172Z •	1433	S5-86-2172C •	1517	S5-86-2172V •	1645	S5-86-2172VG •	1645	S5-86-2172E •	1823	S5-86-2172S •	5886
	24"	610	65	30	4.4	S5-86-2424Z •	950	S5-86-2424C •	1025	S5-86-2424V •	1063	S5-86-2424VG •	1063	S5-86-2424E •	1226	S5-86-2424S •	3714
	30"	762	75	34	4.4	S5-86-2430Z •	970	S5-86-2430C •	1055	S5-86-2430V •	1112	S5-86-2430VG •	1112	S5-86-2430E •	1247	S5-86-2430S •	3732
	36"	914	85	39	4.4	S5-86-2436Z •	999	S5-86-2436C •	1074	S5-86-2436V •	1132	S5-86-2436VG •	1132	S5-86-2436E •	1269	S5-86-2436S •	3773
	42"	1067	95	43	6.4	S5-86-2442Z •	1152	S5-86-2442C •	1239	S5-86-2442V •	1314	S5-86-2442VG •	1314	S5-86-2442E •	1488	S5-86-2442S •	4427
24" width (610mm)	48"	1219	100	45	6.4	S5-86-2448Z •	1152	S5-86-2448C •	1239	S5-86-2448V •	1314	S5-86-2448VG •	1314	S5-86-2448E •	1488	S5-86-2448S •	4427
	60"	1524	125	57	7.9	S5-86-2460Z •	1353	S5-86-2460C •	1426	S5-86-2460V •	1547	S5-86-2460VG •	1547	S5-86-2460E •	1708	S5-86-2460S •	5252
	72"	1829	150	68	9.4	S5-86-2472Z •	1505	S5-86-2472C •	1638	S5-86-2472V •	1758	S5-86-2472VG •	1758	S5-86-2472E •	1948	S5-86-2472S •	6380

Catalog Section 1

Five-Shelf Add-On Units

see spec sheet **E001.25**
**EAGLEgard® finish standard
with MICROGARD® protection.**

See bottom of page 4 for details.

- Five wire shelves.
- Two posts (*same finish as shelves*).
- Two "S" hooks per shelf.
- Shipped knocked-down.

INCLUDES:

Note: 54" (1372mm) shelves available (see page 6).

(•) MTS (made to stock) / () MTO (made to order)

**patented
QuadTruss®
design**

(Patent #5,390,803)

Patented QuadTruss® Design


makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

Models with 74" (1880mm) Height

	length		weight		cu ft	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18" width (457mm)	24"	610	43	20	1.9	A5-74-1824Z •	763	A5-74-1824C •	789	A5-74-1824V •	816	A5-74-1824VG •	816	A5-74-1824E •	934	A5-74-1824S •	2788
	30"	762	50	23	2.3	A5-74-1830Z •	784	A5-74-1830C •	800	A5-74-1830V •	865	A5-74-1830VG •	865	A5-74-1830E •	966	A5-74-1830S •	2827
	36"	914	57	26	2.7	A5-74-1836Z •	803	A5-74-1836C •	822	A5-74-1836V •	897	A5-74-1836VG •	897	A5-74-1836E •	997	A5-74-1836S •	2848
	42"	1067	62	28	3.1	A5-74-1842Z •	905	A5-74-1842C •	954	A5-74-1842V •	1026	A5-74-1842VG •	1026	A5-74-1842E •	1156	A5-74-1842S •	3330
	48"	1219	80	36	3.6	A5-74-1848Z •	905	A5-74-1848C •	954	A5-74-1848V •	1026	A5-74-1848VG •	1026	A5-74-1848E •	1156	A5-74-1848S •	3330
	60"	1524	93	42	4.3	A5-74-1860Z •	1025	A5-74-1860C •	1094	A5-74-1860V •	1217	A5-74-1860VG •	1217	A5-74-1860E •	1339	A5-74-1860S •	4137
21" width (533mm)	72"	1829	108	49	5.1	A5-74-1872Z •	1255	A5-74-1872C •	1266	A5-74-1872V •	1369	A5-74-1872VG •	1369	A5-74-1872E •	1518	A5-74-1872S •	4839
	24"	610	48	22	2.2	A5-74-2124Z •	823	A5-74-2124C •	889	A5-74-2124V •	910	A5-74-2124VG •	910	A5-74-2124E •	1036	A5-74-2124S •	3173
	30"	762	56	26	2.7	A5-74-2130Z •	844	A5-74-2130C •	912	A5-74-2130V •	960	A5-74-2130VG •	960	A5-74-2130E •	1056	A5-74-2130S •	3203
	36"	914	65	30	3.1	A5-74-2136Z •	874	A5-74-2136C •	942	A5-74-2136V •	980	A5-74-2136VG •	980	A5-74-2136E •	1108	A5-74-2136S •	3219
	42"	1067	73	33	3.6	A5-74-2142Z •	974	A5-74-2142C •	1063	A5-74-2142V •	1119	A5-74-2142VG •	1119	A5-74-2142E •	1256	A5-74-2142S •	3663
	48"	1219	80	36	4.1	A5-74-2148Z •	974	A5-74-2148C •	1063	A5-74-2148V •	1119	A5-74-2148VG •	1119	A5-74-2148E •	1256	A5-74-2148S •	3663
24" width (610mm)	60"	1524	101	46	5.1	A5-74-2160Z •	1154	A5-74-2160C •	1220	A5-74-2160V •	1312	A5-74-2160VG •	1312	A5-74-2160E •	1439	A5-74-2160S •	4760
	72"	1829	113	51	7.7	A5-74-2172Z •	1355	A5-74-2172C •	1423	A5-74-2172V •	1552	A5-74-2172VG •	1552	A5-74-2172E •	1722	A5-74-2172S •	5564
	24"	610	53	24	2.5	A5-74-2424Z •	874	A5-74-2424C •	932	A5-74-2424V •	970	A5-74-2424VG •	970	A5-74-2424E •	1118	A5-74-2424S •	3389
	30"	762	62	28	3.0	A5-74-2430Z •	893	A5-74-2430C •	962	A5-74-2430V •	1022	A5-74-2430VG •	1022	A5-74-2430E •	1140	A5-74-2430S •	3414
	36"	914	73	33	3.6	A5-74-2436Z •	923	A5-74-2436C •	982	A5-74-2436V •	1042	A5-74-2436VG •	1042	A5-74-2436E •	1159	A5-74-2436S •	3450
	42"	1067	81	37	3.7	A5-74-2442Z •	1074	A5-74-2442C •	1144	A5-74-2442V •	1219	A5-74-2442VG •	1219	A5-74-2442E •	1382	A5-74-2442S •	4106
24" width (610mm)	48"	1219	90	41	4.6	A5-74-2448Z •	1074	A5-74-2448C •	1144	A5-74-2448V •	1219	A5-74-2448VG •	1219	A5-74-2448E •	1382	A5-74-2448S •	4106
	60"	1524	113	51	5.7	A5-74-2460Z •	1275	A5-74-2460C •	1337	A5-74-2460V •	1453	A5-74-2460VG •	1453	A5-74-2460E •	1600	A5-74-2460S •	4930
	72"	1829	141	64	6.9	A5-74-2472Z •	1426	A5-74-2472C •	1547	A5-74-2472V •	1664	A5-74-2472VG •	1664	A5-74-2472E •	1844	A5-74-2472S •	6056

Models with 86" (2184mm) Height

	length		weight		cu ft	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18" width (457mm)	24"	610	45	20	3.7	A5-86-1824Z •	784	A5-86-1824C •	816	A5-86-1824V •	838	A5-86-1824VG •	838	A5-86-1824E •	958	A5-86-1824S •	2827
	30"	762	51	23	3.7	A5-86-1830Z •	803	A5-86-1830C •	825	A5-86-1830V •	888	A5-86-1830VG •	888	A5-86-1830E •	984	A5-86-1830S •	2867
	36"	914	56	25	3.7	A5-86-1836Z •	823	A5-86-1836C •	845	A5-86-1836V •	919	A5-86-1836VG •	919	A5-86-1836E •	1017	A5-86-1836S •	2888
	42"	1067	66	30	4.7	A5-86-1842Z •	923	A5-86-1842C •	975	A5-86-1842V •	1050	A5-86-1842VG •	1050	A5-86-1842E •	1177	A5-86-1842S •	3372
	48"	1219	71	32	4.7	A5-86-1848Z •	923	A5-86-1848C •	975	A5-86-1848V •	1050	A5-86-1848VG •	1050	A5-86-1848E •	1177	A5-86-1848S •	3372
	60"	1524	96	44	6.2	A5-86-1860Z •	1044	A5-86-1860C •	1117	A5-86-1860V •	1243	A5-86-1860VG •	1243	A5-86-1860E •	1356	A5-86-1860S •	4176
21" width (533mm)	72"	1829	111	50	7.2	A5-86-1872Z •	1275	A5-86-1872C •	1288	A5-86-1872V •	1393	A5-86-1872VG •	1393	A5-86-1872E •	1542	A5-86-1872S •	4880
	24"	610	51	23	3.7	A5-86-2124Z •	844	A5-86-2124C •	915	A5-86-2124V •	933	A5-86-2124VG •	933	A5-86-2124E •	1056	A5-86-2124S •	3208
	30"	762	56	25	3.7	A5-86-2130Z •	863	A5-86-2130C •	934	A5-86-2130V •	983	A5-86-2130VG •	983	A5-86-2130E •	1075	A5-86-2130S •	3242
	36"	914	66	30	4.2	A5-86-2136Z •	893	A5-86-2136C •	966	A5-86-2136V •	1006	A5-86-2136VG •	1006	A5-86-2136E •	1127	A5-86-2136S •	3259
	42"	1067	71	32	5.7	A5-86-2142Z •	996	A5-86-2142C •	1085	A5-86-2142V •	1147	A5-86-2142VG •	1147	A5-86-2142E •	1277	A5-86-2142S •	3703
	48"	1219	81	37	5.7	A5-86-2148Z •	996	A5-86-2148C •	1085	A5-86-2148V •	1147	A5-86-2148VG •	1147	A5-86-2148E •	1277	A5-86-2148S •	3703
24" width (610mm)	60"	1524	101	46	6.7	A5-86-2160Z •	1176	A5-86-2160C •	1247	A5-86-2160V •	1338	A5-86-2160VG •	1338	A5-86-2160E •	1458	A5-86-2160S •	4797
	72"	1829	131	59	8.2	A5-86-2172Z •	1376	A5-86-2172C •	1449	A5-86-2172V •	1577	A5-86-2172VG •	1577	A5-86-2172E •	1739	A5-86-2172S •	5604
	24"	610	56	25	4.2	A5-86-2424Z •	893	A5-86-2424C •	958	A5-86-2424V •	996	A5-86-2424VG •	996	A5-86-2424E •	1140	A5-86-2424S •	3429
	30"	762	66	30	4.2	A5-86-2430Z •	914	A5-86-2430C •	984	A5-86-2430V •	1044	A5-86-2430VG •	1044	A5-86-2430E •	1159	A5-86-2430S •	3450
	36"	914	76	35	4.2	A5-86-2436Z •	944	A5-86-2436C •	1007	A5-86-2436V •	1065	A5-86-2436VG •	1065	A5-86-2436E •	1178	A5-86-2436S •	3489
	42"	1067	86	39	6.2	A5-86-2442Z •	1095	A5-86-2442C •	1167	A5-86-2442V •	1245	A5-86-2442VG •	1245	A5-86-2442E •	1400	A5-86-2442S •	4144
24" width (610mm)	48"	1219	91	41	6.2	A5-86-2448Z •	1095	A5-86-2448C •	1167	A5-86-2448V •	1245	A5-86-2448VG •	1245	A5-86-2448E •	1400	A5-86-2448S •	4144
	60"	1524	116	53	7.7	A5-86-2460Z •	1299	A5-86-2460C •	1356	A5-86-2460V •	1478	A5-86-2460VG •	1478	A5-86-2460E •	1623	A5-86-2460S •	4972
	72"	1829	141	64	9.2	A5-86-2472Z •	1448	A5-86-2472C •	1569	A5-86-2472V •	1687	A5-86-2472VG •	1687	A5-86-2472E •	1865	A5-86-2472S •	6097

Add-A-Shelf® see spec sheet **EG01.11A****Add-A-Shelf® Collars**

allows addition or removal of shelf without breaking down the entire unit.

description	model #	list
set of four	A208891	22

- One set of four included with each shelf.
 - Must be used with split sleeves.
- To order: Model # **PLASTIC SPLIT SLEEVES**, list (per set of four): \$9.

WEIGHT CAPACITY:

- 300 lb. (136.1 kg); per shelf.
- using an evenly distributed load.

Note: Top and bottom shelves of unit must be standard shelves. Post are sold separately.

(For Chrome finish, see page 6;
for black, red, or white epoxy, see page 60).

WARNING:

- Use Add-A-Shelf® shelves for intermediate shelves. Add-A-Shelf® is not recommended for mobile applications.

(•) MTS (made to stock) / () MTO (made to order)

patented
QuadTruss®
design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and
provides a retaining ledge for increased
strength and product retention.

Add-A-Shelf® Adjustable Shelves - Patent # 5,884,567


	t length	weight	cu	EAGLEbrite®		chrome		black		red		white	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list
14" width (356mm)	36"	914	8	3.6	0.5	A1436Z	130	A1436C •	139	A1436BL •	142	A1436R	142
	48"	1219	10	4.5	0.7	A1448Z	145	A1448C •	159	A1448BL	160	A1448R	160
18" width (457mm)	36"	914	9	4.1	0.7	A1836Z	142	A1836C •	145	A1836BL	147	A1836R	147
	48"	1219	12	5.5	0.9	A1848Z	164	A1848C •	173	A1848BL	174	A1848R	174
	60"	1524	15	6.8	1.0	A1860Z	194	A1860C	203	A1860BL	204	A1860R	204
21" width (533mm)	36"	914	11	5.0	0.8	A2136Z	159	A2136C	169	A2136BL	173	A2136R	173
	48"	1219	14	6.4	1.1	A2148Z	180	A2148C	196	A2148BL	197	A2148R	197
	60"	1524	17	7.7	1.3	A2160Z	215	A2160C	240	A2160BL	242	A2160R	242
24" width (610mm)	36"	914	13	5.9	0.8	A2436Z	166	A2436C •	180	A2436BL	185	A2436R	185
	48"	1219	16	7.3	1.2	A2448Z	197	A2448C •	214	A2448BL	215	A2448R	215
	60"	1524	21	9.5	1.5	A2460Z	240	A2460C •	272	A2460BL	273	A2460R	273

PACKAGING:

- 36" and 48" lengths: Four per box.
- 60" lengths: Two per box.
- Four pairs split sleeves per shelf.
- Four-pack collars per shelf.

Add-A-Shelf® Reverse Mat Shelves - Patent # 5,884,567


	length	weight	cu	EAGLEbrite®		chrome		black		red		white	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list
14" width (356mm)	36"	914	8	3.6	0.5	D1436Z	133	D1436C	145	D1436BL	147	D1436R	147
	48"	1219	10	4.5	0.7	D1448Z	148	D1448C	162	D1448BL	164	D1448R	164
18" width (457mm)	36"	914	9	4.1	0.7	D1836Z	147	D1836C	148	D1836BL	152	D1836R	152
	48"	1219	12	5.5	0.9	D1848Z	169	D1848C	176	D1848BL	177	D1848R	177
21" width (533mm)	36"	914	11	5.0	0.8	D2136Z	162	D2136C	174	D2136BL	176	D2136R	176
	48"	1219	14	6.4	1.1	D2148Z	188	D2148C	203	D2148BL	204	D2148R	204
24" width (610mm)	36"	914	13	5.9	0.8	D2436Z	173	D2436C	188	D2436BL	189	D2436R	189
	48"	1219	16	7.3	1.2	D2448Z	204	D2448C	217	D2448BL	219	D2448R	219

**HOW TO ASSEMBLE:**
Add-A-Shelf® Collar


Numerically calibrated grooved posts, tapered plastic split sleeves and shelf collars combine to make shelving assembly a **SIMPLE 3 STEP EXERCISE:**



1. Snap split sleeves onto post over the number of your choice.



2. Slide collar over split sleeves. When together, a positive lock is created without the use of tools.



3. Place shelf over collar to complete.



Add-A-Shelf® as a merchandise display unit

Catalog Section 1

Posts for Add-A-Shelf®

see spec sheet **EG01.11A**

(•) MTS (made to stock) / () MTO (made to order)



post height		weight		cu	EAGLEbrite®		chrome		black		red		white	
in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
7"	178	0.8	0.4	0.1	P7-Z •	25	P7-C	28	P7-BL	29	P7-R	29	P7-W	29
14"	356	1.0	0.5	0.1	P14-Z •	29	P14-C •	32	P14-BL •	33	P14-R	33	P14-W	33
33"	838	2.0	0.9	0.1	P33-Z •	36	P33-C •	37	P33-BL •	40	P33-R	40	P33-W	40
54"	1372	3.0	1.4	0.1	P54-Z •	45	P54-C •	48	P54-BL •	49	P54-R	49	P54-W	49
63"	1600	3.5	1.8	0.3	P63-Z •	48	P63-C •	49	P63-BL •	53	P63-R	53	P63-W	53
74"	1880	4.0	1.8	0.5	P74-Z •	49	P74-C •	55	P74-BL •	59	P74-R	59	P74-W	59
86"	2184	5.0	2.3	0.8	P86-Z •	62	P86-C •	66	P86-BL •	67	P86-R	67	P86-W	67

Add-A-Shelf® Post Clamps

see spec sheet **EG01.11A**

stainless steel		black epoxy	
model #	list	model #	list
ADD-A-CLAMP	12	ADD-A-CLAMP-BL	17

Add-A-Shelf® Starter Units

see spec sheet **EG01.11B**

KIT INCLUDES:

- Two standard shelves.
- Two Add-A-Shelf® shelves.
- Four Redi-Pak® posts.
- Four bags of split sleeves.
- Two bags of Add-A-Shelf® collars.

ALL IN ONE BOX
LOWERING SHIPPING COST!

FEATURES:

- Front edge of shelf can be lowered 4" (102mm) to create slanted shelf.

Note: Top and bottom shelves of unit must be standard shelves.

WARNING:

- Use Add-A-Shelf® shelves for intermediate shelves. Add-A-Shelf® is not recommended for mobile applications.

patented
QuadTruss®
design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

			Units with 63" (1600mm) Posts						Units with 74" (1880mm) Posts					
length			weight		chrome		black epoxy		weight		chrome		black epoxy	
in. mm			lbs.	kg	model #	list	model #	list	lbs.	kg	model #	list	model #	list
14" width (356mm)	36"	914	46	20.9	RS4-63-A1436C	978	RS4-63-A1436BL	988	48	21.8	RS4-74-A1436C	1042	RS4-74-A1436BL	1050
	48"	1219	54	24.5	RS4-63-A1448C	1043	RS4-63-A1448BL	1053	56	25.4	RS4-74-A1448C	1105	RS4-74-A1448BL	1116
18" width (457mm)	36"	914	50	22.7	RS4-63-A1836C	1044	RS4-63-A1836BL	1055	52	23.6	RS4-74-A1836C	1110	RS4-74-A1836BL	1119
	48"	1219	62	28.1	RS4-63-A1848C	1129	RS4-63-A1848BL	1140	64	29.0	RS4-74-A1848C	1194	RS4-74-A1848BL	1206
21" width (533mm)	36"	914	58	26.3	RS4-63-A2136C	1074	RS4-63-A2136BL	1084	60	27.2	RS4-74-A2136C	1140	RS4-74-A2136BL	1152
	48"	1219	70	31.8	RS4-63-A2148C	1182	RS4-63-A2148BL	1200	72	32.7	RS4-74-A2148C	1247	RS4-74-A2148BL	1259
24" width (610mm)	36"	914	66	29.9	RS4-63-A2436C	1140	RS4-63-A2436BL	1152	68	30.8	RS4-74-A2436C	1204	RS4-74-A2436BL	1215
	48"	1219	78	35.4	RS4-63-A2448C	1303	RS4-63-A2448BL	1314	80	36.3	RS4-74-A2448C	1359	RS4-74-A2448BL	1374

Shelf Select™

A No-Cost Design & Layout Service for Shelving Products.

You total up a few measurements - we'll send you a total shelving solution.

Looking for some help to configure your storage space for maximum utilization? Let Eagle help. You give us the details of your space and requirements and we'll provide you with a plan view, elevation and quotation – It's Simple

Provide Us With:

- Dimensions of a storage space available.
- Number of shelves per unit.
- Post heights.
- Indicate stationary, mobile or high density shelving.
- Any additional specific or pertinent storage requirements.

And We'll Provide You With:



- **Plan View**
Shelving system layout makes the most efficient utilization of your available space.
- **Perspective View***
Illustrates the proposed equipment assembled in the available space. A great tool for presentation which reduces field assembly time when provided to your installer.
- **Quote***
Includes model numbers, list prices and shipping weights for all components in specified job.

* Will be provided after plan view is approved.

Simply

Email: quotes@eaglegrp.com

Simply email in your request and our trained staff will begin planning, layout and quotation upon receipt. A completed Shelf Select™ custom layout and quotation will be provided to you.



FINAL OUTCOME!

Catalog Section 1

Redi-Pak® Utility Carts

see spec sheet **EG01.10****Redi-Pak®**

Packed and shipped in one box.

**SAVES UP TO 50%
ON SHIPPING COSTS!****Easy handling
and inventory
tracking!****INCLUDES:**

- Medium-duty 500 lb. (227 kg).

- 36½" (927mm) height.
- One handle.
- Two posts.
- Four resilient 4" (102mm) casters with donut bumpers.
- Either two or three chrome shelves with built-in 1" (25mm) ledge on three sides.


Can be shipped UPS.

(•) MTS (made to stock) / () MTO (made to order)

2-Shelf Unit					3-Shelf Unit				
width	length in.	mm	cubic feet	weight lb. kg	model #	list	weight lbs. kg	model #	list
18" (457mm)	36"	914	3.0	38 17.2	U2-1836C-RP	685	45 20.4	U3-1836C-RP	825

**patented
QuadTruss®
design**
(Patent #5,390,803)

Reverse Mat Shelves

see spec sheet **EG01.03E****Shelves have
built-in ledges
which prevent
contents from
falling off!****WEIGHT CAPACITY:**

- 250 lb. (113 kg); per shelf.

(•) MTS (made to stock) / () MTO (made to order)

**patented
QuadTruss®
design**
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and
provides a retaining ledge for increased
strength and product retention.

	length		weight		cu ft	EAGLEbrite®		chrome		black		red		white	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
14" width (356mm)	36"	914	7	3.2	0.5	RM1436Z	116	RM1436C	132	RM1436BL	133	RM1436R	133	RM1436W	133
	48"	1219	10	4.5	0.7	RM1448Z	134	RM1448C	148	RM1448BL	152	RM1448R	152	RM1448W	152
18" width (457mm)	36"	914	9	4.1	0.7	RM1836Z	134	RM1836C	134	RM1836BL	136	RM1836R	136	RM1836W	136
	48"	1219	11	4.9	0.9	RM1848Z	156	RM1848C	162	RM1848BL	164	RM1848R	164	RM1848W	164
21" width (533mm)	36"	914	11	4.9	0.8	RM2136Z	148	RM2136C	160	RM2136BL	162	RM2136R	162	RM2136W	162
	48"	1219	13	5.9	1.1	RM2148Z	169	RM2148C	188	RM2148BL	189	RM2148R	189	RM2148W	189
24" width (610mm)	24"	610	9	4.1	0.8	RM2424Z	148	RM2424C	159	RM2424BL	160	RM2424R	160	RM2424W	160
	36"	914	12	5.4	0.8	RM2436Z	159	RM2436C	169	RM2436BL	173	RM2436R	173	RM2436W	173
	48"	1219	15	6.8	1.2	RM2448Z	189	RM2448C	204	RM2448BL	205	RM2448R	205	RM2448W	205

Label Holders for Reverse Mat Shelves

see spec sheet **EG01.03E**


length		fits shelf size		model #	list
in.	mm	in.	mm		
3¼"	83	all		A225494	10
13"	330	18"	457	A225512	22
19"	483	24"	610	A225513	28
25"	635	30"	762	A225514	32
31"	787	36"	914	A225515	49
43"	1092	48"	1219	A225516	55
45"	1143	48"	1219	A225517	94
55"	1397	60"	1524	A225518	96
67"	1702	72"	1829	A225519	103

FEATURES:

- Clear plastic.
- Snaps onto shelf edge.
- Provides easy identification of shelf contents or section.
- Holds 1¼" (32mm) high labels.

Note: These also work on standard shelves.

Hybrid Shelves

see spec sheet **EG01.46**four-post system
with hybrid shelves

hybrid shelf

Additional Side-to-Side Partitions for
Optional Center Stop Assemblies

length		EAGLEbrite®	
in.	mm	model #	list
30"	762	A219390	87
36"	914	A219391	133
42"	1067	A219392	145
48"	1219	A219393	155

- Shelves mount over two crossbraces of a four-post high-density system.
- Available for new systems or can be retrofitted to existing systems.
- Can be mixed or matched with solid metal shelves as required.
- Load tested to 250 lbs. (113.4 kg).
- Open-wire construction.

FEATURES:

PACKAGING:

- 24"-48" (610-1219mm) lengths: Four per box.

front-to-back
ledgeside-to-side
partition

Optional Center Stop Assemblies

- For Standard Four-Post Series only.
- Comes with one side-to-side partition that interlocks with two front-to-back ledges to form an "H".

Standard Four-Post Series

	length		EAGLEbrite®		VALU-MASTER®		stainless steel		EAGLEbrite®		VALU-MASTER®		stainless steel	
	in.	mm	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
12" width (305mm)	24"	610	SP1224Z	130	SP1224V	142	SP1224S	218	SPD1224-Z	172	SPD1224-V	184	SPD1224-S	295
	36"	914	SP1236Z	144	SP1236V	155	SP1236S	306	SPD1236-Z	185	SPD1236-V	205	SPD1236-S	410
	42"	1067	SP1242Z	149	SP1242V	183	SP1242S	338	SPD1242-Z	203	SPD1242-V	242	SPD1242-S	445
	48"	1219	SP1248Z	184	SP1248V	189	SP1248S	344	SPD1248-Z	244	SPD1248-V	254	SPD1248-S	454
15" width (381mm)	30"	762	SP1530Z	142	SP1530V	145	SP1530S	239	SPD1530-Z	242	SPD1530-V	254	SPD1530-S	309
	36"	914	SP1536Z	155	SP1536V	165	SP1536S	319	SPD1536-Z	304	SPD1536-V	317	SPD1536-S	426
	42"	1067	SP1542Z	183	SP1542V	189	SP1542S	349	SPD1542-Z	317	SPD1542-V	340	SPD1542-S	463
	48"	1219	SP1548Z	189	SP1548V	200	SP1548S	356	SPD1548-Z	338	SPD1548-V	350	SPD1548-S	478
16" width (406mm)	30"	762	SP1630Z	147	SP1630V	155	SP1630S	240	SPD1630-Z	252	SPD1630-V	265	SPD1630-S	315
	36"	914	SP1636Z	165	SP1636V	172	SP1636S	278	SPD1636-Z	309	SPD1636-V	322	SPD1636-S	372
	42"	1067	SP1642Z	185	SP1642V	196	SP1642S	322	SPD1642-Z	320	SPD1642-V	344	SPD1642-S	437
	48"	1219	SP1648Z	200	SP1648V	205	SP1648S	365	SPD1648-Z	344	SPD1648-V	356	SPD1648-S	486
18" width (457mm)	30"	762	SP1830Z	149	SP1830V	159	SP1830S	265	SPD1830-Z	254	SPD1830-V	266	SPD1830-S	349
	36"	914	SP1836Z	166	SP1836V	177	SP1836S	308	SPD1836-Z	315	SPD1836-V	338	SPD1836-S	414
	42"	1067	SP1842Z	185	SP1842V	196	SP1842S	356	SPD1842-Z	320	SPD1842-V	350	SPD1842-S	478
	48"	1219	SP1848Z	200	SP1848V	205	SP1848S	406	SPD1848-Z	347	SPD1848-V	365	SPD1848-S	537
21" width (533mm)	30"	762	SP2130Z	165	SP2130V	172	SP2130S	293	SPD2130-Z	265	SPD2130-V	276	SPD2130-S	384
	36"	914	SP2136Z	183	SP2136V	189	SP2136S	344	SPD2136-Z	320	SPD2136-V	344	SPD2136-S	454
	42"	1067	SP2142Z	196	SP2142V	204	SP2142S	392	SPD2142-Z	344	SPD2142-V	356	SPD2142-S	523
	48"	1219	SP2148Z	207	SP2148V	218	SP2148S	443	SPD2148-Z	354	SPD2148-V	372	SPD2148-S	587
24" width (610mm)	30"	762	SP2430Z	185	SP2430V	196	SP2430S	376	SPD2430-Z	276	SPD2430-V	293	SPD2430-S	503
	36"	914	SP2436Z	189	SP2436V	200	SP2436S	443	SPD2436-Z	342	SPD2436-V	355	SPD2436-S	587
	42"	1067	SP2442Z	232	SP2442V	242	SP2442S	512	SPD2442-Z	350	SPD2442-V	369	SPD2442-S	686
	48"	1219	SP2448Z	240	SP2448V	252	SP2448S	566	SPD2448-Z	367	SPD2448-V	383	SPD2448-S	762
30" width (762mm)	30"	762	SP3030Z	218	SP3030V	239	SP3030S	445	SPD3030-Z	303	SPD3030-V	315	SPD3030-S	594
	36"	914	SP3036Z	232	SP3036V	242	SP3036S	514	SPD3036-Z	365	SPD3036-V	378	SPD3036-S	687
	42"	1067	SP3042Z	265	SP3042V	272	SP3042S	600	SPD3042-Z	376	SPD3042-V	398	SPD3042-S	800
	48"	1219	SP3048Z	283	SP3048V	299	SP3048S	664	SPD3048-Z	392	SPD3048-V	414	SPD3048-S	893
32" width (813mm)	36"	914	SP3236Z	245	SP3236V	256	SP3236S	522	SPD3236-Z	426	SPD3236-V	450	SPD3236-S	696
	42"	1067	SP3242Z	284	SP3242V	303	SP3242S	522	SPD3242-Z	445	SPD3242-V	466	SPD3242-S	696
	48"	1219	SP3248Z	304	SP3248V	317	SP3248S	678	SPD3248-Z	458	SPD3248-V	482	SPD3248-S	903
36" width (914mm)	36"	914	SP3636Z	272	SP3636V	293	SP3636S	676	SPD3636-Z	443	SPD3636-V	463	SPD3636-S	900
	42"	1067	SP3642Z	299	SP3642V	309	SP3642S	776	SPD3642-Z	458	SPD3642-V	482	SPD3642-S	1033
	48"	1219	SP3648Z	309	SP3648V	333	SP3648S	883	SPD3648-Z	474	SPD3648-V	495	SPD3648-S	1172

Catalog Section 1

Hybrid Shelves (Cont.)

see spec sheet **EG01.46**

Case Work Series

	length		EAGLEbrite®		VALU-MASTER®		stainless steel			length		EAGLEbrite®		VALU-MASTER®		stainless steel	
	in.	mm	model #	list	model #	list	model #	list		in.	mm	model #	list	model #	list	model #	list
12" width (305mm)	28"	711	SPL1224Z	130	SPL1224V	142	SPL1224S	218	21" width (533mm)	28"	711	SPL2130Z	165	SPL2130V	172	SPL2130S	293
	34"	864	SPL1236Z	144	SPL1236V	155	SPL1236S	306		34"	864	SPL2136Z	183	SPL2136V	189	SPL2136S	344
	40"	1016	SPL1242Z	149	SPL1242V	183	SPL1242S	338		40"	1016	SPL2142Z	196	SPL2142V	204	SPL2142S	392
	46"	1168	SPL1248Z	184	SPL1248V	189	SPL1248S	344		46"	1168	SPL2148Z	207	SPL2148V	218	SPL2148S	443
15" width (381mm)	28"	711	SPL1530Z	142	SPL1530V	145	SPL1530S	239	24" width (610mm)	28"	711	SPL2430Z	185	SPL2430V	196	SPL2430S	376
	34"	864	SPL1536Z	155	SPL1536V	165	SPL1536S	319		34"	864	SPL2436Z	189	SPL2436V	200	SPL2436S	443
	40"	1016	SPL1542Z	183	SPL1542V	189	SPL1542S	349		40"	1016	SPL2442Z	232	SPL2442V	242	SPL2442S	512
	46"	1168	SPL1548Z	189	SPL1548V	200	SPL1548S	356		46"	1168	SPL2448Z	240	SPL2448V	252	SPL2448S	566
16" width (406mm)	28"	711	SPL1630Z	147	SPL1630V	155	SPL1630S	240	30" width (762mm)	28"	711	SPL3030Z	218	SPL3030V	239	SPL3030S	445
	34"	864	SPL1636Z	165	SPL1636V	172	SPL1636S	278		34"	864	SPL3036Z	232	SPL3036V	242	SPL3036S	514
	40"	1016	SPL1642Z	185	SPL1642V	196	SPL1642S	322		40"	1016	SPL3042Z	265	SPL3042V	272	SPL3042S	600
	46"	1168	SPL1648Z	200	SPL1648V	205	SPL1648S	365		46"	1168	SPL3048Z	283	SPL3048V	299	SPL3048S	664
18" width (457mm)	28"	711	SPL1830Z	149	SPL1830V	159	SPL1830S	265	32" width (813mm)	34"	864	SPL3236Z	245	SPL3236V	256	SPL3236S	522
	34"	864	SPL1836Z	166	SPL1836V	177	SPL1836S	308		40"	1016	SPL3242Z	284	SPL3242V	303	SPL3242S	522
	40"	1016	SPL1842Z	185	SPL1842V	196	SPL1842S	356		46"	1168	SPL3248Z	304	SPL3248V	317	SPL3248S	678
	46"	1168	SPL1848Z	200	SPL1848V	205	SPL1848S	406		36"	914mm	SPL3636Z	272	SPL3636V	293	SPL3636S	676
												SPL3642Z	299	SPL3642V	309	SPL3642S	776
												SPL3648Z	309	SPL3648V	333	SPL3648S	883

Wire Basket Utility Carts see spec sheet **EG01.35**

FEATURES:

- Includes four 4" (102mm) swivel stem casters with bumpers and two push handles.
- 40" (1016mm) overall cart height.

description	weight		model #	list
	lbs.	kg		
1 chrome basket shelf, 1 chrome standard shelf	31	14.1	WBC1836C-1B1W	692
2 chrome basket shelves	32	14.5	WBC1836C-2B	610

Replacement Wire Basket Shelf — 400-lb. (181.4 kg) weight capacity.

width x length		weight		chrome	
in.	mm	lbs.	kg	model #	list
18" x 36"	457 x 914	10	4.5	WBS1836C	200

Stainless Utility Carts see spec sheet **EG01.42**

FEATURES:

- Type 430 stainless steel construction.
- Three stainless steel hemmed shelves welded to angle legs.
- Galvanized bottom channel frame featuring four 4" (102mm) swivel plate casters, two with brakes.
- 1"-diameter handle on one end.
- 500-lb. weight capacity.

Shelves are hemmed for further strength and stability!



#UUC-322

overall width x length x height			shelf width x length (inner dimensions)		shelf clearance		weight		with * standard upturns		with upturn on all sides of all shelves	
in.	mm		in.	mm	in.	mm	lbs.	kg	model #	list	model #	list
16 3/4" x 29 5/8" x 32"	426 x 753 x 813		16 1/2" x 25 5/16"	419 x 643	12 1/2"	318	95	43.1	UC-311	1396	UUC-311	1449
19" x 33" x 32"	483 x 838 x 813		18 3/4" x 28 1/16"	476 x 729	12 1/2"	318	95	43.1	UC-322	1437	UUC-322	1489

* Upturn on sides and rear of top and center shelves.

A highly flexible and maneuverable transport product which can be configured in either wire or solid shelves, or a combination of both.

Medium Duty Utility Carts



see spec sheet **EG01.10**



patented
QuadTruss®
design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and
provides a retaining ledge for increased
strength and product retention.

WEIGHT CAPACITY:

- 500 lb. (227 kg) maximum.

INCLUDES:

- Two utility handles.
- Four resilient rubber casters.
- 18" wide carts have 4" (102mm) casters.
- 21" and 24" carts have 5" (127mm) casters.

Note: For conductive use, order aluminum split sleeves or plastic conductive split sleeves (page 47), and optional grounding cable or anti-static drag chain (page 168).

See page 29 for optional stainless steel handles.

2-Shelf Units

	width	length		cu ft	weight		EAGLEbrite®		chrome		stainless steel	
		in.	mm		lbs.	kg	model #	list	model #	list	model #	list
40" height* (1016mm)	18" (457mm)	24"	610	2.5	32	14.5	EU2-1824Z •	587	EU2-1824C •	594	EU2-1824S	1460
		30"	762	2.5	35	15.8	EU2-1830Z •	603	EU2-1830C •	610	EU2-1830S	1585
		36"	914	2.5	38	17.2	EU2-1836Z •	614	EU2-1836C •	617	EU2-1836S	1672
	21" (533mm)	36"	914	2.9	42	19.1	EU2-2136Z •	667	EU2-2136C •	695	EU2-2136S	1867
including casters	24" (610mm)	36"	914	2.9	45	20.4	EU2-2436Z •	695	EU2-2436C •	719	EU2-2436S	1970

* Stainless steel cart are 40" (1016mm) height. Chrome carts 37 3/4" (959mm) height including casters.

3-Shelf Units

	width	length		cu ft	weight		EAGLEbrite®		chrome		stainless steel	
		in.	mm		lbs.	kg	model #	list	model #	list	model #	list
40" height* (1016mm)	18" (457mm)	24"	610	2.5	37	16.7	EU3-1824Z •	719	EU3-1824C •	726	EU3-1824S	1870
		30"	762	2.5	41	18.5	EU3-1830Z •	737	EU3-1830C •	749	EU3-1830S	2056
		36"	914	2.5	45	20.4	EU3-1836Z •	759	EU3-1836C •	763	EU3-1836S	2180
	21" (533mm)	36"	914	2.9	48	21.8	EU3-2136Z •	823	EU3-2136C •	859	EU3-2136S	2448
including casters	24" (610mm)	36"	914	2.9	58	26.3	EU3-2436Z •	858	EU3-2436C •	897	EU3-2436S	2605

* Stainless steel cart are 40" (1016mm) height. Chrome carts 37 3/4" (959mm) height including casters.

Utility Carts with Solid Shelf



see spec sheet **EG01.10**



patented
QuadTruss®
design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and
provides a retaining ledge for increased
strength and product retention.

INCLUDES:

- Two chrome handles.
- Four casters.
- Two chrome finish open-wire shelves.
- One stainless steel solid shelf.

Note: For conductive use, order aluminum split sleeves or plastic conductive split sleeves (page 47), and optional grounding cable or anti-static drag chain (page 168).

See page 29 for optional stainless steel handles.

	width	length		caster diameter		weight		cu ft	model #	list
		in.	mm	in.	mm	lbs.	kg			
37 3/4" height (959mm)	18" (457mm)	24"	610	4"	102	36	16.3	2.5	EU3-1824CS	1042
		30"	762	4"	102	39	17.7	2.5	EU3-1830CS	1078
		36"	914	4"	102	42	19.1	2.5	EU3-1836CS	1130
including casters	21" (533mm)	36"	914	5"	127	65	29.5	2.9	U3-2136CS	1236
	24" (610mm)	36"	914	5"	127	71	32.2	3.3	U3-2436CS	1303

Catalog Section 1

Heavy Duty Utility Carts

see spec sheet **EG01.10**

WEIGHT CAPACITY:

- 800 lb. (363 kg) maximum.



patented
QuadTruss®
design

(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

INCLUDES:

- Two handles (see below)—one on each end.
- Four 5" (127mm) resilient rubber swivel casters.

Note: Carts can be made conductive with the use of aluminum split sleeves or plastic conductive split sleeves (page 47), and optional grounding cable or anti-static drag chain (page 168).

(•) MTS (made to stock) / () MTO (made to order)

2-Shelf Units

		length		cu ft	weight		EAGLEbrite®		chrome		stainless steel	
		in.	mm		lbs.	kg	model #	list	model #	list	model #	list
40" height* (1016mm) including casters	18" width (457mm)	36"	914	2.5	38	17.2	U2-1836Z •	667	U2-1836C •	677	U2-1836S	1816
		42"	1067	2.9	41	18.5	U2-1842Z •	698	U2-1842C •	719	U2-1842S	2007
	21" width (533mm)	36"	914	2.9	42	19.1	U2-2136Z •	698	U2-2136C •	727	U2-2136S	1970
		42"	1067	3.4	44	20.0	U2-2142Z •	737	U2-2142C •	766	U2-2142S	2160
		48"	1219	3.9	48	21.8	U2-2148Z •	752	U2-2148C •	777	U2-2148S	2160
	24" width (610mm)	36"	914	3.3	46	20.9	U2-2436Z •	727	U2-2436C •	759	U2-2436S	2077
		42"	1067	3.9	50	22.7	U2-2442Z •	777	U2-2442C •	810	U2-2442S	2340
		48"	1219	4.4	52	23.6	U2-2448Z •	789	U2-2448C •	825	U2-2448S	2340
		60"	1524	5.5	62	28.1	U2-2460Z •	880	U2-2460C •	900	U2-2460S	2686

* Stainless steel cart are 40" (1016mm) height. Chrome carts 37 1/4" (959mm) height including casters.

3-Shelf Units

		length		cu ft	weight		EAGLEbrite®		chrome		stainless steel	
		in.	mm		lbs.	kg	model #	list	model #	list	model #	list
40" height* (1016mm) including casters	18" width (457mm)	36"	914	2.5	48	21.8	U3-1836Z •	807	U3-1836C •	818	U3-1836S	2328
		42"	1067	2.9	52	23.6	U3-1842Z •	856	U3-1842C •	884	U3-1842S	2616
	21" width (533mm)	36"	914	2.9	53	24.0	U3-2136Z •	855	U3-2136C •	898	U3-2136S	2560
		42"	1067	3.4	56	25.4	U3-2142Z •	907	U3-2142C •	955	U3-2142S	2838
		48"	1219	3.9	62	28.1	U3-2148Z •	923	U3-2148C •	970	U3-2148S	2838
	24" width (610mm)	36"	914	3.3	59	26.8	U3-2436Z •	897	U3-2436C •	930	U3-2436S	2709
		42"	1067	3.9	65	29.5	U3-2442Z •	967	U3-2442C •	1019	U3-2442S	3109
		48"	1219	4.4	68	30.8	U3-2448Z •	983	U3-2448C •	1038	U3-2448S	3109
		60"	1524	5.5	83	37.6	U3-2460Z •	1119	U3-2460C •	1153	U3-2460S	3626

* Stainless steel cart are 40" (1016mm) height. Chrome carts 37 1/4" (959mm) height including casters.

Handles for Utility Carts

see spec sheets **EG01.03B**

(•) MTS (made to stock) / () MTO (made to order)



width		weight		cubic feet	chrome*		stainless steel**	
in.	mm	lbs.	kg		model #	list	model #	list
18"	457	4.0	1.8	0.9	UH18-C •	92	UH18-S	228
21"	533	4.2	1.9	0.9	UH21-C •	93	UH21-S	232
24"	610	4.5	2.1	0.9	UH24-C •	93	UH24-S	238

* 31 1/2" (800mm) height without casters

** 33 3/8" (848mm) height without casters

Stem Caster Carts

see spec sheet **EG01.07**

(•) MTS (made to stock) / () MTO (made to order)



INCLUDES:

- Four 63" (1600mm) posts.
- Four shelves.
- Plastic split sleeves.
- Donut bumpers.
- Indicated 5" x 1 1/4" (127 x 32mm) casters.
- 68" (1727mm) overall height.
- Fast assembly without the use of tools.
- Shipped knocked-down.

Note: Carts can be made conductive with the use of aluminum split sleeves or plastic conductive split sleeves (page 47), and optional grounding cable or anti-static drag chain (page 168).

patented
QuadTruss®
design

(Patent #5,390,803)

**Patented QuadTruss®
Design**

makes shelves up to 25% stronger
and provides a retaining ledge for
increased strength and
product retention.

		weight		cu ft	caster type	wheel tread	EAGLEbrite®		chrome	
		lbs.	kg				model #	list	model #	list
18" width (457mm)	36" length (914mm)	58	26.3	2.6	swivel	resilient	CC1836Z-S	• 984	CC1836C-S	• 997
					swivel	poly	CC1836Z-SP	• 1132	CC1836C-SP	• 1144
					swivel/brake	resilient	CC1836Z-SB	• 1009	CC1836C-SB	• 1019
					swivel/brake	poly	CC1836Z-SBP	• 1156	CC1836C-SBP	• 1173
					swivel/rigid	resilient	CC1836Z-SR	• 1036	CC1836C-SR	• 1065
	48" length (1219mm)	70	31.7	3.5	swivel/rigid	poly	CC1836Z-SRP	• 1159	CC1836C-SRP	• 1200
					swivel	resilient	CC1848Z-S	• 997	CC1848C-S	• 1092
					swivel	poly	CC1848Z-SP	• 1144	CC1848C-SP	• 1242
					swivel/brake	resilient	CC1848Z-SB	• 1117	CC1848C-SB	• 1148
					swivel/brake	poly	CC1848Z-SBP	• 1266	CC1848C-SBP	• 1294
	60" length (1524mm)	86	39.0	4.4	swivel/rigid	resilient	CC1848Z-SR	• 1125	CC1848C-SR	• 1178
					swivel/rigid	poly	CC1848Z-SRP	• 1250	CC1848C-SRP	• 1312
					swivel	resilient	CC1860Z-S	• 1205	CC1860C-S	• 1242
					swivel	poly	CC1860Z-SP	• 1349	CC1860C-SP	• 1387
					swivel/brake	resilient	CC1860Z-SB	• 1236	CC1860C-SB	• 1266
21" width (533mm)	36" length (914mm)	67	30.4	3.0	swivel/brake	poly	CC1860Z-SBP	• 1383	CC1860C-SBP	• 1414
					swivel/rigid	resilient	CC1860Z-SR	• 1239	CC1860C-SR	• 1289
					swivel/rigid	poly	CC1860Z-SRP	• 1367	CC1860C-SRP	• 1418
	48" length (1219mm)	79	35.8	4.0	swivel	resilient	CC2136Z-S	• 1060	CC2136C-S	• 1112
					swivel	poly	CC2136Z-SP	• 1205	CC2136C-SP	• 1256
					swivel/brake	resilient	CC2136Z-SB	• 1084	CC2136C-SB	• 1140
					swivel/brake	poly	CC2136Z-SBP	• 1236	CC2136C-SBP	• 1284
					swivel/rigid	resilient	CC2136Z-SR	• 1094	CC2136C-SR	• 1174
	60" length (1524mm)	96	43.5	5.0	swivel/rigid	poly	CC2136Z-SRP	• 1220	CC2136C-SRP	• 1304
					swivel	resilient	CC2148Z-S	• 1153	CC2148C-S	• 1217
					swivel	poly	CC2148Z-SP	• 1303	CC2148C-SP	• 1365
					swivel/brake	resilient	CC2148Z-SB	• 1178	CC2148C-SB	• 1244
					swivel/brake	poly	CC2148Z-SBP	• 1327	CC2148C-SBP	• 1393
24" width (610mm)	36" length (914mm)	74	33.5	3.5	swivel/rigid	resilient	CC2148Z-SR	• 1185	CC2148C-SR	• 1277
					swivel/rigid	poly	CC2148Z-SRP	• 1315	CC2148C-SRP	• 1405
	48" length (1219mm)	90	40.8	4.5	swivel	resilient	CC2160Z-S	• 1303	CC2160C-S	• 1349
					swivel	poly	CC2160Z-SP	• 1445	CC2160C-SP	• 1503
					swivel/brake	resilient	CC2160Z-SB	• 1327	CC2160C-SB	• 1383
	60" length (1524mm)	110	49.9	5.6	swivel/brake	poly	CC2160Z-SBP	• 1477	CC2160C-SBP	• 1528
					swivel/rigid	resilient	CC2160Z-SR	• 1339	CC2160C-SR	• 1412
					swivel/rigid	poly	CC2160Z-SRP	• 1475	CC2160C-SRP	• 1536
	36" length (914mm)	74	33.5	3.5	swivel	resilient	CC2436Z-S	• 1104	CC2436C-S	• 1153
					swivel	poly	CC2436Z-SP	• 1248	CC2436C-SP	• 1303
					swivel/brake	resilient	CC2436Z-SB	• 1129	CC2436C-SB	• 1178
					swivel/brake	poly	CC2436Z-SBP	• 1275	CC2436C-SBP	• 1327
					swivel/rigid	resilient	CC2436Z-SR	• 1143	CC2436C-SR	• 1206
24" width (610mm)	48" length (1219mm)	90	40.8	4.5	swivel/rigid	poly	CC2436Z-SRP	• 1269	CC2436C-SRP	• 1337
					swivel	resilient	CC2448Z-S	• 1226	CC2448C-S	• 1288
					swivel	poly	CC2448Z-SP	• 1372	CC2448C-SP	• 1438
					swivel/brake	resilient	CC2448Z-SB	• 1253	CC2448C-SB	• 1316
					swivel/brake	poly	CC2448Z-SBP	• 1340	CC2448C-SBP	• 1464
	60" length (1524mm)	110	49.9	5.6	swivel/rigid	resilient	CC2448Z-SR	• 1263	CC2448C-SR	• 1345
					swivel/rigid	poly	CC2448Z-SRP	• 1394	CC2448C-SRP	• 1482
					swivel	resilient	CC2460Z-S	• 1407	CC2460C-S	• 1445
					swivel	poly	CC2460Z-SP	• 1554	CC2460C-SP	• 1597
					swivel/brake	resilient	CC2460Z-SB	• 1430	CC2460C-SB	• 1477
24" width (610mm)	36" length (914mm)	74	33.5	3.5	swivel/brake	poly	CC2460Z-SBP	• 1577	CC2460C-SBP	• 1618
					swivel/rigid	resilient	CC2460Z-SR	• 1439	CC2460C-SR	• 1507
					swivel/rigid	poly	CC2460Z-SRP	• 1569	CC2460C-SRP	• 1642
	48" length (1219mm)	90	40.8	4.5	swivel	resilient	CC2460Z-S	• 1407	CC2460C-S	• 1445
					swivel	poly	CC2460Z-SP	• 1554	CC2460C-SP	• 1597
					swivel/brake	resilient	CC2460Z-SB	• 1430	CC2460C-SB	• 1477
					swivel/brake	poly	CC2460Z-SBP	• 1577	CC2460C-SBP	• 1618
					swivel/rigid	resilient	CC2460Z-SR	• 1439	CC2460C-SR	• 1507
	60" length (1524mm)	110	49.9	5.6	swivel/rigid	poly	CC2460Z-SRP	• 1569	CC2460C-SRP	• 1642

Catalog Section 1

Cart Covers

see spec sheet **EG01.09**

**Meets J.C.A.H. standards
for transporting clean linen!**



cart cover
enveloping entire cart/truck



cart cover with panel folded back for
easy shelf accessibility

FEATURES:

**Light weight,
easy to handle!**

- Top corners are reinforced.
- Choice of coated nylon or uncoated polyester.
- Coated cart covers available in powder blue (suffix "PB") and light green (suffix "LG"). Example: CVC-63-1836PB. Other colors available—consult factory.
- 10" x 12" (254 x 305mm) paperwork pouch at right side, when facing front of cart cover.
- Covers are nonreturnable.

Note: Cart covers to fit Security Units (pages 42-43) available. To order cart cover for Stationary or Mobile Security Unit, add suffix "-S" to end of model number (ex: CV-63-2436-S) and add 20% to list price. To order cart cover for Dolly Truck Security Unit, add suffix "-D" to end of model number (ex: CV-63-2436-D) and add 20% to list price.

Double-Flap option available. \$74 upcharge.

To order, add suffix "-DF" to model number (ex: CV-63-2436-DF).

Black electrostatic discharge (ESD) cart covers also available—see page 176.

								White Coated Nylon*				White Uncoated Polyester			
length		post height		weight		cu ft	with zipper		with velcro		with zipper		with velcro		
in.	mm	in.	mm	lbs.	kg		model #	list	model #	list	model #	list	model #	list	
18" width (457mm)	36"	914	54"	1372	10	4.5	1	CZC-54-1836	476	CVC-54-1836	489	CZ-54-1836	276	CV-54-1836	303
			63"	1600				CZC-63-1836	485	CVC-63-1836	512	CZ-63-1836	293	CV-63-1836	309
	48"	1219	54"	1372	10	4.5	1	CZC-54-1848	489	CVC-54-1848	518	CZ-54-1848	307	CV-54-1848	327
			63"	1600				CZC-63-1848	506	CVC-63-1848	523	CZ-63-1848	308	CV-63-1848	333
	60"	1524	54"	1372	11	5.0	1	CZC-54-1860	532	CVC-54-1860	550	CZ-54-1860	319	CV-54-1860	337
		63"	1600					CZC-63-1860	542	CVC-63-1860	563	CZ-63-1860	325	CV-63-1860	340
21" width (533mm)			54"	1372				CZC-54-2148	548	CVC-54-2148	569	CZ-54-2148	355	CV-54-2148	376
	48"	1219	63"	1600	10	4.5	1	CZC-63-2148	569	CVC-63-2148	596	CZ-63-2148	393	CV-63-2148	408
			74"	1880				CZC-74-2148	577	CVC-74-2148	598	CZ-74-2148	448	CV-74-2148	474
			54"	1372				CZC-54-2160	628	CVC-54-2160	645	CZ-54-2160	370	CV-54-2160	396
	60"	1524	63"	1600	11	5.0	1	CZC-63-2160	637	CVC-63-2160	659	CZ-63-2160	408	CV-63-2160	430
		74"	1880					CZC-74-2160	647	CVC-74-2160	670	CZ-74-2160	480	CV-74-2160	489
24" width (610mm)	24"	610	54"	1372	10	4.5	1	CZC-54-2424	577	CVC-54-2424	582	CZ-54-2424	649	CV-54-2424	430
			63"	1600				CZC-63-2424	587	CVC-63-2424	603	CZ-63-2424	672	CV-63-2424	517
			54"	1372				CZC-54-2436	485	CVC-54-2436	512	CZ-54-2436	316	CV-54-2436	334
	36"	914	63"	1600	10	4.5	1	CZC-63-2436	512	CVC-63-2436	532	CZ-63-2436	327	CV-63-2436	350
			74"	1880				CZC-74-2436	522	CVC-74-2436	544	CZ-74-2436	396	CV-74-2436	407
			86"	2184				CZC-86-2436	566	CVC-86-2436	603	CZ-86-2436	494	CV-86-2436	506
			54"	1372				CZC-54-2448	574	CVC-54-2448	597	CZ-54-2448	340	CV-54-2448	367
	48"	1219	63"	1600	10	4.5	1	CZC-63-2448	598	CVC-63-2448	628	CZ-63-2448	403	CV-63-2448	426
			74"	1880				CZC-74-2448	614	CVC-74-2448	633	CZ-74-2448	436	CV-74-2448	463
			86"	2184				CZC-86-2448	704	CVC-86-2448	725	CZ-86-2448	527	CV-86-2448	544
			54"	1372				CZC-54-2460	642	CVC-54-2460	663	CZ-54-2460	456	CV-54-2460	480
	60"	1524	63"	1600	11	5.0	1	CZC-63-2460	652	CVC-63-2460	678	CZ-63-2460	476	CV-63-2460	489
		74"	1880				CZC-74-2460	663	CVC-74-2460	685	CZ-74-2460	539	CV-74-2460	560	
		86"	2184				CZC-86-2460	764	CVC-86-2460	764	CZ-86-2460	628	CV-86-2460	647	
		54"	1372				CZC-54-2472	652	CVC-54-2472	678	CZ-54-2472	474	CV-54-2472	487	
72"	1829	63"	1600	12	5.4	1	CZC-63-2472	664	CVC-63-2472	693	CZ-63-2472	506	CV-63-2472	523	
		74"	1880				CZC-74-2472	683	CVC-74-2472	697	CZ-74-2472	550	CV-74-2472	574	
		86"	2184				CZC-86-2472	800	CVC-86-2472	789	CZ-86-2472	659	CV-86-2472	678	

* White-coated nylon covers are fire-retardant

Helps keep equipment clean on shelf carts and shelf trucks.

Transparent Vinyl Cart Covers

see spec sheet **EG01.09**

**Meets J.C.A.H. standards
for transporting clean linen!**



transparent cart cover



- Transparent vinyl allows for ease of viewing cart contents.
- Top corners are reinforced.
- Choice of zipper or velcro closure.
- Fully transparent except for the seams.
- 10" x 12" (254 x 305mm) paperwork pouch at right side, when facing front of cart cover.
- Covers are nonreturnable.

FEATURES:

Note: Cart covers to fit Security Units (pages 42-43) available. To order cart cover for Stationary or Mobile Security Unit, add suffix "-S" to end of model number (ex: CV-63-2436-S) and add 20% to list price.

To order cart cover for Dolly Truck Security Unit, add suffix "-D" to end of model number (ex: CV-63-2436-D) and add 20% to list price.

Double-Flap option available. \$74 upcharge.

To order, add suffix "-DF" to model number (ex: CV-63-2436-DF).

Black electrostatic discharge (ESD) cart covers also available—see page 176.

(•) MTS (made to stock) / () MTO (made to order)

	length		post height		weight		cu ft	with zipper		with velcro	
	in.	mm	in.	mm	lbs.	kg		model #	list	model #	list
18" width (457mm)	36"	914	54"	1372	10	4.5	1	CZ-54-1836-T	612	CV-54-1836-T	672
			63"	1600				CZ-63-1836-T	612	CV-63-1836-T	672
	48"	1219	54"	1372	10	4.5	1	CZ-54-1848-T	618	CV-54-1848-T	683
			63"	1600				CZ-63-1848-T	618	CV-63-1848-T	683
	60"	1524	54"	1372	11	5.0	1	CZ-54-1860-T	642	CV-54-1860-T	704
			63"	1600				CZ-63-1860-T	685	CV-63-1860-T	752
21" width (533mm)			54"	1372				CZ-54-2148-T	678	CV-54-2148-T	748
	48"	1219	63"	1600	10	4.5	1	CZ-63-2148-T	722	CV-63-2148-T	792
			74"	1880				CZ-74-2148-T	760	CV-74-2148-T	834
			54"	1372				CZ-54-2160-T	754	CV-54-2160-T	828
	60"	1524	63"	1600	11	5.0	1	CZ-63-2160-T	799	CV-63-2160-T	877
			74"	1880				CZ-74-2160-T	843	CV-74-2160-T	923
24" width (610mm)	24"	610	54"	1372	10	4.5	1	CZ-54-2424-T	652	CV-54-2424-T	719
			63"	1600				CZ-63-2424-T	652	CV-63-2424-T	719
			54"	1372				CZ-54-2436-T	663	CV-54-2436-T	727
	36"	914	63"	1600	10	4.5	1	CZ-63-2436-T	663	CV-63-2436-T	727
			74"	1880				CZ-74-2436-T	808	CV-74-2436-T	888
			86"	2184				CZ-86-2436-T	852	CV-86-2436-T	938
			54"	1372				CZ-54-2448-T	697	CV-54-2448-T	765
	48"	1219	63"	1600	10	4.5	1	CZ-63-2448-T	697	CV-63-2448-T	765
			74"	1880				CZ-74-2448-T	722	CV-74-2448-T	792
			86"	2184				CZ-86-2448-T	897	CV-86-2448-T	984
			54"	1372				CZ-54-2460-T	764	CV-54-2460-T	844
	60"	1524	63"	1600	11	5.0	1	CZ-63-2460-T	764	CV-63-2460-T	844
			74"	1880				CZ-74-2460-T	932	CV-74-2460-T	1025
			86"	2184				CZ-86-2460-T	980	CV-86-2460-T	1078
			54"	1372				CZ-54-2472-T	856	CV-54-2472-T	942
	72"	1829	63"	1600	12	5.4	1	CZ-63-2472-T	874	CV-63-2472-T	960
			74"	1880				CZ-74-2472-T	960	CV-74-2472-T	1056
			86"	2184				CZ-86-2472-T	1008	CV-86-2472-T	1109

Helps keep equipment clean on shelf carts and shelf trucks.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.

Phone: 302-653-3000. Fax: 302-653-2065

<http://www.eaglehmc.com>

EAGLE
MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Catalog Section 1

Angled Shelf/ Visual Merchandising Carts

see spec sheet **EG01.44**



visual merchandising cart
with optional shelf dividers

**Ideal for displaying
POINT-OF-SALE
or SPECIAL SALE ITEMS.**

FEATURES:

- 68" (1727mm) height.
- 3¼" (83mm) upturn at front
- 1¼" (32mm) downturn at rear.
- Shelves are reversible.
- Units available in 2' to 5' lengths (610 to 1524mm).

**All carts listed are 18" (457mm)-wide.
24" (610mm)-wide carts available.**



WEIGHT CAPACITY:

- 300 lbs. (136.1 kg) per shelf.

INCLUDES:


- Four shelves adjust on 1" (25mm) vertical increments and the 0°-30° slope of each shelf.
- Four posts.
- Four 5" x 1¼" (127 x 32mm) resilient swivel casters, two with brake.
- Additional caster sizes are available.
- Standard wire shelves (page 6) can be used.

Note: To order red or white epoxy finish, add suffix "R" (red) or "W" (white). Example: **M1836R**. Priced same as black epoxy.

Additional shelves and wire dividers available as options.

(•) MTS (made to stock) / () MTO (made to order)

length		weight		cu ft	EAGLEbrite®		chrome		black		VALU-MASTER®		Valu-Gard®	
in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24"	610	52	23.6	3.6	M1824Z-4	1173	M1824C-4	1314	M1824BL-4	1338	M1824V-4	1338	M1824VG-4	1338
36"	914	60	27.2	4.4	M1836Z-4 • 1222		M1836C-4	1349	M1836BL-4	1369	M1836V-4	1369	M1836VG-4	1369
48"	1219	68	30.8	5.8	M1848Z-4 • 1358		M1848C-4	1407	M1848BL-4	1464	M1848V-4	1464	M1848VG-4	1464
60"	1524	76	34.5	7.3	M1860Z-4 • 1454		M1860C-4	1503	M1860BL-4	1549	M1860V-4	1549	M1860VG-4	1549



Additional Angled Shelves for Angled Shelf / Visual Merchandising Carts - Hanger rails included.

length		weight		cu ft	EAGLEbrite®		chrome		black		VALU-MASTER®		Valu-Gard®	
in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24"	610	4	1.8	2.2	M1824Z	188	M1824C	217	M1824BL	232	M1824V	232	M1824VG	232
36"	914	9	4.1	2.5	M1836Z	200	M1836C	228	M1836BL	239	M1836V	239	M1836VG	239
48"	1219	12	5.5	2.8	M1848Z	233	M1848C	242	M1848BL	255	M1848V	255	M1848VG	255
60"	1524	17	7.7	3.1	M1860Z	255	M1860C	269	M1860BL	278	M1860V	278	M1860VG	278

Note: If purchased as component piece for unit assembly, two 3-sided truss frames must be ordered (see page 34).



Shelf Dividers for Angled Shelf / Visual Merchandising Carts - 4½" (114mm) height.

length		weight		cu ft	chrome		black		VALU-MASTER®		Valu-Gard®	
in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list
18"	457	1.0	0.5	0.6	M18C	80	M18BL	83	M18V	83	M18VG	83

Front-to-Back Hanger Rail for Angled Shelf / Visual Merchandising Carts

length		weight		cu ft	EAGLEbrite®		chrome		black		VALU-MASTER®		Valu-Gard®	
in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
18"	457	0.7	0.3	2.0	WR18-Z	33	WR18-C	37	WR18-BL	43	WR18-V	45	WR18-VG	45

Side-to-Side Hanger Rails for Angled Shelf / Visual Merchandising Carts

length		weight		cu ft	EAGLEbrite®		chrome		black		VALU-MASTER®		Valu-Gard®	
in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24"	610	1.5	0.7	0.3	LR24-Z	45	LR24-C	55	LR24-BL	60	LR24-V	60	LR24-VG	60
36"	914	1.9	0.9	0.6	LR36-Z	48	LR36-C	65	LR36-BL	70	LR36-V	70	LR36-VG	70
48"	1219	2.1	1.0	0.7	LR48-Z	49	LR48-C	80	LR48-BL	83	LR48-V	83	LR48-VG	83
60"	1524	2.5	1.1	0.8	LR60-Z	55	LR60-C	92	LR60-BL	93	LR60-V	93	LR60-VG	93

Angled Shelf/ Visual Merchandising Carts (continued)

see spec sheet **EG01.44**



three-sided truss snare
18" (457mm) front-to-back.



four-sided truss snare
18" (457mm) front-to-back.

3-Sided Truss Frame for Angled Shelf/Visual Merchandising Cart

length		weight		cu ft	EAGLEbrite®		chrome		black		VALU-MASTER®		Valu-Gard®	
in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
36"	914	3.5	1.6	2	3TF1836-Z	65	3TF1836-C	67	3TF1836-BL	74	3TF1836-V	74	3TF1836-VG	74
48"	1219	4.0	1.8	3	3TF1848-Z	67	3TF1848-C	80	3TF1848-BL	86	3TF1848-V	86	3TF1848-VG	86
60"	1524	4.5	2.0	4	3TF1860-Z	75	3TF1860-C	86	3TF1860-BL	94	3TF1860-V	94	3TF1860-VG	94

4-Sided Truss Frame for Angled Shelf/Visual Merchandising Carts

length		weight		cu ft	EAGLEbrite®		chrome		black		VALU-MASTER®		Valu-Gard®	
in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
36"	914	3.5	1.6	2	4TF1836-Z	105	4TF1836-C	110	4TF1836-BL	125	4TF1836-V	125	4TF1836-VG	125
48"	1219	4.0	1.8	3	4TF1848-Z	110	4TF1848-C	129	4TF1848-BL	133	4TF1848-V	133	4TF1848-VG	133
60"	1524	4.5	2.0	4	4TF1860-Z	118	4TF1860-C	139	4TF1860-BL	148	4TF1860-V	148	4TF1860-VG	148

Mobile Platform Carts

see spec sheet **EG60.36**



**Lifetime guarantee against
rust and corrosion!**

**5-year guarantee
against workmanship
and material defects!**

FEATURES:

- Heavy duty all-aluminum construction.
- 1½" x 2¾" (38 x 70mm) square tubing.
- 5" (127mm) casters—two swivel with brake and two rigid.

overall dimensions width x depth x height			deck size width x depth		weight capacity		model #	list
in.	mm		in.	mm	lbs.	kg		
20" x 37¼" x 42"	508 x 959 x 1067		20" x 36"	508 x 914	1200	544.3	1202	1427
20" x 49¼" x 42"	508 x 1264 x 1067		20" x 48"	508 x 1219	1200	544.3	1203	1574
20" x 61¼" x 42"	508 x 1569 x 1067		20" x 60"	508 x 1524	1200	544.3	1212	1828

Black Polymer Utility Cart

see spec sheet **EG01.06**



**Utilizes three heavy duty
black polymer shelves and
utility handles!**

WEIGHT CAPACITY:

- 200 lb. (90.7 kg).

FEATURES:

- Four 4" (102mm) diameter swivel casters, two with brake.
- Stylish brushed aluminum uprights.

height		width		length		weight	
in.	mm	in.	mm	in.	mm	lbs.	kg
37¼" (959mm)	18¾" (473mm)	33½"	854	30	13.6	EU3-2030-P	1415

including casters

Catalog Section 1

Dolly Trucks

see spec sheet **EG01.08**

FEATURES:

- Fast assembly without tools.
- Open wire construction.
- Shipped knocked-down.

INCLUDES:

- Four shelves.
- Four posts.
- Plastic split sleeves.
- Four designated 5" x 1 1/4" (127 x 32mm) casters.
- Aluminum truck dolly with wraparound bumper.

patented
QuadTruss®
design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and
provides a retaining ledge for increased
strength and product retention.

			shelf dimensions width x length in. mm		weight lbs. kg		cu ft	caster type	wheel tread	with EAGLEbrite® shelf unit		with chrome shelf unit	
										model #	list	model #	list
69" height (1753mm)	23¾" width (603mm)	40⅞" length (1038mm)	18" x 36"	457 x 914	72	32.7	4.2	swivel	resilient	DT1836-ZS	1832	DT1836-CS	1893
								swivel	poly	DT1836-ZSP	1775	DT1836-CSP	1832
								swivel/brake	resilient	DT1836-ZSB	1849	DT1836-CSB	1905
								swivel/brake	poly	DT1836-ZSBP	1796	DT1836-CSBP	1849
		52⅞" length (1343mm)	18" x 48"	457 x 1219	86	39.0	5.6	swivel	resilient	DT1848-ZS	1974	DT1848-CS	2053
								swivel	poly	DT1848-ZSP	1918	DT1848-CSP	1994
								swivel/brake	resilient	DT1848-ZSB	1988	DT1848-CSB	2069
								swivel/brake	poly	DT1848-ZSBP	1934	DT1848-CSBP	2009
		64⅞" length (1648mm)	18" x 36"	457 x 914	100	45.4	6.8	swivel	resilient	DT1860-ZS	2154	DT1860-CS	2234
								swivel	poly	DT1860-ZSP	2097	DT1860-CSP	2177
								swivel/brake	resilient	DT1860-ZSB	2173	DT1860-CSB	2248
								swivel/brake	poly	DT1860-ZSBP	2110	DT1860-CSBP	2189
	26¾" width (680mm)	40⅞" length (1038mm)	21" x 36"	533 x 914	82	37.2	4.8	swivel	resilient	DT2136-ZS	1934	DT2136-CS	2032
								swivel	poly	DT2136-ZSP	1885	DT2136-CSP	1976
								swivel/brake	resilient	DT2136-ZSB	1945	DT2136-CSB	2053
								swivel/brake	poly	DT2136-ZSBP	1898	DT2136-CSBP	1994
		52⅞" length (1343mm)	21" x 48"	533 x 1219	98	44.5	6.4	swivel	resilient	DT2148-ZS	2077	DT2148-CS	2183
								swivel	poly	DT2148-ZSP	2025	DT2148-CSP	2132
								swivel/brake	resilient	DT2148-ZSB	2094	DT2148-CSB	2204
								swivel/brake	poly	DT2148-ZSBP	2037	DT2148-CSBP	2145
		64⅞" length (1648mm)	21" x 60"	533 x 1524	114	51.7	7.9	swivel	resilient	DT2160-ZS	2284	DT2160-CS	2372
								swivel	poly	DT2160-ZSP	2232	DT2160-CSP	2322
								swivel/brake	resilient	DT2160-ZSB	2303	DT2160-CSB	2388
								swivel/brake	poly	DT2160-ZSBP	2244	DT2160-CSBP	2414
	29¾" width (756mm)	40⅞" length (1038mm)	24" x 36"	610 x 914	90	40.8	5.6	swivel	resilient	DT2436-ZS	1970	DT2436-CS	2062
								swivel	poly	DT2436-ZSP	1915	DT2436-CSP	2000
								swivel/brake	resilient	DT2436-ZSB	1987	DT2436-CSB	2077
								swivel/brake	poly	DT2436-ZSBP	1933	DT2436-CSBP	2025
		52⅞" length (1343mm)	24" x 48"	610 x 1219	112	50.8	7.2	swivel	resilient	DT2448-ZS	2145	DT2448-CS	2260
								swivel	poly	DT2448-ZSP	2094	DT2448-CSP	2204
								swivel/brake	resilient	DT2448-ZSB	2165	DT2448-CSB	2272
								swivel/brake	poly	DT2448-ZSBP	2107	DT2448-CSBP	2218
		64⅞" length (1648mm)	24" x 60"	610 x 1524	134	60.8	8.9	swivel	resilient	DT2460-ZS	2383	DT2460-CS	2469
								swivel	poly	DT2460-ZSP	2328	DT2460-CSP	2419
								swivel/brake	resilient	DT2460-ZSB	2403	DT2460-CSB	2485
								swivel/brake	poly	DT2460-ZSBP	1534	DT2460-CSBP	1592

Garment Racks



model #
GR1836C

see spec sheet **EG01.28**

patented
QuadTruss®
design
(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

INCLUDES:

- Four chrome post with adjustable feet.
- Two wire chrome plated shelves.
- 74" (1880mm) height on stationary units.
- 80" (3032mm) height on mobile units.
- Mobile racks four 5" (127mm) polyurethane tread casters, with rubber donut bumper.

(•) MTS (made to stock) / () MTO (made to order)

**Convenient
storage of coats,
uniforms, or
garments.**

	length		weight		cu ft	description	STATIONARY		MOBILE	
	in.	mm	lbs.	kg			model #	list	model #	list
18" width (457mm)	36"	914	48	21.8	2.2	unit as shown	GR1836C	629	UR1836C	996
	36"	914	64	29.0	2.2	same, plus 1 solid shelf	GRS1836C	870	URS1836C	1305
	48"	1219	52	23.6	2.6	unit as shown	GR1848C	685	UR1848C	1065
	48"	1219	72	32.7	2.6	same, plus 1 solid shelf	GRS1848C	955	URS1848C	1430
	60"	1524	58	26.3	3.2	unit as shown	GR1860C	766	UR1860C	1152
	60"	1524	82	37.2	3.2	same, plus 1 solid shelf	GRS1860C	1094	URS1860C	1638

Optional Wire Shelves

	length		weight		cu ft	model #	list
	in.	mm	lbs.	kg			
18" width	36"	914	9	4.1	0.7	1836C •	133
48" (457mm)	48"	1219	12	5.5	0.9	1848C •	159
60"	60"	1524	17	7.7	1.2	1860C •	188

Optional Hangers

description	weight		cu ft	chrome	
	lbs.	kg		model #	list
open loop hanger	0.4	0.2	0.3	OLH-C •	29
closed loop hanger	0.4	0.2	0.3	CLH-C	29

Replacement Coat Hanger Tubes

length		weight		cubic	model #	list
in.	mm	lbs.	kg	feet		
24"	610	1.5	0.7	0.1	CH24	75
30"	762	1.7	0.8	0.1	CH30	82
36"	914	2.2	1.0	0.1	CH36	86
42"	1067	2.7	1.2	0.1	CH42	87
48"	1219	3.2	1.5	0.1	CH48 •	92
54"	1372	3.5	1.6	0.2	CH54	95
60"	1524	3.8	1.7	0.2	CH60	103



Platforms

see spec sheet **EG01.13**



**600 lbs.
weight capacity**

FEATURES:

- Open-wire construction for improved air circulation, minimizing dust.

(•) MTS (made to stock) / () MTO (made to order)

Note: Optional 3-Sided Channel Frames available. See page 55.

patented
QuadTruss®
(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

		length		weight		cu ft	EAGLEbrite®		chrome		EAGLEgard®	
		in.	mm	lbs.	kg		model #	list	model #	list	model #	list
14" height (356mm)	18" width (457mm)	24"	610	10	4.5	0.7	PF1824-Z •	228	PF1824-C •	240	PF1824-E •	284
		30"	762	11	5.0	0.7	PF1830-Z •	232	PF1830-C •	242	PF1830-E •	289
		36"	914	13	5.9	0.7	PF1836-Z •	238	PF1836-C •	244	PF1836-E •	297
	21" width (533mm)	24"	610	12	5.4	0.7	PF2124-Z •	240	PF2124-C •	258	PF2124-E •	306
		30"	762	13	5.9	0.7	PF2130-Z •	243	PF2130-C •	269	PF2130-E •	308
		36"	914	14	6.4	0.8	PF2136-Z •	245	PF2136-C •	272	PF2136-E •	312
	24" width (610mm)	24"	610	13	5.9	0.8	PF2424-Z •	245	PF2424-C •	270	PF2424-E •	325
		30"	762	15	6.8	0.8	PF2430-Z •	254	PF2430-C •	276	PF2430-E •	327
		36"	914	17	7.7	0.8	PF2436-Z •	256	PF2436-C •	280	PF2436-E •	330

Catalog Section 1

Dunnage Shelves

see spec sheet **EG01.13**

**Improves your system's
weight-bearing capacity.**

- Four-sided frame with center supports.
- Removable heavy duty $\frac{5}{16}$ " (8mm)-diameter wire mat assembly.

FEATURES:

Note: All weights and cubic feet are approximate.

(•) MTS (made to stock) / () MTO (made to order)

	length		weight		cu	chrome		EAGLEgard®		stainless steel	
	in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
18" width (457mm)	24"	610	14	6.4	0.6	DS1824-C	307	DS1824-E	389	n/a	n/a
	30"	762	18	8.2	0.7	DS1830-C	338	DS1830-E	408	n/a	n/a
	36"	914	21	9.5	0.8	DS1836-C	358	DS1836-E	437	DS1836-S	1125
	48"	1219	28	12.7	1.1	DS1848-C	418	DS1848-E •	516	DS1848-S	1367
	60"	1524	33	15.0	1.3	DS1860-C	486	DS1860-E •	577	DS1860-S	1609
21" width (533mm)	24"	610	15	6.8	0.6	DS2124-C	344	DS2124-E	423	n/a	n/a
	30"	762	19	8.6	0.8	DS2130-C	355	DS2130-E	439	n/a	n/a
	36"	914	22	10.0	0.9	DS2136-C	377	DS2136-E	463	n/a	n/a
	48"	1219	28	12.7	1.2	DS2148-C	432	DS2148-E	527	n/a	n/a
	60"	1524	34	15.4	1.5	DS2160-C	493	DS2160-E	626	n/a	n/a
24" width (610mm)	24"	610	16	7.3	0.8	DS2424-C	334	DS2424-E	407	n/a	n/a
	30"	762	20	9.0	0.9	DS2430-C	367	DS2430-E	439	n/a	n/a
	36"	914	24	10.9	1.1	DS2436-C	395	DS2436-E	476	DS2436-S	1226
	48"	1219	30	13.6	1.4	DS2448-C	445	DS2448-E •	542	DS2448-S	1482
	60"	1524	37	16.8	1.8	DS2460-C	527	DS2460-E •	637	DS2460-S	1777

Dunnage Racks

see spec sheet **EG01.13**

**Store large items
off the floor!**

Snag-free wire surface.

- Up to 36" long: 1600 lbs. (726 kg).
- 48" long: 1300 lbs. (590 kg).
- 60" long: 1000 lbs. (454 kg).
- static load equally distributed.

WEIGHT CAPACITY:

Note: All weights and cubic feet are approximate.

(•) MTS (made to stock) / () MTO (made to order)

		length		weight		cu	chrome		EAGLEgard®		stainless steel	
		in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
14" overall height (356mm)	18" width (457mm)	24"	610	21	9.5	0.5	DR1824-C	494	DR1824-E	577	n/a	n/a
		30"	762	24	10.9	1.0	DR1830-C	526	DR1830-E	617	n/a	n/a
		36"	914	31	14.1	1.6	DR1836-C	560	DR1836-E	655	DR1836-S	1423
		48"	1219	37	16.8	2.2	DR1848-C	660	DR1848-E •	784	DR1848-S	1898
		60"	1524	43	19.5	3.0	DR1860-C	818	DR1860-E	865	n/a	n/a
	21" width (533mm)	24"	610	24	10.9	0.8	DR2124-C	517	DR2124-E	614	n/a	n/a
		30"	762	27	12.2	2.0	DR2130-C	553	DR2130-E	655	n/a	n/a
		36"	914	33	15.0	2.0	DR2136-C	589	DR2136-E	695	n/a	n/a
		48"	1219	39	17.6	2.9	DR2148-C	698	DR2148-E	820	n/a	n/a
		60"	1524	45	20.4	3.3	DR2160-C	795	DR2160-E	898	n/a	n/a
	24" width (610mm)	24"	610	27	12.2	1.4	DR2424-C	527	DR2424-E	626	n/a	n/a
		30"	762	30	13.6	1.8	DR2430-C	567	DR2430-E	659	n/a	n/a
		36"	914	35	15.9	2.1	DR2436-C •	608	DR2436-E •	714	DR2436-S	1634
		48"	1219	41	18.6	2.8	DR2448-C •	717	DR2448-E •	843	DR2448-S	2078
		60"	1524	47	21.3	3.5	DR2460-C	823	DR2460-E	945	n/a	n/a

Mobile Dunnage Racks



see spec sheet **EG01.13**

WEIGHT CAPACITY:



INCLUDES:

- 800 lbs. (363 kg).
- equally distributed on the top surface.
- Four 5" swivel polyurethane tread casters, two with brakes.
- 3-sided frame with 1" (25mm)-square tubing.
- Snag-free wire surface.

Note: All weights and cubic feet are approximate.

		length		weight		cu ft	chrome		EAGLEgard®		stainless steel	
		in.	mm	lbs.	kg		model #	list	model #	list	model #	list
14" overall height (356mm)	18" width (457mm)	24"	610	33	15.0	1.0	MDR1824-C	1110	MDR1824-E	1277	n/a	n/a
		30"	762	36	16.3	2.3	MDR1830-C	1132	MDR1830-E	1304	n/a	n/a
		36"	914	43	19.5	2.3	MDR1836-C	1217	MDR1836-E	1359	MDR1836-S	2260
		48"	1219	49	22.2	3.0	MDR1848-C	1325	MDR1848-E	1549	MDR1848-S	2667
		60"	1524	55	24.9	4.5	MDR1860-C	1345	MDR1860-E	1569	n/a	n/a
	21" width (533mm)	24"	610	36	16.3	3.1	MDR2124-C	1143	MDR2124-E	1314	n/a	n/a
		30"	762	39	17.6	3.3	MDR2130-C	1152	MDR2130-E	1334	n/a	n/a
		36"	914	45	20.4	3.0	MDR2136-C	1177	MDR2136-E	1359	n/a	n/a
		48"	1219	51	23.1	4.0	MDR2148-C	1284	MDR2148-E	1492	n/a	n/a
		60"	1524	57	25.9	5.0	MDR2160-C	1387	MDR2160-E	1576	n/a	n/a
	24" width (610mm)	24"	610	40	18.1	3.0	MDR2424-C	1148	MDR2424-E	1327	n/a	n/a
		30"	762	42	19.1	3.0	MDR2430-C	1159	MDR2430-E	1340	n/a	n/a
		36"	914	47	21.3	3.0	MDR2436-C	1253	MDR2436-E	1407	MDR2436-S	2414
		48"	1219	53	24.0	4.0	MDR2448-C	1367	MDR2448-E	1548	MDR2448-S	2847
		60"	1524	63	28.6	5.0	MDR2460-C	1418	MDR2460-E	1654	n/a	n/a

Polymer Dunnage Racks



see spec sheet **EG01.17**

FEATURES:

- No assembly required.



**Durable polyethylene construction
prevents corrosion and rust.**

	width		length		weight		cubic feet	capacity		color	model #	list
	in.	mm	in.	mm	lbs.	kg		lbs.	kg			
12" height (305mm)	22"	559	36"	914	18	8.2	5.5	2000	907	black	PD3622	615
	22"	559	48"	1219	24	10.9	7.3	3000	1361	black	PD4822	738
	22"	559	60"	1524	28	12.7	9.2	3000	1361	black	PD6022	852
	36"	914	48"	1219	35	15.9	14.5	3500	1588	black	PD4836	816

Starter Units with Dunnage Shelf



see spec sheet **EG01.19**

FEATURES:

- Tapered split sleeves create a positive lock that becomes stronger as the load increases.
- 74" (1880mm) posts numbered in increments of 1" (25mm) to ensure fast and level assembly.



**Heavy duty dunnage shelf improves the
units overall weight-bearing capacity.**

Stationary

width x length in. mm	zinc model #	list	chrome model #	list	EAGLEgard® model #	list
24" x 48" 610 x 1219	DS4-P74-2448Z	1412	DS4-P74-2448C	1616	DS4-P74-2448E	1654

Mobile

width x length in. mm	zinc model #	list	chrome model #	list	EAGLEgard® model #	list
24" x 48" 610 x 1219	DS4-CP74-2448Z	1615	DS4-CP74-2448C	1826	DS4-CP74-2448E	1859

**patented
QuadTruss®
design
(Patent #5,390,803)**

Note: Mobile models feature
5" resilient swivel
casters with bumpers.

Catalog Section 1

Aluminum Dunnage Racks

see spec sheet **EG01.17**

FEATURES:

- 1½" (38mm) square tubing.
- Plastic feet.



(•) MTS (made to stock) / () MTO (made to order)


	length		weight		cubic	weight capacity		number	RACKS WITH		RACKS WITH	
	in.	mm	lbs.	kg	feet	lbs.	kg	of lats	8" (203mm) HEIGHT	list	12" (305mm) HEIGHT	list
20" width (508mm)	36"	914	10	4.5	6.8	2000	907	4	WDR203608-A • 555	555	WDR203612-A • 555	555
	48"	1219	14	6.4	8.9	2000	907	4	WDR204808-A • 641	641	WDR204812-A • 641	641
	60"	1524	18	8.2	11.0	1500	680	4	WDR206008-A • 721	721	WDR206012-A • 721	721
24" width (610mm)	36"	914	12	5.4	8.0	2000	907	5	WDR243608-A • 621	621	WDR243612-A • 621	621
	48"	1219	16	7.3	10.5	2000	907	5	WDR244808-A • 699	699	WDR244812-A • 699	699
	60"	1524	20	9.1	13.1	1500	680	5	WDR246008-A • 809	809	WDR246012-A • 809	809

Nesting Dunnage Racks

see spec sheet **EG01.17**

FEATURES:

- All-aluminum construction.

**Racks are stackable, saving space when not in use.**

		length		weight		cubic	weight capacity		model #	list
		in.	mm	lbs.	kg	feet	lbs.	kg		
12" height (305mm)	18" width (457mm)	24"	610	8	3.6	3.0	3200	1452	NDR182412-A	526
		36"	914	10	4.5	4.5	3200	1452	NDR183612-A	609
		48"	1219	12	5.4	6.0	2700	1225	NDR184812-A	678
	20" width (508mm)	24"	610	8	3.6	3.4	3200	1452	NDR202412-A	526
		36"	914	10	4.5	5.1	3200	1452	NDR203612-A	609
		48"	1219	12	5.4	6.7	2700	1225	NDR204812-A	678
	24" width (610mm)	24"	610	9	4.1	4.0	3200	1452	NDR242412-A	626
		36"	914	11	5.0	6.0	3200	1452	NDR243612-A	696
		48"	1219	14	6.4	8.0	2700	1225	NDR244812-A	809

Aluminum Truck Dollies

see spec sheet **EG01.03B**

INCLUDES:

- Four designated 5" x 1¼" (127 x 32mm) casters with poly tread.
- Wraparound bumpers.



	length		weight		cubic	caster	caster load rate (each)		model #	list
	in.	mm	lbs.	kg	feet	type	lbs.	kg		
29¼" width (756mm)	52⅞"	1343	41	18.6	6.3	swivel	300	136.1	TD2448-SP	1104
	52⅞"	1343	44	20.0	6.3	swivel/brake	300	136.1	TD2448-BSP	2265
	64⅞"	1648	48	21.8	7.6	swivel	300	136.1	TD2460-SP	1156
	64⅞"	1648	50	22.7	7.6	swivel/brake	300	136.1	TD2460-BSP	2276

Dolly Frames with Wraparound Bumper

see spec sheet **EG01.03B**



dolly frames
with wraparound bumper

- If ordering casters list dolly frame and caster model numbers separately.
- Holes are prepunched for use with plate casters on page 10.

ORDERING:

(•) MTS (made to stock) / () MTO (made to order)

			Aluminum					Chrome Plated Steel				
length			weight		cu			weight		cu		
in. mm			lbs.	kg	ft	model #	list	lbs.	kg	ft	model #	list
23³/₄" width <i>(603mm)</i>	40 ⁷ / ₈ "	1038	14	6.4	1.6	DF1836-A	652	16	7.3	1.6	DF1836-C	983
	46 ⁷ / ₈ "	1191	16	7.3	1.9	DF1842-A	685	18	8.2	1.9	DF1842-C	1033
	52 ⁷ / ₈ "	1343	18	8.2	2.1	DF1848-A	708	20	9.1	2.1	DF1848-C	1065
	64 ⁷ / ₈ "	1648	21	9.6	2.6	DF1860-A	777	23	10.4	2.6	DF1860-C	1177
	76 ⁷ / ₈ "	1953	23	10.4	2.9	DF1872-A	905	25	11.3	2.9	DF1872-C	1365
26³/₄" width <i>(680mm)</i>	40 ⁷ / ₈ "	1038	17	7.7	1.8	DF2136-A	700	19	8.6	1.8	DF2136-C	1056
	46 ⁷ / ₈ "	1191	19	8.6	2.1	DF2142-A	726	21	9.6	2.1	DF2142-C	1094
	52 ⁷ / ₈ "	1343	21	9.6	2.4	DF2148-A	760	24	10.9	2.4	DF2148-C	1143
	64 ⁷ / ₈ "	1648	23	10.4	2.9	DF2160-A	816	23	11.8	2.9	DF2160-C	1222
	76 ⁷ / ₈ "	1953	25	11.3	3.5	DF2172-A	856	28	12.7	3.5	DF2172-C	1294
29³/₄" width <i>(756mm)</i>	40 ⁷ / ₈ "	1038	21	9.6	2.1	DF2436-A	689	23	10.4	2.1	DF2436-C	1042
	46 ⁷ / ₈ "	1191	26	11.8	2.4	DF2442-A	723	29	13.2	2.4	DF2442-C	1092
	52 ⁷ / ₈ "	1343	29	13.2	3.9	DF2448-A	752	32	14.5	3.9	DF2448-C	1130
	64 ⁷ / ₈ "	1648	31	14.1	4.2	DF2460-A	816	34	15.4	4.2	DF2460-C	1222
	76 ⁷ / ₈ "	1953	39	17.7	4.5	DF2472-A	955	42	19.1	4.5	DF2472-C	1438

Plastic Label Holders

see spec sheet **EG01.03D**



gray plastic label holder



black plastic label holder



clear plastic label holder

FEATURES:

- Snaps onto shelf edge.
- Provides easy identification of shelf contents or section.
- Holds 1" to 1¹/₄" (25 to 32mm) high labels.

(•) MTS (made to stock) / () MTO (made to order)

length		fits shelf size		gray		black		clear	
in.	mm	in.	mm	model #	list	model #	list	model #	list
3"	76	all	all	A204331*	8	A206216 *	8	A208746	8
13"	330	18"	457	A206196	14	A206217	14	A208747	14
19"	483	24"	610	A206197	22	A206218	22	A208749	22
25"	635	30"	762	A206198	25	A206219	25	A208750	25
31"	787	36"	914	A206199	28	A206220	28	A208751 •	28
33"	838	36"	914	A213096	17	A227763	17	A227764	17
37"	940	42"	1067	A223747	29	A223748	29	A223749	29
43"	1092	48"	1219	A206200	32	A206221	32	A208752	32
45"	1143	48"	1219	A212494	37	A225208	37	A217621	37
55"	1397	60"	1524	A206201	42	A206222	42	A208753	42
67"	1702	72"	1829	A227842	35	A227841	35	A222144	35

* Actual length: 3¹/₈" (83mm)

Wire Basket Shelf



see spec sheet **EG01.03E**

400-lb. (181.4 kg) weight capacity!



		length		weight			
width		in	mm	lbs.	kg	model #	list
18" (457mm)		36"	914	10	4.5	WBS1836C	200

FEATURES:

- Chrome-plated.
- For use with standard shelving posts.
- 4¹/₄" (107mm) depth.



Catalog Section 1

Security Modules

see spec sheet **EG01.16**


shown with hinged door
(shown mounted to shelf unit
sold separately)

shown with flip-up door
(shown mounted to shelf unit
sold separately)

- End panels.
- Rear panel.
- Door(s).
- Fits in between two wire shelves spaced 20" (508mm) apart.

INCLUDES:

Note: Shelving units sold separately—see pages 18 and 20.



Converts portion of shelf unit into a lockable enclosed security unit, adding versatility to shelf unit. More than one module can be added to unit, depending on unit's overall height.

Hinged Doors

	length		weight		EAGLEbrite® zinc		chrome		Valu-Gard® green		EAGLEgard®		stainless steel	
	in.	mm	lb.	kg	model #	list	model #	list	model #	list	model #	list	model #	list
18" width (457mm)	30"	762	25	11.3	SECM1830Z	704	SECM1830C	920	SECM1830VG	959	SECM1830E	970	SECM1830S	2487
	36"	914	26	11.8	SECM1836Z	720	SECM1836C	932	SECM1836VG	970	SECM1836E	982	SECM1836S	2532
	48"	1219	34	15.4	SECM1848Z	764	SECM1848C	988	SECM1848VG	1030	SECM1848E	1043	SECM1848S	2708
	60"	1524	39	17.6	SECM1860Z*	769	SECM1860C*	1112	SECM1860VG*	1159	SECM1860E*	1172	SECM1860S*	2725
21" width (533mm)	30"	762	26	11.8	SECM2130Z	719	SECM2130C	930	SECM2130VG	967	SECM2130E	980	SECM2130S	2525
	36"	914	29	13.2	SECM2136Z	732	SECM2136C	945	SECM2136VG	985	SECM2136E	997	SECM2136S	2577
	48"	1219	33	15.0	SECM2148Z	784	SECM2148C	1008	SECM2148VG	1049	SECM2148E	1063	SECM2148S	2775
	60"	1524	39	17.6	SECM2160Z*	794	SECM2160C*	1127	SECM2160VG*	1174	SECM2160E*	1185	SECM2160S*	2804
24" width (610mm)	30"	762	26	11.8	SECM2430Z	727	SECM2430C	944	SECM2430VG	984	SECM2430E	996	SECM2430S	2565
	36"	914	31	14.1	SECM2436Z	754	SECM2436C	1008	SECM2436VG	1049	SECM2436E	1063	SECM2436S	2658
	48"	1219	36	16.3	SECM2448Z	800	SECM2448C	1144	SECM2448VG	1193	SECM2448E	1206	SECM2448S	2836
	60"	1524	39	17.6	SECM2460Z*	850	SECM2460C*	1283	SECM2460VG*	1337	SECM2460E*	1345	SECM2460S*	3023

* 60" (1524mm)-long Security Modules with Hinged Doors require notched shelves to accommodate for latch. Consult factory.

Flip-Up Door

	length		weight		EAGLEbrite® zinc		chrome		Valu-Gard® green		EAGLEgard®		stainless steel	
	in.	mm	lb.	kg	model #	list	model #	list	model #	list	model #	list	model #	list
18" width (457mm)	30"	762	25	11.3	SECM1830FZ	828	SECM1830FC	983	SECM1830FVG	1023	SECM1830FE	1042	SECM1830FS	2905
	36"	914	26	11.8	SECM1836FZ	838	SECM1836FC	997	SECM1836FVG	1040	SECM1836FE	1049	SECM1836FS	2945
	48"	1219	34	15.4	SECM1848FZ	875	SECM1848FC	1044	SECM1848FVG	1087	SECM1848FE	1097	SECM1848FS	3093
	60"	1524	39	17.6	SECM1860FZ	884	SECM1860FC	1044	SECM1860FVG	1087	SECM1860FE	1186	SECM1860FS	3109
21" width (533mm)	30"	762	26	11.8	SECM2130FZ	836	SECM2130FC	997	SECM2130FVG	1040	SECM2130FE	1049	SECM2130FS	2942
	36"	914	30	13.6	SECM2136FZ	852	SECM2136FC	1008	SECM2136FVG	1049	SECM2136FE	1063	SECM2136FS	2985
	48"	1219	33	15.0	SECM2148FZ	905	SECM2148FC	1065	SECM2148FVG	1109	SECM2148FE	1119	SECM2148FS	3145
	60"	1524	39	17.6	SECM2160FZ	915	SECM2160FC	1147	SECM2160FVG	1194	SECM2160FE	1207	SECM2160FS	3178
24" width (610mm)	30"	762	28	12.7	SECM2430FZ	849	SECM2430FC	1006	SECM2430FVG	1047	SECM2430FE	1056	SECM2430FS	2973
	36"	914	32	14.5	SECM2436FZ	865	SECM2436FC	1056	SECM2436FVG	1105	SECM2436FE	1116	SECM2436FS	3049
	48"	1219	38	17.2	SECM2448FZ	907	SECM2448FC	1162	SECM2448FVG	1214	SECM2448FE	1219	SECM2448FS	3200
	60"	1524	43	19.5	SECM2460FZ	950	SECM2460FC	1266	SECM2460FVG	1317	SECM2460FE	1334	SECM2460FS	3349

FULL-SIZE SECURITY UNITS

Safely store and transport costly materials and items subject to pilferage.

Full-Size Stationary Security Units


see spec sheet **EG01.22**

FEATURES:

- 2" x 2" (51 x 51mm) mesh.
- Shipped knocked-down.

Note: See pages 31-32 for optional cart covers available.

Doors on front and rear of unit available. To order, add suffix "-2D" (ex: SC2436S-2D). **20% upcharge.**



additional center shelves
(see page 43)

patented
QuadTruss®
design
(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

(•) MTS (made to stock) / () MTO (made to order)

		length		weight		cu ft	chrome		EAGLEgard®		stainless steel	
		in.	mm	lbs.	kg		model #	list	model #	list	model #	list
67" overall height (1702mm)	17 1/4" width (438mm)	33 1/4"	845	114	51.7	5	SC1430	2053	SC1430E	2062	SC1430S	4862
		39 1/4"	997	123	55.8	5	SC1436 •	2278	SC1436E	2288	SC1436S	5398
		51 1/4"	1302	141	64.0	9	SC1448 •	2834	SC1448E	2869	SC1448S	6572
		63 1/4"	1607	159	72.1	10	SC1460	3140	SC1460E	3108	SC1460S	6849
	27 1/4" width (692mm)	33 1/4"	845	123	55.8	9	SC2430	2188	SC2430E	2673	SC2430S	6060
		39 1/4"	997	145	65.8	9	SC2436 •	2428	SC2436E •	2973	SC2436S	6729
		51 1/4"	1302	171	77.6	13	SC2448 •	3029	SC2448E •	3695	SC2448S	8197
		63 1/4"	1607	197	89.4	15	SC2460 •	3284	SC2460E	4007	SC2460S	8488
	33 1/4" width (845mm)	33 1/4"	845	145	65.8	15	SC3030	2752	SC3030E	3270	SC3030S	7572
		39 1/4"	997	163	73.9	13	SC3036	3054	SC3036E	3630	SC3036S	8414
		51 1/4"	1302	181	82.1	15	SC3048	3806	SC3048E	4748	SC3048S	10252
		63 1/4"	1607	207	93.9	18	SC3060	4106	SC3060E	5105	SC3060S	10609

Full-Size Mobile Security Units

see spec sheet **EG01.22**

FEATURES:


- Four swivel 5" x 1 1/4" (127 x 32mm) stem casters with polyurethane tread, two with brake.
- 2" x 2" (51 x 51mm) mesh.
- Shipped knocked-down.

Note: All stainless steel mobile security units come with stainless steel casters with polyurethane tread.

See page 9 for other stem casters available.

See pages 30-31 for optional cart covers available.

Doors on front and rear of unit available. To order, add suffix "-2D" (ex: CSC2430-2D). **20% upcharge.**



additional center shelves
(see page 43)

patented
QuadTruss®
design
(Patent #5,390,803)

Patented QuadTruss® Design


makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

(•) MTS (made to stock) / () MTO (made to order)

		length		weight		cu ft	chrome		EAGLEgard®		stainless steel	
		in.	mm	lbs.	kg		model #	list	model #	list	model #	list
69" overall height (1753mm)	27 1/4" width (692mm)	33 1/4"	845	135	61.2	9	CSC2430	2572	CSC2430E	3053	CSC2430S	6060
		39 1/4"	997	161	73.0	9	CSC2436 •	2858	CSC2436E •	3389	CSC2436S	6729
		51 1/4"	1302	185	83.9	13	CSC2448 •	3452	CSC2448E •	4120	CSC2448S	8198
		63 1/4"	1607	204	92.5	15	CSC2460 •	3714	CSC2460E	4430	CSC2460S	8488
	33 1/4" width (845mm)	33 1/4"	845	161	73.0	15	CSC3030	3248	CSC3030E	3910	CSC3030S	7572
		39 1/4"	997	179	87.2	13	CSC3036	3612	CSC3036E	4350	CSC3036S	8414
		51 1/4"	1302	203	92.1	15	CSC3048	4354	CSC3048E •	5277	CSC3048S	10252
		63 1/4"	1607	221	100.2	18	CSC3060 •	4683	CSC3060E	5684	CSC3060S	10609

Catalog Section 1

Full-Size Dolly Truck Security Units

see spec sheet **EG01.22**optional
center
shelvespatented
QuadTruss®
design

(Patent #5,390,803)

Patented QuadTruss® Designmakes shelves up to 25% stronger and provides
a retaining ledge for increased strength and
product retention.

- Dolly with wraparound bumper.
- 2" x 2" (51x 51mm) mesh.
- Four swivel 5" x 1 1/4" (127 x 32mm) poly plate casters, two with brakes.
- Shipped knocked down.

INCLUDES:

Note: See page 10 for optional plate casters.
See pages 31-32 for optional cart covers available.
Doors on front and rear of unit available. To order,
add suffix "-2D" (ex: DTSC2448-2D). **20% upcharge.**

(•) MTS (made to stock) / () MTO (made to order)

		length		weight		cu ft	chrome shelf unit with aluminum dolly		EAGLEgard® shelf unit with aluminum dolly		stainless steel shelf unit with stainless steel dolly	
		in.	mm	lbs.	kg		model #	list	model #	list	model #	list
69" overall height (1753mm)	29 3/4" width (756mm)	34 1/2"	886	161	73.0	7.3	DTSC2430	3087	DTSC2430E	5352	DTSC2430S	9960
		40 1/2"	1038	177	80.3	10.7	DTSC2436	3429	DTSC2436E	5944	DTSC2436S	11069
		52 1/2"	1343	214	97.1	18.5	DTSC2448	4069	DTSC2448E	7075	DTSC2448S	13136
		64 1/2"	1648	245	111.1	22.9	DTSC2460	4374	DTSC2460E	7803	DTSC2460S	13483

Optional Posts for Full-Size Security Units

post height in.	mm	weight		cu ft	chrome		EAGLEgard®		stainless steel	
		lbs.	kg		model #	list	model #	list	model #	list
74"	1880	4	1.8	0.5	SP74-CS	65	SP74-ES	75	SP74-SS	162
86"	2184	5	2.3	0.8	SP86-CS	80	SP86-ES	86	SP86-SS	188

Optional Shelves for Full-Size Security Units

						Wire Shelves						Optional Quad-Adjust® Shelves						
						Must be installed when assembling unit.						For use as intermediate shelves only.						
	length		weight		cu ft	chrome		EAGLEgard®		stainless steel		chrome		EAGLEgard®		stainless steel		
	in.	mm	lbs.	kg		model #	list	model #	list	model #	list	model #	list	model #	list	model #	list	
14" width* (356mm)	30"	762	7	3.2	0.5	1430C •	118	1430E •	139	1430S •	399	n/a		n/a		n/a		
	36"	914	8	3.6	0.5	1436C •	129	1436E •	145	1436S •	404	QA1436C	203	QA1436E	226	QA1436S	550	
	48"	1219	10	4.5	0.7	1448C •	145	1448E •	166	1448S •	495	QA1448C	228	QA1448E	256	QA1448S	659	
	60"	1524	14	6.4	0.9	1460C •	164	1460E •	192	1460S •	629	QA1460C	244	QA1460E	278	QA1460S	825	
24" width (610mm)	30"	762	11	5.0	0.8	2430C •	160	2430E •	194	2430S •	612	n/a		n/a		n/a		
	36"	914	13	5.9	0.8	2436C •	164	2436E •	197	2436S •	617	QA2436C	244	QA2436E	285	QA2436S	810	
	48"	1219	16	7.3	1.2	2448C •	197	2448E •	242	2448S •	749	QA2448C	285	QA2448E	337	QA2448S	964	
	60"	1524	21	9.5	1.5	2460C •	238	2460E •	285	2460S •	914	QA2460C	327	QA2460E	384	QA2460S	1173	
30" width* (762mm)	30"	762	16	7.3	1.0	3030C •	214	3030E •	254	3030S •	722	-						
	36"	914	17	7.7	1.0	3036C •	242	3036E •	293	3036S •	818							
	48"	1219	20	9.1	1.5	3048C •	278	3048E •	333	3048S •	954							
	60"	1524	25	11.4	1.8	3060C •	306	3060E •	377	3060S •	1056							

* 14" and 30" widths (356 and 762mm) do not fit Full-Size Dolly Truck Security Units.

Ordering Full Size Security Units Assembled:

- Security carts shipped assembled, add **\$2159** to list price and add suffix **"-A"**.
Example: SC1460E-A.
- For assembled unit with center shelves installed (*evenly spaced*), indicate number of center shelves wanted by adding a number before the **"A"** in suffix **"-A"**.
- For **example**, suffix **"-1A"** indicates assembled unit with one center shelf, suffix **"-2A"** indicates assembled unit with two center shelves, and so on.
Example: SC1460E-2A.
- **PRICING:** add **\$2159** to list price of security unit, and add list price of each applicable center shelf to be added.

Mini Security Units

see spec sheet **EG01.22**

patented
QuadTruss®
design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and
provides a retaining ledge for increased
strength and product retention.

- Stationary chrome plated units.
- 40" (1016mm) height.
- Shipped knocked down.

FEATURES:

(•) MTS (made to stock) / () MTO (made to order)

	length		weight		cubic	model #	list
	in.	mm	lbs.	kg	feet		
16" width (406mm)	38"	965	88	39.9	8.6	MSC1436 •	1966
	50"	1270	104	47.2	9.6	MSC1448	2512
26" width (660mm)	38"	965	100	45.4	9.2	MSC2436 *	2040
	50"	1270	114	51.7	10.6	MSC2448 *	2605

* Optional stem casters (page 9) available only for these models.

Optional Shelves for Mini Security Units

- With chrome plated finish.

	length		weight		cubic	model #	list
	in.	mm	lbs.	kg	feet		
14" width (356mm)	36"	914	8	3.6	0.5	1436C •	129
	48"	1219	10	4.5	0.7	1448C •	145
24" width (610mm)	36"	914	13	6.0	0.8	2436C •	164
	48"	1219	16	7.3	1.2	2448C •	197



Optional Add-A-Shelf® Adjustable Shelves for All Security Units

see spec sheet **EG01.22**

optional Add-A-Shelf®
(patent #5,884,567)
being added to
security unit

	length		weight		cubic	model #	list
	in.	mm	lbs.	kg	feet		
14" width (356mm)	36"	914	8	3.6	0.5	A1436C •	139
	48"	1219	10	4.6	0.7	A1448C •	159
24" width (610mm)	36"	914	13	5.9	0.8	A2436C •	180
	48"	1219	16	7.3	1.2	A2448C •	214
	60"	1524	21	9.5	1.5	A2460C •	272

WEIGHT CAPACITY:

- 300 lb. (136.1 kg) per shelf.

Note: Top and bottom shelves of unit must be standard shelves—see page 43.

WARNING:

- Use Add-A-Shelf® shelves for intermediate shelves.

FEATURES:

- Chrome finish.

(•) MTS (made to stock) / () MTO (made to order)

patented
QuadTruss®
design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides
a retaining ledge for increased strength and
product retention.

Just a quick note...



GET FREE DOWNLOADS

- Spec Sheet • Product Instructions •
- Special Flyers • Brochures •

www.eaglemhc.com

Catalog Section 1

Tank Racks

see spec sheet **EG01.31**

FEATURES:

- All models chrome-plated.
- Two styles available.



style "B" tank rack with optional drip pan shown



style "A" tank rack with optional drip pan shown

Style "A" – 33" (838mm) height

Includes:

- One dunnage mat with frame.
- One 3-sided frame.
- Four 33" (838mm) posts.
- Cable assembly.

Style "B" – 74" (1880mm) height

Includes:

- One dunnage mat with frame.
- One 3-sided frame.
- Four 74" (1880mm) posts.
- Cable assembly.
- Two standard shelves.

	length		weight		cu	model #	list	weight		cu	model #	list
	in.	mm	lb.	kg	ft			lb.	kg	ft		
24" width (610mm)	30"	762	40	18.1	0.2	STR2430A	907	68	30.8	0.3	STR2430B	1383
	48"	1219	50	22.7	0.3	STR2448A	1084	88	39.9	0.4	STR2448B	1677

Optional Drip Pans for Tank Racks

- Stainless steel.



	length		weight		cu	model #	list
	in.	mm	lb.	kg	ft		
24" width (610mm)	30"	762	8	3.6	0.2	DP30	485
	48"	1219	12	5.4	0.3	DP48	549

Optional Cylinder Retainer for Tank Racks

- Chrome-plated.
- Cylinders are secured to retainer to further prevent damage.

	width		weight		cu	model #	list
	in.	mm	lb.	kg	ft		
24"	610	7	3.2	0.3		CRR24-C	232



Modular Desks / Workstations

see spec sheet **EG01.02**

	length		weight		cubic	model #	list
	in.	mm	lb.	kg	feet		
24" width (610mm)	36"	914	78	35.3	1.0	MD2436	2489
	48"	1219	85	38.6	1.0	MD2448	2697

- Heavy gauge type 304 stainless steel.
- Two chrome cantilever open-wire shelves.
- 16 gauge 1" (25mm) diameter chrome-plated posts with exclusive MasterSeal® coating.
- Rear grid panel with chrome finish.
- Three-sided 1" (25mm) channel frame.
- Leveling feet.
- 74" (1880mm) O.A. height.

FEATURES:

Optional Keyboard Station

- Mounts under tabletop.
- 20½" wide x 11½" deep (521 x 292mm).

weight	cu	chrome		stainless	
		lbs.	kg	model #	list
6.0	2.7	0.35		KBD-1	519
				KBD-1/SS	722



adjuSTable® Work Surface Systems

see spec sheet **EG10.09**

CUSTOMIZABLE WORK SURFACE CONFIGURATIONS TO MEET YOUR NEEDS!



basic unit



2-tier unit



1-tier unit

CUSTOM:

- Unit can be expanded and customized by adding optional shelving accessories (pages 48-53).
- Custom configurations available, including alternate finishes and solid shelving. Contact factory to configure your custom workstation.
- Optional drawers available (see pages 212-215).

Note: To order table with 5" (127mm) resilient-tread casters, add suffix **"-CAH"** and add to list price **\$1096**. Example: **T3036EBW-1-CAH**.

To order table with 5" (127mm) poly-tread casters, add suffix **"-CAHP"** and add to list price **\$950**. Example: **T3036EBW-1-CAHP**.

(•) MTS (made to stock) / () MTO (made to order)

patented
QuadTruss®
design
(Patent #5,390,803)

Patented QuadTruss® Design makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

adjuSTable®

Additional wire undershelves, solid stainless steel undershelves, chrome wire overshelves, or solid stainless steel overshelves make the possibilities almost unlimited.

				Basic Units					1-tier Units					2-tier Units							
				33½" (851mm) overall height.					54½" (1384mm) overall height.					62½" (1588mm) overall height.							
length		cu	weight	16/304		14/304		weight		16/304		14/304		weight		16/304		14/304			
	in.	mm	ft	lbs.	kg	model #	list	model #	list	lbs.	kg	model #	list	model #	list	lbs.	kg	model #	list	model #	list
24" width (610mm)	36"	914	4.5	65	29.5	T2436EBW	1729	T2436EW	1897	73	33.1	T2436EBW-1	2153	T2436EW-1	2318	81	36.7	T2436EBW-2	2359	T2436EW-2	2528
	48"	1219	5.7	81	36.7	T2448EBW	1877	T2448EW	2177	91	41.3	T2448EBW-1	2414	T2448EW-1	2638	101	45.8	T2448EBW-2	2660	T2448EW-2	2889
	60"	1524	7.1	99	44.9	T2460EBW	2200	T2460EW	2503	113	51.3	T2460EBW-1	2725	T2460EW-1	2982	127	57.6	T2460EBW-2	2993	T2460EW-2	3250
30" width (762mm)	36"	914	4.5	75	34.0	T3036EBW	1915	T3036EW	2145	83	37.6	T3036EBW-1	2338	T3036EW-1	2577	91	41.3	T3036EBW-2	2544	T3036EW-2	2785
	48"	1219	5.7	94	42.6	T3048EBW	2162	T3048EW	2463	104	47.2	T3048EBW-1	2627	T3048EW-1	2917	114	51.7	T3048EBW-2	2873	T3048EW-2	3180
	60"	1524	7.1	115	52.2	T3060EBW	2503	T3060EW	2848	129	58.5	T3060EBW-1	2982	T3060EW-1	3333	143	64.9	T3060EBW-2	3248	T3060EW-2	3606
				CONSISTS OF:					CONSISTS OF:					CONSISTS OF:							
				• Stainless steel table top/work surface with hat channel supports. • Four 33" (838mm) chrome posts. • Two chrome wire undershelves.*					• Stainless steel table top/work surface with hat channel supports. • Two 54" (1372mm) rear chrome posts. • Two 33" (838mm) front chrome posts. • Two 21" (533mm) front chrome posts for overshelf. • One 14" (356mm) wide chrome wire overshelf. • Two chrome wire undershelves.*					• Stainless steel table top/work surface with hat channel supports. • Two 63" (1600mm) rear chrome posts. • Two 33" (838mm) front chrome posts. • Two 29" (737mm) front chrome posts for overshelves. • Two 14" (356mm) wide chrome wire undershelves. • Two chrome wire undershelves.*							

* 18" (457mm) wide undershelves used for 24" (610mm) wide tables; 24" (610mm) wide undershelves used for 30" (762mm) wide tables.

			Table Mount		Wire Mount				
weight lbs. kg	cu ft	chrome model # list	stainless model # list	chrome model # list	stainless model # list	chrome model # list	stainless model # list	chrome model # list	stainless model # list
6.0 2.7	0.35	KBD-1 519	KBD-1/SS 722	KBD-2 • 452	KBD-2/SS 786				



table mount
keyboard station



wire mount
keyboard station

Post Clamp for 1-tier and 2-tier Units

- Attaches 3" x 3" (76 x 76mm) grid panel (see enclosure panels on page 48 and wall mats on page 90) onto AdjuSTable® systems with overshelves.
- Chrome-plated collar with ¼-20 weld stud, chrome acorn nut and heavy gauge clamp.

model #	list each
A210098	9



Catalog Section 1

Shelving Components / Accessories

see spec sheets **EG01.03A** **EG01.03D**

(•) MTS (made to stock) / () MTO (made to order)

Collar Plug

- Fills shelf corner openings where posts have been eliminated by use of "S" hooks.
- Packed four per bag.

model #	list
COLLAR PLUG (set of four)	18



Post Cap

- Fills post end openings at top of shelving unit.

model #	list ea
POST CAP	5



Post Clamps

- Provides maximum strength when shelving units are connected by clamping posts securely together.



chrome		black epoxy	
model #	list ea	model #	list ea
POST CLAMP	14	A214169	18

Note: Will not work with QuadPLUS® or Add-A-Shelf®

Retaining Clamp

- Chrome-plated.
- For use with enclosure panels (page 48) in conjunction with wire shelf.

model #	list ea
RETAINING CLAMP	8



Glides

- Fits under leveling bolt to protect floors from abrasion.

model #	list ea
GLIDES	6



Foot Plates

- These allow unit to be bolted to the floor.
- Can be used without bolts when a wider foot is desired for more stability.



triangular



square



space-saving square



space-saving "slim"

Aluminum Split Sleeves

- For conductive, over-the-road or high-temperature installations.
- Set of four.

with zinc rings		with stainless rings	
model #	list	model #	list
A208909	36	A208908	55



aluminum split sleeves and ring

Plastic Split Sleeves

- Four included with each shelf.
- High-temperature-resistant ABS plastic create a positive lock that becomes stronger as the load increases.



model #	list
PLASTIC SPLIT SLEEVES (set of four)	9

Plastic Conductive Split Sleeves

- Packed four per bag.


model #	list
A219236	25



Casting

- Stabilizes leveling foot.

model #	list ea
A203568	6



casting

leveling foot

Leveling Foot

- Use these to accommodate for uneven floors.

model #	list ea
LEVELING FOOT	5

Security "S" Hooks

- Discourages separation of adjoined shelf units.
- Hardware included.

model #	list ea
S-HOOKS-SK	16

"S" Hooks

- Join individual shelving units in a number of combinations using "S" hooks.
- Joins end-to-end, back-to-back, or at right angles.
- Two hooks required per connection.
- Stainless steel.

model #	list ea
A200012	8



type of foot plate	chrome		black epoxy		stainless steel	
	model #	list ea	model #	list ea	model #	list ea
Triangular	FOOT PLATE	29	FOOT PLATE-BL	32	FOOT PLATE-S	55
Square	A207199	42	A226104	42	A208627	60
"Space-Saving" Square	A226093	45	A226105	45	A226096	65
Space-Saving "Slim"	A230624	45	A230625	45	A230612	62

Enclosure Panels

see spec sheet **EG01.03A**

- Includes four retaining clamps.

*Helps secure shelf contents,
enclosing the back and sides of unit.*


shelf	panel width		post height		weight		cubic feet	chrome		stainless	
	in.	mm	in.	mm	lb.	kg		model #	list	model #	list
18" width (457mm)	14"	356	54"	1372	6	2.7	1.5	E1854-C	134	E1854-S	299
	14"	356	63"	1600	7	3.2	1.8	E1863-C •	142	E1863-S	319
	14"	356	74"	1880	8	3.6	2.0	E1874-C •	155	E1874-S	376
	14"	356	86"	2184	9	4.1	2.3	E1886-C	278	E1886-S	388
24" width (610mm)	20"	233	54"	1372	9	4.1	2.1	E2454-C	159	E2454-S	358
	20"	233	63"	1600	10	4.5	2.3	E2463-C •	169	E2463-S	394
	20"	233	74"	1880	11	5.0	2.6	E2474-C •	176	E2474-S	430
	20"	233	86"	2184	12	5.4	2.8	E2486-C	308	E2486-S	453

CONSULT THESE TABLES FOR NUMBER OF PANELS REQUIRED:

Panels sold individually. Consult charts below for number of panels needed.

For the Back of Unit	shelf length		for 54" (1372mm) post height	for 63" (1600mm) post height	for 74" (1880mm) post height	for 86" (2184mm) post height
	in.	mm	—panel(s) required	—panel(s) required	—panel(s) required	—panel(s) required
	30"	762	one (1) E2454	one (1) E2463	one (1) E2474	one (1) E2486
	36"	914	two (2) E1854	two (2) E1863	two (2) E1874	two (2) E1886
	42"	1067	one (1) E1854	one (1) E1863	one (1) E1874	one (1) E1886
			one (1) E2454	one (1) E2463	one (1) E2474	one (1) E2486
	48"	1092	two (2) E2454	two (2) E2463	two (2) E2474	two (2) E2486
	54"	1372	two (2) E1854	two (2) E1863	two (2) E1874	two (2) E1886
			one (1) E2454	one (1) E2463	one (1) E2474	one (1) E2486
	60"	1524	two (2) E2454	two (2) E2463	two (2) E2474	two (2) E2486
			one (1) E1854	one (1) E1863	one (1) E1874	one (1) E1886
	72"	1829	three (3) E2454	three (3) E2463	three (3) E2474	three (3) E2486

For Each End	shelf width		for 54" (1372mm) post height	for 63" (1600mm) post height	for 74" (1880mm) post height	for 86" (2184mm) post height
	in.	mm	—panel(s) required	—panel(s) required	—panel(s) required	—panel(s) required
	18"	457	one (1) E1854	one (1) E1863	one (1) E1874	one (1) E1886
	21"	533	one (1) E1854	one (1) E1863	one (1) E1874	one (1) E1886
	24"	610	one (1) E2454	one (1) E2463	one (1) E2474	one (1) E2486
	30"	762	one (1) E2454	one (1) E2463	one (1) E2474	one (1) E2486
	36"	914	two (2) E1854	two (2) E1863	two (2) E1874	one (1) E1886



Clips for Solid Shelves (ONLY)

spec sheet **EG01.03A**

Sold individually.



model #	list each
A204318	5

Rods and Tabs

see spec sheet **EG01.03D**

chrome		stainless steel	
model #	list ea	model #	list ea
R54-C	25	R54-S	70
R63-C •	28	R63-S	80
R74-C •	29	R74-S	92
R86-C •	33	R86-S	95

FEATURES:

- Used to enclose backs or sides of shelving units to prevent contents from falling.
- Also used to partition shelving units by positioning rods interior to shelves.
- Model number indicates height.
- Each rod comes with four tabs.

(•) MTS (made to stock) / () MTO (made to order)

Catalog Section 1

Dividers

see spec sheet **EG01.03A**

FEATURES:

- 8" high (203mm) dividers keep shelf contents organized.

Solid Shelving Dividers

length		cubic		weight		chrome		stainless steel	
in.	mm	feet	lb.	kg	model #	list	model #	list	model #
14"	356	0.6	1.0	0.5	SSD14-C	48	SSD14-S	155	
18"	457	0.6	1.3	0.6	SSD18-C	55	SSD18-S	160	
21"	533	0.8	1.5	0.7	SSD21-C	60	SSD21-S	189	
24"	610	1.0	1.8	0.8	SSD24-C •	66	SSD24-S	194	
30"	762	1.2	2.3	1.0	SSD30-C	92	SSD30-S	240	
36"	914	1.4	3.0	1.4	SSD36-C	109	SSD36-S	283	

(•) MTS (made to stock) / () MTO (made to order)

Wire Shelving Dividers

length		cubic		weight		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
in.	mm	feet	lb.	kg	model #	list	model #	list	model #	list	model #	list	model #	list	model #
14"	356	0.6	1.0	0.5	SD14-C •	48	SD14-V	49	SD14-VG	49	SD14-E	53	SD14-S	134	
18"	457	0.6	1.0	0.5	SD18-C	55	SD18-V	59	SD18-VG	59	SD18-E	60	SD18-S	153	
21"	533	0.8	2.0	0.9	SD21-C •	60	SD21-V	62	SD21-VG	62	SD21-E	66	SD21-S	174	
24"	610	1.0	2.0	0.9	SD24-C •	67	SD24-V	74	SD24-VG	74	SD24-E	82	SD24-S •	188	
30"	762	1.2	2.0	0.9	SD30-C	82	SD30-V	83	SD30-VG	83	n/a	n/a	SD30-S	228	
36"	914	1.4	3.0	1.4	SD36-C	94	SD36-V	97	SD36-VG	97	n/a	n/a	SD36-S	273	

Slanted Shelves

see spec sheet **EG01.03E**

FEATURES:

- 2" (51mm) slope.
- Shipped knocked-down.



**2" slant increases visibility,
allows easy access to shelf contents.**

optional
slanted shelves

patented
QuadTruss®
design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and
provides a retaining ledge for increased
strength and product retention.

	length		weight		cubic	EAGLEbrite®		chrome		EAGLEgard®	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list
21" width (533mm)	36"	914	11	5.0	0.8	SL2136Z	197	SL2136C	217	SL2136E	255
	48"	1219	14	6.4	1.1	SL2148Z	255	SL2148C	283	SL2148E	338
	60"	1524	18	8.2	1.1	SL2160Z	276	SL2160C	303	SL2160E	394
24" width (610mm)	36"	914	13	5.9	0.8	SL2436Z	243	SL2436C	272	SL2436E	326
	48"	1219	16	7.3	1.2	SL2448Z	284	SL2448C	312	SL2448E	382
	60"	1524	21	9.5	1.5	SL2460Z	307	SL2460C	333	SL2460E	404

Stationary Wire Wall Mounts see spec sheet **EG02.12**

END UNIT:

- One single shelf support and mounting plate.

MID UNIT:

- One double shelf support and mounting plate.



end unit

Designed for fixed application

Note: Shelves (page 6) sold separately.

(•) MTS (made to stock) / () MTO (made to order)


End Units*										Mid Units								
length		cu	weight**		chrome		Valu-Gard®		stainless**		weight**		chrome		Valu-Gard®		stainless**	
in.	mm	ft	lbs.	kg	model #	list	model #	list	model #	list	lbs.	kg	model #	list	model #	list	model #	list
14"	356	0.5	6	2.7	WB14-C •	94	WB14-VG •	95	WB14-S •	219	8	3.6	DWB14-C •	139	DWB14-VG	142	DWB14-S	333
18"	457	0.5	8	3.6	WB18-C •	95	WB18-VG •	96	WB18-S •	234	10	4.5	DWB18-C •	143	DWB18-VG	145	DWB18-S	353
21"	533	0.7	10	4.5	WB21-C •	95	WB21-VG	96	WB21-S	240	12	5.5	DWB21-C	143	DWB21-VG	145	DWB21-S	362
24"	610	0.7	12	5.5	WB24-C •	96	WB24-VG	103	WB24-S •	245	14	6.4	DWB24-C •	145	DWB24-VG	148	DWB24-S	376

*End Units priced per piece; **For stainless steel units, add 1 lb. (0.5 kg) weight.

Ledges

see spec sheet

EG01.03A

1"-high (25mm) ledge
for wire shelving4"-high (102mm) ledge
for wire shelving

FEATURES:

- Prevents contents from falling off unit.
- Easily attaches without the use of tools.

(•) MTS (made to stock) / () MTO (made to order)

Ledges are stackable!

Solid Shelving Ledges

1"-high (25mm) Ledges *

length		cu ft	weight		chrome		stainless steel		weight		chrome		stainless steel	
in.	mm		lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
14"	356	0.2	0.2	0.1	SL14-1C	37	SL14-1S	74	0.8	0.4	SL14-4C	48	SL14-4S	92
18"	457	0.3	0.3	0.1	SL18-1C	40	SL18-1S	80	0.9	0.4	SL18-4C	49	SL18-4S	94
21"	533	0.3	0.4	0.2	SL21-1C	42	SL21-1S	86	1.0	0.5	SL21-4C	53	SL21-4S	105
24"	610	0.3	0.5	0.2	SL24-1C	48	SL24-1S	95	1.2	0.6	SL24-4C	55	SL24-4S	125
30"	762	0.5	0.7	0.3	SL30-1C	59	SL30-1S	115	1.4	0.6	SL30-4C	65	SL30-4S	142
36"	914	0.6	0.9	0.4	SL36-1C	62	SL36-1S	133	1.6	0.7	SL36-4C	70	SL36-4S	169
42"	1067	0.6	1.1	0.5	SL42-1C	65	SL42-1S	145	1.8	0.8	SL42-4C	75	SL42-4S	192
48"	1092	0.7	1.3	0.6	SL48-1C	70	SL48-1S	166	2.0	0.9	SL48-4C	87	SL48-4S	238
54"	1372	0.8	1.5	0.7	SL54-1C	75	SL54-1S	185	2.2	1.0	SL54-4C	92	SL54-4S	269
60"	1524	0.8	1.7	0.8	SL60-1C	80	SL60-1S	194	2.4	1.1	SL60-4C	93	SL60-4S	284
72"	1829	1.0	2.1	1.0	SL72-1C	87	SL72-1S	215	2.6	1.2	SL72-4C	106	SL72-4S	293

* When installed, actual height of ledge is 1½" (38mm).

Wire Shelving 1"-high (25mm) Ledges *

length		cu ft	weight		chrome		VALU-MASTER®		Valu-Gard®		stainless	
in.	mm		lb.	kg	model #	list	model #	list	model #	list	model #	list
14"	356	0.2	0.2	0.1	L14-1C	29	L14-1V	32	L14-1VG	32	L14-1S	45
18"	457	0.3	0.3	0.1	L18-1C	32	L18-1V	33	L18-1VG	33	L18-1S	49
21"	533	0.3	0.4	0.2	L21-1C	33	L21-1V	36	L21-1VG	36	L21-1S	55
24"	610	0.3	0.5	0.2	L24-1C •	36	L24-1V	37	L24-1VG	37	L24-1S	60
30"	762	0.5	0.7	0.3	L30-1C	40	L30-1V	42	L30-1VG	42	L30-1S	82
36"	914	0.6	0.9	0.4	L36-1C	48	L36-1V	49	L36-1VG	49	L36-1S	92
42"	1067	0.6	1.1	0.5	L42-1C	49	L42-1V	53	L42-1VG	53	L42-1S	97
48"	1092	0.7	1.3	0.6	L48-1C •	53	L48-1V	55	L48-1VG	55	L48-1S	97
54"	1372	0.8	1.5	0.7	L54-1C •	59	L54-1V	60	L54-1VG	60	L54-1S	125
60"	1524	0.8	1.7	0.8	L60-1C •	59	L60-1V	62	L60-1VG	62	L60-1S	125
72"	1829	1.0	2.1	1.0	L72-1C	60	L72-1V	65	L72-1VG	65	L72-1S	136

* When installed, actual height of ledge is 1½" (38mm).

Wire Shelving 4"-high (102mm) Ledges

length		cu ft	weight		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
in.	mm		lb.	kg	model #	list	model #	list	model #	list	model #	list	model #	list
14"	356	0.2	0.8	0.4	L14-4C •	37	L14-4V	40	L14-4VG	40	L14-4E	42	L14-4S	80
18"	457	0.3	0.9	0.4	L18-4C •	40	L18-4V	42	L18-4VG	42	L18-4E	49	L18-4S •	87
21"	533	0.3	1.0	0.5	L21-4C •	42	L21-4V	45	L21-4VG	45	L21-4E	53	L21-4S	97
24"	610	0.3	1.2	0.6	L24-4C •	48	L24-4V	49	L24-4VG	49	L24-4E	55	L24-4S •	105
30"	762	0.5	1.4	0.6	L30-4C •	55	L30-4V	59	L30-4VG	59	L30-4E	65	L30-4S	130
36"	914	0.6	1.6	0.7	L36-4C •	60	L36-4V	62	L36-4VG	62	L36-4E	67	L36-4S •	152
42"	1067	0.6	1.8	0.8	L42-4C •	70	L42-4V	75	L42-4VG	75	L42-4E	86	L42-4S	192
48"	1092	0.7	2.0	0.9	L48-4C •	70	L48-4V	80	L48-4VG	80	L48-4E	86	L48-4S	192
54"	1372	0.8	2.2	1.0	L54-4C	80	L54-4V	83	L54-4VG	83	L54-4E	93	L54-4S	217
60"	1524	0.8	2.4	1.1	L60-4C •	80	L60-4V	86	L60-4VG	86	L60-4E	93	L60-4S	217
72"	1829	1.0	2.6	1.2	L72-4C •	94	L72-4V	97	L72-4VG	97	L72-4E	109	L72-4S •	273

Catalog Section 1

Slide Systems

see spec sheet **EG01.03C**

LOAD CAPACITY: • Up to 35 lbs. (15.9 kg).

FEATURES: • Easily attaches without the use of tools.



slide system with tote boxes

Clever way to improve space efficiency.

(•) MTS (made to stock) / () MTO (made to order)



fits shelf width	adaptable tote boxes	width x length x depth	weight lbs.	kg	cubic feet	model #	list
24" (610mm)	TB1722-3, TB1722-6, TB1722-9	21 $\frac{1}{2}$ " x 20" x 10 $\frac{1}{4}$ " (683 x 508 x 260mm)	7.5	3.4	3.8	TS2021 •	220
21" (533mm)	TB1016-3, TB1016-6	17 $\frac{1}{2}$ " x 14" x 10 $\frac{1}{4}$ " (543 x 356 x 260mm)	4.0	1.8	1.8	TS1417	210
21" (533mm)	TB1722-3*, TB1722-6*, TB1722-9*	17 $\frac{1}{2}$ " x 25 $\frac{1}{2}$ " x 10 $\frac{1}{4}$ " (543 x 797 x 260mm)	5.0	2.3	4.0	TS2517	219

* Fits TS2517 sideways

Tote Boxes for Slide Systems

see spec sheet **EG01.03C**

- Dividable up to 1 $\frac{1}{8}$ " (29mm) square compartments.
- Injection molded from high-density polyethylene material.

FEATURES:

Note: Also available in molded fiberglass (see page 52).

ESD Tote Boxes and Accessories also available!
See pages 173 and 174.

(•) MTS (made to stock) / () MTO (made to order)

fits slide system	width x length x depth inches	mm	weight lbs.	kg	cubic feet	color	model #	list
TS1417	10 $\frac{1}{8}$ " x 16 $\frac{1}{2}$ " x 3 $\frac{1}{2}$ "	276 x 419 x 89	1.0	0.5	0.4	gray	TB1016-3	66
TS1417	10 $\frac{1}{8}$ " x 16 $\frac{1}{2}$ " x 6"	276 x 419 x 152	1.5	0.7	0.8	gray	TB1016-6	70
TS2021, TS2517	17 $\frac{1}{2}$ " x 22 $\frac{1}{2}$ " x 3"	444 x 572 x 76	2.3	1.0	0.8	gray	TB1722-3 •	106
TS2021, TS2517	17 $\frac{1}{2}$ " x 22 $\frac{1}{2}$ " x 6"	444 x 572 x 152	3.5	1.6	1.5	gray	TB1722-6 • •	125
TS2021, TS2517	17 $\frac{1}{2}$ " x 22 $\frac{1}{2}$ " x 8"	444 x 572 x 203	4.0	1.8	3.0	gray	TB1722-9 •	147

* Fits TS2517 sideways

Tote Box Dividers and Covers

		Long Dividers			Short Dividers			Covers	
fits tote box	color	model #	list	max. # accepted	model #	list	max. # accepted	model #	list
TB1016-3	gray	A217766	8	7	A217760	8	11	A217765	62
TB1016-6	gray	A203841	9	7	A203843	8	11	A217765	62
TB1722-3	gray	A217763	8	11	A217764	8	15	A217638	75
TB1722-6	gray	A203842	9	11	A203844	10	15	A217638	75
TB1722-9	gray	A203845	14	11	A203846	10	15	A217638	75



cover



dividers

Card Holders for Tote Boxes

see spec sheet **EG01.03C**



holds labels		model #	list
in.	mm		
2" x 8"	51 x 203	CH28	18
3" x 5"	76 x 127	CH35	22
5" x 8"	127 x 203	CH58	25

FEATURES:

- Clear vinyl.

Molded Fiberglass Boxes and Trays

see spec sheet **EG01.03C**

Boxes are stackable for maximum storage efficiency!



assorted molded fiberglass boxes and trays

description	bottom inside dimensions		top outside dimensions		cu ft	model #	list
	length x width x depth	in. mm	length x width x height	in. mm			
tray	24 $\frac{3}{8}$ " x 16 $\frac{1}{4}$ " x 1"	619 x 413 x 25	25 $\frac{3}{4}$ " x 17 $\frac{1}{8}$ " x 1 $\frac{1}{8}$ "	654 x 454 x 29	0.1	A208505	155
stacking box	23 $\frac{7}{8}$ " x 15 $\frac{1}{8}$ " x 2 $\frac{1}{8}$ "	606 x 403 x 73	25 $\frac{3}{4}$ " x 17 $\frac{1}{4}$ " x 3"	654 x 451 x 76	0.6	A208506	205
stacking box	23 $\frac{7}{8}$ " x 15 $\frac{1}{8}$ " x 4 $\frac{1}{2}$ "	606 x 403 x 114	25 $\frac{3}{4}$ " x 17 $\frac{1}{4}$ " x 4 $\frac{1}{2}$ "	654 x 451 x 114	1.0	A208507	189
stacking box	23 $\frac{7}{8}$ " x 15 $\frac{1}{8}$ " x 5 $\frac{1}{4}$ "	606 x 403 x 146	25 $\frac{3}{4}$ " x 17 $\frac{1}{4}$ " x 6"	654 x 451 x 152	1.3	A208508	180
lid	—	—	25 $\frac{3}{4}$ " x 17 $\frac{1}{4}$ "	654 x 451	—	A208513	*109

* Model #A208513 lid fits models A208506, A208507, and A208508 stacking boxes.

FEATURES:

- Made of thermoset polyester composite material.
- Flame and chemical resistant.

Storage Baskets

see spec sheet **EG01.03E**



width x length x height		weight		cubic feet	model #	list
in.	mm	lbs.	kg			
13 $\frac{1}{8}$ " x 5" x 7"	340 x 127 x 178	9	4.1	0.4	A216650	80
17 $\frac{1}{8}$ " x 7 $\frac{1}{2}$ " x 5"	441 x 191 x 127	7	3.2	0.6	A216651	86
17 $\frac{1}{8}$ " x 7 $\frac{1}{2}$ " x 10"	441 x 191 x 254	11	5.0	1.0	A216652	115

FEATURES:

- Chrome-plated.
- Easily attaches to hanger rail or side of wire shelf.

File Basket

see spec sheet **EG01.03E**



Ideal for organizing standard-sized file folders.

width x length x height		weight		cubic feet	model #	list
in.	mm	lbs.	kg			
2 $\frac{1}{8}$ " x 12 $\frac{3}{4}$ " x 8 $\frac{3}{4}$ "	67 x 324 x 222	2	0.9	0.3	A216649	94

FEATURES:

- Chrome-plated.
- Fits all widths.

Triangle Shelf

see spec sheet **EG01.03E**




width		weight		chrome		black epoxy	
in.	mm	lbs.	kg	model #	list	model #	list
18"	(457mm)	16	7.3	TR24C	94	TR24BL	105

FEATURES:

- Attached to standard posts (sold separately —see pages 8 and 23), can be a freestanding unit.
- Or added onto standard 24" (610mm)-wide wire shelving (page 6) via "S" hooks.

Catalog Section 1


Sliding Shelf

see spec sheet **EG01.03E**

width x length		weight		chrome	
in.	mm	lbs.	kg	model #	list
18" x 36"	457 x 914	9	4.1	SLS1836C	164

FEATURES:

- Chrome-plated.
- For use with standard 1" (25mm)-diameter posts—on wire shelf or solid shelf units.

Tray Slides see spec sheet **EG01.03C**

Slides help maximize your use of space!

FEATURES:

- 1 3/4" (45mm) spacing, 22" (559mm) height.
- Sold as a set of two.
- 18" or 24" (457 or 610mm) wide applications.
- Can be used with tote boxes on page 51.

Standard

Holds 9 trays.

Heavy Duty

Holds 11 trays. Features panel assembly welded to the back of slides

width		cu ft	weight		chrome		EAGLEgard®		weight		chrome		EAGLEgard®	
			lbs.	kg	model #	list	model #	list	lbs.	kg	model #	list	model #	list
17 1/8" (435mm)		2.3	9	4.1	TS18-C	174	TS18-E	205	12	5.4	HDT18-C	407	HDT18-E	453
23 1/8" (587mm)		3.0	11	5.0	TS24-C	185	TS24-E	215	15	6.8	HDT24-C	450	HDT24-E	498

Adjustable Undershelf Slides

see spec sheet **EG01.03C**

adjustable undershelf slides with tote box

FEATURES:

- Stainless steel.
- Accommodates any tote box side-to-side dimension.
- Sold as a set.

(•) MTS (made to stock) / () MTO (made to order)

description	weight		model #	list
	lbs.	kg		
slides for 18" (457mm) wide shelf	3	1.4	US18-S	119
slides for 21" (533mm) wide shelf	3	1.4	US21-S	132
slides for 24" (610mm) wide shelf	3	1.4	US24-S	136
slides for 30" (762mm) wide shelf	4	1.8	US30-S	145
slides with side-to-side mount, for 24" (610mm) wide shelf	3	1.4	USS24-S	269
slides with side-to-side mount, for 30" (762mm) wide shelf	4	1.8	USS30-S	325

Tote Boxes for Adjustable Undershelf Slides

width x length x depth			weight		cubic feet	model #	list
in.	mm		lbs.	kg			
17 1/2" x 22 3/8" x 3"	446 x 568 x 76		2	0.9	0.8	TB1722-3	106
17 1/2" x 22 3/8" x 6"	446 x 568 x 152		3	1.4	1.4	TB1722-6 •	125
17 1/2" x 22 3/8" x 8"	446 x 568 x 203		4	1.8	2.3	TB1722-9	147

One-Piece Slides

see spec sheet **EG01.03C**

one-piece slide with tote box

description	weight		cubic feet	model #	list
	lbs.	kg			
slides for 18" (457mm) wide shelf	6	2.7	0.4	OUS18	255
slides for 21" (533mm) wide shelf	8	3.6	0.6	OUS21	258
slides for 24" (610mm) wide shelf	9	4.1	0.8	OUS24	273

FEATURES:

- Easily attaches to shelf.

(•) MTS (made to stock) / () MTO (made to order)


Helps prevent shelf clutter!

Tote Box for One-Piece Slides

width x length x depth			weight		cubic feet	model #	list
in.	mm		lbs.	kg			
17 1/2" x 22 3/8" x 6"	446 x 568 x 152		3.5	1.6	1.5	TB1722-6 •	125

Post Extension Kit and Components

see spec sheet **EG01.03D**



post extension assembly

Post Extension Kit

description	model #	list
consists of components listed below, set of four	4PEK	132

Components

item	model #	list
double-threaded bolt	A200868	6
wall bracket	B201023	22
casting	A207351	9

- Screw posts together with double-threaded bolt and extra foot casting.


FEATURES:

Note: DO NOT attempt to use any higher combinations than P54 and P86 maximum, 140" (3556mm) total. Any combinations higher than 86" (2184mm) must be attached to walls using wall bracket on post adjacent to wall. Place units only against wall, not in center of room.

(•) MTS (made to stock) / () MTO (made to order)

3-Sided Double Truss Frames

see spec sheet **EG01.03B**



Note: See page 55 for 3-Sided Channel Frames.

**Improves support
and stability!**

	length		weight		cu ft	chrome		EAGLEgard®		stainless steel	
	in.	mm	lbs.	kg		model #	list	model #	list	model #	list
18" width (457mm)	24"	610	5	2.2	0.7	DTF1824-C	145	DTF1824-E	160	DTF1824-S	437
	30"	762	6	2.7	0.7	DTF1830-C	147	DTF1830-E	164	DTF1830-S	450
	36"	914	6	2.7	0.7	DTF1836-C	148	DTF1836-E	173	DTF1836-S	458
	42"	1067	7	3.2	0.8	DTF1842-C	152	DTF1842-E	174	DTF1842-S	475
	48"	1219	7	3.2	0.8	DTF1848-C	156	DTF1848-E	176	DTF1848-S	485
	60"	1524	8	3.6	1.0	DTF1860-C	176	DTF1860-E	205	DTF1860-S	554
	72"	1829	9	4.1	1.4	DTF1872-C	197	DTF1872-E	232	DTF1872-S	615
21" width (533mm)	24"	610	5	2.2	0.8	DTF2124-C	148	DTF2124-E	169	DTF2124-S	443
	30"	762	6	2.7	0.8	DTF2130-C	152	DTF2130-E	173	DTF2130-S	450
	36"	914	6	2.7	0.8	DTF2136-C	156	DTF2136-E	176	DTF2136-S	456
	42"	1067	7	3.2	0.9	DTF2142-C	160	DTF2142-E	192	DTF2142-S	487
	48"	1219	8	3.6	0.9	DTF2148-C	162	DTF2148-E	194	DTF2148-S	493
	60"	1524	8	3.6	1.1	DTF2160-C	196	DTF2160-E	228	DTF2160-S	573
	72"	1829	10	4.5	1.4	DTF2172-C	254	DTF2172-E	300	DTF2172-S	628
24" width (610mm)	24"	610	6	2.7	1.5	DTF2424-C	148	DTF2424-E	173	DTF2424-S	445
	30"	762	7	3.2	1.5	DTF2430-C	152	DTF2430-E	174	DTF2430-S	456
	36"	914	7	3.2	1.5	DTF2436-C	159	DTF2436-E	188	DTF2436-S	478
	42"	1067	8	3.6	2.0	DTF2442-C	160	DTF2442-E	192	DTF2442-S	488
	48"	1219	9	4.1	2.5	DTF2448-C	164	DTF2448-E	197	DTF2448-S	494
	60"	1524	10	4.5	2.5	DTF2460-C	197	DTF2460-E	232	DTF2460-S	577
	72"	1829	11	5.0	2.7	DTF2472-C	254	DTF2472-E	300	DTF2472-S	874
30" width (762mm)	36"	914	7	3.2	2.0	DTF3036-C	180	DTF3036-E	214	DTF3036-S	585
	48"	1219	9	4.1	2.5	DTF3048-C	196	DTF3048-E	228	DTF3048-S	615
	60"	1524	10	4.5	2.5	DTF3060-C	214	DTF3060-E	245	DTF3060-S	708
	72"	1829	11	5.0	2.7	DTF3072-C	272	DTF3072-E	326	DTF3072-S	777
36" width (914mm)	36"	914	7	3.2	2.5	DTF3636-C	210	DTF3636-E	242	DTF3636-S	608
	48"	1219	9	4.1	2.7	DTF3648-C	220	DTF3648-E	254	DTF3648-S	626
	60"	1524	10	4.5	2.7	DTF3660-C	243	DTF3660-E	278	DTF3660-S	719
	72"	1829	11	5.0	3.0	DTF3672-C	306	DTF3672-E	354	DTF3672-S	789

Catalog Section 1

3-Sided Channel Frames

see spec sheet **EG01.03B**

(•) MTS (made to stock) / () MTO (made to order)




	length		weight		cu ft	chrome		EAGLEgard®		stainless steel	
	in.	mm	lbs.	kg		model #	list	model #	list	model #	list
18" width (457mm)	24"	610	5	2.2	0.7	CF1824-C	194	CF1824-E	228	CF1824-S	494
	30"	762	6	2.7	0.7	CF1830-C	203	CF1830-E	240	CF1830-S	519
	36"	914	6	2.7	0.7	CF1836-C	204	CF1836-E	242	CF1836-S	540
	42"	1067	7	3.2	0.8	CF1842-C	210	CF1842-E	245	CF1842-S	544
	48"	1219	7	3.2	0.8	CF1848-C	214	CF1848-E	252	CF1848-S	553
	60"	1524	8	3.6	1.0	CF1860-C	239	CF1860-E	283	CF1860-S	633
21" width (533mm)	72"	1829	9	4.1	1.4	CF1872-C	269	CF1872-E	325	CF1872-S	696
	24"	610	5	2.2	0.8	CF2124-C	197	CF2124-E	233	CF2124-S	504
	30"	762	6	2.7	0.8	CF2130-C	204	CF2130-E	242	CF2130-S	519
	36"	914	6	2.7	0.8	CF2136-C	210	CF2136-E	245	CF2136-S	528
	42"	1067	7	3.2	0.9	CF2142-C	217	CF2142-E	255	CF2142-S	553
	48"	1219	8	3.6	0.9	CF2148-C	219	CF2148-E	256	CF2148-S	559
24" width (610mm)	60"	1524	8	3.6	1.1	CF2160-C	254	CF2160-E	306	CF2160-S	655
	72"	1829	10	4.5	1.4	CF2172-C	354	CF2172-E	429	CF2172-S	722
	24"	610	6	2.7	1.5	CF2424-C	204	CF2424-E	242	CF2424-S	519
	30"	762	7	3.2	1.5	CF2430-C	210	CF2430-E	245	CF2430-S	542
	36"	914	7	3.2	1.5	CF2436-C	217	CF2436-E	255	CF2436-S	553
	42"	1067	8	3.6	2.0	CF2442-C	219	CF2442-E	256	CF2442-S	573
30" width (762mm)	48"	1219	9	4.1	2.5	CF2448-C •	220	CF2448-E •	269	CF2448-S	577
	60"	1524	10	4.5	2.5	CF2460-C •	269	CF2460-E •	325	CF2460-S	677
	72"	1829	11	5.0	2.7	CF2472-C	369	CF2472-E	439	CF2472-S	738
	36"	914	7	3.2	2.0	CF3036-C	228	CF3036-E	276	CF3036-S	677
	48"	1219	9	4.1	2.5	CF3048-C	238	CF3048-E	283	CF3048-S	696
	60"	1524	10	4.5	2.5	CF3060-C	372	CF3060-E	340	CF3060-S	807
36" width (914mm)	72"	1829	11	5.0	2.7	CF3072-C	394	CF3072-E	478	CF3072-S	887
	36"	914	7	3.2	2.5	CF3636-C	244	CF3636-E	299	CF3636-S	692
	48"	1219	9	4.1	2.7	CF3648-C	254	CF3648-E	306	CF3648-S	720
	60"	1524	10	4.5	2.7	n/a	n/a	CF3660-E	367	CF3660-S	822
	72"	1829	11	5.0	3.0	n/a	n/a	CF3672-E	517	CF3672-S	912

Handles for Caster Carts

see spec sheet **EG01.03B**


Push Handles
Easily slips over posts.



Extended Push Handles
Designed to prevent damage to knuckles.

width		weight		cubic feet	chrome		stainless steel		cubic feet	chrome		stainless steel	
in.	mm	lbs.	kg		model #	list	model #	list		model #	list	model #	list
14"	356	1.7	0.8	0.1	PH14-C	59	PH14-S	152	0.2	EH14-C	200	EH14-S	215
18"	457	1.9	0.9	0.1	PH18-C •	65	PH18-S	173	0.3	EH18-C	205	EH18-S	258
21"	533	2.1	1.0	0.1	PH21-C	66	PH21-S	189	0.3	EH21-C	206	EH21-S	272
24"	610	2.3	1.1	0.2	PH24-C •	66	PH24-S	204	0.4	EH24-C	207	EH24-S	289
30"	762	2.6	1.2	0.3	PH30-C	83	PH30-S	220	0.5	EH30-C	214	EH30-S	303
36"	914	3.0	1.4	0.3	PH36-C	94	PH36-S	238	0.5	EH36-C	215	EH36-S	328

Note: Stainless steel models include electropolished finish.



patented
QuadTruss®
design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and
provides a retaining ledge for increased
strength and product retention.

NOW PATENTED!



UNIQUE ROLLER DESIGN

- Patent #5,680,942.
- Makes moving mobile units easy.
- Eliminates binding due to uneven floors.
- Rollers also support track.



SHELVES

sold separately (see page 6)
are available in EAGLEbrite® zinc,
chrome, VALU-MASTER® pewter gray
epoxy, EAGLEgard® green epoxy, and
stainless steel finish.

Maximum shelf length should not
exceed 60" (1524mm).

Master Trak® Overhead Track High-Density Storage System NSF

Note: Master Trak® not recommended for use in carpeted areas.

Components

Shelves sold separately (see page 6).


A front & rear overhead tracks

B stationary end units

C mobile units

D open aisle—30" to 36" (762 to 914mm)
is recommended

E stationary mid unit (optional—use same
model # as stationary end unit kit)



Stationary End / Intermediate Unit Kits

see spec sheet **EG01.18**

- Posts.
- Hardware necessary for connecting stationary end units to track.
- One kit is required for each end unit.
- End units must be anchored to the floor to prevent movement.
- Priced per kit.

Note: Shelves sold separately (see page 6).

(•) MTS (made to stock) / () MTO (made to order)

74" (1880mm) Posts

weight	cu	EAGLEbrite®	chrome	EAGLEgard®
lbs.	kg	model #	model #	model #
17	7.7	EP74-Z • 394	EP74-C • 420	EP74-E • 462

86" (2184mm) Posts

weight	cu	EAGLEbrite®	chrome	EAGLEgard®
lbs.	kg	model #	model #	model #
21	9.5	EP86-Z 410	EP86-C 445	EP86-E 493

Catalog Section 1



(Shelves shown are sold separately—see page 6)

Master Trak® Mobile Unit Kits

see spec sheet **EG01.18**

- Posts.
- Casters are 5" x 1 1/2" (127 x 38mm) polymer.
- All parts and necessary hardware.
- One kit is required for each mobile unit.
- Priced per kit.

WEIGHT CAPACITY:

- 900 lbs. (408 kg).

Note: Shelves sold separately see page 6.

(•) MTS (made to stock) / () MTO (made to order)

Replacement Caster

Offset rigid poly caster replacement

model #	list
CSR05P-300	85

74" (1880mm) Height*										86" (2184mm) Height*									
width	cu	weight	EAGLEbrite®		chrome		EAGLEgard®			width	cu	weight	EAGLEbrite®		chrome		EAGLEgard®		
in. mm	ft	lbs. kg	model #	list	model #	list	model #	list	lbs. kg	in. mm	ft	lbs. kg	model #	list	model #	list	model #	list	lbs. kg
18" 457	0.1	33 15.0	MUK18-Z	818	MUK18-C •	907	MUK18-E	1514	37 16.8	MUK18-Z86	849	MUK18-C86	939	MUK18-E86	1536				
21" 533	0.1	34 15.4	MUK21-Z	845	MUK21-C	930	MUK21-E	1534	38 17.2	MUK21-Z86	880	MUK21-C86	967	MUK21-E86	1576				
24" 610	0.1	35 15.9	MUK24-Z	855	MUK24-C •	944	MUK24-E •	1555	39 17.6	MUK24-Z86	893	MUK24-C86	983	MUK24-E86	1614				
30" 762	0.1	35 15.9	MUK30-Z	873	MUK30-C	967	MUK30-E	1600	39 17.6	MUK30-Z86	907	MUK30-C86	1007	MUK30-E86	1655				
36" 914	0.1	36 16.3	MUK36-Z	889	MUK36-C	1009	MUK36-E	1645	40 18.1	MUK36-Z86	920	MUK36-C86	1055	MUK36-E86	1697				

* Casters are included in post height.

Master Trak® Overhead Track Kits

see spec sheet **EG01.18**

- All necessary sections of front and rear tracks for assembling track lengths of 6' to 21' (1829 to 6401mm), plus all hardware.

PACKAGING:

- Kits 13' (3962mm) and longer are wood-crated.


(•) MTS (made to stock) / () MTO (made to order)

Note: Any kits 9' (2743mm) or longer include two or more front and rear track sections, with joiner pieces and all hardware. A mid-stationary unit is recommended on lengths of over 30' (9144mm).

length	weight	cu	length	weight	cu	length	weight	cu
ft. mm	lbs. kg	ft	ft. mm	lbs. kg	ft	ft. mm	lbs. kg	ft
6' 1829	18 8.2	1.8	11' 3353	33 15.0	3.3	16' 4877	48 21.8	4.8
7' 2134	21 9.5	2.1	12' 3658	36 16.3	3.6	17' 5181	51 23.1	5.1
8' 2438	24 10.9	2.4	13' 3962	39 17.7	3.9	18' 5486	54 24.5	5.4
9' 2743	27 12.2	2.7	14' 4267	42 19.1	4.2	19' 5791	57 25.9	5.7
10' 3048	30 13.6	3.0	15' 4572	45 20.4	4.5	20' 6096	60 27.2	6.0
						21' 6401	63 28.6	6.3

Single-Deep Floor-Trak® High-Density Storage System

see spec sheet **EG01.39A**



single deep unit shown assembled with wire starter unit

FEATURES:

- Non-corrosive track constructed of anodized aluminum.
- The system is ADA-compliant. NSF approved.
- Simple and easy to install.
- Easy to add on additional units.
- Open construction allows for the use of cart covers when required.
- Industrial-type, hardened steel bearings allow loaded units to glide effortlessly over the track.

Note: Unit will tilt if not loaded properly.

LOAD BOTTOM FIRST!

Single-Deep Skate Kits

- Two skates.
- All necessary parts and hardware.
- One kit is required for each mobile unit.
- Skates are aircraft-quality aluminum with stainless steel inserts and hardened steel ball bearings.
- Weight capacity of 2000 lbs (907.2 kg) per mobile section.

Note: Shelves (page 6) and posts (page 8) sold separately.

width		weight		cu	model #	list
in.	mm	lbs.	kg	ft		
18"	457	6	2.7	0.09	SDSK-18	1153
21"	533	7	3.2	0.11	SDSK-21	1195
24"	610	7	3.2	0.23	SDSK-24	1244
30"	762	8	3.6	0.15	SDSK-30	1389
36"	914	10	4.5	0.18	SDSK-36	1837

Anti-Tip Brackets for use with Floor-Trak® Skate Kits

Stainless steel. Set of four.



model #	list
SDSKATB-S	404

...sold individually

Hardware included.

model #	list
KATB-S	136

Optional Shim Kits

Accommodates uneven floors.

model #	list
912991	308

Optional Foot Brake Kit

Mounts onto frontmost skate.

model #	list
MFBK-S	196

Single-Deep Floor Track Kits

- Pair of aluminum tracks with plastic end stops.
- All hardware included.

Note: Not recommended to piece tracks together. Order length needed.
Custom lengths available. Consult factory.


length		weight		cu	model #	list
ft.	mm	lbs.	kg	ft		
6'	1829	5	2.3	0.06	SDFT-6	1173
7'	2134	5	2.3	0.07	SDFT-7	1327
8'	2438	6	2.7	0.08	SDFT-8	1483
9'	2743	7	3.2	0.09	SDFT-9	1642
10'	3048	8	3.6	0.10	SDFT-10	1796
11'	3353	8	3.6	0.11	SDFT-11	1947
12'	3658	9	4.1	0.12	SDFT-12	2108
13'	3962	10	4.5	0.13	SDFT-13	2267
14'	4267	11	5.0	0.14	SDFT-14	2423
15'	4572	11	5.0	0.15	SDFT-15	2577
16'	4877	12	5.4	0.16	SDFT-16	2738
17'	5181	13	5.8	0.17	SDFT-17	2895
18'	5486	14	6.4	0.18	SDFT-18	3050
19'	5791	14	6.4	0.19	SDFT-19	3205
20'	6096	15	6.8	0.20	SDFT-20	3365
21'	6401	16	7.3	0.21	SDFT-21	3519
22'	6706	17	7.7	0.21	SDFT-22	3606
23'	7010	18	8.2	0.21	SDFT-23	3660
24'	7315	19	8.6	0.21	SDFT-24	3808
25'	7620	20	9.0	0.21	SDFT-25	3959
26'	7925	21	9.5	0.21	SDFT-26	4106
27'	8230	22	10.0	0.21	SDFT-27	4253
28'	8534	23	10.4	0.21	SDFT-28	4403
29'	8839	24	10.9	0.21	SDFT-29	4552
30'	9144	25	11.3	0.21	SDFT-30	4703

Catalog Section 1

Double-Deep Floor-Trak® High-Density Storage System



see spec sheet **EG01.39B**



Double-Deep Skate Kits

- Three skates.
- All necessary parts and hardware.
- One kit is required for each mobile unit.
- Skates are aircraft-quality aluminum with stainless steel inserts and hardened steel ball bearings.
- Weight capacity of 1500 lbs (680.4 kg) per mobile section
—3000 lbs. (1361 kg) at middle skate.

Note: Shelves (see page 6) and posts (see page 8) sold separately.

width		weight		cu	model #	list
in.	mm	lbs.	kg	ft		
18"	457	10	4.5	0.14	DDSK-18	2094
21"	533	11	5.0	0.16	DDSK-21	2153
24"	610	12	5.4	0.18	DDSK-24	2232
30"	762	14	6.4	0.23	DDSK-30	2448
36"	914	16	7.3	0.27	DDSK-36	3115

Optional Shim Kits

Accommodates uneven floors.

model #	list
912991	308

Optional Foot Brake Kit

Mounts onto frontmost skate.

model #	list
MFBK-S	196

Inside Posts for Double-Deep Units

- Each double-deep unit requires a set of four 'inside' posts (listed below) along with four standard stationary posts.

Note: See page 8 for standard stationary posts and page 6 for wire shelves (posts and shelves sold separately).

Sets of four 74" (1880mm) posts

weight		cu ft	EAGLEbrite®		chrome		EAGLEgard®	
lbs.	kg		model #	list	model #	list	model #	list
17	7.7	0.1	TEP74-Z	299	TEP74-C	337	TEP74-E	362

Sets of four 86" (2184mm) posts

weight		cu	EAGLEbrite®		chrome		EAGLEgard®	
lbs.	kg	ft	model #	list	model #	list	model #	list
21	9.5	0.1	TEP86-Z	350	TEP86-C	375	TEP86-E	403

IMPORTANT: Maximum post height per skate size: 18"-, 21"-, and 24"-wide skates on 74" post height or less; 30"- and 36"-wide skates on 86" post height or less.

Note: Unit will tilt if not loaded properly.
LOAD BOTTOM FIRST!

Double-Deep Floor Track Kits

- Three aluminum tracks with plastic end stops.
- All hardware included.

Note: Not recommended to piece tracks together. Order length needed.
Custom lengths available. Consult factory.

Double-deep units should not exceed depths of 12' (3658mm). 11' and 12' (2794 and 3658mm)-deep units should be used only with 24", 30" or 36" (610, 762, or 914mm)-wide shelves.

length		weight		cu	model #	list
ft.	mm	lbs.	kg	ft		
6'	1829	7	3.2	0.09	DDFT-6	1753
7'	2134	8	3.6	0.11	DDFT-7	1988
8'	2438	9	4.1	0.12	DDFT-8	2220
9'	2743	10	4.5	0.14	DDFT-9	2456
10'	3048	13	5.8	0.16	DDFT-10	2696
11'	3353	14	6.4	0.17	DDFT-11	2929
12'	3658	15	6.8	0.18	DDFT-12	3167
13'	3962	16	7.3	0.20	DDFT-13	3396
14'	4267	16	7.3	0.21	DDFT-14	3634
15'	4572	17	7.7	0.23	DDFT-15	3869
16'	4877	18	8.2	0.24	DDFT-16	4099
17'	5181	19	8.6	0.26	DDFT-17	4339
18'	5486	21	9.5	0.27	DDFT-18	4576
19'	5791	22	10.0	0.29	DDFT-19	4809
20'	6096	23	10.4	0.30	DDFT-20	5044
21'	6401	24	10.9	0.32	DDFT-21	5277
22'	6706	25	11.3	0.32	DDFT-22	5418
23'	7010	26	11.8	0.32	DDFT-23	5485
24'	7315	27	12.2	0.32	DDFT-24	5708
25'	7620	28	12.7	0.32	DDFT-25	5933
26'	7925	29	13.2	0.32	DDFT-26	6156
27'	8230	30	13.6	0.32	DDFT-27	6380
28'	8534	31	14.1	0.32	DDFT-28	6605
29'	8839	32	14.5	0.32	DDFT-29	6832
30'	9144	33	15.0	0.32	DDFT-30	7053

Anti-Tip Brackets for use with Floor-Trak® Skate Kits

Stainless steel. Set of six.

model #	list
DDSKATB-S	550

...sold individually

Hardware included.

model #	list
SKATB-S	136



STAND OUTS™

Show-off your merchandise when you use our wire display shelving units in various configurations highlighted by our brilliant finishes.

- Open wire grid shelf allows maximum merchandise visibility.
- Easy to assemble.
- Shelf spacing adjusts in seconds.
- Choose from our custom and standard colors.

Decorative Shelves

see spec sheet **EG01.34A**

patented
QuadTruss®
design
(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.



INCLUDES:

- Four plastic split sleeves per shelf ordered, packaged four per bag.
- Black sleeves except white shelves.
- White shelves come with white sleeves.

Note: To order custom decorative colors, add suffix "BM" (black matte), "L" (lilac), "M" (maroon), "SV" (silver vein), "SA" (sapphire), "SG" (smoked glass), "T" (teal), "GV" (gold vein), "CV" (copper vein), or "RU" (ruby) to the desired shelf size model number when ordering. **Call for custom decorative color pricing.** There is also a **\$363 NET set up charge** for any custom color orders less than 250 pieces.

(•) MTS (made to stock) / () MTO (made to order)

	length		weight		cubic	red		white		black	
	in.	mm	lbs.	kg		model #	list	model #	list	model #	list
14" width (356mm)	24"	610	6	2.9	0.5	1424R •	116	1424W •	116	1424BL •	116
	30"	762	7	3.2	0.5	1430R	125	1430W	125	1430BL	125
	36"	914	8	3.6	0.5	1436R	132	1436W	132	1436BL •	132
	42"	1067	9	3.9	0.7	1442R	147	1442W	147	1442BL	147
	48"	1219	10	4.4	0.7	1448R	152	1448W	152	1448BL •	152
	54"	1372	12	5.4	0.9	1454R	164	1454W	164	1454BL •	164
	60"	1524	14	6.4	0.9	1460R	173	1460W	173	1460BL •	173
18" width (457mm)	72"	1829	17	7.7	1.1	1472R	203	1472W	203	1472BL •	203
	24"	610	7	3.2	0.7	1824R	132	1824W	132	1824BL	132
	30"	762	8	3.6	0.7	1830R	142	1830W •	142	1830BL •	142
	36"	914	9	3.9	0.7	1836R	147	1836W	147	1836BL •	147
	42"	1067	11	5.0	0.9	1842R	162	1842W	162	1842BL •	162
	48"	1219	12	5.4	0.9	1848R	174	1848W	174	1848BL	174
	54"	1372	15	6.8	1.2	1854R	207	1854W	207	1854BL •	207
21" width (533mm)	60"	1524	17	7.7	1.2	1860R	210	1860W	210	1860BL •	210
	72"	1829	20	9.1	1.3	1872R	242	1872W	242	1872BL	242
	24"	610	8	3.7	0.7	2124R	148	2124W	148	2124BL	148
	30"	762	9	4.1	0.7	2130R	159	2130W	159	2130BL •	159
	36"	914	11	5.0	0.8	2136R	162	2136W	162	2136BL	162
	42"	1067	12	5.4	1.1	2142R	189	2142W	189	2142BL •	189
	48"	1219	14	6.4	1.1	2148R	192	2148W	192	2148BL	192
24" width (610mm)	54"	1372	16	7.3	1.3	2154R	226	2154W	226	2154BL	226
	60"	1524	18	8.2	1.3	2160R	232	2160W	232	2160BL	232
	72"	1829	24	10.9	1.4	2172R	278	2172W	278	2172BL •	278
	24"	610	9	4.1	0.8	2424R	160	2424W	160	2424BL	160
	30"	762	11	5.0	0.8	2430R •	173	2430W	173	2430BL •	173
	36"	914	13	5.9	0.8	2436R	176	2436W	176	2436BL	176
	42"	1067	15	6.8	1.2	2442R	210	2442W	210	2442BL •	210
	48"	1219	16	7.3	1.2	2448R	219	2448W	219	2448BL	219
	54"	1372	19	8.6	1.5	2454R	244	2454W	244	2454BL •	244
	60"	1524	21	9.5	1.5	2460R	256	2460W	256	2460BL •	256
	72"	1829	26	11.8	1.6	2472R	300	2472W	300	2472BL	300

Catalog Section 1

STAND-OUTS™ Decorative Shelving Accessories

see spec sheet **EG01.34A** **EG01.34B**

(•) MTS (made to stock) / () MTO (made to order)

Inlays

- Fits between posts and levels with top of shelf edge.

Black & White Hardboard
Reversible. Priced per inlay. 1/8"-thick.

Clear * Plastic
Priced per pack of four. 1/32"-thick.

	length		weight**		cu ft	Black & White Hardboard		Clear * Plastic	
	in.	mm	lbs.	kg		model #	list	model #	list
14" width (356mm)	30"	762	1.0	0.5	0.2	DSI-1430	97	CSI-1430	156
	36"	914	1.0	0.5	0.2	DSI-1436	106	CSI-1436	164
	48"	1219	1.0	0.5	0.2	DSI-1448	125	CSI-1448 •	200
	60"	1524	1.0	0.5	0.2	DSI-1460	130	CSI-1460	278
18" width (457mm)	36"	914	1.0	0.5	0.2	DSI-1836	119	CSI-1836 •	173
	48"	1219	1.0	0.5	0.2	DSI-1848	136	CSI-1848	204
	60"	1524	1.0	0.5	0.2	DSI-1860	142	CSI-1860	240
	72"	1829	1.0	0.5	0.2	DSI-1872	148	CSI-1872	273
21" width (533mm)	36"	914	1.1	0.5	0.2	DSI-2136	133	CSI-2136	185
	48"	1219	1.2	0.5	0.3	DSI-2148	142	CSI-2148	214
	60"	1524	1.3	0.5	0.3	DSI-2160	148	CSI-2160	243
	72"	1829	1.4	0.5	0.3	DSI-2172	155	CSI-2172	278
24" width (610mm)	24"	610	1.0	0.5	0.2	DSI-2424	115	CSI-2424	159
	30"	762	1.0	0.5	0.3	DSI-2430	128	CSI-2430	180
	36"	914	1.0	0.5	0.3	DSI-2436	136	CSI-2436	192
	48"	1219	1.1	0.5	0.3	DSI-2448	159	CSI-2448	220
	54"	1372	1.3	0.6	0.3	DSI-2454	166	CSI-2454	244
	60"	1524	1.4	0.6	0.3	DSI-2460	176	CSI-2460	280
30" width (762mm)	60"	1524	2.0	0.9	0.3	DSI-3060	196	CSI-3060	438
	72"	1829	2.5	1.1	0.3	DSI-3072	205	CSI-3072	445

* Actual width of CSI Inlays is minus 1/4" (32mm); CSI Inlays shipped with protective blue film. Remove film before installing.

** Weight shown per inlay.

Cantilever Shelves

see spec sheet **EG01.34B**

FEATURES:

- 1" (25mm) wraparound ledge.
- 12" (305mm) wide shelves.
- 75 lb. (34 kg) - evenly distributed static load.

NOTE: When ordering back posts, confirm with customer service, the correct post height to accommodate these shelves.

Ideal for adding extra storage above an existing shelving unit.



**Packaged
two per box.**

	length		weight		cu ft	red		white		black	
	in.	mm	lbs.	kg		model #	list	model #	list	model #	list
12" width (305mm)	24"	610	4	1.8	0.5	CS1224-R	129	CS1224-W	129	CS1224-BL	129
	30"	762	5	2.3	0.8	CS1230-R	134	CS1230-W	134	CS1230-BL	134
	36"	914	6	2.7	0.8	CS1236-R	139	CS1236-W	139	CS1236-BL	139
	42"	1067	7	3.2	0.9	CS1242-R	155	CS1242-W	155	CS1242-BL	155
	48"	1219	8	3.6	1.0	CS1248-R	160	CS1248-W	160	CS1248-BL	160
	54"	1371	8	3.6	1.0	CS1254-R	174	CS1254-W	174	CS1254-BL	174
	60"	1524	9	4.1	1.0	CS1260-R	188	CS1260-W	188	CS1260-BL	188

Decorative Casters

For use with Stationary Posts (page 62). 150-lb. (68.0 kg) wt. cap.

type	wheel diameter		weight		cubic feet	model #	list
	in.	mm	lbs.	kg			
swivel	2"	51	0.4	0.2	0.03	A208903 •	22
swivel/brake	2"	51	0.4	0.2	0.03	A208904 •	25
swivel	4"	102	0.7	0.3	0.03	A208905 •	48
swivel/brake	4"	102	0.8	0.4	0.03	A208906 •	62



Decorative Foot Plate

diameter	in.	mm	model #	list
	2"	51	A204942	9




STAND-OUTS™ Decorative Shelving Accessories

see spec sheet **EG01.34A** **EG01.34B**

Ledges

see spec sheet **EG01.34A**

(•) MTS (made to stock) / () MTO (made to order)



1" (25mm) Ledges*

4" (102mm) Ledges

length		cu ft	weight		Model numbers				weight		Model numbers			
in.	mm		lbs.	kg	red	white	black	list	lbs.	kg	red	white	black	list
14"	356	0.2	0.2	0.1	L14-1R	L14-1W	L14-1BL	32	0.8	0.4	L14-4R	L14-4W	L14-4BL	40
18"	457	0.3	0.3	0.1	L18-1R	L18-1W	L18-1BL	33	0.9	0.4	L18-4R	L18-4W	L18-4BL	42
21"	533	0.3	0.4	0.2	L21-1R	L21-1W	L21-1BL	36	1.0	0.5	L21-4R	L21-4W	L21-4BL	45
24"	610	0.3	0.5	0.2	L24-1R	L24-1W	L24-1BL	37	1.2	0.6	L24-4R	L24-4W	L24-4BL	49
30"	762	0.5	0.7	0.3	L30-1R	L30-1W	L30-1BL	42	1.4	0.6	L30-4R	L30-4W	L30-4BL	59
36"	914	0.6	0.9	0.4	L36-1R	L36-1W	L36-1BL	49	1.6	0.7	L36-4R	L36-4W	L36-4BL •	62
42"	1067	0.6	1.1	0.5	L42-1R	L42-1W	L42-1BL	53	1.8	0.8	L42-4R	L42-4W	L42-4BL	75
48"	1219	0.7	1.3	0.6	L48-1R	L48-1W	L48-1BL	55	2.0	0.9	L48-4R	L48-4W	L48-4BL •	80
54"	1372	0.8	1.5	0.7	L54-1R	L54-1W	L54-1BL	60	2.2	1.0	L54-4R	L54-4W	L54-4BL	83
60"	1524	0.8	1.7	0.8	L60-1R	L60-1W	L60-1BL	62	2.4	1.1	L60-4R	L60-4W	L60-4BL	86
72"	1829	1.0	2.1	1.0	L72-1R	L72-1W	L72-1BL	65	2.6	1.2	L72-4R	L72-4W	L72-4BL	97


* When installed, actual height of ledge is 1½" (38mm).

Shelf Dividers see spec sheet **EG01.34A**

(•) MTS (made to stock) / () MTO (made to order)

Organize shelf contents with these snap-on dividers!

length		weight		cubic feet	red		white		black	
in.	mm	lbs.	kg		model #	list	model #	list	model #	list
14"	356	1.0	0.5	0.6	SD14-R	49	SD14-W	49	SD14-BL	49
18"	457	1.3	0.6	0.6	SD18-R	59	SD18-W	59	SD18-BL	59
21"	533	1.5	0.7	0.8	SD21-R	62	SD21-W	62	SD21-BL	62
24"	610	1.8	0.8	1.0	SD24-R	74	SD24-W	74	SD24-BL	74
30"	762	2.2	1.0	1.2	SD30-R	83	SD30-W	83	SD30-BL	83
36"	914	2.7	1.2	1.4	SD36-R	97	SD36-W	97	SD36-BL	97



Posts

see spec sheet **EG01.34A**

(•) MTS (made to stock) / () MTO (made to order)



					For Stationary Applications				For Mobile Applications			
height		weight		cu ft	Model #				Model #			
in.	mm	lbs.	kg		red	white	black	list	red	white	black	list
7"	178	0.8	0.4	0.1	P7-R	P7-W	P7-BL •	29	CP7-R	CP7-W	CP7-BL	29
14"	356	1.0	0.5	0.1	P14-R	P14-W	P14-BL •	33	CP14-R	CP14-W	CP14-BL	33
33"	838	2.0	0.9	0.1	P33-R	P33-W	P33-BL •	40	CP33-R	CP33-W	CP33-BL	40
54"	1372	3.0	1.4	0.1	P54-R	P54-W	P54-BL •	49	CP54-R	CP54-W	CP54-BL •	49
63"	1600	3.5	1.8	0.3	P63-R	P63-W	P63-BL •	53	CP63-R	CP63-W	CP63-BL	53
74"	1880	4.0	1.8	0.5	P74-R	P74-W	P74-BL •	59	CP74-R	CP74-W	CP74-BL •	59
86"	2184	5.0	2.3	0.8	P86-R	P86-W	P86-BL •	67	CP86-R	CP86-W	CP86-BL	66

Catalog Section 1

Quik-Set® Flat Solid Shelves see spec sheet **EG01.23**

FEATURES:

- Heavy duty.
- All sides of shelves are constructed with a 2" (51mm) downturn and marine edge.
- Each corner is fitted with a heavy-duty aluminum casting to accept a split sleeve.
- No tools are required for assembly.

Stainless Steel

	length		cu ft	14 gauge				16 gauge			
				weight		model #	list	weight		model #	list
	in.	mm		lb.	kg			lb.	kg		
18" width (457mm)	36"	914	0.8	24	10.9	SHDS1836SF	877	19	8.6	HDS1836SF	843
	42"	1067	0.9	26	11.8	SHDS1842SF	975	21	9.5	HDS1842SF	914
	48"	1219	1.0	29	13.2	SHDS1848SF	1063	24	10.9	HDS1848SF	984
	54"	1372	1.1	33	15.0	SHDS1854SF	1156	27	12.2	HDS1854SF	1078
	60"	1524	1.3	36	16.3	SHDS1860SF	1247	29	13.2	HDS1860SF	1177
24" width (610mm)	36"	914	1.0	35	15.9	SHDS2436SF	1140	28	12.7	HDS2436SF	1044
	42"	1067	1.2	39	17.6	SHDS2442SF	1248	32	14.5	HDS2442SF	1177
	48"	1219	1.3	43	19.5	SHDS2448SF	1404	36	16.3	HDS2448SF	1275
	54"	1372	1.5	48	21.8	SHDS2454SF	1515	41	18.6	HDS2454SF	1389
	60"	1524	1.7	55	24.9	SHDS2460SF	1623	47	21.3	HDS2460SF	1489

VALU-MASTER® Gray Epoxy

	length		cu ft	14 gauge				16 gauge			
				weight		model #	list	weight		model #	list
	in.	mm		lb.	kg			lb.	kg		
18" width (457mm)	36"	914	0.8	24	10.9	SHDS1836VF	450	19	8.6	HDS1836VF	436
	42"	1067	0.9	26	11.8	SHDS1842VF	478	21	9.5	HDS1842VF	454
	48"	1219	1.0	29	13.2	SHDS1848VF	489	24	10.9	HDS1848VF	474
	54"	1372	1.1	33	15.0	SHDS1854VF	526	27	12.2	HDS1854VF	475
	60"	1524	1.3	36	16.3	SHDS1860VF	550	29	13.2	HDS1860VF	519
24" width (610mm)	36"	914	1.0	35	15.9	SHDS2436VF	487	28	12.7	HDS2436VF	465
	42"	1067	1.2	39	17.6	SHDS2442VF	514	32	14.5	HDS2442VF	486
	48"	1219	1.3	43	19.5	SHDS2448VF	527	36	16.3	HDS2448VF	499
	54"	1372	1.5	48	21.8	SHDS2454VF	576	41	18.6	HDS2454VF	542
	60"	1524	1.7	55	24.9	SHDS2460VF	594	47	21.3	HDS2460VF	564

Valu-Gard® Green Epoxy

	length		cu ft	14 gauge				16 gauge			
				weight		model #	list	weight		model #	list
	in.	mm		lb.	kg			lb.	kg		
18" width (457mm)	36"	914	0.8	24	10.9	SHDS1836VGF	450	19	8.6	HDS1836VGF	436
	42"	1067	0.9	26	11.8	SHDS1842VGF	478	21	9.5	HDS1842VGF	454
	48"	1219	1.0	29	13.2	SHDS1848VGF	489	24	10.9	HDS1848VGF	474
	54"	1372	1.1	33	15.0	SHDS1854VGF	526	27	12.2	HDS1854VGF	475
	60"	1524	1.3	36	16.3	SHDS1860VGF	550	29	13.2	HDS1860VGF	519
24" width (610mm)	36"	914	1.0	35	15.9	SHDS2436VGF	487	28	12.7	HDS2436VGF	465
	42"	1067	1.2	39	17.6	SHDS2442VGF	514	32	14.5	HDS2442VGF	486
	48"	1219	1.3	43	19.5	SHDS2448VGF	527	36	16.3	HDS2448VGF	499
	54"	1372	1.5	48	21.8	SHDS2454VGF	576	41	18.6	HDS2454VGF	542
	60"	1524	1.7	55	24.9	SHDS2460VGF	594	47	21.3	HDS2460VGF	564

Quik-Set® Embossed Solid Shelves

see spec sheet **EG01.23**



- Heavy duty.
- Constructed with a 2" (51mm) downturn and marine edge.
- Each corner is fitted with a heavy-duty aluminum casting to accept a split sleeve.
- Top of shelf is die stamped with a 1" (25mm) diameter drawn impression to provide a raised area for air circulation.
- Each emboss is on 3" (76mm) centers for the width and 3" (76mm) centers for the length.

FEATURES:

Stainless Steel

				14 gauge				16 gauge			
length			cu	weight				weight			
in. mm			ft	lb.	kg	model #	list	lb.	kg	model #	list
18" width (457mm)	36"	914	0.8	24	10.9	SHDS1836SE	959	19	8.6	HDS1836SE	930
	42"	1067	0.9	26	11.8	SHDS1842SE	1063	21	9.5	HDS1842SE	1029
	48"	1219	1.0	29	13.2	SHDS1848SE	1154	24	10.9	HDS1848SE	1127
	54"	1372	1.1	33	15.0	SHDS1854SE	1242	27	12.2	HDS1854SE	1177
	60"	1524	1.3	36	16.3	SHDS1860SE	1325	29	13.2	HDS1860SE	1239
24" width (610mm)	36"	914	1.0	35	15.9	SHDS2436SE	1195	28	12.7	HDS2436SE	1112
	42"	1067	1.2	39	17.6	SHDS2442SE	1226	32	14.5	HDS2442SE	1208
	48"	1219	1.3	43	19.5	SHDS2448SE	1332	36	16.3	HDS2448SE	1283
	54"	1372	1.5	48	21.8	SHDS2454SE	1492	41	18.6	HDS2454SE	1423
	60"	1524	1.7	55	24.9	SHDS2460SE	1654	47	21.3	HDS2460SE	1528

VALU-MASTER® Gray Epoxy


	length		cu ft	14 gauge				16 gauge			
	in.	mm		weight		model #	list	weight		model #	list
				lb.	kg			lb.	kg		
18" width (457mm)	36"	914	0.8	24	10.9	SHDS1836VE	465	19	8.6	HDS1836VE	445
	42"	1067	0.9	26	11.8	SHDS1842VE	487	21	9.5	HDS1842VE	467
	48"	1219	1.0	29	13.2	SHDS1848VE	495	24	10.9	HDS1848VE	478
	54"	1372	1.1	33	15.0	SHDS1854VE	539	27	12.2	HDS1854VE	517
	60"	1524	1.3	36	16.3	SHDS1860VE	559	29	13.2	HDS1860VE	527
24" width (610mm)	36"	914	1.0	35	15.9	SHDS2436VE	494	28	12.7	HDS2436VE	478
	42"	1067	1.2	39	17.6	SHDS2442VE	519	32	14.5	HDS2442VE	493
	48"	1219	1.3	43	19.5	SHDS2448VE	539	36	16.3	HDS2448VE	516
	54"	1372	1.5	48	21.8	SHDS2454VE	584	41	18.6	HDS2454VE	554
	60"	1524	1.7	55	24.9	SHDS2460VE	610	47	21.3	HDS2460VE	573

Valu-Gard® Green Epoxy

	length		cu ft	weight		14 gauge		weight		16 gauge	
	in.	mm		lb.	kg	model #	list	lb.	kg	model #	list
18" width (457mm)	36"	914	0.8	24	10.9	SHDS1836VGE	465	19	8.6	HDS1836VGE	445
	42"	1067	0.9	26	11.8	SHDS1842VGE	487	21	9.5	HDS1842VGE	467
	48"	1219	1.0	29	13.2	SHDS1848VGE	495	24	10.9	HDS1848VGE	478
	54"	1372	1.1	33	15.0	SHDS1854VGE	539	27	12.2	HDS1854VGE	517
	60"	1524	1.3	36	16.3	SHDS1860VGE	559	29	13.2	HDS1860VGE	527
24" width (610mm)	36"	914	1.0	35	15.9	SHDS2436VGE	494	28	12.7	HDS2436VGE	478
	42"	1067	1.2	39	17.6	SHDS2442VGE	519	32	14.5	HDS2442VGE	493
	48"	1219	1.3	43	19.5	SHDS2448VGE	539	36	16.3	HDS2448VGE	516
	54"	1372	1.5	48	21.8	SHDS2454VGE	584	41	18.6	HDS2454VGE	554
	60"	1524	1.7	55	24.9	SHDS2460VGE	610	47	21.3	HDS2460VGE	573

Catalog Section 1

Quik-Set® Louvered Solid Shelves

see spec sheet **EG01.23**

**1,000 lbs.
evenly distributed
weight capacity
per shelf!!**

FEATURES:

- Heavy duty.
- Shelves are constructed with a 2" (51mm) downturn and marine edge.
- Each corner is fitted with a heavy-duty aluminum casting to accept a split sleeve.
- Top of shelf is die stamped with a 2 3/4" x 1 1/2" (70 x 13mm) opening with a 1/16" (2mm) drawn depression around the opening to provide reinforcement.
- Each opening is on 3" (76mm) centers for the width and 3" (76mm) centers for the length.

Stainless Steel

	length		cu ft	14 gauge				16 gauge			
				weight		model #	list	weight		model #	list
	in.	mm		lb.	kg			lb.	kg		
18" width (457mm)	36"	914	0.8	24	10.9	SHDS1836SL	959	17	7.7	HDS1836SL	930
	42"	1067	0.9	26	11.8	SHDS1842SL	1063	19	8.6	HDS1842SL	1029
	48"	1219	1.0	29	13.2	SHDS1848SL	1154	22	10.0	HDS1848SL	1127
	54"	1372	1.1	33	15.0	SHDS1854SL	1242	25	11.3	HDS1854SL	1177
	60"	1524	1.3	36	16.3	SHDS1860SL	1325	27	12.2	HDS1860SL	1239
24" width (610mm)	36"	914	1.0	35	15.9	SHDS2436SL	1195	26	11.8	HDS2436SL	1112
	42"	1067	1.2	39	17.6	SHDS2442SL	1226	30	13.6	HDS2442SL	1208
	48"	1219	1.3	43	19.5	SHDS2448SL	1332	34	15.4	HDS2448SL	1316
	54"	1372	1.5	48	21.8	SHDS2454SL	1492	39	17.6	HDS2454SL	1423
	60"	1524	1.7	55	24.9	SHDS2460SL	1654	45	20.4	HDS2460SL	1528

VALU-MASTER® Gray Epoxy

	length		cu ft	14 gauge				16 gauge			
				weight		model #	list	weight		model #	list
	in.	mm		lb.	kg			lb.	kg		
18" width (457mm)	36"	914	0.8	22	10.4	SHDS1836VL	474	17	7.7	HDS1836VL	448
	42"	1067	0.9	24	10.9	SHDS1842VL	489	19	8.6	HDS1842VL	475
	48"	1219	1.0	27	12.2	SHDS1848VL	512	22	10.0	HDS1848VL	486
	54"	1372	1.1	31	14.5	SHDS1854VL	518	25	11.3	HDS1854VL	504
	60"	1524	1.3	34	15.4	SHDS1860VL	566	27	12.2	HDS1860VL	522
24" width (610mm)	36"	914	1.0	33	15.0	SHDS2436VL	499	26	11.8	HDS2436VL	480
	42"	1067	1.2	37	16.8	SHDS2442VL	523	30	13.6	HDS2442VL	495
	48"	1219	1.3	41	18.6	SHDS2448VL	548	34	15.4	HDS2448VL	518
	54"	1372	1.5	47	21.3	SHDS2454VL	594	39	17.6	HDS2454VL	566
	60"	1524	1.7	53	24.0	SHDS2460VL	615	45	20.4	HDS2460VL	577

Valu-Gard® Green Epoxy

	length		cu ft	14 gauge				16 gauge			
				weight		model #	list	weight		model #	list
	in.	mm		lb.	kg			lb.	kg		
18" width (457mm)	36"	914	0.8	22	10.4	SHDS1836VGL	474	17	7.7	HDS1836VGL	448
	42"	1067	0.9	24	10.9	SHDS1842VGL	489	19	8.6	HDS1842VGL	475
	48"	1219	1.0	27	12.2	SHDS1848VGL	512	22	10.0	HDS1848VGL	486
	54"	1372	1.1	31	14.5	SHDS1854VGL	518	25	11.3	HDS1854VGL	504
	60"	1524	1.3	34	15.4	SHDS1860VGL	566	27	12.2	HDS1860VGL	522
24" width (610mm)	36"	914	1.0	33	15.0	SHDS2436VGL	499	26	11.8	HDS2436VGL	480
	42"	1067	1.2	37	16.8	SHDS2442VGL	523	30	13.6	HDS2442VGL	495
	48"	1219	1.3	41	18.6	SHDS2448VGL	548	34	15.4	HDS2448VGL	518
	54"	1372	1.5	47	21.3	SHDS2454VGL	594	39	17.6	HDS2454VGL	566
	60"	1524	1.7	53	24.0	SHDS2460VGL	615	45	20.4	HDS2460VGL	577

Quik-Set® Solid Shelving Accessories

see spec sheet **EG01.23A**

(•) MTS (made to stock) / () MTO (made to order)

Posts

1½" (42mm) diameter. Grooved in 2" (51mm) increments.

					Stationary Posts		Caster Posts	
height		weight		cu ft	stainless steel		stainless steel	
in.	mm	lb.	kg		model #	list	model #	list
14"	356	1.0	0.5	0.2	HDSP14-S	109	HDSCP14-S	109
33"	838	2.0	0.9	0.2	HDSP33-S	152	HDSCP33-S	152
54"	1372	3.0	1.4	0.2	HDSP54-S	159	HDSCP54-S	159
63"	1600	3.5	1.8	0.2	HDSP63-S	185	HDSCP63-S	185
74"	1880	4.0	1.8	0.2	HDSP74-S	207	HDSCP74-S	207

Adjustable Foot

Adjust from minimum height of 1½" to maximum height of 2½" (38 to 64mm).

weight		model #	list
lb.	kg		
0.25	0.1	301036	22



Post Cap

Black plastic cap fits inside 1½" (32mm) diameter post.

weight		model #	list
lb.	kg		
0.25	0.1	330010	8



Casters

- 5" (127mm) diameter.
- Set of four (two swivel, two with brake).

(•) MTS (made to stock) / () MTO (made to order)

Polymer Cart Washable with Polymer Tread

weight capacity per caster		model #	list per set
lbs.	kg		
250	113.4	CAHW4-SB •	1178

Nickel with Poly Tread

weight capacity per caster		model #	list per set
lbs.	kg		
250	113.4	CAHP4-SB •	950

Stainless Steel Caster Cradle®

see product announcement **EG8108M**




FEATURES:

- The only caster stabilizing device with a patented uniform circular design (patent #US 8,678,335 B2) that allows for approach from any angle.
- Units are secured to the floor where the casters are to be centered.

description	model #	list/pkg
quantity of 2 per package	CC-S-2	185
quantity of 10 per package	CC-S-10	728
quantity of 60 per package	CC-S-60	4080

Catalog Section 1



**For Use
with Both
Standard Wire
and Solid
Shelving!**

Weight Capacities

Allowable Bracket Loading *
(per bracket)

bracket length		maximum load recommended	
in.	mm	lb.	kg
14"	356	540	244.9
18"	457	465	210.9
21"	533	395	179.2
24"	610	360	163.3

Shelf Load Capacity (per shelf)
Shelves not included.

shelf description	weight capacity	
lb.	kg	
Shelves 24" to 48" (610 to 1219mm) long	800	362.8
Shelves 54" to 72" (1372 to 1829mm) long	600	272.2

* Pertains to brackets only on pages 69 and 70.

Features:

- Requires no post supports to get in the way, making shelf loading and unloading easier.
- 100% usable shelving surface, from section to section, wall to wall, and front to back.
- Floor is unobstructed.
- Infinite height adjustability, no slots or keyholes to line up for leveling.
- Heavy-duty, rugged construction.
- Cantilever shelving components are listed on pages 67 through 71.

Cantilever Shelving Systems

Standard Uprights

see spec sheet **EG01.45A**

**For wall-mounted
storage.**

FEATURES:

- 14 gauge.
- Continuously seam-welded.
- Rust and corrosion resistant.

Note: Prices do not include ceiling brackets.

			Stainless Steel						Aluminum					
height		cu	weight		REGULAR		NSF		weight		REGULAR		NSF	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
12"	305	0.02	1	0.5	MMUSS-1	166	MMNSUSS-1	176	1	0.5	MMU/A-1	49	MMNSU/A-1	59
24"	610	0.04	3	1.4	MMUSS-2	303	MMNSUSS-2	316	2	0.9	MMU/A-2	92	MMNSU/A-2	94
36"	914	0.06	4	1.8	MMUSS-3	453	MMNSUSS-3	480	2	0.9	MMU/A-3	142	MMNSU/A-3	148
48"	1219	0.08	5	2.3	MMUSS-4	603	MMNSUSS-4	630	3	1.4	MMU/A-4	164	MMNSU/A-4	176
60"	1524	0.10	7	3.2	MMUSS-5	759	MMNSUSS-5	795	4	1.8	MMU/A-5	206	MMNSU/A-5	219
72"	1829	0.13	8	3.6	MMUSS-6	900	MMNSUSS-6	938	4	1.8	MMU/A-6	245	MMNSU/A-6	269
84"	2134	0.15	9	4.1	MMUSS-7	1049	MMNSUSS-7	1095	5	2.3	MMU/A-7	293	MMNSU/A-7	309
96"	2438	0.17	11	5.0	MMUSS-8	1195	MMNSUSS-8	1253	6	2.7	MMU/A-8	334	MMNSU/A-8	362
108"	2743	0.19	12	5.4	MMUSS-9	1340	MMNSUSS-9	1408	7	3.2	MMU/A-9	376	MMNSU/A-9	408
120"	3048	0.21	13	5.8	MMUSS-10	1487	MMNSUSS-10	1565	7	3.2	MMU/A-10	420	MMNSU/A-10	453
144"	3658	0.23	16	7.3	MMUSS-12	1787	MMNSUSS-12	1877	9	4.1	MMU/A-12	518	MMNSU/A-12	559
156"	3962	0.25	-	-	n/a	n/a	n/a	n/a	10	4.5	MMU/A-14	608	MMNSU/A-14	649
168"	4267	0.30	-	-	n/a	n/a	n/a	n/a	12	5.4	MMU/A-16	689	MMNSU/A-16	738

Back-To-Back Uprights — Floor-To-Ceiling

see spec sheet **EG01.45A**

FEATURES:

- Attaches to floor and ceiling.
- Two uprights are bolted or welded back-to-back.

Note: Prices do not include ceiling brackets.



For center room storage.

		Stainless Steel				Aluminum			
height	cu	weight		REGULAR		NSF		weight	
		lb.	kg	model #	list	model #	list	lb.	kg
48"	1219	0.29	11	5.0	MMBBSS/FC-4 1203	MMNSBBSS/FC-4 1374	11	5.0	MMBB/FC/A-4 358
60"	1524	0.37	24	10.9	MMBBSS/FC-5 1506	MMNSBBSS/FC-5 1728	14	6.4	MMBB/FC/A-5 450
72"	1829	0.44	28	12.7	MMBBSS/FC-6 1787	MMNSBBSS/FC-6 2058	17	7.7	MMBB/FC/A-6 540
84"	2134	0.51	33	15.0	MMBBSS/FC-7 2086	MMNSBBSS/FC-7 2400	20	9.0	MMBB/FC/A-7 633
96"	2438	0.59	38	17.2	MMBBSS/FC-8 2380	MMNSBBSS/FC-8 2734	23	10.4	MMBB/FC/A-8 727
108"	2743	0.66	42	19.1	MMBBSS/FC-9 2675	MMNSBBSS/FC-9 3077	26	11.8	MMBB/FC/A-9 822
120"	3048	0.73	47	21.3	MMBBSS/FC-10 2975	MMNSBBSS/FC-10 3419	29	13.2	MMBB/FC/A-10 1134
144"	3658	0.88	57	25.9	MMBBSS/FC-12 3573	MMNSBBSS/FC-12 4108	34	15.4	MMBB/FC/A-12 1172

Heavy-Duty Back-To-Back Uprights — Floor-To-Ceiling

see spec sheet **EG01.45C**

FEATURES:

- Double-faced unitized uprights.
- Attaches to floor and ceiling.
- Two uprights are bolted or welded back-to-back.

Note: Prices do not include ceiling brackets.



For center room storage.

		Stainless Steel				Aluminum			
height	cu	weight		REGULAR		NSF		weight	
		lb.	kg	model #	list	model #	list	lb.	kg
48"	1219	0.29	11	5.0	MMBBSS-4 1426	MMNSBBSS-4 1638	14	6.4	MMBB/A-4 628
60"	1524	0.37	24	10.9	MMBBSS-5 1795	MMNSBBSS-5 2065	17	7.7	MMBB/A-5 712
72"	1829	0.44	28	12.7	MMBBSS-6 2164	MMNSBBSS-6 2483	21	9.5	MMBB/A-6 849
84"	2134	0.51	33	15.0	MMBBSS-7 2523	MMNSBBSS-7 2889	24	10.9	MMBB/A-7 997
96"	2438	0.59	38	17.2	MMBBSS-8 2882	MMNSBBSS-8 3304	28	12.7	MMBB/A-8 1132
108"	2743	0.66	42	19.1	MMBBSS-9 3239	MMNSBBSS-9 3717	31	14.1	MMBB/A-9 1280
120"	3048	0.73	47	21.3	MMBBSS-10 3596	MMNSBBSS-10 4133	34	15.4	MMBB/A-10 1417
144"	3658	0.88	57	25.9	MMBBSS-12 4334	MMNSBBSS-12 4947	41	18.6	MMBB/A-12 1700

Ceiling Brackets for Standard and Back-To-Back Uprights

see spec sheet **EG01.45B**

Note: Required for all installations.

Note: In a run of shelving, left or right brackets can be used as "center" brackets.



description	Stainless Steel				Aluminum			
	REGULAR		NSF		REGULAR		NSF	
	model #	list	model #	list	model #	list	model #	list
left	MMCBSS-6-L	109	MMNSCBSS-6-L	115	MMCB/A6-L	70	MMNSCB/A6-L	70
right	MMCBSS-6-R	109	MMNSCBSS-6-R	115	MMCB/A6-R	70	MMNSCB/A6-R	70


Catalog Section 1

Heavy Duty Crossbraces

see spec sheet **EG01.45C**

FEATURES:

- Adds to stability of unit.
- 1" (25mm) wide 7-gauge steel.



						Nickel	
fits shelf length		crossbrace length		weight		model #	list
in.	mm	in.	mm	lb.	kg		
36"	914	48"	1219	2	0.9	MMXB-N-48	125
48"	1219	60"	1524	3	1.4	MMXB-N-60	148
60"	1524	72"	1829	4	1.8	MMXB-N-72	176
72"	1829	84"	2134	5	2.3	MMXB-N-84	205

Single Knob Brackets

see spec sheet **EG01.45B**

FEATURES:

- With flange on top left or right, these brackets support single shelf or end of shelf run.



Note: For weight capacities, see page 67

Left Single Knob Brackets

				Stainless Steel								Aluminum					
length		cu	weight		REGULAR		NSF		weight		REGULAR		NSF				
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list			
14"	356	0.09	2	0.9	MMBSS-K-14-L	263	MMNSBSS-K-14-L	284	1	0.5	MMB-K/A-14-L	142	MMNSB-K/A-14-L	152			
18"	457	0.12	2	0.9	MMBSS-K-18-L	366	MMNSBSS-K-18-L	377	1	0.5	MMB-K/A-18-L	159	MMNSB-K/A-18-L	174			
21"	533	0.15	3	1.4	MMBSS-K-21-L	436	MMNSBSS-K-21-L	456	1	0.5	MMB-K/A-21-L	176	MMNSB-K/A-21-L	197			
24"	610	0.17	3	1.4	MMBSS-K-24-L	474	MMNSBSS-K-24-L	489	2	0.9	MMB-K/A-24-L	204	MMNSB-K/A-24-L	219			

Right Single Knob Brackets

				Stainless Steel								Aluminum					
length		cu	weight		REGULAR		NSF		weight		REGULAR		NSF				
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list			
14"	356	0.09	2	0.9	MMBSS-K-14-R	263	MMNSBSS-K-14-R	284	1	0.5	MMB-K/A-14-R	142	MMNSB-K/A-14-R	152			
18"	457	0.12	2	0.9	MMBSS-K-18-R	366	MMNSBSS-K-18-R	377	1	0.5	MMB-K/A-18-R	159	MMNSB-K/A-18-R	174			
21"	533	0.15	3	1.4	MMBSS-K-21-R	436	MMNSBSS-K-21-R	456	1	0.5	MMB-K/A-21-R	176	MMNSB-K/A-21-R	197			
24"	610	0.17	3	1.4	MMBSS-K-24-R	474	MMNSBSS-K-24-R	489	2	0.9	MMB-K/A-24-R	204	MMNSB-K/A-24-R	219			

Double Knob Brackets

see spec sheet **EG01.45B**

FEATURES:

- With flanges on top left and right, these brackets support two adjoining wire or solid shelves on a common upright.



For use with wire or solid shelving

Note: For weight capacities, see page 67

				Stainless Steel								Aluminum							
length		cu	weight		REGULAR		NSF		weight		REGULAR		NSF						
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list					
14"	356	0.19	3	1.4	MMDBSS-K-14	366	MMNSDBSS-K-14	394	1	0.5	MMDB-K/A-14	207	MMNSDB-K/A-14	233					
18"	457	0.25	3	1.4	MMDBSS-K-18	522	MMNSDBSS-K-18	550	2	0.9	MMDB-K/A-18	273	MMNSDB-K/A-18	299					
21"	533	0.29	4	1.8	MMDBSS-K-21	622	MMNSDBSS-K-21	658	2	0.9	MMDB-K/A-21	293	MMNSDB-K/A-21	325					
24"	610	0.33	4	1.8	MMDBSS-K-24	678	MMNSDBSS-K-24	697	2	0.9	MMDB-K/A-24	307	MMNSDB-K/A-24	340					

Optional Single Foot Brackets with Knobs

see spec sheet **EG01.45B**



For use with wire and solid shelving

- Serves as a base for bottom shelf.
- Left brackets and right brackets available.
- 9 $\frac{3}{8}$ " (238mm) height.

FEATURES:

Note: For weight capacities, see page 67

Left Single Foot Brackets with Knobs

Stainless Steel

length		cu ft	weight		REGULAR		NSF	
in.	mm		lb.	kg	model #	list	model #	list
14"	356	0.13	4	1.8	MMFBSSK-149-L	598	MMNSFBSSK-149-L	689
18"	457	0.17	6	2.7	MMFBSSK-189-L	792	MMNSFBSSK-189-L	907
24"	610	0.21	7	3.2	MMFBSSK-249-L	1022	MMNSFBSSK-249-L	1172

Right Single Foot Brackets with Knobs

Stainless Steel

length		cu ft	weight		REGULAR		NSF	
in.	mm		lb.	kg	model #	list	model #	list
14"	356	0.13	4	1.8	MMFBSSK-149-R	598	MMNSFBSSK-149-R	689
18"	457	0.17	6	2.7	MMFBSSK-189-R	792	MMNSFBSSK-189-R	907
24"	610	0.21	7	3.2	MMFBSSK-249-R	1022	MMNSFBSSK-249-R	1172

Optional Double Foot Brackets with Knobs

see spec sheet **EG01.45B**



- For use with wire or solid shelving.
- Serves as a base for adjoining two bottom shelves.
- 9 $\frac{3}{8}$ " (238mm) height.

FEATURES:

Note: For weight capacities, see page 67

Stainless Steel

length		cu ft	weight		REGULAR		NSF	
in.	mm		lb.	kg	model #	list	model #	list
14"	356	0.26	5	2.3	MMDFBSSK-149	686	MMNSDFBSSK-149	789
18"	457	0.33	7	3.2	MMDFBSSK-189	874	MMNSDFBSSK-189	1008
24"	610	0.42	8	3.6	MMDFBSSK-249	1162	MMNSDFBSSK-249	1340

Catalog Section 1

Heavy Duty Single Knob "C" Brackets

see spec sheet **EG01.45C**

FEATURES:

- For dynamic loads.
- For use with wire or solid shelving.

Allowable Bracket Loading
(per Heavy Duty Bracket)

bracket length in.	mm	maximum load recommended	
		lb.	kg
18"	457	465	210.9
21"	533	395	179.2
24"	610	360	163.3

Left Single Knob Brackets

Stainless Steel

length in.	mm	cu ft	weight lb.	kg	REGULAR		NSF		weight lb.	kg	REGULAR		NSF	
					model #	list	model #	list			model #	list	model #	list
18"	457	0.12	2	0.9	MMBCSS-K-18-L	240	MMNSBCSS-K-18-L	252	1	0.5	MMBC-K/A-18-L	125	MMNSBC-K/A-18-L	132
21"	533	0.15	3	1.4	MMBCSS-K-21-L	297	MMNSBCSS-K-21-L	326	1	0.5	MMBC-K/A-21-L	142	MMNSBC-K/A-21-L	148
24"	610	0.17	3	1.4	MMBCSS-K-24-L	353	MMNSBCSS-K-24-L	377	2	0.9	MMBC-K/A-24-L	148	MMNSBC-K/A-24-L	159

Aluminum

Right Single Knob Brackets

Stainless Steel

length in.	mm	cu ft	weight lb.	kg	REGULAR		NSF		weight lb.	kg	REGULAR		NSF	
					model #	list	model #	list			model #	list	model #	list
18"	457	0.12	2	0.9	MMBCSS-K-18-R	240	MMNSBCSS-K-18-R	252	1	0.5	MMBC-K/A-18-R	125	MMNSBC-K/A-18-R	132
21"	533	0.15	3	1.4	MMBCSS-K-21-R	297	MMNSBCSS-K-21-R	326	1	0.5	MMBC-K/A-21-R	142	MMNSBC-K/A-21-R	148
24"	610	0.17	3	1.4	MMBCSS-K-24-R	353	MMNSBCSS-K-24-R	377	2	0.9	MMBC-K/A-24-R	148	MMNSBC-K/A-24-R	159

Aluminum

Heavy Duty Double Knob "C" Brackets

see spec sheet **EG01.45C**

FEATURES:

- For dynamic loads.
- With flanges on top left and right, these brackets support two adjoining wire or solid shelves on a common upright.


Allowable Bracket Loading
(per Heavy Duty Bracket)

bracket length in.	mm	maximum load recommended	
		lb.	kg
18"	457	465	210.9
21"	533	395	179.2
24"	610	360	163.3

Stainless Steel

length in.	mm	cu ft	weight lb.	kg	REGULAR		NSF		weight lb.	kg	REGULAR		NSF	
					model #	list	model #	list			model #	list	model #	list
18"	457	0.25	3	1.4	MMDBCSS-K-18	358	MMNSDBCSS-K-18	377	2	0.9	MMDBC-K/A-18	196	MMNSDBC-K/A-18	210
21"	533	0.29	4	1.8	MMDBCSS-K-21	417	MMNSDBCSS-K-21	443	2	0.9	MMDBC-K/A-21	220	MMNSDBC-K/A-21	233
24"	610	0.33	4	1.8	MMDBCSS-K-24	463	MMNSDBCSS-K-24	495	2	0.9	MMDBC-K/A-24	240	MMNSDBC-K/A-24	240

Aluminum



UP TO
2,800-LB.
WEIGHT
CAPACITY

PATENTED!
(patent #10,159,339)

SEE PAGES 75-80
FOR Q-LEVER® STARTER
AND ADD-ON UNITS.

SEE PAGES 81-83
FOR VARIOUS Q-LEVER®
WORKSTATIONS.

SEE PAGE 84 FOR *NEW*
Q-LEVER® UNITS WITH
TOP AND/OR BOTTOM
CABINETS.

Q-LEVER
CLEVER STORAGE SOLUTIONS

Heavy Duty Cantilever Shelving Systems

(pages 73 through 86)




No one else offers brackets that can be positioned...



Q-LEVER

CLEVER STORAGE SOLUTIONS



up to
2,800-lb.
CAPACITY

PATENTED!
(patent #10,159,339)

Q-LEVER® Shelving
has a load bearing capacity of 600
lbs. per shelf and 1,000 lbs. on the
bottom dunnage shelf. Unit safely
holds up to 2,800 lbs.

ADDITIONAL NOTES

- Evenly distribute the weight across each shelf, and keep heavier loads on the bottom.
- Unit must be bolted to the floor if bottom shelf is removed.
- Unit must be placed on a level surface to avoid a tipping hazard.



5-Tier Starter Unit




Starter and Add-On Units joined

Overview...

- Maximizes storage, free standing shelving allows access to all corners.
- With no front uprights, accessibility and productivity are improved.
- Uprights utilize 2" adjustment for shelf and accessory spacing.
- Shelves and accessories can be easily adjusted without tools.
- Can be expanded side to side with Add-On units which share a common upright with existing unit; saving cost and space.
- Units allow for sheet metal or wire overlays.
- Sizing available:
 - Widths: 18", 21", 24" and 30".
 - Lengths: 24", 30", 36", 42", 48", 54", 60", 66" and 72".

Q-LEVER

CLEVER STORAGE SOLUTIONS



Overview of chart dimensions...

- Add 4" to the shelf length for nominal length of starter unit.
- Add 1/2" to the shelf length for nominal length of add-on unit.
- Add 5" to the shelf width for both starter unit and add-on unit.

Applicable charts are on pages 75 through 80.

Q-LEVER® standard starter and add-on units feature standard wire shelves and dunnage shelves. The Q-LEVER® system can also accommodate...

Solid Shelves • Quad-PLUS® • Double Wire Mat Shelves • Reverse Mat Shelves • Dunnage Shelves
...or a mixture of same based upon your storage needs.



Contact Factory for a quotation on a Q-LEVER® System utilizing these shelving options.

Catalog Section 1

Q-LEVER® 76" (1930mm) Four-Tier Starter Units

see spec sheets **EG01.58A** and **EG01.58B**unit with
all wire shelvesunit with bottom
dunnage shelf

FEATURES:

- Features two 76" (1930mm) uprights, two braces, X-brace assembly, and hardware.
- Uprights utilize pins on 2" (51mm) centers for maximum flexibility for shelves and accessories
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on uprights.

Consult factory for pricing.

Starter Units with All Wire Shelves

Includes four wire shelves and three pairs of brackets. To order units with Valu-Gard® green epoxy coated shelves, replace "V" in model number with **VG**. Example: Q2442**VG**76-4

		...with 18" (457mm)-wide Shelves *			...with 21" (533mm)-wide Shelves *			...with 24" (610mm)-wide Shelves *			...with 30" (762mm)-wide Shelves *		
shelf length	unit**	w/Valu-Master®			w/Valu-Master®			w/Valu-Master®			w/Valu-Master®		
in. mm	in. mm	weights	gray epoxy		weights	gray epoxy		weights	gray epoxy		weights	gray epoxy	
		lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves
24"	610	28"	711	142 64	Q1824V76-4	155 70	Q2124V76-4	160 73	Q2424V76-4		-	-	
30"	762	34"	864	147 66	Q1830V76-4	156 71	Q2130V76-4	169 77	Q2430V76-4	201 91	Q3030V76-4		
36"	914	40"	1016	152 69	Q1836V76-4	165 75	Q2136V76-4	178 81	Q2436V76-4	206 93	Q3036V76-4		
42"	1067	46"	1168	161 73	Q1842V76-4	170 77	Q2142V76-4	187 85	Q2442V76-4	219 99	Q3042V76-4		
48"	1219	52"	1320	166 75	Q1848V76-4	179 81	Q2148V76-4	192 87	Q2448V76-4	228 103	Q3048V76-4		
54"	1372	58"	1473	179 81	Q1854V76-4	188 85	Q2154V76-4	205 93	Q2454V76-4	233 106	Q3054V76-4		
60"	1524	64"	1626	188 85	Q1860V76-4	197 89	Q2160V76-4	214 97	Q2460V76-4	242 110	Q3060V76-4		
66"	1676	70"	1778	202 91	Q1866V76-4	211 96	Q2166V76-4	228 104	Q2466V76-4	256 116	Q3066V76-4		
72"	1829	76"	1930	204 92	Q1872V76-4	225 102	Q2172V76-4	238 108	Q2472V76-4	266 121	Q3072V76-4		

* For unit width, add 5" (127mm) to shelf width.

** Dimensions are nominal.

Starter Units with Bottom Dunnage Shelf

Includes three wire shelves, three pairs of brackets and one dunnage shelf. To order units with Valu-Gard® green epoxy coated shelves, replace "V" in model number with **VG**. Example: Q2448**VG**76-4D

		...with 18" (457mm)-wide Shelves *			...with 21" (533mm)-wide Shelves *			...with 24" (610mm)-wide Shelves *			...with 30" (762mm)-wide Shelves *		
shelf length	unit**	w/Valu-Master®			w/Valu-Master®			w/Valu-Master®			w/Valu-Master®		
in. mm	in. mm	weights	gray epoxy		weights	gray epoxy		weights	gray epoxy		weights	gray epoxy	
		lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves
24"	610	28"	711	149 67	Q1824V76-4D	161 73	Q2124V76-4D	167 76	Q2424V76-4D		-	-	
30"	762	34"	864	157 71	Q1830V76-4D	166 75	Q2130V76-4D	178 81	Q2430V76-4D	210 95	Q3030V76-4D		
36"	914	40"	1016	164 74	Q1836V76-4D	175 79	Q2136V76-4D	189 86	Q2436V76-4D	219 99	Q3036V76-4D		
42"	1067	46"	1168	178 80	Q1842V76-4D	186 84	Q2142V76-4D	202 92	Q2442V76-4D	237 107	Q3042V76-4D		
48"	1219	52"	1320	182 82	Q1848V76-4D	193 87	Q2148V76-4D	206 94	Q2448V76-4D	244 110	Q3048V76-4D		
54"	1372	58"	1473	197 89	Q1854V76-4D	206 93	Q2154V76-4D	223 101	Q2454V76-4D	256 116	Q3054V76-4D		
60"	1524	64"	1626	204 92	Q1860V76-4D	213 97	Q2160V76-4D	230 104	Q2460V76-4D	263 119	Q3060V76-4D		
66"	1676	70"	1778	220 100	Q1866V76-4D	232 105	Q2166V76-4D	248 113	Q2466V76-4D	283 128	Q3066V76-4D		
72"	1829	76"	1930	222 100	Q1872V76-4D	243 110	Q2172V76-4D	256 116	Q2472V76-4D	291 132	Q3072V76-4D		

* For unit width, add 5" (127mm) to shelf width.

** Dimensions are nominal.

Q-LEVER® 76" (1930mm) Four-Tier Add-On Units

see spec sheets **EG01.59A** and **EG01.59B**



unit with
all wire shelves

unit with bottom
dunnage shelf

FEATURES:

- Features one 76" (1930mm) upright, two braces, X-brace assembly, and hardware.
- Uprights utilize pins on 2" (51mm) centers for maximum flexibility for shelves and accessories
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on upright.

Consult factory for pricing.

Add-On Units with All Wire Shelves

Includes four wire shelves and three pairs of brackets. To order units with Valu-Gard® green epoxy coated shelves, replace "V" in model number with **VG**. Example: Q2442**VG**76A-4

				...with 18" (457mm)-wide Shelves *			...with 21" (533mm)-wide Shelves *			...with 24" (610mm)-wide Shelves *			...with 30" (762mm)-wide Shelves *		
shelf length in. mm	unit** length in. mm			weights		w/Valu-Master® gray epoxy coated shelves	weights		w/Valu-Master® gray epoxy coated shelves	weights		w/Valu-Master® gray epoxy coated shelves	weights		w/Valu-Master® gray epoxy coated shelves
		lbs.	kg				lbs.	kg		lbs.	kg		lbs.	kg	
24"	610	25½"	648	107	49	Q1824V76A-4	119	54	Q2124V76A-4	124	56	Q2424V76A-4	—	—	—
30"	762	31½"	800	112	51	Q1830V76A-4	120	55	Q2130V76A-4	133	60	Q2430V76A-4	163	74	Q3030V76A-4
36"	914	37½"	953	117	53	Q1836V76A-4	129	59	Q2136V76A-4	142	64	Q2436V76A-4	168	76	Q3036V76A-4
42"	1067	43½"	1105	126	57	Q1842V76A-4	134	61	Q2142V76A-4	151	68	Q2442V76A-4	181	82	Q3042V76A-4
48"	1219	49½"	1257	131	59	Q1848V76A-4	143	65	Q2148V76A-4	156	71	Q2448V76A-4	190	86	Q3048V76A-4
54"	1372	55½"	1410	144	65	Q1854V76A-4	152	69	Q2154V76A-4	169	76	Q2454V76A-4	195	88	Q3054V76A-4
60"	1524	61½"	1562	153	69	Q1860V76A-4	161	73	Q2160V76A-4	178	81	Q2460V76A-4	204	92	Q3060V76A-4
66"	1676	67½"	1715	167	76	Q1866V76A-4	175	80	Q2166V76A-4	192	87	Q2466V76A-4	218	99	Q3066V76A-4
72"	1829	73½"	1867	169	77	Q1872V76A-4	189	86	Q2172V76A-4	202	91	Q2472V76A-4	228	103	Q3072V76A-4

* For unit width, add 5" (127mm) to shelf width.

** Dimensions are nominal.

Add-On Units with Bottom Dunnage Shelf

Includes three wire shelves, three pairs of brackets and one dunnage shelf. To order units with Valu-Gard® green epoxy coated shelves, replace "V" in model number with **VG**. Example: Q2448**VG**76A-4D

				...with 18" (457mm)-wide Shelves *			...with 21" (533mm)-wide Shelves *			...with 24" (610mm)-wide Shelves *			...with 30" (762mm)-wide Shelves *		
shelf length in. mm	unit** length in. mm			weights		w/Valu-Master® gray epoxy coated shelves	weights		w/Valu-Master® gray epoxy coated shelves	weights		w/Valu-Master® gray epoxy coated shelves	weights		w/Valu-Master® gray epoxy coated shelves
		lbs.	kg				lbs.	kg		lbs.	kg		lbs.	kg	
24"	610	25½"	648	114	52	Q1824V76A-4D	125	57	Q2124V76A-4D	131	59	Q2424V76A-4D	—	—	—
30"	762	31½"	800	122	55	Q1830V76A-4D	130	59	Q2130V76A-4D	142	64	Q2430V76A-4D	172	78	Q3030V76A-4D
36"	914	37½"	953	129	59	Q1836V76A-4D	139	63	Q2136V76A-4D	153	69	Q2436V76A-4D	181	82	Q3036V76A-4D
42"	1067	43½"	1105	143	65	Q1842V76A-4D	150	68	Q2142V76A-4D	166	75	Q2442V76A-4D	198	90	Q3042V76A-4D
48"	1219	49½"	1257	147	67	Q1848V76A-4D	157	71	Q2148V76A-4D	170	77	Q2448V76A-4D	205	93	Q3048V76A-4D
54"	1372	55½"	1410	162	73	Q1854V76A-4D	170	77	Q2154V76A-4D	187	85	Q2454V76A-4D	218	99	Q3054V76A-4D
60"	1524	61½"	1562	169	77	Q1860V76A-4D	177	80	Q2160V76A-4D	194	88	Q2460V76A-4D	225	102	Q3060V76A-4D
66"	1676	67½"	1715	185	84	Q1866V76A-4D	196	89	Q2166V76A-4D	212	96	Q2466V76A-4D	245	111	Q3066V76A-4D
72"	1829	73½"	1867	187	85	Q1872V76A-4D	207	94	Q2172V76A-4D	220	100	Q2472V76A-4D	253	115	Q3072V76A-4D

* For unit width, add 5" (127mm) to shelf width.

** Dimensions are nominal.

Catalog Section 1

Q-LEVER® 76" (1930mm) Five-Tier Starter Units

see spec sheets **EG01.58C** and **EG01.58D**unit with
all wire shelvesunit with bottom
dunnage shelf

FEATURES:

- Features two 76" (1930mm) uprights, two braces, X-brace assembly, and hardware.
- Uprights utilize pins on 2" (51mm) centers for maximum flexibility for shelves and accessories
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on uprights.

Consult factory for pricing.

Starter Units with All Wire Shelves

Includes five wire shelves and four pairs of brackets. To order units with Valu-Gard® green epoxy coated shelves, replace "V" in model number with **VG**. Example: Q2442**VG**76-5

shelf length		unit** length		...with 18" (457mm)-wide Shelves *			...with 21" (533mm)-wide Shelves *			...with 24" (610mm)-wide Shelves *			...with 30" (762mm)-wide Shelves *		
				w/Valu-Master®			w/Valu-Master®			w/Valu-Master®			w/Valu-Master®		
				weights		gray epoxy	weights		gray epoxy	weights		gray epoxy	weights		gray epoxy
in.	mm	in.	mm	lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves
24"	610	28"	711	160	73	Q1824V76-5	176	80	Q2124V76-5	183	83	Q2424V76-5	-	-	-
30"	762	34"	864	166	75	Q1830V76-5	177	80	Q2130V76-5	194	88	Q2430V76-5	234	106	Q3030V76-5
36"	914	40"	1016	172	78	Q1836V76-5	188	85	Q2136V76-5	205	93	Q2436V76-5	240	109	Q3036V76-5
42"	1067	46"	1168	183	83	Q1842V76-5	194	86	Q2142V76-5	216	98	Q2442V76-5	256	116	Q3042V76-5
48"	1219	52"	1320	189	86	Q1848V76-5	205	93	Q2148V76-5	222	101	Q2448V76-5	267	121	Q3048V76-5
54"	1372	58"	1473	205	93	Q1854V76-5	216	98	Q2154V76-5	238	108	Q2454V76-5	273	124	Q3054V76-5
60"	1524	64"	1626	216	96	Q1860V76-5	227	103	Q2160V76-5	249	113	Q2460V76-5	284	129	Q3060V76-5
66"	1676	70"	1778	233	106	Q1866V76-5	244	111	Q2166V76-5	266	121	Q2466V76-5	301	136	Q3066V76-5
72"	1829	76"	1930	235	107	Q1872V76-5	261	119	Q2172V76-5	278	126	Q2472V76-5	313	142	Q3072V76-5

* For unit width, add 5" (127mm) to shelf width.

** Dimensions are nominal.

Starter Units with Bottom Dunnage Shelf

Includes four wire shelves, four pairs of brackets and one dunnage shelf. To order units with Valu-Gard® green epoxy coated shelves, replace "V" in model number with **VG**. Example: Q2448**VG**76-5D

shelf length		unit** length		...with 18" (457mm)-wide Shelves *			...with 21" (533mm)-wide Shelves *			...with 24" (610mm)-wide Shelves *			...with 30" (762mm)-wide Shelves *		
				w/Valu-Master®			w/Valu-Master®			w/Valu-Master®			w/Valu-Master®		
				weights		gray epoxy	weights		gray epoxy	weights		gray epoxy	weights		gray epoxy
in.	mm	in.	mm	lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves
24"	610	28"	711	167	76	Q1824V76-5D	182	83	Q2124V76-5D	190	86	Q2424V76-5D	-	-	-
30"	762	34"	864	176	80	Q1830V76-5D	187	85	Q2130V76-5D	203	92	Q2430V76-5D	243	110	Q3030V76-5D
36"	914	40"	1016	184	83	Q1836V76-5D	198	90	Q2136V76-5D	216	98	Q2436V76-5D	253	115	Q3036V76-5D
42"	1067	46"	1168	200	91	Q1842V76-5D	210	95	Q2142V76-5D	231	105	Q2442V76-5D	273	124	Q3042V76-5D
48"	1219	52"	1320	205	93	Q1848V76-5D	219	100	Q2148V76-5D	236	107	Q2448V76-5D	282	128	Q3048V76-5D
54"	1372	58"	1473	223	101	Q1854V76-5D	234	106	Q2154V76-5D	256	116	Q2454V76-5D	296	134	Q3054V76-5D
60"	1524	64"	1626	232	105	Q1860V76-5D	243	110	Q2160V76-5D	265	120	Q2460V76-5D	305	138	Q3060V76-5D
66"	1676	70"	1778	251	114	Q1866V76-5D	265	114	Q2166V76-5D	286	130	Q2466V76-5D	328	149	Q3066V76-5D
72"	1829	76"	1930	253	115	Q1872V76-5D	279	115	Q2172V76-5D	296	134	Q2472V76-5D	338	153	Q3072V76-5D

* For unit width, add 5" (127mm) to shelf width.

** Dimensions are nominal.

Q-LEVER® 76" (1930mm) Five-Tier Add-On Units

see spec sheets **EG01.59C** and **EG01.59D**



FEATURES:

- Features one 76" (1930mm) upright, two braces, X-brace assembly, and hardware.
- Uprights utilize pins on 2" (51mm) centers for maximum flexibility for shelves and accessories
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on upright(s)

Consult factory for pricing.

Add-On Units with All Wire Shelves

Includes five wire shelves and four pairs of brackets. To order units with Valu-Gard® green epoxy coated shelves, replace "V" in model number with **VG**. Example: Q2442**VG**76A-5

		...with 18" (457mm)-wide Shelves *				...with 21" (533mm)-wide Shelves *				...with 24" (610mm)-wide Shelves *				...with 30" (762mm)-wide Shelves *			
shelf length in. mm	unit** length in. mm			w/Valu-Master®				w/Valu-Master®				w/Valu-Master®				w/Valu-Master®	
		weights		gray epoxy		weights		gray epoxy		weights		gray epoxy		weights		gray epoxy	
		lbs.	kg	coated shelves		lbs.	kg	coated shelves		lbs.	kg	coated shelves		lbs.	kg	coated shelves	
24"	610	25½"	648	126	57	Q1824V76A-5		141	64	Q2124V76A-5		146	66	Q2424V76A-5		—	—
30"	762	31½"	800	132	60	Q1830V76A-5		142	64	Q2130V76A-5		157	71	Q2430V76A-5		195	89
36"	914	37½"	953	138	62	Q1836V76A-5		153	69	Q2136V76A-5		168	76	Q2436V76A-5		201	91
42"	1067	43½"	1105	149	67	Q1842V76A-5		159	72	Q2142V76A-5		179	81	Q2442V76A-5		217	99
48"	1219	49½"	1257	155	70	Q1848V76A-5		170	77	Q2148V76A-5		185	84	Q2448V76A-5		226	104
54"	1372	55½"	1410	171	77	Q1854V76A-5		181	82	Q2154V76A-5		201	91	Q2454V76A-5		234	106
60"	1524	61½"	1562	182	82	Q1860V76A-5		192	87	Q2160V76A-5		212	96	Q2460V76A-5		245	111
66"	1676	67½"	1715	199	90	Q1866V76A-5		209	95	Q2166V76A-5		229	104	Q2466V76A-5		262	119
72"	1829	73½"	1867	201	91	Q1872V76A-5		226	102	Q2172V76A-5		226	109	Q2472V76A-5		274	124

* For unit width, add 5" (127mm) to shelf width.

** Dimensions are nominal.

Add-On Units with Bottom Dunnage Shelf

Includes four wire shelves, four pairs of brackets and one dunnage shelf. To order units with Valu-Gard® green epoxy coated shelves, replace "V" in model number with **VG**. Example: Q2448**VG**76A-4D

		...with 18" (457mm)-wide Shelves *				...with 21" (533mm)-wide Shelves *				...with 24" (610mm)-wide Shelves *				...with 30" (762mm)-wide Shelves *			
shelf length in. mm	unit** length in. mm			w/Valu-Master®				w/Valu-Master®				w/Valu-Master®				w/Valu-Master®	
		weights		gray epoxy		weights		gray epoxy		weights		gray epoxy		weights		gray epoxy	
		lbs.	kg	coated shelves		lbs.	kg	coated shelves		lbs.	kg	coated shelves		lbs.	kg	coated shelves	
24"	610	25½"	648	133	60	Q1824V76A-5D		147	67	Q2124V76A-5D		153	69	Q2424V76A-5D		—	—
30"	762	31½"	800	142	64	Q1830V76A-5D		152	69	Q2130V76A-5D		166	75	Q2430V76A-5D		204	93
36"	914	37½"	953	150	68	Q1836V76A-5D		163	74	Q2136V76A-5D		179	81	Q2436V76A-5D		214	97
42"	1067	43½"	1105	166	75	Q1842V76A-5D		175	79	Q2142V76A-5D		194	88	Q2442V76A-5D		235	106
48"	1219	49½"	1257	171	77	Q1848V76A-5D		184	83	Q2148V76A-5D		199	90	Q2448V76A-5D		244	111
54"	1372	55½"	1410	189	85	Q1854V76A-5D		199	90	Q2154V76A-5D		219	99	Q2454V76A-5D		258	117
60"	1524	61½"	1562	198	90	Q1860V76A-5D		208	94	Q2160V76A-5D		228	103	Q2460V76A-5D		267	121
66"	1676	67½"	1715	217	98	Q1866V76A-5D		230	104	Q2166V76A-5D		249	113	Q2466V76A-5D		289	131
72"	1829	73½"	1867	219	99	Q1872V76A-5D		244	111	Q2172V76A-5D		259	118	Q2472V76A-5D		299	136

* For unit width, add 5" (127mm) to shelf width.

** Dimensions are nominal.

Catalog Section 1

Q-LEVER® 86" (2184mm) Five-Tier Starter Units

see spec sheets **EG01.58E** and **EG01.58F**

FEATURES:

- Features two 86" (2184mm) uprights, two braces, X-brace assembly, and hardware.
- Uprights utilize pins on 2" (51mm) centers for maximum flexibility for shelves and accessories
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on upright(s)

Consult factory for pricing.

Starter Units with All Wire Shelves

Includes five wire shelves and four pairs of brackets. To order units with Valu-Gard® green epoxy coated shelves, replace "V" in model number with **VG**. Example: Q2442**VG**86-5

		...with 18" (457mm)-wide Shelves *			...with 21" (533mm)-wide Shelves *			...with 24" (610mm)-wide Shelves *			...with 30" (762mm)-wide Shelves *		
shelf length	unit** length			w/Valu-Master® gray epoxy coated shelves			w/Valu-Master® gray epoxy coated shelves			w/Valu-Master® gray epoxy coated shelves			w/Valu-Master® gray epoxy coated shelves
in.	mm	in.	mm	lbs.	kg	lbs.	kg	lbs.	kg	lbs.	kg	lbs.	kg
24"	610	28"	711	166	75	182	83	189	86	242	109	240	109
30"	762	34"	864	172	78	183	83	200	91	243	110	246	111
36"	914	40"	1016	178	81	194	88	211	96	243	110	246	111
42"	1067	46"	1168	189	86	200	91	222	101	244	110	262	119
48"	1219	52"	1320	195	88	211	96	228	103	244	110	273	124
54"	1372	58"	1473	211	96	222	101	244	111	245	111	279	126
60"	1524	64"	1626	222	101	233	106	255	116	246	111	290	131
66"	1676	70"	1778	239	108	250	114	272	123	246	111	307	139
72"	1829	76"	1930	241	109	267	121	284	129	247	111	319	144

* For unit width, add 5" (127mm) to shelf width.

** Dimensions are nominal.

Starter Units with Bottom Dunnage Shelf

Includes four wire shelves, four pairs of brackets and one dunnage shelf. To order units with Valu-Gard® green epoxy coated shelves, replace "V" in model number with **VG**. Example: Q2448**VG**86-5D

		...with 18" (457mm)-wide Shelves *			...with 21" (533mm)-wide Shelves *			...with 24" (610mm)-wide Shelves *			...with 30" (762mm)-wide Shelves *		
shelf length	unit** length			w/Valu-Master® gray epoxy coated shelves			w/Valu-Master® gray epoxy coated shelves			w/Valu-Master® gray epoxy coated shelves			w/Valu-Master® gray epoxy coated shelves
in.	mm	in.	mm	lbs.	kg	lbs.	kg	lbs.	kg	lbs.	kg	lbs.	kg
24"	610	28"	711	173	78	188	85	196	89	242	109	240	109
30"	762	34"	864	182	83	193	88	209	95	243	110	249	113
36"	914	40"	1016	190	86	204	93	222	101	243	110	259	117
42"	1067	46"	1168	206	93	216	98	237	107	244	110	279	127
48"	1219	52"	1320	211	96	225	104	242	110	244	110	288	131
54"	1372	58"	1473	229	104	240	109	262	119	245	111	302	137
60"	1524	64"	1626	238	108	249	113	271	123	246	111	311	141
66"	1676	70"	1778	257	117	271	123	292	132	246	111	334	151
72"	1829	76"	1930	259	117	285	129	302	137	247	111	344	155

* For unit width, add 5" (127mm) to shelf width.

** Dimensions are nominal.

Q-LEVER® 86" (2184mm) Five-Tier Add-On Units

see spec sheets **EG01.59E** and **EG01.59F**



FEATURES:

- Features one 86" (2184mm) upright, two braces, X-brace assembly, and hardware.
- Uprights utilize pins on 2" (51mm) centers for maximum flexibility for shelves and accessories
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on upright(s)

Consult factory for pricing.

Add-On Units with All Wire Shelves

Includes five wire shelves and four pairs of brackets. To order units with Valu-Gard® green epoxy coated shelves, replace "V" in model number with **VG**. Example: Q2442**VG**86A-5

		...with 18" (457mm)-wide Shelves *				...with 21" (533mm)-wide Shelves *				...with 24" (610mm)-wide Shelves *				...with 30" (762mm)-wide Shelves *			
shelf length in. mm	unit** length in. mm			w/Valu-Master®				w/Valu-Master®				w/Valu-Master®				w/Valu-Master®	
		weights		gray epoxy		weights		gray epoxy		weights		gray epoxy		weights		gray epoxy	
		lbs.	kg	coated shelves		lbs.	kg	coated shelves		lbs.	kg	coated shelves		lbs.	kg	coated shelves	
24"	610	25½"	648	129	58	Q1824V86A-5		144	65	Q2124V86A-5		149	68	Q2424V86A-5		—	—
30"	762	31½"	800	135	61	Q1830V86A-5		145	66	Q2130V86A-5		160	73	Q2430V86A-5	198	90	Q3030V86A-5
36"	914	37½"	953	141	64	Q1836V86A-5		156	71	Q2136V86A-5		171	78	Q2436V86A-5	204	93	Q3036V86A-5
42"	1067	43½"	1105	152	69	Q1842V86A-5		162	73	Q2142V86A-5		182	83	Q2442V86A-5	220	100	Q3042V86A-5
48"	1219	49½"	1257	158	71	Q1848V86A-5		173	78	Q2148V86A-5		188	85	Q2448V86A-5	231	105	Q3048V86A-5
54"	1372	55½"	1410	174	79	Q1854V86A-5		184	83	Q2154V86A-5		204	93	Q2454V86A-5	237	108	Q3054V86A-5
60"	1524	61½"	1562	185	84	Q1860V86A-5		195	88	Q2160V86A-5		215	98	Q2460V86A-5	248	113	Q3060V86A-5
66"	1676	67½"	1715	202	91	Q1866V86A-5		212	96	Q2166V86A-5		232	105	Q2466V86A-5	265	120	Q3066V86A-5
72"	1829	73½"	1867	204	92	Q1872V86A-5		229	104	Q2172V86A-5		244	111	Q2472V86A-5	277	126	Q3072V86A-5

* For unit width, add 5" (127mm) to shelf width.

** Dimensions are nominal.

Add-On Units with Bottom Dunnage Shelf

Includes four wire shelves, four pairs of brackets and one dunnage shelf. To order units with Valu-Gard® green epoxy coated shelves, replace "V" in model number with **VG**. Example: Q2448**VG**86A-4D

		...with 18" (457mm)-wide Shelves *				...with 21" (533mm)-wide Shelves *				...with 24" (610mm)-wide Shelves *				...with 30" (762mm)-wide Shelves *			
shelf length in. mm	unit** length in. mm			w/Valu-Master®				w/Valu-Master®				w/Valu-Master®				w/Valu-Master®	
		weights		gray epoxy		weights		gray epoxy		weights		gray epoxy		weights		gray epoxy	
		lbs.	kg	coated shelves		lbs.	kg	coated shelves		lbs.	kg	coated shelves		lbs.	kg	coated shelves	
24"	610	25½"	648	136	61	Q1824V86A-5D		150	68	Q2124V86A-5D		156	71	Q2424V86A-5D		—	—
30"	762	31½"	800	145	66	Q1830V86A-5D		155	70	Q2130V86A-5D		169	77	Q2430V86A-5D	207	94	Q3030V86A-5D
36"	914	37½"	953	153	69	Q1836V86A-5D		166	75	Q2136V86A-5D		182	83	Q2436V86A-5D	217	99	Q3036V86A-5D
42"	1067	43½"	1105	169	76	Q1842V86A-5D		178	81	Q2142V86A-5D		197	89	Q2442V86A-5D	238	108	Q3042V86A-5D
48"	1219	49½"	1257	174	79	Q1848V86A-5D		187	85	Q2148V86A-5D		202	92	Q2448V86A-5D	247	112	Q3048V86A-5D
54"	1372	55½"	1410	192	87	Q1854V86A-5D		202	92	Q2154V86A-5D		222	101	Q2454V86A-5D	261	118	Q3054V86A-5D
60"	1524	61½"	1562	201	91	Q1860V86A-5D		211	96	Q2160V86A-5D		231	105	Q2460V86A-5D	270	122	Q3060V86A-5D
66"	1676	67½"	1715	220	100	Q1866V86A-5D		233	106	Q2166V86A-5D		252	114	Q2466V86A-5D	292	133	Q3066V86A-5D
72"	1829	73½"	1867	222	100	Q1872V86A-5D		247	112	Q2172V86A-5D		262	119	Q2472V86A-5D	302	137	Q3072V86A-5D

* For unit width, add 5" (127mm) to shelf width.

** Dimensions are nominal.

Catalog Section 1

Q-LEVER® Workstations with Open Base

see spec sheet **EG01.60**

worktable with open base

FEATURES:

- Features tabletop, two 36" (914mm) uprights with legs & feet, and X-brace assembly.
- Tabletop constructed of 14 gauge type 304 stainless steel.
- Removable tabletop, no need for tools.
- 4½" backsplash.
- Valu-Master® gray epoxy finish on uprights.

Consult factory for pricing.

		...with 24" (610mm)-wide Tabletop*				...with 30" (762mm)-wide Tabletop*			
tabletop length	unit*	weights		w/Valu-Master® gray epoxy coated shelves	w/Valu-Gard® green epoxy coated shelves	weights		w/Valu-Master® gray epoxy coated shelves	w/Valu-Gard® green epoxy coated shelves
in. mm	in. mm	lbs.	kg			lbs.	kg		
36" 914	40" 1016	108	49	Q2436V36-WO	Q2436VG36-WO	117	53	Q3036V36-WO	Q3036VG36-WO
42" 1067	46" 1168	117	53	Q2442V36-WO	Q2442VG36-WO	124	56	Q3042V36-WO	Q3042VG36-WO
48" 1219	52" 1320	122	55	Q2448V36-WO	Q2448VG36-WO	131	59	Q3048V36-WO	Q3048VG36-WO
54" 1372	58" 1473	129	58	Q2454V36-WO	Q2454VG36-WO	138	62	Q3054V36-WO	Q3054VG36-WO
60" 1524	64" 1626	135	61	Q2460V36-WO	Q2460VG36-WO	145	66	Q3060V36-WO	Q3060VG36-WO

* Dimensions are nominal.

Q-LEVER® Workstations with Storage Shelf

see spec sheet **EG01.60**

worktable with storage shelf

FEATURES:

- Features tabletop, two 36" (914mm) uprights with legs & feet, X-brace assembly, and heavy duty dunnage shelf.
- Tabletop constructed of 14 gauge type 304 stainless steel.
- Removable tabletop, no need for tools.
- 4½" backsplash.
- Valu-Master® gray epoxy finish on uprights.

Consult factory for pricing.

		...with 24" (610mm)-wide Tabletop*				...with 30" (762mm)-wide Tabletop*			
tabletop length	unit*	weights		w/Valu-Master® gray epoxy coated shelves	w/Valu-Gard® green epoxy coated shelves	weights		w/Valu-Master® gray epoxy coated shelves	w/Valu-Gard® green epoxy coated shelves
in. mm	in. mm	lbs.	kg			lbs.	kg		
36" 914	40" 1016	140	63	Q2436V36-WS	Q2436VG36-WS	154	70	Q3036V36-WS	Q3036VG36-WS
42" 1067	46" 1168	153	69	Q2442V36-WS	Q2442VG36-WS	167	76	Q3042V36-WS	Q3042VG36-WS
48" 1219	52" 1320	161	73	Q2448V36-WS	Q2448VG36-WS	178	80	Q3048V36-WS	Q3048VG36-WS
54" 1372	58" 1473	175	79	Q2454V36-WS	Q2454VG36-WS	192	87	Q3054V36-WS	Q3054VG36-WS
60" 1524	64" 1626	184	83	Q2460V36-WS	Q2460VG36-WS	205	93	Q3060V36-WS	Q3060VG36-WS

* Dimensions are nominal.

Q-LEVER® Overhead Storage Stations

see spec sheet **EG01.61**



FEATURES:

- Features two 76" (1930mm) uprights with legs & feet, X-brace assembly, and two overshelves.
- Overshelves adjust on 2" (51mm) increments.
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves.
- Valu-Master® gray epoxy finish on uprights.

Consult factory for pricing.

		...with 24" (610mm) Overall Width*				...with 30" (762mm) Overall Width*			
shelf length		unit* length		weights		w/Valu-Master® gray epoxy coated shelves		w/Valu-Gard® green epoxy coated shelves	
in.	mm	in.	mm	lbs.	kg	lbs.	kg	lbs.	kg
36"	914	40"	1016	137	62	Q2436V76-OS	Q2436VG76-OS	154	70
42"	1067	46"	1168	142	64	Q2442V76-OS	Q2442VG76-OS	161	73
48"	1219	52"	1320	145	66	Q2448V76-OS	Q2448VG76-OS	166	75
54"	1372	58"	1473	152	69	Q2454V76-OS	Q2454VG76-OS	169	76
60"	1524	64"	1626	157	71	Q2460V76-OS	Q2460VG76-OS	174	79

* Dimensions are nominal.

Q-LEVER® Task Stations

see spec sheet **EG01.61**



FEATURES:

- Features tabletop, two 76" (1930mm) uprights with legs & feet, X-brace assembly, wall grid, and two adjustable overshelves.
- Wall grid features 3" x 3" (76 x 76mm) mesh.
- Tabletop is removable, no need for tools.
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves.
- Valu-Master® gray epoxy finish on uprights.

Consult factory for pricing.

		...with 24" (610mm)-wide Tabletop*				...with 30" (762mm)-wide Tabletop*			
shelf length		unit* length		weights		w/Valu-Master® gray epoxy coated shelves		w/Valu-Gard® green epoxy coated shelves	
in.	mm	in.	mm	lbs.	kg	lbs.	kg	lbs.	kg
36"	914	40"	1016	198	90	Q2436V76-TS	Q2436VG76-TS	207	94
42"	1067	46"	1168	213	97	Q2442V76-TS	Q2442VG76-TS	222	101
48"	1219	52"	1320	222	101	Q2448V76-TS	Q2448VG76-TS	231	105
54"	1372	58"	1473	237	108	Q2454V76-TS	Q2454VG76-TS	246	112
60"	1524	64"	1626	249	113	Q2460V76-TS	Q2460VG76-TS	258	117

* Dimensions are nominal.

Catalog Section 1

Q-LEVER® Utility Stations

see spec sheet **EG01.62**

FEATURES:

- Features tabletop, drawers, two 76" (1930mm) uprights with legs & feet, X-brace assembly, wall grid, two adjustable overshelves, and heavy duty dunnage shelf.
- Overshelves adjust on 2" (51mm) increments.
- Tabletop is removable, no need for tools.
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves.
- Valu-Master® gray epoxy finish on uprights.

Consult factory for pricing.

		...with 24" (610mm)-wide Tabletop*				...with 30" (762mm)-wide Tabletop*			
tabletop length	unit* length	weights		w/Valu-Master® gray epoxy coated shelves	w/Valu-Gard® green epoxy coated shelves	weights		w/Valu-Master® gray epoxy coated shelves	w/Valu-Gard® green epoxy coated shelves
in. mm	in. mm	lbs.	kg			lbs.	kg		
36" 914	40" 1016	244	111	Q2436V76-US	Q2436VG76-US	273	124	Q3036V76-US	Q3036VG76-US
42" 1067	46" 1168	263	119	Q2442V76-US	Q2442VG76-US	294	133	Q3042V76-US	Q3042VG76-US
48" 1219	52" 1320	275	125	Q2448V76-US	Q2448VG76-US	311	141	Q3048V76-US	Q3048VG76-US
54" 1372	58" 1473	297	135	Q2454V76-US	Q2454VG76-US	329	149	Q3054V76-US	Q3054VG76-US
60" 1524	64" 1626	312	141	Q2460V76-US	Q2460VG76-US	348	158	Q3060V76-US	Q3060VG76-US

* Dimensions are nominal.

Q-LEVER® Manager's Stations

see spec sheet **EG01.62**

shown with optional storage baskets, supply bins and hooks

FEATURES:

- Features tabletop, drawers, two 76" (1930mm) uprights with legs & feet, X-brace assembly, power strip, overhead light, monitor arm, wall grid, and bin holder.
- Tabletop is removable, no need for tools.
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves.
- Valu-Master® gray epoxy finish on uprights.

Consult factory for pricing.


		...with 24" (610mm)-wide Tabletop*				...with 30" (762mm)-wide Tabletop*			
tabletop length	unit* length	weights		w/Valu-Master® gray epoxy coated shelves	w/Valu-Gard® green epoxy coated shelves	weights		w/Valu-Master® gray epoxy coated shelves	w/Valu-Gard® green epoxy coated shelves
in. mm	in. mm	lbs.	kg			lbs.	kg		
36" 914	40" 1016	297	135	Q2436V76-MS	Q2436VG76-MS	315	143	Q3036V76-MS	Q3036VG76-MS
42" 1067	46" 1168	322	146	Q2442V76-MS	Q2442VG76-MS	342	155	Q3042V76-MS	Q3042VG76-MS
48" 1219	52" 1320	339	154	Q2448V76-MS	Q2448VG76-MS	360	163	Q3048V76-MS	Q3048VG76-MS
54" 1372	58" 1473	366	166	Q2454V76-MS	Q2454VG76-MS	387	176	Q3054V76-MS	Q3054VG76-MS
60" 1524	64" 1626	386	175	Q2460V76-MS	Q2460VG76-MS	410	186	Q3060V76-MS	Q3060VG76-MS

* Dimensions are nominal.

NEW

Q-LEVER® Units with Top and/or Bottom Cabinets

see product announcement **EG8214**
 see spec sheet **EG01.64** **EG01.65**



Features:

- Freestanding units maximize overall storage.
- Choose to add top cabinet, base cabinet, or both top and base cabinets.
- With no front uprights, accessibility and productivity are improved.
- Wall bolting not required.
- Uprights utilize 2" adjustment for height of cabinets.
- Base cabinet suspended off the floor at desired height.
- Can be expanded side-to-side with Add-on units which share a common upright with existing unit, saving cost and space.

Consult factory for pricing.

1 Start with "Skeleton" unit.

Consists of two 86"-tall uprights, two lateral braces, one x-brace assembly, and hardware. Valu-Master® gray epoxy finish.

for cabinet width		for cabinet length		unit length*		model
in.	mm	in.	mm	in.	mm	
30"	762	36"	914	40"	1016	Q3036V86
30"	762	42"	1067	46"	1168	Q3042V86
30"	762	48"	1219	52"	1321	Q3048V86

* Dimensions are nominal.

2 Add base cabinet...

Includes heavy gauge stainless steel top with hat channel reinforcement. Rear of cabinet interlocks into pegs of each upright, allowing for height adjustment without the use of tools. Units available with open front, sliding doors, or hinged doors.

width		length		weight		WITH OPEN FRONT	WITH HINGED DOORS**	WITH SLIDING DOORS**
in.	mm	in.	mm	lbs.	kg	model #	model #	model #
30"	762	36"	914	137	62.1	QOB3036SEB	QCBH3036SEB	QCB3036SEB
30"	762	42"	1067	152	68.9	QOB3042SEB	QCBH3042SEB	QCB3042SEB
30"	762	48"	1219	167	75.8	QOB3048SEB	QCBH3048SEB	QCB3048SEB

** Optional door lock available for cabinets with doors. To order, add suffix -L (example: QCBH3036SEB-L)

3 ...and/or top cabinet.

Heavy gauge stainless steel. Features sloped top. Rear of cabinet interlocks into pegs of each upright, allowing for height adjustment without the use of tools. Available with open front, sliding doors, or hinged doors.

width		length		weight		WITH OPEN FRONT	WITH HINGED DOORS**	WITH SLIDING DOORS**
in.	mm	in.	mm	lbs.	kg	model #	model #	model #
15"	381	36"	914	125	56.7	QWCO-36	QWCH-36	QWCS-36
15"	381	42"	1067	145	65.8	QWCO-42	QWCH-42	QWCS-42
15"	381	48"	1219	165	74.8	QWCO-48	QWCH-48	QWCS-48

** Optional door lock available for cabinets with doors. To order, add suffix -L (example: QWCH-36-L)



Catalog Section 1

Q-LEVER® Accessories

see spec sheet **EG01.63**

Drawers

- Stainless steel construction.
- Choice of two 3" (76mm) tall drawers, or one 6" tall drawer.
- Screws into existing holes in underside of Q-LEVER® workstation top.
- Precision steel ball bearing drawer slides for medium-duty applications.
- Drawer profile features an easy to operate disconnect finger release trigger.
- Load capacity is 100 lbs. (45 kg).

description	weight		model #
	lbs.	kg	
one 6"-tall drawer	28	13	QDRAWER-1
two 3"-tall drawers	30	14	QDRAWER-2



Tabletops

- Heavy gauge polished stainless steel construction.
- 4½" (114mm) backsplash.
- Square edges are turned down 90°, with a 30° kick in the front.
- Reinforced with hat channel construction underneath.
- Channel construction provides holes to accept drawers.
- Tabletops are removable.



length in. mm	24" (610mm)-wide			30" (762mm)-wide		
	weight		model	weight		model
	lbs.	kg		lbs.	kg	
24" 610	26	12	Q2424T	32	15	Q3024T
30" 762	32	15	Q2430T	35	16	Q3030T
36" 914	28	17	Q2436T	41	19	Q3036T
42" 1067	46	21	Q2442T	47	21	Q3042T
48" 1219	50	23	Q2448T	53	24	Q3048T
54" 1372	56	25	Q2454T	59	27	Q3054T
60" 1524	61	28	Q2460T	65	30	Q3060T
72" 1829	71	32	Q2472T	74	34	Q3072T

Overhead Lights

- Overhead light shelf is powder-coated Valu-Master® gray.
- Dimmable light fixture is powder white.
- Built-in ON/OFF switch with a high/low output option.
- Color temp = Warm White
- Power cord is 78" (1981mm) in length.
- Adjustable on Q-LEVER® uprights.

length in. mm	weight			length in. mm	weight		
	lbs.	kg	model		lbs.	kg	model
24" 610	4	2	Q24V0	48" 1219	16	7	Q48V0
30" 762	7	3	Q30V0	54" 1372	19	9	Q54V0
36" 914	9	4	Q36V0	60" 1524	22	10	Q60V0
42" 1067	13	6	Q42V0	72" 1829	24	11	Q72V0

Power Strips

- Power strip is powder-coated black, mount is powder-coated Valu-Master® gray.
- 120-volt, NEMA 5-15P.
- Outlets are placed at right angle to accommodate bulky transformers.
- Comes with a 15' AC power cord.
- Lighted power switch confirms power ON/OFF status.
- Snap-in switch guard prevents accidental turnoff.
- Uses a 15-amp circuit breaker.
- Adjustable on Q-LEVER® uprights.

length in. mm	weight			length in. mm	weight		
	lbs.	kg	model		lbs.	kg	model
24" 610	9	4	Q24VP	48" 1219	13	6	Q48VP
30" 762	10	5	Q30VP	54" 1372	14	6	Q54VP
36" 914	11	5	Q36VP	60" 1524	15	7	Q60VP
42" 1067	12	5	Q42VP	72" 1829	17	8	Q72VP

Flat Panel Monitor Arm

- Plated powder-coated black.
- Can pivot left-to-right.
- Universal VESA mount – 100 x 100mm and 75 x 75 mm hole pattern.
- Accepts all flat pattern monitors 10" to 30".
- Has internal area for internal cable management for a neat appearance.
- Adjustable on Q-LEVER® uprights.
- Can be mounted on either side of upright.
- Weight capacity is 14 lbs (6.4 kg).

weight			model #
lbs.	kg		
5	2		QARM



Consult factory for pricing.


Q-LEVER® Accessories

see spec sheet **EG01.63**

Wall Grids

- Wires are 2-gauge mild steel, crisscrossed to create a 3" x 3" mesh.
- Easily hooks onto uprights without the need for tools.
- Holds wall mat accessories.
- Valu-Master® gray epoxy finish.

height x length in. mm	weight lbs. kg	model
18" x 36" 457 x 914	7 3	Q1836VW
18" x 48" 457 x 1219	11 5	Q1848VW
18" x 60" 457 x 1524	15 7	Q1860VW
30" x 36" 762 x 914	11 5	Q3036VW
30" x 48" 762 x 1219	15 7	Q3048VW



Hanger Rails

- Easily hooks onto uprights.
- Accommodates all accessories.
- Can be used as a backstop.
- Valu-Master® gray epoxy finish.



length in. mm	weight lbs. kg	model	length in. mm	weight lbs. kg	model
24" 610	3 1	Q24VH	48" 1219	6 3	Q48VH
30" 762	3 1	Q30VH	54" 1372	7 3	Q54VH
36" 914	4 2	Q36VH	60" 1524	8 4	Q60VH
42" 1067	5 2	Q42VH	72" 1829	10 5	Q72VH

Supply Bins

- Made of durable polypropylene, providing longlasting years of service.
- Integral molded slots accept ID labels.

color	width x length x height in. mm	carton quantity	model
blue	5½" x 10½" x 5" 140 x 276 x 127	12	A203877
blue	11" x 10½" x 5" 279 x 276 x 127	6	A203879
blue	8¼" x 14¼" x 7" 210 x 375 x 178	12	A203881
blue	16½" x 14¼" x 7" 419 x 375 x 178	6	A203883



Storage Baskets

- Easily attaches to hanger rail or side of wire shelf.
- Valu-Master® gray epoxy finish.

width x length x height in. mm	weight lbs. kg	model
5" x 13¾" x 7" 127 x 340 x 178	3 1	WB-V
7½" x 17¾" x 5" 191 x 441 x 127	5 2	WB-M-V
7½" x 17¾" x 10" 191 x 441 x 254	6 3	WB-L-V



Consult factory for pricing.

[illegible]

NOTES

Wall Shelves

Adjustable Post Wire Wall Mounts

Sold as Components.....	97
Sold as Prepackaged Units.....	96

Snap-n-Slide®

Wall Shelves.....	92
Wire Wall Shelves.....	93

Wall Shelves

Piggyback Wall Mounted Shelf Kits.....	94
Shelves with Removable Hooks.....	95


Single Bar Utility Racks.....	95
Stationary Wire Wall Mounts.....	97
Tab Lock Shelves.....	93
Wall Mounted Shelves.....	94
Equipment Shelves with Cord Cutout.....	96
Wire Wall Shelf Kits.....	93

WALSTOR® Modular Wall System..... 90

WALSTOR® Modular Wall System Accessories..... 91

Printer Shelves

see spec sheet **EG02.17**



**Designed for
label printers!**

FEATURES:

- Heavy gauge stainless steel.
- Hole with grommet, for wiring, located at rear.
- Four mounting holes.
- Available in standard or slanted.

Can be shipped UPS.

						Standard		Slanted		
shelf size										
side-to-side		front-to-rear		weight		model #	list	model #	list	
in.	mm	in.	mm	lbs.	kg					
7"	178	10"	254	3	1.4	MWS0710-PS	164	MWS0710-SPS	170	
9"	229	12"	305	4	1.8	MWS0912-PS	196	MWS0912-SPS	200	




Modular Wall System

Imagine the possibilities!

- Maximize space.
- Keep every thing within easy reach, without taking up valuable floor space.
- Organize room effectively and efficiently with total flexibility.
- Sway-resistant design locks individual shelves firmly into place uneven loads safely on the system.
- Positioned anywhere on a wall, regardless of stud position.

**To learn more about WalStor®,
see pages 90 and 91.**


**Convert wasted
wall space into
a productive
and organized
work area.**



Single Shelf Kit



Double Shelf Kit
(with extra shelves)



**WalStor® system
shown demonstrating
an uneven load capability.**

Modular Wall System



see spec sheet **EG02.00A**

Wall Mats


- 3" x 3" (76 x 76mm) zinc-plated grids.
- Required only for hanging accessories.

height	length		weight		cubic feet	model #	list
	in.	mm	lbs.	kg			
18" (457mm)	36"	914	9	4.1	0.2	WM1836 •	173
	48"	1219	11	5.0	0.3	WM1848 •	220
	60"	1524	14	6.4	0.3	WM1860	258
24" (609mm)	48"	1219	13	5.8	0.3	WM2448 •	263
	72"	1828	19	8.6	0.5	WM2472	303
	84"	2133	22	9.9	0.6	WM2484	362
	96"	2438	25	11.3	0.7	WM2496	382
33" (838mm)	54"	1372	22	9.9	0.5	WM3354	439
48" (1219mm)	48"	1219	19	8.6	0.7	WM4848	426

Vertical Wall Uprights

- Zinc-plated finish.
- Sold in pairs.

height	weight		cu ft	model #	list
	in.	mm	lbs.	kg	
12"	305	2	0.9	0.2	PR12VU • 103
30"	762	4	1.8	0.4	PR30VU • 164
45"	1143	5	2.3	0.5	PR45VU • 204



wall mats and
vertical wall uprights

Wire Shelf Brackets

- Zinc-plated finish.
- Sold in pairs.

(Note: Must be ordered
with Vertical Wall Uprights)

depth	weight		cubic feet	model #	list
	in.	mm	lbs.	kg	
14"	356	3	1.5	0.1	PR14B • 218
18"	457	4	2.0	0.1	PR18B • 239
21"	533	4	2.0	0.1	PR21B 244
24"	610	5	2.0	0.1	PR24B 315



Note: WalStor® must be mounted to a solid surface or studs in a wall. User needs to determine installation materials and methods suitable to hold and support the WalStor® system.

(•) MTS (made to stock) / () MTO (made to order)

Single Shelf Kits

- One EAGLEbrite® shelf with patented QuadTruss® design (patent #5,390,803).
- One wall mat.
- One pair of 30" (762mm) vertical wall uprights.
- One pair of 18" (457mm) wire shelf brackets.



	shelf and wall mat size		weight		cu ft	model #	list
	in.	mm	lbs.	kg			
18" width (457mm)	36"	914	35	15.9	3.5	WAL-1-1836	719
	48"	1219	36	16.3	4.5	WAL-1-1848	794

Double Shelf Kits

- Two EAGLEbrite® shelves with patented QuadTruss® design (patent #5,390,803).
- Two wall mats.
- One pair of 45" (1143mm) vertical wall uprights.
- Two pairs of 18" (457mm) wire shelf brackets.




	shelf dimensions		weight		cubic feet	model #	list
	in.	mm	lbs.	kg			
18" width (457mm)	36"	914	41	18.6	2.0	WAL-2-1836	1312
	48"	1219	49	22.2	2.4	WAL-2-1848	1464

Wall Grid Shelving - see spec sheet

EG02.00C

Can be used with NEW Wall Brackets (see page 92).

width x length		weight		cubic feet	chrome		Valu-Gard®		EAGLEbrite®	
in.	mm	lbs.	kg		model #	list	model #	list	model #	list
14" x 30"	356 x 762	7	3.2	3.1	1430WGS-C	244	1430WGS-VG	254	1430WGS-Z	226
14" x 36"	356 x 914	9	4.1	3.6	1436WGS-C	255	1436WGS-VG	265	1436WGS-Z	240
18" x 30"	457 x 762	9	4.1	3.7	1830WGS-C	263	1830WGS-VG	269	1830WGS-Z	244
18" x 36"	457 x 914	12	5.4	4.5	1836WGS-C	272	1836WGS-VG	283	1836WGS-Z	252
18" x 48"	457 x 1219	15	6.8	6.0	1848WGS-C	315	1848WGS-VG •	325	1848WGS-Z	289





Custom configurations allow you to personalize your WalStor® system for merchandise displays or over-the-workstation storage. Engineered with the idea that a perfect storage system adapts easily to individual requirements.

Modular Wall System Accessories

see spec sheet **EG02.00B**

(•) MTS (made to stock) / () MTO (made to order)



WalStor® system with optional accessories shown

shelf collar plugs ▶
Model #: COLLAR PLUG
List: \$16 (set of four)



utensil rack ▶
Model #: SC00P10-VG. List: \$116
5" depth x 10-1/2" length (127 x 267mm),
2 lbs., 0.5 cu. ft. ValuGuard® epoxy finish.



small
snap
hook** ▶



large
snap
hook** ▶



utensil
hook** ▶



large
double
hook** ▶




**book
holder** ▶



**light duty
utility
shelf** ▶



**grid
shelf** ▶



**triangle
shelf** ▶



**towel
rack** ▶



**spice
rack** ▶



merchandising
display hook** ▶



**large
bin** ▶



**small
bin** ▶



**hanging
file
holder** ▶



**plastic
bin
holder** ▶



**grid panel
wall bracket** ▶



**1/3-size
pan
holder** ▶




**drop
basket** ▶



**wire
basket** ▶



**grid
panel
basket** ▶



description	length x width x height		weight		cu ft	model #	list	description	length x width x height		weight		cu ft	model #	list
	in.	mm	lbs.	kg					in.	mm	lbs.	kg			
1/3 size pan holder	12" x 8" x 3"	305 x 203 x 76	1.0	0.5	0.2	PH3RD	109	plastic bin dividers	10 1/2" x 5"	276 x 127	2.0	0.9	0.1	A204237	43
book holder	3" x 12" x 10"	76 x 305 x 254	2.0	0.9	0.2	BH-1	308	plastic bin holder	4" x 2"	102 x 51	0.3	0.1	0.4	PBH •	82
drop basket (for 18" wire shelf)	22" x 18" x 11"	559 x 457 x 280	3.0	1.4	0.3	DB	238	small plastic bin	10 1/4" x 5 1/2" x 5"	276 x 140 x 127	0.75	0.3	0.2	A203877 *	38
grid shelf	16 1/4" x 16 1/4"	426 x 426	6.0	2.7	0.6	GS17	306	small snap hook	1 1/4" x 4 1/4" x 3/4"	32 x 127 x 76	0.3	0.1	0.1	SH ** •	8
hanging file holder	12" x 8" x 3"	305 x 203 x 76	1.0	0.5	0.2	HFH	108	spice rack	14" x 2"	356 x 51	1.0	0.5	0.1	SR14	134
large double hook	2 1/4" x 4 1/4" x 3/4"	57 x 108 x 3	0.3	0.1	0.1	LDH ** •	22	spice rack	24" x 2"	610 x 51	1.5	0.7	0.2	SR24	143
large plastic bin	10 1/2" x 11" x 5"	276 x 280 x 127	1.0	0.5	0.3	A203879 *	49	towel rack	10 1/2" x 5" x 3 1/2"	267 x 127 x 76	1.0	0.5	0.3	TR10	108
large snap hook	2 1/4" x 4 1/4" x 3/4"	57 x 108 x 3	0.3	0.1	0.1	LH ** •	14	utensil hook	2 1/2" x 2"	64 x 51	0.3	0.1	0.1	UH ** •	28
lt. duty utility shelf	11 1/4" x 8" x 3 1/2"	286 x 203 x 89	5.0	2.3	0.2	LDUS12	132	wire basket	13 3/8" x 5" x 7"	340 x 127 x 178	0.5	0.2	0.2	WB •	70
merch. dspl hook	4" x 3"	101 x 76	0.2	0.1	0.1	MDH-4 **	32	2-deck can rack	8 5/8" x 13" x 14"	219 x 330 x 356	1.0	0.5	0.1	CR2D	350
merch. dspl hook	6" x 3"	152 x 76	0.2	0.1	0.1	MDH-6 **	33	4-deck can rack	8 1/4" x 8 1/2" x 28 1/2"	210 x 216 x 724	3.0	1.3	1.2	CR4D	392
merch. dspl hook	8" x 3"	203 x 76	0.2	0.1	0.1	MDH-8 **	43	wall bracket	3" x 4" x 4"	76 x 102 x 102	3.0	1.3	0.1	GPWB	48
merch. dspl hook	10" x 3"	254 x 76	0.2	0.1	0.1	MDH-10 **	45	triangle shelf	24" x 24"	610 x 610	5.0	2.3	0.5	GPS24-C	153
merch. dspl hook	12" x 3"	304 x 76	0.2	0.1	0.1	MDH-12 **	49	grid panel basket	15" x 24"	381 x 610	2.8	1.2	0.4	GBP15-C	172


*A203877 requires (1) PBH. A203879 requires (2) PBH.

**All hooks are heavy gauge chrome-plated.



Wall Brackets for Wall Grid Shelving

see spec sheet **EG02.14**



standard bracket shown with wall grid shelf (sold separately—see page 90)

Features:

- 14 gauge type 300 series stainless steel.
- 1/4" (6mm)-diameter mounting holes spaced 4" (102mm) apart.
- Stoppers prevent shelf from sliding off.

Note: Hardware for mounting to wall not included.

bracket length		weight		Standard Design		Slanted Design	
				model #	list	model #	list
32"	818	10	4.4	WSR-36-S	187	WSR-36-S-15	213
38"	965	11	4.8	WSR-42-S	216	WSR-42-S-15	244
44"	1104	12	5.3	WSR-48-S	233	WSR-48-S-15	264
50"	1270	13	5.8	WSR-54-S	255	WSR-54-S-15	284
56"	1422	14	6.7	WSR-60-S	276	WSR-60-S-15	311

Snap-n-Slide® Wall Shelves (NSF)

see spec sheet **EG02.01**



Optional Dividers for Snap-n-Slide® Wall Shelves

- 4" (102mm) height.

description	model #	list
for 12" (305mm) shelving	358114	85
for 15" (381mm) shelving	358115	89



FEATURES:

- Brackets can be mounted to wall studs – no wall backing required.
- 1 1/2" (38mm) upturn on rear and ends.
- Heavy gauge stainless steel construction.
- No tools required to attach shelf to wall brackets.

(•) MTS (made to stock) / () MTO (made to order)

Weight capacities* of Snap-n-Slide® on this page

All 24" (610mm) shelves	90 lbs. (40.8 kg)
All 36" (914mm) shelves	135 lbs. (61.2 kg)
All 48" (1219mm) shelves	180 lbs. (81.6 kg)
All 60" (1524mm) shelves	225 lbs. (102.1 kg)
All 72" (1829mm) shelves	270 lbs. (122.5 kg)

* Weight capacities pertain to evenly distributed weight.

12" (305mm) wide Snap-n-Slide® Shelves with Rolled Front Edge

length		weight		cubic feet	16 gauge type 430		16 gauge type 304		14 gauge type 304	
					model #	list	model #	list	model #	list
24"	610	12	5.4	0.7	SWS1224-16/4 •	509	SWS1224-16/3 •	610	SWS1224-14/3	646
36"	915	14	6.4	1.1	SWS1236-16/4 •	550	SWS1236-16/3 •	772	SWS1236-14/3 •	824
48"	1219	17	7.7	1.4	SWS1248-16/4 •	674	SWS1248-16/3 •	854	SWS1248-14/3 •	918
60"	1524	23	10.4	1.8	SWS1260-16/4 •	715	SWS1260-16/3 •	933	SWS1260-14/3	994
72"	1829	25	11.3	2.1	SWS1272-16/4 •	887	SWS1272-16/3 •	1148	SWS1272-14/3	1259

15" (381mm) wide Snap-n-Slide® Shelves with Rolled Front Edge

length		weight		cubic feet	16 gauge type 430		16 gauge type 304		14 gauge type 304	
					model #	list	model #	list	model #	list
24"	610	15	6.8	1.1	SWS1524-16/4	550	SWS1524-16/3	668	SWS1524-14/3	727
36"	915	17	7.7	1.7	SWS1536-16/4 •	566	SWS1536-16/3 •	798	SWS1536-14/3	895
48"	1219	21	9.5	2.2	SWS1548-16/4 •	679	SWS1548-16/3 •	967	SWS1548-14/3	1091
60"	1524	28	12.7	2.7	SWS1560-16/4 •	740	SWS1560-16/3 •	1062	SWS1560-14/3	1120
72"	1829	30	13.6	3.3	SWS1572-16/4	905	SWS1572-16/3	1321	SWS1572-14/3	1493


15" (381mm) wide Snap-n-Slide® Shelves with "V" Marine Front Edge

length		weight		cu ft	14 gauge				16 gauge			
					14 gauge type 304		14 gauge type 316		16 gauge type 430		16 gauge type 304	
in.	mm	lbs.	kg		model #	list	model #	list	model #	list	model #	list
24"	610	15	6.8	1.1	SWS1524-14/304-VMAR	942	SWS1524-14/316-VMAR	1050	SWS1524-16/430-VMAR	824	SWS1524-16/304-VMAR	926
36"	915	17	7.7	1.7	SWS1536-14/304-VMAR	986	SWS1536-14/316-VMAR	1217	SWS1536-16/430-VMAR	893	SWS1536-16/304-VMAR	1029
48"	1219	21	9.5	2.2	SWS1548-14/304-VMAR	1281	SWS1548-14/316-VMAR	1511	SWS1548-16/430-VMAR	1052	SWS1548-16/304-VMAR	1231
60"	1524	28	12.7	2.7	SWS1560-14/304-VMAR	1425	SWS1560-14/316-VMAR	1698	SWS1560-16/430-VMAR	1131	SWS1560-16/304-VMAR	1353
72"	1829	30	13.6	3.3	SWS1572-14/304-VMAR	1687	SWS1572-14/316-VMAR	1988	SWS1572-16/430-VMAR	1331	SWS1572-16/304-VMAR	1581

Catalog Section 1

Snap-n-Slide® Wire Wall Shelves

see spec sheet **EG02.02**



- Wire design allows for air circulation.
- Brackets can be mounted to studs with no backing required.

FEATURES:

Note: See page 92 for solid Snap-n-Slide® Wall Shelves.

	length		weight		weight *		cu	chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®	
	in.	mm	lbs.	kg	lbs.	kg		model #	list	model #	list	model #	list	model #	list
12" width (305mm)	24"	610	5	2.3	70	31.8	0.7	SNSW1224C	232	SNSW1224V	242	SNSW1224VG	242	SNSW1224E	267
	36"	915	7	3.2	105	47.6	1.1	SNSW1236C	303	SNSW1236V	319	SNSW1236VG	319	SNSW1236E	344
	48"	1219	9	4.1	140	63.5	1.4	SNSW1248C	376	SNSW1248V	394	SNSW1248VG	394	SNSW1248E	419
	60"	1524	11	5.0	175	79.5	1.8	SNSW1260C	407	SNSW1260V	429	SNSW1260VG	429	SNSW1260E	460
	72"	1829	14	6.4	210	95.3	2.1	SNSW1272C	522	SNSW1272V	550	SNSW1272VG	550	SNSW1272E	576

* Weight capacity pertains to evenly distributed weight.

Wire Wall Shelf Kits

see spec sheet **EG02.04**



- One wire shelf.
- Two stationary wire wall mounts.

INCLUDES:

	length		weight		chrome		VALU-MASTER®		Valu-Gard®	
	in.	mm	lb.	kg	model #	list	model #	list	model #	list
14" width (356mm)	36"	914	12	5.4	GWB1436C	239	GWB1436V	242	GWB1436VG	242
	48"	1219	14	6.4	GWB1448C	265	GWB1448V	269	GWB1448VG	269
18" width (457mm)	36"	914	14	6.4	GWB1836C	252	GWB1836V	269	GWB1836VG	269
	48"	1219	17	7.7	GWB1848C	280	GWB1848V	306	GWB1848VG	306

Tab Lock Shelves

see spec sheet **EG02.09**



- 16 gauge, type 430 stainless steel.
- 1½" (38mm) roll on front.
- 1½" (38mm) upturn on rear and ends.
- Tab lock for easy assembly.
- Die-formed stainless steel mounting brackets.
- Not available in other widths.
- 60" (1524mm) length max.

FEATURES:

(•) MTS (made to stock) / () MTO (made to order)

	length		weight		cubic	model #	
	in.	mm	lbs.	kg		feet	list
10" width (254mm)	24"	610	10	4.5	0.6	WS1024TL	• 425
	36"	915	12	5.4	0.9	WS1036TL	• 453
	48"	1219	15	6.8	1.3	WS1048TL	• 516
	60"	1524	20	9.0	1.6	WS1060TL	• 581
12" width (305mm)	24"	610	12	5.4	0.6	WS1224TL	• 455
	36"	915	14	6.4	0.9	WS1236TL	• 492
	48"	1219	17	7.7	1.3	WS1248TL	• 556
	60"	1524	21	9.5	1.6	WS1260TL	• 621

Wall Mounted Shelves



see spec sheet

EG02.05



Die-formed stainless steel mounting brackets are stud-welded to shelf.

- 1½" (38mm) roll on front.
- 1½" (38mm) upturn on rear and ends.

FEATURES:

Note: 15" and 18" (381 and 457mm) wide shelves available. To order, replace "12" in model number with a "15" or "18" indicating desired shelf width (example: WS1548-16/3). For 15" (381mm) wide shelves, add 15% to list price of 12" (305mm) wide models. For 18" wide shelves, add 30% to list price of 12" (305mm) shelves.

(•) MTS (made to stock) / () MTO (made to order)

	length		weight		cubic feet	16 gauge, type 430		16 gauge, type 304		14 gauge, type 304	
	in.	mm	lbs.	kg		model #	list	model #	list	model #	list
10" width (254mm)	24"	610	10	4.5	0.5	WS1024-16/4	562	WS1024-16/3	702	WS1024-14/3	617
	36"	915	12	5.4	0.7	WS1036-16/4 •	594	WS1036-16/3	756	WS1036-14/3	691
	48"	1219	15	6.8	0.9	WS1048-16/4 •	635	WS1048-16/3	795	WS1048-14/3	737
	60"	1524	20	9.0	1.2	WS1060-16/4 •	737	WS1060-16/3	885	WS1060-14/3	843
	72"	1829	22	10.0	1.4	WS1072-16/4 •	798	WS1072-16/3	953	WS1072-14/3	976
	84"	2133	24	10.9	1.7	WS1084-16/4	869	WS1084-16/3	1090	WS1084-14/3	1084
	96"	2438	29	13.2	1.9	WS1096-16/4	1005	WS1096-16/3	1246	WS1096-14/3	1353
	108"	2743	32	14.5	2.1	WS10108-16/4	1042	WS10108-16/3	1323	WS10108-14/3	1379
12" width (305mm)	120"	3048	34	15.4	2.3	WS10120-16/4	1244	WS10120-16/3	1404	WS10120-14/3	1582
	24"	610	12	5.4	0.6	WS1224-16/4 •	578	WS1224-16/3 •	674	WS1224-14/3	661
	36"	915	14	6.4	0.9	WS1236-16/4 •	659	WS1236-16/3 •	761	WS1236-14/3	730
	48"	1219	17	7.7	1.1	WS1248-16/4 •	745	WS1248-16/3 •	762	WS1248-14/3	791
	60"	1524	23	10.4	1.4	WS1260-16/4 •	822	WS1260-16/3 •	889	WS1260-14/3	901
	72"	1829	25	11.3	1.7	WS1272-16/4 •	877	WS1272-16/3 •	1011	WS1272-14/3 •	1042
	84"	2133	28	12.7	2.0	WS1284-16/4 •	968	WS1284-16/3 •	1106	WS1284-14/3	1164
	96"	2438	31	14.1	2.2	WS1296-16/4 •	1058	WS1296-16/3 •	1276	WS1296-14/3	1373
	108"	2743	36	16.3	2.5	WS12108-16/4	1152	WS12108-16/3	1364	WS12108-14/3	1490
	120"	3048	39	17.6	2.8	WS12120-16/4	1311	WS12120-16/3	1476	WS12120-14/3	1607

Piggyback Wall Mounted Shelf Kits



see spec sheet

EG02.13

PATENTED!
(patent #8,025,163 B2)



Additional Brackets (pair)

18" (457mm) width. Chrome.

description	weight lbs.	kg	model #	list
three-tier	7.3	3.3	SSW18B3-C	188
five-tier	10.8	4.9	SSW18B5-C	219

FEATURES:

- Brackets can be mounted to studs – no wall backing required.
- Freedom to move the shelves left or right.
- Wire design allows for air circulation.
- 18" (457mm) width.
- No tools required to attach shelf to wall brackets.

Three-Tier Units – Includes one pair of 23⅞" (606mm)-high brackets.

shelf width x length in. mm	Units with One Chrome Shelf				Units with Two Chrome Shelves				Units with Three Chrome Shelves				Additional Shelves			
	weight lbs.	kg	model #	list	weight lbs.	kg	model #	list	weight lbs.	kg	model #	list	chrome weight lbs.	kg	model #	list
18" x 24" 457 x 610	12	5.4	S1-3B-SSW1824C	239	17	7.7	S2-3B-SSW1824C	362	22	10.0	S3-3B-SSW1824C	485	5	2.3	SSW1824C	129
18" x 30" 457 x 762	13	5.9	S1-3B-SSW1830C	266	19	8.6	S2-3B-SSW1830C	416	25	11.3	S3-3B-SSW1830C	560	6	2.7	SSW1830C	155
18" x 36" 457 x 914	14	6.4	S1-3B-SSW1836C	283	21	9.5	S2-3B-SSW1836C	448	28	12.7	S3-3B-SSW1836C	612	7	3.2	SSW1836C	173
18" x 42" 457 x 1067	16	7.3	S1-3B-SSW1842C	307	24	10.9	S2-3B-SSW1842C	506	33	15.0	S3-3B-SSW1842C	704	9	4.1	SSW1842C	206
18" x 48" 457 x 1219	17	7.7	S1-3B-SSW1848C	325	27	12.2	S2-3B-SSW1848C	532	37	16.8	S3-3B-SSW1848C	738	10	4.5	SSW1848C	217
18" x 60" 457 x 1524	22	10.0	S1-3B-SSW1860C	377	37	16.8	S2-3B-SSW1860C	642	51	23.1	S3-3B-SSW1860C	905	15	6.8	SSW1860C	276

Five-Tier Units – Includes one pair of 33⅞" (860mm)-high brackets.

shelf width x length in. mm	Units with Three Chrome Shelf				Units with Four Chrome Shelves				Units with Five Chrome Shelves				Additional Shelves			
	weight lbs.	kg	model #	list	weight lbs.	kg	model #	list	weight lbs.	kg	model #	list	chrome weight lbs.	kg	model #	list
18" x 24" 457 x 610	19	8.6	S3-5B-SSW1824C	526	22	10.0	S4-5B-SSW1824C	645	29	13.2	S5-5B-SSW1824C	763	5	2.3	SSW1824C	129
18" x 30" 457 x 762	22	10.0	S3-5B-SSW1830C	599	28	12.7	S4-5B-SSW1830C	754	34	15.4	S5-5B-SSW1830C	900	6	2.7	SSW1830C	155
18" x 36" 457 x 914	25	11.3	S3-5B-SSW1836C	654	32	14.5	S4-5B-SSW1836C	818	39	17.6	S5-5B-SSW1836C	983	7	3.2	SSW1836C	173
18" x 42" 457 x 1067	30	13.6	S3-5B-SSW1842C	747	38	17.2	S4-5B-SSW1842C	944	47	21.3	S5-5B-SSW1842C	1140	9	4.1	SSW1842C	206
18" x 48" 457 x 1219	34	15.4	S3-5B-SSW1848C	784	44	20.0	S4-5B-SSW1848C	993	54	24.5	S5-5B-SSW1848C	1203	10	4.5	SSW1848C	217
18" x 60" 457 x 1524	49	22.2	S3-5B-SSW1860C	945	64	29.0	S4-5B-SSW1860C	1208	79	35.8	S5-5B-SSW1860C	1475	15	6.8	SSW1860C	276

Catalog Section 1

Shelves with Removable Hooks

see spec sheet **EG02.06**



FEATURES:

- 16 gauge type 430 shelf with type 304 stainless steel pot rack.
- 1½" (38mm) roll on front.
- 1½" (38mm) upturn on rear and ends.
- Furnished with one double-prong hook per foot.

(•) MTS (made to stock) / () MTO (made to order)



Additional Hook for Shelves with Removable Hooks

- Stainless steel.

weight	cu		list
lbs.	kg	ft	ea.
0.2	0.1	0.1	300696 63

10" (254mm) Wide Shelves						12" (305mm) Wide Shelves					
length		weight		cu	model #	list	weight		cu	model #	list
in.	mm	lbs.	kg	ft			lbs.	kg	ft		
36"	914	17	7.7	1.0	WSP1036	1755	22	10.0	1.1	WSP1236	1821
48"	1219	23	10.4	1.3	WSP1048	1789	29	13.2	1.5	WSP1248 •	1885
60"	1524	37	16.8	1.6	WSP1060	1870	43	19.5	1.8	WSP1260 •	1974
72"	1829	51	23.1	1.9	WSP1072	1936	57	25.9	2.2	WSP1272 •	2048
84"	2134	65	29.5	2.2	WSP1084	2029	71	32.2	2.6	WSP1284	2166
96"	2438	79	35.8	2.5	WSP1096	2171	85	38.6	2.9	WSP1296	2217
108"	2743	93	42.2	2.8	WSP10108	2845	99	44.9	3.3	WSP12108	3023
120"	3048	107	48.5	3.1	WSP10120	2911	113	51.3	3.6	WSP12120	3092
132"	3353	121	54.9	3.4	WSP10132	3085	127	57.6	4.0	WSP12132	3252
144"	3658	135	61.2	3.7	WSP10144	3149	141	64.0	4.4	WSP12144	3312

15" (381mm) Wide Shelves						18" (457mm) Wide Shelves					
length		weight		cu	model #	list	weight		cu	model #	list
in.	mm	lbs.	kg	ft			lbs.	kg	ft		
36"	914	27	12.3	1.3	WSP1536	2377	32	14.5	1.6	WSP1836	2845
48"	1219	35	15.9	1.8	WSP1548	2429	41	18.6	2.2	WSP1848	2892
60"	1524	49	22.2	2.3	WSP1560	2760	55	24.9	2.7	WSP1860	3044
72"	1829	63	28.6	2.7	WSP1572	2997	69	31.3	3.2	WSP1872	3258
84"	2134	77	34.9	3.2	WSP1584	3432	83	37.6	3.7	WSP1884	3535
96"	2438	91	41.3	3.6	WSP1596	3595	97	44.0	4.3	WSP1896	3741
108"	2743	105	47.6	4.0	WSP15108	3905	111	50.3	4.8	WSP18108	4546
120"	3048	119	54.0	4.5	WSP15120	3967	125	56.7	5.3	WSP18120	4618
132"	3353	133	60.3	4.9	WSP15132	4263	139	63.1	5.9	WSP18132	4709
144"	3658	147	66.7	5.4	WSP15144	4332	153	69.4	6.4	WSP18144	4781

Single Bar Utility Racks

see spec sheet **EG10.06**



FEATURES:

- Flat 3/16" (5mm)-thick, 2" (51mm)-wide solid bar.
- 24" (610mm) racks are one-piece, all others come with support brackets.
- Includes one two-prong hook per foot.



Additional Hook for Single Bar Utility Racks

- Stainless steel.

weight	cu		list
lbs.	kg	ft	ea.
0.2	0.1	0.1	300696 63

ALUMINUM						STAINLESS STEEL					
length*		weight		model #	list	weight		model #	list		
in.	mm	lbs.	kg			lbs.	kg				
24"	610	5	2.3	SBPR-24-A	327	9	4.1	SBPR-24-S	439		
36"	915	6	2.7	SBPR-36-A	495	12	5.4	SBPR-36-S	622		
48"	1219	7	3.2	SBPR-48-A	527	15	6.8	SBPR-48-S	697		
60"	1524	9	4.1	SBPR-60-A	566	18	8.2	SBPR-60-S	770		
72"	1829	11	5.0	SBPR-72-A	782	21	9.5	SBPR-72-S	1007		
84"	2134	13	5.9	SBPR-84-A	809	25	11.3	SBPR-84-S	1074		
96"	2438	15	6.8	SBPR-96-A	1009	29	13.2	SBPR-96-S	1299		
108"	2743	17	7.7	SBPR-108-A	1082	34	15.4	SBPR-108-S	1404		
120"	3048	20	9.0	SBPR-120-A	1110	39	17.6	SBPR-120-S	1474		

* For overall lengths, add 5-1/8" (130mm).

Equipment Shelves with Cord Cutout

see spec sheet **EG02.10M**



FEATURES:


- 24" (610mm) length.
- Made of highly polished heavy gauge type 430 stainless steel.
- Marine counter edge in front that prevents contents from sliding off.
- Hole with grommet at center rear for wiring.

width		weight		cubic	model #	list
in.	mm	lbs.	kg	feet		
18"	457	17	7.7	4.8	MWS1824 •	1029
24"	610	23	10.4	4.8	MWS2424 •	1173

(•) MTS (made to stock) / () MTO (made to order)

Adjustable Post Wire Wall Mounts Sold as Prepackaged Units

see spec sheet **EG02.11**



Adjustable post wall mounts are sold as prepackaged end and mid units, or sold as components (see page 97). The prepackaged units contain all needed components except shelves and wall bolts. Wall bolts must be selected according to wall type.

END UNITS.

- Two posts, single shelf brackets, post supports.
- Number of shelf brackets depends on the height of the posts.
 - 14" (356mm) posts: one row of brackets.
 - 33" (838mm) posts: two rows of brackets
 - ...and so on.

MID UNITS

- One post, double shelf brackets, post supports.
- Number of shelf brackets corresponds to post height the same as end units.

FEATURES:

- One shelf long, order only one end unit.
- Two shelves long, order one end and one mid unit.
- Three shelves long, order one end and two mid units. And so on.

ORDERING:

Note: Shelves (page 6) and accessories (pages 49 & 50) are sold separately.

						Prepackaged End Units						Prepackaged Mid Units						
	post height		# of shelves	cu ft	weight*		chrome		Valu-Gard®		stainless steel		chrome		Valu-Gard®		stainless steel	
	in.	mm			lbs.	kg	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
14" width <i>(356mm)</i>	14"	356	1	0.6	7	3.2	PWE14-1C	384	PWE14-1VG	384	PWE14-1S	1033	PWM14-1C	245	PWM14-1VG	245	PWM14-1S	686
	33"	838	2	0.7	14	6.4	PWE14-2C	617	PWE14-2VG	617	PWE14-2S	1888	PWM14-2C	418	PWM14-2VG	418	PWM14-2S	1243
	54"	1372	3	0.7	22	10.0	PWE14-3C	856	PWE14-3VG	856	PWE14-3S	2426	PWM14-3C	588	PWM14-3VG	588	PWM14-3S	1655
	63"	1600	4	0.7	28	13.0	PWE14-4C	1033	PWE14-4VG	1033	PWE14-4S	2975	PWM14-4C	728	PWM14-4VG	728	PWM14-4S	2073
18" width <i>(457mm)</i>	14"	356	1	0.6	8	3.6	PWE18-1C	388	PWE18-1VG	388	PWE18-1S	1097	PWM18-1C	252	PWM18-1VG	252	PWM18-1S	708
	33"	838	2	0.6	15	6.8	PWE18-2C	617	PWE18-2VG	617	PWE18-2S	1970	PWM18-2C	419	PWM18-2VG	419	PWM18-2S	1294
	54"	1372	3	0.7	23	10.0	PWE18-3C	859	PWE18-3VG	859	PWE18-3S	2539	PWM18-3C	597	PWM18-3VG	597	PWM18-3S	1715
	63"	1600	4	0.7	29	13.0	PWE18-4C	1038	PWE18-4VG	1038	PWE18-4S	3129	PWM18-4C	736	PWM18-4VG	736	PWM18-4S	1997
21" width <i>(533mm)</i>	14"	356	1	0.7	9	4.1	PWE21-1C	393	PWE21-1VG	393	PWE21-1S	1108	PWM21-1C	258	PWM21-1VG	258	PWM21-1S	720
	33"	838	2	0.8	16	7.3	PWE21-2C	637	PWE21-2VG	637	PWE21-2S	1983	PWM21-2C	448	PWM21-2VG	448	PWM21-2S	1307
	54"	1372	3	0.9	25	11.0	PWE21-3C	888	PWE21-3VG	888	PWE21-3S	2556	PWM21-3C	627	PWM21-3VG	627	PWM21-3S	1739
	63"	1600	4	0.9	32	15.0	PWE21-4C	1082	PWE21-4VG	1082	PWE21-4S	3129	PWM21-4C	783	PWM21-4VG	783	PWM21-4S	2142
24" width <i>(610mm)</i>	14"	356	1	0.7	10	4.5	PWE24-1C	393	PWE24-1VG	393	PWE24-1S	1130	PWM24-1C	263	PWM24-1VG	263	PWM24-1S	726
	33"	838	2	0.8	17	7.7	PWE24-2C	645	PWE24-2VG	645	PWE24-2S	2026	PWM24-2C	448	PWM24-2VG	448	PWM24-2S	1312
	54"	1372	3	0.9	26	12.0	PWE24-3C	899	PWE24-3VG	899	PWE24-3S	2617	PWM24-3C	630	PWM24-3VG	630	PWM24-3S	1762
	63"	1600	4	0.9	34	16.0	PWE24-4C	1092	PWE24-4VG	1092	PWE24-4S	3233	PWM24-4C	786	PWM24-4VG	786	PWM24-4S	2219


* For stainless steel units, add 1 lb. (0.5 kg) weight.

Catalog Section 1

Adjustable Post Wire Wall Mounts

Sold as Components 

see spec sheet **EG02.11**



brackets used in conjunction with posts and center supports

- Designed to allow inter-mixing of shelf widths or customizing of units to fit specification needs.
- All components priced individually.

FEATURES:

(•) MTS (made to stock) / () MTO (made to order)

End Brackets

length in. mm	weight lbs. kg	cu ft	chrome model # list	Valu-Gard® model # list	stainless steel model # list
14" 356	3 1.4	0.5	PWB14C • 94	PWB14VG • 94	PWB14S • 300
18" 457	4 1.8	0.6	PWB18C • 95	PWB18VG • 95	PWB18S 306
21" 533	5 2.3	1.0	PWB21C • 96	PWB21VG 96	PWB21S 325
24" 610	6 2.7	1.0	PWB24C • 104	PWB24VG 104	PWB24S • 333

Note: Must be used with posts to mount to the wall.

Posts

height in. mm	weight lbs. kg	cu ft	chrome model # list	Valu-Gard® model # list	stainless steel model # list
14" 356	2 0.9	0.1	PW14C • 108	PW14VG • 108	PW14S 306
33" 838	3 1.4	0.1	PW33C • 136	PW33VG • 136	PW33S 488
54" 1372	5 2.3	0.1	PW54C • 172	PW54VG 172	PW54S 495
63" 1524	6 2.7	0.2	PW63C 174	PW63VG 174	PW63S 506

Mid Brackets

length in. mm	weight lbs. kg	cu ft	chrome model # list	Valu-Gard® model # list	stainless steel model # list
14" 356	6 2.7	0.5	PDWB14C • 145	PDWB14VG • 145	PDWB14S 454
18" 457	8 3.6	0.6	PDWB18C • 152	PDWB18VG 152	PDWB18S 465
21" 533	10 4.5	1.0	PDWB21C • 156	PDWB21VG 156	PDWB21S 488
24" 610	12 5.4	1.0	PDWB24C 160	PDWB24VG 160	PDWB24S 495

Note: Must be used with posts to mount to the wall.

Center Support for Posts

weight lbs. kg	cu ft	chrome model # list	Valu-Gard® model # list	stainless steel model # list
1 0.5	0.5	A228162 28	A218017 28	A207016 93

Note: Must be used in conjunction with post.

Stationary Wire Wall Mounts

see spec sheet **EG02.12**

Designed for fixed application where vertical adjustment is not required.



End Units*

One single shelf support and mounting plate.



Mid Units

One double shelf support and mounting plate.

length in. mm	cu ft	weight** lbs. kg	chrome model # list	Valu-Gard® model # list	stainless** model # list	weight** lbs. kg	chrome model # list	Valu-Gard® model # list	stainless** model # list
14" 356	0.5	6 2.7	WB14-C • 94	WB14-VG • 95	WB14-S • 219	8 3.6	DWB14-C • 139	DWB14-VG 142	DWB14-S 333
18" 457	0.5	8 3.6	WB18-C • 95	WB18-VG • 96	WB18-S • 234	10 4.5	DWB18-C • 143	DWB18-VG 145	DWB18-S 353
21" 533	0.7	10 4.5	WB21-C • 95	WB21-VG 96	WB21-S 240	12 5.5	DWB21-C 143	DWB21-VG 145	DWB21-S 362
24" 610	0.7	12 5.5	WB24-C • 96	WB24-VG 103	WB24-S • 245	14 6.4	DWB24-C • 145	DWB24-VG 148	DWB24-S 376

*End Units priced per piece; **For stainless steel units, add 1 lb. (0.5 kg) weight.

Wall Mounted Drop Tables/Shelves NSF

see product announcement **EG02.15**



drop bracket shown in raised-up position



poly drop table/shelf mounted onto wall — shown in dropped-down position

FEATURES:

- 3/4" (19mm) thick shelf.
- Pair of chrome-plated drop brackets.
- Weight capacity of 80 lbs. (36.3 kg).

				Poly *				Richlite® **				16/3 Stainless Steel with Wooden Core			
width	length	weight		weight		weight		weight		weight		weight		weight	
in.	mm	in.	mm	lb.	kg	model #	list	lb.	kg	model #	list	lb.	kg	model #	list
10"	254	24"	610	8	3.6	DSP-1024	515	9	4.1	DSR-1024	775	12	5.4	DSS-1024	600
10"	254	30"	762	10	4.5	DSP-1030	537	11	5.0	DSR-1030	881	14	6.4	DSS-1030	611
10"	254	36"	914	11	5.0	DSP-1036	566	13	5.9	DSR-1036	1000	16	7.3	DSS-1036	641
12"	305	24"	610	8	3.6	DSP-1224	528	10	4.5	DSR-1224	839	14	6.4	DSS-1224	607
12"	305	30"	762	11	5.0	DSP-1230	556	14	6.4	DSR-1230	844	16	7.3	DSS-1230	640
12"	305	36"	914	13	5.9	DSP-1236	594	19	8.6	DSR-1236	1133	18	8.2	DSS-1236	659

* Poly tables/shelves can withstand hot items up to 180°F without discoloration.

** Richlite® tables/shelves can withstand hot items up to 350°F without discoloration.

Wall Cabinets NSF

see spec sheet **EG02.07**



wall cabinet with hinged doors



wall cabinet with sliding doors

FEATURES:

- Heavy gauge stainless steel.
- Back is recessed with full-length concealed mounting plate for easy installation.
- Fixed center shelf.
- Hinged doors provided with lift-off pin hinges.
- 15" (381mm) width. 28" (711mm) overall height.

			Open Front				Hinged Doors				Sliding Doors			
length	cu	weight					weight					weight		
in.	mm	ft	lbs.	kg	model #	list	lbs.	kg	model #	list	lbs.	kg	model #	list
24"	610	13.5	117	53.1	WCO-24	5355	136	61.7	WCH-24	7039	136	61.7	WCS-24	7115
30"	762	17.3	129	58.5	WCO-30	5360	154	69.9	WCH-30	7800	154	69.9	WCS-30	8669
36"	914	18.0	141	64.0	WCO-36	5559	172	78.0	WCH-36	7935	172	78.0	WCS-36	8938
42"	1067	18.2	—	—	—	—	191	86.6	WCH-42	9647	191	86.6	WCS-42	8622
48"	1219	18.3	165	74.8	WCO-48	6591	208	94.3	WCH-48	9945	208	94.3	WCS-48	9398
54"	1372	25.4	—	—	—	—	226	102.5	WCH-54	10171	226	102.5	WCS-54	9572
60"	1524	22.6	189	85.7	WCO-60	7379	244	110.7	WCH-60	10758	244	110.7	WCS-60	10157
66"	1676	30.6	—	—	—	—	256	115.1	WCH-66	10837	—	—	—	—
72"	1829	26.8	213	96.6	WCO-72	8524	262	118.8	WCH-72	11515	262	118.8	WCS-72	11648
84"	2134	38.5	225	102.1	WCO-84	8993	281	127.5	WCH-84 *	11837	281	127.5	WCS-84 *	11949
90"	2286	41.7	—	—	—	—	298	135.3	WCH-90 *	12509	298	135.3	WCS-90 *	12654
96"	2438	35.2	249	112.9	WCO-96	9530	316	143.3	WCH-96 *	12633	316	143.3	WCS-96 *	12938
120"	3048	55.8	—	—	—	—	—	—	—	—	359	162.9	WCS-120 *	15720

* Features two pairs of doors.



Stainless Steel Modular Casework

Adjustable Height Tables

Electronic Drive	119
Pinned Leg	119

Base Units -

Sitting Height Cabinets

Corner Base Cabinets	109
with Door/Drawer Combo	109
with Drawer Bank.....	108
with Full-Height Door(s)	108
with Open Front.....	108
Sink Bases.....	109

Base Units -

Standing Height Cabinets

Corner Base Cabinets	107
with Door/Drawer Combo	105-106
with Drawer Bank(s)	103-104
with Full-Height Door(s)	103
with Open Front.....	103
Sink Bases.....	107

Base Fillers

Corner Fillers	111
Knee Space Apron Kits	110
Knee Space Panels	110
Rear Filler Panels.....	111
Rear Filler Scribes	111
Toe Fillers.....	110
Toe Scribes.....	110

Bench Frames

Standard.....	117
with Drawer(s)	118

Healthcare Storage..... 116

Lab Benches 100

Laboratory Wall Shelves 120

Pegboards 120

Stainless Steel

Countertops 122-123

Service Sinks 100-101

Tall Cabinets

Framed Glass Swinging	
Tall Cases.....	115
Open Tall Cases	114
Solid Swinging Tall Cases	114

Upper Cabinets

Corner Cases.....	113
Framed Glass Swinging	
Wall Cases	113
Open Wall Cases.....	112
Solid Swinging Wall Cases.....	112

Vertical Storage Cabinets..... 117



**THE EAGLE
CASEWORK
CONFIGURATOR**

**DESIGN YOUR LAB.
OPTIMIZE YOUR WORKFLOW.
TRANSFORM YOUR SPACE.**

Use Our **CASEWORK CONFIGURATOR** to design your casework layout for a lab tailored to your specific requirements, workflow, and space.

TRY IT FOR YOURSELF

CLICK HERE TO VISIT OUR
CONFIGURATOR



Design your
perfect casework
layout with just
a few clicks.

- ✓ simplifies planning
- ✓ generates CAD/REVIT files
- ✓ creates equipment list
- ✓ facilitates quote request

NEW Lab Benches

see spec sheets **EG03.82** **EG03.83**



unit with adjustable height

unit with fixed height

FEATURES:

- All-stainless steel type 304 construction, with #4 brushed finish.
- Worksurface height is 36". Overall height 72".
- Frame and leg constructed with 2" square tubes.
- 16 gauge type 304 countertop, 1" thick, with square edge on all sides.
- Slotted rear uprights with two (2) 16 gauge lab-style shelves with 1-1/4" rear upturn, square edge front and upturned bookends.
- Legs provided with leveling mounts.
- Designed to meet SEFA recommended practices

		...with Adjustable* Height		...with Fixed* Height	
width in	mm	length in	mm	model #	model #
30"	762	36"	914	SSC-AHLB-3036-72-D	SSC-HTLB-3036-72-D
30"	762	48"	1270	SSC-AHLB-3048-72-D	SSC-HTLB-3048-72-D
30"	762	60"	1524	SSC-AHLB-3060-72-D	SSC-HTLB-3060-72-D
30"	762	72"	1829	SSC-AHLB-3072-72-D	SSC-HTLB-3072-72-D
30"	762	84"	2134	SSC-AHLB-3084-72-D	SSC-HTLB-3084-72-D
30"	762	96"	2438	SSC-AHLB-3096-72-D	SSC-HTLB-3096-72-D

* On Tables with Adjustable Height, overall height adjusts from 67" to 74" (1702 to 1880mm). Tables with Fixed Height feature 72" (1829mm) overall height.

NEW Service Sinks



FEATURES:

- Constructed of 14-gauge type 304 stainless steel, with #4 brushed finish.
- Fully welded and polished bowl with radius corners.
- Rolled edges on front and sides, 8"-high backsplash with downturn edge and "Z" clips.
- Stainless legs, gussets, and feet standard.
- Faucet holes punched on 8" centers.
- 3-1/2" basket drain with 1-1/2" outlet.
- Drainboards, when included, sloped and integral to bowls.

One-Compartment – See spec sheet **EG03.67**

bowl size width x length in. mm	drainboard(s)	overall size width x length in. mm	model #
24" x 15" 610 x 381	none	28" x 19" 711 x 483	SSC-2415-1
24" x 15" 610 x 381	one 18" (457mm) R or L *	28" x 35" 711 x 889	SSC-2415-1-18R or L
24" x 15" 610 x 381	two 18" (457mm)	28" x 51" 711 x 1294	SSC-2415-1-18
24" x 18" 610 x 457	none	28" x 22" 711 x 483	SSC-2418-1
24" x 18" 610 x 457	one 18" (457mm) R or L *	28" x 38" 711 x 889	SSC-2418-1-18R or L
24" x 18" 610 x 457	two 18" (457mm)	28" x 54" 711 x 1294	SSC-2418-1-18
24" x 21" 610 x 533	none	28" x 25" 711 x 483	SSC-2421-1
24" x 21" 610 x 533	one 24" (610mm) R or L *	28" x 47" 711 x 889	SSC-2421-1-24R or L
24" x 21" 610 x 533	two 24" (610mm)	28" x 69" 711 x 1294	SSC-2421-1-24
24" x 24" 610 x 610	none	28" x 28" 711 x 711	SSC-2424-1
24" x 24" 610 x 610	one 24" (610mm) R or L *	28" x 50" 711 x 1270	SSC-2424-1-24R or L
24" x 24" 610 x 610	two 24" (610mm)	28" x 72" 711 x 1829	SSC-2424-1-24
24" x 30" 610 x 762	none	28" x 34" 711 x 483	SSC-2430-1
24" x 30" 610 x 762	one 24" (610mm) R or L *	28" x 56" 711 x 889	SSC-2430-1-24R or L
24" x 30" 610 x 762	two 24" (610mm)	28" x 78" 711 x 1294	SSC-2430-1-24
24" x 36" 610 x 914	none	28" x 40" 711 x 483	SSC-2436-1
24" x 36" 610 x 914	one 24" (610mm) R or L *	28" x 62" 711 x 889	SSC-2436-1-24R or L
24" x 36" 610 x 914	two 24" (610mm)	28" x 84" 711 x 1294	SSC-2436-1-24

* "R" indicates drainboard is located at the right end of the unit, and "L" indicates drainboard is at the left end.



Consult factory for pricing.

Catalog Section 3

NEW Service Sinks



FEATURES:

- Constructed of 14-gauge type 304 stainless steel, with #4 brushed finish.
- Fully welded and polished bowl with radius corners.
- Rolled edges on front and sides, 8"-high backsplash with downturn edge and "Z" clips.
- Stainless legs, gussets, and feet standard.
- Faucet holes punched on 8" centers.
- 3-1/2" basket drain with 1-1/2" outlet.
- Drainboards, when included, sloped and integral to bowls.



Two-Compartment – See spec sheet **EG03.68**

bowl size width x length in. mm	drainboard(s)	overall size width x length in. mm	model #
24" x 15" 610 x 381	none	28 x 34" 711 x 864	SSC-2430-2
24" x 15" 610 x 381	one 18" (457mm) R or L *	28 x 50" 711 x 1270	SSC-2430-2-18R or L
24" x 15" 610 x 381	two 18" (457mm)	28 x 66" 711 x 1676	SSC-2430-2-18
24" x 18" 610 x 457	none	28 x 40" 711 x 1016	SSC-2436-2
24" x 18" 610 x 457	one 18" (457mm) R or L *	28 x 56" 711 x 1422	SSC-2436-2-18R or L
24" x 18" 610 x 457	two 18" (457mm)	28 x 72" 711 x 1829	SSC-2436-2-18
24" x 21" 610 x 533	none	28 x 46" 711 x 1168	SSC-2442-2
24" x 21" 610 x 533	one 24" (610mm) R or L *	28 x 68" 711 x 1727	SSC-2442-2-24R or L
24" x 21" 610 x 533	two 24" (610mm)	28 x 90" 711 x 2286	SSC-2442-2-24
24" x 24" 610 x 610	none	28 x 52" 711 x 1321	SSC-2448-2
24" x 24" 610 x 610	one 24" (610mm) R or L *	28 x 74" 711 x 1880	SSC-2448-2-24R or L
24" x 24" 610 x 610	two 24" (610mm)	28 x 96" 711 x 2438	SSC-2448-2-24
24" x 30" 610 x 762	none	28 x 64" 711 x 1626	SSC-2460-2
24" x 30" 610 x 762	one 24" (610mm) R or L *	28 x 86" 711 x 2184	SSC-2460-2-24R or L
24" x 30" 610 x 762	two 24" (610mm)	28 x 108" 711 x 2743	SSC-2460-2-24
24" x 36" 610 x 914	none	28 x 76" 711 x 1930	SSC-2472-2
24" x 36" 610 x 914	one 24" (610mm) R or L *	28 x 98" 711 x 2489	SSC-2472-2-24R or L
24" x 36" 610 x 914	two 24" (610mm)	28 x 120" 711 x 3048	SSC-2472-2-24

* "R" indicates drainboard is located at the right end of the unit, and "L" indicates drainboard is at the left end.



Three-Compartment – See spec sheet **EG03.69**

bowl size width x length in. mm	drainboard(s)	overall size width x length in. mm	model #
24" x 15" 610 x 381	none	28 x 49" 711 x 1245	SSC-2445-3
24" x 15" 610 x 381	one 18" (457mm) R or L *	28 x 65" 711 x 1651	SSC-2445-3-18R or L
24" x 15" 610 x 381	two 18" (457mm)	28 x 81" 711 x 2057	SSC-2445-3-18
24" x 18" 610 x 457	none	28 x 58" 711 x 1473	SSC-2454-3
24" x 18" 610 x 457	one 18" (457mm) R or L *	28 x 74" 711 x 1880	SSC-2454-3-18R or L
24" x 18" 610 x 457	two 18" (457mm)	28 x 90" 711 x 2286	SSC-2454-3-18
24" x 21" 610 x 533	none	28 x 67" 711 x 1702	SSC-2463-3
24" x 21" 610 x 533	one 24" (610mm) R or L *	28 x 89" 711 x 2261	SSC-2463-3-24R or L
24" x 21" 610 x 533	two 24" (610mm)	28 x 111" 711 x 2819	SSC-2463-3-24
24" x 24" 610 x 610	none	28 x 76" 711 x 1930	SSC-2472-3
24" x 24" 610 x 610	one 24" (610mm) R or L *	28 x 98" 711 x 2489	SSC-2472-3-24R or L
24" x 24" 610 x 610	two 24" (610mm)	28 x 120" 711 x 3048	SSC-2472-3-24

* "R" indicates drainboard is located at the right end of the unit, and "L" indicates drainboard is at the left end.

Consult factory for pricing.

Standard Casework Construction Specifications



Click on the buttons below to download copies of our Casework General Architectural Specifications, SEFA 8M Test Results – Casework, SEFA 3 Test Results – Worksurfaces, and CAD & REVIT files.

Download
General Architectural
Specifications

Download
SEFA3 Test Results
Worksurfaces

Download
SEFA8 Test Results
Casework

Download
CAD and
REVIT Files

Catalog Section 3

Base Units - Standing Height Cabinets




with Open Base

see spec sheet **EG03.00**

depth		width		weight		description	model #
in	mm	in	mm	lbs.	kg		
22"	559	18"	457	74	33.6	open base	SSC-HOB-18
22"	559	24"	610	99	44.9	open base	SSC-HOB-24
22"	559	30"	762	124	56.2	open base	SSC-HOB-30
22"	559	36"	914	133	60.3	open base	SSC-HOB-36
22"	559	48"	1218	149	67.6	open base	SSC-HOB-48

FEATURES:

- Open Base with interior shelf
- Standing Height - 35" (889mm) high.
- 22" (559mm) depth.



with Full-Height Door(s)

see spec sheet **EG03.00**

depth		width		weight		description	model #
in	mm	in	mm	lbs.	kg		
22"	559	18"	457	99	44.9	left swing door	SSC-HCBL-18
22"	559	18"	457	99	44.9	right swing door	SSC-HCBR-18
22"	559	24"	610	124	56.2	left swing door	SSC-HCBL-24
22"	559	24"	610	124	56.2	right swing door	SSC-HCBR-24
22"	559	30"	762	174	78.9	double doors	SSC-HCB-30
22"	559	36"	914	183	83.0	double doors	SSC-HCB-36
22"	559	48"	1219	199	90.3	double doors	SSC-HCB-48

FEATURES:

- Full-height hinged door(s) with wire style pull.
- Intermediate shelf.
- Standing Height - 35" (889mm) high.
- 22" (559mm) depth.



with Single-Bank Drawers

see spec sheet **EG03.01**

Four 7" (178mm) Drawers Per Unit


depth	width	weight	no. of	drawer height	model #
in	mm	lbs.	drawers	in.	
22"	18"	142	4	7"	SSC-HDB7-18
22"	24"	167	4	7"	SSC-HDB7-24
22"	30"	260	4	7"	SSC-HDB7-30
22"	36"	269	4	7"	SSC-HDB7-36
22"	48"	285	4	7"	SSC-HDB7-48

Three 10" (254mm) Drawers Per Unit

depth		width		weight		no. of	drawer height		model #
in	mm	in	mm	lbs.	kg		in.	mm	
22"	559	18"	457	134	60.8	3	10"	254	SSC-HDB10-18
22"	559	24"	610	159	72.1	3	10"	254	SSC-HDB10-24
22"	559	30"	762	244	110.7	3	10"	254	SSC-HDB10-30
22"	559	36"	914	253	114.8	3	10"	254	SSC-HDB10-36
22"	559	48"	1219	269	122.1	3	10"	254	SSC-HDB10-48

FEATURES:

- Units with single-bank full-length drawers.
- Standing Height - 35" (889mm) high.
- 22" (559mm) depth.



Consult factory for pricing.

Base Units - Standing Height Cabinets (continued)



with Single-Bank Drawers (continued)

see spec sheet **EG03.01**

FEATURES:


- Units with single-bank full-length drawers.
- Standing Height - 35" (889mm) high.
- 22" (559mm) depth.

Ten 3" (76mm) Drawers Per Unit

depth in	mm	width in	mm	weight lbs.	kg	no. of drawers	drawer height in.	mm	model #
22"	559	18"	457	174	78.9	10	3"	76	SSC-HDB3-18
22"	559	24"	610	199	90.3	10	3"	76	SSC-HDB3-24
22"	559	30"	762	324	146.9	10	3"	76	SSC-HDB3-30
22"	559	36"	914	333	151.0	10	3"	76	SSC-HDB3-36
22"	559	48"	1219	349	158.0	10	3"	76	SSC-HDB3-48

Five 6" (152mm) Drawers Per Unit


depth in	mm	width in	mm	weight lbs.	kg	no. of drawers	drawer height in.	mm	model #
22"	559	18"	457	149	67.6	5	6"	152	SSC-HDB6-18
22"	559	24"	610	174	78.9	5	6"	152	SSC-HDB6-24
22"	559	30"	762	274	124.3	5	6"	152	SSC-HDB6-30
22"	559	36"	914	283	128.4	5	6"	152	SSC-HDB6-36
22"	559	48"	1219	299	135.6	5	6"	152	SSC-HDB6-48



SSC-HDB3-24



SSC-HDB6-18



SSC-HDB6-48

with Double-Bank Drawers

see spec sheet **EG03.02**

FEATURES:

- Units with double-bank of drawers.
- Standing Height - 35" (889mm) high.
- 22" (559mm) depth.

Ten 6" (152mm) Drawers Per Unit

depth in	mm	width in	mm	weight lbs.	kg	no. of drawers	drawer height in.	mm	model #
22"	559	30"	762	548	248.6	10	6"	152	SSC-HDBD6-30
22"	559	36"	914	566	256.7	10	6"	152	SSC-HDBD6-36
22"	559	48"	1219	598	271.2	10	6"	152	SSC-HDBD6-48



SSC-HDBD6-36

Eight 7" (178mm) Drawers Per Unit

depth in	mm	width in	mm	weight lbs.	kg	no. of drawers	drawer height in.	mm	model #
22"	559	30"	762	520	235.9	8	7"	152	SSC-HDBD7-30
22"	559	36"	914	538	244.0	8	7"	152	SSC-HDBD7-36
22"	559	48"	1219	570	258.6	8	7"	152	SSC-HDBD7-48



SSC-HDBD7-48

Consult factory for pricing.

Catalog Section 3

Base Units - Standing Height Cabinets (continued)




with Door/Drawer Combination

see spec sheet **EG03.03**

FEATURES:

- Units with hinged door(s) and drawer(s).
- Standing Height - 35" (889mm) high.
- 22" (559mm) depth.



Units with 3" (76mm) Drawers

depth in mm	width in mm	weight lbs. kg	no. of drawers	drawer height in. mm	description	model #
22" 559	18" 457	94 42.6	2	3" 76	left swing door	SSC-HDDL3-18
22" 559	18" 457	94 42.6	2	3" 76	right swing door	SSC-HDDRT3-18
22" 559	24" 610	119 53.9	2	3" 76	left swing door	SSC-HDDL3-24
22" 559	24" 610	119 53.9	2	3" 76	right swing door	SSC-HDDRT3-24
22" 559	30" 762	214 97.1	2	3" 76	double doors	SSC-HDDT3-30
22" 559	36" 914	223 101.1	2	3" 76	double doors	SSC-HDDT3-36
22" 559	48" 1219	239 108.4	2	3" 76	double doors	SSC-HDDT3-48
22" 559	30" 762	224 101.6	4	3" 76	double doors	SSC-HDDT3D-30
22" 559	36" 914	233 105.7	4	3" 76	double doors	SSC-HDDT3D-36
22" 559	48" 1219	249 112.9	4	3" 76	double doors	SSC-HDDT3D-48



SSC-HDDL6-18



SSC-HDDL6-18



SSC-HDDT6D-30

Units with One or Two 6" (152mm) Drawers

depth in mm	width in mm	weight lbs. kg	no. of drawers	drawer height in. mm	description	model #
22" 559	18" 457	114 51.7	1	6" 152	left swing door	SSC-HDDL6-18
22" 559	18" 457	114 51.7	1	6" 152	right swing door	SSC-HDDRT6-18
22" 559	24" 610	139 63.0	1	6" 152	left swing door	SSC-HDDL6-24
22" 559	24" 610	139 63.0	1	6" 152	right swing door	SSC-HDDRT6-24
22" 559	30" 762	204 92.5	1	6" 152	double doors	SSC-HDDT6-30
22" 559	36" 914	213 96.6	1	6" 152	double doors	SSC-HDDT6-36
22" 559	48" 1218	229 103.9	1	6" 152	double doors	SSC-HDDT6-48
22" 559	30" 762	214 97.1	2	6" 152	double doors	SSC-HDDT6D-30
22" 559	36" 914	223 101.2	2	6" 152	double doors	SSC-HDDT6D-36
22" 559	48" 1218	239 108.4	2	6" 152	double doors	SSC-HDDT6D-48

Consult factory for pricing.

Base Units - Standing Height Cabinets (continued)



with Door/Drawer Combination (cont.)

see spec sheet **EG03.04** and **EG03.05**

FEATURES:

- Units with door(s) and drawer(s).
- Standing Height - 35" (889mm) high.
- 22" (559mm) depth.

Units with Five 6" (152mm) Drawers

depth in mm	width in mm	weight lbs. kg	no. of drawers	drawer height in. mm	description		model #
22" 559	30" 762	209 94.8	5	6" 152	left swing door		SSC-HDDL6-30
22" 559	30" 762	209 94.8	5	6" 152	right swing door		SSC-HDDR6-30
22" 559	36" 914	218 98.9	5	6" 152	left swing door		SSC-HDDL6-36
22" 559	36" 914	218 98.9	5	6" 152	right swing door		SSC-HDDR6-36
22" 559	48" 1219	234 106.1	5	6" 152	left swing door		SSC-HDDL6-48
22" 559	48" 1219	234 106.1	5	6" 152	right swing door		SSC-HDDR6-48



SSC-HDDL6-30



SSC-HDDR6-30

Units with Six 6" (152mm) Drawers

depth in mm	width in mm	weight lbs. kg	no. of drawers	drawer height in. mm	description		model #
22" 559	30" 762	234 106.1	6	6" 152	left swing door		SSC-HDDL6D-30
22" 559	30" 762	234 106.1	6	6" 152	right swing door		SSC-HDRT6D-30
22" 559	36" 914	243 110.2	6	6" 152	left swing door		SSC-HDDL6D-36
22" 559	36" 914	243 110.2	6	6" 152	right swing door		SSC-HDRT6D-36
22" 559	48" 1219	259 117.5	6	6" 152	left swing door		SSC-HDDL6D-48
22" 559	48" 1219	259 117.5	6	6" 152	right swing door		SSC-HDRT6D-48



SSC-HDDL6D-48



SSC-HDRT6D-48

Units with Four 7" (178mm) Drawers

depth in mm	width in mm	weight lbs. kg	no. of drawers	drawer height in. mm	description		model #
22" 559	30" 762	202 91.6	4	7" 178	left swing door		SSC-HDDL7-30
22" 559	30" 762	202 91.6	4	7" 178	right swing door		SSC-HDDR7-30
22" 559	36" 914	211 95.7	4	7" 178	left swing door		SSC-HDDL7-36
22" 559	36" 914	211 95.7	4	7" 178	right swing door		SSC-HDDR7-36
22" 559	48" 1219	227 102.9	4	7" 178	left swing door		SSC-HDDL7-48
22" 559	48" 1219	227 102.9	4	7" 178	right swing door		SSC-HDDR7-48



SSC-HDDL7-36



SSC-HDDR7-36

Units with Five 7" (178mm) Drawers

depth in mm	width in mm	weight lbs. kg	no. of drawers	drawer height in. mm	description		model #
22" 559	30" 762	244 110.7	5	7" 178	left swing door		SSC-HDDL7D-30
22" 559	30" 762	244 110.7	5	7" 178	right swing door		SSC-HDRT7D-30
22" 559	36" 914	253 114.8	5	7" 178	left swing door		SSC-HDDL7D-36
22" 559	36" 914	253 114.8	5	7" 178	right swing door		SSC-HDRT7D-36
22" 559	48" 1219	269 122.0	5	7" 178	left swing door		SSC-HDDL7D-48
22" 559	48" 1219	269 122.0	5	7" 178	right swing door		SSC-HDRT7D-48



SSC-HDDL7D-30

Consult factory for pricing.

Catalog Section 3

Base Units - Standing Height Cabinets (continued)



Sink Bases

see spec sheet **EG03.06**

depth in mm	width in mm	weight lbs. kg	description		model #
22" 559	18" 457	99 44.9	left swing door		SSC-HSBL-18
22" 559	18" 457	99 44.9	right swing door		SSC-HSBR-18
22" 559	24" 610	124 56.2	left swing door		SSC-HSBL-24
22" 559	24" 610	124 56.2	right swing door		SSC-HSBR-24
22" 559	30" 762	174 78.9	double doors		SSC-HSB-30
22" 559	36" 914	183 83.0	double doors		SSC-HSB-36
22" 559	48" 1219	199 90.2	double doors		SSC-HSB-48
22" 559	56" 1422	219 99.3	double doors		SSC-HSB-56
22" 559	58" 1473	222 100.7	double doors		SSC-HSB-58

FEATURES:

- Units with hinged door(s).
- Standing Height - 35" (889mm) high.
- Partial height back panel.
- 22" (559mm) depth.



Angled Sink Bases

see spec sheet **EG03.06**

depth in mm	width in mm	weight lbs. kg	model #	
22" 559	24" 610	53 24.0	SSC-HSBA-24	
22" 559	30" 762	56 25.4	SSC-HSBA-30	
22" 559	36" 914	62 28.2	SSC-HSBA-36	
22" 559	48" 1219	75 34.0	SSC-HSBA-48	



SSC-HSBS-36

FEATURES:

- Removable access panel at front
- Open design at rear for plumbing
- Mounts to adjacent freestanding base units


NEW Corner Base Cabinets
see spec sheet **EG03.07**

FEATURES:

- Standing Height - 35" (889mm) high.
- Intermediate shelf adjustable on 1/2" (12mm) increments.
- 22" (559mm) depth.

depth in mm	width* in mm	weight lbs. kg	description		model #
22" 559	49" 1245	142 64.4	open base		SSC-HCOB-18
22" 559	49" 1245	149 67.6	left swing door		SSC-HCCBL-18
22" 559	49" 1245	149 67.6	right swing door		SSC-HCCBR-18

* Overall end-to-end dimension.



Consult factory for pricing.

Base Units - Sitting Height Cabinets




with Open Base

see spec sheet **EG03.10**

depth		width		weight		description	model #
in	mm	in	mm	lbs.	kg		
22"	559	18"	457	72	32.7	open base	SSC-SOB-18
22"	914	24"	610	97	44.0	open base	SSC-SOB-24
22"	914	30"	610	122	55.3	open base	SSC-SOB-30
22"	914	36"	610	131	59.4	open base	SSC-SOB-36
22"	914	48"	610	147	66.7	open base	SSC-SOB-48

FEATURES:

- Open Base with interior shelf
- Sitting Height - 29 $\frac{1}{8}$ " (740mm) high.
- 22" (559mm) depth.



with Full Height Door(s)

see spec sheet **EG03.10**

depth		width		weight		description	model #
in	mm	in	mm	lbs.	kg		
22"	559	18"	457	97	44.0	left swing door	SSC-SCBL-18
22"	914	18"	457	97	44.0	right swing door	SSC-SCBR-18
22"	914	24"	610	122	55.3	left swing door	SSC-SCBL-24
22"	914	24"	610	122	55.3	right swing door	SSC-SCBR-24
22"	914	30"	762	172	78.0	double doors	SSC-SCB-30
22"	914	36"	914	181	82.1	double doors	SSC-SCB-36
22"	914	48"	1219	197	89.4	double doors	SSC-SCB-48

FEATURES:

- Full height door with interior shelf
- Sitting Height - 29 $\frac{1}{8}$ " (740mm) high.
- 22" (559mm) depth.



with Drawers

see spec sheet **EG03.11**

FEATURES:

- Units with single-bank full-length drawers.
- Sitting Height - 29 $\frac{1}{8}$ " (740mm) high.
- 22" (559mm) depth.

Two 12" (305mm) Drawers Per Unit

depth		width		weight		no. of drawers	drawer height		model #
in	mm	in	mm	lbs.	kg		in.	mm	
22"	559	18"	457	112	50.8	2	12"	305	SSC-SDB12-18
22"	559	24"	610	137	62.1	2	12"	305	SSC-SDB12-24

Four 6" (152mm) Drawers Per Unit

depth		width		weight		no. of drawers	drawer height		model #
in	mm	in	mm	lbs.	kg		in.	mm	
22"	559	18"	457	132	59.9	4	6"	152	SSC-SDB6-18
22"	559	24"	610	157	71.2	4	6"	152	SSC-SDB6-24



SSC-SDB12-18



SSC-SDB6-18

Consult factory for pricing.

Catalog Section 3

Base Units - Sitting Height Cabinets (continued)




with Door/Drawer Combination

see spec sheet **EG03.12**

FEATURES:

- Units with door(s) and drawer(s).
- Sitting Height - 29½" (740mm) high.
- 22" (559mm) depth.

		Units with Two 3" (76mm)-high Drawers				Units with One 6" (152mm)-high Drawer			
depth	width	weight		description	model #	weight		description	model #
in	mm	lbs.	kg			lbs.	kg		
22"	559	18"	457	left swing door	SSC-SDDL3-18	112	50.8	SSC-SDDL6-18	
22"	559	18"	457	right swing door	SSC-SDDRT3-18	112	50.8	SSC-SDDRT6-18	
22"	559	24"	610	left swing door	SSC-SDDL3-24	137	62.1	SSC-SDDL6-24	
22"	559	24"	610	right swing door	SSC-SDDRT3-24	137	62.1	SSC-SDDRT6-24	



SSC-SDDL3-24



SSC-SDDRT6-18

Sink Bases

see spec sheet **EG03.13**

FEATURES:

- Units with hinged door(s).
- Sitting Height - 29½" (740mm) high.
- Partial height back panel.
- 22" (559mm) depth.

depth	width	weight		description	model #
in	mm	in	mm		
		lbs.	kg		
22"	559	18"	457	left swing door	SSC-SSBL-18
22"	914	18"	457	right swing door	SSC-SSBR-18
22"	914	24"	610	left swing door	SSC-SSBL-24
22"	914	24"	610	right swing door	SSC-SSBR-24
22"	914	30"	762	double doors	SSC-SSB-30
22"	914	36"	914	double doors	SSC-SSB-36
22"	914	48"	1219	double doors	SSC-SSB-48
22"	559	56"	1422	double doors	SSC-SSB-56
22"	559	58"	1473	double doors	SSC-SSB-58



SSC-SSBL-24



SSC-SSB-56

Angled Sink Bases

see spec sheet **EG03.13**

FEATURES:

- Removable access panel at front
- Open design at rear for plumbing
- Mounts to adjacent freestanding base units

depth	width	weight		description	model #
in	mm	in	mm		
		lbs.	kg		
22"	559	24"	610		SSC-SSBA-24
22"	559	30"	762		SSC-SSBA-30
22"	559	36"	914		SSC-SSBA-36
22"	559	48"	1219		SSC-SSBA-48



SSC-SSBA-18

NEW

Corner Base Cabinets


see spec sheet **EG03.14**

FEATURES:

- Sitting Height - 29½" (740mm) high.
- Intermediate shelf adjustable on ½" (12mm) increments.
- 22" (559mm) depth.

depth	width*	weight		description	model #
in	mm	in	mm		
		lbs.	kg		
22"	559	49"	1245	open base	SSC-SCOB-18
22"	559	49"	1245	left swing door	SSC-SCCBL-18
22"	559	49"	1245	right swing door	SSC-SCCBL-18

* Overall end-to-end dimension.



Consult factory for pricing.

Base Fillers



Knee Space Apron Kits

see spec sheet **E603.20**

		without Drawer				w/One 3" Drawer			
depth	width	weight		model #	weight		model #		
in	mm	in.	mm	lbs.	kg	lbs.	kg	in.	mm
22"	559	24"	610	32	14.5	SSC-KAK-24	46	20.8	SSC-KAK1D-24
22"	559	30"	762	35	15.9	SSC-KAK-30	49	22.2	SSC-KAK1D-30
22"	559	36"	914	38	17.2	SSC-KAK-36	52	23.6	SSC-KAK1D-36
22"	559	48"	1219	41	18.5	SSC-KAK-48	55	25.0	SSC-KAK1D-48

FEATURES:

- Ships knocked down.
- Mounts to adjacent freestanding bases.
- Kits with Drawer feature 3" drawer assembly with wire pull.



Knee-Space Filler Panels

see spec sheet **E603.20**

		35" Standing Height		29 1/2" Sitting Height			
width	weight			weight			
in	mm	lbs.	kg	model #	lbs.	kg	model #
24"	610	20.0	9.1	SSC-HKPL-24	17.0	7.7	SSC-SKPL-24
30"	762	22.0	10.1	SSC-HKPL-30	18.5	8.6	SSC-SKPL-30
36"	914	24.0	10.9	SSC-HKPL-36	20.0	9.0	SSC-SKPL-36

FEATURES:

- 29 1/2" (740mm) Sitting or 35" (889mm) Standing Height.
- For use with no apron above.



Toe Fillers

see spec sheet **E603.20**

FEATURES:

- 29 1/2" (740mm) Sitting, 35" (889mm) Standing Height, or 84" (2134mm) Tall Height.

				35" Standing Height			29½" Sitting Height			84" Tall Height		
depth		width		weight		weight						
in	mm	in.	mm	lbs.	kg	model #	lbs.	kg	model #	lbs.	kg	model #
1"	25	3"	76	1.0	0.5	SSC-HTF-3	0.9	0.5	SSC-STF-3	2.4	1.1	SSC-TTF-3
1"	25	6"	152	2.0	0.9	SSC-HTF-6	1.7	0.8	SSC-STF-6	4.8	2.2	SSC-TTF-6
1	25	12"	305	3.0	1.4	SSC-HTF-12	2.5	1.1	SSC-STF-12	9.6	4.4	SSC-TTF-12



Toe Scribes

see spec sheet **E603.20**

FEATURES:

- 29 1/2" (740mm) Sitting, 35" (889mm) Standing Height, or 84" (2134mm) Tall Height.

			35" Standing Height			29½" Sitting Height			84" Tall Height			
depth	width		weight			weight			weight			
in	mm	orientation	lbs.	kg	model #	lbs.	kg	model #	lbs.	kg	model #	
1"	25	1" 25	left	1.0	0.5	SSC-HTSL-1	0.9	0.5	SSC-STSL-1	2.4	1.1	SSC-TTSL-1
1"	25	2" 51	left	1.5	0.7	SSC-HTSL-2	1.0	0.5	SSC-STSL-2	3.6	1.6	SSC-TTSL-2
1"	25	3" 76	left	2.0	0.9	SSC-HTSL-3	1.3	0.6	SSC-STSL-3	4.8	2.2	SSC-TTSL-3
1"	25	1" 25	right	1.0	0.5	SSC-HTSR-1	0.9	0.5	SSC-STSR-1	2.4	1.1	SSC-TTSR-1
1"	25	2" 51	right	1.5	0.7	SSC-HTSR-2	1.0	0.5	SSC-STSR-2	3.6	1.6	SSC-TTSR-2
1"	25	3" 76	right	2.0	0.9	SSC-HTSR-3	1.3	0.6	SSC-STSR-3	4.8	2.2	SSC-TTSR-3



Consult factory for pricing.

Catalog Section 3

Base Fillers (continued)



Rear Filler Panels

see spec sheet **EG03.21**

FEATURES:

- 29½" (740mm) Sitting, 35" (889mm) Standing Height, or 84" (2134mm) Tall Height.

		35" Standing Height			29½" Sitting Height			84" Tall Height		
depth	width	weight		model #	weight		model #	weight		model #
in mm	in. mm	lbs.	kg		lbs.	kg		lbs.	kg	
3"	76	6"	152	SSC-HRFP-6	3.0	1.4	SSC-SRFP-6	9.6	4.4	SSC-TRFP-6
3"	76	12"	305	SSC-HRFP-12	4.0	1.8	SSC-SRFP-12	14.4	6.5	SSC-TRFP-12



Rear Filler Scribes

see spec sheet **EG03.21**

FEATURES:

- 29½" (740mm) Sitting, 35" (889mm) Standing Height, or 84" (2134mm) Tall Height.

		35" Standing Height			29½" Sitting Height			84" Tall Height		
depth	width			weight			weight			weight
in mm	in. mm	orientation		lbs. kg model #	lbs. kg model #		lbs. kg model #	lbs. kg model #		lbs. kg model #
1"	25	1"	25	left	1.2 0.5	SSC-HRFSL-1	1.0 0.5	SSC-SRFSL-1	2.9 1.3	SSC-TRFSL-1
1"	25	2"	51	left	1.4 0.6	SSC-HRFSL-2	1.0 0.5	SSC-SRFSL-2	3.4 1.5	SSC-TRFSL-2
1"	25	3"	76	left	2.2 1.0	SSC-HRFSL-3	2.0 0.9	SSC-SRFSL-3	5.3 2.4	SSC-TRFSL-3
1"	25	6"	152	left	3.3 1.5	SSC-HRFSL-6	3.0 1.4	SSC-SRFSL-6	7.9 3.6	SSC-TRFSL-6
1"	25	1"	25	right	1.2 0.5	SSC-HRFSR-1	1.0 0.5	SSC-SRFSR-1	2.9 1.3	SSC-TRFSR-1
1"	25	2"	51	right	1.4 0.6	SSC-HRFSR-2	1.0 0.5	SSC-SRFSR-2	3.4 1.5	SSC-TRFSR-2
1"	25	3"	76	right	2.2 1.0	SSC-HRFSR-3	2.0 0.9	SSC-SRFSR-3	5.3 2.4	SSC-TRFSR-3
1"	25	6"	152	right	3.3 1.5	SSC-HRFSR-6	3.0 1.4	SSC-SRFSR-6	7.9 3.6	SSC-TRFSR-6



Corner Fillers

see spec sheet **EG03.21**

FEATURES:

- 29½" (740mm) Sitting, 35" (889mm) Standing Height, or 84" (2134mm) Tall Height.

		35" Standing Height			29½" Sitting Height			84" Tall Height		
depth	width	weight		model #	weight		model #	weight		model #
in mm	in. mm	lbs.	kg		lbs.	kg		lbs.	kg	
1"	25	3"	76	SSC-HCF-3	1.5	0.7	SSC-SCF-3	4.8	2.2	SSC-TCF-3
1"	25	6"	152	SSC-HCF-6	2.5	1.1	SSC-SCF-6	7.2	3.3	SSC-TCF-6



Consult factory for pricing.

Upper Cabinets



Open Wall Cases

see spec sheet **EG03.30**

		with Flat Top		with Sloped Top	
depth	width	weight	model #	weight	model #
in mm	in mm	lbs. kg		lbs. kg	
13"	330	18"	457	117 53.1	SSC-WCO-1318
13"	330	24"	610	123 55.8	SSC-WCO-1324
13"	330	30"	762	129 58.5	SSC-WCO-1330
13"	330	36"	914	141 63.9	SSC-WCO-1336
13"	330	48"	1219	165 74.8	SSC-WCO-1348
16"	406	18"	457	122 55.3	SSC-WCO-1618
16"	406	24"	610	128 58.0	SSC-WCO-1624
16"	406	30"	762	134 60.8	SSC-WCO-1630
16"	406	36"	914	146 66.2	SSC-WCO-1636
16"	406	48"	1219	170 77.1	SSC-WCO-1648

FEATURES:

- Open front.
- Two adjustable shelves.
- 31" (787mm) height.
- 13" (330mm) or 16" (406mm) depth.



Solid Swinging Wall Cases

see spec sheet **EG03.31**

with Flat Top

depth	width	weight			model #
in mm	in mm	lbs. kg	description		
13"	330	18"	457	left swing door	SSC-WCHL-1318
13"	330	18"	457	right swing door	SSC-WCHR-1318
13"	330	24"	610	left swing door	SSC-WCHL-1324
13"	330	24"	610	right swing door	SSC-WCHR-1324
13"	330	30"	762	double doors	SSC-WCH-1330
13"	330	36"	914	double doors	SSC-WCH-1336
13"	330	48"	1219	double doors	SSC-WCH-1348
16"	406	18"	457	left swing door	SSC-WCHL-1618
16"	406	18"	457	right swing door	SSC-WCHR-1618
16"	406	24"	610	left swing door	SSC-WCHL-1624
16"	406	24"	610	right swing door	SSC-WCHR-1624
16"	406	30"	762	double doors	SSC-WCH-1630
16"	406	36"	914	double doors	SSC-WCH-1636
16"	406	48"	1219	double doors	SSC-WCH-1648

FEATURES:

- Full height solid hinged door(s).
- Two adjustable shelves.
- 31" (787mm) height.
- 13" (330mm) or 16" (406mm) depth.



SSC-WCHL-1324



SSC-WCHR-1324



SSC-WCH-1348

with Sloped Top

depth	width	weight			model #
in mm	in mm	lbs. kg	description		
13"	330	18"	457	left swing door	SSC-WCHLST-1318
13"	330	18"	457	right swing door	SSC-WCHRST-1318
13"	330	24"	610	left swing door	SSC-WCHLST-1324
13"	330	24"	610	right swing door	SSC-WCHRST-1324
13"	330	30"	762	double doors	SSC-WCHST-1330
13"	330	36"	914	double doors	SSC-WCHST-1336
13"	330	48"	1219	double doors	SSC-WCHST-1348
16"	406	18"	457	left swing door	SSC-WCHLST-1618
16"	406	18"	457	right swing door	SSC-WCHRST-1618
16"	406	24"	610	left swing door	SSC-WCHLST-1624
16"	406	24"	610	right swing door	SSC-WCHRST-1624
16"	406	30"	762	double doors	SSC-WCHST-1630
16"	406	36"	914	double doors	SSC-WCHST-1636
16"	406	48"	1219	double doors	SSC-WCHST-1648



SSC-WCHLST-1324



SSC-WCHRST-1324



SSC-WCHST-1330

Consult factory for pricing.

Catalog Section 3

Upper Cabinets (continued)



Framed Glass Swinging Wall Cases

see spec sheet **EG03.32**

with Flat Top

depth		width		weight		description	model #
in	mm	in	mm	lbs.	kg		
13"	330	18"	457	166	75.3	left swing door	SSC-WCGHL-1318
13"	330	18"	457	166	75.3	right swing door	SSC-WCGHR-1318
13"	330	24"	610	172	78.0	left swing door	SSC-WCGHL-1324
13"	330	24"	610	172	78.0	right swing door	SSC-WCGHR-1324
13"	330	30"	762	184	83.4	double doors	SSC-WCGH-1330
13"	330	36"	914	184	83.4	double doors	SSC-WCGH-1336
13"	330	48"	1219	202	91.6	double doors	SSC-WCGH-1348
16"	406	18"	457	172	78.0	left swing door	SSC-WCGHL-1618
16"	406	18"	457	172	78.0	right swing door	SSC-WCGHR-1618
16"	406	24"	610	178	80.7	left swing door	SSC-WCGHL-1624
16"	406	24"	610	178	80.7	right swing door	SSC-WCGHR-1624
16"	406	30"	762	160	72.6	double doors	SSC-WCGH-1630
16"	406	36"	914	166	75.3	double doors	SSC-WCGH-1636
16"	406	48"	1219	214	97.1	double doors	SSC-WCGH-1648

with Sloped Top

depth		width		weight		description	model #
in	mm	in	mm	lbs.	kg		
13"	330	18"	457	186	84.4	left swing door	SSC-WCGHLST-1318
13"	330	18"	457	186	84.4	right swing door	SSC-WCGHRST-1318
13"	330	24"	610	192	87.1	left swing door	SSC-WCGHLST-1324
13"	330	24"	610	192	87.1	right swing door	SSC-WCGHRST-1324
13"	330	30"	762	244	110.7	double doors	SSC-WCGHST-1330
13"	330	36"	914	222	100.7	double doors	SSC-WCGHST-1336
13"	330	48"	1219	158	71.7	double doors	SSC-WCGHST-1348
16"	406	18"	457	192	87.1	left swing door	SSC-WCGHLST-1618
16"	406	18"	457	192	87.1	right swing door	SSC-WCGHRST-1618
16"	406	24"	610	198	89.8	left swing door	SSC-WCGHLST-1624
16"	406	24"	610	198	89.8	right swing door	SSC-WCGHRST-1624
16"	406	30"	762	210	95.2	double doors	SSC-WCGHST-1630
16"	406	36"	914	216	98.0	double doors	SSC-WCGHST-1636
16"	406	48"	1219	264	119.7	double doors	SSC-WCGHST-1648

FEATURES:

- Full height hinged door(s) with framed glass.
- Two adjustable shelves.
- 31" (787mm) height.
- 13" (330mm) or 16" (406mm) depth.



SSC-WCGHL-1324



SSC-WCGHR-1324



SSC-WCGH-1348



SSC-WCGHLST-1324



SSC-WCGHRST-1324



SSC-WCGHST-1630

NEW Corner Cases

see spec sheet **EG03.33**

depth		width*		weight			
in	mm	in	mm	lbs.	kg	description	model #
13"	330	36⅝"	924	120	54.4	open front	SSC-WCCO-1318
13"	330	18"	457	126	57.2	left swing door	SSC-WCCHL-1318
13"	330	18"	457	126	57.2	right swing door	SSC-WCCHR-1318
16"	406	18"	457	135	61.2	open front	SSC-WCCO-1618
16"	406	18"	457	141	64.0	left swing door	SSC-WCCHL-1618
16"	406	18"	457	141	64.0	right swing door	SSC-WCCHR-1618

* Overall end-to-end dimension.

FEATURES:

- Open front or solid hinged left or right door.
- Two adjustable shelves.
- 31" (787mm) height.
- 13" (330mm) or 16" (406mm) depth.



SSC-WCCHR-1318

Consult factory for pricing.

Tall Cabinets




Open Tall Cases

see spec sheet **E603.40**

		with Flat Top				with Sloped Top			
depth		width		weight				weight	
in	mm	in	mm	lbs.	kg	model #		lbs.	kg
18"	457	24"	610	263	119.3	SSC-TOB-1824		283	128.3
18"	457	30"	762	293	132.9	SSC-TOB-1830		313	142.0
18"	457	36"	914	301	136.5	SSC-TOB-1836		321	145.6
18"	457	48"	1219	331	150.1	SSC-TOB-1848		351	159.2
24"	610	24"	610	338	153.3	SSC-TOB-2424		358	162.4
24"	610	30"	762	368	166.9	SSC-TOB-2430		388	176.0
24"	610	36"	914	413	187.3	SSC-TOB-2436		433	196.4
24"	610	48"	1219	443	200.9	SSC-TOB-2448		463	210.0
								SSC-TOBST-1824	
								SSC-TOBST-1830	
								SSC-TOBST-1836	
								SSC-TOBST-1848	
								SSC-TOBST-2424	
								SSC-TOBST-2430	
								SSC-TOBST-2436	
								SSC-TOBST-2448	

FEATURES:

- Open front.
- Five adjustable shelves.
- 84" (2134mm) height.
- 18" (457mm) or 24" (610mm) depth.



Solid Swinging Tall Cases


see spec sheet **E603.41**

with Flat Top

depth		width		weight		description	model #
in	mm	in	mm	lbs.	kg		
18"	457	24"	610	343	64.4	left swing door	SSC-TCBL-1824
18"	457	24"	610	343	64.4	right swing door	SSC-TCBR-1824
18"	457	30"	762	381	69.8	double doors	SSC-TCB-1830
18"	457	36"	914	413	78.0	double doors	SSC-TCB-1836
18"	457	48"	1219	418	94.3	double doors	SSC-TCB-1848
24"	610	24"	610	373	67.1	left swing door	SSC-TCBL-2424
24"	610	24"	610	373	67.1	right swing door	SSC-TCBR-2424
24"	610	30"	762	448	72.6	double doors	SSC-TCB-2430
24"	610	36"	914	493	75.3	double doors	SSC-TCB-2436
24"	610	48"	1219	523	97.1	double doors	SSC-TCB-2448


FEATURES:

- Full height solid hinged door(s).
- Five adjustable shelves.
- 84" (2134mm) height.
- 18" (457mm) or 24" (610mm) depth.



with Sloped Top

depth		width		weight		description	model #
in	mm	in	mm	lbs.	kg		
18"	457	24"	610	363	164.6	left swing door	SSC-TCBSTL-1824
18"	457	24"	610	363	164.6	right swing door	SSC-TCBSTR-1824
18"	457	30"	762	401	181.9	double doors	SSC-TCBST-1830
18"	457	36"	914	431	195.5	double doors	SSC-TCBST-1836
18"	457	48"	1219	438	198.6	double doors	SSC-TCBST-1848
24"	610	24"	610	393	178.2	left swing door	SSC-TCBSTL-2424
24"	610	24"	610	393	178.2	right swing door	SSC-TCBSTR-2424
24"	610	30"	762	468	212.2	double doors	SSC-TCBST-2430
24"	610	36"	914	513	232.7	double doors	SSC-TCBST-2436
24"	610	48"	1219	543	246.3	double doors	SSC-TCBST-2448



Consult factory for pricing.

Catalog Section 3

Tall Cabinets (continued)



Framed Glass Swinging Tall Cases

see spec sheet **EG03.42**

with Flat Top


depth	width	weight				
in	mm	in	mm	lbs.	kg	
18"	457	24"	610	443	200.9	left swing door
18"	457	24"	610	443	200.9	right swing door
18"	457	30"	762	481	218.1	double doors
18"	457	36"	914	481	218.1	double doors
18"	457	48"	1219	518	234.9	double doors
24"	610	24"	610	473	214.5	left swing door
24"	610	24"	610	473	214.5	right swing door
24"	610	30"	762	548	248.5	double doors
24"	610	36"	914	593	268.9	double doors
24"	610	48"	1219	623	282.5	double doors
						model #
						SSC-TCBGL-1824
						SSC-TCBGR-1824
						SSC-TCBG-1830
						SSC-TCBG-1836
						SSC-TCBG-1848
						SSC-TCBGL-2424
						SSC-TCBGR-2424
						SSC-TCBG-2430
						SSC-TCBG-2436
						SSC-TCBG-2448

with Sloped Top

depth	width	weight				
in	mm	in	mm	lbs.	kg	
18"	457	24"	610	463	210.0	left swing door
18"	457	24"	610	463	210.0	right swing door
18"	457	30"	762	501	227.2	double doors
18"	457	36"	914	531	240.8	double doors
18"	457	48"	1219	538	244.0	double doors
24"	610	24"	610	493	223.6	left swing door
24"	610	24"	610	493	223.6	right swing door
24"	610	30"	762	568	257.6	double doors
24"	610	36"	914	613	278.0	double doors
24"	610	48"	1219	643	291.6	double doors
						model #
						SSC-TCBGLST-1824
						SSC-TCBGRST-1824
						SSC-TCBGST-1830
						SSC-TCBGST-1836
						SSC-TCBGST-1848
						SSC-TCBGLST-2424
						SSC-TCBGRST-2424
						SSC-TCBGST-2430
						SSC-TCBGST-2436
						SSC-TCBGST-2448

- Full height hinged door(s) with framed glass.
- Five adjustable shelves.
- 84" (2134mm) height.
- 18" (457mm) or 24" (610mm) depth.

FEATURES:



Consult factory for pricing.

NEW Healthcare Storage Cabinets

see spec sheet **EG03.70**



double-width unit with baskets

FEATURES:

- Type 304 stainless steel construction.
- 45 pairs of slides on inner panels.
- Hinged doors, with 4" (102mm) wire-style pulls, available solid or with framed glass.
- Single- and double-width units available.
- 83" (2108mm) height.

		Single-Width Units		Double-Width Units	
depth	description	width	model #	width	model #
in mm		in. mm		in. mm	
18" 457	solid	28" 711	PSSC-TCB-1828	54" 1372	PSSC-TCB-1854
18" 457	with framed glass	28" 711	PSSC-TCBG-1828	54" 1372	PSSC-TCBG-1854
26" 661	solid	20" 508	PSSC-TCB-2620	38" 965	PSSC-TCB-2638
26" 661	with framed glass	20" 508	PSSC-TCBG-2620	38" 965	PSSC-TCBG-2638

NEW Baskets and Trays for Healthcare Storage Cabinets

see spec sheet **EG03.71**

FEATURES:

- Cream-colored ABS material.
- Tray stopper keeps basket / tray from falling.
- 23 $\frac{5}{8}$ " x 15 $\frac{3}{4}$ " (600 x 400mm).



#PSST-SB4




#PSST-ST8
shown with dividers

Baskets and Trays

height in. mm	length x width in. mm	number of slide* spaces used	Optional Dividers	
			OPEN BASKETS model #	SOLID TRAYS model #
2" 51	23 $\frac{5}{8}$ " x 15 $\frac{3}{4}$ " 600 x 400	2 slide spaces	-	PSSC-ST2
4" 102	23 $\frac{5}{8}$ " x 15 $\frac{3}{4}$ " 600 x 400	3 slide spaces	PSSC-SB4	PSSC-ST4
8" 203	23 $\frac{5}{8}$ " x 15 $\frac{3}{4}$ " 600 x 400	5 slide spaces	PSSC-SB8	PSSC-ST8

* Standard 83" (2108mm) cabinets have 45 available slide spaces.



Accessories for Baskets and Trays

description	model #
vertical label holder: can be adhered to top of dividers or front edge of baskets	PSSC-LHV
horizontal label holder: can be adhered to top of dividers or front edge of baskets	PSSC-LHH
blue color strip: other colors available	PSSC-HDLS-BL
T-holder for dividers: allows use of custom-length dividers	PSSC-THD
basket stop: prevents basket from falling out when pulled	PSSC-BSKSTP
divider lock: keeps dividers locked in place	PSSC-DL
pull handle: attaches to 23-5/8" (600mm) basket side	PSSC-LHAN-W
pull handle: attaches to 15-3/4" (400mm) basket side	PSSC-LHAN-S

Consult factory for pricing.

Catalog Section 3

Vertical Storage Cabinets

see spec sheet **EG04.11**

vertical storage cabinet
with flat top

Note: Custom sizes, glass doors, locks, and additional shelves available upon request. Please contact factory for pricing on these options.

FEATURES:


- Type 304 stainless steel construction.
- Four (4) adjustable intermediate shelves.
- Hinged doors with wire-style pulls.
- Stationary units feature stainless steel legs with 1" (25mm) adjustable bullet feet.
- Mobile "CPB" units include 5" (127mm)-diameter swivel/brake stainless steel casters with poly tread.

					with Flat Top				with Sloped Top					
depth		width			height		weight		model #	height		weight		model #
in	mm	in.	mm		in.	mm	lbs.	kg		in.	mm	lbs.	kg	
18"	457	36"	914	stationary	72"	1829	416	188.7	SSC-TSC-1836	77"	1956	419	190.0	SSC-TSCST-1836
18"	457	48"	1219	stationary	72"	1829	490	222.3	SSC-TSC-1848	77"	1956	495	224.5	SSC-TSCST-1848
24"	610	36"	914	stationary	72"	1829	458	207.7	SSC-TSC-2436	77"	1956	461	209.1	SSC-TSCST-2436
24"	610	48"	1219	stationary	72"	1829	539	244.5	SSC-TSC-2448	77"	1956	545	247.2	SSC-TSCST-2448
24"	610	36"	914	mobile	72"	1829	462	209.6	SSC-TSC-2436-CPB	78"	1981	465	210.9	SSC-TSCST-2436-CPB
24"	610	48"	1219	mobile	72"	1829	543	246.3	SSC-TSC-2448-CPB	78"	1981	549	249.0	SSC-TSCST-2448-CPB

Bench Frames



Model Number Configuration




#SSC-HT-2460
shown

Model Number: **SSC - HT - 2460**

stainless steel
casework

"HT" = Standing Height
"ST" = Sitting Height

*actual dimension of top
(in inches)*



Note: Allow 1" overhang from each side of table frame to be fitted for top.

Standard Bench Frames


see spec sheet **EG03.50**

FEATURES:

- Standing and Sitting-Height models available.
- 22" (559mm) or 28" (712mm) depth.

				35" Standing Height				29 1/2" Sitting Height			
depth		width		weight				weight			
in	mm	in	mm	lbs.	kg	model #		lbs.	kg	model #	
22"	559	22"	559	50	22.7	SSC-HT-2424		48	21.8	SSC-ST-2424	
22"	559	28"	711	55	24.9	SSC-HT-2430		53	24.0	SSC-ST-2430	
22"	559	34"	864	60	27.2	SSC-HT-2436		58	26.3	SSC-ST-2436	
22"	559	40"	1016	65	29.5	SSC-HT-2442		63	28.6	SSC-ST-2442	
22"	559	46"	1168	70	31.7	SSC-HT-2448		68	30.8	SSC-ST-2448	
22"	559	58"	1473	78	35.4	SSC-HT-2460		76	34.5	SSC-ST-2460	
22"	559	64"	1626	84	38.1	SSC-HT-2466		82	37.2	SSC-ST-2466	
22"	559	70"	1778	90	40.8	SSC-HT-2472		88	39.9	SSC-ST-2472	
28"	711	22"	559	55	24.9	SSC-HT-3024		53	24.0	SSC-ST-3024	
28"	711	28"	711	58	26.3	SSC-HT-3030		56	25.4	SSC-ST-3030	
28"	711	34"	864	65	29.5	SSC-HT-3036		63	28.6	SSC-ST-3036	
28"	711	40"	1016	70	31.7	SSC-HT-3042		68	30.8	SSC-ST-3042	
28"	711	46"	1168	75	34.0	SSC-HT-3048		73	33.1	SSC-ST-3048	
28"	711	58"	1473	84	38.1	SSC-HT-3060		82	37.2	SSC-ST-3060	
28"	711	64"	1626	91	41.3	SSC-HT-3066		89	40.4	SSC-ST-3066	
28"	711	70"	1778	98	44.4	SSC-HT-3072		96	43.5	SSC-ST-3072	

Legs feature #4 stainless steel brushed finish.



Consult factory for pricing.

Bench Frames with Drawers



with One Drawer


see spec sheet **EG03.51**

FEATURES:

- Standing and Sitting-Height models available.
- 22" (559mm) or 28" (712mm) depth.

		35" Standing Height				29 1/8" Sitting Height			
depth		width		weight		weight		model #	
in	mm	in	mm	lbs.	kg	lbs.	kg		
22"	559	22"	559	50	22.7	48	21.8	SSC-HT1D-2424	SSC-ST1D-2424
22"	559	28"	711	55	24.9	53	24.0	SSC-HT1D-2430	SSC-ST1D-2430
22"	559	34"	864	60	27.2	58	26.3	SSC-HT1D-2436	SSC-ST1D-2436
22"	559	40"	1016	65	29.5	63	28.6	SSC-HT1D-2442	SSC-ST1D-2442
22"	559	46"	1168	70	31.7	68	30.8	SSC-HT1D-2448	SSC-ST1D-2448
22"	559	58"	1473	78	35.4	76	34.5	SSC-HT1D-2460	SSC-ST1D-2460
22"	559	64"	1626	84	38.1	82	37.2	SSC-HT1D-2466	SSC-ST1D-2466
22"	559	70"	1778	90	40.8	88	39.9	SSC-HT1D-2472	SSC-ST1D-2472
28"	711	22"	559	55	24.9	53	24.0	SSC-HT1D-3024	SSC-ST1D-3024
28"	711	28"	711	58	26.3	56	25.4	SSC-HT1D-3030	SSC-ST1D-3030
28"	711	34"	864	65	29.5	63	28.6	SSC-HT1D-3036	SSC-ST1D-3036
28"	711	40"	1016	70	31.7	68	30.8	SSC-HT1D-3042	SSC-ST1D-3042
28"	711	46"	1168	75	34.0	73	33.1	SSC-HT1D-3048	SSC-ST1D-3048
28"	711	58"	1473	84	38.1	82	37.2	SSC-HT1D-3060	SSC-ST1D-3060
28"	711	64"	1626	91	41.3	89	40.4	SSC-HT1D-3066	SSC-ST1D-3066
28"	711	70"	1778	98	44.4	96	43.5	SSC-HT1D-3072	SSC-ST1D-3072

Legs feature #4 stainless steel brushed finish.



with Two Drawers

see spec sheet **EG03.52**

FEATURES:

- Standing and Sitting-Height models available.
- 22" (559mm) or 28" (712mm) depth.

		35" Standing Height				29 1/8" Sitting Height			
depth		width		weight		weight		model #	
in	mm	in	mm	lbs.	kg	lbs.	kg		
22"	559	22"	559	50	22.7	48	21.8	SSC-HT2D-2424	SSC-ST2D-2424
22"	559	28"	711	55	24.9	53	24.0	SSC-HT2D-2430	SSC-ST2D-2430
22"	559	34"	864	60	27.2	58	26.3	SSC-HT2D-2436	SSC-ST2D-2436
22"	559	40"	1016	65	29.5	63	28.6	SSC-HT2D-2442	SSC-ST2D-2442
22"	559	46"	1168	70	31.7	68	30.8	SSC-HT2D-2448	SSC-ST2D-2448
22"	559	58"	1473	78	35.4	76	34.5	SSC-HT2D-2460	SSC-ST2D-2460
22"	559	64"	1626	84	38.1	82	37.2	SSC-HT2D-2466	SSC-ST2D-2466
22"	559	70"	1778	90	40.8	88	39.9	SSC-HT2D-2472	SSC-ST2D-2472
28"	711	22"	559	55	24.9	53	24.0	SSC-HT2D-3024	SSC-ST2D-3024
28"	711	28"	711	58	26.3	56	25.4	SSC-HT2D-3030	SSC-ST2D-3030
28"	711	34"	864	65	29.5	63	28.6	SSC-HT2D-3036	SSC-ST2D-3036
28"	711	40"	1016	70	31.7	68	30.8	SSC-HT2D-3042	SSC-ST2D-3042
28"	711	46"	1168	75	34.0	73	33.1	SSC-HT2D-3048	SSC-ST2D-3048
28"	711	58"	1473	84	38.1	82	37.2	SSC-HT2D-3060	SSC-ST2D-3060
28"	711	64"	1626	91	41.3	89	40.4	SSC-HT2D-3066	SSC-ST2D-3066
28"	711	70"	1778	98	44.4	96	43.5	SSC-HT2D-3072	SSC-ST2D-3072

Legs feature #4 stainless steel brushed finish.



Consult factory for pricing.

Catalog Section 3

Adjustable Height Tables

Pinned Leg Adjustable Height Tables

see spec sheets **EG03.53** **EG03.55**

FEATURES:

- 2" (51mm) square legs with leveling mount.
- Adjustable from 30" to 37" (762 to 940mm) height*.
- 22" (559mm) or 28" (712mm) depth*.



Legs feature #4 stainless steel brushed finish.



				Frame Assemblies Only	Units with Stainless Steel Tabletop* [▼]	NEW Units with Phenolic Tabletop*
depth*	width*			model #	model #	model #
in	mm	in	mm			
22"	559	22"	559	SSC-AHTP-2424	SSC-AHTTP-2424	SSC-AHTFP-2424
22"	559	28"	711	SSC-AHTP-2430	SSC-AHTTP-2430	SSC-AHTFP-2430
22"	559	34"	864	SSC-AHTP-2436	SSC-AHTTP-2436	SSC-AHTFP-2436
22"	559	46"	1168	SSC-AHTP-2448	SSC-AHTTP-2448	SSC-AHTFP-2448
22"	559	58"	1473	SSC-AHTP-2460	SSC-AHTTP-2460	SSC-AHTFP-2460
22"	559	70"	1778	SSC-AHTP-2472	SSC-AHTTP-2472	SSC-AHTFP-2472
28"	711	28"	711	SSC-AHTP-3030	SSC-AHTTP-3030	SSC-AHTFP-3030
28"	711	34"	864	SSC-AHTP-3036	SSC-AHTTP-3036	SSC-AHTFP-3036
28"	711	46"	1168	SSC-AHTP-3048	SSC-AHTTP-3048	SSC-AHTFP-3048
28"	711	58"	1473	SSC-AHTP-3060	SSC-AHTTP-3060	SSC-AHTFP-3060
28"	711	70"	1778	SSC-AHTP-3072	SSC-AHTTP-3072	SSC-AHTFP-3072

Electronic Drive Adjustable Height Tables

see spec sheet **EG03.54**

- 2" (51mm) square legs with leveling mount.
- 29" to 40" (737 to 1016mm) height adjustment*.
- Electromechanical drive in each leg.
- 22" (559mm) or 28" (712mm) depth*.

		Frame Assemblies Only	Units with Stainless* [▼] Steel Tabletop
depth*	width*	model #	model #
in	mm		
22"	559	SSC-AHTM-2424	SSC-AHTTM-2424
22"	559	SSC-AHTM-2430	SSC-AHTTM-2430
22"	559	SSC-AHTM-2436	SSC-AHTTM-2436
22"	559	SSC-AHTM-2448	SSC-AHTTM-2448
22"	559	SSC-AHTM-2460	SSC-AHTTM-2460
22"	559	SSC-AHTM-2472	SSC-AHTTM-2472
28"	711	SSC-AHTM-3030	SSC-AHTTM-3030
28"	711	SSC-AHTM-3036	SSC-AHTTM-3036
28"	711	SSC-AHTM-3048	SSC-AHTTM-3048
28"	711	SSC-AHTM-3060	SSC-AHTTM-3060
28"	711	SSC-AHTM-3072	SSC-AHTTM-3072

Legs feature #4 stainless steel brushed finish.



* For units with tabletop, add 2" to width and depth, and 1" to adjustable height. Squared edge on all four sides.
[▼] Stainless steel tabletop is 16 gauge type 304, with support channels and sound-deadening tape.

Consult factory for pricing.

Pegboards



see spec sheet **EG03.60**



#SSC-PB2436-4

#SSC-PB1824-4

- Heavy gauge 304 stainless steel construction
- Comes standard with 6" white polymer pegs
- 2" or 4" integral drip trough
- All drip troughs come with 36" long clear flexible drain tubing
- Wall mounting bracket included

FEATURES:

							WITH 2"-DEEP DRIP TROUGH	WITH 4"-DEEP DRIP TROUGH
width in	mm	height in	mm	weight lbs.	kg	no. of pegs	model #	model #
18"	457	24"	610	13	5.9	15	SSC-PB1824-2	SSC-PB1824-4
24"	610	18"	457	15	6.8	16	SSC-PB2418-2	SSC-PB2418-4
24"	610	24"	610	17	7.7	20	SSC-PB2424-2	SSC-PB2424-4
24"	610	30"	762	23	10.4	32	SSC-PB2430-2	SSC-PB2430-4
24"	610	36"	914	25	11.3	40	SSC-PB2436-2	SSC-PB2436-4
30"	762	24"	610	23	10.4	25	SSC-PB3024-2	SSC-PB3024-4
30"	762	30"	762	25	11.3	50	SSC-PB3030-2	SSC-PB3030-4
30"	762	36"	914	25	11.3	40	SSC-PB3036-2	SSC-PB3036-4
36"	914	24"	610	25	11.3	30	SSC-PB3624-2	SSC-PB3624-4
36"	914	30"	762	26	11.8	60	SSC-PB3630-2	SSC-PB3630-4
36"	914	36"	914	27	12.2	66	SSC-PB3636-2	SSC-PB3636-4
48"	1219	24"	610	26	11.8	40	SSC-PB4824-2	SSC-PB4824-4
48"	1219	30"	762	28	12.7	48	SSC-PB4830-2	SSC-PB4830-4
48"	1219	36"	914	30	13.6	88	SSC-PB4836-2	SSC-PB4836-4

Options for Pegboards

description	weight lbs.	kg	model #
10-pack of pegs	4	1.8	SSC-PB-6PEG
10-pack of hole covers	4	1.8	SSC-PB-BLANK

NEW Laboratory Wall Shelves



see spec sheets **EG03.80** **EG03.81**

150-LB. MAX. WEIGHT CAPACITY!

FEATURES:

- 16 gauge stainless steel shelves, with center hat channel and 1 1/4" rear upturn
- Adjustable on 1 1/2" increments
- 36" tall, 1" square tubular uprights




For Laboratory Wall Shelves
sold by component, see page 146.


						WITH UPTURNED BOOKENDS		WITH DOWNTURNED BOOKENDS	
shelf depth in	mm	shelf length in	mm	overall length in	mm	weight lbs.	kg	STANDARD SHELVES model #	WITH WIRE LEDGE model #
12"	305	30"	762	31"	787	38	17.2	LS1230-36-3	LS1230-36-3L
12"	305	36"	914	37"	939	43	19.5	LS1236-36-3	LS1236-36-3L
12"	305	48"	1219	49"	1244	52	23.6	LS1248-36-3	LS1248-36-3L
12"	305	60"	1524	61"	1549	62	28.1	LS1260-36-3	LS1260-36-3L
12"	305	72"	1828	73"	1854	71	32.2	LS1272-36-3	LS1272-36-3L
15"	381	30"	762	31"	787	44	20.0	LS1530-36-3	LS1530-36-3L
15"	381	36"	914	37"	939	50	22.7	LS1536-36-3	LS1536-36-3L
15"	381	48"	1219	49"	1244	61	27.7	LS1548-36-3	LS1548-36-3L
15"	381	60"	1524	61"	1549	72	32.7	LS1560-36-3	LS1560-36-3L
15"	381	72"	1828	73"	1854	83	37.6	LS1572-36-3	LS1572-36-3L
18"	457	30"	762	31"	787	51	23.1	LS1830-36-3	LS1830-36-3L
18"	457	36"	914	37"	939	57	25.9	LS1836-36-3	LS1836-36-3L
18"	457	48"	1219	49"	1244	70	31.8	LS1848-36-3	LS1848-36-3L
18"	457	60"	1524	61"	1549	83	37.5	LS1860-36-3	LS1860-36-3L
18"	457	72"	1828	73"	1854	97	44.0	LS1872-36-3	LS1872-36-3L

Consult factory for pricing.

Catalog Section 3

NEW Laboratory Exhaust Canopiessee spec sheet **EG03.85**

#SSC-IEC-3630-18



#SSC-WEC-3630-18

FEATURES:

- 16 gauge 304 stainless steel construction
- Fully welded seams
- Polished interior and exterior
- Full-perimeter condensation edge
- Integral 8"-diameter duct collar
- Island and wall models available

				ISLAND MODELS		WALL MODELS	
depth		width		overall* height	model #	overall* height	model #
in	mm	in	mm	in	mm	in	mm
30"	762	36"	914	19"	483	20"	508
30"	762	48"	1219	19"	483	20"	508
30"	762	60"	1524	19"	483	20"	508
30"	762	72"	1828	19"	483	20"	508
30"	762	84"	2133	19"	483	20"	508
30"	762	96"	2438	19"	483	20"	508
36"	914	36"	914	19"	483	20"	508
36"	914	48"	1219	19"	483	20"	508
36"	914	60"	1524	19"	483	20"	508
36"	914	72"	1828	19"	483	20"	508
36"	914	84"	2133	19"	483	20"	508
36"	914	96"	2438	19"	483	20"	508

* Height includes 2"-tall duct collar.

NEW Gowning Dispensers (continued on page 122)

Garment Dispensers

see spec sheet **EG03.91**

#SSC-OAD-1014

FEATURES:

- Type 304 stainless steel construction, with #4 brushed finish
- Hinged lid, open front, high-visibility level slots, mounting hardware covers
- Sized for folded garments such as scrubs, gowns and aprons
- Customized compartment sizes available.

length	depth	height	weight	model #
in	mm	in	mm	
14 1/4"	361	10 1/4"	260	29 1/4"
16 1/4"	413	12 1/4"	311	29 1/4"
			lbs. kg	
			24 10.9	
			27 12.3	

Consult factory for pricing.

NEW Gowning Dispensers *(continued)*

All Gowning Dispensers feature type 304 stainless steel construction, with #4 brushed finish

Packaged Glove Dispensers

see spec sheet **EG03.92**



#SSC-CGD-1



#SSC-CGD-2

FEATURES:

- Features hinged lid, closed body, and mounting hardware covers
- Sized for folded garments such as scrubs, gowns and aprons
- May be customized for specific sizes.

length in mm	height in mm	weight lbs. kg	quantity of bays	model #
12 ¹ / ₄ " 311	24 ¹ / ₁₆ " 611	17 7.7	1	SSC-CGD-1
24 ¹ / ₂ " 622	24 ¹ / ₁₆ " 611	27 12.3	2	SSC-CGD-2
36 ³ / ₄ " 933	24 ¹ / ₁₆ " 611	38 17.2	3	SSC-CGD-3

Loose Glove Dispensers

see spec sheet **EG03.93**



#SSC-GDCB-1-39



#SSC-GD-1-17

FEATURES:

- Features hinged lid, high-visibility level slots, and mounting hardware covers
- Available with or without catch basin.
- Offered with up to five (5) bays.
- May be customized for specific sizes.

without Catch Basin					with Catch Basin				
length in. mm	quantity of bays	height in. mm	weight lbs. kg	model #	height in. mm	weight lbs. kg	model #	height in. mm	weight lbs. kg
8 ¹ / ₁₆ " 205	1	17" 432	11 5.0	SSC-GD-1-17	24" 610	14 6.4	SSC-GDCB-1-24	24" 610	14 6.4
8 ¹ / ₁₆ " 205	1	32" 813	17 7.7	SSC-GD-1-32	39" 991	20 9.1	SSC-GDCB-1-39	39" 991	20 9.1
15 ¹³ / ₁₆ " 402	2	17" 432	16 7.3	SSC-GD-2-17	24" 610	21 9.5	SSC-GDCB-2-24	24" 610	21 9.5
15 ¹³ / ₁₆ " 402	2	32" 813	26 11.8	SSC-GD-2-32	39" 991	31 14.1	SSC-GDCB-2-39	39" 991	31 14.1
23 ¹¹ / ₁₆ " 602	3	17" 432	21 9.5	SSC-GD-3-17	24" 610	27 12.3	SSC-GDCB-3-24	24" 610	27 12.3
23 ¹¹ / ₁₆ " 602	3	32" 813	35 15.9	SSC-GD-3-32	39" 991	41 18.6	SSC-GDCB-3-39	39" 991	41 18.6
31 ⁷ / ₈ " 810	4	17" 432	27 12.3	SSC-GD-4-17	24" 610	35 15.9	SSC-GDCB-4-24	24" 610	35 15.9
31 ⁷ / ₈ " 810	4	32" 813	43 19.5	SSC-GD-4-32	39" 991	51 23.1	SSC-GDCB-4-39	39" 991	51 23.1
39 ¹ / ₁₆ " 1002	5	17" 432	32 14.5	SSC-GD-5-17	24" 610	42 19.1	SSC-GDCB-5-24	24" 610	42 19.1
39 ¹ / ₁₆ " 1002	5	32" 813	52 23.6	SSC-GD-5-32	39" 991	62 28.1	SSC-GDCB-5-39	39" 991	62 28.1

Eye Protection Holders

see spec sheet **EG03.90**



#SSC-EPH-24

FEATURES:

- Type 304 stainless steel construction, with #4 brushed finish
- Lift-off hinged compartment features sloped openings
- Lift-off access allows for deep cleaning.
- Sized for safety glasses, may be customized for goggles and other PPE.

length in mm	height in mm	weight lbs. kg	quantity of compartments	model #
10 ¹ / ₈ " 257	10 ⁷ / ₁₆ " 265	17 7.7	12	SSC-EPH-12
10 ¹ / ₈ " 257	15 ⁵ / ₁₆ " 389	22 10.0	18	SSC-EPH-18
10 ¹ / ₈ " 257	20 ¹ / ₄ " 514	27 12.3	24	SSC-EPH-24
13 ¹ / ₂ " 343	20 ¹ / ₄ " 514	35 15.9	32	SSC-EPH-32
16 ¹ / ₈ " 429	20 ¹ / ₄ " 514	43 19.5	40	SSC-EPH-40
20 ³ / ₁₆ " 513	20 ¹ / ₄ " 514	50 22.7	48	SSC-EPH-48

Consult factory for pricing.

Catalog Section 3

Stainless Steel Countertops



stainless steel countertops fabricated to drawings indicating backsplash height, raised edge and field condition requirements

Engineered for High-Performance Labs & Specialized Environments

Material Options:

- 16-gauge Type 304 stainless steel standard.
- Other gauges and alloys available.

Design Features:

- Choice of square, marine, or rolled edge profiles.
- Standard 4" backsplash with custom options available.
- Integral sinks available in custom sizes and configurations.
- Engineered-to-order with customizable dimensions, cutouts, sink locations, and edge details.
- SEFA 8 compliant with a weight capacity of 50 lbs. per square foot when paired with a SEFA-compliant base.
- Smooth, non-porous stainless steel surface promotes cleanliness and easy maintenance.

Construction & Performance:

- Reinforced with stainless steel hat channels for added strength and rigidity with sound deadening.

Manufacturing:




- Manufactured using recycled content and fully recyclable at end of life.
- Proudly made in the USA at our Delaware manufacturing facility.
- Standard wood crating included at no extra cost.




Stainless Steel Countertops




see spec sheet **EG04.12**



detail 1: edges



detail 2:
4" backsplash with 1" return and turndown.
Z-clip provided for wall attachment.



detail 3:
4-1/2" backsplash with 1" return.



Cleanroom / Lab Equipment

Accessories/Components

Hangers & Hanger Bar Kits	128-129
Polymer Stem Casters	129
Replacement Garment Hanger Tubes.....	129

adjuSTable® Work Surface Systems

adjuSTable® Work Surface	
Systems	136-137
with Cantilevered	
Overhead System	138-139
with Wire Overshelf System	140-141

Freestanding Gowning Racks

with Hanger Rail	126
with Wire Shelving Components.....	127

Workstations

Mobile Computer Workstations	135
Workstations.....	135

More Cleanroom/Lab Equipment

Cleanroom Tables	132-134
Foot Rest	134,137,139,141
Gowning Benches.....	130-131

Laboratory Wall Shelves.....	146
Roll Bag Dispensers.....	142
Shoe Racks	143
Stainless Steel Countertops	144-145
Vertical Storage Cabinets.....	143
Wall Mounted Gowning Racks	128

See page 146 for the




Laboratory Wall Shelves

Breath/Safety Shields

See pages 269-273

- A variety of styles to choose from, including countertop, bolted-on, and ceiling-mounted shields.
- All shields feature 1" (25mm) radius corners.
- All models constructed of durable 7/32" (6mm) Plexiglas®.
- Custom sizes available upon request.



Freestanding Gowning Racks with Hanger Rail

see spec sheet **EG04.01A**



FEATURES:

- Stainless steel construction offers a non-contaminating surface that eliminates particle shedding.
- 73" (1854mm) height.
- Hanger slots are standard 2½" (64mm) centers, but other center configurations are available.

Notes: All models use open loop hangers—sold separately. See page 128.

Prices do not include hangers.

25% upcharge to change slot spacing from standard.

Casters not available for these units.

Designed for efficient storage of garments in the cleanroom.

Single Rack Models

Single Rack Models							for Non-Removable Hangers		for Removable Hangers			
24" width (610mm)	length		weight		cu ft	number of hanger slots	stainless steel		stainless steel			
	in.	mm	lbs.	kg			model #	list	model #	list		
	48"	1219	40	18.1			15.0	17	S2448-SGRN	5414	S2448-SGRR	4693
	60"	1524	45	20.4			15.0	22	S2460-SGRN	5535	S2460-SGRR	4789
	72"	1829	50	22.7			15.0	26	S2472-SGRN	5625	S2472-SGRR	4911
	84"	2134	55	24.9			17.5	31	S2484-SGRN	6030	S2484-SGRR	5276

Double Rack Models

Double Rack Models							for Non-Removable Hangers		for Removable Hangers			
24" width (610mm)	length		weight		cu ft	number of hanger slots	stainless steel		stainless steel			
	in.	mm	lbs.	kg			model #	list	model #	list		
	48"	1219	59	26.7			15.0	38	S2448-DGRN	8098	S2448-DGRR	7343
	60"	1524	68	30.8			15.0	48	S2460-DGRN	8428	S2460-DGRR	7788
	72"	1829	77	34.9			15.0	58	S2472-DGRN	8795	S2472-DGRR	8039
	84"	2134	86	39.0			17.5	66	S2484-DGRN	9183	S2484-DGRR	8430

Cantilevered Rack Models

Cantilevered Rack Models							for Non-Removable Hangers		for Removable Hangers	
24" width (610mm)	length		weight		cu	number of	stainless steel		stainless steel	
	in.	mm	lbs.	kg	ft	hanger slots	model #	list	model #	list
	48"	1219	45	20.4	15.0	19	S2448-CGRN	5414	S2448-CGRR	4693
	60"	1524	50	22.7	15.0	24	S2460-CGRN	5535	S2460-CGRR	4789
	72"	1829	55	24.9	15.0	29	S2472-CGRN	5625	S2472-CGRR	4911
	84"	2134	60	27.2	17.5	33	S2484-CGRN	6029	S2484-CGRR	5276

Catalog Section 4

EAGLE offers gowning racks that incorporate wire shelving components with specially designed gown storage options. They offer a more economical rack option in less demanding environments in chrome plated steel as well as stainless steel models.

Freestanding Gowning Racks with Wire Shelving Components

see spec sheet **EG04.01B**

- 86" (2184mm) height.
- Wire shelf features QuadTruss® Design. Patent #5,390,803.

FEATURES:

Note: See each model for spacing centers.
25% upcharge to change slot spacing from standard.

with Hanger Slots

- Hanger slots on standard 2½" (64mm) centers.
- Custom spacing available.
- Prices do not include hangers – see page 128 for optional hangers.

	length		weight		cubic feet	number of hanger slots	chrome		stainless steel	
	in.	mm	lbs.	kg			model #	list	model #	list
24"	48"	1219	53	24.0	5.4	17	C2448-GR	1127	S2448-GR	2545
width (610mm)	60"	1524	66	29.9	6.5	22	C2460-GR	1271	S2460-GR	2917
	72"	1829	71	32.2	7.0	27	C2472-GR	1447	S2472-GR	2972

Optional Keeper Bars for above Gowning Racks

- Makes hangers non-removable.

fits rack length		number of hanger slots	chrome		stainless steel	
in.	mm		model #	list	model #	list
48"	1219	17	KB48-C	132	KB48-S	167
60"	1524	22	KB60-C	147	KB60-S	186
72"	1829	27	KB72-C	160	KB72-S	203

with Hooks


- Hooks welded on all four shelf sides are spaced on 1½" (38mm) centers and are staggered 1" (25mm) vertically hook-to-hook for ease of access.

	length		weight		cubic feet	number of hooks	chrome		stainless steel	
	in.	mm	lbs.	kg			model #	list	model #	list
14"	48"	1219	56	25.4	5.4	72	C1448-GRH	2664	S1448-GRH	3270
width (356mm)	60"	1524	68	30.8	6.5	88	C1460-GRH	2775	S1460-GRH	3530
	72"	1829	80	36.3	7.0	104	C1472-GRH	3329	S1472-GRH	4234

with Hanger Tube

- 1" (25mm) diameter tubular bar which easily mounts to underside of wire shelf.
- Facilitates laminar flow.
- See page 129 for replacement garment hanger tubes.

	length		weight		cubic feet	chrome	list	stainless steel	
	in.	mm	lbs.	kg				model #	list
24"	48"	1219	56	25.4	5.4	C2448-GRT	776	S2448-GRT	1954
width (610mm)	60"	1524	68	30.8	6.5	C2460-GRT	843	S2460-GRT	2133
	72"	1829	82	37.2	7.0	C2472-GRT	953	S2472-GRT	2362



gowning rack – freestanding with hooks

Convenient for storage of lab coats, uniforms and garments.

Weight Capacity:
50 lbs.



* hangers shown sold separately

Wall Mounted Gowning Racks

see spec sheet **EG04.08**

When space management is critical, EAGLE offers three wall mounted options for garment storage.



gowning rack –
wall mounted with optional hangers

with Hanger Slots

- Hanger slots on 2½" (64mm) centers. Prices do not include hangers.

	length		weight		cubic feet	number of hanger slots	chrome		stainless steel	
	in.	mm	lbs.	kg			model #	list	model #	list
24"	48"	1219	19	8.6	1.4	17	C2448-WGR	866	S2448-WGR	1055
width	60"	1524	24	10.9	1.7	22	C2460-WGR	1049	S2460-WGR	1333
(610mm)	72"	1829	29	13.2	2.0	27	C2472-WGR	1205	S2472-WGR	1474

Optional Keeper Bars for above Gowning Racks

- Makes hangers non-removable.

fits rack length		number of hanger slots	chrome		stainless steel	
in.	mm		model #	list	model #	list
48"	1219	17	KB48-C	139	KB48-S	167
60"	1524	22	KB60-C	155	KB60-S	186
72"	1829	27	KB72-C	169	KB72-S	203

with Hooks


- Hooks welded on 1½" (38mm) centers.

	length		weight		cubic feet	number of hooks	chrome		stainless steel	
	in.	mm	lbs.	kg			model #	list	model #	list
14"	48"	1219	21	9.5	1.4	30	C1448-WGRH	1214	S1448-WGRH	1586
width	60"	1524	27	12.2	1.7	38	C1460-WGRH	1397	S1460-WGRH	1755
(356mm)	72"	1829	31	14.1	2.0	46	C1472-WGRH	1699	S1472-WGRH	2067

with Hanger Tube

- See page 129 for replacement garment hanger tubes.

	length		weight		cubic feet	chrome		stainless steel	
	in.	mm	lbs.	kg		model #	list	model #	list
18"	48"	1219	17	7.7	1.4	C1848-WGRT	455	S1848-WGRT	1088
width	60"	1524	22	10.0	1.7	C1860-WGRT	488	S1860-WGRT	1248
(457mm)	72"	1829	27	12.2	2.0	C1872-WGRT	522	S1872-WGRT	1456



gowning rack –
wall mounted with hooks



wall mounted tubular gowning rack

Hangers

see spec sheet **EG04.06**

Note: For freestanding or wall mounted gowning racks, removable or non-removable models (pages 126-128).

(•) MTS (made to stock) / () MTO (made to order)



open loop hanger



closed loop hanger

Open Loop Hangers

		Open Loop Hangers				Closed Loop Hangers				
weight lbs. kg		cu ft	chrome		stainless steel		chrome		stainless steel	
			model #	list	model #	list	model #	list	model #	list
0.4	0.2	0.3	OLH-C •	29	OLH-S •	43	CLH-C	29	CLH-S	40

Closed Loop Hangers

Accessories

Hanger Bar Kits



see spec sheet **EG04.06**

Note: For freestanding or wall mounted gowning racks, removable or non-removable models (pages 126-128).

FEATURES:

- For use with 2-piece and open loop hangers.
- Retrofits existing shelving into freestanding or wall mounted gowning racks.
- 24" (610mm) wide shelves only.
- Hanger slots on standard 2½" (64mm) centers.
- Custom spacing available.
- Prices do not include hangers.

length		weight		cu	number of hanger slots	chrome		stainless steel	
in.	mm	lbs.	kg	ft		model #	list	model #	list
48"	1219	7.0	3.2	0.8	17	HBK-48C	490	HBK-48S	593
60"	1524	9.5	4.3	1.2	22	HBK-60C	563	HBK-60S	659
72"	1829	12.0	5.4	1.6	27	HBK-72C	626	HBK-72S	730

Replacement Garment Hanger Tubes

see spec sheet **EG04.07**

length		weight		cubic	chrome		stainless steel	
in.	mm	lbs.	kg	feet	model #	list	model #	list
24"	610	1.5	0.7	0.1	CH24	75	CH24-S	171
30"	762	1.7	0.8	0.1	CH30	82	CH30-S	175
36"	914	2.2	1.0	0.1	CH36	86	CH36-S	183
42"	1067	2.7	1.2	0.1	CH42	87	CH42-S	188
48"	1219	3.2	1.5	0.1	CH48	92	CH48-S	195
54"	1372	3.5	1.6	0.2	CH54	95	CH54-S	217
60"	1524	3.8	1.7	0.2	CH60	103	CH60-S	238
72"	1929	4.7	2.1	0.2	CH72	112	CH72-S	247

Note: Mounts onto 18", 21", and 24" (457, 533, and 610mm) wide shelves only.

For freestanding or wall mounted gowning racks with hanger tubes (pages 127 & 128).

**Weight
Capacity:
50 lbs.**

(•) MTS (made to stock) / () MTO (made to order)



garment hanger tube

Stainless Steel Posts

see spec sheet **EG04.07**

					...Stationary		...Mobile	
post height		weight		cu	model #	list	model #	list
in.	mm	lbs.	kg	ft				
33"	383	2.0	0.9	0.4	P33-S	109	CP33-S	109
54"	1372	3.0	1.4	0.4	P54-S	125	CP54-S	125
63"	1600	3.5	1.6	0.4	P63-S	136	CP63-S	136
74"	1880	4.0	1.8	0.5	P74-S	155	CP74-S	155
86"	2184	5.0	2.3	0.5	P86-S	176	CP86-S	176



stationary post

**Numbered on
1" increments for fast
and easy assembly.**

Polymer Stem Casters

see spec sheets **EG01.05** **EG04.07**

- Stainless steel axle.
- Zinc-plated stem.
- Polymer horn.
- Polyurethane wheel.

type	type of bearing	capacity		wheel diameter		wheel face		weight		cu	model #	list
		lbs.	kg	in.	mm	in.	mm	lbs.	kg	ft		
stem/swivel	delrin	250	113.4	5"	127	1¼"	32	2.0	0.9	0.1	CPSS5-250 •	153
stem/brake	delrin	250	113.4	5"	127	1¼"	32	2.0	0.9	0.1	CPSB5-250 •	188

Note: For use with mobile posts (see above).

(•) MTS (made to stock) / () MTO (made to order)




**These casters offer total
corrosion resistance.**

Note: These casters are not autoclave.

Stainless Steel Caster Cradle®

see spec sheet **EG10.05M**



FEATURES:

- The only caster stabilizing device with a patented uniform circular design (patent #US 8,678,335 B2) that allows for approach from any angle.
- Units are secured to the floor where the casters are to be centered.


description	model #	list/pkg
quantity of 2 per package	CC-S-2	178
quantity of 10 per package	CC-S-10	699
quantity of 60 per package	CC-S-60	4295

EL Series Heavy Duty Solid Gowning Benches

see spec sheet **EG04.13**

FEATURES:

- 14 gauge type 304 stainless steel.
- Available with welded or adjustable h-frame or 4-sided frame.
- Hat channels on underside of seat.
- Stainless steel legs and foot plates.
- 17" (432mm) overall height.



Optional Shelf Section

10" x 12" (254 x 305mm). For units with 4-sided frame only.



model	list
ELGB-TRAY	132

...with Adjustable Frame

...with Welded Frame

	length		weight		cu. ft.	4-SIDED FRAME		H-FRAME BASE		4-SIDED FRAME		H-FRAME BASE	
	in.	mm	lbs.	kg		model #	list	model #	list	model #	list	model #	list
16" width (406mm)	24"	610	20	9.1	4.1	ELGB1624-4	2611	ELGB1624-H	2702	ELGB1624-4W	3322	ELGB1624-HW	3376
	30"	762	26	11.8	3.7	ELGB1630-4	2692	ELGB1630-H	2785	ELGB1630-4W	3424	ELGB1630-HW	3480
	36"	914	33	15.0	2.6	ELGB1636-4	2775	ELGB1636-H	2870	ELGB1636-4W	3527	ELGB1636-HW	3588
	48"	1219	40	18.1	3.0	ELGB1648-4	2922	ELGB1648-H	2990	ELGB1648-4W	3637	ELGB1636-HW	3588
	60"	1524	47	21.3	3.7	ELGB1660-4	4585	ELGB1660-H	3186	ELGB1660-4W	5302	ELGB1636-HW	3588
	72"	1829	54	24.5	4.3	ELGB1672-4	4628	ELGB1672-H	3231	ELGB1672-4W	5348	ELGB1636-HW	3588
	84"	2134	61	27.7	5.2	ELGB1684-4	4767	ELGB1684-H	3328	ELGB1684-4W	5509	ELGB1684-HW	4067
	96"	2438	70	31.8	4.2	ELGB1696-4	4910	ELGB1696-H	3428	ELGB1696-4W	5674	ELGB1696-HW	4189

Catalog Section 4

Standard Gowning Benches

see spec sheet **EG04.03**

Solid

- 14 gauge type 304 stainless steel seat.
- Front and rear feature a rolled edge, with ends turned down at 90°.
- Shipped knocked-down.
- 17" (432mm) overall height.

FEATURES:

- Flanged stainless foot plates for convenient attachment to the floor.
- Type 304 stainless steel brushed finish.

(●) MTS (made to stock) / () MTO (made to order)

Hold up to 500 lbs.!

	length		weight		cubic feet	stainless steel	
	in.	mm	lbs.	kg		model #	list
9" width (229mm)	36"	914	26	11.8	5.8	CRB0936	2144
	48"	1219	32	14.5	8.2	CRB0948	2250
	60"	1524	39	17.6	11.0	CRB0960	2405
	72"	1829	50	22.7	14.6	CRB0972	2613
12" width (305mm)	24"	610	25	11.3	2.2	CRB1224	2288
	36"	914	28	12.7	2.5	CRB1236 ●	2288
	48"	1219	34	15.4	3.4	CRB1248 ●	2404
	60"	1524	53	24.0	3.6	CRB1260 ●	2510
	72"	1829	56	25.4	4.3	CRB1272 **	2725
	84"	2134	62	28.1	5.2	CRB1284 *	2838

* Comes with six legs.



#CRB0948



#CRB1284

Wire

- Four (4) 18" (457mm) legs with foot plates.
- One (1) three-sided channel frame.
- One (1) wire shelf featuring QuadTruss® Design (patent #5,390,803).

	length		weight		cubic feet	chrome		stainless steel	
	in.	mm	lbs.	kg		model #	list	model #	list
14" width (356mm)	36"	914	18	8.2	0.5	W1436-GBC	571	W1436-GBS	1709
	48"	1219	22	10.0	0.7	W1448-GBC	629	W1448-GBS	1895
	60"	1524	25	11.3	0.9	W1460-GBC	685	W1460-GBS	1979
	72"	1829	30	13.6	1.1	W1472-GBC	719	W1472-GBS	2099



An economical gowning bench using wire shelving components that offers 62% laminar flow.

Ideal for less demanding environments, or during construction as the room is brought into clean.

Gowning Benches with Wire Undershelf...

- Designated seat, legs, foot plates, and one wire undershelf (additional wire undershelves and dividers are optional).
- 72" (1829mm) units have six legs.
- Undershelf for all 72" (1829mm) units consists of two #1436S wire shelves with S-hooks.
- All wire undershelves are 14" (356mm)-wide and feature QuadTruss® Design (patent #5,390,803).
- 19" (483mm) overall height.

...with Perforated Seat

3/4" (19mm) perforations on 1" (25mm) center.

Seats hold up to 500 lbs.!

	length		weight		cubic feet	stainless steel	
	in.	mm	lbs.	kg		model #	list
18" width (457mm)	36"	914	44	20.0	4.4	PCRB1836-W	3553
	48"	1219	50	22.7	5.7	PCRB1848-W	3740
	60"	1524	56	25.4	7.1	PCRB1860-W	3968
	72"	1829	62	28.1	8.5	PCRB1872-W	4282

...with Solid Seat

	length		weight		cubic feet	stainless steel	
	in.	mm	lbs.	kg		model #	list
18" width (457mm)	36"	914	44	20.0	4.4	CRB1836-W	3084
	48"	1219	50	22.7	5.7	CRB1848-W	3248
	60"	1524	56	25.4	7.1	CRB1860-W	3437
	72"	1829	62	28.1	8.5	CRB1872-W	3716



gowning bench with wire undershelf and perforated seat, shown with additional undershelf and dividers

Options for Gowning Benches with Undershelf

Dividers — 4" high.

weight		model	list
lbs.	kg		
1	0.5	SD14-4S	114

Additional Undershelves*

weight		model	list
lbs.	kg		
8	0.5	1436S ●	404
10	4.5	1448S ●	495
14	6.4	1460S ●	629

* 72" (1829mm)-long benches require one #1436S undershelves and one #A200012 S-hooks (\$7 List ea.).

Cleanroom Tables with Flat Top—Stainless

see spec sheets **EG04.02A** and **EG04.02B**

All tables feature brushed stainless steel finish.

Please note: Cleanroom Tables are not eligible for returns.

“CRT” Series tables – Solid top with choice of:

- Knocked down stainless steel C-frame
- Knocked down stainless steel H-frame
- Solid stainless steel adjustable undershelf.

See page 134 for Optional Casters, Glides and Foot Rest.

FEATURES:

- Available with solid or perforated top, with C-Frame, H-Frame, or undershelf base.
- All tops are 14 gauge type 304* stainless.
- Perforated tops (3/4"-dia. holes on 1" center). allow for 40% laminar flow, depending on size.
- Shipped knocked down, reducing freight costs and the potential for freight damage.
- 35 1/2" overall height.

* To upgrade to **316 stainless steel construction**, add suffix “-316” (ex: CRT3060T-C-316) with 35% upcharge.

	length		weight		cu ft	C-FRAME BASE		H-FRAME BASE		UNDERSHELF BASE	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list
24" width (610mm)	24"	610	45	20.4	2.9	CRT2424T-C	2664	CRT2424T-H	2664	CRT2424T-US	3329
	36"	914	54	24.5	3.5	CRT2436T-C	2958	CRT2436T-H	2958	CRT2436T-US	3699
	48"	1219	85	29.5	4.6	CRT2448T-C	3092	CRT2448T-H	3092	CRT2448T-US	3864
	60"	1524	83	37.7	5.7	CRT2460T-C	3215	CRT2460T-H	3215	CRT2460T-US	4019
	72"	1829	98	44.5	6.9	CRT2472T-C	3653	CRT2472T-H	3653	CRT2472T-US	4566
	84"	2134	126	57.2	7.9	CRT2484T-C	4413	CRT2484T-H	4413	CRT2484T-US	5516
30" width (762mm)	96"	2438	187	84.8	9.1	CRT2496T-C	4714	CRT2496T-H	4714	CRT2496T-US	5891
	30"	762	56	25.4	2.9	CRT3030T-C	2705	CRT3030T-H	2705	CRT3030T-US	3378
	36"	914	63	28.6	3.5	CRT3036T-C	3006	CRT3036T-H	3006	CRT3036T-US	3755
	48"	1219	71	32.2	4.6	CRT3048T-C	3120	CRT3048T-H	3120	CRT3048T-US	3900
	60"	1524	89	40.5	5.7	CRT3060T-C	3562	CRT3060T-H	3562	CRT3060T-US	4453
	72"	1829	105	47.6	6.9	CRT3072T-C	3871	CRT3072T-H	3871	CRT3072T-US	4839
36" width (914mm)	84"	2134	132	59.9	7.9	CRT3084T-C	4588	CRT3084T-H	4588	CRT3084T-US	5735
	96"	2438	212	96.2	9.1	CRT3096T-C	4905	CRT3096T-H	4905	CRT3096T-US	6130
	36"	914	69	31.3	4.4	CRT3636T-C	3115	CRT3636T-H	3115	CRT3636T-US	3893
	48"	1219	84	38.1	5.5	CRT3648T-C	3274	CRT3648T-H	3274	CRT3648T-US	4092
	60"	1524	94	42.6	6.8	CRT3660T-C	4146	CRT3660T-H	4146	CRT3660T-US	5185
	72"	1829	120	54.4	8.1	CRT3672T-C	4497	CRT3672T-H	4497	CRT3672T-US	5622
	84"	2134	183	83.0	9.5	CRT3684T-C	4799	CRT3684T-H	4799	CRT3684T-US	5998
	96"	2438	247	112.0	10.8	CRT3696T-C	5260	CRT3696T-H	5260	CRT3696T-US	6577



with solid top and C-frame



with perforated top and H-frame

“CRPT” Series – Perforated top (3/4"-dia. holes on 1" center) with choice of:

- Knocked down stainless steel H-frame
- Knocked down stainless steel C-frame
- Perforated stainless steel adjustable undershelf (3/4"-dia. holes on 1" center)

See page 134 for Optional Casters, Glides and Foot Rest.


	length		weight		cu ft	C-FRAME BASE		H-FRAME BASE		UNDERSHELF BASE	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list
24" width (610mm)	24"	610	32	14.5	2.9	CRPT2424T-C	3038	CRPT2424T-H	3038	CRPT2424T-US	3796
	36"	914	50	22.7	3.5	CRPT2436T-C	3573	CRPT2436T-H	3573	CRPT2436T-US	4467
	48"	1219	65	29.5	4.6	CRPT2448T-C	4178	CRPT2448T-H	4178	CRPT2448T-US	5222
	60"	1524	70	31.8	5.7	CRPT2460T-C	4513	CRPT2460T-H	4513	CRPT2460T-US	5637
	72"	1829	83	37.7	6.9	CRPT2472T-C	5776	CRPT2472T-H	5776	CRPT2472T-US	7222
	84"	2134	95	43.1	7.9	CRPT2484T-C	6403	CRPT2484T-H	6403	CRPT2484T-US	8000
30" width (762mm)	96"	2438	157	71.2	9.1	CRPT2496T-C	8325	CRPT2496T-H	8325	CRPT2496T-US	10407
	30"	762	43	19.5	2.9	CRPT3030T-C	3155	CRPT3030T-H	3155	CRPT3030T-US	3945
	36"	914	53	24.0	3.5	CRPT3036T-C	3716	CRPT3036T-H	3716	CRPT3036T-US	4648
	48"	1219	73	33.1	4.6	CRPT3048T-C	4312	CRPT3048T-H	4312	CRPT3048T-US	5388
	60"	1524	83	37.7	5.7	CRPT3060T-C	4660	CRPT3060T-H	4660	CRPT3060T-US	5828
	72"	1829	105	47.6	6.9	CRPT3072T-C	5795	CRPT3072T-H	5795	CRPT3072T-US	7243
36" width (914mm)	84"	2134	132	59.9	7.9	CRPT3084T-C	6909	CRPT3084T-H	6909	CRPT3084T-US	8636
	96"	2438	158	71.7	9.1	CRPT3096T-C	8533	CRPT3096T-H	8533	CRPT3096T-US	10667
	36"	914	74	33.6	4.4	CRPT3636T-C	3900	CRPT3636T-H	3900	CRPT3636T-US	4878
	48"	1219	84	38.1	5.5	CRPT3648T-C	4439	CRPT3648T-H	4439	CRPT3648T-US	5547
	60"	1524	88	39.9	6.8	CRPT3660T-C	5155	CRPT3660T-H	5155	CRPT3660T-US	6445
	72"	1829	107	43.5	8.1	CRPT3672T-C	5832	CRPT3672T-H	5832	CRPT3672T-US	7291
	84"	2134	183	83.0	9.5	CRPT3684T-C	6967	CRPT3684T-H	6967	CRPT3684T-US	8706
	96"	2438	203	92.1	10.8	CRPT3696T-C	8752	CRPT3696T-H	8752	CRPT3696T-US	10935

Optional Base Frames available for Cleanroom Tables

The following options are **not** included in the table price. Contact Customer Service for pricing.

For CRT and CRPT Series tables only:

- Welded construction C-frame.
- Welded construction H-frame.



Catalog Section 4

Cleanroom Tables with Backsplash—Stainless

see spec sheets **EG04.02E** and **EG04.02F**

All tables feature brushed stainless steel finish.

Please note: Cleanroom Tables are not eligible for returns.

FEATURES:

“CRT” Series tables – Solid top with 4½” backsplash, with choice of:

- Knocked down stainless steel C-frame
- Knocked down stainless steel H-frame
- Solid stainless steel adjustable undershelf.

- Available with solid or perforated top, with C-Frame, H-Frame, or undershelf base.
- All tops are 14 gauge type 304* stainless.
- Perforated tops (¾”-dia. holes on 1” center). allow for 40% laminar flow, depending on size.
- 4½” (114mm) backsplash.
- Shipped knocked down.
- 35½” overall height.

* To upgrade to **316 stainless steel construction**, add suffix “-316” (ex: CRT3060T-BS-C-316) with 35% upcharge.

	length		weight		cu ft	C-FRAME BASE		H-FRAME BASE		UNDERSHELF BASE	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list
24” width (610mm)	24”	610	55	25.0	2.9	CRT2424T-BS-C	3066	CRT2424T-BS-H	3066	CRT2424T-BS-US	3829
	36”	914	65	29.5	3.5	CRT2436T-BS-C	3403	CRT2436T-BS-H	3403	CRT2436T-BS-US	4253
	48”	1219	70	31.8	4.6	CRT2448T-BS-C	3554	CRT2448T-BS-H	3554	CRT2448T-BS-US	4443
	60”	1524	86	39.0	5.7	CRT2460T-BS-C	3695	CRT2460T-BS-H	3695	CRT2460T-BS-US	4624
	72”	1829	94	42.6	6.9	CRT2472T-BS-C	4204	CRT2472T-BS-H	4204	CRT2472T-BS-US	5250
	84”	2134	145	65.8	7.9	CRT2484T-BS-C	5073	CRT2484T-BS-H	5073	CRT2484T-BS-US	6344
30” width (762mm)	96”	2438	169	76.7	9.1	CRT2496T-BS-C	5419	CRT2496T-BS-H	5419	CRT2496T-BS-US	5250
	30”	762	63	28.6	2.9	CRT3030T-BS-C	3111	CRT3030T-BS-H	3111	CRT3030T-BS-US	3890
	36”	914	66	29.9	3.5	CRT3036T-BS-C	3457	CRT3036T-BS-H	3457	CRT3036T-BS-US	4319
	48”	1219	83	37.7	4.6	CRT3048T-BS-C	3592	CRT3048T-BS-H	3592	CRT3048T-BS-US	4488
	60”	1524	92	41.7	5.7	CRT3060T-BS-C	4098	CRT3060T-BS-H	4098	CRT3060T-BS-US	5120
	72”	1829	113	51.3	6.9	CRT3072T-BS-C	4453	CRT3072T-BS-H	4453	CRT3072T-BS-US	5567
36” width (914mm)	84”	2134	150	68.0	7.9	CRT3084T-BS-C	5276	CRT3084T-BS-H	5276	CRT3084T-BS-US	6596
	96”	2438	180	81.7	9.1	CRT3096T-BS-C	5638	CRT3096T-BS-H	5638	CRT3096T-BS-US	7048
	36”	914	74	33.6	4.4	CRT3636T-BS-C	3583	CRT3636T-BS-H	3583	CRT3636T-BS-US	4476
	48”	1219	84	38.1	5.5	CRT3648T-BS-C	3765	CRT3648T-BS-H	3765	CRT3648T-BS-US	4705
	60”	1524	99	44.9	6.8	CRT3660T-BS-C	4767	CRT3660T-BS-H	4767	CRT3660T-BS-US	5963
	72”	1829	115	52.2	8.1	CRT3672T-BS-C	5171	CRT3672T-BS-H	5171	CRT3672T-BS-US	6464
36” width (914mm)	84”	2134	183	83.0	9.5	CRT3684T-BS-C	5518	CRT3684T-BS-H	5518	CRT3684T-BS-US	6897
	96”	2438	203	92.1	10.8	CRT3696T-BS-C	6050	CRT3696T-BS-H	6050	CRT3696T-BS-US	7563

See page 134 for
Optional Casters,
Glides and
Foot Rest.

“CRPT” Series – Perforated top (¾”-dia. holes on 1” center) with 4½” backsplash, with choice of:

- Knocked down stainless steel H-frame
- Knocked down stainless steel C-frame
- Perforated stainless steel adjustable undershelf (¾”-dia. holes on 1” center)

	length		weight		cu ft	C-FRAME BASE		H-FRAME BASE		UNDERSHELF BASE	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list
24” width (610mm)	24”	610	55	25.0	2.9	CRPT2424T-BS-C	3493	CRPT2424T-BS-H	3493	CRPT2424T-BS-US	4363
	36”	914	65	29.5	3.5	CRPT2436T-BS-C	4109	CRPT2436T-BS-H	4109	CRPT2436T-BS-US	5137
	48”	1219	70	31.8	4.6	CRPT2448T-BS-C	4804	CRPT2448T-BS-H	4804	CRPT2448T-BS-US	6005
	60”	1524	86	39.0	5.7	CRPT2460T-BS-C	5186	CRPT2460T-BS-H	5186	CRPT2460T-BS-US	6483
	72”	1829	94	42.6	6.9	CRPT2472T-BS-C	6642	CRPT2472T-BS-H	6642	CRPT2472T-BS-US	8304
	84”	2134	145	65.8	7.9	CRPT2484T-BS-C	7363	CRPT2484T-BS-H	7363	CRPT2484T-BS-US	9203
30” width (762mm)	96”	2438	169	76.7	9.1	CRPT2496T-BS-C	9573	CRPT2496T-BS-H	9573	CRPT2496T-BS-US	8304
	30”	762	63	28.6	2.9	CRPT3030T-BS-C	3626	CRPT3030T-BS-H	3626	CRPT3030T-BS-US	4535
	36”	914	66	29.9	3.5	CRPT3036T-BS-C	4273	CRPT3036T-BS-H	4273	CRPT3036T-BS-US	5343
	48”	1219	83	37.7	4.6	CRPT3048T-BS-C	4958	CRPT3048T-BS-H	4958	CRPT3048T-BS-US	6196
	60”	1524	92	41.7	5.7	CRPT3060T-BS-C	5360	CRPT3060T-BS-H	5360	CRPT3060T-BS-US	6699
	72”	1829	113	51.3	6.9	CRPT3072T-BS-C	6663	CRPT3072T-BS-H	6663	CRPT3072T-BS-US	8326
36” width (914mm)	84”	2134	150	68.0	7.9	CRPT3084T-BS-C	7942	CRPT3084T-BS-H	7942	CRPT3084T-BS-US	9930
	96”	2438	180	81.7	9.1	CRPT3096T-BS-C	9813	CRPT3096T-BS-H	9813	CRPT3096T-BS-US	12267
	36”	914	74	33.6	4.4	CRPT3636T-BS-C	4488	CRPT3636T-BS-H	4488	CRPT3636T-BS-US	5611
	48”	1219	84	38.1	5.5	CRPT3648T-BS-C	5103	CRPT3648T-BS-H	5103	CRPT3648T-BS-US	6378
	60”	1524	99	44.9	6.8	CRPT3660T-BS-C	5931	CRPT3660T-BS-H	5931	CRPT3660T-BS-US	7409
	72”	1829	115	52.2	8.1	CRPT3672T-BS-C	6710	CRPT3672T-BS-H	6710	CRPT3672T-BS-US	8386
36” width (914mm)	84”	2134	183	83.0	9.5	CRPT3684T-BS-C	8010	CRPT3684T-BS-H	8010	CRPT3684T-BS-US	10013
	96”	2438	203	92.1	10.8	CRPT3696T-BS-C	10064	CRPT3696T-BS-H	10064	CRPT3696T-BS-US	12573

See page 134 for
Optional Casters,
Glides and
Foot Rest.

Optional Casters and Glides for Cleanroom Tables

see spec sheet **EG10.59**

For Cleanroom Tables on pages 132 and 133.



Polymer Cart Washable Casters with Polymer Tread

description	weight lbs.	kg	model #	list
5" (127mm) dia., set of four (two swivel, two w/brake)	250	113.4	CAHW4-SB	1215
5" (127mm) dia., set of six (three swivel, three w/brake)	250	113.4	CAHW6-SB	1824

Glides for Cleanroom Table Foot

description	model #	list ea.
black, plastic, fits on hex foot	387622	10

Foot Rest

see product announcement **EG04.14**



- Heavy gauge stainless steel all-welded construction.
- 1" square tubular welded frame, with non-slip rubber feet.
- Platform at 12° angle.
- Adjusts from 4½" to 9¾" (lowest leading edge to the floor).

width x length x height in.	mm	model #	list
11½" x 21" x 12½"	281 x 533 x 327	FR-1221-SS	1143

Gowning Dispensers

All units feature #4 brushed finish type 304 stainless steel construction. Compartment size and quantity can be customized to specific needs.



Eye Protection Holders

Download
Eye Protection Holders
Spec EG03.90



Garment Dispensers

Download
Garment Dispensers
Spec EG03.91



Packaged Glove Dispensers

Download
Packaged Glove Dispensers
Spec EG03.92



Loose Glove Dispensers
...with Catch Basin

Download
Loose Glove Dispensers
Spec EG03.93

Laboratory Exhaust Canopies

Island or wall mount exhaust canopies feature 16 gauge type 304 stainless steel construction, fully welded seams, polished interior and exterior, steel rod suspension brackets, full perimeter condensation edge, 19" overall height, and integral duct collar. Exhaust canopies are available in 30" and 36" depths, and widths ranging from 36" to 96".



Download
Laboratory Exhaust Canopies
PA EG8226

Catalog Section 4

Workstations

see spec sheet **EG04.10**



basic wire workstation



wire top workstation
with two overshelves

WEIGHT CAPACITY:

- Up to 800 lb. (363kg) load-bearing capacity.

FEATURES:

- Mobile units come with four 5" (127mm) poly stem casters (two with brake).
- Wire units offer 62% laminar flow.
- All units have standard working height of 33" (838mm).

(•) MTS (made to stock) / () MTO (made to order)

Basic Wire Units

				Stationary Units						Mobile Units					
length			cu	weight		chrome		stainless steel		weight		chrome		stainless steel	
in. mm			ft	lbs.	kg	model #	list	model #	list	lbs.	kg	model #	list	model #	list
24" width (610mm)	36"	914	3.0	21	9.5	WS2436C	508	WS2436S	1871	29	13.2	MWS2436C	1165	MWS2436S	2585
	48"	1219	3.8	28	12.7	WS2448C	577	WS2448S	2040	36	16.3	MWS2448C	1234	MWS2448S	2755

Wire Top Units with Two Overshelves

				Stationary Units						Mobile Units					
length			cu	weight		chrome		stainless steel		weight		chrome		stainless steel	
	in.	mm	ft	lbs.	kg	model #	list	model #	list	lbs.	kg	model #	list	model #	list
24" width (610mm)	36"	914	4.4	45	20.4	WS2436WT	777	WS2436WT-S	2930	56	25.4	MWS2436WT	1447	MWS2436WT-S	3445
	48"	1219	5.5	53	24.0	WS2448WT	902	WS2448WT-S	3000	61	27.7	MWS2448WT	1558	MWS2448WT-S	3716

Optional Keyboard Stations for Workstations

- 20½" wide x 11½" deep (521 x 292mm).
- Works on 24" (610mm) wide shelves.

weight		cubic		chrome		stainless steel	
lbs.	kg	feet		model #	list	model #	list
9.0	4.1	0.35		KBD-2•	476	KBD-2/SS	828



chrome keyboard station shown

Mobile Computer Workstations

see spec sheet **EG01.04**



with optional
mouse shelf

Optional Mouse Shelf

width x length		cu	weight		chrome	
in.	mm	ft	lbs.	kg	model #	list
7" x 7"	178 x 178	0.1	2.0	0.9	MS-C	30

patented
QuadTruss[®]
design
(Patent #5,390,803)

FEATURES:

- 5" (127mm) casters—two with brake.
- Cantilevered shelf, undershelf, keyboard drawer.
- 38½" (981mm) working height.
- 53½" (1362mm) overall height.

Note: Call factory for information on other casters available.

(•) MTS (made to stock) / () MTO (made to order)

	(Patent #5,390,803)					with Resilient-Tread Casters				w/Polyurethane-Tread Casters			
	length		weight		cu ft	chrome		stainless steel		chrome		stainless steel	
	in.	mm	lbs.	kg		model #	*list	model #	*list	model #	*list	model #	*list
24" (610mm)	24"	610	40	18.1	3.7	MCWS2424C	•1774	MCWS2424S	2853	MCWS2424C-P	1813	MCWS2424S-P	2893
30" (762mm)	30"	762	56	25.4	4.5	MCWS3030C	1914	MCWS3030S	2979	MCWS3030C-P	1954	MCWS3030S-P	3015

* List prices do not include cost of mouse shelf.

** 24" x 24" (610 x 610mm) units feature 14" x 24" (357 x 610mm) undershelf, 30" x 30" (762 x 762mm) units feature 18" x 30" (457 x 762mm) undershelf.


adjuSTable® Work Surface Systems

see spec sheet **EG04.04A**



Now NSF!

adjuSTable®



with H-frame base
and wire shelf
(suffix "-1H-1W")

with C-frame base
and wire shelf
(suffix "-1C-1W")

EAGLE's adjuSTable® system allows you to create work surfaces in the configuration of your choice.

FEATURES:

- Four 33" (838mm) posts and your choice of base combination.
- Tabletops on all models feature hat channels underneath for added strength.
- 34½" (876mm) overall height.

Note: To order table with 5" (127mm) resilient tread casters, add suffix "-CAH" and add to list price \$1130.

Example: AC2436T-2H-CAH.

To order table with 5" (127mm) poly tread casters, add suffix "-CAHP" and add to list price \$980.

Example: AS2436T-2H-CAHP.

See page 142 for optional drawers and keyboard station.

"AC" Series tables – Brushed 16/304 stainless steel solid top with choice of:

- Two knocked down chrome C-frames
- Two knocked down chrome H-frames
- One chrome C-frame and one chrome wire undershelf
- One chrome H-frame and one chrome wire undershelf
- Two chrome wire undershelves

	length		weight		cu ft	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.5	AC2436T-2C	1670	AC2436T-2H	1670	AC2436T-1C-1W	1670	AC2436T-1H-1W	1670	AC2436T-2W	1670
	48"	1219	81	36.7	5.7	AC2448T-2C	1954	AC2448T-2H	1954	AC2448T-1C-1W	1954	AC2448T-1H-1W	1954	AC2448T-2W	1954
	60"	1524	97	44.0	7.1	AC2460T-2C	2205	AC2460T-2H	2205	AC2460T-1C-1W	2205	AC2460T-1H-1W	2205	AC2460T-2W	2205
	72"	1829	113	51.3	8.5	AC2472T-2C	2398	AC2472T-2H	2398	AC2472T-1C-1W	2398	AC2472T-1H-1W	2398	AC2472T-2W	2398
30" width (762mm)	36"	914	75	34.0	4.5	AC3036T-2C	1820	AC3036T-2H	1820	AC3036T-1C-1W	1820	AC3036T-1H-1W	1820	AC3036T-2W	1820
	48"	1219	94	42.6	5.7	AC3048T-2C	2157	AC3048T-2H	2157	AC3048T-1C-1W	2157	AC3048T-1H-1W	2157	AC3048T-2W	2157
	60"	1524	113	51.3	7.1	AC3060T-2C	2448	AC3060T-2H	2448	AC3060T-1C-1W	2448	AC3060T-1H-1W	2448	AC3060T-2W	2448
	72"	1829	132	59.9	8.5	AC3072T-2C	2664	AC3072T-2H	2664	AC3072T-1C-1W	2664	AC3072T-1H-1W	2664	AC3072T-2W	2664
36" width (914mm)	36"	914	85	38.6	5.6	AC3636T-2C	2293	AC3636T-2H	2293	AC3636T-1C-1W	2293	AC3636T-1H-1W	2293	AC3636T-2W	2293
	48"	1219	108	49.0	7.1	AC3648T-2C	2620	AC3648T-2H	2620	AC3648T-1C-1W	2620	AC3648T-1H-1W	2620	AC3648T-2W	2620
	60"	1524	131	59.4	8.9	AC3660T-2C	2870	AC3660T-2H	2870	AC3660T-1C-1W	2870	AC3660T-1H-1W	2870	AC3660T-2W	2870
	72"	1829	154	69.9	10.6	AC3672T-2C	3190	AC3672T-2H	3190	AC3672T-1C-1W	3190	AC3672T-1H-1W	3190	AC3672T-2W	3190

"AS" Series tables – Brushed 16/304 stainless steel solid top with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one chrome wire undershelf
- Two stainless steel wire undershelves

	length		weight		cu ft	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.5	AS2436T-2C	2513	AS2436T-2H	2513	AS2436T-1C-1W	2513	AS2436T-1H-1W	2513	AS2436T-2W	2513
	48"	1219	81	36.7	5.7	AS2448T-2C	2899	AS2448T-2H	2899	AS2448T-1C-1W	2899	AS2448T-1H-1W	2899	AS2448T-2W	2899
	60"	1524	97	44.0	7.1	AS2460T-2C	3360	AS2460T-2H	3360	AS2460T-1C-1W	3360	AS2460T-1H-1W	3360	AS2460T-2W	3360
	72"	1829	113	51.3	8.5	AS2472T-2C	3825	AS2472T-2H	3825	AS2472T-1C-1W	3825	AS2472T-1H-1W	3825	AS2472T-2W	3825
30" width (762mm)	36"	914	75	34.0	4.5	AS3036T-2C	2860	AS3036T-2H	2860	AS3036T-1C-1W	2860	AS3036T-1H-1W	2860	AS3036T-2W	2860
	48"	1219	94	42.6	5.7	AS3048T-2C	3334	AS3048T-2H	3334	AS3048T-1C-1W	3334	AS3048T-1H-1W	3334	AS3048T-2W	3334
	60"	1524	113	51.3	7.1	AS3060T-2C	3822	AS3060T-2H	3822	AS3060T-1C-1W	3822	AS3060T-1H-1W	3822	AS3060T-2W	3822
	72"	1829	132	59.9	8.5	AS3072T-2C	4459	AS3072T-2H	4459	AS3072T-1C-1W	4459	AS3072T-1H-1W	4459	AS3072T-2W	4459
36" width (914mm)	36"	914	85	38.6	5.6	AS3636T-2C	3319	AS3636T-2H	3319	AS3636T-1C-1W	3319	AS3636T-1H-1W	3319	AS3636T-2W	3319
	48"	1219	108	49.0	7.1	AS3648T-2C	4009	AS3648T-2H	4009	AS3648T-1C-1W	4009	AS3648T-1H-1W	4009	AS3648T-2W	4009
	60"	1524	131	59.4	8.9	AS3660T-2C	4614	AS3660T-2H	4614	AS3660T-1C-1W	4614	AS3660T-1H-1W	4614	AS3660T-2W	4614
	72"	1829	154	69.9	10.6	AS3672T-2C	5270	AS3672T-2H	5270	AS3672T-1C-1W	5270	AS3672T-1H-1W	5270	AS3672T-2W	5270

Contact factory for custom workstation configurations.

Catalog Section 4

adjuSTable® Work Surface Systems

see spec sheet **EG04.04A**

(continued from page 136)

Note: To order table with 5" (127mm) resilient tread casters, add suffix "-CAH" and add to list price \$1130. Example: AP2436T-2H-CAH.
To order table with 5" (127mm) poly tread casters, add suffix "-CAHP" and add to list price \$80. Example: AP2436T-2H-CAHP.
See page 142 for optional drawers and keyboard station.

"AP" Series tables – Brushed 14/304 stainless steel perforated* top ($\frac{9}{16}$ "-dia. holes on 1" center) with choice of

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one s/s wire undershelf
- Two stainless steel wire undershelves

* For perforated tops, laminar air flow is 23-25% depending on size.

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.5	AP2436T-2C	3155	AP2436T-2H	3155	AP2436T-1C-1W	3155	AP2436T-1H-1W	3155	AP2436T-2W	3155
	48"	1219	81	36.7	5.7	AP2448T-2C	3552	AP2448T-2H	3552	AP2448T-1C-1W	3552	AP2448T-1H-1W	3552	AP2448T-2W	3552
	60"	1524	97	44.0	7.1	AP2460T-2C	4011	AP2460T-2H	4011	AP2460T-1C-1W	4011	AP2460T-1H-1W	4011	AP2460T-2W	4011
	72"	1829	113	51.3	8.5	AP2472T-2C	4476	AP2472T-2H	4476	AP2472T-1C-1W	4476	AP2472T-1H-1W	4476	AP2472T-2W	4476
30" width (762mm)	36"	914	75	34.0	4.5	AP3036T-2C	3506	AP3036T-2H	3506	AP3036T-1C-1W	3506	AP3036T-1H-1W	3506	AP3036T-2W	3506
	48"	1219	94	42.6	5.7	AP3048T-2C	3985	AP3048T-2H	3985	AP3048T-1C-1W	3985	AP3048T-1H-1W	3985	AP3048T-2W	3985
	60"	1524	113	51.3	7.1	AP3060T-2C	4474	AP3060T-2H	4474	AP3060T-1C-1W	4474	AP3060T-1H-1W	4474	AP3060T-2W	4474
	72"	1829	132	59.9	8.5	AP3072T-2C	5103	AP3072T-2H	5103	AP3072T-1C-1W	5103	AP3072T-1H-1W	5103	AP3072T-2W	5103
36" width (914mm)	36"	914	85	38.6	5.6	AP3636T-2C	3965	AP3636T-2H	3965	AP3636T-1C-1W	3965	AP3636T-1H-1W	3965	AP3636T-2W	3965
	48"	1219	108	49.0	7.1	AP3648T-2C	4656	AP3648T-2H	4656	AP3648T-1C-1W	4656	AP3648T-1H-1W	4656	AP3648T-2W	4656
	60"	1524	131	59.4	8.9	AP3660T-2C	5258	AP3660T-2H	5258	AP3660T-1C-1W	5258	AP3660T-1H-1W	5258	AP3660T-2W	5258
	72"	1829	154	69.9	10.6	AP3672T-2C	5600	AP3672T-2H	5600	AP3672T-1C-1W	5600	AP3672T-1H-1W	5600	AP3672T-2W	5600

Contact factory for custom workstation configurations.

Foot Rest

see product announcement **EG04.14**



- Heavy gauge stainless steel all-welded construction.
- 1" square tubular welded frame, with non-slip rubber feet.
- Platform at 12° angle.
- Adjusts from 4½" to 9¾" (lowest leading edge to the floor).

width x length x height		model #	list
in.	mm		
11½" x 21" x 12½"	281 x 533 x 327	FR-1221-SS	1143

EXPLORE OUR EXTENSIVE LINE OF CASEWORK...

CLICK ON THE COVER TO DOWNLOAD, OR VISIT **EAGLEMHC.COM**



adjustable® Work Surface Systems with Cantilevered Overhead System

see spec sheet **EG04.04B**



FEATURES:

- 34½" (876mm) working height.
- 63" (1600mm) overall height.

Now NSF!



shown with
two C-frame bases
(suffix "-2C")

adjustable®

Note: To order table with 5" (127mm) resilient tread casters, add suffix "-CAH" and add to list price \$1130.

Example: OAC2436T-2H--CAH.

To order table with 5" (127mm) poly tread casters, add suffix "-CAHP" and add to list price \$980.

Example: OAC2436T-2H-CAHP.

See page 142 for optional drawers and keyboard station.

**Allows you to create work surfaces of your choice.
Tabletops on all models feature hat channels
underneath for added strength.**

Work surface of your choice is combined with two 33" (838mm) front posts, two 63" (1600mm) rear posts, two cantilevered wire overshelves, and your choice of base combination. Overall height of 63" (1600mm).

"OAC" Series tables – Brushed 16/304 stainless steel solid top and chrome wire overshelves, with choice of:

- Two knocked down chrome C-frames
- Two knocked down chrome H-frames
- One chrome C-frame and one chrome wire undershelf
- One chrome H-frame and one chrome wire undershelf
- Two chrome wire undershelves

	length		weight		cu ft	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.4	OAC2436T-2C	1989	OAC2436T-2H	1989	OAC2436T-1C-1W	1989	OAC2436T-1H-1W	1989	OAC2436T-2W	1989
	48"	1219	81	36.7	5.7	OAC2448T-2C	2291	OAC2448T-2H	2291	OAC2448T-1C-1W	2291	OAC2448T-1H-1W	2291	OAC2448T-2W	2291
	60"	1524	97	44.0	7.0	OAC2460T-2C	2594	OAC2460T-2H	2594	OAC2460T-1C-1W	2594	OAC2460T-1H-1W	2594	OAC2460T-2W	2594
30" width (762mm)	36"	914	75	34.0	4.4	OAC3036T-2C	2115	OAC3036T-2H	2115	OAC3036T-1C-1W	2115	OAC3036T-1H-1W	2115	OAC3036T-2W	2115
	48"	1219	94	42.6	5.7	OAC3048T-2C	2495	OAC3048T-2H	2495	OAC3048T-1C-1W	2495	OAC3048T-1H-1W	2495	OAC3048T-2W	2495
	60"	1524	113	51.3	7.0	OAC3060T-2C	2835	OAC3060T-2H	2835	OAC3060T-1C-1W	2835	OAC3060T-1H-1W	2835	OAC3060T-2W	2835
36" width (914mm)	36"	914	85	38.6	5.0	OAC3636T-2C	2584	OAC3636T-2H	2584	OAC3636T-1C-1W	2584	OAC3636T-1H-1W	2584	OAC3636T-2W	2584
	48"	1219	108	49.0	7.0	OAC3648T-2C	2955	OAC3648T-2H	2955	OAC3648T-1C-1W	2955	OAC3648T-1H-1W	2955	OAC3648T-2W	2955
	60"	1524	131	59.4	9.0	OAC3660T-2C	3227	OAC3660T-2H	3227	OAC3660T-1C-1W	3227	OAC3660T-1H-1W	3227	OAC3660T-2W	3227

"OAS" Series tables – Brushed 16/304 stainless steel solid top and stainless steel wire overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one chrome wire undershelf
- Two stainless steel wire undershelves

	length		weight		cu ft	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.4	OAS2436T-2C	3457	OAS2436T-2H	3457	OAS2436T-1C-1W	3457	OAS2436T-1H-1W	3457	OAS2436T-2W	3457
	48"	1219	81	36.7	5.7	OAS2448T-2C	3954	OAS2448T-2H	3954	OAS2448T-1C-1W	3954	OAS2448T-1H-1W	3954	OAS2448T-2W	3954
	60"	1524	97	44.0	7.0	OAS2460T-2C	4586	OAS2460T-2H	4586	OAS2460T-1C-1W	4586	OAS2460T-1H-1W	4586	OAS2460T-2W	4586
30" width (762mm)	36"	914	75	34.0	4.4	OAS3036T-2C	3808	OAS3036T-2H	3808	OAS3036T-1C-1W	3808	OAS3036T-1H-1W	3808	OAS3036T-2W	3808
	48"	1219	94	42.6	5.7	OAS3048T-2C	4386	OAS3048T-2H	4386	OAS3048T-1C-1W	4386	OAS3048T-1H-1W	4386	OAS3048T-2W	4386
	60"	1524	113	51.3	7.0	OAS3060T-2C	5050	OAS3060T-2H	5050	OAS3060T-1C-1W	5050	OAS3060T-1H-1W	5050	OAS3060T-2W	5050
36" width (914mm)	36"	914	85	38.6	5.0	OAS3636T-2C	4262	OAS3636T-2H	4262	OAS3636T-1C-1W	4262	OAS3636T-1H-1W	4262	OAS3636T-2W	4262
	48"	1219	108	49.0	7.0	OAS3648T-2C	5053	OAS3648T-2H	5053	OAS3648T-1C-1W	5053	OAS3648T-1H-1W	5053	OAS3648T-2W	5053
	60"	1524	131	59.4	9.0	OAS3660T-2C	5834	OAS3660T-2H	5834	OAS3660T-1C-1W	5834	OAS3660T-1H-1W	5834	OAS3660T-2W	5834

**Contact factory for custom
workstation configurations.**

Catalog Section 4

adjuSTable® Work Surface Systems with Cantilevered Overhead System



see spec sheet **EG04.04B**

(continued from page 138)

“OAP” Series tables – Brushed 14/304 stainless steel top with $\frac{3}{4}$ ” (19mm) perforations* on 1” (25mm) centers and stainless steel wire overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one s/s wire undershelf
- Two stainless steel wire undershelves

* For perforated tops, laminar air flow is 23-25% depending on size.

	length		weight		cu ft	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.4	OAP2436T-2C	3973	OAP2436T-2H	3973	OAP2436T-1C-1W	3973	OAP2436T-1H-1W	3973	OAP2436T-2W	3973
	48"	1219	81	36.7	5.7	OAP2448T-2C	4600	OAP2448T-2H	4600	OAP2448T-1C-1W	4600	OAP2448T-1H-1W	4600	OAP2448T-2W	4600
	60"	1524	97	44.0	7.0	OAP2460T-2C	5236	OAP2460T-2H	5236	OAP2460T-1C-1W	5236	OAP2460T-1H-1W	5236	OAP2460T-2W	5236
30" width (762mm)	36"	914	75	34.0	4.4	OAP3036T-2C	4455	OAP3036T-2H	4455	OAP3036T-1C-1W	4455	OAP3036T-1H-1W	4455	OAP3036T-2W	4455
	48"	1219	94	42.6	5.7	OAP3048T-2C	5036	OAP3048T-2H	5036	OAP3048T-1C-1W	5036	OAP3048T-1H-1W	5036	OAP3048T-2W	5036
	60"	1524	113	51.3	7.0	OAP3060T-2C	5703	OAP3060T-2H	5703	OAP3060T-1C-1W	5703	OAP3060T-1H-1W	5703	OAP3060T-2W	5703
36" width (914mm)	36"	914	85	38.6	5.0	OAP3636T-2C	4911	OAP3636T-2H	4911	OAP3636T-1C-1W	4911	OAP3636T-1H-1W	4911	OAP3636T-2W	4911
	48"	1219	108	49.0	7.0	OAP3648T-2C	5704	OAP3648T-2H	5704	OAP3648T-1C-1W	5704	OAP3648T-1H-1W	5704	OAP3648T-2W	5704
	60"	1524	131	59.4	9.0	OAP3660T-2C	6480	OAP3660T-2H	6480	OAP3660T-1C-1W	6480	OAP3660T-1H-1W	6480	OAP3660T-2W	6480

Contact factory for custom workstation configurations.

Foot Rest

see product announcement **EG04.14**



- Heavy gauge stainless steel all-welded construction.
- 1" square tubular welded frame, with non-slip rubber feet.
- Platform at 12° angle.
- Adjusts from 4½" to 9¾" (lowest leading edge to the floor).

width x length x height		model #	list
in.	mm		
11½" x 21" x 12½"	281 x 533 x 327	FR-1221-SS	1143

CHECK IT OUT...

CLICK ON THE COVER
TO DOWNLOAD, OR
VISIT **EAGLEMHC.COM**



adjustable® Work Surface Systems with Wire Overshelf System

see spec sheet **EG04.04C**



**Now
NSF!**



adjustable®

shown with
two C-frame bases
(suffix "-2C")

FEATURES:

- 34½" (876mm) working height.
- 63" (1600mm) overall height.

Note: To order table with 5" (127mm) resilient tread casters, add suffix "-CAH" and add to list price \$1130.

Example: WOAC2436T-2H-CAH.

To order table with 5" (127mm) poly tread casters, add suffix "-CAHP" and add to list price \$980.

Example: WOAS2436T-2H-CAHP.

See page 142 for optional drawers and keyboard station.

**Allows you to create work surfaces of your choice.
Tabletops on all models feature hat channels
underneath for added strength.**

Work surface of your choice is combined with two 33" (838mm) front posts, two 63" (1600mm) rear posts, two wire overshelves, two 29" (737mm) front posts for wire overshelves, and your choice of base combination. 63" (1600mm) overall height.

"WOAC" Series tables – 16/304 brushed stainless solid top and chrome overshelves, with choice of:

- Two knocked down chrome C-frames
- Two knocked down chrome H-frames
- One chrome C-frame and one chrome wire undershelf
- One chrome H-frame and one chrome wire undershelf
- Two chrome wire undershelves

	length		weight		cu ft	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.4	WOAC2436T-2C	2104	WOAC2436T-2H	2104	WOAC2436T-1C-1W	2104	WOAC2436T-1H-1W	2104	WOAC2436T-2W	2104
	48"	1219	81	36.7	5.7	WOAC2448T-2C	2393	WOAC2448T-2H	2393	WOAC2448T-1C-1W	2393	WOAC2448T-1H-1W	2393	WOAC2448T-2W	2393
	60"	1524	97	44.0	7.0	WOAC2460T-2C	2688	WOAC2460T-2H	2688	WOAC2460T-1C-1W	2688	WOAC2460T-1H-1W	2688	WOAC2460T-2W	2688
30" width (762mm)	36"	914	75	34.0	4.4	WOAC3036T-2C	2224	WOAC3036T-2H	2224	WOAC3036T-1C-1W	2224	WOAC3036T-1H-1W	2224	WOAC3036T-2W	2224
	48"	1219	94	42.6	5.7	WOAC3048T-2C	2595	WOAC3048T-2H	2595	WOAC3048T-1C-1W	2595	WOAC3048T-1H-1W	2595	WOAC3048T-2W	2595
	60"	1524	113	51.3	7.0	WOAC3060T-2C	2923	WOAC3060T-2H	2923	WOAC3060T-1C-1W	2923	WOAC3060T-1H-1W	2923	WOAC3060T-2W	2923
36" width (914mm)	36"	914	85	38.6	5.0	WOAC3636T-2C	2699	WOAC3636T-2H	2699	WOAC3636T-1C-1W	2699	WOAC3636T-1H-1W	2699	WOAC3636T-2W	2699
	48"	1219	108	49.0	7.0	WOAC3648T-2C	3053	WOAC3648T-2H	3053	WOAC3648T-1C-1W	3053	WOAC3648T-1H-1W	3053	WOAC3648T-2W	3053
	60"	1524	131	59.4	9.0	WOAC3660T-2C	3318	WOAC3660T-2H	3318	WOAC3660T-1C-1W	3318	WOAC3660T-1H-1W	3318	WOAC3660T-2W	3318

"WOAS" Series tables – 16/304 brushed stainless solid top and stainless steel overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one chrome wire undershelf
- Two stainless steel wire undershelves

	length		weight		cu ft	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.4	WOAS2436T-2C	3640	WOAS2436T-2H	3640	WOAS2436T-1C-1W	3640	WOAS2436T-1H-1W	3640	WOAS2436T-2W	3640
	48"	1219	81	36.7	5.7	WOAS2448T-2C	4230	WOAS2448T-2H	4230	WOAS2448T-1C-1W	4230	WOAS2448T-1H-1W	4230	WOAS2448T-2W	4230
	60"	1524	97	44.0	7.0	WOAS2460T-2C	4966	WOAS2460T-2H	4966	WOAS2460T-1C-1W	4966	WOAS2460T-1H-1W	4966	WOAS2460T-2W	4966
30" width (762mm)	36"	914	75	34.0	4.4	WOAS3036T-2C	3992	WOAS3036T-2H	3992	WOAS3036T-1C-1W	3992	WOAS3036T-1H-1W	3992	WOAS3036T-2W	3992
	48"	1219	94	42.6	5.7	WOAS3048T-2C	4663	WOAS3048T-2H	4663	WOAS3048T-1C-1W	4663	WOAS3048T-1H-1W	4663	WOAS3048T-2W	4663
	60"	1524	113	51.3	7.0	WOAS3060T-2C	5428	WOAS3060T-2H	5428	WOAS3060T-1C-1W	5428	WOAS3060T-1H-1W	5428	WOAS3060T-2W	5428
36" width (914mm)	36"	914	85	38.6	5.0	WOAS3636T-2C	4445	WOAS3636T-2H	4445	WOAS3636T-1C-1W	4445	WOAS3636T-1H-1W	4445	WOAS3636T-2W	4445
	48"	1219	108	49.0	7.0	WOAS3648T-2C	5333	WOAS3648T-2H	5333	WOAS3648T-1C-1W	5333	WOAS3648T-1H-1W	5333	WOAS3648T-2W	5333
	60"	1524	131	59.4	9.0	WOAS3660T-2C	6217	WOAS3660T-2H	6217	WOAS3660T-1C-1W	6217	WOAS3660T-1H-1W	6217	WOAS3660T-2W	6217

**Contact factory for custom
workstation configurations.**

Catalog Section 4

adjuSTable® Work Surface Systems with Wire Overshelf System



see spec sheet **EG04.04C**

(continued from page 140)

“WOAP” Series tables – 14/304 brushed stainless steel top with $\frac{3}{4}$ ” (19mm) perforations on 1” (25mm) centers and stainless steel overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one s/s wire undershelf
- Two stainless steel wire undershelves

* For perforated tops, laminar air flow is 23-25% depending on size.

	length		weight		cu ft	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.4	WOAP2436T-2C	4156	WOAP2436T-2H	4156	WOAP2436T-1C-1W	4156	WOAP2436T-1H-1W	4156	WOAP2436T-2W	4156
	48"	1219	81	36.7	5.7	WOAP2448T-2C	4872	WOAP2448T-2H	4872	WOAP2448T-1C-1W	4872	WOAP2448T-1H-1W	4872	WOAP2448T-2W	4872
	60"	1524	97	44.0	7.0	WOAP2460T-2C	5613	WOAP2460T-2H	5613	WOAP2460T-1C-1W	5613	WOAP2460T-1H-1W	5613	WOAP2460T-2W	5613
30" width (762mm)	36"	914	75	34.0	4.4	WOAP3036T-2C	4491	WOAP3036T-2H	4491	WOAP3036T-1C-1W	4491	WOAP3036T-1H-1W	4491	WOAP3036T-2W	4491
	48"	1219	94	42.6	5.7	WOAP3048T-2C	5310	WOAP3048T-2H	5310	WOAP3048T-1C-1W	5310	WOAP3048T-1H-1W	5310	WOAP3048T-2W	5310
	60"	1524	113	51.3	7.0	WOAP3060T-2C	6076	WOAP3060T-2H	6076	WOAP3060T-1C-1W	6076	WOAP3060T-1H-1W	6076	WOAP3060T-2W	6076
36" width (914mm)	36"	914	85	38.6	5.0	WOAP3636T-2C	5091	WOAP3636T-2H	5091	WOAP3636T-1C-1W	5091	WOAP3636T-1H-1W	5091	WOAP3636T-2W	5091
	48"	1219	108	49.0	7.0	WOAP3648T-2C	5977	WOAP3648T-2H	5977	WOAP3648T-1C-1W	5977	WOAP3648T-1H-1W	5977	WOAP3648T-2W	5977
	60"	1524	131	59.4	9.0	WOAP3660T-2C	6858	WOAP3660T-2H	6858	WOAP3660T-1C-1W	6858	WOAP3660T-1H-1W	6858	WOAP3660T-2W	6858

Contact factory for custom workstation configurations.

Foot Rest

see product announcement **EG04.14**



- Heavy gauge stainless steel all-welded construction.
- 1" square tubular welded frame, with non-slip rubber feet.
- Platform at 12° angle.
- Adjusts from 4 $\frac{1}{2}$ " to 9 $\frac{3}{4}$ " (lowest leading edge to the floor).

width x length x height			model #	list
in.	mm			
11 $\frac{1}{16}$ " x 21" x 12 $\frac{1}{2}$ "	281 x 533 x 327		FR-1221-SS	1143

CHECK OUT THE LATEST...

CLICK ON THE COVER
TO DOWNLOAD, OR
VISIT **EAGLEMHC.COM**



Options for adjusTable® Work Surface Systems

Optional Table Mount Keyboard Station

20½" wide x 11½" deep (521 x 292mm).

weight		cubic feet	stainless steel		
lbs.	kg		model #	list	
6.0	2.7	0.35	KBD-1/SS	722	



keyboard station

Optional Utility Drawers

Stainless steel construction. Enclosed assembly comes complete with housing, drawer, drawer pan, and drawer front. Guides and rollers included.

			with Pull Flange and Full Front				Enclosed Assembly			
length x width x height in. mm		cu ft	weight lbs. kg		part #	list	weight lbs. kg		part #	list
20" x 20" x 5"	508 x 508 x 127	3.0	25	11.3	501571 •	846	35	15.9	501572 •	1535



model #501571
utility drawer



model #501572
enclosed assembly

Roll Bag Dispensers

see spec sheet **EG04.00**



Not recommended on casters.

**An effective means for
dispensing rolls of bags,
film, or tube stock.**
**An easy way to establish
protocol by avoiding
inadvertent mixing of
non-compatible
chemicals.**


FEATURES:

- Two 14" x 48" (356 x 1219mm) wire shelves.
- Eight removable dispensing bars.
- One 3-sided channel frame.
- Four 74" (1829mm) posts with 30" (762mm) outrigger feet—featuring triangular foot plates—for stability.
- Dispensing bars are adjustable on 1" (25mm) increments.
- Custom sizes available.

60-lb. weight capacity per bar!

overall width x length in. mm		shelf width x length in. mm		weight lbs. kg		cu ft	chrome model # list		stainless steel model # list	
30" x 48"	762 x 1219	14" x 48"	356 x 1219	79	35.8	2.3	BD1448C	3386	BD1448S	5047

Shoe Racks

see spec sheet **EG04.09**

patented
QuadTruss®
design
(Patent #5,390,803)

Wire shelves offer the optimum combination of laminar flow and ventilation for the storage of cleanroom shoes.

FEATURES:

- Rods & tabs run through the shelves to create the cubbies for each pair of shoes.
- Shoe racks may be configured in chrome plated steel as well as stainless steel.
- Foot plates are included for fastening to the floor.
- 86" (2184mm) post height.

Note: Optional snap-on plastic label holders are available for identification of each cubby.

	length*		weight		cu	# of	cubby size		chrome		stainless steel	
	in.	mm	lbs.	kg	ft	cubbies	width x height		model #	list	model #	list
							in.	mm				
14" width <i>(356mm)</i>	36"	914	133	60.3	4	40	9" x 6½"	229 x 165	SR1436C	2532	SR1436S	8736
	48"	102	153	69.4	4	50	9½" x 6½"	241 x 165	SR1448C	2878	SR1448S	7739
	60"	1524	201	91.2	8	60	10" x 6½"	254 x 165	SR1460C	3249	SR1460S	9083
	72"	1829	220	99.8	8	80	9" x 6½"	229 x 165	SR1472C	3596	SR1472S	10939

*Available in any shelf length. For information on shelf lengths, see "Wire Shelves," page 6.

Vertical Storage Cabinets

see spec sheet **EG04.11**

vertical storage
cabinet with
flat top

- Type 304 stainless steel construction.
- Four (4) adjustable intermediate shelves.
- Hinged doors with wire-style pulls.
- Stationary units feature stainless steel legs with 1" (25mm) adjustable bullet feet.
- Mobile "CPB" units include 5" (127mm)-diameter swivel/brake stainless steel casters with poly tread.

FEATURES:

Note: Custom sizes, glass doors, locks, and additional shelves available upon request. Please contact factory for pricing on these options.

Consult factory for pricing.

					with Flat Top				with Sloped Top					
depth		width			height		weight		height		weight			
in.	mm	in.	mm		in.	mm	lbs.	kg	in.	mm	lbs.	kg		
18"	457	36"	914	stationary	72"	1829	416	188.7	SSC-TSC-1836	77"	1956	419	190.0	SSC-TSCST-1836
18"	457	48"	1219	stationary	72"	1829	490	222.3	SSC-TSC-1848	77"	1956	495	224.5	SSC-TSCST-1848
24"	610	36"	914	stationary	72"	1829	458	207.7	SSC-TSC-2436	77"	1956	461	209.1	SSC-TSCST-2436
24"	610	48"	1219	stationary	72"	1829	539	244.5	SSC-TSC-2448	77"	1956	545	247.2	SSC-TSCST-2448
24"	610	36"	914	mobile	72"	1829	462	209.6	SSC-TSC-2436-CPB	78"	1981	465	210.9	SSC-TSCST-2436-CPB
24"	610	48"	1219	mobile	72"	1829	543	246.3	SSC-TSC-2448-CPB	78"	1981	549	249.0	SSC-TSCST-2448-CPB

Stainless Steel Countertops



Engineered for High-Performance Labs & Specialized Environments

Material Options:

- 16-gauge Type 304 stainless steel standard.
- Other gauges and alloys available.

Design Features:

- Choice of square, marine, or rolled edge profiles.
- Standard 4" backsplash with custom options available.
- Integral sinks available in custom sizes and configurations.
- Engineered-to-order with customizable dimensions, cutouts, sink locations, and edge details.
- SEFA 8 compliant with a weight capacity of 50 lbs. per square foot when paired with a SEFA-compliant base.
- Smooth, non-porous stainless steel surface promotes cleanliness and easy maintenance.

Construction & Performance:

- Reinforced with stainless steel hat channels for added strength and rigidity with sound deadening.

Manufacturing:

- Manufactured using recycled content and fully recyclable at end of life.
- Proudly made in the USA at our Delaware manufacturing facility.
- Standard wood crating included at no extra cost.





Catalog Section 4


Stainless Steel Countertops




see spec sheet **EG04.12**



detail 1: edges



detail 2:
4" backsplash with 1" return and turndown.
Z-clip provided for wall attachment.



detail 3:
4-1/2" backsplash with 1" return.

Consult factory for pricing.

- NOTE:**
- Drawings to be submitted for approval prior to fabrication using the latest version of AutoCad software. They will be emailed in Adobe Acrobat format (.pdf) unless specified otherwise. AutoCad files (.dwg) are available upon request.
 - Complete field welding and finishing services are available at additional expense.

NEW Laboratory Wall Shelves

see spec sheets **EG03.80** **EG03.81**



**150-LB. MAXIMUM
WEIGHT CAPACITY!**

FEATURES:

- 16 gauge stainless steel shelves, with center hat channel and 1 1/4" rear upturn
- Available with or without front wire ledge.
- 4 1/2" bookends on each shelf.
- Shelves adjustable on 1 1/2" increments
- 36" tall, 1" square tubular uprights



Complete Shelf Units

Consists of three (3) shelves and two (2) uprights.

				w/Uprturned Bookends		w/Downturned Bookends	
shelf depth	shelf length	overall length	weight	w/STANDARD SHELVES	WITH WIRE LEDGE	w/STANDARD SHELVES	WITH WIRE LEDGE
in mm	in mm	in mm	lbs. kg	model #	model #	model #	model #
12" 305	30" 762	31" 787	38 17.2	LS1230-36-3	LS1230-36-3L	LSD1230-36-3	LSD1230-36-3L
12" 305	36" 914	37" 939	43 19.5	LS1236-36-3	LS1236-36-3L	LSD1236-36-3	LSD1236-36-3L
12" 305	48" 1219	49" 1244	52 23.6	LS1248-36-3	LS1248-36-3L	LSD1248-36-3	LSD1248-36-3L
12" 305	60" 1524	61" 1549	62 28.1	LS1260-36-3	LS1260-36-3L	LSD1260-36-3	LSD1260-36-3L
12" 305	72" 1828	73" 1854	71 32.2	LS1272-36-3	LS1272-36-3L	LSD1272-36-3	LSD1272-36-3L
15" 381	30" 762	31" 787	44 20.0	LS1530-36-3	LS1530-36-3L	LSD1530-36-3	LSD1530-36-3L
15" 381	36" 914	37" 939	50 22.7	LS1536-36-3	LS1536-36-3L	LSD1536-36-3	LSD1536-36-3L
15" 381	48" 1219	49" 1244	61 27.7	LS1548-36-3	LS1548-36-3L	LSD1548-36-3	LSD1548-36-3L
15" 381	60" 1524	61" 1549	72 32.7	LS1560-36-3	LS1560-36-3L	LSD1560-36-3	LSD1560-36-3L
15" 381	72" 1828	73" 1854	83 37.6	LS1572-36-3	LS1572-36-3L	LSD1572-36-3	LSD1572-36-3L
18" 457	30" 762	31" 787	51 23.1	LS1830-36-3	LS1830-36-3L	LSD1830-36-3	LSD1830-36-3L
18" 457	36" 914	37" 939	57 25.9	LS1836-36-3	LS1836-36-3L	LSD1836-36-3	LSD1836-36-3L
18" 457	48" 1219	49" 1244	70 31.8	LS1848-36-3	LS1848-36-3L	LSD1848-36-3	LSD1848-36-3L
18" 457	60" 1524	61" 1549	83 37.5	LS1860-36-3	LS1860-36-3L	LSD1860-36-3	LSD1860-36-3L
18" 457	72" 1828	73" 1854	97 44.0	LS1872-36-3	LS1872-36-3L	LSD1872-36-3	LSD1872-36-3L

By Component

Single Shelves...

		...with Uprturned Bookends		...with Downturned Bookends	
shelf depth	shelf length	STANDARD SHELF	SHELF WITH WIRE LEDGE	STANDARD SHELF	SHELF WITH WIRE LEDGE
in mm	in mm	model #	model #	model #	model #
12" 305	30" 762	LS1230	LS1230L	LSD1230	LSD1230L
12" 305	36" 914	LS1236	LS1236L	LSD1236	LSD1236L
12" 305	48" 1219	LS1248	LS1248L	LSD1248	LSD1248L
12" 305	60" 1524	LS1260	LS1260L	LSD1260	LSD1260L
12" 305	72" 1828	LS1272	LS1272L	LSD1272	LSD1272L
15" 381	30" 762	LS1530	LS1530L	LSD1530	LSD1530L
15" 381	36" 914	LS1536	LS1536L	LSD1536	LSD1536L
15" 381	48" 1219	LS1548	LS1548L	LSD1548	LSD1548L
15" 381	60" 1524	LS1560	LS1560L	LSD1560	LSD1560L
15" 381	72" 1828	LS1572	LS1572L	LSD1572	LSD1572L
18" 457	30" 762	LS1830	LS1830L	LSD1830	LSD1830L
18" 457	36" 914	LS1836	LS1836L	LSD1836	LSD1836L
18" 457	48" 1219	LS1848	LS1848L	LSD1848	LSD1848L
18" 457	60" 1524	LS1860	LS1860L	LSD1860	LSD1860L
18" 457	72" 1828	LS1872	LS1872L	LSD1872	LSD1872L

Uprights

Can be used between two shelves shelves.
Sold individually.

height	model #
in mm	
18" 457	LS18VU
24" 610	LS24VU
30" 762	LS30VU
36" 914	LS36VU
48" 1219	LS48VU
60" 1524	LS60VU
72" 1828	LS72VU

Consult factory for pricing.

Exchange Carts

EC Series.....	150
ECD Series.....	150
ECD7/ECE7 Series	153
ECDS Series	151
ECDT Series.....	152
ECE Series.....	150
ECES Series.....	151
ECET Series.....	153
ECS Series.....	151
ECT Series.....	152

Carts

Basket.....	159
Catheter Procedure.....	158
Catheter Storage	157
Inhalation Therapy	156
Linen	156
Mail	156
Patient Article Carts/Accessories.....	154
Sterile Wrap.....	157
Suture	155
Wire Basket Utility	159

Steril-Eze® Surgical Case Carts

Open	160
Open Wire.....	160

More Healthcare

Cart Covers.....	162
Double-Sided Bin-Holder Rails.....	164
Foot Stools.....	155
I.V. Stands.....	154
Instrument Tables	161
Mobile Garment Racks.....	161
Plate Casters	154
Stainless Steel Overlays.....	164
Storage Bins.....	163
Surgical Scrub Sinks.....	166
Wall Mounted Multi-Station Hand Sinks.....	165

Kanban Supply Storage Carts

see spec sheet **EG05.22**



patented
QuadTruss®
design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and
provides a retaining ledge for increased
strength and product retention.

**Consult factory for
additional configurations.**

- Six wire reverse mat shelves each contain a lip on all sides to ensure bins stay in place. Each shelf accommodates two rows of 14 3/4" (375mm)-deep bins (see photo at left).
- Shelf slanted for ease of sliding supply bins forward, and for greater visibility of contents.
- 68" (1727mm) overall height includes 63" (1600mm)-high 1" (25mm) diameter posts, and 5" (127mm)-diameter swivel casters—two with brake.
- Shelves and posts feature chrome finish.

FEATURES:

width x length		bin capacity per shelf			model #	list
in.	mm	bin size: 14-3/4" x 5-1/2" x 5"	bin size: 14-3/4" x 8-1/4" x 7"	bin size: 14-3/4" x 16-1/2" x 7"		
30" x 36"	914 x 914	12	8	4	ELKB-3036-C	3477
30" x 48"	914 x 1219	12	10	4	ELKB-3048-C	3971

Optional Supply Bins

width		length		height		model #	list
in.	mm	in.	mm	in.	mm		
14 3/4"	375	5 1/2"	140	7"	178	KB-234-BL	48
14 3/4"	375	8 1/4"	210	7"	178	KB-240-BL	78
14 3/4"	375	16 1/2"	419	7"	178	KB-250-BL	126

Healthcare Products For Hospitals

Products for Environmental Services



Products for Facilities and Biomedical



Products for Laboratories



Products for Pharmacy



Click on the brochure cover to download the latest brochure

Healthcare Products For Hospitals

Products for Sterile Processing



Products for Facilities and Biomedical



Stainless Steel Inset Casework



Safety Breath Shields



Click on the brochure cover to download the latest brochure

Exchange Carts

see spec sheet **EG05.09A**

Meets all requirements for supply exchange in any healthcare environment.

patented
QuadTruss®
design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

- Chrome-plated posts are grooved and are numbered on one-inch increments, enabling shelving to be adjusted up and down.
- Open-wire construction reduces dust and contamination build-up.
- Five chrome-plated wire shelves.
- With various shelving configurations, caster styles, accessory packages, and a number of sizes, these carts are the ultimate in versatility!

FEATURES:



#EC2160C

EC Series

5" (127mm) resilient stem casters (*two with brake*). Six plastic label holders. 69" (1753mm) overall height.

shelf width x length		weight		cubic	model #	list
in.	mm	lbs.	kg	feet		
21" x 48"	533 x 1219	93	42.2	6.3	EC2148C	1360
21" x 60"	533 x 1524	114	51.7	7.3	EC2160C	1522
24" x 48"	610 x 1219	106	48.1	6.8	EC2448C	1468
24" x 60"	610 x 1524	131	59.4	8.3	EC2460C	1657



#ECD2448C

ECD Series

6" (152mm) polyurethane casters (*two with brake*). Chrome dolly frame with wraparound bumper. 6" (152mm) deep tote boxes with dividers. Shelf dividers. Six plastic label holders. One slide assembly. 70" (1778mm) overall height.

shelf width x length		weight		cubic	# of tote	# of shelf	model #	list
in.	mm	lbs.	kg	feet	boxes	dividers		
21" x 48"	533 x 1219	123	55.8	9.9	2	2	ECD2148C	4124
21" x 60"	533 x 1524	146	66.2	12.2	2	3	ECD2160C	4325
24" x 48"	610 x 1219	163	73.9	19.6	2	2	ECD2448C	4267
24" x 60"	610 x 1524	188	85.3	19.6	2	3	ECD2460C	4531



#ECE2448C

ECE Series

8" (203mm) polyurethane casters (*two with brake*). Chrome dolly frame with wraparound bumper. Side and back enclosure panels. Slide assemblies. 6" (152mm) deep tote boxes with box dividers. Shelf dividers. 12 plastic label holders. 72" (1829mm) overall height.

shelf width x length		weight		cubic	# of tote	# of shelf	# of super	model #	list
in.	mm	lbs.	kg	feet	boxes	dividers	slides		
21" x 48"	533 x 1219	160	72.6	20.3	2	4	1	ECE2148C	5000
21" x 60"	533 x 1524	185	83.9	25.2	4	6	2	ECE2160C	5888
24" x 48"	610 x 1219	178	80.7	23.5	2	4	1	ECE2448C	5140
24" x 60"	610 x 1524	203	92.1	34.8	4	6	2	ECE2460C	6109

Catalog Section 5

Exchange Carts

see spec sheet **EG05.09A** **EG05.09B**

Meets all requirements for supply exchange in any healthcare environment.

patented
QuadTruss®
design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

FEATURES:

- Chrome-plated posts are grooved and are numbered on one-inch increments, enabling shelving to be adjusted up and down.
- Open-wire construction reduces dust and contamination build-up.
- Four chrome-plated wire shelves.
- With various shelving configurations, caster styles, accessory packages, and a number of sizes, these carts are the ultimate in versatility!

ECS Series

5" (127mm) resilient stem casters (two with brake). One stainless steel solid shelf. Six plastic label holders. 69" (1753mm) overall height.

shelf width x length in. mm	weight lbs. kg	cubic feet	model #	list
21" x 48" 533 x 1219	158 71.6	6.3	ECS2148C	1740
21" x 60" 533 x 1524	183 83.0	7.3	ECS2160C	1957
24" x 48" 610 x 1219	173 78.5	6.8	ECS2448C	1853
24" x 60" 610 x 1524	193 87.5	8.3	ECS2460C	2110



#ECS2160C

ECDS Series

6" (152mm) polyurethane casters (two with brake). One stainless steel solid shelf. Chrome dolly frame with wraparound bumper. One slide assembly. 6" (152mm) deep tote boxes with box dividers. Shelf dividers. Six plastic label holders. 70" (1778mm) overall height.

shelf width x length in. mm	weight lbs. kg	cubic feet	# of tote boxes	# of shelf dividers	model #	list
21" x 48" 533 x 1219	185 83.9	15.8	2	2	ECDS2148C	4508
21" x 60" 533 x 1524	200 90.7	19.2	2	3	ECDS2160C	4808
24" x 48" 610 x 1219	192 87.1	15.8	2	2	ECDS2448C	4594
24" x 60" 610 x 1524	218 98.9	19.2	2	3	ECDS2460C	4983



#ECDS2160C

ECES Series

8" (203mm) polyurethane casters (two with brake). One stainless steel solid shelf. Chrome dolly frame with wraparound bumper. Side and back enclosure panels. Slide assemblies. 6" (152mm) deep tote boxes with box dividers. Shelf dividers. 12 plastic label holders. 72" (1829mm) overall height.

shelf width x length in. mm	weight lbs. kg	cubic feet	# of tote boxes	# of shelf dividers	# of super slides	model #	list
21" x 48" 533 x 1219	160 72.6	20.3	2	4	1	ECES2148C	5302
21" x 60" 533 x 1524	185 83.9	25.2	4	6	2	ECES2160C	5889
24" x 48" 610 x 1219	178 80.7	23.5	2	4	1	ECES2448C	5426
24" x 60" 610 x 1524	203 92.1	34.8	4	6	2	ECES2460C	6260



#ECES2160C

Exchange Carts

see spec sheet **EG05.09B** **EG05.09C**

patented
QuadTruss®
design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and
provides a retaining ledge for increased
strength and product retention.

**Meets all requirements for supply exchange
in any healthcare environment.**

*With various shelving configurations, caster styles, accessory packages,
and a number of sizes, these exchange carts are
the ultimate in versatility.*

FEATURES:

- Chrome-plated posts are grooved and are numbered on one-inch increments, enabling shelving to be adjusted up and down.
- Open-wire construction reduces dust and contamination build-up.
- Four chrome-plated wire shelves.
- Choice of chrome-plated wire or stainless steel solid fifth shelf.



#ECT2160C

ECT Series

5" (127mm) resilient stem casters (*two with brake*). One slide assembly. Two 6" (152mm) deep tote boxes with box dividers. Six plastic label holders. 69" (1753mm) overall height.

shelf width x length		weight		cubic	# of tote	shelves	model #	list
in.	mm	lbs.	kg	feet	boxes			
21" x 60"	533 x 1524	166	75.3	11.6	2	5-wire	ECT2160C	1988
21" x 60"	533 x 1524	191	86.6	11.6	2	4-wire, 1-solid	ECTS2160C	2430
24" x 60"	610 x 1524	181	82.1	11.6	2	5-wire	ECT2460C	2130
24" x 60"	610 x 1524	206	93.4	11.6	2	4-wire, 1-solid	ECTS2460C	2583



#ECDTS2160C

ECDT Series

6" (152mm) polyurethane casters (*two with brake*). Chrome dolly frame with wraparound bumper. Three slide assemblies. Six tote boxes with box dividers. Three shelf dividers. Six plastic label holders. 70" (1778mm) overall height.

shelf width x length		weight		cu	tote boxes	tote boxes	tote boxes	shelves	model #	list
in.	mm	lbs.	kg	ft	3" (76mm)	6" (152mm)	9" (229mm)			
21" x 60"	533 x 1524	231	104.7	26.6	1	4	1	5-wire	ECDT2160C	5297
21" x 60"	533 x 1524	241	109.3	26.6	1	4	1	4-wire, 1-solid	ECDTS2160C	5740
24" x 60"	610 x 1524	246	111.6	26.6	1	4	1	5-wire	ECDT2460C	5478
24" x 60"	610 x 1524	256	116.1	26.6	1	4	1	4-wire, 1-solid	ECDTS2460C	5930

Catalog Section 5

Exchange Carts

see spec sheet **EG05.09C**

patented
QuadTruss®
design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and
provides a retaining ledge for increased
strength and product retention.

**Meets all requirements for supply exchange
in any healthcare environment.**

*With various shelving configurations, caster styles, accessory packages,
and a number of sizes, these exchange carts are
the ultimate in versatility.*

- Chrome-plated posts are grooved and are numbered on one-inch increments, enabling shelving to be adjusted up and down.
- Open-wire construction reduces dust and contamination build-up.
- Four chrome-plated wire shelves.
- Choice of chrome-plated wire or stainless steel solid fifth shelf.

FEATURES:

ECET Series

6" (152mm) polyurethane casters (two with brake). Chrome dolly frame with wraparound bumper. Side and back enclosure panels. Three slide assemblies. Six tote boxes with box dividers. 12 plastic label holders. 72" (1829mm) overall height.

shelf width x length in. mm	weight lbs. kg	cu ft	tote boxes 3" (76mm)	tote boxes 6" (152mm)	tote boxes 9" (229mm)	shelves	model #	list
21" x 60" 533 x 1524	250 113.4	29.6	1	4	1	5-wire	ECET2160C	5902
21" x 60" 533 x 1524	260 117.9	29.6	1	4	1	4-wire, 1-solid	ECETS2160C	6346
24" x 60" 610 x 1524	262 118.8	29.6	1	4	1	5-wire	ECET2460C	6036
24" x 60" 610 x 1524	272 123.4	29.6	1	4	1	4-wire, 1-solid	ECETS2460C	6491



ECD7/ECE7 Series

8" (203mm) polyurethane casters (two with brake). Choice of three shelf dividers or side and back enclosure panels. Three slide assemblies. Seven tote boxes with snap on card holders and box dividers. 12 plastic label holders. Chrome dolly frame with wraparound bumper. 72" (1829mm) overall height.

shelf width x length in. mm	weight lbs. kg	cu ft	tote boxes 3" (76mm)	tote boxes 6" (152mm)	shelves	other	model #	list
24" x 60" 610 x 1524	226 102.5	19.6	2	5	5-wire	shelf dividers	ECD72460C	5830
24" x 60" 610 x 1524	236 107.0	19.6	2	5	4-wire, 1-solid	shelf dividers	ECD7S2460C	6287
24" x 60" 610 x 1524	250 113.4	28.8	2	5	5-wire	enclosure panels	ECE72460C	6405
24" x 60" 610 x 1524	260 117.9	28.8	2	5	4-wire, 1-solid	enclosure panels	ECE7S2460C	6859



I.V. Stands

see product announcement **EG05.19**

description	weight		cu	model #	list
	lbs.	kg	ft		
with black epoxy coated top	28	12.7	2.7	IV-1	1009
with blue epoxy coated top	28	12.7	2.7	IV-2	1009
with green epoxy coated top	28	12.7	2.7	IV-3	1009
with red epoxy coated top	28	12.7	2.7	IV-4	1009

Accessories for I.V. Stands

description	weight		model #	list
	lbs.	kg		
patient handle & accessory tray	3	1.4	380401	319
two-cylinder holder	5	2.3	380402	258
electrical strip	4	1.8	380403	948
wire basket	4	1.8	380404	258

Easily adjusts from 66" to 99" height by a turn of the knob.

FEATURES:

- 16 gauge type 304 stainless steel 1" (25mm)-diameter pole.
- Heavy carbon steel five-leg base with black epoxy finish.
- 3" (76mm) swivel casters with chrome-plated hood and rubber tread—two with brake.
- Four-hook top with stainless steel finish.



Patient Article Carts

see spec sheet **EG05.10**

Overall Heights:

"PC" carts = 68" (1727mm)

"PCH" carts = 68½" (1740mm)



PCH model shown

	length		weight		cu	intermediate shelf length		style	# of dividers	# of bin markers	model #	list
	in.	mm	lbs.	kg		in.	mm					
24" width (610mm)	48"	1219	103	46.7	13.6	24"	610	standard	8	12	PC2448-C	2374
	60"	1524	126	57.2	18.2	36"	914	standard	12	16	PC2460-C	2764
	48"	1219	166	75.8	24.8	24"	610	heavy duty	8	12	PCH2448-C	2829
	60"	1524	188	85.3	25.4	36"	914	heavy duty	12	16	PCH2460-C	3103

Patient Article Cart Covers

shelf width x length		post height		weight		cu	uncoated w/zipper		coated w/zipper	
in.	mm	in.	mm	lbs.	kg		model #	list	model #	list
24" x 48"	610 x 1219	63"	1600	4	1.8	0.5	CZ-63-2448	403	CZC-63-2448	598
24" x 60"	610 x 1524	63"	1600	5	2.3	0.6	CZ-63-2460	476	CZC-63-2460	652

Accessories for Patient Article Carts

description	weight		cubic	model #	list
	lbs.	kg			
8" (203mm) divider	1.8	0.8	0.5	SD24-C	67
rod (includes 4 fastening tabs)	0.5	0.2	0.4	R63-C	28
plastic label holder	—	—	—	A204331	8
24" x 24" (610 x 610mm) chrome shelf	9.5	4.3	0.8	2424C	155
24" x 36" (610 x 914mm) chrome shelf	13.6	6.2	0.8	2436C	164

Polyurethane Plate Casters

see spec sheet **EG01.05B**

(•) MTS (made to stock) / () MTO (made to order)

type	capacity		wheel diameter		wheel face		weight		cu	EAGLEbrite® zinc	
	lbs.	kg	in.	mm	in.	mm	lbs.	kg		model #	list
swivel	600	272.1	6"	152	2"	51	9.0	4.1	0.5	CPS6P-600 •	188
brake	600	272.1	6"	152	2"	51	9.0	4.1	0.5	CPB6P-600 •	210
rigid	600	272.1	6"	152	2"	51	9.0	4.1	0.5	CPR6P-600	210
swivel	700	317.5	8"	203	2"	51	10.5	4.8	1.0	CPS8P-700	210
brake	700	317.5	8"	203	2"	51	10.5	4.8	1.0	CPB8P-700	238
rigid	700	317.5	8"	203	2"	51	10.5	4.8	1.0	CPR8P-700	238



with brake

Catalog Section 5

Suture Carts

see spec sheet **EG05.08**

- 18" (457mm) width by 36" or 48" long.
- Total cart heights range from 60" tall for model numbers ending in -4 (4 tier shelf units standard with 54" posts and casters) to 69" tall for model numbers ending in -5 (5 tier shelf units standard with 63" posts and casters).
- Four or five specially designed, adjustable slanted shelves for quick and easy access to sutures.
- Shelves adjust up to 30° slant.
- Open-wire construction.
- All models include three dividers per shelf.
- 5" (127mm) casters, two of which have brakes, are chrome-plated with polyurethane tread.
- All components are chrome-plated.

FEATURES:

(•) MTS (made to stock) / () MTO (made to order)

4-Shelf Units — 63" (1600mm) overall height.

	length		post height		weight		cu	model #	list
	in.	mm	in.	mm	lbs.	kg	ft		
18" width (457mm)	36"	914	54"	1372	62	28.1	2.5	SCH1836C-4	1975
	48"	1219	54"	1372	66	29.9	3.5	SCH1848C-4	1984

5-Shelf Units — 70" (1778mm) overall height.

	length		post height		weight		cu	model #	list
	in.	mm	in.	mm	lbs.	kg	ft		
18" width (457mm)	36"	914	63"	1600	73	33.1	3.5	SCH1836C-5	2363
	48"	1219	63"	1600	81	36.7	5.3	SCH1848C-5	2492

Options for Suture Carts

Customize your unit to suit any application.

length	weight	cubic	description	model #	list
in.	mm	lbs.			
36"	914	3	shelf add-on	SCH1836C	205
48"	1219	5	shelf add-on	SCH1848C	229
18"	457	1	divider	M18C •	80

Suture Cart Covers...

					...White Coated Nylon*				...White Uncoated Polyester			
shelf width x length		post height		weight	cu	with zipper		with velcro	with zipper	with velcro	with zipper	with velcro
in.	mm	in.	mm			model #	list		model #	list	model #	list
18" x 36"	457 x 914	54"	1372	3	1.4	CZC-54-1836	476	CVC-54-1836	489	276	CV-54-1836	303
18" x 48"	457 x 1219	54"	1372	4	1.8	CZC-54-1848	489	CVC-54-1848	518	307	CV-54-1848	327
18" x 36"	457 x 914	63"	1600	3	1.4	CZC-63-1836	485	CVC-63-1836	512	293	CV-63-1836	309
18" x 48"	457 x 1219	63"	1600	4	1.8	CZC-63-1848	506	CVC-63-1848	523	308	CV-63-1848	327

* White-coated nylon covers are fire-retardant.

Foot Stools

see spec sheet **EG05.04**

**300-lb.
Weight capacity!**

- Single-step foot stool.
- All-welded construction.
- Flared legs with rubber tips.
- Non-slip rubber mat.
- Chrome or stainless steel finish.

FEATURES:

width x length x height		weight		cubic	finish	model #	list
in.	mm	lbs.	kg	feet			
11⅞" x 14⅜" x 9"	289 x 362 x 229	9	4.1	1.0	stainless steel	SFS16S	734
11⅞" x 14⅜" x 9"	289 x 362 x 229	7	3.2	1.0	chrome	SFS14C	272

Linen Carts

see spec sheet **EG05.02**



STANDARD FEATURES:

- Four chrome-plated wire shelves.
- One solid stainless steel shelf.
- Chrome-plated 63" (1600mm) posts.
- 5" (127mm) resilient stem casters (two with brake).
- Donut bumpers.

HEAVY DUTY FEATURES:

- Four chrome-plated wire shelves.
- One solid stainless steel shelf.
- Chrome-plated dolly frame with wraparound bumper.
- 6" (152mm) polyurethane casters (two with brake).
- Side and back enclosure panels.
- Chrome plated posts, aluminum split sleeves.
- Locking hardware.

Heavy Duty Linen Cart — 69" (1753mm) overall height.

*width x length		weight		cubic	model #	list
in.	mm	lbs.	kg	feet		
24" x 60"	610 x 1524	240	108.9	29	LCD2460C	5270

* Shelf width x length. Dolly is 29 1/4" width x 64 1/2" length (756 x 1648mm).

Standard Duty Linen Cart — 72" (1829mm) overall height.

*width x length		weight		cubic	model #	list
in.	mm	lbs.	kg	feet		
24" x 60"	610 x 1524	190	86.2	8.3	LC2460C	2113

* Shelf width x length. Dolly is 29 1/4" width x 64 1/2" length (756 x 1648mm).

Mail Cart

see spec sheet **EG05.04**



**Designed to handle
internal/external mail
distribution.**

overall width x length x height			weight		cubic	model #	list
in.	mm		lbs.	kg	feet		
28" x 47" x 38 1/2"	711 x 1194 x 978		68	30.9	6.0	MC-1	2124

FEATURES:

- 5" (127mm) swivel casters on front.
- 10" (254mm) rigid roller-bearing casters on rear.
- Nickel-chrome finished.
- 1" (25mm) tubular frame.
- 11" (279mm) height top basket for files.
- 7" (178mm) height bottom basket for boxes.

Inhalation Therapy Cart

see spec sheet **EG05.12**



**patented
QuadTruss®
design**
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides
a retaining ledge for increased strength and
product retention.

width x length x height			weight		cubic	model #	list
in.	mm		lbs.	kg	feet		
20" x 27" x 31 1/2"	508 x 686 x 1016		41	19	3.5	GCC1 •	1512

FEATURES:

- Bottom shelf, handles and trussed frames are chrome plated.
- Cylinder racks are 5/16" (8mm) in diameter with 4 1/2" x 4 1/2" (114 x 114mm) openings for gas cylinders.
- Racks accommodate twelve D or E cylinders and are plastisol coated.
- Cart design conforms to NFPA-99.
- Aluminum split sleeves and four UL recognized 5" (127mm) conductive casters.

(•) MTS (made to stock) / () MTO (made to order)

Catalog Section 5

Sterile Wrap Carts

see spec sheet **EG05.05**

FEATURES:

- Chrome bottom shelf.
- Channel frame - chrome.
- Post material are chrome.
- 5" (127mm) swivel casters with poly tread.

(•) MTS (made to stock) / () MTO (made to order)

width x length x height		weight		cubic feet	model #	list
in.	mm	lbs.	kg			
24" x 48" x 68"	610 x 1219 x 1727	83	37.6	7.6	SWC2448C	2427
24" x 60" x 68"	610 x 1524 x 1727	94	42.6	8.3	SWC2460C	2611

Sterile Wrap Cart Covers

shelf width x length		post height		weight		cu ft	uncoated		coated	
in.	mm	in.	mm	lbs.	kg		model #	list	model #	list
24" x 48"	610 x 1219	63"	1600	4	1.8	0.4	CZ-63-2448	403	CZC-63-2448	598
24" x 48"	610 x 1219	63"	1600	4	1.8	0.4	CV-63-2448	426	CVC-63-2448	628
24" x 60"	610 x 1524	63"	1600	5	2.3	0.4	CZ-63-2460	476	CZC-63-2460	652
24" x 60"	610 x 1524	63"	1600	5	2.3	0.4	CV-63-2460	489	CVC-63-2460	678

NOTE: In model numbers, "Z" stands for zipper and "V" for velcro enclosures

Additional Support Bars

length		weight		cu ft	model #	list
in.	mm	lbs.	kg			
48"	1219	2.7	1.2	0.1	SB48	136
60"	1524	3.4	1.5	0.2	SB60	155


Catheter Storage Carts

see spec sheet **EG05.21**

	length		# of slides	# of hooks per slide	chrome	
	in.	mm			model #	list
18" width (457mm)	36"	914	6	5	ELCTH-1836C	5716
	48"	1219	7	5	ELCTH-1848C	6583
	60"	1524	10	5	ELCTH-1860C	8967
	72"	1829	13	5	ELCTH-1872C	11522
21" width (533mm)	36"	914	6	6	ELCTH-2136C	5958
	48"	1219	7	6	ELCTH-2148C	6932
	60"	1524	10	6	ELCTH-2160C	9531
	72"	1829	13	6	ELCTH-2172C	12091
24" width (610mm)	36"	914	6	7	ELCTH-2436C	6287
	48"	1219	7	7	ELCTH-2448C	7313
	60"	1524	10	7	ELCTH-2460C	9973
	72"	1829	13	7	ELCTH-2472C	12664

FEATURES:

- Catheter storage slides hang from underside of top shelf.
- Each slide accommodates 5 to 7 catheters.
- Card holder featured on front of each slide.
- Intermediate three-sided truss frame.
- Four 5"-diameter swivel casters, two with brake, with resilient tread and donut bumpers.
- 80" (203mm) total height.
- Chrome finish.



Catheter Storage Cart Covers

White coated nylon, with velcro fasteners.

	length		model #	list
	in.	mm		
18" width (457mm)	36"	914	CVC-74-1836	534
	48"	1219	CVC-74-1848	549
	60"	1524	CVC-74-1860	588
	72"	1829	CVC-74-1872	622
21" width (533mm)	36"	914	CVC-74-2136	569
	48"	1219	CVC-74-2148	598
	60"	1524	CVC-74-2160	670
	72"	1829	CVC-74-2172	693
24" width (610mm)	36"	914	CVC-74-2436	544
	48"	1219	CVC-74-2448	633
	60"	1524	CVC-74-2460	685
	72"	1829	CVC-74-2472	697

Optional Additional Single Storage Slides

fits shelves	model #	list
18" (457mm) front-to-back	ELCTH-18	765
21" (533mm) front-to-back	ELCTH-21	804
24" (610mm) front-to-back	ELCTH-24	843



#ELCTH-2436C

Catheter Procedure Carts

see spec sheet **EG05.03**

model #CPC6024D



model #CPC48B

FEATURES:

- All components are adjustable.
- Support bars are readily removable.
- Hooks, boxes, slides, bins, and wire ledges included with appropriate models.
- 5" (127mm) swivel casters with polyurethane tread, two with brakes.
- 69" (1753mm) height.

(•) MTS (made to stock) / () MTO (made to order)

patented
QuadTruss
design

(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

Capable of holding a variety of sizes and styles of catheter packages.

Combination-Style Carts with 36" (914mm) Side Shelves and four 24" (610mm) Bars

	length		weight		cubic	# of hooks	maximum	max.	tote	super		model #	list
	in.	mm	lbs.	kg	feet	included	# of hooks per bar	# of boxes	slides	bins	ledges		
24" width (610mm)	60"	1524	146	66.2	15.0	16	5	N/A	N/A	N/A	N/A	CPC6036	3691
	60"	1524	174	78.9	17.8	16	5	2	1	6	6	CPC6036D	4824

Combination-Style Carts with 24" (610mm) Side Shelves and four 36" (914mm) Bars

	length		weight		cubic	# of hooks	maximum	max.	tote	super		model #	list
	in.	mm	lbs.	kg	feet	included	# of hooks per bar	# of boxes	slides	bins	ledges		
24" width (610mm)	60"	1524	149	67.6	9.8	24	9	N/A	N/A	N/A	N/A	CPC6024	3954
	60"	1524	162	73.5	18.6	24	9	2	1	6	6	CPC6024D	5022

Bulk Storage Carts with four 48" (1219mm) Bars

	length		weight		cubic	# of hooks	maximum	max.	tote	super		model #	list
width	in.	mm	lbs.	kg	feet	included	# of hooks per bar	# of boxes	slides	bins	ledges		
24" (610mm)	48"	1219	82	37.2	8.7	32	13	N/A	N/A	6	6	CPC48B	3894

Bulk Storage Carts with four 60" (1524mm) Bars

	length		weight		cubic	# of hooks	maximum	max.	tote	super		model #	list
width	in.	mm	lbs.	kg	feet	included	# of hooks per bar	# of boxes	slides	bins	ledges		
24" (610mm)	60"	1524	101	45.8	7.4	40	17	N/A	N/A	6	6	CPC60B	4305

Replacement Catheter Hook

11¾" (299mm) length. Black epoxy finish.

model #	list
A204176	355

Catalog Section 5

Basket Carts

see spec sheet **EG05.04**

Collapsible X-frame is ideal for mail, pharmacy, lab, medical records and other small tasks.

FEATURES:

- Maneuvers easily and quietly on 3" (76mm) swivel casters with rubber tread.
- Tubular, chrome plated frame.
- Poly-coated wire baskets and basket support.

width x length x height in. mm	weight lbs. kg	cubic feet	description	model #	list
18" x 26" x 37" 457 x 661 x 940	26 11.8	12.0	cart with (2) 6" baskets	BC18	1298
18" x 26" x 37" 457 x 661 x 940	36 16.6	12.0	cart with (1) 6" and (1) 12" basket	BC18-1	1348



Baskets for Basket Carts - Poly-coated white wire baskets.

width x length x height in. mm	weight lbs. kg	cubic feet	model #	list
14 1/4" x 24 1/2" x 6" 362 x 620 x 152	4 1.8	1.8	A203895	150
14 1/4" x 24 1/2" x 12" 362 x 620 x 305	6 2.7	2.8	A203929	203

Wire Basket Utility Carts spec sheet **EG01.35**

FEATURES:

- Includes swivel stem casters with bumpers and two push handles.
- 36 1/2" (927mm) overall cart height.

description	weight lbs. kg	model #	list
1 chrome basket shelf, 1 chrome standard shelf	31 14.1	WBC1836C-1B1W	692
2 chrome basket shelves	32 14.5	WBC1836C-2B	610
1 replacement chrome basket shelf	10 4.5	WBS1836C	200

NEW Wall Mounted Bumper Guard Railssee spec sheet **EG05.23**

FEATURES:

- 16 gauge type 300 stainless steel construction.
- 17" (432mm)-long 14 gauge stainless steel wall-mounted "z-clip" bracket(s).
- Designed to protect walls against everyday dings, scratches etc.



length in. mm	qty of wall brackets included	4"-HIGH UNITS		6"-HIGH UNITS		8"-HIGH UNITS	
		model #	list	model #	list	model #	list
36" 914	1	BGR-36-4	412	BGR-36-6	426	BGR-36-8	454
48" 1219	2	BGR-48-4	487	BGR-48-6	512	BGR-48-8	548
60" 1524	2	BGR-60-4	519	BGR-60-6	550	BGR-60-8	593
72" 1829	2	BGR-72-4	554	BGR-72-6	593	BGR-72-8	648
84" 2134	2	BGR-84-4	603	BGR-84-6	647	BGR-84-8	684
96" 2438	2	BGR-96-4	634	BGR-96-6	684	BGR-96-8	734

Steril-Eze® Open Surgical Case Carts

see spec sheet **EG05.15**



FEATURES:

- Adjustable shelves.
- All type 304 stainless steel.
- Hemmed safety edges.
- 5" (127mm) swivel casters with polyurethane tread, two with brakes.

(•) MTS (made to stock) / () MT0 (made to order)

width x length x height in.	width x length x height mm	weight lbs.	weight kg	cu ft	description	model #	list
24" x 36" x 36"	610 x 914 x 914	89	40.4	3.8	open surgical case cart	OSCC2436	3666
24" x 48" x 36"	610 x 1219 x 914	118	53.5	3.8	open surgical case cart	OSCC2448	3899

Steril-Eze® Open Wire Surgical Case Carts

see spec sheet **EG05.17**



patented
QuadTruss®
design
(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

FEATURES:

- Wire shelves.
- Tote boxes & slides.
- Enclosure panels.
- Stainless steel finish.
- 5" (127mm) swivel casters with polyurethane tread, two with brakes.

(•) MTS (made to stock) / () MT0 (made to order)

width x length x height* in.	width x length x height* mm	weight lbs.	weight kg	description	model #	list
24" x 24" x 60 1/4"	610 x 610 x 1530	88	39.9	4 wire shelves, 1 tote box	OCC2424S	5271
24" x 48" x 60 1/4"	610 x 1219 x 1530	130	59.0	4 wire shelves, 2 tote boxes	OCC2448S	6352

* Height includes casters.

Quality...
Value...
Reliability!

Service
for over 70
years.

Just a quick note...



LOOKING FOR LITERATURE?

VISIT OUR LITERATURE LIBRARY TO DOWNLOAD:

- Spec Sheet • Product Instructions •
- Special Flyers • Brochures •

www.eaglemhc.com

Catalog Section 5

Mobile Garment Racks

see spec sheet **EG01.28**

Convenient storage or transportation of lab coats, uniforms, or garments.

- Top shelf for hats or flat items.
- Bottom shelf (*shelves*) for drying shoes or boots.
- 74" (1880mm) height on stationary units,
- 80" (2032mm) height on mobile units.
- 5" (127mm) polyurethane tread casters.

FEATURES:

(•) MTS (*made to stock*) / () MTO (*made to order*)

width x length x height in. mm	weight lbs. kg	cubic feet	description	model #	list
18" x 36" x 80" 457 x 914 x 2032	48 21.8	2.2	unit as shown	UR1836C	996
18" x 36" x 80" 457 x 914 x 2032	64 29.0	2.2	same, plus 1 solid shelf	URS1836C	1305
18" x 48" x 80" 457 x 1219 x 2032	52 23.6	2.6	unit as shown	UR1848C	1065
18" x 48" x 80" 457 x 1219 x 2032	72 32.7	2.6	same, plus 1 solid shelf	URS1848C	1430
18" x 60" x 80" 457 x 1524 x 2032	58 26.3	3.2	unit as shown	UR1860C	1152
18" x 60" x 80" 457 x 1524 x 2032	82 37.2	3.2	same, plus 1 solid shelf	URS1860C	1638

Optional Wire Shelves

width x length in. mm	weight lbs. kg	cubic feet	model #	list
18" x 36" 457 x 914	9 4.1	0.7	1836C	133
18" x 48" 457 x 1219	12 5.5	0.9	1848C	159
18" x 60" 457 x 1524	17 7.7	1.2	1860C	188

Optional Open Loop Hangers

weight lbs. kg	cubic feet	chrome model #	list	stainless steel model #	list
0.4 0.2	0.3	OLH-C •	29	OLH-S •	43

Optional Closed Loop Hangers

weight lbs. kg	cubic feet	chrome model #	list	stainless steel model #	list
0.4 0.2	0.3	CLH-C	29	CLH-S	40

Replacement Coat Hanger Tubes

length in. mm	weight lbs. kg	cubic feet	model #	list
24" 610	1.5 0.7	0.1	CH24	75
30" 762	1.7 0.8	0.1	CH30	82
36" 914	2.2 1.0	0.1	CH36	86
42" 1067	2.7 1.2	0.1	CH42	87
48" 1219	3.2 1.5	0.1	CH48	92
54" 1372	3.5 1.6	0.2	CH54	95
60" 1524	3.8 1.7	0.2	CH60	103

Instrument Tables

see spec sheet **EG05.01**

All Welded Assembly.

- Top surface, undershelf, and legs are heavy gauge type 304 stainless steel.
- Edges of the top are safety hemmed.
- 1" (25mm) diameter tubular legs with 4" (102mm) diameter swivel casters.
- 34" (864mm) overall height.

FEATURES:

width x length in. mm	weight lbs. kg	cu ft	with H-frame model #	list	with undershelf model #	list
16" x 20" 406 x 508	25 11.3	6.3	ITT1620	2334	ITU1620	2204
16" x 30" 406 x 762	30 13.6	9.5	ITT1630	2390	ITU1630	2292
18" x 34" 457 x 864	33 15.0	12.1	ITT1834	2409	ITU1834	2332
20" x 36" 508 x 914	36 16.3	14.2	ITT2036	2456	ITU2036	2430
20" x 48" 508 x 1219	47 21.3	18.9	ITT2048	2542	ITU2048	2574
24" x 36" 610 x 914	39 17.7	17.0	ITT2436	2500	ITU2436	2513
24" x 46" 610 x 1168	50 22.7	21.8	ITT2446	2578	ITU2446	2656
24" x 58" 610 x 1473	59 26.8	37.4	ITT2458	2668	ITU2458	2816

Cart Covers

see spec sheet **EG01.09**



cart cover
enveloping entire cart/truck



cart cover with panel folded back
for easy shelf accessibility

**Light weight,
easy to handle!**

**Meets J.C.A.H. standards
for transporting clean linen!**

- Top corners are reinforced.
- Choice of white coated, white uncoated, or transparent vinyl.
- Coated cart covers available in powder blue (suffix "PB") and light green (suffix "LG"). Example: CVC-63-1836PB
- 10" x 12" (254 x 305mm) paperwork pouch at right side, when facing front of cart cover.
- Covers are nonreturnable.

FEATURES:

Note: Black electrostatic discharge (ESD) cart covers also available—see page 176.

Double-Flap option available. **\$74 upcharge.**

To order, add suffix "-DF" to model number

(ex: CV-63-2436-DF).

	length		post height		weight		cu	White Coated Nylon*				White Uncoated Polyester				Transparent**			
	in.	mm	in.	mm	lbs.	kg		zipper	list	model #	list	zipper	list	model #	list	zipper	list	model #	list
18" width (457mm)	36"	914	54"	1372	3	1.4	1	CZC-54-1836	476	CVC-54-1836	489	CZ-54-1836	276	CV-54-1836	303	CZ-54-1836-T	612	CV-54-1836-T	672
			63"	1600				CZC-63-1836	485	CVC-63-1836	512	CZ-63-1836	293	CV-63-1836	309	CZ-63-1836-T	612	CV-63-1836-T	672
	48"	1219	54"	1372	4	1.8	1	CZC-54-1848	489	CVC-54-1848	518	CZ-54-1848	307	CV-54-1848	327	CZ-54-1848-T	618	CV-54-1848-T	683
			63"	1600				CZC-63-1848	506	CVC-63-1848	523	CZ-63-1848	308	CV-63-1848	327	CZ-63-1848-T	618	CV-63-1848-T	683
21" width (533mm)	60"	1524	54"	1372	5	2.3	1	CZC-54-1860	532	CVC-54-1860	550	CZ-54-1860	319	CV-54-1860	337	CZ-54-1860-T	642	CV-54-1860-T	704
			63"	1600				CZC-63-1860	542	CVC-63-1860	563	CZ-63-1860	325	CV-63-1860	340	CZ-63-1860-T	685	CV-63-1860-T	752
	48"	1219	54"	1372				CZC-54-2148	548	CVC-54-2148	569	CZ-54-2148	355	CV-54-2148	376	CZ-54-2148-T	678	CV-54-2148-T	748
			63"	1600	4	1.8	1	CZC-63-2148	569	CVC-63-2148	596	CZ-63-2148	393	CV-63-2148	408	CZ-63-2148-T	722	CV-63-2148-T	792
24" width (610mm)			74"	1880				CZC-74-2148	577	CVC-74-2148	598	CZ-74-2148	448	CV-74-2148	474	CZ-74-2148-T	760	CV-74-2148-T	834
			54"	1372				CZC-54-2160	628	CVC-54-2160	645	CZ-54-2160	370	CV-54-2160	396	CZ-54-2160-T	754	CV-54-2160-T	828
	60"	1524	63"	1600	5	2.3	1	CZC-63-2160	637	CVC-63-2160	659	CZ-63-2160	408	CV-63-2160	430	CZ-63-2160-T	799	CV-63-2160-T	877
			74"	1880				CZC-74-2160	647	CVC-74-2160	670	CZ-74-2160	480	CV-74-2160	489	CZ-74-2160-T	843	CV-74-2160-T	923
24" width (610mm)	24"	610	54"	1372	3	1.4	1	CZC-54-2424	577	CVC-54-2424	582	CZ-54-2424	649	CV-54-2424	430	CZ-54-2424-T	652	CV-54-2424-T	719
			63"	1600				CZC-63-2424	587	CVC-63-2424	603	CZ-63-2424	672	CV-63-2424	517	CZ-63-2424-T	652	CV-63-2424-T	719
			54"	1372				CZC-54-2436	485	CVC-54-2436	512	CZ-54-2436	316	CV-54-2436	334	CZ-54-2436-T	663	CV-54-2436-T	727
	36"	914	63"	1600	3	1.4	1	CZC-63-2436	512	CVC-63-2436	532	CZ-63-2436	327	CV-63-2436	350	CZ-63-2436-T	663	CV-63-2436-T	727
24" width (610mm)			74"	1880				CZC-74-2436	522	CVC-74-2436	544	CZ-74-2436	396	CV-74-2436	407	CZ-74-2436-T	808	CV-74-2436-T	888
			86"	2184				CZC-86-2436	566	CVC-86-2436	603	CZ-86-2436	494	CV-86-2436	506	CZ-86-2436-T	852	CV-86-2436-T	938
	48"	1219	54"	1372				CZC-54-2448	574	CVC-54-2448	597	CZ-54-2448	340	CV-54-2448	367	CZ-54-2448-T	697	CV-54-2448-T	765
			63"	1600	4	1.8	1	CZC-63-2448	598	CVC-63-2448	628	CZ-63-2448	403	CV-63-2448	426	CZ-63-2448-T	697	CV-63-2448-T	765
24" width (610mm)			74"	1880				CZC-74-2448	614	CVC-74-2448	633	CZ-74-2448	436	CV-74-2448	463	CZ-74-2448-T	722	CV-74-2448-T	792
			86"	2184				CZC-86-2448	704	CVC-86-2448	725	CZ-86-2448	527	CV-86-2448	544	CZ-86-2448-T	897	CV-86-2448-T	984
	60"	1524	54"	1372				CZC-54-2460	642	CVC-54-2460	663	CZ-54-2460	456	CV-54-2460	480	CZ-54-2460-T	764	CV-54-2460-T	844
			63"	1600	5	2.3	1	CZC-63-2460	652	CVC-63-2460	678	CZ-63-2460	476	CV-63-2460	489	CZ-63-2460-T	764	CV-63-2460-T	844
24" width (610mm)			74"	1880				CZC-74-2460	663	CVC-74-2460	685	CZ-74-2460	539	CV-74-2460	560	CZ-74-2460-T	932	CV-74-2460-T	1025
			86"	2184				CZC-86-2460	764	CVC-86-2460	764	CZ-86-2460	628	CV-86-2460	647	CZ-86-2460-T	980	CV-86-2460-T	1078
	72"	1829	54"	1372				CZC-54-2472	652	CVC-54-2472	678	CZ-54-2472	474	CV-54-2472	487	CZ-54-2472-T	856	CV-54-2472-T	942
			63"	1600	6	2.7	1	CZC-63-2472	664	CVC-63-2472	693	CZ-63-2472	506	CV-63-2472	523	CZ-63-2472-T	874	CV-63-2472-T	960
24" width (610mm)			74"	1880				CZC-74-2472	683	CVC-74-2472	697	CZ-74-2472	550	CV-74-2472	574	CZ-74-2472-T	960	CV-74-2472-T	1056
			86"	2184				CZC-86-2472	800	CVC-86-2472	789	CZ-86-2472	659	CV-86-2472	678	CZ-86-2472-T	1008	CV-86-2472-T	No

* White-coated nylon covers are fire-retardant; ** Entire cover is transparent except for the seams.

Helps keep equipment clean on shelf carts and shelf trucks.

Catalog Section 5

Storage Bins

see spec sheet **EG05.07***The perfect solution to organizing or storing small, easy-to-lose items. Lightweight but durable.*

Exchange Bins

Available in three sizes.

color	length x width x height in. mm	weight lbs. kg	cubic feet	minimum order qty	model #	list each
blue	18" x 4 1/8" x 4" 457 x 105 x 102	8 3.6	0.2	12	A203885	11
blue	18" x 6 5/8" x 4" 457 x 168 x 102	12 5.5	0.3	12	A203887	19
blue	23 3/8" x 6 5/8" x 4" 600 x 168 x 102	8 3.6	0.4	6	A203889	34

Dividers for Exchange Bins

Note: Sold only in cartons of 24.

color	length x height in. mm	weight lbs. kg	cubic feet	carton quantity	model #	list per ctn.
black	4 1/8" x 4" 105 x 102	1 0.5	—	24	A204235	45
black	6 5/8" x 4" 168 x 102	2 0.9	—	24	A204236	56



Supply Bins

Available in four sizes.

color	length x width x height in. mm	weight lbs. kg	cubic feet	minimum order qty	model #	list each
blue	10 1/8" x 5 1/2" x 5" 276 x 140 x 127	12 5.5	0.2	12	A203877	39
blue	10 1/8" x 11" x 5" 276 x 280 x 127	9 4.1	0.4	6	A203879	50
blue	14 3/4" x 8 1/4" x 7" 374 x 210 x 178	22 10.0	0.6	12	A203881	48
blue	14 3/4" x 16 1/2" x 7" 374 x 419 x 178	18 8.1	1.0	6	A203883	66



Dividers for Supply Bins

Note: Sold only in cartons of 6.

color	length x height in. mm	weight lbs. kg	cubic feet	carton quantity	model #	list per ctn.
black	10 1/8" x 5" 276 x 127	2 0.9	—	6	A204237	44
black	14 3/4" x 7" 374 x 178	3 1.4	—	6	A204238	58

Stock Bin

These stackable bins are built for heavy-duty use.

color	length x width x height in. mm	weight lbs. kg	cubic feet	carton quantity	model #	list each
beige	17 1/8" x 8 1/2" x 4" 454 x 216 x 102	21 9.5	0.8	6	A203891	69

Divider for Stock Bin

Note: Shipped in cartons only.

color	length x height in. mm	weight lbs. kg	cubic feet	carton quantity	model #	list each
black	8 1/2" x 4" 216 x 102	1 0.5	—	6	A204239	38



Bulk Supply Tub

Durable. Perfect for transporting or storing larger items.

color	length x width x height in. mm	weight lbs. kg	cubic feet	carton quantity	model #	list each
gray	24 1/2" x 19" x 9 1/2" 622 x 483 x 241	20 9.1	2.8	6	A203893	132




Stainless Steel Overlays

see spec sheet **EG05.00**

width x length *			
in.	mm	model#	list
24" x 24"	610 x 610	353761	862
24" x 30"	610 x 762	353762	905
24" x 36"	610 x 914	353763	964
24" x 48"	610 x 1219	353764	1073
24" x 51"	610 x 1295	353765	1131
24" x 60"	610 x 1524	353766	1323
24" x 72"	610 x 1829	353767	1459
24" x 96"	610 x 2438	353768	1793
30" x 30"	762 x 762	353770	958
30" x 36"	762 x 914	353771	1034
30" x 48"	762 x 1219	353772	1167
30" x 51"	762 x 1295	353773	1215
30" x 60"	762 x 1524	353774	1447
30" x 72"	762 x 1829	353775	1574
30" x 96"	762 x 2438	353776	1948
36" x 60"	914 x 1524	382984	2066
36" x 72"	914 x 1829	362659	2293

* inside measurements



overlay fitted onto tabletop

FEATURES:

- For process tables.
- Economical upgrade to existing work surface, with no fasteners required.
- 16 gauge type 304 stainless steel construction with satin finish.
- Liquid adhesive could be used per application.
- Durable finish allowing easy cleanup.
- Bottom edge with medical deburr on all four sides.
- Corners are welded and polished.
- Custom sizes and material gauges are available.



Double-Sided Bin-Holder Rails

see spec sheet **EG07.14**

PATENTED!

(patent #8,141,724 B2)

BIN-HOLDER RAILS:

- Bin-holder rails are sold as an accessory or purchased with posts as a kit.
- All stainless steel construction.
- Bins attach to both sides of rail - no tools required.

BIN-HOLDER RAIL CARTS:

- Carts consist of four bin-holder rails and four 63" posts with casters.
- Posts are numbered in increments of 1" (25mm) to ensure fast and level assembly.



shown assembled as a cart
(*bins sold separately)



Assembly — numerically calibrated grooved posts, tapered plastic split sleeves and rail collars combine to make shelving assembly a simple two-step exercise:

- 1) Snap the split sleeves onto a post over the number of your choice
- 2) Slide a rail collar over the split sleeves. A positive lock between rail bin and post is created without the use of any tools.



Bin holder rails can also be used on EAGLE Floor-Trak® units

*For additional information on Floor-Trak® Systems, refer to spec sheets EG01.39A & B, or visit us online at www.eaglegrp.com.

Bin-Holder Rails

		length		weight		Zinc		Chrome				Bin-Holder Rail Carts	
		in.	mm	lbs.	kg	model #	list	model#	list	weight		weight	
										lbs.	kg	model #	list
24" width (610mm)	36"	914	11.0	5.0		DBH2436Z	343	DBH2436C	469	64	29.0	DBHC2436Z-4	2097
	42"	1067	12.5	5.7		DBH2442Z	467	DBH2442C	476	70	31.8	DBHC2442Z-4	2240
	48"	1219	14.0	6.4		DBH2448Z	492	DBH2448C	546	76	34.5	DBHC2448Z-4	2314
	54"	1372	15.5	7.0		DBH2454Z	506	DBH2454C	554	82	37.2	DBHC2454Z-4	2360
	60"	1524	17.0	7.7		DBH2460Z	539	DBH2460C	597	88	39.9	DBHC2460Z-4	2487
30" width (762mm)	36"	914	12.5	5.7		DBH3036Z	462	DBH3036C	513	70	31.8	DBHC3036Z-4	2199
	42"	1067	14.0	6.4		DBH3042Z	474	DBH3042C	533	76	34.5	DBHC3042Z-4	2245
	48"	1219	15.5	7.0		DBH3048Z	539	DBH3048C	604	82	37.2	DBHC3048Z-4	2484
	54"	1372	17.0	7.7		DBH3054Z	547	DBH3054C	629	88	39.9	DBHC3054Z-4	2532
	60"	1524	18.5	8.4		DBH3060Z	593	DBH3060C	708	94	42.6	DBHC3060Z-4	2705
												DBHC2436C-4	2208
												DBHC2442C-4	2240
												DBHC2448C-4	2513
												DBHC2454C-4	2551
												DBHC2460C-4	2724
												DBHC3036C-4	2389
												DBHC3042C-4	2463
												DBHC3048C-4	2752
												DBHC3054C-4	2852
												DBHC3060C-4	3168

Catalog Section 5

Wall Mounted Multi-Station Hand Sinks

see spec sheets **E605.20A** **E605.20B** **E605.20C**

FEATURES:

- Single full-length bowl with basket drain(s) and rolled edge.
- 14/3 stainless steel construction.
- Wall-mounted tubular supports consists of 16 gauge 1 $\frac{5}{8}$ " (41mm)-diameter tubing.
- Basket drain—two drains on 96" (2438mm) sinks.
- 9 $\frac{1}{2}$ " (241mm) backsplash.



Faucet holes at 8" (203mm) on center.

					...without faucets*				...with faucets			
overall width x length x height		bowl width x length x depth		# of faucets	weight		model #		weight		model #	
in.	mm	in.	mm	req/included	lbs.	kg		list	lbs.	kg		list
21 $\frac{5}{8}$ " x 48" x 27 $\frac{1}{8}$ "	549 x 1219 x 689	14" x 43" x 8"	356 x 1092 x 203	2	61	27.2	HSA-WM-48	9364	69	31.3	HSA-WM-48-F	11083
21 $\frac{5}{8}$ " x 60" x 27 $\frac{1}{8}$ "	549 x 1524 x 689	14" x 55" x 8"	356 x 1397 x 203	2	72	32.7	HSA-WM-60	9613	80	36.3	HSA-WM-60-F	11447
21 $\frac{5}{8}$ " x 72" x 27 $\frac{1}{8}$ "	549 x 1829 x 689	14" x 67" x 8"	356 x 1702 x 203	3	81	36.7	HSA-WM-72	9837	93	42.2	HSA-WM-72-F	11392
21 $\frac{5}{8}$ " x 96" x 27 $\frac{1}{8}$ "	549 x 2438 x 689	14" x 91" x 8"	356 x 2311 x 203	4	102	46.3	HSA-WM-96	11416	116	53.5	HSA-WM-96-F	15189

* Optional faucet available. **Model #313075; List: \$303**

Knee-Valve Operated Units...

Spouts included.

					...with single knee valves				...with double knee valves			
overall width x length x height		bowl width x length x depth		# of spouts	weight		model #		weight		model #	
in.	mm	in.	mm	included	lbs.	kg		list	lbs.	kg		list
21 $\frac{5}{8}$ " x 48" x 27 $\frac{1}{8}$ "	549 x 1219 x 689	14" x 43" x 8"	356 x 1092 x 203	2	70	31.8	HSA-WM-48-1FK	11376	72	32.7	HSA-WM-48-FK	11730
21 $\frac{5}{8}$ " x 60" x 27 $\frac{1}{8}$ "	549 x 1524 x 689	14" x 55" x 8"	356 x 1397 x 203	2	81	36.7	HSA-WM-60-1FK	11725	83	37.7	HSA-WM-60-FK	12078
21 $\frac{5}{8}$ " x 72" x 27 $\frac{1}{8}$ "	549 x 1829 x 689	14" x 67" x 8"	356 x 1702 x 203	3	95	43.1	HSA-WM-72-1FK	11856	98	44.5	HSA-WM-72-FK	12385
21 $\frac{5}{8}$ " x 96" x 27 $\frac{1}{8}$ "	549 x 2438 x 689	14" x 91" x 8"	356 x 2311 x 203	4	120	54.4	HSA-WM-96-1FK	15827	124	56.3	HSA-WM-96-FK	16533



Units with Electronic-Eye Faucets

120-volt AC-powered.

overall width x length x height		bowl width x length x depth		# of faucets	weight			
in.	mm	in.	mm	included	lbs.	kg	model #	list
21 $\frac{5}{8}$ " x 48" x 27 $\frac{1}{8}$ "	549 x 1219 x 689	14" x 43" x 8"	356 x 1092 x 203	2	74	33.6	HSA-WM-48-FE	12620
21 $\frac{5}{8}$ " x 60" x 27 $\frac{1}{8}$ "	549 x 1524 x 689	14" x 55" x 8"	356 x 1397 x 203	2	85	38.6	HSA-WM-60-FE	12974
21 $\frac{5}{8}$ " x 72" x 27 $\frac{1}{8}$ "	549 x 1829 x 689	14" x 67" x 8"	356 x 1702 x 203	3	100	45.4	HSA-WM-72-FE	13716
21 $\frac{5}{8}$ " x 96" x 27 $\frac{1}{8}$ "	549 x 2438 x 689	14" x 91" x 8"	356 x 2311 x 203	4	128	58.1	HSA-WM-96-FE	18309

see spec sheet **EG05.11**

1



#SHS2424-1W-ADA

- 16 gauge type 304 stainless steel.
- Removable front access panel.
- Electronic-eye gooseneck faucet.
- 4" (102mm)-high backsplash.
- Square edge on front and sides.
- Sink bowl with deep slope basin.
- Temperature control mixing valve.
- Z-clips for wall mounting.
- Includes stainless steel flat strainer drain, tail piece, and p-trap.
- Includes flexible stainless steel supply hoses.

- Includes flexible stainless steel supply hoses.

NOTES

NOTES

[illegible]

Accessories

Card Holders.....	174
Conductive Bins and Dividers	175
Conductive Casters.....	176
Dividers for ESD Tote Boxes.....	174
ESD Cart Covers	176
ESD Tote Boxes & Accessories.....	173-174
Split Sleeves.....	176

adjusTable®

Extras	179
with Cantilever Overhead System	177
with Wire Overshelf System	178

Carts

Burn-In Carts	170
Electronic Tray	168
Electronic Vibration Dampening	168
Gravity Flow Line Feed	169

More Electronics

All-Welded Units with Solid Tray Racks	170
Benchside Tote Box Carriers	173
Double-Sided Bin-Holder Rails.....	180
Mobile Computer Workstation	171
Reel Shelves.....	171
Stencil Shelf	170
Tote Box Carriers	172



Electronic Tray Carts

see spec sheet **EG07.05**



- Knock-down units.
- EAGLEbrite® zinc-plated wire shelves.
- Chrome posts.
- Aluminum split sleeves.
- End-load and side-load racks offer a practical and economical method of transporting or storing 17 $\frac{7}{8}$ " x 25 $\frac{3}{4}$ " (454 x 654mm) product on trays.
- Units require no tools for assembly.
- 5" (127mm) diameter resilient swivel casters, two with brake.
- Units can be made conductive by adding drag chain or ESD cable.

FEATURES:

(•) MTS (made to stock) / () MTO (made to order)

description	overall dimensions width x length x height		weight		cu ft	sliding space		full size pan capacity	model #	list
	in.	mm	lbs.	kg		in.	mm			
end load	30" x 21" x 67 $\frac{3}{4}$ "	762 x 533 x 1711	65	29.5	15.0	1 $\frac{1}{2}$ "	38	38	WTRE38-Z	1116
end load	30" x 21" x 67 $\frac{3}{4}$ "	762 x 533 x 1711	74	33.6	15.0	3"	76	20	WTRE20-Z	1106
side load	21" x 30" x 67 $\frac{3}{4}$ "	533 x 762 x 1711	65	29.5	15.0	1 $\frac{1}{2}$ "	38	38	WTRS38-Z	1116
side load	21" x 30" x 67 $\frac{3}{4}$ "	533 x 762 x 1711	74	33.6	15.0	3"	76	20	WTRS20-Z	1106

Electronic Vibration Dampening Tray Carts

see spec sheet **EG07.04**



**Engineered to provide
maximum benefit in three key
areas: vibration transfer, ESD
safe, and cost.**

electronic vibration
dampening tray cart
(half size)

- Polyurethane 50 shore A casters dramatically reduce vibration transfer.
- Standard caster configuration features two swivel and two with brake.
- Carts are made ESD safe with the use of aluminum split sleeves and optional grounding device.
- EAGLEbrite® zinc-plated wire shelves.
- Product safety is ensured with front and back locks on all models.


FEATURES:

(•) MTS (made to stock) / () MTO (made to order)

description	overall dimensions width x length x height		weight		cu ft	sliding space		full size pan capacity	model #	list
	in.	mm	lbs.	kg		in.	mm			
end load, half height	31 $\frac{3}{4}$ " x 21 $\frac{1}{2}$ " x 49 $\frac{3}{8}$ "	807 x 543 x 1254	80	36.3	15.0	1 $\frac{3}{4}$ "	45	20	ETCE20-Z	1810
end load, full height	31 $\frac{3}{4}$ " x 21 $\frac{1}{2}$ " x 62 $\frac{3}{8}$ "	807 x 543 x 1584	97	44.0	15.0	1 $\frac{3}{4}$ "	45	30	ETCE30-Z *	2040
side load, half height	21 $\frac{1}{2}$ " x 31 $\frac{3}{4}$ " x 49 $\frac{3}{8}$ "	543 x 807 x 1254	80	36.3	15.0	1 $\frac{3}{4}$ "	45	20	ETCS20-Z	1810
side load, full height	21 $\frac{1}{2}$ " x 31 $\frac{3}{4}$ " x 62 $\frac{3}{8}$ "	543 x 807 x 1584	97	44.0	15.0	1 $\frac{3}{4}$ "	45	30	ETCS30-Z *	2040

* Half-height carts include two ergonomically positioned push handles.

Options for Electronic Tray Carts and Vibration Dampening Tray Carts



Optional ESD Grounding Cable

- Provides greater dependability on mobile units.
- Replaces conductive casters when used with conductive split sleeves.
- Easily installed.

model #	list
GC-16	51



Optional Anti-Static Drag Chain

- 16" (406mm) long.
- Used for conductive applications.
- Clips into shelf.

model #	list
DC16-S •	48

Catalog Section 7

Gravity Flow Line Feed Carts

see spec sheet **EG07.03**

Offers the ergonomic advantage of an angled shelf along with added visibility in the storage bins.

FEATURES:

- Standard model includes three EAGLEbrite® zinc-plated angled shelves, four posts, four casters (*two with brake*), one 3-sided truss, and one 4-sided truss.
- Flexibility to adjust shelves on 1" (25mm) vertical increments and the slope of each shelf.
- Open-wire construction for high visibility of merchandise.
- Chrome posts.
- 5" x 1 1/4" (127 x 32mm) standard resilient swivel casters, two with brake — each with a weight capacity of 300 lbs. (136.1 kg).
- Mobile units are 69" (1753mm) height, including casters.
- Stationary units are 63" (1600mm) height.

Note: Additional shelves available as options.
Additional caster sizes available.

			Stationary		Mobile		
			EAGLEbrite®		EAGLEbrite®		
length	weight	cubic	model #	list	model #	list	
in. mm	lbs. kg	feet					
36" 914	93 42.2	6	SM3636Z-3	1322	M3636Z-3	1543	
48" 1219	114 51.7	8	SM3648Z-3	1483	M3648Z-3	1704	
60" 1524	144 65.3	10	SM3660Z-3	1829	M3660Z-3	2007	

Replacement/Additional Components for Gravity Flow Line Feed Carts:



Angled Shelves

- Hanger rails included.

length	weight	cubic	EAGLEbrite®	
in. mm	lbs. kg	feet	model #	list
36" 914	26 11.8	5	M3636Z	373
48" 1219	32 14.5	7	M3648Z	405
60" 1524	40 18.1	9	M3660Z	480



Side-to-Side Hanger Rails...

length	weight	cubic	EAGLEbrite®	
in. mm	lbs. kg	feet	model #	list
36" 914	3 1.4	1.5	A215543	70
48" 1219	4 1.8	2.0	A215544	78
60" 1524	5 2.3	2.5	A215546	85



3-Sided Truss Frame

- 36" (914mm) wide.

length	weight	cubic	EAGLEbrite®	
in. mm	lbs. kg	feet	model #	list
36" 914	7 3.2	2	A215538	85
48" 1219	10 4.5	3	A215539	109
60" 1524	12 5.4	4	A215541	115



4-Sided Truss Frame

- 36" (914mm) wide.

length	weight	cubic	EAGLEbrite®	
in. mm	lbs. kg	feet	model #	list
36" 914	9 4.1	2	A215532	123
48" 1219	12 5.4	3	A215534	147
60" 1524	15 6.8	4	A215536	168

Burn-In Carts

see spec sheet **EG07.07**

A simple testing and preparation station for electronic products.

FEATURES:

- For transporting products to and from testing areas.
- Casters are resilient swivel 5" (127mm) diameter and include donut bumpers.
- Standard power harness is designed to be used on four-shelf unit as shown.
- 69" (1753mm) high.
- Aluminum split sleeves.

width x length in. mm	weight lbs. kg	cubic feet	chrome model #	zinc model #
28" x 64" 711 x 1626	114 51.7	6.0	BIC 8102	BIC-Z 8053

Replacement Power Harness

Nine outlets each. NEMA 5-15P plug.

description	weight lbs. kg	cubic feet	model #	list
one strip w/cord & plug	2 0.9	0.7	MHPH	1668
four strips wired to one cord & plug	8 3.6	2.8	MHPH-4	3146

patented
QuadTruss®
design

(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

All-Welded Units with Solid Tray Racks

see spec sheet **EG07.00**

**Holds
18" x 26"
pans.**

FEATURES:

- All-welded aluminum frame construction.
- Frame and supports are 1" (25mm) square aluminum tubing.
- Tray slides are 1½" (38mm) wide with two raised beads to minimize friction.
- 5" (127mm) casters.

(•) MTS (made to stock) / () MTO (made to order)


description	overall dimensions width x length x height		weight		cu ft	sliding space		full size pan capacity	model #	list
	in.	mm	lbs.	kg		in.	mm			
front load	20½"	26" x 69¼"	518	21.3	21.0	2"	51	30	OUR-1830-2/W •	2243
side load	28½"	20" x 69¼"	724	26.8	25.2	2"	51	30	OUR-2630-2/W	2153

Aluminum Tray

description	dimensions		model #	list
	in.	mm		
solid, 18 gauge	17¾"	25¾"	SP1826-18 •	69



Stencil Shelf

see spec sheet **EG07.08**

The stencil shelf may be used with any combination of posts and casters that best meets your requirements.

posts and casters sold separately
—see pages 8 & 9

#ST1836Z-13 includes two shelves.

width x length in. mm	weight lbs. kg	cu ft	capacity	model #	list
18" x 36" 457 x 914	18 8.2	5.0	holds (15) stencils	ST1836Z-13	660

two tiers of stencil shelves
shown in mobile unit
configuration

FEATURES:

- EAGLEbrite® zinc finish.
- One bottom and one top partitioned shelf.
- One ST1836Z-13 is required for each tier desired.
- Each unit has (15) 2" (51mm) partitions.

Note: Stationary unit can be made conductive with the use of optional aluminum split sleeves (page 176).

Mobile unit may be made conductive with the use of optional aluminum split sleeves (page 176) and an optional drag chain (page 168).

Catalog Section 7

Mobile Computer Workstations

see spec sheet **EG01.04**

with optional mouse shelf

patented
QuadTruss®
design
(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

FEATURES:

- 5" (127mm) casters—two with brake.
- Cantilevered shelf, undershelf, keyboard drawer.
- 38 $\frac{3}{8}$ " (981mm) working height.
- 53 $\frac{3}{8}$ " (1362mm) overall height.

Note: See page 176 for other casters available.

(•) MTS (made to stock) / () MTO (made to order)

						with Resilient-Tread Casters		w/Polyurethane-Tread Casters			
width**	length		weight		cu ft	chrome		stainless steel		chrome	
	in.	mm	lbs.	kg		model #	*list	model #	*list	model #	*list
24" (610mm)	24"	610	40	18.1	3.7	MCWS2424C	• 1774	MCWS2424S	2853	MCWS2424C-P	1813
30" (762mm)	30"	762	56	25.4	4.5	MCWS3030C	1914	MCWS3030S	2979	MCWS3030C-P	1954
										MCWS2424S-P	2893
										MCWS3030S-P	3015

* List prices do not include cost of mouse shelf.


** 24" x 24" (610 x 610mm) units feature 14" x 24" (357 x 610mm) undershelf, 30" x 30" (762 x 762mm) units feature 18" x 30" (457 x 762mm) undershelf.

Optional Mouse Shelf for Mobile Computer Workstation

width x length		cu ft	weight		chrome	
in.	mm		lbs.	kg	model #	list
7" x 7"	178 x 178	0.1	2.0	0.9	MS-C	30



Reel Shelves

see spec sheet **EG07.06**

reel shelves shown in mobile unit configuration - posts and casters sold separately (see pages 8 & 9)

FEATURES:

- EAGLEbrite® zinc plated finish with MasterSeal®, 9-gauge wire for the mat, and 6-gauge wire for the cradle and trusses.
- R1836-7 has a $\frac{3}{4}$ " (19mm) open space for each reel.
- R1836-13 has a 2" (51mm) open space for each reel.
- The reel shelves may be used with any combination of posts and casters that best meets your requirements.


The perfect solution to store and transport surface mount reels.

width x length		weight		cubic feet	capacity	model #	list
in.	mm	lbs.	kg				
18" x 36"	457 x 914	10	4.5	5.0	holds (78) 7"-diameter reels	R1836Z-7	400
18" x 36"	457 x 914	9	4.1	5.0	holds (15) 13"-diameter reels or 15"-diameter reels	R1836Z-13	356

Tote Box Carriers

see spec sheet **EG07.01**

*The ideal way to transport totes, trays,
and other containers.*



FEATURES:

- Three sets of tote box slides.
- Two brake and two swivel casters, resilient or polymer.
- 68" (1727mm) height, includes casters
- 63" (1600mm) 16-gauge chrome-plated posts.
- 26" (660mm) length from front to back.

Note: See pages 173 and 174 for tote boxes and tote box accessories.

Note: To order units with aluminum split sleeves in place of standard plastic split sleeves, add suffix "-ESD".
Example: TBC1-R-ESD

(•) MTS (made to stock) / () MTO (made to order)

One-Bay

- Adjustable or standard.
- Comes with three single slide sets.

width x length in. mm	weight lbs. kg	cubic feet	caster type	description	model #	list
26" x 22 1/2" 660 x 575	55 24.9	3.5	resilient	1 section, non-adjustable	TBC1-R *	1492
	55 24.9	3.5	poly	1 section, non-adjustable	TBC1-P *	1530
26" x 20 3/4" 660 x 524	55 24.9	3.5	resilient	1 section, adjustable	TBC-R	1479
to 26" x 29 1/2" to 660 x 746	55 24.9	3.5	poly	1 section, adjustable	TBC-P	1630

* For Non-Adjustable units, applicable tote boxes are #TB3030XL, TB3060XL, TB3080XL, and TB3120XL (page 173).



one-bay tote
box carrier
shown with
optional tote
boxes

Two-Bay

- Comes with three single slide sets and three double slides.

width x length in. mm	weight lbs. kg	cubic feet	caster type	description	model #	list
26" x 41 1/4" 660 x 1060	112 50.8	9	resilient	2 section, non-adjustable	TBC2-R *	2178
26" x 41 1/4" 660 x 1060	112 50.8	9	poly	2 section, non-adjustable	TBC2-P *	2222

* For Non-Adjustable units, applicable tote boxes are #TB3030XL, TB3060XL, TB3080XL, and TB3120XL (page 173).



two-bay tote
box carrier
shown with
optional tote
boxes

Three-Bay

- Comes with three single slide sets and six double slides.

width x length in. mm	weight lbs. kg	cubic feet	caster type	description	model #	list
26" x 60 7/8" 660 x 1546	168 76.2	12	resilient	3 section, non-adjustable	TBC3-R *	3073
26" x 60 7/8" 660 x 1546	168 76.2	12	poly	3 section, non-adjustable	TBC3-P *	3118

* For Non-Adjustable units, applicable tote boxes are #TB3030XL, TB3060XL, TB3080XL, and TB3120XL (page 173).



three-bay tote box carrier
shown with optional tote boxes
and additional slides

Tote Box Slides for Tote Box Carriers

- Made of 16 gauge chrome plated steel with a channel opening of 1 1/8" (29mm).

type	weight lbs. kg	cubic feet	model #	list
single slides (sold in pairs)	1.5 0.7	0.5	TBC-S •	199 per pair
double slide (sold individually)	3.0 1.4	0.5	TBC-SD	188 each

Catalog Section 7

Benchside Tote Box Carriers

see spec sheet **EG07.02**

Variable shelf angle is ergonomically sensitive to repetitive pick-and-place activity.



- Angled wire shelf with 3½" (89mm) upturn.
- Wire undershelf.
- Posts joined to 5" (127mm)-diameter swivel casters with resilient tread—two with brake.
- All shelves and posts are zinc-plated.

FEATURES:

Note: For static dissipation, add aluminum split sleeves (page 176) and drag chain (page 168).

width x length in. mm		height in. mm		weight lbs. kg		cubic feet	caster type	model #	list	
18" x 24"	457 x 610	(rear)	39"	991	50	22.7	3.3	(2) 5" resilient swivel (2) 5" resilient w/brake	1824BTZ	862
		(front)	30"	762						
18" x 36"	457 x 914	(rear)	39"	991	55	24.9	4.5	(2) 5" resilient swivel (2) 5" resilient w/brake	1836BTZ	900
		(front)	30"	762						
18" x 48"	457 x 1219	(rear)	39"	991	60	27.2	6.0	(2) 5" resilient swivel (2) 5" resilient w/brake	1848BTZ	947
		(front)	30"	762						
18" x 60"	457 x 1524	(rear)	39"	991	65	29.5	7.5	(2) 5" resilient swivel (2) 5" resilient w/brake	1860BTZ	1037
		(front)	30"	762						

Optional ESD Tote Boxes & Tote Box Accessories

see spec sheet **EG07.09**

(•) MTS (made to stock) / () MTO (made to order)



ESD Tote Boxes

- Made of conductive material.
- Fits tote box carriers (page 172).
- Containers can be divided into compartments by length and/or width.
- Dividers are on 1¼" (32mm) centers.

dimensions of outside top length x width x height in. mm			weight lbs. kg		cu ft	max. divider slots long short in. mm in. mm				model #	list
10.8" x 8.5" x 3.5"	274	216 x 89	0.7	0.3	0.2	5"	127	7"	178	TB1035XL	56
10.8" x 8.5" x 5.0"	274	216 x 127	0.9	0.4	0.3	5"	127	7"	178	TB1050XL	64
16.5" x 10.9" x 3.5"	419	277 x 89	1.2	0.5	0.4	7"	178	11"	279	TB2035XL	66
16.5" x 10.9" x 6.0"	419	277 x 152	1.6	0.7	0.6	7"	178	11"	279	TB2060XL	91
16.5" x 10.9" x 8.0"	419	277 x 203	2.0	0.9	0.8	7"	178	11"	279	TB2080XL	100
22.4" x 17.4" x 3.0"	567	442 x 76	1.8	0.8	0.7	11"	279	15"	381	TB3030XL *	155
22.4" x 17.4" x 6.0"	567	442 x 152	3.5	1.6	1.3	11"	279	15"	381	TB3060XL *	162
22.4" x 17.4" x 8.0"	567	442 x 203	4.1	1.9	1.8	11"	279	15"	381	TB3080XL *	195
22.4" x 17.4" x 12.0"	567	442 x 305	6.0	2.7	1.7	11"	279	15"	381	TB3120XL *	268

* Only the TB3000 series tote boxes fit non-adjustable tote box carriers (page 172).

ESD Snap-On Tote Box Covers

Conductive. Black.

Protect the contents of your divider box with these hi-density injection molded covers.


for container model	weight lbs. kg		cubic feet	model #	list
TB1000 Series	0.2	0.1	0.1	CTB1000-XL	43
TB2000 Series	0.5	0.2	0.1	CTB2000-XL	74
TB3000 Series	1.2	0.5	0.3	CTB3000-XL	122



ESD Tote Box Accessories (continued)

see spec sheet **EG07.09**

Dividers



Conductive. These injection molded dividers compartmentalize width and length of box interior to prevent part movement.

fits tote box	Long Dividers			Short Dividers		
	model #	list	max. # accepted	model #	list	max. # accepted
TB1035XL	DL1035-XL	9	5	DS1035-XL	8	7
TB1050XL	DL1050-XL	10	5	DS1050-XL	9	7
TB2035XL	DL2035-XL	10	7	DS2035-XL	9	11
TB2060XL	DL2060-XL	15	7	DS2060-XL	11	11
TB2080XL	DL2080-XL	24	7	DS2080-XL	15	11
TB3030XL	DL3030-XL	15	11	DS3030-XL	10	15
TB3060XL	DL3060-XL	19	11	DS3060-XL	11	15
TB3080XL	DL3080-XL	24	11	DS3080-XL	15	15
TB3120XL	DL3120-XL	58	11	DS3120-XL	48	15

Card Holders for ESD Tote Boxes



- Static dissipative.
- Transparent blue vinyl material.
- Easily snaps onto TB3000 Series divider boxes (page 173).

FEATURES:

holds labels		model #	list
in.	mm		
2" x 8"	51 x 203	CH28S	24
3" x 5"	76 x 127	CH35S	30
5" x 8"	127 x 203	CH58S	31

Go Green. Go ECO-Built™ by EAGLE.

For institutions concerned about meeting their own green standards, buying Eco-Built™ is simply the right thing to do.

Look for the ECO-Built™ tag on the bar code




Catalog Section 7

Conductive Bins and Dividers

see spec sheet **EG07.11**

- Molded with a carbon-filled copolymer poly propylene material which protects sensitive electronic components from typical electromagnetic interference (EMI).

FEATURES:



Ultra-strong stackable containers are ideal for storage and transportation of electronic components and parts, assemblies, and loaded circuit boards.



overall dimensions width x length x height in. mm		weight*		cu*	carton quantity	Bins		Dividers	
		lbs.	kg	ft		model #	list each	model #	list each
4 1/8" x 4 1/2" x 3"	105 x 114 x 76	0.5	0.2	0.7	48	A208336	11	A208348	19
4 1/8" x 5 1/2" x 3"	105 x 138 x 76	0.5	0.2	0.8	48	A208337	11	A208349	24
4 1/8" x 7 1/2" x 3"	105 x 191 x 76	0.5	0.2	1.0	48	A208338	19	A208350	31
5 1/2" x 11" x 5"	138 x 279 x 127	0.5	0.2	0.6	12	A208339	46	A208351	43
11" x 11" x 5"	279 x 279 x 127	1.5	0.7	0.5	8	A208341	64	A208353	43
8 1/4" x 11" x 7"	210 x 279 x 178	1.5	0.7	0.5	8	A208342	66	A208354	69
8 1/4" x 14 3/4" x 7"	210 x 375 x 178	1.5	0.7	1.1	8	A208343	70	A208355	79
16 1/2" x 14 3/4" x 7"	419 x 375 x 178	3.0	1.4	1.8	6	A208344	123	A208356	79
11" x 16" x 8"	279 x 406 x 203	2.5	1.1	1.3	4	A208345	132	A208357	98
11" x 18" x 10"	279 x 457 x 254	2.8	1.2	1.7	4	A208346	147	A208358	111
16 1/2" x 18" x 11"	419 x 457 x 279	4.0	1.8	2.6	4	A208347	198	A208359	111

* Total carton

Contact us:

revit@eaglegrp.com

Access Eagle's Revit Libraries on
KCL, and on our website.

EAGLE
GROUP

Profit from the Eagle Advantage®



ESD Cart Covers

see spec sheet **EG07.12**

Controls electrostatic discharge while protecting contents from moisture and contamination.



- All cart covers have a flap on one side.
- "ETC" model cart covers have both side and end flaps for side or end load.
- Comes with paperwork pouch.
- ESD cart covers are waterproof, tear-resistant, antibacterial and flame retardant.
- Black outside, green inside.

FEATURES:

shelf width x length in. mm	post height in. mm	weight lbs. kg	cubic feet	model #	list
18" x 36" 457 x 914	63" 1600	3 1.4	2.5	CZ-63-1836-ESD	909
18" x 48" 457 x 1219	63" 1600	4 1.8	2.5	CZ-63-1848-ESD	1018
24" x 24" 610 x 610	63" 1600	3 1.4	2.5	CZ-63-2424-ESD	909
24" x 36" 610 x 914	63" 1600	3 1.4	2.5	CZ-63-2436-ESD	948
24" x 48" 610 x 1219	63" 1600	4 1.8	2.5	CZ-63-2448-ESD	1104
24" x 60" 610 x 1524	63" 1600	5 2.3	2.5	CZ-63-2460-ESD	1190
fits #ETCE20-Z (page 168) fits #ETCS20-Z (page 168)	49" 1245	3 1.4	2.5	CZ-49-ETC	931
fits #ETCE30-Z (page 168) fits #ETCS30-Z (page 168)	63" 1600	4 1.8	2.5	CZ-63-ETC	1051

Conductive Casters

see spec sheets **EG01.05A** **EG07.12**

FEATURES:

- Meets federal specification FF-C-88C regarding conductivity.



(•) MTS (made to stock) / () MTO (made to order)

type	capacity lbs. kg	wheel diameter in. mm	wheel face in. mm	weight lbs. kg	cu ft	zinc model #	list
stem/swivel	200 90.7	5" 127	1 1/4" 32	2.5 1.2	0.1	CSS5-CC •	126
stem/brake	200 90.7	5" 127	1 1/4" 32	2.8 1.3	0.1	CSB5-CC •	140
stem/rigid*	200 90.7	5" 127	1 1/4" 32	3.5 1.6	0.1	CSR5-CC	144

* Channel frames for rigid stem casters available. See page 9.

Split Sleeves

see spec sheets **EG01.03D** **EG07.12**

(•) MTS (made to stock) / () MTO (made to order)

Aluminum Split Sleeves

- For conductive, over-the-road or high-temperature installations.
- Set of four.

with zinc rings		with stainless rings	
model #	list	model #	list
A208909 •	36	A208908 •	55



aluminum
split sleeves
and ring

Plastic Conductive Split Sleeves

- Packed four per bag.

model #	list
A219236	25



Catalog Section 7

adjustable® Work Surface Systems with Cantilevered Overhead System

see spec sheet **EG07.13A**

FEATURES:

- 34½" (876mm) working height.
- Tabletops on all models feature hat channels underneath for added strength.



**Now
NSF!**



adjustable® with overhead cantilevered system shown with H-frame & wire undershelf base, and optional bin holder, reel holder, and bench power center

adjustable®

**Allows you to create work surfaces of your choice.
Tabletops on all models feature hat channels underneath
for added strength.**

Work surface of your choice is combined with two 33" (838mm) front posts, two 63" (1600mm) rear posts, two cantilevered wire overshelves, and your choice of base combination. Overall height of 63" (1600mm).

"OAC" Series tables – Brushed 16/304 stainless steel solid top and chrome wire overshelves, with choice of:

- Two knocked down chrome C-frames
- Two knocked down chrome H-frames
- One chrome C-frame and one chrome wire undershelf
- One chrome H-frame and one chrome wire undershelf
- Two chrome wire undershelves

	length		weight		cu ft	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.4	OAC2436T-2C	1989	OAC2436T-2H	1989	OAC2436T-1C-1W	1989	OAC2436T-1H-1W	1989	OAC2436T-2W	1989
	48"	1219	81	36.7	5.7	OAC2448T-2C	2291	OAC2448T-2H	2291	OAC2448T-1C-1W	2291	OAC2448T-1H-1W	2291	OAC2448T-2W	2291
	60"	1524	97	44.0	7.0	OAC2460T-2C	2594	OAC2460T-2H	2594	OAC2460T-1C-1W	2594	OAC2460T-1H-1W	2594	OAC2460T-2W	2594
30" width (762mm)	36"	914	75	34.0	4.4	OAC3036T-2C	2115	OAC3036T-2H	2115	OAC3036T-1C-1W	2115	OAC3036T-1H-1W	2115	OAC3036T-2W	2115
	48"	1219	94	42.6	5.7	OAC3048T-2C	2495	OAC3048T-2H	2495	OAC3048T-1C-1W	2495	OAC3048T-1H-1W	2495	OAC3048T-2W	2495
	60"	1524	113	51.3	7.0	OAC3060T-2C	2835	OAC3060T-2H	2835	OAC3060T-1C-1W	2835	OAC3060T-1H-1W	2835	OAC3060T-2W	2835
36" width (914mm)	36"	914	85	38.6	5.0	OAC3636T-2C	2584	OAC3636T-2H	2584	OAC3636T-1C-1W	2584	OAC3636T-1H-1W	2584	OAC3636T-2W	2584
	48"	1219	108	49.0	7.0	OAC3648T-2C	2955	OAC3648T-2H	2955	OAC3648T-1C-1W	2955	OAC3648T-1H-1W	2955	OAC3648T-2W	2955
	60"	1524	131	59.4	9.0	OAC3660T-2C	3227	OAC3660T-2H	3227	OAC3660T-1C-1W	3227	OAC3660T-1H-1W	3227	OAC3660T-2W	3227

"OAS" Series tables – Brushed 16/304 stainless steel solid top and stainless steel wire overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one chrome wire undershelf
- Two stainless steel wire undershelves

	length		weight		cu ft	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.4	OAS2436T-2C	3457	OAS2436T-2H	3457	OAS2436T-1C-1W	3457	OAS2436T-1H-1W	3457	OAS2436T-2W	3457
	48"	1219	81	36.7	5.7	OAS2448T-2C	3954	OAS2448T-2H	3954	OAS2448T-1C-1W	3954	OAS2448T-1H-1W	3954	OAS2448T-2W	3954
	60"	1524	97	44.0	7.0	OAS2460T-2C	4586	OAS2460T-2H	4586	OAS2460T-1C-1W	4586	OAS2460T-1H-1W	4586	OAS2460T-2W	4586
30" width (762mm)	36"	914	75	34.0	4.4	OAS3036T-2C	3808	OAS3036T-2H	3808	OAS3036T-1C-1W	3808	OAS3036T-1H-1W	3808	OAS3036T-2W	3808
	48"	1219	94	42.6	5.7	OAS3048T-2C	4386	OAS3048T-2H	4386	OAS3048T-1C-1W	4386	OAS3048T-1H-1W	4386	OAS3048T-2W	4386
	60"	1524	113	51.3	7.0	OAS3060T-2C	5050	OAS3060T-2H	5050	OAS3060T-1C-1W	5050	OAS3060T-1H-1W	5050	OAS3060T-2W	5050
36" width (914mm)	36"	914	85	38.6	5.0	OAS3636T-2C	4262	OAS3636T-2H	4262	OAS3636T-1C-1W	4262	OAS3636T-1H-1W	4262	OAS3636T-2W	4262
	48"	1219	108	49.0	7.0	OAS3648T-2C	5053	OAS3648T-2H	5053	OAS3648T-1C-1W	5053	OAS3648T-1H-1W	5053	OAS3648T-2W	5053
	60"	1524	131	59.4	9.0	OAS3660T-2C	5834	OAS3660T-2H	5834	OAS3660T-1C-1W	5834	OAS3660T-1H-1W	5834	OAS3660T-2W	5834

**Contact factory for custom
workstation configurations.**

adjustTable® Work Surface Systems with Wire Overshelf System

see spec sheet **EG07.13A**



Now NSF!

adjustTable®



shown with
two C-frame bases
(suffix "-2C")

FEATURES:

- 34½" (876mm) working height.
- Tabletops on all models feature hat channels underneath for added strength.

Note: To order table with 5" (127mm) resilient tread casters, add suffix "-CAH" and add to list price \$1130.

Example: WOAC2436T-2H-CAH.

To order table with 5" (127mm) poly tread casters, add suffix "-CAHP" and add to list price \$980.

Example: WOAC2436T-2H-CAHP.

**Allows you to create work surfaces of your choice.
Tabletops on all models feature hat channels
underneath for added strength.**

Work surface of your choice is combined with two 33" (838mm) front posts, two 63" (1600mm) rear posts, two wire overshelves, two 29" (737mm) front posts for wire overshelves, and your choice of base combination. 63" (1600mm) overall height.

"WOAC" Series tables – 16/304 brushed stainless solid top and chrome overshelves, with choice of:

- Two knocked down chrome C-frames
- Two knocked down chrome H-frames
- One chrome C-frame and one chrome wire undershelf
- One chrome H-frame and one chrome wire undershelf
- Two chrome wire undershelves

	length		weight		cu ft	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.4	WOAC2436T-2C	2104	WOAC2436T-2H	2104	WOAC2436T-1C-1W	2104	WOAC2436T-1H-1W	2104	WOAC2436T-2W	2104
	48"	1219	81	36.7	5.7	WOAC2448T-2C	2393	WOAC2448T-2H	2393	WOAC2448T-1C-1W	2393	WOAC2448T-1H-1W	2393	WOAC2448T-2W	2393
	60"	1524	97	44.0	7.0	WOAC2460T-2C	2688	WOAC2460T-2H	2688	WOAC2460T-1C-1W	2688	WOAC2460T-1H-1W	2688	WOAC2460T-2W	2688
30" width (762mm)	36"	914	75	34.0	4.4	WOAC3036T-2C	2224	WOAC3036T-2H	2224	WOAC3036T-1C-1W	2224	WOAC3036T-1H-1W	2224	WOAC3036T-2W	2224
	48"	1219	94	42.6	5.7	WOAC3048T-2C	2595	WOAC3048T-2H	2595	WOAC3048T-1C-1W	2595	WOAC3048T-1H-1W	2595	WOAC3048T-2W	2595
	60"	1524	113	51.3	7.0	WOAC3060T-2C	2923	WOAC3060T-2H	2923	WOAC3060T-1C-1W	2923	WOAC3060T-1H-1W	2923	WOAC3060T-2W	2923
36" width (914mm)	36"	914	85	38.6	5.0	WOAC3636T-2C	2699	WOAC3636T-2H	2699	WOAC3636T-1C-1W	2699	WOAC3636T-1H-1W	2699	WOAC3636T-2W	2699
	48"	1219	108	49.0	7.0	WOAC3648T-2C	3053	WOAC3648T-2H	3053	WOAC3648T-1C-1W	3053	WOAC3648T-1H-1W	3053	WOAC3648T-2W	3053
	60"	1524	131	59.4	9.0	WOAC3660T-2C	3318	WOAC3660T-2H	3318	WOAC3660T-1C-1W	3318	WOAC3660T-1H-1W	3318	WOAC3660T-2W	3318

"WOAS" Series tables – 16/304 brushed stainless solid top and stainless steel overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one chrome wire undershelf
- Two stainless steel wire undershelves

	length		weight		cu ft	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg		model #	list	model #	list	model #	list	model #	list	model #	list
24" width (610mm)	36"	914	65	29.5	4.4	WOAS2436T-2C	3640	WOAS2436T-2H	3640	WOAS2436T-1C-1W	3640	WOAS2436T-1H-1W	3640	WOAS2436T-2W	3640
	48"	1219	81	36.7	5.7	WOAS2448T-2C	4230	WOAS2448T-2H	4230	WOAS2448T-1C-1W	4230	WOAS2448T-1H-1W	4230	WOAS2448T-2W	4230
	60"	1524	97	44.0	7.0	WOAS2460T-2C	4966	WOAS2460T-2H	4966	WOAS2460T-1C-1W	4966	WOAS2460T-1H-1W	4966	WOAS2460T-2W	4966
30" width (762mm)	36"	914	75	34.0	4.4	WOAS3036T-2C	3992	WOAS3036T-2H	3992	WOAS3036T-1C-1W	3992	WOAS3036T-1H-1W	3992	WOAS3036T-2W	3992
	48"	1219	94	42.6	5.7	WOAS3048T-2C	4663	WOAS3048T-2H	4663	WOAS3048T-1C-1W	4663	WOAS3048T-1H-1W	4663	WOAS3048T-2W	4663
	60"	1524	113	51.3	7.0	WOAS3060T-2C	5428	WOAS3060T-2H	5428	WOAS3060T-1C-1W	5428	WOAS3060T-1H-1W	5428	WOAS3060T-2W	5428
36" width (914mm)	36"	914	85	38.6	5.0	WOAS3636T-2C	4445	WOAS3636T-2H	4445	WOAS3636T-1C-1W	4445	WOAS3636T-1H-1W	4445	WOAS3636T-2W	4445
	48"	1219	108	49.0	7.0	WOAS3648T-2C	5333	WOAS3648T-2H	5333	WOAS3648T-1C-1W	5333	WOAS3648T-1H-1W	5333	WOAS3648T-2W	5333
	60"	1524	131	59.4	9.0	WOAS3660T-2C	6217	WOAS3660T-2H	6217	WOAS3660T-1C-1W	6217	WOAS3660T-1H-1W	6217	WOAS3660T-2W	6217

**Contact factory for custom
workstation configurations.**

Catalog Section 7

Extras for adjusTable® with Overhead Systems

see spec sheet **EG07.13B**

(•) MTS (made to stock) / () MTO (made to order)

Bin Holders

- Accommodates supply and conductive bins.
- Constructed of $1\frac{1}{8}$ " x $\frac{1}{2}$ " (41 x 13mm) 12-gauge mild steel, angle-welded to two conical collars for support.
- Shipped with two plastic split sleeves for attachment to posts.

workstation length		weight		cu	bin capacity		model #	list
in.	mm	lbs.	kg	ft	in.	mm		
36"	914	3.0	1.4	0.1	33"	838	BH36C	70
48"	1219	4.0	1.8	0.1	45"	1143	BH48C •	73
60"	1524	4.5	2.0	0.3	57"	1448	BH60C •	78



Chrome-plated bin holders allow you to sort, store and separate supplies.

Reel Holders

- Constructed of $1\frac{1}{4}$ " x $1\frac{1}{4}$ " x 3" (32 x 32 x 76mm) chrome-plated 14-gauge "C" channel, welded to a conical collar.
- Shipped with plastic split sleeves for attachment to posts.
- Rod is constructed of $\frac{5}{8}$ " (16mm) diameter 16 gauge stainless steel tubing.
- Tubing is held within rod holders with removable $1\frac{1}{2}$ " (38mm) long zinc-plated hairpin cotter clips.

workstation length		weight		cu	reel capacity		model #	list
in.	mm	lbs.	kg	ft	in.	mm		
36"	914	3.0	1.4	0.1	31"	787	RH36-C	155
48"	1219	4.0	1.8	0.1	42"	1067	RH48-C	162
60"	1524	4.5	2.0	0.3	54"	1372	RH60-C	165



Chrome-plated reel holders allow you to sort and store wire and labels.

Bench Power Centers

- UL-approved 115-volt, 20-amp power strip comes complete with mounting hardware and 6' (1829mm) cord.
- Cleat included to secure power cord when not in use.

workstation length		weight		cu	outlet capacity	model #	list
in.	mm	lbs.	kg	ft	115V - 20A		
36"	914	10	4.5	0.1	5	BPC36C	708
48"	1219	15	6.8	0.1	7	BPC48C	714
60"	1524	20	9.0	0.3	9	BPC60C	723



See pages 212-215 for optional utility drawers.

Stainless Steel Cleaner & Polish

weight		model #	list
oz.	kg		
15	0.4	004026	40



FEATURES:

- Cleans and polishes in one step.
- Does not streak or leave fingerprints.
- Leaves a protective invisible coating.

Double-Sided Bin-Holder Rails

see product announcement **EG07.14**



shown assembled as a cart
(bins sold separately)



bin holder rail
(bins sold separately)

PATENTED!
(patent #8,141,724 B2)

BIN-HOLDER RAILS:

- Bin-holder rails are sold as an accessory or purchased with posts as a kit.
- EAGLEbrite® zinc or chrome plated.
- Bins attach to both sides of rail – no tools required.

- Carts consist of four bin-holder rails and four 63" (1600mm) posts with casters.
- Posts are numbered in increments of 1" (25mm) to ensure fast and level assembly.
- Assembly — numerically calibrated grooved posts, tapered plastic split sleeves and rail collars combine to make shelving assembly a simple two-step exercise:
 - 1) snap the split sleeves onto a post over the number of your choice; and
 - 2) slide a rail collar over the split sleeves. A positive lock between rail bin and post is created without the use of any tools.

BIN-HOLDER

RAIL CARTS:

Bin-Holder Rails

	length		weight		Zinc		Chrome	
	in.	mm	lbs.	kg	model #	list	model#	list
24" width (610mm)	36"	914	11.0	5.0	DBH2436Z	343	DBH2436C	469
	42"	1067	12.5	5.7	DBH2442Z	467	DBH2442C	476
	48"	1219	14.0	6.4	DBH2448Z	492	DBH2448C	546
	54"	1372	15.5	7.0	DBH2454Z	506	DBH2454C	554
	60"	1524	17.0	7.7	DBH2460Z	539	DBH2460C	597
30" width (762mm)	36"	914	12.5	5.7	DBH3036Z	462	DBH3036C	513
	42"	1067	14.0	6.4	DBH3042Z	474	DBH3042C	533
	48"	1219	15.5	7.0	DBH3048Z	539	DBH3048C	604
	54"	1372	17.0	7.7	DBH3054Z	547	DBH3054C	629
	60"	1524	18.5	8.4	DBH3060Z	593	DBH3060C	708



Bin holder rails can also be used on
Eagle Floor-Trak® units

Bin-Holder Rail Carts

	length		weight		Zinc		Chrome	
	in.	mm	lbs.	kg	model #	list	model#	list
24" width (610mm)	36"	914	64	29.0	DBHC2436Z-4	2097	DBHC2436C-4	2208
	42"	1067	70	31.8	DBHC2442Z-4	2240	DBHC2442C-4	2240
	48"	1219	76	34.5	DBHC2448Z-4	2314	DBHC2448C-4	2513
	54"	1372	82	37.2	DBHC2454Z-4	2360	DBHC2454C-4	2551
	60"	1524	88	39.9	DBHC2460Z-4	2487	DBHC2460C-4	2724
30" width (762mm)	36"	914	70	31.8	DBHC3036Z-4	2199	DBHC3036C-4	2389
	42"	1067	76	34.5	DBHC3042Z-4	2245	DBHC3042C-4	2463
	48"	1219	82	37.2	DBHC3048Z-4	2484	DBHC3048C-4	2752
	54"	1372	88	39.9	DBHC3054Z-4	2532	DBHC3054C-4	2852
	60"	1524	94	42.6	DBHC3060Z-4	2705	DBHC3060C-4	3168

For additional information on Floor-Trak®
Systems, refer to spec sheet EG01.39,
or visit us online at www.eaglegrp.com

[illegible]

Tables for Non-Critical Environments

Accessories/Components

Castors	198-199, 205
More Accessories and Components	198, 200, 209-211

Custom Options218

Drawers.....212-215

Hardwood Worktables199

Overshelves / Table Mounted

Flex-Master® Adjustable	207-209
Microwave.....	211
Non-Adjustable / All-Welded	210

SPEC-MASTER®

Enclosed Worktables	
with Backsplash	203
with Flat Top	201
with Upturn	202

Specialty Tables

adjustable® Work Surface Systems.....	204
Folding Tables.....	206

Stands

Mobile Utility Stands	206
Mobile with Undershelf	206
Stationary Utility Stands.....	205

Utility Tool Racks.....216-217

Wall Cabinets.....209

Worktables w/Stainless Steel Top

with Backsplash and Tubular Base	196-197
with Backsplash and Undershelf Base	194-195
with Flat Top and Tubular Base	188-189
with Flat Top and Undershelf Base	186-187
with Upturn and Tubular Base	192-193
with Upturn and Undershelf Base	190-191
Filler Tables	200
Knock Down Worktables with Cabinet Kit.....	200

For Wall Shelves, see page 89.

Wall Mounted Stainless Steel Tables

see spec sheet **EG10.01**



table featuring flat top with box marine counter edge

FEATURES:

- Tabletop available in 16- or 14-gauge stainless steel.
- 14-gauge brackets with hole for electrical wire run.
- Wall mounted for environments with frequent wash downs.
- Available in same configuration as a standard worktable (pages 186-197).
- 200 lb. (90.7 kg) weight capacity.
- Options available include integral sink bowls, drawers, end splashes, and sound deadening.

						16/304 TABLETOP WITH ROLLED EDGE		14/304 TABLETOP WITH ROLLED EDGE		14/304 TABLETOP WITH BOX MARINE COUNTER EDGE	
	length	weights	no. of			model #	list	model #	list	model #	list
	in.	mm	lbs.	kg	brackets						
Tables with Flat Top											
30" width (762mm)	48"	1219	82	37.2	3	WT3048SEB	1241	WT3048SE	1750	WT3048SEM	2457
	60"	1524	91	41.3	3	WT3060SEB	1449	WT3060SE	1998	WT3060SEM	2618
	72"	1829	112	50.8	4	WT3072SEB	1624	WT3072SE	2336	WT3072SEM	2958
Tables with 1½" Upturn											
30" width (762mm)	48"	1219	85	38.6	3	UWT3048SEB	1456	UWT3048SE	2059	UWT3048SEM	2884
	60"	1524	94	42.6	3	UWT3060SEB	1705	UWT3060SE	2347	UWT3060SEM	3080
	72"	1829	115	52.2	4	UWT3072SEB	1910	UWT3072SE	2745	UWT3072SEM	3479
Tables with 4½" Backsplash											
30" width (762mm)	48"	1219	88	39.9	3	WT3048SEB-BS	1544	WT3048SE-BS	2186	WT3048SEM-BS	3071
	60"	1524	97	44.0	3	WT3060SEB-BS	1808	WT3060SE-BS	2498	WT3060SEM-BS	3275
	72"	1829	118	53.5	4	WT3072SEB-BS	2027	WT3072SE-BS	2918	WT3072SEM-BS	3693

Optional table edges available:

square edge
model #E10

v-marine edge
model #E12

bullnose edge
model #E13

SPEC-MASTER® Marine Series

14 gauge, 300 series stainless steel tabletop.
Features a marine counter edge to prevent spillage.

typical marine counter
edge construction



**WITH
FLAT TOP AND
UNDERSHELF...**
See pages 186-187



**WITH
FLAT TOP AND
TUBULAR BASE...**
See pages 188-189



**WITH
4 1/2" (267MM)
BACKSPLASH AND
UNDERSHELF...**
See pages 194-195



**WITH
4 1/2" (267MM)
BACKSPLASH AND
TUBULAR BASE...**
See pages 196-197

EM, SEM, GTEM, and STEM Series

SPEC-MASTER® Series

14 gauge, 300 series stainless steel tabletop.

typical rolled edge
construction



**WITH
FLAT TOP AND
UNDERSHELF...**
See pages 186-187



**WITH
UPTURN AND
UNDERSHELF...**
See pages 190-191



**WITH
BACKSPLASH AND
UNDERSHELF...**
See pages 194-195



**WITH
FLAT TOP AND
TUBULAR BASE...**
See pages 188-189



**WITH
UPTURN AND
TUBULAR BASE...**
See pages 192-193



**WITH
BACKSPLASH AND
TUBULAR BASE...**
See pages 196-197

E, SE, GTE, and STE Series

Deluxe Series

16 gauge, 300 series stainless steel table top.

typical rolled edge construction



**WITH
FLAT TOP AND
UNDERSHELF...**

See pages 186-187



**WITH
UPTURN AND
UNDERSHELF...**

See pages 190-191



**WITH
BACKSPLASH AND
UNDERSHELF...**

See pages 194-195



**WITH
FLAT TOP AND
TUBULAR BASE...**

See pages 188-189



**WITH
UPTURN AND
TUBULAR BASE...**

See pages 192-193



**WITH
BACKSPLASH AND
TUBULAR BASE...**

See pages 196-197

EB, SEB, GTEB, and STEB Series

Budget Series

16 gauge, type 430 stainless steel table top.

typical rolled edge construction



**WITH
FLAT TOP AND
UNDERSHELF...**

See pages 186-187



**WITH
UPTURN AND
UNDERSHELF...**

See pages 190-191



**WITH
BACKSPLASH AND
UNDERSHELF...**

See pages 194-195



**WITH
FLAT TOP AND
TUBULAR BASE...**

See pages 188-189



**WITH
UPTURN AND
TUBULAR BASE...**

See pages 192-193



**WITH
BACKSPLASH AND
TUBULAR BASE...**

See pages 196-197

B, SB, GTB, and STB Series

TABLES FOR NON-CRITICAL ENVIRONMENTS*


* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Catalog Section 10

Worktables with Stainless Steel Flat Top & Galvanized Legs/Undershelf



see spec sheets **EG10.40A** **EG10.40B** **EG10.40C** **EG10.40D**



Adjustable undershelf welded gusset standard on all tables!

patented
uni-lok
system
(Patent #5,165,349)

FEATURES:

- 1½" (41mm) diameter legs and adjustable undershelf are heavy gauge galvanized steel.
- Heavy gauge polished stainless steel top.
- Offers worktables with a rolled edge on front and rear, with ends turned 90°, except SPEC-MASTER® Marine edge.
- 35½" - 36½" (892 - 918mm) adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **\$1458** to list price and suffix **"-SD"**. Example: **T2424B-SD**.

Optional fixed undershelf available in place of standard adjustable undershelf. To order, add **10%** to list price, and

"-F" to end of suffix. Example: **T2424B-F**.

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.



See page 198 for optional casters available.

(●) MTS (made to stock) / () MTO (made to order)

	length		# of legs	weight		cu ft	BUDGET		DELUXE		SPEC-MASTER®		▼ Marine	
	in.	mm		lbs.	kg		16 ga. type 430 top	list	16 ga. 300 series top	list	14 ga. 300 series top	list	14 ga. 300 series top	list
24" width (610mm)	24"	610	4	44	20.0	3.5	T2424B ●	1477	T2424EB	1626	T2424E	1711	T2424EM	2852
	30"	762	4	51	23.1	3.8	T2430B ●	1598	T2430EB	1776	T2430E	1891	T2430EM	3056
	36"	914	4	53	24.0	4.4	T2436B ●	1739	T2436EB	1908	T2436E	2024	T2436EM	3191
	48"	1219	4	67	30.4	5.7	T2448B ●	1773	T2448EB	1939	T2448E	2060	T2448EM	3243
	60"	1524	4	79	35.8	7.1	T2460B ●	1866	T2460EB	2104	T2460E	2257	T2460EM	3431
	72"	1829	4	94	42.6	8.5	T2472B ●	1999	T2472EB	2276	T2472E	2448	T2472EM	3642
	84"	2134	4	130	59.0	11.2	T2484B ●	2552	T2484EB	3254	T2484E	3333	T2484EM	4446
	96"	2438	6	157	71.2	11.2	T2496B ●	2899	T2496EB	3491	T2496E	3581	T2496EM	4702
	108"	2743	6	162	73.5	14.0	T24108B	4718	T24108EB	5040	T24108E	4936	T24108EM	6168
	120"	3048	6	165	74.8	14.0	T24120B	4849	T24120EB	5185	T24120E	5437	T24120EM	6309
30" width (762mm)	132"	3353	8	177	80.3	16.8	T24132B	4875	T24132EB	5277	T24132E	5721	T24132EM	6769
	144"	3658	8	234	106.6	16.8	T24144B	4879	T24144EB	5437	T24144E	5740	T24144EM	6916
	30"	762	4	55	25.0	3.8	T3030B ●	1647	T3030EB	1840	T3030E	1956	T3030EM	3124
	36"	914	4	62	28.1	4.4	T3036B ●	1779	T3036EB	1972	T3036E	2089	T3036EM	3272
	48"	1219	4	77	34.9	5.7	T3048B ●	1804	T3048EB ●	2031	T3048E	2173	T3048EM	3351
	60"	1524	4	87	39.5	7.1	T3060B ●	1972	T3060EB ●	2232	T3060E	2394	T3060EM	3594
	72"	1829	4	105	47.6	8.5	T3072B ●	2143	T3072EB ●	2448	T3072E	2618	T3072EM	3838
	84"	2134	4	132	59.9	11.2	T3084B ●	2674	T3084EB	3307	T3084E	3518	T3084EM	4639
	96"	2438	6	169	76.7	11.2	T3096B ●	3097	T3096EB	3604	T3096E	3843	T3096EM	4963
	108"	2743	6	205	93.0	14.0	T30108B	4763	T30108EB	5341	T30108E	5621	T30108EM	6632
36" width (914mm)	120"	3048	6	215	97.5	14.0	T30120B	4922	T30120EB	5497	T30120E	5772	T30120EM	6781
	132"	3353	8	225	102.1	16.8	T30132B	5170	T30132EB	5800	T30132E	5962	T30132EM	7180
	144"	3658	8	239	108.4	16.8	T30144B	5322	T30144EB	5842	T30144E	6293	T30144EM	7332
	48"	1219	4	84	38.1	7.0	T3648B	2246	T3648EB	2471	T3648E	2546	T3648EM	4031
	60"	1524	4	99	44.9	8.8	T3660B	2530	T3660EB	2772	T3660E	2852	T3660EM	4348
	72"	1829	4	114	51.7	10.5	T3672B	2770	T3672EB	3008	T3672E	3111	T3672EM	4628
	84"	2134	4	183	83.0	12.2	T3684B	3804	T3684EB	4085	T3684E	4162	T3684EM	5583
	96"	2438	6	203	92.1	13.9	T3696B	4045	T3696EB	4328	T3696E	4452	T3696EM	5849
	108"	2743	6	210	95.3	17.3	T36108B	5749	T36108EB	6411	T36108E	6561	T36108EM	7663
	120"	3048	6	217	98.4	17.3	T36120B	5876	T36120EB	6561	T36120E	6717	T36120EM	7817
48" width (1219mm)	132"	3353	8	234	106.1	20.7	T36132B	6024	T36132EB	6781	T36132E	7015	T36132EM	8279
	144"	3658	8	241	109.3	20.7	T36144B	6358	T36144EB	6928	T36144E	7375	T36144EM	8438
	48"	1219	4	147	66.7	9.3	—	—	—	—	T4848E	5937	T4848EM	7908
	60"	1524	4	162	73.5	14.0	—	—	—	—	T4860E	6632	T4860EM	8611
	72"	1829	6	182	82.6	14.0	—	—	—	—	T4872E	7203	T4872EM	9184
	84"	2134	8	195	88.5	18.7	—	—	—	—	T4884E	9781	T4884EM	11751
	96"	2438	8	241	109.3	18.7	—	—	—	—	T4896E	10344	T4896EM	12322
	108"	2743	8	278	126.1	23.3	—	—	—	—	T48108E	15473	T48108EM	17462
	120"	3048	8	316	143.3	23.3	—	—	—	—	T48120E	15653	T48120EM	17603
	132"	3353	10	353	160.1	27.9	—	—	—	—	T48132E	16999	T48132EM	18961
	144"	3658	10	391	177.4	27.9	—	—	—	—	T48144E	17124	T48144EM	19111

▼ SPEC-MASTER® Marine tables feature a marine counter edge to prevent spillage.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.

Phone: 302-653-3000. Fax: 302-653-2065

http://www.eaglehmc.com



* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Worktables with Stainless Steel Flat Top & Stainless Steel Legs/Undershelf



see spec sheets **EG10.41A** **EG10.41B** **EG10.41C** **EG10.41D**



patented
uni-lok[®]
system
(Patent #5,165,349)



See page 198 for optional casters available.

FEATURES:

- 1⁵/₈" (41mm) diameter legs and adjustable undershelf are heavy gauge stainless steel.
- Heavy gauge polished stainless steel top.
- Offers worktables with a rolled edge on front and rear, with ends turned 90°, except SPEC-MASTER[®] Marine.
- 35¹/₈" - 36¹/₈" (892 - 918mm) adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **\$1458** to list price and suffix **"-SD"**. Example: **T2424SB-SD**.

For FLEX-MASTER[®] overshelf kits, see page 209.

For drawer kits, see page 215.

NEW Knockdown Welded Base option available (only for worktables with stainless steel base). To order, add suffix **"-KDWB"**.

Example: **T2460SEB-KDWB**. Consult factory for pricing.

(•) MTS (made to stock) / () MTO (made to order)

	length		# of legs	weight		cu ft	BUDGET		DELUXE		*SPEC-MASTER [®]		* ▼ Marine	
	in.	mm		lbs.	kg		16 ga. type 430 top	list	16 ga. 300 series top	list	14 ga. 300 series top	list	14 ga. 300 series top	list
24" width (610mm)	24"	610	4	44	20.0	3.5	T2424SB	2071	T2424SEB •	2211	T2424SE •	2384	T2424SEM	3561
	30"	762	4	51	23.1	3.8	T2430SB	2257	T2430SEB	2432	T2430SE	2646	T2430SEM	3818
	36"	914	4	53	24.0	4.4	T2436SB •	2387	T2436SEB •	2566	T2436SE	2781	T2436SEM	3955
	48"	1219	4	67	30.4	5.7	T2448SB •	2456	T2448SEB •	2658	T2448SE	2899	T2448SEM	4079
	60"	1524	4	79	35.8	7.1	T2460SB	2652	T2460SEB	2895	T2460SE	3161	T2460SEM	4337
	72"	1829	4	82	37.2	8.5	T2472SB	2844	T2472SEB	3123	T2472SE	3423	T2472SEM	4605
	84"	2134	4	132	40.8	11.2	T2484SB	3512	T2484SEB	4295	T2484SE	4680	T2484SEM	5681
	96"	2438	6	157	45.4	11.2	T2496SB	3769	T2496SEB	4593	T2496SE	5018	T2496SEM	6006
	108"	2743	6	162	49.9	14.0	T24108SB	6117	T24108SEB	6377	T24108SE	7182	T24108SEM	7760
	120"	3048	6	163	73.9	14.0	T24120SB	6261	T24120SEB	6771	T24120SE	7327	T24120SEM	7905
	132"	3353	8	177	80.3	16.8	T24132SB	6399	T24132SEB	6968	T24132SE	7572	T24132SEM	8525
	144"	3658	8	234	106.6	16.8	T24144SB	6732	T24144SEB	7109	T24144SE	7946	T24144SEM	8677
30" width (762mm)	30"	762	4	55	25.0	3.8	T3030SB	2349	T3030SEB •	2585	T3030SE	2805	T3030SEM	3983
	36"	914	4	62	28.1	4.4	T3036SB •	2514	T3036SEB •	2715	T3036SE	2944	T3036SEM	4118
	48"	1219	4	82	37.2	5.7	T3048SB •	2613	T3048SEB •	2852	T3048SE •	3122	T3048SEM	4283
	60"	1524	4	87	39.5	7.1	T3060SB •	2861	T3060SEB •	3144	T3060SE •	3431	T3060SEM	4606
	72"	1829	4	125	56.7	8.5	T3072SB •	3098	T3072SEB •	3423	T3072SE •	3758	T3072SEM	5091
	84"	2134	4	135	61.2	11.2	T3084SB	3640	T3084SEB	4488	T3084SE	4889	T3084SEM	5876
	96"	2438	6	203	92.1	11.2	T3096SB •	4081	T3096SEB •	4961	T3096SE •	5415	T3096SEM	6116
	108"	2743	6	209	94.8	14.0	T30108SB	6489	T30108SEB	7086	T30108SE	7674	T30108SEM	8392
	120"	3048	6	215	97.5	14.0	T30120SB	6639	T30120SEB	7236	T30120SE	7829	T30120SEM	8542
	132"	3353	8	225	102.1	16.8	T30132SB	7051	T30132SEB	7732	T30132SE	8397	T30132SEM	9104
	144"	3658	8	239	108.4	16.8	T30144SB	7199	T30144SEB	7890	T30144SE	8553	T30144SEM	9256
36" width (914mm)	48"	1219	4	84	38.1	7.0	T3648SB	3014	T3648SEB	3368	T3648SE	3561	T3648SEM	5003
	60"	1524	4	99	44.9	8.8	T3660SB	3339	T3660SEB	3689	T3660SE	3922	T3660SEM	5380
	72"	1829	4	114	51.7	10.5	T3672SB	3650	T3672SEB	4028	T3672SE	4282	T3672SEM	5768
	84"	2134	4	183	83.0	12.2	T3684SB	5046	T3684SEB	5474	T3684SE	5796	T3684SEM	7033
	96"	2438	6	205	93.0	13.9	T3696SB	5439	T3696SEB	5869	T3696SE	6232	T3696SEM	7463
	108"	2743	6	210	95.3	17.3	T36108SB	7719	T36108SEB	8417	T36108SE	8918	T36108SEM	9674
	120"	3048	6	218	98.9	17.3	T36120SB	7876	T36120SEB	8563	T36120SE	9072	T36120SEM	9813
	132"	3353	8	234	106.1	20.7	T36132SB	8153	T36132SEB	8928	T36132SE	9749	T36132SEM	10487
	144"	3658	8	241	109.3	20.7	T36144SB	8533	T36144SEB	9336	T36144SE	9897	T36144SEM	10642
48" width (1219mm)	48"	1219	4	147	66.7	9.3	—	—	—	—	T4848SE	6881	T4848SEM	8860
	60"	1524	4	162	73.5	14.0	—	—	—	—	T4860SE	7611	T4860SEM	9600
	72"	1829	6	182	82.6	14.0	—	—	—	—	T4872SE	8312	T4872SEM	10302
	84"	2134	8	197	89.4	18.7	—	—	—	—	T4884SE	11236	T4884SEM	13215
	96"	2438	8	241	109.3	18.7	—	—	—	—	T4896SE	12128	T4896SEM	14113
	108"	2743	8	278	126.1	23.3	—	—	—	—	T48108SE	17684	T48108SEM	19673
	120"	3048	8	316	143.3	23.3	—	—	—	—	T48120SE	17840	T48120SEM	19817
	132"	3353	10	353	160.1	27.9	—	—	—	—	T48132SE	19181	T48132SEM	21157
	144"	3658	10	391	177.4	27.9	—	—	—	—	T48144SE	19324	T48144SEM	21306

* SPEC-MASTER[®] and SPEC-MASTER[®] Marine tables feature all stainless steel construction.


▼ SPEC-MASTER[®] Marine tables feature a marine counter edge to prevent spillage.

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.


Worktables with Stainless Steel Flat Top & Galvanized Tubular Base



see spec sheets **EG10.42A** **EG10.42B** **EG10.42C** **EG10.42D**



patented
uni-lok[®]
system
(Patent #5,165,349)



corner connection



See page 198 for optional casters available.

For FLEX-MASTER[®] overshelf kits, see page 209.

For drawer kits, see page 215.

- Tubular base.
- 1½" (41mm)-diameter legs and 1¼" (32mm)-diameter crossbracing are heavy gauge galvanized steel.
- Heavy gauge polished stainless steel top.
- Offers worktables with a rolled edge on front and rear, with ends turned 90°, except SPEC-MASTER[®] Marine.
- 35⅛" - 36⅞" (892 - 918mm) adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **\$1458** to list price and suffix **"-SD"**. Example: **T2424GTB-SD**.

C-frame standard. To order table with H-frame, add **\$303** to list price and suffix **"-H"**. Example: **T3036GTBE-H**.

(●) MTS (made to stock) / () MTO (made to order)

	length		# of legs	weight		cu ft	BUDGET		DELUXE		SPEC-MASTER [®]		▼ Marine	
	in.	mm		lbs.	kg		16 ga. type 430 top	list	16 ga. 300 series top	list	14 ga. 300 series top	list	14 ga. 300 series top	list
24" width (610mm)	24"	610	4	44	20.0	3.5	T2424GTB	1673	T2424GTB	1885	T2424GTE	1958	T2424GTEM	3113
	30"	762	4	51	23.1	3.8	T2430GTB	1851	T2430GTB	2031	T2430GTE	2145	T2430GTEM	3305
	36"	914	4	53	24.0	4.4	T2436GTB	1986	T2436GTB	2164	T2436GTE	2276	T2436GTEM	3444
	48"	1219	4	67	30.4	5.7	T2448GTB	2016	T2448GTB	2196	T2448GTE	2322	T2448GTEM	3502
	60"	1524	4	79	35.8	7.1	T2460GTB	2117	T2460GTB	2356	T2460GTE	2508	T2460GTEM	3689
	72"	1829	4	82	37.2	8.5	T2472GTB	2251	T2472GTB	2532	T2472GTE	2696	T2472GTEM	3907
	84"	2134	4	132	59.9	11.2	T2484GTB	2793	T2484GTB	3518	T2484GTE	3593	T2484GTEM	4705
	96"	2438	6	157	71.2	11.2	T2496GTB	3144	T2496GTB	3750	T2496GTE	3823	T2496GTEM	4949
	108"	2743	6	160	72.6	14.0	T24108GTB	4799	T24108GTB	5281	T24108GTE	5811	T24108GTEM	6421
	120"	3048	6	165	74.8	14.0	T24120GTB	4972	T24120GTB	5430	T24120GTE	5872	T24120GTEM	6561
30" width (762mm)	132"	3353	8	199	90.3	16.8	T24132GTB	5092	T24132GTB	5539	T24132GTE	5953	T24132GTEM	7023
	144"	3658	8	234	106.6	16.8	T24144GTB	5114	T24144GTB	5686	T24144GTE	5975	T24144GTEM	7172
	30"	762	4	55	25.0	3.8	T3030GTB	1895	T3030GTB	2092	T3030GTE	2211	T3030GTEM	3386
	36"	914	4	62	28.1	4.4	T3036GTB	2023	T3036GTB	2232	T3036GTE	2344	T3036GTEM	3521
	48"	1219	4	77	34.9	5.7	T3048GTB	2058	T3048GTB	2277	T3048GTE	2428	T3048GTEM	3608
	60"	1524	4	87	39.5	7.1	T3060GTB	2221	T3060GTB	2489	T3060GTE	2656	T3060GTEM	3852
	72"	1829	4	105	47.6	8.5	T3072GTB	2384	T3072GTB	2696	T3072GTE	2875	T3072GTEM	4093
	84"	2134	4	137	62.1	11.2	T3084GTB	2918	T3084GTB	3562	T3084GTE	3766	T3084GTEM	4895
	96"	2438	6	169	76.7	11.2	T3096GTB	3345	T3096GTB	3856	T3096GTE	4099	T3096GTEM	5223
	108"	2743	6	176	79.8	14.0	T30108GTB	5023	T30108GTB	5587	T30108GTE	5869	T30108GTEM	6887
36" width (914mm)	120"	3048	6	182	82.6	14.0	T30120GTB	5170	T30120GTB	5747	T30120GTE	6024	T30120GTEM	7042
	132"	3353	8	210	95.3	16.8	T30132GTB	5255	T30132GTB	5893	T30132GTE	6215	T30132GTEM	7433
	144"	3658	8	239	108.4	16.8	T30144GTB	5560	T30144GTB	6223	T30144GTE	6544	T30144GTEM	7586
	48"	1219	4	84	38.1	7.0	T3648GTB	2500	T3648GTB	2725	T3648GTE	3113	T3648GTEM	4283
	60"	1524	4	99	44.9	8.8	T3660GTB	2781	T3660GTB	3023	T3660GTE	3122	T3660GTEM	4593
	72"	1829	4	114	51.7	10.5	T3672GTB	3014	T3672GTB	3254	T3672GTE	3368	T3672GTEM	4889
	84"	2134	4	183	83.0	12.2	T3684GTB	4051	T3684GTB	4337	T3684GTE	4453	T3684GTEM	5842
	96"	2438	6	203	92.1	13.9	T3696GTB	4245	T3696GTB	4582	T3696GTE	4707	T3696GTEM	6114
	108"	2743	6	210	95.3	17.3	T36108GTB	5813	T36108GTB	6472	T36108GTE	6821	T36108GTEM	7924
	120"	3048	6	217	98.4	17.3	T36120GTB	6129	T36120GTB	6821	T36120GTE	6974	T36120GTEM	8077
48" width (1219mm)	132"	3353	8	229	103.9	20.7	T36132GTB	6262	T36132GTB	7029	T36132GTE	7266	T36132GTEM	8542
	144"	3658	8	241	109.3	20.7	T36144GTB	6598	T36144GTB	7391	T36144GTE	7412	T36144GTEM	8694
	48"	1219	4	147	66.7	9.3	—	—	—	—	T4848GTE	6181	T4848GTEM	8116
	60"	1524	4	162	73.5	14.0	—	—	—	—	T4860GTE	6894	T4860GTEM	8860
	72"	1829	6	182	82.6	14.0	—	—	—	—	T4872GTE	7460	T4872GTEM	9609
	84"	2134	8	197	89.4	18.7	—	—	—	—	T4884GTE	10039	T4884GTEM	11999
	96"	2438	8	241	109.3	18.7	—	—	—	—	T4896GTE	10583	T4896GTEM	12573
	108"	2743	8	278	126.1	23.3	—	—	—	—	T48108GTE	15719	T48108GTEM	17706
	120"	3048	8	316	143.3	23.3	—	—	—	—	T48120GTE	15894	T48120GTEM	17855
	132"	3353	10	347	157.4	27.9	—	—	—	—	T48132GTE	17257	T48132GTEM	19203
	144"	3658	10	379	171.9	27.9	—	—	—	—	T48144GTE	17399	T48144GTEM	19353

▼ SPEC-MASTER[®] Marine tables feature a marine counter edge to prevent spillage.

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Worktables with Stainless Steel Flat Top & Stainless Steel Tubular Base

(NSF)

see spec sheets **EG10.43A** **EG10.43B** **EG10.43C** **EG10.43D**



FEATURES:

- Tubular base.
- 1½" (41mm)-diameter legs and 1¼" (32mm)-diameter crossbracing are heavy gauge stainless steel.
- Heavy gauge polished stainless steel top.
- Offers worktables with a rolled edge on front and rear, with ends turned 90°, except SPEC-MASTER® Marine.
- 35½" - 36½" (892 - 918mm) adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **\$1458** to list price and suffix **"-SD"**. Example: **T2424STB-SD**.

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.

NEW Knockdown Welded Base option available (only for worktables with stainless steel base). To order, add suffix **"-KDWB"**.

Example: **T2460STEB-KDWB**. Consult factory for pricing.

C-frame standard. To order table with H-frame, add **\$293** to list price and suffix **"-H"**. Example: **T2448STE-H**.



See page 198 for optional casters available.

(•) MTS (made to stock) / () MTO (made to order)

	length		# of legs	weight		cu ft	BUDGET		DELUXE		*SPEC-MASTER®		* ▼ Marine	
	in.	mm		lbs.	kg		16 ga. type 430 top model #	list	16 ga. 300 series top model #	list	14 ga. 300 series top model #	list	14 ga. 300 series top model #	list
24" width (610mm)	24"	610	4	44	20.0	3.5	T2424STB	2315	T2424STEB	2466	T2424STE	2640	T2424STEM	3814
	30"	762	4	51	23.1	3.8	T2430STB	2508	T2430STEB	2691	T2430STE	2899	T2430STEM	4079
	36"	914	4	53	24.0	4.4	T2436STB	2636	T2436STEB	2827	T2436STE	3036	T2436STEM	4213
	48"	1219	4	67	30.4	5.7	T2448STB	2698	T2448STEB	2915	T2448STE	3153	T2448STEM	4226
	60"	1524	4	79	35.8	7.1	T2460STB	2895	T2460STEB	3144	T2460STE	3417	T2460STEM	4591
	72"	1829	4	82	37.2	8.5	T2472STB	3092	T2472STEB	3385	T2472STE	3684	T2472STEM	4870
	84"	2134	4	132	59.9	11.2	T2484STB	3753	T2484STEB	4557	T2484STE	4926	T2484STEM	5935
	96"	2438	6	157	71.2	11.2	T2496STB	4021	T2496STEB	4861	T2496STE	5268	T2496STEM	6386
	108"	2743	6	160	72.6	14.0	T24108STB	6178	T24108STEB	6873	T24108STE	7441	T24108STEM	8004
	120"	3048	6	165	74.8	14.0	T24120STB	6504	T24120STEB	7026	T24120STE	7581	T24120STEM	8157
	132"	3353	8	199	90.3	16.8	T24132STB	6642	T24132STEB	7214	T24132STE	7821	T24132STEM	8774
	144"	3658	8	234	106.1	16.8	T24144STB	6784	T24144STEB	7363	T24144STE	7969	T24144STEM	8923
30" width (762mm)	30"	762	4	55	25.0	3.8	T3030STB	2628	T3030STEB	2839	T3030STE	3064	T3030STEM	4238
	36"	914	4	62	28.1	4.4	T3036STB	2761	T3036STEB	2970	T3036STE	3199	T3036STEM	4372
	48"	1219	4	77	34.9	5.7	T3048STB	2864	T3048STEB •	3113	T3048STE	3379	T3048STEM	4553
	60"	1524	4	87	39.5	7.1	T3060STB	3113	T3060STEB •	3395	T3060STE	3715	T3060STEM	4872
	72"	1829	4	105	47.6	8.5	T3072STB	3346	T3072STEB •	3684	T3072STE	4016	T3072STEM	5346
	84"	2134	4	137	62.1	11.2	T3084STB •	3900	T3084STEB	4742	T3084STE	5143	T3084STEM	6147
	96"	2438	6	169	76.7	11.2	T3096STB	4322	T3096STEB	5217	T3096STE	5681	T3096STEM	6369
	108"	2743	6	176	79.6	14.0	T30108STB	6732	T30108STEB	7337	T30108STE	7925	T30108STEM	8648
	120"	3048	6	182	82.6	14.0	T30120STB	6887	T30120STEB	7494	T30120STE	8080	T30120STEM	8793
	132"	3353	8	210	95.3	16.8	T30132STB	7089	T30132STEB	7760	T30132STE	8413	T30132STEM	9366
	144"	3658	8	218	98.9	16.8	T30144STB	7446	T30144STEB	8139	T30144STE	8809	T30144STEM	9516
36" width (914mm)	48"	1219	4	84	38.1	7.0	T3648STB	3272	T3648STEB	3625	T3648STE	3814	T3648STEM	5254
	60"	1524	4	99	44.9	8.8	T3660STB	3585	T3660STEB	3946	T3660STE	4180	T3660STEM	5639
	72"	1829	4	114	51.7	10.5	T3672STB	3903	T3672STEB	4282	T3672STE	4551	T3672STEM	6021
	84"	2134	4	183	83.0	12.2	T3684STB	5298	T3684STEB	5719	T3684STE	6046	T3684STEM	7293
	96"	2438	6	203	92.1	13.9	T3696STB	5685	T3696STEB	6129	T3696STE	6483	T3696STEM	7730
	108"	2743	6	210	95.3	17.3	T36108STB	7749	T36108STEB	8580	T36108STE	9170	T36108STEM	9924
	120"	3048	6	217	98.4	17.3	T36120STB	8119	T36120STEB	8829	T36120STE	9324	T36120STEM	10072
	132"	3353	8	229	103.9	20.7	T36132STB	8391	T36132STEB	9324	T36132STE	9704	T36132STEM	10735
	144"	3658	8	241	109.3	20.7	T36144STB	8533	T36144STEB	9594	T36144STE	10165	T36144STEM	10891
	48"	1219	4	147	66.7	9.3	—	—	—	—	T4848STE	7396	T4848STEM	9108
	60"	1524	4	162	73.5	14.0	—	—	—	—	T4860STE	7861	T4860STEM	9855
48" width (1219mm)	72"	1829	6	182	82.6	14.0	—	—	—	—	T4872STE	8561	T4872STEM	10537
	84"	2134	8	197	89.4	18.7	—	—	—	—	T4884STE	11502	T4884STEM	13471
	96"	2438	8	241	109.3	18.7	—	—	—	—	T4896STE	12376	T4896STEM	14351
	108"	2743	8	278	126.1	23.3	—	—	—	—	T48108STE	17966	T48108STEM	19916
	120"	3048	8	316	143.3	23.3	—	—	—	—	T48120STE	18086	T48120STEM	20062
	132"	3353	10	347	157.4	27.9	—	—	—	—	T48132STE	19456	T48132STEM	21407
	144"	3658	10	379	171.9	27.9	—	—	—	—	T48144STE	19560	T48144STEM	21553

* SPEC-MASTER® and SPEC-MASTER® Marine tables feature all stainless steel construction.

▼ SPEC-MASTER® Marine tables feature a marine counter edge to prevent spillage.

TABLES FOR NON-CRITICAL ENVIRONMENTS*


* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Catalog Section 10

Worktables with Stainless Steel Top, Upturn & Galvanized Legs/Undershelf



see spec sheets **EG10.02A** **EG10.02B** **EG10.02C**



adjustable undershelf
welded gusset

patented
uni-lok[®]
system
(Patent #5,165,349)

NOW STANDARD!



See page 198 for
optional casters
available.

FEATURES:

- 1½" (38mm) upturn at the rear of the table.
- 1½" (41mm)-diameter legs and adjustable undershelf are heavy gauge galvanized steel.
- Heavy gauge polished stainless steel top.
- 35½" - 36½" (892 - 918mm) adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **\$1458** to list price and suffix **"-SD"**. Example: **UT2424B-SD**.

Optional fixed undershelf available in place of standard adjustable undershelf. To order, add **10%** to list price, and **"-F"** to end of suffix. Example: **UT2424EB-F**.

For FLEX-MASTER[®] overshelf kits, see page 209.

For drawer kits, see page 215.

(•) MTS (made to stock) / () MTO (made to order)

	length		# of legs	weight		cu ft	BUDGET		DELUXE		*SPEC-MASTER [®]	
	in.	mm		lbs.	kg		16 gauge type 430 top	list	16 gauge 300 series top	list	14 gauge 300 series top	list
24" width (610mm)	24"	610	4	50	22.7	3.5	UT2424B	1669	UT2424EB	1838	UT2424E	1908
	30"	762	4	52	23.6	3.8	UT2430B •	1803	UT2430EB	1972	UT2430E	2092
	36"	914	4	55	24.9	4.4	UT2436B •	1925	UT2436EB	2106	UT2436E	2232
	48"	1219	4	67	30.4	5.7	UT2448B •	1957	UT2448EB	2145	UT2448E	2273
	60"	1524	4	71	32.2	7.1	UT2460B •	2070	UT2460EB	2308	UT2460E	2458
	72"	1829	4	90	40.8	8.5	UT2472B •	2199	UT2472EB	2478	UT2472E	2646
	84"	2134	4	98	44.5	11.2	UT2484B	2741	UT2484EB	3475	UT2484E	3545
	96"	2438	6	114	51.7	11.2	UT2496B	3098	UT2496EB	3698	UT2496E	3777
	108"	2743	6	131	59.4	14.0	UT24108B	4897	UT24108EB	5083	UT24108E	5339
	120"	3048	6	148	67.1	14.0	UT24120B	4997	UT24120EB	5385	UT24120E	5650
30" width (762mm)	132"	3353	8	177	80.3	16.8	UT24132B	5047	UT24132EB	5487	UT24132E	5951
	144"	3658	8	234	106.1	16.8	UT24144B	5076	UT24144EB	5803	UT24144E	6128
	30"	762	4	54	24.5	3.8	UT3030B •	1848	UT3030EB	2044	UT3030E	2151
	36"	914	4	64	29.0	4.4	UT3036B •	1972	UT3036EB	2178	UT3036E	2287
	48"	1219	4	74	33.6	5.7	UT3048B •	1999	UT3048EB	2231	UT3048E	2369
	60"	1524	4	82	37.2	7.1	UT3060B •	2170	UT3060EB	2448	UT3060E	2602
	72"	1829	4	105	47.6	8.5	UT3072B •	2336	UT3072EB	2646	UT3072E	2827
	84"	2134	4	132	59.9	11.2	UT3084B	2872	UT3084EB	3512	UT3084E	3726
	96"	2438	6	169	76.7	11.2	UT3096B •	3291	UT3096EB	3813	UT3096E	4045
	108"	2743	6	199	90.3	14.0	UT30108B	4961	UT30108EB	5541	UT30108E	5824
36" width (914mm)	120"	3048	6	205	93.0	14.0	UT30120B	5104	UT30120EB	5700	UT30120E	5977
	132"	3353	8	225	102.1	16.8	UT30132B	5361	UT30132EB	5856	UT30132E	6159
	144"	3658	8	240	108.9	16.8	UT30144B	5515	UT30144EB	5998	UT30144E	6305
	48"	1219	4	83	37.7	7.0	UT3648B	2448	UT3648EB	2680	UT3648E	2755
	60"	1524	4	108	49.0	8.8	UT3660B	2729	UT3660EB	2970	UT3660E	3064
	72"	1829	4	114	51.7	10.5	UT3672B	2965	UT3672EB	3215	UT3672E	3307
	84"	2134	4	132	59.9	12.2	UT3684B	3997	UT3684EB	4282	UT3684E	4406
	96"	2438	6	149	67.6	13.9	UT3696B	4238	UT3696EB	4530	UT3696E	4655
	108"	2743	6	184	83.5	17.3	UT36108B	5938	UT36108EB	6378	UT36108E	6582
	120"	3048	6	207	93.9	17.3	UT36120B	6089	UT36120EB	6771	UT36120E	6923
	132"	3353	8	228	103.4	20.7	UT36132B	6217	UT36132EB	6979	UT36132E	7217
	144"	3658	8	261	118.4	20.7	UT36144B	6555	UT36144EB	7128	UT36144E	7365

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Worktables with Stainless Steel Top Upturn & Stainless Steel Legs/Undershelf

see spec sheets **EG10.48A** **EG10.48B** **EG10.48C**



patented
uni-lok[®]
system
(Patent #5,165,349)

FEATURES:

- 1½" (38mm) upturn at the rear of the table.
- 1½" (41mm)-diameter legs and adjustable undershelf are heavy gauge stainless steel.
- Heavy gauge polished stainless steel top.
- 35½" - 36½" (892 - 918mm) adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **\$1458** to list price and suffix **"-SD"**. Example: **UT2424SB-SD**.

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.

NEW Knockdown Welded Base option available (only for worktables with stainless steel base). To order, add suffix **"-KDWB"**.

Example: **UT2460SB-KDWB**. Consult factory for pricing.



See page 198 for optional casters available.

	length		# of legs	weight		cu ft	BUDGET		DELUXE		*SPEC-MASTER®	
	in.	mm		lbs.	kg		16 gauge type 430 top		16 gauge 300 series top		14 gauge 300 series top	
							model #	list	model #	list	model #	list
24" width (610mm)	24"	610	4	44	20.0	3.5	UT2424SB	2275	UT2424SEB	2411	UT2424SE	2588
	30"	762	4	50	22.7	3.8	UT2430SB	2457	UT2430SEB	2635	UT2430SE	2851
	36"	914	4	55	25.0	4.4	UT2436SB	2585	UT2436SEB	2780	UT2436SE	2988
	48"	1219	4	67	30.4	5.7	UT2448SB	2656	UT2448SEB	2870	UT2448SE	3111
	60"	1524	4	71	32.2	7.1	UT2460SB	2844	UT2460SEB	3092	UT2460SE	3377
	72"	1829	4	90	40.8	8.5	UT2472SB	3036	UT2472SEB	3319	UT2472SE	3635
	84"	2134	4	98	44.5	11.2	UT2484SB	3706	UT2484SEB	4505	UT2484SE	4887
	96"	2438	6	114	51.7	11.2	UT2496SB	3970	UT2496SEB	4793	UT2496SE	5217
	108"	2743	6	131	59.4	14.0	UT24108SB	6309	UT24108SEB	6821	UT24108SE	7375
	120"	3048	6	148	67.1	14.0	UT24120SB	6454	UT24120SEB	6974	UT24120SE	7529
	132"	3353	8	177	80.3	16.8	UT24132SB	6590	UT24132SEB	7374	UT24132SE	7762
30" width (762mm)	144"	3658	8	220	99.8	16.8	UT24144SB	6935	UT24144SEB	7522	UT24144SE	8153
	30"	762	4	54	24.5	3.8	UT3030SB	2581	UT3030SEB	2783	UT3030SE	3008
	36"	914	4	64	29.0	4.4	UT3036SB	2710	UT3036SEB	2926	UT3036SE	3138
	48"	1219	4	74	33.6	5.7	UT3048SB	2810	UT3048SEB	3064	UT3048SE	3317
	60"	1524	4	87	39.5	7.1	UT3060SB	3054	UT3060SEB	3348	UT3060SE	3642
	72"	1829	4	94	42.6	8.5	UT3072SB	3305	UT3072SEB	3635	UT3072SE	3966
	84"	2134	4	105	47.6	11.2	UT3084SB	3848	UT3084SEB	4690	UT3084SE	5091
	96"	2438	6	126	57.2	11.2	UT3096SB	4272	UT3096SEB	5175	UT3096SE	5621
	108"	2743	6	199	90.3	14.0	UT30108SB	6689	UT30108SEB	7289	UT30108SE	7886
	120"	3048	6	205	93.0	14.0	UT30120SB	6840	UT30120SEB	7438	UT30120SE	8038
	132"	3353	8	211	95.7	16.8	UT30132SB	7045	UT30132SEB	7702	UT30132SE	8606
36" width (914mm)	144"	3658	8	218	98.9	16.8	UT30144SB	7185	UT30144SEB	8082	UT30144SE	8762
	48"	1219	4	83	37.7	7.0	UT3648SB	3212	UT3648SEB	3562	UT3648SE	3760
	60"	1524	4	108	49.0	8.8	UT3660SB	3529	UT3660SEB	3907	UT3660SE	4124
	72"	1829	4	114	51.7	10.5	UT3672SB	3854	UT3672SEB	4238	UT3672SE	4489
	84"	2134	4	183	83.0	12.2	UT3684SB	5240	UT3684SEB	5681	UT3684SE	6004
	96"	2438	6	205	93.0	13.9	UT3696SB	5636	UT3696SEB	6071	UT3696SE	6449
	108"	2743	6	206	93.4	17.3	UT36108SB	7918	UT36108SEB	8370	UT36108SE	9121
	120"	3048	6	210	95.3	17.3	UT36120SB	8076	UT36120SEB	8774	UT36120SE	9278
	132"	3353	8	228	103.4	20.7	UT36132SB	8583	UT36132SEB	9129	UT36132SE	9660
	144"	3658	8	261	118.4	20.7	UT36144SB	8748	UT36144SEB	9551	UT36144SE	10107

* SPEC-MASTER® tables feature all stainless steel construction.

TABLES FOR NON-CRITICAL ENVIRONMENTS*

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Catalog Section 10

Worktables with Stainless Steel Top, Upturn & Galvanized Tubular Base

see spec sheets **EG10.03A** **EG10.03B** **EG10.03C**



FEATURES:

- 1½" (38mm) upturn at the rear of the table.
- Tubular base.
- 1½" (41mm)-diameter legs and 1¼" (32mm)-diameter crossbracing are heavy gauge galvanized steel.
- Heavy gauge polished stainless steel top.
- 35½" - 36½" (892 - 918mm) adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **\$1458** to list price and suffix "-SD". Example: UT2424GTB-SD.

For FLEX-MASTER® overself kits, see page 209.

For drawer kits, see page 215.

C-frame standard. To order table with H-frame, add **\$303** to list price and suffix "-H". Example: UT3036GTE-H.



See page 198 for optional casters available.

	length		# of legs	weight		cu ft	BUDGET 16 gauge type 430 top		DELUXE 16 gauge 300 series top		*SPEC-MASTER® 14 gauge 300 series top	
	in.	mm		lbs.	kg		model #	list	model #	list	model #	list
24" width (610mm)	24"	610	4	50	22.7	3.5	UT2424GTB	1918	UT2424GTB	2091	UT2424GTE	2354
	30"	762	4	52	23.6	3.8	UT2430GTB	2049	UT2430GTB	2231	UT2430GTE	2458
	36"	914	4	55	24.9	4.4	UT2436GTB	2178	UT2436GTB	2363	UT2436GTE	2500
	48"	1219	4	67	30.4	5.7	UT2448GTB	2209	UT2448GTB	2398	UT2448GTE	2621
	60"	1524	4	71	32.2	7.1	UT2460GTB	2313	UT2460GTB	2564	UT2460GTE	2709
	72"	1829	4	90	40.8	8.5	UT2472GTB	2449	UT2472GTB	2743	UT2472GTE	2899
	84"	2134	4	98	44.5	11.2	UT2484GTB	2989	UT2484GTB	3726	UT2484GTE	3800
	96"	2438	6	114	51.7	11.2	UT2496GTB	3346	UT2496GTB	3955	UT2496GTE	4031
	108"	2743	6	142	64.4	14.0	UT24108GTB	4997	UT24108GTB	5338	UT24108GTE	5583
	120"	3048	6	148	67.1	14.0	UT24120GTB	5303	UT24120GTB	5643	UT24120GTE	5893
30" width (762mm)	132"	3353	8	177	80.3	16.8	UT24132GTB	5312	UT24132GTB	5732	UT24132GTE	6024
	144"	3658	8	193	87.6	16.8	UT24144GTB	5332	UT24144GTB	5875	UT24144GTE	6172
	30"	762	4	54	24.5	3.8	UT3030GTB	2091	UT3030GTB	2299	UT3030GTE	2411
	36"	914	4	64	29.0	4.4	UT3036GTB	2221	UT3036GTB	2432	UT3036GTE	2546
	48"	1219	4	74	33.6	5.7	UT3048GTB	2251	UT3048GTB	2481	UT3048GTE	2631
	60"	1524	4	87	39.5	7.1	UT3060GTB	2413	UT3060GTB	2696	UT3060GTE	2852
	72"	1829	4	105	47.6	8.5	UT3072GTB	2581	UT3072GTB	2899	UT3072GTE	3078
	84"	2134	4	122	55.3	11.2	UT3084GTB	3122	UT3084GTB	3763	UT3084GTE	3983
	96"	2438	6	126	57.2	11.2	UT3096GTB	3540	UT3096GTB	4065	UT3096GTE	4298
	108"	2743	6	199	90.3	14.0	UT30108GTB	5075	UT30108GTB	5803	UT30108GTE	6071
36" width (914mm)	120"	3048	6	205	93.0	14.0	UT30120GTB	5346	UT30120GTB	5953	UT30120GTE	6232
	132"	3353	8	210	95.3	16.8	UT30132GTB	5458	UT30132GTB	6107	UT30132GTE	6597
	144"	3658	8	218	98.9	16.8	UT30144GTB	5600	UT30144GTB	6251	UT30144GTE	6765
	48"	1219	4	83	37.7	7.0	UT3648GTB	2695	UT3648GTB	2936	UT3648GTE	3008
	60"	1524	4	108	49.0	8.8	UT3660GTB	2979	UT3660GTB	3231	UT3660GTE	3309
	72"	1829	4	114	51.7	10.5	UT3672GTB	3212	UT3672GTB	3475	UT3672GTE	3562
	84"	2134	4	132	59.9	12.2	UT3684GTB	4255	UT3684GTB	4551	UT3684GTE	4657
	96"	2438	6	149	67.6	13.9	UT3696GTB	4488	UT3696GTB	4782	UT3696GTE	4912
	108"	2743	6	203	92.1	17.3	UT36108GTB	6184	UT36108GTB	6679	UT36108GTE	6828
	120"	3048	6	207	93.9	17.3	UT36120GTB	6332	UT36120GTB	7026	UT36120GTE	7180
	132"	3353	8	228	103.4	20.7	UT36132GTB	6458	UT36132GTB	7231	UT36132GTE	7462
	144"	3658	8	241	109.3	20.7	UT36144GTB	6604	UT36144GTB	7384	UT36144GTE	7611

Catalog Section 10

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Worktables with Stainless Steel Top, Upturn & Stainless Steel Tubular Base

see spec sheets **EG10.49A** **EG10.49B** **EG10.49C**



FEATURES:

- 1½" (38mm) upturn at the rear of the table.
- Tubular base.
- 1½" (41mm)-diameter legs and 1¼" (32mm)-diameter crossbracing are heavy gauge stainless steel.
- Heavy gauge polished stainless steel top.
- 35½" - 36½" (892 - 918mm) adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **\$1458** to list price and suffix **"-SD"**. Example: **UT2424STB-SD**.

For FLEX-MASTER® overself kits, see page 209.

For drawer kits, see page 215.

C-frame standard. To order table with H-frame, add **\$303** to list price and suffix **"-H"**. Example: **UT2448STB-H**.

NEW Knockdown Welded Base option available (only for worktables with stainless steel base). To order, add suffix **"-KDWB"**. Example: **UT2460STB-KDWB**. Consult factory for pricing.



See page 198 for optional casters available.

(•) MTS (made to stock) / () MTO (made to order)

	length		# of legs	weight		cu ft	BUDGET		DELUXE		*SPEC-MASTER®	
	in.	mm		lbs.	kg		16 gauge type 430 top		16 gauge 300 series top		14 gauge 300 series top	
							model #	list	model #	list	model #	list
24" width (610mm)	24"	610	4	44	20.0	3.5	UT2424STB	2562	UT2424STEB	2660	UT2424STE	2839
	30"	762	4	50	22.7	3.8	UT2430STB	2704	UT2430STEB	2895	UT2430STE	3111
	36"	914	4	55	25.0	4.4	UT2436STB	2839	UT2436STEB	3028	UT2436STE	3243
	48"	1219	4	67	30.4	5.7	UT2448STB	2897	UT2448STEB	3123	UT2448STE	3368
	60"	1524	4	71	32.2	7.1	UT2460STB	3092	UT2460STEB	3348	UT2460STE	3626
	72"	1829	4	90	40.8	8.5	UT2472STB	3288	UT2472STEB	3583	UT2472STE	3890
	84"	2134	4	98	44.5	11.2	UT2484STB	3956	UT2484STEB	4758	UT2484STE	5135
	96"	2438	6	100	45.4	11.2	UT2496STB	4211	UT2496STEB	5059	UT2496STE	5483
	108"	2743	6	114	51.7	14.0	UT24108STB	6372	UT24108STEB	6881	UT24108STE	7635
	120"	3048	6	131	59.4	14.0	UT24120STB	6700	UT24120STEB	7231	UT24120STE	7793
	132"	3353	8	184	83.5	16.8	UT24132STB	6836	UT24132STEB	7409	UT24132STE	8014
	144"	3658	8	220	99.8	16.8	UT24144STB	6843	UT24144STEB	7565	UT24144STE	8407
30" width (762mm)	30"	762	4	54	24.5	3.8	UT3030STB	2835	UT3030STEB	3050	UT3030STE	3254
	36"	914	4	64	29.0	4.4	UT3036STB	2964	UT3036STEB	3182	UT3036STE	3394
	48"	1219	4	74	33.6	5.7	UT3048STB	3064	UT3048STEB	3309	UT3048STE	3581
	60"	1524	4	87	39.5	7.1	UT3060STB	3306	UT3060STEB	3604	UT3060STE	3907
	72"	1829	4	105	47.6	8.5	UT3072STB	3543	UT3072STEB	3890	UT3072STE	4223
	84"	2134	4	115	52.2	11.2	UT3084STB	4093	UT3084STEB	4948	UT3084STE	5346
	96"	2438	6	126	57.2	11.2	UT3096STB	4520	UT3096STEB	5422	UT3096STE	5869
	108"	2743	6	199	90.3	14.0	UT30108STB	6745	UT30108STEB	7543	UT30108STE	8132
	120"	3048	6	205	93.0	14.0	UT30120STB	7086	UT30120STEB	7695	UT30120STE	8279
	132"	3353	8	212	96.2	16.8	UT30132STB	7279	UT30132STEB	7955	UT30132STE	8860
	144"	3658	8	216	98.9	16.8	UT30144STB	7432	UT30144STEB	8340	UT30144STE	9015
36" width (914mm)	48"	1219	4	83	37.7	7.0	UT3648STB	3456	UT3648STEB	3818	UT3648STE	4026
	60"	1524	4	108	49.0	8.8	UT3660STB	3781	UT3660STEB	4154	UT3660STE	4380
	72"	1829	4	114	51.7	10.5	UT3672STB	4104	UT3672STEB	4489	UT3672STE	4743
	84"	2134	4	132	59.8	12.2	UT3684STB	5487	UT3684STEB	5935	UT3684STE	6251
	96"	2438	6	149	67.6	13.9	UT3696STB	5875	UT3696STEB	6330	UT3696STE	6690
	108"	2743	6	202	91.6	17.3	UT36108STB	7936	UT36108STEB	8621	UT36108STE	9377
	120"	3048	6	207	93.9	17.3	UT36120STB	8316	UT36120STEB	9024	UT36120STE	9531
	132"	3353	8	228	103.4	20.7	UT36132STB	8576	UT36132STEB	9369	UT36132STE	9869
	144"	3658	8	248	112.5	20.7	UT36144STB	8726	UT36144STEB	9805	UT36144STE	10068

* SPEC-MASTER® tables feature all stainless steel construction.

TABLES FOR NON-CRITICAL ENVIRONMENTS*

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Catalog Section 10

Worktables with Stainless Steel Top, Backsplash & Galvanized Legs/Undershelf

see spec sheets **EG10.44A** **EG10.44B** **EG10.44C** **EG10.44D**



adjustable undershelf
welded gusset

NOW STANDARD!

patented
uni-lok[®]
system

(Patent #5,165,349)

FEATURES:

- 4½" (114mm) backsplash at the rear of the table.
- 1½" (41mm)-diameter legs and adjustable undershelf are heavy gauge galvanized steel.
- Heavy gauge polished stainless steel top.
- SPEC-MASTER® Marine series worktables feature a marine counter edge on front and both ends.
- 35½" - 36½" (892 - 918mm) adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **\$1458** to list price and suffix **"-SD"**. Example: **T2424B-BS-SD**.

Optional fixed undershelf available in place of standard adjustable undershelf. To order, add **10%** to list price, and **"-F"** to end of suffix. Example: **T3048EM-BS-F**.

For optional power strips (only for tables with backsplash), see page 198.

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.



See page 198 for
optional casters
available.

(•) MTS (made to stock) / () MTO (made to order)

	length		# of legs	weight		cu ft	BUDGET		DELUXE		SPEC-MASTER®		Marine ▼	
	in.	mm		lbs.	kg		16 ga. type 430 top		16 ga. 300 series top		14 ga. 300 series top		14 ga. 300 series top	
							model #	list	model #	list	model #	list	model #	list
24" width (610mm)	24"	610	4	44	20.0	3.5	T2424B-BS	2027	T2424EB-BS	2212	T2424E-BS	2272	T2424EM-BS	3812
	30"	762	4	51	23.1	3.8	T2430B-BS	2170	T2430EB-BS	2394	T2430E-BS	2466	T2430EM-BS	4130
	36"	914	4	53	24.0	4.4	T2436B-BS	2298	T2436EB-BS	2529	T2436E-BS	2600	T2436EM-BS	4150
	48"	1219	4	67	30.4	5.7	T2448B-BS •	2312	T2448EB-BS	2584	T2448E-BS	2658	T2448EM-BS	4337
	60"	1524	4	79	35.8	7.1	T2460B-BS •	2468	T2460EB-BS	2772	T2460E-BS	2852	T2460EM-BS	4417
	72"	1829	4	94	42.6	8.5	T2472B-BS •	2607	T2472EB-BS	2958	T2472E-BS	3064	T2472EM-BS	4625
	84"	2134	4	132	59.9	11.2	T2484B-BS	3195	T2484EB-BS	3763	T2484E-BS	3893	T2484EM-BS	5444
	96"	2438	6	157	71.2	11.2	T2496B-BS	3565	T2496EB-BS	4060	T2496E-BS	4154	T2496EM-BS	5710
	108"	2743	6	171	77.6	14.0	T24108B-BS	5372	T24108EB-BS	5751	T24108E-BS	5945	T24108EM-BS	7237
	120"	3048	6	182	82.6	14.0	T24120B-BS	5515	T24120EB-BS	5882	T24120E-BS	6071	T24120EM-BS	7607
	132"	3353	8	196	88.9	16.8	T24132B-BS	5650	T24132EB-BS	5891	T24132E-BS	6220	T24132EM-BS	7862
144"	3658	8	234	106.1	16.8	T24144B-BS	5953	T24144EB-BS	6349	T24144E-BS	6556	T24144EM-BS	8014	
30" width (762mm)	30"	762	4	55	24.9	3.8	T3030B-BS •	2209	T3030EB-BS	2466	T3030E-BS	2532	T3030EM-BS	4054
	36"	914	4	62	28.1	4.4	T3036B-BS •	2343	T3036EB-BS	2600	T3036E-BS	2668	T3036EM-BS	4079
	48"	1219	4	77	34.9	5.7	T3048B-BS •	2381	T3048EB-BS	2680	T3048E-BS	2771	T3048EM-BS	4452
	60"	1524	4	105	47.6	7.1	T3060B-BS •	2557	T3060EB-BS	2899	T3060E-BS	2999	T3060EM-BS	4711
	72"	1829	4	121	54.9	8.5	T3072B-BS •	2727	T3072EB-BS	3130	T3072E-BS	3243	T3072EM-BS	4820
	84"	2134	4	138	62.6	11.2	T3084B-BS	3345	T3084EB-BS	3938	T3084E-BS	4079	T3084EM-BS	5814
	96"	2438	6	169	76.7	11.2	T3096B-BS •	3781	T3096EB-BS	4271	T3096E-BS	4422	T3096EM-BS	6179
	108"	2743	6	184	83.5	14.0	T30108B-BS	5658	T30108EB-BS	6046	T30108E-BS	6251	T30108EM-BS	7742
	120"	3048	6	205	93.0	14.0	T30120B-BS	5813	T30120EB-BS	6205	T30120E-BS	6403	T30120EM-BS	7886
	132"	3353	8	215	97.5	16.8	T30132B-BS	6157	T30132EB-BS	6561	T30132E-BS	6800	T30132EM-BS	8304
	144"	3658	8	257	116.6	16.8	T30144B-BS	6299	T30144EB-BS	6717	T30144E-BS	6956	T30144EM-BS	8440
36" width (914mm)	48"	1219	4	84	38.1	7.0	T3648B-BS	3097	T3648EB-BS	3226	T3648E-BS	3319	T3648EM-BS	5035
	60"	1524	4	109	49.4	8.8	T3660B-BS	3349	T3660EB-BS	3689	T3660E-BS	3814	T3660EM-BS	5350
	72"	1829	4	129	58.1	10.5	T3672B-BS	3557	T3672EB-BS	3945	T3672E-BS	4085	T3672EM-BS	5647
	84"	2134	4	183	83.0	12.2	T3684B-BS	4200	T3684EB-BS	4617	T3684E-BS	4782	T3684EM-BS	6639
	96"	2438	6	203	92.1	13.9	T3696B-BS	4722	T3696EB-BS	5192	T3696E-BS	5377	T3696EM-BS	6908
	108"	2743	6	209	94.8	17.3	T36108B-BS	6679	T36108EB-BS	7093	T36108E-BS	7332	T36108EM-BS	8809
	120"	3048	6	211	95.7	17.3	T36120B-BS	6825	T36120EB-BS	7243	T36120E-BS	7485	T36120EM-BS	8954
	132"	3353	8	234	106.1	20.7	T36132B-BS	7011	T36132EB-BS	7457	T36132E-BS	7946	T36132EM-BS	9453
	144"	3658	8	302	137.0	20.7	T36144B-BS	7157	T36144EB-BS	7829	T36144E-BS	8108	T36144EM-BS	9600

▼ SPEC-MASTER® Marine tables feature a marine counter edge to prevent spillage.

Catalog Section 10

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Worktables with Stainless Steel Top, Backsplash & Stainless Steel Legs/Undershelf

see spec sheets **EG10.45A** **EG10.45B** **EG10.45C** **EG10.45D**



patented
uni-lok[®]
system
(Patent #5,165,349)



- 4½" (114mm) backsplash at the rear of the table.
- 1½" (41mm)-diameter legs and adjustable undershelf are heavy gauge stainless steel.
- Heavy gauge polished stainless steel top.
- SPEC-MASTER® Marine series worktables feature a marine counter edge on front and both ends.
- 35½" - 36½" (892 - 918mm) adjustable working height.

FEATURES:

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **\$1458** to list price and suffix **"-SD"**. Example: **T2424SB-BS-SD**.

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.

NEW Knockdown Welded Base option available (only for worktables with stainless steel base). To order, add suffix **"-KDWB"**. Example: **T2460SB-BS-KDWB**. Consult factory for pricing.

For optional power strips (only for tables with backsplash), see page 198.



See page 198 for optional casters available.

(•) MTS (made to stock) / () MTO (made to order)

	length		# of legs	weight		cu ft	BUDGET		DELUXE		SPEC-MASTER®		Marine ▼	
	in.	mm		lbs.	kg		16 ga. type 430 top	list	16 ga. 300 series top	list	14 ga. 300 series top	list	14 ga. 300 series top	list
24" width (610mm)	24"	610	4	44	20.0	3.5	T2424SB-BS	2783	T2424SEB-BS	2906	T2424SE-BS	3068	T2424SEM-BS	4488
	30"	762	4	51	23.1	3.8	T2430SB-BS	2999	T2430SEB-BS	3124	T2430SE-BS	3337	T2430SEM-BS	4743
	36"	914	4	53	24.0	4.4	T2436SB-BS	3130	T2436SEB-BS •	3272	T2436SE-BS	3545	T2436SEM-BS	4887
	48"	1219	4	67	30.4	5.7	T2448SB-BS	3195	T2448SEB-BS •	3385	T2448SE-BS •	3625	T2448SEM-BS	5013
	60"	1524	4	79	35.8	7.1	T2460SB-BS	3389	T2460SEB-BS	3635	T2460SE-BS •	3893	T2460SEM-BS	5265
	72"	1829	4	94	42.6	8.5	T2472SB-BS	3590	T2472SEB-BS	3890	T2472SE-BS •	4179	T2472SEM-BS	5525
	84"	2134	4	132	59.9	11.2	T2484SB-BS	4255	T2484SEB-BS	4988	T2484SE-BS	5346	T2484SEM-BS	6597
	96"	2438	6	137	62.1	11.2	T2496SB-BS	4510	T2496SEB-BS	5312	T2496SE-BS	5704	T2496SEM-BS	6925
	108"	2743	6	142	64.4	14.0	T24108SB-BS	6403	T24108SEB-BS	7403	T24108SE-BS	7946	T24108SEM-BS	8699
	120"	3048	6	154	69.9	14.0	T24120SB-BS	6998	T24120SEB-BS	7547	T24120SE-BS	8082	T24120SEM-BS	8841
30" width (762mm)	132"	3353	8	177	80.3	16.8	T24132SB-BS	7124	T24132SEB-BS	7990	T24132SE-BS	8337	T24132SEM-BS	9449
	144"	3658	8	234	106.1	16.8	T24144SB-BS	7485	T24144SEB-BS	8143	T24144SE-BS	8741	T24144SEM-BS	9600
	30"	762	4	55	25.0	3.8	T3030SB-BS	3126	T3030SEB-BS	3281	T3030SE-BS	3504	T3030SEM-BS	4908
	36"	914	4	62	28.2	4.4	T3036SB-BS	3258	T3036SEB-BS •	3417	T3036SE-BS	3640	T3036SEM-BS	5046
	48"	1219	4	77	34.9	5.7	T3048SB-BS •	3368	T3048SEB-BS •	3565	T3048SE-BS •	3823	T3048SEM-BS	5216
	60"	1524	4	87	39.5	7.1	T3060SB-BS •	3603	T3060SEB-BS •	3883	T3060SE-BS •	4162	T3060SEM-BS	5537
	72"	1829	4	105	47.6	8.5	T3072SB-BS •	3829	T3072SEB-BS •	4184	T3072SE-BS •	4506	T3072SEM-BS	5854
	84"	2134	4	132	59.9	11.2	T3084SB-BS	4384	T3084SEB-BS	5175	T3084SE-BS	5553	T3084SEM-BS	6809
	96"	2438	6	169	76.7	11.2	T3096SB-BS	4821	T3096SEB-BS •	5681	T3096SE-BS	6111	T3096SEM-BS	7314
	108"	2743	6	176	79.8	14.0	T30108SB-BS	7233	T30108SEB-BS	7844	T30108SE-BS	8433	T30108SEM-BS	9324
36" width (914mm)	120"	3048	6	182	82.6	14.0	T30120SB-BS	7384	T30120SEB-BS	8000	T30120SE-BS	8586	T30120SEM-BS	9474
	132"	3353	8	225	102.0	16.8	T30132SB-BS	7794	T30132SEB-BS	8542	T30132SE-BS	9196	T30132SEM-BS	10041
	144"	3658	8	238	109.3	16.8	T30144SB-BS	7943	T30144SEB-BS	8694	T30144SE-BS	9343	T30144SEM-BS	10202
	48"	1219	4	84	38.1	7.0	T3648SB-BS	3753	T3648SEB-BS	4192	T3648SE-BS	4505	T3648SEM-BS	5939
	60"	1524	4	99	44.9	8.8	T3660SB-BS	4081	T3660SEB-BS	4731	T3660SE-BS	5076	T3660SEM-BS	6313
	72"	1829	4	114	51.7	10.5	T3672SB-BS	4405	T3672SEB-BS	5075	T3672SE-BS	5440	T3672SEM-BS	6698
	84"	2134	4	183	83.0	12.2	T3684SB-BS	5784	T3684SEB-BS	6029	T3684SE-BS	6483	T3684SEM-BS	7972
	96"	2438	6	203	92.0	13.9	T3696SB-BS	6173	T3696SEB-BS	6454	T3696SE-BS	6945	T3696SEM-BS	8407
	108"	2743	6	207	93.9	17.3	T36108SB-BS	8470	T36108SEB-BS	9157	T36108SE-BS	9840	T36108SEM-BS	10578
	120"	3048	6	211	95.7	17.3	T36120SB-BS	8617	T36120SEB-BS	9299	T36120SE-BS	9997	T36120SEM-BS	10737
	132"	3353	8	234	106.1	20.7	T36132SB-BS	9133	T36132SEB-BS	9655	T36132SE-BS	10389	T36132SEM-BS	11415
	144"	3658	8	241	109.3	20.7	T36144SB-BS	9293	T36144SEB-BS	9809	T36144SE-BS	10854	T36144SEM-BS	11568

▼ SPEC-MASTER® Marine tables feature a marine counter edge to prevent spillage.

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Worktables with Stainless Steel Top, Backsplash & Galvanized Tubular Base

see spec sheets **EG10.46A** **EG10.46B** **EG10.46C** **EG10.46D**



- 4½" (114mm) backsplash at the rear of the table.
- Tubular base.
- 1½" (41mm)-diameter legs and 1¼" (32mm)-diameter crossbracing are heavy gauge galvanized steel.
- Heavy gauge polished stainless steel top.
- SPEC-MASTER® Marine series worktables feature a marine counter edge on front and both ends.
- 35½" - 36½" (892 - 918mm) adjustable working height.

FEATURES:

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **\$1458 to list price** and suffix **"-SD"**. Example: **T2424GTB-BS-SD**.

C-frame standard. To order table with H-frame, add **\$303 to list price** and suffix **"-H"**. Example: **T2448GTB-BS-H**.

For optional power strips (only for tables with backsplash), see page 198.

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.



See page 198 for optional casters available.


	length		# of legs	weight		cu ft	BUDGET		DELUXE		SPEC-MASTER®		▼ Marine	
	in.	mm		lbs.	kg		16 ga. type 430 top		16 ga. 300 series top		14 ga. 300 series top		14 ga. 300 series top	
							model #	list	model #	list	model #	list	model #	list
24" width (610mm)	24"	610	4	44	20.0	3.5	T2424GTB-BS	2277	T2424GTB-BS	2468	T2424GTE-BS	2526	T2424GTEM-BS	4180
	30"	762	4	51	23.1	3.8	T2430GTB-BS	2412	T2430GTB-BS	2656	T2430GTE-BS	2711	T2430GTEM-BS	4397
	36"	914	4	53	24.0	4.4	T2436GTB-BS	2553	T2436GTB-BS	2783	T2436GTE-BS	2851	T2436GTEM-BS	4524
	48"	1219	4	61	27.7	5.7	T2448GTB-BS	2557	T2448GTB-BS	2835	T2448GTE-BS	2915	T2448GTEM-BS	4591
	60"	1524	4	79	35.8	7.1	T2460GTB-BS	2715	T2460GTB-BS	3023	T2460GTE-BS	3113	T2460GTEM-BS	4793
	72"	1829	4	94	42.6	8.5	T2472GTB-BS	2855	T2472GTB-BS	3215	T2472GTE-BS	3309	T2472GTEM-BS	5018
	84"	2134	4	132	59.9	11.2	T2484GTB-BS	3443	T2484GTB-BS	4027	T2484GTE-BS	4151	T2484GTEM-BS	5863
	96"	2438	6	157	71.2	11.2	T2496GTB-BS	3813	T2496GTB-BS	4273	T2496GTE-BS	4410	T2496GTEM-BS	6147
	108"	2743	6	176	79.8	14.0	T24108GTB-BS	5458	T24108GTB-BS	5836	T24108GTE-BS	6026	T24108GTEM-BS	7721
	120"	3048	6	195	88.5	14.0	T24120GTB-BS	5762	T24120GTB-BS	6149	T24120GTE-BS	6330	T24120GTEM-BS	7856
30" width (762mm)	132"	3353	8	214	97.1	16.8	T24132GTB-BS	5882	T24132GTB-BS	6273	T24132GTE-BS	6464	T24132GTEM-BS	8357
	144"	3658	8	234	106.1	16.8	T24144GTB-BS	6024	T24144GTB-BS	6454	T24144GTE-BS	6617	T24144GTEM-BS	8504
	30"	762	4	55	25.0	3.8	T3030GTB-BS	2457	T3030GTB-BS	2711	T3030GTE-BS	2783	T3030GTEM-BS	4454
	36"	914	4	62	28.1	4.4	T3036GTB-BS	2585	T3036GTB-BS	2851	T3036GTE-BS	2926	T3036GTEM-BS	4591
	48"	1219	4	77	34.9	5.7	T3048GTB-BS	2621	T3048GTB-BS	2936	T3048GTE-BS	3017	T3048GTEM-BS	4707
	60"	1524	4	87	39.5	7.1	T3060GTB-BS	2802	T3060GTB-BS	3153	T3060GTE-BS	3251	T3060GTEM-BS	4961
	72"	1829	4	105	47.6	8.5	T3072GTB-BS	2975	T3072GTB-BS	3390	T3072GTE-BS	3502	T3072GTEM-BS	5217
	84"	2134	4	138	62.6	11.2	T3084GTB-BS	3596	T3084GTB-BS	4192	T3084GTE-BS	4336	T3084GTEM-BS	6069
	96"	2438	6	164	74.4	11.2	T3096GTB-BS	4027	T3096GTB-BS	4523	T3096GTE-BS	4669	T3096GTEM-BS	6449
	108"	2743	6	187	84.8	14.0	T30108GTB-BS	5916	T30108GTB-BS	6128	T30108GTE-BS	6504	T30108GTEM-BS	8221
36" width (914mm)	120"	3048	6	205	93.0	14.0	T30120GTB-BS	6054	T30120GTB-BS	6463	T30120GTE-BS	6655	T30120GTEM-BS	8369
	132"	3353	8	225	102.1	16.8	T30132GTB-BS	6399	T30132GTB-BS	6628	T30132GTE-BS	6849	T30132GTEM-BS	8793
	144"	3658	8	245	111.1	16.8	T30144GTB-BS	6561	T30144GTB-BS	6777	T30144GTE-BS	6999	T30144GTEM-BS	8954
	48"	1219	4	84	38.1	7.0	T3648GTB-BS	3345	T3648GTB-BS	3479	T3648GTE-BS	3583	T3648GTEM-BS	5429
	60"	1524	4	99	44.9	8.8	T3660GTB-BS	3603	T3660GTB-BS	3946	T3660GTE-BS	4068	T3660GTEM-BS	5757
	72"	1829	4	114	51.7	10.5	T3672GTB-BS	3686	T3672GTB-BS	4193	T3672GTE-BS	4337	T3672GTEM-BS	6065
	84"	2134	4	183	83.0	12.2	T3684GTB-BS	4451	T3684GTB-BS	4881	T3684GTE-BS	5046	T3684GTEM-BS	7087
	96"	2438	6	203	92.1	13.9	T3696GTB-BS	4809	T3696GTB-BS	5440	T3696GTE-BS	5636	T3696GTEM-BS	7370
	108"	2743	6	207	93.9	17.3	T36108GTB-BS	6725	T36108GTB-BS	7141	T36108GTE-BS	7586	T36108GTEM-BS	9320
	120"	3048	6	211	95.7	17.3	T36120GTB-BS	7069	T36120GTB-BS	7503	T36120GTE-BS	7743	T36120GTEM-BS	9469
	132"	3353	8	230	104.3	20.7	T36132GTB-BS	7255	T36132GTB-BS	7700	T36132GTE-BS	7969	T36132GTEM-BS	9977
	144"	3658	8	241	109.3	20.7	T36144GTB-BS	7392	T36144GTB-BS	7850	T36144GTE-BS	8116	T36144GTEM-BS	10131

▼ SPEC-MASTER® Marine tables feature a marine counter edge to prevent spillage.

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Worktables with Stainless Steel Top, Backsplash & Stainless Steel Tubular Base

see spec sheets **EG10.47A** **EG10.47B** **EG10.47C** **EG10.47D**



FEATURES:

- 4½" (114mm) backsplash at the rear of the table.
- Tubular base.
- 1½" (41mm)-diameter legs and 1¼" (32mm)-diameter crossbracing are heavy gauge stainless steel.
- Heavy gauge polished stainless steel top.
- SPEC-MASTER® Marine series worktables feature a marine counter edge on front and both ends.
- 35½" - 36½" (892 - 918mm) adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **\$1458** to list price and suffix "-SD". Example: T2424STB-BS-SD.

C-frame standard. To order table with H-frame, add **\$303** to list price and suffix "-H". Example: T2436STB-BS-H.

NEW Knockdown Welded Base option available (only for worktables with stainless steel base). To order, add suffix "-KDWB".

Example: T2460STB-BS-KDWB. Consult factory for pricing.

For optional power strips (only for tables with backsplash), see page 198.

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.



See page 198 for optional casters available.

(•) MTS (made to stock) / () MTO (made to order)

	length		# of legs	weight		cu ft	BUDGET		DELUXE		*SPEC-MASTER®		* ▼ Marine	
	in.	mm		lbs.	kg		16 ga. type 430 top	model #	16 ga. 300 series top	model #	14 ga. 300 series top	model #	14 ga. 300 series top	model #
24" width (610mm)	24"	610	4	44	20.0	3.5	T2424STB-BS	3033	T2424STEB-BS	3161	T2424STE-BS •	3317	T2424STEM-BS	4742
	30"	762	4	51	23.1	3.8	T2430STB-BS	3247	T2430STEB-BS	3386	T2430STE-BS	3594	T2430STEM-BS	5009
	36"	914	4	53	24.0	4.4	T2436STB-BS	3379	T2436STEB-BS	3521	T2436STE-BS	3732	T2436STEM-BS	5140
	48"	1219	4	67	30.4	5.7	T2448STB-BS	3443	T2448STEB-BS	3635	T2448STE-BS	3870	T2448STEM-BS	5255
	60"	1524	4	79	35.8	7.1	T2460STB-BS	3632	T2460STEB-BS	3890	T2460STE-BS	4151	T2460STEM-BS	5524
	72"	1829	4	94	42.6	8.5	T2472STB-BS	3841	T2472STEB-BS	4145	T2472STE-BS	4427	T2472STEM-BS	5789
	84"	2134	4	132	59.9	11.2	T2484STB-BS	4494	T2484STEB-BS	5243	T2484STE-BS	5600	T2484STEM-BS	6849
	96"	2438	6	157	71.2	11.2	T2496STB-BS	4758	T2496STEB-BS	5556	T2496STE-BS	5955	T2496STEM-BS	7185
	108"	2743	6	171	77.6	14.0	T24108STB-BS	6900	T24108STEB-BS	7432	T24108STE-BS	7955	T24108STEM-BS	8945
	120"	3048	6	195	88.5	14.0	T24120STB-BS	7248	T24120STEB-BS	7800	T24120STE-BS	8340	T24120STEM-BS	9099
	132"	3353	8	214	97.1	16.8	T24132STB-BS	7365	T24132STEB-BS	8011	T24132STE-BS	8596	T24132STEM-BS	9707
	144"	3658	8	234	106.1	16.8	T24144STB-BS	7508	T24144STEB-BS	8397	T24144STE-BS	8741	T24144STEM-BS	9858
30" width (762mm)	30"	762	4	55	25.0	3.8	T3030STB-BS	3378	T3030STEB-BS	3535	T3030STE-BS	3758	T3030STEM-BS	5163
	36"	914	4	62	28.1	4.4	T3036STB-BS	3510	T3036STEB-BS	3675	T3036STE-BS	3903	T3036STEM-BS	5305
	48"	1219	4	77	34.9	5.7	T3048STB-BS	3604	T3048STEB-BS	3820	T3048STE-BS	4108	T3048STEM-BS	5482
	60"	1524	4	87	39.5	7.1	T3060STB-BS	3852	T3060STEB-BS	4139	T3060STE-BS	4426	T3060STEM-BS	5621
	72"	1829	4	105	47.6	8.5	T3072STB-BS	4093	T3072STEB-BS	4446	T3072STE-BS	4759	T3072STEM-BS	6116
	84"	2134	4	132	59.9	11.2	T3084STB-BS	4632	T3084STEB-BS	5422	T3084STE-BS	5811	T3084STEM-BS	7068
	96"	2438	6	169	76.7	11.2	T3096STB-BS	5075	T3096STEB-BS	5935	T3096STE-BS	6358	T3096STEM-BS	7577
	108"	2743	6	176	79.6	14.0	T30108STB-BS	7485	T30108STEB-BS	8010	T30108STE-BS	8688	T30108STEM-BS	9584
	120"	3048	6	182	82.6	14.0	T30120STB-BS	7636	T30120STEB-BS	8099	T30120STE-BS	8848	T30120STEM-BS	9741
	132"	3353	8	225	102.1	16.8	T30132STB-BS	7815	T30132STEB-BS	8793	T30132STE-BS	9453	T30132STEM-BS	10304
	144"	3658	8	245	111.1	16.8	T30144STB-BS	7949	T30144STEB-BS	8954	T30144STE-BS	9603	T30144STEM-BS	10456
	144"	3658	8	241	109.3	20.7	T36144STB-BS	9250	T36144STEB-BS	10056	T36144STE-BS	11129	T36144STEM-BS	11819
36" width (914mm)	48"	1219	4	84	38.1	7.0	T3648STB-BS	3997	T3648STEB-BS	4452	T3648STE-BS	4758	T3648STEM-BS	5676
	60"	1524	4	99	44.9	8.8	T3660STB-BS	4322	T3660STEB-BS	4977	T3660STE-BS	5337	T3660STEM-BS	6372
	72"	1829	4	114	51.7	10.5	T3672STB-BS	4639	T3672STEB-BS	5327	T3672STE-BS	5706	T3672STEM-BS	6959
	84"	2134	4	183	83.0	12.2	T3684STB-BS	6025	T3684STEB-BS	6293	T3684STE-BS	6746	T3684STEM-BS	8229
	96"	2438	6	203	92.1	13.9	T3696STB-BS	6429	T3696STEB-BS	6714	T3696STE-BS	7200	T3696STEM-BS	8663
	108"	2743	6	207	93.9	17.3	T36108STB-BS	8717	T36108STEB-BS	9142	T36108STE-BS	10099	T36108STEM-BS	10843
	120"	3048	6	211	95.7	17.3	T36120STB-BS	8865	T36120STEB-BS	9564	T36120STE-BS	10244	T36120STEM-BS	10994
	132"	3353	8	234	106.1	20.7	T36132STB-BS	9107	T36132STEB-BS	9915	T36132STE-BS	10959	T36132STEM-BS	11666
	144"	3658	8	241	109.3	20.7	T36144STB-BS	9250	T36144STEB-BS	10056	T36144STE-BS	11129	T36144STEM-BS	11819

* SPEC-MASTER® and SPEC-MASTER® Marine tables feature all stainless steel construction.

▼ SPEC-MASTER® Marine tables feature a marine counter edge to prevent spillage.

Optional Power Strips for Stainless Steel Worktables with Backsplash

length		number	model #	list
in.	mm	of outlets		
24"	610	8	PS2408	381
36"	914	12	PS3612	416
48"	1219	16	PS4816	430
60"	1524	20	PS6020	533



FEATURES:

- Brushed aluminum finish.
- 15' (4572mm) cord and plug.
- Reset button.
- Toggle ON-OFF switch.
- Mounts via pair of stainless steel clips—no tools required.

Optional Casters



see spec sheet **EG10.59**

Note: To determine set of casters applicable, see "# of legs" column in Worktables charts (pages 186-197). See page 215 for optional caster stabilizers.

description	wt. cap. per caster		model #	list
	lbs.	kg		
Zinc with Resilient Tread				
4" (102mm) dia., set of four (two swivel, two w/brake)	115	52.2	CA4-SB •	854
4" (102mm) dia., set of six (three swivel, three w/brake)	115	52.2	CA6-SB	1279
4" (102mm) dia., set of eight (four swivel, four w/brake)	115	52.2	CA8-SB	1706
5" (127mm) dia., set of four (two swivel, two w/brake)	200	90.7	CAH4-SB •	1130
5" (127mm) dia., set of six (three swivel, three w/brake)	200	90.7	CAH6-SB	1696
5" (127mm) dia., set of eight (four swivel, four w/brake)	200	90.7	CAH8-SB	2263
Nickel with Poly Tread				
5" (127mm) dia., set of four (two swivel, two w/brake)	250	113.4	CAHP4-SB •	980
5" (127mm) dia., set of six (three swivel, three w/brake)	250	113.4	CAHP6-SB	1470
5" (127mm) dia., set of eight (four swivel, four w/brake)	250	113.4	CAHP8-SB	1957
Polymer Cart Washable with Polymer Tread				
5" (127mm) dia., set of four (two swivel, two w/brake)	250	113.4	CAHW4-SB	1215
5" (127mm) dia., set of six (three swivel, three w/brake)	250	113.4	CAHW6-SB	1824
5" (127mm) dia., set of eight (four swivel, four w/brake)	250	113.4	CAHW8-SB	2428

(•) MTS (made to stock) / () MTO (made to order)



Go Green. Go ECO-Built™ by EAGLE.

The advantages may be invisible. But when you see the tag you'll know the product you purchase has been produced in the EAGLE plant, under the principles that drive the ECO-Built™ program.

For institutions concerned about meeting their own green standards, buying ECO-Built™ is simply the right thing to do.

Look for the ECO-Built™ tag on the bar code



Catalog Section 10

Hardwood Worktables



see spec sheet **EG10.10**

FEATURES:

- 1 3/4" (44mm) hardwood tops.
- With flat top or with 4" (102mm) covered backsplash and end splashes.
- Shipped knocked down.

Note: All shipping weights and cubic feet are approximate.

For optional drawer assemblies, see page 214.



hardwood table
with flat top and
undershelf...

...with flat top
and tubular base...

...with backsplash and
undershelf...

...with backsplash
and tubular base

(●) MTS (made to stock) / () MTO (made to order)

Flat Top Hardwood Worktables...

36 1/4" (921mm) overall height.

...with Adjustable Undershelf

...with Tubular Base

	length		cu ft	weight		galvanized legs & undershelf		stainless steel legs and undershelf		weight		galvanized tubular base		stainless steel tubular base	
	in.	mm		lbs.	kg	model #	list	model #	list	lbs.	kg	model #	list	model #	list
24" width (610mm)	48"	1219	5.3	94	42.6	MT2448B	1893	MT2448S	2276	92	41.7	MT2448GT	1681	MT2448ST	2145
	60"	1524	6.6	118	53.5	MT2460B	2126	MT2460S	2584	117	53.1	MT2460GT	1862	MT2460ST	2402
	72"	1829	8.0	141	64.0	MT2472B	2355	MT2472S	2884	138	62.6	MT2472GT	2042	MT2472ST	2669
	96"	2438	10.7	189	85.7	MT2496B	3339	MT2496S	4028	182	82.6	MT2496GT	2926	MT2496ST	3337
30" width (762mm)	48"	1219	6.7	141	64.0	MT3048B	2091	MT3048S	2584	139	63.1	MT3048GT	1889	MT3048ST	2456
	60"	1524	8.3	147	66.7	MT3060B	2376	MT3060S	2963	145	65.8	MT3060GT	2122	MT3060ST	2799
	72"	1829	9.9	177	80.3	MT3072B	2656	MT3072S	3340	174	77.8	MT3072GT	2347	MT3072ST	3131
	96"	2438	13.2	235	106.6	MT3096B	3804	MT3096S	4655	230	104.3	MT3096GT	3382	MT3096ST	4376

Hardwood Worktables with Backsplash & End Splashes...

40 1/4" (1022mm) overall height.

...with Adjustable Undershelf

...with Tubular Base

	length		cu ft	weight		galvanized legs & undershelf		stainless steel legs and undershelf		weight		galvanized tubular base		stainless steel tubular base	
	in.	mm		lbs.	kg	model #	list	model #	list	lbs.	kg	model #	list	model #	list
30" width (762mm)	48"	1219	7.0	110	49.9	MT3048B-BS	3993	MT3048S-BS	5132	119	54.0	MT3048GT-BS	3832	MT3048ST-BS	4870
	60"	1524	9.8	149	67.6	MT3060B-BS	4174	MT3060S-BS	5403	147	66.7	MT3060GT-BS	3904	MT3060ST-BS	5126
	72"	1829	11.7	180	81.6	MT3072B-BS	5018	MT3072S-BS	6178	177	80.3	MT3072GT-BS	4691	MT3072ST-BS	6018
	96"	2438	15.5	240	108.9	MT3096B-BS	6864	MT3096S-BS	8172	235	106.6	MT3096GT-BS	6429	MT3096ST-BS	7742

Optional Casters for Hardwood Worktables



zinc casters

cart washable casters

Note: See page 215 for optional caster stabilizers.

description	Zinc with Resilient Tread				Nickel with Poly Tread				Polymer Cart Washable with Polymer Tread			
	wt. cap. per caster lbs.	kg	list per set	model #	wt. cap. per caster lbs.	kg	list per set	model #	wt. cap. per caster lbs.	kg	list per set	model #
4" (102mm) dia., set of 4 (2 swivel, 2 w/brake)	115	52.2	854	CA4-SB •	—	—	n/a	n/a	—	—	n/a	n/a
4" (102mm) dia., set of 6 (3 swivel, 3 w/brake)	115	52.2	1279	CA6-SB	—	—	n/a	n/a	—	—	n/a	n/a
5" (127mm) dia., set of 4 (2 swivel, 2 w/brake)	200	90.7	1130	CAH4-SB •	250	113.4	980	CAHP4-SB •	250	113.4	1215	CAHW4-SB
5" (127mm) dia., set of 6 (3 swivel, 3 w/brake)	200	90.7	1696	CAH6-SB	250	113.4	1470	CAHP6-SB	250	113.4	1824	CAHW6-SB

Knock Down Worktables with Cabinet Kit



see spec sheet **EG10.36**



Patented

Patent # 6,981,751

- Type 430 stainless steel tabletop and side panels.
- Tabletop is 30" (762mm) front-to-back, with 4½" (114mm) high backsplash.
- Stainless steel side panels and front doors with open rear.
- Easy assembly via machine screws and threaded inserts.
- 34½" (876mm) height.

FEATURES:

(•) MTS (made to stock) / () MTO (made to order)

**patented
uni-lok[®]
system**
(Patent #5,165,349)

		...with Hinged Doors		...with Sliding Doors	
	length	cubic	weight	model #	list
	in.	feet	lbs. kg		
30" width (914mm)	36"	914	4.4 52 23.6	T3036BA-BS-HGD	3407
	48"	1219	5.4 66 29.9	T3048BA-BS-HGD	3635
	60"	1524	7.1 79 35.8	T3060BA-BS-HGD	3900
	36"	914	4.4 52 23.6	T3036BA-BS-SLD	3747
	48"	1219	5.4 66 29.9	T3048BA-BS-SLD	3997
	60"	1524	7.1 79 35.8	T3060BA-BS-SLD	4372

Filler Tables



see spec sheet **EG10.51**



Note: Filler tables are not designed to stand alone or to hold heavy equipment loads. Application and safe installation are the responsibility of the end user.

FEATURES:

- Standard flanged feet adds stability to 12" and 15" (305 and 381mm) long tables. 18" (457mm)-long tables feature stainless steel bullet feet.
- 1½" (38mm) upturn.
- Stainless steel legs crossbraced front-to-back and side-to-side.
- 34½" (876mm) working height.

(•) MTS (made to stock) / () MTO (made to order)

**patented
uni-lok[®]
system**
(Patent #5,165,349)

		Deluxe 16 gauge type 304 stainless steel top.		SPEC-MASTER [®] *	
	length	cubic	weight *	model #	list
	in.	feet	lbs. kg		
24" width (610mm)	12"	305	2.9 30 13.6	UT2412STEB	1680
	15"	381	2.9 34 15.4	UT2415STEB	1718
	18"	457	2.9 36 16.3	UT2418STEB	1796
30" width (762mm)	12"	305	2.9 34 15.4	UT3012STEB •	1815
	15"	381	2.9 36 16.3	UT3015STEB •	1853
	18"	457	2.9 40 18.1	UT3018STEB •	1957
36" width (914mm)	12"	305	3.5 37 16.8	UT3612STEB	1933
	15"	381	3.5 40 18.1	UT3615STEB	1994
	18"	457	3.5 45 20.4	UT3618STEB	2070
	12"	305	2.9 30 13.6	UT2412STE	1825
	15"	381	2.9 34 15.4	UT2415STE	1866
	18"	457	2.9 36 16.3	UT2418STE	1953
	12"	305	2.9 34 15.4	UT3012STE	1972
	15"	381	2.9 36 16.3	UT3015STE	2016
	18"	457	2.9 40 18.1	UT3018STE	2129
	12"	305	3.5 37 16.8	UT3612STE	2100
	15"	381	3.5 40 18.1	UT3615STE	2163
	18"	457	3.5 45 20.4	UT3618STE	2251

* Add 10% weight for SPEC-MASTER[®].

Worktable Stabilizer Bar (pair)

see spec sheet **EG10.59**

model #	list
WTS30	379

FEATURES:

- Fits standard 30" and 36" (762 and 914mm) width worktables.
- Heavy 12 gauge steel angle and gussets.
- Valu-Master[®] epoxy coated.

Catalog Section 10

SPEC-MASTER® Enclosed Worktables with Flat Top




see spec sheet **EG10.30**



patented uni-lok® system

(Patent #5,165,349)



FEATURES:

- All-welded cabinet.
- Top mechanically polished to satin finish.
- Sound-deadened between top and frame.
- 1½" (42mm) diameter type 304 stainless legs.
- 1" (25mm) adjustable feet.
- 1½" (38mm) sanitary rolled rim on front and back with square edge on ends for flush fit.
- 34½" (876mm) overall height.

Note: Full length fixed center shelf available. To order full width, add **20% to list price** and suffix **"-FCS"**.

To order two-thirds width, add **20% to list price** and suffix **"-CS"**. Example: **OB2436SE-CS**.

To order table with 4" (102mm) casters, add suffix **"-CA"** and add to list price **\$854** (for tables with four legs) or **\$1279** (for tables with six legs).

Example: **OB2436SE-CA**.

To order table with 5" (127mm) casters, add suffix **"-CAH"** and add to list price **\$1130** (for tables with four legs) or **\$1696** (for tables with six legs).

Example: **OB2436SE-CAH**.


NSF sprayed-on sound deadening available.

To order, add **\$1458 to list price** and suffix **"-SD"**. Example: **OB2436SE-SD**.

For enhanced utility, add overselves from page 210.

				with Open Front				with Sliding Doors*				with Hinged Doors*				
	length		# of legs	cu ft	weight		model #	list	weight		model #	list	weight		model #	list
	in.	mm			lbs.	kg			lbs.	kg			lbs.	kg		
24" <i>(610mm)</i>	36"	914	4	36	179	81.2	OB2436SE	5535	186	84.4	CB2436SE	7191	197	89.4	CBH2436SE	8733
	48"	1219	4	49	238	108.0	OB2448SE	5743	249	113.0	CB2448SE	7904	263	119.3	CBH2448SE	9157
	60"	1524	4	63	298	135.2	OB2460SE	6149	311	141.1	CB2460SE	8494	328	148.8	CBH2460SE	9759
	72"	1829	4	72	357	161.9	OB2472SE	6555	369	167.4	CB2472SE	9106	394	178.7	CBH2472SE	10352
	84"	2134	6	83	417	189.2	OB2484SE	7136	435	197.3	CB2484SE **	10411	459	208.2	CBH2484SE **	11651
	96"	2438	6	95	476	215.9	OB2496SE	7500	497	225.4	CB2496SE **	11248	525	238.1	CBH2496SE **	12389
	120"	3048	6	105	595	269.9	OB24120SE	9005	621	281.7	CB24120SE **	13000	656	297.6	CBH24120SE **	14249
30" <i>(762mm)</i>	36"	914	4	36	186	84.4	OB3036SE	5835	202	91.6	CB3036SE	7511	207	93.9	CBH3036SE	9037
	48"	1219	4	49	248	112.5	OB3048SE	6047	270	122.5	CB3048SE	8204	276	125.2	CBH3048SE	9444
	60"	1524	4	63	309	140.2	OB3060SE	6497	336	152.4	CB3060SE	8849	344	156.0	CBH3060SE	10115
	72"	1829	4	72	371	168.3	OB3072SE	6966	404	183.3	CB3072SE	9508	413	187.3	CBH3072SE	10768
	84"	2134	6	83	431	195.5	OB3084SE	7440	471	213.7	CB3084SE **	10697	482	218.6	CBH3084SE **	11953
	96"	2438	6	95	494	224.1	OB3096SE	8215	539	244.5	CB3096SE **	11712	551	249.9	CBH3096SE **	12965
	120"	3048	6	105	616	279.4	OB30120SE	9443	672	304.8	CB30120SE **	13545	689	313.5	CBH30120SE **	14808

* 20 gauge stainless steel doors. To order optional door locks, add suffix **"-L"** and \$308 list price; ** Tables 84" (2134mm) and longer have two sets of doors.



SPEC-MASTER® Marine Counter Edge Cabinets

To order, add **20% to list price** and add **"M"** after **"SE"** in model number.
Example: **OB2436SEM**.

see spec sheet

EG10.33A


SPEC-MASTER® Enclosed Worktables with Upturn

see spec sheet

EG10.31



patented
uni-lok[®]
system
(Patent #5,165,349)



- All-welded cabinet.
- Top mechanically polished to satin finish.
- Top is 14 gauge type 304 stainless steel reinforced with a full length "hat" channel support.
- Body is heavy gauge type 430 stainless steel.
- Sound-deadened between top and frame.
- 1½" (42mm) diameter type 304 stainless legs.
- 1" (25mm) adjustable feet.
- 1½" (38mm) sanitary rolled rim on front, 1½" (38mm) rear upturn, and square edge on ends for flush fit.
- 34½" (876mm) working height, 36" (914mm) overall height.

FEATURES:

Note: Full length fixed center shelf available. To order full width, add 20% to list price and suffix "-FCS". To order two-thirds width, add 20% to list price and suffix "-CS". Example: UOB2436SE-CS.

To order table with 4" (102mm) casters, add suffix "-CA" and add to list price \$854 (for tables with four legs) or \$1279 (for tables with six legs).

Example: UOB3036SE-CA.

To order table with 5" (127mm) casters, add suffix "-CAH" and add to list price \$1130 (for tables with four legs) or \$1696 (for tables with six legs).

Example: UOB3036SE-CAH.


NSF sprayed-on sound deadening available.

To order, add \$1458 to list price and suffix "-SD". Example: UOB3036SE-SD.

For enhanced utility, add overselves from page 210.

				with Open Front				with Sliding Doors*				with Hinged Doors*			
length		# of legs	cu ft	weight		model #	list	weight		model #	list	weight		model #	list
in.	mm			lbs.	kg			lbs.	kg			lbs.	kg		
24" width (610mm)	36"	4	36	149	67.6	UOB2436SE	5535	187	84.8	UCB2436SE	7191	187	84.8	UCBH2436SE	8733
	48"	4	49	198	90.3	UOB2448SE	5743	249	113.0	UCB2448SE	7904	249	113.0	UCBH2448SE	9157
	60"	4	63	248	112.5	UOB2460SE	6149	311	141.1	UCB2460SE	8494	311	141.1	UCBH2460SE	9759
	72"	4	72	297	134.7	UOB2472SE	6555	373	169.2	UCB2472SE	9106	373	169.2	UCBH2472SE	10352
	84"	6	83	347	157.4	UOB2484SE	7136	435	197.3	UCB2484SE **	10411	435	197.3	UCBH2484SE **	11651
	96"	6	95	396	179.6	UOB2496SE	7500	497	225.4	UCB2496SE **	11248	497	225.4	UCBH2496SE **	12504
30" width (762mm)	120"	6	105	495	224.5	UOB24120SE	9005	621	281.7	UCB24120SE **	13000	621	281.7	UCBH24120SE **	14249
	36"	4	36	149	67.6	UOB3036SE	5835	202	91.6	UCB3036SE	7511	209	94.8	UCBH3036SE	9037
	48"	4	49	198	90.3	UOB3048SE	6047	270	122.5	UCB3048SE	8204	278	126.1	UCBH3048SE	9444
	60"	4	63	248	112.5	UOB3060SE	6497	336	152.4	UCB3060SE	8849	347	157.4	UCBH3060SE	10115
	72"	4	72	305	138.4	UOB3072SE	6960	404	183.3	UCB3072SE	9508	416	188.7	UCBH3072SE	10768
	84"	6	83	353	160.1	UOB3084SE	7440	471	213.7	UCB3084SE **	10697	486	220.5	UCBH3084SE **	11953
	96"	6	95	401	181.9	UOB3096SE	8215	539	244.5	UCB3096SE **	11712	555	251.8	UCBH3096SE **	13965
	120"	6	105	495	224.5	UOB30120SE	9443	672	304.5	UCB30120SE **	13545	693	314.4	UCBH30120SE **	14808

* 20 gauge stainless steel doors. To order optional door locks, add suffix "-L" and \$308 list price; ** Tables 84" (2134mm) and longer have two sets of doors.



SPEC-MASTER® Marine Counter Edge Cabinets

To order, add 20% to list price and add "M" after "SE" in model number.
Example: UOB2436SEM.

see spec sheet **EG10.33B**




Catalog Section 10

SPEC-MASTER® Enclosed Worktables with Backsplash

see spec sheet **EG10.32**



**patented
uni-lok®
system**
(Patent #5,165,349)



- All-welded cabinet.
- Top mechanically polished to satin finish.
- Top is 14 gauge type 304 stainless steel reinforced with a full length "hat" channel support.
- Body is heavy gauge type 430 stainless steel.
- Sound-deadened between top and frame.
- 1 5/8" (42mm) diameter type 304 stainless legs.
- 1" (25mm) adjustable stainless steel feet.
- 1 1/2" (38mm) sanitary rolled rim on front, 4 1/2" (114mm) backsplash on rear, and square edge on ends for flush fit.
- 34 1/2" (876mm) working height, 39" (991mm) overall height.


FEATURES:

Note: Full length fixed center shelf available. To order full width, add **20% to list price** and suffix **"-FCS"**. To order two-thirds width, add **20% to list price** and suffix **"-CS"**. Example: **UOB2436SE-BS-CS**.
To order table with 4" (102mm) casters, add suffix **"-CA"** and add to list price **\$854** (for tables with four legs) or **\$1279** (for tables with six legs). Example: **UOB3036SE-BS-CA**.
To order table with 5" (127mm) casters, add suffix **"-CAH"** and add to list price **\$1130** (for tables with four legs) or **\$1696** (for tables with six legs). Example: **UOB3036SE-BS-CAH**.
NSF sprayed-on sound deadening available.
To order, add **\$1458 to list price** and suffix **"-SD"**. Example: **UOB3036SE-BS-SD**.

For enhanced utility, add overselves from page 210.

				with Open Front				with Sliding Doors*				with Hinged Doors*				
length		# of legs	cu ft	weight		model #		weight		model #		weight		model #		
	in.	mm		lbs.	kg		list	lbs.	kg		list	lbs.	kg		list	
24" width (610mm)	36"	914	4	36	183	83.0	OB2436SE-BS	5710	190	86.2	CB2436SE-BS	7560	201	91.2	CBH2436SE-BS	8918
	48"	1219	4	49	242	109.8	OB2448SE-BS	5918	253	114.8	CB2448SE-BS	8073	267	121.1	CBH2448SE-BS	9332
	60"	1524	4	63	302	137.0	OB2460SE-BS	6333	315	142.9	CB2460SE-BS	8688	332	150.6	CBH2460SE-BS	9935
	72"	1829	4	72	361	163.8	OB2472SE-BS	6758	373	169.2	CB2472SE-BS	9318	398	180.5	CBH2472SE-BS	10407
	84"	2134	6	83	421	191.0	OB2484SE-BS	7359	439	199.1	CB2484SE-BS **	10624	463	210.0	CBH2484SE-BS **	11704
	96"	2438	6	95	480	217.7	OB2496SE-BS	7734	501	227.3	CB2496SE-BS **	11479	529	240.0	CBH2496SE-BS **	12504
	120"	3048	6	105	599	271.7	OB24120SE-BS	9161	625	283.5	CB24120SE-BS **	13264	660	299.4	CBH24120SE-BS **	14513
30" width (762mm)	36"	914	4	36	190	86.2	OB3036SE-BS	6203	202	91.6	CB3036SE-BS	7807	207	93.9	CBH3036SE-BS	9386
	48"	1219	4	49	252	114.3	OB3048SE-BS	6326	274	124.3	CB3048SE-BS	8374	280	127.0	CBH3048SE-BS	9628
	60"	1524	4	63	308	139.7	OB3060SE-BS	6652	340	154.2	CB3060SE-BS	9046	348	157.9	CBH3060SE-BS	10300
	72"	1829	4	72	375	170.1	OB3072SE-BS	7049	408	185.1	CB3072SE-BS	10307	417	189.2	CBH3072SE-BS	10969
	84"	2134	6	83	431	195.5	OB3084SE-BS	7653	475	215.5	CB3084SE-BS **	10922	486	220.5	CBH3084SE-BS **	12185
	96"	2438	6	95	498	225.9	OB3096SE-BS	8452	543	246.3	CB3096SE-BS **	11945	555	251.8	CBH3096SE-BS **	13985
	120"	3048	6	105	620	281.2	OB30120SE-BS	5573	676	306.6	CB30120SE-BS **	7955	693	314.4	CBH30120SE-BS **	8603

* 20 gauge stainless steel doors. To order optional door locks, add suffix **"-L"** and \$308 list price; ** Tables 84" (2134mm) and longer have two sets of doors.



SPEC-MASTER® Marine Counter Edge Cabinets

To order, add **20% to list price** and add **"M"** after **"SE"** in model number.
Example: **OB2436SEM-BS**.

see spec sheet **EG10.33C**

adjustTable® Work Surface Systems



see spec sheet **EG10.09**



adjustTable®

Additional wire undershelves, solid stainless steel undershelves, chrome wire overshelves, or solid stainless steel overshelves make the possibilities almost unlimited.

patented
QuadTruss®
design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

CUSTOM:

- Unit can be further expanded and customized by adding optional shelving accessories (pages 47-53).
- Custom configurations available, including alternate finishes and solid shelving. Contact factory to configure your custom workstation.
- All units come with non-marring grey vinyl foot glides.
- Optional drawers available (see pages 212-215).

Note: To order table with 5" (127mm) resilient tread casters, add suffix "-CAH" and add to list price **\$1130**.

Example: T3036EBW-1-CAH.

To order table with 5" (127mm) poly tread casters, add suffix "-CAHP" and add to list price **\$980**.

Example: T3036EBW-1-CAHP.

For Post Clamps for 1-tier and 2-tier unit, see page 46.

For Keyboard stations, see page 46.

Basic Units — 33½" (851mm) overall height.

	length		cu ft	weight		16/304		14/304	
	in.	mm		lbs.	kg	model #	list	model #	list
24" width (610mm)	36"	914	4.5	65	29.5	T2436EBW	1729	T2436EW	1897
	48"	1219	5.7	81	36.7	T2448EBW	1877	T2448EW	2177
	60"	1524	7.1	99	44.9	T2460EBW	2200	T2460EW	2503
30" width (762mm)	36"	914	4.5	75	34.0	T3036EBW	1915	T3036EW	2145
	48"	1219	5.7	94	42.6	T3048EBW	2162	T3048EW	2463
	60"	1524	7.1	115	52.2	T3060EBW	2503	T3060EW	2848

CONSISTS OF:

- Stainless steel table top/work surface with hat channel supports.
- Four 33" (838mm) chrome posts.
- Two chrome wire undershelves.*

1-tier Units — 54½" (1384mm) overall height.

	length		cu ft	weight		16/304		14/304	
	in.	mm		lbs.	kg	model #	list	model #	list
24" width (610mm)	36"	914	4.5	73	33.1	T2436EBW-1	2153	T2436EW-1	2318
	48"	1219	5.7	91	41.3	T2448EBW-1	2414	T2448EW-1	2638
	60"	1524	7.1	113	51.3	T2460EBW-1	2725	T2460EW-1	2982
30" width (762mm)	36"	914	4.5	83	37.6	T3036EBW-1	2338	T3036EW-1	2577
	48"	1219	5.7	104	47.2	T3048EBW-1	2627	T3048EW-1	2917
	60"	1524	7.1	129	58.5	T3060EBW-1	2982	T3060EW-1	3333

CONSISTS OF:

- Stainless steel table top/work surface with hat channel supports.
- Two 54" (1372mm) rear chrome posts.
- Two 33" (838mm) front chrome posts.
- Two 21" (533mm) front chrome posts for overshelf.
- One 14" (356mm) wide chrome wire overshelf.
- Two chrome wire undershelves.*

2-tier Units — 62½" (1588mm) overall height.

	length		cu ft	weight		16/304		14/304	
	in.	mm		lbs.	kg	model #	list	model #	list
24" width (610mm)	36"	914	4.5	81	36.7	T2436EBW-2	2359	T2436EW-2	2528
	48"	1219	5.7	101	45.8	T2448EBW-2	2660	T2448EW-2	2889
	60"	1524	7.1	127	57.6	T2460EBW-2	2993	T2460EW-2	3250
30" width (762mm)	36"	914	4.5	91	41.3	T3036EBW-2	2544	T3036EW-2	2785
	48"	1219	5.7	114	51.7	T3048EBW-2	2873	T3048EW-2	3180
	60"	1524	7.1	143	64.9	T3060EBW-2	3248	T3060EW-2	3606

CONSISTS OF:

- Stainless steel table top/work surface with hat channel supports.
- Two 63" (1600mm) rear chrome posts.
- Two 33" (838mm) front chrome posts.
- Two 29" (737mm) front chrome posts for overshelves.
- Two 14" (356mm) wide chrome wire overshelves.
- Two chrome wire undershelves.*

* 18" (457mm) wide undershelves used for 24" (610mm) wide tables; 24" (610mm) wide undershelves used for 30" (762mm) wide tables.

Catalog Section 10

Utility Stands

see spec sheet **EG10.26A**



FEATURES:

- Highly polished 16 gauge, 300 series stainless steel flat top.
- Adjustable undershelf or adjustable crossbracing.
- 24" (610mm) working height.

WEIGHT

CAPACITIES:

- 600 lb. (272.2 kg) weight capacity of top.
- 150 lb. (68.0 kg) weight capacity of undershelf.
- evenly distributed static load.

**patented
uni-lok[®]
system**

(Patent #5,165,349)

(•) MTS (made to stock) / () MTO (made to order)

...with Undershelf

...with Tubular Base

width		length		weight		cubic	galvanized legs		stainless steel legs		galvanized legs		stainless steel legs	
		in.	mm	lbs.	kg	feet	model #	list	model #	list	model #	list	model #	list
24" (610mm)	24"	610	42	19.1	3.5		MS2424	• 1803	MS2424S	2188	TMS2424	1803	TMS2424S	2188
	24"	610	47	21.3	3.8		MS3024	• 1880	MS3024S	2298	TMS3024	1880	TMS3024S	2298
30" (762mm)	30"	762	56	25.4	3.8		MS3030	• 2092	MS3030S	2604	TMS3030	2092	TMS3030S	2604
	36"	914	59	26.8	4.0		MS3036	• 2148	MS3036S	2646	TMS3036	2148	TMS3036S	2646
36" (914mm)	36"	914	68	30.9	4.2		MS3636	2253	MS3636S	2771	TMS3636	2253	TMS3636S	2771




caster caster with brake

Optional Casters for Utility Stands

Optional Rack for Utility Stands

- Stainless steel.
- 54" (1371mm) height.

weight	cubic	add to	
lbs.	kg	feet	unit list
23	10.4	5.3	UR-501 1461



utility stand with undershelf and optional rack

description	wt. cap. per caster		model # list	
	lbs.	kg		
4" (102mm) dia., set of four (two swivel, two w/brake)	115	52.2	CA4-SB	• 854
4" (102mm) dia., set of six (three swivel, three w/brake)	115	52.2	CA6-SB	1279
5" (127mm) dia., set of four (two swivel, two w/brake)	200	90.7	CAH4-SB	• 1130
5" (127mm) dia., set of six (three swivel, three w/brake)	200	90.7	CAH6-SB	1696

Note: see page 215 for optional caster stabilizers.



ADA/Ergonomic Height Adjustable Tables

see spec sheet **EG10.37**

Adjusts from
32" to 40" height!

**patented
uni-lok[®]
system**
(Patent #5,165,349)

...with Flat Top

...with 4" Backsplash

width		length		weight cap.		16/304 top		14/304 top		16/304 top		14/304 top	
		in.	mm	lbs.	kg	model #	list	model #	list	model #	list	model #	list
24" (610mm)	48"	1219	575	260.8		T2448SEB-HA	9736	T2448SE-HA	9962	T2448SEB-BS-HA	10420	T2448SE-BS-HA	11289
	60"	1524	550	249.5		T2460SEB-HA	9954	T2460SE-HA	10207	T2460SEB-BS-HA	10660	T2460SE-BS-HA	11547
	72"	1829	525	238.1		T2472SEB-HA	10173	T2472SE-HA	10459	T2472SEB-BS-HA	10896	T2472SE-BS-HA	11817
30" (762mm)	48"	1219	575	260.8		T3048SEB-HA	9915	T3048SE-HA	10170	T3048SEB-BS-HA	10598	T3048SE-BS-HA	11482
	60"	1524	550	249.5		T3060SEB-HA	10195	T3060SE-HA	10466	T3060SEB-BS-HA	10893	T3060SE-BS-HA	11804
	72"	1829	525	238.1		T3072SEB-HA	10459	T3072SE-HA	10776	T3072SEB-BS-HA	11180	T3072SE-BS-HA	12128

To indicate location of crank case, add suffix "-L" (left end), "-R" (right end), or "-C" (center) at end of model number. Example: T2448-SE-HA-L

Notes: For optional mobility, only THESE 5" casters can be used: Model #A205340 swivel, list \$154 ea., #A205341 swivel w/brake, list \$156 ea. 5" (127mm) rotary bumper: Model #A205342, list \$34 each.

Optional H- and C-frame tubular bases available in lieu of undershelf. Consult factory.

Mobile Utility Stands

see spec sheet **EG10.26B**



patented
uni-lok[®]
system
(Patent #5,165,349)

Note: see page 215 for optional caster stabilizers.

FEATURES:

- 34" (864mm) working height.
- 14 gauge 300 series stainless steel top with no-drip marine counter edge.
- Stainless steel crossbracing on three sides.
- Four 4" (102mm) casters (two with brakes).
- Pan rack slide holds six 18" x 26" (457 x 660mm) pans.
- 400 lb. (181.4 kg) total weight capacity (top and slides) - evenly distributed static load.

(•) MTS (made to stock) / () MTO (made to order)

	length		weight		cubic feet	galvanized		stainless steel	
	in.	mm	lbs.	kg		model #	list	model #	list
30" width (762mm)	30"	762	150	68.0	3.8	MMT3030G	4603	MMT3030S •	5135
	36"	914	167	75.8	4.1	MMT3036G	4708	MMT3036S	5287

Mobile Utility Stand with Undershelf

see spec sheet **EG10.26B**



patented
uni-lok[®]
system
(Patent #5,165,349)

FEATURES:

- Top is 14 gauge 300 series stainless steel with no-drip marine counter edge.
- Stainless steel undershelf.
- Two 4" (102mm) casters with brake.

Note: See page 215 for optional caster stabilizers.

width	length		weight		cubic feet	model #	list
	in.	mm	lbs.	kg			
24" (610mm)	30"	762	47	21.3	3.8	MET2430S	4016

Stainless Steel Lok-n-Fold™ Tables

see spec sheet **EG10.57**




with removable undershelf

FEATURES:

- Heavy gauge type 430 stainless steel top.
- Folding legs constructed of heavy gauge painted mild steel.
- Locking dimples, a safety mechanism, ensure legs are locked in place.
- 30 3/8" (784mm) non-adjustable height.

	length		weight capacity		cu ft	WITH OPEN BASE				WITH REMOVABLE GALVANIZED UNDERSHELF				WITH REMOVABLE STAINLESS STEEL UNDERSHELF			
	in.	mm	lbs.	kg		weight lbs.	kg	model #	list	weight lbs.	kg	model #	list	weight lbs.	kg	model #	list
24" width (610mm)	48"	1219	360	163.3	6.0	44	20.0	T2448F	1315	61	27.7	T2448F-US	1584	61	27.7	T2448F-USS	1717
	60"	1524	450	204.1	7.5	48	21.8	T2460F	1385	65	29.5	T2460F-US	1711	65	29.5	T2460F-USS	1865
	72"	1829	540	244.9	8.9	52	23.6	T2472F	1580	70	31.8	T2472F-US	1813	70	31.8	T2472F-USS	2004
30" width (762mm)	48"	1219	450	204.1	7.4	46	20.9	T3048F	1442	63	28.6	T3048F-US	1626	63	28.6	T3048F-USS	1751
	60"	1524	562	254.9	9.2	50	22.7	T3060F	1544	69	31.3	T3060F-US	1753	69	31.3	T3060F-USS	1896
	72"	1829	675	306.2	11.0	56	25.4	T3072F	1637	75	34.0	T3072F-US	1872	75	34.0	T3072F-USS	2044

Catalog Section 10



**patented
uni-lok[®]
system**
(Patent #5,165,349)

Features:

- Any table can be customized with overshelves of the same length.
- System can easily be changed or expanded as needed.
- Tables are caster-capable for workstation mobility.
- Overshelves' height adjustable in 1" (25mm) increments for flexible and accurate placement.
- 10" and 12" (254 and 305mm) shelf widths can be intermixed on same posts.
- Split sleeve.
- Tapered collar for easy assembly.
- Overshelves shipped knocked-down.
- All shipping weights and cubic feet are approximate.

FLEX-MASTER[®] Overshelf System

Continued on pages 208 & 209

Overshelves

see spec sheet **EG10.08**

Note: 15" and 18" (381 and 457mm) wide shelves available.

To order, replace "12" in model number with a "15" or "18" indicating desired shelf width (example: 411584). For 15" (381mm) wide shelves, add 15% to list price of 12" (305mm) wide models. For 18" (457mm) wide shelves, add 30% to list price of 12" (305mm) shelves.



**10" width
(254mm)**

**12" width
(305mm)**

- 14 gauge 300 series shelves available upon request.
- Priced per shelf.


FEATURES:

(•) MTS (made to stock) / () MTO (made to order)

	length		weight		cubic feet	16/430		16/300	
	in.	mm	lbs.	kg		model #	list ea	model #	list ea
10" width (254mm)	30"	762	10.1	4.6	0.5	411030	658	421030	719
	36"	915	12.1	5.5	0.6	411036	664	421036	738
	48"	1219	13.1	6.0	0.8	411048	719	421048	816
	60"	1524	15.2	6.9	1.0	411060	784	421060	915
	72"	1829	17.2	7.8	1.2	411072	887	421072	1025
	84"	2133	19.3	8.8	1.5	411084	988	421084	1125
	96"	2438	21.3	9.7	1.7	411096	1092	421096	1273
	108"	2743	23.4	10.6	1.9	411010	1180	421010	1365
	120"	3048	25.4	11.5	2.1	411012	1275	421012	1453
	132"	3353	27.4	12.5	2.3	411013	1380	421013	1556
12" width (305mm)	144"	3658	29.4	13.4	2.5	411014	1480	421014	1696
	30"	762	11.1	5.1	0.6	411230	664	421230	738
	36"	915	12.3	5.6	0.8	411236	697	421236	827
	48"	1219	14.8	6.7	1.0	411248 •	759	421248	863
	60"	1524	17.2	7.8	1.3	411260 •	815	421260 •	960
	72"	1829	19.7	9.1	1.5	411272 •	932	421272 •	1087
	84"	2133	22.1	10.0	1.8	411284	1038	421284	1218
	96"	2438	24.6	11.2	2.0	411296	1120	421296	1359
	108"	2743	27.0	12.3	2.3	411210	1247	421210	1463
	120"	3048	29.5	13.4	2.5	411212	1392	421212	1572
	132"	3353	31.5	14.3	2.7	411213	1488	421213	1672
	144"	3658	33.5	15.2	2.9	411214	1587	421214	1769

Posts - FLEX-MASTER® Overshelf System

see spec sheet **EG10.08**



- Sold in pairs.
- Each pair includes mounting plate.
- For 30" to 72" (762 to 1829mm) shelves: two pairs.
- For 84" to 120" (2134 to 3048mm) shelves: three pairs required.
- For 132" and 144" (3353 and 3658mm) shelves: four pairs required.

ORDERING:

(•) MTS (made to stock) / () MTO (made to order)

height		weight		cubic feet	chrome		stainless steel	
in.	mm	lbs.	kg		model #	list	model #	list
18"	457	1.7	0.8	0.1	418202 •	287	418002 •	334
30"	762	2.4	1.1	0.2	430202 •	315	430002 •	429
48"	1219	5.6	2.5	0.2	448202 •	384	448002 •	564

Utility Racks

see spec sheet **EG10.08**



- Chrome plated.

FEATURES:

(•) MTS (made to stock) / () MTO (made to order)

for overshelf length		weight		cubic			for overshelf length		weight		cubic		
in.	mm	lbs.	kg	feet	model #	list	in.	mm	lbs.	kg	feet	model #	list
30"	762	1.7	0.8	0.2	PRT30-C	155	84"	2133	4.1	1.9	0.4	PRT84-C *	316
36"	915	1.9	0.9	0.2	PRT36-C	180	96"	2438	4.9	2.2	0.4	PRT96-C *	370
48"	1219	2.1	1.0	0.2	PRT48-C	200	108"	2743	5.6	2.5	0.5	PRT108-C *	376
60"	1524	2.5	1.1	0.3	PRT60-C	234	120"	3048	6.2	2.8	0.5	PRT120-C *	389
72"	1829	2.9	1.3	0.4	PRT72-C •	272	132"	3353	6.9	3.1	0.6	PRT132-C **	419
							144"	3658	7.6	3.5	0.6	PRT144-C **	456

* Utility racks 84" to 120" (2133 to 3048mm) come in two pieces.

**132" and 144" (3353 and 3658mm) racks come in three pieces.

Mounting Plate

see spec sheet **EG10.08**



model #	list each
311915 •	53

- Aluminum.
- Designed to accommodate both 10" and 12" (254 and 305mm) wide shelves.

FEATURES:

(•) MTS (made to stock) / () MTO (made to order)

Hooks

see spec sheet **EG10.08**

For use with utility racks.

description	weight		cubic feet	model #	list each
	lbs.	kg			
stainless double-prong hook	0.2	0.1	0.1	300696 •	63
6" (176mm)-long chrome hook	0.1	0.1	0.1	379769	11



FEATURES:

- Stainless steel double-prong with 2 1/4" (57mm) prongs, or 6" (176mm)-long chrome.
- Slips over utility racks.

(•) MTS (made to stock) / () MTO (made to order)

Catalog Section 10

FLEX-MASTER® Kits for All Stainless Steel Worktables



see spec sheet **EG10.08**

Kit A

description	for Budget tables* add to list	for all other tables add to list
fits 36" (914mm) long worktables	2734	2993
fits 48" (1219mm) long worktables	2895	3109
fits 60" (1524mm) long worktables	3072	3369
fits 72" (1829mm) long worktables	3393	3700

* **Note:** Kits for "Budget" worktables include 16 gauge type 430 shelves and stainless steel posts.

Kit B

description	for Budget tables* add to list	for all other tables add to list
fits 36" (914mm) long worktables	2243	2500
fits 48" (1219mm) long worktables	2362	2578
fits 60" (1524mm) long worktables	2629	2769
fits 72" (1829mm) long worktables	2709	3025

* **Note:** Kits for "Budget" worktables include 16 gauge type 430 shelves and stainless steel posts.

Kit A

INCLUDES:

- Two 12" (305mm) wide 16 gauge type 304 shelves.
- Two 30" (762mm) stainless steel front posts.
- Two 48" (1219mm) stainless steel rear posts.
- Two chrome utility racks.

To order, add suffix "-FM-PL" to model number.

Example: T3060SE-FM-PL.

Tabletops are predrilled for rear mounting of posts and shelves.

Kit B

INCLUDES:

- Two 12" (305mm) wide 16 gauge type 304 shelves.
- Four 30" (762mm) stainless steel posts.

To order, add suffix "-FM" to model number.

Example: T3060SE-FM.

Stainless Steel Bins

see spec sheet **EG10.59**



width x length x height in.	mm	weight lbs.	kg	cubic feet	model #	list
6 1/2" x 5 1/2" x 6"	165 x 140 x 152	1.5	0.7	0.1	SB-1	623

- Designed for either overself or wall shelf applications.
- 22 gauge stainless steel with fully covered deep-drawn construction, complete with label holders.
- Removable bin must be allowed 7 3/4" (197mm) space and slides on stainless steel angle supports secured to underside of shelf.

FEATURES:

Note: Shipping weight and cubic feet are approximate.

Wall Cabinets



see spec sheet **EG02.07**

		Open Front					Hinged Doors					Sliding Doors				
length		cu	weight				weight				weight					
in.	mm	ft	lbs.	kg	model #	list	lbs.	kg	model #	list	lbs.	kg	model #	list		
24"	610	13.5	117	53.1	WCO-24	5355	136	61.7	WCH-24	7039	136	61.7	WCS-24	7115		
30"	762	17.3	129	58.5	WCO-30	5360	154	69.9	WCH-30	7800	154	69.9	WCS-30	8669		
36"	914	18.0	141	64.0	WCO-36	5559	172	78.0	WCH-36	7935	172	78.0	WCS-36	8938		
42"	1067	18.2	—	—	—	—	191	86.6	WCH-42	9647	191	86.6	WCS-42	8622		
48"	1219	18.3	165	74.8	WCO-48	6591	208	94.3	WCH-48	9945	208	94.3	WCS-48	9398		
54"	1372	25.4	—	—	—	—	226	102.5	WCH-54	10171	226	102.5	WCS-54	9572		
60"	1524	22.6	189	85.7	WCO-60	7379	244	110.7	WCH-60	10758	244	110.7	WCS-60	10157		
66"	1676	30.6	—	—	—	—	256	115.1	WCH-66	10837	256	115.1	—	—		
72"	1829	26.8	213	96.6	WCO-72	8524	262	118.8	WCH-72	11515	262	118.8	WCS-72	11648		
84"	2134	38.5	225	102.1	WCO-84	8993	281	127.5	WCH-84*	11837	281	127.5	WCS-84*	11949		
90"	2286	41.7	—	—	—	—	298	135.3	WCH-90*	12509	298	135.3	WCS-90*	12654		
96"	2438	35.2	249	112.9	WCO-96	9530	316	143.3	WCH-96*	12633	316	143.3	WCS-96*	12938		
120"	3048	55.8	—	—	—	—	359	162.9	—	—	359	162.9	WCS-120*	15720		

* Features two pairs of doors.

FEATURES:

- Heavy gauge stainless steel.
- Back recessed, w/full-length concealed mounting plate for easy installation.
- Fixed center shelf.
- Hinged doors with lift-off pin hinges.
- 15" (381mm) width. 28" (711mm) overall height.



wall cabinet with hinged doors

Overshelves, Non-Adjustable

see spec sheet **EG10.28**



single deck overshelf



double deck overshelf

FEATURES:

- Mounted on four stainless steel, 1" (25mm) diameter tubular base legs.
- Special width shelves available.

Note: Recommended that overshelves be ordered when ordering tables. Specify choice of centered or rear-mounted on table. Otherwise, table must be field-drilled for mounting overshelves.

Single Deck Overshelves, Non-Adjustable - Shipped knocked-down.

	length		# of legs	weight		cu ft	16 gauge, type 430		16 gauge, type 304		14 gauge, type 304	
	in.	mm		lbs.	kg		model #	list	model #	list	model #	list
10" width (254mm)	36"	915	4	15	6.8	0.9	OS1036-16/4	1192	OS1036-16/3	1442	OS1036-14/3	1596
	48"	1219	4	19	8.6	1.3	OS1048-16/4	1270	OS1048-16/3	1576	OS1048-14/3	1750
	60"	1524	4	24	10.9	1.6	OS1060-16/4	1345	OS1060-16/3	1729	OS1060-14/3	1922
	72"	1829	4	29	13.2	1.9	OS1072-16/4	1442	OS1072-16/3	1888	OS1072-14/3	2094
	84"	2133	6	34	15.4	2.2	OS1084-16/4	1525	OS1084-16/3	2037	OS1084-14/3	2260
	96"	2438	6	37	16.8	2.5	OS1096-16/4	1862	OS1096-16/3	2426	OS1096-14/3	2697
	108"	2743	6	38	17.2	2.8	OS10108-16/4	1908	OS10108-16/3	2497	OS10108-14/3	2766
	120"	3048	6	39	17.6	3.1	OS10120-16/4	1980	OS10120-16/3	2704	OS10120-14/3	3017
	132"	3353	8	42	19.1	3.7	OS10132-16/4	2070	OS10132-16/3	2875	OS10132-14/3	3200
	144"	3658	8	46	20.9	4.2	OS10144-16/4	2145	OS10144-16/3	3023	OS10144-14/3	3356
12" width (305mm)	36"	915	4	16	7.3	0.9	OS1236-16/4	1263	OS1236-16/3	1505	OS1236-14/3	1672
	48"	1219	4	20	9.0	1.3	OS1248-16/4	1338	OS1248-16/3	1653	OS1248-14/3	1834
	60"	1524	4	25	11.3	1.6	OS1260-16/4	1426	OS1260-16/3	1808	OS1260-14/3	2008
	72"	1829	4	30	13.6	1.9	OS1272-16/4	1528	OS1272-16/3	1980	OS1272-14/3	2200
	84"	2133	6	35	15.9	2.2	OS1284-16/4	1623	OS1284-16/3	2137	OS1284-14/3	2382
	96"	2438	6	38	17.2	2.5	OS1296-16/4	1980	OS1296-16/3	2577	OS1296-14/3	2869
	108"	2743	6	39	17.6	2.5	OS12108-16/4	2104	OS12108-16/3	2766	OS12108-14/3	3082
	120"	3048	6	40	18.1	3.1	OS12120-16/4	2176	OS12120-16/3	2909	OS12120-14/3	3233
	132"	3353	8	43	19.5	3.7	OS12132-16/4	2300	OS12132-16/3	3108	OS12132-14/3	3455
	144"	3658	8	47	21.3	4.2	OS12144-16/4	2372	OS12144-16/3	3248	OS12144-14/3	3609

Double Deck Overshelves, Non-Adjustable - All welded construction, shipped assembled.

	length		# of legs	weight		cu ft	16 gauge, type 430		16 gauge, type 304		14 gauge, type 304	
	in.	mm		lbs.	kg		model #	list	model #	list	model #	list
10" width (254mm)	36"	915	4	31	14.1	8.6	DOS1036-16/4	2338	DOS1036-16/3	2618	DOS1036-14/3	2880
	48"	1219	4	39	17.6	11.4	DOS1048-16/4	2414	DOS1048-16/3	2753	DOS1048-14/3	3032
	60"	1524	4	48	21.8	14.2	DOS1060-16/4	2593	DOS1060-16/3	3005	DOS1060-14/3	3306
	72"	1829	4	59	26.8	17.0	DOS1072-16/4	2753	DOS1072-16/3	3247	DOS1072-14/3	3567
	84"	2134	6	69	31.3	19.8	DOS1084-16/4	2915	DOS1084-16/3	3478	DOS1084-14/3	3826
	96"	2438	6	75	34.0	22.6	DOS1096-16/4	3560	DOS1096-16/3	4205	DOS1096-14/3	4627
	108"	2743	6	77	34.9	25.4	DOS10108-16/4	3810	DOS10108-16/3	4539	DOS10108-14/3	4992
	120"	3048	6	79	35.8	28.2	DOS10120-16/4	3889	DOS10120-16/3	4686	DOS10120-14/3	5149
	132"	3353	8	85	38.6	35.8	DOS10132-16/4	4144	DOS10132-16/3	5028	DOS10132-14/3	5529
	144"	3658	8	92	41.7	41.8	DOS10144-16/4	4222	DOS10144-16/3	5155	DOS10144-14/3	5673
12" width (305mm)	36"	915	4	32	14.5	8.6	DOS1236-16/4	2475	DOS1236-16/3	2752	DOS1236-14/3	3192
	48"	1219	4	40	18.1	11.4	DOS1248-16/4	2542	DOS1248-16/3	2960	DOS1248-14/3	3426
	60"	1524	4	48	21.8	14.2	DOS1260-16/4	2742	DOS1260-16/3	3180	DOS1260-14/3	3686
	72"	1829	4	60	27.2	17.0	DOS1272-16/4	2937	DOS1272-16/3	3406	DOS1272-14/3	3959
	84"	2134	6	70	31.8	19.8	DOS1284-16/4	3120	DOS1284-16/3	3732	DOS1284-14/3	4252
	96"	2438	6	76	34.5	22.6	DOS1296-16/4	3794	DOS1296-16/3	4418	DOS1296-14/3	4715
	108"	2743	6	78	35.4	25.4	DOS12108-16/4	4106	DOS12108-16/3	4603	DOS12108-14/3	5066
	120"	3048	6	80	36.3	28.3	DOS12120-16/4	4183	DOS12120-16/3	4834	DOS12120-14/3	5320
	132"	3353	8	87	39.5	35.9	DOS12132-16/4	4489	DOS12132-16/3	5374	DOS12132-14/3	5910
	144"	3658	8	95	43.1	42.0	DOS12144-16/4	4563	DOS12144-16/3	5519	DOS12144-14/3	6069

Catalog Section 10

Extra Undershelves

see spec sheet **EG10.59**



For tables with uni-lok® hat channel frame.

FEATURES:

- For tables with uni-lok® hat channel frame.
- Designed for storage of shorter, smaller items under worktable where only one undershelf might not suffice.
- Available in galvanized or stainless steel.

Note: When ordering an extra or replacement undershelf, please order per the size of your tabletop. Please note the "for table size" column in chart.

(•) MTS (made to stock) / () MTO (made to order)

	for table size *		weight		cu ft	galvanized (adjustable)		stainless steel (adjustable)			
	in.	mm	lbs.	kg		model #	list	model #	list	model #	list
24" width (610mm)	24"	610	15	6.6	1.6	2424GADJUS	381	2424SADJUS-18/4	848	2424SADJUS-18/3	928
	30"	762	18	8.2	1.9	2430GADJUS	453	2430SADJUS-18/4	927	2430SADJUS-18/3	1018
	36"	915	21	9.6	2.3	2436GADJUS	464	2436SADJUS-18/4	977	2436SADJUS-18/3	1069
	48"	1219	27	12.2	3.0	2448GADJUS	479	2448SADJUS-18/4	1073	2448SADJUS-18/3	1175
	60"	1524	33	15.0	3.7	2460GADJUS	500	2460SADJUS-18/4	1209	2460SADJUS-18/3	1320
	72"	1829	39	17.6	4.5	2472GADJUS	505	2472SADJUS-18/4	1350	2472SADJUS-18/3	1483
	84"	2134	45	20.4	5.2	2484GADJUS	510	2484SADJUS-18/4	1506	2484SADJUS-18/3	1646
	96"	2438	51	23.1	5.9	2496GADJUS	543	2496SADJUS-18/4	1624	2496SADJUS-18/3	1779
	108"	2743	57	25.9	6.6	24108GADJUS	561	24108SADJUS-18/4	1851	24108SADJUS-18/3	2005
	120"	3048	63	28.6	7.3	24120GADJUS	605	24120SADJUS-18/4	1862	24120SADJUS-18/3	2024
	132"	3353	69	31.3	8.1	24132GADJUS	675	24132SADJUS-18/4	1990	24132SADJUS-18/3	2164
	144"	3658	75	34.0	8.8	24144GADJUS	745	24144SADJUS-18/4	2356	24144SADJUS-18/3	2557
30" width (762mm)	24"	610	17	7.5	1.9	3024GADJUS	396	3024SADJUS-18/4	989	3024SADJUS-18/3	1076
	30"	762	21	9.5	2.4	3030GADJUS	479	3030SADJUS-18/4	1061	3030SADJUS-18/3	1162
	36"	915	24	10.7	2.8	3036GADJUS	482	3036SADJUS-18/4	1126	3036SADJUS-18/3	1223
	48"	1219	30	13.6	3.7	3048GADJUS •	500	3048SADJUS-18/4	1222	3048SADJUS-18/3	1344
	60"	1524	36	16.3	4.6	3060GADJUS •	510	3060SADJUS-18/4	1398	3060SADJUS-18/3	1533
	72"	1829	42	19.1	5.5	3072GADJUS •	543	3072SADJUS-18/4	1565	3072SADJUS-18/3	1712
	84"	2134	48	21.8	6.4	3084GADJUS	557	3084SADJUS-18/4	1732	3084SADJUS-18/3	1893
	96"	2438	54	24.5	7.3	3096GADJUS	561	3096SADJUS-18/4	1925	3096SADJUS-18/3	2106
	108"	2743	60	27.2	8.2	30108GADJUS	642	30108SADJUS-18/4	2127	30108SADJUS-18/3	2372
	120"	3048	66	29.9	9.0	30120GADJUS	681	30120SADJUS-18/4	2363	30120SADJUS-18/3	2502
	132"	3353	72	32.7	9.9	30132GADJUS	735	30132SADJUS-18/4	2615	30132SADJUS-18/3	2755
	144"	3658	78	35.4	10.8	30144GADJUS	812	30144SADJUS-18/4	2835	30144SADJUS-18/3	3078

* Undershelves for 30" (762mm) wide tables listed above also fit 36" (915mm) wide tables.

Table Mounted Microwave Shelves



see spec sheet **EG10.25**



FEATURES:

- 16 gauge type 304 stainless steel.
- 24" x 24" (610 x 610mm) microwave area.
- 16 5/8" (422mm) clearance above tabletop.
- Six stainless steel posts.

	length		weight		cu ft	Left Side		Right Side		Center	
	in.	mm	lbs.	kg		model #	list	model #	list	model #	list
12" width (305mm)	60"	1524	30	13.6	1.9	MOS1260L	2232	MOS1260R	2232	MOS1260C	2530
	72"	1829	35	15.9	2.4	MOS1272L	2526	MOS1272R	2526	MOS1272C	2826
	84"	2133	40	18.1	3.0	MOS1284L	2732	MOS1284R	2732	MOS1284C	3028
	96"	2438	45	20.4	3.4	MOS1296L	3028	MOS1296R	3028	MOS1296C	3153

Drawers

- For stainless steel and hardwood tables.
- Type 430 stainless steel.

Note: To specify drawer assemblies for hardwood tables (page 199), you must order model #605500 mounting kit (at no additional charge) along with drawer selected.

To specify drawer assemblies for custom equipment (fabricated through SpecFAB®) which requires angle frame construction, you must order model #605499 (at no additional charge) mounting kit along with drawer selected.

Drawer Capacity Per Table

Drawers can be centered, left or right.

Holes are predrilled for 20" x 20" drawers only.

table length in. mm	15" x 20" (381 x 508mm) drawer capacity per table	20" x 20" (508 x 508mm) drawer capacity per table
24" 610	0	0
30" 762	1 centered	0
36" 914	1 centered	1 centered
48" 1219	1 centered; or 1 left & 1 right	1 centered
60" 1524	1 centered; or 1 left & 1 right	1 centered; or 1 left & 1 right
72" 1829	3 (1 centered, 1 left, 1 right)	1 centered; or 1 left & 1 right
84" 2134	4	1 centered; or 1 left & 1 right
96" 2438	4 (2 left, 2 right)	2 (1 left, 1 right)
108" 2743	4 (2 left, 2 right)	4 (2 left, 2 right)
120" 3048	4 (2 left, 2 right)	4 (2 left, 2 right)
132" 3353	6 (2 between each set of legs)	3 (1 between each set of legs)
144" 3658	6 (2 between each set of legs)	3 (1 between each set of legs)

Drawers with Polymer Slides

see spec sheet **EG10.13A**



Note: For use on standard worktables only, not for equipment using angle frame construction.

No locks are available for these drawers.

Weight Capacity up to 20 lbs.

FEATURES:

- 1/2" (13mm) thick polycarbonate grooved friction slides.
- To specify drawer assemblies for tabletops with box marine edge, you must order one of the following based on the table width, along with drawer selected:
 - #611383 for 24"-wide tables
 - #611384 for 30"-wide tables
 - For tables 36" and wider, consult factory.

(•) MTS (made to stock) / () MTO (made to order)

		For ALL 24" STANDARD tables				For ALL 30" & 36" STANDARD tables				For 36" tables with FRAMING specified AT 30 1/8" CENTER LINES			
width x length x height in. mm	cu ft	weight lbs. kg	model #	list	weight lbs. kg	model #	list	weight lbs. kg	model #	list	weight lbs. kg	model #	list
20" x 15" x 5" 508 x 381 x 127	1.4	11 5.0	502976* •	382	11 5.0	503007* •	382	11 5.0	503011*	382	15 6.8	503010	453
20" x 20" x 5" 508 x 508 x 127	1.4	12 5.4	502975** •	453	12 5.4	503006 •	453	15 6.8	503010	453			

* Tables must be field drilled for mounting; ** #502975 will protrude past tabletop width.

Drawers with Pull Flange

see spec sheet **EG10.13A**



FEATURES:

- Includes full-extension zinc-plated steel slides with rubber stops.

Note: No locks are available for these drawers.

(•) MTS (made to stock) / () MTO (made to order)

width x length x height in. mm	weight lbs. kg	cubic feet	model #	list
20" x 15" x 5" 508 x 381 x 127	19 8.6	1.4	502941* •	521
20" x 20" x 5" 508 x 508 x 127	20 9.0	1.4	500772 •	603

* Tables must be field drilled for mounting.

Catalog Section 10

Drawers with Pull Flange & Full Front

see spec sheet **EG10.13A**



- Includes full-extension zinc-plated steel slides with rubber stops.
- Hemmed safety pull handle.

FEATURES:

Note: No locks are available for these drawers.

(•) MTS (made to stock) / () MTO (made to order)

width x length x height in. mm	weight lbs. kg	cubic feet	model #	list
20" x 15" x 5" 508 x 381 x 127	25 11.3	3.0	502942 * •	774
20" x 20" x 5" 508 x 508 x 127	27 12.3	3.0	501571 •	846

* Tables must be field drilled for mounting.

Tier Drawers - Regular

see spec sheet **EG10.13B**



tier drawer



tier drawer with legs

- Heavy gauge type 430 stainless steel cabinet with three roller-track drawers.
- With or without legs.
- Guides.
- Full-extension zinc-plated steel slides.
- Stainless steel drawer.
- Hemmed safety pull handle on each drawer.

FEATURES:

Note: All shipping weights and cubic feet are approximate.

(•) MTS (made to stock) / () MTO (made to order)


width x length x height inches mm	description	weight lbs. kg	cubic feet	model #	list
22½" x 24" x 22" 572 x 610 x 559	3 drawers, nylon feet	75 34.0	9.8	TD3 •	5188
22½" x 24" x 34½" 572 x 610 x 876	3 drawers, with legs	78 35.4	9.8	TD3L	5856

NSF-Approved Tier Drawers

see spec sheet **EG10.13B**



model #NTD3L
with NSF-certified drawer



removable NSF
drawer slide

- Utilizes totally removable drawer slides certified by the National Sanitation Foundation.
- Otherwise, design and features are the same as tier drawers mentioned above.
- Hemmed safety pull handle on each drawer.

FEATURES:

Notes: These drawers can be integrated into a table.

Model #NTD3L. \$5604 list.

Optional Pan Replacement available.

Model #608120. \$214 list.

width x length x height inches mm	description	weight lbs. kg	cubic feet	model #	list
22½" x 24" x 22" 572 x 610 x 559	3 drawers, nylon feet	75 34.0	9.8	NTD3	5556
22½" x 24" x 34½" 572 x 610 x 876	3 drawers, with legs	78 35.4	9.8	NTD3L	5863

Drawer Assemblies

see spec sheet **EG10.13B**



enclosed drawer assembly



SPEC-MASTER® heavy duty drawer assembly

- Removable drawer pan.

FEATURES:

Note: All shipping weights and cubic feet are approximate.

Lock available. **\$370 list.** To order, add suffix **"-L"**.

Example: 502972-L.

To determine number of drawers per table, see chart on page 212.

(•) MTS (made to stock) / () MTO (made to order)

For Stainless Steel and Hardwood Tables!

Enclosed Assemblies



Type 304 stainless steel, front with hemmed safety pull handle, and full-extension stainless steel slides.

SPEC-MASTER® Heavy Duty Assemblies



Type 304 stainless steel, insulated front and self-closing drawer slides that fully extend from housing.

THESE ASSEMBLIES ARE STACKABLE!!


width x length x height (drawer pan only)		cu ft	weight		OPTIONAL PAN REPLACEMENT		weight		OPTIONAL PAN REPLACEMENT	
in.	mm		lbs.	kg	model #	list	lbs.	kg	model #	list
20" x 15" x 5"	508 x 381 x 127	3.0	35	15.9	502943 * • 1477	608115 409	40	18.1	502972 * • 2384	608117 500
20" x 20" x 5"	508 x 508 x 127	3.0	35	15.9	501572 • 1535	608116 409	40	18.1	502971 • 2468	606826 515

* Tables must be field drilled for mounting.

Drawer Assemblies With NSF-Approved Slides



see spec sheet **EG10.13B**



removable NSF
drawer slide



#502946 or 502947
drawer assembly

- Type 304 stainless steel.
- Utilizes a totally removable drawer slide, making it easy to clean for complete sanitation.
- Requires no tools.
- All-stainless steel housing, frame, drawer front complete with full-length front pull flange, and removable drawer pan with large radius corners.
- Hemmed safety pull handle.

FEATURES:

Note: To determine number of drawers per table, see chart on page 212. Optional lock available. **\$370 list.**

To order, add suffix **"-L"**. **Example: 502946-L.**

(•) MTS (made to stock) / () MTO (made to order)

width x length x height (drawer pan only)		weight		cubic feet	OPTIONAL PAN REPLACEMENT	
in.	mm	lbs.	kg		model #	list
20" x 15" x 5"	508 x 381 x 127	35	15.9	3.0	502947 * • 1521	608115 409
20" x 20" x 5"	508 x 508 x 127	35	15.9	3.0	502946 • 1592	608116 409

* Tables must be field drilled for mounting.

Catalog Section 10

Polymer Drawers

see spec sheet **EG10.13A**

FEATURES:

- Made of heavy gauge polymer.
- With pull flange and built-in drawer stop.



width x length x depth in.	width x length x depth mm	weight lbs.	weight kg	cubic feet	model #	list
13 7/8" x 19" x 3"	352 x 483 x 76	13	5.8	1.4	502948	615
13 7/8" x 19" x 6"	352 x 483 x 152	14	6.4	3.0	502949	737
13 7/8" x 19" x 9"	352 x 483 x 229	18	8.2	4.5	502950	892

Drawer Kits for All Stainless Steel Worktables

see spec sheet **EG10.13A**

description	add * suffix #	add to list
enclosed assembly (#501572) with 20" x 20" x 5" (508 x 508 x 127mm) drawer pan	-D1	1535
20" x 20" x 5" (508 x 508 x 127mm) drawer with pull flange and full front (#501571)	-D2	846
20" x 20" x 5" (508 x 508 x 127mm) drawer with pull flange (#500772)	-D3	603


* Example: **T3060SB-D3**

Stainless Steel Caster Cradle®

see spec sheet **EG10.05M**

FEATURES:

- The only caster stabilizing device with a patented uniform circular design (patent #US 8,678,335 B2) that allows for approach from any angle.
- Units are secured to the floor where the casters are to be centered.



description	model #	list/pkg
quantity of 2 per package	CC-S-2	178
quantity of 10 per package	CC-S-10	699
quantity of 60 per package	CC-S-60	4295

The Benefits of Broadline Manufacturing from EAGLE.

Call Your EAGLE GROUP Representative Now To Place Your Order.

Table Mounted Utility Tool Racks

see spec sheet **EG10.12A**



- Furnished with 1 $\frac{5}{8}$ " (41mm) stainless steel tubular supports extending through table top and fastened securely to adjustable undershelf.
- Racks are triple-bar type made of $\frac{3}{16}$ " x 2" (5 x 51mm), aluminum or type 304 stainless steel bars bolted together and fitted with one two-prong sliding hook per foot.

FEATURES:

NOTE: All shipping weights and cubic feet are approximate. Worktables with Utility Tool Rack not recommended for use with casters.


(•) MTS (made to stock) / () MTO (made to order)

						Aluminum				Stainless Steel			
fits table length		rack length		weight		cu ft			weight	cu ft			
in.	mm	in.	mm	lbs.	kg		model #	list	lbs.	kg	model #	list	
36"	914	28"	711	38	17.2	1.7	TM36APR	1910	50	22.7	1.7	TM36PR	2284
48"	1219	40"	1016	42	19.1	1.9	TM48APR	1987	57	25.9	1.9	TM48PR	2414
60"	1524	52"	1321	46	20.9	1.9	TM60APR	2054	64	29.0	1.9	TM60PR	2542
72"	1829	64"	1626	50	22.7	1.9	TM72APR	2152	70	31.8	1.9	TM72PR •	2675
84"	2134	76"	1930	54	24.5	1.9	TM84APR	2564	77	34.9	1.9	TM84PR	3160
96"	2438	88"	2235	58	26.3	2.1	TM96APR	2643	83	37.6	2.1	TM96PR	3292
108"	2743	100"	2540	62	28.1	2.3	TM108APR *	3206	89	40.4	2.3	TM108PR *	3980
120"	3048	112"	2845	66	29.9	2.5	TM120APR *	3304	95	43.1	2.5	TM120PR *	4144
132"	3353	124"	3150	71	32.2	2.8	TM132APR *	3399	102	46.3	2.8	TM132PR *	4354
144"	3658	136"	3454	76	34.5	3.1	TM144APR *	3514	109	49.4	3.1	TM144PR *	4436

* These racks include center tubular support.

Optional Adjustable Shelves for Table Mounted Pan/Pot Racks

12" (305mm) wide. 16 gauge, type 304 stainless steel.



shelf length		weight		cubic feet	model #	list
in.	mm	lbs.	kg			
36"	914	16	7.3	0.9	TM36PRS	932
48"	1219	20	9.0	1.3	TM48PRS	1007
60"	1524	25	11.3	1.6	TM60PRS	1082
72"	1829	30	13.6	1.9	TM72PRS	1162
84"	2134	35	15.9	2.2	TM84PRS	1247
96"	2438	39	17.6	2.5	TM96PRS	1382
108"	2743	41	18.6	3.1	TM108PRS	3449
120"	3048	45	20.4	3.6	TM120PRS	3483
132"	3353	49	22.2	4.1	TM132PRS	3637
144"	3658	53	24.0	4.7	TM144PRS	3677

Single Bar Pot Racks

see spec sheet **EG10.06**


		ALUMINUM				STAINLESS STEEL			
length		weight		model #	list	weight		model #	list
in.	mm	lbs.	kg			lbs.	kg		
24"	610	5	2.3	SBPR-24-A	327	9	4.1	SBPR-24-S	439
36"	915	6	2.7	SBPR-36-A	495	12	5.4	SBPR-36-S	622
48"	1219	7	3.2	SBPR-48-A	527	15	6.8	SBPR-48-S	697
60"	1524	9	4.1	SBPR-60-A	566	18	8.2	SBPR-60-S	770
72"	1829	11	5.0	SBPR-72-A	782	21	9.5	SBPR-72-S	1007
84"	2134	13	5.9	SBPR-84-A	809	25	11.3	SBPR-84-S	1074
96"	2438	15	6.8	SBPR-96-A	1009	29	13.2	SBPR-96-S	1299
108"	2743	17	7.7	SBPR-108-A	1082	34	15.4	SBPR-108-S	1404
120"	3048	20	9.0	SBPR-120-A	1110	39	17.6	SBPR-120-S	1474

* For overall lengths, add 5-1/8" (130mm).

FEATURES:

- Flat $\frac{3}{16}$ " (5mm)-thick, 2" (51mm)-wide solid bar.
- 24" (610mm) racks are one-piece, all others come with support brackets.
- Includes one two-prong hook per foot.

(•) MTS (made to stock) / () MTO (made to order)



Additional Hook for Single Bar Utility Racks

- Stainless steel.

weight lbs.	kg	cu ft	model #	list ea.
0.2	0.1	0.1	300696 •	63

Catalog Section 10

Ceiling Mounted Utility Tool Racks

see spec sheet **EG10.12B**



- Furnished with chain hangers for ceiling suspension.
- Racks are triple-bar type made of $\frac{3}{16}$ " x 2" (5 x 51mm), aluminum or type 304 stainless steel bars bolted together, and fitted with one two-prong sliding hook per foot.

FEATURES:

Note: All shipping weights and cubic feet are approximate.


(•) MTS (made to stock) / () MTO (made to order)

Aluminum						Stainless Steel					
rack length		weight		cu	model #	list	weight		cu	model #	list
in.	mm	lbs.	kg	ft			lbs.	kg	ft		
28"	711	28	12.7	0.7	CM36APR	1540	41	18.6	0.7	CM36PR	1963
40"	1016	32	14.5	0.9	CM48APR •	1615	48	21.8	0.9	CM48PR •	2053
52"	1321	36	16.3	1.2	CM60APR •	1687	54	24.5	1.2	CM60PR •	2189
64"	1626	40	18.1	1.6	CM72APR •	1785	60	27.2	1.6	CM72PR •	2318
76"	1930	44	20.0	1.9	CM84APR	2206	67	30.4	1.8	CM84PR	2820
88"	2235	48	21.8	2.1	CM96APR	2276	74	33.6	2.1	CM96PR	2944
100"	2540	53	24.0	2.5	CM108APR	2662	81	36.7	2.5	CM108PR	3705
112"	2845	58	26.3	2.9	CM120APR	2696	87	39.5	2.9	CM120PR	3910
124"	3150	63	28.6	3.3	CM132APR	2836	94	42.6	3.3	CM132PR	3964
136"	3454	68	30.8	3.7	CM144APR	2895	101	45.8	3.7	CM144PR	4523

Wall Mounted Utility Tool Racks



see spec sheet **EG10.12C**



- Racks are double-bar type made of $\frac{3}{16}$ " x 2" (5 x 51mm), aluminum or type 304 stainless steel bars bolted together, and fitted with one two-prong sliding hook per foot.
- Stainless steel brackets.

FEATURES:

(•) MTS (made to stock) / () MTO (made to order)

Aluminum						Stainless Steel					
rack length		weight		cu	model #	list	weight		cu	model #	list
in.	mm	lbs.	kg	ft			lbs.	kg	ft		
36"	914	13	5.8	1.0	WM36APR •	555	18	8.2	1.0	WM36PR •	642
48"	1219	15	6.8	1.2	WM48APR •	584	22	10.0	1.2	WM48PR •	776
60"	1524	17	7.7	1.4	WM60APR •	663	26	11.8	1.4	WM60PR •	827
72"	1829	19	8.6	1.8	WM72APR •	849	29	13.2	1.8	WM72PR •	1049
84"	2134	21	9.5	2.0	WM84APR •	893	33	15.0	2.0	WM84PR •	1140
96"	2438	23	10.4	2.3	WM96APR •	1095	37	16.8	2.3	WM96PR •	1616
108"	2743	25	11.3	2.6	WM108APR	1325	41	18.6	2.6	WM108PR	1815
120"	3048	28	12.7	2.9	WM120APR	1339	45	20.4	2.9	WM120PR	1922
132"	3353	31	14.1	3.2	WM132APR	1549	50	22.7	3.3	WM132PR	1948
144"	3658	34	15.4	3.5	WM144APR	1664	55	24.9	3.5	WM144PR	2453

Corner Guards


see spec sheet **EG10.14**

- Adheres to corner of adjacent wall(s).
- Heavy gauge stainless steel.
- Adhesive tape backing.

2" x 2" Inner Corner Guards				2" x 2" Outer Corner Guards			
height		model #	list	model #	list	model #	list
in.	mm						
36"	914	CG-I-36	227	CG-O-36	227		
48"	1219	CG-I-48	272	CG-O-48	272		
60"	1524	CG-I-60	309	CG-O-60	309		
72"	1829	CG-I-72	339	CG-O-72	339		

- Options / Accessories / Replacements -

Please allow six to eight weeks shipping cycle for custom fabrication after receipt of approved drawings.
Add 10% upcharge to expedite 4-week shipping cycle.



model #	description	unit	list	model #	description	unit	list
E10	Square edge table - front and/or rear	per table	457	300720	Lever drains - 1.5" I.P.S. (38mm)	each	506
E11	Marine counter edge	per table	980	300721	Lever drains - 2" I.P.S. (51mm)	each	506
E12	"V" type marine edge	per table	980	300722	Lever drains - 2" I.P.S. (51mm) with overflow	each	1030
E13	Bullnose edge	per table	928	341189 ***	Twist handle drains - 1.5" I.P.S. (38mm)	each	529
E15	Vertical tray dividers - 4-section assembly, 3" on centers	each	1448	336002 ***	Twist handle drains - 2" I.P.S. (51mm)	each	529
300698	Castors - 4" (102mm)-diameter with brake	each	224	341190 ***	Twist handle drains - 2" I.P.S. (51mm) with overflow	each	1197
300699	Castors - 4" (102mm)-diameter without brake	each	213	E27	Top cutout - square or round (Specify location)	each	615
317635	Castors - 5" (127mm)-diameter with brake	each	292	E28	Angle slides for pans, up to six pairs	set	1272
317636	Castors - 5" (127mm)-diameter without brake	each	292	E29	Urn trough, 4.5" wide x 1.25" deep (114 x 32mm) with 1.5" (38mm) drain, complete with louvered grate. (Length must be maximum of 6' shorter than table. Specify location.)	lin. ft	313
313835	Stainless steel flanged bullet feet	each	61	E30	End splash — per end (Specify end), all heights	each	671
300692	Bullet feet - stainless steel	each	42	E31	1.5" (38mm) rear upturn for undershelf	table	272
301036	Bullet feet - white metal	each	22	E32	Can opener hole with under table support (Specify location)		437
300293	Bullet feet - plastic	each	7	E33	Sink splashes — single thickness 4" tall (102mm)	each	688
E17	Special height legs	per table	344	E34	Column cutout (Send floor plan/sketch)	each	1426
E18 *	Duplex receptacle and mounting plate (under table)	each	858	NOT PICTURED			
E18.1 *	Duplex receptacle in splash (requires at least 6"-high splash)	each	828				
E18.2 *	Pedestal duplex receptacle (top of table or overshelf)	each	958	model #	description	unit	list
E19	Stainless steel gussets	each	76	606329	Scrap chute, 6" (152mm)-diameter	each	480
E20	Sinks — complete with faucet and basket drain (Specify location)			606331	Knife rack (fits rolled rim, poly. and square edge tables)	each	702
E21	- 10" x 14" x 9.5" bowl (254 x 356 x 241mm)	each	2310	E35	16 gauge s/s apron in front of sinks or cutouts	lin. ft	339
E22 **	- 14" x 16" x 9.5" bowl (356 x 406 x 241mm)	each	2425	E36	Fully welded - top, undershelf & legs	each	1081
E23 **	- 16" x 20" x 8" bowl (406 x 508 x 203mm)	each	2584	E36A	Welded base only - undershelf & legs	each	726
E24 **	- 16" x 20" x 14" bowl (406 x 508 x 356mm)	each	2870	E37	NSF sprayed-on sound deadening up to 12' (3658mm)	table	1458
E24A	- 18" x 20" x 14" bowl (457 x 508 x 356mm)	each	3142	E37A	- for each additional foot	lin. ft	119
E25 **	- 20" x 20" x 14" (508 x 508 x 356mm)	each	3165	E38-6****	Cantilever mount up to 6' (1829mm) - add to wall shelf price	each	848
	- 24" x 24" x 14" (610 x 610 x 356mm)	each	4282	E38-12****	Cantilever mount up to 12' (3658mm) - add to wall shelf price	each	1268
313304	T&S faucet upgrade - deck mount 4" (102mm) centers	each	1296	E39	Enclosed backsplash	lin. ft	183


* For GFI receptacle, add "-GFI" to E number (example: E18.1-GFI) and \$65 to list price.

** These sink bowls will not fit in a table any less than 30" (762mm) wide.


*** Optional twist drain brackets available for use with twist handle drains.

**** Applicable to wall mount shelves and pot racks.


Optional Sinks Built Into Tables – Standard Locations



sink on left/right side of table




sink on center of table



sink with faucet on end of table

Optional Table Edges



Accessories/Replacements

Hand Sinks	233-236
All Other Sinks	237, 242, 259-261

Custom Options259

412, 414, and 314 Series Sinks

One-Compartment	238
Two-Compartment	239
Three-Compartment	240
Four-Compartment	241

Cool Trough® Water Tempering Systems264-265

Portable Cool Trough®	267
-----------------------------	-----

Counter Drop-In Sinks.....254-256

Floor Drains/Troughs.....262-26

Hand Sinks222-236

Accessories	233-236
Electronic	225-226
HFL-5000 Touchless Handwashing System	222
Physically Challenged / ADA	229
With Waste Receptacle	232

Seamless

Welded-In Sinks257-259

SPEC-MASTER® Heavy Duty Sinks

One-Compartment FN Series	243
---------------------------------	-----

Two-Compartment FN Series	244
Three-Compartment FN Series	245
Four-Compartment FN Series	246
FFN Series Flush Front	249
Specialty Use/Parts Cleaning	251

Specialty Sinks

314 Series Corner	250
310 / 312 Series Specialty Use	251
Lavatory	236
Mop Sink Storage Cabinets	253
Mop Sinks	252

Utility Sinks.....247-249

Hand Sinks with Eyewash

see spec sheet **EG20.57**



HSAP-10-EYE



HSAP-14-EYE

Features:


- 300 series stainless steel construction.
- Space-saving design.
- 120-volt electric-eye faucet with battery backup.
- Eyewash faucet OSHA, ANSI Z358.1 compliant: OSHA 29 CFR 1910.151(c).
- Thermostatic mixing valve to ensure correct water temperature is maintained: 60°–100°F (15.6–37.8°C).
- Multi-fold paper towel holder designed for Georgia-Pacific #20887.
- Fully enclosed skirt features tamper resistant hardware.
- #HSAP-10-EYE comes with wall mounted battery-powered type LTX-12 soap dispenser.

bowl size		overall size		model #	list
width in.	length x depth mm	width in.	length x height mm		
9½" x 8¼" x 5"	241 x 210 x 127	19⅞" x 13" x 22⅞"	497 x 330 x 568	HSAP-10-EYE	15674
16" x 14" x 5"	406 x 356 x 127	24" x 22" x 22⅞"	610 x 559 x 562	HSAP-14-EYE	12219

Stainless Steel Fabricated Sinks



see spec sheets **E20.14** **E20.15**



FEATURES:

- 14"-deep (356mm) bowls with 3/4" (19mm) radius corners.
- 8" (203mm)-high backsplash with 3/4" (19mm) upturn and tile edge.



S14-20-3-18-SL



S16-20-3-18

						S14 Series		S16 Series	
						Stainless steel legs, crossbracing, gussets and bullet feet.		Galvanized legs, crossbracing and gussets, and plastic bullet feet.	
# of bowls	drainboard length in.	mm	# of drbds	overall length in.	mm	14 gauge type 304 stainless steel construction model #	list	16 gauge type 304 stainless steel construction model #	list
1	n/a		0	29"	737	S14-20-1-SL	3498	S16-20-1	3083
2	18"	457	1	67 1/2"	1715	S14-20-2-18R-SL	6081	S16-20-2-18R	5354
	18"	457	1	67 1/2"	1715	S14-20-2-18L-SL	6081	S16-20-2-18L	5354
	18"	457	2	81"	2057	S14-20-2-18-SL	6396	S16-20-2-18	5632
3	18"	457	1	89 1/2"	2273	S14-20-3-18R-SL	8018	S16-20-3-18R	7056
	18"	457	1	89 1/2"	2273	S14-20-3-18L-SL	8018	S16-20-3-18L	7056
	18"	457	2	103"	2616	S14-20-3-18-SL	8441	S16-20-3-18	7425
	24"	610	1	95 1/2"	2426	S14-20-3-24R-SL	8361	S16-20-3-24R	7358
	24"	610	1	95 1/2"	2426	S14-20-3-24L-SL	8361	S16-20-3-24L	7358
	24"	610	2	115"	2921	S14-20-3-24-SL	8805	S16-20-3-24	7743
3	18"	457	2	103"	2616	S14-28-3-18-SL *	10687	S16-28-3-18 *	9396

* #S14-28-3-18-SL and #S16-28-3-18 sinks feature 28"-wide x 20"-long (711 x 508mm) sink bowls and two sets of faucet holes.

HFL-5000 Touch-Free Handwashing Systems

see spec sheet **E20.55**

- EAGLE hand sink with MICROGARD® antimicrobial protection.
- Automated paper towel dispenser. EAGLE part #384796.
- Splash-mount gooseneck faucet, with electronic eye sensor. Eagle part #384969 or EAGLE part #369865.
- Hand sanitizing dispenser. EAGLE part #377455.
- Hand soap dispenser. EAGLE part #377456.
- Glove rack with single service gloves. EAGLE part #352855.
- Soft bristle white nail brush. EAGLE part #348602

Refer to specification sheet for full component details and specifications.



Optional MICROGARD® for Hand Sinks!

(See pages 223-232 for applicable hand sinks.)

- MICROGARD® is an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew on the surface that cause stains, odors and degradation.
- MICROGARD® combines inorganic antimicrobial silver ions with a patented delivery system. The patented delivery system triggers the release of silver ions which react with bacteria in three ways:
 - 1) Suffocates the cell.
 - 2) Stops the cell reproduction system.
 - 3) Stops the cell from growing.
- MICROGARD® is a second line of defense. In keeping with good hygiene practices, clean this product as usual. The protection will not wash out, while organic bactericides may.**
- MICROGARD® is applied onto top and underside of sink deck, backsplash, and inside & outside of sink bowl (excludes faucets, drains, towel/soap dispensers, waste receptacle, skirt, pedal valves, and nail brush holder).

* MICROGARD® does not protect users or others against bacteria, viruses, germs or other disease organisms. Always clean this product thoroughly after each use.

** Note: To clean, use mild soap and water, rinse, and wipe entire surface dry. Soft non-abrasive cleaners may be used when necessary. Strong abrasive cleaners will scratch and dull the surface.

description of hand sink included	model #	list
with waste receptacle	HFL-5000	9071
with skirt (no waste receptacle)	HFL-5000-S	8275
with waste receptacle and end splashes	HFL-5000-LRS	9611

Catalog Section 20

Traditional Hand Sinks see spec sheet **EG20.40****MICROGARD®**

an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

- All sinks are wall mountable.
- Deep-drawn seamless design.
- Positive drain, included on all models.
- All type 304 stainless steel.
- Splash mount gooseneck faucet included on all models except HSA-10.

FEATURES:

(•) MTS (made to stock) / () MTO (made to order)

Cleanest sinks in the industry!

HSA-10* •		list: 1108
	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{3}{4}$ " x 18 $\frac{7}{8}$ " x 12 $\frac{3}{4}$ " (376 x 480 x 324mm)
	weight:	10 lbs. (4.5 kg)
	cubic feet:	3.0
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: 4" (102mm) centerline faucet holes, basket drain.

HSA-10-FAW •		list: 1743
	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{3}{4}$ " x 18 $\frac{7}{8}$ " x 12 $\frac{3}{4}$ " (376 x 480 x 324mm)
	weight:	14 lbs. (6.4 kg)
	cubic feet:	2.8
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Faucet with wrist handles, p-trap, tail piece, basket drain.

HSA-10-F •		list: 1296
	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{3}{4}$ " x 18 $\frac{7}{8}$ " x 12 $\frac{3}{4}$ " (376 x 480 x 324mm)
	weight:	12 lbs. (5.2 kg)
	cubic feet:	2.8
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Faucet, basket drain.

HSA-10-FL •		list: 1857
	bowl size:	10" x 14" x 5" (254 x 356 x 127mm)
	overall size:	14 $\frac{3}{4}$ " x 18 $\frac{7}{8}$ " x 12 $\frac{1}{2}$ " (376 x 480 x 318mm)
	weight:	15 lbs. (6.6 kg)
	cubic feet:	3.0
		includes: Faucet, polymer lever drain.

HSA-10-FA •		list: 1369
	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{3}{4}$ " x 18 $\frac{7}{8}$ " x 12 $\frac{3}{4}$ " (376 x 480 x 324mm)
	weight:	14 lbs. (6.4 kg)
	cubic feet:	3.0
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Faucet, p-trap, tail piece, basket drain.

HSA-10-F0 •		list: 1538
	bowl size:	10" x 14" x 5" (254 x 356 x 127mm)
	overall size:	14 $\frac{3}{4}$ " x 18 $\frac{7}{8}$ " x 12 $\frac{1}{2}$ " (376 x 480 x 318mm)
	weight:	13 lbs. (5.6 kg)
	cubic feet:	3.0
		includes: Faucet, polymer lever drain w/overflow.

* To order hand sink with no faucet holes, add suffix "-NH" to model number (example: HSA-10-NH). \$322 upcharge.

Hand Sinks with Standard Towel Dispenser and/or Soap Dispenser



see spec sheets **EG20.05** **EG20.41**

MICROGARD®

an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

- Deep-drawn positive drain and splash mount gooseneck faucet included on all models.
- All 304 series stainless steel, including towel dispenser.
- Soap dispenser on all models holds 16 ounces.
- Towel dispenser holds 4" x 10" (102 x 254mm) C-fold disposable paper towels.

FEATURES:

HSA-10-FDP		list: 2727
	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{3}{4}$ " x 19 $\frac{1}{4}$ " x 28 $\frac{1}{4}$ " (376 x 489 x 718mm)
	weight:	29 lbs. (13.2 kg)
	cubic feet:	6.2
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Faucet, towel dispenser, soap dispenser, basket drain.

HSA-10-FODP		list: 3343
	bowl size:	10" x 14" x 5" (254 x 356 x 127mm)
	overall size:	14 $\frac{3}{4}$ " x 19 $\frac{1}{4}$ " x 28" (376 x 489 x 711mm)
	weight:	30 lbs. (13.6 kg)
	cubic feet:	6.2
		includes: Faucet, towel dispenser, soap dispenser, polymer lever drain w/overflow.

HSA-10-FDPS		list: 4161
	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{3}{4}$ " x 19 $\frac{1}{4}$ " x 30" (376 x 489 x 762mm)
	weight:	29 lbs. (13.2 kg)
	cubic feet:	6.2
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Faucet, towel dispenser, soap dispenser, skirt, basket drain.

HSA-10-F-DS*		list: 1706
	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{1}{2}$ " (248 x 343 x 165mm)
	overall size:	14 $\frac{13}{16}$ " x 18 $\frac{7}{8}$ " x 12 $\frac{3}{4}$ " (376 x 480 x 324mm)
	weight:	12 lbs. (5.2 kg)
	cubic feet:	2.8
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Faucet, 16-oz deck-mt soap dispenser, basket drain.

HSA-10-FLDP		list: 3273
	bowl size:	10" x 14" x 5" (254 x 356 x 127mm)
	overall size:	14 $\frac{3}{4}$ " x 19 $\frac{1}{4}$ " x 28" (376 x 489 x 711mm)
	weight:	32 lbs. (14.5 kg)
	cubic feet:	6.2
		includes: Faucet, towel dispenser, soap dispenser, polymer lever drain.

HSA-10-FWLDP-LRS		list: 4416
	bowl size:	10" x 14" x 5" (254 x 356 x 127mm)
	overall size:	14 $\frac{3}{4}$ " x 19 $\frac{1}{4}$ " x 28" (376 x 489 x 711mm)
	weight:	30 lbs. (13.6 kg)
	cubic feet:	6.2
		includes: Faucet with wrist handles, towel dispenser, soap dispenser, polymer lever drain, and side splashes.

* Overall height does not include soap dispenser bottle. See page 231 for "Space-Saver" hand sink with deck-mount soap dispenser.

Catalog Section 20

Electronic Eye Hand Sinks - AC POWER

see spec sheet **EG20.42**

Note: For regulating water temperature, Temperature Adjustment Valve (see page 234) is required.

MICROGARD®

an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

- Electronic "eye" sensor beam activates water flow and adjusts from 3" to 12" (76 to 305mm).
- Requires 120-volt, 15-amp electricity.
- 120-volt AC adapter.
- Splash mount gooseneck spout.
- Lever or basket drain.
- Y-Inlet Non-Adjustable Mixing Valve.

FEATURES:

(•) MTS (made to stock) / () MTO (made to order)

HSA-10-FE*•		list: 4712
	bowl size:	9 ³ / ₄ " x 13 ¹ / ₂ " x 6 ³ / ₄ " (248 x 343 x 173mm)
	overall size:	14 ³ / ₄ " x 18 ⁵ / ₈ " x 12 ³ / ₄ " (376 x 480 x 324mm)
	weight:	14 lbs. (6.3 kg)
	cubic feet:	3.0
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Spout, electronic eye, and basket drain.

HSA-10-FDPE *		list: 6743
	bowl size:	9 ³ / ₄ " x 13 ¹ / ₂ " x 6 ³ / ₄ " (248 x 343 x 173mm)
	overall size:	14 ³ / ₄ " x 19 ¹ / ₄ " x 28 ¹ / ₄ " (376 x 489 x 718mm)
	weight:	31 lbs. (14.1 kg)
	cubic feet:	6.2
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Spout, electronic eye, soap dispenser, towel dispenser, and basket drain.

HSA-10-FOE		list: 4953
	bowl size:	10" x 14" x 5" (254 x 356 x 127mm)
	overall size:	14 ³ / ₄ " x 18 ⁵ / ₈ " x 12 ¹ / ₂ " (376 x 480 x 318mm)
	weight:	13 lbs. (5.7 kg)
	cubic feet:	3.0
		includes: Spout, electronic eye, and polymer lever drain with overflow.

HSA-10-FODPE		list: 6770
	bowl size:	10" x 14" x 5" (254 x 356 x 127mm)
	overall size:	14 ³ / ₄ " x 19 ¹ / ₄ " x 28" (376 x 489 x 711mm)
	weight:	30 lbs. (13.6 kg)
	cubic feet:	6.2
		includes: Spout, electronic eye, soap dispenser, towel dispenser, and polymer lever drain with overflow.

HSA-10-FA-PE		list: 6270
	bowl size:	9 ³ / ₄ " x 13 ¹ / ₂ " x 6 ³ / ₄ " (248 x 343 x 173mm)
	overall size:	14 ³ / ₄ " x 18 ⁵ / ₈ " x 40 ³ / ₄ " (376 x 480 x 1036mm)
	weight:	28 lbs. (12.7 kg)
	cubic feet:	9.5
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Spout, electronic eye, soap dispenser, P-trap, tail piece, and basket drain.

HSA-10-FDPEE		list: 7383
	bowl size:	9 ³ / ₄ " x 13 ¹ / ₂ " x 6 ³ / ₄ " (248 x 343 x 173mm)
	overall size:	14 ³ / ₄ " x 19 ¹ / ₄ " x 31 ¹ / ₄ " (376 x 489 x 794mm)
	weight:	30 lbs. (13.6 kg)
	cubic feet:	6.2
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Spout, electronic eye, towel dispenser, electronic soap dispenser, and basket drain.

* Optional waste receptacle available for models HSA-10-FE, HSA-10-FDPE, and HSA-10-FDPEE. See page 235.

Electronic Hand Sinks - Battery Power

see spec sheets **EG20.07** **EG20.49**



- Battery-powered electronic-eye faucet which operates on four "AA" batteries (included).
- Y-Inlet Non-Adjustable Mixing Valve.
- "Low battery" indicator light.

FEATURES:

MICROGARD®

an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

HSA-10-FDPEE-B-T		list: 10364
	bowl size:	9 ³ / ₄ " x 13 ¹ / ₂ " x 6 ³ / ₄ " (248 x 343 x 173mm)
	overall size:	14 ³ / ₄ " x 19 ¹ / ₄ " x 47 ¹ / ₂ " (376 x 489 x 1207mm)
	weight:	54 lbs. (24.5 kg)
	cubic feet:	9.8
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Battery-powered electronic eye faucet, towel dispenser, electronic soap dispenser, waste receptacle & skirt, and basket drain.

HSAP-14-ADA-FE-B		list: 10336
	bowl size:	16" x 14" x 5" (406 x 356 x 127mm)
	overall size:	24" x 22" x 24 ¹ / ₂ " (610 x 559 x 623mm)
	weight:	65 lbs. (29.5 kg)
	cubic feet:	19.2
		includes: Battery-powered electronic eye faucet, basket drain, c-fold towel dispenser in front, deck-mount soap dispenser, skirt.

HSA-10-FE-B-DS *		list: 5853
	bowl size:	9 ³ / ₄ " x 13 ¹ / ₂ " x 6 ³ / ₄ " (248 x 343 x 173mm)
	overall size:	14 ¹³ / ₁₆ " x 18 ⁷ / ₈ " x 12 ³ / ₄ " (376 x 480 x 324mm)
	weight:	16 lbs. (7.3 kg)
	cubic feet:	3.0
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Battery-powered electronic eye faucet, deck-mount soap dispenser, basket drain.

HSA-10-FE-B-NB-MG		list: 5967
	bowl size:	9 ³ / ₄ " x 13 ¹ / ₂ " x 6 ³ / ₄ " (248 x 343 x 173mm)
	overall size:	14 ¹³ / ₁₆ " x 18 ⁷ / ₈ " x 12 ³ / ₄ " (376 x 480 x 324mm)
	weight:	26 lbs. (11.8 kg)
	cubic feet:	3.0
MICROGARD® Standard		includes: Battery-powered electronic eye faucet, splash-mount nail brush holder, nail brush, MICROGARD®, basket drain.

HSAN-10-FE-B-DS*		list: 6557
	bowl size:	13 ¹ / ₂ " x 9 ³ / ₄ " x 6 ³ / ₄ " (343 x 248 x 171mm)
	overall size:	17 ¹³ / ₁₆ " x 12 ¹ / ₈ " x 14 ¹ / ₄ " (457 x 308 x 362mm)
	weight:	16 lbs. (7.3 kg)
	cubic feet:	2.8
		includes: Battery-powered electronic eye faucet, deck-mount soap dispenser, basket drain.

HSA-10-FE-B-T-NB-MG		list: 7354
	bowl size:	9 ³ / ₄ " x 13 ¹ / ₂ " x 6 ³ / ₄ " (248 x 343 x 173mm)
	overall size:	14 ¹³ / ₁₆ " x 18 ⁷ / ₈ " x 29 ¹ / ₈ " (376 x 480 x 740mm)
	weight:	25 lbs. (11.3 kg)
	cubic feet:	8.1
MICROGARD® Standard		includes: Battery-powered electronic eye faucet, splash-mount nail brush holder, nail brush, MICROGARD®, waste receptacle & skirt, basket drain.

* Overall height does not include soap dispenser bottle.

Catalog Section 20

Miscellaneous Hand Sinks

see spec sheets **EG20.21** **EG20.44**

(•) MTS (made to stock) / () MTO (made to order)

MICROGARD®

an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

HSA-10-FKP**list: 3005**single knee
pedal valve

bowl size:	9 ³ / ₄ " x 13 ¹ / ₂ " x 6 ³ / ₄ " (248 x 343 x 173mm)
overall size:	14 ³ / ₄ " x 18 ⁷ / ₈ " x 17 ¹ / ₂ " (376 x 480 x 445mm)
weight:	26 lbs. (11.8 kg)
cubic feet:	6.0

MICROGARD® available:
To order, add suffix "-MG" to
model # / add \$196 to list price.

includes: Spout, single pedal knee
valve, skirt, basket drain.

HSA-10-FA-P •**list: 2865**with Foot Valve
Operation

bowl size:	9 ³ / ₄ " x 13 ¹ / ₂ " x 6 ³ / ₄ " (248 x 343 x 173mm)
overall size:	14 ³ / ₄ " x 18 ⁷ / ₈ " x 40 ¹ / ₈ " (376 x 480 x 1019mm)
weight:	32 lbs. (14.5 kg)
cubic feet:	7.4

MICROGARD® available:
To order, add suffix "-MG" to
model # / add \$254 to list price.

includes: Spout, foot pedal valves,
P-trap, tail piece, basket
drain.

HSA-10-1FK*•**list: 2809**with Knee Valve
Operation

bowl size:	9 ³ / ₄ " x 13 ¹ / ₂ " x 6 ³ / ₄ " (248 x 343 x 173mm)
overall size:	14 ³ / ₄ " x 18 ⁷ / ₈ " x 17 ¹ / ₂ " (376 x 480 x 445mm)
weight:	27 lbs. (12.2 kg)
cubic feet:	4.0

MICROGARD® available:
To order, add suffix "-MG" to
model # / add \$254 to list price.

includes: Spout, single knee pedal,
skirt, and basket drain.

HSA-10-FA-1P •**list: 2865**with Foot Valve
Operation

bowl size:	9 ³ / ₄ " x 13 ¹ / ₂ " x 6 ³ / ₄ " (248 x 343 x 173mm)
overall size:	14 ³ / ₄ " x 18 ⁷ / ₈ " x 40 ¹ / ₈ " (376 x 480 x 1019mm)
weight:	32 lbs. (14.5 kg)
cubic feet:	10.2

MICROGARD® available:
To order, add suffix "-MG" to
model # / add \$254 to list price.

includes: Spout, single foot pedal
valve, P-trap, tail piece,
basket drain.

HSA-10-FDPK ***list: 4299**with Knee Valve
Operation

bowl size:	9 ³ / ₄ " x 13 ¹ / ₂ " x 6 ³ / ₄ " (248 x 343 x 173mm)
overall size:	14 ³ / ₄ " x 19 ¹ / ₄ " x 33" (376 x 489 x 838mm)
weight:	44 lbs. (20.0 kg)
cubic feet:	6.2

MICROGARD® available:
To order, add suffix "-MG" to
model # / add \$254 to list price.

includes: Spout, knee pedals, skirt,
soap dispenser, towel
dispenser, basket drain.

HSA-10-FK* •**list: 2809**with Knee Valve
Operation

bowl size:	9 ³ / ₄ " x 13 ¹ / ₂ " x 6 ³ / ₄ " (248 x 343 x 173mm)
overall size:	14 ³ / ₄ " x 18 ⁷ / ₈ " x 17 ¹ / ₂ " (376 x 480 x 445mm)
weight:	27 lbs. (12.2 kg)
cubic feet:	3.9

MICROGARD® available:
To order, add suffix "-MG" to
model # / add \$254 to list price.

includes: Spout, knee pedals, skirt,
and basket drain.

HSA-10-FW •**list: 1498**

with Standard Wrist Handles

bowl size:	9 ³ / ₄ " x 13 ¹ / ₂ " x 6 ³ / ₄ " (248 x 343 x 173mm)
overall size:	14 ³ / ₄ " x 18 ⁷ / ₈ " x 12 ³ / ₄ " (376 x 480 x 324mm)
weight:	14 lbs. (6.4 kg)
cubic feet:	3.0

MICROGARD® available:
To order, add suffix "-MG" to
model # / add \$254 to list price.

includes: Faucet with wrist handles,
basket drain.

* Overall height does not include skirt and knee valves.

Portable Hand Sinks

see spec sheets **EG20.06A** **EG20.06D**



portable hand sink with stainless steel cabinet and single sink bowl



portable hand sink with laminate cabinet and removable water plate.

FEATURES:

- Stainless steel top features box marine edge and rear backsplash.
- 5-gallon fresh water tank, 7-gallon gray water tank.
- Deck mount faucet with 1/4-turn handles.
- Towel rack and trash chute included.
- NEMA 5-15 plug & cord.

Notes: Optional Poly Cutting Board available. 3/4"-thick. Green color. **Model #376509, list \$382.**

Custom portable hand sinks available through SpecFAB®.

**See page 267 for NEW
Touch-Free Portable Hand Sinks!**

Sinks with Stainless Steel Cabinet—Comes with 4" (102mm) swivel casters* (two with brake).

description	bowl size		overall size		WITH COLD WATER ONLY				WITH HOT & COLD WATER			
	width	length x depth	width	length x height	weight *		model #	list	lbs.	kg	model #	list
	in.	mm	in.	mm	lbs.	kg						
with single S/S bowl	14" x 10" x 5"	356 x 254 x 127	24" x 26" x 44½"	610 x 660 x 1130	232	105.2	PHS-S-C	11000	251	113.9	PHS-S-H	13582
with 3-compartment bowl	11⅞" x 6⅞" x 5"	295 x 156 x 127	24" x 26" x 44½"	610 x 660 x 1130	232	105.2	PHS-S3-C	11358	251	113.9	PHS-S3-H	14297
with acrylic water plate**	12½" x 16"	32 x 406	24" x 26" x 44½"	610 x 660 x 1130	232	105.2	PHS-A-C	13190	251	113.9	PHS-A-H	15643

Sinks with Laminated Cabinet—Features Wilsonart® "Biltmore Cherry." Comes with 3" (76mm) swivel casters* (two with brake).

description	bowl size		overall size		WITH COLD WATER ONLY				WITH HOT & COLD WATER			
	width x length x depth		width x length x height		weight *		model #	list	weight *		model #	list
in.	mm	in.	mm	lbs.	kg	lbs.			kg			
with single S/S bowl	14" x 10" x 5"	356 x 254 x 127	25" x 28" x 44½"	635 x 711 x 1130	237	107.5	PHS-S-C-LB	12319	262	118.8	PHS-S-H-LB	13797
with 3-compartment bowl	11⅝" x 6⅞" x 5"	295 x 156 x 127	25" x 28" x 44½"	635 x 711 x 1130	237	107.5	PHS-S3-C-LB	12492	262	118.8	PHS-S3-H-LB	16248
with acrylic water plate**	12½" x 16"	32 x 406	25" x 28" x 44½"	635 x 711 x 1130	237	107.5	PHS-A-C-LB	14511	262	118.8	PHS-A-H-LB	17208

* 150 lb. (68.0 kg) weight capacity per caster.

* Weights shown reflect empty tanks.

** Features 12 1/2" x 16" (32 x 406mm) removable polycarbonate water plate which drains into a stainless steel trough, and deck-mount faucet.

Portable Hand Sinks with Open Base

see spec sheet **EG20.06B**



shown with optional wrist handle faucet

**Units with Wire Undershelf
also available!**

—See Spec Sheet.

FEATURES:

- Same inclusions as Portable Hand Sinks with Cabinet (above), but with open base instead.
- Stainless steel undershelf with cord wrap and marine edge.
- 1 5/8" (41mm)-diameter stainless steel legs with 4" (102mm)-diameter casters, two w/brake.
- Removable 12 3/4" x 10 3/8" x 6" pan.

overall width x length x height* in mm	WITH COLD WATER ONLY			WITH HOT & COLD WATER		
	weight	model #	list	weight	model #	list
30" x 30" x 34 1/2" 762 x 762 x 886	217 98.4	PHSE-S-C	9202	217 98.4	PHSE-S-H	11246

* Working height, excludes height of faucet.

Portable Hand Sink Supply Cart

see spec sheet **EG20.06C**

**Accommodates two 5-gallon tanks
and two 7-gallon tanks
(sold separately)**

—See Spec Sheet.



FEATURES:

- 24" x 24" (610 x 610mm) chrome-plated wire shelf and wire storage basket and four-sided wire truss frame.
- 5" (127mm) casters—two with brake—with resilient tread and donut bumper.

overall width x length x height in mm	model #	list
31 15/16" x 26 3/16" x 39" 1811 x 665 x 991	PHS-SUPCRT-A	1234

Catalog Section 20

Hand Wash Sinks



see spec sheet **EG20.47**



Model #
HWC-E



Model #
HWB-E

FEATURES:

- Type 304 stainless steel all-welded construction.
- 1½" (38mm) bull nose front edge.
- Hinged door with pull handle and magnetic catch.
- Pump-action soap dispenser on rear deck.
- Built-in front-loading C-fold towel dispenser located in front of sink bowl.
- Deck-mounted faucet.
- Basket drain.
- Crumb cup.

Space-Saver Models—Wall-mountable. Furnished with Z-clips to secure to wall.

bowl size		overall size		WITH STANDARD FAUCET				WITH T&S FAUCET			
width x length x depth		width x length x height		weight		model #		weight		model #	
in.	mm	in.	mm	lbs.	kg		list	lbs.	kg		list
9¼" x 11½" x 6"	235 x 292 x 152	16⅞" x 14" x 21¼"	421 x 356 x 540	36	16.3	HWC-E	5193	37	16.8	HWC-T	5669

Drop-In Models

bowl size		overall size		cutout dimensions		WITH STANDARD FAUCET				WITH T&S FAUCET			
width x length x depth		width x length x height		width x length		weight		model #		weight		model #	
in.	mm	in.	mm	in.	mm	lbs.	kg		list	lbs.	kg		list
9¼" x 11½" x 6"	235 x 292 x 152	17½" x 16½" x 17¼"	445 x 419 x 438	16" x 14⅞"	406 x 378	32	14.5	HWB-E	5433	33	15.0	HWB-T	5903

Physically Challenged Hand Sinks



see spec sheet **EG20.45**

Designed for unique applications!

FEATURES:

- Standard with faucet and basket drain.

(•) MTS (made to stock) / () MTO (made to order)

HSAP-14-FW

list: **3727**

bowl size:	16" x 14" x 5" (406 x 356 x 127mm)
overall size:	24⅞" x 19" x 16½" (613 x 483 x 419mm)
weight:	28 lbs. (12.7 kg)
cubic feet:	6.5
includes:	Faucet, basket drain, and wall brackets.

HSAP-14-ADA-FE-B

list: **10336**

bowl size:	16" x 14" x 5" (406 x 356 x 127mm)
overall size:	24" x 22" x 24½" (610 x 559 x 623mm)
weight:	65 lbs. (29.5 kg)
cubic feet:	19.2
includes:	Battery-powered electronic eye splash-mount faucet, c-fold towel dispenser in front, deck mount soap dispenser, skirt, basket drain.

HSAP-14-ADA-FW

list: **8840**

bowl size:	16" x 14" x 5" (406 x 356 x 127mm)
overall size:	24" x 22" x 24½" (610 x 559 x 623mm)
weight:	55 lbs. (24.9 kg)
cubic feet:	14.1
includes:	Splash-mount faucet w/wrist handles, c-fold towel dispenser in front, deck mount soap dispenser, skirt, basket drain.

Replacement T&S Faucets for HSAP-14-ADA-FW

Top quality splash-mount faucets. 4" center.

features	model #	list
gooseneck spout	306134	1157
wrist handles, gooseneck spout	313305	1155



#313305

Hand Sinks with Side Splashes


 see spec sheet **EG20.56**

FEATURES:

- Standard with faucet and basket drain.

(•) MTS (made to stock) / () MTO (made to order)

HSA-10-F-LRS •		list: 2290
	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{3}{4}$ " x 18 $\frac{7}{8}$ " x 12 $\frac{3}{4}$ " (376 x 480 x 324mm)
	weight:	14 lbs. (6.4 kg)
	cubic feet:	3.9
includes:		Faucet, basket drain, and side splashes.

HSAN-10-F-LRS •		list: 2432
	bowl size:	13 $\frac{1}{2}$ " x 9 $\frac{3}{4}$ " x 6 $\frac{3}{4}$ " (343 x 248 x 173mm)
	overall size:	18" x 12" x 14 $\frac{1}{4}$ " (457 x 305 x 362mm)
	weight:	17 lbs. (7.7 kg)
	cubic feet:	2.8
includes:		12" (305mm) side-to-side, faucet, basket drain, and side splashes.

HSA-10-FTWS-LRS		list: 3037
	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{3}{4}$ " x 18 $\frac{7}{8}$ " x 12 $\frac{3}{4}$ " (376 x 480 x 324mm)
	weight:	32 lbs. (14.5 kg)
	cubic feet:	3.5
includes:		Faucet, tubular wall brackets, basket drain, and side splashes.

HSA-10-FDPE-LRS		list: 7733
	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{3}{4}$ " x 19 $\frac{1}{4}$ " x 28 $\frac{3}{4}$ " (376 x 489 x 718mm)
	weight:	33 lbs. (15.0 kg)
	cubic feet:	2.8
includes:		Spout with electronic eye, towel dispenser, soap dispenser, basket drain, and side splashes.

Miscellaneous Hand Sinks


 see spec sheet **EG20.31**

(•) MTS (made to stock) / () MTO (made to order)

MICROGARD®

an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

HSA-10-FAW •		list: 1743
 with Standard Wrist Handles	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{3}{4}$ " x 18 $\frac{7}{8}$ " x 12 $\frac{3}{4}$ " (376 x 480 x 324mm)
	weight:	14 lbs. (6.4 kg)
	cubic feet:	2.8
includes:		Faucet with wrist handles, P-trap, tail piece, basket drain.
MICROGARD® available:		To order, add suffix "-MG" to model # / add \$254 to list price.

HSA-10-FTWS		list: 2044
 with Tubular Wall Support	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{3}{4}$ " x 18 $\frac{7}{8}$ " x 12 $\frac{3}{4}$ " (376 x 480 x 324mm)
	weight:	30 lbs. (13.6 kg)
	cubic feet:	3.0
includes:		Faucet, tubular wall brackets, basket drain.
MICROGARD® available:		To order, add suffix "-MG" to model # / add \$254 to list price.

Catalog Section 20

Space-Saver Series Hand Sinks



see spec sheets

EG20.05

EG20.43

FEATURES:

- Standard with faucet and basket drain.

MICROGARD®

an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

(•) MTS (made to stock) / () MTO (made to order)

HSAN-10-F •		list: 1542
 Only 12" (305mm) side-to-side to maximum space efficiency. MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.	bowl size:	13½" x 9¾" x 6¾" (343 x 248 x 171mm)
	overall size:	18" x 12" x 14¼" (457 x 305 x 362mm)
	weight:	15 lbs. (6.8 kg)
	cubic feet:	2.8
includes:		Splash mount faucet, basket drain.

HSAND-10-F •		list: 1288
 Only 12" (305mm) side-to-side to maximum space efficiency.	bowl size:	13½" x 9¾" x 6¾" (343 x 248 x 171mm)
	overall size:	19⅝" x 12" x 14¼" (498 x 305 x 362mm)
	weight:	15 lbs. (6.8 kg)
	cubic feet:	2.8
includes:		Deck mount faucet, basket drain.

HSANT-FS		list: 1821
 19½" (495mm) backsplash and skirt	bowl size:	13½" x 9¾" x 6¾" (343 x 248 x 171mm)
	overall size:	18" x 12" x 26½" (457 x 305 x 673mm)
	weight:	26 lbs. (11.8 kg)
	cubic feet:	6.5
includes:		Faucet, 19½" (495mm) high backsplash, basket drain.

HSAN-10-F-DS *		list: 1967
	bowl size:	13½" x 9¾" x 6¾" (343 x 248 x 165mm)
	overall size:	17⅜" x 12⅝" x 14¼" (457 x 308 x 362mm)
	weight:	14 lbs. (6.4 kg)
	cubic feet:	2.8
includes:		Faucet, deck-mount soap dispenser, basket drain.

* Overall height does not include soap dispenser globe.

Stainless Steel Cleaner & Polish



- Cleans and polishes in one step.
- Does not streak or leave fingerprints.
- Leaves a protective invisible coating.

weight		model #	list
oz.	kg		
15	0.4	004026	42

Special Purpose Hand Sinks



see spec sheets **EG20.20** **EG20.36** **EG20.37** **EG20.48**

Hand Sink with Deck Mount Faucet

HSAD-10-F •		list: 1197
	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (249 x 343 x 171mm)
	overall size:	16 $\frac{1}{2}$ " x 18 $\frac{5}{8}$ " x 12 $\frac{3}{4}$ " (419 x 479 x 324mm)
	weight:	14 lbs. (6.4 kg)
	cubic feet:	3.0
includes:		Faucet and basket drain.

Economical Hand Sink

- Faucet is deck mounted gooseneck.

HSAE-10-FA •		list: 1441
	bowl size:	10" x 14" x 5" (254 x 356 x 127mm)
	overall size:	15" x 16 $\frac{3}{4}$ " x 9" (381 x 425 x 229mm)
	weight:	14 lbs. (6.4 kg)
	cubic feet:	3.0
includes:		Faucet, p-trap, tail piece, basket drain, wall brackets, 4" (102mm) high backsplash.

Hand Sink with 8" (203mm) Centerline Faucet Holes

- Accommodates splash-mount faucet with 8" (203mm) centerline.

HSA-10-8		list: 1073
	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{3}{4}$ " x 18 $\frac{5}{8}$ " x 12 $\frac{3}{4}$ " (376 x 480 x 324mm)
	weight:	9 lbs. (4.1 kg)
	cubic feet:	3.0
includes:		8" (203mm) centerline faucet holes (no faucet), basket drain
MICROGARD® available:		To order, add suffix "-MG" to model # / add \$254 to list price.

- FEATURES:
- Standard with faucet and basket drain.

(•) MTS (made to stock) / () MTO (made to order)

Designed for unique applications!

MICROGARD®

an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

Hand Sink with Waste Receptacle-Patent protected

- U.S. Patent #5,732,422.
- Faucet is splash mounted gooseneck.

HSA-10-FDP-T		list: 3971
	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{3}{4}$ " x 19 $\frac{1}{4}$ " x 44 $\frac{5}{8}$ " (376 x 480 x 1133mm)
	weight:	29 lbs. (13.2 kg)
	cubic feet:	6.2
includes:		Faucet, basket drain, 12-oz soap dispenser, towel dispenser, waste skirt, and waste receptacle.
MICROGARD® available:		To order, add suffix "-MG" to model # / add \$243 to list price.


Hand Sink with 8" (203mm) Centerline Faucet

- Faucet is splash mounted gooseneck.

HSA-10-8F		list: 1382
	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{3}{4}$ " x 18 $\frac{5}{8}$ " x 12 $\frac{3}{4}$ " (376 x 480 x 324mm)
	weight:	13 lbs. (5.9 kg)
	cubic feet:	3.0
includes:		Faucet on 8" (203mm) center, basket drain.
MICROGARD® available:		To order, add suffix "-MG" to model # / add \$243 to list price.

Catalog Section 20

Hand Sink Accessories - Faucets & Valves

see spec sheet **EG20.52A**

Standard Faucets

- With 4" (102mm) center, except #313075.

description	model #	list
splash mounted, gooseneck spout	303987	359
wrist handles	307120	227
splash mounted with wrist handles, gooseneck spout	306495	747
deck mounted, gooseneck spout, 1/4-turn handles	302004	398
deck mounted, 8" (203mm) spout, 1/4-turn handles	301248	357
drinking bubbler	318495	1257
splash mounted, gooseneck spout, 8" (203mm) center	313075	352

Repair Kit for Standard Faucets

- For faucets #303987, 302004, and 301248 only.

description	model #	list
hot/cold ceramic cartridge	368421	66

Faucet-Mount

Emergency Eyewash Units

- Fits in place of standard aerator on spout.
- Both units meet ANSI Z358.1 standards.



description	model #	list
pull valve activation, includes two dust covers, chrome finish	326272	1021
rotate to activate, polished stainless finish, "eye-pod" design	377563	2037

IMPORTANT NOTE: If anti-scald valve (see below) is needed, order #373848 only.

Anti-Scald Valve for Faucet-Mount Emergency Eyewash Units

- This is the only anti-scald valve to be used with faucet-mount emergency eyewash units (above).
- Meets ANSI Z358.1 and ASSE 1071 standards.

description	model #	list
1/2" (13mm) NPT, 65 - 90°F	373848	4598

FEATURES:

- All faucets below feature 4" (102mm) centers, except where noted.

Note: Faucets listed are lead-free AB1953-compliant.

Can be shipped UPS.

Battery-Powered Electronic-Eye Faucets

- Used as a replacement to sinks on page 225 (by adding suffix "-B"), or as a replacement faucet for sinks on page 226 via the model number below.



description	model #	list
Splash mount. Comes with four "AA" batteries and built-in low-battery indicator	326014	3384
Upgrade: T&S electric-eye faucet, splash-mtd with batteries and AC adapter for dual operation. With AC adapter plugged in, faucet automatically switches to AC power to conserve batteries.	356128	3625

Short 90° for Splash Mount Faucets

description	model #	list
set of two, 1/2" NPT female x male	376740	121



Spouts/Spout Assemblies

description	model #	list
splash-mount replacement gooseneck for knee/foot valve-operated models	312162	727



Shut-Off Valve

- Antibacterial surface.
- Screws onto faucet aerator.
- Polished chrome finish.

description	model #	list
shut-off push bar	349921	152



Anti-Scald Valve

- Automatic shutdown with either hot or cold water failure.
- ASSE 1016 and 1017 listed.

IMPORTANT: Not for use with Faucet-Mount Emergency Eyewash Units.

description	model #	list
1/2" (13mm) NPT, 100 - 145°F	326696	1358



Hand Sink Accessories - Valves

see spec sheet **EG20.52A**

Can be shipped UPS.

(•) MTS (made to stock) / () MTO (made to order)

Temperature Adjustment Valve ("Mixing Valve")

- For hand sinks with AC-powered electronic faucet or hand sinks with single pedal valves.
- Cast brass body.
- $\frac{3}{8}$ " (10mm) all connections.



description	model #	list
built-in check valves to prevent backflow and adjustment screw valves to mix hot and cold	326015	236

Non-Adjustable Y-Inlet Mixing Valve

- For electronic hand sinks and hand sinks with single pedal valves only.
- "Y" shaped single-piece component. Chrome-plated brass body.



description	model #	list
Male connections; threads are $\frac{1}{8}$ -24 UNEF	342938	70

Tempering Valve

- Maximum output of 120°F.
- Maximum pressure of 150 psi.
- ASSE 1016 and 1070 listed.



description	model #	list
thermoplastic body, $\frac{3}{8}$ " (10mm) male compression fittings, 80°F-120°F, 0.5-2.5 gpm, built-in check valve	375612	730



single foot pedal valve



double foot pedal valve



knee pedal valve

Pedal Valves

description	DOUBLE PEDALS		SINGLE PEDALS	
	model #	list	model #	list
foot pedal valve, floor mount	300604	810	355994	810
knee pedal valve	313481	1082	351738	1082

Replacement Cartridge for all Pedal Valves: **Model # 374955. List: \$77**

Hand Sink Accessories - Miscellaneous

see spec sheet **EG20.52B**

Can be shipped UPS.

(•) MTS (made to stock) / () MTO (made to order)



#318496
towel dispenser



#DP-10 towel dispenser



#384796 towel dispenser

Towel/Soap Dispensers

description	model #	list
type 304 with conventional soap dispenser	DP-10 *•	1771
type 304 stainless, with electric eye soap dispenser	DP-20 *	3688
type 304 stainless, wall mounted	318496	621
break-resistant plastic, touchless, wall mounted	384796	444

* Fits all HSA hand sinks except Space Saver models.

Hand Sanitizing Dispenser

description	model #	list
Purell/LTX, wall mounted	377455	570



hand sanitizing dispenser

Plumbing

description	model #	list
tail piece, nickel-plated	300791	39
P-trap, nickel-plated	300789	200



tail piece



P-trap



conventional soap dispenser



soap dispenser with electric eye




deck mount soap dispenser

Soap Dispensers

description	model #	list
soap dispenser, conventional, 12-oz	300602	69
soap dispenser, wall mounted with electric eye	377456	570
soap dispenser, deck-mount, 16-oz	324074	263

nail brush

nail brush holder



Nail Brush and Nail Brush Holder

- To order nail brush and nail brush holder, add suffix "-NB" to hand sink model number. **Example: HSA-10-F-NB .**

description	model #	list each
infectious-control nail brush made of FDA-approved material, splash-mount		
stainless steel nail brush holder	add suffix "-NB"	244

Catalog Section 20

Hand Sink Accessories - Miscellaneous

see spec sheet **EG20.52B**

Can be shipped UPS.

(•) MTS (made to stock) / () MTO (made to order)

Waste Receptacle

- U.S. Patent #5,732,422.
- 20 gauge stainless steel.
- Removable.
- Comes with skirt.
- Must be factory installed.

Note: To order, add suffix "-T" to hand sink model number.**Example:** HSA-10-F-T.

for models:	model #	list
HSA-10; HSA-10-F; HSA-10-FA; HSA-10-FDP; HSA-10-FE; HSA-10-FDPE; HSA-10-FDPEE; and HSA-10-FW	add suffix "-T"	1342

**PATENTED
DESIGN**

HSA-10-FDP-T

hand sink with waste receptacle

End Splashes...

- Type 304 stainless steel.

Note: Will not work with Space Saver Hand Sinks (page 231) that have faucets with wrist handles.

...Factory-installed

Notes: To order, add suffix "-LS" (left end splash), "-RS" (right end splash), or "-LRS" (both end splashes). **Example:** HSA-10-F-LRS.

MICROGARD® cannot be put on hand sinks with end splashes.

descriptions	model #	list
left end splash only	add suffix "-LS"	504
right end splash only	add suffix "-RS"	504
left and right end splash	add suffix "-LRS"	1004



hand sink with optional end splashes

...for Field-installation

descriptions	model #	list each
one self-adhesive side splash, can be used for right or left application	HSA-SSK •	319
same as above, but fits only on Physically Challenged sinks (page 229)	HSAP-SSK	386



pair of end splashes for field installation



polymer lever drain

Wall Brackets

- 14 gauge type 304 stainless steel.

descriptions	model #	list
side mounting, one pair	606396 •	469
same as above, but fit only Space Saver models	611869	469



pair of wall brackets

Skirt Assembly

- Type 304 stainless steel.

fits models:	model #	list
HSA-10; HSA-10-F; HSA-10-FA; HSA-10-FDP; HSA-10-FE; HSA-10-FDPE; HSA-10-FDPEE; and HSA-10-FW.	606215 •	1049
HSAN-10-F	607560	744



Drains

description	maximum flow rate		model #	list
	gallons per minute	gallons per hour		
polymer lever drain fits 3 1/2" (89mm) diameter holes	11	660	319931	171
overflow assembly for lever drain #319931 (above)	-	-	319932	79
1 1/2" (38mm) drain assembly, fits 2" (51mm) dia. hole	12	720	300886	31
mini crumb cup for 1 1/2" (38mm) drain	-	-	300966	10
s/s basket drain assembly fits 3 1/2" (89mm) diameter holes w/crumb cups	18	1080	300287	47
cast metal lever drain with overflow assembly, with 7/4" (185mm) long lever, fits 3 1/2" (89mm) diameter holes	-	-	347771*	478

* Applicable only for hand sinks with overflow, replaces #319931/319932 assembly.

Hot Water Heater

see spec sheet **EG20.52B**

99% EFFICIENT!
Flow switch activates heater only on demand—no standby heat loss.

No temperature/pressure relief valve needed
(check local codes), reducing installation cost.

applicable hand sinks include:

HSA-10; HSA-10-F; HSA-10-FA; HSA-10-FDP;
 HSA-10-FE; HSA-10-FDPE; HSA-10-FDPEE;
 HSA-10-FW; HSA-10-FA-P; and HSAD-10-F.

add
suffix # list
each

“-WH” 4940

FEATURES:

- For EAGLE hand sinks with 10" x 14" (254 x 356mm) rounded bowl.
- Stainless steel pedestal base features notches for electrical wiring and front access panel.
- Unit comes equipped with an energy-saving tankless water heater. 120V 29A electricity. 0.5 GPM. 150 PSI maximum operating pressure (minimum 25 PSI).
- Water is heated instantaneously when faucet is on.
- To order, add suffix “-WH” to model number and **add \$4940 to list price** of hand sink.

Example: HSA-10-FDPEE-WH

Note: Must be field-wired.

(•) MTS (made to stock) / () MTO (made to order)

Lavatory Sinks see spec sheet **EG20.12**

Replacements for Lavatory Sinks

description	to fit process sink model #	model #	list
splash mount spout	P1916, P1916FE, W1916	300600	410
drain assembly	P1916, P1916FE, W1916,	300287	47
temperature adjustment valve, or “mixing valve”	P1916FE	326015	236

FEATURES:

- A marine edge.
- Type 304 stainless steel sink bowl.
- Gooseneck spout.
- Soap dispenser.
- Basket drain.
- Wall mount and pedestal models available.

(•) MTS (made to stock) / () MTO (made to order)

W1916-FA •

list: **3177**

wall mounted

bowl size:	15 $\frac{3}{4}$ " x 19 $\frac{3}{4}$ " x 8 $\frac{7}{8}$ " (400 x 500 x 225mm)
sink overall size:	23" x 24 $\frac{1}{4}$ " x 16 $\frac{1}{16}$ " (584 x 616 x 408mm)
shipping wt:	35 lbs., 15.9 kg
cubic feet:	1.6

includes: Gooseneck faucet, soap dispenser, basket drain.

P1916 •

list: **5357**

pedestal mounted,
foot pedal valve

bowl size:	15 $\frac{3}{4}$ " x 19 $\frac{3}{4}$ " x 8 $\frac{7}{8}$ " (400 x 500 x 225mm)
sink overall size:	23" x 24 $\frac{1}{4}$ " x 39 $\frac{1}{16}$ " (584 x 616 x 992mm)
shipping wt:	48 lbs., 21.8 kg
cubic feet:	1.6

includes: Gooseneck spout, soap dispenser, pedestal with foot valves, basket drain.

W1916

list: **6083**

wall mounted, knee
valve operation

bowl size:	15 $\frac{3}{4}$ " x 19 $\frac{3}{4}$ " x 8 $\frac{7}{8}$ " (400 x 500 x 225mm)
sink overall size:	23" x 24 $\frac{1}{4}$ " x 16 $\frac{1}{16}$ " (584 x 616 x 408mm)
shipping wt:	43 lbs., 19.5 kg
cubic feet:	1.6

includes: Gooseneck spout, soap dispenser, knee valves, basket drain.

P1916FE

list: **7170**

pedestal mounted,
electronic-eye operation

bowl size:	15 $\frac{3}{4}$ " x 19 $\frac{3}{4}$ " x 8 $\frac{7}{8}$ " (400 x 500 x 225mm)
sink overall size:	23" x 24 $\frac{1}{4}$ " x 39 $\frac{1}{16}$ " (584 x 616 x 992mm)
shipping wt:	48 lbs., 21.8 kg
cubic feet:	1.6

includes: Gooseneck spout with electronic-eye operation, soap dispenser, pedestal, basket drain.

Catalog Section 20


**Euro-style
edging on
front and
sides.**

Sink Kits for 412, 414, and 314 Series Sinks

see spec sheet **EG20.51A**

Standard Sink Kit components:

Stainless steel gussets
Stainless steel crossbraced legs
Stainless steel feet
T&S faucet #313293



Kit A

Add suffix “-CLF” to sink model number.

description	add to list price
1 faucet	2602
2 faucets	3900

Kit B

Standard sink kit components plus lever drain. Add suffix “-CLFD” to sink model number.

description	add to list price
1 faucet	2602
2 faucets	3900
per lever drain	506

Kit C

Standard sink kit components plus lever drain with overflow. Add suffix “-CLFDO” to sink model number.

description	add to list price
1 faucet	2602
2 faucets	3900
per lever drain with overflow	1030

description	add to list price
1 faucet	2602
2 faucets	3900
per twist handle drain	529

Kit E

Standard sink kit components plus twist handle drain with overflow and twist handle bracket. Add suffix “-CLFDOT” to sink model number.

description	add to list price
1 faucet	2602
2 faucets	3900
per twist handle drain with overflow	1197

412, 414, and 314 Series Sinks
Deep Drawn Construction

- Deep drawn seamless coved corner sink bowls of all units have a generous radius and are rectangular for maximum capacity.
- Legs are galvanized, 1 $\frac{5}{8}$ " (41mm) diameter.
- Crossbraced front-to-back with 1" (25mm) diameter galvanized tubing.
- Leg gussets are welded to a die-cut heavy-gauge reinforcing plate, and welded adjacent to sink bowl for maximum stability and support.
- 9 $\frac{1}{2}$ " (241mm) standard backsplash includes 1" (25mm) upturn and tile edge for easy installation and feathering to wall/splash surface.
- Basket-type waste drains are included to fit sink bowl's 3 $\frac{1}{2}$ " (89mm) opening and feature 1 $\frac{1}{2}$ " (38mm) outlet.
- 30" and 36" (762 and 914mm) drainboards available upon request.

Note: Stainless steel legs with front-to-back crossbracing available (does not include stainless steel feet).

To order, add **\$781 to list price** and suffix “-SL” to model number (example: 414-16-1-SL).

To order stainless steel legs and gussets, add **\$1080 to list price** and suffix “-SLG” to model number (example: 414-16-1-SLG).

Adjustable front-to-back crossbracing available.

Add suffix “-ACB” to model number, and add **\$361 to list price**. Example: 414-16-1-ACB

Left-to-right crossbracing available.

For galvanized, add **5% to list price** and suffix “-CBG” to model number.

For stainless steel (does not include stainless steel legs), add **10% to list price** and suffix “-CBS” to model number (example: 414-16-1-CBS).

Twist drain brackets available.

Works in conjunction with optional twist handle drains (not included – see page 260). To order, add **\$66 per compartment to list price** and suffix “-TB” to model number. Example: 414-16-1-TB.

For overflow hole (does not include drain), add **\$97 per compartment to list price** and suffix “-OF” to model number (example: 414-16-1-OF).

Sink accessories, see pages 259-261.

All shipping weights and cubic feet are approximate.


ALL SINKS SHIPPED FULLY CRATED.

412, 414, and 314 Series Sinks

One-Compartment Sinks



see spec sheets **EG20.03** **EG20.23** **EG20.27**



412 SERIES:

- All heavy gauge type 430 construction.
- 10½" (267mm) deep sink bowl.
- 44" (1118mm) overall height.

414 SERIES:

- 14" (356mm) deep heavy gauge type 304 sink bowl with type 430 drainboards, and backsplash.
- 44" (1118mm) overall height.

314 SERIES:

- All heavy gauge type 304 construction.
- 14" (356mm) deep sink bowl.
- 44" (1118mm) overall height.

(•) MTS (made to stock) / () MTO (made to order)

One Compartment, No Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cu ft	overall size width x length in. mm		GOOD 412 Series - see spec sheet - EG20.03 model # list		BETTER 414 Series - see spec sheet - EG20.23 model # list		BEST 314 Series - see spec sheet - EG20.27 model # list	
20" x 16"	508 x 406	—	—	93	42.2	10.5	27½" x 23¼"	699 x 591	412-16-1 •	3620	414-16-1 •	4161	314-16-1 •	4706
24" x 18"	610 x 457	—	—	95	43.1	10.0	31¾" x 25½"	807 x 648	—	—	414-18-1 •	4871	314-18-1	5445
22" x 22"	559 x 559	—	—	100	45.4	14.5	29¾" x 29½"	756 x 749	—	—	414-22-1 •	5180	314-22-1	5478
24" x 24"	610 x 610	—	—	135	61.2	16.5	31¾" x 31½"	807 x 800	—	—	414-24-1 •	5250	314-24-1	5849

One Compartment, One Drainboard (right or left)

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cu ft	overall size width x length in. mm		GOOD 412 Series - see spec sheet - EG20.03 model # list		BETTER 414 Series - see spec sheet - EG20.23 model # list		BEST 314 Series - see spec sheet - EG20.27 model # list	
20" x 16"	508 x 406	18"	457	96	43.6	18.1	27½" x 38¾"	699 x 987	412-16-1-18R or L •	5078	414-16-1-18R or L •	5702	314-16-1-18R or L	6316
		24"	610	99	44.9	19.5	27½" x 44¾"	699 x 1140						
24" x 18"	610 x 457	18"	457	110	49.9	22.0	31¾" x 40¾"	807 x 1035	—	—	414-18-1-18R or L	6270	314-18-1-18R or L	6899
		24"	610	120	54.4	22.9	31¾" x 46¾"	807 x 1188	—	—	414-18-1-24R or L	6316	314-18-1-24R or L	6944
22" x 22"	559 x 559	18"	457	115	52.2	23.0	29¾" x 45"	756 x 1143	—	—	414-22-1-18R or L	6852	314-22-1-18R or L	7099
		24"	610	127	57.6	26.0	29¾" x 51"	756 x 1295	—	—	414-22-1-24R or L	6898	314-22-1-24R or L	7149
24" x 24"	610 x 610	18"	457	143	64.9	25.0	31¾" x 46¾"	807 x 1188	—	—	414-24-1-18R or L	7570	314-24-1-18R or L	8238
		24"	610	178	80.7	28.6	31¾" x 52¾"	787 x 1340	—	—	414-24-1-24R or L •	7646	314-24-1-24R or L	8357

One Compartment, Double Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cu ft	overall size width x length in. mm		GOOD 412 Series - see spec sheet - EG20.03 model # list		BETTER 414 Series - see spec sheet - EG20.23 model # list		BEST 314 Series - see spec sheet - EG20.27 model # list	
20" x 16"	508 x 406	18"	457	133	60.3	25.7	27½" x 54½"	699 x 1384	412-16-1-18 •	5383	414-16-1-18	5967	314-16-1-18	6602
		24"	610	135	61.2	30.8	27½" x 66½"	699 x 1689	412-16-1-24	5396	414-16-1-24	6157	314-16-1-24	6800
24" x 18"	610 x 457	18"	457	121	54.9	29.6	31¾" x 56"	807 x 1422	—	—	414-18-1-18	6816	314-18-1-18	7486
		24"	610	140	63.5	38.1	31¾" x 68"	807 x 1727	—	—	414-18-1-24	6880	314-18-1-24	7556
22" x 22"	559 x 559	18"	457	125	56.7	30.3	29¾" x 60½"	756 x 1537	—	—	414-22-1-18	7465	314-22-1-18	7724
		24"	610	145	65.8	37.1	29¾" x 72½"	756 x 1842	—	—	414-22-1-24	7524	314-22-1-24	7787
24" x 24"	610 x 610	18"	457	176	79.8	32.5	31¾" x 62"	807 x 1575	—	—	414-24-1-18	7879	314-24-1-18	8427
		24"	610	189	85.7	40.6	31¾" x 74"	807 x 1880	—	—	414-24-1-24	7995	314-24-1-24	8730

Catalog Section 20

412, 414, and 314 Series Sinks


Two-Compartment Sinks

see spec sheets

EG20.03

EG20.24

EG20.28

two-compartment sink
with double drainboards2"-wide
euro-style
edgingtwo-compartment sink
with no drainboards

412 SERIES:

- All heavy gauge type 430 construction.
- 10½" (267mm) deep sink bowls.
- 44" (1118mm) overall height.

414 SERIES:

- 14" (356mm) deep heavy gauge type 304 sink bowls with type 430 drainboards, and backsplash.
- 44" (1118mm) overall height.

314 SERIES:

- All heavy gauge type 304 construction.
- 14" (356mm) deep sink bowls.
- 44" (1118mm) overall height.

(•) MTS (made to stock) / () MTO (made to order)

Two Compartments, No Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cu ft	overall size width x length in. mm		GOOD 412 Series - see spec sheet - EG20.03 model # list		BETTER 414 Series - see spec sheet - EG20.24 model # list		BEST 314 Series - see spec sheet - EG20.28 model # list	
20" x 16"	508 x 406	—	—	69	31.3	18.1	27½" x 41"	699 x 1041	412-16-2 •	4948	414-16-2 •	5697	314-16-2 •	6315
24" x 18"	610 x 457	—	—	75	33.8	24.0	31¼" x 45½"	807 x 1156	—	—	414-18-2 •	6556	314-18-2	7572
22" x 22"	559 x 559	—	—	80	36.3	25.8	29¾" x 53½"	756 x 1359	—	—	414-22-2	7152	314-22-2	7797
24" x 24"	610 x 610	—	—	91	41.3	29.6	31¼" x 57½"	807 x 1461	—	—	414-24-2 •	7903	314-24-2 •	8982

Two Compartments, One Drainboard (right or left)

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cu ft	overall size width x length in. mm		GOOD 412 Series - see spec sheet - EG20.03 model # list		BETTER 414 Series - see spec sheet - EG20.24 model # list		BEST 314 Series - see spec sheet - EG20.28 model # list	
20" x 16"	508 x 406	18"	457	127	57.6	25.7	27½" x 56½"	699 x 1438	412-16-2-18R or L •	6558	414-16-2-18R or L •	7536	314-16-2-18R or L	8242
		24"	610	156	70.84	28.3	27½" x 62¾"	699 x 1591	412-16-2-24R or L	6624	414-16-2-24R or L •	7654	314-16-2-24R or L	8714
24" x 18"	610 x 457	18"	457	131	59.4	33.0	31¼" x 60¾"	807 x 1543	—	—	414-18-2-18R or L	8803	314-18-2-18R or L	9915
		24"	610	158	71.7	35.0	31¼" x 66¾"	807 x 1696	—	—	414-18-2-24R or L	8855	314-18-2-24R or L	9974
22" x 22"	559 x 559	18"	457	190	86.2	34.0	29¾" x 69"	756 x 1753	—	—	414-22-2-18R or L	9798	314-22-2-18R or L	10403
		24"	610	193	87.6	37.1	29¾" x 75"	756 x 1905	—	—	414-22-2-24R or L	9849	314-22-2-24R or L	10457
24" x 24"	610 x 610	18"	457	192	87.1	38.0	31¼" x 72¾"	807 x 1847	—	—	414-24-2-18R or L	10631	314-24-2-18R or L	11549
		24"	610	208	94.4	41.6	31¼" x 78¾"	807 x 2000	—	—	414-24-2-24R or L •	10861	314-24-2-24R or L	12323

Two Compartments, Double Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cu ft	overall size width x length in. mm		GOOD 412 Series - see spec sheet - EG20.03 model # list		BETTER 414 Series - see spec sheet - EG20.24 model # list		BEST 314 Series - see spec sheet - EG20.28 model # list	
20" x 16"	508 x 406	18"	457	154	69.9	32.8	27½" x 72¼"	699 x 1848	412-16-2-18 •	6775	414-16-2-18 •	7830	314-16-2-18	8900
		24"	610	171	77.6	38.5	27½" x 84¼"	660 x 2140	412-16-2-24	6881	414-16-2-24 •	7972	314-16-2-24	9049
24" x 18"	610 x 457	18"	457	156	70.8	43.8	31¼" x 76"	807 x 1930	—	—	414-18-2-18	9066	314-18-2-18	10197
		24"	610	180	81.7	48.7	31¼" x 88"	807 x 2235	—	—	414-18-2-24	9166	314-18-2-24	10306
22" x 22"	559 x 559	18"	457	195	88.5	42.0	29¾" x 84½"	756 x 2146	—	—	414-22-2-18	10104	314-22-2-18	10712
		24"	610	198	89.8	48.5	29¾" x 96½"	756 x 2451	—	—	414-22-2-24	10218	314-22-2-24	10822
24" x 24"	610 x 610	18"	457	204	92.5	47.0	31¼" x 88"	807 x 2235	—	—	414-24-2-18	10984	314-24-2-18	12031
		24"	610	211	95.7	53.6	31¼" x 100"	807 x 2540	—	—	414-24-2-24 •	11325	314-24-2-24	12561

412, 414, and 314 Series Sinks

Three-Compartment Sinks (NSF)

see spec sheets **EG20.03** **EG20.25** **EG20.29**



three-compartment sink with double drainboards (faucet not included)

three-compartment sink with no drainboards

- 412 SERIES:**
- All heavy gauge type 430 construction.
 - 10½" (267mm) deep sink bowls.
 - 44" (1118mm) overall height.
- 414 SERIES:**
- 14" (356mm) deep heavy gauge type 304 sink bowls with type 430 drainboards, and backsplash.
 - 44" (1118mm) overall height.
- 314 SERIES:**
- All heavy gauge type 304 construction.
 - 14" (356mm) deep sink bowls.
 - 44" (1118mm) overall height.

(•) MTS (made to stock) / () MTO (made to order)

Three Compartments, No Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cu ft		overall size width x length in. mm		GOOD 412 Series		BETTER 414 Series		BEST 314 Series	
										- see spec sheet - EG20.03		- see spec sheet - EG20.25		- see spec sheet - EG20.29	
										model #	list	model #	list	model #	list
20" x 16"	508 x 406	—	—	165	74.8	25.7	27½" x 58¾"	699 x 1492	—	412-16-3 •	6271	414-16-3 •	6904	314-16-3 •	7898
24" x 18"	610 x 457	—	—	167	75.8	33.0	31¾" x 65½"	807 x 1664	—	—	—	414-18-3 ••	8528	314-18-3 •	9996
22" x 22"	559 x 559	—	—	170	77.1	37.1	29¾" x 77½"	756 x 1969	—	—	—	414-22-3 •	9483	314-22-3 •	10466
24" x 24"	610 x 610	—	—	175	79.4	41.5	31¾" x 83½"	807 x 2121	—	—	—	414-24-3 ••	10344	314-24-3 •	11670

* Features two sets of faucet holes.

Three Compartments, One Drainboard (right or left)

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cu ft		overall size width x length in. mm		GOOD 412 Series		BETTER 414 Series		BEST 314 Series	
										- see spec sheet - EG20.03		- see spec sheet - EG20.25		- see spec sheet - EG20.29	
										model #	list	model #	list	model #	list
20" x 16"	508 x 406	18"	457	170	77.1	33.3	27½" x 74¾"	699 x 1889	—	412-16-3-18R or L •	6629	414-16-3-18R or L •	8733	314-16-3-18R or L	10602
		24"	610	190	86.2	35.8	27½" x 80¾"	699 x 2042	—	412-16-3-24R or L	6696	414-16-3-24R or L	8802	314-16-3-24R or L	10680
24" x 18"	610 x 457	18"	457	206	93.4	42.0	31¾" x 80¾"	807 x 2051	—	—	—	414-18-3-18R or L •	10967	314-18-3-18R or L •	12540
		24"	610	228	103.4	68.0	31¾" x 86¾"	807 x 2203	—	—	—	414-18-3-24R or L •	11010	314-18-3-24R or L •	12584
22" x 22"	559 x 559	18"	457	224	101.6	45.0	29¾" x 93"	756 x 2362	—	—	—	414-22-3-18R or L •	12342	314-22-3-18R or L •	13286
		24"	610	235	106.6	48.4	29¾" x 99"	756 x 2515	—	—	—	414-22-3-24R or L •	12391	314-22-3-24R or L •	13341
24" x 24"	610 x 610	18"	457	226	102.5	50.0	31¾" x 98¾"	807 x 2508	—	—	—	414-24-3-18R or L •	13640	314-24-3-18R or L •	14914
		24"	610	250	113.4	54.6	31¾" x 104¾"	807 x 2661	—	—	—	414-24-3-24R or L ••	13832	314-24-3-24R or L •	15539

* Features two sets of faucet holes.

Three Compartments, Double Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cu ft		overall size width x length in. mm		GOOD 412 Series		BETTER 414 Series		BEST 314 Series	
										- see spec sheet - EG20.03		- see spec sheet - EG20.25		- see spec sheet - EG20.29	
										model #	list	model #	list	model #	list
20" x 16"	508 x 406	18"	457	175	79.4	40.9	27½" x 90"	699 x 2286	—	412-16-3-18 •	6861	414-16-3-18 •	8968	314-16-3-18 •	10861
		24"	610	204	92.5	46.0	27½" x 102"	699 x 2591	—	412-16-3-24 •	6979	414-16-3-24 •	9109	314-16-3-24 •	11013
24" x 18"	610 x 457	18"	457	224	101.6	50.5	31¾" x 96"	807 x 2438	—	—	—	414-18-3-18 ••	11255	314-18-3-18 ••	12841
		24"	610	232	105.2	57.0	31¾" x 108"	807 x 2743	—	—	—	414-18-3-24 ••	11534	314-18-3-24 ••	13061
22" x 22"	559 x 559	18"	457	231	104.8	54.0	29¾" x 108½"	756 x 2756	—	—	—	414-22-3-18 ••	12680	314-22-3-18 •	13619
		24"	610	239	108.4	59.6	29¾" x 120½"	756 x 3061	—	—	—	414-22-3-24 ••	13006	314-22-3-24 ••	13945
24" x 24"	610 x 610	18"	457	249	113.0	60.0	31¾" x 114"	807 x 2896	—	—	—	414-24-3-18 ••	13652	314-24-3-18 •	14784
		24"	610	260	117.9	65.2	31¾" x 126"	807 x 3200	—	—	—	414-24-3-24 ••	14250	314-24-3-24 •	15980

* Features two sets of faucet holes.

Catalog Section 20

414 and 314 Series Sinks

Four-Compartment Sinks



see spec sheets

EG20.26**EG20.30**four-compartment sink
with double drainboards2"-wide
euro-style edging414 SERIES:

- 14" (356mm) deep heavy gauge type 304 sink bowls with type 430 drainboards, and backsplash.
- 44" (1118mm) overall height.
- Two sets of faucet holes.

314 SERIES:

- All heavy gauge type 304 construction.
- 14" (356mm) deep sink bowls.
- 44" (1118mm) overall height.
- Two sets of faucet holes.

(•) MTS (made to stock) / () MTO (made to order)

Four Compartments, No Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cu ft	overall size width x length in. mm		BETTER 414 Series - see spec sheet - EG20.26 model # list		BEST 314 Series - see spec sheet - EG20.30 model # list	
20" x 16"	508 x 406	n/a	n/a	180	81.7	33.3	27½" x 76½"	699 x 1943	414-16-4	9322	314-16-4	11161
24" x 18"	610 x 457	n/a	n/a	218	98.9	48.4	31¾" x 85½"	807 x 2172	414-18-4	10773	314-18-4	12680
24" x 24"	610 x 610	n/a	n/a	231	104.8	55.6	31¾" x 109½"	807 x 2783	414-24-4	13277	314-24-4	15306

Four Compartments, One Drainboard (right or left)

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cu ft	overall size width x length in. mm		BETTER 414 Series - see spec sheet - EG20.26 model # list		BEST 314 Series - see spec sheet - EG20.30 model # list	
20" x 16"	508 x 406	18"	457	195	88.5	41.0	27½" x 92½"	699 x 2340	414-16-4-18R or L	11327	314-16-4-18R or L	13271
		24"	610	235	106.6	43.4	27½" x 98½"	699 x 2492	414-16-4-24R or L	11402	314-16-4-24R or L	13348
24" x 18"	610 x 457	18"	457	225	102.1	49.0	31¾" x 100¾"	807 x 2559	414-18-4-18R or L	13600	314-18-4-18R or L	15591
		24"	610	254	115.2	59.6	31¾" x 106¾"	807 x 2711	414-18-4-24R or L	13953	314-18-4-24R or L	15643
24" x 24"	610 x 610	18"	457	248	112.5	61.0	31¾" x 124¾"	807 x 3169	414-24-4-18R or L	16315	314-24-4-18R or L	18861
		24"	610	278	126.1	67.7	31¾" x 130¾"	807 x 3321	414-24-4-24R or L	17553	314-24-4-24R or L	19786

Four Compartments, Double Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cu ft	overall size width x length in. mm		BETTER 414 Series - see spec sheet - EG20.26 model # list		BEST 314 Series - see spec sheet - EG20.30 model # list	
20" x 16"	508 x 406	18"	457	231	104.8	48.5	27½" x 107¾"	699 x 2737	414-16-4-18 •	11794	314-16-4-18	13755
		24"	610	238	108.0	53.6	27½" x 119¾"	699 x 3042	414-16-4-24	11973	314-16-4-24	13945
24" x 18"	610 x 457	18"	457	247	112.0	65.0	31¾" x 116"	807 x 2946	414-18-4-18	13819	314-18-4-18	15873
		24"	610	262	118.8	70.9	31¾" x 128"	807 x 3251	414-18-4-24	13980	314-18-4-24	16046
24" x 24"	610 x 610	18"	457	263	119.3	73.0	31¾" x 140"	807 x 3556	414-24-4-18	17169	314-24-4-18	19260
		24"	610	293	132.9	79.7	31¾" x 152"	807 x 3861	414-24-4-24 •	17948	314-24-4-24	20192

Stainless Steel Cleaner & Polish

weight oz. kg		model #	list
15	0.4	004026	43

FEATURES:

- Cleans and polishes in one step.
- Does not streak or leave fingerprints.
- Leaves a protective invisible coating.

Sink Kits for SPEC-MASTER® FN Series Sinks

- Includes T&S faucet #313293.




T&S faucet #313293

OUR BEST



lever drain (with sink kits B)



lever drain with overflow (with sink kits C)

**Go Green.
Go EAGLE.**

Look for the tag
on the bar code



Kit A

- Add suffix “-F” to sink model number.

description	add to list price
1 faucet	1299
2 faucets	2598

Kit B

- T&S faucet plus lever drain. Add suffix “-FD” to sink model number.

description	add to list price
1 faucet	1299
2 faucets	2598
per lever drain	506

Kit C

- T&S faucet plus lever drain with overflow. Add suffix “-FDO” to sink model number.

description	add to list price
1 faucet	1299
2 faucets	2598
per lever drain with overflow	1030

Kit D

- T&S faucet plus twist handle drain and twist handle bracket. Add suffix “-FDT” to sink model number.

description	add to list price
1 faucet	1299
2 faucets	2598
per twist handle drain	529

Kit E

- T&S faucet plus twist handle drain with overflow and twist handle bracket. Add suffix “-FDOT” to sink model number.

description	add to list price
1 faucet	1299
2 faucets	2598
per twist handle drain with overflow	1197

**Quality...
Value...
Reliability!**

**Service
for over 60
years.**

Catalog Section 20

SPEC-MASTER® FN Series Coved Corner Sinks

One-Compartment Sinks

 see spec sheet **EG20.32**

Notes: Twist drain bracket available.

Works in conjunction with optional twist handle drain (not included – see page 260). To order, add \$66 per compartment to list price and suffix “-TB” to model number (example: FN2016-1-14/3-TB).

For overflow hole (does not include drain), add \$97 per compartment to list price and suffix “-OF” to model number (example: FN2016-1-14/3-OF).

- 14 gauge 300 series 18-8 stainless steel.
- All bowls are 14" (356mm) deep and have 9/16" (16mm) radius corners, both vertical and horizontal.
- Stainless steel gussets, feet, legs and crossbracing.
- Adjustable crossbracing front-to-back and side-to-side for increased stability.
- 9 1/2" (241mm) standard backsplash includes 1" (25mm) upturn and tile edge.
- Basket-type waste drains are included to fit sink bowl's 3 1/2" (89mm) opening and feature 1 1/2" (38mm) outlet.
- 30" and 36" (762 and 914mm) drainboards* available upon request.
- 44 1/2" (1130mm) overall height.

FEATURES:

* On sinks with drainboard(s) 30" and 36", legs are under the outer end of the drainboard(s).

Note: All shipping weights and cubic feet are approximate.

ALL SINKS SHIPPED FULLY CRATED.

For sink accessories, see pages 260-261.

For sink kits, see page 242.

(•) MTS (made to stock) / () MTO (made to order)

One Compartment, No Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet	overall size width x length in. mm		model #	list
20" x 16"	508 x 406	—	—	55	24.9	10.1	27" x 21"	686 x 533	FN2016-1-14/3	6242
20" x 18"	508 x 457	—	—	58	26.3	11.9	27" x 23"	686 x 584	FN2018-1-14/3 •	7032
20" x 20"	508 x 508	—	—	60	27.2	12.9	27" x 25"	686 x 635	FN2020-1-14/3	7032
24" x 24"	610 x 610	—	—	122	55.3	17.8	31" x 29"	787 x 737	FN2424-1-14/3	7528
28" x 20"	711 x 508	—	—	79	35.8	16.7	35" x 25"	889 x 635	FN2820-1-14/3	8302



One Compartment, One Drainboard (right or left)

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet	overall size width x length in. mm		model #	list
20" x 16"	508 x 406	18"	457	68	30.9	18.7	27" x 37 1/2"	686 x 953	FN2016-1-18R or L-14/3	6644
		24"	610	80	33.1	21.5	27" x 43 1/2"	686 x 1105	FN2016-1-24R or L-14/3	6756
20" x 18"	508 x 457	18"	457	76	34.4	20.3	27" x 39 1/2"	686 x 1003	FN2018-1-18R or L-14/3	7285
		24"	610	81	36.7	22.4	27" x 45 1/2"	686 x 1156	FN2018-1-24R or L-14/3	7409
20" x 20"	508 x 508	24"	610	144	65.3	23.4	27" x 47 1/2"	686 x 1207	FN2020-1-24R or L-14/3	7409
24" x 24"	610 x 610	24"	610	151	68.5	30.5	31" x 51 1/2"	787 x 1308	FN2424-1-24R or L-14/3	8472
28" x 20"	711 x 508	24"	610	114	51.7	30.2	35" x 47 1/2"	889 x 1207	FN2820-1-24R or L-14/3	8661



One Compartment, Double Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet	overall size width x length in. mm		model #	list
20" x 16"	508 x 406	18"	457	93	37.6	26.3	27" x 54"	686 x 1372	FN2016-1-18-14/3	6903
		24"	610	113	51.3	32.0	27" x 66"	686 x 1676	FN2016-1-24-14/3	7173
20" x 18"	508 x 457	18"	457	96	43.5	28.7	27" x 56"	686 x 1422	FN2018-1-18-14/3	7580
		24"	610	161	73.0	32.9	27" x 68"	686 x 1727	FN2018-1-24-14/3	7822
20" x 20"	508 x 508	24"	610	184	83.5	33.9	27" x 70"	686 x 1778	FN2020-1-24-14/3	7822
24" x 24"	610 x 610	24"	610	182	82.6	43.9	31" x 74"	787 x 1880	FN2424-1-24-14/3	8967
28" x 20"	711 x 508	24"	610	166	75.3	43.8	35" x 70"	889 x 1778	FN2820-1-24-14/3	9056



SPEC-MASTER® FN Series Coved Corner Sinks Two-Compartment Sinks



see spec sheet **EG20.33**



Notes: Twist drain brackets available.

Works in conjunction with optional twist handle drains (*not included* – see page 260). To order, add \$66 per compartment to list price and suffix “-TB” to model number (example: FN2032-2-14/3-TB).

For overflow hole (*does not include drain*), add \$7 per compartment to list price and suffix “-OF” to model number (example: FN2032-2-14/3-OF).

- 14 gauge 300 series 18-8 stainless steel.
- All bowls are 14" (356mm) deep and have 5/8" (16mm) radius corners, both vertical and horizontal.
- Stainless steel gussets, feet, legs and crossbracing.
- Adjustable crossbracing front-to-back and side-to-side for increased stability.
- 9 1/2" (241mm) standard backsplash includes 1" (25mm) upturn and tile edge.
- Basket-type waste drains are included to fit sink bowls' 3 1/2" (89mm) opening and feature 1 1/2" (38mm) outlet.
- 30" and 36" (762 and 914mm) drainboards* available upon request.
- 44 1/2" (1130mm) overall height.

FEATURES:

* On sinks with drainboard(s) 30" and 36", legs are under the outer end of the drainboard(s).

Note: All shipping weights and cubic feet are approximate.

ALL SINKS SHIPPED FULLY CRATED.

For sink accessories, see pages 260-261.

For sink kits, see page 242.

Two Compartments, No Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet	overall size width x length in. mm		model #	list
20" x 16"	508 x 406	—	—	77	34.9	20.4	27" x 39"	686 x 991	FN2032-2-14/3	8343
20" x 18"	508 x 457	—	—	82	37.2	22.4	27" x 43"	686 x 1092	FN2036-2-14/3	9164
20" x 20"	508 x 508	—	—	86	39.0	23.9	27" x 47"	686 x 1194	FN2040-2-14/3	9164
24" x 24"	610 x 610	—	—	157	71.2	32.2	31" x 55"	787 x 1397	FN2448-2-14/3	10892
28" x 20"	711 x 508	—	—	165	74.8	31.3	35" x 47"	889 x 1194	FN2840-2-14/3	10913



Two Compartments, One Drainboard (right or left)

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet	overall size width x length in. mm		model #	list
20" x 16"	508 x 406	18"	457	96	43.6	28.2	27" x 55 1/2"	686 x 1410	FN2032-2-18R or L-14/3	8967
		24"	610	102	46.3	31.1	27" x 61 1/2"	686 x 1562	FN2032-2-24R or L-14/3	9123
20" x 18"	508 x 457	18"	457	101	45.8	30.6	27" x 59 1/2"	686 x 1511	FN2036-2-18R or L-14/3	9945
		24"	610	107	48.5	33.1	27" x 65 1/2"	686 x 1664	FN2036-2-24R or L-14/3	10271
20" x 20"	508 x 508	24"	610	187	84.8	35.0	27" x 69 1/2"	686 x 1763	FN2040-2-24R or L-14/3	10271
24" x 24"	610 x 610	24"	610	183	83.0	45.0	31" x 77 1/2"	787 x 1969	FN2448-2-24R or L-14/3	12355
28" x 20"	711 x 508	24"	610	248	112.5	45.0	35" x 69 1/2"	889 x 1763	FN2840-2-24R or L-14/3	12355



Two Compartments, Double Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet	overall size width x length in. mm		model #	list
20" x 16"	508 x 406	18"	457	133	60.3	36.0	27" x 72"	686 x 1829	FN2032-2-18-14/3	9280
		24"	610	127	57.6	41.8	27" x 84"	686 x 2134	FN2032-2-24-14/3	9503
20" x 18"	508 x 457	18"	457	120	54.4	39.4	27" x 76"	686 x 1930	FN2036-2-18-14/3 •	10144
		24"	610	132	59.9	43.8	27" x 88"	686 x 2235	FN2036-2-24-14/3	10644
20" x 20"	508 x 508	24"	610	240	108.9	45.7	27" x 92"	686 x 2337	FN2040-2-24-14/3	10644
24" x 24"	610 x 610	24"	610	235	106.6	58.4	31" x 100"	787 x 2540	FN2448-2-24-14/3	12796
28" x 20"	711 x 508	24"	610	330	149.7	58.8	35" x 92"	889 x 2337	FN2840-2-24-14/3	12880



100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.

Phone: 302-653-3000. Fax: 302-653-2065

<http://www.eaglehmc.com>



Catalog Section 20

SPEC-MASTER® FN Series Coved Corner Sinks

Three-Compartment Sinks



see spec sheet **EG20.34**



(faucets not included)

**The
Consultant's
Choice**

Notes: Twist drain brackets available.

Works in conjunction with optional twist handle drains (not included – see page 260). To order, add \$63 per compartment to list price and suffix “-TB” to model number (example: FN2048-3-14/3-TB).

For overflow hole (does not include drain), add \$93 per compartment to list price and suffix “-OF” to model number (example: FN2048-3-14/3-OF).

- 14 gauge 300 series 18-8 stainless steel.
- All bowls are 14" (356mm) deep and have 9/16" (16mm) radius corners, both vertical and horizontal.
- Stainless steel gussets, feet, legs and crossbracing.
- Adjustable crossbracing front-to-back and side-to-side for increased stability.
- 9 1/2" (241mm) standard backsplash includes 1" (25mm) upturn and tile edge.
- Basket-type waste drains are included to fit sink bowls' 3 1/2" (89mm) opening and feature 1 1/2" (38mm) outlet.
- 30" and 36" (762 and 914mm) drainboards* available upon request.
- 44 1/2" (1130mm) overall height.

FEATURES:

* On sinks with drainboard(s) 30" and 36", legs are under the outer end of the drainboard(s).

Note: All shipping weights and cubic feet are approximate.

ALL SINKS SHIPPED FULLY CRATED.

For sink accessories, see pages 260-261.

For sink kits, see page 242.

Three Compartments, No Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet	overall size width x length in. mm		model #	list
20" x 16"	508 x 406	—	—	165	74.8	29.2	27" x 57"	686 x 1448	FN2048-3-14/3	10316
20" x 18"	508 x 457	—	—	175	79.4	32.1	27" x 63"	686 x 1600	FN2054-3-14/3 *	11790
20" x 20"	508 x 508	—	—	185	83.9	35.0	27" x 69"	686 x 1753	FN2060-3-14/3 *	11790
24" x 24"	610 x 610	—	—	200	90.7	46.7	31" x 81"	787 x 2057	FN2472-3-14/3 *	13713
28" x 20"	711 x 508	—	—	252	114.3	45.0	35" x 69"	889 x 1753	FN2860-3-14/3 *	14128



* Features two sets of faucet holes.

Three Compartments, One Drainboard (right or left)

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet	overall size width x length in. mm		model #	list
20" x 16"	508 x 406	18"	457	176	79.8	36.9	27" x 73 1/2"	686 x 1867	FN2048-3-18R or L-14/3	10746
		24"	610	190	86.2	39.9	27" x 79 1/2"	686 x 2019	FN2048-3-24R or L-14/3	10853
20" x 18"	508 x 457	18"	457	186	84.4	40.4	27" x 79 1/2"	686 x 2019	FN2054-3-18R or L-14/3 *	12669
		24"	610	210	95.3	42.8	27" x 85 1/2"	686 x 2172	FN2054-3-24R or L-14/3 *	12758
20" x 20"	508 x 508	24"	610	221	100.3	45.7	27" x 91 1/2"	686 x 2324	FN2060-3-24R or L-14/3 *	12758
24" x 24"	610 x 610	24"	610	240	108.9	59.5	31" x 103 1/2"	787 x 2629	FN2472-3-24R or L-14/3 *	15508
28" x 20"	711 x 508	24"	610	310	140.6	58.8	35" x 91 1/2"	889 x 2324	FN2860-3-24R or L-14/3 *	15787



* Features two sets of faucet holes.

Three Compartments, Double Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet	overall size width x length in. mm		model #	list
20" x 16"	508 x 406	18"	457	199	90.3	44.7	27" x 90"	686 x 2286	FN2048-3-18-14/3	11007
		24"	610	204	92.5	50.6	27" x 102"	686 x 2591	FN2048-3-24-14/3	11232
20" x 18"	508 x 457	18"	457	209	94.8	49.1	27" x 96"	686 x 2438	FN2054-3-18-14/3 *	12967
		24"	610	214	97.1	53.5	27" x 108"	686 x 2743	FN2054-3-24-14/3 *	13342
20" x 20"	508 x 508	24"	610	224	101.6	56.4	27" x 114"	686 x 2896	FN2060-3-24-14/3 *	13342
24" x 24"	610 x 610	24"	610	260	117.9	72.8	31" x 126"	787 x 3200	FN2472-3-24-14/3 *	15917
28" x 20"	711 x 508	24"	610	356	161.5	72.5	35" x 114"	889 x 2896	FN2860-3-24-14/3 *	16339



* Features two sets of faucet holes.

SPEC-MASTER® FN Series Coved Corner Sinks Four-Compartment Sinks

see spec sheet **EG20.35**



all sinks two sets of faucets holes

**The
Consultant's
Choice**

Notes: Twist drain brackets available.

Works in conjunction with optional twist handle drains (not included – see page 260). To order, add \$66 per compartment to list price and suffix “-TB” to model number (example: FN2064-4-14/3-TB).

For overflow hole (does not include drain), add \$97 per compartment to list price and suffix “-OF” to model number (example: FN2064-4-14/3-OF).

- 14 gauge 300 series 18-8 stainless steel.
- All bowls are 14" (356mm) deep and have 5/8" (16mm) radius corners, both vertical and horizontal.
- Stainless steel gussets, feet, legs and crossbracing.
- Adjustable crossbracing front-to-back and side-to-side for increased stability.
- 9 1/2" (241mm) standard backsplash includes 1" (25mm) upturn and tile edge.
- Basket-type waste drains are included to fit sink bowls' 3 1/2" (89mm) opening and feature 1 1/2" (38mm) outlet.
- 30" and 36" (762 and 914mm) drainboards* available upon request.
- 44 1/2" (1130mm) overall height.

FEATURES:

* On sinks with drainboard(s) 30" and 36", legs are under the outer end of the drainboard(s).

Note: All shipping weights and cubic feet are approximate.

ALL SINKS SHIPPED FULLY CRATED.

For sink accessories, see pages 260-261.

For sink kits, see page 242.

Four Compartments, No Drainboards


bowl size width x length in. mm	drainboard length in. mm	weight lbs. kg	cubic feet	overall size width x length in. mm	model #	list
20" x 16" 508 x 406	—	251 113.9	35.4	27" x 75" 686 x 1905	FN2064-4-14/3	13188
20" x 18" 508 x 457	—	282 127.9	39.0	27" x 83" 686 x 2108	FN2072-4-14/3	14816
20" x 20" 508 x 508	—	293 132.9	42.7	27" x 91" 686 x 2311	FN2080-4-14/3	14816
24" x 24" 610 x 610	—	416 188.7	57.1	31" x 107" 787 x 2718	FN2496-4-14/3	17046
28" x 20" 711 x 508	—	404 183.3	54.9	35" x 91" 889 x 2311	FN2880-4-14/3	18031

(•) MTS (made to stock) / () MTO (made to order)



Four Compartments, One Drainboard (right or left)

bowl size width x length in. mm	drainboard length in. mm	weight lbs. kg	cubic feet	overall size width x length in. mm	model #	list
20" x 16" 508 x 406	18" 457	273 123.4	45.7	27" x 91 1/2" 686 x 2324	FN2064-4-18R or L-14/3	13285
	24" 610	308 139.7	48.6	27" x 97 1/2" 686 x 2477	FN2064-4-24R or L-14/3	13406
20" x 18" 508 x 457	18" 457	289 131.1	50.1	27" x 99 1/2" 686 x 2527	FN2072-4-18R or L-14/3	15681
	24" 610	328 148.8	52.5	27" x 105 1/2" 686 x 2680	FN2072-4-24R or L-14/3	15770
20" x 20" 508 x 508	24" 610	328 148.8	56.4	27" x 113 1/2" 686 x 2883	FN2080-4-24R or L-14/3	15770
24" x 24" 610 x 610	24" 610	451 204.6	68.5	31" x 129 1/2" 787 x 3289	FN2496-4-24R or L-14/3	17539
28" x 20" 711 x 508	24" 610	438 198.7	67.7	35" x 113 1/2" 889 x 2883	FN2880-4-24R or L-14/3	19184



Four Compartments, Double Drainboards

bowl size width x length in. mm	drainboard length in. mm	weight lbs. kg	cubic feet	overall size width x length in. mm	model #	list
20" x 16" 508 x 406	18" 457	312 141.5	53.5	27" x 108" 686 x 2743	FN2064-4-18-14/3	13773
	24" 610	355 161.0	55.4	27" x 120" 686 x 3048	FN2064-4-24-14/3	14032
20" x 18" 508 x 457	18" 457	339 153.8	54.9	27" x 116" 686 x 2646	FN2072-4-18-14/3 •	16075
	24" 610	373 169.2	59.0	27" x 128" 686 x 3251	FN2072-4-24-14/3	16225
20" x 20" 508 x 508	24" 610	396 179.6	62.6	27" x 136" 686 x 3454	FN2080-4-24-14/3	16225
24" x 24" 610 x 610	24" 610	519 235.4	81.4	31" x 152" 787 x 3861	FN2496-4-24-14/3	19178
28" x 20" 711 x 508	24" 610	504 228.6	110.2	35" x 136" 889 x 3454	FN2880-4-24-14/3	19732



Catalog Section 20

Utility Sinks

One- and Two-Compartment Sinks

see spec sheets **EG20.13A** **EG20.13B**



Note: Overflow hole available (*does not include drain*). To order, add \$97 per compartment to list price and suffix "-OF" to model number (example: 1818-1-16/3-OF).

For detachable drainboards, see page 249.

For NSF-approved utility sinks, add 35% to list price and add prefix "N-" to model number. Example: N-2460-2-16/3.

FEATURES:

- For numerous applications when NSF construction is not required.
- Square-corner construction.
- 8" (203mm) backsplash.
- Adjustable bullet feet.
- Heavy gauge stainless steel.
- 304 and 430 series construction available.
- Sink compartments are 13 $\frac{3}{8}$ " (340mm) deep.
- Legs are 1 $\frac{5}{8}$ " (41mm) diameter galvanized tubing and are located directly under sink compartments for maximum stability and weight support.
- 42 $\frac{3}{4}$ " (1086mm) overall height.

These sinks are NOT recommended for healthcare and laboratory applications. If you are unsure as to your application needs, please contact Factory.

(●) MTS (*made to stock*) / () MTO (*made to order*)

One Compartment, No Drainboards

bowl size		drainboard		weight		cubic	overall size		type 430 stainless steel		type 304 stainless steel	
width x length		length		lbs.	kg	feet	width x length		model #	list	model #	list
in.	mm	in.	mm				in.	mm				
18" x 18"	457 x 457	—		53	24.0	0.9	22" x 19 $\frac{1}{8}$ "	559 x 492	1818-1-16/4 ●	2044	1818-1-16/3	2385
18" x 24"	457 x 610	—		56	25.4	11.6	22" x 25 $\frac{1}{8}$ "	559 x 645	1824-1-16/4	2059	1824-1-16/3	2494
21" x 18"	533 x 457	—		56	25.4	10.5	25" x 19 $\frac{1}{8}$ "	635 x 492	2118-1-16/4 ●	2037	2118-1-16/3	2445
21" x 24"	533 x 610	—		61	27.7	13.1	25" x 25 $\frac{1}{8}$ "	635 x 645	2124-1-16/4 ●	2110	2124-1-16/3	2563
21" x 36"	533 x 914	—		66	29.9	18.1	25" x 37 $\frac{1}{8}$ "	635 x 949	2136-1-16/4	2268	2136-1-16/3	2846
24" x 24"	610 x 610	—		60	27.2	14.6	28" x 25 $\frac{1}{8}$ "	711 x 645	2424-1-16/4 ●	2195	2424-1-16/3	2688
24" x 36"	610 x 914	—		68	30.8	20.2	28" x 37 $\frac{1}{8}$ "	711 x 949	2436-1-16/4 ●	2336	2436-1-16/3	2980

One Compartment, Double Drainboards

bowl size		drainboard		weight		cubic	overall size		type 430 stainless steel		type 304 stainless steel	
width x length		length		lbs.	kg	feet	width x length		model #	list	model #	list
in.	mm	in.	mm				in.	mm				
21" x 24"	533 x 610	18"	457	99	44.9	28.3	25" x 60 $\frac{1}{4}$ "	635 x 1530	2124-1-18-16/4	4535	2124-1-18-16/3	5528
24" x 24"	610 x 610	24"	610	108	49.0	37.1	28" x 72 $\frac{1}{4}$ "	711 x 1835	2424-1-24-16/4	4880	2424-1-24-16/3	5711

Two Compartments, No Drainboards

bowl size		drainboard		weight		cubic	overall size		type 430 stainless steel		type 304 stainless steel	
width x length		length		lbs.	kg	feet	width x length		model #	list	model #	list
in.	mm	in.	mm				in.	mm				
18" x 18"	457 x 457	—		75	34.0	16.1	22" x 37 $\frac{1}{8}$ "	559 x 949	1836-2-16/4 ●	2758	1836-2-16/3	3371
18" x 24"	457 x 610	—		80	36.3	20.6	22" x 49 $\frac{1}{8}$ "	559 x 1254	1848-2-16/4	2891	1848-2-16/3	3631
21" x 18"	533 x 457	—		80	36.3	18.1	25" x 37 $\frac{1}{8}$ "	635 x 949	2136-2-16/4 ●	2817	2136-2-16/3	3469
21" x 24"	533 x 610	—		85	38.6	23.2	25" x 49 $\frac{1}{8}$ "	635 x 1254	2148-2-16/4	2852	2148-2-16/3	3664
24" x 24"	610 x 610	—		89	40.4	25.8	28" x 49 $\frac{1}{8}$ "	711 x 1254	2448-2-16/4 ●	3130	2448-2-16/3	3892
24" x 30"	610 x 762	—		95	43.1	31.5	28" x 61 $\frac{1}{8}$ "	711 x 1559	2460-2-16/4	3881	2460-2-16/3	4468

Two Compartments, Double Drainboards

bowl size		drainboard		weight		cubic	overall size		type 430 stainless steel		type 304 stainless steel	
width x length		length		lbs.	kg	feet	width x length		model #	list	model #	list
in.	mm	in.	mm				in.	mm				
21" x 18"	533 x 457	18"	457	120	3048	33.3	25" x 72 $\frac{1}{4}$ "	635 x 1835	2136-2-18-16/4	5587	2136-2-18-16/3	6753
24" x 24"	610 x 610	24"	610	139	3531	48.4	28" x 96 $\frac{1}{4}$ "	711 x 2445	2448-2-24-16/4	5817	2448-2-24-16/3	6984

Utility Sinks

Three- and Four-Compartment Sinks

see spec sheets **EG20.13C** **EG20.13D**



Note: Overflow hole available (*does not include drain*). To order, add \$97 per compartment to list price and suffix "-OF" to model number (example: 1836-3-16/3-OF).

For detachable drainboards, see page 249.

For NSF-approved utility sinks, add 35% to list price and add prefix "N-" to model number. **Example:** N-1836-3-16/3.

(•) MTS (*made to stock*) / () MTO (*made to order*)

Three Compartments, No Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet	overall size width x length in. mm		type 430 stainless steel		type 304 stainless steel	
									model #	list	model #	list
18" x 12"	457 x 305	—		79	35.8	16.1	22" x 37 ³ / ₄ "	559 x 949	1836-3-16/4 •	3177	1836-3-16/3	3860
18" x 16"	457 x 406	—		90	40.8	20.6	22" x 49 ³ / ₄ "	559 x 1254	1848-3-16/4	3313	1848-3-16/3	4102
18" x 18"	457 x 457	—		97	44.0	22.8	22" x 55 ³ / ₄ "	559 x 1407	1854-3-16/4 •	3765	1854-3-16/3	4479
21" x 12"	533 x 305	—		85	38.6	18.1	25" x 37 ³ / ₄ "	635 x 949	2136-3-16/4 •	3259	2136-3-16/3	3987
21" x 16"	533 x 406	—		87	39.5	23.2	25" x 49 ³ / ₄ "	635 x 1254	2148-3-16/4 •	3403	2148-3-16/3	4236
21" x 18"	533 x 457	—		100	45.4	25.7	25" x 55 ³ / ₄ "	635 x 1407	2154-3-16/4 •	3778	2154-3-16/3	4602
21" x 20"	533 x 508	—		110	49.9	28.3	25" x 61 ³ / ₄ "	635 x 1559	2160-3-16/4 *	3904	2160-3-16/3 *	4781
24" x 16"	610 x 406	—		92	41.7	25.8	28" x 49 ³ / ₄ "	711 x 1254	2448-3-16/4	3571	2448-3-16/3	4425
24" x 20"	610 x 508	—		115	52.2	31.5	28" x 61 ³ / ₄ "	711 x 1559	2460-3-16/4 *	4130	2460-3-16/3 *	4965
24" x 24"	610 x 610	—		125	56.7	37.1	28" x 73 ³ / ₄ "	711 x 1864	2472-3-16/4 ••	4230	2472-3-16/3 *	5256

* Features two sets of faucet holes.

Three Compartments, Double Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet	overall size width x length in. mm		type 430 stainless steel		type 304 stainless steel	
									model #	list	model #	list
21" x 12"	533 x 305	18"	457	125	56.7	33.3	25" x 72¼"	635 x 1835	2136-3-18-16/4	5709	2136-3-18-16/3	6800
21" x 16"	533 x 406	18"	457	127	57.6	38.4	25" x 84¼"	635 x 2140	2148-3-18-16/4	5896	2148-3-18-16/3	7266
21" x 18"	533 x 457	18"	457	140	63.5	40.9	25" x 90¼"	635 x 2292	2154-3-18-16/4	6441	2154-3-18-16/3	7723
24" x 24"	610 x 610	24"	610	175	79.4	59.6	28" x 120¼"	711 x 3054	2472-3-24-16/4*	6945	2472-3-24-16/3 *	8849

* Features two sets of faucet holes.

Four Compartments, No Drainboards (*All sinks feature two sets of faucet holes.*)

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet	overall size width x length in. mm		type 430 stainless steel		type 304 stainless steel	
									model #	list	model #	list
18" x 18"	457 x 457	—		110	49.9	29.5	22" x 73 ³ / ₄ "	559 x 1864	1872-4-16/4	4328	1872-4-16/3	5394
21" x 18"	533 x 457	—		115	52.2	33.3	25" x 73 ³ / ₄ "	635 x 1864	2172-4-16/4	4535	2172-4-16/3	5479
24" x 18"	610 x 457	—		125	56.7	37.1	28" x 73 ³ / ₄ "	711 x 1864	2472-4-16/4	4657	2472-4-16/3	5735

Four Compartments, Double Drainboards - (*All sinks feature two sets of faucet holes.*)

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet	overall size width x length in. mm		type 430 stainless steel		type 304 stainless steel	
									model #	list	model #	list
21" x 18"	533 x 457	18"	457	155	70.3	48.5	25" x 108 1/4"	635 x 2750	2172-4-18-16/4	7141	2172-4-18-16/3	8332

Catalog Section 20

Detachable Drainboards for Utility Sinks

see spec sheet **EG20.13E**

**Drainboards will not work on
NSF utility sinks!**

- Unique die-stamped rolled rim construction.
- All drainboards are fully reversible, allowing for left- or right-hand operation.
- "Easy clip-on installation" utilizes two support brackets that bolt to sink gussets.
- Available in 430 or 304 series stainless steel.
- Drainboards 30" (762mm) long are furnished with legs.

FEATURES:

(•) MTS (made to stock) / () MTO (made to order)

width (front-to-back) x length (side-to-side)		weight		cu ft	16 gauge type 430 stainless steel		16 gauge type 304 stainless steel	
in.	mm	lbs.	kg		model #	list	model #	list
18" x 18"	457 x 457	10	4.5	1.8	18x18 RRDEDB •	577	18x18 RRDEDB-16/3	962
18" x 24"	457 x 610	12	5.4	1.9	18x24 RRDEDB •	611	18x24 RRDEDB-16/3	1011
18" x 30"	457 x 762	15	6.8	2.8	18x30 RRDEDB	1038	18x30 RRDEDB-16/3	1131
21" x 18"	533 x 457	14	6.4	1.8	21x18 RRDEDB •	577	21x18 RRDEDB-16/3	962
21" x 24"	533 x 610	16	7.3	2.1	21x24 RRDEDB •	619	21x24 RRDEDB-16/3	1011
21" x 30"	533 x 762	20	9.0	2.5	21x30 RRDEDB	1157	21x30 RRDEDB-16/3	1216
24" x 18"	610 x 457	17	7.7	2.3	24x18 RRDEDB •	593	24x18 RRDEDB-16/3	948
24" x 24"	610 x 610	18	8.2	2.4	24x24 RRDEDB •	642	24x24 RRDEDB-16/3	1046
24" x 30"	610 x 762	20	9.0	2.7	24x30 RRDEDB	1138	24x30 RRDEDB-16/3	1197

SPEC-MASTER® FFN Series Flush Front Sinks

see spec sheet **EG20.54**

- Full front and 10" (254mm) high back splash are 14 gauge stainless steel.
- 14 gauge double drainboards, rolled rims and sink bowl partitions.
- 1" (25mm) downturn at rear.
- Sink compartments feature 3/4" (19mm) covered inside radii.
- Basket-type waste drain fits 3 1/2" (89mm) opening and features 1 1/2" (38mm) outlet.
- Legs are located directly under sink bowls.
- All-welded base constructed of 1 5/8" (41mm) diameter tubular stainless steel.
- Adjustable stainless steel bullet feet.
- 14" (356mm) water level and swirl-away drainage.
- 44 5/8" (1134mm) overall height.

FEATURES:

bowl size width x length		drainboard length		Two Compartments			Three Compartments *		
in.	mm	in.	mm	overall size width x length	model #	list	overall size width x length	model #	list
27" x 18"	686 x 457	24"	610	30 1/2" x 85 5/8"	FFN2736-2-24-14/3	18256	30 1/2" x 105 1/4"	FFN2754-3-24-14/3	22024
27" x 18"	686 x 457	30"	762	30 1/2" x 97 5/8"	FFN2736-2-30-14/3	20434	30 1/2" x 117 1/4"	FFN2754-3-30-14/3	24534
27" x 20"	686 x 508	24"	610	30 1/2" x 89 5/8"	FFN2740-2-24-14/3	19099	30 1/2" x 111 1/4"	FFN2760-3-24-14/3	23286
27" x 20"	686 x 508	30"	762	30 1/2" x 101 5/8"	FFN2740-2-30-14/3	21266	30 1/2" x 123 1/4"	FFN2760-3-30-14/3	25798
27" x 24"	686 x 610	24"	610	30 1/2" x 97 5/8"	FFN2748-2-24-14/3	20770	30 1/2" x 123 1/4"	FFN2772-3-24-14/3	25798
27" x 24"	686 x 610	30"	762	30 1/2" x 109 5/8"	FFN2748-2-30-14/3	22947	30 1/2" x 135 1/4"	FFN2772-3-30-14/3	28302
27" x 30"	686 x 762	24"	610	30 1/2" x 109 5/8"	FFN2760-2-24-14/3	23286	30 1/2" x 141 1/4"	FFN2790-3-24-14/3	29562
27" x 30"	686 x 762	30"	762	30 1/2" x 121 5/8"	FFN2760-2-30-14/3	25452	30 1/2" x 153 1/4"	FFN2790-3-30-14/3	32076

* Three-Compartment sinks feature two sets of faucet holes.

SPEC-MASTER® Specialty Use/Parts Cleaning Sinks



see spec sheet **EG20.38**



FEATURES:

- All bowls have 14" depth (356mm), 5/8" (16mm) radius corners.
- 14 gauge type 304 18-8 stainless steel construction.
- Available with one, two, or no drainboards.

Note: All shipping weights and cubic feet are approximate.

Two Compartments

inside bowl dimensions width x length		overall dimensions width x length x height		drain boards	weight		cu ft	model #	list
in.	mm	in.	mm		lbs.	kg			
14" x 32"	356 x 813	37" x 37" x 44 1/2"	902 x 940 x 1130	none	155	70.3	23	SFN2832-2-14/3	10613
14" x 32"	356 x 813	37" x 53 1/2" x 44 1/2"	902 x 1359 x 1130	one 18" (457mm) R or L	175	79.3	26	SFN2832-2-18R or L-14/3	11942
14" x 32"	356 x 813	37" x 70" x 44 1/2"	902 x 1778 x 1130	two 18" (457mm) R & L	200	90.7	46	SFN2832-2-18-14/3	13073

Three Compartments

inside bowl dimensions width x length		overall dimensions width x length x height		drain boards	weight		cu ft	model #	list
in.	mm	in.	mm		lbs.	kg			
two 14" x 32" (356 x 813mm) bowls, & one 20" x 30" (508 x 762mm) bowl		37" x 59" x 44 1/2"	902 x 1499 x 1130	none	164	74.4	36	SFN3052-3-14/3	13600
		37" x 75 1/2" x 44 1/2"	902 x 1918 x 1130	one 18" (457mm) R or L	192	87.1	47	SFN3052-3-18R or L-14/3	14722
		37" x 92" x 44 1/2"	902 x 2337 x 1130	two 18" (457mm) R & L	210	95.3	58	SFN3052-3-18-14/3	15098
three 32" x 14" (813 x 356mm) bowls		39" x 51" x 44 1/2"	991 x 1265 x 1130	none	160	72.6	32	SFN3242-3-14/3	14172
		39" x 67 1/2" x 44 1/2"	991 x 1715 x 1130	one 18" (457mm) R or L	175	79.4	45	SFN3242-3-18R or L-14/3	14611
		39" x 84" x 44 1/2"	991 x 2134 x 1130	two 18" (457mm) R & L	200	90.7	56	SFN3242-3-18-14/3	15134

314 Series Corner Sinks



see spec sheet **EG20.09**



all sinks have two sets of faucet holes

FEATURES:

- Deep-drawn, heavy gauge type 304 construction.
- Poly cutting board/sink cover.

Note: All shipping weights and cubic feet are approximate.
ALL UNITS SHIPPED FULLY CRATED.

Twist drain brackets available.

Works in conjunction with optional twist handle drains (not included - see page 260). To order, **add \$66 per compartment to list price** and suffix "-TB" to model number. **Example: C314-10-3-12-TB.**

(•) MTS (made to stock) / () MTO (made to order)

no. bowls	bowl size width x length x depth	drain boards	overall size width x length x height	shipping weight	cu ft	model #	list
3	10" x 14" x 10" (254 x 355 x 254mm)	two 12" (305mm)	39" x 43" x 44" (991 x 1092 x 1118mm)	162 lbs. (73.5 kg)	30	C314-10-3-12	10794
3	16" x 20" x 14" (406 x 508 x 356mm)	two 18" (457mm)	57 1/4" x 59 1/4" x 44" (1454 x 1518 x 1118mm)	211 lbs. (95.7 kg)	77	C314-16-3-18 • 14197	
3	22" x 22" x 14" (558 x 558 x 356mm)	two 18" (457mm)	69" x 69" x 44" (1753 x 1753 x 1118mm)	300 lbs. (136.1 kg)	90	C314-22-3-18	15400
3	24" x 24" x 14" (610 x 610 x 356mm)	two 24" (610mm)	79" x 79" x 44" (2007 x 2007 x 1118mm)	357 lbs. (161.9.0 kg)	108	C314-24-3-24	16642

Catalog Section 20

310 and 312 Series Specialty Use Sinks

see spec sheet **EG20.19**

**Euro-style edging
on both series**

FEATURES:

- Heavy gauge type 304 construction.
- Sink bowls are deep-drawn, except where noted.
- 9½" (241mm) backsplash includes 1" (25mm) upturn and tile edge for easy installation and feathering to wall/splash surface.

Note: All shipping weights and cubic feet are approximate.

Twist drain brackets available.

Works in conjunction with optional twist handle drains (not included – see page 260). To order, add **\$66 per compartment to list price** and suffix **"-TB"** to model number (example: **310-10-3-12-TB**).

310 Series

(•) MTS (made to stock) / () MTO (made to order)

no. bowls	bowl size width x length x depth	drain boards	overall size width x length x height	shipping weight	cu ft	model #	list
3	14" x 10" x 9¼" (355 x 254 x 247mm)	two 12" (305mm)	21½" x 60" x 41" (551 x 1524 x 1041mm)	123 lbs. (55.8 kg)	23	310-10-3-12•	6435
3	14" x 10" x 9¼" (355 x 254 x 247mm)	two 18" (457mm)	21½" x 72" x 41" (551 x 1829 x 1041mm)	134 lbs. (60.8 kg)	27	310-10-3-18•	6596
3	14" x 10" x 9¼" (355 x 254 x 247mm)	two 24" (610mm)	21½" x 84" x 41" (551 x 2134 x 1041mm)	150 lbs. (68.0 kg)	32	310-10-3-24	6713



312 Series

no. bowls	bowl size width x length x depth	drain boards	overall size width x length x height	shipping weight	cu ft	model #	list
3	20" x 12" x 12" (508 x 305 x 305mm)	two 12" (305mm)	27½" x 66" x 41" (703 x 1676 x 1041mm)	143 lbs. (64.9 kg)	22	312-12-3-12•*	6827
3	14" x 16" x 12" (356 x 406 x 305mm)	two 12" (305mm)	23½" x 72" x 41" (602 x 1829 x 1041mm)	150 lbs. (68.0 kg)	46	312-14-3-12•	7311

Faucet for Convenience Store Sinks

description	model #	list
10" (254mm) spout	300489	597

* #312-12-3-12 features fabricated sink bowls.

Flush Floor Mop Sinks

see spec sheet **EG20.46**

Features:

- Allows ease of disposing dirty water without lifting or spilling.
- Heavy gauge type 304 construction.
- 16½" (419mm) backsplash, with end splash on left, right, or both sides.
- Stainless drain accommodates up to 4-dia. pipe, features removable perforated stainless basket.
- All sinks feature bowl capacity of 17.1 gallons.



#FF2119-FG-LS



#FF2119-FG-LRS



#FF2119-SG-RS

**Flow rate of
20 gallons per minute
on all sinks!**

location of splash(es)	OVERALL DIMENSIONS		BOWL DIMENSIONS		weight		WITH FIBERGLASS GRATING		WITH STAINLESS STEEL GRATING	
	width	length x height	width	length x height			model #	list	model #	list
left side	23⅝"	23⅝" x 32¾"	600 x 600 x 832	19" x 21" x 10"	483 x 533 x 254	65 29.5	FF2119-FG-LS	4938	FF2119-SG-LS	6080
right side	23⅝"	23⅝" x 32¾"	600 x 600 x 832	19" x 21" x 10"	483 x 533 x 254	65 29.5	FF2119-FG-RS	4938	FF2119-SG-RS	6080
both sides	23⅝"	21⅞" x 32¾"	600 x 537 x 832	19" x 21" x 10"	483 x 533 x 254	65 29.5	FF2119-FG-LRS	5136	FF2119-SG-LRS	6302

Mop Sinks see spec sheet **EG20.01**

FEATURES:

- 304 18-8 stainless steel construction.
- Sink bowl is heavy gauge with deep-drawn covered corners.
- Drain with flat strainer plate.

(•) MTS (made to stock) / () MTO (made to order)

Note: See page 253 for Mop Storage Cabinets and optional Utility Shelves with Mop Hangers.

bowl width x length x depth in mm	cu ft	overall width x length x height in. mm	sh. weight lbs. kg	model #	list
16" x 20" x 8" 406 x 508 x 203	8.4	21½" x 24¾" x 15½" 546 x 625 x 394	35 15.8	F1916 ••	3177
16" x 20" x 12" 406 x 508 x 305	8.4	21½" x 24¾" x 19½" 546 x 625 x 495	53 24.0	F1916-12 ••	3288
20" x 28" x 8" 508 x 711 x 203	11.9	25" x 32½" x 15½" 635 x 826 x 394	68 30.8	F2820 *	3634
20" x 28" x 12" 508 x 711 x 305	11.9	25" x 32½" x 19½" 635 x 826 x 495	86 39.0	F2820-12 ••	4037

* Includes 3¼" high backsplash. 12½" deck height.

** Includes 3¼" high backsplash. 16½" deck height.



Optional 16" Splash Kits for Mop Sinks

16 gauge type 304 stainless steel. 3" radius on front of end splashes. Kits come with hardware for attaching to mop sink.

descriptions	fits "F1916" mop sinks		fits "F2820" mop sinks	
	model #	list	model #	list
left and rear splash kit	503095	1143	503098	1211
right and rear splash kit	503096	1143	503099	1211
left, right and rear splash kit	503097	1802	503100	1977

Corner Mop Sinks see spec sheets **EG20.08A** **EG20.08B**

with 3" drop front edge




with flush front edge

Features:

- Type 304 stainless steel construction.
- Fully welded and polished sink bowl is creased to improve drainage.
- 2" brass drain with 4½" stainless steel strainer.

bowl width x length x depth in mm	O.A. width x length x height in. mm	sh. weight lbs. kg	with Drop Front Edge		with Flush Front Edge	
			model #	list	model #	list
21" x 21" x 8" 533 x 533 x 203	24" x 24" x 12" 610 x 610 x 305	35 15.8	F2121-8-CDE	4405	F2121-8-CNR	4391
21" x 21" x 12" 533 x 533 x 305	24" x 24" x 16" 610 x 610 x 406	53 24.0	F2121-12-CDE	4665	F2121-12-CNR	4705
24" x 24" x 8" 610 x 610 x 203	27" x 27" x 12" 686 x 686 x 305	68 30.8	F2424-8-CDE	4524	F2424-8-CNR	4535
24" x 24" x 12" 610 x 610 x 305	27" x 27" x 16" 686 x 686 x 406	86 39.0	F2424-12-CDE	4803	F2121-12-CNR	4705



3-pole mop holder

4-pole mop holder



hose & bracket

service faucet

Optional Accessories for Mop Sink

description	weight		model #	list
	lbs.	kg		
3-pole mop holder, 18" (457mm) length	4	1.8	312688	410
4-pole mop holder, 24" (610mm) length	4.5	2.0	321561 •	597
30" (762mm) hose & wall mounted bracket	8	3.6	312689	392
service faucet (comes with vacuum breaker)	11	5.0	312690	1140

Catalog Section 20

Chemical Storage Wall Cabinets

see spec sheet **EG20.11**

Overall dimensions of all units:
15" width x 24" length x 28" height.

FEATURES:

- Heavy gauge 300 or 430 series stainless steel construction.
- Stationary center shelf with safety edge.
- Top is slanted at a 15° angle.
- Sides are louvered along the top for ventilation.
- Double-panel removable doors with or without key lock.
- Recessed back accommodates and conceals full-length mounting plate.

features	weights		TYPE 430 STAINLESS		TYPE 300 STAINLESS	
	lbs.	kg	model #	list	model #	list
left-hinged door	116	52.6	WCH4-24C-L	8083	WCH-24C-L	8956
left-hinged door with key lock	116	52.6	WCH4-24C-LL	8629	WCH-24C-LL	9500
right-hinged door	116	52.6	WCH4-24C-R	8083	WCH-24C-R	8956
right-hinged door with key lock	116	52.6	WCH4-24C-RL	8629	WCH-24C-RL	9500

Mop Sink Storage Cabinets see spec sheet **EG20.04**

**Double-Width
Cabinets
available!**

**All cabinets
include one
16" x 20" x 8"
stainless steel
mop sink!**

(mops shown not included)



FEATURES:

- Heavy gauge type 430 stainless steel construction.
- Overhead shelf (Double-width units feature four shelves).
- Double-pan 20 gauge stainless steel hinged doors.
- Transverse rod handles featuring keyed locks.
- Top is slanted at a 15° angle.
- Sides are louvered along the top for ventilation.
- Mop sink holds two mops.
- Cabinets comes with service faucet, 30" (762mm) hose and wall mounted bracket.

Note: Optional upgrade to type 300 stainless steel cabinet available.

To order, add 15% to list price and suffix "-SE" to model number (example: F1916-VSCS-SE).

description	width x length x height		weight		cubic feet	model #	list
	in.	mm	lbs.	kg			
single-width cabinet	22 1/4" x 25" x 84 1/4"	565 x 635 x 2140	375	170.1	39.0	F1916-VSCS	11807
double-width cabinet, mop sink at left	22 1/4" x 47 1/2" x 84 1/4"	565 x 1207 x 2140	544	246.7	81.9	F1916-VSCS-DL	13488
double-width cabinet, mop sink at right	22 1/4" x 47 1/2" x 84 1/4"	565 x 1207 x 2140	544	246.7	81.9	F1916-VSCS-DR	13488

Utility Shelves with Mop Hangers

see spec sheet **EG20.02**

FEATURES:

- 16 gauge type 304 stainless steel.
- Mop hangers. Flat hooks.
- Hangers and hooks are riveted to front of shelf.

Note: Faucets listed are lead-free AB1953-compliant.

width x length		weight		model #	list
in.	mm	lbs.	kg		
8" x 24"	203 x 610	9	4.1	US0824-16/3 •	1271
8" x 36"	203 x 914	14	6.4	US0836-16/3	1464
8" x 48"	203 x 1219	15	6.8	US0848-16/3	1852



(•) MTS (made to stock) / () MTO (made to order)

Countertop Drop-In Sinks with Self Rim Design



see spec sheet **EG20.39A**



- Features:
- 300 series stainless steel.
 - Faucet and 1½" (38mm) outlet basket drain.

(•) MTS (made to stock) / () MTO (made to order)

Note: Faucet holes are punched on 4" (102mm) centers.

To order sinks with faucet holes punched on 8" (203mm)

centers, add \$339 to list price and add suffix "-8CL"

(example: SR18-24-13.5-2-8CL). Faucets sold separately for "-8CL" sinks. See page 255.

All weights and cubic feet in charts are approximate.

Recommended for 1"-thick countertops. If countertop is thicker than 1", please indicate at time of order.

Not NSF approved for warewashing and/or food preparation operations. Not intended for NSF installation into stainless steel worksurface. Please consult factory if need arises.

...with Deep-Drawn Bowls

inside bowl dimensions width x length x depth in. mm		overall width x length in. mm		TOP MOUNT cutout width x length in. mm		BOTTOM MOUNT cutout* width x length in. mm		gauge	weight lbs. kg	cu ft	model #	list
One Compartment												
14" x 10" x 5"	356 x 254 x 127	19" x 12¼"	483 x 324	17½" x 11¼"	448 x 286	14⅜" x 10⅜"	376 x 275	18	10 4.5	0.7	SR10-14-5-1 •	1048
14" x 10" x 9½"	356 x 254 x 241	18½" x 12¼"	480 x 324	17½" x 11¼"	445 x 286	14⅜" x 10⅜"	376 x 275	18	12 5.4	1.4	SR10-14-9.5-1 •	1150
10" x 14" x 5"	254 x 356 x 127	15" x 16¼"	381 x 426	13½" x 15¼"	346 x 387	10⅜" x 14⅜"	275 x 376	18	10 4.5	0.8	SR14-10-5-1	1048
10" x 14" x 5"	254 x 356 x 127	15" x 16¼"	381 x 426	13½" x 15¼"	346 x 387	n/a		18	12 5.4	0.8	SRU14-10-5-1 **	1973
10" x 14" x 9½"	254 x 356 x 241	15" x 16½"	381 x 422	13½" x 15½"	346 x 384	10⅜" x 14⅜"	275 x 376	18	12 5.4	1.6	SR14-10-9.5-1	1498
20" x 16" x 8"	508 x 406 x 203	24¾" x 18½"	629 x 470	23¾" x 17"	594 x 432	20½" x 16½"	524 x 422	18	26 11.8	2.2	SR16-19-8-1 ★	1538
20" x 16" x 13½"	508 x 406 x 343	24¾" x 18½"	629 x 470	23¾" x 17"	594 x 432	20½" x 16½"	524 x 422	18	28 12.7	3.9	SR16-19-13.5-1 ★	1924
24" x 18" x 13½"	610 x 457 x 343	28¾" x 20½"	730 x 521	27½" x 19"	695 x 483	24½" x 18½"	626 x 473	18	32 14.5	4.9	SR18-24-13.5-1 ★	2040
16" x 20" x 8"	406 x 508 x 203	20¾" x 22½"	527 x 572	19½" x 21"	492 x 533	16½" x 20½"	422 x 524	18	24 10.9	2.3	SR19-16-8-1 ■ •	1797
16" x 20" x 13½"	406 x 508 x 343	20¾" x 22½"	527 x 572	19½" x 21"	492 x 533	16½" x 20½"	422 x 524	18	25 11.3	3.9	SR19-16-13.5-1 ■ •	1924
18" x 24" x 13½"	457 x 610 x 343	22¾" x 26½"	578 x 673	21½" x 25"	543 x 635	18½" x 24½"	473 x 626	18	32 14.5	5.0	SR24-18-13.5-1 ★	1872
24" x 24" x 13½"	610 x 610 x 343	28¾" x 26½"	730 x 673	27½" x 25"	695 x 635	24⅜" x 24⅜"	627 x 627	18	36 16.3	6.4	SR24-24-13.5-1 ■	2454

** #SRU14-10-5-1 features an upturn on sides and rear; ★ These sinks utilize #301248 faucet with 8" (203mm) swivel spout;

■ These sinks utilize #300490 faucet with 12" (305mm) swivel spout



Optional Deck-Mount Electronic-Eye Faucet for One Compartment Drop-In Sinks only

To order, add suffix "-FE" to model #. Example: SR10-14-5-1-FE. Consult factory for list price.

Two Compartment

14" x 10" x 9½"	356 x 254 x 241	18½" x 24¼"	480 x 629	17½" x 23¼"	445 x 591	14⅜" x 23"	376 x 584	18	25	11.3	2.8	SR10-14-9.5-2 • ★	2427
20" x 16" x 8"	508 x 406 x 203	24¼" x 36¼"	527 x 921	23½" x 34¼"	594 x 883	20½" x 34¼"	524 x 870	18	48	21.8	4.3	SR16-19-8-2	3191
20" x 16" x 13½"	508 x 406 x 343	24¼" x 36¼"	527 x 921	23½" x 34¼"	594 x 883	20½" x 34¼"	524 x 870	18	52	23.6	7.5	SR16-19-13.5-2 •	3352
24" x 18" x 13½"	610 x 457 x 343	28¼" x 40¼"	578 x 1022	27½" x 38½"	695 x 984	24½" x 38½"	626 x 978	18	56	24.9	9.7	SR18-24-13.5-2	3840
24" x 24" x 13½"	610 x 610 x 343	28¼" x 52½"	730 x 1324	27½" x 50½"	695 x 1286	24⅜" x 50¼"	630 x 1276	18	64	29.0	12.5	SR24-24-13.5-2	5182

★ Model #SR10-14-9.5-2 utilizes #301248 faucet with 8" (203mm) swivel spout.

Three Compartment

14" x 10" x 9½"	356 x 254 x 241	18½" x 36¼"	480 x 933	17½" x 35¼"	445 x 895	14⅜" x 35"	376 x 889	18	37	16.8	4.1	SR10-14-9.5-3 •	3245
20" x 16" x 8"	508 x 406 x 203	24¼" x 54"	629 x 1372	23½" x 52½"	594 x 1334	20½" x 52½"	524 x 1327	18	72	32.7	6.3	SR16-19-8-3	4150
20" x 16" x 13½"	508 x 406 x 343	24¼" x 54"	629 x 1372	23½" x 52½"	594 x 1334	20½" x 52½"	524 x 1327	18	77	34.9	10.9	SR16-19-13.5-3 •	4394
24" x 18" x 13½"	610 x 457 x 343	28¼" x 60"	730 x 1524	27½" x 58½"	695 x 1486	24½" x 58¼"	626 x 1480	18	82	37.2	14.1	SR18-24-13.5-3 ★	5330

★ Model #SR18-24-13.5-3 utilizes #301440 faucet with 14" (356mm) swivel spout.

* See page 255 for Bottom Mount Kit

Catalog Section 20

Countertop Drop-In Sinks
with Self Rim Design

Not NSF approved for warewashing and/or food preparation operations. Not intended for NSF installation into stainless steel worksurface. Please consult factory if need arises.

see spec sheet **EG20.39B**



- Features:
- 300 series stainless steel.
 - Faucet and 1½" (38mm) outlet basket drain.

(•) MTS (made to stock) / () MTO (made to order)

Note: Faucet holes are punched on 4" (102mm) centers. To order sinks with faucet holes punched on 8" (203mm) centers, add suffix "-8CL" (example: SR18-24-13.5-3-8CL). Consult factory for pricing.

Faucets sold separately for "-8CL" sinks. See "T&S Deck Mount Faucets" chart below.

All weights and cubic feet in charts are approximate.

Recommended for 1"-thick countertops. For countertops thicker than 1", consult factory.

...with Fabricated Bowls

inside bowl dimensions width x length x depth in. mm	overall width x length in. mm	TOP MOUNT cutout width x length in. mm	BOTTOM MOUNT cutout* width x length in. mm	gauge	weight lbs. kg	cu ft	model #	list
--	-------------------------------------	--	--	-------	-------------------	----------	---------	------

One Compartment

14" x 12" x 9½"	356 x 305 x 241	19" x 14¼"	483 x 375	17½" x 13¼"	448 x 337	14½" x 12½"	365 x 314	16	14	6.4	1.7	SR12-14-9.5-1 •	1542
12" x 14" x 9½"	305 x 356 x 241	17" x 16¼"	432 x 426	15½" x 15¼"	397 x 387	12½" x 14½"	314 x 365	16	14	6.4	1.8	SR14-12-9.5-1	1525
16" x 14" x 9½"	406 x 356 x 241	21" x 16¼"	533 x 425	19½" x 15¼"	499 x 387	16½" x 14½"	422 x 372	16	23	10.4	2.1	SR14-16-9.5-1 •	1797
14" x 16" x 9½"	356 x 406 x 241	19" x 18¼"	483 x 476	17½" x 17¼"	448 x 438	14½" x 16½"	372 x 422	16	23	10.4	2.1	SR16-14-9.5-1	1797
12" x 20" x 6½"	305 x 508 x 165	17" x 22¼"	432 x 578	15½" x 21¼"	397 x 540	12½" x 20½"	310 x 511	16	28	12.7	1.6	SR20-12-6.5-1	1940
22" x 22" x 13½"	559 x 559 x 343	27" x 24¼"	686 x 629	25½" x 23¼"	651 x 591	see template included w/sink		16	34	15.4	5.5	SR22-22-13.5-1 ■	3229

■ These sinks utilize #300490 faucet with 12" (305mm) swivel spout

Two Compartment

14" x 12" x 9½"	356 x 305 x 241	19" x 28¼"	483 x 730	17½" x 27¼"	448 x 692	14½" x 26½"	365 x 676	16	27	12.2	3.2	SR12-14-9.5-2	2670
16" x 14" x 9½"	406 x 356 x 241	21" x 32¼"	525 x 832	19½" x 31¼"	499 x 794	16½" x 30½"	422 x 778	16	42	19.1	4.0	SR14-16-9.5-2	2843
22" x 22" x 13½"	559 x 559 x 343	27" x 48¼"	686 x 1238	25½" x 47¼"	651 x 1200	see template included w/sink		16	57	25.9	10.7	SR22-22-13.5-2	5748

Three Compartment

14" x 12" x 9½"	356 x 305 x 241	19" x 42¼"	483 x 1086	17½" x 41¼"	448 x 1031	14½" x 40½"	365 x 1032	16	39	17.6	4.7	SR12-14-9.5-3	3916
16" x 14" x 9½"	406 x 356 x 241	21" x 48¼"	533 x 1238	19½" x 47¼"	498 x 1200	16½" x 46½"	422 x 1184	16	66	29.9	6.0	SR14-16-9.5-3 •	3996

* See below for Bottom Mount Kit.

Options for Countertop Drop-In Sinks

see spec sheets **EG20.39B** **EG20.39B**

Faucets can be shipped UPS.

(•) MTS (made to stock) / () MTO (made to order)

Deck Mount Faucets

Note: Faucets listed are lead-free AB1953-compliant.


description	model #	list	Standard with 1/4-turn handles	T&S OUR BEST	model #	list
gooseneck faucet, 4" (102mm) center, for single bowls	302004	398			313308	947
8" (203mm) spout, 4" (102mm) center, for single and double bowls	301248	357			313306	913
8" (203mm) spout, 4" (102mm) center, for single and double bowls, with spray arm	300490	380			377430 *	938
8" (203mm) spout, 8" (203mm) center, for single and double bowls, with spray arm	301440	411			303560 *	1052
12" (305mm) spout, 4" (102mm) center, for triple bowls	-				313303	945
12" (305mm) spout, 8" (203mm) center, for triple bowls, with spray arm	-				303561 *	1191
14" (356mm) spout, 4" (102mm) center, for triple bowls	-				313307	947
14" (356mm) spout, 8" (203mm) center, for triple bowls, with spray arm	-				303562 *	1187

* Faucets with spray arm require special faucet holes.



Bottom-Mount Kit — One kit per one-compartment sinks, two kits per two-compartment sink, three kits per three-compartment sink.

description	model #	list
8 undermount clips per kit	362188	58



Countertop Drop-Ins with No Deck see spec sheets **EG20.17A** **EG20.17B**

Features:

- 300 series stainless steel.
- Basket drain.
- 1 $\frac{3}{8}$ " trim on all four sides.



...with Deep-Drawn Bowls

inside bowl dimensions width x length x depth in. mm	overall width x length in. mm	TOP MOUNT cutout width x length in. mm	BOTTOM MOUNT cutout* width x length in. mm	gauge	weight lbs. kg	cu ft	model #	list
--	-------------------------------------	--	--	-------	-------------------	----------	---------	------

One Compartment

14" x 10" x 5"	356 x 254 x 127	16 $\frac{5}{8}$ " x 12 $\frac{3}{4}$ "	422 x 324	15 $\frac{1}{4}$ " x 11 $\frac{1}{4}$ "	387 x 286	14 $\frac{13}{16}$ " x 10 $\frac{13}{16}$ "	376 x 275	20	10	4.5	0.7	SR10-14-5-1-ND •	954
14" x 10" x 9 $\frac{1}{2}$ "	356 x 254 x 241	16 $\frac{1}{2}$ " x 12 $\frac{3}{4}$ "	419 x 324	15 $\frac{1}{4}$ " x 11 $\frac{1}{4}$ "	387 x 286	14 $\frac{13}{16}$ " x 10 $\frac{13}{16}$ "	376 x 275	18	12	5.4	1.4	SR10-14-9.5-1-ND •	1255
20" x 16" x 8"	508 x 406 x 203	22 $\frac{5}{8}$ " x 18 $\frac{1}{2}$ "	568 x 470	21" x 17"	533 x 432	20 $\frac{5}{8}$ " x 16 $\frac{5}{8}$ "	524 x 422	18	26	11.8	2.2	SR16-19-8-1-ND	1544
20" x 16" x 13 $\frac{1}{2}$ "	508 x 406 x 343	22 $\frac{5}{8}$ " x 18 $\frac{1}{2}$ "	568 x 470	21" x 17"	533 x 432	20 $\frac{5}{8}$ " x 16 $\frac{5}{8}$ "	524 x 422	18	28	12.7	3.9	SR16-19-13.5-1-ND	1698
24" x 18" x 13 $\frac{1}{2}$ "	610 x 457 x 343	26 $\frac{5}{8}$ " x 20 $\frac{1}{2}$ "	670 x 521	25" x 19"	635 x 483	24 $\frac{5}{8}$ " x 18 $\frac{5}{8}$ "	626 x 473	18	32	14.5	4.9	SR18-24-13.5-1-ND	1811
24" x 24" x 13 $\frac{1}{2}$ "	610 x 610 x 343	26 $\frac{5}{8}$ " x 26 $\frac{1}{2}$ "	670 x 673	25" x 25"	635 x 635	24 $\frac{11}{16}$ " x 24 $\frac{11}{16}$ "	627 x 627	18	36	16.3	6.4	SR24-24-13.5-1-ND	1983

Two Compartment

14" x 10" x 9 $\frac{1}{2}$ "	356 x 254 x 241	16 $\frac{1}{2}$ " x 24 $\frac{3}{4}$ "	419 x 629	15 $\frac{1}{4}$ " x 23 $\frac{3}{4}$ "	387 x 591	14 $\frac{13}{16}$ " x 23"	376 x 584	18	25	11.3	2.8	SR10-14-9.5-2-ND •	2368
20" x 16" x 8"	508 x 406 x 203	22 $\frac{5}{8}$ " x 36 $\frac{1}{4}$ "	568 x 921	21" x 34 $\frac{3}{4}$ "	533 x 883	20 $\frac{5}{8}$ " x 34 $\frac{1}{2}$ "	524 x 876	18	48	21.8	4.3	SR16-19-8-2-ND	2330
20" x 16" x 13 $\frac{1}{2}$ "	508 x 406 x 343	22 $\frac{5}{8}$ " x 36 $\frac{1}{4}$ "	568 x 921	21" x 34 $\frac{3}{4}$ "	533 x 883	20 $\frac{5}{8}$ " x 34 $\frac{1}{2}$ "	524 x 876	18	52	23.6	7.5	SR16-19-13.5-2-ND •	2636
24" x 18" x 13 $\frac{1}{2}$ "	610 x 457 x 343	26 $\frac{5}{8}$ " x 40 $\frac{1}{4}$ "	670 x 1022	25" x 38 $\frac{3}{4}$ "	635 x 984	24 $\frac{5}{8}$ " x 38 $\frac{1}{2}$ "	626 x 978	18	56	24.9	9.7	SR18-24-13.5-2-ND	3165
24" x 24" x 13 $\frac{1}{2}$ "	610 x 610 x 343	26 $\frac{5}{8}$ " x 52 $\frac{1}{8}$ "	670 x 1324	25" x 50 $\frac{5}{8}$ "	635 x 1286	24 $\frac{11}{16}$ " x 50 $\frac{1}{4}$ "	630 x 1276	18	64	29.0	12.5	SR24-24-13.5-2-ND	3343

Three Compartment

14" x 10" x 9 $\frac{1}{2}$ "	356 x 254 x 241	16 $\frac{1}{2}$ " x 36 $\frac{3}{4}$ "	419 x 933	15 $\frac{1}{4}$ " x 35 $\frac{3}{4}$ "	387 x 895	14 $\frac{13}{16}$ " x 35"	376 x 889	18	37	16.8	4.1	SR10-14-9.5-3-ND •	2524
20" x 16" x 8"	508 x 406 x 203	22 $\frac{5}{8}$ " x 54"	568 x 1372	21" x 52 $\frac{1}{2}$ "	533 x 1334	20 $\frac{5}{8}$ " x 52 $\frac{1}{4}$ "	524 x 1327	18	72	32.7	6.3	SR16-19-8-3-ND	3279
20" x 16" x 13 $\frac{1}{2}$ "	508 x 406 x 343	22 $\frac{5}{8}$ " x 54"	568 x 1372	21" x 52 $\frac{1}{2}$ "	533 x 1334	20 $\frac{5}{8}$ " x 52 $\frac{1}{4}$ "	524 x 1327	18	77	34.9	10.9	SR16-19-13.5-3-ND •	3638
24" x 18" x 13 $\frac{1}{2}$ "	610 x 457 x 343	26 $\frac{5}{8}$ " x 60"	670 x 1524	25" x 58 $\frac{1}{2}$ "	635 x 1486	24 $\frac{5}{8}$ " x 58 $\frac{1}{4}$ "	626 x 1480	18	82	37.2	14.1	SR18-24-13.5-3-ND	4371



...with Fabricated Bowls

inside bowl dimensions width x length x depth in. mm	overall width x length in. mm	TOP MOUNT cutout width x length in. mm	BOTTOM MOUNT cutout* width x length in. mm	gauge	weight lbs. kg	cu ft	model #	list
--	-------------------------------------	--	--	-------	-------------------	----------	---------	------

One Compartment

14" x 12" x 9 $\frac{1}{2}$ "	356 x 305 x 241	16 $\frac{5}{8}$ " x 14 $\frac{3}{4}$ "	422 x 375	15 $\frac{1}{4}$ " x 13 $\frac{3}{4}$ "	387 x 337	14 $\frac{13}{16}$ " x 12 $\frac{5}{8}$ "	365 x 314	16	14	6.4	1.7	SR12-14-9.5-1-ND •	1509
16" x 14" x 9 $\frac{1}{2}$ "	406 x 356 x 241	18 $\frac{5}{8}$ " x 16 $\frac{3}{4}$ "	473 x 425	17 $\frac{1}{4}$ " x 15 $\frac{1}{4}$ "	438 x 387	16 $\frac{5}{8}$ " x 14 $\frac{5}{8}$ "	422 x 372	16	23	10.4	2.1	SR14-16-9.5-1-ND •	1714
22" x 22" x 13 $\frac{1}{2}$ "	559 x 559 x 343	24 $\frac{5}{8}$ " x 24 $\frac{3}{4}$ "	626 x 629	23 $\frac{3}{4}$ " x 23 $\frac{3}{4}$ "	591 x 591	22 $\frac{5}{8}$ " x 22 $\frac{5}{8}$ "	575 x 575	16	34	15.4	5.5	SR22-22-13.5-1-ND	3124

Two Compartment

14" x 12" x 9 $\frac{1}{2}$ "	356 x 305 x 241	16 $\frac{5}{8}$ " x 28 $\frac{3}{4}$ "	422 x 730	15 $\frac{1}{4}$ " x 27 $\frac{3}{4}$ "	387 x 692	14 $\frac{13}{16}$ " x 26 $\frac{5}{8}$ "	365 x 676	16	27	12.2	3.2	SR12-14-9.5-2-ND	2737
16" x 14" x 9 $\frac{1}{2}$ "	406 x 356 x 241	18 $\frac{5}{8}$ " x 32 $\frac{3}{4}$ "	473 x 832	17 $\frac{1}{4}$ " x 31 $\frac{3}{4}$ "	438 x 794	16 $\frac{5}{8}$ " x 30 $\frac{5}{8}$ "	422 x 778	16	42	19.1	4.0	SR14-16-9.5-2-ND	2927
22" x 22" x 13 $\frac{1}{2}$ "	559 x 559 x 343	24 $\frac{5}{8}$ " x 48 $\frac{3}{4}$ "	626 x 1238	23 $\frac{3}{4}$ " x 47 $\frac{3}{4}$ "	591 x 1200	22 $\frac{5}{8}$ " x 46 $\frac{5}{8}$ "	575 x 1184	16	57	25.9	10.7	SR22-22-13.5-2-ND	5809

Three Compartment

14" x 12" x 9 $\frac{1}{2}$ "	356 x 305 x 241	16 $\frac{5}{8}$ " x 42 $\frac{3}{4}$ "	422 x 1086	15 $\frac{1}{4}$ " x 41 $\frac{1}{4}$ "	387 x 1031	14 $\frac{13}{16}$ " x 40 $\frac{5}{8}$ "	331 x 1032	16	39	17.6	4.7	SR12-14-9.5-3-ND	3766
16" x 14" x 9 $\frac{1}{2}$ "	406 x 356 x 241	18 $\frac{5}{8}$ " x 48 $\frac{3}{4}$ "	473 x 1238	17 $\frac{1}{4}$ " x 47 $\frac{3}{4}$ "	438 x 1200	16 $\frac{5}{8}$ " x 46 $\frac{5}{8}$ "	422 x 1184	16	66	29.9	6.0	SR14-16-9.5-3-ND •	4038

* See page 255 for Bottom Mount Kit.

Catalog Section 20


Seamless Welded-In Sinks see spec sheet **EG20.18**

- For NSF-approved welded fabrication.
- Seamless bowls.
- Type 300 stainless steel construction.
- Basket drain.

FEATURES:

Note: All shipping weights and cubic feet are approximate.**For Undermount...**

An understructure* is secured atop cabinet, then the sink's flanges are secured between understructure and countertop.

**One Compartment**

inside bowl dimensions width x length x depth in. mm		overall dimensions width x length in. mm		gauge*	drain		weight		cu ft	model #	list
					in.	mm	lbs.	kg			
14" x 10" x 5"	356 x 254 x 127	16" x 12"	406 x 305	20	3 1/2"	89	9	4.1	1.4	FDI-10-14-5-1	691
14" x 10" x 9 1/2"	356 x 254 x 241	16" x 12"	406 x 305	18	3 1/2"	89	11	5.0	1.4	FDI-10-14-9.5-1	767
14" x 12" x 9 1/2"	356 x 305 x 241	16" x 14"	406 x 356	16	3 1/2"	89	13	5.8	2.4	FDI-12-14-9.5-1	797
20" x 12" x 6 1/2"	508 x 305 x 165	22" x 14"	559 x 356	20	2"	51	14	6.4	2.6	FDI-12-20-6.5-1	834
16" x 14" x 6"	406 x 356 x 152	18" x 16"	457 x 406	20	3 1/2"	89	14	6.4	2.5	FDI-14-16-6-1	857
16" x 14" x 9 1/2"	406 x 356 x 241	18" x 16"	457 x 406	16	3 1/2"	89	14	6.4	2.3	FDI-14-16-9.5-1	881
20" x 16" x 8"	508 x 406 x 203	21 3/4" x 18"	552 x 457	18	3 1/2"	89	23	10.4	3.7	FDI-16-19-8-1	1077
20" x 16" x 13 1/2"	508 x 406 x 343	21 3/4" x 18"	552 x 457	18	3 1/2"	89	25	11.3	3.7	FDI-16-19-13.5-1	1087
24" x 18" x 13 1/2"	610 x 457 x 343	26" x 20"	660 x 508	18	3 1/2"	89	37	16.8	8.6	FDI-18-24-13.5-1	1319
20" x 20" x 5"	508 x 508 x 127	22" x 22"	559 x 559	20	3 1/2"	89	19	8.6	1.5	FDI-20-20-5-1	843
22" x 22" x 13 1/2"	559 x 559 x 343	24" x 24"	610 x 610	16	3 1/2"	89	39	17.6	7.3	FDI-22-22-13.5-1	1538
24" x 24" x 13 1/2"	610 x 610 x 343	26" x 26"	660 x 660	18	3 1/2"	89	41	18.6	8.3	FDI-24-24-13.5-1	1605

* 16 gauge bowls are fabricated, 18 and 20 gauge bowls are deep-drawn.

Two Compartment

inside bowl dimensions width x length x depth in. mm		overall dimensions width x length in. mm		gauge*	drain		weight		cu ft	model #	list
					in.	mm	lbs.	kg			
14" x 10" x 9 1/2"	356 x 254 x 241	16" x 24"	406 x 610	18	3 1/2"	89	19	8.6	6.5	FDI-10-14-9.5-2	1473
14" x 12" x 9 1/2"	356 x 305 x 241	16" x 28"	406 x 711	16	3 1/2"	89	21	9.5	4.5	FDI-12-14-9.5-2	1589
16" x 14" x 9 1/2"	406 x 356 x 241	18" x 32"	457 x 813	16	3 1/2"	89	25	11.3	6.2	FDI-14-16-9.5-2	1711
20" x 16" x 8"	508 x 406 x 203	21 3/4" x 36"	552 x 914	18	3 1/2"	89	43	19.5	5.1	FDI-16-19-8-2	2081
20" x 16" x 13 1/2"	508 x 406 x 343	21 3/4" x 36"	552 x 914	18	3 1/2"	89	50	22.7	7.6	FDI-16-19-13.5-2	2139
24" x 18" x 13 1/2"	610 x 457 x 343	26" x 40"	660 x 1016	18	3 1/2"	89	73	33.1	15.7	FDI-18-24-13.5-2	2496
22" x 22" x 13 1/2"	559 x 559 x 343	24" x 48"	610 x 1219	16	3 1/2"	89	75	34.0	12.6	FDI-22-22-13.5-2	2959
24" x 24" x 13 1/2"	610 x 610 x 343	26" x 52"	660 x 1321	18	3 1/2"	89	81	36.7	15.0	FDI-24-24-13.5-2	3086

* 16 gauge bowls are fabricated, 18 gauge bowls are deep-drawn.

Seamless Welded-In Sinks



see spec sheet **EG20.18**

- For NSF-approved welded fabrication.
- Seamless bowls.
- Type 300 stainless steel construction.
- Basket drain.


FEATURES:

Note: All shipping weights and cubic feet are approximate.



For Undermount...

An understructure* is secured atop cabinet, then the sink's flanges are secured between understructure and countertop.



Three Compartment

inside bowl dimensions width x length x depth in. mm		overall dimensions width x length in. mm		gauge*	drain in. mm		weight lbs. kg		cu ft	model #	list
14" x 10" x 9 1/2"	356 x 254 x 241	16" x 36"	406 x 914	18	3 1/2"	89	27	12.2	4.0	FDI-10-14-9.5-3	2197
14" x 12" x 9 1/2"	356 x 305 x 241	16" x 42"	406 x 1067	16	3 1/2"	89	30	13.6	5.3	FDI-12-14-9.5-3	2221
16" x 14" x 9 1/2"	406 x 356 x 241	18" x 48"	457 x 1219	16	3 1/2"	89	36	16.3	7.2	FDI-14-16-9.5-3	2493
20" x 16" x 8"	508 x 406 x 203	21 1/4" x 54"	552 x 1372	18	3 1/2"	89	63	28.6	11.3	FDI-16-19-8-3	3000
20" x 16" x 13 1/2"	508 x 406 x 343	21 1/4" x 54"	552 x 1372	18	3 1/2"	89	75	34.0	15.9	FDI-16-19-13.5-3	3131
24" x 18" x 13 1/2"	610 x 457 x 343	26" x 60"	660 x 1524	18	3 1/2"	89	101	45.8	21.8	FDI-18-24-13.5-3	3628
22" x 22" x 13 1/2"	559 x 559 x 343	24" x 72"	610 x 1829	16	3 1/2"	89	113	51.3	19.8	FDI-22-22-13.5-3	4110
24" x 24" x 13 1/2"	610 x 610 x 343	26" x 78"	660 x 1981	18	3 1/2"	89	123	55.8	21.8	FDI-24-24-13.5-3	4289

* 16 gauge bowls are fabricated, 18 gauge bowls are deep-drawn.

Four Compartment

inside bowl dimensions width x length x depth in. mm		overall dimensions width x length in. mm		gauge*	drain in. mm		weight lbs. kg		cu ft	model #	list
14" x 10" x 9 1/2"	356 x 254 x 241	16" x 48"	406 x 1219	18	3 1/2"	89	35	15.9	6.0	FDI-10-14-9.5-4	2642
14" x 12" x 9 1/2"	356 x 305 x 241	16" x 56"	406 x 1422	16	3 1/2"	89	39	17.6	7.2	FDI-12-14-9.5-4	2953
16" x 14" x 9 1/2"	406 x 356 x 241	18" x 64"	457 x 1626	16	3 1/2"	89	47	21.3	9.7	FDI-14-16-9.5-4	3066
20" x 16" x 8"	508 x 406 x 203	21 1/4" x 72"	552 x 1829	18	3 1/2"	89	83	37.6	16.9	FDI-16-19-8-4	3628
20" x 16" x 13 1/2"	508 x 406 x 343	21 1/4" x 72"	552 x 1829	18	3 1/2"	89	100	45.4	14.8	FDI-16-19-13.5-4	3744
24" x 18" x 13 1/2"	610 x 457 x 343	26" x 80"	660 x 3032	18	3 1/2"	89	129	58.5	28.4	FDI-18-24-13.5-4	4267
22" x 22" x 13 1/2"	559 x 559 x 343	24" x 96"	610 x 2438	16	3 1/2"	89	151	68.6	23.5	FDI-22-22-13.5-4	4987
24" x 24" x 13 1/2"	610 x 610 x 343	26" x 104"	660 x 2642	18	3 1/2"	89	163	73.9	28.5	FDI-24-24-13.5-4	5192

* 16 gauge bowls are fabricated, 18 gauge bowls are deep-drawn.


Catalog Section 20

Seamless Welded-In Sinks
with Fabricated Wallsee spec sheet **EG20.16**

- For NSF-approved welded fabrication.
- Type 304 18-8 stainless steel construction.
- Bowls are tapered to allow for 60% nesting which facilitates shipping and storage.
- $\frac{5}{8}$ " (16mm) radius corners.
- $3\frac{1}{2}$ " (89mm) drain hole with sump.
- Swirl away drainage.

FEATURES:


inside bowl dimensions (W x L x D)		gauge	weight		cu ft	model #	list
in.	mm		lbs.	kg			
9" x 12" x 6"	229 x 305 x 432	16	6	2.7	0.4	FNWNF-9-12-6-1	1416
9" x 14" x 8"	229 x 356 x 203	16	8	3.6	0.5	FNWNF-9-14-8-1	1505
12" x 14" x 8"	305 x 356 x 203	16	11	5.0	0.8	FNWNF-12-14-8-1	1549
14" x 16" x 8"	356 x 406 x 203	16	12	5.4	1.0	FNWNF-14-16-8-1	1621
18" x 18" x 10"	457 x 457 x 254	14	24	10.9	1.9	FNWNF-18-18-10-1	1453
18" x 18" x 12"	457 x 457 x 305	14	27	12.2	2.3	FNWNF-18-18-12-1	1473
20" x 20" x 10"	508 x 508 x 254	14	25	11.3	2.3	FNWNF-20-20-10-1	1538
20" x 20" x 12"	508 x 508 x 305	14	29	13.2	2.8	FNWNF-20-20-12-1	1614
20" x 20" x 14"	508 x 508 x 356	14	32	14.5	3.2	FNWNF-20-20-14-1	1702
20" x 27" x 6"	508 x 686 x 432	14	20	9.0	1.5	FNWNF-20-27-6-1	1453
20½" x 20½" x 5"	521 x 521 x 127	14	18	8.2	1.2	FNWNF-20.5-20.5-5-1	1337
20½" x 20½" x 8"	521 x 521 x 203	14	24	10.9	1.9	FNWNF-20.5-20.5-8-1	1466
24" x 24" x 12"	610 x 610 x 305	14	38	17.2	4.0	FNWNF-24-24-12-1	1797
24" x 24" x 14"	610 x 610 x 356	14	42	19.1	4.7	FNWNF-24-24-14-1	1885



Custom Sink Modifications

see spec sheet **EG20.50**

Note: Sink modifications may be added to NSF-certified products.



model #	description	list
E30	End splash - per end, all heights	671
E40	Provision for sink heater	381
E41	Disposal provision package—collar	1571
E41A	Disposal provision package—cone	1571
E43	Stand pipe with corner guard, available only on FN-style and utility sinks	475
E44	Faucet hole revision - adding or moving	354
E45	Trough installed in drainboard	1925
E46	Rubber scrap block installed	773
E101A	Turn down backsplash - per sink, includes Z-clips	521

Not Pictured

model #	description	list
E37	NSF sprayed-on sound deadening - up to 12' (3658mm)	1458
E37A	- for each additional foot	119
E38-6 *	Cantilever mount up to 6' (1829mm) - add to wall shelf price	848
E38-12 *	Cantilever mount up to 12' (3658mm) - add to wall shelf price	1268
E39	Enclosed backsplash	183/lin. ft.
E47	Sink cover holders, sized for stainless steel or poly (includes upper and lower track)	1448/slot
E48	Stainless steel apron, to cover sink bowls - 2 or 3 compartment	2314
E48A	- for each additional compartment over 3	388
E49	s/s undershelf under drainboards - up to 24" (610mm) w/short legs	1245
E49A	- for each additional foot over 24" (610mm)	546
E50	Provision for water pump	3243
E51	Optional size drainboard	719/lin. ft.
E52	High backsplash up to 13" (330mm)	376/lin. ft.
E53	High backsplash up to 18" (457mm)	670/lin. ft.
E54	Working height revision	633/sink
E55	Drainboard corner turn	2918/ea.
E56	overflow hole	96

* Applicable to wall mount shelves and pot racks.

Sink Accessories/Replacements

see spec sheet **EG20.51A**

Can be shipped UPS.

Sink Covers...

For 412, 414, 314, and Spec-Master® FN Series Sinks only.

fits sink bowl size	Polyboard		Stainless Steel	
	model #	list	model #	list
14" x 10" (356 x 254mm)	313207	292	321555	359
16" x 20" (483 x 508mm)	351584	330	351585	410
20" x 18" (508 x 457mm)	335377	341	346175	434
20" x 20" (508 x 508mm)	326267	347	305428	436
22" x 22" (559 x 559mm)	313204	357	321557	458
24" x 18" (610 x 457mm)	326268	348	326270	444
24" x 24" (610 x 610mm)	313205	385	321558	562
28" x 20" (711 x 508mm)	326269	383	326271	450



Drains

description	max. flow rate		model #	list
	gal. per minute	gal. per hour		
lever handle drain with 1.5" or 2" (38 or 51mm) NPS connection	27	1620	300720	506
lever handle drain with 2" (51mm) NPS connection	32	1920	300721	506
lever handle drain with 2" (51mm) NPS connection and overflow	32	1920	300722	1030
twist handle drain with 1.5" or 2" (38 or 51mm) NPS connection	27	1620	341189 *	529
twist handle drain with 2" (51mm) NPS connection	32	1920	336002 *	529
twist handle drain with 2" (51mm) NPS connection and overflow	32	1920	341190 *	1197
nickel-plated brass rotary drain with 1.5" or 2" (38 or 51mm) NPS connection	40	2400	369653	855
crumb cup strainer with 1.5" (38mm) outlet	18	1080	300287	47

* Twist handle bracket, for use with twist handle drain, should be ordered as sink option "-TB" at time of sink order
— or see 'Sink Kits' on page 217 (for 314, 412, or 414 Series sinks) or page 242 (for FN Series sinks).

Control Bracket

description	model #	list each
3" x 5" (76 x 127mm), extra heavy duty	309796	152

Note: Requires custom mounting.



Leg Components

description	model #	list each
19" (483mm) stainless steel leg for utility sinks	300315	70
stainless steel bullet feet	300692	42
stainless steel flanged bullet feet	313835	61
plastic bullet feet	300293	7

Plumbing Components

description	model #	list each
P-trap, nickel-plated	300789	200
tail piece for 1.5" (38.1mm)	300791	39
IPS connection, nickel-plated		
anti-siphon vacuum breaker	313832	383
backflow preventer	313834	447



Catalog Section 20

Sink Accessories/Replacements

see spec sheet **EG20.51B**

T&S Extra Heavy Duty Faucets

- Top-of-the-line, T&S quality products.
- Splash mounted with 8" (203mm) centers.

description	model #	list
8" (203mm) spout	313920	1268
10" (254mm) spout	340380	1295
12" (305mm) spout	313293	1299
14" (356mm) spout	313294	1312

Standard Faucets

- 8" (203mm) centers.
- Splash mounted

description	model #	list
8" (203mm) spout, standard	313918	475
12" (305mm) spout, standard	300716	485
14" (356mm) spout, standard	300804	503
16" (406mm) spout, standard	313919	506
12" (305mm) spout, heavy duty	301001	1172
14" (356mm) spout, heavy duty	301002	1187
19" (489mm) double-jointed spout	301003	1316
gooseneck, 8" (203mm) center	313075	352

Standard Faucets with Wrist Handles

- Deck mounted with 4" (102mm) centers.
- 4" (102mm) long wrist handles and gooseneck spout.

description	model #	list
standard, rigid gooseneck spout	301005	672
heavy duty, swivel gooseneck spout	301004	1092

Prerinse Units and Components

Standard

description	model #	list
splash mounted spray unit	300719	2425
deck mounted spray unit	300718	2419
faucet add-on with 12" (305mm) spout	301189	643
wall bracket	301190	163
prerinse hose, 36" (914mm) length	313116	464
prerinse spray valve assembly for spray units #300718 and 300719	313323	400

T&S Extra Heavy Duty - Top-of-the-line.

OUR BEST

description	model #	list
splash mounted spray unit with wall bracket	313296	3172
deck mounted spray unit with wall bracket	313295	2989
faucet add-on with 12" (305mm) spout for use with #313296 faucet	313297	792

Note: Faucets listed are lead-free AB1953-compliant.**Can be shipped UPS.**

12" (305mm) T&S faucet

OUR BEST**OUR BEST**

T&S Extra Heavy Duty Faucet with Wrist Handles

- Top-of-the-line T&S quality.
- Deck mounted with 4" (102mm) centers.
- 4" (102mm) long wrist handles and rigid gooseneck spout.



description	model #	list
extra heavy duty	313304	1296

19" (483mm)
double-jointed spout faucet12" (305mm)
heavy duty faucet

Repair Kits for Standard Faucets

description	for faucets #	model #	list
hot/cold stems, handles, seats, bonnet nuts, O-rings	313918, 313919	304146	216
hot/cold ceramic cartridge	300716, 300804	368421	66

standard
wrist handle faucetsplash mounted
prerinse spray unitdeck mounted
prerinse spray unitprerinse spray valve
assembly

prerinse wall bracket



prerinse faucet add-on


Floor Troughs




see spec sheet **EG25.00A** **EG25.00B**



floor trough with subway-style grating



(see chart below for dimensions A through E)



FEATURES:

- Built-in pitch towards drain ensures complete drainage.
- Secured with anchor straps.
- Stainless steel drain accommodates up to a 4" (102mm) diameter pipe, and removable perforated stainless steel basket.
- Stainless steel subway-style grating or fiberglass grating.

Note: Custom sizes available. Contact factory for pricing.

Gray Fiberglass Grating available.

To order add suffix "G" to model #.

Example FT-1218-FGG.

(•) MTS (made to stock) / () MTO (made to order)

Note: Floor Troughs with ADA-compliant Grating* available! Provides a more solid walking area, and objects are less likely to fall through. Available in gray only. For Floor Troughs with Fiberglass AND Stainless Steel Grating! To order, add suffix "-ADA". **Example: FT-1224-FG-ADA.**

...with Yellow Fiberglass Grating

* Troughs with optional ADA-compliant Fiberglass Grating features wider T-bars resistant to corrosion, skid, fire, chipping and cracking. To order, add 5% to list price.

dimension D		dimension E		12" (305mm) WIDE TROUGHs		15" (381mm) WIDE TROUGHs		18" (457mm) WIDE TROUGHs		24" (610mm) WIDE TROUGHs	
in.	mm	in.	mm	model #	list	model #	list	model #	list	model #	list
18"	457	15"	381	FT-1218-FG	4128	-	-	-	-	-	-
24"	610	21"	533	FT-1224-FG	4473	FT-1524-FG	4566	FT-1824-FG	4899	FT-2424-FG	5244
30"	762	27"	686	FT-1230-FG	4912	FT-1530-FG	4959	FT-1830-FG	5410	FT-2430-FG	5910
36"	914	33"	838	FT-1236-FG	5144	FT-1536-FG	5188	FT-1836-FG	5796	FT-2436-FG •	6372
48"	1219	45"	1143	FT-1248-FG	5903	FT-1548-FG	5973	FT-1848-FG	6711	FT-2448-FG	7482
60"	1524	57"	1448	FT-1260-FG	6393	FT-1560-FG	6672	FT-1860-FG	7494	FT-2460-FG	8575
72"	1829	69"	1753	FT-1272-FG	7221	FT-1572-FG	7365	FT-1872-FG	8375	FT-2472-FG	8653
84"	2134	81"	2057	FT-1284-FG	7898	FT-1584-FG	8123	FT-1884-FG	9349	FT-2484-FG	10782
96"	2438	93"	2362	FT-1296-FG	8618	FT-1596-FG	8767	FT-1896-FG	10212	FT-2496-FG	11797
120"	3048	117"	2972	FT-12120-FG	10058	FT-15120-FG	10610	FT-18120-FG	12368	FT-24120-FG	14347

...with Subway-Style Stainless Steel Grating

* Troughs with optional ADA-compliant Stainless Steel Grating features added stainless steel flat bars spaced only 1/4" apart. Call factory for pricing

dimension D		dimension E		12" (305mm) WIDE TROUGHs		15" (381mm) WIDE TROUGHs		18" (457mm) WIDE TROUGHs		24" (610mm) WIDE TROUGHs	
in.	mm	in.	mm	model #	list	model #	list	model #	list	model #	list
18"	457	15"	381	FT-1218-SG	5737	-	-	-	-	-	-
24"	610	21"	533	FT-1224-SG •	6015	FT-1524-SG	6396	FT-1824-SG •	6764	FT-2424-SG	8190
30"	762	27"	686	FT-1230-SG	6200	FT-1530-SG	6550	FT-1830-SG	7141	FT-2430-SG	8527
36"	914	33"	838	FT-1236-SG •	6392	FT-1536-SG	7441	FT-1836-SG •	7518	FT-2436-SG •	9722
48"	1219	45"	1143	FT-1248-SG •	7896	FT-1548-SG	9056	FT-1848-SG	8940	FT-2448-SG	11258
60"	1524	57"	1448	FT-1260-SG	9468	FT-1560-SG	10602	FT-1860-SG	11030	FT-2460-SG	12622
72"	1829	69"	1753	FT-1272-SG	10884	FT-1572-SG	12196	FT-1872-SG	12075	FT-2472-SG	14671
84"	2134	81"	2057	FT-1284-SG	12790	FT-1584-SG	13791	FT-1884-SG	14662	FT-2484-SG	16037
96"	2438	93"	2362	FT-1296-SG	13155	FT-1596-SG	15287	FT-1896-SG	15039	FT-2496-SG	17742
120"	3048	117"	2972	FT-12120-SG	17290	FT-15120-SG	18615	FT-18120-SG	19930	FT-24120-SG	21488


Catalog Section 20

Anti-Splash Floor Troughs

see spec sheet **EG25.01A** **EG25.01B**

Patent #
D519,618 S

"Anti-Splash" design assures complete drainage while preventing splashing back onto the floor.



FEATURES:

- Built-in pitch towards drain ensures complete drainage.
- Secured with anchor straps.
- Stainless steel drain accommodates up to a 4" (102mm) diameter pipe, and removable perforated stainless steel basket.
- Stainless steel subway-style grating or fiberglass grating.

Note: Custom sizes available. Contact factory for pricing.

Gray Fiberglass Grating available.

To order add suffix "G" to model #.

Example ASFT-1218-FGG.

Note: Floor Troughs with ADA-compliant Grating* available! Provides a more solid walking area, and objects are less likely to fall through. Available in gray only. For Floor Troughs with Fiberglass AND Stainless Steel Grating! To order, add suffix "-ADA". **Example: ASFT-1224-SG-ADA.**

...with Yellow Fiberglass Grating

* Troughs with optional ADA-compliant Fiberglass Grating features wider T-bars resistant to corrosion, skid, fire, chipping and cracking. To order, add 5% to list price.

dimension D		dimension E		12" (305mm) WIDE TROUGHS		15" (381mm) WIDE TROUGHS		18" (457mm) WIDE TROUGHS		24" (610mm) WIDE TROUGHS	
in. mm		in. mm		dimension A: 7" (178mm) dimension B: 9" (229mm) dimension C: 12" (305mm)		dimension A: 10" (254mm) dimension B: 12" (305mm) dimension C: 15" (381mm)		dimension A: 13" (330mm) dimension B: 15" (381mm) dimension C: 18" (457mm)		dimension A: 19" (483mm) dimension B: 21" (533mm) dimension C: 24" (610mm)	
in.	mm	in.	mm	model #	list	model #	list	model #	list	model #	list
18"	457	15"	381	ASFT-1218-FG	4635	-	-	-	-	-	-
24"	610	21"	533	ASFT-1224-FG	5028	ASFT-1524-FG	5129	ASFT-1824-FG	5506	ASFT-2424-FG	5896
30"	762	27"	686	ASFT-1230-FG	5517	ASFT-1530-FG	5565	ASFT-1830-FG	6081	ASFT-2430-FG	6646
36"	914	33"	838	ASFT-1236-FG	5780	ASFT-1536-FG	5830	ASFT-1836-FG	6513	ASFT-2436-FG	7163
48"	1219	45"	1143	ASFT-1248-FG	6630	ASFT-1548-FG	6711	ASFT-1848-FG	7540	ASFT-2448-FG	8409
60"	1524	57"	1448	ASFT-1260-FG	7181	ASFT-1560-FG	7507	ASFT-1860-FG	8417	ASFT-2460-FG	9633
72"	1829	69"	1753	ASFT-1272-FG	8114	ASFT-1572-FG	8274	ASFT-1872-FG	9409	ASFT-2472-FG	9729
84"	2134	81"	2057	ASFT-1284-FG	8874	ASFT-1584-FG	9123	ASFT-1884-FG	10513	ASFT-2484-FG	12115
96"	2438	93"	2362	ASFT-1296-FG	9685	ASFT-1596-FG	9849	ASFT-1896-FG	11471	ASFT-2496-FG	13253
120"	3048	117"	2972	ASFT-12120-FG	11300	ASFT-15120-FG	11922	ASFT-18120-FG	13896	ASFT-24120-FG	15312

...with Subway-Style Stainless Steel Grating


* Troughs with optional ADA-compliant Stainless Steel Grating features added stainless steel flat bars spaced only 1/4" apart. Call factory for pricing

dimension D		dimension E		12" (305mm) WIDE TROUGHS		15" (381mm) WIDE TROUGHS		18" (457mm) WIDE TROUGHS		24" (610mm) WIDE TROUGHS	
in. mm		in. mm		dimension A: 7" (178mm) dimension B: 9" (229mm) dimension C: 12" (305mm)		dimension A: 10" (254mm) dimension B: 12" (305mm) dimension C: 15" (381mm)		dimension A: 13" (330mm) dimension B: 15" (381mm) dimension C: 18" (457mm)		dimension A: 19" (483mm) dimension B: 21" (533mm) dimension C: 24" (610mm)	
in.	mm	in.	mm	model #	list	model #	list	model #	list	model #	list
18"	457	15"	381	ASFT-1218-SG	6424	-	-	-	-	-	-
24"	610	21"	533	ASFT-1224-SG	6453	ASFT-1524-SG	6243	ASFT-1824-SG	7203	ASFT-2424-SG	8629
30"	762	27"	686	ASFT-1230-SG	6748	ASFT-1530-SG	6936	ASFT-1830-SG	7688	ASFT-2430-SG	9996
36"	914	33"	838	ASFT-1236-SG	7044	ASFT-1536-SG	8060	ASFT-1836-SG	8174	ASFT-2436-SG	10379
48"	1219	45"	1143	ASFT-1248-SG	8770	ASFT-1548-SG	9703	ASFT-1848-SG	9809	ASFT-2448-SG	12136
60"	1524	57"	1448	ASFT-1260-SG	10559	ASFT-1560-SG	10723	ASFT-1860-SG	12124	ASFT-2460-SG	13713
72"	1829	69"	1753	ASFT-1272-SG	12191	ASFT-1572-SG	13111	ASFT-1872-SG	13391	ASFT-2472-SG	15984
84"	2134	81"	2057	ASFT-1284-SG	14312	ASFT-1584-SG	14914	ASFT-1884-SG	16196	ASFT-2484-SG	17563
96"	2438	93"	2362	ASFT-1296-SG	14909	ASFT-1596-SG	16442	ASFT-1896-SG	16787	ASFT-2496-SG	19487
120"	3048	117"	2972	ASFT-12120-SG	19478	ASFT-15120-SG	20455	ASFT-18120-SG	22107	ASFT-24120-SG	23675


Cool Trough® Water Tempering Systems

see spec sheet **EG25.03A**

- Integral mechanical temperature sensor maintains water temperature of 130°F or less.
- Built-in pitch towards drain ensures complete drainage.
- No electrical connection required.

#WTFT-1215-FGG
Cool Trough®**PATENTED!**
(patent #9,588,525)

FEATURES:



(see chart below for dimensions A through E)

Note: Cool Trough® with ADA-compliant Grating* available! Provides a more solid walking area, and objects are less likely to fall through. Available in gray only. For Cool Trough® with Fiberglass AND Stainless Steel Grating! For fiberglass, replace suffix -FGG with suffix **-FG-ADA**. **Example:** WTFT-1224-FG-ADA. For stainless steel, add suffix **-ADA**. **Example:** ASWTFT-1224-SG-ADA To order, add suffix **-ADA**. **Example:** WTFT-1224-SG-ADA.

...with Gray Fiberglass Grating

* Troughs with optional ADA-compliant Fiberglass Grating features wider T-bars resistant to corrosion, skid, fire, chipping and cracking. To order, add 5% to list price.

12" (305mm) WIDE TROUGHS		15" (381mm) WIDE TROUGHS		18" (457mm) WIDE TROUGHS		24" (610mm) WIDE TROUGHS	
dimension A: 7" (178mm)		dimension A: 10" (254mm)		dimension A: 13" (330mm)		dimension A: 19" (483mm)	
dimension B: 9" (229mm)		dimension B: 12" (305mm)		dimension B: 15" (381mm)		dimension B: 21" (533mm)	
dimension C: 12" (305mm)		dimension C: 15" (381mm)		dimension C: 18" (457mm)		dimension C: 24" (610mm)	
dimension D in. mm	dimension E in. mm	model #	list	model #	list	model #	list
15" 381	12" 305	WTFT-1215-FGG	22125	-	-	-	-
18" 457	15" 381	WTFT-1218-FGG	23235	WTFT-1518-FGG	22610	-	-
24" 610	21" 533	WTFT-1224-FGG	23604	WTFT-1524-FGG	23693	WTFT-1824-FGG	24047
30" 762	27" 686	WTFT-1230-FGG	24056	WTFT-1530-FGG	24105	WTFT-1830-FGG	24577
36" 914	33" 838	WTFT-1236-FGG	24302	WTFT-1536-FGG	24346	WTFT-1836-FGG	24983
48" 1219	45" 1143	WTFT-1248-FGG	25093	WTFT-1548-FGG	25169	WTFT-1848-FGG	25943
60" 1524	57" 1448	WTFT-1260-FGG	25607	WTFT-1560-FGG	25802	WTFT-1860-FGG	26759
72" 1829	69" 1753	WTFT-1272-FGG	26471	WTFT-1572-FGG	26620	WTFT-1872-FGG	28697
84" 2134	81" 2057	WTFT-1284-FGG	27180	WTFT-1584-FGG	27415	WTFT-1884-FGG	28697
96" 2438	93" 2362	WTFT-1296-FGG	27936	WTFT-1596-FGG	28084	WTFT-1896-FGG	29598
						WTFT-2424-FGG	24407
						WTFT-2430-FGG	25100
						WTFT-2436-FGG	25584
						WTFT-2448-FGG	26744
						WTFT-2460-FGG	27891
						WTFT-2472-FGG	27968
						WTFT-2484-FGG	30191
						WTFT-2496-FGG	31256

...with Subway-Style Stainless Steel Grating

* Troughs with optional ADA-compliant Stainless Steel Grating features added stainless steel flat bars spaced only 1/4" apart. Call factory for pricing

12" (305mm) WIDE TROUGHS		15" (381mm) WIDE TROUGHS		18" (457mm) WIDE TROUGHS		24" (610mm) WIDE TROUGHS	
dimension A: 7" (178mm)		dimension A: 10" (254mm)		dimension A: 13" (330mm)		dimension A: 19" (483mm)	
dimension B: 9" (229mm)		dimension B: 12" (305mm)		dimension B: 15" (381mm)		dimension B: 21" (533mm)	
dimension C: 12" (305mm)		dimension C: 15" (381mm)		dimension C: 18" (457mm)		dimension C: 24" (610mm)	
dimension D in. mm	dimension E in. mm	model #	list	model #	list	model #	list
15" 381	12" 305	WTFT-1215-SG	24375	-	-	-	-
18" 457	15" 381	WTFT-1218-SG	24916	WTFT-1518-SG	24696	-	-
24" 610	21" 533	WTFT-1224-SG	25212	WTFT-1524-SG	25612	WTFT-1824-SG	25992
30" 762	27" 686	WTFT-1230-SG	25406	WTFT-1530-SG	25769	WTFT-1830-SG	26386
36" 914	33" 838	WTFT-1236-SG	25603	WTFT-1536-SG	26703	WTFT-1836-SG	26782
48" 1219	45" 1143	WTFT-1248-SG	27177	WTFT-1548-SG	28388	WTFT-1848-SG	29442
60" 1524	57" 1448	WTFT-1260-SG	28823	WTFT-1560-SG	30009	WTFT-1860-SG	30450
72" 1829	69" 1753	WTFT-1272-SG	30297	WTFT-1572-SG	31670	WTFT-1872-SG	33086
84" 2134	81" 2057	WTFT-1284-SG	32288	WTFT-1584-SG	33334	WTFT-1884-SG	34247
96" 2438	93" 2362	WTFT-1296-SG	32672	WTFT-1596-SG	34895	WTFT-1896-SG	36672
						WTFT-2424-SG	27487
						WTFT-2430-SG	27836
						WTFT-2436-SG	29087
						WTFT-2448-SG	30690
						WTFT-2460-SG	32118
						WTFT-2472-SG	34254
						WTFT-2484-SG	35682
						WTFT-2496-SG	37462

Catalog Section 20

Anti-Splash Cool Trough®

Water Tempering Systems




see spec sheet **EG25.03B**




#ASWTFT-1215-FGG
Cool Trough®

PATENTED!
(patent #9,588,525)



FEATURES:

- Integral mechanical temperature sensor maintains water temperature of 130°F or less.
- Built-in pitch towards drain ensures complete drainage.
- No electrical connection required.



(see chart below for dimensions A through E)

Note: Cool Trough® with ADA-compliant Grating* available! Provides a more solid walking area, and objects are less likely to fall through. Available in gray only. For Cool Trough® with Fiberglass AND Stainless Steel Grating! For fiberglass, replace suffix -FGG with suffix "-FG-ADA". **Example:** ASWTFT-1224-FG-ADA. For stainless steel, add suffix "-ADA". **Example:** ASWTFT-1224-SG-ADA. To order, add suffix "-ADA". **Example:** ASWTFT-1224-SG-ADA.

...with Gray Fiberglass Grating

*Troughs with optional ADA-compliant Fiberglass Grating features wider T-bars resistant to corrosion, skid, fire, chipping and cracking. To order, add 5% to list price.

		12" (305mm) WIDE TROUGHS		15" (381mm) WIDE TROUGHS		18" (457mm) WIDE TROUGHS		24" (610mm) WIDE TROUGHS	
		dimension A: 7" (178mm) dimension B: 9" (229mm) dimension C: 12" (305mm)		dimension A: 10" (254mm) dimension B: 12" (305mm) dimension C: 15" (381mm)		dimension A: 13" (330mm) dimension B: 15" (381mm) dimension C: 18" (457mm)		dimension A: 19" (483mm) dimension B: 21" (533mm) dimension C: 24" (610mm)	
dimension D	dimension E	model #	list	model #	list	model #	list	model #	list
in.	mm								
15"	381	ASWTFT-1215-FGG	23245	-	-	-	-	-	-
18"	457	ASWTFT-1218-FGG	23767	ASWTFT-1518-FGG	23712	-	-	-	-
24"	610	ASWTFT-1224-FGG	24178	ASWTFT-1524-FGG	24286	ASWTFT-1824-FGG	24683	ASWTFT-2424-FGG	25088
30"	762	ASWTFT-1230-FGG	24692	ASWTFT-1530-FGG	24742	ASWTFT-1830-FGG	25277	ASWTFT-2430-FGG	25873
36"	914	ASWTFT-1236-FGG	24965	ASWTFT-1536-FGG	25017	ASWTFT-1836-FGG	25730	ASWTFT-2436-FGG	26409
48"	1219	ASWTFT-1248-FGG	25854	ASWTFT-1548-FGG	25943	ASWTFT-1848-FGG	26807	ASWTFT-2448-FGG	27713
60"	1524	ASWTFT-1260-FGG	26428	ASWTFT-1560-FGG	26766	ASWTFT-1860-FGG	27723	ASWTFT-2460-FGG	28990
72"	1829	ASWTFT-1272-FGG	27402	ASWTFT-1572-FGG	27577	ASWTFT-1872-FGG	28757	ASWTFT-2472-FGG	29091
84"	2134	ASWTFT-1284-FGG	28204	ASWTFT-1584-FGG	28459	ASWTFT-1884-FGG	29913	ASWTFT-2484-FGG	31589
96"	2438	ASWTFT-1296-FGG	29047	ASWTFT-1596-FGG	29219	ASWTFT-1896-FGG	30913	ASWTFT-2496-FGG	32774

...with Subway-Style Stainless Steel Grating

*Troughs with optional ADA-compliant Stainless Steel Grating features added stainless steel flat bars spaced only 1/4" apart. Call factory for pricing

		12" (305mm) WIDE TROUGHS		15" (381mm) WIDE TROUGHS		18" (457mm) WIDE TROUGHS		24" (610mm) WIDE TROUGHS	
		dimension A: 7" (178mm) dimension B: 9" (229mm) dimension C: 12" (305mm)		dimension A: 10" (254mm) dimension B: 12" (305mm) dimension C: 15" (381mm)		dimension A: 13" (330mm) dimension B: 15" (381mm) dimension C: 18" (457mm)		dimension A: 19" (483mm) dimension B: 21" (533mm) dimension C: 24" (610mm)	
dimension D	dimension E	model #	list	model #	list	model #	list	model #	list
in.	mm								
15"	381	ASWTFT-1215-SG	25473	-	-	-	-	-	-
18"	457	ASWTFT-1218-SG	25635	ASWTFT-1518-SG	24286	-	-	-	-
24"	610	ASWTFT-1224-SG	25670	ASWTFT-1524-SG	25447	ASWTFT-1824-SG	26454	ASWTFT-2424-SG	27941
30"	762	ASWTFT-1230-SG	25977	ASWTFT-1530-SG	26170	ASWTFT-1830-SG	26956	ASWTFT-2430-SG	29369
36"	914	ASWTFT-1236-SG	26288	ASWTFT-1536-SG	27349	ASWTFT-1836-SG	27468	ASWTFT-2436-SG	29769
48"	1219	ASWTFT-1248-SG	28091	ASWTFT-1548-SG	29061	ASWTFT-1848-SG	29175	ASWTFT-2448-SG	31604
60"	1524	ASWTFT-1260-SG	29962	ASWTFT-1560-SG	30129	ASWTFT-1860-SG	31594	ASWTFT-2460-SG	33257
72"	1829	ASWTFT-1272-SG	31662	ASWTFT-1572-SG	31662	ASWTFT-1872-SG	32917	ASWTFT-2472-SG	35629
84"	2134	ASWTFT-1284-SG	33884	ASWTFT-1584-SG	34548	ASWTFT-1884-SG	35846	ASWTFT-2484-SG	37280
96"	2438	ASWTFT-1296-SG	34500	ASWTFT-1596-SG	36108	ASWTFT-1896-SG	36467	ASWTFT-2496-SG	39288

Replacement Subway-Style Grating for Floor Troughs and Drains



see spec sheet **EG25.02**

Stainless Steel Grating

- Constructed of $\frac{3}{16}$ " x 1" (5 x 25mm) vertically positioned bars, spaced 1" (25mm) apart to allow ease of drainage.
- $\frac{13}{16}$ " (21mm) clearance between bars prevents casters on mobile equipment from wedging in grate.
- Two $\frac{5}{16}$ " (8mm) rods, set $2\frac{1}{4}$ " (57mm) in from each edge, are welded to the bars to eliminate swaying.
- Standard on floor troughs.
- Sizes available fit floor drains up to 24" (610mm) wide.
- Grates 12" and 15" (305 and 381mm) wide feature three rods.
- Grates 21" (533mm) wide feature five rods.



for floor trough widths		grate width x length		model #	list each
in.	mm	in.	mm		
12"	305	9" x 7½"	229 x 191	341169	794
12"	305	9" x 9"	229 x 229	341117	1011
12"	305	9" x 12"	229 x 305	341123	1100
15"	381	12" x 9"	305 x 229	340992	1205
15"	381	12" x 12"	305 x 305	331006	1299
18"	457	15" x 6"	381 x 154	341330	1119
18"	457	15" x 7½"	381 x 191	341110	1188
18"	457	15" x 9"	381 x 229	341113	1271
18"	457	15" x 12"	381 x 305	336992	1393
18"	457	15" x 15"	381 x 381	345934	1510
24"	610	21" x 9"	533 x 229	341109	1440
24"	610	21" x 11"	533 x 279	351572	1544
24"	610	21" x 12"	533 x 305	336976	1592

Wide "T" Bar Fiberglass Grating — ADA-compliant!

- Conforms with the Americans with Disabilities Act for use with the physically handicapped.
- Provides a more solid walking area than traditional "T" bar shape, and prevents objects from falling through grating.
- Corrosion-, skid- and fire-resistant.
- High strength, low thermal conductivity.
- Resistant to chipping and cracking.
- Temperature rating of 250°F.



GRAY

for floor trough widths		grate width x length		Gray	
in.	mm	in.	mm	model #	list ea
12"	305	9" x 9"	229 x 229	370000	312
12"	305	9" x 12"	229 x 305	370001	380
12"	305	9" x 15"	229 x 381	370002	410
15"	381	12" x 9"	305 x 229	370003	322
15"	381	12" x 12"	305 x 305	370004	398
18"	457	15" x 9"	381 x 229	370005	413
18"	457	15" x 12"	381 x 305	370006	515
18"	457	15" x 15"	381 x 381	370007	638
24"	610	21" x 9"	533 x 229	370008	525
24"	610	21" x 12"	533 x 305	370009	660

Fiberglass Grating

- Constructed of 1" (25mm) high yellow or gray polyester material with a non-slip grit on top surface.
- Tapered "I" beam construction for ease of cleaning and draining.
- Temperature rating of 250°F.
- Other sizes available—consult factory.



GRAY OR YELLOW

for floor trough widths		grate width x length		Yellow		Gray	
in.	mm	in.	mm	model #	list ea	model #	list ea
12"	305	9" x 9"	229 x 229	362648	253	374015	265
12"	305	9" x 12"	229 x 305	362647	299	374018	317
12"	305	9" x 15"	229 x 381	373030	319	374021	336
15"	381	12" x 9"	305 x 229	362650	253	374044	265
15"	381	12" x 12"	305 x 305	362649	299	374047	317
18"	457	15" x 9"	381 x 229	362652	321	374073	341
18"	457	15" x 12"	381 x 305	362651	392	374076	411
18"	457	15" x 15"	381 x 381	373206	483	374079	514
24"	610	21" x 9"	533 x 229	362654	393	374102	413
24"	610	21" x 12"	533 x 305	362653	487	374105	519

Floor Drains

see spec sheet **EG25.00**



shown
without grating

description	width x length		model #	list
	in.	mm		
with yellow fiberglass grating	12" x 12"	305 x 305	FD-FG	3285
with subway-style grating	12" x 12"	305 x 305	FD-SG	4373

Note: Floor opening = 11½" x 11½" (292 x 292)

FEATURES:

- Perforated waste cup can be inverted to double as a bee hive strainer.
- Yellow fiberglass grating or subway-style stainless steel grating.


Note: Gray Fiberglass Grating available. To order add suffix "G" to model #. Example FD-FGG.

Catalog Section 20

Portable Cool Trough® Water Tempering System



see spec sheet **EG25.03C**



PATENTED!
(patent #9,588,525)

FEATURES:

- Integral mechanical temperature sensor maintains water temperature of 130°F or less.
- Built-in pitch towards drain ensures complete drainage.
- 3" (76mm)-diameter casters—two rigid, two swivel with brake.
- No electrical connection required.
- 12 gauge base.

Note: Water line and connection provided by plumbing contractor.

overall side-to-side		overall * front-to-back		overall height		weight		model #	list
in.	mm	in.	mm	in.	mm	lbs.	kg		
15"	381	12"	305	36"	914	116	52.6	PWTFT-1215	20548

* Includes base and handle.

Touch-Free Portable Hand Sinks

see spec sheet **EG20.22**

FEATURES:

- Heavy gauge stainless steel cabinet with double pan hinged stainless steel door and lock.
- Box marine edge top.
- 14" x 10" x 5" (356 x 256 x 127mm) sink bowl.
- Deck mount electronic-eye gooseneck faucet with tempering valve.
- Touch-free splash-mount paper towel dispenser.
- Touch-free splash-mount soap dispenser.
- 4" (102mm) swivel casters (two w/brake) with non-marking tread—weight capacity of 150 lbs. (68.0 kg) per caster.
- 5-gallon fresh water tank.
- 7-gallon soiled water tank.
- 10-ft. (3048mm) cord/plug with cord wrap.



**See page 228 for more
Portable Hand Sinks available!**

WITHOUT WATER HEATER*

overall width x length x height		weight		model #	list
in	mm	lbs.	kg		
24" x 26" x 56 1/4"	610 x 660 x 1442	209	94.8	PHS-S-C-TF	13194

WITH WATER HEATER*

overall width x length x height		weight		model #	list
in	mm	lbs.	kg		
24" x 26" x 56 1/4"	610 x 660 x 1442	237	107.5	PHS-S-H-TF	14413

* Unit without water heater provides ambient temperature water.
Unit with water heater provides tempered water.

Breath/Safety Shields

Dividers

- for Square or Round Tables..... 271
- for Oval or Rectangular Tables 271

Divider Wall Extensions.....273

Freestanding Countertop.....270

Knock-Down Desk Partitions.....270

Mobile Partitions.....273

Mounted Breath Shields

- Ceiling 272
- Bolted-On 272
- Clamp-On 272

Back to work Promoting safer workplaces

REOPEN SAFELY. EAGLE'S BREATH/SAFETY SHIELDS CAN HELP.

Constructed of durable plexiglass, these protective shields come in a variety of styles, sizes and installation options.


Our wide range of configurations ensure that each area of your workplace, from offices, lobbies, gathering spaces, and conference rooms are properly retrofitted to provide safe and secure protection.

**For More Information or to Request a Quotation,
Contact Your Eagle Account Specialist.
1-800-441-8440**



Freestanding Countertop Breath/Safety Shields

see spec sheet **EG06.00**



- Vertical and horizontal shields available.
- 7/32"-thick durable plexiglass.
- Available with or without pass-through.
- Easy assembly—NO TOOLS required. Two 8" x 14" stands lock into place with shield.
- Knocks down flat for storage.
- Sold in packs of four (4).

FEATURES:

description	height		length		quantity per pack	model #
	in	mm	in	mm		
solid	24"	610	24"	610	4	BGFC-2424
with pass through	24"	610	24"	610	4	BGFC-2424-PT
solid	24"	610	36"	914	4	BGFC-2436
with pass through	24"	610	36"	914	4	BGFC-2436-PT
solid	24"	610	48"	1219	4	BGFC-2448
with pass through	24"	610	48"	1219	4	BGFC-2448-PT
solid	30"	762	24"	610	4	BGFC-3024
with pass through	30"	762	24"	610	4	BGFC-3024-PT
solid	30"	762	36"	914	4	BGFC-3036
with pass through	30"	762	36"	914	4	BGFC-3036-PT
solid	30"	762	48"	1219	4	BGFC-3048
with pass through	30"	762	48"	1219	4	BGFC-3048-PT
solid	36"	914	24"	610	4	BGFC-3624
with pass through	36"	914	24"	610	4	BGFC-3624-PT

Knock-Down Desk Partitions

see spec sheet **EG06.01**



- 7/32"-thick durable plexiglass.
- Paper slot pass-thru.
- Tab and slot assembly.
- Knocks down flat for storage.
- No tools required for assembly.

FEATURES:


height		length		quantity per pack	model #
in	mm	in	mm		
24"	610	24"	610	1	BGDP-2424
24"	610	30"	762	1	BGDP-2430
24"	610	36"	914	1	BGDP-2436
24"	610	48"	1219	1	BGDP-2448

Consult factory for pricing.

Catalog Section 06

Dividers for Square or Round Tables

see spec sheet **EG06.02**



- 7/32"-thick durable plexiglass.
- Knocks down flat for storage.
- Optional drop edge can be added to prevent sliding on tabletop.
- 3-Way dividers feature panels with curved design, which create the "Y"-shaped divider.
- 4-Way dividers feature two interlocking panels, which form the four-way "X"-shaped divider.

FEATURES:

3-Way Dividers

height		diameter		model #
in	mm	in	mm	
24"	610	36"	914	BGTD-3Y36
24"	610	42"	1067	BGTD-3Y42
24"	610	48"	1219	BGTD-3Y48

4-Way Dividers

height		length		width		model #
in.	mm	in.	mm	in.	mm	
24"	610	48"	1219	48"	1219	BGTD-2448
24"	610	60"	1524	60"	1524	BGTD-2460
30"	762	48"	1219	48"	1219	BGTD-3048
30"	762	60"	1524	60"	1524	BGTD-3060

Dividers for Oval or Rectangular Tables

see spec sheet **EG06.03**



- Panels interlock to create dividers to section off tabletop.
- 7/32"-thick durable plexiglass.
- Knocks down flat for storage.
- Optional drop edge can be added to prevent sliding on tabletop.

FEATURES:

description	height		length		width		model #
	in	mm	in	mm	in	mm	
creates 4 sections	24"	610	60"	1524	30"	914	BGTD-2460-4
creates 4 sections	24"	610	72"	1829	30"	914	BGTD-2472-4
creates 6 sections	24"	610	72"	1829	30"	914	BGTD-2472-6
creates 8 sections	24"	610	72"	1829	30"	914	BGTD-2472-8
creates 4 sections	30"	914	60"	1524	30"	914	BGTD-3060-4
creates 4 sections	30"	762	72"	1829	30"	914	BGTD-3072-4
creates 6 sections	30"	762	72"	1829	30"	914	BGTD-3072-6
creates 8 sections	30"	762	72"	1829	30"	914	BGTD-3072-8

Consult factory for pricing.

Ceiling-Mounted Breath/Safety Shields

see spec sheet **EG06.03**




- 7/32"-thick durable plexiglass.
- Three (3) 60"-long chains.
- Six (6) "S" hooks.

FEATURES:

height		length		quantity per pack	model #
in	mm	in	mm		
24"	610	24"	610	1	BGCM-2424
24"	610	36"	914	1	BGCM-2436
24"	610	48"	1219	1	BGCM-2448
30"	762	24"	610	1	BGCM-3024
30"	762	36"	914	1	BGCM-3036
30"	762	48"	1219	1	BGCM-3048

Bolted-On Breath/Safety Shields

see spec sheet **EG06.02**



- Easily mounts onto front of counter.
- 7/32"-thick durable plexiglass.
- 1" radius corners.
- Sold in packs of two (2).

FEATURES:

height		length		quantity per pack	model #
in	mm	in	mm		
30"	762	24"	610	2	BGBO-3024
30"	762	36"	914	2	BGBO-3036
30"	762	48"	1219	2	BGBO-3048
36"	914	24"	610	2	BGBO-3624
36"	914	36"	914	2	BGBO-3636
36"	914	48"	1219	2	BGBO-3648

Clamp-On Breath/Safety Shields

see spec sheet **EG06.01**



- Shields clamp onto table edge surface.
- 7/32"-thick durable plexiglass.
- Clamp range is 1" to 1-1/2" (can be customized).
- Stainless clamps have protective rubber inside to protect table surface.

FEATURES:

height		length		quantity per pack	model #
in	mm	in	mm		
24"	610	24"	610	1	BGCM-2424
24"	610	36"	914	1	BGCM-2436
24"	610	48"	1219	1	BGCM-2448
30"	762	24"	610	1	BGCM-3024
30"	762	36"	914	1	BGCM-3036
30"	762	48"	1219	1	BGCM-3048

Consult factory for pricing.

Catalog Section 06

Divider Wall Extension Shields

see spec sheet **EG06.07**



FEATURES:

- Clamps onto standard cubicle/divider wall to extend protection.
- Clamps provide customizable range to accommodate range of thicknesses.
- 7/32"-thick durable plexiglass.

height		length		quantity per pack	model #
in	mm	in	mm		
24"	610	24"	610	1	BGDW-2424
24"	610	36"	914	1	BGDW-2436
24"	610	48"	1219	1	BGDW-2448
24"	610	60"	1524	1	BGDW-2460
24"	610	72"	1829	1	BGDW-2472

Mobile Partitions

see spec sheet **EG06.00**



FEATURES:

- 7/32"-thick durable plexiglass.
- 1" stainless steel tubing frame.
- 1-1/2" stainless tubing base.
- 2" twin wheel casters.
- Nestable for storage.

description	height		width		model #
	in	mm	in	mm	
full screen, solid	72"	1829	30"	914	BGMP-3072
full screen, 2" access hole	72"	1829	30"	914	BGMP-3072-TT
half screen	72"	1829	30"	914	BGMP-3072-TH

Consult factory for pricing.

NOTES

SpecFAB® Custom Fabrication

Shelf Select™ 277
The SpecFAB® Division 276



SpecFAB® Custom Capabilities

Custom Stainless Steel Solutions

Tailored Designs. Streamlined Process. Precision Results.

Whether you need specially fabricated equipment, modular components, or a combination of both, our custom stainless steel solutions are built to meet your exact specifications.

Our efficient design, approval, and fabrication process ensures fast turnaround, without compromising quality. Each unit can be pre-wired and pre-plumbed (when applicable), reducing on-site installation time and costs.

We deliver repeatable precision across multiple pieces, with shorter lead times and greater value.





SpecFAB® Custom Capabilities

Custom Stainless Steel Solutions

Tailored Designs. Streamlined Process. Precision Results.

Whether you need specially fabricated equipment, modular components, or a combination of both, our custom stainless steel solutions are built to meet your exact specifications.

Our efficient design, approval, and fabrication process ensures fast turnaround, without compromising quality. Each unit can be pre-wired and pre-plumbed (when applicable), reducing on-site installation time and costs.

We deliver repeatable precision across multiple pieces, with shorter lead times and greater value.



Manufacturing Capabilities:

- Engineering and design assistance.
- Room layouts provided.
- Standard and custom built stainless products.
- Small to large order capacities.
- Designed and built to industry standards.
- Quality controlled throughout process.
- In-house equipment capabilities and standard products provide economical solutions.

Eagle MHC's experienced Design and Quotations Team can work with you to ensure your project meets and exceeds your laboratory requirements. We support you every step of the process, from quotations, layout, submittals and through our state of the art manufacturing processes.

Our professional Field Services Team can assist with installation, field work and on site management of the installation process.

To Request A Quotation, contact our Quotations Team via email at quotes@eaglegrp.com

SpecFAB Customer Service specializes in coordinating and servicing your custom fabrication order from start to finish. Services include follow-up on submittal drawings and subsequent approvals, organizing receipt of buyouts, managing timelines for consolidations and deliveries, and addressing any issues or concerns that come up as your custom order makes its way through Eagle's detailed manufacturing process.

NOTES

**SEPTEMBER
2026**

**DISCOVER
THE EAGLE ADVANTAGE**



ALPHANUMERIC PRICE INDEX

**CASEWORK • CLEANROOM FURNITURE •
COUNTERTOPS • GOWNING EQUIPMENT
LAB FURNITURE • SINKS & FLOOR TROUGHS
TABLES & WORKSTATIONS • SHELVING & CARTS
CUSTOM FABRICATION**

**USE OUR ALPHANUMERIC PRICE INDEX TO QUICKLY LOCATE ITEMS
FOUND IN OUR CATALOG PRICE LIST.**

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
004026.....	42.....	179, 231, 241	1460BL.....	173.....	60	1836V74.....	983.....	24	1854C.....	188.....	6
1202.....	1427.....	34	1460C.....	164.....	6,43	1836V74-5.....	1207.....	24	1854E.....	233.....	6
1203.....	1574.....	34	1460E.....	192.....	6,43	1836VG.....	147.....	6	1854R.....	207.....	60
1212.....	1828.....	34	1460R.....	173.....	60	1836VG63.....	966.....	24	1854S.....	756.....	6
1424BL.....	116.....	60	1460S.....	629.....	6,43,131	1836VG63-5.....	1162.....	24	1854V.....	210.....	6
1424C.....	115.....	6	1460V.....	173.....	6	1836VG74.....	983.....	24	1854VG.....	210.....	6
1424E.....	133.....	6	1460VG.....	173.....	6	1836VG74-5.....	1207.....	24	1854W.....	207.....	60
1424R.....	116.....	60	1460W.....	173.....	60	1836W.....	147.....	60	1854Z.....	176.....	6
1424S.....	395.....	6	1460Z.....	155.....	6	1836WGS-C.....	272.....	90	1860BL.....	210.....	60
1424V.....	116.....	6	1472BL.....	203.....	60	1836WGS-VG.....	283.....	90	1860BTZ.....	1037.....	173
1424VG.....	116.....	6	1472C.....	192.....	6	1836WGS-Z.....	252.....	90	1860C.....	188.....	6,36,161
1424W.....	116.....	60	1472E.....	219.....	6	1836Z.....	132.....	6	1860C63.....	1156.....	24
1424Z.....	97.....	6	1472R.....	203.....	60	1836Z63.....	845.....	24	1860C63-5.....	1418.....	24
1430BL.....	125.....	60	1472S.....	714.....	6	1836Z63-5.....	1017.....	24	1860C74.....	1182.....	24
1430C.....	118.....	6,43	1472V.....	203.....	6	1836Z74.....	859.....	24	1860C74-5.....	1466.....	24
1430E.....	139.....	6,43	1472VG.....	203.....	6	1836Z74-5.....	1019.....	24	1860E.....	233.....	6
1430R.....	125.....	60	1472W.....	203.....	60	1842BL.....	162.....	60	1860EG63.....	1426.....	24
1430S.....	399.....	6,43	1472Z.....	176.....	6	1842C.....	159.....	6	1860EG63-5.....	1750.....	24
1430V.....	125.....	6	1818-1-16/3.....	2385.....	247	1842E.....	196.....	6	1860EG74.....	1515.....	24
1430VG.....	125.....	6	1818-1-16/4.....	2044.....	247	1842R.....	162.....	60	1860E74-5.....	1819.....	24
1430W.....	125.....	60	1824-1-16/3.....	2494.....	247	1842S.....	594.....	6	1860R.....	210.....	60
1430WGS-C.....	244.....	90	1824-1-16/4.....	2059.....	247	1842V.....	174.....	6	1860S.....	756.....	6
1430WGS-VG.....	254.....	90	1824BL.....	132.....	60	1842VG.....	174.....	6	1860V.....	210.....	6
1430WGS-Z.....	226.....	90	1824BTZ.....	862.....	173	1842W.....	162.....	60	1860V63.....	1247.....	24
1430Z.....	105.....	6	1824C.....	129.....	6	1842Z.....	152.....	6	1860V63-5.....	1528.....	24
1436BL.....	132.....	60	1824E.....	152.....	6	1848-2-16/3.....	3631.....	247	1860V74.....	1275.....	24
1436C.....	129.....	6,43,44	1824R.....	132.....	60	1848-2-16/4.....	2891.....	247	1860V74-5.....	1578.....	24
1436E.....	145.....	6,44	1824S.....	486.....	6	1848-3-16/3.....	4102.....	248	1860VG.....	210.....	6
1436R.....	132.....	60	1824V.....	132.....	6	1848-3-16/4.....	3313.....	248	1860VG63.....	1247.....	24
1436S.....	404.....	6,43,131	1824VG.....	132.....	6	1848BL.....	174.....	60	1860VG63-5.....	1528.....	24
1436V.....	132.....	6	1824W.....	132.....	60	1848BTZ.....	947.....	173	1860VG74.....	1275.....	24
1436VG.....	132.....	6	1824Z.....	125.....	6	1848C.....	159.....	6,36,161	1860VG74-5.....	1578.....	24
1436W.....	132.....	60	1830BL.....	142.....	60	1848C63.....	1022.....	24	1860W.....	210.....	60
1436WGS-C.....	255.....	90	1830C.....	130.....	6	1848C63-5.....	1239.....	24	1860Z.....	176.....	6
1436WGS-VG.....	265.....	90	1830E.....	156.....	6	1848C74.....	1060.....	24	1860Z63.....	1119.....	24
1436WGS-Z.....	240.....	90	1830R.....	142.....	60	1848C74-5.....	1289.....	24	1860Z63-5.....	1269.....	24
1436Z.....	110.....	6	1830S.....	493.....	6	1848E.....	196.....	6	1860Z74.....	1119.....	24
1442BL.....	147.....	60	1830V.....	142.....	6	1848EG63.....	1250.....	24	1860Z74-5.....	1289.....	24
1442C.....	145.....	6	1830VG.....	142.....	6	1848EG63-5.....	1523.....	24	1872-4-16/3.....	5394.....	248
1442E.....	166.....	6	1830W.....	142.....	60	1848EG74.....	1289.....	24	1872-4-16/4.....	4328.....	248
1442R.....	147.....	60	1830WGS-C.....	263.....	90	1848E74-5.....	1584.....	24	1872BL.....	242.....	60
1442S.....	495.....	6	1830WGS-VG.....	269.....	90	1848R.....	174.....	60	1872C.....	220.....	6
1442V.....	152.....	6	1830WGS-Z.....	244.....	90	1848S.....	594.....	6	1872E.....	269.....	6
1442VG.....	152.....	6	1830Z.....	129.....	6	1848V.....	174.....	6	1872R.....	242.....	60
1442W.....	147.....	60	1836-2-16/3.....	3371.....	247	1848V63.....	1097.....	24	1872S.....	897.....	6
1442Z.....	132.....	6	1836-2-16/4.....	2758.....	247	1848V63-5.....	1332.....	24	1872V.....	242.....	6
1448BL.....	152.....	60	1836-3-16/3.....	3860.....	248	1848V74.....	1140.....	24	1872VG.....	242.....	6
1448C.....	145.....	6,43,44	1836-3-16/4.....	3177.....	248	1848V74-5.....	1394.....	24	1872W.....	242.....	60
1448E.....	166.....	6,43	1836BL.....	147.....	60	1848VG.....	174.....	6	1872Z.....	207.....	6
1448R.....	152.....	60	1836BTZ.....	900.....	173	1848VG63.....	1097.....	24	18x18 RRDEDB.....	577.....	249
1448S.....	495.....	6,43,131	1836C.....	133.....	6,36,161	1848VG63-5.....	1332.....	24	18x18 RRDEDB-16/3.....	962.....	249
1448V.....	152.....	6	1836C63.....	898.....	24	1848VG74.....	1140.....	24	18x24 RRDEDB.....	611.....	249
1448VG.....	152.....	6	1836C63-5.....	1083.....	24	1848VG74-5.....	1394.....	24	18x24 RRDEDB-16/3.....	1011.....	249
1448W.....	152.....	60	1836C74.....	915.....	24	1848W.....	174.....	60	18x30 RRDEDB.....	1038.....	249
1448Z.....	132.....	6	1836C74-5.....	1120.....	24	1848WGS-C.....	315.....	90	18x30 RRDEDB-16/3.....	1131.....	249
1454BL.....	164.....	60	1836E.....	162.....	6	1848WGS-VG.....	325.....	90	2118-1-16/3.....	2445.....	247
1454C.....	152.....	6	1836EG63.....	1093.....	24	1848WGS-Z.....	289.....	90	2118-1-16/4.....	2037.....	247
1454E.....	192.....	6	1836EG63-5.....	1299.....	24	1848Z.....	152.....	6	2124-1-16/3.....	2563.....	247
1454R.....	164.....	60	1836EG74.....	1095.....	24	1848Z63.....	954.....	24	2124-1-16/4.....	2110.....	247
1454S.....	629.....	6	1836E74-5.....	1359.....	24	1848Z63-5.....	1162.....	24	2124-1-18-16/3.....	5528.....	247
1454V.....	173.....	6	1836R.....	147.....	60	1848Z74.....	996.....	24	2124-1-18-16/4.....	4535.....	247
1454VG.....	173.....	6	1836S.....	495.....	6	1848Z74-5.....	1203.....	24	2124BL.....	148.....	60
1454W.....	164.....	60	1836V.....	147.....	6	1854-3-16/3.....	4479.....	248	2124C.....	147.....	6
1454Z.....	134.....	6	1836V63.....	966.....	24	1854-3-16/4.....	3765.....	248	2124E.....	173.....	6
			1836V63-5.....	1162.....	24	1854BL.....	207.....	60	2124R.....	148.....	60

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
2124S	563	6	2154S	877	6	2430E	194	6,43	2448C74	1243	24
2124V	148	6	2154V	232	6	2430GADJUS	453	211	2448C74-5	1540	24
2124VG	148	6	2154VG	232	6	2430R	173	60	2448E	242	6,43
2124W	148	60	2154W	226	60	2430S	612	6,43	2448EG63	1489	24
2124Z	134	6	2154Z	203	6	2430SADJUS-18/3	1018	211	2448E63-5	1674	24
2130BL	159	60	2160-3-16/3	4781	248	2430SADJUS-18/4	927	211	2448EG74	1543	24
2130C	152	6	2160-3-16/4	3904	248	2430V	173	6	2448E74-5	1894	24
2130E	176	6	2160BL	232	60	2430VG	173	6	2448GADJUS	479	211
2130R	159	60	2160C	214	6	2430W	173	60	2448R	219	60
2130S	567	6	2160E	252	6	2430Z	148	6	2448S	749	6,43
2130V	159	6	2160R	232	60	2436-1-16/3	2980	247	2448SADJUS-18/3	1175	211
2130VG	159	6	2160S	877	6	2436-1-16/4	2336	247	2448SADJUS-18/4	1073	211
2130W	159	60	2160V	232	6	2436BL	176	60	2448V	219	6
2130Z	139	6	2160VG	232	6	2436C	164	6,43,44	2448V63	1299	24
2136-1-16/3	2846	247	2160W	232	60			154	2448V63-5	1609	24
2136-1-16/4	2268	247	2160Z	203	6	2436C63	1048	24	2448V74	1337	24
2136-2-16/3	3469	247	2172-4-16/3	5479	248	2436C63-5	1277	24	2448V74-5	1655	24
2136-2-16/4	2817	247	2172-4-16/4	4535	248	2436C74	1065	24	2448VG	219	6
2136-2-18-16/3	6753	247	2172-4-18-16/3	8332	248	2436C74	1065	24	2448VG63	1299	24
2136-2-18-16/4	5587	247	2172-4-18-16/4	7141	248	2436C74-5	1327	24	2448VG63-5	1609	24
2136-3-16/3	3987	248	2172BL	278	60	2436E	197	6,43	2448VG74	1337	24
2136-3-16/4	3259	248	2172C	254	6	2436EG63	1263	24	2448VG74-5	1655	24
2136-3-18-16/3	6800	248	2172E	307	6	2436E63-5	1542	24	2448W	219	60
2136-3-18-16/4	5709	248	2172R	278	60	2436EG74	1288	24	2448Z	185	6
2136BL	162	60	2172S	1042	6	2436E74-5	1600	24	2448Z63	1106	24
2136C	156	6	2172V	278	6	2436GADJUS	464	211	2448Z63-5	1367	24
2136E	185	6	2172VG	278	6	2436R	176	60	2448Z74	1156	24
2136R	162	60	2172W	278	60	2436S	617	6,43	2448Z74-5	1414	24
2136S	573	6	2172Z	242	6	2436SADJUS-18/3	1069	211	2454BL	244	60
2136V	162	6	21x18 RRDEDB	577	249	2436SADJUS-18/4	977	211	2454C	238	6
2136VG	162	6	21x18 RRDEDB-16/3	962	249	2436V	176	6	2454E	285	6
2136W	162	60	21x24 RRDEDB	619	249	2436V63	1127	24	2454R	244	60
2136Z	145	6	21x24 RRDEDB-16/3	1011	249	2436V63-5	1369	24	2454S	914	6
2142BL	189	60	21x30 RRDEDB	1157	249	2436V74	1147	24	2454V	256	6
2142C	180	6	21x30 RRDEDB-16/3	1216	249	2436V74-5	1423	24	2454VG	256	6
2142E	215	6	24108GADJUS	561	211	2436VG	176	6	2454W	244	60
2142R	189	60	24108SADJUS-18/3	2005	211	2436VG63	1127	24	2454Z	226	6
2142S	660	6	24108SADJUS-18/4	1851	211	2436VG63-5	1369	24	2460-2-16/3	4468	247
2142V	192	6	24120GADJUS	605	211	2436VG74	1147	24	2460-2-16/4	3881	247
2142VG	192	6	24120SADJUS-18/3	2024	211	2436VG74-5	1423	24	2460-3-16/3	4965	248
2142W	189	60	24120SADJUS-18/4	1862	211	2436W	176	60	2460-3-16/4	4130	248
2142Z	164	6	24132GADJUS	675	211	2436Z	155	6	2460BL	256	60
2148-2-16/3	3664	247	24132SADJUS-18/3	2164	211	2436Z63	964	24	2460C	238	6,43
2148-2-16/4	2852	247	24132SADJUS-18/4	1990	211	2436Z63-5	1182	24	2460C63	1404	24
2148-3-16/3	4236	248	24144GADJUS	745	211	2436Z74	997	24	2460C63-5	1696	24
2148-3-16/4	3403	248	24144SADJUS-18/3	2557	211	2436Z74-5	1218	24	2460C74	1439	24
2148-3-18-16/3	7266	248	24144SADJUS-18/4	2356	211	2442BL	210	60	2460C74-5	1739	24
2148-3-18-16/4	5896	248	2424-1-16/3	2688	247	2442C	197	6	2460E	285	6,43
2148BL	192	60	2424-1-16/4	2195	247	2442E	242	6	2460EG63	1695	24
2148C	180	6	2424-1-24-16/3	5711	247	2442R	210	60	2460E63-5	2067	24
2148E	215	6	2424-1-24-16/4	4880	247	2442S	749	6	2460EG74	1739	24
2148R	192	60	2424BL	160	60	2442V	219	6	2460E74-5	2130	24
2148S	660	6	2424C	155	6,154	2442VG	219	6	2460GADJUS	500	211
2148V	192	6	2424E	189	6	2442W	210	60	2460R	256	60
2148VG	192	6	2424GADJUS	381	211	2442Z	185	6	2460S	914	6,43
2148W	192	60	2424R	160	60	2448-2-16/3	3892	247	2460SADJUS-18/3	1320	211
2148Z	164	6	2424S	608	6	2448-2-16/4	3130	247	2460SADJUS-18/4	1209	211
2154-3-16/3	4602	248	2424SADJUS-18/3	928	211	2448-2-24-16/3	6984	247	2460V	256	6
2154-3-16/4	3778	248	2424SADJUS-18/4	848	211	2448-2-24-16/4	5817	247	2460V63	1506	24
2154-3-18-16/3	7723	248	2424V	160	6	2448-3-16/3	4425	248	2460V63-5	1826	24
2154-3-18-16/4	6441	248	2424VG	160	6	2448-3-16/4	3571	248	2460V74	1548	24
2154BL	226	60	2424W	160	60	2448BL	219	60	2460V74-5	1870	24
2154C	214	6	2424Z	145	6	2448C	197	6,43,44	2460VG	256	6
2154E	252	6	2430BL	173	60	2448C63	1207	24	2460VG63	1506	24
2154R	226	60	2430C	160	6,43	2448C63-5	1497	24	2460VG63-5	1826	24

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
2460VG74	1548	24	301003	1316	261	3060Z	272	6	314-16-2-18R	8242	239
2460VG74-5	1870	24	301004	1092	261	306134	1157	229	314-16-2-24	9049	239
2460W	256	60	301005	672	261	306495	747	233	314-16-2-24L	8714	239
2460Z	226	6	301036	22	66,218	307120	227	233	314-16-2-24R	8714	239
2460Z63	1294	24	30108GADJUS	642	211	3072C	367	6	314-16-3	7898	240
2460Z63-5	1598	24	30108SADJUS-18/3	2372	211	3072E	454	6	314-16-3-18	10861	240
2460Z74	1344	24	30108SADJUS-18/4	2127	211	3072GADJUS	543	211	314-16-3-18L	10602	240
2460Z74-5	1642	24	30120GADJUS	681	211	3072S	1283	6	314-16-3-18R	10602	240
2472-3-16/3	5256	248	30120SADJUS-18/3	2502	211	3072SADJUS-18/3	1712	211	314-16-3-24	11013	240
2472-3-16/4	4230	248	30120SADJUS-18/4	2363	211	3072SADJUS-18/4	1565	211	314-16-3-24L	10680	240
2472-3-24-16/3	8849	248	30132GADJUS	735	211	3072V	382	6	314-16-3-24R	10680	240
2472-3-24-16/4	6945	248	30132SADJUS-18/3	2755	211	3072VG	382	6	314-16-4	11161	241
2472-4-16/3	5735	248	30132SADJUS-18/4	2615	211	3072Z	327	6	314-16-4-18	13755	241
2472-4-16/4	4657	248	30144GADJUS	812	211	3084GADJUS	557	211	314-16-4-18L	13271	241
2472BL	300	60	30144SADJUS-18/3	3078	211	3084SADJUS-18/3	1893	211	314-16-4-18R	13271	241
2472C	278	6	30144SADJUS-18/4	2835	211	3084SADJUS-18/4	1732	211	314-16-4-24	13945	241
2472E	334	6	301189	643	261	3096GADJUS	561	211	314-16-4-24L	13348	241
2472GADJUS	505	211	301190	163	261	3096SADJUS-18/3	2106	211	314-16-4-24R	13348	241
2472R	300	60	301248	357	233,255	3096SADJUS-18/4	1925	211	314-18-1	5445	238
2472S	1140	6	301440	411	255	309796	152	260	314-18-1-18	7486	238
2472SADJUS-18/3	1483	211	302004	398	233,255	310-10-3-12	6435	251	314-18-1-18L	6899	238
2472SADJUS-18/4	1350	211	3024GADJUS	396	211	310-10-3-18	6596	251	314-18-1-18R	6899	238
2472V	300	6	3024SADJUS-18/3	1076	211	310-10-3-24	6713	251	314-18-1-24	7556	238
2472VG	300	6	3024SADJUS-18/4	989	211	311915	53	208	314-18-1-24L	6944	238
2472W	300	60	3030C	214	6,43	312-12-3-12	6827	251	314-18-1-24R	6944	238
2472Z	255	6	3030E	254	6,43	312-14-3-12	7311	251	314-18-2	7572	239
2484GADJUS	510	211	3030GADJUS	479	211	312162	727	233	314-18-2-18	10197	239
2484SADJUS-18/3	1646	211	3030S	722	6,43	312688	410	252	314-18-2-18L	9915	239
2484SADJUS-18/4	1506	211	3030SADJUS-18/3	1162	211	312689	392	252	314-18-2-18R	9915	239
2496GADJUS	543	211	3030SADJUS-18/4	1061	211	312690	1140	252	314-18-2-24	10306	239
2496SADJUS-18/3	1779	211	3030V	217	6	313075	352	160	314-18-2-24L	9974	239
2496SADJUS-18/4	1624	211	3030VG	217	6			233,261	314-18-2-24R	9974	239
24x18 RRDEDB	593	249	3030Z	188	6	313116	464	261	314-18-3	9996	240
24x18 RRDEDB-16/3	948	249	303560	1052	255	313204	357	260	314-18-3-18	12841	240
24x24 RRDEDB	642	249	303561	1191	255	313205	385	260	314-18-3-18L	12540	240
24x24 RRDEDB-16/3	1046	249	303562	1187	255	313207	292	260	314-18-3-18R	12540	240
24x30 RRDEDB	1138	249	3036C	242	6,43	313293	1299	261	314-18-3-24	13061	240
24x30 RRDEDB-16/3	1197	249	3036E	293	6,43	313294	1312	261	314-18-3-24L	12584	240
300287	47	235,236,260	3036GADJUS	482	211	313295	2989	261	314-18-3-24R	12584	240
			3036S	818	6,43	313296	3172	261	314-18-4	12680	241
300293	7	218,260	3036SADJUS-18/3	1223	211	313297	792	261	314-18-4-18	15873	241
300315	70	260	3036SADJUS-18/4	1126	211	313303	945	255	314-18-4-18L	15591	241
300489	597	251	3036V	245	6	313304	1296	218,261	314-18-4-18R	15591	241
300490	380	255	3036VG	245	6	313305	1155	229	314-18-4-24	16046	241
300600	410	236	3036Z	210	6	313306	913	255	314-18-4-24L	15643	241
300602	69	234	303987	359	233	313307	947	255	314-18-4-24R	15643	241
300604	810	234	304146	216	261	313308	947	255	314-22-1	5478	238
300692	42	218,260	3048C	278	6,43	313323	400	261	314-22-1-18	7724	238
300696	63	95,208,216	3048E	333	6,43	313481	1082	234	314-22-1-18L	7099	238
			3048GADJUS	500	211	313832	383	260	314-22-1-18R	7099	238
300698	224	218	3048S	954	6,43	313834	447	260	314-22-1-24	7787	238
300699	213	218	3048SADJUS-18/3	1344	211	313835	61	218,260	314-22-1-24L	7149	238
300716	485	261	3048SADJUS-18/4	1222	211	313918	475	261	314-22-1-24R	7149	238
300718	2419	261	3048V	285	6	313919	506	261	314-22-2	7797	239
300719	2425	261	3048VG	285	6	313920	1268	261	314-22-2-18	10712	239
300720	506	218,260	3048Z	242	6	314-16-1	4706	238	314-22-2-18L	10403	239
300721	506	218,260	305428	436	260	314-16-1-18	6602	238	314-22-2-18R	10403	239
300722	1030	218,260	3060C	306	6,43	314-16-1-18L	6316	238	314-22-2-24	10822	239
300789	200	234,260	3060E	377	6,43	314-16-1-18R	6316	238	314-22-2-24L	10457	239
300791	39	234,260	3060GADJUS	510	211	314-16-1-24	6800	238	314-22-2-24R	10457	239
300804	503	261	3060S	1056	6,43	314-16-1-24L	6395	238	314-22-3	10466	240
300886	31	235	3060SADJUS-18/3	1533	211	314-16-1-24R	6395	238	314-22-3-18	13619	240
300966	10	235	3060SADJUS-18/4	1398	211	314-16-2	6315	239	314-22-3-18L	13286	240
301001	1172	261	3060V	319	6	314-16-2-18	8900	239	314-22-3-18R	13286	240
301002	1187	261	3060VG	319	6	314-16-2-18L	8242	239	314-22-3-24	13945	240

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
314-22-3-24L	13341	240	341190	1197	218,260	369653	855	260	411096	1092	207
314-22-3-24R	13341	240	341330	1119	266	370000	312	266	411210	1247	207
314-24-1	5849	238	342938	70	234	370001	380	266	411212	1392	207
314-24-1-18	8427	238	345934	1510	266	370002	410	266	411213	1488	207
314-24-1-18L	8238	238	346175	434	260	370003	322	266	411214	1587	207
314-24-1-18R	8238	238	347771	478	235	370004	398	266	411230	664	207
314-24-1-24	8730	238	349921	152	233	370005	413	266	411236	697	207
314-24-1-24L	8357	238	351572	1544	266	370006	515	266	411248	759	207
314-24-1-24R	8357	238	351584	330	260	370007	638	266	411260	815	207
314-24-2	8982	239	351585	410	260	370008	525	266	411272	932	207
314-24-2-18	12031	239	351738	1082	234	370009	660	266	411284	1038	207
314-24-2-18L	11549	239	353761	862	164	373030	319	266	411296	1120	207
314-24-2-18R	11549	239	353762	905	164	373206	483	266	412-16-1	3620	238
314-24-2-24	12561	239	353763	964	164	373848	4598	233	412-16-1-18	5383	238
314-24-2-24L	12323	239	353764	1073	164	374015	265	266	412-16-1-18L	5078	238
314-24-2-24R	12323	239	353765	1131	164	374018	317	266	412-16-1-18R	5078	238
314-24-3	11670	240	353766	1323	164	374021	336	266	412-16-1-24	5396	238
314-24-3-18	14784	240	353767	1459	164	374044	265	266	412-16-1-24L	5114	238
314-24-3-18L	14914	240	353768	1793	164	374047	317	266	412-16-1-24R	5114	238
314-24-3-18R	14914	240	353770	958	164	374073	341	266	412-16-2	4948	239
314-24-3-24	15980	240	353771	1034	164	374076	411	266	412-16-2-18	6775	239
314-24-3-24L	15539	240	353772	1167	164	374079	514	266	412-16-2-18L	6558	239
314-24-3-24R	15539	240	353773	1215	164	374102	413	266	412-16-2-18R	6558	239
314-24-4	15306	241	353774	1447	164	374105	519	266	412-16-2-24	6881	239
314-24-4-18	19260	241	353775	1574	164	374955	77	234	412-16-2-24L	6624	239
314-24-4-18L	18861	241	353776	1948	164	375612	730	234	412-16-2-24R	6624	239
314-24-4-18R	18861	241	355994	810	234	376509	382	228	412-16-3	6271	240
314-24-4-24	20192	241	356128	3625	233	376740	121	233	412-16-3-18	6861	240
314-24-4-24L	19786	241	358114	85	92	377430	938	255	412-16-3-18L	6629	240
314-24-4-24R	19786	241	358115	89	92	377455	570	234	412-16-3-18R	6629	240
317635	292	218	362188	58	255	377456	570	234	412-16-3-24	6979	240
317636	292	218	362647	299	266	377563	2037	233	412-16-3-24L	6696	240
318495	1257	233	362648	253	266	379769	11	208	412-16-3-24R	6696	240
318496	621	234	362649	299	266	380401	319	154	414-16-1	4161	238
319931	171	235	362650	253	266	380402	258	154	414-16-1-18	5967	238
319932	79	235	362651	392	266	380403	948	154	414-16-1-18L	5702	238
321555	359	260	362652	321	266	380404	258	154	414-16-1-18R	5702	238
321557	458	260	362653	487	266	382984	2066	164	414-16-1-24	6157	238
321558	562	260	362654	393	266	384796	444	234	414-16-1-24L	5768	238
321561	597	252	362659	2293	164	387622	10	134	414-16-1-24R	5768	238
324074	263	234	3636C	270	6	3TF1836-BL	74	34	414-16-2	5697	239
326014	3384	233	3636E	327	6	3TF1836-C	67	34	414-16-2-18	7830	239
326015	236	234,236	3636S	914	6	3TF1836-V	74	34	414-16-2-18L	7536	239
326267	347	260	3636V	272	6	3TF1836-VG	74	34	414-16-2-18R	7536	239
326268	348	260	3636VG	272	6	3TF1836-Z	65	34	414-16-2-24	7972	239
326269	383	260	3636Z	232	6	3TF1848-BL	86	34	414-16-2-24L	7654	239
326270	444	260	3648C	308	6	3TF1848-C	80	34	414-16-2-24R	7654	239
326271	450	260	3648E	377	6	3TF1848-V	86	34	414-16-3	6904	240
326272	1021	233	3648S	1074	6	3TF1848-VG	86	34	414-16-3-18	8968	240
326696	1358	233	3648V	325	6	3TF1848-Z	67	34	414-16-3-18L	8733	240
330010	8	66	3648VG	325	6	3TF1860-BL	94	34	414-16-3-18R	8733	240
331006	1299	266	3648Z	273	6	3TF1860-C	86	34	414-16-3-24	9109	240
335377	341	260	3660C	358	6	3TF1860-V	94	34	414-16-3-24L	8802	240
336002	529	218,260	3660E	445	6	3TF1860-VG	94	34	414-16-3-24R	8802	240
336976	1592	266	3660S	1250	6	3TF1860-Z	75	34	414-16-4	9322	241
336992	1393	266	3660V	369	6	411010	1180	207	414-16-4-18	11794	241
340380	1295	261	3660VG	369	6	411012	1275	207	414-16-4-18L	11327	241
340992	1205	266	3660Z	312	6	411013	1380	207	414-16-4-18R	11327	241
341109	1440	266	3672C	419	6	411014	1480	207	414-16-4-24	11973	241
341110	1188	266	3672E	523	6	411030	658	207	414-16-4-24L	11402	241
341113	1271	266	3672S	1489	6	411036	664	207	414-16-4-24R	11402	241
341117	1011	266	3672V	448	6	411048	719	207	414-18-1	4871	238
341123	1100	266	3672VG	448	6	411060	784	207	414-18-1-18	6816	238
341169	794	266	3672Z	377	6	411072	887	207	414-18-1-18L	6270	238
341189	529	218,260	368421	66	233,261	411084	988	207	414-18-1-18R	6270	238

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
414-18-1-24	6880	238	414-24-3-24R	13832	240	502975	453	212	A203881	48	163
414-18-1-24L	6316	238	414-24-4	13277	241	502976	382	212	A203883	66	163
414-18-1-24R	6316	238	414-24-4-18	17169	241	503006	453	212	A203885	11	163
414-18-2	6556	239	414-24-4-18L	16315	241	503007	382	212	A203887	19	163
414-18-2-18	9066	239	414-24-4-18R	16315	241	503010	453	212	A203889	34	163
414-18-2-18L	8803	239	414-24-4-24	17948	241	503011	382	212	A203891	69	163
414-18-2-18R	8803	239	414-24-4-24L	17553	241	503095	1143	252	A203893	132	163
414-18-2-24	9166	239	414-24-4-24R	17553	241	503096	1143	252	A203895	150	159
414-18-2-24L	8855	239	418002	334	208	503097	1802	252	A203929	203	159
414-18-2-24R	8855	239	418202	287	208	503098	1211	252	A204176	355	158
414-18-3	8528	240	421010	1365	207	503099	1211	252	A204235	45	163
414-18-3-18	11255	240	421012	1453	207	503100	1977	252	A204236	56	163
414-18-3-18L	10967	240	421013	1556	207	606215	1049	235	A204237	44	91,163
414-18-3-18R	10967	240	421014	1696	207	606329	480	218	A204238	58	163
414-18-3-24	11534	240	421030	719	207	606331	702	218	A204239	38	163
414-18-3-24L	11010	240	421036	738	207	606396	469	235	A204318	5	48
414-18-3-24R	11010	240	421048	816	207	606826	515	214	A204331	8	40,154
414-18-4	10773	241	421060	915	207	607560	744	235	A204795	59	9
414-18-4-18	13819	241	421072	1025	207	608115	409	214	A204942	9	61
414-18-4-18L	13600	241	421084	1125	207	608116	409	214	A206196	14	40
414-18-4-18R	13600	241	421096	1273	207	608117	500	214	A206197	22	40
414-18-4-24	13980	241	421210	1463	207	611869	469	235	A206198	25	40
414-18-4-24L	13953	241	421212	1572	207	912991	308	58,59	A206199	28	40
414-18-4-24R	13953	241	421213	1672	207	A1436BL	142	22	A206200	32	40
414-22-1	5180	238	421214	1769	207	A1436C	139	22,44	A206201	42	40
414-22-1-18	7465	238	421230	738	207	A1436R	142	22	A206216	8	40
414-22-1-18L	6852	238	421236	827	207	A1436W	142	22	A206217	14	40
414-22-1-18R	6852	238	421248	863	207	A1436Z	130	22	A206218	22	40
414-22-1-24	7524	238	421260	960	207	A1448BL	160	22	A206219	25	40
414-22-1-24L	6898	238	421272	1087	207	A1448C	159	22,44	A206220	28	40
414-22-1-24R	6898	238	421284	1218	207	A1448R	160	22	A206221	32	40
414-22-2	7152	239	421296	1359	207	A1448W	160	22	A206222	42	40
414-22-2-18	10104	239	430002	429	208	A1448Z	145	22	A207016	95	97
414-22-2-18L	9798	239	430202	315	208	A1836BL	147	22	A207199	42	47
414-22-2-18R	9798	239	448002	564	208	A1836C	145	22	A207351	9	54
414-22-2-24	10218	239	448202	384	208	A1836R	147	22	A207562	60	9
414-22-2-24L	9849	239	4PEK	132	54	A1836W	147	22	A208336	11	175
414-22-2-24R	9849	239	4TF1836-BL	125	34	A1836Z	142	22	A208337	11	175
414-22-3	9483	240	4TF1836-C	110	34	A1848BL	174	22	A208338	19	175
414-22-3-18	12680	240	4TF1836-V	125	34	A1848C	173	22	A208339	46	175
414-22-3-18L	12342	240	4TF1836-VG	125	34	A1848R	174	22	A208341	64	175
414-22-3-18R	12342	240	4TF1836-Z	105	34	A1848W	174	22	A208342	66	175
414-22-3-24	13006	240	4TF1848-BL	133	34	A1848Z	164	22	A208343	70	175
414-22-3-24L	12391	240	4TF1848-C	129	34	A1860BL	204	22	A208344	123	175
414-22-3-24R	12391	240	4TF1848-V	133	34	A1860C	203	22	A208345	132	175
414-24-1	5250	238	4TF1848-VG	133	34	A1860R	204	22	A208346	147	175
414-24-1-18	7879	238	4TF1848-Z	110	34	A1860W	204	22	A208347	198	175
414-24-1-18L	7570	238	4TF1860-BL	148	34	A1860Z	194	22	A208348	19	175
414-24-1-18R	7570	238	4TF1860-C	139	34	A200012	7	47	A208349	24	175
414-24-1-24	7995	238	4TF1860-V	148	34	A200019	14	9	A208350	31	175
414-24-1-24L	7646	238	4TF1860-VG	148	34	A200868	6	54	A208351	43	175
414-24-1-24R	7646	238	4TF1860-Z	118	34	A201007	42	9	A208353	43	175
414-24-2	7903	239	500772	603	212	A201008	53	9	A208354	69	175
414-24-2-18	10984	239	501571	846	142,213	A201009	53	9	A208355	79	175
414-24-2-18L	10631	239	501572	1535	142,214	A201706	33	9	A208356	79	175
414-24-2-18R	10631	239	502941	521	212	A203078	59	7	A208357	98	175
414-24-2-24	11325	239	502942	774	213	A203568	6	47	A208358	111	175
414-24-2-24L	10861	239	502943	1477	214	A203841	9	51	A208359	111	175
414-24-2-24R	10861	239	502946	1592	214	A203842	9	51	A208505	155	52
414-24-3	10344	240	502947	1521	214	A203843	8	51	A208506	205	52
414-24-3-18	13652	240	502948	615	215	A203844	10	51	A208507	189	52
414-24-3-18L	13640	240	502949	737	215	A203845	14	51	A208508	180	52
414-24-3-18R	13640	240	502950	892	215	A203846	10	51	A208513	109	52
414-24-3-24	14250	240	502971	2468	214	A203877	39	91,163	A208627	60	47
414-24-3-24L	13832	240	502972	2384	214	A203879	50	91,163			

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
A208746	8	40	A225494	10	25	A4-63-1848Z	737	19	A4-63-2430VG	827	19
A208747	14	40	A225512	22	25	A4-63-1860C	887	19	A4-63-2430Z	728	19
A208749	22	40	A225513	28	25	A4-63-1860E	1082	19	A4-63-2436C	799	19
A208750	25	40	A225514	32	25	A4-63-1860S	3330	19	A4-63-2436E	939	19
A208751	28	40	A225515	49	25	A4-63-1860V	987	19	A4-63-2436S	2785	19
A208752	32	40	A225516	55	25	A4-63-1860VG	987	19	A4-63-2436V	844	19
A208753	42	40	A225517	94	25	A4-63-1860Z	834	19	A4-63-2436VG	844	19
A208891	22	22	A225518	96	25	A4-63-1872C	1025	19	A4-63-2436Z	756	19
A208903	22	61	A225519	103	25	A4-63-1872E	1222	19	A4-63-2442C	929	19
A208904	25	61	A226093	45	47	A4-63-1872S	3896	19	A4-63-2442E	1117	19
A208905	48	61	A226096	65	47	A4-63-1872V	1109	19	A4-63-2442S	3306	19
A208906	62	61	A226104	42	47	A4-63-1872VG	1109	19	A4-63-2442V	987	19
A208908	55	47,176	A226105	45	47	A4-63-1872Z	1022	19	A4-63-2442VG	987	19
A208909	36	47,176	A227763	28	40	A4-63-2124C	726	19	A4-63-2442Z	875	19
A210098	9	45	A227764	28	40	A4-63-2124E	838	19	A4-63-2448C	929	19
A212494	37	40	A227841	55	40	A4-63-2124S	2556	19	A4-63-2448E	1117	19
A213096	28	40	A227842	55	40	A4-63-2124V	737	19	A4-63-2448S	3306	19
A213261	29	9	A228162	29	97	A4-63-2124VG	737	19	A4-63-2448V	987	19
A2136BL	173	22	A230612	62	47	A4-63-2124Z	673	19	A4-63-2448VG	987	19
A2136C	169	22	A230624	45	47	A4-63-2130C	740	19	A4-63-2448Z	875	19
A2136R	173	22	A230625	45	47	A4-63-2130E	856	19	A4-63-2460C	1082	19
A2136W	173	22	A2436BL	185	22	A4-63-2130S	2580	19	A4-63-2460E	1294	19
A2136Z	159	22	A2436C	180	22,44	A4-63-2130V	782	19	A4-63-2460S	3966	19
A214169	18	47	A2436R	185	22	A4-63-2130VG	782	19	A4-63-2460V	1174	19
A2148BL	197	22	A2436W	185	22	A4-63-2130Z	692	19	A4-63-2460VG	1174	19
A2148C	196	22	A2436Z	166	22	A4-63-2136C	765	19	A4-63-2460Z	1036	19
A2148R	197	22	A2448BL	215	22	A4-63-2136E	897	19	A4-63-2472C	1248	19
A2148W	197	22	A2448C	214	22,44	A4-63-2136S	2598	19	A4-63-2472E	1487	19
A2148Z	180	22	A2448R	215	22	A4-63-2136V	794	19	A4-63-2472S	4867	19
A215532	123	169	A2448W	215	22	A4-63-2136VG	794	19	A4-63-2472V	1343	19
A215534	147	169	A2448Z	197	22	A4-63-2136Z	717	19	A4-63-2472VG	1343	19
A215536	168	169	A2460BL	273	22	A4-63-2142C	863	19	A4-63-2472Z	1156	19
A215538	85	169	A2460C	272	22,44	A4-63-2142E	1017	19	A4-74-1824C	655	19
A215539	109	169	A2460R	273	22	A4-63-2142S	2949	19	A4-74-1824E	769	19
A215541	115	169	A2460W	273	22	A4-63-2142V	909	19	A4-74-1824S	2288	19
A215543	70	169	A2460Z	240	22	A4-63-2142VG	909	19	A4-74-1824V	673	19
A215544	78	169	A4-63-1824C	647	19	A4-63-2142Z	794	19	A4-74-1824VG	673	19
A215546	85	169	A4-63-1824E	760	19	A4-63-2148C	863	19	A4-74-1824Z	633	19
A2160BL	242	22	A4-63-1824S	2252	19	A4-63-2148E	1017	19	A4-74-1830C	663	19
A2160C	240	22	A4-63-1824V	665	19	A4-63-2148S	2949	19	A4-74-1830E	794	19
A2160R	242	22	A4-63-1824VG	665	19	A4-63-2148V	909	19	A4-74-1830S	2322	19
A2160W	242	22	A4-63-1824Z	627	19	A4-63-2148VG	909	19	A4-74-1830V	717	19
A2160Z	215	22	A4-63-1830C	655	19	A4-63-2148Z	794	19	A4-74-1830VG	717	19
A216649	94	52	A4-63-1830E	784	19	A4-63-2160C	995	19	A4-74-1830Z	650	19
A216650	80	52	A4-63-1830S	2284	19	A4-63-2160E	1160	19	A4-74-1836C	678	19
A216651	86	52	A4-63-1830V	705	19	A4-63-2160S	3828	19	A4-74-1836E	820	19
A216652	115	52	A4-63-1830VG	705	19	A4-63-2160V	1062	19	A4-74-1836S	2337	19
A217621	37	40	A4-63-1830Z	642	19	A4-63-2160VG	1062	19	A4-74-1836V	737	19
A217638	75	51	A4-63-1836C	670	19	A4-63-2160Z	939	19	A4-74-1836VG	737	19
A217760	8	51	A4-63-1836E	808	19	A4-63-2172C	1153	19	A4-74-1836Z	667	19
A217763	8	51	A4-63-1836S	2303	19	A4-63-2172E	1387	19	A4-74-1842C	784	19
A217764	8	51	A4-63-1836V	728	19	A4-63-2172S	4474	19	A4-74-1842E	947	19
A217765	62	51	A4-63-1836VG	728	19	A4-63-2172V	1253	19	A4-74-1842S	2723	19
A217766	8	51	A4-63-1836Z	659	19	A4-63-2172VG	1253	19	A4-74-1842V	844	19
A218017	29	97	A4-63-1842C	776	19	A4-63-2172Z	1104	19	A4-74-1842VG	844	19
A219236	25	47,176	A4-63-1842E	934	19	A4-63-2424C	760	19	A4-74-1842Z	740	19
A219390	87	26	A4-63-1842S	2687	19	A4-63-2424E	909	19	A4-74-1848C	784	19
A219391	133	26	A4-63-1842V	834	19	A4-63-2424S	2734	19	A4-74-1848E	947	19
A219392	145	26	A4-63-1842VG	834	19	A4-63-2424V	787	19	A4-74-1848S	2723	19
A219393	155	26	A4-63-1842Z	737	19	A4-63-2424VG	787	19	A4-74-1848V	844	19
A222144	55	40	A4-63-1848C	776	19	A4-63-2424Z	717	19	A4-74-1848VG	844	19
A223747	29	40	A4-63-1848E	934	19	A4-63-2430C	784	19	A4-74-1848Z	740	19
A223748	29	40	A4-63-1848S	2687	19	A4-63-2430E	923	19	A4-74-1860C	897	19
A223749	29	40	A4-63-1848V	834	19	A4-63-2430S	2752	19	A4-74-1860E	1094	19
A225208	37	40	A4-63-1848VG	834	19	A4-63-2430V	827	19	A4-74-1860S	3369	19

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
A4-74-1860V.....	997.....	19	A4-74-2436S.....	2819.....	19	A5-74-1872E.....	1518.....	21	A5-74-2442C.....	1144.....	21
A4-74-1860VG.....	997.....	19	A4-74-2436V.....	852.....	19	A5-74-1872S.....	4839.....	21	A5-74-2442E.....	1382.....	21
A4-74-1860Z.....	845.....	19	A4-74-2436VG.....	852.....	19	A5-74-1872V.....	1369.....	21	A5-74-2442S.....	4106.....	21
A4-74-1872C.....	1030.....	19	A4-74-2436Z.....	760.....	19	A5-74-1872VG.....	1369.....	21	A5-74-2442V.....	1219.....	21
A4-74-1872E.....	1240.....	19	A4-74-2442C.....	934.....	19	A5-74-1872Z.....	1255.....	21	A5-74-2442VG.....	1219.....	21
A4-74-1872S.....	3930.....	19	A4-74-2442E.....	1125.....	19	A5-74-2124C.....	889.....	21	A5-74-2442Z.....	1074.....	21
A4-74-1872V.....	1117.....	19	A4-74-2442S.....	3342.....	19	A5-74-2124E.....	1036.....	21	A5-74-2448C.....	1144.....	21
A4-74-1872VG.....	1117.....	19	A4-74-2442V.....	997.....	19	A5-74-2124S.....	3173.....	21	A5-74-2448E.....	1382.....	21
A4-74-1872Z.....	980.....	19	A4-74-2442VG.....	997.....	19	A5-74-2124V.....	910.....	21	A5-74-2448S.....	4106.....	21
A4-74-2124C.....	734.....	19	A4-74-2442Z.....	877.....	19	A5-74-2124VG.....	910.....	21	A5-74-2448V.....	1219.....	21
A4-74-2124E.....	852.....	19	A4-74-2448C.....	934.....	19	A5-74-2124Z.....	823.....	21	A5-74-2448VG.....	1219.....	21
A4-74-2124S.....	2594.....	19	A4-74-2448E.....	1125.....	19	A5-74-2130C.....	912.....	21	A5-74-2448Z.....	1074.....	21
A4-74-2124V.....	748.....	19	A4-74-2448S.....	3342.....	19	A5-74-2130E.....	1056.....	21	A5-74-2460C.....	1337.....	21
A4-74-2124VG.....	748.....	19	A4-74-2448V.....	997.....	19	A5-74-2130S.....	3203.....	21	A5-74-2460E.....	1600.....	21
A4-74-2124Z.....	678.....	19	A4-74-2448VG.....	997.....	19	A5-74-2130V.....	960.....	21	A5-74-2460S.....	4930.....	21
A4-74-2130C.....	752.....	19	A4-74-2448Z.....	877.....	19	A5-74-2130VG.....	960.....	21	A5-74-2460V.....	1453.....	21
A4-74-2130E.....	869.....	19	A4-74-2460C.....	1092.....	19	A5-74-2130Z.....	844.....	21	A5-74-2460VG.....	1453.....	21
A4-74-2130S.....	2617.....	19	A4-74-2460E.....	1304.....	19	A5-74-2136C.....	942.....	21	A5-74-2460Z.....	1275.....	21
A4-74-2130V.....	787.....	19	A4-74-2460S.....	4004.....	19	A5-74-2136E.....	1108.....	21	A5-74-2472C.....	1547.....	21
A4-74-2130VG.....	787.....	19	A4-74-2460V.....	1180.....	19	A5-74-2136S.....	3219.....	21	A5-74-2472E.....	1844.....	21
A4-74-2130Z.....	695.....	19	A4-74-2460VG.....	1180.....	19	A5-74-2136V.....	980.....	21	A5-74-2472S.....	6056.....	21
A4-74-2136C.....	776.....	19	A4-74-2460Z.....	1042.....	19	A5-74-2136VG.....	980.....	21	A5-74-2472V.....	1664.....	21
A4-74-2136E.....	909.....	19	A4-74-2472C.....	1256.....	19	A5-74-2136Z.....	874.....	21	A5-74-2472VG.....	1664.....	21
A4-74-2136S.....	2634.....	19	A4-74-2472E.....	1495.....	19	A5-74-2142C.....	1063.....	21	A5-74-2472Z.....	1426.....	21
A4-74-2136V.....	803.....	19	A4-74-2472S.....	4906.....	19	A5-74-2142E.....	1256.....	21	A5-86-1824C.....	816.....	21
A4-74-2136VG.....	803.....	19	A4-74-2472V.....	1352.....	19	A5-74-2142S.....	3663.....	21	A5-86-1824E.....	958.....	21
A4-74-2136Z.....	720.....	19	A4-74-2472VG.....	1352.....	19	A5-74-2142V.....	1119.....	21	A5-86-1824S.....	2827.....	21
A4-74-2142C.....	873.....	19	A4-74-2472Z.....	1160.....	19	A5-74-2142VG.....	1119.....	21	A5-86-1824V.....	838.....	21
A4-74-2142E.....	1028.....	19	A5-74-1824C.....	789.....	21	A5-74-2142Z.....	974.....	21	A5-86-1824VG.....	838.....	21
A4-74-2142S.....	2988.....	19	A5-74-1824E.....	934.....	21	A5-74-2148C.....	1063.....	21	A5-86-1824Z.....	784.....	21
A4-74-2142V.....	915.....	19	A5-74-1824S.....	2788.....	21	A5-74-2148E.....	1256.....	21	A5-86-1830C.....	825.....	21
A4-74-2142VG.....	915.....	19	A5-74-1824V.....	816.....	21	A5-74-2148S.....	3663.....	21	A5-86-1830E.....	984.....	21
A4-74-2142Z.....	799.....	19	A5-74-1824VG.....	816.....	21	A5-74-2148V.....	1119.....	21	A5-86-1830S.....	2867.....	21
A4-74-2148C.....	873.....	19	A5-74-1824Z.....	763.....	21	A5-74-2148VG.....	1119.....	21	A5-86-1830V.....	888.....	21
A4-74-2148E.....	1028.....	19	A5-74-1830C.....	800.....	21	A5-74-2148Z.....	974.....	21	A5-86-1830VG.....	888.....	21
A4-74-2148S.....	2988.....	19	A5-74-1830E.....	966.....	21	A5-74-2160C.....	1220.....	21	A5-86-1830Z.....	803.....	21
A4-74-2148V.....	915.....	19	A5-74-1830S.....	2827.....	21	A5-74-2160E.....	1439.....	21	A5-86-1836C.....	845.....	21
A4-74-2148VG.....	915.....	19	A5-74-1830V.....	865.....	21	A5-74-2160S.....	4760.....	21	A5-86-1836E.....	1017.....	21
A4-74-2148Z.....	799.....	19	A5-74-1830VG.....	865.....	21	A5-74-2160V.....	1312.....	21	A5-86-1836S.....	2888.....	21
A4-74-2160C.....	999.....	19	A5-74-1830Z.....	784.....	21	A5-74-2160VG.....	1312.....	21	A5-86-1836V.....	919.....	21
A4-74-2160E.....	1174.....	19	A5-74-1836C.....	822.....	21	A5-74-2160Z.....	1154.....	21	A5-86-1836VG.....	919.....	21
A4-74-2160S.....	3865.....	19	A5-74-1836E.....	997.....	21	A5-74-2172C.....	1423.....	21	A5-86-1836Z.....	823.....	21
A4-74-2160V.....	1069.....	19	A5-74-1836S.....	2848.....	21	A5-74-2172E.....	1722.....	21	A5-86-1842C.....	975.....	21
A4-74-2160VG.....	1069.....	19	A5-74-1836V.....	897.....	21	A5-74-2172S.....	5564.....	21	A5-86-1842E.....	1177.....	21
A4-74-2160Z.....	944.....	19	A5-74-1836VG.....	897.....	21	A5-74-2172V.....	1552.....	21	A5-86-1842S.....	3372.....	21
A4-74-2172C.....	1160.....	19	A5-74-1836Z.....	803.....	21	A5-74-2172VG.....	1552.....	21	A5-86-1842V.....	1050.....	21
A4-74-2172E.....	1398.....	19	A5-74-1842C.....	954.....	21	A5-74-2172Z.....	1355.....	21	A5-86-1842VG.....	1050.....	21
A4-74-2172S.....	4510.....	19	A5-74-1842E.....	1156.....	21	A5-74-2424C.....	932.....	21	A5-86-1842Z.....	923.....	21
A4-74-2172V.....	1263.....	19	A5-74-1842S.....	3330.....	21	A5-74-2424E.....	1118.....	21	A5-86-1848C.....	975.....	21
A4-74-2172VG.....	1263.....	19	A5-74-1842V.....	1026.....	21	A5-74-2424S.....	3389.....	21	A5-86-1848E.....	1177.....	21
A4-74-2172Z.....	1106.....	19	A5-74-1842VG.....	1026.....	21	A5-74-2424V.....	970.....	21	A5-86-1848S.....	3372.....	21
A4-74-2424C.....	765.....	19	A5-74-1842Z.....	905.....	21	A5-74-2424VG.....	970.....	21	A5-86-1848V.....	1050.....	21
A4-74-2424E.....	915.....	19	A5-74-1848C.....	954.....	21	A5-74-2424Z.....	874.....	21	A5-86-1848VG.....	1050.....	21
A4-74-2424S.....	2769.....	19	A5-74-1848E.....	1156.....	21	A5-74-2430C.....	962.....	21	A5-86-1848Z.....	923.....	21
A4-74-2424V.....	794.....	19	A5-74-1848S.....	3330.....	21	A5-74-2430E.....	1140.....	21	A5-86-1860C.....	1117.....	21
A4-74-2424VG.....	794.....	19	A5-74-1848V.....	1026.....	21	A5-74-2430S.....	3414.....	21	A5-86-1860E.....	1356.....	21
A4-74-2424Z.....	720.....	19	A5-74-1848VG.....	1026.....	21	A5-74-2430V.....	1022.....	21	A5-86-1860S.....	4176.....	21
A4-74-2430C.....	789.....	19	A5-74-1848Z.....	905.....	21	A5-74-2430VG.....	1022.....	21	A5-86-1860V.....	1243.....	21
A4-74-2430E.....	932.....	19	A5-74-1860C.....	1094.....	21	A5-74-2430Z.....	893.....	21	A5-86-1860VG.....	1243.....	21
A4-74-2430S.....	2788.....	19	A5-74-1860E.....	1339.....	21	A5-74-2436C.....	982.....	21	A5-86-1860Z.....	1044.....	21
A4-74-2430V.....	834.....	19	A5-74-1860S.....	4137.....	21	A5-74-2436E.....	1159.....	21	A5-86-1872C.....	1288.....	21
A4-74-2430VG.....	834.....	19	A5-74-1860V.....	1217.....	21	A5-74-2436S.....	3450.....	21	A5-86-1872E.....	1542.....	21
A4-74-2430Z.....	734.....	19	A5-74-1860VG.....	1217.....	21	A5-74-2436V.....	1042.....	21	A5-86-1872S.....	4880.....	21
A4-74-2436C.....	808.....	19	A5-74-1860Z.....	1025.....	21	A5-74-2436VG.....	1042.....	21	A5-86-1872V.....	1393.....	21
A4-74-2436E.....	947.....	19	A5-74-1872C.....	1266.....	21	A5-74-2436Z.....	923.....	21	A5-86-1872VG.....	1393.....	21

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
A5-86-1872Z	1275	21	A5-86-2442VG	1245	21	AC3648T-1C-1W	2620	136	AP3648T-2H	4656	137
A5-86-2124C	915	21	A5-86-2442Z	1095	21	AC3648T-1H-1W	2620	136	AP3648T-2W	4656	137
A5-86-2124E	1056	21	A5-86-2448C	1167	21	AC3660T-1C-1W	2620	136	AP3660T-1C-1W	5258	137
A5-86-2124S	3208	21	A5-86-2448E	1400	21	AC3648T-2H	2620	136	AP3660T-1H-1W	5258	137
A5-86-2124V	933	21	A5-86-2448S	4144	21	AC3648T-2W	2620	136	AP3660T-2C	5258	137
A5-86-2124VG	933	21	A5-86-2448V	1245	21	AC3660T-1C-1W	2870	136	AP3660T-2H	5258	137
A5-86-2124Z	844	21	A5-86-2448VG	1245	21	AC3660T-1H-1W	2870	136	AP3660T-2W	5258	137
A5-86-2130C	934	21	A5-86-2448Z	1095	21	AC3660T-2C	2870	136	AP3672T-1C-1W	5600	137
A5-86-2130E	1075	21	A5-86-2460C	1356	21	AC3660T-2H	2870	136	AP3672T-1H-1W	5600	137
A5-86-2130S	3242	21	A5-86-2460E	1623	21	AC3660T-2W	2870	136	AP3672T-2C	5600	137
A5-86-2130V	983	21	A5-86-2460S	4972	21	AC3672T-1C-1W	3190	136	AP3672T-2H	5600	137
A5-86-2130VG	983	21	A5-86-2460V	1478	21	AC3672T-1H-1W	3190	136	AP3672T-2W	5600	137
A5-86-2130Z	863	21	A5-86-2460VG	1478	21	AC3672T-2C	3190	136	AS2436T-1C-1W	2513	136
A5-86-2136C	966	21	A5-86-2460Z	1299	21	AC3672T-2H	3190	136	AS2436T-1H-1W	2513	136
A5-86-2136E	1127	21	A5-86-2472C	1569	21	AC3672T-2W	3190	136	AS2436T-2C	2513	136
A5-86-2136S	3259	21	A5-86-2472E	1865	21	ADD-A-CLAMP	18	16,23	AS2436T-2H	2513	136
A5-86-2136V	1006	21	A5-86-2472S	6097	21	ADD-A-CLAMP-BL	25	16,23	AS2436T-2W	2513	136
A5-86-2136VG	1006	21	A5-86-2472V	1687	21	AP2436T-1C-1W	3155	137	AS2448T-1C-1W	2899	136
A5-86-2136Z	893	21	A5-86-2472VG	1687	21	AP2436T-1H-1W	3155	137	AS2448T-1H-1W	2899	136
A5-86-2142C	1085	21	A5-86-2472Z	1448	21	AP2436T-2C	3155	137	AS2448T-2C	2899	136
A5-86-2142E	1277	21	AC2436T-1C-1W	1670	136	AP2436T-2H	3155	137	AS2448T-2H	2899	136
A5-86-2142S	3703	21	AC2436T-1H-1W	1670	136	AP2436T-2W	3155	137	AS2448T-2W	2899	136
A5-86-2142V	1147	21	AC2436T-2C	1670	136	AP2448T-1C-1W	3552	137	AS2460T-1C-1W	3360	136
A5-86-2142VG	1147	21	AC2436T-2H	1670	136	AP2448T-1H-1W	3552	137	AS2460T-1H-1W	3360	136
A5-86-2142Z	996	21	AC2436T-2W	1670	136	AP2448T-2C	3552	137	AS2460T-2C	3360	136
A5-86-2148C	1085	21	AC2448T-1C-1W	1954	136	AP2448T-2H	3552	137	AS2460T-2H	3360	136
A5-86-2148E	1277	21	AC2448T-1H-1W	1954	136	AP2448T-2W	3552	137	AS2460T-2W	3360	136
A5-86-2148S	3703	21	AC2448T-2C	1954	136	AP2460T-1C-1W	4011	137	AS2472T-1C-1W	3825	136
A5-86-2148V	1147	21	AC2448T-2H	1954	136	AP2460T-1H-1W	4011	137	AS2472T-1H-1W	3825	136
A5-86-2148VG	1147	21	AC2448T-2W	1954	136	AP2460T-2C	4011	137	AS2472T-2C	3825	136
A5-86-2148Z	996	21	AC2460T-1C-1W	2205	136	AP2460T-2H	4011	137	AS2472T-2H	3825	136
A5-86-2160C	1247	21	AC2460T-1H-1W	2205	136	AP2460T-2W	4011	137	AS2472T-2W	3825	136
A5-86-2160E	1458	21	AC2460T-2C	2205	136	AP2472T-1C-1W	4476	137	AS3036T-1C-1W	2860	136
A5-86-2160S	4797	21	AC2460T-2H	2205	136	AP2472T-1H-1W	4476	137	AS3036T-1H-1W	2860	136
A5-86-2160V	1338	21	AC2460T-2W	2205	136	AP2472T-2C	4476	137	AS3036T-2C	2860	136
A5-86-2160VG	1338	21	AC2472T-1C-1W	2398	136	AP2472T-2H	4476	137	AS3036T-2H	2860	136
A5-86-2160Z	1176	21	AC2472T-1H-1W	2398	136	AP2472T-2W	4476	137	AS3036T-2W	2860	136
A5-86-2172C	1449	21	AC2472T-2C	2398	136	AP3036T-1C-1W	3506	137	AS3048T-1C-1W	3334	136
A5-86-2172E	1739	21	AC2472T-2H	2398	136	AP3036T-1H-1W	3506	137	AS3048T-1H-1W	3334	136
A5-86-2172S	5604	21	AC2472T-2W	2398	136	AP3036T-2C	3506	137	AS3048T-2C	3334	136
A5-86-2172V	1577	21	AC3036T-1C-1W	1820	136	AP3036T-2H	3506	137	AS3048T-2H	3334	136
A5-86-2172VG	1577	21	AC3036T-1H-1W	1820	136	AP3036T-2W	3506	137	AS3048T-2W	3334	136
A5-86-2172Z	1376	21	AC3036T-2C	1820	136	AP3048T-1C-1W	3985	137	AS3060T-1C-1W	3822	136
A5-86-2424C	958	21	AC3036T-2H	1820	136	AP3048T-1H-1W	3985	137	AS3060T-1H-1W	3822	136
A5-86-2424E	1140	21	AC3036T-2W	1820	136	AP3048T-2C	3985	137	AS3060T-2C	3822	136
A5-86-2424S	3429	21	AC3048T-1C-1W	2157	136	AP3048T-2H	3985	137	AS3060T-2H	3822	136
A5-86-2424V	996	21	AC3048T-1H-1W	2157	136	AP3048T-2W	3985	137	AS3060T-2W	3822	136
A5-86-2424VG	996	21	AC3048T-2C	2157	136	AP3060T-1C-1W	4474	137	AS3072T-1C-1W	4459	136
A5-86-2424Z	893	21	AC3048T-2H	2157	136	AP3060T-1H-1W	4474	137	AS3072T-1H-1W	4459	136
A5-86-2430C	984	21	AC3048T-2W	2157	136	AP3060T-2C	4474	137	AS3072T-2C	4459	136
A5-86-2430E	1159	21	AC3060T-1C-1W	2448	136	AP3060T-2H	4474	137	AS3072T-2H	4459	136
A5-86-2430S	3450	21	AC3060T-1H-1W	2448	136	AP3060T-2W	4474	137	AS3072T-2W	4459	136
A5-86-2430V	1044	21	AC3060T-2C	2448	136	AP3072T-1C-1W	5103	137	AS3636T-1C-1W	3319	136
A5-86-2430VG	1044	21	AC3060T-2H	2448	136	AP3072T-1H-1W	5103	137	AS3636T-1H-1W	3319	136
A5-86-2430Z	914	21	AC3060T-2W	2448	136	AP3072T-2C	5103	137	AS3636T-2C	3319	136
A5-86-2436C	1007	21	AC3072T-1C-1W	2664	136	AP3072T-2H	5103	137	AS3636T-2H	3319	136
A5-86-2436E	1178	21	AC3072T-1H-1W	2664	136	AP3072T-2W	5103	137	AS3636T-2W	3319	136
A5-86-2436S	3489	21	AC3072T-2C	2664	136	AP3636T-1C-1W	3965	137	AS3648T-1C-1W	4009	136
A5-86-2436V	1065	21	AC3072T-2H	2664	136	AP3636T-1H-1W	3965	137	AS3648T-1H-1W	4009	136
A5-86-2436VG	1065	21	AC3072T-2W	2664	136	AP3636T-2C	3965	137	AS3648T-2C	4009	136
A5-86-2436Z	944	21	AC3636T-1C-1W	2293	136	AP3636T-2H	3965	137	AS3648T-2H	4009	136
A5-86-2442C	1167	21	AC3636T-1H-1W	2293	136	AP3636T-2W	3965	137	AS3648T-2W	4009	136
A5-86-2442E	1400	21	AC3636T-2C	2293	136	AP3648T-1C-1W	4656	137	AS3660T-1C-1W	4614	136
A5-86-2442S	4144	21	AC3636T-2H	2293	136	AP3648T-1H-1W	4656	137	AS3660T-1H-1W	4614	136
A5-86-2442V	1245	21	AC3636T-2W	2293	136	AP3648T-2C	4656	137	AS3660T-2C	4614	136

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
AS3660T-2H.....	4614.....	136	ASFT-2424-FG.....	5896.....	263	ASWTFT-1872-SG.....	32917.....	265	C2460-GRT.....	.843.....	127
AS3660T-2W.....	4614.....	136	ASFT-2424-SG.....	8629.....	263	ASWTFT-1884-FGG.....	29913.....	265	C2460-WGR.....	1049.....	128
AS3672T-1C-1W.....	5270.....	136	ASFT-2430-FG.....	6646.....	263	ASWTFT-1884-SG.....	35846.....	265	C2472-GR.....	1447.....	127
AS3672T-1H-1W.....	5270.....	136	ASFT-2430-SG.....	9996.....	263	ASWTFT-1896-FGG.....	30913.....	265	C2472-GRT.....	.953.....	127
AS3672T-2C.....	5270.....	136	ASFT-2436-FG.....	7163.....	263	ASWTFT-1896-SG.....	36467.....	265	C2472-WGR.....	1205.....	128
AS3672T-2H.....	5270.....	136	ASFT-2436-SG.....	10379.....	263	ASWTFT-2424-FGG.....	25088.....	265	C314-10-3-12.....	10794.....	250
AS3672T-2W.....	5270.....	136	ASFT-2448-FG.....	8409.....	263	ASWTFT-2424-SG.....	27941.....	265	C314-16-3-18.....	14197.....	250
ASFT-12120-FG.....	11300.....	263	ASFT-2448-SG.....	12136.....	263	ASWTFT-2430-FGG.....	25873.....	265	C314-22-3-18.....	15400.....	250
ASFT-12120-SG.....	19478.....	263	ASFT-2460-FG.....	9633.....	263	ASWTFT-2430-SG.....	29369.....	265	C314-24-3-24.....	16642.....	250
ASFT-1218-FG.....	4635.....	263	ASFT-2460-SG.....	13713.....	263	ASWTFT-2436-FGG.....	26409.....	265	CA4-SB.....	.854.....	198,199,205
ASFT-1218-SG.....	6424.....	263	ASFT-2472-FG.....	9729.....	263	ASWTFT-2436-SG.....	29769.....	265	CA6-SB.....	1279.....	198,199,205
ASFT-1224-FG.....	5028.....	263	ASFT-2472-SG.....	15984.....	263	ASWTFT-2448-FGG.....	27713.....	265	CA8-SB.....	1706.....	198
ASFT-1224-SG.....	6453.....	263	ASFT-2484-FG.....	12115.....	263	ASWTFT-2448-SG.....	31604.....	265	CAH4-SB.....	1130.....	198,199,205
ASFT-1230-FG.....	5517.....	263	ASFT-2484-SG.....	17563.....	263	ASWTFT-2460-FGG.....	28990.....	265	CAH6-SB.....	1696.....	198,199,205
ASFT-1230-SG.....	6748.....	263	ASFT-2496-FG.....	13253.....	263	ASWTFT-2460-SG.....	33257.....	265	CAH8-SB.....	2263.....	198
ASFT-1236-FG.....	5780.....	263	ASFT-2496-SG.....	19487.....	263	ASWTFT-2472-FGG.....	29091.....	265	CAHP4-SB.....	.980.....	66,198,199
ASFT-1236-SG.....	7044.....	263	ASWTFT-1215-FGG.....	23245.....	265	ASWTFT-2472-SG.....	35629.....	265	CAHP6-SB.....	1470.....	198,199
ASFT-1248-FG.....	6630.....	263	ASWTFT-1215-SG.....	25473.....	265	ASWTFT-2484-FGG.....	31589.....	265	CAHP8-SB.....	1957.....	198
ASFT-1248-SG.....	8770.....	263	ASWTFT-1218-FGG.....	23767.....	265	ASWTFT-2484-SG.....	37280.....	265	CAHW4-SB.....	1215.....	66,134,198,199
ASFT-1260-FG.....	7181.....	263	ASWTFT-1218-SG.....	25635.....	265	ASWTFT-2496-FGG.....	32774.....	265	CAHW6-SB.....	1824.....	134,198,199
ASFT-1260-SG.....	10559.....	263	ASWTFT-1224-FGG.....	24178.....	265	ASWTFT-2496-SG.....	39288.....	265	CAHW8-SB.....	2428.....	198
ASFT-1272-FG.....	8114.....	263	ASWTFT-1224-SG.....	25670.....	265	B201023.....	22.....	54	CB24120SE.....	13000.....	201
ASFT-1272-SG.....	12191.....	263	ASWTFT-1230-FGG.....	24692.....	265	BC18.....	1298.....	159	CB24120SE-BS.....	13264.....	203
ASFT-1284-FG.....	8874.....	263	ASWTFT-1230-SG.....	25977.....	265	BC18-1.....	1348.....	159	CB2436SE.....	7191.....	201
ASFT-1284-SG.....	14312.....	263	ASWTFT-1236-FGG.....	24965.....	265	BD1448C.....	3386.....	142	CB2436SE-BS.....	7560.....	203
ASFT-1296-FG.....	9685.....	263	ASWTFT-1236-SG.....	26288.....	265	BD1448S.....	5047.....	142	CB2448SE.....	7904.....	201
ASFT-1296-SG.....	14909.....	263	ASWTFT-1248-FGG.....	25854.....	265	BGR-36-4.....	412.....	159	CB2448SE-BS.....	8073.....	203
ASFT-15120-FG.....	11922.....	263	ASWTFT-1248-SG.....	28091.....	265	BGR-36-6.....	426.....	159	CB2460SE.....	8494.....	201
ASFT-15120-SG.....	20455.....	263	ASWTFT-1260-FGG.....	26428.....	265	BGR-36-8.....	454.....	159	CB2460SE-BS.....	8688.....	203
ASFT-1524-FG.....	5129.....	263	ASWTFT-1260-SG.....	29962.....	265	BGR-48-4.....	487.....	159	CB2472SE.....	9106.....	201
ASFT-1524-SG.....	6243.....	263	ASWTFT-1272-FGG.....	27402.....	265	BGR-48-6.....	512.....	159	CB2472SE-BS.....	9318.....	203
ASFT-1530-FG.....	5565.....	263	ASWTFT-1272-SG.....	31662.....	265	BGR-48-8.....	548.....	159	CB2484SE.....	10411.....	201
ASFT-1530-SG.....	6936.....	263	ASWTFT-1284-FGG.....	28204.....	265	BGR-60-4.....	519.....	159	CB2484SE-BS.....	10624.....	203
ASFT-1536-FG.....	5830.....	263	ASWTFT-1284-SG.....	33884.....	265	BGR-60-6.....	550.....	159	CB2496SE.....	11248.....	201
ASFT-1536-SG.....	8060.....	263	ASWTFT-1296-FGG.....	29047.....	265	BGR-60-8.....	593.....	159	CB2496SE-BS.....	11479.....	203
ASFT-1548-FG.....	6711.....	263	ASWTFT-1296-SG.....	34500.....	265	BGR-72-4.....	554.....	159	CB30120SE.....	13545.....	201
ASFT-1548-SG.....	9703.....	263	ASWTFT-1518-FGG.....	23712.....	265	BGR-72-6.....	593.....	159	CB30120SE-BS.....	13823.....	203
ASFT-1560-FG.....	7507.....	263	ASWTFT-1518-SG.....	24286.....	265	BGR-72-8.....	648.....	159	CB3036SE.....	7511.....	201
ASFT-1560-SG.....	10723.....	263	ASWTFT-1524-FGG.....	24286.....	265	BGR-84-4.....	603.....	159	CB3036SE-BS.....	7807.....	203
ASFT-1572-FG.....	8274.....	263	ASWTFT-1524-SG.....	25447.....	265	BGR-84-6.....	647.....	159	CB3048SE.....	8204.....	201
ASFT-1572-SG.....	13111.....	263	ASWTFT-1530-FGG.....	24742.....	265	BGR-84-8.....	684.....	159	CB3048SE-BS.....	8374.....	203
ASFT-1584-FG.....	9123.....	263	ASWTFT-1530-SG.....	26170.....	265	BGR-96-4.....	634.....	159	CB3060SE.....	8849.....	201
ASFT-1584-SG.....	14914.....	263	ASWTFT-1536-FGG.....	25017.....	265	BGR-96-6.....	684.....	159	CB3060SE-BS.....	9046.....	203
ASFT-1596-FG.....	9849.....	263	ASWTFT-1536-SG.....	27349.....	265	BGR-96-8.....	734.....	159	CB3072SE.....	9508.....	201
ASFT-1596-SG.....	16442.....	263	ASWTFT-1548-FGG.....	25943.....	265	BH-1.....	315.....	91	CB3072SE-BS.....	10307.....	203
ASFT-18120-FG.....	13896.....	263	ASWTFT-1548-SG.....	29061.....	265	BH36C.....	70.....	179	CB3084SE.....	10697.....	201
ASFT-18120-SG.....	22107.....	263	ASWTFT-1560-FGG.....	26766.....	265	BH48C.....	73.....	179	CB3084SE-BS.....	10922.....	203
ASFT-1824-FG.....	5506.....	263	ASWTFT-1560-SG.....	30129.....	265	BH60C.....	78.....	179	CB3096SE.....	11712.....	201
ASFT-1824-SG.....	7203.....	263	ASWTFT-1572-FGG.....	27577.....	265	BIC.....	8102.....	170	CB3096SE-BS.....	11945.....	203
ASFT-1830-FG.....	6081.....	263	ASWTFT-1572-SG.....	31662.....	265	BIC-Z.....	8053.....	170	CBH24120SE.....	14249.....	201
ASFT-1830-SG.....	7688.....	263	ASWTFT-1584-FGG.....	28459.....	265	BPC36C.....	708.....	179	CBH24120SE-BS.....	14513.....	203
ASFT-1836-FG.....	6513.....	263	ASWTFT-1584-SG.....	34548.....	265	BPC48C.....	714.....	179	CBH2436SE.....	8733.....	201
ASFT-1836-SG.....	8174.....	263	ASWTFT-1596-FGG.....	29219.....	265	BPC60C.....	723.....	179	CBH2436SE-BS.....	8918.....	203
ASFT-1848-FG.....	7540.....	263	ASWTFT-1596-SG.....	36108.....	265	C1448-GRH.....	2664.....	127	CBH2448SE.....	9157.....	201
ASFT-1848-SG.....	9809.....	263	ASWTFT-1824-FGG.....	24683.....	265	C1448-WGRH.....	1214.....	128	CBH2448SE-BS.....	9332.....	203
ASFT-1860-FG.....	8417.....	263	ASWTFT-1824-SG.....	26454.....	265	C1460-GRH.....	2775.....	127	CBH2460SE.....	9759.....	201
ASFT-1860-SG.....	12124.....	263	ASWTFT-1830-FGG.....	25277.....	265	C1460-WGRH.....	1397.....	128	CBH2460SE-BS.....	9935.....	203
ASFT-1872-FG.....	9409.....	263	ASWTFT-1830-SG.....	26956.....	265	C1472-GRH.....	3329.....	127	CBH2472SE.....	10352.....	201
ASFT-1872-SG.....	13391.....	263	ASWTFT-1836-FGG.....	25730.....	265	C1472-WGRH.....	1699.....	128	CBH2472SE-BS.....	10407.....	203
ASFT-1884-FG.....	10513.....	263	ASWTFT-1836-SG.....	27468.....	265	C1848-WGRT.....	455.....	128			
ASFT-1884-SG.....	16196.....	263	ASWTFT-1848-FGG.....	26807.....	265	C1860-WGRT.....	488.....	128			
ASFT-1896-FG.....	11471.....	263	ASWTFT-1848-SG.....	29175.....	265	C1872-WGRT.....	522.....	128			
ASFT-1896-SG.....	16787.....	263	ASWTFT-1860-FGG.....	27723.....	265	C2448-GR.....	1127.....	127			
ASFT-24120-FG.....	15312.....	263	ASWTFT-1860-SG.....	31594.....	265	C2448-GRT.....	776.....	127			
ASFT-24120-SG.....	23675.....	263	ASWTFT-1872-FGG.....	28757.....	265	C2448-WGR.....	866.....	128			
						C2460-GR.....	1271.....	127			

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
CBH2484SE	11651	201	CC2136C-SRP	1304	30	CC2460Z-SR	1439	30	CF3036-C	228	55
CBH2484SE-BS	11704	203	CC2136Z-S	1060	30	CC2460Z-SRP	1569	30	CF3036-E	276	55
CBH2496SE	12389	201	CC2136Z-SB	1084	30	CF1824-C	194	55	CF3036-S	677	55
CBH2496SE-BS	12504	203	CC2136Z-SBP	1236	30	CF1824-E	228	55	CF3048-C	238	55
CBH30120SE	14808	201	CC2136Z-SP	1205	30	CF1824-S	494	55	CF3048-E	283	55
CBH30120SE-BS	15071	203	CC2136Z-SR	1094	30	CF1830-C	203	55	CF3048-S	696	55
CBH3036SE	9037	201	CC2136Z-SRP	1220	30	CF1830-E	240	55	CF3060-C	372	55
CBH3036SE-BS	9386	203	CC2148C-S	1217	30	CF1830-S	519	55	CF3060-E	340	55
CBH3048SE	9444	201	CC2148C-SB	1244	30	CF1836-C	204	55	CF3060-S	807	55
CBH3048SE-BS	9628	203	CC2148C-SBP	1393	30	CF1836-E	242	55	CF3072-C	394	55
CBH3060SE	10115	201	CC2148C-SP	1365	30	CF1836-S	540	55	CF3072-E	478	55
CBH3060SE-BS	10300	203	CC2148C-SR	1277	30	CF1842-C	210	55	CF3072-S	887	55
CBH3072SE	10768	201	CC2148C-SRP	1405	30	CF1842-E	245	55	CF3636-C	244	55
CBH3072SE-BS	10969	203	CC2148Z-S	1153	30	CF1842-S	544	55	CF3636-E	299	55
CBH3084SE	11953	201	CC2148Z-SB	1178	30	CF1848-C	214	55	CF3636-S	692	55
CBH3084SE-BS	12185	203	CC2148Z-SBP	1327	30	CF1848-E	252	55	CF3648-C	254	55
CBH3096SE	12965	201	CC2148Z-SP	1303	30	CF1848-S	553	55	CF3648-E	306	55
CBH3096SE-BS	13985	203	CC2148Z-SR	1185	30	CF1860-C	239	55	CF3648-S	720	55
CC-S-10	699	66,130, 215	CC2148Z-SRP	1315	30	CF1860-E	283	55	CF3660-E	367	55
CC-S-2	178	66,130, 215	CC2160C-S	1349	30	CF1860-S	633	55	CF3660-S	822	55
CC-S-60	4295	66,130, 215	CC2160C-SB	1383	30	CF1872-C	269	55	CF3672-E	517	55
CC1836C-S	997	30	CC2160C-SBP	1528	30	CF1872-E	325	55	CF3672-S	912	55
CC1836C-SB	1019	30	CC2160C-SP	1503	30	CF1872-S	696	55	CG-I-36	227	217
CC1836C-SBP	1173	30	CC2160C-SR	1412	30	CF2124-C	197	55	CG-I-48	272	217
CC1836C-SP	1144	30	CC2160C-SRP	1536	30	CF2124-E	233	55	CG-I-60	309	217
CC1836C-SR	1065	30	CC2160Z-S	1303	30	CF2124-S	504	55	CG-I-72	339	217
CC1836C-SRP	1200	30	CC2160Z-SB	1327	30	CF2130-C	204	55	CG-O-36	227	217
CC1836Z-S	984	30	CC2160Z-SBP	1477	30	CF2130-E	242	55	CG-O-48	272	217
CC1836Z-SB	1009	30	CC2160Z-SP	1445	30	CF2130-S	519	55	CG-O-60	309	217
CC1836Z-SBP	1156	30	CC2160Z-SR	1339	30	CF2136-C	210	55	CG-O-72	339	217
CC1836Z-SP	1132	30	CC2160Z-SRP	1475	30	CF2136-E	245	55	CH24	75	36,129, 161
CC1836Z-SR	1036	30	CC2436C-S	1153	30	CF2136-S	528	55	CH24-S	171	129
CC1836Z-SRP	1159	30	CC2436C-SB	1178	30	CF2142-C	217	55	CH28	18	52
CC1848C-S	1092	30	CC2436C-SBP	1327	30	CF2142-E	255	55	CH28S	24	174
CC1848C-SB	1148	30	CC2436C-SP	1303	30	CF2142-S	553	55	CH30	82	36,129, 161
CC1848C-SBP	1294	30	CC2436C-SR	1206	30	CF2148-C	219	55	CH30-S	175	129
CC1848C-SP	1242	30	CC2436C-SRP	1337	30	CF2148-E	256	55	CH35	22	52
CC1848C-SR	1178	30	CC2436Z-S	1104	30	CF2148-S	559	55	CH35S	30	174
CC1848C-SRP	1312	30	CC2436Z-SB	1129	30	CF2160-C	254	55	CH36	86	36,129, 161
CC1848Z-S	997	30	CC2436Z-SBP	1275	30	CF2160-E	306	55	CH36-S	183	129
CC1848Z-SB	1117	30	CC2436Z-SP	1248	30	CF2172-C	354	55	CH42	87	36,129, 161
CC1848Z-SBP	1266	30	CC2436Z-SR	1143	30	CF2172-E	429	55	CH42-S	188	129
CC1848Z-SP	1144	30	CC2448C-S	1288	30	CF2172-S	722	55	CH48	92	36,129, 161
CC1848Z-SR	1125	30	CC2448C-SB	1316	30	CF2424-C	204	55	CH48-S	195	129
CC1848Z-SRP	1250	30	CC2448C-SBP	1464	30	CF2424-E	242	55	CH54	95	36,129, 161
CC1860C-S	1242	30	CC2448C-SP	1438	30	CF2424-S	519	55	CH54-S	217	129
CC1860C-SB	1266	30	CC2448C-SR	1345	30	CF2430-C	210	55	CH58	25	52
CC1860C-SBP	1414	30	CC2448C-SRP	1482	30	CF2430-E	245	55	CH58S	31	174
CC1860C-SP	1387	30	CC2448Z-S	1226	30	CF2430-S	542	55	CH60	103	36,129, 161
CC1860C-SR	1289	30	CC2448Z-SB	1253	30	CF2436-C	217	55	CH60-S	238	129
CC1860C-SRP	1418	30	CC2448Z-SBP	1340	30	CF2436-E	255	55	CH72	112	129
CC1860Z-S	1205	30	CC2448Z-SP	1372	30	CF2436-S	553	55	CH72-S	247	129
CC1860Z-SB	1236	30	CC2448Z-SR	1263	30	CF2442-C	219	55	CLH-C	29	36,128, 161
CC1860Z-SBP	1383	30	CC2448Z-SRP	1394	30	CF2442-E	256	55	CLH-S	40	128,161
CC1860Z-SP	1349	30	CC2460C-S	1445	30	CF2442-S	573	55	CM108APR	2662	217
CC1860Z-SR	1239	30	CC2460C-SB	1477	30	CF2448-C	220	55	CM108PR	3705	217
CC1860Z-SRP	1367	30	CC2460C-SBP	1618	30	CF2448-E	269	55	CM120APR	2696	217
CC2136C-S	1112	30	CC2460C-SP	1597	30	CF2448-S	577	55			
CC2136C-SB	1140	30	CC2460C-SR	1507	30	CF2460-C	269	55			
CC2136C-SBP	1284	30	CC2460C-SRP	1642	30	CF2460-E	325	55			
CC2136C-SP	1256	30	CC2460Z-S	1407	30	CF2460-S	677	55			
CC2136C-SR	1174	30	CC2460Z-SB	1430	30	CF2472-C	369	55			
			CC2460Z-SBP	1577	30	CF2472-E	439	55			
			CC2460Z-SP	1554	30	CF2472-S	738	55			

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
CM120PR	3910	217	CP7-V	29	8	CRB0960	2405	131	CRPT3036T-US	4648	132
CM132APR	2836	217	CP7-VG	29	8	CRB0972	2613	131	CRPT3048T-B-S-C	4958	133
CM132PR	3964	217	CP7-W	29	62	CRB1224	2288	131	CRPT3048T-B-S-H	4958	133
CM144APR	2895	217	CP7-Z	25	8	CRB1236	2288	131	CRPT3048T-B-S-US	6196	133
CM144PR	4523	217	CP74-BL	59	62	CRB1248	2404	131	CRPT3048T-C	4312	132
CM36APR	1540	217	CP74-C	55	8	CRB1260	2510	131	CRPT3048T-H	4312	132
CM36PR	1963	217	CP74-E	65	8	CRB1272	2725	131	CRPT3048T-US	5388	132
CM48APR	1615	217	CP74-R	59	62	CRB1284	2838	131	CRPT3060T-B-S-C	5360	133
CM48PR	2053	217	CP74-S	155	8	CRB1836-W	3084	131	CRPT3060T-B-S-H	5360	133
CM60APR	1687	217	CP74-V	59	8	CRB1848-W	3248	131	CRPT3060T-B-S-US	6699	133
CM60PR	2189	217	CP74-VG	59	8	CRB1860-W	3437	131	CRPT3060T-C	4660	132
CM72APR	1785	217	CP74-W	59	62	CRB1872-W	3716	131	CRPT3060T-H	4660	132
CM72PR	2318	217	CP74-Z	49	8	CRPT2424T-B-S-C	3493	133	CRPT3060T-US	5828	132
CM84APR	2206	217	CP86-BL	66	62	CRPT2424T-B-S-H	3493	133	CRPT3072T-B-S-C	6663	133
CM84PR	2820	217	CP86-C	66	8	CRPT2424T-B-S-US	4363	133	CRPT3072T-B-S-H	6663	133
CM96APR	2276	217	CP86-E	74	8	CRPT2424T-C	3038	132	CRPT3072T-B-S-US	8326	133
CM96PR	2944	217	CP86-R	66	62	CRPT2424T-H	3038	132	CRPT3072T-C	5795	132
COLLAR PLUG	18	47,91	CP86-S	176	8	CRPT2424T-US	3796	132	CRPT3072T-H	5795	132
CP14-BL	33	62	CP86-V	67	8	CRPT2436T-B-S-C	4109	133	CRPT3072T-US	7243	132
CP14-C	32	8	CP86-VG	67	8	CRPT2436T-B-S-H	4109	133	CRPT3084T-B-S-C	7942	133
CP14-E	36	8	CP86-W	66	62	CRPT2436T-B-S-US	5137	133	CRPT3084T-B-S-H	7942	133
CP14-R	33	62	CP86-Z	62	8	CRPT2436T-C	3573	132	CRPT3084T-B-S-US	9930	133
CP14-S	67	8	CPB5-200	86	10	CRPT2436T-H	3573	132	CRPT3084T-C	6909	132
CP14-V	33	8	CPB5-250	105	10	CRPT2436T-US	4467	132	CRPT3084T-H	6909	132
CP14-VG	33	8	CPB5P-300	94	10	CRPT2448T-B-S-C	4804	133	CRPT3084T-US	8636	132
CP14-W	33	62	CPB5P-500	194	10	CRPT2448T-B-S-H	4804	133	CRPT3096T-B-S-C	9813	133
CP14-Z	29	8	CPB5S-300	303	10	CRPT2448T-B-S-US	6005	133	CRPT3096T-B-S-H	9813	133
CP18-C	36	8	CPB6-500	160	10	CRPT2448T-C	4178	132	CRPT3096T-B-S-US	12267	133
CP18-E	48	8	CPB6P-600	210	10,154	CRPT2448T-H	4178	132	CRPT3096T-C	8533	132
CP18-S	95	8	CPB6Z-800	174	10	CRPT2448T-US	5222	132	CRPT3096T-H	8533	132
CP18-V	37	8	CPB8P-700	238	10,154	CRPT2460T-B-S-C	5186	133	CRPT3096T-US	10667	132
CP18-VG	37	8	CPB8Z-900	192	10	CRPT2460T-B-S-H	5186	133	CRPT3636T-B-S-C	4488	133
CP18-Z	33	8	CPC48B	3894	158	CRPT2460T-B-S-US	6483	133	CRPT3636T-B-S-H	4488	133
CP33-BL	40	62	CPC6024	3954	158	CRPT2460T-C	4513	132	CRPT3636T-B-S-US	5611	133
CP33-C	37	8	CPC6024D	5022	158	CRPT2460T-H	4513	132	CRPT3636T-C	3900	132
CP33-E	49	8	CPC6036	3691	158	CRPT2460T-US	5637	132	CRPT3636T-H	3900	132
CP33-R	40	62	CPC6036D	4824	158	CRPT2472T-B-S-C	6642	133	CRPT3636T-US	4878	132
CP33-S	109	8	CPC60B	4305	158	CRPT2472T-B-S-H	6642	133	CRPT3648T-B-S-C	5103	133
CP33-V	40	8	CPL6Z-800	350	10	CRPT2472T-B-S-US	8304	133	CRPT3648T-B-S-H	5103	133
CP33-VG	40	8	CPL8Z-900	362	10	CRPT2472T-C	5776	132	CRPT3648T-B-S-US	6378	133
CP33-W	40	62	CPR5-200	86	10	CRPT2472T-H	5776	132	CRPT3648T-C	4439	132
CP33-Z	36	8	CPR5-250	105	10	CRPT2472T-US	7222	132	CRPT3648T-H	4439	132
CP54-BL	49	62	CPR5P-300	87	10	CRPT2484T-B-S-C	7363	133	CRPT3648T-US	5547	132
CP54-C	48	8	CPR5P-500	194	10	CRPT2484T-B-S-H	7363	133	CRPT3660T-B-S-C	5931	133
CP54-E	53	8	CPR6-500	145	10	CRPT2484T-B-S-US	9203	133	CRPT3660T-B-S-H	5931	133
CP54-R	49	62	CPR6P-600	210	10,154	CRPT2484T-C	6403	132	CRPT3660T-B-S-US	7409	133
CP54-S	125	8	CPR6Z-800	136	10	CRPT2484T-H	6403	132	CRPT3660T-C	5155	132
CP54-V	49	8	CPR8P-700	238	10,154	CRPT2484T-US	8000	132	CRPT3660T-H	5155	132
CP54-VG	49	8	CPR8Z-900	152	10	CRPT2496T-B-S-C	9573	133	CRPT3660T-US	6445	132
CP54-W	49	62	CPSS-200	75	10	CRPT2496T-B-S-H	9573	133	CRPT3672T-B-S-C	6710	133
CP54-Z	45	8	CPSS-250	96	10	CRPT2496T-B-S-US	8304	133	CRPT3672T-B-S-H	6710	133
CP63-BL	53	62	CPSSP-300	86	10	CRPT2496T-C	8325	132	CRPT3672T-B-S-US	8386	133
CP63-C	49	8	CPSSP-500	169	10	CRPT2496T-H	8325	132	CRPT3672T-C	5832	132
CP63-E	60	8	CPSSS-300	278	10	CRPT2496T-US	10407	132	CRPT3672T-H	5832	132
CP63-R	53	62	CPSS-500	145	10	CRPT3030T-B-S-C	3626	133	CRPT3672T-US	7291	132
CP63-S	136	8	CPS6P-600	188	10,154	CRPT3030T-B-S-H	3626	133	CRPT3684T-B-S-C	8010	133
CP63-V	53	8	CPS6Z-800	147	10	CRPT3030T-B-S-US	4535	133	CRPT3684T-B-S-H	8010	133
CP63-VG	53	8	CPS8P-700	210	10,154	CRPT3030T-C	3155	132	CRPT3684T-B-S-US	10013	133
CP63-W	53	62	CPS8Z-900	164	10	CRPT3030T-H	3155	132	CRPT3684T-C	6967	132
CP63-Z	48	8	CPS8S-250	188	9,129	CRPT3030T-US	3945	132	CRPT3684T-H	6967	132
CP7-BL	29	62	CPSSS-250	153	9,129	CRPT3036T-B-S-C	4273	133	CRPT3684T-US	8706	132
CP7-C	28	8	CR2D	358	91	CRPT3036T-B-S-H	4273	133	CRPT3696T-B-S-C	10064	133
CP7-E	33	8	CR4D	400	91	CRPT3036T-B-S-US	5343	133	CRPT3696T-B-S-H	10064	133
CP7-R	29	62	CRB0936	2144	131	CRPT3036T-C	3716	132	CRPT3696T-B-S-US	12573	133
CP7-S	65	8	CRB0948	2250	131	CRPT3036T-H	3716	132	CRPT3696T-C	8752	132

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.

Phone: 302-653-3000. Fax: 302-653-2065

<http://www.eaglehmc.com>



ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
CRT3696T-H	8752	132	CRT3060T-BH-US	5120	133	CS1230-R	134	61	CSI-1872	273	61
CRT3696T-US	10935	132	CRT3060T-C	3562	132	CS1230-S	420	8	CSI-2136	185	61
CRR24-C	232	45	CRT3060T-H	3562	132	CS1230-W	134	61	CSI-2148	214	61
CRT2424T-BH-C	3066	133	CRT3060T-US	4453	132	CS1236-BL	139	61	CSI-2160	243	61
CRT2424T-BH-H	3066	133	CRT3072T-BH-C	4453	133	CS1236-C	134	8	CSI-2172	278	61
CRT2424T-BH-US	3829	133	CRT3072T-BH-H	4453	133	CS1236-R	139	61	CSI-2424	159	61
CRT2424T-C	2664	132	CRT3072T-BH-US	5567	133	CS1236-S	439	8	CSI-2430	180	61
CRT2424T-H	2664	132	CRT3072T-C	3871	132	CS1236-W	139	61	CSI-2436	192	61
CRT2424T-US	3329	132	CRT3072T-H	3871	132	CS1242-BL	155	61	CSI-2448	220	61
CRT2436T-BH-C	3403	133	CRT3072T-US	4839	132	CS1242-C	152	8	CSI-2454	244	61
CRT2436T-BH-H	3403	133	CRT3084T-BH-C	5276	133	CS1242-R	155	61	CSI-2460	280	61
CRT2436T-BH-US	4253	133	CRT3084T-BH-H	5276	133	CS1242-S	465	8	CSI-2472	306	61
CRT2436T-C	2958	132	CRT3084T-BH-US	6596	133	CS1242-W	155	61	CSI-3060	438	61
CRT2436T-H	2958	132	CRT3084T-C	4588	132	CS1248-BL	160	61	CSI-3072	445	61
CRT2436T-US	3699	132	CRT3084T-H	4588	132	CS1248-C	156	8	CSPB5-300	103	9
CRT2448T-BH-C	3554	133	CRT3084T-US	5735	132	CS1248-R	160	61	CSR5-300	66	9
CRT2448T-BH-H	3554	133	CRT3096T-BH-C	5638	133	CS1248-S	488	8	CSR5-CC	144	176
CRT2448T-BH-US	4443	133	CRT3096T-BH-H	5638	133	CS1248-W	160	61	CSR5P-300	106	9
CRT2448T-C	3092	132	CRT3096T-BH-US	7048	133	CS1254-BL	174	61	CSR5PS-300	270	9
CRT2448T-H	3092	132	CRT3096T-C	4905	132	CS1254-C	169	8	CSRO5P-300	106	57
CRT2448T-US	3864	132	CRT3096T-H	4905	132	CS1254-R	174	61	CSS3-175	47	9
CRT2460T-BH-C	3695	133	CRT3096T-US	6130	132	CS1254-S	519	8	CSS4-125	48	9
CRT2460T-BH-H	3695	133	CRT3636T-BH-C	3583	133	CS1254-W	174	61	CSS5-125	53	9
CRT2460T-BH-US	4624	133	CRT3636T-BH-H	3583	133	CS1260-BL	188	61	CSS5-300	60	9
CRT2460T-C	3215	132	CRT3636T-BH-US	4476	133	CS1260-C	180	8	CSS5-CC	126	176
CRT2460T-H	3215	132	CRT3636T-C	3115	132	CS1260-R	188	61	CSS5P-300	95	9
CRT2460T-US	4019	132	CRT3636T-H	3115	132	CS1260-S	573	8	CSS5PS-300	293	9
CRT2472T-BH-C	4204	133	CRT3636T-US	3893	132	CS1260-W	188	61	CSS5WPS-300	270	9
CRT2472T-BH-H	4204	133	CRT3648T-BH-C	3765	133	CSB3-175	52	9	CTB1000-XL	43	173
CRT2472T-BH-US	5250	133	CRT3648T-BH-H	3765	133	CSB5-300	69	9	CTB2000-XL	74	173
CRT2472T-C	3653	132	CRT3648T-BH-US	4705	133	CSB5-CC	140	176	CTB3000-XL	122	173
CRT2472T-H	3653	132	CRT3648T-C	3274	132	CSB5P-300	105	9	CV-54-1836	303	31,155
CRT2472T-US	4566	132	CRT3648T-H	3274	132	CSB5PS-300	325	9			162
CRT2484T-BH-C	5073	133	CRT3648T-US	4092	132	CSB5WPS-300	294	9	CV-54-1836-T	672	32,162
CRT2484T-BH-H	5073	133	CRT3660T-BH-C	4767	133	CSC2430	2572	42	CV-54-1848	327	31,155
CRT2484T-BH-US	6344	133	CRT3660T-BH-H	4767	133	CSC2430E	3053	42			162
CRT2484T-C	4413	132	CRT3660T-BH-US	5963	133	CSC2430S	6060	42	CV-54-1848-T	683	32,162
CRT2484T-H	4413	132	CRT3660T-C	4146	132	CSC2436	2858	42	CV-54-1860	337	31,162
CRT2484T-US	5516	132	CRT3660T-H	4146	132	CSC2436E	3389	42	CV-54-1860-T	704	32,162
CRT2496T-BH-C	5419	133	CRT3660T-US	5185	132	CSC2436S	6729	42	CV-54-2148	376	31,162
CRT2496T-BH-H	5419	133	CRT3672T-BH-C	5171	133	CSC2448	3452	42	CV-54-2148-T	748	32,162
CRT2496T-BH-US	5250	133	CRT3672T-BH-H	5171	133	CSC2448E	4120	42	CV-54-2160	396	31,162
CRT2496T-C	4714	132	CRT3672T-BH-US	6464	133	CSC2448S	8198	42	CV-54-2160-T	828	32,162
CRT2496T-H	4714	132	CRT3672T-C	4497	132	CSC2460	3714	42	CV-54-2424	430	31,162
CRT2496T-US	5891	132	CRT3672T-H	4497	132	CSC2460E	4430	42	CV-54-2424-T	719	32,162
CRT3030T-BH-C	3111	133	CRT3672T-US	5622	132	CSC2460S	8488	42	CV-54-2436	334	31,162
CRT3030T-BH-H	3111	133	CRT3684T-BH-C	5518	133	CSC3030	3248	42	CV-54-2436-T	727	32,162
CRT3030T-BH-US	3890	133	CRT3684T-BH-H	5518	133	CSC3030E	3910	42	CV-54-2448	367	31,162
CRT3030T-C	2705	132	CRT3684T-BH-US	6897	133	CSC3030S	7572	42	CV-54-2448-T	765	32,162
CRT3030T-H	2705	132	CRT3684T-C	4799	132	CSC3036	3612	42	CV-54-2460	480	31,162
CRT3030T-US	3378	132	CRT3684T-H	4799	132	CSC3036E	4350	42	CV-54-2460-T	844	32,162
CRT3036T-BH-C	3457	133	CRT3684T-US	5998	132	CSC3036S	8414	42	CV-54-2472	487	31,162
CRT3036T-BH-H	3457	133	CRT3696T-BH-C	6050	133	CSC3048	4354	42	CV-54-2472-T	942	32,162
CRT3036T-BH-US	4319	133	CRT3696T-BH-H	6050	133	CSC3048E	5277	42	CV-63-1836	309	31,155
CRT3036T-C	3006	132	CRT3696T-BH-US	7563	133	CSC3048S	10252	42			162
CRT3036T-H	3006	132	CRT3696T-C	5260	132	CSC3060	4683	42	CV-63-1836-T	672	32,162
CRT3036T-US	3755	132	CRT3696T-H	5260	132	CSC3060E	5684	42	CV-63-1848	327	31,155
CRT3048T-BH-C	3592	133	CRT3696T-US	6577	132	CSC3060S	10609	42			162
CRT3048T-BH-H	3592	133	CS1224-BL	129	61	CSI-1430	156	61	CV-63-1848-T	683	32,162
CRT3048T-BH-US	4488	133	CS1224-C	125	8	CSI-1436	164	61	CV-63-1860	340	31,162
CRT3048T-C	3120	132	CS1224-R	129	61	CSI-1448	200	61	CV-63-1860-T	752	32,162
CRT3048T-H	3120	132	CS1224-S	389	8	CSI-1460	278	61	CV-63-2148	408	31,162
CRT3048T-US	3900	132	CS1224-W	129	61	CSI-1836	173	61	CV-63-2148-T	792	32,162
CRT3060T-BH-C	4098	133	CS1230-BL	134	61	CSI-1848	204	61	CV-63-2160	430	31,162
CRT3060T-BH-H	4098	133	CS1230-C	132	8	CSI-1860	240	61	CV-63-2160-T	877	32,162

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
CV-63-2424.....	517.....	31,162	CVC-74-2160.....	670.....	31,157, 162	CZ-63-2460-T.....	764.....	32,162	D1448BL.....	164.....	22
CV-63-2424-T.....	719.....	32,162				CZ-63-2472.....	506.....	31,162	D1448C.....	162.....	22
CV-63-2436.....	350.....	31,162	CVC-74-2172.....	693.....	157	CZ-63-2472-T.....	874.....	32,162	D1448R.....	164.....	22
CV-63-2436-T.....	727.....	32,162	CVC-74-2436.....	544.....	31,157, 162	CZ-63-ETC.....	1051.....	176	D1448W.....	164.....	22
CV-63-2448.....	426.....	31,157, 162	CVC-74-2448.....	633.....	31,157, 162	CZ-74-2148.....	448.....	31,162	D1448Z.....	148.....	22
CV-63-2448-T.....	765.....	32,162				CZ-74-2148-T.....	760.....	32,162	D1836BL.....	152.....	22
CV-63-2460.....	489.....	31,157, 162	CVC-74-2460.....	685.....	31,157, 162	CZ-74-2160.....	480.....	31,162	D1836C.....	148.....	22
						CZ-74-2160-T.....	843.....	32,162	D1836R.....	152.....	22
CV-63-2460-T.....	844.....	32,162	CVC-74-2472.....	697.....	31,157, 162	CZ-74-2436.....	396.....	31,162	D1836W.....	152.....	22
CV-63-2472.....	523.....	31,162				CZ-74-2436-T.....	808.....	32,162	D1836Z.....	147.....	22
CV-63-2472-T.....	960.....	32,162	CVC-86-2436.....	603.....	31,162	CZ-74-2448.....	436.....	31,162	D1848BL.....	177.....	22
CV-74-2148.....	474.....	31,162	CVC-86-2448.....	725.....	31,162	CZ-74-2448-T.....	722.....	32,162	D1848C.....	176.....	22
CV-74-2148-T.....	834.....	32,162	CVC-86-2460.....	764.....	31,162	CZ-74-2460.....	539.....	31,162	D1848R.....	177.....	22
CV-74-2160.....	489.....	31,162	CVC-86-2472.....	789.....	31,162	CZ-74-2460-T.....	932.....	32,162	D1848W.....	177.....	22
CV-74-2160-T.....	923.....	32,162	CZ-49-ETC.....	931.....	176	CZ-74-2472.....	550.....	31,162	D1848Z.....	169.....	22
CV-74-2436.....	407.....	31,162	CZ-54-1836.....	276.....	31,155, 162	CZ-74-2472-T.....	960.....	32,162	D2136BL.....	176.....	22
CV-74-2436-T.....	888.....	32,162				CZ-86-2436.....	494.....	31,162	D2136C.....	174.....	22
CV-74-2448.....	463.....	31,162	CZ-54-1836-T.....	612.....	32,162	CZ-86-2436-T.....	852.....	32,162	D2136R.....	176.....	22
CV-74-2448-T.....	792.....	32,162	CZ-54-1848.....	307.....	31,155, 162	CZ-86-2448.....	527.....	31,162	D2136W.....	176.....	22
CV-74-2460.....	560.....	31,162				CZ-86-2448-T.....	897.....	32,162	D2136Z.....	162.....	22
CV-74-2460-T.....	1025.....	32,162	CZ-54-1848-T.....	618.....	32,162	CZ-86-2460.....	628.....	31,162	D2148BL.....	204.....	22
CV-74-2472.....	574.....	31,162	CZ-54-1860.....	319.....	31,162	CZ-86-2460-T.....	980.....	32,162	D2148C.....	203.....	22
CV-74-2472-T.....	1056.....	32,162	CZ-54-1860-T.....	642.....	32,162	CZ-86-2472.....	659.....	31,162	D2148R.....	204.....	22
CV-86-2436.....	506.....	31,162	CZ-54-2148.....	355.....	31,162	CZ-86-2472-T.....	1008.....	32,162	D2148W.....	204.....	22
CV-86-2436-T.....	938.....	32,162	CZ-54-2148-T.....	678.....	32,162	CZC-54-1836.....	476.....	31,155, 162	D2148Z.....	188.....	22
CV-86-2448.....	544.....	31,162	CZ-54-2160.....	370.....	31,162				D2436BL.....	189.....	22
CV-86-2448-T.....	984.....	32,162	CZ-54-2160-T.....	754.....	32,162	CZC-54-1848.....	489.....	31,155, 162	D2436C.....	188.....	22
CV-86-2460.....	647.....	31,162	CZ-54-2424.....	649.....	31,162				D2436R.....	189.....	22
CV-86-2460-T.....	1078.....	32,162	CZ-54-2424-T.....	652.....	32,162	CZC-54-1860.....	532.....	31,162	D2436W.....	189.....	22
CV-86-2472.....	678.....	31,162	CZ-54-2436.....	316.....	31,162	CZC-54-2148.....	548.....	31,162	D2436Z.....	173.....	22
CV-86-2472-T.....	1109.....	32,162	CZ-54-2436-T.....	663.....	32,162	CZC-54-2160.....	628.....	31,162	D2448BL.....	219.....	22
CVC-54-1836.....	489.....	31,155, 162	CZ-54-2448.....	340.....	31,162	CZC-54-2424.....	577.....	31,162	D2448C.....	217.....	22
			CZ-54-2448-T.....	697.....	32,162	CZC-54-2436.....	485.....	31,162	D2448R.....	219.....	22
CVC-54-1848.....	518.....	31,155, 162	CZ-54-2460.....	456.....	31,162	CZC-54-2448.....	574.....	31,162	D2448W.....	219.....	22
			CZ-54-2460-T.....	764.....	32,162	CZC-54-2460.....	642.....	31,162	D2448Z.....	204.....	22
CVC-54-1860.....	550.....	31,162	CZ-54-2472.....	474.....	31,162	CZC-54-2472.....	652.....	31,162	DB.....	243.....	91
CVC-54-2148.....	569.....	31,162	CZ-63-1836.....	293.....	31,155, 162	CZC-63-1836.....	485.....	31,155, 162	DBH2436C.....	469.....	164,180
CVC-54-2160.....	645.....	31,162							DBH2436Z.....	343.....	164,180
CVC-54-2424.....	582.....	31,162	CZ-63-1836-ESD.....	909.....	176	CZC-63-1848.....	506.....	31,155, 162	DBH2442C.....	476.....	164,180
CVC-54-2436.....	512.....	31,162	CZ-63-1836-T.....	612.....	32,162				DBH2442Z.....	467.....	164,180
CVC-54-2448.....	597.....	31,162	CZ-63-1848.....	308.....	31,155, 162	CZC-63-1860.....	542.....	31,162	DBH2448C.....	546.....	164,180
CVC-54-2460.....	663.....	31,162				CZC-63-2148.....	569.....	31,162	DBH2448Z.....	492.....	164,180
CVC-54-2472.....	678.....	31,162	CZ-63-1848-ESD.....	1018.....	176	CZC-63-2160.....	637.....	31,162	DBH2454C.....	554.....	164,180
CVC-63-1836.....	512.....	31,155, 162	CZ-63-1848-T.....	618.....	32,162	CZC-63-2424.....	587.....	31,162	DBH2454Z.....	506.....	164,180
			CZ-63-1860.....	325.....	31,162	CZC-63-2436.....	512.....	31,162	DBH2460C.....	597.....	164,180
CVC-63-1848.....	523.....	31,155, 162	CZ-63-1860-T.....	685.....	32,162	CZC-63-2448.....	598.....	31,154, 157,162	DBH2460Z.....	539.....	164,180
			CZ-63-2148.....	393.....	31,162				DBH3036C.....	513.....	164,180
CVC-63-1860.....	563.....	31,162	CZ-63-2148-T.....	722.....	32,162	CZC-63-2460.....	652.....	31,154, 157,162	DBH3036Z.....	462.....	164,180
CVC-63-2148.....	596.....	31,162	CZ-63-2160.....	408.....	31,162				DBH3042C.....	533.....	164,180
CVC-63-2160.....	659.....	31,162	CZ-63-2160-T.....	799.....	32,162	CZC-63-2472.....	664.....	31,162	DBH3042Z.....	474.....	164,180
CVC-63-2424.....	603.....	31,162	CZ-63-2424.....	672.....	31,162	CZC-74-2148.....	577.....	31,162	DBH3048C.....	604.....	164,180
CVC-63-2436.....	532.....	31,162	CZ-63-2424-ESD.....	909.....	176	CZC-74-2160.....	647.....	31,162	DBH3048Z.....	539.....	164,180
CVC-63-2448.....	628.....	31,157, 162	CZ-63-2424-T.....	652.....	32,162	CZC-74-2436.....	522.....	31,162	DBH3054C.....	629.....	164,180
			CZ-63-2436.....	327.....	31,162	CZC-74-2448.....	614.....	31,162	DBH3054Z.....	547.....	164,180
CVC-63-2460.....	678.....	31,157, 162	CZ-63-2436-ESD.....	948.....	176	CZC-74-2460.....	663.....	31,162	DBH3060C.....	708.....	164,180
			CZ-63-2436-T.....	663.....	32,162	CZC-74-2472.....	683.....	31,162	DBH3060Z.....	593.....	164,180
CVC-63-2472.....	693.....	31,162	CZ-63-2448.....	403.....	31,154, 157,162	CZC-86-2436.....	566.....	31,162	DBHC2436C-4.....	2208.....	164,180
CVC-74-1836.....	534.....	157				CZC-86-2448.....	704.....	31,162	DBHC2436Z-4.....	2097.....	164,180
CVC-74-1848.....	549.....	157	CZ-63-2448-ESD.....	1104.....	176	CZC-86-2460.....	764.....	31,162	DBHC2442C-4.....	2240.....	164,180
CVC-74-1860.....	588.....	157	CZ-63-2448-T.....	697.....	32,162	CZC-86-2472.....	800.....	31,162	DBHC2442Z-4.....	2240.....	164,180
CVC-74-1872.....	622.....	157	CZ-63-2460.....	476.....	31,154, 157,162	D1436BL.....	147.....	22	DBHC2448C-4.....	2513.....	164,180
CVC-74-2136.....	569.....	157				D1436C.....	145.....	22	DBHC2448Z-4.....	2314.....	164,180
CVC-74-2148.....	598.....	31,157, 162	CZ-63-2460-ESD.....	1190.....	176	D1436R.....	147.....	22	DBHC2454C-4.....	2551.....	164,180
						D1436W.....	147.....	22	DBHC2454Z-4.....	2360.....	164,180
						D1436Z.....	133.....	22	DBHC2460C-4.....	2724.....	164,180

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
DBHC2460Z-4	2487	164,180	DF2442-A	723	40	DOS1260-14/3	3686	210	DS2035-XL	9	174
DBHC3036C-4	2389	164,180	DF2442-C	1092	40	DOS1260-16/3	3180	210	DS2060-XL	11	174
DBHC3036Z-4	2199	164,180	DF2448-A	752	40	DOS1260-16/4	2742	210	DS2080-XL	15	174
DBHC3042C-4	2463	164,180	DF2448-C	1130	40	DOS1272-14/3	3959	210	DS2124-C	344	37
DBHC3042Z-4	2245	164,180	DF2460-A	816	40	DOS1272-16/3	3406	210	DS2124-E	423	37
DBHC3048C-4	2752	164,180	DF2460-C	1222	40	DOS1272-16/4	2937	210	DS2130-C	355	37
DBHC3048Z-4	2484	164,180	DF2472-A	955	40	DOS1284-14/3	4252	210	DS2130-E	439	37
DBHC3054C-4	2852	164,180	DF2472-C	1438	40	DOS1284-16/3	3732	210	DS2136-C	377	37
DBHC3054Z-4	2532	164,180	DL1035-XL	9	174	DOS1284-16/4	3120	210	DS2136-E	463	37
DBHC3060C-4	3168	164,180	DL1050-XL	10	174	DOS1296-14/3	4715	210	DS2148-C	432	37
DBHC3060Z-4	2705	164,180	DL2035-XL	10	174	DOS1296-16/3	4418	210	DS2148-E	527	37
DC16-S	48	168	DL2060-XL	15	174	DOS1296-16/4	3794	210	DS2160-C	493	37
DDFT-10	2696	59	DL2080-XL	24	174	DP-10	1771	234	DS2160-E	626	37
DDFT-11	2929	59	DL3030-XL	15	174	DP-20	3688	234	DS2424-C	334	37
DDFT-12	3167	59	DL3060-XL	19	174	DP30	485	45	DS2424-E	407	37
DDFT-13	3396	59	DL3080-XL	24	174	DP48	549	45	DS2430-C	367	37
DDFT-14	3634	59	DL3120-XL	58	174	DR1824-C	494	37	DS2430-E	439	37
DDFT-15	3869	59	DOS10108-14/3	4992	210	DR1824-E	577	37	DS2436-C	395	37
DDFT-16	4099	59	DOS10108-16/3	4539	210	DR1830-C	526	37	DS2436-E	476	37
DDFT-17	4339	59	DOS10108-16/4	3810	210	DR1830-E	617	37	DS2436-S	1226	37
DDFT-18	4576	59	DOS10120-14/3	5149	210	DR1836-C	560	37	DS2448-C	445	37
DDFT-19	4809	59	DOS10120-16/3	4686	210	DR1836-E	655	37	DS2448-E	542	37
DDFT-20	5044	59	DOS10120-16/4	3889	210	DR1836-S	1423	37	DS2448-S	1482	37
DDFT-21	5277	59	DOS10132-14/3	5529	210	DR1848-C	660	37	DS2460-C	527	37
DDFT-22	5418	59	DOS10132-16/3	5028	210	DR1848-E	784	37	DS2460-E	637	37
DDFT-23	5485	59	DOS10132-16/4	4144	210	DR1848-S	1898	37	DS2460-S	1777	37
DDFT-24	5708	59	DOS10144-14/3	5673	210	DR1860-C	818	37	DS3030-XL	10	174
DDFT-25	5933	59	DOS10144-16/3	5155	210	DR1860-E	865	37	DS3060-XL	11	174
DDFT-26	6156	59	DOS10144-16/4	4222	210	DR2124-C	517	37	DS3080-XL	15	174
DDFT-27	6380	59	DOS1036-14/3	2880	210	DR2124-E	614	37	DS3120-XL	48	174
DDFT-28	6605	59	DOS1036-16/3	2618	210	DR2130-C	553	37	DS4-CP74-2448C	1826	38
DDFT-29	6832	59	DOS1036-16/4	2338	210	DR2130-E	655	37	DS4-CP74-2448E	1859	38
DDFT-30	7053	59	DOS1048-14/3	3032	210	DR2136-C	589	37	DS4-CP74-2448Z	1615	38
DDFT-6	1753	59	DOS1048-16/3	2753	210	DR2136-E	695	37	DS4-P74-2448C	1616	38
DDFT-7	1988	59	DOS1048-16/4	2414	210	DR2148-C	698	37	DS4-P74-2448E	1654	38
DDFT-8	2220	59	DOS1060-14/3	3306	210	DR2148-E	820	37	DS4-P74-2448Z	1412	38
DDFT-9	2456	59	DOS1060-16/3	3005	210	DR2160-C	795	37	DSI-1430	97	61
DDSK-18	2094	59	DOS1060-16/4	2593	210	DR2160-E	898	37	DSI-1436	106	61
DDSK-21	2153	59	DOS1072-14/3	3567	210	DR2424-C	527	37	DSI-1448	125	61
DDSK-24	2232	59	DOS1072-16/3	3247	210	DR2424-E	626	37	DSI-1460	130	61
DDSK-30	2448	59	DOS1072-16/4	2753	210	DR2430-C	567	37	DSI-1836	119	61
DDSK-36	3115	59	DOS1084-14/3	3826	210	DR2430-E	659	37	DSI-1848	136	61
DDSKATB-S	550	59	DOS1084-16/3	3478	210	DR2436-C	608	37	DSI-1860	142	61
DF1836-A	652	40	DOS1084-16/4	2915	210	DR2436-E	714	37	DSI-1872	148	61
DF1836-C	983	40	DOS1096-14/3	4627	210	DR2436-S	1634	37	DSI-2136	133	61
DF1842-A	685	40	DOS1096-16/3	4205	210	DR2448-C	717	37	DSI-2148	142	61
DF1842-C	1033	40	DOS1096-16/4	3560	210	DR2448-E	843	37	DSI-2160	148	61
DF1848-A	708	40	DOS12108-14/3	5066	210	DR2448-S	2078	37	DSI-2172	155	61
DF1848-C	1065	40	DOS12108-16/3	4603	210	DR2460-C	823	37	DSI-2424	115	61
DF1860-A	777	40	DOS12108-16/4	4106	210	DR2460-E	945	37	DSI-2430	128	61
DF1860-C	1177	40	DOS12120-14/3	5320	210	DS1035-XL	8	174	DSI-2436	136	61
DF1872-A	905	40	DOS12120-16/3	4834	210	DS1050-XL	9	174	DSI-2448	159	61
DF1872-C	1365	40	DOS12120-16/4	4183	210	DS1824-C	307	37	DSI-2454	166	61
DF2136-A	700	40	DOS12132-14/3	5910	210	DS1824-E	389	37	DSI-2460	176	61
DF2136-C	1056	40	DOS12132-16/3	5374	210	DS1830-C	338	37	DSI-2472	188	61
DF2142-A	726	40	DOS12132-16/4	4489	210	DS1830-E	408	37	DSI-3060	196	61
DF2142-C	1094	40	DOS12144-14/3	6069	210	DS1836-C	358	37	DSI-3072	205	61
DF2148-A	760	40	DOS12144-16/3	5519	210	DS1836-E	437	37	DSP-1024	515	98
DF2148-C	1143	40	DOS12144-16/4	4563	210	DS1836-S	1125	37	DSP-1030	537	98
DF2160-A	816	40	DOS1236-14/3	3192	210	DS1848-C	418	37	DSP-1036	566	98
DF2160-C	1222	40	DOS1236-16/3	2752	210	DS1848-E	516	37	DSP-1224	528	98
DF2172-A	856	40	DOS1236-16/4	2475	210	DS1848-S	1367	37	DSP-1230	556	98
DF2172-C	1294	40	DOS1248-14/3	3426	210	DS1860-C	486	37	DSP-1236	594	98
DF2436-A	689	40	DOS1248-16/3	2960	210	DS1860-E	577	37	DSR-1024	775	98
DF2436-C	1042	40	DOS1248-16/4	2542	210	DS1860-S	1609	37	DSR-1030	881	98

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
DSR-1036.....	1000.....	98	DT2436-ZSP.....	1915.....	35	DTF2436-C.....	159.....	54	E1863-C.....	142.....	48
DSR-1224.....	839.....	98	DT2448-CS.....	2260.....	35	DTF2436-E.....	188.....	54	E1863-S.....	319.....	48
DSR-1230.....	844.....	98	DT2448-CSB.....	2272.....	35	DTF2436-S.....	478.....	54	E1874-C.....	155.....	48
DSR-1236.....	1133.....	98	DT2448-CSBP.....	2218.....	35	DTF2442-C.....	160.....	54	E1874-S.....	376.....	48
DSS-1024.....	600.....	98	DT2448-CSP.....	2204.....	35	DTF2442-E.....	192.....	54	E1886-C.....	278.....	48
DSS-1030.....	611.....	98	DT2448-ZS.....	2145.....	35	DTF2442-S.....	488.....	54	E1886-S.....	388.....	48
DSS-1036.....	641.....	98	DT2448-ZSB.....	2165.....	35	DTF2448-C.....	164.....	54	E2454-C.....	159.....	48
DSS-1224.....	607.....	98	DT2448-ZSBP.....	2107.....	35	DTF2448-E.....	197.....	54	E2454-S.....	358.....	48
DSS-1230.....	640.....	98	DT2448-ZSP.....	2094.....	35	DTF2448-S.....	494.....	54	E2463-C.....	169.....	48
DSS-1236.....	659.....	98	DT2460-CS.....	2469.....	35	DTF2460-C.....	197.....	54	E2463-S.....	394.....	48
DT1836-CS.....	1893.....	35	DT2460-CSB.....	2485.....	35	DTF2460-E.....	232.....	54	E2474-C.....	176.....	48
DT1836-CSB.....	1905.....	35	DT2460-CSBP.....	2428.....	35	DTF2460-S.....	577.....	54	E2474-S.....	430.....	48
DT1836-CSBP.....	1849.....	35	DT2460-CSP.....	2419.....	35	DTF2472-C.....	254.....	54	E2486-C.....	308.....	48
DT1836-CSP.....	1832.....	35	DT2460-ZS.....	2383.....	35	DTF2472-E.....	300.....	54	E2486-S.....	453.....	48
DT1836-ZS.....	1832.....	35	DT2460-ZSB.....	2403.....	35	DTF2472-S.....	874.....	54	EC2148C.....	1360.....	150
DT1836-ZSB.....	1849.....	35	DT2460-ZSBP.....	2340.....	35	DTF3036-C.....	180.....	54	EC2160C.....	1522.....	150
DT1836-ZSBP.....	1796.....	35	DT2460-ZSP.....	2328.....	35	DTF3036-E.....	214.....	54	EC2448C.....	1468.....	150
DT1836-ZSP.....	1775.....	35	DTF1824-C.....	145.....	54	DTF3036-S.....	585.....	54	EC2460C.....	1657.....	150
DT1848-CS.....	2053.....	35	DTF1824-E.....	160.....	54	DTF3048-C.....	196.....	54	ECD2148C.....	4124.....	150
DT1848-CSB.....	2069.....	35	DTF1824-S.....	437.....	54	DTF3048-E.....	228.....	54	ECD2160C.....	4325.....	150
DT1848-CSBP.....	2009.....	35	DTF1830-C.....	147.....	54	DTF3048-S.....	615.....	54	ECD2448C.....	4267.....	150
DT1848-CSP.....	1994.....	35	DTF1830-E.....	164.....	54	DTF3060-C.....	214.....	54	ECD2460C.....	4531.....	150
DT1848-ZS.....	1974.....	35	DTF1830-S.....	450.....	54	DTF3060-E.....	245.....	54	ECD72460C.....	5830.....	153
DT1848-ZSB.....	1988.....	35	DTF1836-C.....	148.....	54	DTF3060-S.....	708.....	54	ECD7S2460C.....	6287.....	153
DT1848-ZSBP.....	1934.....	35	DTF1836-E.....	173.....	54	DTF3072-C.....	272.....	54	ECDS2148C.....	4508.....	151
DT1848-ZSP.....	1918.....	35	DTF1836-S.....	458.....	54	DTF3072-E.....	326.....	54	ECDS2160C.....	4808.....	151
DT1860-CS.....	2234.....	35	DTF1842-C.....	152.....	54	DTF3072-S.....	777.....	54	ECDS2448C.....	4594.....	151
DT1860-CSB.....	2248.....	35	DTF1842-E.....	174.....	54	DTF3636-C.....	210.....	54	ECDS2460C.....	4983.....	151
DT1860-CSBP.....	2189.....	35	DTF1842-S.....	475.....	54	DTF3636-E.....	242.....	54	ECDT2160C.....	5297.....	152
DT1860-CSP.....	2177.....	35	DTF1848-C.....	156.....	54	DTF3636-S.....	608.....	54	ECDT2460C.....	5478.....	152
DT1860-ZS.....	2154.....	35	DTF1848-E.....	176.....	54	DTF3648-C.....	220.....	54	ECDS2160C.....	5740.....	152
DT1860-ZSB.....	2173.....	35	DTF1848-S.....	485.....	54	DTF3648-E.....	254.....	54	ECDS2460C.....	5930.....	152
DT1860-ZSBP.....	2110.....	35	DTF1860-C.....	176.....	54	DTF3648-S.....	626.....	54	ECE2148C.....	5000.....	150
DT1860-ZSP.....	2097.....	35	DTF1860-E.....	205.....	54	DTF3660-C.....	243.....	54	ECE2160C.....	5888.....	150
DT2136-CS.....	2032.....	35	DTF1860-S.....	554.....	54	DTF3660-E.....	278.....	54	ECE2448C.....	5140.....	150
DT2136-CSB.....	2053.....	35	DTF1872-C.....	197.....	54	DTF3660-S.....	719.....	54	ECE2460C.....	6109.....	150
DT2136-CSBP.....	1994.....	35	DTF1872-E.....	232.....	54	DTF3672-C.....	306.....	54	ECE72460C.....	6405.....	153
DT2136-CSP.....	1976.....	35	DTF1872-S.....	615.....	54	DTF3672-E.....	354.....	54	ECE7S2460C.....	6859.....	153
DT2136-ZS.....	1934.....	35	DTF2124-C.....	148.....	54	DTF3672-S.....	789.....	54	ECES2148C.....	5302.....	151
DT2136-ZSB.....	1945.....	35	DTF2124-E.....	169.....	54	DTSC2430.....	3087.....	43	ECES2160C.....	5889.....	151
DT2136-ZSBP.....	1898.....	35	DTF2124-S.....	443.....	54	DTSC2430E.....	5352.....	43	ECES2448C.....	5426.....	151
DT2136-ZSP.....	1885.....	35	DTF2130-C.....	152.....	54	DTSC2430S.....	9960.....	43	ECES2460C.....	6260.....	151
DT2148-CS.....	2183.....	35	DTF2130-E.....	173.....	54	DTSC2436.....	3429.....	43	ECET2160C.....	5902.....	153
DT2148-CSB.....	2204.....	35	DTF2130-S.....	450.....	54	DTSC2436E.....	5944.....	43	ECET2460C.....	6036.....	153
DT2148-CSBP.....	2145.....	35	DTF2136-C.....	156.....	54	DTSC2436S.....	11069.....	43	ECETS2160C.....	6346.....	153
DT2148-CSP.....	2132.....	35	DTF2136-E.....	176.....	54	DTSC2448.....	4069.....	43	ECETS2460C.....	6491.....	153
DT2148-ZS.....	2077.....	35	DTF2136-S.....	456.....	54	DTSC2448E.....	7075.....	43	ECS2148C.....	1740.....	151
DT2148-ZSB.....	2094.....	35	DTF2142-C.....	160.....	54	DTSC2448S.....	13136.....	43	ECS2160C.....	1957.....	151
DT2148-ZSBP.....	2037.....	35	DTF2142-E.....	192.....	54	DTSC2460.....	4374.....	43	ECS2448C.....	1853.....	151
DT2148-ZSP.....	2025.....	35	DTF2142-S.....	487.....	54	DTSC2460E.....	7803.....	43	ECS2460C.....	2110.....	151
DT2160-CS.....	2372.....	35	DTF2148-C.....	162.....	54	DTSC2460S.....	13483.....	43	ECT2160C.....	1988.....	152
DT2160-CSB.....	2388.....	35	DTF2148-E.....	194.....	54	DWB14-C.....	139.....	49,97	ECT2460C.....	2130.....	152
DT2160-CSBP.....	2414.....	35	DTF2148-S.....	493.....	54	DWB14-S.....	333.....	49,97	ECTS2160C.....	2430.....	152
DT2160-CSP.....	2322.....	35	DTF2160-C.....	196.....	54	DWB14-VG.....	142.....	49,97	ECTS2460C.....	2583.....	152
DT2160-ZS.....	2284.....	35	DTF2160-E.....	228.....	54	DWB18-C.....	143.....	49,97	EH14-C.....	200.....	55
DT2160-ZSB.....	2303.....	35	DTF2160-S.....	573.....	54	DWB18-S.....	353.....	49,97	EH14-S.....	215.....	55
DT2160-ZSBP.....	2244.....	35	DTF2172-C.....	254.....	54	DWB18-VG.....	145.....	49,97	EH18-C.....	205.....	55
DT2160-ZSP.....	2232.....	35	DTF2172-E.....	300.....	54	DWB21-C.....	143.....	49,97	EH18-S.....	258.....	55
DT2436-CS.....	2062.....	35	DTF2172-S.....	628.....	54	DWB21-S.....	362.....	49,97	EH21-C.....	206.....	55
DT2436-CSB.....	2077.....	35	DTF2424-C.....	148.....	54	DWB21-VG.....	145.....	49,97	EH21-S.....	272.....	55
DT2436-CSBP.....	2025.....	35	DTF2424-E.....	173.....	54	DWB24-C.....	145.....	49,97	EH24-C.....	207.....	55
DT2436-CSP.....	2000.....	35	DTF2424-S.....	445.....	54	DWB24-S.....	376.....	49,97	EH24-S.....	289.....	55
DT2436-ZS.....	1970.....	35	DTF2430-C.....	152.....	54	DWB24-VG.....	148.....	49,97	EH30-C.....	214.....	55
DT2436-ZSB.....	1987.....	35	DTF2430-E.....	174.....	54	E1854-C.....	134.....	48	EH30-S.....	303.....	55
DT2436-ZSBP.....	1933.....	35	DTF2430-S.....	456.....	54	E1854-S.....	299.....	48	EH36-C.....	215.....	55

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
EH36-S	328	55	EU2-1836Z	614	28	F2QA2-74-2436VG	1105	12	FFN2748-2-30-14/3	22947	249
ELCTH-18	765	157	EU2-2136C	695	28	F2QA2-74-2436Z	967	12	FFN2754-3-24-14/3	22024	249
ELCTH-1836C	5716	157	EU2-2136S	1867	28	F2QA2-74-2448C	1172	12	FFN2754-3-30-14/3	24534	249
ELCTH-1848C	6583	157	EU2-2136Z	667	28	F2QA2-74-2448E	1374	12	FFN2760-2-24-14/3	23286	249
ELCTH-1860C	8967	157	EU2-2436C	719	28	F2QA2-74-2448S	4029	12	FFN2760-2-30-14/3	25452	249
ELCTH-1872C	11522	157	EU2-2436S	1970	28	F2QA2-74-2448V	1273	12	FFN2760-3-24-14/3	23286	249
ELCTH-21	804	157	EU2-2436Z	695	28	F2QA2-74-2448VG	1273	12	FFN2760-3-30-14/3	25798	249
ELCTH-2136C	5958	157	EU3-1824C	726	28	F2QA2-74-2448Z	1097	12	FFN2772-3-24-14/3	25798	249
ELCTH-2148C	6932	157	EU3-1824CS	1042	28	F2QA2-74-2460C	1327	12	FFN2772-3-30-14/3	28302	249
ELCTH-2160C	9531	157	EU3-1824S	1870	28	F2QA2-74-2460E	1554	12	FFN2790-3-24-14/3	29562	249
ELCTH-2172C	12091	157	EU3-1824Z	719	28	F2QA2-74-2460S	4774	12	FFN2790-3-30-14/3	32076	249
ELCTH-24	843	157	EU3-1830C	749	28	F2QA2-74-2460V	1444	12	FN2016-1-14/3	6242	243
ELCTH-2436C	6287	157	EU3-1830CS	1078	28	F2QA2-74-2460VG	1444	12	FN2016-1-18-14/3	6903	243
ELCTH-2448C	7313	157	EU3-1830S	2056	28	F2QA2-74-2460Z	1263	12	FN2016-1-18L-14/3	6644	243
ELCTH-2460C	9973	157	EU3-1830Z	737	28	F2QA2-74-2472C	1509	12	FN2016-1-18R-14/3	6644	243
ELCTH-2472C	12664	157	EU3-1836C	763	28	F2QA2-74-2472E	1764	12	FN2016-1-24-14/3	7173	243
ELGB1624-4	2611	130	EU3-1836CS	1130	28	F2QA2-74-2472S	5774	12	FN2016-1-24L-14/3	6756	243
ELGB1624-4W	3322	130	EU3-1836S	2180	28	F2QA2-74-2472V	1639	12	FN2016-1-24R-14/3	6756	243
ELGB1624-H	2702	130	EU3-1836Z	759	28	F2QA2-74-2472VG	1639	12	FN2018-1-14/3	7032	243
ELGB1624-HW	3376	130	EU3-2030-P	1415	34	F2QA2-74-2472Z	1400	12	FN2018-1-18-14/3	7580	243
ELGB1630-4	2692	130	EU3-2136C	859	28	FD-FG	3285	266	FN2018-1-18L-14/3	7285	243
ELGB1630-4W	3424	130	EU3-2136S	2448	28	FD-SG	4373	266	FN2018-1-18R-14/3	7285	243
ELGB1630-H	2785	130	EU3-2136Z	823	28	FDI-10-14-5-1	691	257	FN2018-1-24-14/3	7822	243
ELGB1630-HW	3480	130	EU3-2436C	897	28	FDI-10-14-9-5-1	767	257	FN2018-1-24L-14/3	7409	243
ELGB1636-4	2775	130	EU3-2436S	2605	28	FDI-10-14-9-5-2	1473	257	FN2018-1-24R-14/3	7409	243
ELGB1636-4W	3527	130	EU3-2436Z	858	28	FDI-10-14-9-5-3	2197	258	FN2020-1-14/3	7032	243
ELGB1636-H	2870	130	F1916	3177	252	FDI-10-14-9-5-4	2642	258	FN2020-1-24-14/3	7822	243
ELGB1636-HW	3588	130	F1916-12	3288	252	FDI-12-14-9-5-1	797	257	FN2020-1-24L-14/3	7409	243
ELGB1648-4	2922	130	F1916-VSCS	11807	253	FDI-12-14-9-5-2	1589	257	FN2020-1-24R-14/3	7409	243
ELGB1648-4W	3637	130	F1916-VSCS-DL	13488	253	FDI-12-14-9-5-3	2221	258	FN2032-2-14/3	8343	244
ELGB1648-H	2990	130	F1916-VSCS-DR	13488	253	FDI-12-14-9-5-4	2953	258	FN2032-2-18-14/3	9280	244
ELGB1648-HW	3709	130	F2121-12-CDE	4665	252	FDI-12-20-6-5-1	834	257	FN2032-2-18L-14/3	8967	244
ELGB1660-4	4585	130	F2121-12-CNR	4705	252	FDI-14-16-6-1	857	257	FN2032-2-18R-14/3	8967	244
ELGB1660-4W	5302	130	F2121-8-CDE	4405	252	FDI-14-16-9-5-1	881	257	FN2032-2-24-14/3	9503	244
ELGB1660-H	3186	130	F2121-8-CNR	4391	252	FDI-14-16-9-5-2	1711	257	FN2032-2-24L-14/3	9123	244
ELGB1660-HW	3900	130	F2424-12-CDE	4803	252	FDI-14-16-9-5-3	2493	258	FN2032-2-24R-14/3	9123	244
ELGB1672-4	4628	130	F2424-12-CNR	4881	252	FDI-14-16-9-5-4	3066	258	FN2036-2-14/3	9164	244
ELGB1672-4W	5348	130	F2424-8-CDE	4524	252	FDI-16-19-13-5-1	1087	257	FN2036-2-18-14/3	10144	244
ELGB1672-H	3231	130	F2424-8-CNR	4535	252	FDI-16-19-13-5-2	2139	257	FN2036-2-18L-14/3	9945	244
ELGB1672-HW	3948	130	F2820	3634	252	FDI-16-19-13-5-3	3131	258	FN2036-2-18R-14/3	9945	244
ELGB1684-4	4767	130	F2820-12	4037	252	FDI-16-19-13-5-4	3744	258	FN2036-2-24-14/3	10644	244
ELGB1684-4W	5509	130	F2QA2-74-1836C	894	12	FDI-16-19-8-1	1077	257	FN2036-2-24L-14/3	10271	244
ELGB1684-H	3328	130	F2QA2-74-1836E	1029	12	FDI-16-19-8-2	2081	257	FN2036-2-24R-14/3	10271	244
ELGB1684-HW	4067	130	F2QA2-74-1836S	2923	12	FDI-16-19-8-3	3000	258	FN2040-2-14/3	9164	244
ELGB1696-4	4910	130	F2QA2-74-1836V	967	12	FDI-16-19-8-4	3628	258	FN2040-2-24-14/3	10644	244
ELGB1696-4W	5674	130	F2QA2-74-1836VG	967	12	FDI-18-24-13-5-1	1319	257	FN2040-2-24L-14/3	10271	244
ELGB1696-H	3428	130	F2QA2-74-1836Z	873	12	FDI-18-24-13-5-2	2496	257	FN2040-2-24R-14/3	10271	244
ELGB1696-HW	4189	130	F2QA2-74-1848C	998	12	FDI-18-24-13-5-3	3628	258	FN2048-3-14/3	10316	245
ELGB-TRAY	132	130	F2QA2-74-1848E	1177	12	FDI-18-24-13-5-4	4267	258	FN2048-3-18-14/3	11007	245
ELKB-3036-C	3477	147	F2QA2-74-1848S	3353	12	FDI-20-20-5-1	843	257	FN2048-3-18L-14/3	10746	245
ELKB-3048-C	3971	147	F2QA2-74-1848V	1095	12	FDI-22-22-13-5-1	1538	257	FN2048-3-18R-14/3	10746	245
EP74-C	420	56	F2QA2-74-1848VG	1095	12	FDI-22-22-13-5-2	2959	257	FN2048-3-24-14/3	11232	245
EP74-E	462	56	F2QA2-74-1848Z	960	12	FDI-22-22-13-5-3	4110	258	FN2048-3-24L-14/3	10853	245
EP74-Z	394	56	F2QA2-74-1860C	1127	12	FDI-22-22-13-5-4	4987	258	FN2048-3-24R-14/3	10853	245
EP86-C	445	56	F2QA2-74-1860E	1332	12	FDI-24-24-13-5-1	1605	257	FN2054-3-14/3	11790	245
EP86-E	493	56	F2QA2-74-1860S	4070	12	FDI-24-24-13-5-2	3086	257	FN2054-3-18-14/3	12967	245
EP86-Z	410	56	F2QA2-74-1860V	1220	12	FDI-24-24-13-5-3	4289	258	FN2054-3-18L-14/3	12669	245
ETCE20-Z	1810	168	F2QA2-74-1860VG	1220	12	FDI-24-24-13-5-4	5192	258	FN2054-3-18R-14/3	12669	245
ETCE30-Z	2040	168	F2QA2-74-1860Z	1069	12	FF2119-FG-LS	4938	251	FN2054-3-24-14/3	13342	245
ETCS20-Z	1810	168	F2QA2-74-1872C	1267	12	FF2119-FG-LRS	5136	251	FN2054-3-24L-14/3	12758	245
ETCS30-Z	2040	168	F2QA2-74-1872E	1476	12	FF2119-FG-RS	4938	251	FN2054-3-24R-14/3	12758	245
EU2-1824C	594	28	F2QA2-74-1872S	4692	12	FF2119-SG-LS	6080	251	FN2060-3-14/3	11790	245
EU2-1824S	1460	28	F2QA2-74-1872V	1386	12	FF2119-SG-LRS	6302	251	FN2060-3-24-14/3	13342	245
EU2-1824Z	587	28	F2QA2-74-1872VG	1386	12	FF2119-SG-RS	6080	251	FN2060-3-24L-14/3	12758	245
EU2-1830C	610	28	F2QA2-74-1872Z	1195	12	FFN2736-2-24-14/3	18256	249	FN2060-3-24R-14/3	12758	245
EU2-1830S	1585	28	F2QA2-74-2436C	1023	12	FFN2736-2-30-14/3	20434	249	FN2064-4-14/3	13188	246
EU2-1830Z	603	28	F2QA2-74-2436E	1184	12	FFN2740-2-24-14/3	19099	249	FN2064-4-18-14/3	13773	246
EU2-1836C	617	28	F2QA2-74-2436S	3464	12	FFN2740-2-30-14/3	21266	249	FN2064-4-18L-14/3	13285	246
EU2-1836S	1672	28	F2QA2-74-2436V	1105	12	FFN2748-2-24-14/3	20770	249	FN2064-4-18R-14/3	13285	246

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
FN2064-4-24-14/3	14032	246	FT-1224-FG	4473	262	FT-2496-SG	17742	262	HDS1860SE	1239	64
FN2064-4-24R-14/3	13406	246	FT-1224-SG	6015	262	GBP15-C	176	91	HDS1860SF	1177	63
FN2064-4-24R-14/3	13406	246	FT-1230-FG	4912	262	GC-16	51	168	HDS1860SL	1239	65
FN2072-4-14/3	14816	246	FT-1230-SG	6200	262	GCC1	1512	156	HDS1860VE	527	64
FN2072-4-18-14/3	16075	246	FT-1236-FG	5144	262	GLIDES	6	47	HDS1860VF	519	63
FN2072-4-18L-14/3	15681	246	FT-1236-SG	6392	262	GPS24-C	157	91	HDS1860VGE	527	64
FN2072-4-18R-14/3	15681	246	FT-1248-FG	5903	262	GPWB	49	91	HDS1860VGF	519	63
FN2072-4-24-14/3	16225	246	FT-1248-SG	7896	262	GR1836C	629	36	HDS1860VGL	522	65
FN2072-4-24L-14/3	15770	246	FT-1260-FG	6393	262	GR1848C	685	36	HDS1860VL	522	65
FN2072-4-24R-14/3	15770	246	FT-1260-SG	9468	262	GR1860C	766	36	HDS2436SE	1112	64
FN2080-4-14/3	14816	246	FT-1272-FG	7221	262	GRS1836C	870	36	HDS2436SF	1044	63
FN2080-4-24-14/3	16225	246	FT-1272-SG	10884	262	GRS1848C	955	36	HDS2436SL	1112	65
FN2080-4-24L-14/3	15770	246	FT-1284-FG	7898	262	GRS1860C	1094	36	HDS2436VE	478	64
FN2080-4-24R-14/3	15770	246	FT-1284-SG	12790	262	GS17	313	91	HDS2436VF	465	63
FN2424-1-14/3	7528	243	FT-1296-FG	8618	262	GWB1436C	239	93	HDS2436VGE	478	64
FN2424-1-24-14/3	8967	243	FT-1296-SG	13155	262	GWB1436V	242	93	HDS2436VGF	465	63
FN2424-1-24L-14/3	8472	243	FT-15120-FG	10610	262	GWB1436VG	242	93	HDS2436VGL	480	65
FN2424-1-24R-14/3	8472	243	FT-15120-SG	18615	262	GWB1448C	265	93	HDS2436VL	480	65
FN2448-2-14/3	10892	244	FT-1524-FG	4566	262	GWB1448V	269	93	HDS2442SE	1208	64
FN2448-2-24-14/3	12796	244	FT-1524-SG	6396	262	GWB1448VG	269	93	HDS2442SF	1177	63
FN2448-2-24L-14/3	12355	244	FT-1530-FG	4959	262	GWB1836C	252	93	HDS2442SL	1208	65
FN2448-2-24R-14/3	12355	244	FT-1530-SG	6550	262	GWB1836V	269	93	HDS2442VE	493	64
FN2472-3-14/3	13713	245	FT-1536-FG	5188	262	GWB1836VG	269	93	HDS2442VF	486	63
FN2472-3-24-14/3	15917	245	FT-1536-SG	7441	262	GWB1848C	280	93	HDS2442VGE	493	64
FN2472-3-24L-14/3	15508	245	FT-1548-FG	5973	262	GWB1848V	306	93	HDS2442VGF	486	63
FN2472-3-24R-14/3	15508	245	FT-1548-SG	9056	262	GWB1848VG	306	93	HDS2442VGL	495	65
FN2496-4-14/3	17046	246	FT-1560-FG	6672	262	HBK-48C	490	129	HDS2442VL	495	65
FN2496-4-24-14/3	19178	246	FT-1560-SG	10602	262	HBK-48S	593	129	HDS2448SE	1283	64
FN2496-4-24L-14/3	17539	246	FT-1572-FG	7365	262	HBK-60C	563	129	HDS2448SF	1275	63
FN2496-4-24R-14/3	17539	246	FT-1572-SG	12196	262	HBK-60S	659	129	HDS2448SL	1316	65
FN2820-1-14/3	8302	243	FT-1584-FG	8123	262	HBK-72C	626	129	HDS2448VE	516	64
FN2820-1-24-14/3	9056	243	FT-1584-SG	13791	262	HBK-72S	730	129	HDS2448VF	499	63
FN2820-1-24L-14/3	8661	243	FT-1596-FG	8767	262	HDS1836SE	930	64	HDS2448VGE	516	64
FN2820-1-24R-14/3	8661	243	FT-1596-SG	15287	262	HDS1836SF	843	63	HDS2448VGF	499	63
FN2840-2-14/3	10913	244	FT-18120-FG	12368	262	HDS1836SL	930	65	HDS2448VGL	518	65
FN2840-2-24-14/3	12880	244	FT-18120-SG	19930	262	HDS1836VE	445	64	HDS2448VL	518	65
FN2840-2-24L-14/3	12355	244	FT-1824-FG	4899	262	HDS1836VF	436	63	HDS2454SE	1423	64
FN2840-2-24R-14/3	12355	244	FT-1824-SG	6764	262	HDS1836VGE	445	64	HDS2454SF	1389	63
FN2860-3-14/3	14128	245	FT-1830-FG	5410	262	HDS1836VGF	436	63	HDS2454SL	1423	65
FN2860-3-24-14/3	16339	245	FT-1830-SG	7141	262	HDS1836VGL	448	65	HDS2454VE	554	64
FN2860-3-24L-14/3	15787	245	FT-1836-FG	5796	262	HDS1836VL	448	65	HDS2454VF	542	63
FN2860-3-24R-14/3	15787	245	FT-1836-SG	7518	262	HDS1842SE	1029	64	HDS2454VGE	554	64
FN2880-4-14/3	18031	246	FT-1848-FG	6711	262	HDS1842SF	914	63	HDS2454VGF	542	63
FN2880-4-24-14/3	19732	246	FT-1848-SG	8940	262	HDS1842SL	1029	65	HDS2454VGL	566	65
FN2880-4-24L-14/3	19184	246	FT-1860-FG	7494	262	HDS1842VE	467	64	HDS2454VL	566	65
FN2880-4-24R-14/3	19184	246	FT-1860-SG	11030	262	HDS1842VF	454	63	HDS2460SE	1528	64
FNWNF-12-14-8-1	1549	259	FT-1872-FG	8375	262	HDS1842VGE	467	64	HDS2460SF	1489	63
FNWNF-14-16-8-1	1621	259	FT-1872-SG	12075	262	HDS1842VGF	454	63	HDS2460SL	1528	65
FNWNF-18-18-10-1	1453	259	FT-1884-FG	9349	262	HDS1842VGL	475	65	HDS2460VE	573	64
FNWNF-18-18-12-1	1473	259	FT-1884-SG	14662	262	HDS1842VL	475	65	HDS2460VF	564	63
FNWNF-20-20-10-1	1538	259	FT-1896-FG	10212	262	HDS1848SE	1127	64	HDS2460VGE	573	64
FNWNF-20-20-12-1	1614	259	FT-1896-SG	15039	262	HDS1848SF	984	63	HDS2460VGF	564	63
FNWNF-20-20-14-1	1702	259	FT-24120-FG	14347	262	HDS1848SL	1127	65	HDS2460VGL	577	65
FNWNF-20-27-6-1	1453	259	FT-24120-SG	21488	262	HDS1848VE	478	64	HDS2460VL	577	65
FNWNF-20.5-20.5-5-1	1337	259	FT-2424-FG	5244	262	HDS1848VF	474	63	HDSCP14-S	109	66
FNWNF-20.5-20.5-8-1	1466	259	FT-2424-SG	8190	262	HDS1848VGE	478	64	HDSCP33-S	152	66
FNWNF-24-24-12-1	1797	259	FT-2430-FG	5910	262	HDS1848VGF	474	63	HDSCP54-S	159	66
FNWNF-24-24-14-1	1885	259	FT-2430-SG	8527	262	HDS1848VGL	486	65	HDSCP63-S	185	66
FNWNF-9-12-6-1	1416	259	FT-2436-FG	6372	262	HDS1848VL	486	65	HDSCP74-S	207	66
FNWNF-9-14-8-1	1505	259	FT-2436-SG	9722	262	HDS1854SE	1177	64	HDSP14-S	109	66
FOOT PLATE	29	47	FT-2448-FG	7482	262	HDS1854SF	1078	63	HDSP33-S	152	66
FOOT PLATE-BL	32	47	FT-2448-SG	11258	262	HDS1854SL	1177	65	HDSP54-S	159	66
FOOT PLATE-S	55	47	FT-2460-FG	8575	262	HDS1854VE	517	64	HDSP63-S	185	66
FR-1221-SS	1143	134,137, 139,141	FT-2460-SG	12622	262	HDS1854VF	475	63	HDSP74-S	207	66
FT-12120-FG	10058	262	FT-2472-FG	8653	262	HDS1854VGE	517	64	HDTS18-C	407	53
FT-12120-SG	17290	262	FT-2472-SG	14671	262	HDS1854VGF	475	63	HDTS18-E	453	53
FT-1218-FG	4128	262	FT-2484-FG	10782	262	HDS1854VGL	504	65	HDTS24-C	450	53
FT-1218-SG	5737	262	FT-2484-SG	16037	262	HDS1854VL	504	65	HDTS24-E	498	53
			FT-2496-FG	11797	262						

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
HFH	111	91	HSAN-10-FE-B-DS	6557	226	L18-1VG	33	50	L36-4R	62	62
HFL-5000	9071	222	HSAND-10-F	1288	231	L18-1W	33	62	L36-4S	152	50
HFL-5000-LRS	9611	222	HSANT-FS	1821	231	L18-4BL	42	62	L36-4V	62	50
HFL-5000-S	8275	222	HSAP-10-EYE	15674	221	L18-4C	40	50	L36-4VG	62	50
HSA-10	1108	223	HSAP-14-ADA-FE-B	10336	226,229	L18-4E	49	50	L36-4W	62	62
HSA-10-1FK	2809	227	HSAP-14-ADA-FW	8840	229	L18-4R	42	62	L42-1BL	53	62
HSA-10-8	1073	232	HSAP-14-EYE	12219	221	L18-4S	87	50	L42-1C	49	50
HSA-10-8F	1382	232	HSAP-14-FW	3727	229	L18-4V	42	50	L42-1R	53	62
HSA-10-F	1296	223	HSAP-SSK	386	235	L18-4VG	42	50	L42-1S	97	50
HSA-10-F-DS	1706	224	HWB-E	5433	229	L18-4W	42	62	L42-1V	53	50
HSA-10-F-LRS	2290	230	HWB-T	5903	229	L21-1BL	36	62	L42-1VG	53	50
HSA-10-FA	1369	223	HWC-E	5193	229	L21-1C	33	50	L42-1W	53	62
HSA-10-FA-1P	2865	227	HWC-T	5669	229	L21-1R	36	62	L42-4BL	75	62
HSA-10-FA-P	2865	227	ITT1620	2334	161	L21-1S	55	50	L42-4C	70	50
HSA-10-FA-PE	6270	225	ITT1630	2390	161	L21-1V	36	50	L42-4E	86	50
HSA-10-FAW	1743	223,230	ITT1834	2409	161	L21-1VG	36	50	L42-4R	75	62
HSA-10-FDP	2727	224	ITT2036	2456	161	L21-1W	36	62	L42-4S	192	50
HSA-10-FDP-T	3971	232	ITT2048	2542	161	L21-4BL	45	62	L42-4V	75	50
HSA-10-FDPE	6743	225	ITT2436	2500	161	L21-4C	42	50	L42-4VG	75	50
HSA-10-FDPE-LRS	7733	230	ITT2446	2578	161	L21-4E	53	50	L42-4W	75	62
HSA-10-FDPEE	7383	225	ITT2458	2668	161	L21-4R	45	62	L48-1BL	55	62
HSA-10-FDPEE-B-T	10364	226	ITU1620	2204	161	L21-4S	97	50	L48-1C	53	50
HSA-10-FDPK	4299	227	ITU1630	2292	161	L21-4V	45	50	L48-1R	55	62
HSA-10-FDPS	4161	224	ITU1834	2332	161	L21-4VG	45	50	L48-1S	97	50
HSA-10-FE	4712	225	ITU2036	2430	161	L21-4W	45	62	L48-1V	55	50
HSA-10-FE-B-DS	5853	226	ITU2048	2574	161	L24-1BL	37	62	L48-1VG	55	50
HSA-10-FE-B-NB-MG	5967	226	ITU2436	2513	161	L24-1C	36	50	L48-1W	55	62
HSA-10-FE-B-T-NB-MG	7354	226	ITU2446	2656	161	L24-1R	37	62	L48-4BL	80	62
HSA-10-FK	2809	227	ITU2458	2816	161	L24-1S	60	50	L48-4C	70	50
HSA-10-FKP	3131	227	IV-1	1009	154	L24-1V	37	50	L48-4E	86	50
HSA-10-FL	1857	223	IV-2	1009	154	L24-1VG	37	50	L48-4R	80	62
HSA-10-FLDP	3273	224	IV-3	1009	154	L24-1W	37	62	L48-4S	192	50
HSA-10-FO	1538	223	IV-4	1009	154	L24-4BL	49	62	L48-4V	80	50
HSA-10-FODP	3343	224	KB-234-BL	48	147	L24-4C	48	50	L48-4VG	80	50
HSA-10-FODPE	6770	225	KB-240-BL	78	147	L24-4E	55	50	L48-4W	80	62
HSA-10-FOE	4953	225	KB-250-BL	126	147	L24-4R	49	62	L54-1BL	60	62
HSA-10-FTWS	2044	230	KB48-C	139	127,128	L24-4S	105	50	L54-1C	59	50
HSA-10-FTWS-LRS	3037	230	KB48-S	167	127,128	L24-4V	49	50	L54-1R	60	62
HSA-10-FW	1498	227	KB60-C	155	127,128	L24-4VG	49	50	L54-1S	125	50
HSA-10-FWLDP-LRS	4416	224	KB60-S	186	127,128	L24-4W	49	62	L54-1V	60	50
HSA-SSK	319	235	KB72-C	169	127,128	L30-1BL	42	62	L54-1VG	60	50
HSA-WM-48	9364	165	KB72-S	203	127,128	L30-1C	40	50	L54-1W	60	62
HSA-WM-48-1FK	11376	165	KBD-1	519	45,46	L30-1R	42	62	L54-4BL	83	62
HSA-WM-48-F	11083	165	KBD-1/SS	722	45,46,142	L30-1S	82	50	L54-4C	80	50
HSA-WM-48-FE	12620	165	KBD-2	476	46,135	L30-1V	42	50	L54-4E	93	50
HSA-WM-48-FK	11730	165	KBD-2/SS	828	46,135	L30-1VG	42	50	L54-4R	83	62
HSA-WM-60	9613	165	L14-1BL	32	62	L30-1W	42	62	L54-4S	217	50
HSA-WM-60-1FK	11725	165	L14-1C	29	50	L30-4BL	59	62	L54-4V	83	50
HSA-WM-60-F	11447	165	L14-1R	32	62	L30-4C	55	50	L54-4VG	83	50
HSA-WM-60-FE	12974	165	L14-1S	45	50	L30-4E	65	50	L54-4W	83	62
HSA-WM-60-FK	12078	165	L14-1V	32	50	L30-4R	59	62	L60-1BL	62	62
HSA-WM-72	9837	165	L14-1VG	32	50	L30-4S	130	50	L60-1C	59	50
HSA-WM-72-1FK	11856	165	L14-1W	32	62	L30-4V	59	50	L60-1R	62	62
HSA-WM-72-F	11392	165	L14-4BL	40	62	L30-4VG	59	50	L60-1S	125	50
HSA-WM-72-FE	13716	165	L14-4C	37	50	L30-4W	59	62	L60-1V	62	50
HSA-WM-72-FK	12385	165	L14-4E	42	50	L36-1BL	49	62	L60-1VG	62	50
HSA-WM-96	11416	165	L14-4R	40	62	L36-1C	48	50	L60-1W	62	62
HSA-WM-96-1FK	15827	165	L14-4S	80	50	L36-1R	49	62	L60-4BL	86	62
HSA-WM-96-F	15189	165	L14-4V	40	50	L36-1S	92	50	L60-4C	80	50
HSA-WM-96-FE	18309	165	L14-4VG	40	50	L36-1V	49	50	L60-4E	93	50
HSA-WM-96-FK	16533	165	L14-4W	40	62	L36-1VG	49	50	L60-4R	86	62
HSAD-10-F	1197	232	L18-1BL	33	62	L36-1W	49	62	L60-4S	217	50
HSAE-10-FA	1441	232	L18-1C	32	50	L36-4BL	62	62	L60-4V	86	50
HSAN-10-F	1542	231	L18-1R	33	62	L36-4C	60	50	L60-4VG	86	50
HSAN-10-F-DS	1967	231	L18-1S	49	50	L36-4E	67	50	L60-4W	86	62
HSAN-10-F-LRS	2534	230	L18-1V	33	50						

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
L72-1BL	.65	62	M1848V	.255	33	MDR2424-E	.1327	38	MMBCSS-K-24-L	.353	71
L72-1C	.60	50	M1848V-4	.1464	33	MDR2430-C	.1159	38	MMBCSS-K-24-R	.353	71
L72-1R	.65	62	M1848VG	.255	33	MDR2430-E	.1340	38	MMBSS-K-14-L	.263	69
L72-1S	.136	50	M1848VG-4	.1464	33	MDR2436-C	.1253	38	MMBSS-K-14-R	.263	69
L72-1V	.65	50	M1848Z	.233	33	MDR2436-E	.1407	38	MMBSS-K-18-L	.366	69
L72-1VG	.65	50	M1848Z-4	.1358	33	MDR2436-S	.2414	38	MMBSS-K-18-R	.366	69
L72-1W	.65	62	M1860BL	.278	33	MDR2448-C	.1367	38	MMBSS-K-21-L	.436	69
L72-4BL	.97	62	M1860BL-4	.1549	33	MDR2448-E	.1548	38	MMBSS-K-21-R	.436	69
L72-4C	.94	50	M1860C	.269	33	MDR2448-S	.2847	38	MMBSS-K-24-L	.474	69
L72-4E	.109	50	M1860C-4	.1503	33	MDR2460-C	.1418	38	MMBSS-K-24-R	.474	69
L72-4R	.97	62	M1860V	.278	33	MDR2460-E	.1654	38	MMCB/A6-L	.70	68
L72-4S	.273	50	M1860V-4	.1549	33	MET2430S	.4016	206	MMCB/A6-R	.70	68
L72-4V	.97	50	M1860VG	.278	33	MFBK-S	.196	58,59	MMCBSS-6-L	.109	68
L72-4VG	.97	50	M1860VG-4	.1549	33	MHPH	.1668	170	MMCBSS-6-R	.109	68
L72-4W	.97	62	M1860Z	.255	33	MHPH-4	.3146	170	MMDB-K/A-14	.207	69
LC2460C	.2113	156	M1860Z-4	.1454	33	MMB-K/A-14-L	.142	69	MMDB-K/A-18	.273	69
LCD2460C	.5270	156	M18BL	.83	33	MMB-K/A-14-R	.142	69	MMDB-K/A-21	.293	69
LDH	.23	91	M18C	.80	33,155	MMB-K/A-18-L	.159	69	MMDB-K/A-24	.307	69
LDUS12	.135	91	M18V	.83	33	MMB-K/A-18-R	.159	69	MMDBC-K/A-18	.196	71
LEVELING FOOT	.5	47	M18VG	.83	33	MMB-K/A-21-L	.176	69	MMDBC-K/A-21	.220	71
LH	.15	91	M3636Z	.373	169	MMB-K/A-21-R	.176	69	MMDBC-K/A-24	.240	71
LR24-BL	.60	33	M3636Z-3	.1543	169	MMB-K/A-24-L	.204	69	MMDBCSS-K-18	.358	71
LR24-C	.55	33	M3648Z	.405	169	MMB-K/A-24-R	.204	69	MMDBCSS-K-21	.417	71
LR24-V	.60	33	M3648Z-3	.1704	169	MMBB/A-10	.1417	68	MMDBCSS-K-24	.463	71
LR24-VG	.60	33	M3660Z	.480	169	MMBB/A-12	.1700	68	MMDBSS-K-14	.366	69
LR24-Z	.45	33	M3660Z-3	.2007	169	MMBB/A-4	.628	68	MMDBSS-K-18	.522	69
LR36-BL	.70	33	MC-1	.2124	156	MMBB/A-5	.712	68	MMDBSS-K-21	.622	69
LR36-C	.65	33	MCWS2424C	.1774	135,171	MMBB/A-6	.849	68	MMDBSS-K-24	.678	69
LR36-V	.70	33	MCWS2424C-P	.1813	135,171	MMBB/A-7	.997	68	MMDFBSSK-149	.686	70
LR36-VG	.70	33	MCWS2424S	.2853	135,171	MMBB/A-8	.1132	68	MMDFBSSK-189	.874	70
LR36-Z	.48	33	MCWS2424S-P	.2893	135,171	MMBB/A-9	.1280	68	MMDFBSSK-249	.1162	70
LR48-BL	.83	33	MCWS3030C	.1914	135,171	MMBB/FC/A-10	.1134	68	MMFBSSK-149-L	.598	70
LR48-C	.80	33	MCWS3030C-P	.1954	135,171	MMBB/FC/A-12	.1172	68	MMFBSSK-149-R	.598	70
LR48-V	.83	33	MCWS3030S	.2979	135,171	MMBB/FC/A-4	.358	68	MMFBSSK-189-L	.792	70
LR48-VG	.83	33	MCWS3030S-P	.3015	135,171	MMBB/FC/A-5	.450	68	MMFBSSK-189-R	.792	70
LR48-Z	.49	33	MD2436	.2489	45	MMBB/FC/A-6	.540	68	MMFBSSK-249-L	.1022	70
LR60-BL	.93	33	MD2448	.2697	45	MMBB/FC/A-7	.633	68	MMFBSSK-249-R	.1022	70
LR60-C	.92	33	MDH-10	.46	91	MMBB/FC/A-8	.727	68	MMNSB-K/A-14-L	.152	69
LR60-V	.93	33	MDH-12	.50	91	MMBB/FC/A-9	.822	68	MMNSB-K/A-14-R	.152	69
LR60-VG	.93	33	MDH-4	.33	91	MMBBSS-10	.3596	68	MMNSB-K/A-18-L	.174	69
LR60-Z	.55	32	MDH-6	.34	91	MMBBSS-12	.4334	68	MMNSB-K/A-18-R	.174	69
M1824BL	.232	33	MDH-8	.44	91	MMBBSS-4	.1426	68	MMNSB-K/A-21-L	.197	69
M1824BL-4	.1338	33	MDR1824-C	.1110	38	MMBBSS-5	.1795	68	MMNSB-K/A-21-R	.197	69
M1824C	.217	33	MDR1824-E	.1277	38	MMBBSS-6	.2164	68	MMNSB-K/A-24-L	.219	69
M1824C-4	.1314	33	MDR1830-C	.1132	38	MMBBSS-7	.2523	68	MMNSB-K/A-24-R	.219	69
M1824V	.232	33	MDR1830-E	.1304	38	MMBBSS-8	.2882	68	MMNSBSS-10	.4133	68
M1824V-4	.1338	33	MDR1836-C	.1217	38	MMBBSS-9	.3239	68	MMNSBSS-12	.4947	68
M1824VG	.232	33	MDR1836-E	.1359	38	MMBBSS/FC-10	.2975	68	MMNSBSS-4	.1638	68
M1824VG-4	.1338	33	MDR1836-S	.2260	38	MMBBSS/FC-12	.3573	68	MMNSBSS-5	.2065	68
M1824Z	.188	33	MDR1848-C	.1325	38	MMBBSS/FC-4	.1203	68	MMNSBSS-6	.2483	68
M1824Z-4	.1173	33	MDR1848-E	.1549	38	MMBBSS/FC-5	.1506	68	MMNSBSS-7	.2889	68
M1836BL	.239	33	MDR1848-S	.2667	38	MMBBSS/FC-6	.1787	68	MMNSBSS-8	.3304	68
M1836BL-4	.1369	33	MDR1860-C	.1345	38	MMBBSS/FC-7	.2086	68	MMNSBSS-9	.3717	68
M1836C	.228	33	MDR1860-E	.1569	38	MMBBSS/FC-8	.2380	68	MMNSBSS/FC-10	.3419	68
M1836C-4	.1349	33	MDR2124-C	.1143	38	MMBBSS/FC-9	.2675	68	MMNSBSS/FC-12	.4108	68
M1836V	.239	33	MDR2124-E	.1314	38	MMBC-K/A-18-L	.125	71	MMNSBSS/FC-4	.1374	68
M1836V-4	.1369	33	MDR2130-C	.1152	38	MMBC-K/A-18-R	.125	71	MMNSBSS/FC-5	.1728	68
M1836VG	.239	33	MDR2130-E	.1334	38	MMBC-K/A-21-L	.142	71	MMNSBSS/FC-6	.2058	68
M1836VG-4	.1369	33	MDR2136-C	.1177	38	MMBC-K/A-21-R	.142	71	MMNSBSS/FC-7	.2400	68
M1836Z	.200	33	MDR2136-E	.1359	38	MMBC-K/A-24-L	.148	71	MMNSBSS/FC-8	.2734	68
M1836Z-4	.1222	33	MDR2148-C	.1284	38	MMBC-K/A-24-R	.148	71	MMNSBSS/FC-9	.3077	68
M1848BL	.255	33	MDR2148-E	.1492	38	MMBCSS-K-18-L	.240	71	MMNSBC-K/A-18-L	.132	71
M1848BL-4	.1464	33	MDR2160-C	.1387	38	MMBCSS-K-18-R	.240	71	MMNSBC-K/A-18-R	.132	71
M1848C	.242	33	MDR2160-E	.1576	38	MMBCSS-K-21-L	.297	71	MMNSBC-K/A-21-L	.148	71
M1848C-4	.1407	33	MDR2424-C	.1148	38	MMBCSS-K-21-R	.297	71	MMNSBC-K/A-21-R	.148	71

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.

Phone: 302-653-3000. Fax: 302-653-2065

<http://www.eaglehmhc.com>



ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
MMNSBC-K/A-24-L	159	71	MMNSUSS-8	1253	67	MT2460B	2126	199	MUK30-E86	1655	57
MMNSBC-K/A-24-R	159	71	MMNSUSS-9	1408	67	MT2460GT	1862	199	MUK30-Z	873	57
MMNSBCSS-K-18-L	252	71	MMT3030G	4603	206	MT2460S	2584	199	MUK30-Z86	907	57
MMNSBCSS-K-18-R	252	71	MMT3030S	5135	206	MT2460ST	2402	199	MUK36-C	1009	57
MMNSBCSS-K-21-L	326	71	MMT3036G	4708	206	MT2472B	2355	199	MUK36-C86	1055	57
MMNSBCSS-K-21-R	326	71	MMT3036S	5287	206	MT2472GT	2042	199	MUK36-E	1645	57
MMNSBCSS-K-24-L	377	71	MMU/A-1	49	67	MT2472S	2884	199	MUK36-E86	1697	57
MMNSBCSS-K-24-R	377	71	MMU/A-10	420	67	MT2472ST	2669	199	MUK36-Z	889	57
MMNSBSS-K-14-L	284	69	MMU/A-12	518	67	MT2496B	3339	199	MUK36-Z86	920	57
MMNSBSS-K-14-R	284	69	MMU/A-14	608	67	MT2496GT	2926	199	MWS0710-PS	164	89
MMNSBSS-K-18-L	377	69	MMU/A-16	689	67	MT2496S	4028	199	MWS0710-SPS	170	89
MMNSBSS-K-18-R	377	69	MMU/A-2	92	67	MT2496ST	3337	199	MWS0912-PS	196	89
MMNSBSS-K-21-L	456	69	MMU/A-3	142	67	MT3048B	2091	199	MWS0912-SPS	200	89
MMNSBSS-K-21-R	456	69	MMU/A-4	164	67	MT3048B-BS	3993	199	MWS1824	1029	96
MMNSBSS-K-24-L	489	69	MMU/A-5	206	67	MT3048GT	1889	199	MWS2424	1173	96
MMNSBSS-K-24-R	489	69	MMU/A-6	245	67	MT3048GT-BS	3832	199	MWS2436C	1165	135
MMNSCB/A6-L	70	68	MMU/A-7	293	67	MT3048S	2584	199	MWS2436S	2585	135
MMNSCB/A6-R	70	68	MMU/A-8	334	67	MT3048S-BS	5132	199	MWS2436WT	1447	135
MMNSCBSS-6-L	115	68	MMU/A-9	376	67	MT3048ST	2456	199	MWS2436WT-S	3445	135
MMNSCBSS-6-R	115	68	MMUSS-1	166	67	MT3048ST-BS	4870	199	MWS2448C	1234	135
MMNSDB-K/A-14	233	69	MMUSS-10	1487	67	MT3060B	2376	199	MWS2448S	2755	135
MMNSDB-K/A-18	299	69	MMUSS-12	1787	67	MT3060B-BS	4174	199	MWS2448WT	1558	135
MMNSDB-K/A-21	325	69	MMUSS-2	303	67	MT3060GT	2122	199	MWS2448WT-S	3716	135
MMNSDB-K/A-24	340	69	MMUSS-3	453	67	MT3060GT-BS	3904	199	NDR182412-A	526	39
MMNSDBC-K/A-18	210	71	MMUSS-4	603	67	MT3060S	2963	199	NDR183612-A	609	39
MMNSDBC-K/A-21	233	71	MMUSS-5	759	67	MT3060S-BS	5403	199	NDR184812-A	678	39
MMNSDBC-K/A-24	240	71	MMUSS-6	900	67	MT3060ST	2799	199	NDR202412-A	526	39
MMNSDBCSS-K-18	377	71	MMUSS-7	1049	67	MT3060ST-BS	5126	199	NDR203612-A	609	39
MMNSDBCSS-K-21	443	71	MMUSS-8	1195	67	MT3072B	2656	199	NDR204812-A	678	39
MMNSDBCSS-K-24	495	71	MMUSS-9	1340	67	MT3072B-BS	5018	199	NDR242412-A	626	39
MMNSDBSS-K-14	394	69	MMXB-N-48	125	69	MT3072GT	2347	199	NDR243612-A	696	39
MMNSDBSS-K-18	550	69	MMXB-N-60	148	69	MT3072GT-BS	4691	199	NDR244812-A	809	39
MMNSDBSS-K-21	658	69	MMXB-N-72	176	69	MT3072S	3340	199	NTD3	5556	213
MMNSDBSS-K-24	697	69	MMXB-N-84	205	69	MT3072S-BS	6178	199	NTD3L	5863	213
MMNSDFBSSK-149	789	70	MOS1260C	2530	211	MT3072ST	3131	199	OAC2436T-1C-1W	1989	138,177
MMNSDFBSSK-189	1008	70	MOS1260L	2232	211	MT3072ST-BS	6018	199	OAC2436T-1H-1W	1989	138,177
MMNSDFBSSK-249	1340	70	MOS1260R	2232	211	MT3096B	3804	199	OAC2436T-2C	1989	138,177
MMNSFBSSK-149-L	689	70	MOS1272C	2826	211	MT3096B-BS	6864	199	OAC2436T-2H	1989	138,177
MMNSFBSSK-149-R	689	70	MOS1272L	2526	211	MT3096GT	3382	199	OAC2436T-2W	1989	138,177
MMNSFBSSK-189-L	907	70	MOS1272R	2526	211	MT3096GT-BS	6429	199	OAC2448T-1C-1W	2291	138,177
MMNSFBSSK-189-R	907	70	MOS1284C	3028	211	MT3096S	4655	199	OAC2448T-1H-1W	2291	138,177
MMNSFBSSK-249-L	1172	70	MOS1284L	2732	211	MT3096S-BS	8172	199	OAC2448T-2C	2291	138,177
MMNSFBSSK-249-R	1172	70	MOS1284R	2732	211	MT3096ST	4376	199	OAC2448T-2H	2291	138,177
MMNSU/A-1	59	67	MOS1296C	3153	211	MT3096ST-BS	7742	199	OAC2448T-2W	2291	138,177
MMNSU/A-10	453	67	MOS1296L	3028	211	MUK18-C	907	57	OAC2460T-1C-1W	2594	138,177
MMNSU/A-12	559	67	MOS1296R	3028	211	MUK18-C86	939	57	OAC2460T-1H-1W	2594	138,177
MMNSU/A-14	649	67	MS-C	30	135,171	MUK18-E	1514	57	OAC2460T-2C	2594	138,177
MMNSU/A-16	738	67	MS2424	1803	205	MUK18-E86	1536	57	OAC2460T-2H	2594	138,177
MMNSU/A-2	94	67	MS2424S	2188	205	MUK18-Z	818	57	OAC2460T-2W	2594	138,177
MMNSU/A-3	148	67	MS3024	1880	205	MUK18-Z86	849	57	OAC3036T-1C-1W	2115	138,177
MMNSU/A-4	176	67	MS3024S	2298	205	MUK21-C	930	57	OAC3036T-1H-1W	2115	138,177
MMNSU/A-5	219	67	MS3030	2092	205	MUK21-C86	967	57	OAC3036T-2C	2115	138,177
MMNSU/A-6	269	67	MS3030S	2604	205	MUK21-E	1534	57	OAC3036T-2H	2115	138,177
MMNSU/A-7	309	67	MS3036	2148	205	MUK21-E86	1576	57	OAC3036T-2W	2115	138,177
MMNSU/A-8	362	67	MS3036S	2646	205	MUK21-Z	845	57	OAC3048T-1C-1W	2495	138,177
MMNSU/A-9	408	67	MS3636	2253	205	MUK21-Z86	880	57	OAC3048T-1H-1W	2495	138,177
MMNSUSS-1	176	67	MS3636S	2771	205	MUK24-C	944	57	OAC3048T-2C	2495	138,177
MMNSUSS-10	1565	67	MSC1436	1966	44	MUK24-C86	983	57	OAC3048T-2H	2495	138,177
MMNSUSS-12	1877	67	MSC1448	2512	44	MUK24-E	1555	57	OAC3048T-2W	2495	138,177
MMNSUSS-2	316	67	MSC2436	2040	44	MUK24-E86	1614	57	OAC3060T-1C-1W	2835	138,177
MMNSUSS-3	480	67	MSC2448	2605	44	MUK24-Z	855	57	OAC3060T-1H-1W	2835	138,177
MMNSUSS-4	630	67	MT2448B	1893	199	MUK24-Z86	893	57	OAC3060T-2C	2835	138,177
MMNSUSS-5	795	67	MT2448GT	1681	199	MUK30-C	967	57	OAC3060T-2H	2835	138,177
MMNSUSS-6	938	67	MT2448S	2276	199	MUK30-C86	1007	57	OAC3060T-2W	2835	138,177
MMNSUSS-7	1095	67	MT2448ST	2145	199	MUK30-E	1600	57	OAC3636T-1C-1W	2584	138,177

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
OAC3636T-1H-1W	2584	138,177	OAS2448T-1H-1W	3954	138,177	OB3096SE	8215	201	OS1236-14/3	1672	210
OAC3636T-2C	2584	138,177	OAS2448T-2C	3954	138,177	OB3096SE-BS	8452	203	OS1236-16/3	1505	210
OAC3636T-2H	2584	138,177	OAS2448T-2H	3954	138,177	OCC2424S	5271	159	OS1236-16/4	1263	210
OAC3636T-2W	2584	138,177	OAS2448T-2W	3954	138,177	OCC2448S	6352	159	OS1248-14/3	1834	210
OAC3648T-1C-1W	2955	138,177	OAS2460T-1C-1W	4586	138,177	OHT-10	1758	57	OS1248-16/3	1653	210
OAC3648T-1H-1W	2955	138,177	OAS2460T-1H-1W	4586	138,177	OHT-11	1889	57	OS1248-16/4	1338	210
OAC3648T-2C	2955	138,177	OAS2460T-2C	4586	138,177	OHT-12	2025	57	OS1260-14/3	2008	210
OAC3648T-2H	2955	138,177	OAS2460T-2H	4586	138,177	OHT-13	2145	57	OS1260-16/3	1808	210
OAC3648T-2W	2955	138,177	OAS2460T-2W	4586	138,177	OHT-14	2270	57	OS1260-16/4	1426	210
OAC3660T-1C-1W	3227	138,177	OAS3036T-1C-1W	3808	138,177	OHT-15	2758	57	OS1272-14/3	2200	210
OAC3660T-1H-1W	3227	138,177	OAS3036T-1H-1W	3808	138,177	OHT-16	2893	57	OS1272-16/3	1980	210
OAC3660T-2C	3227	138,177	OAS3036T-2C	3808	138,177	OHT-17	3025	57	OS1272-16/4	1528	210
OAC3660T-2H	3227	138,177	OAS3036T-2H	3808	138,177	OHT-18	3153	57	OS1284-14/3	2382	210
OAC3660T-2W	3227	138,177	OAS3036T-2W	3808	138,177	OHT-19	3280	57	OS1284-16/3	2137	210
OAP2436T-1C-1W	3973	139	OAS3048T-1C-1W	4386	138,177	OHT-20	3412	57	OS1284-16/4	1623	210
OAP2436T-1H-1W	3973	139	OAS3048T-1H-1W	4386	138,177	OHT-21	3534	57	OS1296-14/3	2869	210
OAP2436T-2C	3973	139	OAS3048T-2C	4386	138,177	OHT-6	889	57	OS1296-16/3	2577	210
OAP2436T-2H	3973	139	OAS3048T-2H	4386	138,177	OHT-7	995	57	OS1296-16/4	1980	210
OAP2436T-2W	3973	139	OAS3048T-2W	4386	138,177	OHT-8	1489	57	OSCC2436	3666	160
OAP2448T-1C-1W	4600	139	OAS3060T-1C-1W	5050	138,177	OHT-9	1618	57	OSCC2448	3899	160
OAP2448T-1H-1W	4600	139	OAS3060T-1H-1W	5050	138,177	OLH-C	29	36,128	OUR-1830-2/W	2243	170
OAP2448T-2C	4600	139	OAS3060T-2C	5050	138,177	OLH-S	43	128,161	OUR-2630-2/W	2153	170
OAP2448T-2H	4600	139	OAS3060T-2H	5050	138,177	OS10108-14/3	2766	210	OUS18	255	53
OAP2448T-2W	4600	139	OAS3060T-2W	5050	138,177	OS10108-16/3	2497	210	OUS21	258	53
OAP2460T-1C-1W	5236	139	OAS3636T-1C-1W	4262	138,177	OS10108-16/4	1908	210	OUS24	273	53
OAP2460T-1H-1W	5236	139	OAS3636T-1H-1W	4262	138,177	OS10120-14/3	3017	210	P14-BL	33	23,62
OAP2460T-2C	5236	139	OAS3636T-2C	4262	138,177	OS10120-16/3	2704	210	P14-C	32	8,23
OAP2460T-2H	5236	139	OAS3636T-2H	4262	138,177	OS10120-16/4	1980	210	P14-E	36	8
OAP2460T-2W	5236	139	OAS3636T-2W	4262	138,177	OS10132-14/3	3200	210	P14-R	33	23,62
OAP3036T-1C-1W	4455	139	OAS3648T-1C-1W	5053	138,177	OS10132-16/3	2875	210	P14-S	67	8
OAP3036T-1H-1W	4455	139	OAS3648T-1H-1W	5053	138,177	OS10132-16/4	2070	210	P14-V	33	8
OAP3036T-2C	4455	139	OAS3648T-2C	5053	138,177	OS10144-14/3	3356	210	P14-VG	33	8
OAP3036T-2H	4455	139	OAS3648T-2H	5053	138,177	OS10144-16/3	3023	210	P14-W	33	23,62
OAP3036T-2W	4455	139	OAS3648T-2W	5053	138,177	OS10144-16/4	2145	210	P14-Z	29	8,23
OAP3048T-1C-1W	5036	139	OAS3660T-1C-1W	5834	138,177	OS1036-14/3	1596	210	P18-C	36	8
OAP3048T-1H-1W	5036	139	OAS3660T-1H-1W	5834	138,177	OS1036-16/3	1442	210	P18-E	48	8
OAP3048T-2C	5036	139	OAS3660T-2C	5834	138,177	OS1036-16/4	1192	210	P18-S	95	8
OAP3048T-2H	5036	139	OAS3660T-2H	5834	138,177	OS1048-14/3	1750	210	P18-V	37	8
OAP3048T-2W	5036	139	OAS3660T-2W	5834	138,177	OS1048-16/3	1576	210	P18-VG	37	8
OAP3060T-1C-1W	5703	139	OB24120SE	9005	201	OS1048-16/4	1270	210	P18-Z	33	8
OAP3060T-1H-1W	5703	139	OB24120SE-BS	9161	203	OS1060-14/3	1922	210	P1916	5357	236
OAP3060T-2C	5703	139	OB2436SE	5535	201	OS1060-16/3	1729	210	P1916FE	7170	236
OAP3060T-2H	5703	139	OB2436SE-BS	5710	203	OS1060-16/4	1345	210	P33-BL	40	23,62
OAP3060T-2W	5703	139	OB2448SE	5743	201	OS1072-14/3	2094	210	P33-C	37	8,23
OAP3636T-1C-1W	4911	139	OB2448SE-BS	5918	203	OS1072-16/3	1888	210	P33-E	49	8
OAP3636T-1H-1W	4911	139	OB2460SE	6149	201	OS1072-16/4	1442	210	P33-R	40	23,62
OAP3636T-2C	4911	139	OB2460SE-BS	6333	203	OS1084-14/3	2260	210	P33-S	109	8
OAP3636T-2H	4911	139	OB2472SE	6555	201	OS1084-16/3	2037	210	P33-V	40	8
OAP3636T-2W	4911	139	OB2472SE-BS	6758	203	OS1084-16/4	1525	210	P33-VG	40	8
OAP3648T-1C-1W	5704	139	OB2484SE	7136	201	OS1096-14/3	2697	210	P33-W	40	23,62
OAP3648T-1H-1W	5704	139	OB2484SE-BS	7359	203	OS1096-16/3	2426	210	P33-Z	36	8,23
OAP3648T-2C	5704	139	OB2496SE	7500	201	OS1096-16/4	1862	210	P54-BL	49	23,62
OAP3648T-2H	5704	139	OB2496SE-BS	7734	203	OS12108-14/3	3082	210	P54-C	48	8,23
OAP3648T-2W	5704	139	OB30120SE	9443	201	OS12108-16/3	2766	210	P54-E	53	8
OAP3660T-1C-1W	6480	139	OB30120SE-BS	9713	203	OS12108-16/4	2104	210	P54-R	49	23,62
OAP3660T-1H-1W	6480	139	OB3036SE	5835	201	OS12120-14/3	3233	210	P54-S	125	8
OAP3660T-2C	6480	139	OB3036SE-BS	6203	203	OS12120-16/3	2909	210	P54-V	49	8
OAP3660T-2H	6480	139	OB3048SE	6047	201	OS12120-16/4	2176	210	P54-VG	49	8
OAP3660T-2W	6480	139	OB3048SE-BS	6326	203	OS12132-14/3	3455	210	P54-W	49	23,62
OAS2436T-1C-1W	3457	138,177	OB3060SE	6497	201	OS12132-16/3	3108	210	P54-Z	45	8,23
OAS2436T-1H-1W	3457	138,177	OB3072SE	6966	201	OS12132-16/4	2300	210	P63-BL	53	23,62
OAS2436T-2C	3457	138,177	OB3072SE-BS	7049	203	OS12144-14/3	3609	210	P63-C	49	8,23
OAS2436T-2H	3457	138,177	OB3084SE	7440	201	OS12144-16/3	3248	210	P63-E	60	8
OAS2436T-2W	3457	138,177	OB3084SE-BS	7653	203	OS12144-16/4	2372	210	P63-R	53	23,62
OAS2448T-1C-1W	3954	138,177							P63-S	136	8

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
P63-V	53	8	PF1830-Z	232	36	PRT144-C	456	208	PWE21-3C	888	96
P63-VG	53	8	PF1836-C	244	36	PRT30-C	155	208	PWE21-3S	2556	96
P63-W	53	23,62	PF1836-E	297	36	PRT36-C	180	208	PWE21-3VG	888	96
P63-Z	48	8,23	PF1836-Z	238	36	PRT48-C	200	208	PWE21-4C	1082	96
P7-BL	29	23,62	PF2124-C	258	36	PRT60-C	234	208	PWE21-4S	3129	96
P7-C	28	8,23	PF2124-E	306	36	PRT72-C	272	208	PWE21-4VG	1082	96
P7-E	33	8	PF2124-Z	240	36	PRT84-C	316	208	PWE24-1C	393	96
P7-R	29	23,62	PF2130-C	269	36	PRT96-C	370	208	PWE24-1S	1130	96
P7-S	65	8	PF2130-E	308	36	PS2408	381	198	PWE24-1VG	393	96
P7-V	29	8	PF2130-Z	243	36	PS3612	416	198	PWE24-2C	645	96
P7-VG	29	8	PF2136-C	272	36	PS4816	430	198	PWE24-2S	2026	96
P7-W	29	23,62	PF2136-E	312	36	PS6020	533	198	PWE24-2VG	645	96
P7-Z	25	8,23	PF2136-Z	245	36	PW14C	108	97	PWE24-3C	899	96
P74-BL	59	23,62	PF2424-C	270	36	PW14S	306	97	PWE24-3S	2617	96
P74-C	55	8,23	PF2424-E	325	36	PW14VG	108	97	PWE24-3VG	899	96
P74-E	65	8	PF2424-Z	245	36	PW33C	136	97	PWE24-4C	1092	96
P74-R	59	23,62	PF2430-C	276	36	PW33S	488	97	PWE24-4S	3233	96
P74-S	155	8	PF2430-E	327	36	PW33VG	136	97	PWE24-4VG	1092	96
P74-V	59	8	PF2430-Z	254	36	PW54C	172	97	PWM14-1C	245	96
P74-VG	59	8	PF2436-C	280	36	PW54S	495	97	PWM14-1S	686	96
P74-W	59	23,62	PF2436-E	330	36	PW54VG	172	97	PWM14-1VG	245	96
P74-Z	49	8,23	PF2436-Z	256	36	PW63C	174	97	PWM14-2C	418	96
P86-BL	67	23,62	PH14-C	59	55	PW63S	506	97	PWM14-2S	1243	96
P86-C	66	8,23	PH14-S	152	55	PW63VG	174	97	PWM14-2VG	418	96
P86-E	74	8	PH18-C	65	55	PWB14C	94	97	PWM14-3C	588	96
P86-R	67	23,62	PH18-S	173	55	PWB14S	300	97	PWM14-3S	1655	96
P86-S	176	8	PH21-C	66	55	PWB14VG	94	97	PWM14-3VG	588	96
P86-V	67	8	PH21-S	189	55	PWB18C	95	97	PWM14-4C	728	96
P86-VG	67	8	PH24-C	66	55	PWB18S	306	97	PWM14-4S	2073	96
P86-W	67	23,62	PH24-S	204	55	PWB18VG	95	97	PWM14-4VG	728	96
P86-Z	62	8,23	PH30-C	83	55	PWB21C	96	97	PWM18-1C	252	96
P96-C	75	8	PH30-S	220	55	PWB21S	325	97	PWM18-1S	708	96
P96-S	197	8	PH36-C	94	55	PWB21VG	96	97	PWM18-1VG	252	96
PBH	84	91	PH36-S	238	55	PWB24C	104	97	PWM18-2C	419	96
PC2448-C	2374	154	PH3RD	109	91	PWB24S	333	97	PWM18-2S	1294	96
PC2460-C	2764	154	PHS-A-C	13190	228	PWB24VG	104	97	PWM18-2VG	419	96
PCH2448-C	2829	154	PHS-A-C-LB	14511	228	PWE14-1C	384	96	PWM18-3C	597	96
PCH2460-C	3103	154	PHS-A-H	15643	228	PWE14-1S	1066	96	PWM18-3S	1715	96
PCPL5-250	148	10	PHS-A-H-LB	17208	228	PWE14-1VG	384	96	PWM18-3VG	597	96
PCPS5-250	118	10	PHS-S-C	11000	228	PWE14-2C	617	96	PWM18-4C	736	96
PCRB1836-W	3553	131	PHS-S-C-LB	12319	228	PWE14-2S	1888	96	PWM18-4S	1997	96
PCRB1848-W	3740	131	PHS-S-C-TF	13194	267	PWE14-2VG	617	96	PWM18-4VG	736	96
PCRB1860-W	3968	131	PHS-S-H	13582	228	PWE14-3C	856	96	PWM21-1C	258	96
PCRB1872-W	4282	131	PHS-S-H-LB	13797	228	PWE14-3S	2426	96	PWM21-1S	720	96
PD3622	615	38	PHS-S-H-TF	14413	267	PWE14-3VG	856	96	PWM21-1VG	258	96
PD4822	738	38	PHS-S3-C	11358	228	PWE14-4C	1033	96	PWM21-2C	448	96
PD4836	816	38	PHS-S3-C-LB	12492	228	PWE14-4S	2975	96	PWM21-2S	1307	96
PD6022	852	38	PHS-S3-H	14297	228	PWE14-4VG	1033	96	PWM21-2VG	448	96
PDWB14C	145	97	PHS-S3-H-LB	16248	228	PWE18-1C	388	96	PWM21-3C	627	96
PDWB14S	454	97	PHS-SUPCRT-A	1234	228	PWE18-1S	1097	96	PWM21-3S	1739	96
PDWB14VG	145	97	PHSE-S-C	9202	228	PWE18-1VG	388	96	PWM21-3VG	627	96
PDWB18C	152	97	PHSE-S-H	11246	228	PWE18-2C	617	96	PWM21-4C	783	96
PDWB18S	465	97	PLASTIC SPLIT SLEEVES	9	47	PWE18-2S	1970	96	PWM21-4S	2142	96
PDWB18VG	152	97	POST CAP	5	47	PWE18-2VG	617	96	PWM21-4VG	783	96
PDWB21C	156	97	POST CLAMP	14	47	PWE18-3C	859	96	PWM24-1C	263	96
PDWB21S	488	97	PR12VU	103	90	PWE18-3S	2539	96	PWM24-1S	726	96
PDWB21VG	156	97	PR14B	218	90	PWE18-3VG	859	96	PWM24-1VG	263	96
PDWB24C	160	97	PR18B	239	90	PWE18-4C	1038	96	PWM24-2C	448	96
PDWB24S	495	97	PR21B	244	90	PWE18-4S	3129	96	PWM24-2S	1312	96
PDWB24VG	160	97	PR24B	315	90	PWE18-4VG	1038	96	PWM24-2VG	448	96
PF1824-C	240	36	PR30VU	164	90	PWE21-1C	393	96	PWM24-3C	630	96
PF1824-E	284	36	PR45VU	204	90	PWE21-1S	1108	96	PWM24-3S	1762	96
PF1824-Z	228	36	PRT108-C	376	208	PWE21-1VG	393	96	PWM24-3VG	630	96
PF1830-C	242	36	PRT120-C	389	208	PWE21-2C	637	96	PWM24-4C	786	96
PF1830-E	289	36	PRT132-C	419	208	PWE21-2S	1983	96	PWM24-4S	2219	96
						PWE21-2VG	637	96	PWM24-4VG	786	96

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
PWTF1-1215.....	20548.....	267	QA1836VG.....	233.....	11	QA2154V.....	306.....	11	QAR1424S.....	574.....	12
QA1424C.....	192.....	11	QA1836Z.....	210.....	11	QA2154VG.....	306.....	11	QAR1424V.....	196.....	12
QA1424E.....	210.....	11	QA1842C.....	238.....	11	QA2154Z.....	284.....	11	QAR1424VG.....	196.....	12
QA1424S.....	542.....	11	QA1842E.....	278.....	11	QA2160C.....	299.....	11	QAR1424Z.....	189.....	12
QA1424V.....	185.....	11	QA1842S.....	770.....	11	QA2160E.....	349.....	11	QAR1436C.....	215.....	12
QA1424VG.....	185.....	11	QA1842V.....	245.....	11	QA2160S.....	1125.....	11	QAR1436E.....	239.....	12
QA1424Z.....	174.....	11	QA1842VG.....	245.....	11	QA2160V.....	308.....	11	QAR1436S.....	585.....	12
QA1430C.....	197.....	11	QA1842Z.....	228.....	11	QA2160VG.....	308.....	11	QAR1436V.....	219.....	12
QA1430E.....	217.....	11	QA1848C.....	240.....	11	QA2160Z.....	285.....	11	QAR1436VG.....	219.....	12
QA1430S.....	549.....	11	QA1848E.....	284.....	11	QA2172C.....	350.....	11	QAR1436Z.....	200.....	12
QA1430V.....	194.....	11	QA1848S.....	783.....	11	QA2172E.....	408.....	11	QAR1448C.....	240.....	12
QA1430VG.....	194.....	11	QA1848V.....	269.....	11	QA2172S.....	1322.....	11	QAR1448E.....	276.....	12
QA1430Z.....	185.....	11	QA1848VG.....	269.....	11	QA2172V.....	375.....	11	QAR1448S.....	700.....	12
QA1436C.....	203.....	11,43	QA1848Z.....	238.....	11	QA2172VG.....	375.....	11	QAR1448V.....	245.....	12
QA1436E.....	226.....	11,43	QA1854C.....	269.....	11	QA2172Z.....	337.....	11	QAR1448VG.....	245.....	12
QA1436S.....	550.....	11,43	QA1854E.....	312.....	11	QA2424C.....	238.....	11	QAR1448Z.....	215.....	12
QA1436V.....	205.....	11	QA1854S.....	966.....	11	QA2424E.....	276.....	11	QAR1824C.....	214.....	12
QA1436VG.....	205.....	11	QA1854V.....	284.....	11	QA2424S.....	799.....	11	QAR1824E.....	245.....	12
QA1436Z.....	189.....	11	QA1854VG.....	284.....	11	QA2424V.....	239.....	11	QAR1824S.....	693.....	12
QA1442C.....	220.....	11	QA1854Z.....	256.....	11	QA2424VG.....	239.....	11	QAR1824V.....	217.....	12
QA1442E.....	244.....	11	QA1860C.....	273.....	11	QA2424Z.....	226.....	11	QAR1824VG.....	217.....	12
QA1442S.....	658.....	11	QA1860E.....	326.....	11	QA2430C.....	240.....	11	QAR1824Z.....	210.....	12
QA1442V.....	232.....	11	QA1860S.....	978.....	11	QA2430E.....	280.....	11	QAR1836C.....	228.....	12
QA1442VG.....	232.....	11	QA1860V.....	297.....	11	QA2430S.....	803.....	11	QAR1836E.....	258.....	12
QA1442Z.....	203.....	11	QA1860VG.....	297.....	11	QA2430V.....	256.....	11	QAR1836S.....	708.....	12
QA1448C.....	228.....	11,43	QA1860Z.....	266.....	11	QA2430VG.....	256.....	11	QAR1836V.....	243.....	12
QA1448E.....	256.....	11,43	QA1872C.....	308.....	11	QA2430Z.....	232.....	11	QAR1836VG.....	243.....	12
QA1448S.....	659.....	11,43	QA1872E.....	358.....	11	QA2436C.....	244.....	11,43	QAR1836Z.....	226.....	12
QA1448V.....	238.....	11	QA1872S.....	1148.....	11	QA2436E.....	285.....	11,43	QAR1848C.....	255.....	12
QA1448VG.....	238.....	11	QA1872V.....	344.....	11	QA2436S.....	810.....	11,43	QAR1848E.....	300.....	12
QA1448Z.....	210.....	11	QA1872VG.....	344.....	11	QA2436V.....	270.....	11	QAR1848S.....	830.....	12
QA1454C.....	238.....	11	QA1872Z.....	297.....	11	QA2436VG.....	270.....	11	QAR1848V.....	283.....	12
QA1454E.....	269.....	11	QA2124C.....	228.....	11	QA2436Z.....	238.....	11	QAR1848VG.....	283.....	12
QA1454S.....	807.....	11	QA2124E.....	256.....	11	QA2442C.....	280.....	11	QAR1848Z.....	245.....	12
QA1454V.....	240.....	11	QA2124S.....	738.....	11	QA2442E.....	328.....	11	QAR2124C.....	220.....	12
QA1454VG.....	240.....	11	QA2124V.....	217.....	11	QA2442S.....	960.....	11	QAR2124E.....	263.....	12
QA1454Z.....	226.....	11	QA2124VG.....	217.....	11	QA2442V.....	289.....	11	QAR2124S.....	714.....	12
QA1460C.....	244.....	11,43	QA2124Z.....	214.....	11	QA2442VG.....	289.....	11	QAR2124V.....	233.....	12
QA1460E.....	278.....	11,43	QA2130C.....	238.....	11	QA2442Z.....	266.....	11	QAR2124VG.....	233.....	12
QA1460S.....	825.....	11,43	QA2130E.....	266.....	11	QA2448C.....	285.....	11,43	QAR2124Z.....	219.....	12
QA1460V.....	269.....	11	QA2130S.....	752.....	11	QA2448E.....	337.....	11,43	QAR2136C.....	254.....	12
QA1460VG.....	269.....	11	QA2130V.....	238.....	11	QA2448S.....	964.....	11,43	QAR2136E.....	284.....	12
QA1460Z.....	238.....	11	QA2130VG.....	238.....	11	QA2448V.....	309.....	11	QAR2136S.....	800.....	12
QA1472C.....	278.....	11	QA2130Z.....	217.....	11	QA2448VG.....	309.....	11	QAR2136V.....	276.....	12
QA1472E.....	307.....	11	QA2136C.....	239.....	11	QA2448Z.....	270.....	11	QAR2136VG.....	276.....	12
QA1472S.....	923.....	11	QA2136E.....	270.....	11	QA2454C.....	325.....	11	QAR2136Z.....	239.....	12
QA1472V.....	284.....	11	QA2136S.....	759.....	11	QA2454E.....	376.....	11	QAR2148C.....	283.....	12
QA1472VG.....	284.....	11	QA2136V.....	256.....	11	QA2454S.....	1164.....	11	QAR2148E.....	325.....	12
QA1472Z.....	266.....	11	QA2136VG.....	256.....	11	QA2454V.....	340.....	11	QAR2148S.....	919.....	12
QA1824C.....	203.....	11	QA2136Z.....	226.....	11	QA2454VG.....	340.....	11	QAR2148V.....	300.....	12
QA1824E.....	238.....	11	QA2142C.....	258.....	11	QA2454Z.....	307.....	11	QAR2148VG.....	300.....	12
QA1824S.....	652.....	11	QA2142E.....	297.....	11	QA2460C.....	327.....	11,43	QAR2148Z.....	266.....	12
QA1824V.....	200.....	11	QA2142S.....	858.....	11	QA2460E.....	384.....	11,43	QAR2424C.....	245.....	12
QA1824VG.....	200.....	11	QA2142V.....	273.....	11	QA2460S.....	1173.....	11,43	QAR2424E.....	293.....	12
QA1824Z.....	200.....	11	QA2142VG.....	273.....	11	QA2460V.....	358.....	11	QAR2424S.....	850.....	12
QA1830C.....	207.....	11	QA2142Z.....	240.....	11	QA2460VG.....	358.....	11	QAR2424V.....	252.....	12
QA1830E.....	239.....	11	QA2148C.....	269.....	11	QA2460Z.....	309.....	11	QAR2424VG.....	252.....	12
QA1830S.....	658.....	11	QA2148E.....	300.....	11	QA2472C.....	375.....	11	QAR2424Z.....	240.....	12
QA1830V.....	219.....	11	QA2148S.....	863.....	11	QA2472E.....	438.....	11	QAR2436C.....	266.....	12
QA1830VG.....	219.....	11	QA2148V.....	284.....	11	QA2472S.....	1445.....	11	QAR2436E.....	303.....	12
QA1830Z.....	204.....	11	QA2148VG.....	284.....	11	QA2472V.....	417.....	11	QAR2436S.....	863.....	12
QA1836C.....	214.....	11	QA2148Z.....	244.....	11	QA2472VG.....	417.....	11	QAR2436V.....	284.....	12
QA1836E.....	243.....	11	QA2154C.....	294.....	11	QA2472Z.....	353.....	11	QAR2436VG.....	284.....	12
QA1836S.....	663.....	11	QA2154E.....	338.....	11	QAR1424C.....	203.....	12	QAR2436Z.....	252.....	12
QA1836V.....	233.....	11	QA2154S.....	1118.....	11	QAR1424E.....	226.....	12	QAR2448C.....	303.....	12

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
QAR2448E.....	355.....	12	QPAF-QA1854C.....	283.....	14	QPB2416V-9.....	463.....	14	QPF-2172C-BL.....	349.....	13
QAR2448S.....	1023.....	12	QPAF-QA1854V.....	287.....	14	QPB2422C-6.....	467.....	14	QPF-2172C-BS.....	369.....	13
QAR2448V.....	334.....	12	QPAF-QA1860C.....	285.....	14	QPB2422C-9.....	498.....	14	QPF-2172V-BL.....	367.....	13
QAR2448VG.....	334.....	12	QPAF-QA1860V.....	293.....	14	QPB2422V-6.....	480.....	14	QPF-2172V-BS.....	389.....	13
QAR2448Z.....	284.....	12	QPAF-QA1872C.....	287.....	14	QPB2422V-9.....	512.....	14	QPF-2424C-BL.....	220.....	13
QDR2436-S.....	700.....	16	QPAF-QA1872V.....	294.....	14	QPF-1824C-BL.....	177.....	13	QPF-2424C-BS.....	238.....	13
QDR2436-V.....	517.....	16	QPAF-QA2424C.....	276.....	14	QPF-1824C-BS.....	188.....	13	QPF-2424V-BL.....	234.....	13
QDR2448-S.....	765.....	16	QPAF-QA2424V.....	283.....	14	QPF-1824V-BL.....	188.....	13	QPF-2424V-BS.....	245.....	13
QDR2448-V.....	539.....	16	QPAF-QA2430C.....	283.....	14	QPF-1824V-BS.....	197.....	13	QPF-2430C-BL.....	226.....	13
QDR2460-S.....	844.....	16	QPAF-QA2430V.....	287.....	14	QPF-1830C-BL.....	188.....	13	QPF-2430C-BS.....	240.....	13
QDR2460-V.....	567.....	16	QPAF-QA2436C.....	287.....	14	QPF-1830C-BS.....	197.....	13	QPF-2430V-BL.....	239.....	13
QL18W-1C.....	65.....	16	QPAF-QA2436V.....	294.....	14	QPF-1830V-BL.....	197.....	13	QPF-2430V-BS.....	252.....	13
QL18W-1V.....	66.....	16	QPAF-QA2442C.....	294.....	14	QPF-1830V-BS.....	206.....	13	QPF-2436C-BL.....	226.....	13
QL18W-4C.....	66.....	16	QPAF-QA2442V.....	300.....	14	QPF-1836C-BL.....	188.....	13	QPF-2436C-BS.....	240.....	13
QL18W-4V.....	67.....	16	QPAF-QA2448C.....	300.....	14	QPF-1836C-BS.....	197.....	13	QPF-2436V-BL.....	239.....	13
QL21W-1C.....	67.....	16	QPAF-QA2448V.....	306.....	14	QPF-1836V-BL.....	197.....	13	QPF-2436V-BS.....	252.....	13
QL21W-1V.....	69.....	16	QPAF-QA2454C.....	306.....	14	QPF-1836V-BS.....	206.....	13	QPF-2442C-BL.....	276.....	13
QL21W-4C.....	70.....	16	QPAF-QA2454V.....	309.....	14	QPF-1842C-BL.....	226.....	13	QPF-2442C-BS.....	287.....	13
QL21W-4V.....	74.....	16	QPAF-QA2460C.....	307.....	14	QPF-1842C-BS.....	239.....	13	QPF-2442V-BL.....	289.....	13
QL24L-1C.....	69.....	16	QPAF-QA2460V.....	312.....	14	QPF-1842V-BL.....	238.....	13	QPF-2442V-BS.....	303.....	13
QL24L-1V.....	70.....	16	QPAF-QA2472C.....	322.....	14	QPF-1842V-BS.....	248.....	13	QPF-2448C-BL.....	276.....	13
QL24L-4C.....	70.....	16	QPAF-QA2472V.....	327.....	14	QPF-1848C-BL.....	226.....	13	QPF-2448C-BS.....	287.....	13
QL24L-4V.....	74.....	16	QPAF-1824C.....	128.....	14	QPF-1848C-BS.....	239.....	13	QPF-2448V-BL.....	289.....	13
QL24W-1C.....	69.....	16	QPAF-1824V.....	129.....	14	QPF-1848V-BL.....	238.....	13	QPF-2448V-BS.....	303.....	13
QL24W-1V.....	70.....	16	QPAF-1830C.....	130.....	14	QPF-1848V-BS.....	248.....	13	QPF-2454C-BL.....	327.....	13
QL24W-4C.....	70.....	16	QPAF-1830V.....	132.....	14	QPF-1854C-BL.....	266.....	13	QPF-2454C-BS.....	342.....	13
QL24W-4V.....	74.....	16	QPAF-1836C.....	133.....	14	QPF-1854C-BS.....	280.....	13	QPF-2454V-BL.....	342.....	13
QL30L-1C.....	83.....	16	QPAF-1836V.....	134.....	14	QPF-1854V-BL.....	280.....	13	QPF-2454V-BS.....	358.....	13
QL30L-1V.....	86.....	16	QPAF-1842C.....	136.....	14	QPF-1854V-BS.....	294.....	13	QPF-2460C-BL.....	327.....	13
QL30L-4C.....	93.....	16	QPAF-1842V.....	139.....	14	QPF-1860C-BL.....	266.....	13	QPF-2460C-BS.....	342.....	13
QL30L-4V.....	94.....	16	QPAF-1848C.....	142.....	14	QPF-1860C-BS.....	280.....	13	QPF-2460V-BL.....	342.....	13
QL36L-1C.....	96.....	16	QPAF-1848V.....	143.....	14	QPF-1860V-BL.....	280.....	13	QPF-2460V-BS.....	358.....	13
QL36L-1V.....	97.....	16	QPAF-1854C.....	143.....	14	QPF-1860V-BS.....	294.....	13	QPF-2472C-BL.....	382.....	13
QL36L-4C.....	108.....	16	QPAF-1854V.....	145.....	14	QPF-1872C-BL.....	303.....	13	QPF-2472C-BS.....	399.....	13
QL36L-4V.....	109.....	16	QPAF-1860C.....	147.....	14	QPF-1872C-BS.....	319.....	13	QPF-2472V-BL.....	399.....	13
QL42L-1C.....	103.....	16	QPAF-1860V.....	148.....	14	QPF-1872V-BL.....	319.....	13	QPF-2472V-BS.....	420.....	13
QL42L-1V.....	104.....	16	QPAF-1872C.....	152.....	14	QPF-1872V-BS.....	334.....	13	QPF-QA1824C-BL.....	207.....	13
QL42L-4C.....	109.....	16	QPAF-1872V.....	155.....	14	QPF-2124C-BL.....	203.....	13	QPF-QA1824C-BS.....	217.....	13
QL42L-4V.....	110.....	16	QPAF-2424C.....	143.....	14	QPF-2124C-BS.....	210.....	13	QPF-QA1824V-BL.....	217.....	13
QL48L-1C.....	104.....	16	QPAF-2424V.....	145.....	14	QPF-2124V-BL.....	210.....	13	QPF-QA1824V-BS.....	233.....	13
QL48L-1V.....	105.....	16	QPAF-2430C.....	148.....	14	QPF-2124V-BS.....	220.....	13	QPF-QA1830C-BL.....	217.....	13
QL48L-4C.....	110.....	16	QPAF-2430V.....	152.....	14	QPF-2130C-BL.....	206.....	13	QPF-QA1830C-BS.....	233.....	13
QL48L-4V.....	115.....	16	QPAF-2436C.....	153.....	14	QPF-2130C-BS.....	217.....	13	QPF-QA1830V-BL.....	233.....	13
QL54L-1C.....	110.....	16	QPAF-2436V.....	156.....	14	QPF-2130V-BL.....	217.....	13	QPF-QA1830V-BS.....	243.....	13
QL54L-1V.....	115.....	16	QPAF-2442C.....	156.....	14	QPF-2130V-BS.....	232.....	13	QPF-QA1836C-BL.....	217.....	13
QL54L-4C.....	116.....	16	QPAF-2442V.....	160.....	14	QPF-2136C-BL.....	206.....	13	QPF-QA1836C-BS.....	233.....	13
QL54L-4V.....	118.....	16	QPAF-2448C.....	166.....	14	QPF-2136C-BS.....	217.....	13	QPF-QA1836V-BL.....	233.....	13
QL60L-1C.....	128.....	16	QPAF-2448V.....	173.....	14	QPF-2136V-BL.....	217.....	13	QPF-QA1836V-BS.....	243.....	13
QL60L-1V.....	129.....	16	QPAF-2454C.....	169.....	14	QPF-2136V-BS.....	232.....	13	QPF-QA1842C-BL.....	266.....	13
QL60L-4C.....	133.....	16	QPAF-2454V.....	174.....	14	QPF-2142C-BL.....	243.....	13	QPF-QA1842C-BS.....	280.....	13
QL60L-4V.....	134.....	16	QPAF-2460C.....	169.....	14	QPF-2142C-BS.....	255.....	13	QPF-QA1842V-BL.....	276.....	13
QL72L-1C.....	136.....	16	QPAF-2460V.....	174.....	14	QPF-2142V-BL.....	255.....	13	QPF-QA1842V-BS.....	294.....	13
QL72L-1V.....	139.....	16	QPAF-2472C.....	189.....	14	QPF-2142V-BS.....	270.....	13	QPF-QA1848C-BL.....	266.....	13
QL72L-4C.....	145.....	16	QPAF-2472V.....	194.....	14	QPF-2148C-BL.....	243.....	13	QPF-QA1848C-BS.....	280.....	13
QL72L-4V.....	147.....	16	QPB1816C-9.....	406.....	14	QPF-2148C-BS.....	255.....	13	QPF-QA1848V-BL.....	276.....	13
QPAF-QA1824C.....	263.....	14	QPB1816C-6.....	417.....	14	QPF-2148V-BL.....	255.....	13	QPF-QA1848V-BS.....	294.....	13
QPAF-QA1824V.....	269.....	14	QPB1816V-9.....	445.....	14	QPF-2148V-BS.....	270.....	13	QPF-QA1854C-BL.....	309.....	13
QPAF-QA1830C.....	266.....	14	QPB1822C-6.....	452.....	14	QPF-2154C-BL.....	285.....	13	QPF-QA1854C-BS.....	328.....	13
QPAF-QA1830V.....	272.....	14	QPB1822C-9.....	485.....	14	QPF-2154C-BS.....	303.....	13	QPF-QA1854V-BL.....	328.....	13
QPAF-QA1836C.....	266.....	14	QPB1822V-6.....	462.....	14	QPF-2154V-BL.....	300.....	13	QPF-QA1854V-BS.....	344.....	13
QPAF-QA1836V.....	272.....	14	QPB1822V-9.....	493.....	14	QPF-2154V-BS.....	319.....	13	QPF-QA1860C-BL.....	309.....	13
QPAF-QA1842C.....	270.....	14	QPB2416C-6.....	423.....	14	QPF-2160C-BL.....	285.....	13	QPF-QA1860C-BS.....	328.....	13
QPAF-QA1842V.....	276.....	14	QPB2416C-9.....	453.....	14	QPF-2160C-BS.....	303.....	13	QPF-QA1860V-BL.....	328.....	13
QPAF-QA1848C.....	273.....	14	QPB2416V-6.....	430.....	14	QPF-2160V-BL.....	300.....	13	QPF-QA1860V-BS.....	344.....	13
QPAF-QA1848V.....	280.....	14				QPF-2160V-BS.....	319.....	13	QPF-QA1872C-BL.....	355.....	13

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
QPF-QA1872C-BS.....	372.....	13	QPF-QA2472V-BL.....	474.....	13	R86-S.....	95.....	48	RS4-63-A2448C.....	1303.....	23
QPF-QA1872V-BL.....	372.....	13	QPF-QA2472V-BS.....	494.....	13	RETAINING CLAMP.....	8.....	47	RS4-74-A1436BL.....	1050.....	23
QPF-QA1872V-BS.....	394.....	13	QPMU1836C-B5-74.....	1555.....	15	RH36-C.....	155.....	179	RS4-74-A1436C.....	1042.....	23
QPF-QA2124C-BL.....	239.....	13	QPMU1836V-B5-74.....	1308.....	15	RH48-C.....	162.....	179	RS4-74-A1448BL.....	1116.....	23
QPF-QA2124C-BS.....	245.....	13	QPMU1848C-B5-74.....	1770.....	15	RH60-C.....	165.....	179	RS4-74-A1448C.....	1105.....	23
QPF-QA2124V-BL.....	245.....	13	QPMU1848V-B5-74.....	1519.....	15	RM1436BL.....	133.....	25	RS4-74-A1836BL.....	1119.....	23
QPF-QA2124V-BS.....	258.....	13	QPMU1860C-B5-74.....	2017.....	15	RM1436C.....	132.....	25	RS4-74-A1836C.....	1110.....	23
QPF-QA2130C-BL.....	243.....	13	QPMU1860V-B5-74.....	1766.....	15	RM1436R.....	133.....	25	RS4-74-A1848BL.....	1206.....	23
QPF-QA2130C-BS.....	255.....	13	QPMU2136C-B5-74.....	1673.....	15	RM1436W.....	133.....	25	RS4-74-A1848C.....	1194.....	23
QPF-QA2130V-BL.....	255.....	13	QPMU2136V-B5-74.....	1420.....	15	RM1436Z.....	116.....	25	RS4-74-A2136BL.....	1152.....	23
QPF-QA2130V-BS.....	270.....	13	QPMU2148C-B5-74.....	1884.....	15	RM1448BL.....	152.....	25	RS4-74-A2136C.....	1140.....	23
QPF-QA2136C-BL.....	243.....	13	QPMU2148V-B5-74.....	1634.....	15	RM1448C.....	148.....	25	RS4-74-A2148BL.....	1259.....	23
QPF-QA2136C-BS.....	255.....	13	QPMU2160C-B5-74.....	2139.....	15	RM1448R.....	152.....	25	RS4-74-A2148C.....	1247.....	23
QPF-QA2136V-BL.....	255.....	13	QPMU2160V-B5-74.....	1889.....	15	RM1448W.....	152.....	25	RS4-74-A2436BL.....	1215.....	23
QPF-QA2136V-BS.....	270.....	13	QPMU2436C-B5-74.....	1787.....	15	RM1448Z.....	134.....	25	RS4-74-A2436C.....	1204.....	23
QPF-QA2142C-BL.....	285.....	13	QPMU2436V-B5-74.....	1540.....	15	RM1836BL.....	136.....	25	RS4-74-A2448BL.....	1374.....	23
QPF-QA2142C-BS.....	300.....	13	QPMU2448C-B5-74.....	2070.....	15	RM1836C.....	134.....	25	RS4-74-A2448C.....	1359.....	23
QPF-QA2142V-BL.....	300.....	13	QPMU2448V-B5-74.....	1823.....	15	RM1836R.....	136.....	25	S-HOOKS-SK.....	18.....	47
QPF-QA2142V-BS.....	316.....	13	QPMU2460C-B5-74.....	2369.....	15	RM1836W.....	136.....	25	S1-3B-SSW1824C.....	239.....	94
QPF-QA2148C-BL.....	285.....	13	QPMU2460V-B5-74.....	2119.....	15	RM1836Z.....	134.....	25	S1-3B-SSW1830C.....	266.....	94
QPF-QA2148C-BS.....	300.....	13	QPSD18-C.....	139.....	16	RM1848BL.....	164.....	25	S1-3B-SSW1836C.....	283.....	94
QPF-QA2148V-BL.....	300.....	13	QPSD18-V.....	142.....	16	RM1848C.....	162.....	25	S1-3B-SSW1842C.....	307.....	94
QPF-QA2148V-BS.....	316.....	13	QPSD21-C.....	142.....	16	RM1848R.....	164.....	25	S1-3B-SSW1848C.....	325.....	94
QPF-QA2154C-BL.....	337.....	13	QPSD21-V.....	145.....	16	RM1848W.....	164.....	25	S1-3B-SSW1860C.....	377.....	94
QPF-QA2154C-BS.....	355.....	13	QPSD24-C.....	152.....	16	RM1848Z.....	156.....	25	S14-20-1-SL.....	3498.....	222
QPF-QA2154V-BL.....	354.....	13	QPSD24-V.....	153.....	16	RM2136BL.....	162.....	25	S14-20-2-18-SL.....	6396.....	222
QPF-QA2154V-BS.....	372.....	13	QPSU1836C-B5-74.....	1487.....	15	RM2136C.....	160.....	25	S14-20-2-18L-SL.....	6081.....	222
QPF-QA2160C-BL.....	337.....	13	QPSU1836V-B5-74.....	1240.....	15	RM2136R.....	162.....	25	S14-20-2-18R-SL.....	6081.....	222
QPF-QA2160C-BS.....	355.....	13	QPSU1848C-B5-74.....	1708.....	15	RM2136W.....	162.....	25	S14-20-3-18-SL.....	8441.....	222
QPF-QA2160V-BL.....	354.....	13	QPSU1848V-B5-74.....	1460.....	15	RM2136Z.....	148.....	25	S14-20-3-18L-SL.....	8018.....	222
QPF-QA2160V-BS.....	372.....	13	QPSU1860C-B5-74.....	1933.....	15	RM2148BL.....	189.....	25	S14-20-3-18R-SL.....	8018.....	222
QPF-QA2172C-BL.....	407.....	13	QPSU1860V-B5-74.....	1684.....	15	RM2148C.....	188.....	25	S14-20-3-24-SL.....	8805.....	222
QPF-QA2172C-BS.....	436.....	13	QPSU2136C-B5-74.....	1605.....	15	RM2148R.....	189.....	25	S14-20-3-24L-SL.....	8361.....	222
QPF-QA2172V-BL.....	430.....	13	QPSU2136V-B5-74.....	1355.....	15	RM2148W.....	189.....	25	S14-20-3-24R-SL.....	8361.....	222
QPF-QA2172V-BS.....	454.....	13	QPSU2148C-B5-74.....	1807.....	15	RM2148Z.....	169.....	25	S14-28-3-18-SL.....	10687.....	222
QPF-QA2424C-BL.....	258.....	13	QPSU2148V-B5-74.....	1555.....	15	RM2424BL.....	160.....	25	S1448-GRH.....	3270.....	127
QPF-QA2424C-BS.....	276.....	13	QPSU2160C-B5-74.....	2045.....	15	RM2424C.....	159.....	25	S1448-WGRH.....	1586.....	128
QPF-QA2424V-BL.....	273.....	13	QPSU2160V-B5-74.....	1796.....	15	RM2424R.....	160.....	25	S1460-GRH.....	3530.....	127
QPF-QA2424V-BS.....	289.....	13	QPSU2436C-B5-74.....	1712.....	15	RM2424W.....	160.....	25	S1460-WGRH.....	1755.....	128
QPF-QA2430C-BL.....	266.....	13	QPSU2436V-B5-74.....	1463.....	15	RM2424Z.....	148.....	25	S1472-GRH.....	4234.....	127
QPF-QA2430C-BS.....	283.....	13	QPSU2448C-B5-74.....	1987.....	15	RM2436BL.....	173.....	25	S1472-WGRH.....	2067.....	128
QPF-QA2430V-BL.....	280.....	13	QPSU2448V-B5-74.....	1737.....	15	RM2436C.....	169.....	25	S16-20-1.....	3083.....	222
QPF-QA2430V-BS.....	297.....	13	QPSU2460C-B5-74.....	2267.....	15	RM2436R.....	173.....	25	S16-20-2-18.....	5632.....	222
QPF-QA2436C-BL.....	266.....	13	QPSU2460V-B5-74.....	2017.....	15	RM2436W.....	173.....	25	S16-20-2-18L.....	5354.....	222
QPF-QA2436C-BS.....	283.....	13	QTR24361-S.....	452.....	15	RM2436Z.....	159.....	25	S16-20-2-18R.....	5354.....	222
QPF-QA2436V-BL.....	280.....	13	QTR24361-V.....	417.....	15	RM2448BL.....	205.....	25	S16-20-3-18.....	7425.....	222
QPF-QA2436V-BS.....	297.....	13	QTR24363-S.....	443.....	15	RM2448C.....	204.....	25	S16-20-3-18L.....	7056.....	222
QPF-QA2442C-BL.....	326.....	13	QTR24363-V.....	407.....	15	RM2448R.....	205.....	25	S16-20-3-18R.....	7056.....	222
QPF-QA2442C-BS.....	338.....	13	QTR24481-S.....	485.....	15	RM2448W.....	205.....	25	S16-20-3-24.....	7743.....	222
QPF-QA2442V-BL.....	340.....	13	QTR24481-V.....	436.....	15	RM2448Z.....	189.....	25	S16-20-3-24L.....	7358.....	222
QPF-QA2442V-BS.....	355.....	13	QTR24483-S.....	476.....	15	RS4-63-A1436BL.....	988.....	23	S16-20-3-24R.....	7358.....	222
QPF-QA2448C-BL.....	326.....	13	QTR24483-V.....	429.....	15	RS4-63-A1436C.....	978.....	23	S16-28-3-18.....	9396.....	222
QPF-QA2448C-BS.....	338.....	13	QTR24601-S.....	522.....	15	RS4-63-A1448BL.....	1053.....	23	S1848-WGRT.....	1088.....	128
QPF-QA2448V-BL.....	340.....	13	QTR24601-V.....	463.....	15	RS4-63-A1448C.....	1043.....	23	S1860-WGRT.....	1248.....	128
QPF-QA2448V-BS.....	355.....	13	QTR24603-S.....	516.....	15	RS4-63-A1836BL.....	1055.....	23	S1872-WGRT.....	1456.....	128
QPF-QA2454C-BL.....	384.....	13	QTR24603-V.....	454.....	15	RS4-63-A1836C.....	1044.....	23	S2-3B-SSW1824C.....	362.....	94
QPF-QA2454C-BS.....	403.....	13	R1836Z-13.....	356.....	171	RS4-63-A1848BL.....	1140.....	23	S2-3B-SSW1830C.....	416.....	94
QPF-QA2454V-BL.....	403.....	13	R1836Z-7.....	400.....	171	RS4-63-A1848C.....	1129.....	23	S2-3B-SSW1836C.....	448.....	94
QPF-QA2454V-BS.....	423.....	13	R54-C.....	25.....	48	RS4-63-A2136BL.....	1084.....	23	S2-3B-SSW1842C.....	506.....	94
QPF-QA2460C-BL.....	384.....	13	R54-S.....	70.....	48	RS4-63-A2136C.....	1074.....	23	S2-3B-SSW1848C.....	532.....	94
QPF-QA2460C-BS.....	403.....	13	R63-C.....	28.....	48,154	RS4-63-A2148BL.....	1200.....	23	S2-3B-SSW1860C.....	642.....	94
QPF-QA2460V-BL.....	403.....	13	R63-S.....	80.....	48	RS4-63-A2148C.....	1182.....	23	S2448-CGRN.....	5414.....	126
QPF-QA2460V-BS.....	423.....	13	R74-C.....	29.....	48	RS4-63-A2436BL.....	1152.....	23	S2448-CGRR.....	4693.....	126
QPF-QA2472C-BL.....	450.....	13	R74-S.....	92.....	48	RS4-63-A2436C.....	1140.....	23	S2448-DGRN.....	8098.....	126
QPF-QA2472C-BS.....	474.....	13	R86-C.....	33.....	48	RS4-63-A2448BL.....	1314.....	23	S2448-DGRR.....	7343.....	126

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
S2448-GR	2545	127	S4-63-1842C	823	18	S4-63-2172Z	1147	18	S4-74-1842VG	905	18
S2448-GRT	1954	127	S4-63-1842E	999	18	S4-63-2424C	808	18	S4-74-1842Z	789	18
S2448-WGR	1055	128	S4-63-1842S	2907	18	S4-63-2424E	975	18	S4-74-1848C	838	18
S2448-SGRN	5414	126	S4-63-1842V	887	18	S4-63-2424S	2958	18	S4-74-1848E	1025	18
S2448-SGRR	4693	126	S4-63-1842VG	887	18	S4-63-2424V	838	18	S4-74-1848S	2982	18
S2460-CGRN	5535	126	S4-63-1842Z	784	18	S4-63-2424VG	838	18	S4-74-1848V	905	18
S2460-CGRR	4789	126	S4-63-1848C	823	18	S4-63-2424Z	760	18	S4-74-1848VG	905	18
S2460-DGRN	8428	126	S4-63-1848E	999	18	S4-63-2430C	830	18	S4-74-1848Z	789	18
S2460-DGRR	7788	126	S4-63-1848S	2907	18	S4-63-2430E	995	18	S4-74-1860C	954	18
S2460-GR	2917	127	S4-63-1848V	887	18	S4-63-2430S	2973	18	S4-74-1860E	1172	18
S2460-GRT	2133	127	S4-63-1848VG	887	18	S4-63-2430V	877	18	S4-74-1860S	3626	18
S2460-SGRN	5535	126	S4-63-1848Z	784	18	S4-63-2430VG	877	18	S4-74-1860V	1056	18
S2460-SGRR	4789	126	S4-63-1860C	934	18	S4-63-2430Z	776	18	S4-74-1860VG	1056	18
S2460-WGR	1333	128	S4-63-1860E	1147	18	S4-63-2436C	849	18	S4-74-1860Z	887	18
S2472-CGRN	5625	126	S4-63-1860S	3552	18	S4-63-2436E	1008	18	S4-74-1872C	1092	18
S2472-CGRR	4911	126	S4-63-1860V	1042	18	S4-63-2436S	3005	18	S4-74-1872E	1314	18
S2472-DGRN	8795	126	S4-63-1860VG	1042	18	S4-63-2436V	897	18	S4-74-1872S	4188	18
S2472-DGRR	8039	126	S4-63-1860Z	877	18	S4-63-2436VG	897	18	S4-74-1872V	1177	18
S2472-GR	2972	127	S4-63-1872C	1072	18	S4-63-2436Z	799	18	S4-74-1872VG	1177	18
S2472-GRT	2362	127	S4-63-1872E	1289	18	S4-63-2442C	975	18	S4-74-1872Z	1072	18
S2472-SGRN	5625	126	S4-63-1872S	4115	18	S4-63-2442E	1185	18	S4-74-2124C	789	18
S2472-SGRR	4911	126	S4-63-1872V	1160	18	S4-63-2442S	3527	18	S4-74-2124E	929	18
S2472-WGR	1474	128	S4-63-1872VG	1160	18	S4-63-2442V	1042	18	S4-74-2124S	2852	18
S2484-CGRN	6029	126	S4-63-1872Z	1065	18	S4-63-2442VG	1042	18	S4-74-2124V	808	18
S2484-CGRR	5276	126	S4-63-2124C	776	18	S4-63-2442Z	919	18	S4-74-2124VG	808	18
S2484-DGRN	9183	126	S4-63-2124E	905	18	S4-63-2448C	975	18	S4-74-2124Z	726	18
S2484-DGRR	8430	126	S4-63-2124S	2783	18	S4-63-2448E	1185	18	S4-74-2130C	808	18
S2484-SGRN	6030	126	S4-63-2124V	789	18	S4-63-2448S	3527	18	S4-74-2130E	944	18
S2484-SGRR	5276	126	S4-63-2124VG	789	18	S4-63-2448V	1042	18	S4-74-2130S	2876	18
S3-3B-SSW1824C	485	94	S4-63-2124Z	720	18	S4-63-2448VG	1042	18	S4-74-2130V	849	18
S3-3B-SSW1830C	560	94	S4-63-2130C	789	18	S4-63-2448Z	919	18	S4-74-2130VG	849	18
S3-3B-SSW1836C	612	94	S4-63-2130E	919	18	S4-63-2460C	1129	18	S4-74-2130Z	740	18
S3-3B-SSW1842C	704	94	S4-63-2130S	2804	18	S4-63-2460E	1359	18	S4-74-2136C	830	18
S3-3B-SSW1848C	738	94	S4-63-2130V	830	18	S4-63-2460S	4188	18	S4-74-2136E	983	18
S3-3B-SSW1860C	905	94	S4-63-2130VG	830	18	S4-63-2460V	1222	18	S4-74-2136S	2893	18
S3-5B-SSW1824C	526	94	S4-63-2130Z	734	18	S4-63-2460VG	1222	18	S4-74-2136V	863	18
S3-5B-SSW1830C	599	94	S4-63-2136C	816	18	S4-63-2460Z	1082	18	S4-74-2136VG	863	18
S3-5B-SSW1836C	654	94	S4-63-2136E	960	18	S4-63-2472C	1300	18	S4-74-2136Z	765	18
S3-5B-SSW1842C	747	94	S4-63-2136S	2819	18	S4-63-2472E	1554	18	S4-74-2142C	929	18
S3-5B-SSW1848C	784	94	S4-63-2136V	849	18	S4-63-2472S	5087	18	S4-74-2142E	1106	18
S3-5B-SSW1860C	945	94	S4-63-2136VG	849	18	S4-63-2472V	1394	18	S4-74-2142S	3245	18
S4-5B-SSW1824C	645	94	S4-63-2136Z	760	18	S4-63-2472VG	1394	18	S4-74-2142V	975	18
S4-5B-SSW1830C	754	94	S4-63-2142C	912	18	S4-63-2472Z	1204	18	S4-74-2142VG	975	18
S4-5B-SSW1836C	818	94	S4-63-2142E	1082	18	S4-74-1824C	712	18	S4-74-2142Z	849	18
S4-5B-SSW1842C	944	94	S4-63-2142S	3176	18	S4-74-1824E	849	18	S4-74-2148C	929	18
S4-5B-SSW1848C	993	94	S4-63-2142V	960	18	S4-74-1824S	2548	18	S4-74-2148E	1106	18
S4-5B-SSW1860C	1208	94	S4-63-2142VG	960	18	S4-74-1824V	734	18	S4-74-2148S	3245	18
S4-63-1824C	695	18	S4-63-2142Z	838	18	S4-74-1824VG	734	18	S4-74-2148V	975	18
S4-63-1824E	823	18	S4-63-2148C	912	18	S4-74-1824Z	678	18	S4-74-2148VG	975	18
S4-63-1824S	2475	18	S4-63-2148E	1082	18	S4-74-1830C	720	18	S4-74-2148Z	849	18
S4-63-1824V	720	18	S4-63-2148S	3176	18	S4-74-1830E	873	18	S4-74-2160C	1056	18
S4-63-1824VG	720	18	S4-63-2148V	960	18	S4-74-1830S	2577	18	S4-74-2160E	1248	18
S4-63-1824Z	670	18	S4-63-2148VG	960	18	S4-74-1830V	776	18	S4-74-2160S	4122	18
S4-63-1830C	700	18	S4-63-2148Z	838	18	S4-74-1830VG	776	18	S4-74-2160V	1129	18
S4-63-1830E	849	18	S4-63-2160C	1042	18	S4-74-1830Z	695	18	S4-74-2160VG	1129	18
S4-63-1830S	2506	18	S4-63-2160E	1222	18	S4-74-1836C	734	18	S4-74-2160Z	995	18
S4-63-1830V	760	18	S4-63-2160S	4053	18	S4-74-1836E	897	18	S4-74-2172C	1217	18
S4-63-1830VG	760	18	S4-63-2160V	1112	18	S4-74-1836S	2594	18	S4-74-2172E	1477	18
S4-63-1830Z	686	18	S4-63-2160VG	1112	18	S4-74-1836V	799	18	S4-74-2172S	4766	18
S4-63-1836C	720	18	S4-63-2160Z	983	18	S4-74-1836VG	799	18	S4-74-2172V	1322	18
S4-63-1836E	873	18	S4-63-2172C	1204	18	S4-74-1836Z	712	18	S4-74-2172VG	1322	18
S4-63-1836S	2522	18	S4-63-2172E	1452	18	S4-74-1842C	838	18	S4-74-2172Z	1153	18
S4-63-1836V	784	18	S4-63-2172S	4693	18	S4-74-1842E	1025	18	S4-74-2424C	823	18
S4-63-1836VG	784	18	S4-63-2172V	1307	18	S4-74-1842S	2982	18	S4-74-2424E	999	18
S4-63-1836Z	700	18	S4-63-2172VG	1307	18	S4-74-1842V	905	18	S4-74-2424S	3029	18

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
S4-74-2424V.....	856.....	18	S5-74-1842S.....	3573.....	20	S5-74-2424E.....	1186.....	20	S5-86-1848C.....	1044.....	20
S4-74-2424VG.....	856.....	18	S5-74-1842V.....	1074.....	20	S5-74-2424S.....	3633.....	20	S5-86-1848E.....	1256.....	20
S4-74-2424Z.....	765.....	18	S5-74-1842VG.....	1074.....	20	S5-74-2424V.....	1012.....	20	S5-86-1848S.....	3654.....	20
S4-74-2430C.....	849.....	18	S5-74-1842Z.....	939.....	20	S5-74-2424VG.....	1012.....	20	S5-86-1848V.....	1120.....	20
S4-74-2430E.....	1017.....	18	S5-74-1848C.....	997.....	20	S5-74-2424Z.....	910.....	20	S5-86-1848VG.....	1120.....	20
S4-74-2430S.....	3045.....	18	S5-74-1848E.....	1217.....	20	S5-74-2430C.....	1007.....	20	S5-86-1848Z.....	980.....	20
S4-74-2430V.....	897.....	18	S5-74-1848S.....	3573.....	20	S5-74-2430E.....	1207.....	20	S5-86-1860C.....	1185.....	20
S4-74-2430VG.....	897.....	18	S5-74-1848V.....	1074.....	20	S5-74-2430S.....	3654.....	20	S5-86-1860E.....	1439.....	20
S4-74-2430Z.....	784.....	18	S5-74-1848VG.....	1074.....	20	S5-74-2430V.....	1065.....	20	S5-86-1860S.....	4456.....	20
S4-74-2436C.....	863.....	18	S5-74-1848Z.....	939.....	20	S5-74-2430VG.....	1065.....	20	S5-86-1860V.....	1314.....	20
S4-74-2436E.....	1030.....	18	S5-74-1860C.....	1139.....	20	S5-74-2430Z.....	930.....	20	S5-86-1860VG.....	1314.....	20
S4-74-2436S.....	3078.....	18	S5-74-1860E.....	1398.....	20	S5-74-2436C.....	1026.....	20	S5-86-1860Z.....	1104.....	20
S4-74-2436V.....	912.....	18	S5-74-1860S.....	4380.....	20	S5-74-2436E.....	1226.....	20	S5-86-1872C.....	1355.....	20
S4-74-2436VG.....	912.....	18	S5-74-1860V.....	1267.....	20	S5-74-2436S.....	3695.....	20	S5-86-1872E.....	1618.....	20
S4-74-2436Z.....	808.....	18	S5-74-1860VG.....	1267.....	20	S5-74-2436V.....	1084.....	20	S5-86-1872S.....	5162.....	20
S4-74-2442C.....	995.....	18	S5-74-1860Z.....	1062.....	20	S5-74-2436VG.....	1084.....	20	S5-86-1872V.....	1464.....	20
S4-74-2442E.....	1208.....	18	S5-74-1872C.....	1308.....	20	S5-74-2436Z.....	960.....	20	S5-86-1872VG.....	1464.....	20
S4-74-2442S.....	3600.....	18	S5-74-1872E.....	1578.....	20	S5-74-2442C.....	1186.....	20	S5-86-1872Z.....	1334.....	20
S4-74-2442V.....	1056.....	18	S5-74-1872S.....	5082.....	20	S5-74-2442E.....	1449.....	20	S5-86-2124C.....	983.....	20
S4-74-2442VG.....	1056.....	18	S5-74-1872V.....	1417.....	20	S5-74-2442S.....	4349.....	20	S5-86-2124E.....	1139.....	20
S4-74-2442Z.....	929.....	18	S5-74-1872VG.....	1417.....	20	S5-74-2442V.....	1267.....	20	S5-86-2124S.....	3489.....	20
S4-74-2448C.....	995.....	18	S5-74-1872Z.....	1292.....	20	S5-74-2442VG.....	1267.....	20	S5-86-2124V.....	1004.....	20
S4-74-2448E.....	1208.....	18	S5-74-2124C.....	934.....	20	S5-74-2442Z.....	1110.....	20	S5-86-2124VG.....	1004.....	20
S4-74-2448S.....	3600.....	18	S5-74-2124E.....	1096.....	20	S5-74-2448C.....	1186.....	20	S5-86-2124Z.....	899.....	20
S4-74-2448V.....	1056.....	18	S5-74-2124S.....	3414.....	20	S5-74-2448E.....	1449.....	20	S5-86-2130C.....	1006.....	20
S4-74-2448VG.....	1056.....	18	S5-74-2124V.....	955.....	20	S5-74-2448S.....	4349.....	20	S5-86-2130E.....	1156.....	20
S4-74-2448Z.....	929.....	18	S5-74-2124VG.....	955.....	20	S5-74-2448V.....	1267.....	20	S5-86-2130S.....	3522.....	20
S4-74-2460C.....	1147.....	18	S5-74-2124Z.....	859.....	20	S5-74-2448VG.....	1267.....	20	S5-86-2130V.....	1053.....	20
S4-74-2460E.....	1387.....	18	S5-74-2130C.....	958.....	20	S5-74-2448Z.....	1110.....	20	S5-86-2130VG.....	1053.....	20
S4-74-2460S.....	4260.....	18	S5-74-2130E.....	1117.....	20	S5-74-2460C.....	1380.....	20	S5-86-2130Z.....	919.....	20
S4-74-2460V.....	1243.....	18	S5-74-2130S.....	3442.....	20	S5-74-2460E.....	1672.....	20	S5-86-2136C.....	1033.....	20
S4-74-2460VG.....	1243.....	18	S5-74-2130V.....	1006.....	20	S5-74-2460S.....	5172.....	20	S5-86-2136E.....	1207.....	20
S4-74-2460Z.....	1092.....	18	S5-74-2130VG.....	1006.....	20	S5-74-2460V.....	1497.....	20	S5-86-2136S.....	3543.....	20
S4-74-2472C.....	1314.....	18	S5-74-2130Z.....	877.....	20	S5-74-2460VG.....	1497.....	20	S5-86-2136V.....	1072.....	20
S4-74-2472E.....	1578.....	18	S5-74-2136C.....	984.....	20	S5-74-2460Z.....	1312.....	20	S5-86-2136VG.....	1072.....	20
S4-74-2472S.....	5162.....	18	S5-74-2136E.....	1167.....	20	S5-74-2472C.....	1588.....	20	S5-86-2136Z.....	950.....	20
S4-74-2472V.....	1412.....	18	S5-74-2136S.....	3463.....	20	S5-74-2472E.....	1912.....	20	S5-86-2142C.....	1154.....	20
S4-74-2472VG.....	1412.....	18	S5-74-2136V.....	1025.....	20	S5-74-2472S.....	6296.....	20	S5-86-2142E.....	1356.....	20
S4-74-2472Z.....	1208.....	18	S5-74-2136VG.....	1025.....	20	S5-74-2472V.....	1707.....	20	S5-86-2142S.....	3984.....	20
S5-5B-SSW1824C.....	763.....	94	S5-74-2136Z.....	910.....	20	S5-74-2472VG.....	1707.....	20	S5-86-2142V.....	1215.....	20
S5-5B-SSW1830C.....	900.....	94	S5-74-2142C.....	1108.....	20	S5-74-2472Z.....	1463.....	20	S5-86-2142VG.....	1215.....	20
S5-5B-SSW1836C.....	983.....	94	S5-74-2142E.....	1316.....	20	S5-86-1824C.....	884.....	20	S5-86-2142Z.....	1050.....	20
S5-5B-SSW1842C.....	1140.....	94	S5-74-2142S.....	3905.....	20	S5-86-1824E.....	1036.....	20	S5-86-2148C.....	1154.....	20
S5-5B-SSW1848C.....	1203.....	94	S5-74-2142V.....	1164.....	20	S5-86-1824S.....	3109.....	20	S5-86-2148E.....	1356.....	20
S5-5B-SSW1860C.....	1475.....	94	S5-74-2142VG.....	1164.....	20	S5-86-1824V.....	912.....	20	S5-86-2148S.....	3984.....	20
S5-74-1824C.....	834.....	20	S5-74-2142Z.....	1009.....	20	S5-86-1824VG.....	912.....	20	S5-86-2148V.....	1215.....	20
S5-74-1824E.....	997.....	20	S5-74-2148C.....	1108.....	20	S5-86-1824Z.....	838.....	20	S5-86-2148VG.....	1215.....	20
S5-74-1824S.....	3029.....	20	S5-74-2148E.....	1316.....	20	S5-86-1830C.....	893.....	20	S5-86-2148Z.....	1050.....	20
S5-74-1824V.....	863.....	20	S5-74-2148S.....	3905.....	20	S5-86-1830E.....	1066.....	20	S5-86-2160C.....	1315.....	20
S5-74-1824VG.....	863.....	20	S5-74-2148V.....	1164.....	20	S5-86-1830S.....	3149.....	20	S5-86-2160E.....	1542.....	20
S5-74-1824Z.....	799.....	20	S5-74-2148VG.....	1164.....	20	S5-86-1830V.....	962.....	20	S5-86-2160S.....	5082.....	20
S5-74-1830C.....	845.....	20	S5-74-2148Z.....	1009.....	20	S5-86-1830VG.....	962.....	20	S5-86-2160V.....	1405.....	20
S5-74-1830E.....	1026.....	20	S5-74-2160C.....	1269.....	20	S5-86-1830Z.....	859.....	20	S5-86-2160VG.....	1405.....	20
S5-74-1830S.....	3070.....	20	S5-74-2160E.....	1499.....	20	S5-86-1836C.....	914.....	20	S5-86-2160Z.....	1233.....	20
S5-74-1830V.....	914.....	20	S5-74-2160S.....	5004.....	20	S5-86-1836E.....	1096.....	20	S5-86-2172C.....	1517.....	20
S5-74-1830VG.....	914.....	20	S5-74-2160V.....	1355.....	20	S5-86-1836S.....	3173.....	20	S5-86-2172E.....	1823.....	20
S5-74-1830Z.....	820.....	20	S5-74-2160VG.....	1355.....	20	S5-86-1836V.....	995.....	20	S5-86-2172S.....	5886.....	20
S5-74-1836C.....	865.....	20	S5-74-2160Z.....	1192.....	20	S5-86-1836VG.....	995.....	20	S5-86-2172V.....	1645.....	20
S5-74-1836E.....	1056.....	20	S5-74-2172C.....	1466.....	20	S5-86-1836Z.....	877.....	20	S5-86-2172VG.....	1645.....	20
S5-74-1836S.....	3087.....	20	S5-74-2172E.....	1783.....	20	S5-86-1842C.....	1044.....	20	S5-86-2172Z.....	1433.....	20
S5-74-1836V.....	944.....	20	S5-74-2172S.....	5807.....	20	S5-86-1842E.....	1256.....	20	S5-86-2424C.....	1025.....	20
S5-74-1836VG.....	944.....	20	S5-74-2172V.....	1598.....	20	S5-86-1842S.....	3654.....	20	S5-86-2424E.....	1226.....	20
S5-74-1836Z.....	838.....	20	S5-74-2172VG.....	1598.....	20	S5-86-1842V.....	1120.....	20	S5-86-2424S.....	3714.....	20
S5-74-1842C.....	997.....	20	S5-74-2172Z.....	1393.....	20	S5-86-1842VG.....	1120.....	20	S5-86-2424V.....	1063.....	20
S5-74-1842E.....	1217.....	20	S5-74-2424C.....	975.....	20	S5-86-1842Z.....	980.....	20	S5-86-2424VG.....	1063.....	20

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
S5-86-2424Z	950.	20	SC1448E	2869.	42	SD24-S	188.	49	SECM1836FZ	838.	41
S5-86-2430C	1055.	20	SC1448S	6572.	42	SD24-V	74.	49	SECM1836S	2532.	41
S5-86-2430E	1247.	20	SC1460	3140.	42	SD24-VG	74.	49	SECM1836VG	970.	41
S5-86-2430S	3732.	20	SC1460E	3108.	42	SD24-W	74.	62	SECM1836Z	720.	41
S5-86-2430V	1112.	20	SC1460S	6849.	42	SD30-BL	83.	62	SECM1848C	988.	41
S5-86-2430VG	1112.	20	SC2430	2188.	42	SD30-C	82.	49	SECM1848E	1043.	41
S5-86-2430Z	970.	20	SC2430E	2673.	42	SD30-R	83.	62	SECM1848FC	1044.	41
S5-86-2436C	1074.	20	SC2430S	6060.	42	SD30-S	228.	49	SECM1848FE	1097.	41
S5-86-2436E	1269.	20	SC2436	2428.	42	SD30-V	83.	49	SECM1848FS	3093.	41
S5-86-2436S	3773.	20	SC2436E	2973.	42	SD30-VG	83.	49	SECM1848FVG	1087.	41
S5-86-2436V	1132.	20	SC2436S	6729.	42	SD30-W	83.	62	SECM1848FZ	875.	41
S5-86-2436VG	1132.	20	SC2448	3029.	42	SD36-BL	97.	62	SECM1848S	2708.	41
S5-86-2436Z	999.	20	SC2448E	3695.	42	SD36-C	94.	49	SECM1848VG	1030.	41
S5-86-2442C	1239.	20	SC2448S	8197.	42	SD36-R	97.	62	SECM1848Z	764.	41
S5-86-2442E	1488.	20	SC2460	3284.	42	SD36-S	273.	49	SECM1860C	1112.	41
S5-86-2442S	4427.	20	SC2460E	4007.	42	SD36-V	97.	49	SECM1860E	1172.	41
S5-86-2442V	1314.	20	SC2460S	8488.	42	SD36-VG	97.	49	SECM1860FC	1044.	41
S5-86-2442VG	1314.	20	SC3030	2752.	42	SD36-W	97.	62	SECM1860FE	1186.	41
S5-86-2442Z	1152.	20	SC3030E	3270.	42	SDFT-10	1796.	58	SECM1860FS	3109.	41
S5-86-2448C	1239.	20	SC3030S	7572.	42	SDFT-11	1947.	58	SECM1860FVG	1087.	41
S5-86-2448E	1488.	20	SC3036	3054.	42	SDFT-12	2108.	58	SECM1860FZ	884.	41
S5-86-2448S	4427.	20	SC3036E	3630.	42	SDFT-13	2267.	58	SECM1860S	2725.	41
S5-86-2448V	1314.	20	SC3036S	8414.	42	SDFT-14	2423.	58	SECM1860VG	1159.	41
S5-86-2448VG	1314.	20	SC3048	3806.	42	SDFT-15	2577.	58	SECM1860Z	769.	41
S5-86-2448Z	1152.	20	SC3048E	4748.	42	SDFT-16	2738.	58	SECM2130C	930.	41
S5-86-2460C	1426.	20	SC3048S	10252.	42	SDFT-17	2895.	58	SECM2130E	980.	41
S5-86-2460E	1708.	20	SC3060	4106.	42	SDFT-18	3050.	58	SECM2130FC	997.	41
S5-86-2460S	5252.	20	SC3060E	5105.	42	SDFT-19	3205.	58	SECM2130FE	1049.	41
S5-86-2460V	1547.	20	SC3060S	10609.	42	SDFT-20	3365.	58	SECM2130FS	2942.	41
S5-86-2460VG	1547.	20	SCH1836C	205.	155	SDFT-21	3519.	58	SECM2130FVG	1040.	41
S5-86-2460Z	1353.	20	SCH1836C-4	1975.	155	SDFT-22	3606.	58	SECM2130FZ	836.	41
S5-86-2472C	1638.	20	SCH1836C-5	2363.	155	SDFT-23	3660.	58	SECM2130S	2525.	41
S5-86-2472E	1948.	20	SCH1848C	229.	155	SDFT-24	3808.	58	SECM2130VG	967.	41
S5-86-2472S	6380.	20	SCH1848C-4	1984.	155	SDFT-25	3959.	58	SECM2130Z	719.	41
S5-86-2472V	1758.	20	SCH1848C-5	2492.	155	SDFT-26	4106.	58	SECM2136C	945.	41
S5-86-2472VG	1758.	20	SC00P10-VG	129.	91	SDFT-27	4253.	58	SECM2136E	997.	41
S5-86-2472Z	1505.	20	SD14-4S	114.	131	SDFT-28	4403.	58	SECM2136FC	1008.	41
SB-1	623.	209	SD14-BL	49.	62	SDFT-29	4552.	58	SECM2136FE	1063.	41
SB48	136.	157	SD14-C	48.	49	SDFT-30	4703.	58	SECM2136FS	2985.	41
SB60	155.	157	SD14-E	53.	49	SDFT-6	1173.	58	SECM2136FVG	1049.	41
SBPR-108-A	1082.	95,216	SD14-R	49.	62	SDFT-7	1327.	58	SECM2136FZ	852.	41
SBPR-108-S	1404.	95,216	SD14-S	134.	49	SDFT-8	1483.	58	SECM2136S	2577.	41
SBPR-120-A	1110.	95,216	SD14-V	49.	49	SDFT-9	1642.	58	SECM2136VG	985.	41
SBPR-120-S	1474.	95,216	SD14-VG	49.	49	SDSK-18	1153.	58	SECM2136Z	732.	41
SBPR-24-A	327.	95,216	SD14-W	49.	62	SDSK-21	1195.	58	SECM2148C	1008.	41
SBPR-24-S	439.	95,216	SD18-BL	59.	62	SDSK-24	1244.	58	SECM2148E	1063.	41
SBPR-36-A	495.	95,216	SD18-C	55.	49	SDSK-30	1389.	58	SECM2148FC	1065.	41
SBPR-36-S	622.	95,216	SD18-E	60.	49	SDSK-36	1837.	58	SECM2148FE	1119.	41
SBPR-48-A	527.	95,216	SD18-R	59.	62	SDSKATB-S	404.	59	SECM2148FS	3145.	41
SBPR-48-S	697.	95,216	SD18-S	153.	49	SECM1830C	920.	41	SECM2148FVG	1109.	41
SBPR-60-A	566.	95,216	SD18-V	59.	49	SECM1830E	970.	41	SECM2148FZ	905.	41
SBPR-60-S	770.	95,216	SD18-VG	59.	49	SECM1830FC	983.	41	SECM2148S	2775.	41
SBPR-72-A	782.	95,216	SD18-W	59.	62	SECM1830FE	1042.	41	SECM2148VG	1049.	41
SBPR-72-S	1007.	95,216	SD21-BL	62.	62	SECM1830FS	2905.	41	SECM2148Z	784.	41
SBPR-84-A	809.	95,216	SD21-C	60.	49	SECM1830FVG	1023.	41	SECM2160C	1127.	41
SBPR-84-S	1074.	95,216	SD21-E	66.	49	SECM1830FZ	828.	41	SECM2160E	1185.	41
SBPR-96-A	1009.	95,216	SD21-R	62.	62	SECM1830S	2487.	41	SECM2160FC	1147.	41
SBPR-96-S	1299.	95,216	SD21-S	174.	49	SECM1830VG	959.	41	SECM2160FE	1207.	41
SC1430	2053.	42	SD21-V	62.	49	SECM1830Z	704.	41	SECM2160FS	3178.	41
SC1430E	2062.	42	SD21-VG	62.	49	SECM1836C	932.	41	SECM2160FVG	1194.	41
SC1430S	4862.	42	SD21-W	62.	62	SECM1836E	982.	41	SECM2160FZ	915.	41
SC1436	2278.	42	SD24-BL	74.	62	SECM1836FC	997.	41	SECM2160S	2804.	41
SC1436E	2288.	42	SD24-C	67.	49,154	SECM1836FE	1049.	41	SECM2160VG	1174.	41
SC1436S	5398.	42	SD24-E	82.	49	SECM1836FS	2945.	41	SECM2160Z	794.	41
SC1448	2834.	42	SD24-R	74.	62	SECM1836FVG	1040.	41	SECM2430C	944.	41

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
SECM2430E	.996	41	SHDS1836VL	.474	65	SHDS2454SF	.1515	63	SL42-4S	.192	50
SECM2430FC	1006	41	SHDS1842SE	1063	64	SHDS2454SL	1492	65	SL48-1C	.70	50
SECM2430FE	1056	41	SHDS1842SF	975	63	SHDS2454VE	584	64	SL48-1S	.166	50
SECM2430FS	2973	41	SHDS1842SL	1063	65	SHDS2454VF	576	63	SL48-4C	.87	50
SECM2430FVG	1047	41	SHDS1842VE	487	64	SHDS2454VGE	584	64	SL48-4S	.238	50
SECM2430FZ	.849	41	SHDS1842VF	478	63	SHDS2454VGF	576	63	SL54-1C	.75	50
SECM2430S	2565	41	SHDS1842VGE	487	64	SHDS2454VGL	594	65	SL54-1S	.185	50
SECM2430VG	.984	41	SHDS1842VGF	478	63	SHDS2454VL	594	65	SL54-4C	.92	50
SECM2430Z	.727	41	SHDS1842VGL	489	65	SHDS2460SE	1654	64	SL54-4S	.269	50
SECM2436C	1008	41	SHDS1842VL	489	65	SHDS2460SF	1623	63	SL60-1C	.80	50
SECM2436E	1063	41	SHDS1848SE	1154	64	SHDS2460SL	1654	65	SL60-1S	.194	50
SECM2436FC	1056	41	SHDS1848SF	1063	63	SHDS2460VE	610	64	SL60-4C	.93	50
SECM2436FE	1116	41	SHDS1848SL	1154	65	SHDS2460VF	594	63	SL60-4S	.284	50
SECM2436FS	3049	41	SHDS1848VE	495	64	SHDS2460VGE	610	64	SL72-1C	.87	50
SECM2436FVG	1105	41	SHDS1848VF	489	63	SHDS2460VGF	594	63	SL72-1S	.215	50
SECM2436FZ	.865	41	SHDS1848VGE	495	64	SHDS2460VGL	615	65	SL72-4C	.106	50
SECM2436S	2658	41	SHDS1848VGF	489	63	SHDS2460VL	615	65	SL72-4S	.293	50
SECM2436VG	1049	41	SHDS1848VGL	512	65	SHS2424-1D	.9587	166	SLS1836C	.164	52
SECM2436Z	.754	41	SHDS1848VL	512	65	SHS2424-1W-ADA	.8664	166	SM3636Z-3	1322	169
SECM2448C	1144	41	SHDS1854SE	1242	64	SKATB-S	136	58,59	SM3648Z-3	1483	169
SECM2448E	1206	41	SHDS1854SF	1156	63	SL14-1C	.37	50	SM3660Z-3	1829	169
SECM2448FC	1162	41	SHDS1854SL	1242	65	SL14-1S	.74	50	SNSW1224C	.232	93
SECM2448FE	1219	41	SHDS1854VE	539	64	SL14-4C	.48	50	SNSW1224E	.267	93
SECM2448FS	3200	41	SHDS1854VF	526	63	SL14-4S	.92	50	SNSW1224V	.242	93
SECM2448FVG	1214	41	SHDS1854VGE	539	64	SL18-1C	.40	50	SNSW1224VG	.242	93
SECM2448FZ	.907	41	SHDS1854VGF	526	63	SL18-1S	.80	50	SNSW1236C	.303	93
SECM2448S	2836	41	SHDS1854VGL	518	65	SL18-4C	.49	50	SNSW1236E	.344	93
SECM2448VG	1193	41	SHDS1854VL	518	65	SL18-4S	.94	50	SNSW1236V	.319	93
SECM2448Z	.800	41	SHDS1860SE	1325	64	SL21-1C	.42	50	SNSW1236VG	.319	93
SECM2460C	1283	41	SHDS1860SF	1247	63	SL21-1S	.86	50	SNSW1248C	.376	93
SECM2460E	1345	41	SHDS1860SL	1325	65	SL21-4C	.53	50	SNSW1248E	.419	93
SECM2460FC	1266	41	SHDS1860VE	559	64	SL21-4S	105	50	SNSW1248V	.394	93
SECM2460FE	1334	41	SHDS1860VF	550	63	SL2136C	217	49	SNSW1248VG	.394	93
SECM2460FS	3349	41	SHDS1860VGE	559	64	SL2136E	255	49	SNSW1260C	.407	93
SECM2460FVG	1317	41	SHDS1860VGF	550	63	SL2136Z	197	49	SNSW1260E	.460	93
SECM2460FZ	.950	41	SHDS1860VGL	566	65	SL2148C	283	49	SNSW1260V	.429	93
SECM2460S	3023	41	SHDS1860VL	566	65	SL2148E	338	49	SNSW1260VG	.429	93
SECM2460VG	1337	41	SHDS2436SE	1195	64	SL2148Z	255	49	SNSW1272C	.522	93
SECM2460Z	.850	41	SHDS2436SF	1140	63	SL2160C	303	49	SNSW1272E	.576	93
SFN2832-2-14/3	10613	250	SHDS2436SL	1195	65	SL2160E	394	49	SNSW1272V	.550	93
SFN2832-2-18-14/3	13073	250	SHDS2436VE	494	64	SL2160Z	276	49	SNSW1272VG	.550	93
SFN2832-2-18L-14/3	11942	250	SHDS2436VF	487	63	SL24-1C	.48	50	SP1224S	.218	26
SFN2832-2-18R-14/3	11942	250	SHDS2436VGE	494	64	SL24-1S	.95	50	SP1224V	.142	26
SFN3052-3-14/3	13600	250	SHDS2436VGF	487	63	SL24-4C	.55	50	SP1224Z	.130	26
SFN3052-3-18-14/3	15098	250	SHDS2436VGL	499	65	SL24-4S	125	50	SP1236S	.306	26
SFN3052-3-18L-14/3	14722	250	SHDS2436VL	499	65	SL2436C	272	49	SP1236V	.155	26
SFN3052-3-18R-14/3	14722	250	SHDS2442SE	1226	64	SL2436E	326	49	SP1236Z	.144	26
SFN3242-3-14/3	14172	250	SHDS2442SF	1248	63	SL2436Z	243	49	SP1242S	.338	26
SFN3242-3-18-14/3	15134	250	SHDS2442SL	1226	65	SL2448C	312	49	SP1242V	.183	26
SFN3242-3-18L-14/3	14611	250	SHDS2442VE	519	64	SL2448E	382	49	SP1242Z	.149	26
SFN3242-3-18R-14/3	14611	250	SHDS2442VF	514	63	SL2448Z	284	49	SP1248S	.344	26
SFP10-1	.340	17	SHDS2442VGE	519	64	SL2460C	333	49	SP1248V	.189	26
SFP10-2	.563	17	SHDS2442VGF	514	63	SL2460E	404	49	SP1248Z	.184	26
SFP10-4	.532	17	SHDS2442VGL	523	65	SL2460Z	307	49	SP1530S	.239	26
SFS14C	.272	155	SHDS2442VL	523	65	SL30-1C	.59	50	SP1530V	.145	26
SFS16S	.734	155	SHDS2448SE	1332	64	SL30-1S	115	50	SP1530Z	.142	26
SH	.8	91	SHDS2448SF	1404	63	SL30-4C	.65	50	SP1536S	.319	26
SHDS1836SE	.959	64	SHDS2448SL	1332	65	SL30-4S	142	50	SP1536V	.165	26
SHDS1836SF	.877	63	SHDS2448VE	539	64	SL36-1C	.62	50	SP1536Z	.155	26
SHDS1836SL	.959	65	SHDS2448VF	527	63	SL36-1S	133	50	SP1542S	.349	26
SHDS1836VE	.465	64	SHDS2448VGE	539	64	SL36-4C	.70	50	SP1542V	.189	26
SHDS1836VF	.450	63	SHDS2448VGF	527	63	SL36-4S	169	50	SP1542Z	.183	26
SHDS1836VGE	.465	64	SHDS2448VGL	548	65	SL42-1C	.65	50	SP1548S	.356	26
SHDS1836VGF	.450	63	SHDS2448VL	548	65	SL42-1S	.145	50	SP1548V	.200	26
SHDS1836VGL	.474	65	SHDS2454SE	1492	64	SL42-4C	.75	50	SP1548Z	.189	26

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
SP1630S	240.	26	SP3242V	303.	26	SPD1848-S	537.	26	SPL1242Z	149.	27
SP1630V	155.	26	SP3242Z	284.	26	SPD1848-V	365.	26	SPL1248S	344.	27
SP1630Z	147.	26	SP3248S	678.	26	SPD1848-Z	347.	26	SPL1248V	189.	27
SP1636S	278.	26	SP3248V	317.	26	SPD2130-S	384.	26	SPL1248Z	184.	27
SP1636V	172.	26	SP3248Z	304.	26	SPD2130-V	276.	26	SPL1530S	239.	27
SP1636Z	165.	26	SP3636S	676.	26	SPD2130-Z	265.	26	SPL1530V	145.	27
SP1642S	322.	26	SP3636V	293.	26	SPD2136-S	454.	26	SPL1530Z	142.	27
SP1642V	196.	26	SP3636Z	272.	26	SPD2136-V	344.	26	SPL1536S	319.	27
SP1642Z	185.	26	SP3642S	776.	26	SPD2136-Z	320.	26	SPL1536V	165.	27
SP1648S	365.	26	SP3642V	309.	26	SPD2142-S	523.	26	SPL1536Z	155.	27
SP1648V	205.	26	SP3642Z	299.	26	SPD2142-V	356.	26	SPL1542S	349.	27
SP1648Z	200.	26	SP3648S	883.	26	SPD2142-Z	344.	26	SPL1542V	189.	27
SP1826-18	69.	170	SP3648V	333.	26	SPD2148-S	587.	26	SPL1542Z	183.	27
SP1830S	265.	26	SP3648Z	309.	26	SPD2148-V	372.	26	SPL1548S	356.	27
SP1830V	159.	26	SP74-CS	65.	43	SPD2148-Z	354.	26	SPL1548V	200.	27
SP1830Z	149.	26	SP74-ES	75.	43	SPD2430-S	503.	26	SPL1548Z	189.	27
SP1836S	308.	26	SP74-SS	162.	43	SPD2430-V	293.	26	SPL1630S	240.	27
SP1836V	177.	26	SP86-CS	80.	43	SPD2430-Z	276.	26	SPL1630V	155.	27
SP1836Z	166.	26	SP86-ES	86.	43	SPD2436-S	587.	26	SPL1630Z	147.	27
SP1842S	356.	26	SP86-SS	188.	43	SPD2436-V	355.	26	SPL1636S	278.	27
SP1842V	196.	26	SPD1224-S	295.	26	SPD2436-Z	342.	26	SPL1636V	172.	27
SP1842Z	185.	26	SPD1224-V	184.	26	SPD2442-S	686.	26	SPL1636Z	165.	27
SP1848S	406.	26	SPD1224-Z	172.	26	SPD2442-V	369.	26	SPL1642S	322.	27
SP1848V	205.	26	SPD1236-S	410.	26	SPD2442-Z	350.	26	SPL1642V	196.	27
SP1848Z	200.	26	SPD1236-V	205.	26	SPD2448-S	762.	26	SPL1642Z	185.	27
SP2130S	293.	26	SPD1236-Z	185.	26	SPD2448-V	383.	26	SPL1648S	365.	27
SP2130V	172.	26	SPD1242-S	445.	26	SPD2448-Z	367.	26	SPL1648V	205.	27
SP2130Z	165.	26	SPD1242-V	242.	26	SPD3030-S	594.	26	SPL1648Z	200.	27
SP2136S	344.	26	SPD1242-Z	203.	26	SPD3030-V	315.	26	SPL1830S	265.	27
SP2136V	189.	26	SPD1248-S	454.	26	SPD3030-Z	303.	26	SPL1830V	159.	27
SP2136Z	183.	26	SPD1248-V	254.	26	SPD3036-S	687.	26	SPL1830Z	149.	27
SP2142S	392.	26	SPD1248-Z	244.	26	SPD3036-V	378.	26	SPL1836S	308.	27
SP2142V	204.	26	SPD1530-S	309.	26	SPD3036-Z	365.	26	SPL1836V	177.	27
SP2142Z	196.	26	SPD1530-V	254.	26	SPD3042-S	800.	26	SPL1836Z	166.	27
SP2148S	443.	26	SPD1530-Z	242.	26	SPD3042-V	398.	26	SPL1842S	356.	27
SP2148V	218.	26	SPD1536-S	426.	26	SPD3042-Z	376.	26	SPL1842V	196.	27
SP2148Z	207.	26	SPD1536-V	317.	26	SPD3048-S	893.	26	SPL1842Z	185.	27
SP2430S	376.	26	SPD1536-Z	304.	26	SPD3048-V	414.	26	SPL1848S	406.	27
SP2430V	196.	26	SPD1542-S	463.	26	SPD3048-Z	392.	26	SPL1848V	205.	27
SP2430Z	185.	26	SPD1542-V	340.	26	SPD3236-S	696.	26	SPL1848Z	200.	27
SP2436S	443.	26	SPD1542-Z	317.	26	SPD3236-V	450.	26	SPL2130S	293.	27
SP2436V	200.	26	SPD1548-S	478.	26	SPD3236-Z	426.	26	SPL2130V	172.	27
SP2436Z	189.	26	SPD1548-V	350.	26	SPD3242-S	696.	26	SPL2130Z	165.	27
SP2442S	512.	26	SPD1548-Z	338.	26	SPD3242-V	466.	26	SPL2136S	344.	27
SP2442V	242.	26	SPD1630-S	315.	26	SPD3242-Z	445.	26	SPL2136V	189.	27
SP2442Z	232.	26	SPD1630-V	265.	26	SPD3248-S	903.	26	SPL2136Z	183.	27
SP2448S	566.	26	SPD1630-Z	252.	26	SPD3248-V	482.	26	SPL2142S	392.	27
SP2448V	252.	26	SPD1636-S	372.	26	SPD3248-Z	458.	26	SPL2142V	204.	27
SP2448Z	240.	26	SPD1636-V	322.	26	SPD3636-S	900.	26	SPL2142Z	196.	27
SP3030S	445.	26	SPD1636-Z	309.	26	SPD3636-V	463.	26	SPL2148S	443.	27
SP3030V	239.	26	SPD1642-S	437.	26	SPD3636-Z	443.	26	SPL2148V	218.	27
SP3030Z	218.	26	SPD1642-V	344.	26	SPD3642-S	1033.	26	SPL2148Z	207.	27
SP3036S	514.	26	SPD1642-Z	320.	26	SPD3642-V	482.	26	SPL2430S	376.	27
SP3036V	242.	26	SPD1648-S	486.	26	SPD3642-Z	458.	26	SPL2430V	196.	27
SP3036Z	232.	26	SPD1648-V	356.	26	SPD3648-S	1172.	26	SPL2430Z	185.	27
SP3042S	600.	26	SPD1648-Z	344.	26	SPD3648-V	495.	26	SPL2436S	443.	27
SP3042V	272.	26	SPD1830-S	349.	26	SPD3648-Z	474.	26	SPL2436V	200.	27
SP3042Z	265.	26	SPD1830-V	266.	26	SPL1224S	218.	27	SPL2436Z	189.	27
SP3048S	664.	26	SPD1830-Z	254.	26	SPL1224V	142.	27	SPL2442S	512.	27
SP3048V	299.	26	SPD1836-S	414.	26	SPL1224Z	130.	27	SPL2442V	242.	27
SP3048Z	283.	26	SPD1836-V	338.	26	SPL1236S	306.	27	SPL2442Z	232.	27
SP3236S	522.	26	SPD1836-Z	315.	26	SPL1236V	155.	27	SPL2448S	566.	27
SP3236V	256.	26	SPD1842-S	478.	26	SPL1236Z	144.	27	SPL2448V	252.	27
SP3236Z	245.	26	SPD1842-V	350.	26	SPL1242S	338.	27	SPL2448Z	240.	27
SP3242S	522.	26	SPD1842-Z	320.	26	SPL1242V	183.	27	SPL3030S	445.	27

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
SPL3030V.....	239.....	27	SR16-19-13.5-2-ND.....	2636.....	256	SS1836G.....	307.....	7	SS2448S.....	820.....	7
SPL3030Z.....	218.....	27	SR16-19-13.5-3.....	4394.....	255	SS1836S.....	560.....	7	SS2448V.....	403.....	7
SPL3036S.....	514.....	27	SR16-19-13.5-3-ND.....	3638.....	256	SS1836V.....	344.....	7	SS2448VG.....	403.....	7
SPL3036V.....	242.....	27	SR16-19-8-1.....	1538.....	254	SS1836VG.....	344.....	7	SS2454G.....	393.....	7
SPL3036Z.....	232.....	27	SR16-19-8-1-ND.....	1544.....	256	SS1842G.....	327.....	7	SS2454S.....	919.....	7
SPL3042S.....	600.....	27	SR16-19-8-2.....	3191.....	254	SS1842S.....	686.....	7	SS2454V.....	437.....	7
SPL3042V.....	272.....	27	SR16-19-8-2-ND.....	2330.....	256	SS1842V.....	358.....	7	SS2454VG.....	437.....	7
SPL3042Z.....	265.....	27	SR16-19-8-3.....	4150.....	255	SS1842VG.....	358.....	7	SS2460G.....	403.....	7
SPL3048S.....	664.....	27	SR16-19-8-3-ND.....	3279.....	256	SS1848G.....	330.....	7	SS2460S.....	964.....	7
SPL3048V.....	299.....	27	SR18-24-13.5-1.....	2040.....	254	SS1848S.....	686.....	7	SS2460V.....	452.....	7
SPL3048Z.....	283.....	27	SR18-24-13.5-1-ND.....	1811.....	256	SS1848V.....	367.....	7	SS2460VG.....	452.....	7
SPL3236S.....	522.....	27	SR18-24-13.5-2.....	3840.....	254	SS1848VG.....	367.....	7	SSD14-C.....	48.....	49
SPL3236V.....	256.....	27	SR18-24-13.5-2-ND.....	3165.....	256	SS1854G.....	356.....	7	SSD14-S.....	155.....	49
SPL3236Z.....	245.....	27	SR18-24-13.5-3.....	5330.....	255	SS1854S.....	776.....	7	SSD18-C.....	55.....	49
SPL3242S.....	522.....	27	SR18-24-13.5-3-ND.....	4371.....	256	SS1854V.....	396.....	7	SSD18-S.....	160.....	49
SPL3242V.....	303.....	27	SR19-16-13.5-1.....	1924.....	254	SS1854VG.....	396.....	7	SSD21-C.....	60.....	49
SPL3242Z.....	284.....	27	SR19-16-8-1.....	1797.....	254	SS1860G.....	366.....	7	SSD21-S.....	189.....	49
SPL3248S.....	678.....	27	SR20-12-6.5-1.....	1940.....	254	SS1860S.....	822.....	7	SSD24-C.....	66.....	49
SPL3248V.....	317.....	27	SR22-22-13.5-1.....	3229.....	254	SS1860V.....	404.....	7	SSD24-S.....	194.....	49
SPL3248Z.....	304.....	27	SR22-22-13.5-1-ND.....	3124.....	256	SS1860VG.....	404.....	7	SSD30-C.....	92.....	49
SPL3636S.....	676.....	27	SR22-22-13.5-2.....	5748.....	254	SS2124G.....	308.....	7	SSD30-S.....	240.....	49
SPL3636V.....	293.....	27	SR22-22-13.5-2-ND.....	5809.....	256	SS2124S.....	612.....	7	SSD36-C.....	109.....	49
SPL3636Z.....	272.....	27	SR24.....	143.....	91	SS2124V.....	343.....	7	SSD36-S.....	283.....	49
SPL3642S.....	776.....	27	SR24-18-13.5-1.....	1872.....	254	SS2124VG.....	343.....	7	SSW1824C.....	129.....	94
SPL3642V.....	309.....	27	SR24-24-13.5-1.....	2454.....	254	SS2130G.....	319.....	7	SSW1830C.....	155.....	94
SPL3642Z.....	299.....	27	SR24-24-13.5-1-ND.....	1983.....	256	SS2130S.....	626.....	7	SSW1836C.....	173.....	94
SPL3648S.....	883.....	27	SR24-24-13.5-2.....	5182.....	254	SS2130V.....	353.....	7	SSW1842C.....	206.....	94
SPL3648V.....	333.....	27	SR24-24-13.5-2-ND.....	3343.....	256	SS2130VG.....	353.....	7	SSW1848C.....	217.....	94
SPL3648Z.....	309.....	27	SRU14-10-5-1.....	1973.....	254	SS2136G.....	340.....	7	SSW1860C.....	276.....	94
SR10-14-5-1.....	1048.....	254	SS1424G.....	289.....	7	SS2136S.....	626.....	7	SSW1883-C.....	188.....	94
SR10-14-5-1-ND.....	954.....	256	SS1424S.....	485.....	7	SS2136V.....	372.....	7	SSW1885-C.....	219.....	94
SR10-14-9.5-1.....	1150.....	254	SS1424V.....	319.....	7	SS2136VG.....	372.....	7	ST1836Z-13.....	660.....	170
SR10-14-9.5-1-ND.....	1255.....	256	SS1424VG.....	319.....	7	SS2142G.....	344.....	7	STR2430A.....	907.....	45
SR10-14-9.5-2.....	2427.....	254	SS1430G.....	297.....	7	SS2142S.....	784.....	7	STR2430B.....	1383.....	45
SR10-14-9.5-2-ND.....	2368.....	256	SS1430S.....	499.....	7	SS2142V.....	386.....	7	STR2448A.....	1084.....	45
SR10-14-9.5-3.....	3245.....	255	SS1430V.....	326.....	7	SS2142VG.....	386.....	7	STR2448B.....	1677.....	45
SR10-14-9.5-3-ND.....	2524.....	256	SS1430VG.....	326.....	7	SS2148G.....	355.....	7	SWC2448C.....	2427.....	157
SR12-14-9.5-1.....	1542.....	254	SS1436G.....	308.....	7	SS2148S.....	784.....	7	SWC2460C.....	2611.....	157
SR12-14-9.5-1-ND.....	1509.....	256	SS1436S.....	499.....	7	SS2148V.....	393.....	7	SWS1224-14/3.....	646.....	92
SR12-14-9.5-2.....	2670.....	254	SS1436V.....	337.....	7	SS2148VG.....	393.....	7	SWS1224-16/3.....	610.....	92
SR12-14-9.5-2-ND.....	2737.....	256	SS1436VG.....	337.....	7	SS2154G.....	384.....	7	SWS1224-16/4.....	509.....	92
SR12-14-9.5-3.....	3916.....	255	SS1442G.....	319.....	7	SS2154S.....	815.....	7	SWS1236-14/3.....	824.....	92
SR12-14-9.5-3-ND.....	3766.....	256	SS1442S.....	599.....	7	SS2154V.....	429.....	7	SWS1236-16/3.....	772.....	92
SR14.....	134.....	91	SS1442V.....	350.....	7	SS2154VG.....	429.....	7	SWS1236-16/4.....	550.....	92
SR14-10-5-1.....	1048.....	254	SS1442VG.....	350.....	7	SS2160G.....	384.....	7	SWS1248-14/3.....	918.....	92
SR14-10-9.5-1.....	1498.....	254	SS1448G.....	325.....	7	SS2160S.....	960.....	7	SWS1248-16/3.....	854.....	92
SR14-12-9.5-1.....	1525.....	254	SS1448S.....	599.....	7	SS2160V.....	432.....	7	SWS1248-16/4.....	674.....	92
SR14-16-9.5-1.....	1797.....	254	SS1448V.....	355.....	7	SS2160VG.....	432.....	7	SWS1260-14/3.....	994.....	92
SR14-16-9.5-1-ND.....	1714.....	256	SS1448VG.....	355.....	7	SS2424G.....	309.....	7	SWS1260-16/3.....	933.....	92
SR14-16-9.5-2.....	2843.....	254	SS1454G.....	349.....	7	SS2424S.....	660.....	7	SWS1260-16/4.....	715.....	92
SR14-16-9.5-2-ND.....	2927.....	256	SS1454S.....	655.....	7	SS2424V.....	344.....	7	SWS1272-14/3.....	1259.....	92
SR14-16-9.5-3.....	3996.....	255	SS1454V.....	386.....	7	SS2424VG.....	344.....	7	SWS1272-16/3.....	1148.....	92
SR14-16-9.5-3-ND.....	4038.....	256	SS1454VG.....	386.....	7	SS2430G.....	325.....	7	SWS1272-16/4.....	887.....	92
SR1436C.....	2532.....	143	SS1460G.....	350.....	7	SS2430S.....	672.....	7	SWS1524-14/3.....	727.....	92
SR1436S.....	8736.....	143	SS1460S.....	720.....	7	SS2430V.....	353.....	7	SWS1524-14/304-VMAR.....	942.....	92
SR1448C.....	2878.....	143	SS1460V.....	396.....	7	SS2430VG.....	353.....	7	SWS1524-14/316-VMAR.....	1050.....	92
SR1448S.....	7739.....	143	SS1460VG.....	396.....	7	SS2436G.....	342.....	7	SWS1524-16/3.....	668.....	92
SR1460C.....	3249.....	143	SS1824G.....	287.....	7	SS2436S.....	672.....	7	SWS1524-16/304-VMAR.....	926.....	92
SR1460S.....	9083.....	143	SS1824S.....	548.....	7	SS2436V.....	376.....	7	SWS1524-16/4.....	550.....	92
SR1472C.....	3596.....	143	SS1824V.....	326.....	7	SS2436VG.....	376.....	7	SWS1524-16/430-VMAR.....	824.....	92
SR1472S.....	10939.....	143	SS1824VG.....	326.....	7	SS2442G.....	353.....	7	SWS1536-14/3.....	895.....	92
SR16-14-9.5-1.....	1797.....	254	SS1830G.....	303.....	7	SS2442S.....	820.....	7	SWS1536-14/304-VMAR.....	986.....	92
SR16-19-13.5-1.....	1924.....	254	SS1830S.....	560.....	7	SS2442V.....	395.....	7	SWS1536-14/316-VMAR.....	1217.....	92
SR16-19-13.5-1-ND.....	1698.....	256	SS1830V.....	330.....	7	SS2442VG.....	395.....	7	SWS1536-16/3.....	798.....	92
SR16-19-13.5-2.....	3352.....	254	SS1830VG.....	330.....	7	SS2448G.....	366.....	7			

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
SWS1536-16/304-VMAR	1029	92	T24120GTB-BS	5762	196	T24144GTE	5975	188	T2430GTE-BS	2711	196
SWS1536-16/4	566	92	T24120GTE	5872	188	T24144GTE-BS	6617	196	T2430GTB	2031	188
SWS1536-16/430-VMAR	893	92	T24120GTE-BS	6330	196	T24144GTB	5686	188	T2430GTB-BS	2656	196
SWS1548-14/3	1091	92	T24120GTB	5430	188	T24144GTB-BS	6454	196	T2430GTE	3305	188
SWS1548-14/304-VMAR	1281	92	T24120GTB-BS	6149	196	T24144GTE	7172	188	T2430GTE-BS	4397	196
SWS1548-14/316-VMAR	1511	92	T24120GTE	6561	188	T24144GTE-BS	8504	196	T2430SB	2257	187
SWS1548-16/3	967	92	T24120GTE-BS	7856	196	T24144SB	6732	187	T2430SB-BS	2999	195
SWS1548-16/304-VMAR	1231	92	T24120SB	6261	187	T24144SB-BS	7485	195	T2430SE	2646	187
SWS1548-16/4	679	92	T24120SB-BS	6998	195	T24144SE	7946	187	T2430SE-BS	3337	195
SWS1548-16/430-VMAR	1052	92	T24120SE	7327	187	T24144SE-BS	8741	195	T2430SEB	2432	187
SWS1560-14/3	1120	92	T24120SE-BS	8082	195	T24144SEB	7109	187	T2430SEB-BS	3124	195
SWS1560-14/304-VMAR	1425	92	T24120SEB	6771	187	T24144SEB-BS	8143	195	T2430SEM	3818	187
SWS1560-14/316-VMAR	1698	92	T24120SEB-BS	7547	195	T24144SEM	8677	187	T2430SEM-BS	4743	195
SWS1560-16/3	1062	92	T24120SEM	7905	187	T24144SEM-BS	9600	195	T2430STB	2508	189
SWS1560-16/304-VMAR	1353	92	T24120SEM-BS	8841	195	T24144STB	6784	189	T2430STB-BS	3247	197
SWS1560-16/4	740	92	T24120STB	6504	189	T24144STB-BS	7508	197	T2430STE	2899	189
SWS1560-16/430-VMAR	1131	92	T24120STB-BS	7248	197	T24144STE	7969	189	T2430STE-BS	3594	197
SWS1572-14/3	1493	92	T24120STE	7581	189	T24144STE-BS	8741	197	T2430STEB	2691	189
SWS1572-14/304-VMAR	1687	92	T24120STE-BS	8340	197	T24144STEB	7363	189	T2430STEB-BS	3386	197
SWS1572-14/316-VMAR	1988	92	T24120STEB	7026	189	T24144STEB-BS	8397	197	T2430STEM	4079	189
SWS1572-16/3	1321	92	T24120STEB-BS	7800	197	T24144STEM	8923	189	T2430STEM-BS	5009	197
SWS1572-16/304-VMAR	1581	92	T24120STEM	8157	189	T24144STEM-BS	9858	197	T2436B	1739	186
SWS1572-16/4	905	92	T24120STEM-BS	9099	197	T2424B	1477	186	T2436B-BS	2298	194
SWS1572-16/430-VMAR	1331	92	T24132B	4875	186	T2424B-BS	2027	194	T2436E	2024	186
T24108B	4718	186	T24132B-BS	5650	194	T2424E	1711	186	T2436E-BS	2600	194
T24108B-BS	5372	194	T24132E	5721	186	T2424E-BS	2272	194	T2436EB	1908	186
T24108E	4936	186	T24132E-BS	6220	194	T2424EB	1626	186	T2436EB-BS	2529	194
T24108E-BS	5945	194	T24132EB	5277	186	T2424EB-BS	2212	194	T2436EBW	1729	46,204
T24108EB	5040	186	T24132EB-BS	5891	194	T2424EM	2852	186	T2436EBW-1	2153	46,204
T24108EB-BS	5751	194	T24132EM	6769	186	T2424EM-BS	3812	194	T2436EBW-2	2359	46,204
T24108EM	6168	186	T24132EM-BS	7862	194	T2424GTB	1725	188	T2436EM	3191	186
T24108EM-BS	7237	194	T24132GTB	5092	188	T2424GTB-BS	2277	196	T2436EM-BS	4150	194
T24108GTB	4799	188	T24132GTB-BS	5882	196	T2424GTE	1958	188	T2436EW	1897	46,204
T24108GTB-BS	5458	196	T24132GTE	5953	188	T2424GTE-BS	2526	196	T2436EW-1	2318	46,204
T24108GTE	5811	188	T24132GTE-BS	6464	196	T2424GTB	1885	188	T2436EW-2	2528	46,204
T24108GTE-BS	6026	196	T24132GTB	5539	188	T2424GTB-BS	2468	196	T2436GTB	1986	188
T24108GTB	5281	188	T24132GTB-BS	6273	196	T2424GTE	3113	188	T2436GTB-BS	2553	196
T24108GTB-BS	5836	196	T24132GTE	7023	188	T2424GTE-BS	4180	196	T2436GTE	2276	188
T24108GTE	6421	188	T24132GTE-BS	8357	196	T2424SB	2071	187	T2436GTE-BS	2851	196
T24108GTE-BS	7721	196	T24132SB	6399	187	T2424SB-BS	2783	195	T2436GTB	2164	188
T24108SB	6117	187	T24132SB-BS	7124	195	T2424SE	2384	187	T2436GTB-BS	2783	196
T24108SB-BS	6403	195	T24132SE	7572	187	T2424SE-BS	3068	195	T2436GTE	3444	188
T24108SE	7182	187	T24132SE-BS	8337	195	T2424SEB	2211	187	T2436GTE-BS	4524	196
T24108SE-BS	7946	195	T24132SEB	6968	187	T2424SEB-BS	2906	195	T2436SB	2387	187
T24108SEB	6377	187	T24132SEB-BS	7990	195	T2424SEM	3561	187	T2436SB-BS	3130	195
T24108SEB-BS	7403	195	T24132SEM	8525	187	T2424SEM-BS	4488	195	T2436SE	2781	187
T24108SEM	7760	187	T24132SEM-BS	9449	195	T2424STB	2315	189	T2436SE-BS	3545	195
T24108SEM-BS	8699	195	T24132STB	6642	189	T2424STB-BS	3033	197	T2436SEB	2566	187
T24108STB	6178	189	T24132STB-BS	7365	197	T2424STE	2640	189	T2436SEB-BS	3272	195
T24108STB-BS	6900	197	T24132STE	7821	189	T2424STE-BS	3317	197	T2436SEM	3955	187
T24108STE	7441	189	T24132STE-BS	8596	197	T2424STEB	2466	189	T2436SEM-BS	4887	195
T24108STE-BS	7955	197	T24132STEB	7214	197	T2424STEB-BS	3161	197	T2436STB	2636	189
T24108STEB	6873	189	T24132STEB-BS	8011	189	T2424STEM	3814	189	T2436STB-BS	3379	197
T24108STEB-BS	7432	197	T24132STEM	8774	189	T2424STEM-BS	4742	197	T2436STE	3036	189
T24108STEM	8004	189	T24132STEM-BS	9707	197	T2430B	1598	186	T2436STE-BS	3732	197
T24108STEM-BS	8945	197	T24144B	4879	186	T2430B-BS	2170	194	T2436STEB	2827	189
T24120B	4849	186	T24144B-BS	5953	194	T2430E	1891	186	T2436STEB-BS	3521	197
T24120B-BS	5515	194	T24144E	5740	186	T2430E-BS	2466	194	T2436STEM	4213	189
T24120E	5437	186	T24144E-BS	6556	194	T2430EB	1776	186	T2436STEM-BS	5140	197
T24120E-BS	6071	194	T24144EB	5437	186	T2430EB-BS	2394	194	T2448B	1773	186
T24120EB	5185	186	T24144EB-BS	6349	194	T2430EM	3056	186	T2448B-BS	2312	194
T24120EB-BS	5882	194	T24144EM	6916	186	T2430EM-BS	4130	194	T2448E	2060	186
T24120EM	6309	186	T24144EM-BS	8014	194	T2430GTB	1851	188	T2448E-BS	2658	194
T24120EM-BS	7607	194	T24144GTB	5114	188	T2430GTB-BS	2412	196	T2448EB	1939	186
T24120GTB	4972	188	T24144GTB-BS	6024	196	T2430GTE	2145	188	T2448EB-BS	2584	194

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
T2448EBW.....	1877.....	46,204	T2460SB-BS.....	3389.....	195	T2484EM-BS.....	5444.....	194	T30108GTB.....	5023.....	188
T2448EBW-1.....	2414.....	46,204	T2460SE.....	3161.....	187	T2484GTB.....	2793.....	188	T30108GTB-BS.....	5916.....	196
T2448EBW-2.....	2660.....	46,204	T2460SE-BS.....	3893.....	195	T2484GTB-BS.....	3443.....	196	T30108GTE.....	5869.....	188
T2448EM.....	3243.....	186	T2460SE-BS-HA.....	11547.....	205	T2484GTE.....	3593.....	188	T30108GTE-BS.....	6504.....	196
T2448EM-BS.....	4337.....	194	T2460SE-HA.....	10207.....	205	T2484GTE-BS.....	4151.....	196	T30108GTEB.....	5587.....	188
T2448EW.....	2177.....	46,204	T2460SEB.....	2895.....	187	T2484GTEB.....	3518.....	188	T30108GTEB-BS.....	6128.....	196
T2448EW-1.....	2638.....	46,204	T2460SEB-BS.....	3635.....	195	T2484GTEB-BS.....	4027.....	196	T30108GTEM.....	6887.....	188
T2448EW-2.....	2889.....	46,204	T2460SEB-BS-HA.....	10660.....	205	T2484GTEM.....	4705.....	188	T30108GTEM-BS.....	8221.....	196
T2448F.....	1315.....	206	T2460SEB-HA.....	9954.....	205	T2484GTEM-BS.....	5863.....	196	T30108SB.....	6489.....	187
T2448F-US.....	1584.....	206	T2460SEM.....	4337.....	187	T2484SB.....	3512.....	187	T30108SB-BS.....	7233.....	195
T2448F-USS.....	1717.....	206	T2460SEM-BS.....	5265.....	195	T2484SB-BS.....	4255.....	195	T30108SE.....	7674.....	187
T2448GTB.....	2016.....	188	T2460STB.....	2895.....	189	T2484SE.....	4680.....	187	T30108SE-BS.....	8433.....	195
T2448GTB-BS.....	2557.....	196	T2460STB-BS.....	3632.....	197	T2484SE-BS.....	5346.....	195	T30108SEB.....	7086.....	187
T2448GTE.....	2322.....	188	T2460STE.....	3417.....	189	T2484SEB.....	4295.....	187	T30108SEB-BS.....	7844.....	195
T2448GTE-BS.....	2915.....	196	T2460STE-BS.....	4151.....	197	T2484SEB-BS.....	4988.....	195	T30108SEM.....	8392.....	187
T2448GTEB.....	2196.....	188	T2460STEB.....	3144.....	189	T2484SEM.....	5681.....	187	T30108SEM-BS.....	9324.....	195
T2448GTEB-BS.....	2835.....	196	T2460STEB-BS.....	3890.....	197	T2484SEM-BS.....	6597.....	195	T30108STB.....	6732.....	189
T2448GTEM.....	3502.....	188	T2460STEM.....	4591.....	189	T2484STB.....	3753.....	189	T30108STB-BS.....	7485.....	197
T2448GTEM-BS.....	4591.....	196	T2460STEM-BS.....	5524.....	197	T2484STB-BS.....	4494.....	197	T30108STE.....	7925.....	189
T2448SB.....	2456.....	187	T2472B.....	1999.....	186	T2484STE.....	4926.....	189	T30108STE-BS.....	8688.....	197
T2448SB-BS.....	3195.....	195	T2472B-BS.....	2607.....	194	T2484STE-BS.....	5600.....	197	T30108STEB.....	7337.....	189
T2448SE.....	2899.....	187	T2472E.....	2448.....	186	T2484STEB.....	4557.....	189	T30108STEB-BS.....	8010.....	197
T2448SE-BS.....	3625.....	195	T2472E-BS.....	3064.....	194	T2484STEB-BS.....	5243.....	197	T30108STEM.....	8648.....	189
T2448SE-BS-HA.....	11289.....	205	T2472EB.....	2276.....	186	T2484STEM.....	5935.....	189	T30108STEM-BS.....	9584.....	197
T2448SE-HA.....	9962.....	205	T2472EB-BS.....	2958.....	194	T2484STEM-BS.....	6849.....	197	T30120B.....	4922.....	186
T2448SEB.....	2658.....	187	T2472EM.....	3642.....	186	T2496B.....	2899.....	186	T30120B-BS.....	5813.....	194
T2448SEB-BS.....	3385.....	195	T2472EM-BS.....	4625.....	194	T2496B-BS.....	3565.....	194	T30120E.....	5772.....	186
T2448SEB-BS-HA.....	10420.....	205	T2472F.....	1580.....	206	T2496E.....	3581.....	186	T30120E-BS.....	6403.....	194
T2448SEB-HA.....	9736.....	205	T2472F-US.....	1813.....	206	T2496E-BS.....	4154.....	194	T30120EB.....	5497.....	186
T2448SEM.....	4079.....	187	T2472F-USS.....	2004.....	206	T2496EB.....	3491.....	186	T30120EB-BS.....	6205.....	194
T2448SEM-BS.....	5013.....	195	T2472GTB.....	2251.....	188	T2496EB-BS.....	4060.....	194	T30120EM.....	6781.....	186
T2448STB.....	2698.....	189	T2472GTB-BS.....	2855.....	196	T2496EM.....	4702.....	186	T30120EM-BS.....	7886.....	194
T2448STB-BS.....	3443.....	197	T2472GTB-BS.....	2696.....	188	T2496EM-BS.....	5710.....	194	T30120GTB.....	5170.....	188
T2448STE.....	3153.....	189	T2472GTE.....	3309.....	196	T2496GTB.....	3144.....	188	T30120GTB-BS.....	6054.....	196
T2448STE-BS.....	3870.....	197	T2472GTEB.....	2532.....	188	T2496GTB-BS.....	3813.....	196	T30120GTE.....	6024.....	188
T2448STEB.....	2915.....	189	T2472GTEB-BS.....	3215.....	196	T2496GTE.....	3823.....	188	T30120GTE-BS.....	6655.....	196
T2448STEB-BS.....	3635.....	197	T2472GTEM.....	3907.....	188	T2496GTE-BS.....	4410.....	196	T30120GTEB.....	5747.....	188
T2448STEM.....	4226.....	189	T2472GTEM-BS.....	5018.....	196	T2496GTEB.....	3750.....	188	T30120GTEB-BS.....	6463.....	196
T2448STEM-BS.....	5255.....	197	T2472SB.....	2844.....	187	T2496GTEB-BS.....	4273.....	196	T30120GTEM.....	7042.....	188
T2460B.....	1866.....	186	T2472SB-BS.....	3590.....	195	T2496GTEM.....	4949.....	188	T30120GTEM-BS.....	8369.....	196
T2460B-BS.....	2468.....	194	T2472SE.....	3423.....	187	T2496GTEM-BS.....	6147.....	196	T30120SB.....	6639.....	187
T2460E.....	2257.....	186	T2472SE-BS.....	4179.....	195	T2496SB.....	3769.....	187	T30120SB-BS.....	7384.....	195
T2460E-BS.....	2852.....	194	T2472SE-BS-HA.....	11817.....	205	T2496SB-BS.....	4510.....	195	T30120SE.....	7829.....	187
T2460EB.....	2104.....	186	T2472SE-HA.....	10459.....	205	T2496SE.....	5018.....	187	T30120SE-BS.....	8586.....	195
T2460EB-BS.....	2772.....	194	T2472SEB.....	3123.....	187	T2496SE-BS.....	5704.....	195	T30120SEB.....	7236.....	187
T2460EBW.....	2200.....	46,204	T2472SEB-BS.....	3890.....	195	T2496SEB.....	4593.....	187	T30120SEB-BS.....	8000.....	195
T2460EBW-1.....	2725.....	46,204	T2472SEB-BS-HA.....	10896.....	205	T2496SEB-BS.....	5312.....	195	T30120SEM.....	8542.....	187
T2460EBW-2.....	2993.....	46,204	T2472SEB-HA.....	10173.....	205	T2496SEM.....	6006.....	187	T30120SEM-BS.....	9474.....	195
T2460EM.....	3431.....	186	T2472SEM.....	4605.....	187	T2496SEM-BS.....	6925.....	195	T30120STB.....	6887.....	189
T2460EM-BS.....	4417.....	194	T2472SEM-BS.....	5525.....	195	T2496STB.....	4021.....	189	T30120STB-BS.....	7636.....	197
T2460EW.....	2503.....	46,204	T2472STB.....	3092.....	189	T2496STB-BS.....	4758.....	197	T30120STE.....	8080.....	189
T2460EW-1.....	2982.....	46,204	T2472STB-BS.....	3841.....	197	T2496STE.....	5268.....	189	T30120STE-BS.....	8848.....	197
T2460EW-2.....	3250.....	46,204	T2472STE.....	3684.....	189	T2496STE-BS.....	5955.....	197	T30120STEB.....	7494.....	189
T2460F.....	1385.....	206	T2472STE-BS.....	4427.....	197	T2496STEB.....	4861.....	189	T30120STEB-BS.....	8099.....	197
T2460F-US.....	1711.....	206	T2472STEB.....	3385.....	189	T2496STEB-BS.....	5556.....	197	T30120STEM.....	8793.....	189
T2460F-USS.....	1865.....	206	T2472STEB-BS.....	4145.....	197	T2496STEM.....	6386.....	189	T30120STEM-BS.....	9741.....	197
T2460GTB.....	2117.....	188	T2472STEM.....	4870.....	189	T2496STEM-BS.....	7185.....	197	T30132B.....	5170.....	186
T2460GTB-BS.....	2715.....	196	T2472STEM-BS.....	5789.....	197	T30108B.....	4763.....	186	T30132B-BS.....	6157.....	194
T2460GTE.....	2508.....	188	T2484B.....	2552.....	186	T30108B-BS.....	5658.....	194	T30132E.....	5962.....	186
T2460GTE-BS.....	3113.....	196	T2484B-BS.....	3195.....	194	T30108E.....	5621.....	186	T30132E-BS.....	6800.....	194
T2460GTEB.....	2356.....	188	T2484E.....	3333.....	186	T30108E-BS.....	6251.....	194	T30132EB.....	5800.....	186
T2460GTEB-BS.....	3023.....	196	T2484E-BS.....	3893.....	194	T30108EB.....	5341.....	186	T30132EB-BS.....	6561.....	194
T2460GTEM.....	3689.....	188	T2484EB.....	3254.....	186	T30108EB-BS.....	6046.....	194	T30132EM.....	7180.....	186
T2460GTEM-BS.....	4793.....	196	T2484EB-BS.....	3763.....	194	T30108EM.....	6632.....	186	T30132EM-BS.....	8304.....	194
T2460SB.....	2652.....	187	T2484EM.....	4446.....	186	T30108EM-BS.....	7742.....	194	T30132GTB.....	5255.....	188

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
T30132GTB-BS.....	6399.....	196	T3030GTE.....	2211.....	188	T3048BA-BS-SLD.....	3997.....	200	T3060GTE.....	2656.....	188
T30132GTE.....	6215.....	188	T3030GTE-BS.....	2783.....	196	T3048E.....	2173.....	186	T3060GTE-BS.....	3251.....	196
T30132GTE-BS.....	6849.....	196	T3030GTETB.....	2092.....	188	T3048E-BS.....	2771.....	194	T3060GTETB.....	2489.....	188
T30132GTETB.....	5893.....	188	T3030GTETB-BS.....	2711.....	196	T3048EB.....	2031.....	186	T3060GTETB-BS.....	3153.....	196
T30132GTETB-BS.....	6628.....	196	T3030GTEM.....	3386.....	188	T3048EB-BS.....	2680.....	194	T3060GTEM.....	3852.....	188
T30132GTEM.....	7433.....	188	T3030GTEM-BS.....	4454.....	196	T3048EBW.....	2162.....	46,204	T3060GTEM-BS.....	4961.....	196
T30132GTEM-BS.....	8793.....	196	T3030SB.....	2349.....	187	T3048EBW-1.....	2627.....	46,204	T3060SB.....	2861.....	187
T30132SB.....	7051.....	187	T3030SB-BS.....	3126.....	195	T3048EBW-2.....	2873.....	46,204	T3060SB-BS.....	3603.....	195
T30132SB-BS.....	7794.....	195	T3030SE.....	2805.....	187	T3048EM.....	3351.....	186	T3060SE.....	3431.....	187
T30132SE.....	8397.....	187	T3030SE-BS.....	3504.....	195	T3048EM-BS.....	4452.....	194	T3060SE-BS.....	4162.....	195
T30132SE-BS.....	9196.....	195	T3030SEB.....	2585.....	187	T3048EW.....	2463.....	46,204	T3060SE-BS-HA.....	11804.....	205
T30132SEB.....	7732.....	187	T3030SEB-BS.....	3281.....	195	T3048EW-1.....	2917.....	46,204	T3060SE-HA.....	10466.....	205
T30132SEB-BS.....	8542.....	195	T3030SEM.....	3983.....	187	T3048EW-2.....	3180.....	46,204	T3060SEB.....	3144.....	187
T30132SEM.....	9104.....	187	T3030SEM-BS.....	4908.....	195	T3048F.....	1442.....	206	T3060SEB-BS.....	3883.....	195
T30132SEM-BS.....	10041.....	195	T3030STB.....	2628.....	189	T3048F-US.....	1626.....	206	T3060SEB-BS-HA.....	10893.....	205
T30132STB.....	7089.....	189	T3030STB-BS.....	3378.....	197	T3048F-USS.....	1751.....	206	T3060SEB-HA.....	10195.....	205
T30132STB-BS.....	7815.....	197	T3030STE.....	3064.....	189	T3048GTB.....	2058.....	188	T3060SEM.....	4606.....	187
T30132STE.....	8413.....	189	T3030STE-BS.....	3758.....	197	T3048GTB-BS.....	2621.....	196	T3060SEM-BS.....	5537.....	195
T30132STE-BS.....	9453.....	197	T3030STEB.....	2839.....	189	T3048GTE.....	2428.....	188	T3060STB.....	3113.....	189
T30132STEB.....	7760.....	189	T3030STEB-BS.....	3535.....	197	T3048GTE-BS.....	3017.....	196	T3060STB-BS.....	3852.....	197
T30132STEB-BS.....	8793.....	197	T3030STEM.....	4238.....	189	T3048GTETB.....	2277.....	188	T3060STEB.....	3715.....	189
T30132STEM.....	9366.....	189	T3030STEM-BS.....	5163.....	197	T3048GTETB-BS.....	2936.....	196	T3060STEB-BS.....	4139.....	197
T30132STEM-BS.....	10304.....	197	T3036B.....	1779.....	186	T3048GTEB.....	2277.....	188	T3060STEM.....	4872.....	189
T30144B.....	5322.....	186	T3036B-BS.....	2343.....	194	T3048GTEB-BS.....	2936.....	196	T3060STEM-BS.....	5621.....	197
T30144B-BS.....	6299.....	194	T3036BA-BS-HGD.....	3407.....	200	T3048SB.....	2613.....	187	T3072B.....	2143.....	186
T30144E.....	6293.....	186	T3036BA-BS-SLD.....	3747.....	200	T3048SB-BS.....	3368.....	195	T3072B-BS.....	2727.....	194
T30144E-BS.....	6956.....	194	T3036E.....	2089.....	186	T3048SE.....	3122.....	187	T3072E.....	2618.....	186
T30144EB.....	5842.....	186	T3036E-BS.....	2668.....	194	T3048SE-BS.....	3823.....	195	T3072E-BS.....	3243.....	194
T30144EB-BS.....	6717.....	194	T3036EB.....	1972.....	186	T3048SE-BS-HA.....	11482.....	205	T3072EB.....	2448.....	186
T30144EM.....	7332.....	186	T3036EB-BS.....	2600.....	194	T3048SE-HA.....	10170.....	205	T3072EB-BS.....	3130.....	194
T30144EM-BS.....	8440.....	194	T3036EBW.....	1915.....	46,204	T3048SEB.....	2852.....	187	T3072EM.....	3838.....	186
T30144GTB.....	5560.....	188	T3036EBW-1.....	2338.....	46,204	T3048SEB-BS.....	3565.....	195	T3072EM-BS.....	4820.....	194
T30144GTB-BS.....	6561.....	196	T3036EBW-2.....	2544.....	46,204	T3048SEB-BS-HA.....	10598.....	205	T3072F.....	1637.....	206
T30144GTE.....	6544.....	188	T3036EM.....	3272.....	186	T3048SEB-HA.....	9915.....	205	T3072F-US.....	1872.....	206
T30144GTE-BS.....	6999.....	196	T3036EM-BS.....	4079.....	194	T3048SEM.....	4283.....	187	T3072F-USS.....	2044.....	206
T30144GTETB.....	6223.....	188	T3036EW.....	2145.....	46,204	T3048SEM-BS.....	5216.....	195	T3072GTB.....	2384.....	188
T30144GTETB-BS.....	6777.....	196	T3036EW-1.....	2577.....	46,204	T3048STB.....	2864.....	189	T3072GTB-BS.....	2975.....	196
T30144GTEM.....	7586.....	188	T3036EW-2.....	2785.....	46,204	T3048STB-BS.....	3604.....	197	T3072GTE.....	2875.....	188
T30144GTEM-BS.....	8954.....	196	T3036GTB.....	2023.....	188	T3048STB-BS.....	3604.....	197	T3072GTE-BS.....	3502.....	196
T30144SB.....	7199.....	187	T3036GTB-BS.....	2585.....	196	T3048STE.....	3379.....	189	T3072GTETB.....	2696.....	188
T30144SB-BS.....	7943.....	195	T3036GTE.....	2344.....	188	T3048STE-BS.....	4108.....	197	T3072GTETB-BS.....	3390.....	196
T30144SE.....	8553.....	187	T3036GTE-BS.....	2926.....	196	T3048STEB.....	3113.....	189	T3072GTEM.....	4093.....	188
T30144SE-BS.....	9343.....	195	T3036GTETB.....	2232.....	188	T3048STEB-BS.....	3820.....	197	T3072GTEM-BS.....	5217.....	196
T30144SEB.....	7890.....	187	T3036GTETB-BS.....	2851.....	196	T3048STEM.....	4553.....	189	T3072SB.....	3098.....	187
T30144SEB-BS.....	8694.....	195	T3036GTEM.....	3521.....	188	T3048STEM-BS.....	5482.....	197	T3072SB-BS.....	3829.....	195
T30144SEM.....	9256.....	187	T3036GTEM-BS.....	4591.....	196	T3060B.....	1972.....	186	T3072SE.....	3758.....	187
T30144SEM-BS.....	10202.....	195	T3036SB.....	2514.....	187	T3060B-BS.....	2557.....	194	T3072SE-BS.....	4506.....	195
T30144STB.....	7446.....	189	T3036SB-BS.....	3258.....	195	T3060BA-BS-HGD.....	3900.....	200	T3072SE-BS-HA.....	12128.....	205
T30144STB-BS.....	7949.....	197	T3036SE.....	2944.....	187	T3060BA-BS-SLD.....	4372.....	162	T3072SE-HA.....	10776.....	205
T30144STE.....	8809.....	189	T3036SE-BS.....	3640.....	195	T3060E.....	2394.....	186	T3072SEB.....	3423.....	187
T30144STE-BS.....	9603.....	197	T3036SEB.....	2715.....	187	T3060E-BS.....	2999.....	194	T3072SEB-BS.....	4184.....	195
T30144STEB.....	8139.....	189	T3036SEB-BS.....	3417.....	195	T3060EB.....	2232.....	186	T3072SEB-BS-HA.....	11180.....	205
T30144STEB-BS.....	8954.....	197	T3036SEM.....	4118.....	187	T3060EB-BS.....	2899.....	194	T3072STEM.....	5346.....	189
T30144STEM.....	9516.....	189	T3036SEM-BS.....	5046.....	195	T3060EBW.....	2503.....	46,204	T3072STEM-BS.....	6116.....	197
T30144STEM-BS.....	10456.....	197	T3036STB.....	2761.....	189	T3060EBW-1.....	2982.....	46,204			
T3030B.....	1647.....	186	T3036STB-BS.....	3510.....	197	T3060EBW-2.....	3248.....	46,204			
T3030B-BS.....	2209.....	194	T3036STE.....	3199.....	189	T3060EM.....	3594.....	186			
T3030E.....	1956.....	186	T3036STE-BS.....	3903.....	197	T3060EM-BS.....	4711.....	194			
T3030E-BS.....	2532.....	194	T3036STEB.....	2970.....	189	T3060EW.....	2848.....	46,204			
T3030EB.....	1840.....	186	T3036STEB-BS.....	3675.....	197	T3060EW-1.....	3333.....	46,204			
T3030EB-BS.....	2466.....	194	T3036STEM.....	4372.....	189	T3060EW-2.....	3606.....	46,204			
T3030EM.....	3124.....	186	T3036STEM-BS.....	5305.....	197	T3060F.....	1544.....	206			
T3030EM-BS.....	4054.....	194	T3048B.....	1804.....	186	T3060F-US.....	1753.....	206			
T3030GTB.....	1895.....	188	T3048B-BS.....	2381.....	194	T3060F-USS.....	1896.....	206			
T3030GTB-BS.....	2457.....	196	T3048BA-BS-HGD.....	3635.....	200	T3060GTB.....	2221.....	188			
						T3060GTB-BS.....	2802.....	196			

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
T3084B	2674	186	T36108B-BS	6679	194	T36132E	7015	186	T3648E-BS	3319	194
T3084B-BS	3345	194	T36108E	6561	186	T36132E-BS	7946	194	T3648EB	2471	186
T3084E	3518	186	T36108E-BS	7332	194	T36132EB	6781	186	T3648EB-BS	3226	194
T3084E-BS	4079	194	T36108EB	6411	186	T36132EB-BS	7457	194	T3648EM	4031	186
T3084EB	3307	186	T36108EB-BS	7093	194	T36132EM	8279	186	T3648EM-BS	5035	194
T3084EB-BS	3938	194	T36108EM	7663	186	T36132EM-BS	9453	194	T3648GTB	2500	188
T3084EM	4639	186	T36108EM-BS	8809	194	T36132GTB	6262	188	T3648GTB-BS	3345	196
T3084EM-BS	5814	194	T36108GTB	5813	188	T36132GTB-BS	7255	196	T3648GTE	3113	188
T3084GTB	2918	188	T36108GTB-BS	6725	196	T36132GTE	7266	188	T3648GTE-BS	3583	196
T3084GTB-BS	3596	196	T36108GTE	6821	188	T36132GTE-BS	7969	196	T3648GTB	2725	188
T3084GTE	3766	188	T36108GTE-BS	7586	196	T36132GTB	7029	188	T3648GTB-BS	3479	196
T3084GTE-BS	4336	196	T36108GTB	6472	188	T36132GTB-BS	7700	196	T3648GTEB	4283	188
T3084GTB	3562	188	T36108GTB-BS	7141	196	T36132GTB-BS	8542	188	T3648GTEB-BS	5429	196
T3084GTB-BS	4192	196	T36108GTB	7924	188	T36132GTB-BS	9977	196	T3648GTEB	3014	187
T3084GTB-BS	4895	188	T36108GTB-BS	9320	196	T36132GTB-BS	8153	187	T3648GTEB-BS	3753	195
T3084GTB-BS	6069	196	T36108SB	7719	187	T36132SB	9133	195	T3648GTEB-BS	3561	187
T3084SB	3640	187	T36108SB-BS	8470	195	T36132SE	9749	187	T3648SE-BS	4505	195
T3084SB-BS	4384	195	T36108SE	8918	187	T36132SE-BS	10389	195	T3648SEB	3368	187
T3084SE	4889	187	T36108SE-BS	9840	195	T36132SEB	8928	187	T3648SEB-BS	4192	195
T3084SE-BS	5553	195	T36108SEB	8417	187	T36132SEB-BS	9655	195	T3648SEB	5003	187
T3084SEB	4488	187	T36108SEB-BS	9157	195	T36132SEM	10487	187	T3648SEM-BS	5939	195
T3084SEB-BS	5175	195	T36108SEM	9674	187	T36132SEM-BS	11415	195	T3648STB	3272	189
T3084SEM	5876	187	T36108SEM-BS	10578	195	T36132STB	8391	189	T3648STB-BS	3997	197
T3084SEM-BS	6809	195	T36108STB	7749	189	T36132STB-BS	9107	197	T3648STB	3814	189
T3084STB	3900	189	T36108STB-BS	8717	197	T36132STB	9704	189	T3648STB-BS	4758	197
T3084STB-BS	4632	197	T36108STE	9170	189	T36132STE-BS	10959	197	T3648STB	3625	189
T3084STE	5143	189	T36108STE-BS	10099	197	T36132STEB	9324	189	T3648STEB-BS	4452	197
T3084STE-BS	5811	197	T36108STEB	8580	189	T36132STEB-BS	9915	197	T3648STEM	5254	189
T3084STEB	4742	189	T36108STEB-BS	9142	197	T36132STEM	10735	189	T3648STEM-BS	5676	197
T3084STEB-BS	5422	197	T36108STEM	9924	189	T36132STEM-BS	11666	197	T3660B	2530	186
T3084STEM	6147	189	T36108STEM-BS	10843	197	T36144B	6358	186	T3660B-BS	3349	194
T3084STEM-BS	7068	197	T36120B	5876	186	T36144B-BS	7157	194	T3660E	2852	186
T3096B	3097	186	T36120B-BS	6825	194	T36144E	7375	186	T3660E-BS	3814	194
T3096B-BS	3781	194	T36120E	6717	186	T36144E-BS	8108	194	T3660EB	2772	186
T3096E	3843	186	T36120E-BS	7485	194	T36144EB	6928	186	T3660EB-BS	3689	194
T3096E-BS	4422	194	T36120EB	6561	186	T36144EB-BS	7829	194	T3660EM	4348	186
T3096EB	3604	186	T36120EB-BS	7243	194	T36144EM	8438	186	T3660EM-BS	5350	194
T3096EB-BS	4271	194	T36120EM	7817	186	T36144EM-BS	9600	194	T3660GTB	2781	188
T3096EM	4963	186	T36120EM-BS	8954	194	T36144GTB	6598	188	T3660GTB-BS	3603	196
T3096EM-BS	6179	194	T36120GTB	6129	188	T36144GTB-BS	7392	196	T3660GTE	3122	188
T3096GTB	3345	188	T36120GTB-BS	7069	196	T36144GTE	7412	188	T3660GTE-BS	4068	196
T3096GTB-BS	4027	196	T36120GTE	6974	188	T36144GTE-BS	8116	196	T3660GTB	3023	188
T3096GTE	4099	188	T36120GTE-BS	7743	196	T36144GTB	7391	188	T3660GTB-BS	3946	196
T3096GTE-BS	4669	196	T36120GTB	6821	188	T36144GTB-BS	7850	196	T3660GTEB	4593	188
T3096GTB	3856	188	T36120GTB-BS	7503	196	T36144GTEB	8694	188	T3660GTEB-BS	5757	196
T3096GTB-BS	4523	196	T36120GTEB	8077	188	T36144GTEB-BS	10131	196	T3660GTEB	3339	187
T3096GTB-BS	5223	188	T36120GTEB-BS	9469	196	T36144SB	8533	187	T3660SB-BS	4081	195
T3096GTB-BS	6449	196	T36120SB	7876	187	T36144SB-BS	9293	195	T3660SE	3922	187
T3096SB	4081	187	T36120SB-BS	8617	195	T36144SE	9897	187	T3660SE-BS	5076	195
T3096SB-BS	4821	195	T36120SE	9072	187	T36144SE-BS	10854	195	T3660SEB	3689	187
T3096SE	5415	187	T36120SE-BS	9997	195	T36144SEB	9336	187	T3660SEB-BS	4731	195
T3096SE-BS	6111	195	T36120SEB	8563	187	T36144SEB-BS	9809	195	T3660SEM	5380	187
T3096SEB	4961	187	T36120SEB-BS	9299	195	T36144SEM	10642	187	T3660SEM-BS	6313	195
T3096SEB-BS	5681	195	T36120SEM	9813	187	T36144SEM-BS	11568	195	T3660STB	3585	189
T3096SEM	6116	187	T36120SEM-BS	10737	195	T36144STB	8533	189	T3660STB-BS	4322	197
T3096SEM-BS	7314	195	T36120STB	8119	189	T36144STB-BS	9250	197	T3660STE	4180	189
T3096STB	4322	189	T36120STB-BS	8865	197	T36144STE	10165	189	T3660STE-BS	5337	197
T3096STB-BS	5075	197	T36120STE	9324	189	T36144STE-BS	11129	197	T3660STEB	3946	189
T3096STE	5681	189	T36120STE-BS	10244	197	T36144STEB	9594	189	T3660STEB-BS	4977	197
T3096STE-BS	6358	197	T36120STEB	8829	189	T36144STEB-BS	10056	197	T3660STEM	5639	189
T3096STEB	5217	189	T36120STEB-BS	9564	197	T36144STEM	10891	189	T3660STEM-BS	6372	197
T3096STEB-BS	5935	197	T36120STEM	10072	189	T36144STEM-BS	11819	197	T3672B	2770	186
T3096STEM	6369	189	T36120STEM-BS	10994	197	T3648B	2246	186	T3672B-BS	3557	194
T3096STEM-BS	7577	197	T36132B	6024	186	T3648B-BS	3097	194	T3672E	3111	186
T36108B	5749	186	T36132B-BS	7011	194	T3648E	2546	186	T3672E-BS	4085	194

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
T3672EB	3008	186	T3696EB-BS	5192	194	T4848STE	7396	189	TEP74-E	362	59
T3672EB-BS	3945	186	T3696EM	5849	186	T4848STEM	9108	189	TEP74-Z	299	59
T3672EM	4628	194	T3696EM-BS	6908	194	T4860E	6632	186	TEP86-C	375	59
T3672EM-BS	5647	186	T3696GTB	4245	188	T4860EM	8611	186	TEP86-E	403	59
T3672GTB	3014	188	T3696GTB-BS	4809	196	T4860GTE	6894	188	TEP86-Z	350	59
T3672GTB-BS	3686	196	T3696GTE	4707	188	T4860GTEM	8860	188	TM108APR	3206	216
T3672GTE	3368	188	T3696GTE-BS	5636	196	T4860SE	7611	187	TM108PR	3980	216
T3672GTE-BS	4337	196	T3696GTB	4582	188	T4860SEM	9600	187	TM108PRS	3449	216
T3672GTB	3254	188	T3696GTB-BS	5440	196	T4860STE	7861	189	TM120APR	3304	216
T3672GTB-BS	4193	196	T3696GTEM	6114	188	T4860STEM	9855	189	TM120PR	4144	216
T3672GTEM	4889	188	T3696GTEM-BS	7370	196	T4872E	7203	186	TM120PRS	3483	216
T3672GTEM-BS	6065	196	T3696SB	5439	187	T4872EM	9184	186	TM132APR	3399	216
T3672SB	3650	187	T3696SB-BS	6173	195	T4872GTE	7460	188	TM132PR	4354	216
T3672SB-BS	4405	195	T3696SE	6232	187	T4872GTEM	9609	188	TM132PRS	3637	216
T3672SE	4282	187	T3696SE-BS	6945	195	T4872SE	8312	187	TM144APR	3514	216
T3672SE-BS	5440	195	T3696SEB	5869	187	T4872SEM	10302	187	TM144PR	4436	216
T3672SEB	4028	187	T3696SEB-BS	6454	195	T4872STE	8561	189	TM144PRS	3677	216
T3672SEB-BS	5075	195	T3696SEM	7463	187	T4872STEM	10537	189	TM36APR	1910	216
T3672SEM	5768	187	T3696SEM-BS	8407	195	T4884E	9781	186	TM36PR	2284	216
T3672SEM-BS	6698	195	T3696STB	5685	189	T4884EM	11751	186	TM36PRS	932	216
T3672STB	3903	189	T3696STB-BS	6429	197	T4884GTE	10039	188	TM48APR	1987	216
T3672STB-BS	4639	197	T3696STE	6483	189	T4884GTEM	11999	188	TM48PR	2414	216
T3672STE	4551	189	T3696STE-BS	7200	197	T4884SE	11236	187	TM48PRS	1007	216
T3672STE-BS	5706	197	T3696STEB	6129	189	T4884SEM	13215	187	TM60APR	2054	216
T3672STEB	4282	189	T3696STEB-BS	6714	197	T4884STE	11502	189	TM60PR	2542	216
T3672STEB-BS	5327	197	T3696STEM	7730	189	T4884STEM	13471	189	TM60PRS	1082	216
T3672STEM	6021	189	T3696STEM-BS	8663	197	T4896E	10344	186	TM72APR	2152	216
T3672STEM-BS	6959	197	T48108E	15473	186	T4896EM	12322	186	TM72PR	2675	216
T3684B	3804	186	T48108EM	17462	186	T4896GTE	10583	188	TM72PRS	1162	216
T3684B-BS	4200	194	T48108GTE	15719	188	T4896GTEM	12573	188	TM84APR	2564	216
T3684E	4162	186	T48108GTEM	17706	188	T4896SE	12128	187	TM84PR	3160	216
T3684E-BS	4782	194	T48108SE	17684	187	T4896SEM	14113	187	TM84PRS	1247	216
T3684EB	4085	186	T48108SEM	19673	187	T4896STE	12376	189	TM96APR	2643	216
T3684EB-BS	4617	194	T48108STE	17966	189	T4896STEM	14351	189	TM96PR	3292	216
T3684EM	5583	186	T48108STEM	19916	189	TB1016-3	66	51	TM96PRS	1382	216
T3684EM-BS	6639	194	T48120E	15653	186	TB1016-6	70	51	TMS2424	1803	205
T3684GTB	4051	188	T48120EM	17603	186	TB1035XL	56	173	TMS2424S	2188	205
T3684GTB-BS	4451	196	T48120GTE	15894	188	TB1050XL	64	173	TMS3024	1880	205
T3684GTE	4453	188	T48120GTEM	17855	188	TB1722-3	106	51,53	TMS3024S	2298	205
T3684GTE-BS	5046	196	T48120SE	17840	187	TB1722-6	125	51,53	TMS3030	2092	205
T3684GTB	4337	188	T48120SEM	19817	187	TB1722-9	147	51,53	TMS3030S	2604	205
T3684GTB-BS	4881	196	T48120STE	18086	189	TB2035XL	66	173	TMS3036	2148	205
T3684GTEM	5842	188	T48120STEM	20062	189	TB2060XL	91	173	TMS3036S	2646	205
T3684GTEM-BS	7087	196	T48132E	16999	186	TB2080XL	100	173	TMS3636	2253	205
T3684SB	5046	187	T48132EM	18961	186	TB3030XL	155	173	TMS3636S	2771	205
T3684SB-BS	5784	195	T48132GTE	17257	188	TB3060XL	162	173	TR10	111	91
T3684SE	5796	187	T48132GTEM	19203	188	TB3080XL	195	173	TR24BL	105	52
T3684SE-BS	6483	195	T48132SE	19181	187	TB3120XL	268	173	TR24C	94	52
T3684SEB	5474	187	T48132SEM	21157	187	TBC-P	1630	172	TS1417	210	51
T3684SEB-BS	6029	195	T48132STE	19456	189	TBC-R	1479	172	TS18-C	174	53
T3684SEM	7033	187	T48132STEM	21407	189	TBC-S	199	172	TS18-E	205	53
T3684SEM-BS	7972	195	T48144E	17124	186	TBC-SD	188	172	TS2021	220	51
T3684STB	5298	189	T48144EM	19111	186	TBC1-P	1530	172	TS24-C	185	53
T3684STB-BS	6025	197	T48144GTE	17399	188	TBC1-R	1492	172	TS24-E	215	53
T3684STE	6046	189	T48144GTEM	19353	188	TBC2-P	2222	172	TS2517	219	51
T3684STE-BS	6746	197	T48144SE	19324	187	TBC2-R	2178	172	U2-1836C	677	29
T3684STEB	5719	189	T48144SEM	21306	187	TBC3-P	3118	172	U2-1836C-RP	685	25
T3684STEB-BS	6293	197	T48144STE	19560	189	TBC3-R	3073	172	U2-1836S	1816	29
T3684STEM	7293	189	T48144STEM	21553	189	TD2448-BSP	2265	39	U2-1836Z	667	29
T3684STEM-BS	8229	197	T4848E	5937	186	TD2448-SP	1104	39	U2-1842C	719	29
T3696B	4045	186	T4848EM	7908	186	TD2460-BSP	2276	39	U2-1842S	2007	29
T3696B-BS	4722	194	T4848GTE	6181	188	TD2460-SP	1156	39	U2-1842Z	698	29
T3696E	4452	186	T4848GTEM	8116	188	TD3	5188	213	U2-2136C	727	29
T3696E-BS	5377	194	T4848SE	6881	187	TD3L	5856	213	U2-2136S	1970	29
T3696EB	4328	186	T4848SEM	8860	187	TEP74-C	337	59			

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
U2-2136Z	.698	29	UCB3096SE	11712	202	UT24120E	.5650	190	UT2436B	.1925	190
U2-2142C	.766	29	UCBH24120SE	14249	202	UT24120EB	.5385	190	UT2436E	.2232	190
U2-2142S	.2160	29	UCBH2436SE	.8733	202	UT24120GTB	.5303	192	UT2436EB	.2106	190
U2-2142Z	.737	29	UCBH2448SE	.9157	202	UT24120GTE	.5893	192	UT2436GTB	.2178	192
U2-2148C	.777	29	UCBH2460SE	.9759	202	UT24120GTEB	.5643	192	UT2436GTE	.2500	192
U2-2148S	.2160	29	UCBH2472SE	10352	202	UT24120SB	.6454	191	UT2436GTEB	.2363	192
U2-2148Z	.752	29	UCBH2484SE	.11651	202	UT24120SE	.7529	191	UT2436SB	.2585	191
U2-2436C	.759	29	UCBH2496SE	12504	202	UT24120SEB	.6974	191	UT2436SE	.2988	191
U2-2436S	.2077	29	UCBH30120SE	14808	202	UT24120STB	.6700	193	UT2436SEB	.2780	191
U2-2436Z	.727	29	UCBH3036SE	.9037	202	UT24120STE	.7793	193	UT2436STB	.2839	193
U2-2442C	.810	29	UCBH3048SE	.9444	202	UT24120STEB	.7231	193	UT2436STE	.3243	193
U2-2442S	.2340	29	UCBH3060SE	10115	202	UT2412STE	.1825	200	UT2436STEB	.3028	193
U2-2442Z	.777	29	UCBH3072SE	10768	202	UT2412STEB	.1680	200	UT2448B	.1957	190
U2-2448C	.825	29	UCBH3084SE	.11953	202	UT24132B	.5047	190	UT2448E	.2273	190
U2-2448S	.2340	29	UCBH3096SE	13965	202	UT24132E	.5951	190	UT2448EB	.2145	190
U2-2448Z	.789	29	UH	.29	91	UT24132EB	.5487	190	UT2448GTB	.2209	192
U2-2460C	.900	29	UH18-C	.92	29	UT24132GTB	.5312	192	UT2448GTE	.2621	192
U2-2460S	.2686	29	UH18-S	.228	29	UT24132GTE	.6024	192	UT2448GTEB	.2398	192
U2-2460Z	.880	29	UH21-C	.93	29	UT24132GTEB	.5732	192	UT2448SB	.2656	191
U3-1836C	.818	29	UH21-S	.232	29	UT24132SB	.6590	191	UT2448SE	.3111	191
U3-1836C-RP	.825	25	UH24-C	.93	29	UT24132SE	.7762	191	UT2448SEB	.2870	191
U3-1836S	.2328	29	UH24-S	.238	29	UT24132SEB	.7374	191	UT2448STB	.2897	193
U3-1836Z	.807	29	UOB24120SE	.9005	202	UT24132STB	.6836	193	UT2448STE	.3368	193
U3-1842C	.884	29	UOB2436SE	.5535	202	UT24132STE	.8014	193	UT2448STEB	.3123	193
U3-1842S	.2616	29	UOB2448SE	.5743	202	UT24132STEB	.7409	193	UT2460B	.2070	190
U3-1842Z	.856	29	UOB2460SE	.6149	202	UT24144B	.5076	190	UT2460E	.2458	190
U3-2136C	.898	29	UOB2472SE	.6555	202	UT24144E	.6128	190	UT2460EB	.2308	190
U3-2136CS	.1236	28	UOB2484SE	.7136	202	UT24144EB	.5803	190	UT2460GTB	.2313	192
U3-2136S	.2560	29	UOB2496SE	.7500	202	UT24144GTB	.5332	192	UT2460GTE	.2709	192
U3-2136Z	.855	29	UOB30120SE	.9443	202	UT24144GTE	.6172	192	UT2460GTEB	.2564	192
U3-2142C	.955	29	UOB3036SE	.5835	202	UT24144GTEB	.5875	192	UT2460SB	.2844	191
U3-2142S	.2838	29	UOB3048SE	.6047	202	UT24144SB	.6935	191	UT2460SE	.3377	191
U3-2142Z	.907	29	UOB3060SE	.6497	202	UT24144SE	.8153	191	UT2460SEB	.3092	191
U3-2148C	.970	29	UOB3072SE	.6960	202	UT24144SEB	.7522	191	UT2460STB	.3092	193
U3-2148S	.2838	29	UOB3084SE	.7440	202	UT24144STB	.6843	193	UT2460STE	.3626	193
U3-2148Z	.923	29	UOB3096SE	.8215	202	UT24144STE	.8407	193	UT2460STEB	.3348	193
U3-2436C	.930	29	UR-501	.1461	205	UT24144STEB	.7565	193	UT2472B	.2199	190
U3-2436CS	.1303	28	UR1836C	.996	36,161	UT2415STE	.1866	200	UT2472E	.2646	190
U3-2436S	.2709	29	UR1848C	.1065	36,161	UT2415STEB	.1718	200	UT2472EB	.2478	190
U3-2436Z	.897	29	UR1860C	.1152	36,161	UT2418STE	.1953	200	UT2472GTB	.2449	192
U3-2442C	.1019	29	URS1836C	.1305	36,161	UT2418STEB	.1796	200	UT2472GTE	.2899	192
U3-2442S	.3109	29	URS1848C	.1430	36,161	UT2424B	.1669	190	UT2472GTEB	.2743	192
U3-2442Z	.967	29	URS1860C	.1638	36,161	UT2424E	.1908	190	UT2472SB	.3036	191
U3-2448C	.1038	29	US0824-16/3	.1271	253	UT2424EB	.1838	190	UT2472SE	.3635	191
U3-2448S	.3109	29	US0836-16/3	.1464	253	UT2424GTB	.1918	192	UT2472SEB	.3319	191
U3-2448Z	.983	29	US0848-16/3	.1852	253	UT2424GTE	.2354	192	UT2472STB	.3288	193
U3-2460C	.1153	29	US18-S	.119	53	UT2424GTEB	.2091	192	UT2472STE	.3890	193
U3-2460S	.3626	29	US21-S	.132	53	UT2424SB	.2275	191	UT2472STEB	.3583	193
U3-2460Z	.1119	29	US24-S	.136	53	UT2424SE	.2588	191	UT2484B	.2741	190
UC-311	.1396	27	US30-S	.145	53	UT2424SEB	.2411	191	UT2484E	.3545	190
UC-322	.1437	27	USS24-S	.269	53	UT2424STB	.2562	193	UT2484EB	.3475	190
UCB24120SE	.13000	202	USS30-S	.325	53	UT2424STE	.2839	193	UT2484GTB	.2989	192
UCB2436SE	.7191	202	UT24108B	.4897	190	UT2424STEB	.2660	193	UT2484GTE	.3800	192
UCB2448SE	.7904	202	UT24108E	.5339	190	UT2430B	.1803	190	UT2484GTEB	.3726	192
UCB2460SE	.8494	202	UT24108EB	.5083	190	UT2430E	.2092	190	UT2484SB	.3706	191
UCB2472SE	.9106	202	UT24108GTB	.4997	192	UT2430EB	.1972	190	UT2484SE	.4887	191
UCB2484SE	.10411	202	UT24108GTE	.5583	192	UT2430GTB	.2049	192	UT2484SEB	.4505	191
UCB2496SE	.11248	202	UT24108GTEB	.5338	192	UT2430GTE	.2458	192	UT2484STB	.3956	193
UCB30120SE	.13545	202	UT24108SB	.6309	191	UT2430GTEB	.2231	192	UT2484STE	.5135	193
UCB3036SE	.7511	202	UT24108SE	.7375	191	UT2430SB	.2457	191	UT2484STEB	.4758	193
UCB3048SE	.8204	202	UT24108SEB	.6821	191	UT2430SE	.2851	191	UT2496B	.3098	190
UCB3060SE	.8849	202	UT24108STB	.6372	193	UT2430SEB	.2635	191	UT2496E	.3777	190
UCB3072SE	.9508	202	UT24108STE	.7635	193	UT2430STB	.2704	193	UT2496EB	.3698	190
UCB3084SE	.10697	202	UT24108STEB	.6881	193	UT2430STE	.3111	193	UT2496GTB	.3346	192
			UT24120B	.4997	190	UT2430STEB	.2895	193	UT2496GTE	.4031	192

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
UT2496GTB	3955	192	UT3030GTB	2091	192	UT3084SEB	4690	191	UT36144STEB	9805	193
UT2496SB	3970	191	UT3030GTE	2411	192	UT3084STB	4093	193	UT3615STE	2163	200
UT2496SE	5217	191	UT3030GTB	2299	192	UT3084STE	5346	193	UT3615STEB	1994	200
UT2496SEB	4793	191	UT3030SB	2581	191	UT3084STEB	4948	193	UT3618STE	2251	200
UT2496STB	4211	193	UT3030SE	3008	191	UT3096B	3291	190	UT3618STEB	2070	200
UT2496STE	5483	193	UT3030SEB	2783	191	UT3096E	4045	190	UT3648B	2448	190
UT2496STEB	5059	193	UT3030STB	2835	193	UT3096EB	3813	190	UT3648E	2755	190
UT30108B	4961	190	UT3030STE	3254	193	UT3096GTB	3540	192	UT3648EB	2680	190
UT30108E	5824	190	UT3030STEB	3050	193	UT3096GTE	4298	192	UT3648GTB	2695	192
UT30108EB	5541	190	UT3036B	1972	190	UT3096GTB	4065	192	UT3648GTE	3008	192
UT30108GTB	5075	192	UT3036E	2287	190	UT3096SB	4272	191	UT3648GTB	2936	192
UT30108GTE	6071	192	UT3036EB	2178	190	UT3096SE	5621	191	UT3648SB	3212	191
UT30108GTB	5803	192	UT3036GTB	2221	192	UT3096SEB	5175	191	UT3648SE	3760	191
UT30108SB	6689	191	UT3036GTE	2546	192	UT3096STB	4520	193	UT3648SEB	3562	191
UT30108SE	7886	191	UT3036GTB	2432	192	UT3096STE	5869	193	UT3648STB	3456	193
UT30108SEB	7289	191	UT3036SB	2710	191	UT3096STEB	5422	193	UT3648STE	4026	193
UT30108STB	6745	193	UT3036SE	3138	191	UT36108B	5938	190	UT3648STEB	3818	193
UT30108STE	8132	193	UT3036SEB	2926	191	UT36108E	6582	190	UT3660B	2729	190
UT30108STB	7543	193	UT3036STB	2964	193	UT36108EB	6378	190	UT3660E	3064	190
UT30120B	5104	190	UT3036STE	3394	193	UT36108GTB	6184	192	UT3660EB	2970	190
UT30120E	5977	190	UT3036STEB	3182	193	UT36108GTE	6828	192	UT3660GTB	2979	192
UT30120EB	5700	190	UT3048B	1999	190	UT36108GTB	6679	192	UT3660GTE	3309	192
UT30120GTB	5346	192	UT3048E	2369	190	UT36108SB	7918	191	UT3660GTB	3231	192
UT30120GTE	6232	192	UT3048EB	2231	190	UT36108SE	9121	191	UT3660SB	3529	191
UT30120GTB	5953	192	UT3048GTB	2251	192	UT36108SEB	8370	191	UT3660SE	4124	191
UT30120SB	6840	191	UT3048GTE	2631	192	UT36108STB	7936	193	UT3660SEB	3907	191
UT30120SE	8038	191	UT3048GTB	2481	192	UT36108STE	9377	193	UT3660STB	3781	193
UT30120SEB	7438	191	UT3048SB	2810	191	UT36108STEB	8621	193	UT3660STE	4380	193
UT30120STB	7086	193	UT3048SE	3317	191	UT36120B	6089	190	UT3660STEB	4154	193
UT30120STE	8279	193	UT3048SEB	3064	191	UT36120E	6923	190	UT3672B	2965	190
UT30120STB	7695	193	UT3048STB	3064	193	UT36120EB	6771	190	UT3672E	3307	190
UT3012STE	1972	200	UT3048STE	3581	193	UT36120GTB	6332	192	UT3672EB	3215	190
UT3012STE	1972	200	UT3048STEB	3309	193	UT36120GTE	7180	192	UT3672GTB	3212	192
UT3012STEB	1815	200	UT3060B	2170	190	UT36120GTB	7026	192	UT3672GTE	3562	192
UT30132B	5361	190	UT3060E	2602	190	UT36120SB	8076	191	UT3672GTB	3475	192
UT30132E	6159	190	UT3060EB	2448	190	UT36120SE	9278	191	UT3672SB	3854	191
UT30132EB	5856	190	UT3060GTB	2413	192	UT36120SEB	8774	191	UT3672SE	4489	191
UT30132GTB	5458	192	UT3060GTE	2852	192	UT36120STB	8316	193	UT3672SEB	4238	191
UT30132GTE	6597	192	UT3060GTB	2696	192	UT36120STE	9531	193	UT3672STB	4104	193
UT30132GTB	6107	192	UT3060SB	3054	191	UT36120STEB	9024	193	UT3672STE	4743	193
UT30132SB	7045	191	UT3060SE	3642	191	UT3612STE	2100	200	UT3672STEB	4489	193
UT30132SE	8606	191	UT3060SEB	3348	191	UT3612STEB	1933	200	UT3684B	3997	190
UT30132SEB	7702	191	UT3060STB	3306	193	UT36132B	6217	190	UT3684E	4406	190
UT30132STB	7279	193	UT3060STE	3907	193	UT36132E	7217	190	UT3684EB	4282	190
UT30132STE	8860	193	UT3060STEB	3604	193	UT36132EB	6979	190	UT3684GTB	4255	192
UT30132STEB	7955	193	UT3072B	2336	190	UT36132GTB	6458	192	UT3684GTE	4657	192
UT30144B	5515	190	UT3072E	2827	190	UT36132GTE	7462	192	UT3684GTB	4551	192
UT30144E	6305	190	UT3072EB	2646	190	UT36132GTB	7231	192	UT3684SB	5240	191
UT30144EB	5998	190	UT3072GTB	2581	192	UT36132SB	8583	191	UT3684SE	6004	191
UT30144GTB	5600	192	UT3072GTE	3078	192	UT36132SE	9660	191	UT3684SEB	5681	191
UT30144GTE	6765	192	UT3072GTB	2899	192	UT36132SEB	9129	191	UT3684STB	5487	193
UT30144GTB	6251	192	UT3072SB	3305	191	UT36132STB	8576	193	UT3684STE	6251	193
UT30144SB	7185	191	UT3072SE	3966	191	UT36132STE	9869	193	UT3684STEB	5935	193
UT30144SE	8762	191	UT3072SEB	3635	191	UT36132STEB	9369	193	UT3696B	4238	190
UT30144SEB	8082	191	UT3072STB	3543	193	UT36144B	6555	190	UT3696E	4655	190
UT30144STB	7432	193	UT3072STE	4223	193	UT36144E	7365	190	UT3696EB	4530	190
UT30144STE	9015	193	UT3072STEB	3890	193	UT36144EB	7128	190	UT3696GTB	4488	192
UT30144STEB	8340	193	UT3084B	2872	190	UT36144GTB	6604	192	UT3696GTE	4912	192
UT3015STE	2016	200	UT3084E	3726	190	UT36144GTE	7611	192	UT3696GTB	4782	192
UT3015STEB	1853	200	UT3084EB	3512	190	UT36144GTB	7384	192	UT3696SB	5636	191
UT3018STE	2129	200	UT3084GTB	3122	192	UT36144SB	8748	191	UT3696SE	6449	191
UT3018STEB	1957	200	UT3084GTE	3983	192	UT36144SE	10107	191	UT3696SEB	6071	191
UT3030B	1848	190	UT3084GTB	3763	192	UT36144SEB	9551	191	UT3696STB	5875	193
UT3030E	2151	190	UT3084SB	3848	191	UT36144STB	8726	193	UT3696STE	6690	193
UT3030EB	2044	190	UT3084SE	5091	191	UT36144STE	10068	193	UT3696STEB	6330	193

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
UUC-311.....	1449.....	27	WCH4-24C-R.....	8083.....	253	WM72APR.....	849.....	217	WOAP2448T-1H-1W.....	4872.....	141
UUC-322.....	1489.....	27	WCH4-24C-RL.....	8629.....	253	WM72PR.....	1049.....	217	WOAP2448T-2C.....	4872.....	141
UWT3048SE.....	2059.....	183	WCO-24.....	5355.....	98,209	WM84APR.....	893.....	217	WOAP2448T-2H.....	4872.....	141
UWT3048SEB.....	1456.....	183	WCO-30.....	5360.....	98,209	WM84PR.....	1140.....	217	WOAP2448T-2W.....	4872.....	141
UWT3048SEM.....	2884.....	183	WCO-36.....	5559.....	98,209	WM96APR.....	1095.....	217	WOAP2460T-1C-1W.....	5613.....	141
UWT3060SE.....	2347.....	183	WCO-48.....	6591.....	98,209	WM96PR.....	1616.....	217	WOAP2460T-1H-1W.....	5613.....	141
UWT3060SEB.....	1705.....	183	WCO-60.....	7379.....	98,209	WOAC2436T-1C-1W.....	2104.....	140,178	WOAP2460T-2C.....	5613.....	141
UWT3060SEM.....	3080.....	183	WCO-72.....	8524.....	98,209	WOAC2436T-1H-1W.....	2104.....	140,178	WOAP2460T-2H.....	5613.....	141
UWT3072SE.....	2745.....	183	WCO-84.....	8993.....	98,209	WOAC2436T-2C.....	2104.....	140,178	WOAP2460T-2W.....	5613.....	141
UWT3072SEB.....	1910.....	183	WCO-96.....	9530.....	98,209	WOAC2436T-2H.....	2104.....	140,178	WOAP3036T-1C-1W.....	4491.....	141
UWT3072SEM.....	3479.....	183	WCS-120.....	15720.....	98,209	WOAC2436T-2W.....	2104.....	140,178	WOAP3036T-1H-1W.....	4491.....	141
W1436-GBC.....	571.....	131	WCS-24.....	7115.....	98,209	WOAC2448T-1C-1W.....	2393.....	140,178	WOAP3036T-2C.....	4491.....	141
W1436-GBS.....	1709.....	131	WCS-30.....	8669.....	98,209	WOAC2448T-1H-1W.....	2393.....	140,178	WOAP3036T-2H.....	4491.....	141
W1448-GBC.....	629.....	131	WCS-36.....	8938.....	98,209	WOAC2448T-2C.....	2393.....	140,178	WOAP3036T-2W.....	4491.....	141
W1448-GBS.....	1895.....	131	WCS-42.....	8622.....	98,209	WOAC2448T-2H.....	2393.....	140,178	WOAP3048T-1C-1W.....	5310.....	141
W1460-GBC.....	685.....	131	WCS-48.....	9398.....	98,209	WOAC2448T-2W.....	2393.....	140,178	WOAP3048T-1H-1W.....	5310.....	141
W1460-GBS.....	1979.....	131	WCS-54.....	9572.....	98,209	WOAC2460T-1C-1W.....	2688.....	140,178	WOAP3048T-2C.....	5310.....	141
W1472-GBC.....	719.....	131	WCS-60.....	10157.....	98,209	WOAC2460T-1H-1W.....	2688.....	140,178	WOAP3048T-2H.....	5310.....	141
W1472-GBS.....	2099.....	131	WCS-72.....	11648.....	98,209	WOAC2460T-2C.....	2688.....	140,178	WOAP3048T-2W.....	5310.....	141
W1916.....	6083.....	236	WCS-84.....	11949.....	98,209	WOAC2460T-2H.....	2688.....	140,178	WOAP3060T-1C-1W.....	6076.....	141
W1916-FA.....	3177.....	236	WCS-90.....	12654.....	98,209	WOAC2460T-2W.....	2688.....	140,178	WOAP3060T-1H-1W.....	6076.....	141
WAL-1-1836.....	734.....	90	WCS-96.....	12938.....	98,209	WOAC3036T-1C-1W.....	2224.....	140,178	WOAP3060T-2C.....	6076.....	141
WAL-1-1848.....	811.....	90	WDR203608-A.....	555.....	39	WOAC3036T-1H-1W.....	2224.....	140,178	WOAP3060T-2H.....	6076.....	141
WAL-2-1836.....	1339.....	90	WDR203612-A.....	555.....	39	WOAC3036T-2C.....	2224.....	140,178	WOAP3060T-2W.....	6076.....	141
WAL-2-1848.....	1494.....	90	WDR204808-A.....	641.....	39	WOAC3036T-2H.....	2224.....	140,178	WOAP3636T-1C-1W.....	5091.....	141
WB.....	72.....	91	WDR204812-A.....	641.....	39	WOAC3036T-2W.....	2224.....	140,178	WOAP3636T-1H-1W.....	5091.....	141
WB14-C.....	94.....	49,97	WDR206008-A.....	721.....	39	WOAC3048T-1C-1W.....	2595.....	140,178	WOAP3636T-2C.....	5091.....	141
WB14-S.....	219.....	49,97	WDR206012-A.....	721.....	39	WOAC3048T-1H-1W.....	2595.....	140,178	WOAP3636T-2H.....	5091.....	141
WB14-VG.....	95.....	49,97	WDR243608-A.....	621.....	39	WOAC3048T-2C.....	2595.....	140,178	WOAP3648T-1C-1W.....	5977.....	141
WB18-C.....	95.....	49,97	WDR243612-A.....	621.....	39	WOAC3048T-2H.....	2595.....	140,178	WOAP3648T-1H-1W.....	5977.....	141
WB18-S.....	234.....	49,97	WDR244808-A.....	699.....	39	WOAC3048T-2W.....	2595.....	140,178	WOAP3648T-2C.....	5977.....	141
WB18-VG.....	96.....	49,97	WDR244812-A.....	699.....	39	WOAC3060T-1C-1W.....	2923.....	140,178	WOAP3648T-2H.....	5977.....	141
WB21-C.....	95.....	49,97	WDR246008-A.....	809.....	39	WOAC3060T-1H-1W.....	2923.....	140,178	WOAP3648T-2W.....	5977.....	141
WB21-S.....	240.....	49,97	WDR246012-A.....	809.....	39	WOAC3060T-2C.....	2923.....	140,178	WOAP3660T-1C-1W.....	6858.....	141
WB21-VG.....	96.....	49,97	WM108APR.....	1325.....	217	WOAC3060T-2H.....	2923.....	140,178	WOAP3660T-1H-1W.....	6858.....	141
WB24-C.....	96.....	49,97	WM108PR.....	1815.....	217	WOAC3060T-2W.....	2923.....	140,178	WOAP3660T-2C.....	6858.....	141
WB24-S.....	245.....	49,97	WM120APR.....	1339.....	217	WOAC3636T-1C-1W.....	2699.....	140,178	WOAP3660T-2H.....	6858.....	141
WB24-VG.....	103.....	49,97	WM120PR.....	1922.....	217	WOAC3636T-1H-1W.....	2699.....	140,178	WOAP3660T-2W.....	6858.....	141
WBC1836C-1B1W.....	692.....	27,159	WM132APR.....	1549.....	217	WOAC3636T-2C.....	2699.....	140,178	WOAS2436T-1C-1W.....	3640.....	140,178
WBC1836C-2B.....	610.....	27,159	WM132PR.....	1948.....	217	WOAC3636T-2H.....	2699.....	140,178	WOAS2436T-1H-1W.....	3640.....	140,178
WBS1836C.....	200.....	40,159	WM144APR.....	1664.....	217	WOAC3636T-2W.....	2699.....	140,178	WOAS2436T-2C.....	3640.....	140,178
WCH-24.....	7039.....	98,209	WM144PR.....	2453.....	217	WOAC3648T-1C-1W.....	3053.....	140,178	WOAS2436T-2H.....	3640.....	140,178
WCH-24C-L.....	8956.....	253	WM1836.....	173.....	90	WOAC3648T-1H-1W.....	3053.....	140,178	WOAS2436T-2W.....	3640.....	140,178
WCH-24C-LL.....	9500.....	253	WM1848.....	220.....	90	WOAC3648T-2C.....	3053.....	140,178	WOAS2448T-1C-1W.....	4230.....	140,178
WCH-24C-R.....	8956.....	253	WM1860.....	258.....	90	WOAC3648T-2H.....	3053.....	140,178	WOAS2448T-1H-1W.....	4230.....	140,178
WCH-24C-RL.....	9500.....	253	WM2448.....	263.....	90	WOAC3648T-2W.....	3053.....	140,178	WOAS2448T-2C.....	4230.....	140,178
WCH-30.....	7800.....	98,209	WM2472.....	303.....	90	WOAC3660T-1C-1W.....	3318.....	140,178	WOAS2448T-2H.....	4230.....	140,178
WCH-36.....	7935.....	98,209	WM2484.....	362.....	90	WOAC3660T-1H-1W.....	3318.....	140,178	WOAS2448T-2W.....	4230.....	140,178
WCH-42.....	9647.....	98,209	WM2496.....	382.....	90	WOAC3660T-2C.....	3318.....	140,178	WOAS2460T-1C-1W.....	4966.....	140,178
WCH-48.....	9945.....	98,209	WM3354.....	439.....	90	WOAC3660T-2H.....	3318.....	140,178	WOAS2460T-1H-1W.....	4966.....	140,178
WCH-54.....	10171.....	98,209	WM36APR.....	555.....	217	WOAC3660T-2W.....	3318.....	140,178	WOAS2460T-2C.....	4966.....	140,178
WCH-60.....	10758.....	98,209	WM36PR.....	642.....	217	WOAP2436T-1C-1W.....	4156.....	141	WOAS2460T-2H.....	4966.....	140,178
WCH-66.....	10837.....	98,209	WM4848.....	426.....	90	WOAP2436T-1H-1W.....	4156.....	141	WOAS2460T-2W.....	4966.....	140,178
WCH-72.....	11515.....	98,209	WM48APR.....	584.....	217	WOAP2436T-2C.....	4156.....	141	WOAS3036T-1C-1W.....	3992.....	140,178
WCH-84.....	11837.....	98,209	WM48PR.....	776.....	217	WOAP2436T-2H.....	4156.....	141	WOAS3036T-1H-1W.....	3992.....	140,178
WCH-90.....	12509.....	98,209	WM60APR.....	663.....	217	WOAP2436T-2W.....	4156.....	141	WOAS3036T-2C.....	3992.....	140,178
WCH-96.....	12633.....	98,209	WM60PR.....	827.....	217	WOAP2448T-1C-1W.....	4872.....	141			
WCH4-24C-L.....	8083.....	253									
WCH4-24C-LL.....	8629.....	253									

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.	Part Number	List Price	Page No.
WOAS3036T-2H.....	3992.....	140,178	WS1096-16/4.....	1005.....	94	WSP15132.....	4263.....	95	WTFT-1284-FGG.....	27180.....	264
WOAS3036T-2W.....	3992.....	140,178	WS12108-14/3.....	1490.....	94	WSP15144.....	4332.....	95	WTFT-1284-SG.....	32288.....	264
WOAS3048T-1C-1W.....	4663.....	140,178	WS12108-16/3.....	1364.....	94	WSP1536.....	2377.....	95	WTFT-1296-FGG.....	27936.....	264
WOAS3048T-1H-1W.....	4663.....	140,178	WS12108-16/4.....	1152.....	94	WSP1548.....	2429.....	95	WTFT-1296-SG.....	32672.....	264
WOAS3048T-2C.....	4663.....	140,178	WS12120-14/3.....	1607.....	94	WSP1560.....	2760.....	95	WTFT-1518-FGG.....	22610.....	264
WOAS3048T-2H.....	4663.....	140,178	WS12120-16/3.....	1476.....	94	WSP1572.....	2997.....	95	WTFT-1518-SG.....	24696.....	264
WOAS3048T-2W.....	4663.....	140,178	WS12120-16/4.....	1311.....	94	WSP1584.....	3432.....	95	WTFT-1524-FGG.....	23693.....	264
WOAS3060T-1C-1W.....	5428.....	140,178	WS1224-14/3.....	661.....	94	WSP1596.....	3595.....	95	WTFT-1524-SG.....	25612.....	264
WOAS3060T-1H-1W.....	5428.....	140,178	WS1224-16/3.....	674.....	94	WSP18108.....	4546.....	95	WTFT-1530-FGG.....	24105.....	264
WOAS3060T-2C.....	5428.....	140,178	WS1224-16/4.....	578.....	94	WSP18120.....	4618.....	95	WTFT-1530-SG.....	25769.....	264
WOAS3060T-2H.....	5428.....	140,178	WS1224TL.....	455.....	93	WSP18132.....	4709.....	95	WTFT-1536-FGG.....	24346.....	264
WOAS3060T-2W.....	5428.....	140,178	WS1236-14/3.....	730.....	94	WSP18144.....	4781.....	95	WTFT-1536-SG.....	26703.....	264
WOAS3636T-1C-1W.....	4445.....	140,178	WS1236-16/3.....	761.....	94	WSP1836.....	2845.....	95	WTFT-1548-FGG.....	25169.....	264
WOAS3636T-1H-1W.....	4445.....	140,178	WS1236-16/4.....	659.....	94	WSP1848.....	2892.....	95	WTFT-1548-SG.....	28388.....	264
WOAS3636T-2C.....	4445.....	140,178	WS1236TL.....	492.....	93	WSP1860.....	3044.....	95	WTFT-1560-FGG.....	25802.....	264
WOAS3636T-2H.....	4445.....	140,178	WS1248-14/3.....	791.....	94	WSP1872.....	3258.....	95	WTFT-1560-SG.....	30009.....	264
WOAS3636T-2W.....	4445.....	140,178	WS1248-16/3.....	762.....	94	WSP1884.....	3535.....	95	WTFT-1572-FGG.....	26620.....	264
WOAS3648T-1C-1W.....	5333.....	140,178	WS1248-16/4.....	745.....	94	WSP1896.....	3741.....	95	WTFT-1572-SG.....	31670.....	264
WOAS3648T-1H-1W.....	5333.....	140,178	WS1248TL.....	556.....	93	WSR-36-S.....	187.....	92	WTFT-1584-FGG.....	27415.....	264
WOAS3648T-2C.....	5333.....	140,178	WS1260-14/3.....	901.....	94	WSR-36-S-15.....	213.....	92	WTFT-1584-SG.....	33334.....	264
WOAS3648T-2H.....	5333.....	140,178	WS1260-16/3.....	889.....	94	WSR-42-S.....	216.....	92	WTFT-1596-FGG.....	28084.....	264
WOAS3648T-2W.....	5333.....	140,178	WS1260-16/4.....	822.....	94	WSR-42-S-15.....	244.....	92	WTFT-1596-SG.....	34895.....	264
WOAS3660T-1C-1W.....	6217.....	140,178	WS1260TL.....	621.....	93	WSR-48-S.....	233.....	92	WTFT-1824-FGG.....	24047.....	264
WOAS3660T-1H-1W.....	6217.....	140,178	WS1272-14/3.....	1042.....	94	WSR-48-S-15.....	264.....	92	WTFT-1824-SG.....	25992.....	264
WOAS3660T-2C.....	6217.....	140,178	WS1272-16/3.....	1011.....	94	WSR-54-S.....	255.....	92	WTFT-1830-FGG.....	24577.....	264
WOAS3660T-2H.....	6217.....	140,178	WS1272-16/4.....	877.....	94	WSR-54-S-15.....	284.....	92	WTFT-1830-SG.....	26386.....	264
WOAS3660T-2W.....	6217.....	140,178	WS1284-14/3.....	1164.....	94	WSR-60-S.....	276.....	92	WTFT-1836-FGG.....	24983.....	264
WR18-BL.....	43.....	33	WS1284-16/3.....	1106.....	94	WSR-60-S-15.....	311.....	92	WTFT-1836-SG.....	26782.....	264
WR18-C.....	37.....	33	WS1284-16/4.....	968.....	94	WT3048SE.....	1750.....	183	WTFT-1848-FGG.....	25943.....	264
WR18-V.....	45.....	33	WS1296-14/3.....	1373.....	94	WT3048SE-BS.....	2186.....	183	WTFT-1848-SG.....	29442.....	264
WR18-VG.....	45.....	33	WS1296-16/3.....	1276.....	94	WT3048SEB.....	1241.....	183	WTFT-1860-FGG.....	26759.....	264
WR18-Z.....	33.....	33	WS1296-16/4.....	1058.....	94	WT3048SEB-BS.....	1544.....	183	WTFT-1860-SG.....	30450.....	264
WS10108-14/3.....	1379.....	94	WS2436C.....	508.....	135	WT3048SEM.....	2457.....	183	WTFT-1872-FGG.....	28697.....	264
WS10108-16/3.....	1323.....	94	WS2436S.....	1871.....	135	WT3048SEM-BS.....	3071.....	183	WTFT-1872-SG.....	33086.....	264
WS10108-16/4.....	1042.....	94	WS2436WT.....	777.....	135	WT3060SE.....	1998.....	183	WTFT-1884-FGG.....	28697.....	264
WS10120-14/3.....	1582.....	94	WS2436WT-S.....	2930.....	135	WT3060SE-BS.....	2498.....	183	WTFT-1884-SG.....	34247.....	264
WS10120-16/3.....	1404.....	94	WS2448C.....	577.....	135	WT3060SEB.....	1449.....	183	WTFT-1896-FGG.....	29598.....	264
WS10120-16/4.....	1244.....	94	WS2448S.....	2040.....	135	WT3060SEB-BS.....	1808.....	183	WTFT-1896-SG.....	36672.....	264
WS1024-14/3.....	617.....	94	WS2448WT.....	902.....	135	WT3060SEM.....	2618.....	183	WTFT-2424-FGG.....	24407.....	264
WS1024-16/3.....	702.....	94	WS2448WT-S.....	3000.....	135	WT3060SEM-BS.....	3275.....	183	WTFT-2424-SG.....	27487.....	264
WS1024-16/4.....	562.....	94	WSP10108.....	2845.....	95	WT3072SE.....	2336.....	183	WTFT-2430-FGG.....	27836.....	264
WS1024TL.....	425.....	93	WSP10120.....	2911.....	95	WT3072SE-BS.....	2918.....	183	WTFT-2436-FGG.....	25584.....	264
WS1036-14/3.....	691.....	94	WSP10132.....	3085.....	95	WT3072SEB.....	1624.....	183	WTFT-2436-SG.....	29087.....	264
WS1036-16/3.....	756.....	94	WSP10144.....	3149.....	95	WT3072SEB-BS.....	2027.....	183	WTFT-2448-FGG.....	26744.....	264
WS1036-16/4.....	594.....	94	WSP1036.....	1755.....	95	WT3072SEM.....	2958.....	183	WTFT-2448-SG.....	30690.....	264
WS1036TL.....	453.....	93	WSP1048.....	1789.....	95	WT3072SEM-BS.....	3693.....	183	WTFT-2460-FGG.....	27891.....	264
WS1048-14/3.....	737.....	94	WSP1060.....	1870.....	95	WTFT-1215-FGG.....	22125.....	264	WTFT-2460-SG.....	32118.....	264
WS1048-16/3.....	795.....	94	WSP1072.....	1936.....	95	WTFT-1215-SG.....	24375.....	264	WTFT-2472-FGG.....	27968.....	264
WS1048-16/4.....	635.....	94	WSP1084.....	2029.....	95	WTFT-1218-FGG.....	23235.....	264	WTFT-2472-SG.....	34254.....	264
WS1048TL.....	516.....	93	WSP1096.....	2171.....	95	WTFT-1218-SG.....	24916.....	264	WTFT-2484-FGG.....	30191.....	264
WS1060-14/3.....	843.....	94	WSP12108.....	3023.....	95	WTFT-1224-FGG.....	23604.....	264	WTFT-2484-SG.....	35682.....	264
WS1060-16/3.....	885.....	94	WSP12120.....	3092.....	95	WTFT-1224-SG.....	25212.....	264	WTFT-2496-FGG.....	31256.....	264
WS1060-16/4.....	737.....	94	WSP12132.....	3252.....	95	WTFT-1230-FGG.....	24056.....	264	WTFT-2496-SG.....	37462.....	264
WS1060TL.....	581.....	93	WSP12144.....	3312.....	95	WTFT-1230-SG.....	25406.....	264	WTRE20-Z.....	1106.....	168
WS1072-14/3.....	976.....	94	WSP1236.....	1821.....	95	WTFT-1236-FGG.....	24302.....	264	WTRE38-Z.....	1116.....	168
WS1072-16/3.....	953.....	94	WSP1248.....	1885.....	95	WTFT-1236-SG.....	25603.....	264	WTRS20-Z.....	1106.....	168
WS1072-16/4.....	798.....	94	WSP1260.....	1974.....	95	WTFT-1248-FGG.....	25093.....	264	WTRS38-Z.....	1116.....	168
WS1084-14/3.....	1084.....	94	WSP1272.....	2048.....	95	WTFT-1248-SG.....	27177.....	264	WTSA30.....	379.....	200
WS1084-16/3.....	1090.....	94	WSP1284.....	2166.....	95	WTFT-1260-FGG.....	25607.....	264			
WS1084-16/4.....	869.....	94	WSP1296.....	2217.....	95	WTFT-1260-SG.....	28823.....	264			
WS1096-14/3.....	1353.....	94	WSP15108.....	3905.....	95	WTFT-1272-FGG.....	26471.....	264			
WS1096-16/3.....	1246.....	94	WSP15120.....	3967.....	95	WTFT-1272-SG.....	30297.....	264			

© 2013 Pearson Education, Inc. or its affiliate(s). All rights reserved. Pearson Education, Inc., publishing as Pearson Benjamin Cummings, 101 University Avenue, New York, NY 10017-2423.

[illegible]

Get our latest brochures...

MATERIAL HANDLING



LIFE SCIENCES



HAND SINKS



SHELVING



Click on the brochure cover to download the latest brochure

Get our Latest Brochures

LAB FURNITURE



CASEWORK



Click on the brochure cover to download the latest brochure

HEALTHCARE



CLEANROOM



100 Industrial Boulevard, Clayton, DE 19938
Phone: 302-653-3000 • Fax: 302-653-2065
Eagle MHC website: www.eaglemhc.com
Eagle Group website: www.eaglegrp.com

Rev 09/26 EG9065

© 2026 EAGLE GROUP. Profit From The EAGLE Advantage® is a registered trademark of EAGLE GROUP.

Although every attempt has been made to ensure the accuracy of the data in this publication, we cannot be responsible for printing or typographical errors or omissions.