

SEPTEMBER 2026

WHOLESALE PLUMBING PRODUCTS



PRICE LIST CATALOG

CORNER SINKS • DROP IN SINKS • ELECTRONIC EYE SINKS
FLOOR DRAINS • FLOOR TROUGHS • HAND SINKS & STATIONS
LAVATORY SINKS • MOBILE SOAK SINKS • MOP SINKS
MOP SINK CABINETS • PORTABLE HAND SINKS
SINK ACCESSORIES AND FAUCETS • SCULLERY SINKS
SURGICAL SCRUB SINKS • UNDERMOUNT SINKS
WELDED-IN SINKS • UTILITY SINKS

TABLE OF CONTENTS

310 and 312 Series Specialty Use Sinks	33
412, 414, and 314 Series Sinks	20-23, 32
Chemical Storage Wall Cabinets	35
Cool Trough® Water Tempering	46-47, 49
Corner Sinks	20
Countertop Drop-In Sinks	
with No Deck	38
with Self-Rim Design	36-37
Countertops & Accessories	51
Custom Sink Modifications	41
Corner Sinks	20
Floor Troughs & Drains	44-45
Replacement Grating	48
Hand Sink Accessories	15-17
Hand Sinks	
Electronic - AC Power	7
Electronic - Battery Power	8
Hand Wash Sinks	11
Miscellaneous	9, 12
Physically Challenged	11
Portable	10
Space-Saver Series	13
Special Purpose	14
Traditional	5
Wall Mounted Multi-Station	50
with Eye Wash	2
with End Splashes	7
with Knee/Foot Valve Operation	5
with Side Splashes	12
with Standard Towel and/or Soap Dispenser	6

Hot Water Heater	18
Lavatory Sinks	18
Mobile Soak Sinks	20
Mop Sink Storage Cabinets	35
Mop Sinks & Accessories	33-34
Portable Hand Sink Supply Cart	10
Seamless Welded-In Sinks	
with Drawn Bowl	39-40
with Fabricated Wall	41
Sink Accessories / Replacements	42-43
Sink Kits	19
SPEC-MASTER® Sinks	
FFN Series Flush Front	31
FN Series	25-28
FN Series Sink Kits	24
Specialty Use/Parts Cleaning Sinks	32
Stainless Steel Fabricated Sinks	3-4
Surgical Scrub Sinks	49
Utility Shelves with Mop Hangers	35
Utility Sinks	29-30
Detachable Drainboards for Utility Sinks	31
Wall Mounted Multi-station Hand Sinks	50
Worktables with Sink	49

Hand Sinks with Eyewash

see spec sheet **EG20.57**



HSAP-10-EYE



HSAP-14-EYE

Features:

- 300 series stainless steel construction.
- Space-saving design.
- 120-volt electric-eye faucet with battery backup.
- Eyewash faucet OSHA, ANSI Z358.1 compliant: OSHA 29 CFR 1910.151(c).
- Thermostatic mixing valve to ensure correct water temperature is maintained: 60°–100°F (15.6–37.8°C).
- Multi-fold paper towel holder designed for Georgia-Pacific #20887.
- Fully enclosed skirt features tamper resistant hardware.
- #HSAP-10-EYE comes with wall mounted battery-powered type LTX-12 soap dispenser.

bowl size		overall size		model #	list
width x length x depth		width x length x height			
in.	mm	in.	mm		
9½" x 8¼" x 5"	241 x 210 x 127	19¼" x 13" x 22⅝"	497 x 330 x 568	HSAP-10-EYE	15674
16" x 14" x 5"	406 x 356 x 127	24" x 22" x 22⅝"	610 x 559 x 562	HSAP-14-EYE	12219

* These sinks feature two sets of faucet holes.


S14 and S16 Series Fabricated Sinks

see spec sheets **EG20.14** **EG20.15**



- 14"-deep (356mm) bowls with 3/4" (19mm) radius corners.
- 8" (203mm)-high backsplash with 3/4" (19mm) upturn and tile edge.

FEATURES:



S14-20-3-18-SL



S16-20-3-18

S14 Series

Stainless steel legs, crossbracing, gussets and bullet feet.

S16 Series

Galvanized legs, crossbracing and gussets, and plastic bullet feet.

# of bowls	drainboard length		# of drbds	overall length		14 gauge type 304 stainless steel construction		16 gauge type 304 stainless steel construction	
	in.	mm		in.	mm	model #	list	model #	list
1	n/a		0	29"	737	S14-20-1-SL	3498	S16-20-1	3083
2	18"	457	1	67½"	1715	S14-20-2-18R-SL	6081	S16-20-2-18R	5354
	18"	457	1	67½"	1715	S14-20-2-18L-SL	6081	S16-20-2-18L	5354
	18"	457	2	81"	2057	S14-20-2-18-SL	6396	S16-20-2-18	5632
3	18"	457	1	89½"	2273	S14-20-3-18R-SL	8018	S16-20-3-18R	7056
	18"	457	1	89½"	2273	S14-20-3-18L-SL	8018	S16-20-3-18L	7056
	18"	457	2	103"	2616	S14-20-3-18-SL	8441	S16-20-3-18	7425
	24"	610	1	95½"	2426	S14-20-3-24R-SL	8361	S16-20-3-24R	7358
	24"	610	1	95½"	2426	S14-20-3-24L-SL	8361	S16-20-3-24L	7358
	24"	610	2	115"	2921	S14-20-3-24-SL	8805	S16-20-3-24	7743
3	18"	457	2	103"	2616	S14-28-3-18-SL	10687	S16-28-3-18	9396

* #S14-28-3-18-SL and #S16-28-3-18 sinks feature 28"-wide x 20"-long (711 x 508mm) sink bowls and two sets of faucet holes.

BPFE Series Sinks

see spec sheets **EG20.14** **EG20.15**



- 12" deep bowl.
- Galvanized legs and gussets..
- Bowl straps between bowls..
- Plastic bullet feet.
- Faucet holes on 8" centers.

FEATURES:

(•) MTS (made to stock) / () MTO (made to order)

number of compartments	bowl size	# of drainboards	drainboard length	overall front-to-back	overall end-to-end	gauge of stainless steel	weight	model #	list
1	18" x 18"	0	n/a	23.5"	23"	18 gauge	65 lbs.	BPS-1818-1-FE	1187
1	18" x 18"	1 (left)	18"	23.5"	38.5"	18 gauge	88 lbs.	BPS-1818-1-18L-FE	1613
1	18" x 18"	1 (right)	18"	23.5"	38.5"	18 gauge	88 lbs.	BPS-1818-1-18R-FE	1613
2	18" x 18"	0	n/a	23.5"	41"	18 gauge	94 lbs.	BPS-1836-2-FE	2287
2	18" x 18"	1 (left)	18"	23.5"	56.5"	18 gauge	117 lbs.	BPS-1836-2-18L-FE	2611
2	18" x 18"	1 (right)	18"	23.5"	56.5"	18 gauge	117 lbs.	BPS-1836-2-18R-FE	2611
2	18" x 18"	2	18"	23.5"	72"	18 gauge	134 lbs.	BPS-1836-2-18-FE	2791
3	18" x 18"	0	n/a	23.5"	59"	18 gauge	179 lbs.	BPS-1854-3-FE	2976
3	18" x 18"	1 (left)	18"	23.5"	74.5"	18 gauge	189 lbs.	BPS-1854-3-18L-FE	3112
3	18" x 18"	1 (right)	18"	23.5"	74.5"	18 gauge	189 lbs.	BPS-1854-3-18R-FE	3112
3	18" x 18"	2	18"	23.5"	90"	18 gauge	205 lbs.	BPS-1854-3-18-FE	3183
3	24" x 24"	0	n/a	29.5"	77"	16 gauge	210 lbs.	BPS-2472-3-FE*	4498
3	24" x 24"	1 (left)	24"	29.5"	98.5"	16 gauge	231 lbs.	BPS-2472-3-24L-FE*	4859
3	24" x 24"	1 (right)	24"	29.5"	98.5"	16 gauge	231 lbs.	BPS-2472-3-24R-FE*	4859
3	24" x 24"	2	24"	29.5"	120"	16 gauge	275 lbs.	BPS-2472-3-24-FE*	5251

* Features two sets of faucet holes.

BPFC Series Sinks



see spec sheets **EG20.14** **EG20.15**



- 16 gauge type 304 stainless steel.
- Stainless steel legs and gussets.
- Stainless steel bullet feet.
- Crossbracing runs front-to-back & side-to-side.
- 14"-deep sink bowls (except where noted) with 3.5" basket drain.
- Bowl straps between bowls.
- Faucet holes on 8" centers.

FEATURES:

(•) MTS (made to stock) / () MTO (made to order)

number of compartments	bowl size	# of drainboards	drainboard length	overall front-to-back	overall end-to-end	weight	model #	list
1	18" x 18"	0	n/a	23.5"	23"	65 lbs.	BPS-1818-1-FC	1759
1	18" x 18"	1 (left)	18"	23.5"	38.5"	88 lbs.	BPS-1818-1-18L-FC	2132
1	18" x 18"	1 (right)	18"	23.5"	38.5"	88 lbs.	BPS-1818-1-18R-FC	2132
1	18" x 18"	2	18"	23.5"	54"	114 lbs.	BPS-1818-1-18-FC	3420
1	24" x 18"	1	24"	29.5"	44.5"	83 lbs.	BPS-2418-1-24L-FC	3903
1	24" x 24"	0	n/a	29.5"	29"	103 lbs.	BPS-2424-1-FC	2415
2	15" x 15"	0	n/a	20.5"	35"	75 lbs.	BPS-1530-2-FC	3368
2	24" x 18"	2	24"	29.5"	84"	157 lbs.	BPS-2436-2-24-FC	5518
2	24" x 24"	0	n/a	29.5"	53"	158 lbs.	BPS-2448-2-FC	4324
2	24" x 24"	1 (left)	24"	29.5"	74.5"	178 lbs.	BPS-2448-2-24L-FC	4735
2	24" x 24"	1 (right)	24"	29.5"	74.5"	178 lbs.	BPS-2448-2-24R-FC	4735
2	24" x 24"	2	24"	29.5"	96"	205 lbs.	BPS-2448-2-24-FC	5417
3	15" x 15"	0	n/a	20.5"	50"	123 lbs.	BPS-1545-3-FC	4400
3	15" x 15"	1 (left)	15"	20.5"	62.5"	148 lbs.	BPS-1545-3-15L-FC	4931
3	15" x 15"	1 (right)	15"	20.5"	62.5"	148 lbs.	BPS-1545-3-15R-FC	4931
3	15" x 15"	2	15"	20.5"	75"	164 lbs.	BPS-1545-3-15-FC	5183
3	18" x 18"	0	n/a	23.5"	59"	179 lbs.	BPS-1854-3-FC	5078
3	18" x 18"	1 (left)	18"	23.5"	74.5"	185 lbs.	BPS-1854-3-18L-FC	4630
3	18" x 18"	1 (right)	18"	23.5"	74.5"	185 lbs.	BPS-1854-3-18R-FC	4630
3	18" x 18"	2	18"	23.5"	90"	190 lbs.	BPS-1854-3-18-FC	4935
3	18" x 18"	1 (left)	24"	23.5"	80.5"	199 lbs.	BPS-1854-3-24L-FC	5850
3	18" x 18"	1 (right)	24"	23.5"	80.5"	199 lbs.	BPS-1854-3-24R-FC	5850
3	18" x 18"	2	24"	23.5"	102"	219 lbs.	BPS-1854-3-24-FC	6132
3	12" x 20"	2	12"	25.5"	60"	160 lbs.	BPS-2036-3-12-FC	4837
3	16" x 20"	2	18"	25.5"	84"	202 lbs.	BPS-2048-3-18-FC**	5289
3	18" x 24"	0	n/a	29.5"	59"	199 lbs.	BPS-2454-3-FC	5070
3	18" x 24"	1 (left)	18"	29.5"	74.5"	205 lbs.	BPS-2454-3-18L-FC	5560
3	18" x 24"	1 (right)	18"	29.5"	74.5"	205 lbs.	BPS-2454-3-18R-FC	5560
3	18" x 24"	2	18"	29.5"	90"	213 lbs.	BPS-2454-3-18-FC	5752
3	18" x 24"	1 (left)	24"	29.5"	80.5"	221 lbs.	BPS-2454-3-24L-FC	6332
3	18" x 24"	1 (right)	24"	29.5"	80.5"	221 lbs.	BPS-2454-3-24R-FC	6332
3	18" x 24"	2	24"	29.5"	102"	223 lbs.	BPS-2454-3-24-FC	6362
3	24" x 24"	0	n/a	29.5"	77"	210 lbs.	BPS-2472-3-FC*	6000
3	24" x 24"	1 (left)	24"	29.5"	98.5"	231 lbs.	BPS-2472-3-24L-FC*	6731
3	24" x 24"	1 (right)	24"	29.5"	98.5"	231 lbs.	BPS-2472-3-24R-FC*	6731
3	24" x 24"	2	24"	29.5"	120"	275 lbs.	BPS-2472-3-24-FC*	6882
3	28" x 20"	2	24"	33.5"	108"	240 lbs.	BPS-2860-3-24-FC	8761
3	28" x 20"	2	30"	33.5"	120"	260 lbs.	BPS-2860-3-30-FC	9164

* Feature 2 sets of faucet holes (faucets sold separately); ** Sinks bowl is 12" deep.

Traditional Hand Sinks



see spec sheet **EG20.40**

MICROGARD®

an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

- All sinks are wall mountable.
- Deep-drawn seamless design.
- Positive drain, included on all models.
- All type 304 stainless steel.
- Splash mount gooseneck faucet included on all models except HSA-10.

FEATURES:

Cleanest sinks in the industry!

(•) MTS (made to stock) / () MTO (made to order)

HSA-10* •		list: 1108
	bowl size:	9 ³ / ₄ " x 13 ¹ / ₂ " x 6 ³ / ₄ " (248 x 343 x 173mm)
	overall size:	14 ³ / ₄ " x 18 ⁷ / ₈ " x 12 ³ / ₄ " (376 x 480 x 324mm)
	weight:	10 lbs. (4.5 kg)
	cubic feet:	3.0
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: 4" (102mm) centerline faucet holes, basket drain.

HSA-10-FAW •		list: 1743
	bowl size:	9 ³ / ₄ " x 13 ¹ / ₂ " x 6 ³ / ₄ " (248 x 343 x 173mm)
	overall size:	14 ³ / ₄ " x 18 ⁷ / ₈ " x 12 ³ / ₄ " (376 x 480 x 324mm)
	weight:	14 lbs. (6.4 kg)
	cubic feet:	2.8
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Faucet with wrist handles, p-trap, tail piece, basket drain.

HSA-10-F •		list: 1296
	bowl size:	9 ³ / ₄ " x 13 ¹ / ₂ " x 6 ³ / ₄ " (248 x 343 x 173mm)
	overall size:	14 ³ / ₄ " x 18 ⁷ / ₈ " x 12 ³ / ₄ " (376 x 480 x 324mm)
	weight:	12 lbs. (5.2 kg)
	cubic feet:	2.8
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Faucet, basket drain.

HSA-10-FL •		list: 1857
	bowl size:	10" x 14" x 5" (254 x 356 x 127mm)
	overall size:	14 ³ / ₄ " x 18 ⁷ / ₈ " x 12 ¹ / ₂ " (376 x 480 x 318mm)
	weight:	15 lbs. (6.6 kg)
	cubic feet:	3.0
		includes: Faucet, polymer lever drain.

HSA-10-FA •		list: 1369
	bowl size:	9 ³ / ₄ " x 13 ¹ / ₂ " x 6 ³ / ₄ " (248 x 343 x 173mm)
	overall size:	14 ³ / ₄ " x 18 ⁷ / ₈ " x 12 ³ / ₄ " (376 x 480 x 324mm)
	weight:	14 lbs. (6.4 kg)
	cubic feet:	3.0
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Faucet, p-trap, tail piece, basket drain.

HSA-10-F0 •		list: 1538
	bowl size:	10" x 14" x 5" (254 x 356 x 127mm)
	overall size:	14 ³ / ₄ " x 18 ⁷ / ₈ " x 12 ¹ / ₂ " (376 x 480 x 318mm)
	weight:	13 lbs. (5.6 kg)
	cubic feet:	3.0
		includes: Faucet, polymer lever drain w/overflow.

* To order hand sink with no faucet holes, add suffix "-NH" to model number (example: HSA-10-NH). \$322 upcharge.

Hand Sinks with Standard Towel Dispenser and/or Soap Dispenser



see spec sheets **EG20.05** **EG20.41**

MICROGARD®

an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

- Deep-drawn positive drain and splash mount gooseneck faucet included on all models.
- All 304 series stainless steel, including towel dispenser.
- Soap dispenser on all models holds 16 ounces.
- Towel dispenser holds 4" x 10" (102 x 254mm) C-fold disposable paper towels.

FEATURES:

HSA-10-FDP		list: 2727
	bowl size:	9 ³ / ₄ " x 13 ¹ / ₂ " x 6 ³ / ₄ " (248 x 343 x 173mm)
	overall size:	14 ³ / ₄ " x 19 ¹ / ₄ " x 28 ¹ / ₄ " (376 x 489 x 718mm)
	weight:	29 lbs. (13.2 kg)
	cubic feet:	6.2
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Faucet, towel dispenser, soap dispenser, basket drain.

HSA-10-FODP		list: 3343
	bowl size:	10" x 14" x 5" (254 x 356 x 127mm)
	overall size:	14 ³ / ₄ " x 19 ¹ / ₄ " x 28" (376 x 489 x 711mm)
	weight:	30 lbs. (13.6 kg)
	cubic feet:	6.2
		includes: Faucet, towel dispenser, soap dispenser, polymer lever drain w/overflow.

HSA-10-FDPS		list: 4161
	bowl size:	9 ³ / ₄ " x 13 ¹ / ₂ " x 6 ³ / ₄ " (248 x 343 x 173mm)
	overall size:	14 ³ / ₄ " x 19 ¹ / ₄ " x 30" (376 x 489 x 762mm)
	weight:	29 lbs. (13.2 kg)
	cubic feet:	6.2
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Faucet, towel dispenser, soap dispenser, skirt, basket drain.

HSA-10-F-DS*		list: 1706
	bowl size:	9 ³ / ₄ " x 13 ¹ / ₂ " x 6 ¹ / ₂ " (248 x 343 x 165mm)
	overall size:	14 ¹³ / ₁₆ " x 18 ⁷ / ₈ " x 12 ³ / ₄ " (376 x 480 x 324mm)
	weight:	12 lbs. (5.2 kg)
	cubic feet:	2.8
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Faucet, 16-oz deck-mt soap dispenser, basket drain.

(See page 231 for #HSAN-10-F-DS)

HSA-10-FLDP		list: 3273
	bowl size:	10" x 14" x 5" (254 x 356 x 127mm)
	overall size:	14 ³ / ₄ " x 19 ¹ / ₄ " x 28" (376 x 489 x 711mm)
	weight:	32 lbs. (14.5 kg)
	cubic feet:	6.2
		includes: Faucet, towel dispenser, soap dispenser, polymer lever drain.

HSA-10-FWLDP-LRS		list: 4416
	bowl size:	10" x 14" x 5" (254 x 356 x 127mm)
	overall size:	14 ³ / ₄ " x 19 ¹ / ₄ " x 28" (376 x 489 x 711mm)
	weight:	30 lbs. (13.6 kg)
	cubic feet:	6.2
		includes: Faucet with wrist handles, towel dispenser, soap dispenser, polymer lever drain, and side splashes.

* Overall height does not include soap dispenser bottle. See page 231 for "Space-Saver" hand sink with deck-mount soap dispenser.

Electronic Eye Hand Sinks - AC POWER



see spec sheet **EG20.42**

Note: For regulating water temperature, Temperature Adjustment Valve (see page 234) is required.

MICROGARD®

an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

- Electronic "eye" sensor beam activates water flow and adjusts from 3" to 12" (76 to 305mm).
- Requires 120-volt, 15-amp electricity.
- 120-volt AC adapter.
- Splash mount gooseneck spout.
- Lever or basket drain.
- Y-Inlet Non-Adjustable Mixing Valve.

FEATURES:

(●) MTS (made to stock) / () MTO (made to order)

HSA-10-FE*●		list: 4712
	bowl size:	9 ³ / ₄ " x 13 ¹ / ₂ " x 6 ³ / ₄ " (248 x 343 x 173mm)
	overall size:	14 ³ / ₄ " x 18 ⁷ / ₈ " x 12 ³ / ₄ " (376 x 480 x 324mm)
	weight:	14 lbs. (6.3 kg)
	cubic feet:	3.0
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Spout, electronic eye, and basket drain.

HSA-10-FDPE *		list: 6743
	bowl size:	9 ³ / ₄ " x 13 ¹ / ₂ " x 6 ³ / ₄ " (248 x 343 x 173mm)
	overall size:	14 ³ / ₄ " x 19 ¹ / ₄ " x 28 ¹ / ₄ " (376 x 489 x 718mm)
	weight:	31 lbs. (14.1 kg)
	cubic feet:	6.2
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Spout, electronic eye, soap dispenser, towel dispenser, and basket drain.

HSA-10-FOE		list: 4953
	bowl size:	10" x 14" x 5" (254 x 356 x 127mm)
	overall size:	14 ³ / ₄ " x 18 ⁷ / ₈ " x 12 ¹ / ₂ " (376 x 480 x 318mm)
	weight:	13 lbs. (5.7 kg)
	cubic feet:	3.0
		includes: Spout, electronic eye, and polymer lever drain with overflow.

HSA-10-FODPE		list: 6770
	bowl size:	10" x 14" x 5" (254 x 356 x 127mm)
	overall size:	14 ³ / ₄ " x 19 ¹ / ₄ " x 28" (376 x 489 x 711mm)
	weight:	30 lbs. (13.6 kg)
	cubic feet:	6.2
		includes: Spout, electronic eye, soap dispenser, towel dispenser, and polymer lever drain with overflow.

HSA-10-FA-PE		list: 6270
	bowl size:	9 ³ / ₄ " x 13 ¹ / ₂ " x 6 ³ / ₄ " (248 x 343 x 173mm)
	overall size:	14 ³ / ₄ " x 18 ⁷ / ₈ " x 40 ³ / ₄ " (376 x 480 x 1036mm)
	weight:	28 lbs. (12.7 kg)
	cubic feet:	9.5
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Spout, electronic eye, soap dispenser, P-trap, tail piece, and basket drain.

HSA-10-FDPEE		list: 7383
	bowl size:	9 ³ / ₄ " x 13 ¹ / ₂ " x 6 ³ / ₄ " (248 x 343 x 173mm)
	overall size:	14 ³ / ₄ " x 19 ¹ / ₄ " x 31 ¹ / ₄ " (376 x 489 x 794mm)
	weight:	30 lbs. (13.6 kg)
	cubic feet:	6.2
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Spout, electronic eye, towel dispenser, electronic soap dispenser, and basket drain.

* Optional waste receptacle available for models HSA-10-FE, HSA-10-FDPE, and HSA-10-FDPEE. See page 235.

Electronic Hand Sinks - Battery Power

see spec sheets **EG20.07** **EG20.49**



- Battery-powered electronic-eye faucet which operates on four "AA" batteries (included).
- Y-Inlet Non-Adjustable Mixing Valve.
- "Low battery" indicator light.

FEATURES:

MICROGARD®

an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

HSA-10-FDPEE-B-T		list: 10364
	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{3}{4}$ " x 19 $\frac{1}{4}$ " x 47 $\frac{1}{2}$ " (376 x 489 x 1207mm)
	weight:	54 lbs. (24.5 kg)
	cubic feet:	9.8
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Battery-powered electronic eye faucet, towel dispenser, electronic soap dispenser, waste receptacle & skirt, and basket drain.

HSAP-14-ADA-FE-B		list: 10336
	bowl size:	16" x 14" x 5" (406 x 356 x 127mm)
	overall size:	24" x 22" x 24 $\frac{1}{2}$ " (610 x 559 x 623mm)
	weight:	65 lbs. (29.5 kg)
	cubic feet:	19.2
		includes: Battery-powered electronic eye faucet, basket drain, c-fold towel dispenser in front, deck-mount soap dispenser, skirt.

HSA-10-FE-B-DS *		list: 5853
	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{13}{16}$ " x 18 $\frac{7}{8}$ " x 12 $\frac{3}{4}$ " (376 x 480 x 324mm)
	weight:	16 lbs. (7.3 kg)
	cubic feet:	3.0
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Battery-powered electronic eye faucet, deck-mount soap dispenser, basket drain.

HSA-10-FE-B-NB-MG		list: 5967
	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{13}{16}$ " x 18 $\frac{7}{8}$ " x 12 $\frac{3}{4}$ " (376 x 480 x 324mm)
	weight:	26 lbs. (11.8 kg)
	cubic feet:	3.0
MICROGARD® Standard		includes: Battery-powered electronic eye faucet, splash-mount nail brush holder, nail brush, MICROGARD®, basket drain.

HSAN-10-FE-B-DS*		list: 6557
	bowl size:	13 $\frac{1}{2}$ " x 9 $\frac{3}{4}$ " x 6 $\frac{3}{4}$ " (343 x 248 x 171mm)
	overall size:	17 $\frac{13}{16}$ " x 12 $\frac{1}{8}$ " x 14 $\frac{1}{4}$ " (457 x 308 x 362mm)
	weight:	16 lbs. (7.3 kg)
	cubic feet:	2.8
		includes: Battery-powered electronic eye faucet, deck-mount soap dispenser, basket drain.

HSA-10-FE-B-T-NB-MG		list: 7354
	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{13}{16}$ " x 18 $\frac{7}{8}$ " x 29 $\frac{1}{8}$ " (376 x 480 x 740mm)
	weight:	25 lbs. (11.3 kg)
	cubic feet:	8.1
MICROGARD® Standard		includes: Battery-powered electronic eye faucet, splash-mount nail brush holder, nail brush, MICROGARD®, waste receptacle & skirt, basket drain.

* Overall height does not include soap dispenser bottle.

Miscellaneous Hand Sinks

see spec sheets **EG20.21** **EG20.44**

MICROGARD®

an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.



(•) MTS (made to stock) / () MTO (made to order)

HSA-10-FA-P •		list: 2865
 with Foot Valve Operation	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{3}{4}$ " x 18 $\frac{7}{8}$ " x 40 $\frac{1}{8}$ " (376 x 480 x 1019mm)
	weight:	32 lbs. (14.5 kg)
	cubic feet:	7.4
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Spout, foot pedal valves, P-trap, tail piece, basket drain.

HSA-10-FA-1P •		list: 2865
 with Foot Valve Operation	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{3}{4}$ " x 18 $\frac{7}{8}$ " x 40 $\frac{1}{8}$ " (376 x 480 x 1019mm)
	weight:	32 lbs. (14.5 kg)
	cubic feet:	10.2
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Spout, single foot pedal valve, P-trap, tail piece, basket drain.

HSA-10-FK * •		list: 2809
 with Knee Valve Operation	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{3}{4}$ " x 18 $\frac{7}{8}$ " x 17 $\frac{1}{2}$ " (376 x 480 x 445mm)
	weight:	27 lbs. (12.2 kg)
	cubic feet:	3.9
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Spout, knee pedals, skirt, and basket drain.

* Overall height does not include skirt and knee valves.

Stainless Steel Cleaner & Polish

- Cleans and polishes in one step.
- Does not streak or leave fingerprints.
- Leaves a protective invisible coating.

weight			
oz.	kg	model #	list
15	0.4	004026	42



HSA-10-FKP		list: 3005
 single knee pedal valve	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{3}{4}$ " x 18 $\frac{7}{8}$ " x 17 $\frac{1}{2}$ " (376 x 480 x 445mm)
	weight:	26 lbs. (11.8 kg)
	cubic feet:	6.0
MICROGARD® available: To order, add suffix "-MG" to model # / add \$196 to list price.		includes: Spout, single pedal knee valve, skirt, basket drain.

HSA-10-1FK * •		list: 2809
 with Knee Valve Operation	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{3}{4}$ " x 18 $\frac{7}{8}$ " x 17 $\frac{1}{2}$ " (376 x 480 x 445mm)
	weight:	27 lbs. (12.2 kg)
	cubic feet:	4.0
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Spout, single knee pedal, skirt, and basket drain.

HSA-10-FDPK *		list: 4299
 with Knee Valve Operation	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{3}{4}$ " x 19 $\frac{1}{4}$ " x 33" (376 x 489 x 838mm)
	weight:	44 lbs. (20.0 kg)
	cubic feet:	6.2
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Spout, knee pedals, skirt, soap dispenser, towel dispenser, basket drain.

HSA-10-FW •		list: 1498
 with Standard Wrist Handles	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{3}{4}$ " x 18 $\frac{7}{8}$ " x 12 $\frac{3}{4}$ " (376 x 480 x 324mm)
	weight:	14 lbs. (6.4 kg)
	cubic feet:	3.0
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Faucet with wrist handles, basket drain.

Portable Hand Sinks

see spec sheets **EG20.06A** **EG20.06D**



portable hand sink with stainless steel cabinet and single sink bowl



portable hand sink with laminate cabinet and removable water plate.

FEATURES:

- Stainless steel top features box marine edge and rear backsplash.
- 5-gallon fresh water tank, 7-gallon gray water tank.
- Deck mount faucet with 1/4-turn handles.
- Towel rack and trash chute included.
- NEMA 5-15 plug & cord.

Notes: Optional Poly Cutting Board available. 3/4"-thick. Green color. **Model #376509, list \$382.**

Custom portable hand sinks available through SpecFAB®.

See page 267 for NEW Touch-Free Portable Hand Sinks!

Sinks with Stainless Steel Cabinet—Comes with 4" (102mm) swivel casters* (two with brake).

description	bowl size		overall size		WITH COLD WATER ONLY				WITH HOT & COLD WATER			
	width in.	length x depth mm	width in.	length x height mm	weight *		model #	list	lbs.	kg	model #	list
with single S/S bowl	14" x 10" x 5"	356 x 254 x 127	24" x 26" x 44½"	610 x 660 x 1130	232	105.2	PHS-S-C	11000	251	113.9	PHS-S-H	13582
with 3-compartment bowl	11½" x 6½" x 5"	295 x 156 x 127	24" x 26" x 44½"	610 x 660 x 1130	232	105.2	PHS-S3-C	11358	251	113.9	PHS-S3-H	14297
with acrylic water plate**	12½" x 16"	32 x 406	24" x 26" x 44½"	610 x 660 x 1130	232	105.2	PHS-A-C	13190	251	113.9	PHS-A-H	15643

Sinks with Laminated Cabinet—Features Wilsonart® "Biltmore Cherry." Comes with 3" (76mm) swivel casters* (two with brake).

description	bowl size		overall size		WITH COLD WATER ONLY				WITH HOT & COLD WATER			
	width in.	length x depth mm	width in.	length x height mm	weight *		model #	list	lbs.	kg	model #	list
with single S/S bowl	14" x 10" x 5"	356 x 254 x 127	25" x 28" x 44½"	635 x 711 x 1130	237	107.5	PHS-S-C-LB	12319	262	118.8	PHS-S-H-LB	13797
with 3-compartment bowl	11½" x 6½" x 5"	295 x 156 x 127	25" x 28" x 44½"	635 x 711 x 1130	237	107.5	PHS-S3-C-LB	12492	262	118.8	PHS-S3-H-LB	16248
with acrylic water plate**	12½" x 16"	32 x 406	25" x 28" x 44½"	635 x 711 x 1130	237	107.5	PHS-A-C-LB	14511	262	118.8	PHS-A-H-LB	17208

* 150 lb. (68.0 kg) weight capacity per caster.

* Weights shown reflect empty tanks.

** Features 12 1/2" x 16" (32 x 406mm) removable polycarbonate water plate which drains into a stainless steel trough, and deck-mount faucet.

Portable Hand Sinks with Open Base

see spec sheet **EG20.06B**



shown with optional wrist handle faucet

Units with Wire Undershelf also available!

—See Spec Sheet.

FEATURES:

- Same inclusions as Portable Hand Sinks with Cabinet (above), but with open base instead.
- Stainless steel undershelf with cord wrap and marine edge.
- 1 5/8" (41mm)-diameter stainless steel legs with 4" (102mm)-diameter casters, two w/brake.
- Removable 12 3/4" x 10 3/8" x 6" pan.

overall width x length x height*		WITH COLD WATER ONLY			WITH HOT & COLD WATER		
in	mm	weight	model #	list	weight	model #	list
30" x 30" x 34 1/2"	762 x 762 x 886	217 98.4	PHSE-S-C	9202	217 98.4	PHSE-S-H	11246

* Working height, excludes height of faucet.

Portable Hand Sink Supply Cart

see spec sheet **EG20.06C**

Accommodates two 5-gallon tanks and two 7-gallon tanks (sold separately)

—See Spec Sheet.



FEATURES:

- 24" x 24" (610 x 610mm) chrome-plated wire shelf and wire storage basket and four-sided wire truss frame.
- 5" (127mm) casters—two with brake—with resilient tread and donut bumper.

overall width x length x height	model #	list
in mm		
31 15/16" x 26 3/16" x 39"	1811 x 665 x 991	PHS-SUPCRT-A 1234

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.

Phone: 302-653-3000. Fax: 302-653-2065

<http://www.eaglehmc.com>



Touch-Free Portable Hand Sinks

see spec sheet **EG20.22**



FEATURES:

- Heavy gauge stainless steel cabinet with double pan hinged stainless steel door and lock.
- Box marine edge top.
- 14" x 10" x 5" (356 x 256 x 127mm) sink bowl.
- Deck mount electronic-eye gooseneck faucet with tempering valve.
- Touch-free splash-mount paper towel dispenser
- Touch-free splash-mount soap dispenser.
- 4" (102mm) swivel casters (two w/brake) with non-marking tread—weight capacity of 150 lbs. (68.0 kg) per caster.
- 5-gallon fresh water tank.
- 7-gallon soiled water tank.
- 10-ft. (3048mm) cord/plug with cord wrap.

WITHOUT WATER HEATER*

overall width x length x height in mm	weight lbs. kg	model #	list
24" x 26" x 56 3/4" 610 x 660 x 1442	209 94.8	PHS-S-C-TF	13194

WITH WATER HEATER*

overall width x length x height in mm	weight lbs. kg	model #	list
24" x 26" x 56 3/4" 610 x 660 x 1442	237 107.5	PHS-S-H-TF	14413

* Unit without water heater provides ambient temperature water.
Unit with water heater provides tempered water.

Physically Challenged Hand Sinks




see spec sheet **EG20.45**

FEATURES:

- Standard with faucet and basket drain.

(●) MTS (made to stock) / () MTO (made to order)

HSAP-14-FW	list: 3727
	bowl size: 16" x 14" x 5" (406 x 356 x 127mm) overall size: 24 1/8" x 19" x 16 1/2" (613 x 483 x 419mm) weight: 28 lbs. (12.7 kg) cubic feet: 6.5 includes: Faucet, basket drain, and wall brackets.

HSAP-14-ADA-FE-B	list: 10336
	bowl size: 16" x 14" x 5" (406 x 356 x 127mm) overall size: 24" x 22" x 24 1/2" (610 x 559 x 623mm) weight: 65 lbs. (29.5 kg) cubic feet: 19.2 includes: Battery-powered electronic eye splash-mount faucet, c-fold towel dispenser in front, deck mount soap dispenser, skirt, basket drain.

HSAP-14-ADA-FW	list: 8840
	bowl size: 16" x 14" x 5" (406 x 356 x 127mm) overall size: 24" x 22" x 24 1/2" (610 x 559 x 623mm) weight: 55 lbs. (24.9 kg) cubic feet: 14.1 includes: Splash-mount faucet w/wrist handles, c-fold towel dispenser in front, deck mount soap dispenser, skirt, basket drain.

Designed for unique applications!

Replacement T&S Faucets for HSAP-14-ADA-FW

Top quality splash-mount faucets. 4" center.

features	model #	list
gooseneck spout	306134	1157
wrist handles, gooseneck spout	313305	1155



#313305

Hand Sinks with Side Splashes



see spec sheet **EG20.56**

FEATURES:

- Standard with faucet and basket drain.

(●) MTS (made to stock) / () MTO (made to order)

HSA-10-F-LRS •		list: 2290
	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{3}{4}$ " x 18 $\frac{5}{8}$ " x 12 $\frac{3}{4}$ " (376 x 480 x 324mm)
	weight:	14 lbs. (6.4 kg)
	cubic feet:	3.9
includes:		Faucet, basket drain, and side splashes.

HSAN-10-F-LRS •		list: 2432
	bowl size:	13 $\frac{1}{2}$ " x 9 $\frac{3}{4}$ " x 6 $\frac{3}{4}$ " (343 x 248 x 173mm)
	overall size:	18" x 12" x 14 $\frac{1}{4}$ " (457 x 305 x 362mm)
	weight:	17 lbs. (7.7 kg)
	cubic feet:	2.8
includes:		12" (305mm) side-to-side, faucet, basket drain, and side splashes.

HSA-10-FTWS-LRS		list: 3037
	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{3}{4}$ " x 18 $\frac{5}{8}$ " x 12 $\frac{3}{4}$ " (376 x 480 x 324mm)
	weight:	32 lbs. (14.5 kg)
	cubic feet:	3.5
includes:		Faucet, tubular wall brackets, basket drain, and side splashes.

HSA-10-FDPE-LRS		list: 7733
	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{3}{4}$ " x 19 $\frac{1}{4}$ " x 28 $\frac{1}{4}$ " (376 x 489 x 718mm)
	weight:	33 lbs. (15.0 kg)
	cubic feet:	2.8
includes:		Spout with electronic eye, towel dispenser, soap dispenser, basket drain, and side splashes.

Miscellaneous Hand Sinks



see spec sheet

MICROGARD®

EG20.31

an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

(●) MTS (made to stock) / () MTO (made to order)

HSA-10-FAW •		list: 1743
	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{3}{4}$ " x 18 $\frac{5}{8}$ " x 12 $\frac{3}{4}$ " (376 x 480 x 324mm)
	weight:	14 lbs. (6.4 kg)
	cubic feet:	2.8
includes:		Faucet with wrist handles, P-trap, tail piece, basket drain.
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		

HSA-10-FTWS		list: 2044
	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{3}{4}$ " x 18 $\frac{5}{8}$ " x 12 $\frac{3}{4}$ " (376 x 480 x 324mm)
	weight:	30 lbs. (13.6 kg)
	cubic feet:	3.0
includes:		Faucet, tubular wall brackets, basket drain.
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		

Space-Saver Series Hand Sinks



see spec sheets

EG20.05

EG20.43

FEATURES:

- Standard with faucet and basket drain.

(•) MTS (made to stock) / () MTO (made to order)

MICROGARD®

an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

HSAN-10-F •		list: 1542
	bowl size:	13½" x 9¾" x 6¾" (343 x 248 x 171mm)
	overall size:	18" x 12" x 14¼" (457 x 305 x 362mm)
	weight:	15 lbs. (6.8 kg)
	cubic feet:	2.8
MICROGARD® available: To order, add suffix "-MG" to model # / add \$254 to list price.		includes: Splash mount faucet, basket drain.

Only 12" (305mm) side-to-side to maximum space efficiency.

HSAND-10-F •		list: 1288
	bowl size:	13½" x 9¾" x 6¾" (343 x 248 x 171mm)
	overall size:	19⅝" x 12" x 14¼" (498 x 305 x 362mm)
	weight:	15 lbs. (6.8 kg)
	cubic feet:	2.8
		includes: Deck mount faucet, basket drain.

Only 12" (305mm) side-to-side to maximum space efficiency.

HSANT-FS		list: 1821
	bowl size:	13½" x 9¾" x 6¾" (343 x 248 x 171mm)
	overall size:	18" x 12" x 26½" (457 x 305 x 673mm)
	weight:	26 lbs. (11.8 kg)
	cubic feet:	6.5
19½" (495mm) backsplash and skirt		includes: Faucet, 19½" (495mm) high backsplash, basket drain.

19½" (495mm) backsplash and skirt

HSAN-10-F-DS *		list: 1967
	bowl size:	13½" x 9¾" x 6½" (343 x 248 x 165mm)
	overall size:	17⅜" x 12⅝" x 14¼" (457 x 308 x 362mm)
	weight:	14 lbs. (6.4 kg)
	cubic feet:	2.8
		includes: Faucet, deck-mount soap dispenser, basket drain.

Hand Wash Sinks



see spec sheet

EG20.47



Model #
HWC-E



Model #
HWB-E

- Type 304 stainless steel all-welded construction.
- 1½" (38mm) bull nose front edge.
- Hinged door with pull handle and magnetic catch.
- Pump-action soap dispenser on rear deck.
- Built-in front-loading C-fold towel dispenser located in front of sink bowl.
- Deck-mounted faucet.
- Basket drain.
- Crumb cup.

FEATURES:

Space-Saver Models—Wall-mountable. Furnished with Z-clips to secure to wall.

bowl size		overall size		WITH STANDARD FAUCET				WITH T&S FAUCET			
width x length x depth		width x length x height		weight				weight			
in.	mm	in.	mm	lbs.	kg	model #	list	lbs.	kg	model #	list
9¼" x 11½" x 6"	235 x 292 x 152	16⅞" x 14" x 21¼"	421 x 356 x 540	36	16.3	HWC-E	5193	37	16.8	HWC-T	5669

Drop-In Models

bowl size		overall size		cutout dimensions		WITH STANDARD FAUCET				WITH T&S FAUCET			
width x length x depth		width x length x height		width x length		weight				weight			
in.	mm	in.	mm	in.	mm	lbs.	kg	model #	list	lbs.	kg	model #	list
9¼" x 11½" x 6"	235 x 292 x 152	17½" x 16½" x 17¼"	445 x 419 x 438	16" x 14⅞"	406 x 378	32	14.5	HWB-E	5433	33	15.0	HWB-T	5903



100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
<http://www.eagle-mhc.com>

Special Purpose Hand Sinks



see spec sheets **EG20.20** **EG20.36** **EG20.37** **EG20.48**

FEATURES:

- Standard with faucet and basket drain.

(•) MTS (made to stock) / () MTO (made to order)

Hand Sink with Deck Mount Faucet

HSAD-10-F •		list: 1197
	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (249 x 343 x 171mm)
	overall size:	16 $\frac{1}{2}$ " x 18 $\frac{7}{8}$ " x 12 $\frac{3}{4}$ " (419 x 479 x 324mm)
	weight:	14 lbs. (6.4 kg)
	cubic feet:	3.0
	includes:	Faucet and basket drain.

Designed for unique applications!

MICROGARD®

an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

Economical Hand Sink

- Faucet is deck mounted gooseneck.

HSAE-10-FA •		list: 1441
	bowl size:	10" x 14" x 5" (254 x 356 x 127mm)
	overall size:	15" x 16 $\frac{3}{4}$ " x 9" (381 x 425 x 229mm)
	weight:	14 lbs. (6.4 kg)
	cubic feet:	3.0
	includes:	Faucet, p-trap, tail piece, basket drain, wall brackets, 4" (102mm) high backsplash.

Hand Sink with Waste Receptacle-Patent protected

- U.S. Patent #5,732,422.
- Faucet is splash mounted gooseneck.

HSA-10-FDP-T		list: 3971
	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{3}{4}$ " x 19 $\frac{1}{4}$ " x 44 $\frac{5}{8}$ " (376 x 480 x 1133mm)
	weight:	29 lbs. (13.2 kg)
	cubic feet:	6.2
	includes:	Faucet, basket drain, 12-oz soap dispenser, towel dispenser, waste skirt, and waste receptacle.

MICROGARD® available:

To order, add suffix "-MG" to model # / add \$243 to list price.

Hand Sink with 8" (203mm) Centerline Faucet Holes

- Accommodates splash-mount faucet with 8" (203mm) centerline.

HSA-10-8		list: 1073
	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{3}{4}$ " x 18 $\frac{7}{8}$ " x 12 $\frac{3}{4}$ " (376 x 480 x 324mm)
	weight:	9 lbs. (4.1 kg)
	cubic feet:	3.0
	includes:	8" (203mm) centerline faucet holes (no faucet), basket drain

MICROGARD® available:

To order, add suffix "-MG" to model # / add \$254 to list price.

Hand Sink with 8" (203mm) Centerline Faucet

- Faucet is splash mounted gooseneck.

HSA-10-8F		list: 1382
	bowl size:	9 $\frac{3}{4}$ " x 13 $\frac{1}{2}$ " x 6 $\frac{3}{4}$ " (248 x 343 x 173mm)
	overall size:	14 $\frac{3}{4}$ " x 18 $\frac{7}{8}$ " x 12 $\frac{3}{4}$ " (376 x 480 x 324mm)
	weight:	13 lbs. (5.9 kg)
	cubic feet:	3.0
	includes:	Faucet on 8" (203mm) center, basket drain.

MICROGARD® available:

To order, add suffix "-MG" to model # / add \$243 to list price.

Hand Sink Accessories - Faucets & Valves

see spec sheet **EG20.52A**



splash mounted faucet



deck mounted faucet



deck mounted faucet with 8" spout



drinking bubbler

Standard Faucets

- With 4" (102mm) center, except #313075.

description	model #	list
splash mounted, gooseneck spout	303987	359
wrist handles	307120	227
splash mounted with wrist handles, gooseneck spout	306495	747
deck mounted, gooseneck spout, 1/4-turn handles	302004	398
deck mounted, 8" (203mm) spout, 1/4-turn handles	301248	357
drinking bubbler	318495	1257
splash mounted, gooseneck spout, 8" (203mm) center	313075	352

Repair Kit for Standard Faucets

- For faucets #303987, 302004, and 301248 only.

description	model #	list
hot/cold ceramic cartridge	368421	66



Faucet-Mount Emergency Eyewash Units

- Fits in place of standard aerator on spout.
- Both units meet ANSI Z358.1 standards.



#377563

description	model #	list
pull valve activation, includes two dust covers, chrome finish	326272	1021
rotate to activate, polished stainless finish, "eye-pod" design	377563	2037

IMPORTANT NOTE: If anti-scald valve (see below) is needed, order #373848 only.

Anti-Scald Valve for Faucet-Mount Emergency Eyewash Units

- This is the only anti-scald valve to be used with faucet-mount emergency eyewash units (above).
- Meets ANSI Z358.1 and ASSE 1071 standards.

description	model #	list
1/2" (13mm) NPT, 65 - 90°F	373848	4598

FEATURES:

- All faucets below feature 4" (102mm) centers, except where noted.

Note: Faucets listed are lead-free AB1953-compliant.

Can be shipped UPS.

Battery-Powered Electronic-Eye Faucets

- Used as a replacement to sinks on page 225 (by adding suffix "-B"), or as a replacement faucet for sinks on page 226 via the model number below.



T&S faucet

description	model #	list
Splash mount. Comes with four "AA" batteries and built-in low-battery indicator	326014	3384
Upgrade: T&S electric-eye faucet, splash-mtd with batteries and AC adapter for dual operation. With AC adapter plugged in, faucet automatically switches to AC power to conserve batteries.	356128	3625

Short 90° for Splash Mount Faucets

description	model #	list
set of two, 1/2" NPT female x male	376740	121



Spouts/Spout Assemblies

description	model #	list
splash-mount replacement gooseneck for knee/foot valve-operated models	312162	727



Shut-Off Valve

- Antibacterial surface.
- Screws onto faucet aerator.
- Polished chrome finish.

description	model #	list
shut-off push bar	349921	152



Anti-Scald Valve

- Automatic shutdown with either hot or cold water failure.
- ASSE 1016 and 1017 listed.

IMPORTANT: Not for use with Faucet-Mount Emergency Eyewash Units.

description	model #	list
1/2" (13mm) NPT, 100 - 145°F	326696	1358



Hand Sink Accessories - Valves

see spec sheet **EG20.52A**

Can be shipped UPS.

(●) MTS (made to stock) / () MTO (made to order)

Temperature Adjustment Valve ("Mixing Valve")

- For hand sinks with AC-powered electronic faucet or hand sinks with single pedal valves.
- Cast brass body.
- $\frac{3}{8}$ " (10mm) all connections.



description	model #	list
built-in check valves to prevent backflow and adjustment screw valves to mix hot and cold	326015	236

Non-Adjustable Y-Inlet Mixing Valve

- For electronic hand sinks and hand sinks with single pedal valves only.
- "Y" shaped single-piece component. Chrome-plated brass body.



description	model #	list
Male connections; threads are $\frac{1}{8}$ -24 UNEF	342938	70

Tempering Valve

- Maximum output of 120°F.
- Maximum pressure of 150 psi.
- ASSE 1016 and 1070 listed.



description	model #	list
thermoplastic body, $\frac{3}{8}$ " (10mm) male compression fittings, 80°F-120°F, 0.5-2.5 gpm, built-in check valve	375612	730



single foot pedal valve



double foot pedal valve



knee pedal

Pedal Valves

description	DOUBLE PEDALS		SINGLE PEDALS	
	model #	list	model #	list
foot pedal valve, floor mount	300604	810	355994	810
knee pedal valve	313481	1082	351738	1082

Replacement Cartridge for all Pedal Valves: **Model # 374955. List: \$77**

Hand Sink Accessories - Miscellaneous

see spec sheet **EG20.52B**

Can be shipped UPS.

(●) MTS (made to stock) / () MTO (made to order)



#318496
towel dispenser



#DP-10 towel dispenser



#384796 towel dispenser

Towel/Soap Dispensers

description	model #	list
type 304 with conventional soap dispenser	DP-10 ●	1771
type 304 stainless, with electric eye soap dispenser	DP-20 ★	3688
type 304 stainless, wall mounted	318496	621
break-resistant plastic, touchless, wall mounted	384796	444

* Fits all HSA hand sinks except Space Saver models.



hand sanitizing
dispenser

Hand Sanitizing Dispenser

description	model #	list
Purell/LTX, wall mounted	377455	570



tail piece



P-trap

Plumbing

description	model #	list
tail piece, nickel-plated	300791	39
P-trap, nickel-plated	300789	200



conventional
soap dispenser




soap dispenser with
electric eye



deck mount
soap dispenser

Soap Dispensers

description	model #	list
soap dispenser, conventional, 12-oz	300602	69
soap dispenser, wall mounted with electric eye	377456	570
soap dispenser, deck-mount, 16-oz	324074	263



nail brush

nail brush holder

Nail Brush and Nail Brush Holder

- To order nail brush and nail brush holder, add suffix "-NB" to hand sink model number. **Example: HSA-10-F-NB .**

description	model #	list each
infectious-control nail brush made of FDA-approved material, splash-mount stainless steel nail brush holder	add suffix "-NB"	244

Hand Sink Accessories - Miscellaneous

see spec sheet **EG20.52B**

Can be shipped UPS.

(•) MTS (made to stock) / () MTO (made to order)


Waste Receptacle

- U.S. Patent #5,732,422.
- 20 gauge stainless steel.
- Removable.
- Comes with skirt.
- Must be factory installed.

Note: To order, add suffix "-T" to hand sink model number.

Example: HSA-10-F-T.

for models:	model #	list
HSA-10; HSA-10-F; HSA-10-FA; HSA-10-FDP; HSA-10-FE; HSA-10-FDPE; HSA-10-FDPEE; and HSA-10-FW	add suffix "-T"	1342



HSA-10-FDP-T
hand sink with waste receptacle

End Splashes...

- Type 304 stainless steel.

Note: Will not work with Space Saver Hand Sinks (page 231) that have faucets with wrist handles.

...Factory-installed

Notes: To order, add suffix "-LS" (left end splash), "-RS" (right end splash), or "-LRS" (both end splashes). **Example:** HSA-10-F-LRS.

MICROGARD® cannot be put on hand sinks with end splashes.

descriptions	model #	list
left end splash only	add suffix "-LS"	504
right end splash only	add suffix "-RS"	504
left and right end splash	add suffix "-LRS"	1004



hand sink with optional end splashes

...for Field-installation

descriptions	model #	list each
one self-adhesive side splash, can be used for right or left application	HSA-SSK •	319
same as above, but fits only on Physically Challenged sinks (page 229)	HSAP-SSK	386




pair of end splashes for field installation

Wall Brackets

- 14 gauge type 304 stainless steel.

descriptions	model #	list
side mounting, one pair	606396 •	469
same as above, but fit only Space Saver models	611869	469



pair of wall brackets

Skirt Assembly

- Type 304 stainless steel.

fits models:	model #	list
HSA-10; HSA-10-F; HSA-10-FA; HSA-10-FDP; HSA-10-FE; HSA-10-FDPE; HSA-10-FDPEE; and HSA-10-FW.	606215 •	1049
HSAN-10-F	607560	744



Drains



polymer lever drain

description	maximum flow rate		model #	list
	gallons per minute	gallons per hour		
polymer lever drain fits 3½" (89mm) diameter holes	11	660	319931	171
overflow assembly for lever drain #319931 (above)	-	-	319932	79
1½" (38mm) drain assembly, fits 2" (51mm) dia. hole	12	720	300886	31
mini crumb cup for 1½" (38mm) drain	-	-	300966	10
s/s basket drain assembly fits 3½" (89mm) diameter holes w/crumb cups	18	1080	300287	47
cast metal lever drain with overflow assembly, with 7¼" (185mm) long lever, fits 3½" (89mm) diameter holes	-	-	347771*	478

* Applicable only for hand sinks with overflow, replaces #319931/319932 assembly.

Hot Water Heater

see spec sheet **EG20.52B**



**with
TANKLESS
WATER
HEATER**

99% EFFICIENT!

Flow switch activates heater only on demand—no standby heat loss.

**No temperature/pressure relief valve needed
(check local codes), reducing installation cost.**

applicable hand sinks include:

HSA-10; HSA-10-F; HSA-10-FA; HSA-10-FDP;
HSA-10-FE; HSA-10-FDPE; HSA-10-FDPEE;
HSA-10-FW; HSA-10-FA-P; and HSAD-10-F.

add
suffix # list
each

“-WH” 4940

FEATURES:

- For EAGLE hand sinks with 10" x 14" (254 x 356mm) rounded bowl.
- Stainless steel pedestal base features notches for electrical wiring and front access panel.
- Unit comes equipped with an energy-saving tankless water heater. 120V 29A electricity. 0.5 GPM. 150 PSI maximum operating pressure (minimum 25 PSI).
- Water is heated instantaneously when faucet is on.
- To order, add suffix “-WH” to model number and add **\$4940 to list price** of hand sink.

Example: HSA-10-FDPEE-WH

Note: Must be field-wired.

(•) MTS (made to stock) / () MTO (made to order)

Lavatory Sinks



see spec sheet **EG20.12**

Replacements for Lavatory Sinks

description	to fit process sink model #	model #	list
splash mount spout	P1916, P1916FE, W1916	300600	410
drain assembly	P1916, P1916FE, W1916,	300287	47
temperature adjustment valve, or “mixing valve”	P1916FE	326015	236

FEATURES:

- A marine edge.
- Type 304 stainless steel sink bowl.
- Gooseneck spout.
- Soap dispenser.
- Basket drain.
- Wall mount and pedestal models available.

(•) MTS (made to stock) / () MTO (made to order)

W1916-FA •

list: 3177



wall mounted

bowl size:	15 $\frac{3}{4}$ " x 19 $\frac{1}{4}$ " x 8 $\frac{7}{8}$ " (400 x 500 x 225mm)
sink overall size:	23" x 24 $\frac{1}{4}$ " x 16 $\frac{1}{16}$ " (584 x 616 x 408mm)
shipping wt:	35 lbs., 15.9 kg
cubic feet:	1.6
includes:	Gooseneck faucet, soap dispenser, basket drain.

P1916 •

list: 5357



pedestal mounted,
foot pedal valve

bowl size:	15 $\frac{3}{4}$ " x 19 $\frac{1}{4}$ " x 8 $\frac{7}{8}$ " (400 x 500 x 225mm)
sink overall size:	23" x 24 $\frac{1}{4}$ " x 39 $\frac{1}{16}$ " (584 x 616 x 992mm)
shipping wt:	48 lbs., 21.8 kg
cubic feet:	1.6
includes:	Gooseneck spout, soap dispenser, pedestal with foot valves, basket drain.

W1916

list: 6083



wall mounted, knee
valve operation

bowl size:	15 $\frac{3}{4}$ " x 19 $\frac{1}{4}$ " x 8 $\frac{7}{8}$ " (400 x 500 x 225mm)
sink overall size:	23" x 24 $\frac{1}{4}$ " x 16 $\frac{1}{16}$ " (584 x 616 x 408mm)
shipping wt:	43 lbs., 19.5 kg
cubic feet:	1.6
includes:	Gooseneck spout, soap dispenser, knee valves, basket drain.

P1916FE

list: 7170



pedestal mounted,
electronic-eye operation

bowl size:	15 $\frac{3}{4}$ " x 19 $\frac{1}{4}$ " x 8 $\frac{7}{8}$ " (400 x 500 x 225mm)
sink overall size:	23" x 24 $\frac{1}{4}$ " x 39 $\frac{1}{16}$ " (584 x 616 x 992mm)
shipping wt:	48 lbs., 21.8 kg
cubic feet:	1.6
includes:	Gooseneck spout with electronic-eye operation, soap dispenser, pedestal, basket drain.

Sink Kits for 412, 414, and 314 Series Sinks


see spec sheet **EG20.51A**



**Euro-style
edging on
front and
sides.**

Standard Sink Kit components:

Stainless steel gussets
Stainless steel crossbraced legs
Stainless steel feet
T&S faucet #313293



Kit A

Add suffix “-CLF” to sink model number.

description	add to list price
1 faucet	2602
2 faucets	3900

Kit B

Standard sink kit components plus lever drain. Add suffix “-CLFD” to sink model number.

description	add to list price
1 faucet	2602
2 faucets	3900
per lever drain	506

Kit C

Standard sink kit components plus lever drain with overflow. Add suffix “-CLFDO” to sink model number.

description	add to list price
1 faucet	2602
2 faucets	3900
per lever drain with overflow	1030

Kit D

Standard sink kit components plus twist handle drain and twist handle bracket. Add suffix “-CLFDT” to sink

description	add to list price
1 faucet	2602
2 faucets	3900
per twist handle drain	529

Kit E

Standard sink kit components plus twist handle drain with overflow and twist handle bracket. Add suffix “-CLFDOT” to sink model number.

description	add to list price
1 faucet	2602
2 faucets	3900
per twist handle drain with overflow	1197

412, 414, and 314 Series Sinks Deep Drawn Construction

- Deep drawn seamless coved corner sink bowls of all units have a generous radius and are rectangular for maximum capacity.
- Legs are galvanized, 1 $\frac{5}{8}$ ” (41mm) diameter.
- Crossbraced front-to-back with 1” (25mm) diameter galvanized tubing.
- Leg gussets are welded to a die-cut heavy-gauge reinforcing plate, and welded adjacent to sink bowl for maximum stability and support.
- 9 $\frac{1}{2}$ ” (241mm) standard backsplash includes 1” (25mm) upturn and tile edge for easy installation and feathering to wall/splash surface.
- Basket-type waste drains are included to fit sink bowl’s 3 $\frac{1}{2}$ ” (89mm) opening and feature 1 $\frac{1}{2}$ ” (38mm) outlet.
- 30” and 36” (762 and 914mm) drainboards available upon request.

Note: Stainless steel legs with front-to-back crossbracing available (does not include stainless steel feet).

To order, add **\$781 to list price** and suffix “-SL” to model number (example: 414-16-1-SL).

To order stainless steel legs and gussets, add **\$1080 to list price** and suffix “-SLG” to model number (example: 414-16-1-SLG).

Adjustable front-to-back crossbracing available.

Add suffix “-ACB” to model number, and add **\$361 to list price**. Example: 414-16-1-ACB

Left-to-right crossbracing available.

For galvanized, add **5% to list price** and suffix “-CBG” to model number.

For stainless steel (does not include stainless steel legs), add **10% to list price** and suffix “-CBS” to model number (example: 414-16-1-CBS).

Twist drain brackets available.

Works in conjunction with optional twist handle drains (not included – see page 260). To order, add **\$66 per compartment to list price** and suffix “-TB” to model number. Example: 414-16-1-TB.

For overflow hole (does not include drain), add **\$97 per compartment to list price** and suffix “-OF” to model number (example: 414-16-1-OF).

Sink accessories, see pages 259-261.

All shipping weights and cubic feet are approximate.

ALL SINKS SHIPPED FULLY CRATED.

412, 414, and 314 Series Sinks

One-Compartment Sinks



see spec sheets **EG20.03** **EG20.23** **EG20.27**



one-compartment sink with double drainboards

one-compartment sink with one drainboard

- All heavy gauge type 430 construction.
 - 10½" (267mm) deep sink bowl.
 - 44" (1118mm) overall height.
- 412 SERIES:
- 14" (356mm) deep heavy gauge type 304 sink bowl with type 430 drainboards, and backsplash.
 - 44" (1118mm) overall height.
- 414 SERIES:
- All heavy gauge type 304 construction.
 - 14" (356mm) deep sink bowl.
 - 44" (1118mm) overall height.
- 314 SERIES:

(•) MTS (made to stock) / () MTO (made to order)

One Compartment, No Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cu ft		overall size width x length in. mm		GOOD 412 Series		BETTER 414 Series		BEST 314 Series	
										- see spec sheet - EG20.03		- see spec sheet - EG20.23		- see spec sheet - EG20.27	
										model #	list	model #	list	model #	list
20" x 16"	508 x 406	—	—	93	42.2	10.5	27½" x 23¼"	699 x 591		412-16-1 •	3620	414-16-1 •	4161	314-16-1 •	4706
24" x 18"	610 x 457	—	—	95	43.1	10.0	31¾" x 25½"	807 x 648		—	—	414-18-1 •	4871	314-18-1	5445
22" x 22"	559 x 559	—	—	100	45.4	14.5	29¾" x 29½"	756 x 749		—	—	414-22-1 •	5180	314-22-1	5478
24" x 24"	610 x 610	—	—	135	61.2	16.5	31¾" x 31½"	807 x 800		—	—	414-24-1 •	5250	314-24-1	5849

One Compartment, One Drainboard (right or left)

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cu ft		overall size width x length in. mm		GOOD 412 Series		BETTER 414 Series		BEST 314 Series	
										- see spec sheet - EG20.03		- see spec sheet - EG20.23		- see spec sheet - EG20.27	
										model #	list	model #	list	model #	list
20" x 16"	508 x 406	18"	457	96	43.6	18.1	27½" x 38¾"	699 x 987		412-16-1-18R or L •	5078	414-16-1-18R or L •	5702	314-16-1-18R or L	6316
		24"	610	99	44.9	19.5	27½" x 44¾"	699 x 1140		412-16-1-24R or L	5114	414-16-1-24R or L •	5768	314-16-1-24R or L •	6395
24" x 18"	610 x 457	18"	457	110	49.9	22.0	31¾" x 40¾"	807 x 1035		—	—	414-18-1-18R or L	6270	314-18-1-18R or L	6899
		24"	610	120	54.4	22.9	31¾" x 46¾"	807 x 1188		—	—	414-18-1-24R or L	6316	314-18-1-24R or L	6944
22" x 22"	559 x 559	18"	457	115	52.2	23.0	29¾" x 45"	756 x 1143		—	—	414-22-1-18R or L	6852	314-22-1-18R or L	7099
		24"	610	127	57.6	26.0	29¾" x 51"	756 x 1295		—	—	414-22-1-24R or L	6898	314-22-1-24R or L	7149
24" x 24"	610 x 610	18"	457	143	64.9	25.0	31¾" x 46¾"	807 x 1188		—	—	414-24-1-18R or L	7570	314-24-1-18R or L	8238
		24"	610	178	80.7	28.6	31¾" x 52¾"	787 x 1340		—	—	414-24-1-24R or L •	7646	314-24-1-24R or L	8357

One Compartment, Double Drainboards


bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cu ft		overall size width x length in. mm		GOOD 412 Series		BETTER 414 Series		BEST 314 Series	
										- see spec sheet - EG20.03		- see spec sheet - EG20.23		- see spec sheet - EG20.27	
										model #	list	model #	list	model #	list
20" x 16"	508 x 406	18"	457	133	60.3	25.7	27½" x 54½"	699 x 1384		412-16-1-18 •	5383	414-16-1-18	5967	314-16-1-18	6602
		24"	610	135	61.2	30.8	27½" x 66½"	699 x 1689		412-16-1-24	5396	414-16-1-24	6157	314-16-1-24	6800
24" x 18"	610 x 457	18"	457	121	54.9	29.6	31¾" x 56"	807 x 1422		—	—	414-18-1-18	6816	314-18-1-18	7486
		24"	610	140	63.5	38.1	31¾" x 68"	807 x 1727		—	—	414-18-1-24	6880	314-18-1-24	7556
22" x 22"	559 x 559	18"	457	125	56.7	30.3	29¾" x 60½"	756 x 1537		—	—	414-22-1-18	7465	314-22-1-18	7724
		24"	610	145	65.8	37.1	29¾" x 72½"	756 x 1842		—	—	414-22-1-24	7524	314-22-1-24	7787
24" x 24"	610 x 610	18"	457	176	79.8	32.5	31¾" x 62"	807 x 1575		—	—	414-24-1-18	7879	314-24-1-18	8427
		24"	610	189	85.7	40.6	31¾" x 74"	807 x 1880		—	—	414-24-1-24	7995	314-24-1-24	8730

412, 414, and 314 Series Sinks

Two-Compartment Sinks



see spec sheets **EG20.03** **EG20.24** **EG20.28**



two-compartment sink
with double drainboards

two-compartment sink
with no drainboards

412 SERIES:

- All heavy gauge type 430 construction.
- 10 $\frac{1}{2}$ " (267mm) deep sink bowls.
- 44" (1118mm) overall height.

414 SERIES:

- 14" (356mm) deep heavy gauge type 304 sink bowls with type 430 drainboards, and backsplash.
- 44" (1118mm) overall height.

314 SERIES:

- All heavy gauge type 304 construction.
- 14" (356mm) deep sink bowls.
- 44" (1118mm) overall height.

(•) MTS (made to stock) / () MTO (made to order)

Two Compartments, No Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cu ft		overall size width x length in. mm		GOOD 412 Series		BETTER 414 Series		BEST 314 Series	
										- see spec sheet - EG20.03		- see spec sheet - EG20.24		- see spec sheet - EG20.28	
model #	list	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
20" x 16"	508 x 406	—	—	69	31.3	18.1	27 $\frac{1}{2}$ " x 41"	699 x 1041	412-16-2 •	4948	414-16-2 •	5697	314-16-2 •	6315	
24" x 18"	610 x 457	—	—	75	33.8	24.0	31 $\frac{3}{4}$ " x 45 $\frac{1}{2}$ "	807 x 1156	—	—	414-18-2 •	6556	314-18-2	7572	
22" x 22"	559 x 559	—	—	80	36.3	25.8	29 $\frac{3}{4}$ " x 53 $\frac{1}{2}$ "	756 x 1359	—	—	414-22-2	7152	314-22-2	7797	
24" x 24"	610 x 610	—	—	91	41.3	29.6	31 $\frac{3}{4}$ " x 57 $\frac{1}{2}$ "	807 x 1461	—	—	414-24-2 •	7903	314-24-2 •	8982	

Two Compartments, One Drainboard (right or left)

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cu ft		overall size width x length in. mm		GOOD 412 Series		BETTER 414 Series		BEST 314 Series	
										- see spec sheet - EG20.03		- see spec sheet - EG20.24		- see spec sheet - EG20.28	
model #	list	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
20" x 16"	508 x 406	18"	457	127	57.6	25.7	27 $\frac{1}{2}$ " x 56 $\frac{3}{4}$ "	699 x 1438	412-16-2-18R or L •	6558	414-16-2-18R or L •	7536	314-16-2-18R or L	8242	
		24"	610	156	70.84	28.3	27 $\frac{1}{2}$ " x 62 $\frac{3}{4}$ "	699 x 1591	412-16-2-24R or L	6624	414-16-2-24R or L •	7654	314-16-2-24R or L	8714	
24" x 18"	610 x 457	18"	457	131	59.4	33.0	31 $\frac{3}{4}$ " x 60 $\frac{3}{4}$ "	807 x 1543	—	—	414-18-2-18R or L	8803	314-18-2-18R or L	9915	
		24"	610	158	71.7	35.0	31 $\frac{3}{4}$ " x 66 $\frac{3}{4}$ "	807 x 1696	—	—	414-18-2-24R or L	8855	314-18-2-24R or L	9974	
22" x 22"	559 x 559	18"	457	190	86.2	34.0	29 $\frac{3}{4}$ " x 69"	756 x 1753	—	—	414-22-2-18R or L	9798	314-22-2-18R or L	10403	
		24"	610	193	87.6	37.1	29 $\frac{3}{4}$ " x 75"	756 x 1905	—	—	414-22-2-24R or L	9849	314-22-2-24R or L	10457	
24" x 24"	610 x 610	18"	457	192	87.1	38.0	31 $\frac{3}{4}$ " x 72 $\frac{3}{4}$ "	807 x 1847	—	—	414-24-2-18R or L	10631	314-24-2-18R or L	11549	
		24"	610	208	94.4	41.6	31 $\frac{3}{4}$ " x 78 $\frac{3}{4}$ "	807 x 2000	—	—	414-24-2-24R or L •	10861	314-24-2-24R or L	12323	


Two Compartments, Double Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cu ft		overall size width x length in. mm		GOOD 412 Series		BETTER 414 Series		BEST 314 Series	
										- see spec sheet - EG20.03		- see spec sheet - EG20.24		- see spec sheet - EG20.28	
model #	list	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
20" x 16"	508 x 406	18"	457	154	69.9	32.8	27 $\frac{1}{2}$ " x 72 $\frac{1}{4}$ "	699 x 1848	412-16-2-18 •	6775	414-16-2-18 •	7830	314-16-2-18	8900	
		24"	610	171	77.6	38.5	27 $\frac{1}{2}$ " x 84 $\frac{1}{4}$ "	660 x 2140	412-16-2-24	6881	414-16-2-24 •	7972	314-16-2-24	9049	
24" x 18"	610 x 457	18"	457	156	70.8	43.8	31 $\frac{3}{4}$ " x 76"	807 x 1930	—	—	414-18-2-18	9066	314-18-2-18	10197	
		24"	610	180	81.7	48.7	31 $\frac{3}{4}$ " x 88"	807 x 2235	—	—	414-18-2-24	9166	314-18-2-24	10306	
22" x 22"	559 x 559	18"	457	195	88.5	42.0	29 $\frac{3}{4}$ " x 84 $\frac{1}{2}$ "	756 x 2146	—	—	414-22-2-18	10104	314-22-2-18	10712	
		24"	610	198	89.8	48.5	29 $\frac{3}{4}$ " x 96 $\frac{1}{2}$ "	756 x 2451	—	—	414-22-2-24	10218	314-22-2-24	10822	
24" x 24"	610 x 610	18"	457	204	92.5	47.0	31 $\frac{3}{4}$ " x 88"	807 x 2235	—	—	414-24-2-18	10984	314-24-2-18	12031	
		24"	610	211	95.7	53.6	31 $\frac{3}{4}$ " x 100"	807 x 2540	—	—	414-24-2-24 •	11325	314-24-2-24	12561	

412, 414, and 314 Series Sinks

Three-Compartment Sinks

see spec sheets **EG20.03** **EG20.25** **EG20.29**



three-compartment sink with double drainboards (faucet not included)

three-compartment sink with no drainboards

- All heavy gauge type 430 construction.
- 10½" (267mm) deep sink bowls.
- 44" (1118mm) overall height.

412 SERIES:

- 14" (356mm) deep heavy gauge type 304 sink bowls with type 430 drainboards, and backsplash.
- 44" (1118mm) overall height.

414 SERIES:

- All heavy gauge type 304 construction.
- 14" (356mm) deep sink bowls.
- 44" (1118mm) overall height.

314 SERIES:

(•) MTS (made to stock) / () MTO (made to order)

Three Compartments, No Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cu ft	overall size width x length in. mm		GOOD 412 Series - see spec sheet - EG20.03 model # list		BETTER 414 Series - see spec sheet - EG20.25 model # list		BEST 314 Series - see spec sheet - EG20.29 model # list	
20" x 16"	508 x 406	—	—	165	74.8	25.7	27½" x 58¾"	699 x 1492	412-16-3 •	6271	414-16-3 •	6904	314-16-3 •	7898
24" x 18"	610 x 457	—	—	167	75.8	33.0	31¾" x 65½"	807 x 1664	—	—	414-18-3 ••	8528	314-18-3 *	9996
22" x 22"	559 x 559	—	—	170	77.1	37.1	29¾" x 77½"	756 x 1969	—	—	414-22-3 *	9483	314-22-3 *	10466
24" x 24"	610 x 610	—	—	175	79.4	41.5	31¾" x 83½"	807 x 2121	—	—	414-24-3 ••	10344	314-24-3 *	11670

* Features two sets of faucet holes.

Three Compartments, One Drainboard (right or left)

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cu ft	overall size width x length in. mm		GOOD 412 Series - see spec sheet - EG20.03 model # list		BETTER 414 Series - see spec sheet - EG20.25 model # list		BEST 314 Series - see spec sheet - EG20.29 model # list	
20" x 16"	508 x 406	18"	457	170	77.1	33.3	27½" x 74¾"	699 x 1889	412-16-3-18R or L •	6629	414-16-3-18R or L •	8733	314-16-3-18R or L	10602
		24"	610	190	86.2	35.8	27½" x 80¾"	699 x 2042	412-16-3-24R or L	6696	414-16-3-24R or L	8802	314-16-3-24R or L	10680
24" x 18"	610 x 457	18"	457	206	93.4	42.0	31¾" x 80¾"	807 x 2051	—	—	414-18-3-18R or L *	10967	314-18-3-18R or L *	12540
		24"	610	228	103.4	68.0	31¾" x 86¾"	807 x 2203	—	—	414-18-3-24R or L *	11010	314-18-3-24R or L *	12584
22" x 22"	559 x 559	18"	457	224	101.6	45.0	29¾" x 93"	756 x 2362	—	—	414-22-3-18R or L *	12342	314-22-3-18R or L *	13286
		24"	610	235	106.6	48.4	29¾" x 99"	756 x 2515	—	—	414-22-3-24R or L *	12391	314-22-3-24R or L *	13341
24" x 24"	610 x 610	18"	457	226	102.5	50.0	31¾" x 98¾"	807 x 2508	—	—	414-24-3-18R or L *	13640	314-24-3-18R or L *	14914
		24"	610	250	113.4	54.6	31¾" x 104¾"	807 x 2661	—	—	414-24-3-24R or L ••	13832	314-24-3-24R or L *	15539

* Features two sets of faucet holes.

Three Compartments, Double Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cu ft	overall size width x length in. mm		GOOD 412 Series - see spec sheet - EG20.03 model # list		BETTER 414 Series - see spec sheet - EG20.25 model # list		BEST 314 Series - see spec sheet - EG20.29 model # list	
20" x 16"	508 x 406	18"	457	175	79.4	40.9	27½" x 90"	699 x 2286	412-16-3-18 •	6861	414-16-3-18 •	8968	314-16-3-18 •	10861
		24"	610	204	92.5	46.0	27½" x 102"	699 x 2591	412-16-3-24 •	6979	414-16-3-24 •	9109	314-16-3-24 •	11013
24" x 18"	610 x 457	18"	457	224	101.6	50.5	31¾" x 96"	807 x 2438	—	—	414-18-3-18 ••	11255	314-18-3-18 ••	12841
		24"	610	232	105.2	57.0	31¾" x 108"	807 x 2743	—	—	414-18-3-24 ••	11534	314-18-3-24 ••	13061
22" x 22"	559 x 559	18"	457	231	104.8	54.0	29¾" x 108½"	756 x 2756	—	—	414-22-3-18 ••	12680	314-22-3-18 *	13619
		24"	610	239	108.4	59.6	29¾" x 120½"	756 x 3061	—	—	414-22-3-24 ••	13006	314-22-3-24 ••	13945
24" x 24"	610 x 610	18"	457	249	113.0	60.0	31¾" x 114"	807 x 2896	—	—	414-24-3-18 ••	13652	314-24-3-18 *	14784
		24"	610	260	117.9	65.2	31¾" x 126"	807 x 3200	—	—	414-24-3-24 ••	14250	314-24-3-24 *	15980

* Features two sets of faucet holes.

414 and 314 Series Sinks

Four-Compartment Sinks




see spec sheets

EG20.26

EG20.30



four-compartment sink
with double drainboards



2"-wide
euro-style edging

414 SERIES:

- 14" (356mm) deep heavy gauge type 304 sink bowls with type 430 drainboards, and backsplash.
- 44" (1118mm) overall height.
- Two sets of faucet holes.

314 SERIES:

- All heavy gauge type 304 construction.
- 14" (356mm) deep sink bowls.
- 44" (1118mm) overall height.
- Two sets of faucet holes.

(•) MTS (made to stock) / () MTO (made to order)

Four Compartments, No Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cu ft	overall size width x length in. mm		BETTER 414 Series - see spec sheet - EG20.26 model # list		BEST 314 Series - see spec sheet - EG20.30 model # list	
20" x 16"	508 x 406	n/a	n/a	180	81.7	33.3	27½" x 76½"	699 x 1943	414-16-4	9322	314-16-4	11161
24" x 18"	610 x 457	n/a	n/a	218	98.9	48.4	31¾" x 85½"	807 x 2172	414-18-4	10773	314-18-4	12680
24" x 24"	610 x 610	n/a	n/a	231	104.8	55.6	31¾" x 109½"	807 x 2783	414-24-4	13277	314-24-4	15306

Four Compartments, One Drainboard (right or left)

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cu ft	overall size width x length in. mm		BETTER 414 Series - see spec sheet - EG20.26 model # list		BEST 314 Series - see spec sheet - EG20.30 model # list	
20" x 16"	508 x 406	18"	457	195	88.5	41.0	27½" x 92½"	699 x 2340	414-16-4-18R or L	11327	314-16-4-18R or L	13271
		24"	610	235	106.6	43.4	27½" x 98½"	699 x 2492	414-16-4-24R or L	11402	314-16-4-24R or L	13348
24" x 18"	610 x 457	18"	457	225	102.1	49.0	31¾" x 100¾"	807 x 2559	414-18-4-18R or L	13600	314-18-4-18R or L	15591
		24"	610	254	115.2	59.6	31¾" x 106¾"	807 x 2711	414-18-4-24R or L	13953	314-18-4-24R or L	15643
24" x 24"	610 x 610	18"	457	248	112.5	61.0	31¾" x 124¾"	807 x 3169	414-24-4-18R or L	16315	314-24-4-18R or L	18861
		24"	610	278	126.1	67.7	31¾" x 130¾"	807 x 3321	414-24-4-24R or L	17553	314-24-4-24R or L	19786

Four Compartments, Double Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cu ft	overall size width x length in. mm		BETTER 414 Series - see spec sheet - EG20.26 model # list		BEST 314 Series - see spec sheet - EG20.30 model # list	
20" x 16"	508 x 406	18"	457	231	104.8	48.5	27½" x 107¾"	699 x 2737	414-16-4-18 •	11794	314-16-4-18	13755
		24"	610	238	108.0	53.6	27½" x 119¾"	699 x 3042	414-16-4-24	11973	314-16-4-24	13945
24" x 18"	610 x 457	18"	457	247	112.0	65.0	31¾" x 116"	807 x 2946	414-18-4-18	13819	314-18-4-18	15873
		24"	610	262	118.8	70.9	31¾" x 128"	807 x 3251	414-18-4-24	13980	314-18-4-24	16046
24" x 24"	610 x 610	18"	457	263	119.3	73.0	31¾" x 140"	807 x 3556	414-24-4-18	17169	314-24-4-18	19260
		24"	610	293	132.9	79.7	31¾" x 152"	807 x 3861	414-24-4-24 •	17948	314-24-4-24	20192

Stainless Steel Cleaner & Polish

weight oz. kg	model #	list
15 0.4	004026	43



FEATURES:


- Cleans and polishes in one step.
- Does not streak or leave fingerprints.
- Leaves a protective invisible coating.

Sink Kits for SPEC-MASTER® FN Series Sinks

- Includes T&S faucet #313293.



OUR BEST



Kit A

- Add suffix “-F” to sink model number.

description	add to list price
1 faucet	1299
2 faucets	2598

Kit B

- T&S faucet plus lever drain. Add suffix “-FD” to sink model number.

description	add to list price
1 faucet	1299
2 faucets	2598
per lever drain	506

Kit C

- T&S faucet plus lever drain with overflow. Add suffix “-FDO” to sink model number.

description	add to list price
1 faucet	1299
2 faucets	2598
per lever drain with overflow	1030

Kit D

- T&S faucet plus twist handle drain and twist handle bracket. Add suffix “-FDT” to sink model number.

description	add to list price
1 faucet	1299
2 faucets	2598
per twist handle drain	529

Kit E

- T&S faucet plus twist handle drain with overflow and twist handle bracket. Add suffix “-FDOT” to sink model number.

description	add to list price
1 faucet	1299
2 faucets	2598
per twist handle drain with overflow	1197

LOOKING FOR A CUSTOM SINK?

Let our SpecFAB® Custom Fabrication Team Help!



Whether you're looking for a simple custom modification of a standard sink or a fully custom design, our custom fabrication division stands ready to fulfill your needs.

SPEC-MASTER® FN Series Coved Corner Sinks

One-Compartment Sinks



see spec sheet **EG20.32**



Notes: Twist drain bracket available.

Works in conjunction with optional twist handle drain (*not included* – see page 260). To order, add **\$66 per compartment to list price** and suffix “-TB” to model number (example: FN2016-1-14/3-TB).

For overflow hole (*does not include drain*), add **\$97 per compartment to list price** and suffix “-OF” to model number (example: FN2016-1-14/3-OF).

- 14 gauge 300 series 18-8 stainless steel.
- All bowls are 14” (356mm) deep and have 9/16” (16mm) radius corners, both vertical and horizontal.
- Stainless steel gussets, feet, legs and crossbracing.
- Adjustable crossbracing front-to-back and side-to-side for increased stability.
- 9 1/2” (241mm) standard backsplash includes 1” (25mm) upturn and tile edge.
- Basket-type waste drains are included to fit sink bowl's 3 1/2” (89mm) opening and feature 1 1/2” (38mm) outlet.
- 30” and 36” (762 and 914mm) drainboards* available upon request.
- 44 1/2” (1130mm) overall height.

FEATURES:

* On sinks with drainboard(s) 30” and 36”, legs are under the outer end of the drainboard(s).

Note: All shipping weights and cubic feet are approximate.

ALL SINKS SHIPPED FULLY CRATED.


For sink accessories, see pages 260-261.

For sink kits, see page 242.

(•) MTS (*made to stock*) / () MTO (*made to order*)


One Compartment, No Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet	overall size width x length in. mm		model #	list
20” x 16”	508 x 406	–	–	55	24.9	10.1	27” x 21”	686 x 533	FN2016-1-14/3	6242
20” x 18”	508 x 457	–	–	58	26.3	11.9	27” x 23”	686 x 584	FN2018-1-14/3 •	7032
20” x 20”	508 x 508	–	–	60	27.2	12.9	27” x 25”	686 x 635	FN2020-1-14/3	7032
24” x 24”	610 x 610	–	–	122	55.3	17.8	31” x 29”	787 x 737	FN2424-1-14/3	7528
28” x 20”	711 x 508	–	–	79	35.8	16.7	35” x 25”	889 x 635	FN2820-1-14/3	8302




One Compartment, One Drainboard (right or left)

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet	overall size width x length in. mm		model #	list
20” x 16”	508 x 406	18”	457	68	30.9	18.7	27” x 37 1/2”	686 x 953	FN2016-1-18R or L-14/3	6644
		24”	610	80	33.1	21.5	27” x 43 1/2”	686 x 1105	FN2016-1-24R or L-14/3	6756
20” x 18”	508 x 457	18”	457	76	34.4	20.3	27” x 39 1/2”	686 x 1003	FN2018-1-18R or L-14/3	7285
		24”	610	81	36.7	22.4	27” x 45 1/2”	686 x 1156	FN2018-1-24R or L-14/3	7409
20” x 20”	508 x 508	24”	610	144	65.3	23.4	27” x 47 1/2”	686 x 1207	FN2020-1-24R or L-14/3	7409
24” x 24”	610 x 610	24”	610	151	68.5	30.5	31” x 51 1/2”	787 x 1308	FN2424-1-24R or L-14/3	8472
28” x 20”	711 x 508	24”	610	114	51.7	30.2	35” x 47 1/2”	889 x 1207	FN2820-1-24R or L-14/3	8661



One Compartment, Double Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet	overall size width x length in. mm		model #	list
20” x 16”	508 x 406	18”	457	93	37.6	26.3	27” x 54”	686 x 1372	FN2016-1-18-14/3	6903
		24”	610	113	51.3	32.0	27” x 66”	686 x 1676	FN2016-1-24-14/3	7173
20” x 18”	508 x 457	18”	457	96	43.5	28.7	27” x 56”	686 x 1422	FN2018-1-18-14/3	7580
		24”	610	161	73.0	32.9	27” x 68”	686 x 1727	FN2018-1-24-14/3	7822
20” x 20”	508 x 508	24”	610	184	83.5	33.9	27” x 70”	686 x 1778	FN2020-1-24-14/3	7822
24” x 24”	610 x 610	24”	610	182	82.6	43.9	31” x 74”	787 x 1880	FN2424-1-24-14/3	8967
28” x 20”	711 x 508	24”	610	166	75.3	43.8	35” x 70”	889 x 1778	FN2820-1-24-14/3	9056



SPEC-MASTER® FN Series Coved Corner Sinks

Two-Compartment Sinks



see spec sheet **EG20.33**



- 14 gauge 300 series 18-8 stainless steel.
- All bowls are 14" (356mm) deep and have 5/8" (16mm) radius corners, both vertical and horizontal.
- Stainless steel gussets, feet, legs and crossbracing.
- Adjustable crossbracing front-to-back and side-to-side for increased stability.
- 9 1/2" (241mm) standard backsplash includes 1" (25mm) upturn and tile edge.
- Basket-type waste drains are included to fit sink bowls' 3 1/2" (89mm) opening and feature 1 1/2" (38mm) outlet.
- 30" and 36" (762 and 914mm) drainboards* available upon request.
- 44 1/2" (1130mm) overall height.

FEATURES:

Notes: Twist drain brackets available.

Works in conjunction with optional twist handle drains (not included – see page 260). To order, add \$66 per compartment to list price and suffix "-TB" to model number (example: FN2032-2-14/3-TB).

For overflow hole (does not include drain), add \$7 per compartment to list price and suffix "-OF" to model number (example: FN2032-2-14/3-OF).

* On sinks with drainboard(s) 30" and 36", legs are under the outer end of the drainboard(s).

Note: All shipping weights and cubic feet are approximate.

ALL SINKS SHIPPED FULLY CRATED.


For sink accessories, see pages 260-261.

For sink kits, see page 242.

(•) MTS (made to stock) / () MTO (made to order)


Two Compartments, No Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet	overall size width x length in. mm		model #	list
20" x 16"	508 x 406	—	—	77	34.9	20.4	27" x 39"	686 x 991	FN2032-2-14/3	8343
20" x 18"	508 x 457	—	—	82	37.2	22.4	27" x 43"	686 x 1092	FN2036-2-14/3	9164
20" x 20"	508 x 508	—	—	86	39.0	23.9	27" x 47"	686 x 1194	FN2040-2-14/3	9164
24" x 24"	610 x 610	—	—	157	71.2	32.2	31" x 55"	787 x 1397	FN2448-2-14/3	10892
28" x 20"	711 x 508	—	—	165	74.8	31.3	35" x 47"	889 x 1194	FN2840-2-14/3	10913




Two Compartments, One Drainboard (right or left)

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet	overall size width x length in. mm		model #	list
20" x 16"	508 x 406	18"	457	96	43.6	28.2	27" x 55 1/2"	686 x 1410	FN2032-2-18R or L-14/3	8967
		24"	610	102	46.3	31.1	27" x 61 1/2"	686 x 1562	FN2032-2-24R or L-14/3	9123
20" x 18"	508 x 457	18"	457	101	45.8	30.6	27" x 59 1/2"	686 x 1511	FN2036-2-18R or L-14/3	9945
		24"	610	107	48.5	33.1	27" x 65 1/2"	686 x 1664	FN2036-2-24R or L-14/3	10271
20" x 20"	508 x 508	24"	610	187	84.8	35.0	27" x 69 1/2"	686 x 1763	FN2040-2-24R or L-14/3	10271
24" x 24"	610 x 610	24"	610	183	83.0	45.0	31" x 77 1/2"	787 x 1969	FN2448-2-24R or L-14/3	12355
28" x 20"	711 x 508	24"	610	248	112.5	45.0	35" x 69 1/2"	889 x 1763	FN2840-2-24R or L-14/3	12355



Two Compartments, Double Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet	overall size width x length in. mm		model #	list
20" x 16"	508 x 406	18"	457	133	60.3	36.0	27" x 72"	686 x 1829	FN2032-2-18-14/3	9280
		24"	610	127	57.6	41.8	27" x 84"	686 x 2134	FN2032-2-24-14/3	9503
20" x 18"	508 x 457	18"	457	120	54.4	39.4	27" x 76"	686 x 1930	FN2036-2-18-14/3 •	10144
		24"	610	132	59.9	43.8	27" x 88"	686 x 2235	FN2036-2-24-14/3	10644
20" x 20"	508 x 508	24"	610	240	108.9	45.7	27" x 92"	686 x 2337	FN2040-2-24-14/3	10644
24" x 24"	610 x 610	24"	610	235	106.6	58.4	31" x 100"	787 x 2540	FN2448-2-24-14/3	12796
28" x 20"	711 x 508	24"	610	330	149.7	58.8	35" x 92"	889 x 2337	FN2840-2-24-14/3	12880



100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.

Phone: 302-653-3000. Fax: 302-653-2065

<http://www.eaglehmc.com>



SPEC-MASTER® FN Series Coved Corner Sinks

Three-Compartment Sinks



see spec sheet **EG20.34**



(faucets not included)

*The
Consultant's
Choice*

FEATURES:

- 14 gauge 300 series 18-8 stainless steel.
- All bowls are 14" (356mm) deep and have 9/16" (16mm) radius corners, both vertical and horizontal.
- Stainless steel gussets, feet, legs and crossbracing.
- Adjustable crossbracing front-to-back and side-to-side for increased stability.
- 9 1/2" (241mm) standard backsplash includes 1" (25mm) upturn and tile edge.
- Basket-type waste drains are included to fit sink bowls' 3 1/2" (89mm) opening and feature 1 1/2" (38mm) outlet.
- 30" and 36" (762 and 914mm) drainboards* available upon request.
- 44 1/2" (1130mm) overall height.

Notes: Twist drain brackets available.

Works in conjunction with optional twist handle drains (*not included* – see page 260). To order, add \$63 per compartment to list price and suffix "-TB" to model number (example: FN2048-3-14/3-TB).

For overflow hole (*does not include drain*), add \$93 per compartment to list price and suffix "-OF" to model number (example: FN2048-3-14/3-OF).

* On sinks with drainboard(s) 30" and 36", legs are under the outer end of the drainboard(s).

Note: All shipping weights and cubic feet are approximate.

ALL SINKS SHIPPED FULLY CRATED.


For sink accessories, see pages 260-261.

For sink kits, see page 242.

(*) MTS (*made to stock*) / () MTO (*made to order*)

Three Compartments, No Drainboards


bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet	overall size width x length in. mm		model #	list
20" x 16"	508 x 406	–	–	165	74.8	29.2	27" x 57"	686 x 1448	FN2048-3-14/3	10316
20" x 18"	508 x 457	–	–	175	79.4	32.1	27" x 63"	686 x 1600	FN2054-3-14/3 *	11790
20" x 20"	508 x 508	–	–	185	83.9	35.0	27" x 69"	686 x 1753	FN2060-3-14/3 *	11790
24" x 24"	610 x 610	–	–	200	90.7	46.7	31" x 81"	787 x 2057	FN2472-3-14/3 *	13713
28" x 20"	711 x 508	–	–	252	114.3	45.0	35" x 69"	889 x 1753	FN2860-3-14/3 *	14128



* Features two sets of faucet holes.

Three Compartments, One Drainboard (right or left)


bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet	overall size width x length in. mm		model #	list
20" x 16"	508 x 406	18"	457	176	79.8	36.9	27" x 73 1/2"	686 x 1867	FN2048-3-18R or L-14/3	10746
		24"	610	190	86.2	39.9	27" x 79 1/2"	686 x 2019	FN2048-3-24R or L-14/3	10853
20" x 18"	508 x 457	18"	457	186	84.4	40.4	27" x 79 1/2"	686 x 2019	FN2054-3-18R or L-14/3 *	12669
		24"	610	210	95.3	42.8	27" x 85 1/2"	686 x 2172	FN2054-3-24R or L-14/3 *	12758
20" x 20"	508 x 508	24"	610	221	100.3	45.7	27" x 91 1/2"	686 x 2324	FN2060-3-24R or L-14/3 *	12758
24" x 24"	610 x 610	24"	610	240	108.9	59.5	31" x 103 1/2"	787 x 2629	FN2472-3-24R or L-14/3 *	15508
28" x 20"	711 x 508	24"	610	310	140.6	58.8	35" x 91 1/2"	889 x 2324	FN2860-3-24R or L-14/3 *	15787



* Features two sets of faucet holes.

Three Compartments, Double Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet	overall size width x length in. mm		model #	list
20" x 16"	508 x 406	18"	457	199	90.3	44.7	27" x 90"	686 x 2286	FN2048-3-18-14/3	11007
		24"	610	204	92.5	50.6	27" x 102"	686 x 2591	FN2048-3-24-14/3	11232
20" x 18"	508 x 457	18"	457	209	94.8	49.1	27" x 96"	686 x 2438	FN2054-3-18-14/3 *	12967
		24"	610	214	97.1	53.5	27" x 108"	686 x 2743	FN2054-3-24-14/3 *	13342
20" x 20"	508 x 508	24"	610	224	101.6	56.4	27" x 114"	686 x 2896	FN2060-3-24-14/3 *	13342
24" x 24"	610 x 610	24"	610	260	117.9	72.8	31" x 126"	787 x 3200	FN2472-3-24-14/3 *	15917
28" x 20"	711 x 508	24"	610	356	161.5	72.5	35" x 114"	889 x 2896	FN2860-3-24-14/3 *	16339



* Features two sets of faucet holes.

SPEC-MASTER® FN Series Coved Corner Sinks

Four-Compartment Sinks



see spec sheet **EG20.35**



all sinks two sets of faucets holes

*The
Consultant's
Choice*

- 14 gauge 300 series 18-8 stainless steel.
- All bowls are 14" (356mm) deep and have 5/8" (16mm) radius corners, both vertical and horizontal.
- Stainless steel gussets, feet, legs and crossbracing.
- Adjustable crossbracing front-to-back and side-to-side for increased stability.
- 9 1/2" (241mm) standard backsplash includes 1" (25mm) upturn and tile edge.
- Basket-type waste drains are included to fit sink bowls' 3 1/2" (89mm) opening and feature 1 1/2" (38mm) outlet.
- 30" and 36" (762 and 914mm) drainboards* available upon request.
- 44 1/2" (1130mm) overall height.

FEATURES:

* On sinks with drainboard(s) 30" and 36", legs are under the outer end of the drainboard(s).

Note: All shipping weights and cubic feet are approximate.

ALL SINKS SHIPPED FULLY CRATED.

For sink accessories, see pages 260-261.

For sink kits, see page 242.

Notes: Twist drain brackets available.


Works in conjunction with optional twist handle drains (not included – see page 260). To order, add \$66 per compartment to list price and suffix "-TB" to model number (example: FN2064-4-14/3-TB).

For overflow hole (does not include drain), add \$97 per compartment to list price and suffix "-OF" to model number (example: FN2064-4-14/3-OF).

Four Compartments, No Drainboards


(•) MTS (made to stock) / () MTO (made to order)

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet	overall size width x length in. mm		model #	list
20" x 16"	508 x 406	—	—	251	113.9	35.4	27" x 75"	686 x 1905	FN2064-4-14/3	13188
20" x 18"	508 x 457	—	—	282	127.9	39.0	27" x 83"	686 x 2108	FN2072-4-14/3	14816
20" x 20"	508 x 508	—	—	293	132.9	42.7	27" x 91"	686 x 2311	FN2080-4-14/3	14816
24" x 24"	610 x 610	—	—	416	188.7	57.1	31" x 107"	787 x 2718	FN2496-4-14/3	17046
28" x 20"	711 x 508	—	—	404	183.3	54.9	35" x 91"	889 x 2311	FN2880-4-14/3	18031




Four Compartments, One Drainboard (right or left)

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet	overall size width x length in. mm		model #	list
20" x 16"	508 x 406	18"	457	273	123.4	45.7	27" x 91 1/2"	686 x 2324	FN2064-4-18R or L-14/3	13285
		24"	610	308	139.7	48.6	27" x 97 1/2"	686 x 2477	FN2064-4-24R or L-14/3	13406
20" x 18"	508 x 457	18"	457	289	131.1	50.1	27" x 99 1/2"	686 x 2527	FN2072-4-18R or L-14/3	15681
		24"	610	328	148.8	52.5	27" x 105 1/2"	686 x 2680	FN2072-4-24R or L-14/3	15770
20" x 20"	508 x 508	24"	610	328	148.8	56.4	27" x 113 1/2"	686 x 2883	FN2080-4-24R or L-14/3	15770
24" x 24"	610 x 610	24"	610	451	204.6	68.5	31" x 129 1/2"	787 x 3289	FN2496-4-24R or L-14/3	17539
28" x 20"	711 x 508	24"	610	438	198.7	67.7	35" x 113 1/2"	889 x 2883	FN2880-4-24R or L-14/3	19184



Four Compartments, Double Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet	overall size width x length in. mm		model #	list
20" x 16"	508 x 406	18"	457	312	141.5	53.5	27" x 108"	686 x 2743	FN2064-4-18-14/3	13773
		24"	610	355	161.0	55.4	27" x 120"	686 x 3048	FN2064-4-24-14/3	14032
20" x 18"	508 x 457	18"	457	339	153.8	54.9	27" x 116"	686 x 2646	FN2072-4-18-14/3 •	16075
		24"	610	373	169.2	59.0	27" x 128"	686 x 3251	FN2072-4-24-14/3	16225
20" x 20"	508 x 508	24"	610	396	179.6	62.6	27" x 136"	686 x 3454	FN2080-4-24-14/3	16225
24" x 24"	610 x 610	24"	610	519	235.4	81.4	31" x 152"	787 x 3861	FN2496-4-24-14/3	19178
28" x 20"	711 x 508	24"	610	504	228.6	110.2	35" x 136"	889 x 3454	FN2880-4-24-14/3	19732



100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.

Phone: 302-653-3000. Fax: 302-653-2065

<http://www.eaglehmc.com>



Utility Sinks

One- and Two-Compartment Sinks

see spec sheets **EG20.13A** **EG20.13B**



Note: Overflow hole available (*does not include drain*). To order, add **\$97 per compartment to list price** and suffix **"-OF"** to model number (example: **1818-1-16/3-OF**).

For detachable drainboards, see page 249.

For NSF-approved utility sinks, add **35% to list price** and add prefix **"N-"** to model number. Example: **N-2460-2-16/3**.

FEATURES:

- For numerous applications when NSF construction is not required.
- Square-corner construction.
- 8" (203mm) backsplash.
- Adjustable bullet feet.
- Heavy gauge stainless steel.
- 304 and 430 series construction available.
- Sink compartments are 13 $\frac{3}{8}$ " (340mm) deep.
- Legs are 1 $\frac{5}{8}$ " (41mm) diameter galvanized tubing and are located directly under sink compartments for maximum stability and weight support.
- 42 $\frac{3}{4}$ " (1086mm) overall height.

(●) MTS (*made to stock*) / () MTO (*made to order*)

These sinks are NOT recommended for healthcare and laboratory applications. If you are unsure as to your application needs, please contact Factory.

One Compartment, No Drainboards

bowl size		drainboard		weight		cubic feet	overall size		type 430 stainless steel		type 304 stainless steel	
width x length		length		lbs.	kg		width x length		model #	list	model #	list
in.	mm	in.	mm				in.	mm				
18" x 18"	457 x 457	—	—	53	24.0	0.9	22" x 19 $\frac{3}{8}$ "	559 x 492	1818-1-16/4 ●	2044	1818-1-16/3	2385
18" x 24"	457 x 610	—	—	56	25.4	11.6	22" x 25 $\frac{3}{8}$ "	559 x 645	1824-1-16/4	2059	1824-1-16/3	2494
21" x 18"	533 x 457	—	—	56	25.4	10.5	25" x 19 $\frac{3}{8}$ "	635 x 492	2118-1-16/4 ●	2037	2118-1-16/3	2445
21" x 24"	533 x 610	—	—	61	27.7	13.1	25" x 25 $\frac{3}{8}$ "	635 x 645	2124-1-16/4 ●	2110	2124-1-16/3	2563
21" x 36"	533 x 914	—	—	66	29.9	18.1	25" x 37 $\frac{3}{8}$ "	635 x 949	2136-1-16/4	2268	2136-1-16/3	2846
24" x 24"	610 x 610	—	—	60	27.2	14.6	28" x 25 $\frac{3}{8}$ "	711 x 645	2424-1-16/4 ●	2195	2424-1-16/3	2688
24" x 36"	610 x 914	—	—	68	30.8	20.2	28" x 37 $\frac{3}{8}$ "	711 x 949	2436-1-16/4 ●	2336	2436-1-16/3	2980

One Compartment, Double Drainboards

bowl size		drainboard		weight		cubic feet	overall size		type 430 stainless steel		type 304 stainless steel	
width x length		length		lbs.	kg		width x length		model #	list	model #	list
in.	mm	in.	mm				in.	mm				
21" x 24"	533 x 610	18"	457	99	44.9	28.3	25" x 60 $\frac{1}{4}$ "	635 x 1530	2124-1-18-16/4	4535	2124-1-18-16/3	5528
24" x 24"	610 x 610	24"	610	108	49.0	37.1	28" x 72 $\frac{1}{4}$ "	711 x 1835	2424-1-24-16/4	4880	2424-1-24-16/3	5711

Two Compartments, No Drainboards

bowl size		drainboard		weight		cubic feet	overall size		type 430 stainless steel		type 304 stainless steel	
width x length		length		lbs.	kg		width x length		model #	list	model #	list
in.	mm	in.	mm				in.	mm				
18" x 18"	457 x 457	—	—	75	34.0	16.1	22" x 37 $\frac{3}{8}$ "	559 x 949	1836-2-16/4 ●	2758	1836-2-16/3	3371
18" x 24"	457 x 610	—	—	80	36.3	20.6	22" x 49 $\frac{3}{8}$ "	559 x 1254	1848-2-16/4	2891	1848-2-16/3	3631
21" x 18"	533 x 457	—	—	80	36.3	18.1	25" x 37 $\frac{3}{8}$ "	635 x 949	2136-2-16/4 ●	2817	2136-2-16/3	3469
21" x 24"	533 x 610	—	—	85	38.6	23.2	25" x 49 $\frac{3}{8}$ "	635 x 1254	2148-2-16/4	2852	2148-2-16/3	3664
24" x 24"	610 x 610	—	—	89	40.4	25.8	28" x 49 $\frac{3}{8}$ "	711 x 1254	2448-2-16/4 ●	3130	2448-2-16/3	3892
24" x 30"	610 x 762	—	—	95	43.1	31.5	28" x 61 $\frac{3}{8}$ "	711 x 1559	2460-2-16/4	3881	2460-2-16/3	4468

Two Compartments, Double Drainboards

bowl size		drainboard		weight		cubic feet	overall size		type 430 stainless steel		type 304 stainless steel	
width x length		length		lbs.	kg		width x length		model #	list	model #	list
in.	mm	in.	mm				in.	mm				
21" x 18"	533 x 457	18"	457	120	3048	33.3	25" x 72 $\frac{1}{4}$ "	635 x 1835	2136-2-18-16/4	5587	2136-2-18-16/3	6753
24" x 24"	610 x 610	24"	610	139	3531	48.4	28" x 96 $\frac{1}{4}$ "	711 x 2445	2448-2-24-16/4	5817	2448-2-24-16/3	6984

Utility Sinks Three- and Four-Compartment Sinks

see spec sheets **E620.13C** **E620.13D**



Note: Overflow hole available (*does not include drain*). To order, add **\$97 per compartment to list price** and suffix “-OF” to model number (**example: 1836-3-16/3-OF**).

For detachable drainboards, see page 249.

For NSF-approved utility sinks, add **35% to list price** and add prefix “N-” to model number. **Example: N-1836-3-16/3.**

(•) MTS (*made to stock*) / () MTO (*made to order*)

Three Compartments, No Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet	overall size width x length in. mm		type 430 stainless steel		type 304 stainless steel	
									model #	list	model #	list
18" x 12"	457 x 305	—	—	79	35.8	16.1	22" x 37 $\frac{3}{4}$ "	559 x 949	1836-3-16/4 •	3177	1836-3-16/3	3860
18" x 16"	457 x 406	—	—	90	40.8	20.6	22" x 49 $\frac{1}{2}$ "	559 x 1254	1848-3-16/4	3313	1848-3-16/3	4102
18" x 18"	457 x 457	—	—	97	44.0	22.8	22" x 55 $\frac{1}{2}$ "	559 x 1407	1854-3-16/4 •	3765	1854-3-16/3	4479
21" x 12"	533 x 305	—	—	85	38.6	18.1	25" x 37 $\frac{3}{4}$ "	635 x 949	2136-3-16/4 •	3259	2136-3-16/3	3987
21" x 16"	533 x 406	—	—	87	39.5	23.2	25" x 49 $\frac{1}{2}$ "	635 x 1254	2148-3-16/4 •	3403	2148-3-16/3	4236
21" x 18"	533 x 457	—	—	100	45.4	25.7	25" x 55 $\frac{1}{2}$ "	635 x 1407	2154-3-16/4 •	3778	2154-3-16/3	4602
21" x 20"	533 x 508	—	—	110	49.9	28.3	25" x 61 $\frac{1}{2}$ "	635 x 1559	2160-3-16/4 *	3904	2160-3-16/3 *	4781
24" x 16"	610 x 406	—	—	92	41.7	25.8	28" x 49 $\frac{1}{2}$ "	711 x 1254	2448-3-16/4	3571	2448-3-16/3	4425
24" x 20"	610 x 508	—	—	115	52.2	31.5	28" x 61 $\frac{1}{2}$ "	711 x 1559	2460-3-16/4 *	4130	2460-3-16/3 *	4965
24" x 24"	610 x 610	—	—	125	56.7	37.1	28" x 73 $\frac{3}{4}$ "	711 x 1864	2472-3-16/4 ••	4230	2472-3-16/3 *	5256

* Features two sets of faucet holes.

Three Compartments, Double Drainboards

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet	overall size width x length in. mm		type 430 stainless steel		type 304 stainless steel	
									model #	list	model #	list
21" x 12"	533 x 305	18"	457	125	56.7	33.3	25" x 72 $\frac{1}{4}$ "	635 x 1835	2136-3-18-16/4	5709	2136-3-18-16/3	6800
21" x 16"	533 x 406	18"	457	127	57.6	38.4	25" x 84 $\frac{1}{4}$ "	635 x 2140	2148-3-18-16/4	5896	2148-3-18-16/3	7266
21" x 18"	533 x 457	18"	457	140	63.5	40.9	25" x 90 $\frac{1}{4}$ "	635 x 2292	2154-3-18-16/4	6441	2154-3-18-16/3	7723
24" x 24"	610 x 610	24"	610	175	79.4	59.6	28" x 120 $\frac{1}{4}$ "	711 x 3054	2472-3-24-16/4*	6945	2472-3-24-16/3 *	8849

* Features two sets of faucet holes.

Four Compartments, No Drainboards (*All sinks feature two sets of faucet holes.*)


bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet	overall size width x length in. mm		type 430 stainless steel		type 304 stainless steel	
									model #	list	model #	list
18" x 18"	457 x 457	—	—	110	49.9	29.5	22" x 73 $\frac{3}{4}$ "	559 x 1864	1872-4-16/4	4328	1872-4-16/3	5394
21" x 18"	533 x 457	—	—	115	52.2	33.3	25" x 73 $\frac{3}{4}$ "	635 x 1864	2172-4-16/4	4535	2172-4-16/3	5479
24" x 18"	610 x 457	—	—	125	56.7	37.1	28" x 73 $\frac{3}{4}$ "	711 x 1864	2472-4-16/4	4657	2472-4-16/3	5735

Four Compartments, Double Drainboards - (*All sinks feature two sets of faucet holes.*)

bowl size width x length in. mm		drainboard length in. mm		weight lbs. kg		cubic feet	overall size width x length in. mm		type 430 stainless steel		type 304 stainless steel	
									model #	list	model #	list
21" x 18"	533 x 457	18"	457	155	70.3	48.5	25" x 108 $\frac{1}{4}$ "	635 x 2750	2172-4-18-16/4	7141	2172-4-18-16/3	8332

Detachable Drainboards for Utility Sinks

see spec sheet **EG20.13E**



Drainboards will not work on NSF utility sinks!

- Unique die-stamped rolled rim construction.
- All drainboards are fully reversible, allowing for left- or right-hand operation.
- "Easy clip-on installation" utilizes two support brackets that bolt to sink gussets.
- Available in 430 or 304 series stainless steel.
- Drainboards 30" (762mm) long are furnished with legs.

FEATURES:

(•) MTS (made to stock) / () MTO (made to order)

width (front-to-back) x length (side-to-side)		weight		cu ft	16 gauge type 430 stainless steel		16 gauge type 304 stainless steel	
in.	mm	lbs.	kg		model #	list	model #	list
18" x 18"	457 x 457	10	4.5	1.8	18x18 RRDEDB •	577	18x18 RRDEDB-16/3	962
18" x 24"	457 x 610	12	5.4	1.9	18x24 RRDEDB •	611	18x24 RRDEDB-16/3	1011
18" x 30"	457 x 762	15	6.8	2.8	18x30 RRDEDB	1038	18x30 RRDEDB-16/3	1131
21" x 18"	533 x 457	14	6.4	1.8	21x18 RRDEDB •	577	21x18 RRDEDB-16/3	962
21" x 24"	533 x 610	16	7.3	2.1	21x24 RRDEDB •	619	21x24 RRDEDB-16/3	1011
21" x 30"	533 x 762	20	9.0	2.5	21x30 RRDEDB	1157	21x30 RRDEDB-16/3	1216
24" x 18"	610 x 457	17	7.7	2.3	24x18 RRDEDB •	593	24x18 RRDEDB-16/3	948
24" x 24"	610 x 610	18	8.2	2.4	24x24 RRDEDB •	642	24x24 RRDEDB-16/3	1046
24" x 30"	610 x 762	20	9.0	2.7	24x30 RRDEDB	1138	24x30 RRDEDB-16/3	1197

SPEC-MASTER® FFN Series Flush Front Sinks

see spec sheet **EG20.54**



- Full front and 10" (254mm) high backsplash are 14 gauge stainless steel.
- 14 gauge double drainboards, rolled rims and sink bowl partitions.
- 1" (25mm) downturn at rear.
- Sink compartments feature 3/4" (19mm) coved inside radii.
- Basket-type waste drain fits 3 1/2" (89mm) opening and features 1 1/2" (38mm) outlet.
- Legs are located directly under sink bowls.
- All-welded base constructed of 1 5/8" (41mm) diameter tubular stainless steel.
- Adjustable stainless steel bullet feet.
- 14" (356mm) water level and swirl-away drainage.
- 44 5/8" (1134mm) overall height.

FEATURES:

bowl size width x length		drainboard length		Two Compartments				Three Compartments *			
				overall size width x length		model #	list	overall size width x length		model #	list
in.	mm	in.	mm	in.	mm			in.	mm		
27" x 18"	686 x 457	24"	610	30 1/2" x 85 5/8"	775 x 2216	FFN2736-2-24-14/3	18256	30 1/2" x 105 1/4"	775 x 2673	FFN2754-3-24-14/3	22024
27" x 18"	686 x 457	30"	762	30 1/2" x 97 5/8"	775 x 2480	FFN2736-2-30-14/3	20434	30 1/2" x 117 1/4"	775 x 2978	FFN2754-3-30-14/3	24534
27" x 20"	686 x 508	24"	610	30 1/2" x 89 5/8"	775 x 2318	FFN2740-2-24-14/3	19099	30 1/2" x 111 1/4"	775 x 2826	FFN2760-3-24-14/3	23286
27" x 20"	686 x 508	30"	762	30 1/2" x 101 5/8"	775 x 2581	FFN2740-2-30-14/3	21266	30 1/2" x 123 1/4"	775 x 3131	FFN2760-3-30-14/3	25798
27" x 24"	686 x 610	24"	610	30 1/2" x 97 5/8"	775 x 2521	FFN2748-2-24-14/3	20770	30 1/2" x 123 1/4"	775 x 3131	FFN2772-3-24-14/3	25798
27" x 24"	686 x 610	30"	762	30 1/2" x 109 5/8"	775 x 2785	FFN2748-2-30-14/3	22947	30 1/2" x 135 1/4"	775 x 3435	FFN2772-3-30-14/3	28302
27" x 30"	686 x 762	24"	610	30 1/2" x 109 5/8"	775 x 2826	FFN2760-2-24-14/3	23286	30 1/2" x 141 1/4"	775 x 3588	FFN2790-3-24-14/3	29562
27" x 30"	686 x 762	30"	762	30 1/2" x 121 5/8"	775 x 3089	FFN2760-2-30-14/3	25452	30 1/2" x 153 1/4"	775 x 3893	FFN2790-3-30-14/3	32076

* Three-Compartment sinks feature two sets of faucet holes.

SPEC-MASTER® Specialty Use/Parts Cleaning Sinks



see spec sheet **EG20.38**

- All bowls have 14" depth (356mm), 5/8" (16mm) radius corners.
- 14 gauge type 304 18-8 stainless steel construction.
- Available with one, two, or no drainboards.

FEATURES:

Note: All shipping weights and cubic feet are approximate.



Two Compartments

inside bowl dimensions width x length		overall dimensions width x length x height		drain boards	weight		cu ft	model #	list
in.	mm	in.	mm		lbs.	kg			
14" x 32"	356 x 813	37" x 37" x 44 1/2"	902 x 940 x 1130	none	155	70.3	23	SFN2832-2-14/3	10613
14" x 32"	356 x 813	37" x 53 1/2" x 44 1/2"	902 x 1359 x 1130	one 18" (457mm) R or L	175	79.3	26	SFN2832-2-18R or L-14/3	11942
14" x 32"	356 x 813	37" x 70" x 44 1/2"	902 x 1778 x 1130	two 18" (457mm) R & L	200	90.7	46	SFN2832-2-18-14/3	13073

Three Compartments

inside bowl dimensions width x length		overall dimensions width x length x height		drain boards	weight		cu ft	model #	list
in.	mm	in.	mm		lbs.	kg			
two 14" x 32" (356 x 813mm) bowls, & one 20" x 30" (508 x 762mm) bowl		37" x 59" x 44 1/2"	902 x 1499 x 1130	none	164	74.4	36	SFN3052-3-14/3	13600
		37" x 75 1/2" x 44 1/2"	902 x 1918 x 1130	one 18" (457mm) R or L	192	87.1	47	SFN3052-3-18R or L-14/3	14722
		37" x 92" x 44 1/2"	902 x 2337 x 1130	two 18" (457mm) R & L	210	95.3	58	SFN3052-3-18-14/3	15098
three 32" x 14" (813 x 356mm) bowls		39" x 51" x 44 1/2"	991 x 1265 x 1130	none	160	72.6	32	SFN3242-3-14/3	14172
		39" x 67 1/2" x 44 1/2"	991 x 1715 x 1130	one 18" (457mm) R or L	175	79.4	45	SFN3242-3-18R or L-14/3	14611
		39" x 84" x 44 1/2"	991 x 2134 x 1130	two 18" (457mm) R & L	200	90.7	56	SFN3242-3-18-14/3	15134

314 Series Corner Sinks



see spec sheet **EG20.09**



all sinks have two sets of faucet holes

- Deep-drawn, heavy gauge type 304 construction.
- Poly cutting board/sink cover.

FEATURES:

Note: All shipping weights and cubic feet are approximate.
ALL UNITS SHIPPED FULLY CRATED.

Twist drain brackets available.

Works in conjunction with optional twist handle drains (not included - see page 260). To order, add **\$66 per compartment to list price** and suffix **"-TB"** to model number. **Example: C314-10-3-12-TB.**

(•) MTS (made to stock) / () MTO (made to order)

no. bowls	bowl size width x length x depth	drain boards	overall size width x length x height	shipping weight	cu ft	model #	list
3	10" x 14" x 10" (254 x 355 x 254mm)	two 12" (305mm)	39" x 43" x 44" (991 x 1092 x 1118mm)	162 lbs. (73.5 kg)	30	C314-10-3-12	10794
3	16" x 20" x 14" (406 x 508 x 356mm)	two 18" (457mm)	57 1/4" x 59 3/4" x 44" (1454 x 1518 x 1118mm)	211 lbs. (95.7 kg)	77	C314-16-3-18 • 14197	
3	22" x 22" x 14" (558 x 558 x 356mm)	two 18" (457mm)	69" x 69" x 44" (1753 x 1753 x 1118mm)	300 lbs. (136.1 kg)	90	C314-22-3-18	15400
3	24" x 24" x 14" (610 x 610 x 356mm)	two 24" (610mm)	79" x 79" x 44" (2007 x 2007 x 1118mm)	357 lbs. (161.9.0 kg)	108	C314-24-3-24	16642

310 and 312 Series Specialty Use Sinks

see spec sheet **EG20.19**



**Euro-style edging
on both series**

FEATURES:

- Heavy gauge type 304 construction.
- Sink bowls are deep-drawn, except where noted.
- 9½" (241mm) backsplash includes 1" (25mm) upturn and tile edge for easy installation and feathering to wall/splash surface.

Note: All shipping weights and cubic feet are approximate.

Twist drain brackets available.

Works in conjunction with optional twist handle drains (not included – see page 260). To order, add **\$66 per compartment** to list price and suffix **"-TB"** to model number (example: 310-10-3-12-TB).

310 Series

(•) MTS (made to stock) / () MTO (made to order)

no. bowls	bowl size width x length x depth	drain boards	overall size width x length x height	shipping weight	cu ft	model #	list
3	14" x 10" x 9¼" (355 x 254 x 247mm)	two 12" (305mm)	21½" x 60" x 41" (551 x 1524 x 1041mm)	123 lbs. (55.8 kg)	23	310-10-3-12•	6435
3	14" x 10" x 9¼" (355 x 254 x 247mm)	two 18" (457mm)	21½" x 72" x 41" (551 x 1829 x 1041mm)	134 lbs. (60.8 kg)	27	310-10-3-18•	6596
3	14" x 10" x 9¼" (355 x 254 x 247mm)	two 24" (610mm)	21½" x 84" x 41" (551 x 2134 x 1041mm)	150 lbs. (68.0 kg)	32	310-10-3-24	6713



Faucet for Convenience Store Sinks

description	model #	list
10" (254mm) spout	300489	597

312 Series

no. bowls	bowl size width x length x depth	drain boards	overall size width x length x height	shipping weight	cu ft	model #	list
3	20" x 12" x 12" (508 x 305 x 305mm)	two 12" (305mm)	27½" x 66" x 41" (703 x 1676 x 1041mm)	143 lbs. (64.9 kg)	22	312-12-3-12••	6827
3	14" x 16" x 12" (356 x 406 x 305mm)	two 12" (305mm)	23½" x 72" x 41" (602 x 1829 x 1041mm)	150 lbs. (68.0 kg)	46	312-14-3-12•	7311

* #312-12-3-12 features fabricated sink bowls.

Flush Floor Mop Sinks



see spec sheet **EG20.46**

Features:

- Allows ease of disposing dirty water without lifting or spilling.
- Heavy gauge type 304 construction.
- 16½" (419mm) backsplash, with end splash on left, right, or both sides.
- Stainless drain accommodates up to 4-dia. pipe, features removable perforated stainless basket.
- All sinks feature bowl capacity of 17.1 gallons.



#FF2119-FG-LS



#FF2119-FG-RS



#FF2119-SG-RS

**Flow rate of
20 gallons per minute
on all sinks!**

location of	OVERALL DIMENSIONS width x length x height			BOWL DIMENSIONS width x length x height			weight	WITH FIBERGLASS GRATING		WITH STAINLESS STEEL GRATING	
left side	23⅝" x 23⅝" x 32¾"	600 x 600 x 832		19" x 21" x 10"	483 x 533 x 254	65	29.5	FF2119-FG-LS	4938	FF2119-SG-LS	6080
right side	23⅝" x 23⅝" x 32¾"	600 x 600 x 832		19" x 21" x 10"	483 x 533 x 254	65	29.5	FF2119-FG-RS	4938	FF2119-SG-RS	6080
both sides	23⅝" x 21⅝" x 32¾"	600 x 537 x 832		19" x 21" x 10"	483 x 533 x 254	65	29.5	FF2119-FG-LRS	5136	FF2119-SG-LRS	6302

Mop Sinks

see spec sheet **EG20.01**



- 304 18-8 stainless steel construction.
- Sink bowl is heavy gauge with deep-drawn coved corners.
- Drain with flat strainer plate.

FEATURES:

(•) MTS (made to stock) / () MTO (made to order)

Note: See page 253 for Mop Storage Cabinets and optional Utility Shelves with Mop Hangers.

bowl width x length x depth in	mm	cu ft	overall width x length x height in.	mm	sh. weight lbs.	kg	model #	list
16" x 20" x 8"	406 x 508 x 203	8.4	21½" x 24½" x 15½"	546 x 625 x 394	35	15.8	F1916 ••	3177
16" x 20" x 12"	406 x 508 x 305	8.4	21½" x 24½" x 19½"	546 x 625 x 495	53	24.0	F1916-12 ••	3288
20" x 28" x 8"	508 x 711 x 203	11.9	25" x 32½" x 15½"	635 x 826 x 394	68	30.8	F2820 *	3634
20" x 28" x 12"	508 x 711 x 305	11.9	25" x 32½" x 19½"	635 x 826 x 495	86	39.0	F2820-12 ••	4037

* Includes 3¼" high backsplash. 12½" deck height.

** Includes 3¼" high backsplash. 16½" deck height.



Optional 16" Splash Kits for Mop Sinks

16 gauge type 304 stainless steel. 3" radius on front of end splashes. Kits come with hardware for attaching to mop sink.

descriptions	fits "F1916" mop sinks		fits "F2820" mop sinks	
	model #	list	model #	list
left and rear splash kit	503095	1143	503098	1211
right and rear splash kit	503096	1143	503099	1211
left, right and rear splash kit	503097	1802	503100	1977

Corner Mop Sinks

see spec sheets **EG20.08A** **EG20.08B**



with 3" drop front edge




with flush front edge

Features:

- Type 304 stainless steel construction.
- Fully welded and polished sink bowl is creased to improve drainage.
- 2" brass drain with 4½" stainless steel strainer.

			with Drop Front Edge		with Flush Front Edge	
bowl width x length x depth in	mm	O.A. width x length x height in.	mm	sh. weight lbs. kg	model #	list
21" x 21" x 8"	533 x 533 x 203	24" x 24" x 12"	610 x 610 x 305	35 15.8	F2121-8-CDE	4405
21" x 21" x 12"	533 x 533 x 305	24" x 24" x 16"	610 x 610 x 406	53 24.0	F2121-12-CDE	4665
24" x 24" x 8"	610 x 610 x 203	27" x 27" x 12"	686 x 686 x 305	68 30.8	F2424-8-CDE	4524
24" x 24" x 12"	610 x 610 x 305	27" x 27" x 16"	686 x 686 x 406	86 39.0	F2424-12-CDE	4803
					F2121-8-CNR	4391
					F2121-12-CNR	4705
					F2424-8-CNR	4535
					F2121-12-CNR	4705



3-pole mop holder

4-pole mop holder



hose & bracket



service faucet

Optional Accessories for Mop Sink

description	weight		model #	list
	lbs.	kg		
3-pole mop holder, 18" (457mm) length	4	1.8	312688	410
4-pole mop holder, 24" (610mm) length	4.5	2.0	321561 •	597
30" (762mm) hose & wall mounted bracket	8	3.6	312689	392
service faucet (comes with vacuum breaker)	11	5.0	312690	1140

Chemical Storage Wall Cabinets

see spec sheet **EG20.11**



Overall dimensions of all units:
15" width x 24" length x 28" height.

FEATURES:

- Heavy gauge 300 or 430 series stainless steel construction.
- Stationary center shelf with safety edge.
- Top is slanted at a 15° angle.
- Sides are louvered along the top for ventilation.
- Double-panel removable doors with or without key lock.
- Recessed back accommodates and conceals full-length mounting plate.

features	weights		TYPE 430 STAINLESS		TYPE 300 STAINLESS	
	lbs.	kg	model #	list	model #	list
left-hinged door	116	52.6	WCH4-24C-L	8083	WCH-24C-L	8956
left-hinged door with key lock	116	52.6	WCH4-24C-LL	8629	WCH-24C-LL	9500
right-hinged door	116	52.6	WCH4-24C-R	8083	WCH-24C-R	8956
right-hinged door with key lock	116	52.6	WCH4-24C-RL	8629	WCH-24C-RL	9500

Mop Sink Storage Cabinets



see spec sheet **EG20.04**



Double-Width Cabinets available!

All cabinets include one 16" x 20" x 8" stainless steel mop sink!

(mops shown not included)



FEATURES:

- Heavy gauge type 430 stainless steel construction.
- Overhead shelf (Double-width units feature four shelves).
- Double-pan 20 gauge stainless steel hinged doors.
- Transverse rod handles featuring keyed locks.
- Top is slanted at a 15° angle.
- Sides are louvered along the top for ventilation.
- Mop sink holds two mops.
- Cabinets comes with service faucet, 30" (762mm) hose and wall mounted bracket.

Note: Optional upgrade to type 300 stainless steel cabinet available.

To order, add 15% to list price and suffix "-SE" to model number (example: **F1916-VSCS-SE**).

description	width x length x height		weight		cubic feet	model #	list
	in.	mm	lbs.	kg			
single-width cabinet	22 1/4" x 25" x 84 1/4"	565 x 635 x 2140	375	170.1	39.0	F1916-VSCS	11807
double-width cabinet, mop sink at left	22 1/4" x 47 1/2" x 84 1/4"	565 x 1207 x 2140	544	246.7	81.9	F1916-VSCS-DL	13488
double-width cabinet, mop sink at right	22 1/4" x 47 1/2" x 84 1/4"	565 x 1207 x 2140	544	246.7	81.9	F1916-VSCS-DR	13488

Utility Shelves with Mop Hangers

see spec sheet **EG20.02**

width x length		weight		model #	list
in.	mm	lbs.	kg		
8" x 24"	203 x 610	9	4.1	US0824-16/3	1271
8" x 36"	203 x 914	14	6.4	US0836-16/3	1464
8" x 48"	203 x 1219	15	6.8	US0848-16/3	1852

FEATURES:

- 16 gauge type 304 stainless steel.
- Mop hangers. Flat hooks.
- Hangers and hooks are riveted to front of shelf.

Note: Faucets listed are lead-free AB1953-compliant.

(•) MTS (made to stock) / () MTO (made to order)



Countertop Drop-In Sinks with Self Rim Design



see spec sheet **EG20.39A**



- Features:
- 300 series stainless steel.
 - Faucet and 1½" (38mm) outlet basket drain.

(●) MTS (made to stock) / () MTO (made to order)

Note: Faucet holes are punched on 4" (102mm) centers.

To order sinks with faucet holes punched on 8" (203mm) centers, add \$339 to list price and add suffix "-8CL"

(example: SR18-24-13.5-2-8CL). Faucets sold separately for "-8CL" sinks. See page 255.

All weights and cubic feet in charts are approximate.


Recommended for 1"-thick countertops. If countertop is thicker than 1", please indicate at time of order.

...with Deep-Drawn Bowls One Compartment

inside bowl dimensions width x length x depth in. mm	overall width x length in. mm	TOP MOUNT cutout width x length in. mm	BOTTOM MOUNT cutout* width x length in. mm	gauge	weight lbs. kg	cu ft	model #	list
14" x 10" x 5"	356 x 254 x 127	19" x 12½"	17½" x 11¼"	18	10 4.5	0.7	SR10-14-5-1	1048
14" x 10" x 9½"	356 x 254 x 241	18½" x 12¼"	17½" x 11¼"	18	12 5.4	1.4	SR10-14-9.5-1	1150
10" x 14" x 5"	254 x 356 x 127	15" x 16¼"	13½" x 15¼"	18	10 4.5	0.8	SR14-10-5-1	1048
10" x 14" x 9½"	254 x 356 x 241	15" x 16¼"	13½" x 15¼"	18	12 5.4	0.8	SRU14-10-5-1	1973
20" x 16" x 8"	508 x 406 x 203	24¼" x 18½"	23½" x 17"	18	26 11.8	2.2	SR16-19-8-1	1538
20" x 16" x 13½"	508 x 406 x 343	24¼" x 18½"	23½" x 17"	18	28 12.7	3.9	SR16-19-13.5-1	1924
24" x 18" x 13½"	610 x 457 x 343	28¼" x 20½"	27½" x 19"	18	32 14.5	4.9	SR18-24-13.5-1*	2040
16" x 20" x 8"	406 x 508 x 203	20¾" x 22½"	19¾" x 21"	18	24 10.9	2.3	SR19-16-8-1	1797
16" x 20" x 13½"	406 x 508 x 343	20¾" x 22½"	19¾" x 21"	18	25 11.3	3.9	SR19-16-13.5-1	1924
18" x 24" x 13½"	457 x 610 x 343	22¼" x 26½"	21¾" x 25"	18	32 14.5	5.0	SR24-18-13.5-1	1872
24" x 24" x 13½"	610 x 610 x 343	28¼" x 26½"	27½" x 25"	18	36 16.3	6.4	SR24-24-13.5-1	2454

** #SRU14-10-5-1 features an upturn on sides and rear; ★ These sinks utilize #301248 faucet with 8" (203mm) swivel spout;

■ These sinks utilize #300490 faucet with 12" (305mm) swivel spout



Optional Deck-Mount Electronic-Eye Faucet for One Compartment Drop-In Sinks only

To order, add suffix "-FE" to model #. Example: SR10-14-5-1-FE. Consult factory for list price.

Two Compartment

inside bowl dimensions width x length x depth in. mm	overall width x length in. mm	TOP MOUNT cutout width x length in. mm	BOTTOM MOUNT cutout* width x length in. mm	gauge	weight lbs. kg	cu ft	model #	list
14" x 10" x 9½"	356 x 254 x 241	18½" x 24¼"	17½" x 23¼"	18	25 11.3	2.8	SR10-14-9.5-2	2427
20" x 16" x 8"	508 x 406 x 203	24¼" x 36¼"	23½" x 34¼"	18	48 21.8	4.3	SR16-19-8-2	3191
20" x 16" x 13½"	508 x 406 x 343	24¼" x 36¼"	23½" x 34¼"	18	52 23.6	7.5	SR16-19-13.5-2	3352
24" x 18" x 13½"	610 x 457 x 343	28¼" x 40¼"	27½" x 38¾"	18	56 24.9	9.7	SR18-24-13.5-2	3840
24" x 24" x 13½"	610 x 610 x 343	28¼" x 52½"	27½" x 50½"	18	64 29.0	12.5	SR24-24-13.5-2	5182

★ Model #SR10-14-9.5-2 utilizes #301248 faucet with 8" (203mm) swivel spout.

Three Compartment

inside bowl dimensions width x length x depth in. mm	overall width x length in. mm	TOP MOUNT cutout width x length in. mm	BOTTOM MOUNT cutout* width x length in. mm	gauge	weight lbs. kg	cu ft	model #	list
14" x 10" x 9½"	356 x 254 x 241	18½" x 36¼"	17½" x 35¼"	18	37 16.8	4.1	SR10-14-9.5-3	3245
20" x 16" x 8"	508 x 406 x 203	24¼" x 54"	23½" x 52½"	18	72 32.7	6.3	SR16-19-8-3	4150
20" x 16" x 13½"	508 x 406 x 343	24¼" x 54"	23½" x 52½"	18	77 34.9	10.9	SR16-19-13.5-3	4394
24" x 18" x 13½"	610 x 457 x 343	28¼" x 60"	27½" x 58½"	18	82 37.2	14.1	SR18-24-13.5-3	5330

★ Model #SR18-24-13.5-3 utilizes #301440 faucet with 14" (356mm) swivel spout.


* See page 255 for Bottom Mount Kit

Countertop Drop-In Sinks with Self Rim Design



Not NSF approved for warewashing and/or food preparation operations. Not intended for NSF installation into stainless steel worksurface. Please consult factory if need arises.

see spec sheet **EG20.39B**



- Features:
- 300 series stainless steel.
 - Faucet and 1½" (38mm) outlet basket drain.

(•) MTS (made to stock) / () MTO (made to order)

Note: Faucet holes are punched on 4" (102mm) centers. To order sinks with faucet holes punched on 8" (203mm) centers, add suffix "-8CL" (example: SR18-24-13.5-3-8CL). Consult factory for pricing.

Faucets sold separately for "-8CL" sinks. See "T&S Deck Mount Faucets" chart below.

All weights and cubic feet in charts are approximate.

Recommended for 1"-thick countertops. For countertops thicker than 1", consult factory.

...with Fabricated Bowls

inside bowl dimensions width x length x depth in. mm		overall width x length in. mm		TOP MOUNT cutout width x length in. mm		BOTTOM MOUNT cutout* width x length in. mm		gauge	weight lbs. kg	cu ft	model #	list
One Compartment												
14" x 12" x 9½"	356 x 305 x 241	19" x 14¼"	483 x 375	17½" x 13¼"	448 x 337	14½" x 12½"	365 x 314	16	14 6.4	1.7	SR12-14-9.5-1 •	1542
12" x 14" x 9½"	305 x 356 x 241	17" x 16¼"	432 x 426	15½" x 15¼"	397 x 387	12½" x 14½"	314 x 365	16	14 6.4	1.8	SR14-12-9.5-1	1525
16" x 14" x 9½"	406 x 356 x 241	21" x 16¼"	533 x 425	19½" x 15¼"	499 x 387	16½" x 14½"	422 x 372	16	23 10.4	2.1	SR14-16-9.5-1 •	1797
14" x 16" x 9½"	356 x 406 x 241	19" x 18¼"	483 x 476	17½" x 17¼"	448 x 438	14½" x 16½"	372 x 422	16	23 10.4	2.1	SR16-14-9.5-1	1797
12" x 20" x 6½"	305 x 508 x 165	17" x 22¼"	432 x 578	15½" x 21¼"	397 x 540	12½" x 20½"	310 x 511	16	28 12.7	1.6	SR20-12-6.5-1	1940
22" x 22" x 13½"	559 x 559 x 343	27" x 24¼"	686 x 629	25½" x 23¼"	651 x 591	see template included w/sink		16	34 15.4	5.5	SR22-22-13.5-1 ■	3229

■ These sinks utilize #300490 faucet with 12" (305mm) swivel spout

Two Compartment

14" x 12" x 9½"	356 x 305 x 241	19" x 28¼"	483 x 730	17½" x 27¼"	448 x 692	14½" x 26½"	365 x 676	16	27	12.2	3.2	SR12-14-9.5-2	2670
16" x 14" x 9½"	406 x 356 x 241	21" x 32¼"	525 x 832	19½" x 31¼"	499 x 794	16½" x 30½"	422 x 778	16	42	19.1	4.0	SR14-16-9.5-2	2843
22" x 22" x 13½"	559 x 559 x 343	27" x 48¼"	686 x 1238	25½" x 47¼"	651 x 1200	see template included w/sink		16	57	25.9	10.7	SR22-22-13.5-2	5748

Three Compartment

14" x 12" x 9½"	356 x 305 x 241	19" x 42¼"	483 x 1086	17½" x 41¼"	448 x 1031	14½" x 40½"	365 x 1032	16	39	17.6	4.7	SR12-14-9.5-3	3916
16" x 14" x 9½"	406 x 356 x 241	21" x 48¼"	533 x 1238	19½" x 47¼"	498 x 1200	16½" x 46½"	422 x 1184	16	66	29.9	6.0	SR14-16-9.5-3	3996

* See below for Bottom Mount Kit.

Options for Countertop Drop-In Sinks

see spec sheets **EG20.39B** **EG20.39B**

Faucets can be shipped UPS.

(•) MTS (made to stock) / () MTO (made to order)

Deck Mount Faucets

Note: Faucets listed are lead-free AB1953-compliant.


description	Standard with 1/4-turn handles		T&S OUR BEST	
	model #	list	model #	list
gooseneck faucet, 4" (102mm) center, for single bowls	302004	398	313308	947
8" (203mm) spout, 4" (102mm) center, for single and double bowls	301248	357	313306	913
8" (203mm) spout, 4" (102mm) center, for single and double bowls, with spray arm	300490	380	377430 *	938
8" (203mm) spout, 8" (203mm) center, for single and double bowls, with spray arm	301440	411	303560 *	1052
12" (305mm) spout, 4" (102mm) center, for triple bowls	-		313303	945
12" (305mm) spout, 8" (203mm) center, for triple bowls, with spray arm	-		303561 *	1191
14" (356mm) spout, 4" (102mm) center, for triple bowls	-		313307	947
14" (356mm) spout, 8" (203mm) center, for triple bowls, with spray arm	-		303562 *	1187

* Faucets with spray arm require special faucet holes.



Bottom-Mount Kit — One kit per one-compartment sinks, two kits per two-compartment sink, three kits per three-compartment sink.

description	model #	list
8 undermount clips per kit	362188	58



Countertop Drop-Ins with No Deck



see spec sheets **EG20.17A** **EG20.17B**

Features:

- 300 series stainless steel.
- Basket drain.
- 1 $\frac{3}{8}$ " trim on all four sides.



...with Deep-Drawn Bowls

inside bowl dimensions width x length x depth in. mm		overall width x length in. mm		TOP MOUNT cutout width x length in. mm		BOTTOM MOUNT cutout* width x length in. mm		gauge	weight lbs. kg	cu ft	model #	list
--	--	-------------------------------------	--	--	--	--	--	-------	-------------------	----------	---------	------

One Compartment

14" x 10" x 5"	356 x 254 x 127	16 $\frac{1}{8}$ " x 12 $\frac{3}{4}$ "	422 x 324	15 $\frac{1}{4}$ " x 11 $\frac{1}{4}$ "	387 x 286	14 $\frac{13}{16}$ " x 10 $\frac{13}{16}$ "	376 x 275	20	10 4.5	0.7	SR10-14-5-1-ND •	954
14" x 10" x 9 $\frac{1}{2}$ "	356 x 254 x 241	16 $\frac{1}{8}$ " x 12 $\frac{3}{4}$ "	419 x 324	15 $\frac{1}{4}$ " x 11 $\frac{1}{4}$ "	387 x 286	14 $\frac{13}{16}$ " x 10 $\frac{13}{16}$ "	376 x 275	18	12 5.4	1.4	SR10-14-9.5-1-ND •	1255
20" x 16" x 8"	508 x 406 x 203	22 $\frac{3}{8}$ " x 18 $\frac{1}{2}$ "	568 x 470	21" x 17"	533 x 432	20 $\frac{5}{8}$ " x 16 $\frac{5}{8}$ "	524 x 422	18	26 11.8	2.2	SR16-19-8-1-ND	1544
20" x 16" x 13 $\frac{1}{2}$ "	508 x 406 x 343	22 $\frac{3}{8}$ " x 18 $\frac{1}{2}$ "	568 x 470	21" x 17"	533 x 432	20 $\frac{5}{8}$ " x 16 $\frac{5}{8}$ "	524 x 422	18	28 12.7	3.9	SR16-19-13.5-1-ND	1698
24" x 18" x 13 $\frac{1}{2}$ "	610 x 457 x 343	26 $\frac{1}{8}$ " x 20 $\frac{1}{2}$ "	670 x 521	25" x 19"	635 x 483	24 $\frac{5}{8}$ " x 18 $\frac{5}{8}$ "	626 x 473	18	32 14.5	4.9	SR18-24-13.5-1-ND	1811
24" x 24" x 13 $\frac{1}{2}$ "	610 x 610 x 343	26 $\frac{1}{8}$ " x 26 $\frac{1}{2}$ "	670 x 673	25" x 25"	635 x 635	24 $\frac{1}{16}$ " x 24 $\frac{1}{16}$ "	627 x 627	18	36 16.3	6.4	SR24-24-13.5-1-ND	1983

Two Compartment

14" x 10" x 9 $\frac{1}{2}$ "	356 x 254 x 241	16 $\frac{1}{8}$ " x 24 $\frac{3}{4}$ "	419 x 629	15 $\frac{1}{4}$ " x 23 $\frac{3}{4}$ "	387 x 591	14 $\frac{13}{16}$ " x 23"	376 x 584	18	25 11.3	2.8	SR10-14-9.5-2-ND •	2368
20" x 16" x 8"	508 x 406 x 203	22 $\frac{3}{8}$ " x 36 $\frac{1}{4}$ "	568 x 921	21" x 34 $\frac{1}{4}$ "	533 x 883	20 $\frac{5}{8}$ " x 34 $\frac{1}{2}$ "	524 x 876	18	48 21.8	4.3	SR16-19-8-2-ND	2330
20" x 16" x 13 $\frac{1}{2}$ "	508 x 406 x 343	22 $\frac{3}{8}$ " x 36 $\frac{1}{4}$ "	568 x 921	21" x 34 $\frac{1}{4}$ "	533 x 883	20 $\frac{5}{8}$ " x 34 $\frac{1}{2}$ "	524 x 876	18	52 23.6	7.5	SR16-19-13.5-2-ND •	2636
24" x 18" x 13 $\frac{1}{2}$ "	610 x 457 x 343	26 $\frac{1}{8}$ " x 40 $\frac{1}{4}$ "	670 x 1022	25" x 38 $\frac{3}{4}$ "	635 x 984	24 $\frac{5}{8}$ " x 38 $\frac{1}{2}$ "	626 x 978	18	56 24.9	9.7	SR18-24-13.5-2-ND	3165
24" x 24" x 13 $\frac{1}{2}$ "	610 x 610 x 343	26 $\frac{1}{8}$ " x 52 $\frac{1}{2}$ "	670 x 1324	25" x 50 $\frac{1}{8}$ "	635 x 1286	24 $\frac{1}{16}$ " x 50 $\frac{1}{4}$ "	630 x 1276	18	64 29.0	12.5	SR24-24-13.5-2-ND	3343

Three Compartment

14" x 10" x 9 $\frac{1}{2}$ "	356 x 254 x 241	16 $\frac{1}{8}$ " x 36 $\frac{1}{4}$ "	419 x 933	15 $\frac{1}{4}$ " x 35 $\frac{1}{4}$ "	387 x 895	14 $\frac{13}{16}$ " x 35"	376 x 889	18	37 16.8	4.1	SR10-14-9.5-3-ND •	2524
20" x 16" x 8"	508 x 406 x 203	22 $\frac{3}{8}$ " x 54"	568 x 1372	21" x 52 $\frac{1}{2}$ "	533 x 1334	20 $\frac{5}{8}$ " x 52 $\frac{1}{4}$ "	524 x 1327	18	72 32.7	6.3	SR16-19-8-3-ND	3279
20" x 16" x 13 $\frac{1}{2}$ "	508 x 406 x 343	22 $\frac{3}{8}$ " x 54"	568 x 1372	21" x 52 $\frac{1}{2}$ "	533 x 1334	20 $\frac{5}{8}$ " x 52 $\frac{1}{4}$ "	524 x 1327	18	77 34.9	10.9	SR16-19-13.5-3-ND •	3638
24" x 18" x 13 $\frac{1}{2}$ "	610 x 457 x 343	26 $\frac{1}{8}$ " x 60"	670 x 1524	25" x 58 $\frac{1}{2}$ "	635 x 1486	24 $\frac{5}{8}$ " x 58 $\frac{1}{4}$ "	626 x 1480	18	82 37.2	14.1	SR18-24-13.5-3-ND	4371



...with Fabricated Bowls

inside bowl dimensions width x length x depth in. mm		overall width x length in. mm		TOP MOUNT cutout width x length in. mm		BOTTOM MOUNT cutout* width x length in. mm		gauge	weight lbs. kg	cu ft	model #	list
--	--	-------------------------------------	--	--	--	--	--	-------	-------------------	----------	---------	------

One Compartment

14" x 12" x 9 $\frac{1}{2}$ "	356 x 305 x 241	16 $\frac{1}{8}$ " x 14 $\frac{3}{4}$ "	422 x 375	15 $\frac{1}{4}$ " x 13 $\frac{3}{4}$ "	387 x 337	14 $\frac{1}{2}$ " x 12 $\frac{1}{2}$ "	365 x 314	16	14 6.4	1.7	SR12-14-9.5-1-ND •	1509
16" x 14" x 9 $\frac{1}{2}$ "	406 x 356 x 241	18 $\frac{1}{8}$ " x 16 $\frac{1}{4}$ "	473 x 425	17 $\frac{1}{4}$ " x 15 $\frac{1}{4}$ "	438 x 387	16 $\frac{1}{2}$ " x 14 $\frac{5}{8}$ "	422 x 372	16	23 10.4	2.1	SR14-16-9.5-1-ND •	1714
22" x 22" x 13 $\frac{1}{2}$ "	559 x 559 x 343	24 $\frac{1}{8}$ " x 24 $\frac{1}{4}$ "	626 x 629	23 $\frac{1}{4}$ " x 23 $\frac{1}{4}$ "	591 x 591	22 $\frac{1}{2}$ " x 22 $\frac{1}{2}$ "	575 x 575	16	34 15.4	5.5	SR22-22-13.5-1-ND	3124

Two Compartment

14" x 12" x 9 $\frac{1}{2}$ "	356 x 305 x 241	16 $\frac{1}{8}$ " x 28 $\frac{3}{4}$ "	422 x 730	15 $\frac{1}{4}$ " x 27 $\frac{1}{4}$ "	387 x 692	14 $\frac{1}{2}$ " x 26 $\frac{1}{2}$ "	365 x 676	16	27 12.2	3.2	SR12-14-9.5-2-ND	2737
16" x 14" x 9 $\frac{1}{2}$ "	406 x 356 x 241	18 $\frac{1}{8}$ " x 32 $\frac{1}{4}$ "	473 x 832	17 $\frac{1}{4}$ " x 31 $\frac{1}{4}$ "	438 x 794	16 $\frac{1}{2}$ " x 30 $\frac{1}{2}$ "	422 x 778	16	42 19.1	4.0	SR14-16-9.5-2-ND	2927
22" x 22" x 13 $\frac{1}{2}$ "	559 x 559 x 343	24 $\frac{1}{8}$ " x 48 $\frac{1}{4}$ "	626 x 1238	23 $\frac{1}{4}$ " x 47 $\frac{1}{4}$ "	591 x 1200	22 $\frac{1}{2}$ " x 46 $\frac{1}{2}$ "	575 x 1184	16	57 25.9	10.7	SR22-22-13.5-2-ND	5809

Three Compartment

14" x 12" x 9 $\frac{1}{2}$ "	356 x 305 x 241	16 $\frac{1}{8}$ " x 42 $\frac{3}{4}$ "	422 x 1086	15 $\frac{1}{4}$ " x 41 $\frac{1}{4}$ "	387 x 1031	14 $\frac{1}{2}$ " x 40 $\frac{1}{2}$ "	331 x 1032	16	39 17.6	4.7	SR12-14-9.5-3-ND	3766
16" x 14" x 9 $\frac{1}{2}$ "	406 x 356 x 241	18 $\frac{1}{8}$ " x 48 $\frac{1}{4}$ "	473 x 1238	17 $\frac{1}{4}$ " x 47 $\frac{1}{4}$ "	438 x 1200	16 $\frac{1}{2}$ " x 46 $\frac{1}{2}$ "	422 x 1184	16	66 29.9	6.0	SR14-16-9.5-3-ND •	4038

* See page 255 for Bottom Mount Kit.

Seamless Welded-In Sinks

see spec sheet **EG20.18**

- For NSF-approved welded fabrication.
- Seamless bowls.
- Type 300 stainless steel construction.
- Basket drain.


FEATURES:

Note: All shipping weights and cubic feet are approximate.



For Undermount...

An understructure* is secured atop cabinet, then the sink's flanges are secured between understructure and countertop.



One Compartment

inside bowl dimensions width x length x depth		overall dimensions width x length		gauge*	drain		weight		cu ft	model #	list
in.	mm	in.	mm		in.	mm	lbs.	kg			
14" x 10" x 5"	356 x 254 x 127	16" x 12"	406 x 305	20	3 1/2"	89	9	4.1	1.4	FDI-10-14-5-1	691
14" x 10" x 9 1/2"	356 x 254 x 241	16" x 12"	406 x 305	18	3 1/2"	89	11	5.0	1.4	FDI-10-14-9.5-1	767
14" x 12" x 9 1/2"	356 x 305 x 241	16" x 14"	406 x 356	16	3 1/2"	89	13	5.8	2.4	FDI-12-14-9.5-1	797
20" x 12" x 6 1/2"	508 x 305 x 165	22" x 14"	559 x 356	20	2"	51	14	6.4	2.6	FDI-12-20-6.5-1	834
16" x 14" x 6"	406 x 356 x 152	18" x 16"	457 x 406	20	3 1/2"	89	14	6.4	2.5	FDI-14-16-6-1	857
16" x 14" x 9 1/2"	406 x 356 x 241	18" x 16"	457 x 406	16	3 1/2"	89	14	6.4	2.3	FDI-14-16-9.5-1	881
20" x 16" x 8"	508 x 406 x 203	21 3/4" x 18"	552 x 457	18	3 1/2"	89	23	10.4	3.7	FDI-16-19-8-1	1077
20" x 16" x 13 1/2"	508 x 406 x 343	21 3/4" x 18"	552 x 457	18	3 1/2"	89	25	11.3	3.7	FDI-16-19-13.5-1	1087
24" x 18" x 13 1/2"	610 x 457 x 343	26" x 20"	660 x 508	18	3 1/2"	89	37	16.8	8.6	FDI-18-24-13.5-1	1319
20" x 20" x 5"	508 x 508 x 127	22" x 22"	559 x 559	20	3 1/2"	89	19	8.6	1.5	FDI-20-20-5-1	843
22" x 22" x 13 1/2"	559 x 559 x 343	24" x 24"	610 x 610	16	3 1/2"	89	39	17.6	7.3	FDI-22-22-13.5-1	1538
24" x 24" x 13 1/2"	610 x 610 x 343	26" x 26"	660 x 660	18	3 1/2"	89	41	18.6	8.3	FDI-24-24-13.5-1	1605

* 16 gauge bowls are fabricated, 18 and 20 gauge bowls are deep-drawn.

Two Compartment

inside bowl dimensions width x length x depth		overall dimensions width x length		gauge*	drain		weight		cu ft	model #	list
in.	mm	in.	mm		in.	mm	lbs.	kg			
14" x 10" x 9 1/2"	356 x 254 x 241	16" x 24"	406 x 610	18	3 1/2"	89	19	8.6	6.5	FDI-10-14-9.5-2	1473
14" x 12" x 9 1/2"	356 x 305 x 241	16" x 28"	406 x 711	16	3 1/2"	89	21	9.5	4.5	FDI-12-14-9.5-2	1589
16" x 14" x 9 1/2"	406 x 356 x 241	18" x 32"	457 x 813	16	3 1/2"	89	25	11.3	6.2	FDI-14-16-9.5-2	1711
20" x 16" x 8"	508 x 406 x 203	21 3/4" x 36"	552 x 914	18	3 1/2"	89	43	19.5	5.1	FDI-16-19-8-2	2081
20" x 16" x 13 1/2"	508 x 406 x 343	21 3/4" x 36"	552 x 914	18	3 1/2"	89	50	22.7	7.6	FDI-16-19-13.5-2	2139
24" x 18" x 13 1/2"	610 x 457 x 343	26" x 40"	660 x 1016	18	3 1/2"	89	73	33.1	15.7	FDI-18-24-13.5-2	2496
22" x 22" x 13 1/2"	559 x 559 x 343	24" x 48"	610 x 1219	16	3 1/2"	89	75	34.0	12.6	FDI-22-22-13.5-2	2959
24" x 24" x 13 1/2"	610 x 610 x 343	26" x 52"	660 x 1321	18	3 1/2"	89	81	36.7	15.0	FDI-24-24-13.5-2	3086

* 16 gauge bowls are fabricated, 18 gauge bowls are deep-drawn.

Seamless Welded-In Sinks



see spec sheet **EG20.18**

- For NSF-approved welded fabrication.
- Seamless bowls.
- Type 300 stainless steel construction.
- Basket drain.


FEATURES:

Note: All shipping weights and cubic feet are approximate.



For Undermount...

An understructure* is secured atop cabinet, then the sink's flanges are secured between understructure and countertop.



* provided by contractor

Three Compartment

inside bowl dimensions width x length x depth		overall dimensions width x length		gauge*	drain		weight		cu ft	model #	list
in.	mm	in.	mm		in.	mm	lbs.	kg			
14" x 10" x 9 1/2"	356 x 254 x 241	16" x 36"	406 x 914	18	3 1/2"	89	27	12.2	4.0	FDI-10-14-9.5-3	2197
14" x 12" x 9 1/2"	356 x 305 x 241	16" x 42"	406 x 1067	16	3 1/2"	89	30	13.6	5.3	FDI-12-14-9.5-3	2221
16" x 14" x 9 1/2"	406 x 356 x 241	18" x 48"	457 x 1219	16	3 1/2"	89	36	16.3	7.2	FDI-14-16-9.5-3	2493
20" x 16" x 8"	508 x 406 x 203	21 3/4" x 54"	552 x 1372	18	3 1/2"	89	63	28.6	11.3	FDI-16-19-8-3	3000
20" x 16" x 13 1/2"	508 x 406 x 343	21 3/4" x 54"	552 x 1372	18	3 1/2"	89	75	34.0	15.9	FDI-16-19-13.5-3	3131
24" x 18" x 13 1/2"	610 x 457 x 343	26" x 60"	660 x 1524	18	3 1/2"	89	101	45.8	21.8	FDI-18-24-13.5-3	3628
22" x 22" x 13 1/2"	559 x 559 x 343	24" x 72"	610 x 1829	16	3 1/2"	89	113	51.3	19.8	FDI-22-22-13.5-3	4110
24" x 24" x 13 1/2"	610 x 610 x 343	26" x 78"	660 x 1981	18	3 1/2"	89	123	55.8	21.8	FDI-24-24-13.5-3	4289

* 16 gauge bowls are fabricated, 18 gauge bowls are deep-drawn.

Four Compartment

inside bowl dimensions width x length x depth		overall dimensions width x length		gauge*	drain		weight		cu ft	model #	list
in.	mm	in.	mm		in.	mm	lbs.	kg			
14" x 10" x 9 1/2"	356 x 254 x 241	16" x 48"	406 x 1219	18	3 1/2"	89	35	15.9	6.0	FDI-10-14-9.5-4	2642
14" x 12" x 9 1/2"	356 x 305 x 241	16" x 56"	406 x 1422	16	3 1/2"	89	39	17.6	7.2	FDI-12-14-9.5-4	2953
16" x 14" x 9 1/2"	406 x 356 x 241	18" x 64"	457 x 1626	16	3 1/2"	89	47	21.3	9.7	FDI-14-16-9.5-4	3066
20" x 16" x 8"	508 x 406 x 203	21 3/4" x 72"	552 x 1829	18	3 1/2"	89	83	37.6	16.9	FDI-16-19-8-4	3628
20" x 16" x 13 1/2"	508 x 406 x 343	21 3/4" x 72"	552 x 1829	18	3 1/2"	89	100	45.4	14.8	FDI-16-19-13.5-4	3744
24" x 18" x 13 1/2"	610 x 457 x 343	26" x 80"	660 x 3032	18	3 1/2"	89	129	58.5	28.4	FDI-18-24-13.5-4	4267
22" x 22" x 13 1/2"	559 x 559 x 343	24" x 96"	610 x 2438	16	3 1/2"	89	151	68.6	23.5	FDI-22-22-13.5-4	4987
24" x 24" x 13 1/2"	610 x 610 x 343	26" x 104"	660 x 2642	18	3 1/2"	89	163	73.9	28.5	FDI-24-24-13.5-4	5192

* 16 gauge bowls are fabricated, 18 gauge bowls are deep-drawn.

Seamless Welded-In Sinks with Fabricated Wall




see spec sheet **EG20.16**

- For NSF-approved welded fabrication.
- Type 304 18-8 stainless steel construction.
- Bowls are tapered to allow for 60% nesting which facilitates shipping and storage.
- $\frac{5}{8}$ " (16mm) radius corners.
- $3\frac{1}{2}$ " (89mm) drain hole with sump.
- Swirl away drainage.

FEATURES:


inside bowl dimensions (W x L x D)		gauge	weight		cu ft	model #	list
in.	mm		lbs.	kg			
9" x 12" x 6"	229 x 305 x 432	16	6	2.7	0.4	FNWNF-9-12-6-1	1416
9" x 14" x 8"	229 x 356 x 203	16	8	3.6	0.5	FNWNF-9-14-8-1	1505
12" x 14" x 8"	305 x 356 x 203	16	11	5.0	0.8	FNWNF-12-14-8-1	1549
14" x 16" x 8"	356 x 406 x 203	16	12	5.4	1.0	FNWNF-14-16-8-1	1621
18" x 18" x 10"	457 x 457 x 254	14	24	10.9	1.9	FNWNF-18-18-10-1	1453
18" x 18" x 12"	457 x 457 x 305	14	27	12.2	2.3	FNWNF-18-18-12-1	1473
20" x 20" x 10"	508 x 508 x 254	14	25	11.3	2.3	FNWNF-20-20-10-1	1538
20" x 20" x 12"	508 x 508 x 305	14	29	13.2	2.8	FNWNF-20-20-12-1	1614
20" x 20" x 14"	508 x 508 x 356	14	32	14.5	3.2	FNWNF-20-20-14-1	1702
20" x 27" x 6"	508 x 686 x 432	14	20	9.0	1.5	FNWNF-20-27-6-1	1453
20½" x 20½" x 5"	521 x 521 x 127	14	18	8.2	1.2	FNWNF-20.5-20.5-5-1	1337
20½" x 20½" x 8"	521 x 521 x 203	14	24	10.9	1.9	FNWNF-20.5-20.5-8-1	1466
24" x 24" x 12"	610 x 610 x 305	14	38	17.2	4.0	FNWNF-24-24-12-1	1797
24" x 24" x 14"	610 x 610 x 356	14	42	19.1	4.7	FNWNF-24-24-14-1	1885



Custom Sink Modifications

see spec sheet **EG20.50**

Note: Sink modifications may be added to NSF-certified products.



model #	description	list
E30	End splash - per end, all heights	671
E40	Provision for sink heater	381
E41	Disposal provision package—collar	1571
E41A	Disposal provision package—cone	1571
E43	Stand pipe with corner guard, available only on FN-style and utility sinks	475
E44	Faucet hole revision - adding or moving	354
E45	Trough installed in drainboard	1925
E46	Rubber scrap block installed	773
E101A	Turn down backsplash - per sink, includes Z-clips	521

Not Pictured

model #	description	list
E37	NSF sprayed-on sound deadening - up to 12' (3658mm)	1458
E37A	- for each additional foot	119
E38-6 *	Cantilever mount up to 6' (1829mm) - add to wall shelf price	848
E38-12 *	Cantilever mount up to 12' (3658mm) - add to wall shelf price	1268
E39	Enclosed backsplash	183/lin. ft.
E47	Sink cover holders, sized for stainless steel or poly (includes upper and lower track)	1448/slot
E48	Stainless steel apron, to cover sink bowls - 2 or 3 compartment	2314
E48A	- for each additional compartment over 3	388
E49	s/s undershelf under drainboards - up to 24" (610mm) w/short legs	1245
E49A	- for each additional foot over 24" (610mm)	546
E50	Provision for water pump	3243
E51	Optional size drainboard	719/lin. ft.
E52	High backsplash up to 13" (330mm)	376/lin. ft.
E53	High backsplash up to 18" (457mm)	670/lin. ft.
E54	Working height revision	633/sink
E55	Drainboard corner turn	2918/ea.
E56	overflow hole	96

* Applicable to wall mount shelves and utility racks.

Sink Accessories/Replacements


see spec sheet **EG20.51A**

Can be shipped UPS.

Sink Covers

For 412, 414, 314, and Spec-Master® FN Series Sinks only.

fits sink bowl size	Polyboard		Stainless Steel	
	model #	list	model #	list
14" x 10" (356 x 254mm)	313207	292	321555	359
16" x 20" (483 x 508mm)	351584	330	351585	410
20" x 18" (508 x 457mm)	335377	341	346175	434
20" x 20" (508 x 508mm)	326267	347	305428	436
22" x 22" (559 x 559mm)	313204	357	321557	458
24" x 18" (610 x 457mm)	326268	348	326270	444
24" x 24" (610 x 610mm)	313205	385	321558	562
28" x 20" (711 x 508mm)	326269	383	326271	450




polyboard sink cover



stainless steel sink cover



lever handle drain with overflow



twist handle drain

lever handle drain

crumb cup strainer

Drains

description	max. flow rate		model #	list
	gal. per minute	gal. per hour		
lever handle drain with 1.5" or 2" (38 or 51mm) NPS connection	27	1620	300720	506
lever handle drain with 2" (51mm) NPS connection	32	1920	300721	506
lever handle drain with 2" (51mm) NPS connection and overflow	32	1920	300722	1030
twist handle drain with 1.5" or 2" (38 or 51mm) NPS connection	27	1620	341189*	529
twist handle drain with 2" (51mm) NPS connection	32	1920	336002*	529
twist handle drain with 2" (51mm) NPS connection and overflow	32	1920	341190*	1197
nickel-plated brass rotary drain with 1.5" or 2" (38 or 51mm) NPS connection	40	2400	369653	855
crumb cup strainer with 1.5" (38mm) outlet	18	1080	300287	47

* Twist handle bracket, for use with twist handle drain, should be ordered as sink option "-TB" at time of sink order —or see 'Sink Kits' on page 217 (for 314, 412, or 414 Series sinks) or page 242 (for FN Series sinks).

Control Bracket

description	model #	list each
3" x 5" (76 x 127mm), extra heavy duty	309796	152

Note: Requires custom mounting.



stainless steel flanged bullet foot

Leg Components

description	model #	list each
19" (483mm) stainless steel leg for utility sinks	300315	70
stainless steel bullet feet	300692	42
stainless steel flanged bullet feet	313835	61
plastic bullet feet	300293	7

Plumbing Components

description	model #	list each
P-trap, nickel-plated	300789	200
tail piece for 1.5" (38.1mm) IPS connection, nickel-plated	300791	39
anti-siphon vacuum breaker	313832	383
backflow preventer	313834	447



P-trap



tail piece



anti-siphon vacuum breaker



backflow preventer

Sink Accessories/Replacements

see spec sheet **EG20.51B**

T&S Extra Heavy Duty Faucets

- Top-of-the-line, T&S quality products.
- Splash mounted with 8" (203mm) centers.

description	model #	list
8" (203mm) spout	313920	1268
10" (254mm) spout	340380	1295
12" (305mm) spout	313293	1299
14" (356mm) spout	313294	1312

Standard Faucets

- 8" (203mm) centers.
- Splash mounted

description	model #	list
8" (203mm) spout, standard	313918	475
12" (305mm) spout, standard	300716	485
14" (356mm) spout, standard	300804	503
16" (406mm) spout, standard	313919	506
12" (305mm) spout, heavy duty	301001	1172
14" (356mm) spout, heavy duty	301002	1187
19" (489mm) double-jointed spout	301003	1316
gooseneck, 8" (203mm) center	313075	352

Standard Faucets with Wrist Handles

- Deck mounted with 4" (102mm) centers.
- 4" (102mm) long wrist handles and gooseneck spout.

description	model #	list
standard, rigid gooseneck spout	301005	672
heavy duty, swivel gooseneck spout	301004	1092

Prerinse Units and Components

Standard

description	model #	list
splash mounted spray unit	300719	2425
deck mounted spray unit	300718	2419
faucet add-on with 12" (305mm) spout	301189	643
wall bracket	301190	163
prerinse hose, 36" (914mm) length	313116	464
prerinse spray valve assembly for spray units #300718 and 300719	313323	400

T&S Extra Heavy Duty - Top-of-the-line.

OUR BEST 

description	model #	list
splash mounted spray unit with wall bracket	313296	3172
deck mounted spray unit with wall bracket	313295	2989
faucet add-on with 12" (305mm) spout for use with #313296 faucet	313297	792

Note: Faucets listed are lead-free AB1953-compliant.

Can be shipped UPS.



12" (305mm) T&S faucet

OUR BEST

OUR BEST




T&S Extra Heavy Duty Faucet with Wrist Handles

- Top-of-the-line T&S quality.
- Deck mounted with 4" (102mm) centers.
- 4" (102mm) long wrist handles and rigid gooseneck spout.



description	model #	list
extra heavy duty	313304	1296



19" (483mm)
double-jointed spout faucet



12" (305mm)
heavy duty faucet

Repair Kits for Standard Faucets

description	for faucets #	model #	list
hot/cold stems, handles, seats, bonnet nuts, O-rings	313918, 313919	304146	216
hot/cold ceramic cartridge	300716, 300804	368421	66



standard
wrist handle faucet



splash mounted
prerinse spray unit



deck mounted
prerinse spray unit



prerinse wall bracket



prerinse faucet add-on


Floor Troughs




see spec sheet **EG25.00A** **EG25.00B**



floor trough with subway-style grating



(see chart below for dimensions A through E)



FEATURES:

- Built-in pitch towards drain ensures complete drainage.
- Secured with anchor straps.
- Stainless steel drain accommodates up to a 4" (102mm) diameter pipe, and removable perforated stainless steel basket.
- Stainless steel subway-style grating or fiberglass grating.

Note: Custom sizes available. Contact factory for pricing.

Gray Fiberglass Grating available.

To order add suffix "G" to model #.

Example FT-1218-FGG.

(•) MTS (made to stock) / () MTO (made to order)

Note: Floor Troughs with ADA-compliant Grating* available! Provides a more solid walking area, and objects are less likely to fall through. Available in gray only. For Floor Troughs with Fiberglass AND Stainless Steel Grating! To order, add suffix "ADA". **Example: FT-1224-FG-ADA.**

...with Yellow Fiberglass Grating

* Troughs with optional ADA-compliant Fiberglass Grating features wider T-bars resistant to corrosion, skid, fire, chipping and cracking. To order, add 5% to list price.

dimension D		dimension E		12" (305mm) WIDE TROUGHS		15" (381mm) WIDE TROUGHS		18" (457mm) WIDE TROUGHS		24" (610mm) WIDE TROUGHS	
in.	mm	in.	mm	model #	list	model #	list	model #	list	model #	list
18"	457	15"	381	FT-1218-FG	4128	-	-	-	-	-	-
24"	610	21"	533	FT-1224-FG	4473	FT-1524-FG	4566	FT-1824-FG	4899	FT-2424-FG	5244
30"	762	27"	686	FT-1230-FG	4912	FT-1530-FG	4959	FT-1830-FG	5410	FT-2430-FG	5910
36"	914	33"	838	FT-1236-FG	5144	FT-1536-FG	5188	FT-1836-FG	5796	FT-2436-FG •	6372
48"	1219	45"	1143	FT-1248-FG	5903	FT-1548-FG	5973	FT-1848-FG	6711	FT-2448-FG	7482
60"	1524	57"	1448	FT-1260-FG	6393	FT-1560-FG	6672	FT-1860-FG	7494	FT-2460-FG	8575
72"	1829	69"	1753	FT-1272-FG	7221	FT-1572-FG	7365	FT-1872-FG	8375	FT-2472-FG	8653
84"	2134	81"	2057	FT-1284-FG	7898	FT-1584-FG	8123	FT-1884-FG	9349	FT-2484-FG	10782
96"	2438	93"	2362	FT-1296-FG	8618	FT-1596-FG	8767	FT-1896-FG	10212	FT-2496-FG	11797
120"	3048	117"	2972	FT-12120-FG	10058	FT-15120-FG	10610	FT-18120-FG	12368	FT-24120-FG	14347

...with Subway-Style Stainless Steel Grating

* Troughs with optional ADA-compliant Stainless Steel Grating features added stainless steel flat bars spaced only 1/4" apart. Call factory for pricing


dimension D		dimension E		12" (305mm) WIDE TROUGHS		15" (381mm) WIDE TROUGHS		18" (457mm) WIDE TROUGHS		24" (610mm) WIDE TROUGHS	
in.	mm	in.	mm	model #	list	model #	list	model #	list	model #	list
18"	457	15"	381	FT-1218-SG	5737	-	-	-	-	-	-
24"	610	21"	533	FT-1224-SG •	6015	FT-1524-SG	6396	FT-1824-SG •	6764	FT-2424-SG	8190
30"	762	27"	686	FT-1230-SG	6200	FT-1530-SG	6550	FT-1830-SG	7141	FT-2430-SG	8527
36"	914	33"	838	FT-1236-SG •	6392	FT-1536-SG	7441	FT-1836-SG •	7518	FT-2436-SG	9722
48"	1219	45"	1143	FT-1248-SG •	7896	FT-1548-SG	9056	FT-1848-SG	8940	FT-2448-SG •	11258
60"	1524	57"	1448	FT-1260-SG	9468	FT-1560-SG	10602	FT-1860-SG	11030	FT-2460-SG	12622
72"	1829	69"	1753	FT-1272-SG	10884	FT-1572-SG	12196	FT-1872-SG	12075	FT-2472-SG	14671
84"	2134	81"	2057	FT-1284-SG	12790	FT-1584-SG	13791	FT-1884-SG	14662	FT-2484-SG	16037
96"	2438	93"	2362	FT-1296-SG	13155	FT-1596-SG	15287	FT-1896-SG	15039	FT-2496-SG	17742
120"	3048	117"	2972	FT-12120-SG	17290	FT-15120-SG	18615	FT-18120-SG	19930	FT-24120-SG	21488

Anti-Splash Floor Troughs





see spec sheet

EG25.01A EG25.01B



Patent #
D519,618 S

"Anti-Splash" design assures complete drainage while preventing splashing back onto the floor.



(see chart below for dimensions A through E)

FEATURES:

- Built-in pitch towards drain ensures complete drainage.
- Secured with anchor straps.
- Stainless steel drain accommodates up to a 4" (102mm) diameter pipe, and removable perforated stainless steel basket.
- Stainless steel subway-style grating or fiberglass grating.

Note: Custom sizes available. Contact factory for pricing.

Gray Fiberglass Grating available.

To order add suffix "G" to model #.

Example ASFT-1218-FGG.

Note: Floor Troughs with ADA-compliant Grating* available! Provides a more solid walking area, and objects are less likely to fall through. Available in gray only. For Floor Troughs with Fiberglass AND Stainless Steel Grating! To order, add suffix "-ADA". **Example: ASFT-1224-SG-ADA.**

...with Yellow Fiberglass Grating

*Troughs with optional ADA-compliant Fiberglass Grating features wider T-bars resistant to corrosion, skid, fire, chipping and cracking. To order, add 5% to list price.

12" (305mm) WIDE TROUGHS		15" (381mm) WIDE TROUGHS		18" (457mm) WIDE TROUGHS		24" (610mm) WIDE TROUGHS	
dimension A: 7" (178mm)		dimension A: 10" (254mm)		dimension A: 13" (330mm)		dimension A: 19" (483mm)	
dimension B: 9" (229mm)		dimension B: 12" (305mm)		dimension B: 15" (381mm)		dimension B: 21" (533mm)	
dimension C: 12" (305mm)		dimension C: 15" (381mm)		dimension C: 18" (457mm)		dimension C: 24" (610mm)	
dimension D in. mm	dimension E in. mm	model #	list	model #	list	model #	list
18"	457	ASFT-1218-FG	4635	-	-	-	-
24"	610	ASFT-1224-FG	5028	ASFT-1524-FG	5129	ASFT-1824-FG	5506
30"	762	ASFT-1230-FG	5517	ASFT-1530-FG	5565	ASFT-1830-FG	6081
36"	914	ASFT-1236-FG	5780	ASFT-1536-FG	5830	ASFT-1836-FG	6513
48"	1219	ASFT-1248-FG	6630	ASFT-1548-FG	6711	ASFT-1848-FG	7540
60"	1524	ASFT-1260-FG	7181	ASFT-1560-FG	7507	ASFT-1860-FG	8417
72"	1829	ASFT-1272-FG	8114	ASFT-1572-FG	8274	ASFT-1872-FG	9409
84"	2134	ASFT-1284-FG	8874	ASFT-1584-FG	9123	ASFT-1884-FG	10513
96"	2438	ASFT-1296-FG	9685	ASFT-1596-FG	9849	ASFT-1896-FG	11471
120"	3048	ASFT-12120-FG	11300	ASFT-15120-FG	11922	ASFT-18120-FG	13896
						ASFT-2424-FG	5896
						ASFT-2430-FG	6646
						ASFT-2436-FG	7163
						ASFT-2448-FG	8409
						ASFT-2460-FG	9633
						ASFT-2472-FG	9729
						ASFT-2484-FG	12115
						ASFT-2496-FG	13253
						ASFT-24120-FG	15312

...with Subway-Style Stainless Steel Grating

*Troughs with optional ADA-compliant Stainless Steel Grating features added stainless steel flat bars spaced only 1/4" apart. Call factory for pricing

12" (305mm) WIDE TROUGHS		15" (381mm) WIDE TROUGHS		18" (457mm) WIDE TROUGHS		24" (610mm) WIDE TROUGHS	
dimension A: 7" (178mm)		dimension A: 10" (254mm)		dimension A: 13" (330mm)		dimension A: 19" (483mm)	
dimension B: 9" (229mm)		dimension B: 12" (305mm)		dimension B: 15" (381mm)		dimension B: 21" (533mm)	
dimension C: 12" (305mm)		dimension C: 15" (381mm)		dimension C: 18" (457mm)		dimension C: 24" (610mm)	
dimension D in. mm	dimension E in. mm	model #	list	model #	list	model #	list
18"	457	ASFT-1218-SG	6424	-	-	-	-
24"	610	ASFT-1224-SG	6453	ASFT-1524-SG	6243	ASFT-1824-SG	7203
30"	762	ASFT-1230-SG	6748	ASFT-1530-SG	6936	ASFT-1830-SG	7688
36"	914	ASFT-1236-SG	7044	ASFT-1536-SG	8060	ASFT-1836-SG	8174
48"	1219	ASFT-1248-SG	8770	ASFT-1548-SG	9703	ASFT-1848-SG	9809
60"	1524	ASFT-1260-SG	10559	ASFT-1560-SG	10723	ASFT-1860-SG	12124
72"	1829	ASFT-1272-SG	12191	ASFT-1572-SG	13111	ASFT-1872-SG	13391
84"	2134	ASFT-1284-SG	14312	ASFT-1584-SG	14914	ASFT-1884-SG	16196
96"	2438	ASFT-1296-SG	14909	ASFT-1596-SG	16442	ASFT-1896-SG	16787
120"	3048	ASFT-12120-SG	19478	ASFT-15120-SG	20455	ASFT-18120-SG	22107
						ASFT-2424-SG	8629
						ASFT-2430-SG	9996
						ASFT-2436-SG	10379
						ASFT-2448-SG	12136
						ASFT-2460-SG	13713
						ASFT-2472-SG	15984
						ASFT-2484-SG	17563
						ASFT-2496-SG	19487
						ASFT-24120-SG	23675


Cool Trough® Water Tempering Systems

see spec sheet **EG25.03A**





- Integral mechanical temperature sensor maintains water temperature of 130°F or less.
- Built-in pitch towards drain ensures complete drainage.
- No electrical connection required.

FEATURES:



#WTFT-1215-FGG
Cool Trough®

PATENTED!
(patent #9,588,525)



(see chart below for dimensions A through E)

Note: Cool Trough® with ADA-compliant Grating* available! Provides a more solid walking area, and objects are less likely to fall through. Available in gray only. For Cool Trough® with Fiberglass AND Stainless Steel Grating! For fiberglass, replace suffix -FGG with suffix **-FG-ADA**. **Example:** WTFT-1224-FG-ADA. For stainless steel, add suffix **-ADA**. **Example:** ASWTFT-1224-SG-ADA To order, add suffix **-ADA**. **Example:** WTFT-1224-SG-ADA.

...with Gray Fiberglass Grating

* Troughs with optional ADA-compliant Fiberglass Grating features wider T-bars resistant to corrosion, skid, fire, chipping and cracking. To order, add 5% to list price.

dimension D		dimension E		12" (305mm) WIDE TROUGHS		15" (381mm) WIDE TROUGHS		18" (457mm) WIDE TROUGHS		24" (610mm) WIDE TROUGHS	
in.	mm	in.	mm	model #	list	model #	list	model #	list	model #	list
15"	381	12"	305	WTFT-1215-FGG	22125	-	-	-	-	-	-
18"	457	15"	381	WTFT-1218-FGG	23235	WTFT-1518-FGG	22610	-	-	-	-
24"	610	21"	533	WTFT-1224-FGG	23604	WTFT-1524-FGG	23693	WTFT-1824-FGG	24047	WTFT-2424-FGG	24407
30"	762	27"	686	WTFT-1230-FGG	24056	WTFT-1530-FGG	24105	WTFT-1830-FGG	24577	WTFT-2430-FGG	25100
36"	914	33"	838	WTFT-1236-FGG	24302	WTFT-1536-FGG	24346	WTFT-1836-FGG	24983	WTFT-2436-FGG	25584
48"	1219	45"	1143	WTFT-1248-FGG	25093	WTFT-1548-FGG	25169	WTFT-1848-FGG	25943	WTFT-2448-FGG	26744
60"	1524	57"	1448	WTFT-1260-FGG	25607	WTFT-1560-FGG	25802	WTFT-1860-FGG	26759	WTFT-2460-FGG	27891
72"	1829	69"	1753	WTFT-1272-FGG	26471	WTFT-1572-FGG	26620	WTFT-1872-FGG	28697	WTFT-2472-FGG	27968
84"	2134	81"	2057	WTFT-1284-FGG	27180	WTFT-1584-FGG	27415	WTFT-1884-FGG	28697	WTFT-2484-FGG	30191
96"	2438	93"	2362	WTFT-1296-FGG	27936	WTFT-1596-FGG	28084	WTFT-1896-FGG	29598	WTFT-2496-FGG	31256

...with Subway-Style Stainless Steel Grating

* Troughs with optional ADA-compliant Stainless Steel Grating features added stainless steel flat bars spaced only 1/4" apart. Call factory for pricing

dimension D		dimension E		12" (305mm) WIDE TROUGHS		15" (381mm) WIDE TROUGHS		18" (457mm) WIDE TROUGHS		24" (610mm) WIDE TROUGHS	
in.	mm	in.	mm	model #	list	model #	list	model #	list	model #	list
15"	381	12"	305	WTFT-1215-SG	24375	-	-	-	-	-	-
18"	457	15"	381	WTFT-1218-SG	24916	WTFT-1518-SG	24696	-	-	-	-
24"	610	21"	533	WTFT-1224-SG	25212	WTFT-1524-SG	25612	WTFT-1824-SG	25992	WTFT-2424-SG	27487
30"	762	27"	686	WTFT-1230-SG	25406	WTFT-1530-SG	25769	WTFT-1830-SG	26386	WTFT-2430-SG	27836
36"	914	33"	838	WTFT-1236-SG	25603	WTFT-1536-SG	26703	WTFT-1836-SG	26782	WTFT-2436-SG	29087
48"	1219	45"	1143	WTFT-1248-SG	27177	WTFT-1548-SG	28388	WTFT-1848-SG	29442	WTFT-2448-SG	30690
60"	1524	57"	1448	WTFT-1260-SG	28823	WTFT-1560-SG	30009	WTFT-1860-SG	30450	WTFT-2460-SG	32118
72"	1829	69"	1753	WTFT-1272-SG	30297	WTFT-1572-SG	31670	WTFT-1872-SG	33086	WTFT-2472-SG	34254
84"	2134	81"	2057	WTFT-1284-SG	32288	WTFT-1584-SG	33334	WTFT-1884-SG	34247	WTFT-2484-SG	35682
96"	2438	93"	2362	WTFT-1296-SG	32672	WTFT-1596-SG	34895	WTFT-1896-SG	36672	WTFT-2496-SG	37462

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.

Phone: 302-653-3000. Fax: 302-653-2065

<http://www.eaglehmc.com>



Anti-Splash Cool Trough® Water Tempering Systems




see spec sheet **EG25.03B**




#ASWTFT-1215-FGG
Cool Trough®

PATENTED!
(patent #9,588,525)



FEATURES:

- Integral mechanical temperature sensor maintains water temperature of 130°F or less.
- Built-in pitch towards drain ensures complete drainage.
- No electrical connection required.



(see chart below for dimensions A through E)

Note: Cool Trough® with ADA-compliant Grating* available! Provides a more solid walking area, and objects are less likely to fall through. Available in gray only. For Cool Trough® with Fiberglass AND Stainless Steel Grating! For fiberglass, replace suffix -FGG with suffix **-FG-ADA**. **Example:** ASWTFT-1224-FG-ADA. For stainless steel, add suffix **-ADA**. **Example:** ASWTFT-1224-SG-ADA. To order, add suffix **-ADA**. **Example:** ASWTFT-1224-SG-ADA.

...with Gray Fiberglass Grating

* Troughs with optional ADA-compliant Fiberglass Grating features wider T-bars resistant to corrosion, skid, fire, chipping and cracking. To order, add 5% to list price.

		12" (305mm) WIDE TROUGHS		15" (381mm) WIDE TROUGHS		18" (457mm) WIDE TROUGHS		24" (610mm) WIDE TROUGHS	
		dimension A: 7" (178mm)		dimension A: 10" (254mm)		dimension A: 13" (330mm)		dimension A: 19" (483mm)	
		dimension B: 9" (229mm)		dimension B: 12" (305mm)		dimension B: 15" (381mm)		dimension B: 21" (533mm)	
		dimension C: 12" (305mm)		dimension C: 15" (381mm)		dimension C: 18" (457mm)		dimension C: 24" (610mm)	
dimension D	dimension E	model #	list	model #	list	model #	list	model #	list
in.	mm								
15"	381	ASWTFT-1215-FGG	23245	-		-		-	
18"	457	ASWTFT-1218-FGG	23767	ASWTFT-1518-FGG	23712	-		-	
24"	610	ASWTFT-1224-FGG	24178	ASWTFT-1524-FGG	24286	ASWTFT-1824-FGG	24683	ASWTFT-2424-FGG	25088
30"	762	ASWTFT-1230-FGG	24692	ASWTFT-1530-FGG	24742	ASWTFT-1830-FGG	25277	ASWTFT-2430-FGG	25873
36"	914	ASWTFT-1236-FGG	24965	ASWTFT-1536-FGG	25017	ASWTFT-1836-FGG	25730	ASWTFT-2436-FGG	26409
48"	1219	ASWTFT-1248-FGG	25854	ASWTFT-1548-FGG	25943	ASWTFT-1848-FGG	26807	ASWTFT-2448-FGG	27713
60"	1524	ASWTFT-1260-FGG	26428	ASWTFT-1560-FGG	26766	ASWTFT-1860-FGG	27723	ASWTFT-2460-FGG	28990
72"	1829	ASWTFT-1272-FGG	27402	ASWTFT-1572-FGG	27577	ASWTFT-1872-FGG	28757	ASWTFT-2472-FGG	29091
84"	2134	ASWTFT-1284-FGG	28204	ASWTFT-1584-FGG	28459	ASWTFT-1884-FGG	29913	ASWTFT-2484-FGG	31589
96"	2438	ASWTFT-1296-FGG	29047	ASWTFT-1596-FGG	29219	ASWTFT-1896-FGG	30913	ASWTFT-2496-FGG	32774

...with Subway-Style Stainless Steel Grating

* Troughs with optional ADA-compliant Stainless Steel Grating features added stainless steel flat bars spaced only 1/4" apart. Call factory for pricing

		12" (305mm) WIDE TROUGHS		15" (381mm) WIDE TROUGHS		18" (457mm) WIDE TROUGHS		24" (610mm) WIDE TROUGHS	
		dimension A: 7" (178mm)		dimension A: 10" (254mm)		dimension A: 13" (330mm)		dimension A: 19" (483mm)	
		dimension B: 9" (229mm)		dimension B: 12" (305mm)		dimension B: 15" (381mm)		dimension B: 21" (533mm)	
		dimension C: 12" (305mm)		dimension C: 15" (381mm)		dimension C: 18" (457mm)		dimension C: 24" (610mm)	
dimension D	dimension E	model #	list	model #	list	model #	list	model #	list
in.	mm								
15"	381	ASWTFT-1215-SG	25473	-		-		-	
18"	457	ASWTFT-1218-SG	25635	ASWTFT-1518-SG	24286	-		-	
24"	610	ASWTFT-1224-SG	25670	ASWTFT-1524-SG	25447	ASWTFT-1824-SG	26454	ASWTFT-2424-SG	27941
30"	762	ASWTFT-1230-SG	25977	ASWTFT-1530-SG	26170	ASWTFT-1830-SG	26956	ASWTFT-2430-SG	29369
36"	914	ASWTFT-1236-SG	26288	ASWTFT-1536-SG	27349	ASWTFT-1836-SG	27468	ASWTFT-2436-SG	29769
48"	1219	ASWTFT-1248-SG	28091	ASWTFT-1548-SG	29061	ASWTFT-1848-SG	29175	ASWTFT-2448-SG	31604
60"	1524	ASWTFT-1260-SG	29962	ASWTFT-1560-SG	30129	ASWTFT-1860-SG	31594	ASWTFT-2460-SG	33257
72"	1829	ASWTFT-1272-SG	31662	ASWTFT-1572-SG	31662	ASWTFT-1872-SG	32917	ASWTFT-2472-SG	35629
84"	2134	ASWTFT-1284-SG	33884	ASWTFT-1584-SG	34548	ASWTFT-1884-SG	35846	ASWTFT-2484-SG	37280
96"	2438	ASWTFT-1296-SG	34500	ASWTFT-1596-SG	36108	ASWTFT-1896-SG	36467	ASWTFT-2496-SG	39288

Replacement Subway-Style Grating for Floor Troughs and Drains



see spec sheet **EG25.02**

Stainless Steel Grating

- Constructed of $\frac{3}{16}$ " x 1" (5 x 25mm) vertically positioned bars, spaced 1" (25mm) apart to allow ease of drainage.
- $\frac{13}{16}$ " (21mm) clearance between bars prevents casters on mobile equipment from wedging in grate.
- Two $\frac{5}{16}$ " (8mm) rods, set $\frac{1}{4}$ " (57mm) in from each edge, are welded to the bars to eliminate swaying.
- Standard on floor troughs.
- Sizes available fit floor drains up to 24" (610mm) wide.
- Grates 12" and 15" (305 and 381mm) wide feature three rods.
- Grates 21" (533mm) wide feature five rods.



for floor trough widths		grate width x length		list	
in.	mm	in.	mm	model #	each
12"	305	9" x 7 1/2"	229 x 191	341169	794
12"	305	9" x 9"	229 x 229	341117	1011
12"	305	9" x 12"	229 x 305	341123	1100
15"	381	12" x 9"	305 x 229	340992	1205
15"	381	12" x 12"	305 x 305	331006	1299
18"	457	15" x 6"	381 x 154	341330	1119
18"	457	15" x 7 1/2"	381 x 191	341110	1188
18"	457	15" x 9"	381 x 229	341113	1271
18"	457	15" x 12"	381 x 305	336992	1393
18"	457	15" x 15"	381 x 381	345934	1510
24"	610	21" x 9"	533 x 229	341109	1440
24"	610	21" x 11"	533 x 279	351572	1544
24"	610	21" x 12"	533 x 305	336976	1592

Wide "T" Bar Fiberglass Grating — ADA-compliant!

- Conforms with the Americans with Disabilities Act for use with the physically handicapped.
- Provides a more solid walking area than traditional "T" bar shape, and prevents objects from falling through grating.
- Corrosion-, skid- and fire-resistant.
- High strength, low thermal conductivity.
- Resistant to chipping and cracking.
- Temperature rating of 250°F.



GRAY

Fiberglass Grating

- Constructed of 1" (25mm) high yellow or gray polyester material with a non-slip grit on top surface.
- Tapered "I" beam construction for ease of cleaning and draining.
- Temperature rating of 250°F.
- Other sizes available—consult factory.



**GRAY OR
YELLOW**

for floor trough widths		grate width x length		Gray	
in.	mm	in.	mm	model #	list ea
12"	305	9" x 9"	229 x 229	370000	312
12"	305	9" x 12"	229 x 305	370001	380
12"	305	9" x 15"	229 x 381	370002	410
15"	381	12" x 9"	305 x 229	370003	322
15"	381	12" x 12"	305 x 305	370004	398
18"	457	15" x 9"	381 x 229	370005	413
18"	457	15" x 12"	381 x 305	370006	515
18"	457	15" x 15"	381 x 381	370007	638
24"	610	21" x 9"	533 x 229	370008	525
24"	610	21" x 12"	533 x 305	370009	660

for floor trough widths		grate width x length		Yellow		Gray	
in.	mm	in.	mm	model #	list ea	model #	list ea
12"	305	9" x 9"	229 x 229	362648	253	374015	265
12"	305	9" x 12"	229 x 305	362647	299	374018	317
12"	305	9" x 15"	229 x 381	373030	319	374021	336
15"	381	12" x 9"	305 x 229	362650	253	374044	265
15"	381	12" x 12"	305 x 305	362649	299	374047	317
18"	457	15" x 9"	381 x 229	362652	321	374073	341
18"	457	15" x 12"	381 x 305	362651	392	374076	411
18"	457	15" x 15"	381 x 381	373206	483	374079	514
24"	610	21" x 9"	533 x 229	362654	393	374102	413
24"	610	21" x 12"	533 x 305	362653	487	374105	519

Floor Drains

see spec sheet **EG25.00**



shown
without grating

description	width x length		model #	list
	in.	mm		
with yellow fiberglass grating	12" x 12"	305 x 305	FD-FG	3285
with subway-style grating	12" x 12"	305 x 305	FD-SG	4373

Note: Floor opening = 11 1/2" x 11 1/2" (292 x 292)

FEATURES:

- Perforated waste cup can be inverted to double as a bee hive strainer.
- Yellow fiberglass grating or subway-style stainless steel grating.

Note: Gray Fiberglass Grating available. To order add suffix "G" to model #. Example FD-FGG.

Portable Cool Trough® Water Tempering System



PATENTED!
(patent #9,588,525)



see spec sheet **EG25.03C**

- Integral mechanical temperature sensor maintains water temperature of 130°F or less.
- Built-in pitch towards drain ensures complete drainage.
- 3" (76mm)-diameter casters—two rigid, two swivel with brake.
- No electrical connection required.
- 12 gauge base.

FEATURES:

Note: Water line and connection provided by plumbing contractor.

overall side-to-side		overall * front-to-back		overall height		weight		model #	list
in.	mm	in.	mm	in.	mm	lbs.	kg		
15"	381	12"	305	36"	914	116	52.6	PWTFT-1215	20548

* Includes base and handle.

Worktables with Sink

see spec sheet **EG20.22**



patented uni-lok® system
(Patent #5,165,349)

- 16 gauge 300 series stainless steel top with 4½" backsplash..
- Adjustable stainless steel undershelf and stainless legs.
- 16" x 20" x 14" (356 x 256 x 127mm) sink bowl.
- Sink includes faucet and drain.
- Tables are prepunched and include attachment bolts for installation of drawer assemblies.

FEATURES:

width x length		sink location	weight		model #	list
inches	mm		lbs.	kg		
30" x 48"	762 x 1219	left end of table top	200	34.0	T3048SEB-BS-E23L	6431
30" x 48"	762 x 1219	right end of table top	200	34.0	T3048SEB-BS-E23R	6431
30" x 60"	762 x 1524	left end of table top	228	34.0	T3060SEB-BS-E23L	6751
30" x 60"	762 x 1524	right end of table top	228	34.0	T3060SEB-BS-E23R	6751
30" x 72"	762 x 1829	left end of table top	254	34.0	T3072SEB-BS-E23L	7048
30" x 72"	762 x 1829	right end of table top	254	34.0	T3072SEB-BS-E23R	7048
30" x 96"	762 x 2438	left end of table top	286	34.0	T3096SEB-BS-E23L	8542
30" x 96"	762 x 2438	right end of table top	286	34.0	T3096SEB-BS-E23R	8542

Surgical Scrub Sinks

see spec sheet **EG05.11**



#SHS2424-1D



#SHS2424-1W-ADA

- 16 gauge type 304 stainless steel.
- Removable front access panel.
- Electronic-eye gooseneck faucet.
- 4" (102mm)-high backsplash.
- Square edge on front and sides.
- Sink bowl with deep slope basin.
- Temperature control mixing valve.
- Z-clips for wall mounting.
- Includes stainless steel flat strainer drain, tail piece, and p-trap.
- Includes flexible stainless steel supply hoses.

FEATURES:

ADA-compliant

description	overall width x length x height		bowl width x length x depth		weight		model #	list
	in.	mm	in.	mm	lbs.	kg		
wall-mount unit with deck mount faucet	24½" x 24" x 28"	622 x 610 x 711	17½" x 20" x 11"	445 x 508 x 279	160	72.6	SHS2424-1D	9587
ADA wall-mount unit with splash-mount faucet	20" x 24" x 29½"	508 x 610 x 749	16½" x 20" x 6½"	419 x 508 x 165	165	74.8	SHS2424-1W-ADA	8664

Wall Mounted Multi-Station Hand Sinks

see spec sheets

EG05.20A EG05.20B EG05.20C

FEATURES:

- Single full-length bowl with basket drain(s) and rolled edge.
- 14/3 stainless steel construction.
- Wall-mounted tubular supports consists of 16 gauge 1 $\frac{5}{8}$ " (41mm)-diameter tubing.
- Basket drain—two drains on 96" (2438mm) sinks.
- 9 $\frac{1}{2}$ " (241mm) backsplash.



Faucet holes at 8" (203mm) on center.

overall width x length x height in. mm		bowl width x length x depth in. mm		# of faucets req/included	...without faucets*				...with faucets			
					weight lbs. kg	model #	list		weight lbs. kg	model #	list	
21 $\frac{1}{8}$ " x 48" x 27 $\frac{1}{8}$ "	549 x 1219 x 689	14" x 43" x 8"	356 x 1092 x 203	2	61 27.2	HSA-WM-48	9364		69 31.3	HSA-WM-48-F	11083	
21 $\frac{1}{8}$ " x 60" x 27 $\frac{1}{8}$ "	549 x 1524 x 689	14" x 55" x 8"	356 x 1397 x 203	2	72 32.7	HSA-WM-60	9613		80 36.3	HSA-WM-60-F	11447	
21 $\frac{1}{8}$ " x 72" x 27 $\frac{1}{8}$ "	549 x 1829 x 689	14" x 67" x 8"	356 x 1702 x 203	3	81 36.7	HSA-WM-72	9837		93 42.2	HSA-WM-72-F	11392	
21 $\frac{1}{8}$ " x 96" x 27 $\frac{1}{8}$ "	549 x 2438 x 689	14" x 91" x 8"	356 x 2311 x 203	4	102 46.3	HSA-WM-96	11416		116 53.5	HSA-WM-96-F	15189	

* Optional faucet available. **Model #313075; List: \$352**



Knee-Valve Operated Units...

Spouts included.

overall width x length x height in. mm		bowl width x length x depth in. mm		# of spouts included	...with single knee valves				...with double knee valves			
					weight lbs. kg	model #	list		weight lbs. kg	model #	list	
21 $\frac{1}{8}$ " x 48" x 27 $\frac{1}{8}$ "	549 x 1219 x 689	14" x 43" x 8"	356 x 1092 x 203	2	70 31.8	HSA-WM-48-1FK	11376		72 32.7	HSA-WM-48-FK	11730	
21 $\frac{1}{8}$ " x 60" x 27 $\frac{1}{8}$ "	549 x 1524 x 689	14" x 55" x 8"	356 x 1397 x 203	2	81 36.7	HSA-WM-60-1FK	11725		83 37.7	HSA-WM-60-FK	12078	
21 $\frac{1}{8}$ " x 72" x 27 $\frac{1}{8}$ "	549 x 1829 x 689	14" x 67" x 8"	356 x 1702 x 203	3	95 43.1	HSA-WM-72-1FK	11856		98 44.5	HSA-WM-72-FK	12385	
21 $\frac{1}{8}$ " x 96" x 27 $\frac{1}{8}$ "	549 x 2438 x 689	14" x 91" x 8"	356 x 2311 x 203	4	120 54.4	HSA-WM-96-1FK	15827		124 56.3	HSA-WM-96-FK	16533	



Units with Electronic-Eye Faucets

120-volt AC-powered.

overall width x length x height in. mm		bowl width x length x depth in. mm		# of faucets included	weight		model #	list
					lbs.	kg		
21 $\frac{1}{8}$ " x 48" x 27 $\frac{1}{8}$ "	549 x 1219 x 689	14" x 43" x 8"	356 x 1092 x 203	2	74	33.6	HSA-WM-48-FE	12620
21 $\frac{1}{8}$ " x 60" x 27 $\frac{1}{8}$ "	549 x 1524 x 689	14" x 55" x 8"	356 x 1397 x 203	2	85	38.6	HSA-WM-60-FE	12974
21 $\frac{1}{8}$ " x 72" x 27 $\frac{1}{8}$ "	549 x 1829 x 689	14" x 67" x 8"	356 x 1702 x 203	3	100	45.4	HSA-WM-72-FE	13716
21 $\frac{1}{8}$ " x 96" x 27 $\frac{1}{8}$ "	549 x 2438 x 689	14" x 91" x 8"	356 x 2311 x 203	4	128	58.1	HSA-WM-96-FE	18309

Stainless Steel Countertops

see spec sheet **EG04.12**



stainless steel countertops fabricated to drawings indicating backplash height, raised edge and field condition requirements

Engineered for High-Performance Labs & Specialized Environments

Material Options:

- 16-gauge Type 304 stainless steel standard.
- Other gauges and alloys available.

Design Features:

- Choice of square, marine, or rolled edge profiles.
- Standard 4" backplash with custom options available.
- Integral sinks available in custom sizes and configurations.
- Engineered-to-order with customizable dimensions, cutouts, sink locations, and edge details.
- SEFA 8 compliant with a weight capacity of 50 lbs. per square foot when paired with a SEFA-compliant base.
- Smooth, non-porous stainless steel surface promotes cleanliness and easy maintenance.

Construction & Performance:

- Reinforced with stainless steel hat channels for added strength and rigidity with sound deadening.

Manufacturing:

- Manufactured using recycled content and fully recyclable at end of life.
- Proudly made in the USA at our Delaware manufacturing facility.
- Standard wood crating included at no extra cost.

Consult factory for pricing.



Get our latest brochures...

HAND SINKS



SANITATION



The Eagle Advantage™ starts right here – in our state-of-the-art, 14-acre manufacturing facility, where the industry's most comprehensive broadband product offering comes to life.

From concept to completion, our all-in-one design and production capabilities give you a competitive edge: streamlined ordering, reduced freight and installation costs, and optimized project management.



Behind it all is a team of highly trained professionals, the most innovative and durable equipment on the market, a fleet of company-owned trucks, and fully stocked distribution centers strategically located across the country – ensuring product availability and reliable, on-schedule delivery.

The result? Unmatched quality, measurable cost savings, and lasting value. That's The Eagle Advantage™ – and it's built to benefit your business.



100 Industrial Boulevard,
Clayton, DE 19938-8903 USA
Phone: (302) 653-3000
FAX (302) 653-2065
www.eagle-mhc.com

