




Profit from the Eagle Advantage®

Specification Sheet

Short Form Specifications

Eagle QuadPLUS®, model _____. Blue or green polymer shelf mat available with standard wire truss frame. Pack of four split sleeves per truss frame. Blue mats include truss frames with chrome finish or Valu-Master® gray epoxy. Green mats include truss frames with EAGLEgard® green or Valu-Gard® green epoxy. Louvered and solid mats available.



QuadPLUS® shelf mat removed, showing standard wire truss frame



shelf unit with QuadPLUS®

Options / Accessories

- Dividers
- Wire Baskets

EAGLE GROUP
 100 Industrial Boulevard, Clayton, DE 19938-8903 USA
 Phone: 302-653-3000 • Fax: 302-653-2065
 www.eaglegrp.com

Foodservice Division: Phone 800-441-8440
MHC/Retail Display Divisions: Phone 800-637-5100

For custom configuration or fabrication needs, contact our **SpecFAB® Division**.
 Phone: 302-653-3000 • Fax: 302-653-2065 • e-mail: quotes@eaglegrp.com

Spec sheets available for viewing, printing or downloading from our online literature library at www.eaglegrp.com

Eagle Foodservice Equipment, Eagle MHC, SpecFAB®, and Retail Display are divisions of Eagle Group. ©2014 by the Eagle Group

Item No.: _____
 Project No.: _____
 S.I.S. No.: _____

QuadPLUS® Polymer Shelf Mats with Standard Wire Truss Frames

MODELS:

- | | |
|------------------------------------|------------------------------------|
| <input type="checkbox"/> QPF-18*BL | <input type="checkbox"/> QPF-18*GL |
| <input type="checkbox"/> QPF-21*BL | <input type="checkbox"/> QPF-21*GL |
| <input type="checkbox"/> QPF-24*BL | <input type="checkbox"/> QPF-24*GL |
| <input type="checkbox"/> QPF-18*BS | <input type="checkbox"/> QPF-18*GS |
| <input type="checkbox"/> QPF-21*BS | <input type="checkbox"/> QPF-21*GS |
| <input type="checkbox"/> QPF-24*BS | <input type="checkbox"/> QPF-24*GS |

* See charts on back for complete model numbers.

Features

- Standard wire truss frames with choice of blue or green polymer shelf mats.
- Mats snap into the truss frame.
- Truss frames and shelves, adjustable at 1" increments, can be fitted onto the same shelf unit.
- Injection-molded polypropylene mats feature MICROGARD® antimicrobial protection against bacteria, mold and mildew.
- 800-lb. weight capacity for shelves up to 48", 600 lbs. for shelves 54" through 72" long—evenly distributed static load.
- Louvered and solid mats available.
- Easy assembly—no tools required.
- Easy cleaning.
- Dishwasher-safe.
- Included with blue shelf mats are truss frames coated with choice of chrome finish or Valu-Master® gray epoxy. Truss frames included with green shelf mats are coated with choice of EAGLEgard® green or Valu-Gard® green epoxy.
- Set of four split sleeves (included with each truss frame) snap onto Eagle's 1"-diameter posts.
- Temperature rating: -Up to 200°F* for intermittent exposure to cleaning, such as in a dishwasher.

* Temperature rating of -20°F to 125°F under continuous use.

Certifications / Approvals



AUTOQUOTES







Profit from the Eagle Advantage®

Item No.: _____
 Project No.: _____
 S.I.S. No.: _____

All models listed in the charts below include one standard truss frame and louvered or solid shelf mats.



TOP VIEW OF LOUVERED MATS



TOP VIEW OF SOLID MATS

QuadPLUS® with Standard Wire Truss Frames and Green Shelf Mats

width x length in. mm	...w/EAGLEgard® green epoxy		...w/Valu-Gard® green epoxy	
	w/louvered mats model #	with solid mats model #	w/louvered mats model #	with solid mats model #
18" x 24"	QPF-1824E-GL	QPF-1824E-GS	QPF-1824VG-GL	QPF-1824VG-GS
18" x 30"	QPF-1830E-GL	QPF-1830E-GS	QPF-1830VG-GL	QPF-1830VG-GS
18" x 36"	QPF-1836E-GL	QPF-1836E-GS	QPF-1836VG-GL	QPF-1836VG-GS
18" x 42"	QPF-1842E-GL	QPF-1842E-GS	QPF-1842VG-GL	QPF-1842VG-GS
18" x 48"	QPF-1848E-GL	QPF-1848E-GS	QPF-1848VG-GL	QPF-1848VG-GS
18" x 54"	QPF-1854E-GL	QPF-1854E-GS	QPF-1854VG-GL	QPF-1854VG-GS
18" x 60"	QPF-1860E-GL	QPF-1860E-GS	QPF-1860VG-GL	QPF-1860VG-GS
18" x 72"	QPF-1872E-GL	QPF-1872E-GS	QPF-1872VG-GL	QPF-1872VG-GS
21" x 24"	QPF-2124E-GL	QPF-2124E-GS	QPF-2124VG-GL	QPF-2124VG-GS
21" x 30"	QPF-2130E-GL	QPF-2130E-GS	QPF-2130VG-GL	QPF-2130VG-GS
21" x 36"	QPF-2136E-GL	QPF-2136E-GS	QPF-2136VG-GL	QPF-2136VG-GS
21" x 42"	QPF-2142E-GL	QPF-2142E-GS	QPF-2142VG-GL	QPF-2142VG-GS
21" x 48"	QPF-2148E-GL	QPF-2148E-GS	QPF-2148VG-GL	QPF-2148VG-GS
21" x 54"	QPF-2154E-GL	QPF-2154E-GS	QPF-2154VG-GL	QPF-2154VG-GS
21" x 60"	QPF-2160E-GL	QPF-2160E-GS	QPF-2160VG-GL	QPF-2160VG-GS
21" x 72"	QPF-2172E-GL	QPF-2172E-GS	QPF-2172VG-GL	QPF-2172VG-GS
24" x 24"	QPF-2424E-GL	QPF-2424E-GS	QPF-2424VG-GL	QPF-2424VG-GS
24" x 30"	QPF-2430E-GL	QPF-2430E-GS	QPF-2430VG-GL	QPF-2430VG-GS
24" x 36"	QPF-2436E-GL	QPF-2436E-GS	QPF-2436VG-GL	QPF-2436VG-GS
24" x 42"	QPF-2442E-GL	QPF-2442E-GS	QPF-2442VG-GL	QPF-2442VG-GS
24" x 48"	QPF-2448E-GL	QPF-2448E-GS	QPF-2448VG-GL	QPF-2448VG-GS
24" x 54"	QPF-2454E-GL	QPF-2454E-GS	QPF-2454VG-GL	QPF-2454VG-GS
24" x 60"	QPF-2460E-GL	QPF-2460E-GS	QPF-2460VG-GL	QPF-2460VG-GS
24" x 72"	QPF-2472E-GL	QPF-2472E-GS	QPF-2472VG-GL	QPF-2472VG-GS

QuadPLUS® with Standard Wire Truss Frames and Blue Shelf Mats

width x length in. mm	...w/VALU-MASTER® gray epoxy		...with Chrome finish	
	w/louvered mats model #	with solid mats model #	w/louvered mats model #	with solid mats model #
18" x 24"	QPF-1824V-BL	QPF-1824V-BS	QPF-1824C-BL	QPF-1824C-BS
18" x 30"	QPF-1830V-BL	QPF-1830V-BS	QPF-1830C-BL	QPF-1830C-BS
18" x 36"	QPF-1836V-BL	QPF-1836V-BS	QPF-1836C-BL	QPF-1836C-BS
18" x 42"	QPF-1842V-BL	QPF-1842V-BS	QPF-1842C-BL	QPF-1842C-BS
18" x 48"	QPF-1848V-BL	QPF-1848V-BS	QPF-1848C-BL	QPF-1848C-BS
18" x 54"	QPF-1854V-BL	QPF-1854V-BS	QPF-1854C-BL	QPF-1854C-BS
18" x 60"	QPF-1860V-BL	QPF-1860V-BS	QPF-1860C-BL	QPF-1860C-BS
18" x 72"	QPF-1872V-BL	QPF-1872V-BS	QPF-1872C-BL	QPF-1872C-BS
21" x 24"	QPF-2124V-BL	QPF-2124V-BS	QPF-2124C-BL	QPF-2124C-BS
21" x 30"	QPF-2130V-BL	QPF-2130V-BS	QPF-2130C-BL	QPF-2130C-BS
21" x 36"	QPF-2136V-BL	QPF-2136V-BS	QPF-2136C-BL	QPF-2136C-BS
21" x 42"	QPF-2142V-BL	QPF-2142V-BS	QPF-2142C-BL	QPF-2142C-BS
21" x 48"	QPF-2148V-BL	QPF-2148V-BS	QPF-2148C-BL	QPF-2148C-BS
21" x 54"	QPF-2154V-BL	QPF-2154V-BS	QPF-2154C-BL	QPF-2154C-BS
21" x 60"	QPF-2160V-BL	QPF-2160V-BS	QPF-2160C-BL	QPF-2160C-BS
21" x 72"	QPF-2172V-BL	QPF-2172V-BS	QPF-2172C-BL	QPF-2172C-BS
24" x 24"	QPF-2424V-BL	QPF-2424V-BS	QPF-2424C-BL	QPF-2424C-BS
24" x 30"	QPF-2430V-BL	QPF-2430V-BS	QPF-2430C-BL	QPF-2430C-BS
24" x 36"	QPF-2436V-BL	QPF-2436V-BS	QPF-2436C-BL	QPF-2436C-BS
24" x 42"	QPF-2442V-BL	QPF-2442V-BS	QPF-2442C-BL	QPF-2442C-BS
24" x 48"	QPF-2448V-BL	QPF-2448V-BS	QPF-2448C-BL	QPF-2448C-BS
24" x 54"	QPF-2454V-BL	QPF-2454V-BS	QPF-2454C-BL	QPF-2454C-BS
24" x 60"	QPF-2460V-BL	QPF-2460V-BS	QPF-2460C-BL	QPF-2460C-BS
24" x 72"	QPF-2472V-BL	QPF-2472V-BS	QPF-2472C-BL	QPF-2472C-BS



corner collar of standard wire truss frame

EAGLE GROUP

100 Industrial Boulevard, Clayton, DE 19938-8903 USA

Phone: 302-653-3000 • Fax: 302-653-2065 • www.eaglegrp.com

Foodservice Division: Phone 800-441-8440

MHC/Retail Display Divisions: Phone 800-637-5100

Printed in U.S.A.

©2014 by Eagle Group

Rev. 03/14

Spec sheets available for viewing, printing or downloading from our online literature library at www.eaglegrp.com

Although every attempt has been made to ensure the accuracy of the information provided, we cannot be held responsible for typographical or printing errors. Information and specifications are subject to change without notice. Please confirm at time of order.




Profit from the Eagle Advantage®

Specification Sheet

Short Form Specifications

Eagle QuadPLUS®, model _____. Blue or green polymer shelf mat available with Quad-Adjust® wire truss frame. Pack of four split sleeves per truss frame. Blue mats include truss frames with chrome finish or Valu-Master® gray epoxy. Green mats include truss frames with EAGLEgard® green or Valu-Gard® green epoxy. Louvered and solid mats available.



QuadPLUS® shelf mat removed, showing Quad-Adjust® wire truss frame

shelf unit with QuadPLUS®

Options / Accessories

- Dividers
- Wire Baskets

EAGLE GROUP
100 Industrial Boulevard, Clayton, DE 19938-8903 USA
Phone: 302-653-3000 • Fax: 302-653-2065
www.eaglegrp.com • www.eaglehmc.com

Foodservice Division: Phone 800-441-8440
MHC Division: Phone 800-637-5100

For custom configuration or fabrication needs, contact our **SpecFAB® Division**.
Phone: 302-653-3000 • Fax: 302-653-2065 • e-mail: quotes@eaglegrp.com

Spec sheets available for viewing, printing or downloading from our online literature library at www.eaglegrp.com

Eagle Foodservice Equipment, Eagle MHC, and SpecFAB® are divisions of Eagle Group. ©2019 by the Eagle Group

Item No.:	_____
Project No.:	_____
S.I.S. No.:	_____

QuadPLUS® Polymer Shelf Mats with Quad-Adjust® Truss Frames

MODELS:

- | | |
|--------------------------------------|--------------------------------------|
| <input type="checkbox"/> QPF-QA18*BL | <input type="checkbox"/> QPF-QA18*GL |
| <input type="checkbox"/> QPF-QA21*BL | <input type="checkbox"/> QPF-QA21*GL |
| <input type="checkbox"/> QPF-QA24*BL | <input type="checkbox"/> QPF-QA24*GL |
| <input type="checkbox"/> QPF-QA18*BS | <input type="checkbox"/> QPF-QA18*GS |
| <input type="checkbox"/> QPF-QA21*BS | <input type="checkbox"/> QPF-QA21*GS |
| <input type="checkbox"/> QPF-QA24*BS | <input type="checkbox"/> QPF-QA24*GS |

* See charts on back for complete model numbers.

Features

- Choice of blue or green polymer shelf mats, with Quad-Adjust® wire truss frames.
- Mats snap into the truss frame.
- Truss frames and shelves, adjustable at 1" increments, can be fitted onto the same shelf unit.*
- Injection-molded polypropylene mats feature MICROGARD® antimicrobial protection against bacteria, mold and mildew.
- 800-lb. weight capacity for shelves up to 48", 600 lbs. for shelves 54" through 72" long—evenly distributed static load.
- Louvered and solid mats available.
- Easy assembly—no tools required.
- Easy cleaning.
- Dishwasher-safe.
- Included with blue shelf mats are truss frames coated with choice of chrome finish or Valu-Master® gray epoxy. Truss frames included with green shelf mats are coated with choice of EAGLEgard® green or Valu-Gard® green epoxy.
- Set of four split sleeves (included with each truss frame) snap onto Eagle's 1"-diameter posts.
- Temperature rating: Up to 200°F** for intermittent exposure to cleaning, such as in a dishwasher.

* If shelf unit is mobile, the top and bottom shelves must be shelves with welded collars.

** Temperature rating of -20°F to 125°F under continuous use.

Certifications / Approvals






Profit from the Eagle Advantage®

Item No.: _____
 Project No.: _____
 S.I.S. No.: _____

All models listed in the charts below include one Quad-Adjust® truss frame and louvered or solid shelf mats.



QuadPLUS® with Quad-Adjust® Wire Truss Frames and Green Shelf Mats

width x length in. mm	...w/EAGLEgard® green epoxy		...w/Valu-Gard® green epoxy		
	w/louvered mats model #	with solid mats model #	w/louvered mats model #	with solid mats model #	
18" x 24"	457 x 610	QPF-QA1824E-GL	QPF-QA1824E-GS	QPF-QA1824VG-GL	QPF-QA1824VG-GS
18" x 30"	457 x 762	QPF-QA1830E-GL	QPF-QA1830E-GS	QPF-QA1830VG-GL	QPF-QA1830VG-GS
18" x 36"	457 x 914	QPF-QA1836E-GL	QPF-QA1836E-GS	QPF-QA1836VG-GL	QPF-QA1836VG-GS
18" x 42"	457 x 1067	QPF-QA1842E-GL	QPF-QA1842E-GS	QPF-QA1842VG-GL	QPF-QA1842VG-GS
18" x 48"	457 x 1219	QPF-QA1848E-GL	QPF-QA1848E-GS	QPF-QA1848VG-GL	QPF-QA1848VG-GS
18" x 54"	457 x 1372	QPF-QA1854E-GL	QPF-QA1854E-GS	QPF-QA1854VG-GL	QPF-QA1854VG-GS
18" x 60"	457 x 1524	QPF-QA1860E-GL	QPF-QA1860E-GS	QPF-QA1860VG-GL	QPF-QA1860VG-GS
18" x 72"	457 x 1829	QPF-QA1872E-GL	QPF-QA1872E-GS	QPF-QA1872VG-GL	QPF-QA1872VG-GS
21" x 24"	533 x 610	QPF-QA2124E-GL	QPF-QA2124E-GS	QPF-QA2124VG-GL	QPF-QA2124VG-GS
21" x 30"	533 x 762	QPF-QA2130E-GL	QPF-QA2130E-GS	QPF-QA2130VG-GL	QPF-QA2130VG-GS
21" x 36"	533 x 914	QPF-QA2136E-GL	QPF-QA2136E-GS	QPF-QA2136VG-GL	QPF-QA2136VG-GS
21" x 42"	533 x 1067	QPF-QA2142E-GL	QPF-QA2142E-GS	QPF-QA2142VG-GL	QPF-QA2142VG-GS
21" x 48"	533 x 1219	QPF-QA2148E-GL	QPF-QA2148E-GS	QPF-QA2148VG-GL	QPF-QA2148VG-GS
21" x 54"	533 x 1372	QPF-QA2154E-GL	QPF-QA2154E-GS	QPF-QA2154VG-GL	QPF-QA2154VG-GS
21" x 60"	533 x 1524	QPF-QA2160E-GL	QPF-QA2160E-GS	QPF-QA2160VG-GL	QPF-QA2160VG-GS
21" x 72"	533 x 1829	QPF-QA2172E-GL	QPF-QA2172E-GS	QPF-QA2172VG-GL	QPF-QA2172VG-GS
24" x 24"	610 x 610	QPF-QA2424E-GL	QPF-QA2424E-GS	QPF-QA2424VG-GL	QPF-QA2424VG-GS
24" x 30"	610 x 762	QPF-QA2430E-GL	QPF-QA2430E-GS	QPF-QA2430VG-GL	QPF-QA2430VG-GS
24" x 36"	610 x 914	QPF-QA2436E-GL	QPF-QA2436E-GS	QPF-QA2436VG-GL	QPF-QA2436VG-GS
24" x 42"	610 x 1067	QPF-QA2442E-GL	QPF-QA2442E-GS	QPF-QA2442VG-GL	QPF-QA2442VG-GS
24" x 48"	610 x 1219	QPF-QA2448E-GL	QPF-QA2448E-GS	QPF-QA2448VG-GL	QPF-QA2448VG-GS
24" x 54"	610 x 1372	QPF-QA2454E-GL	QPF-QA2454E-GS	QPF-QA2454VG-GL	QPF-QA2454VG-GS
24" x 60"	610 x 1524	QPF-QA2460E-GL	QPF-QA2460E-GS	QPF-QA2460VG-GL	QPF-QA2460VG-GS
24" x 72"	610 x 1829	QPF-QA2472E-GL	QPF-QA2472E-GS	QPF-QA2472VG-GL	QPF-QA2472VG-GS



Quad-Adjust® Collar - allows the addition or removable of a shelf without having to disassemble the entire shelf unit.

QuadPLUS® with Quad-Adjust® Wire Truss Frames and Blue Shelf Mats

width x length in. mm	...w/VALU-MASTER® gray epoxy		...with Chrome finish		
	w/louvered mats model #	with solid mats model #	w/louvered mats model #	with solid mats model #	
18" x 24"	457 x 610	QPF-QA1824V-BL	QPF-QA1824V-BS	QPF-QA1824C-BL	QPF-QA1824C-BS
18" x 30"	457 x 762	QPF-QA1830V-BL	QPF-QA1830V-BS	QPF-QA1830C-BL	QPF-QA1830C-BS
18" x 36"	457 x 914	QPF-QA1836V-BL	QPF-QA1836V-BS	QPF-QA1836C-BL	QPF-QA1836C-BS
18" x 42"	457 x 1067	QPF-QA1842V-BL	QPF-QA1842V-BS	QPF-QA1842C-BL	QPF-QA1842C-BS
18" x 48"	457 x 1219	QPF-QA1848V-BL	QPF-QA1848V-BS	QPF-QA1848C-BL	QPF-QA1848C-BS
18" x 54"	457 x 1372	QPF-QA1854V-BL	QPF-QA1854V-BS	QPF-QA1854C-BL	QPF-QA1854C-BS
18" x 60"	457 x 1524	QPF-QA1860V-BL	QPF-QA1860V-BS	QPF-QA1860C-BL	QPF-QA1860C-BS
18" x 72"	457 x 1829	QPF-QA1872V-BL	QPF-QA1872V-BS	QPF-QA1872C-BL	QPF-QA1872C-BS
21" x 24"	533 x 610	QPF-QA2124V-BL	QPF-QA2124V-BS	QPF-QA2124C-BL	QPF-QA2124C-BS
21" x 30"	533 x 762	QPF-QA2130V-BL	QPF-QA2130V-BS	QPF-QA2130C-BL	QPF-QA2130C-BS
21" x 36"	533 x 914	QPF-QA2136V-BL	QPF-QA2136V-BS	QPF-QA2136C-BL	QPF-QA2136C-BS
21" x 42"	533 x 1067	QPF-QA2142V-BL	QPF-QA2142V-BS	QPF-QA2142C-BL	QPF-QA2142C-BS
21" x 48"	533 x 1219	QPF-QA2148V-BL	QPF-QA2148V-BS	QPF-QA2148C-BL	QPF-QA2148C-BS
21" x 54"	533 x 1372	QPF-QA2154V-BL	QPF-QA2154V-BS	QPF-QA2154C-BL	QPF-QA2154C-BS
21" x 60"	533 x 1524	QPF-QA2160V-BL	QPF-QA2160V-BS	QPF-QA2160C-BL	QPF-QA2160C-BS
21" x 72"	533 x 1829	QPF-QA2172V-BL	QPF-QA2172V-BS	QPF-QA2172C-BL	QPF-QA2172C-BS
24" x 24"	610 x 610	QPF-QA2424V-BL	QPF-QA2424V-BS	QPF-QA2424C-BL	QPF-QA2424C-BS
24" x 30"	610 x 762	QPF-QA2430V-BL	QPF-QA2430V-BS	QPF-QA2430C-BL	QPF-QA2430C-BS
24" x 36"	610 x 914	QPF-QA2436V-BL	QPF-QA2436V-BS	QPF-QA2436C-BL	QPF-QA2436C-BS
24" x 42"	610 x 1067	QPF-QA2442V-BL	QPF-QA2442V-BS	QPF-QA2442C-BL	QPF-QA2442C-BS
24" x 48"	610 x 1219	QPF-QA2448V-BL	QPF-QA2448V-BS	QPF-QA2448C-BL	QPF-QA2448C-BS
24" x 54"	610 x 1372	QPF-QA2454V-BL	QPF-QA2454V-BS	QPF-QA2454C-BL	QPF-QA2454C-BS
24" x 60"	610 x 1524	QPF-QA2460V-BL	QPF-QA2460V-BS	QPF-QA2460C-BL	QPF-QA2460C-BS
24" x 72"	610 x 1829	QPF-QA2472V-BL	QPF-QA2472V-BS	QPF-QA2472C-BL	QPF-QA2472C-BS

EAGLE GROUP

100 Industrial Boulevard, Clayton, DE 19938-8903 USA

Phone: 302-653-3000 • Fax: 302-653-2065 • www.eaglegrp.com • www.eaglehmc.com

Foodservice Division: Phone 800-441-8440

MHC Division: Phone 800-637-5100

Printed in U.S.A.

©2019 by Eagle Group

Rev. 09/19

Spec sheets available for viewing, printing or downloading from our online literature library at www.eaglegrp.com

Although every attempt has been made to ensure the accuracy of the information provided, we cannot be held responsible for typographical or printing errors. Information and specifications are subject to change without notice. Please confirm at time of order.