

MARCH 2022 PRICE LIST

MATERIAL HANDLING, HEALTHCARE, CLEANROOM, LAB

- WIRE SHELVING
- CASEWORK
- WORKTABLES
- COUNTERTOPS
- SINKS
- FLOOR TROUGHS
- GOWNING EQUIPMENT
- CUSTOM FABRICATION

EAGLE™
MHC Division
Material Handling, Healthcare & Cleanroom Equipment

www.eaglemhc.com

Stainless Steel Inset Casework

(pages 101 through 124)









Eagle MHC manufactures a broad line of stainless steel inset casework featuring a wide variety of drawer and door configurations to meet your laboratory requirements with all casework proudly made in the U.S.A.

Our casework construction and performance characteristics are in full compliance with SEFA 8M Metal standards.

In addition to our extensive casework product line, Eagle MHC offers stainless steel countertops, custom stainless steel fabrication, laboratory sinks, workstations, shelving and other storage solutions.







EAGLE™
MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Standard Terms and Conditions of Sale - Effective October 2021

These terms and conditions, as may be modified by Metal Masters Foodservice Equipment Co., Inc. d/b/a Eagle Group's ("Eagle") sales quotation or proposal, and all documents incorporated by specific reference therein are the complete agreement ("Agreement") governing the sale of goods ("Goods") by Eagle to the customer ("Customer"). Customer's placement of an order manifests Customer's assent to this Agreement. This Agreement shall govern in the event of a conflict between this Agreement and any purchase order or other document from the Customer. This Agreement shall not be modified without a writing signed by Eagle and Customer.

PRICES

All merchandise will be billed at our current published list prices in effect at the time of shipment. Freight charges are in addition to merchandise charges unless shipped freight collect or freight prepaid at customer expense. Any sales tax or export fee Eagle must collect will be added to the Customer's invoice. Order consolidation is available for an additional charge.

PERFORMANCE

All shipping dates are approximate. Eagle is not responsible for any delays in processing, production, or shipping. Fulfillment is always subject to the availability of material and to conditions affecting shipment that are beyond our control. Eagle shall not be held liable for any delay.

SHORTAGE

All claims for shortage must be brought to our attention within five (5) business days from the date merchandise is received. Failure to notify Eagle Group of any shortage within five (5) business days of receipt shall result in a waiver of any claim of a shortage. Please be certain that you receive the number of packages signed for. A clear delivery ticket constitutes shipment was delivered without shortage and releases Eagle from liability.

CANCELLATIONS

Cancellations are not accepted on orders in transit, custom items, and electro-polished items. Standard orders that are canceled in production will be subject to up to a 30% cancellation charge.

RETURNS

Custom, modified standard equipment, and electro-polished items are non-returnable.

Authorization Policy for Standard Returns:

- ✔ $75.00 minimum on merchandise returns exclusive of freight.
- ✔ Written approval from Eagle's Customer Service is mandatory on all returns.
- ✔ Return authorization must be requested within 60 days from the date of shipment.
- ✔ Authorized return shipments, in which merchandise is not defective and orders have been properly filled, must be shipped prepaid and properly packaged in original Eagle Group packaging to prevent merchandise damage.
- ✔ Each return authorization number must be written on the outside of each carton returned to Eagle.
- ✔ No credits will be processed for a return until we have confirmation that the item has been received, has been inspected, and is confirmed that the item is in unused, new, and sellable condition. All items returned without proper authorization will not be credited and Eagle Group will not be responsible for shipping costs associated with the attempted return.

Restocking:

- ✔ Restocking and equipment repair fees for merchandise damaged during return shipment to Eagle will be withheld from the issued credit.
- ✔ Returns of made-to-stock merchandise are subject to a 30% restocking fee.
- ✔ Returns of standard made-to-order merchandise are subject to a 50% restocking fee.
- ✔ The minimum restocking fee on merchandise returns shall be $75.00.

PRINTS & DRAWINGS

All prints and drawings submitted with orders are accepted as a final approval in the custom order process. Errors that arise due to incorrect submittals are the responsibility of the customer. There are no cancellations on custom orders. If a custom order is canceled before production commencing, it will be billed to the customer at Eagle Group's standard rates. Once production commences, a custom order cannot be canceled and the customer is responsible for the purchase minus shipping charges.

DAMAGES

EAGLE's responsibility ceases immediately upon our retaining receipt of pickup from our dock by the transportation company. Therefore, all liability passes to the customer at our loading dock (FOB Origin), regardless of who pays the carrier, except in the rare case that we deliver using our truck (not a common carrier). If a container shows rough handling, do not give the carrier a clear delivery receipt and inspect the merchandise immediately or refuse the piece(s) of damaged merchandise. Note the damage on the delivery receipt/bill of lading while the driver is there. If you sign your name on the freight bill without noting any damages, then you are stating you have received your order/shipment in acceptable condition. Upon finding damage while unpacking the product, call the carrier without further unpackaging, ask for an inspection, and follow-through by filing a claim with the carrier immediately. Concealed damage claims must be reported in writing to the carrier within five (5) business days of receipt.

ORDER APPROVAL

All orders are subject to final approval by Eagle's home office. Acceptance and/or performance shall be at all times subject to the approval of Eagle's Credit Department. Minimum order of $50.00 net after any credits required. Shipping cost is not included towards the minimum order.

TERMS

Discount and discount dates are clearly marked at the bottom of each invoice should you be entitled to any discount, subject to the current status of your account. If any payment owed to Eagle is not paid when due, it shall bear interest at 1.5% per month, from the date on which it is due, until it is paid. Eagle shall have the right, among other remedies, in the event of delinquency to suspend further performance under this Agreement and/or other agreements with Customer. The customer shall be liable for all expenses, including attorneys' fees, relating to the collection of past due amounts.

- MONETARY VALUES ARE BASED ON U.S. CURRENCY. -

Standard Terms and Conditions of Sale - Effective October 2021

These terms and conditions, as may be modified by Metal Masters Foodservice Equipment Co., Inc. d/b/a Eagle Group's ("Eagle") sales quotation or proposal, and all documents incorporated by specific reference therein are the complete agreement ("Agreement") governing the sale of goods ("Goods") by Eagle to the customer ("Customer"). Customer's placement of an order manifests Customer's assent to this Agreement. This Agreement shall govern in the event of a conflict between this Agreement and any purchase order or other document from the Customer. This Agreement shall not be modified without a writing signed by Eagle and Customer.

UPS/FEDEX

All UPS and FedEx shipments will be charged a minimum shipping fee of $25.00.

FOB/FREIGHT

All orders ship FOB Origin unless otherwise specified. All orders shipped prepaid/add will receive an administrative surcharge added to the freight charge.

Freight rates are based on standard dock to dock shipments via Eagle's preferred carriers. Guaranteed delivery, expedited freight, and dedicated shipments are all subject to additional charges. Eagle is not responsible for any unauthorized accessorial charges including but not limited to lift gate, re-delivery, advance notification, limited access, residential, inside delivery, diversion miles, etc. All unauthorized accessorial charges will be billed back to the Customer. These charges will be applied after shipment in the form of a separate invoice. The customer is responsible for arranging and all costs associated with overweight, over height, and overwidth shipments and any logistical obligations such as permits and transportation escorts. Eagle reserves the right to make partial shipments and to segregate special orders and made-to-order Goods. Estimated shipping dimensions and weights serve as a guide only. The customer's shipping documents will include freight charges based on class.

ASSIGNMENT

Customer shall not assign its rights or duties hereunder without the prior written consent of Eagle. The rights and obligations of Eagle under this Agreement shall inure to the benefit of the successors, affiliates, and assigns of Eagle.

PATENTS AND COPYRIGHTS

In the event Eagle sells Customer an item infringing any valid U.S. patent or copyright and the use of such Goods is enjoined, Eagle shall have the right at its option and expense to: (i) procure for Customer the right to continue using such Goods; or (ii) replace them with non-infringing Goods; or (iii) modify same to become non-infringing; or (iv) grant Customer a credit for the depreciated value of such Goods and accept return of them. Any additional remedy is waived by the customer.

Eagle's (and its affiliates') name, logo, designs, drawings, trademarks, and other intellectual property remains the property of Eagle and may not be disclosed, reproduced, or used without its prior written consent.

USE OF GOODS

Customer shall not use any Goods for an unlawful purpose.

JURISDICTION

This Agreement shall be construed in accordance with the laws of the State of Delaware without regard to conflicts of laws. The parties hereto each irrevocably consent to the exclusive jurisdiction of the State courts of the State of Delaware for the resolution of any dispute hereunder and waive removal to Federal Court. This Agreement shall be deemed to be performed in Delaware. Customer specifically agrees to accept service of process by hand-delivery or Certified Mail even if same is not effectuated upon Customer within the territorial jurisdiction of the State of Delaware.

THIRD PARTY OFFERS

EAGLE Group only will honor pricing on proposals submitted by Eagle Group. No third-party pricing offers shall be valid.

CONTROLLING LAW

This Agreement is made under and shall be governed by, construed, and enforced in accordance with, the laws of Delaware without regard to conflicts of law principles.

EXCLUSIVE JURISDICTION

The parties consent to the exclusive jurisdiction of the courts of Delaware and/or the United States District Court for the District of Delaware in any action between the parties arising out of this and Agreement.

LIMITED WARRANTY

Eagle Group warrants only that goods supplied hereunder manufactured by Eagle Group will be free from defects in material and workmanship at the time they leave our factory and are fit only for the purposes intended and no other use or purpose. Remedies in the event of a breach or default by Eagle Group of any kind, including but not limited to the foregoing, arising or not arising under this Agreement, are limited to the cost of goods sold, exclusive of shipping charges. Eagle Group makes no implied warranties to end-users or third persons except as set forth specifically in its written warranties. To view our complete warranty information please visit our website.

- MONETARY VALUES ARE BASED ON U.S. CURRENCY. -

All orders are to be sent to our corporate office. Please call our corporate office to place your order. All addresses are subject to change.


Delaware (corporate office):
EAGLE GROUP
100 Industrial Blvd.
Clayton, DE 19938

Toll Free Ph: 1-800-441-8440

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

WARRANTY INFORMATION



CLICK HERE FOR FULL WARRANTY INFORMATION

General Terms

- Warranty does not cover any cost associated with maintenance, misuse, abuse, or improper installation.
- Warranty applies in the contiguous United States only.
- Eagle will cover mileage up to 2 hrs or 100 miles round trip up to a maximum of $150.00 for approved warranty work, any overage is a customer responsibility.
- Any warranty work must be authorized by Eagle's service department before the repair appointment.
- The cost of warranty work cannot exceed the cost of the original item.
- Warranty does not cover items purchased as excess, seconds, or closeout inventory.
- Repair parts will be sent on ground transportation, air options available at customer expense.
- All purchases made by the Buyer from the Seller are subject to the seller's warranty and return policy.

To Obtain Service Under Eagle Warranty:

1. **Email our service department at service@eaglegrp.com**
2. **Include with email the following information…**
   a. Date of purchase and installation
   b. Proof of purchase (copy of the original dated invoice)
   c. Description of nature of the defect
   d. Model number, serial number, or description of model or component part
   e. Photographs, if applicable
3. **Wait for disposition from our service team.**


Note: Service work performed without Eagle approval will not be covered.

OTHERS' WIRE SHELVES COMPARED TO EAGLE GROUP'S…

(18″ x 60″ shelves shown)


EAGLE GROUP's shelves…

…incorporate more perimeter and interior serpentine trusses and mat continuity support wires than any competitive shelves.



Metro and most imported shelves…

…incorporate both perimeter and interior serpentine trusses and mat continuity support wires, *but* fewer *than EAGLE GROUP's.*



Eagle Group has the strongest wire shelf in the industry—no matter how you stack it!

SHELF AND POST FINISHES AVAILABLE

Stainless Steel Finish—*OUR BEST!*

Stainless Steel

- NSF-listed for all environments.
- Type 304 stainless steel.

NOTE: Stainless steel shelving is electropolished.

15-YEAR LIMITED WARRANTY

EAGLEgard® Hybrid Epoxy

Zinc Chloride
Clear Chromate
MasterSeal® Sealer
Blue Green (translucent)
- hybrid epoxy with MICROGARD®*

- NSF-listed for all environments.
- Zinc chloride plating followed by clear chromate plating with MasterSeal® Sealer and a hybrid epoxy final coat.

12-YEAR LIMITED WARRANTY

Valu-Gard® Green Epoxy

Phosphate Conversion Coating
MasterSeal® Sealer
Green (opaque)
- hybrid metallic epoxy

- NSF-listed for wet or dry storage environments.
- Phosphate conversion coating followed by green hybrid epoxy coating.

5-YEAR LIMITED WARRANTY

VALU-MASTER® Gray Epoxy

Phosphate Conversion Coating
MasterSeal® Sealer
Pewter Gray Epoxy

- NSF-listed for wet or dry storage environments.
- Phosphate conversion coating followed by metallic gray epoxy coating.

5-YEAR LIMITED WARRANTY

Chrome Finish

Bright Nickel
Chrome
Air-dry Lacquer

- NSF-listed for dry storage environments.
- Bright nickel plating followed by chrome plating.

NOTE: Optional clear hybrid epoxy, NSF-listed for all environments, is available.

1-YEAR LIMITED WARRANTY

EAGLEbrite® Zinc

Zinc chloride
Clear Chromate
MasterSeal® Sealer

- NSF-listed for dry storage environments.
- Bright zinc chloride plating followed by clear chromate plating with MasterSeal® sealer for improved rust protection.

NOTE: Wire shelves feature MasterSeal® Sealer. NSF-listed for all environments.

3-YEAR LIMITED WARRANTY

*** MICROGARD®…**

…is an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew on shelf surface that causes stains, odors and degradation.

…combines inorganic antimicrobial silver ions with a patented delivery system. The silver ions react with bacteria in three ways: 1) suffocates the cell, 2) stops the cell reproduction system, and 3) stops the cell from growing.

…is standard on all EAGLEgard® shelving.

Accessories/Components

Casters 9, 10, 61, 66
Casting for Leveling Feet 47
Collar Plug 47
Dividers 16, 49, 62
Enclosure Panels 48
Foot Plates 47
Glides 47
Inlays 61
Label Holders 25, 40
Ledges 50, 62
Leveling Feet 47
Post Cap 47
Post Clamps 47
Retaining Clamp 47
Rods & Tabs 48
"S" Hooks 47
Split Sleeves 47
More Accessories and Components 8-9, 47-55

Add-A-Shelf® and Accessories 22-23

Cantilever Shelving System Wall Mount 67-71

Carts

Angled Shelf/ Visual Merchandising Carts 33-34
Black Polymer Utility Cart 34
Cart Covers 31-32
Mobile Platform Carts 34
Polymer Utility Carts 34
Utility Carts 25, 27, 28-29
Stem Caster Carts 30
Wire Basket Utility Carts 27

Dolly Frames / Dolly Trucks

Aluminum Truck Dollies 39
Dolly Frames 40
Dolly Trucks 35

Posts 8, 23, 62

Q-LEVER® Cantilever Shelving System 72-85

Accessories 84-85
Four- and Five-Tier Units 75-80
Manager's Stations 83
Overhead Storage Systems 82
Task Stations 82
Utility Stations 83
Worktables 81

QuadPLUS® Polymer Shelf Mats, Starter Units, Accessories 13-16

Quik-Set® Solid Shelving 63-66

Racks and Platforms

Dunnage Racks 37-39
Platforms 36
Polymer Dunnage Racks 38
Tank Racks/Accessories 45

Redi-Pak®

Utility Carts 25
Wire Shelving Units 24

Retail Display Shelving and Accessories

Accessories/Components 60-62
Decorative Shelves 60
Garment Racks/Accessories 36

Security Units and Accessories 41-44

Shelves / Shelving Units / Kits

Adjustable Wire Shelving
• Add-A-Shelf® 22-23
• Quad-Adjust® 11-12
Cantilever Shelves 8, 61
Dunnage Shelf; Starter Units 38
Four-/Five-Shelf Add-On Units 19, 21
Four-/Five-Shelf Starter Units 12, 15, 18, 20
Hybrid Shelves 26-27
Reverse Mat Shelves/ Label Holders 25
Seismic Footplate Kits 17
Slanted Shelves 49
Sliding Shelf 53
Solid Shelves/Accessories 7
Triangle Shelf 52
Wire Basket Shelf 40
Wire Shelves 6

Tables 46

Track Systems

Floor Track Storage Systems 58-59
Overhead Track Storage Systems 56-57

Workstations

Modular Desks/Workstations 45

For the "Wall Shelves" section, go to pages 89–100.

Wire Shelves (NSF)

see spec sheet **EG01.00**



patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

WEIGHT CAPACITIES:

- Shelves up to 48″ *(1219mm)*: 800 lb. *(363 kg)*.
- 54″-72″ *(1372-1829mm)* shelves: 600 lb. *(272 kg)* - evenly distributed static load.

Note: Shelving units should not exceed 2400 lbs. *(1089 kg)* per set of four posts.

PACKAGING:

- 24″-48″ *(610-1219mm)* lengths: Four per box.
- 54″-72″ *(1372-1829mm)* lengths: Two per box.
- Four pairs of split sleeves per shelf.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*


	length		weight		cu	EAGLEbrite®		chrome		Valu-Master®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
14″ width *(356mm)*	24″	610	6	2.7	0.5	**1424Z** •	87	**1424C** •	103	**1424V** •	104	**1424VG** •	104	**1424E** •	119	**1424S**	355
	30″	762	7	3.2	0.5	**1430Z** •	94	**1430C** •	106	**1430V** •	112	**1430VG** •	112	**1430E** •	125	**1430S**	359
	36″	914	8	3.6	0.5	**1436Z** •	99	**1436C** •	116	**1436V** •	118	**1436VG** •	118	**1436E** •	**130**	**1436S** •	363
	42″	1067	9	4.1	0.7	**1442Z** •	118	**1442C** •	130	**1442V** •	136	**1442VG** •	136	**1442E** •	149	**1442S**	445
	48″	1219	10	4.5	0.7	**1448Z** •	118	**1448C** •	130	**1448V** •	136	**1448VG** •	136	**1448E** •	149	**1448S** •	445
	54″	1372	12	5.5	0.9	**1454Z** •	120	**1454C** •	136	**1454V** •	155	**1454VG** •	155	**1454E** •	172	**1454S**	566
	60″	1524	14	6.4	0.9	**1460Z** •	139	**1460C** •	147	**1460V** •	155	**1460VG** •	155	**1460E** •	172	**1460S** •	566
	72″	1829	17	7.7	1.1	**1472Z** •	158	**1472C** •	172	**1472V** •	182	**1472VG** •	182	**1472E** •	197	**1472S** •	642
18″ width *(457mm)*	24″	610	7	3.2	0.7	**1824Z** •	112	**1824C** •	116	**1824V** •	118	**1824VG** •	118	**1824E** •	136	**1824S** •	437
	30″	762	8	3.6	0.7	**1830Z** •	116	**1830C** •	117	**1830V** •	127	**1830VG** •	127	**1830E** •	140	**1830S** •	443
	36″	914	9	4.1	0.7	**1836Z** •	118	**1836C** •	119	**1836V** •	132	**1836VG** •	132	**1836E** •	145	**1836S** •	445
	42″	1067	11	5.0	0.9	**1842Z** •	136	**1842C** •	143	**1842V** •	156	**1842VG** •	156	**1842E** •	176	**1842S** •	534
	48″	1219	12	5.5	0.9	**1848Z** •	136	**1848C** •	143	**1848V** •	156	**1848VG** •	156	**1848E** •	176	**1848S** •	534
	54″	1372	15	6.8	1.2	**1854Z** •	158	**1854C** •	169	**1854V** •	189	**1854VG** •	189	**1854E** •	209	**1854S**	680
	60″	1524	17	7.7	1.2	**1860Z** •	158	**1860C** •	169	**1860V** •	189	**1860VG** •	189	**1860E** •	209	**1860S** •	680
	72″	1829	20	9.1	1.3	**1872Z** •	186	**1872C** •	198	**1872V** •	217	**1872VG** •	217	**1872E** •	242	**1872S** •	807
21″ width *(533mm)*	24″	610	8	3.6	0.7	**2124Z** •	120	**2124C** •	132	**2124V** •	133	**2124VG** •	133	**2124E** •	155	**2124S**	506
	30″	762	9	4.1	0.7	**2130Z** •	125	**2130C** •	136	**2130V** •	143	**2130VG** •	143	**2130E** •	158	**2130S**	510
	36″	914	11	5.0	0.8	**2136Z** •	130	**2136C** •	140	**2136V** •	145	**2136VG** •	145	**2136E** •	166	**2136S** •	515
	42″	1067	12	5.5	1.1	**2142Z** •	147	**2142C** •	162	**2142V** •	172	**2142VG** •	172	**2142E** •	193	**2142S**	594
	48″	1219	14	6.4	1.1	**2148Z** •	147	**2148C** •	162	**2148V** •	172	**2148VG** •	172	**2148E** •	193	**2148S** •	594
	54″	1372	16	7.3	1.3	**2154Z** •	182	**2154C** •	192	**2154V** •	208	**2154VG** •	208	**2154E** •	226	**2154S**	789
	60″	1524	18	8.2	1.3	**2160Z** •	182	**2160C** •	192	**2160V** •	208	**2160VG** •	208	**2160E** •	226	**2160S** •	789
	72″	1829	24	10.9	1.4	**2172Z** •	217	**2172C** •	228	**2172V** •	250	**2172VG** •	250	**2172E** •	276	**2172S**	937
24″ width *(610mm)*	24″	610	9	4.1	0.8	**2424Z** •	130	**2424C** •	139	**2424V** •	144	**2424VG** •	144	**2424E** •	170	**2424S** •	547
	30″	762	11	5.0	0.8	**2430Z** •	133	**2430C** •	144	**2430V** •	155	**2430VG** •	155	**2430E** •	174	**2430S** •	550
	36″	914	13	5.9	0.8	**2436Z** •	139	**2436C** •	147	**2436V** •	158	**2436VG** •	158	**2436E** •	177	**2436S** •	555
	42″	1067	15	6.8	1.2	**2442Z** •	166	**2442C** •	177	**2442V** •	197	**2442VG** •	197	**2442E** •	217	**2442S** •	674
	48″	1219	16	7.3	1.2	**2448Z** •	166	**2448C** •	177	**2448V** •	197	**2448VG** •	197	**2448E** •	217	**2448S** •	674
	54″	1372	19	8.6	1.5	**2454Z** •	203	**2454C** •	214	**2454V** •	230	**2454VG** •	230	**2454E** •	256	**2454S** •	822
	60″	1524	21	9.5	1.5	**2460Z** •	203	**2460C** •	214	**2460V** •	230	**2460VG** •	230	**2460E** •	256	**2460S** •	822
	72″	1829	26	11.8	1.6	**2472Z** •	229	**2472C** •	250	**2472V** •	270	**2472VG** •	270	**2472E** •	300	**2472S** •	1026
30″ width *(762mm)*	30″	762	16	7.3	1.0	**3030Z**	169	**3030C**	192	**3030V**	195	**3030VG**	195	**3030E**	228	**3030S**	649
	36″	914	17	7.7	1.0	**3036Z** •	189	**3036C** •	217	**3036V**	220	**3036VG**	220	**3036E** •	263	**3036S**	736
	48″	1219	20	9.1	1.5	**3048Z** •	217	**3048C** •	250	**3048V**	256	**3048VG**	256	**3048E** •	299	**3048S**	858
	60″	1524	25	11.4	1.8	**3060Z** •	244	**3060C** •	275	**3060V**	287	**3060VG**	287	**3060E** •	339	**3060S**	950
	72″	1829	30	13.6	2.3	**3072Z** •	294	**3072C** •	330	**3072V**	343	**3072VG**	343	**3072E** •	408	**3072S**	1154
36″ width *(914mm)*	36″	914	21	9.5	1.3	**3636Z** •	208	**3636C** •	243	**3636V**	244	**3636VG**	244	**3636E** •	294	**3636S**	822
	48″	1219	26	11.8	1.9	**3648Z** •	245	**3648C** •	277	**3648V**	292	**3648VG**	292	**3648E** •	339	**3648S**	966
	60″	1524	34	15.4	2.3	**3660Z** •	280	**3660C** •	322	**3660V**	332	**3660VG**	332	**3660E** •	400	**3660S**	1125
	72″	1829	43	19.5	2.8	**3672Z** •	339	**3672C** •	377	**3672V**	403	**3672VG**	403	**3672E** •	470	**3672S**	1340

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Solid Shelves (NSF)

see spec sheet **EG01.01**



All shelves feature aluminum castings.

Raised ¼″-high "V" Edge on all sides and double hem bending provides quality and strength!

side view of solid shelf, showing raised "V" edge

FEATURES:

- Aluminum corner castings create locking mechanism to fasten shelves to posts with tapered split sleeves.

Notes: Contact factory for availability of 72″-long shelves. Availability based on application.

PACKAGING:

- 24″-48″ *(610-1219mm)* lengths: Four per box.
- 54″-72″ *(1372-1829mm)* lengths: Two per box.
- Four pairs of split sleeves per shelf.

All items can be shipped UPS.

Notes: For cleanroom applications, add prefix **"CR"** to stainless steel model number. **Example: CRSS1424S.** Alcohol-wiped & bagged, at NO ADDITIONAL PRICE.
316 stainless steel available. Consult factory.
Electropolished finish available. Consult factory. Please note: Shelf with electropolished finish will have a flat surface without "V" edge.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		weight		cu	galvanized		VALU-MASTER®		Valu-Gard®		stainless	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list
14″ width *(356mm)*	24″	610	10	4.5	0.5	**SS1424G**	260	**SS1424V**	287	**SS1424VG**	287	**SS1424S**	436
	30″	762	12	5.5	0.5	**SS1430G**	267	**SS1430V**	293	**SS1430VG**	293	**SS1430S**	449
	36″	914	14	6.4	0.5	**SS1436G**	277	**SS1436V**	303	**SS1436VG**	303	**SS1436S** •	449
	42″	1067	15	6.8	0.7	**SS1442G**	287	**SS1442V**	315	**SS1442VG**	315	**SS1442S**	539
	48″	1219	17	7.7	0.7	**SS1448G**	292	**SS1448V**	319	**SS1448VG**	319	**SS1448S** •	539
	54″	1372	20	9.1	0.9	**SS1454G**	314	**SS1454V**	347	**SS1454VG**	347	**SS1454S**	589
	60″	1524	22	10.0	0.9	**SS1460G**	315	**SS1460V**	356	**SS1460VG**	356	**SS1460S** •	648
18″ width *(457mm)*	24″	610	11	5.0	0.7	**SS1824G**	258	**SS1824V**	293	**SS1824VG**	293	**SS1824S** •	493
	30″	762	14	6.4	0.7	**SS1830G**	272	**SS1830V**	297	**SS1830VG**	297	**SS1830S** •	504
	36″	914	16	7.3	0.7	**SS1836G** •	276	**SS1836V**	309	**SS1836VG**	309	**SS1836S** •	504
	42″	1067	18	8.2	0.9	**SS1842G**	294	**SS1842V**	322	**SS1842VG**	322	**SS1842S**	617
	48″	1219	20	9.1	0.9	**SS1848G** •	297	**SS1848V** •	330	**SS1848VG**	330	**SS1848S** •	617
	54″	1372	22	10.0	1.2	**SS1854G**	320	**SS1854V**	356	**SS1854VG**	356	**SS1854S**	698
	60″	1524	24	10.9	1.2	**SS1860G** •	329	**SS1860V**	363	**SS1860VG**	363	**SS1860S** •	739
21″ width *(533mm)*	24″	610	13	5.9	0.7	**SS2124G**	277	**SS2124V**	308	**SS2124VG**	308	**SS2124S**	550
	30″	762	15	6.8	0.7	**SS2130G**	287	**SS2130V**	317	**SS2130VG**	317	**SS2130S**	563
	36″	914	18	8.2	0.8	**SS2136G**	306	**SS2136V**	334	**SS2136VG**	334	**SS2136S** •	563
	42″	1067	21	9.5	1.1	**SS2142G**	309	**SS2142V**	347	**SS2142VG**	347	**SS2142S**	705
	48″	1219	23	10.5	1.1	**SS2148G**	319	**SS2148V**	353	**SS2148VG**	353	**SS2148S**	705
	54″	1372	25	11.4	1.3	**SS2154G**	345	**SS2154V**	386	**SS2154VG**	386	**SS2154S**	733
	60″	1524	28	12.7	1.3	**SS2160G**	345	**SS2160V**	388	**SS2160VG**	388	**SS2160S**	864
24″ width *(610mm)*	24″	610	15	6.8	0.8	**SS2424G** •	278	**SS2424V**	309	**SS2424VG**	309	**SS2424S** •	594
	30″	762	17	7.7	0.8	**SS2430G**	292	**SS2430V**	317	**SS2430VG**	317	**SS2430S**	604
	36″	914	19	8.6	0.8	**SS2436G** •	307	**SS2436V** •	338	**SS2436VG**	338	**SS2436S** •	604
	42″	1067	23	10.5	1.0	**SS2442G**	317	**SS2442V**	355	**SS2442VG**	355	**SS2442S** •	738
	48″	1219	24	10.9	1.2	**SS2448G** •	329	**SS2448V**	362	**SS2448VG**	362	**SS2448S** •	738
	54″	1372	27	12.3	1.5	**SS2454G**	353	**SS2454V**	393	**SS2454VG**	393	**SS2454S**	827
	60″	1524	31	14.1	1.5	**SS2460G** •	362	**SS2460V**	406	**SS2460VG**	406	**SS2460S** •	867

Solid Shelf Joining Clamp

see spec sheet **EG01.03D**



model #	list per pair
A203078	53

Note: Two required per shelf.


FEATURES:

- Clamp and two additional posts create various shelving add-on configurations.
- Joins shelves end-to-end, back-to-back, or at right angles.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Posts (NSF)

see spec sheets **EG01.00** **EG01.01** **EG01.11A** **EG01.14**



Posts are numbered on vertical 1″ (25mm) increments to help ensure fast and level assembly.

FEATURES:
- Height includes leveling bolt and cap.
- EAGLEbrite® posts feature air-dry lacquer and can be used for walk-in coolers.

Notes: For special length post, apply price at next higher length plus a cutting charge of **$20.00 list per post.**

See page 9 for appropriate stem casters.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

For Stationary Applications

height		cu	weight		EAGLEbrite®		chrome		Valu-Gard®		VALU-MASTER®		EAGLEgard®		stainless steel	
in.	mm	ft	lb.	kg	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
7″	178	0.1	1.0	0.5	**P7-Z** •	22	**P7-C**	25	**P7-VG**	26	**P7-V**	26	**P7-E** •	29	**P7-S**	58
14″	356	0.1	1.0	0.5	**P14-Z** •	26	**P14-C** •	28	**P14-VG**	29	**P14-V**	29	**P14-E** •	32	**P14-S**	60
18″	457	0.1	1.5	0.7	**P18-Z** •	29	**P18-C** •	32	**P18-VG**	33	**P18-V**	33	**P18-E**	43	**P18-S** •	85
33″	838	0.1	2.0	0.9	**P33-Z** •	32	**P33-C** •	33	**P33-VG** •	36	**P33-V** •	36	**P33-E** •	44	**P33-S** •	98
54″	1372	0.1	3.0	1.4	**P54-Z** •	40	**P54-C** •	43	**P54-VG** •	44	**P54-V** •	44	**P54-E** •	47	**P54-S** •	112
63″	1600	0.3	3.5	1.8	**P63-Z** •	43	**P63-C** •	44	**P63-VG** •	47	**P63-V** •	47	**P63-E** •	54	**P63-S** •	122
74″	1880	0.5	4.0	1.8	**P74-Z** •	44	**P74-C** •	49	**P74-VG** •	53	**P74-V** •	53	**P74-E** •	58	**P74-S** •	139
86″	2184	0.8	5.0	2.3	**P86-Z** •	55	**P86-C** •	59	**P86-VG** •	60	**P86-V** •	60	**P86-E** •	66	**P86-S** •	158
96″	2438	0.9	6.0	2.7	n/a		**P96-C** •*	67	n/a		n/a		n/a		**P96-S** •*	177

* 96″ (*2438mm*) posts are NOT to be used on units less than 24″ *(610mm)* front-to-back. Recommend using in conjunction with foot plates to affix to floor, and with post clamps where applicable.

For Mobile Applications

height		cu	weight		EAGLEbrite®		chrome		Valu-Gard®		VALU-MASTER®		EAGLEgard®		stainless steel	
in.	mm	ft	lb.	kg	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
7″	178	0.1	1.0	0.5	**CP7-Z**	22	**CP7-C**	25	**CP7-VG**	26	**CP7-V**	26	**CP7-E**	29	**CP7-S**	58
14″	356	0.1	1.0	0.5	**CP14-Z**	26	**CP14-C**	28	**CP14-VG**	29	**CP14-V**	29	**CP14-E**	32	**CP14-S**	60
18″	457	0.1	1.5	0.7	**CP18-Z**	29	**CP18-C**	32	**CP18-VG**	33	**CP18-V**	33	**CP18-E**	43	**CP18-S**	85
33″	838	0.1	2.0	0.9	**CP33-Z** •	32	**CP33-C** •	33	**CP33-VG** •	36	**CP33-V**	36	**CP33-E**	44	**CP33-S** •	98
54″	1372	0.1	3.0	1.4	**CP54-Z** •	40	**CP54-C** •	43	**CP54-VG**	44	**CP54-V**	44	**CP54-E**	47	**CP54-S**	112
63″	1600	0.3	3.5	1.8	**CP63-Z** •	43	**CP63-C** •	44	**CP63-VG** •	47	**CP63-V** •	47	**CP63-E** •	54	**CP63-S** •	122
74″	1880	0.5	4.0	1.8	**CP74-Z** •	44	**CP74-C** •	49	**CP74-VG** •	53	**CP74-V** •	53	**CP74-E** •	58	**CP74-S** •	139
86″	2184	0.8	5.0	2.3	**CP86-Z** •	55	**CP86-C** •	59	**CP86-VG** •	60	**CP86-V**	60	**CP86-E** •	66	**CP86-S**	158

Cantilever Shelves

see spec sheet **EG01.03E**



FEATURES:
- 1″ *(25mm)* wraparound ledge.
- 12″ *(305mm)* wide shelves.
- 75 lb. *(34 kg)* - evenly distributed static load.

NOTE: When ordering back posts, confirm with customer service, the correct post height to accommodate these shelves.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

length		weight		cubic	chrome		stainless steel	
in.	mm	lb.	kg	feet	model #	list	model #	list
24″	610	5	2.3	0.5	**CS1224-C**	112	**CS1224-S**	350
30″	762	5	2.3	0.8	**CS1230-C**	118	**CS1230-S**	378
36″	914	6	2.7	0.8	**CS1236-C**	120	**CS1236-S**	395
42″	1067	7	3.2	0.9	**CS1242-C**	136	**CS1242-S**	418
48″	1219	8	3.6	1.0	**CS1248-C** •	140	**CS1248-S**	439
54″	1372	9	4.1	1.1	**CS1254-C**	152	**CS1254-S**	467
60″	1524	10	4.5	1.3	**CS1260-C** •	162	**CS1260-S**	515

Ideal for adding extra storage above an existing shelving unit. Packaged two per box.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Stem Casters (NSF)

see spec sheet **EG01.05A**

Note: Decorative stem casters also available *(see page 61).*
Conductive stem casters available *(see page 176).*
These casters cannot be used with Master Trak®.

Add mobility to your stationary unit.

FEATURES:
- Use with posts.
- Donut bumpers.
- Swivel casters have a temperature rating of -15˚F.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Cart-Washable Casters

- Features stainless steel boot, swivel stem, sealed precision bearings, and polyurethane wheels.

type	capacity lbs.	capacity kg	wheel diameter in.	wheel diameter mm	wheel face in.	wheel face mm	weight lbs.	weight kg	cubic feet	model #	list
swivel	300	136.1	5˝	127	1¼˝	32	2.0	0.9	0.1	**CSS5WPS-300**	243
w/brake	300	136.1	5˝	127	1¼˝	32	2.0	0.9	0.1	**CSB5WPS-300**	264





resilient



resilient step-pedal brake caster

Resilient

type	wheel diameter in.	wheel diameter mm	wheel face in.	wheel face mm	weight lbs.	weight kg	cu ft	zinc capacity lbs.	zinc capacity kg	zinc model #	zinc list	stainless steel capacity lbs.	stainless steel capacity kg	stainless steel model #	stainless steel list
swivel	4˝	102	1˝	25	1.1	0.5	0.1	125	56.7	**CSS4-125** •	43	-		-	
swivel	5˝	127	1˝	25	2.0	0.9	0.1	125	56.7	**CSS5-125** •	47	-		-	
swivel	5˝	127	1¼˝	32	2.5	1.2	0.1	300	136.1	**CSS5-300** •	54	200	90.7	**CSS5S-200**	252
w/brake	5˝	127	1¼˝	32	2.8	1.3	0.1	300	136.1	**CSB5-300** •	62	200	90.7	**CSB5S-200**	276
w/step-pedal brake	5˝	127	1¼˝	32	2.8	1.3	0.1	300	136.1	**CSPB5-300**	92	-		-	
rigid ▼	5˝	127	1¼˝	32	3.5	1.6	0.1	300	136.1	**CSR5-300** •	59	200	90.7	**CSR5S-200**	243

Polyurethane

type	capacity lbs.	capacity kg	wheel diameter in.	wheel diameter mm	wheel face in.	wheel face mm	weight lbs.	weight kg	cu ft	nickel plated model #	nickel plated list	stainless steel model #	stainless steel list
swivel	300	136.1	5˝	127	1¼˝	32	2.5	1.2	0.1	**CSS5P-300** •	85	**CSS5PS-300** •	263
w/brake	300	136.1	5˝	127	1¼˝	32	2.8	1.3	0.1	**CSB5P-300** •	94	**CSB5PS-300** •	292
w/step-pedal brake	300	136.1	5˝	127	1¼˝	32	2.8	1.3	0.1	**CSPB5P-300**	103	-	
rigid ▼	300	136.1	5˝	127	1¼˝	32	3.5	1.6	0.1	**CSR5P-300** •	95	**CSR5PS-300**	243



(nickel plated) swivel stem caster with polyurethane tread

Cart Washable Polymer Casters

- Corrosion-resistant stainless steel axle, stainless steel stem, polymer horn, and 5˝ *(127mm)*-diameter polyurethane wheel.

type	type of bearing	capacity lbs.	capacity kg	wheel diameter in.	wheel diameter mm	wheel face in.	wheel face mm	weight lbs.	weight kg	cu ft	model #	list
swivel	delrin	250	113.4	5˝	127	1¼˝	32	2.0	0.9	0.1	**CPSS5-250** •	137
w/brake	delrin	250	113.4	5˝	127	1¼˝	32	2.0	0.9	0.1	**CPSB5-250** •	169



▼ Channel Frames for Rigid Stem Casters

Please note: Shelf width must be known when ordering rigid stem casters in order to ship appropriate channel frame to lock rigid casters.

shelf width in.	shelf width mm	weight lbs.	weight kg	cubic feet	model #	list
14˝	356	1.5	0.7	0.1	**A201706**	29
18˝	457	2.0	0.9	0.1	**A201007**	37
21˝	533	2.5	1.1	0.1	**A201008**	47
24˝	610	2.8	1.3	0.1	**A201009**	47
30˝	762	3.5	1.6	0.1	**A204795**	53
36˝	914	4.0	1.8	0.1	**A207562**	54



channel frame for rigid stem casters

Replacement Donut Bumpers for Stem Casters

description	model #	list
3½˝ *(89mm)* diameter	**A200019** •	12
5˝ *(127mm)* diameter, with swivel center	**A213261** •	26



donut bumper

Plate Casters (NSF)

see spec sheet **EG01.05B**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Cart Washable Polymer - Polyurethane tread.



type	capacity lbs.	capacity kg	wheel diameter in.	wheel diameter mm	wheel face in.	wheel face mm	weight lbs.	weight kg	model #	list
swivel	250	90.7	5″	127	1¼″	32	2.8	1.3	**PCPS5-250**	106
lock	250	90.7	5″	127	1¼″	32	2.8	1.3	**PCPL5-250**	133

Resilient



type	capacity lbs.	capacity kg	wheel diameter in.	wheel diameter mm	wheel face in.	wheel face mm	weight lbs.	weight kg	cu ft	EAGLEbrite® zinc model #	list
swivel	200	90.7	5″	127	1⅛″	29	2.8	1.3	0.5	**CPS5-200**	67
brake	200	90.7	5″	127	1⅛″	29	2.8	1.3	0.5	**CPB5-200**	77
rigid	200	90.7	5″	127	1⅛″	29	2.8	1.3	0.5	**CPR5-200**	77
swivel	250	90.7	5″	127	1¼″	32	3.0	1.4	0.5	**CPS5-250** •	86
brake	250	90.7	5″	127	1¼″	32	3.0	1.4	0.5	**CPB5-250**	94
rigid	250	90.7	5″	127	1¼″	32	3.0	1.4	0.5	**CPR5-250**	94
swivel	500	226.8	6″	152	2″	51	9.0	4.1	0.5	**CPS6-500**	130
brake	500	226.8	6″	152	2″	51	9.0	4.1	0.5	**CPB6-500**	144
rigid	500	226.8	6″	152	2″	51	9.0	4.1	0.5	**CPR6-500**	130

Polyurethane



with brake

type	capacity lbs.	capacity kg	wheel diameter in.	wheel diameter mm	wheel face in.	wheel face mm	weight lbs.	weight kg	cu ft	EAGLEbrite® zinc model #	list
swivel	300	136.1	5″	127	1¼″	32	3.0	1.4	0.5	**CPS5P-300** •	77
brake	300	136.1	5″	127	1¼″	32	3.0	1.4	0.5	**CPB5P-300** •	84
rigid	300	136.1	5″	127	1¼″	32	3.0	1.4	0.5	**CPR5P-300**	78
swivel	500	226.8	5″	127	2″	51	8.0	3.6	0.5	**CPS5P-500** •	152
brake	500	226.8	5″	127	2″	51	8.0	3.6	0.5	**CPB5P-500** •	174
rigid	500	226.8	5″	127	2″	51	8.0	3.6	0.5	**CPR5P-500**	174
swivel	600	272.1	6″	152	2″	51	9.0	4.1	0.5	**CPS6P-600** •	169
brake	600	272.1	6″	152	2″	51	9.0	4.1	0.5	**CPB6P-600** •	189
rigid	600	272.1	6″	152	2″	51	9.0	4.1	0.5	**CPR6P-600**	189
swivel	700	317.5	8″	203	2″	51	10.5	4.8	1.0	**CPS8P-700**	189
brake	700	317.5	8″	203	2″	51	10.5	4.8	1.0	**CPB8P-700**	214
rigid	700	317.5	8″	203	2″	51	10.5	4.8	1.0	**CPR8P-700**	214

Swivel/Lock Casters - Polyurethane tread.



type	capacity lbs.	capacity kg	wheel diameter in.	wheel diameter mm	wheel face in.	wheel face mm	weight lbs.	weight kg	cu ft	EAGLEbrite® zinc model #	list
swivel/lock	800	362.9	6″	152	2″	51	9.0	4.1	1.0	**CPL6Z-800**	315
swivel	800	362.9	6″	152	2″	51	9.0	4.1	1.0	**CPS6Z-800**	132
rigid	800	362.9	6″	152	2″	51	9.0	4.1	1.0	**CPR6Z-800**	122
brake	800	362.9	6″	152	2″	51	9.0	4.1	1.0	**CPB6Z-800**	156
swivel/lock	900	408.2	8″	203	2″	51	10.0	4.8	1.0	**CPL8Z-900**	325
swivel	900	408.2	8″	203	2″	51	10.0	4.8	1.0	**CPS8Z-900**	147
rigid	900	408.2	8″	203	2″	51	10.0	4.8	1.0	**CPR8Z-900**	136
brake	900	408.2	8″	203	2″	51	10.0	4.8	1.0	**CPB8Z-900**	172

Stainless Steel Pressure Washable Casters - Polyurethane tread.



with brake

type	capacity lbs.	capacity kg	wheel diameter in.	wheel diameter mm	wheel face in.	wheel face mm	weight lbs.	weight kg	cu ft	stainless steel model #	list
swivel	300	136.1	5″	127	1¼″	32	3.0	1.4	0.5	**CPS5S-300**	250
brake	300	136.1	5″	127	1¼″	32	3.0	1.4	0.5	**CPB5S-300**	272

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Quad-Adjust® Wire Shelving NSF

see spec sheet **EG01.14**



Quad-Adjust® shelves assembled with posts (see page 8 for posts)

PATENTED!
(patent #7,992,731)



Each shelf corner fits in collar mounted to split sleeve

patented QuadTruss® design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

FEATURES:

- Shelves feature special interlocking corners that fit in collars mounted to split sleeves, allowing addition or removal of a shelf without the need to disassemble the entire shelf unit.
- Tapered split sleeves create a positive lock that becomes stronger as the load increases.
- Posts *(page 8)* are numbered in increments of 1″ *(25mm)* to ensure fast and level assembly.
- Leveling feet are provided to help compensate for uneven floor surfaces.
- Shelves utilize patented QuadTruss® design: the mat wires are sandwiched between two top truss wires, adding significant strength and distributing the entire load without stress and strain on the welds.

Note: To create a mobile shelf unit, top and bottom shelves must be standard shelves *(page 6)*.


Weight capacities and packaging are the same as that of Wire Shelves (page 6).

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*


HOW TO ASSEMBLE:



Snap split sleeves onto post over number of your choice.



Attach Quad-Adjust® collar onto split sleeves.



Slide shelf into slots in collar to complete.

Quad-Adjust® Shelves

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless steel	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
14″ width (356mm)	24″	610	6	2.7	0.5	QA1424Z	156	QA1424C	172	QA1424V	166	QA1424VG	166	QA1424E	189	QA1424S	487
	30″	762	7	3.2	0.5	QA1430Z	166	QA1430C	177	QA1430V	174	QA1430VG	174	QA1430E	195	QA1430S	494
	36″	914	8	3.6	0.5	QA1436Z	170	QA1436C	182	QA1436V	184	QA1436VG	184	QA1436E	203	QA1436S	495
	42″	1067	9	4.1	0.7	QA1442Z	182	QA1442C	198	QA1442V	208	QA1442VG	208	QA1442E	219	QA1442S	592
	48″	1219	10	4.6	0.7	QA1448Z	189	QA1448C	205	QA1448V	214	QA1448VG	214	QA1448E	230	QA1448S	593
	54″	1372	12	5.5	0.9	QA1454Z	203	QA1454C	214	QA1454V	216	QA1454VG	216	QA1454E	242	QA1454S	726
	60″	1524	14	6.4	0.9	QA1460Z	214	QA1460C	219	QA1460V	242	QA1460VG	242	QA1460E	250	QA1460S	742
	72″	1829	17	7.7	1.1	QA1472Z	239	QA1472C	250	QA1472V	255	QA1472VG	255	QA1472E	276	QA1472S	830
18″ width (457mm)	24″	610	7	3.2	0.7	QA1824Z	180	QA1824C	182	QA1824V	180	QA1824VG	180	QA1824E	214	QA1824S	586
	30″	762	8	3.6	0.7	QA1830Z	183	QA1830C	186	QA1830V	197	QA1830VG	197	QA1830E	215	QA1830S	592
	36″	914	9	4.1	0.7	QA1836Z	189	QA1836C •	192	QA1836V •	209	QA1836VG •	209	QA1836E •	218	QA1836S	596
	42″	1067	11	5.0	0.9	QA1842Z	205	QA1842C	214	QA1842V	220	QA1842VG	220	QA1842E	250	QA1842S	693
	48″	1219	12	5.5	0.9	QA1848Z	214	QA1848C	216	QA1848V •	242	QA1848VG •	242	QA1848E •	255	QA1848S	704
	54″	1372	15	6.8	1.2	QA1854Z	230	QA1854C	242	QA1854V	255	QA1854VG	255	QA1854E	280	QA1854S	869
	60″	1524	17	7.7	1.2	QA1860Z	239	QA1860C	245	QA1860V •	267	QA1860VG •	267	QA1860E •	293	QA1860S	880
	72″	1829	20	9.1	1.3	QA1872Z	267	QA1872C	277	QA1872V	309	QA1872VG	309	QA1872E	322	QA1872S	1033
21″ width (533mm)	24″	610	8	3.6	0.8	QA2124Z	192	QA2124C	205	QA2124V	195	QA2124VG	195	QA2124E	230	QA2124S	664
	30″	762	9	4.1	0.8	QA2130Z	195	QA2130C	214	QA2130V	214	QA2130VG	214	QA2130E	239	QA2130S	676
	36″	914	11	5.0	0.8	QA2136Z	203	QA2136C	215	QA2136V	230	QA2136VG	230	QA2136E	243	QA2136S	683
	42″	1067	12	5.5	1.1	QA2142Z	216	QA2142C	232	QA2142V	245	QA2142VG	245	QA2142E	267	QA2142S	772
	48″	1219	14	6.4	1.1	QA2148Z	219	QA2148C	242	QA2148V	255	QA2148VG	255	QA2148E	270	QA2148S	776
	54″	1372	16	7.3	1.3	QA2154Z	255	QA2154C	264	QA2154V	275	QA2154VG	275	QA2154E	304	QA2154S	1006
	60″	1524	18	8.2	1.3	QA2160Z	256	QA2160C	269	QA2160V	277	QA2160VG	277	QA2160E	314	QA2160S	1012
	72″	1829	24	10.9	1.4	QA2172Z	303	QA2172C	315	QA2172V	337	QA2172VG	337	QA2172E	367	QA2172S	1189
24″ width (610mm)	24″	610	9	4.1	0.8	QA2424Z	203	QA2424C	214	QA2424V	215	QA2424VG	215	QA2424E	248	QA2424S	719
	30″	762	11	5.0	0.8	QA2430Z	208	QA2430C	216	QA2430V	230	QA2430VG	230	QA2430E	252	QA2430S	722
	36″	914	13	5.9	0.8	QA2436Z	214	QA2436C	219	QA2436V •	243	QA2436VG •	243	QA2436E •	256	QA2436S	729
	42″	1067	15	6.8	1.2	QA2442Z	239	QA2442C	252	QA2442V	260	QA2442VG	260	QA2442E	295	QA2442S	864
	48″	1219	16	7.3	1.2	QA2448Z	243	QA2448C •	256	QA2448V •	278	QA2448VG •	278	QA2448E •	303	QA2448S	867
	54″	1372	19	8.6	1.5	QA2454Z	276	QA2454C	292	QA2454V	306	QA2454VG	306	QA2454E	338	QA2454S	1047
	60″	1524	21	9.5	1.5	QA2460Z	278	QA2460C	294	QA2460V •	322	QA2460VG •	322	QA2460E •	345	QA2460S	1055
	72″	1829	26	11.8	1.6	QA2472Z	317	QA2472C	337	QA2472V	375	QA2472VG	375	QA2472E	394	QA2472S	1300

Note: MICROGARD® antimicrobial protection standard on all EAGLEgard® shelving.

Quad-Adjust® Wire Shelving (continued)

see spec sheet **EG01.14**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Quad-Adjust® Reverse Mat Shelves

Built-in ledges prevent shelf contents from falling off.

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless steel	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
14″ (356mm)	24″	610	6	2.7	0.5	QAR1424Z	170	QAR1424C	182	QAR1424V	176	QAR1424VG	176	QAR1424E	203	QAR1424S	516
	36″	914	8	3.6	0.5	QAR1436Z	180	QAR1436C	193	QAR1436V	197	QAR1436VG	197	QAR1436E	215	QAR1436S	526
	48″	1219	10	4.6	0.7	QAR1448Z	193	QAR1448C	216	QAR1448V	220	QAR1448VG	220	QAR1448E	248	QAR1448S	630
18″ (457mm)	24″	610	7	3.2	0.7	QAR1824Z	189	QAR1824C	192	QAR1824V	195	QAR1824VG	195	QAR1824E	220	QAR1824S	623
	36″	914	9	4.1	0.7	QAR1836Z	203	QAR1836C	205	QAR1836V	218	QAR1836VG	218	QAR1836E	232	QAR1836S	637
	48″	1219	12	5.5	0.9	QAR1848Z	220	QAR1848C	229	QAR1848V	254	QAR1848VG	254	QAR1848E	270	QAR1848S	747
21″ (533mm)	24″	610	8	3.6	0.7	QAR2124Z	197	QAR2124C	198	QAR2124V	209	QAR2124VG	209	QAR2124E	236	QAR2124S	642
	36″	914	11	5.0	0.8	QAR2136Z	215	QAR2136C	228	QAR2136V	248	QAR2136VG	248	QAR2136E	255	QAR2136S	720
	48″	1219	14	6.4	1.1	QAR2148Z	239	QAR2148C	254	QAR2148V	270	QAR2148VG	270	QAR2148E	292	QAR2148S	827
24″ (610mm)	24″	610	9	4.1	0.8	QAR2424Z	216	QAR2424C	220	QAR2424V	226	QAR2424VG	226	QAR2424E	263	QAR2424S	765
	36″	914	13	5.9	0.8	QAR2436Z	226	QAR2436C	239	QAR2436V	255	QAR2436VG	255	QAR2436E	272	QAR2436S	776
	48″	1219	16	7.3	1.2	QAR2448Z	255	QAR2448C	272	QAR2448V	300	QAR2448VG	300	QAR2448E	319	QAR2448S	920

Note: MICROGARD® antimicrobial protection standard on all EAGLEgard® shelving.

Quad-Adjust® 4-Tier Starter Units — Convenient easy-to-order starter unit kits.

see product announcement **EG8115M**

patented QuadTruss® design (Patent #5,390,803)

Consists of (2) standard wire shelves, (2) Quad-Adjust® shelves (patent #7,992,731), and (4) 74″ *(1880mm)* posts.

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless steel	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18″ width (457mm)	36″	914	65	40	2.7	F2QA2-74-1836Z	785	F2QA2-74-1836C	• 804	F2QA2-74-1836V	• 870	F2QA2-74-1836VG	• 870	F2QA2-74-1836E	• 926	F2QA2-74-1836S	2630
	48″	1219	78	36	3.6	F2QA2-74-1848Z	864	F2QA2-74-1848C	898	F2QA2-74-1848V	• 985	F2QA2-74-1848VG	• 985	F2QA2-74-1848E	•1059	F2QA2-74-1848S	3017
	60″	1524	102	46	4.3	F2QA2-74-1860Z	962	F2QA2-74-1860C	1014	F2QA2-74-1860V	•1098	F2QA2-74-1860VG	•1098	F2QA2-74-1860E	•1198	F2QA2-74-1860S	3663
	72″	1819	117	53	5.1	F2QA2-74-1872Z	1075	F2QA2-74-1872C	1140	F2QA2-74-1872V	1247	F2QA2-74-1872VG	1247	F2QA2-74-1872E	1328	F2QA2-74-1872S	4222
24″ width (610mm)	36″	914	81	37	3.6	F2QA2-74-2436Z	870	F2QA2-74-2436C	920	F2QA2-74-2436V	• 994	F2QA2-74-2436VG	• 994	F2QA2-74-2436E	•1065	F2QA2-74-2436S	3117
	48″	1219	98	45	4.6	F2QA2-74-2448Z	987	F2QA2-74-2448C	•1054	F2QA2-74-2448V	•1145	F2QA2-74-2448VG	•1145	F2QA2-74-2448E	•1236	F2QA2-74-2448S	3626
	60″	1524	122	55	5.7	F2QA2-74-2460Z	1136	F2QA2-74-2460C	1194	F2QA2-74-2460V	•1299	F2QA2-74-2460VG	•1299	F2QA2-74-2460E	•1398	F2QA2-74-2460S	4296
	72″	1819	149	68	6.9	F2QA2-74-2472Z	1260	F2QA2-74-2472C	1358	F2QA2-74-2472V	1475	F2QA2-74-2472VG	1475	F2QA2-74-2472E	1587	F2QA2-74-2472S	5196

Note: MICROGARD® antimicrobial protection standard on all EAGLEgard® shelving.




100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

QuadPLUS® Polymer Shelf Mats… (NSF)

see spec sheets **EG01.47A** **EG01.47B**



FEATURES

- Blue* polymer louvered or solid shelf mats.
- MICROGARD® antimicrobial protection standard on mats.
- Easy assembly—no tools required!

Note: Packaging is the same as that of Wire Shelves *(page 6)*.

WEIGHT CAPACITIES:

- Shelves up to 48″ *(1219mm)*: 800 lb. *(363 kg)*.
- 54″-72″ *(1372-1829mm)* shelves: 600 lb. *(272 kg)* - evenly distributed static load.

Note: Shelving units should not exceed 2400 lbs. *(1089 kg)* per set of four posts.

…with Standard Wire Truss Frame…

	length		weight		cu	…with Louvered Mats				…with Solid Mats			
						w/chrome finish*		w/Valu-Master® finish*		w/chrome finish*		w/Valu-Master® finish*	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list
18″ width (457mm)	24″	610	7	3.2	0.7	QPF-1824C-BL	159	QPF-1824V-BL	169	QPF-1824C-BS	169	QPF-1824V-BS	177
	30″	762	8	3.6	0.7	QPF-1830C-BL	169	QPF-1830V-BL	177	QPF-1830C-BS	177	QPF-1830V-BS	185
	36″	914	10	4.5	0.7	QPF-1836C-BL	169	QPF-1836V-BL	177	QPF-1836C-BS	177	QPF-1836V-BS	185
	42″	1067	11	5.0	0.9	QPF-1842C-BL	203	QPF-1842V-BL	214	QPF-1842C-BS	215	QPF-1842V-BS	223
	48″	1219	12	5.4	0.9	QPF-1848C-BL	203	QPF-1848V-BL	214	QPF-1848C-BS	215	QPF-1848V-BS	223
	54″	1372	15	6.8	1.2	QPF-1854C-BL	239	QPF-1854V-BL	252	QPF-1854C-BS	252	QPF-1854V-BS	264
	60″	1524	17	7.7	1.2	QPF-1860C-BL	239	QPF-1860V-BL	252	QPF-1860C-BS	252	QPF-1860V-BS	264
	72″	1829	20	9.0	1.3	QPF-1872C-BL	272	QPF-1872V-BL	287	QPF-1872C-BS	287	QPF-1872V-BS	300
21″ width (533mm)	24″	610	8	3.6	0.7	QPF-2124C-BL	182	QPF-2124V-BL	189	QPF-2124C-BS	189	QPF-2124V-BS	198
	30″	762	9	4.1	0.7	QPF-2130C-BL	185	QPF-2130V-BL	195	QPF-2130C-BS	195	QPF-2130V-BS	208
	36″	914	11	5.0	0.8	QPF-2136C-BL	185	QPF-2136V-BL	195	QPF-2136C-BS	195	QPF-2136V-BS	208
	42″	1067	13	5.9	1.1	QPF-2142C-BL	218	QPF-2142V-BL	229	QPF-2142C-BS	229	QPF-2142V-BS	243
	48″	1219	14	6.4	1.1	QPF-2148C-BL	218	QPF-2148V-BL	229	QPF-2148C-BS	229	QPF-2148V-BS	243
	54″	1372	16	7.3	1.3	QPF-2154C-BL	256	QPF-2154V-BL	270	QPF-2154C-BS	272	QPF-2154V-BS	287
	60″	1524	18	8.2	1.3	QPF-2160C-BL	256	QPF-2160V-BL	270	QPF-2160C-BS	272	QPF-2160V-BS	287
	72″	1829	23	10.4	1.4	QPF-2172C-BL	314	QPF-2172V-BL	330	QPF-2172C-BS	332	QPF-2172V-BS	350
24″ width (610mm)	24″	610	10	4.5	0.8	QPF-2424C-BL	198	QPF-2424V-BL	210	QPF-2424C-BS	214	QPF-2424V-BS	220
	30″	762	11	5.0	0.8	QPF-2430C-BL	203	QPF-2430V-BL	215	QPF-2430C-BS	216	QPF-2430V-BS	226
	36″	914	13	5.9	0.8	QPF-2436C-BL	203	QPF-2436V-BL	215	QPF-2436C-BS	216	QPF-2436V-BS	226
	42″	1067	15	6.8	1.2	QPF-2442C-BL	248	QPF-2442V-BL	260	QPF-2442C-BS	258	QPF-2442V-BS	272
	48″	1219	16	7.3	1.2	QPF-2448C-BL	248	QPF-2448V-BL	260	QPF-2448C-BS	258	QPF-2448V-BS	272
	54″	1372	19	8.6	1.5	QPF-2454C-BL	294	QPF-2454V-BL	307	QPF-2454C-BS	307	QPF-2454V-BS	322
	60″	1524	21	9.5	1.5	QPF-2460C-BL	294	QPF-2460V-BL	307	QPF-2460C-BS	307	QPF-2460V-BS	322
	72″	1829	25	11.3	1.6	QPF-2472C-BL	343	QPF-2472V-BL	359	QPF-2472C-BS	359	QPF-2472V-BS	378

…with Quad-Adjust® Truss Frame…


	length		weight		cu	…with Louvered Mats				…with Solid Mats			
						w/chrome finish*		w/Valu-Master® finish*		w/chrome finish*		w/Valu-Master® finish*	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list
18″ width (457mm)	24″	610	7	3.2	0.7	QPF-QA1824C-BL	186	QPF-QA1824V-BL	195	QPF-QA1824C-BS	195	QPF-QA1824V-BS	209
	30″	762	8	3.6	0.7	QPF-QA1830C-BL	195	QPF-QA1830V-BL	209	QPF-QA1830C-BS	209	QPF-QA1830V-BS	218
	36″	914	10	4.5	0.7	QPF-QA1836C-BL	195	QPF-QA1836V-BL	209	QPF-QA1836C-BS	209	QPF-QA1836V-BS	218
	42″	1067	11	5.0	0.9	QPF-QA1842C-BL	239	QPF-QA1842V-BL	248	QPF-QA1842C-BS	252	QPF-QA1842V-BS	264
	48″	1219	12	5.4	0.9	QPF-QA1848C-BL	239	QPF-QA1848V-BL	248	QPF-QA1848C-BS	252	QPF-QA1848V-BS	264
	54″	1372	15	6.8	1.2	QPF-QA1854C-BL	278	QPF-QA1854V-BL	295	QPF-QA1854C-BS	295	QPF-QA1854V-BS	309
	60″	1524	17	7.7	1.2	QPF-QA1860C-BL	278	QPF-QA1860V-BL	295	QPF-QA1860C-BS	295	QPF-QA1860V-BS	309
	72″	1829	20	9.0	1.3	QPF-QA1872C-BL	319	QPF-QA1872V-BL	334	QPF-QA1872C-BS	334	QPF-QA1872V-BS	354
21″ width (533mm)	24″	610	8	3.6	0.7	QPF-QA2124C-BL	215	QPF-QA2124V-BL	220	QPF-QA2124C-BS	220	QPF-QA2124V-BS	232
	30″	762	9	4.1	0.7	QPF-QA2130C-BL	218	QPF-QA2130V-BL	229	QPF-QA2130C-BS	229	QPF-QA2130V-BS	243
	36″	914	11	5.0	0.8	QPF-QA2136C-BL	218	QPF-QA2136V-BL	229	QPF-QA2136C-BS	229	QPF-QA2136V-BS	243
	42″	1067	13	5.9	1.1	QPF-QA2142C-BL	256	QPF-QA2142V-BL	270	QPF-QA2142C-BS	270	QPF-QA2142V-BS	284
	48″	1219	14	6.4	1.1	QPF-QA2148C-BL	256	QPF-QA2148V-BL	270	QPF-QA2148C-BS	270	QPF-QA2148V-BS	284
	54″	1372	16	7.3	1.3	QPF-QA2154C-BL	303	QPF-QA2154V-BL	318	QPF-QA2154C-BS	319	QPF-QA2154V-BS	334
	60″	1524	18	8.2	1.3	QPF-QA2160C-BL	303	QPF-QA2160V-BL	318	QPF-QA2160C-BS	319	QPF-QA2160V-BS	334
	72″	1829	23	10.4	1.4	QPF-QA2172C-BL	366	QPF-QA2172V-BL	387	QPF-QA2172C-BS	392	QPF-QA2172V-BS	408
24″ width (610mm)	24″	610	10	4.5	0.8	QPF-QA2424C-BL	232	QPF-QA2424V-BL	245	QPF-QA2424C-BS	248	QPF-QA2424V-BS	260
	30″	762	11	5.0	0.8	QPF-QA2430C-BL	239	QPF-QA2430V-BL	252	QPF-QA2430C-BS	254	QPF-QA2430V-BS	267
	36″	914	13	5.9	0.8	QPF-QA2436C-BL	239	QPF-QA2436V-BL	252	QPF-QA2436C-BS	254	QPF-QA2436V-BS	267
	42″	1067	15	6.8	1.2	QPF-QA2442C-BL	293	QPF-QA2442V-BL	306	QPF-QA2442C-BS	304	QPF-QA2442V-BS	319
	48″	1219	16	7.3	1.2	QPF-QA2448C-BL	293	QPF-QA2448V-BL	306	QPF-QA2448C-BS	304	QPF-QA2448V-BS	319
	54″	1372	19	8.6	1.5	QPF-QA2454C-BL	345	QPF-QA2454V-BL	362	QPF-QA2454C-BS	362	QPF-QA2454V-BS	380
	60″	1524	21	9.5	1.5	QPF-QA2460C-BL	345	QPF-QA2460V-BL	362	QPF-QA2460C-BS	362	QPF-QA2460V-BS	380
	72″	1829	25	11.3	1.6	QPF-QA2472C-BL	405	QPF-QA2472V-BL	426	QPF-QA2472C-BS	426	QPF-QA2472V-BS	444

*Available with green polymer mats and truss frames coated with EAGLEgard® green epoxy (w/MICROGARD®) or Valu-Gard® green epoxy finish.
See spec sheets **EG01.47A** and **EG01.47B**.


QuadPLUS® Wire Baskets and Truss Frames

see product announcement **EG8155M**

These baskets are used in conjunction with specially-made truss frames. Once truss frame is assembled to posts, set basket inside frame. It's that easy!



QuadPLUS® wire basket



truss frame

Wire Baskets

	length in.	length mm	depth in.	depth mm	chrome finish model #	chrome finish list	Valu-Master® gray epoxy model #	Valu-Master® gray epoxy list
18″ width (457mm)	16″	406	6″	152	**QPB1816C-6**	365	**QPB1816V-6**	375
	16″	406	9″	229	**QPB1816C-9**	393	**QPB1816V-9**	400
	22″	559	6″	152	**QPB1822C-6**	406	**QPB1822V-6**	415
	22″	559	9″	229	**QPB1822C-9**	436	**QPB1822V-9**	443
24″ width (610mm)	16″	406	6″	152	**QPB2416C-6**	380	**QPB2416V-6**	387
	16″	406	9″	229	**QPB2416C-9**	407	**QPB2416V-9**	416
	22″	559	6″	152	**QPB2422C-6**	420	**QPB2422V-6**	432
	22″	559	9″	229	**QPB2422C-9**	448	**QPB2422V-9**	460

Truss Frames with Standard Corners

Basket Capacity per Frame

	length in.	length mm	chrome finish model #	chrome finish list	Valu-Master® gray epoxy model #	Valu-Master® gray epoxy list	quantity of 16″-long basket	quantity of 22″-long basket
18″ width (457mm)	24″	610	**QPAF-1824C**	115	**QPAF-1824V**	116		1
	30″	760	**QPAF-1830C**	117	**QPAF-1830V**	118		1
	36″	914	**QPAF-1836C**	119	**QPAF-1836V**	120		2
	42″	1060	**QPAF-1842C**	122	**QPAF-1842V**	125	1	1
	48″	1220	**QPAF-1848C**	127	**QPAF-1848V**	128		2
	54″	1372	**QPAF-1854C**	128	**QPAF-1854V**	130		2
	60″	1524	**QPAF-1860C**	132	**QPAF-1860V**	133	2	1
	72″	1829	**QPAF-1872C**	136	**QPAF-1872V**	139		3
24″ width (610mm)	24″	610	**QPAF-2424C**	128	**QPAF-2424V**	130		1
	30″	760	**QPAF-2430C**	133	**QPAF-2430V**	136		1
	36″	914	**QPAF-2436C**	137	**QPAF-2436V**	140		2
	42″	1060	**QPAF-2442C**	140	**QPAF-2442V**	144	1	1
	48″	1220	**QPAF-2448C**	149	**QPAF-2448V**	155		2
	54″	1372	**QPAF-2454C**	152	**QPAF-2454V**	156		2
	60″	1524	**QPAF-2460C**	152	**QPAF-2460V**	156	2	1
	72″	1829	**QPAF-2472C**	170	**QPAF-2472V**	174		3



standard truss frame corner

Truss Frames with Quad-Adjust® Corners

Basket Capacity per Frame

	length in.	length mm	chrome finish model #	chrome finish list	Valu-Master® gray epoxy model #	Valu-Master® gray epoxy list	quantity of 16″-long basket	quantity of 22″-long basket
18″ width (457mm)	24″	610	**QPAF-QA1824C**	236	**QPAF-QA1824V**	242		1
	30″	760	**QPAF-QA1830C**	239	**QPAF-QA1830V**	244		1
	36″	914	**QPAF-QA1836C**	239	**QPAF-QA1836V**	244		2
	42″	1060	**QPAF-QA1842C**	243	**QPAF-QA1842V**	248	1	1
	48″	1220	**QPAF-QA1848C**	245	**QPAF-QA1848V**	252		2
	54″	1372	**QPAF-QA1854C**	254	**QPAF-QA1854V**	258		2
	60″	1524	**QPAF-QA1860C**	256	**QPAF-QA1860V**	263	2	1
	72″	1829	**QPAF-QA1872C**	258	**QPAF-QA1872V**	264		3
24″ width (610mm)	24″	610	**QPAF-QA2424C**	248	**QPAF-QA2424V**	254		1
	30″	760	**QPAF-QA2430C**	254	**QPAF-QA2430V**	258		1
	36″	914	**QPAF-QA2436C**	258	**QPAF-QA2436V**	264		2
	42″	1060	**QPAF-QA2442C**	264	**QPAF-QA2442V**	270	1	1
	48″	1220	**QPAF-QA2448C**	270	**QPAF-QA2448V**	275		2
	54″	1372	**QPAF-QA2454C**	275	**QPAF-QA2454V**	278		2
	60″	1524	**QPAF-QA2460C**	276	**QPAF-QA2460V**	280	2	1
	72″	1829	**QPAF-QA2472C**	289	**QPAF-QA2472V**	294		3



Quad-Adjust® truss frame corner (allows addition or removal of a shelf without having to disassemble the entire shelf unit)

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

QuadPLUS® 5-Tier Starter Units

see spec sheet **EG01.36M**

Convenient Easy-To-Order Starter Unit Kits

CONSISTS OF:

- One (1) Standard collar truss frame with louvered QuadPLUS® blue shelf mats.
- Three (3) Quad-Adjust® collar truss frames with louvered QuadPLUS® blue shelf mats.
- One (1) Standard collar truss frame with solid QuadPLUS® blue shelf mats.
- Four (4) 74″ *(1880mm)* posts. Mobile units feature 5″ *(127mm)* resilient swivel stem casters—two with brake.

Stationary Units

	length		with chrome finish		with Valu-Master® finish	
	in.	mm	model #	list	model #	list
18″ width *(457mm)*	36″	914	**QPSU1836C-B5-74**	1338	**QPSU1836V-B5-74**	1116
	48″	1219	**QPSU1848C-B5-74**	1537	**QPSU1848V-B5-74**	1314
	60″	1524	**QPSU1860C-B5-74**	1739	**QPSU1860V-B5-74**	1515
21″ width *(533mm)*	36″	914	**QPSU2136C-B5-74**	1444	**QPSU2136V-B5-74**	1219
	48″	1219	**QPSU2148C-B5-74**	1626	**QPSU2148V-B5-74**	1399
	60″	1524	**QPSU2160C-B5-74**	1840	**QPSU2160V-B5-74**	1616
24″ width *(610mm)*	36″	914	**QPSU2436C-B5-74**	1540	**QPSU2436V-B5-74**	1316
	48″	1219	**QPSU2448C-B5-74**	1788	**QPSU2448V-B5-74**	1563
	60″	1524	**QPSU2460C-B5-74**	2040	**QPSU2460V-B5-74**	1815



Mobile Units

	length		with chrome finish		with Valu-Master® finish	
	in.	mm	model #	list	model #	list
18″ width *(457mm)*	36″	914	**QPMU1836C-B5-74**	1399	**QPMU1836V-B5-74**	1177
	48″	1219	**QPMU1848C-B5-74**	1593	**QPMU1848V-B5-74**	1367
	60″	1524	**QPMU1860C-B5-74**	1815	**QPMU1860V-B5-74**	1589
21″ width *(533mm)*	36″	914	**QPMU2136C-B5-74**	1505	**QPMU2136V-B5-74**	1278
	48″	1219	**QPMU2148C-B5-74**	1695	**QPMU2148V-B5-74**	1470
	60″	1524	**QPMU2160C-B5-74**	1925	**QPMU2160V-B5-74**	1700
24″ width *(610mm)*	36″	914	**QPMU2436C-B5-74**	1608	**QPMU2436V-B5-74**	1386
	48″	1219	**QPMU2448C-B5-74**	1863	**QPMU2448V-B5-74**	1640
	60″	1524	**QPMU2460C-B5-74**	2132	**QPMU2460V-B5-74**	1907

QuadPLUS® Accessories

see product announcement **EG8165M**

See page 16 for more QuadPLUS® Accessories.



tray drying rack

Tray Drying Racks

Fits over existing QuadPlus® polymer shelving. Constructed of 6-gauge wire with chrome or Valu-Master® gray epoxy coating. Comes in widths of 18", 21" and 24". Lengths range from 24" long to 60".


	length		…with 1-1/2″ (38mm) Spacing				…with 3″ (76mm) Spacing			
			with Valu-Master®		with stainless finish		with Valu-Master®		with stainless finish	
	in.	mm	model #	list	model #	list	model #	list	model #	list
24″ width *(610mm)*	36″	914	**QTR24361-V**	375	**QTR24361-S**	406	**QTR24363-V**	366	**QTR24363-S**	398
	48″	1219	**QTR24481-V**	392	**QTR24481-S**	436	**QTR24483-V**	386	**QTR24483-S**	428
	60″	1524	**QTR24601-V**	416	**QTR24601-S**	469	**QTR24603-V**	408	**QTR24603-S**	464

QuadPLUS® Accessories

see product announcement **EG8165M**

Drop-In Drying Racks


Wire rack hangs onto front, center and rear trusses of frame included. All drying racks are stainless steel, with your choice of Valu-Master® gray epoxy or stainless steel truss frame.



drop-in drying rack

	length		w/Valu-Master® finish on truss frame		with stainless finish on truss frame	
	in.	mm	model #	list	model #	list
24″ width *(610mm)*	36″	914	**QDR2436-V**	465	**QDR2436-S**	630
	48″	1219	**QDR2448-V**	485	**QDR2448-S**	688
	60″	1524	**QDR2460-V**	510	**QDR2460-S**	759

Ledges



Front-to-Back Ledges…

			1″-high (25mm)						4″-high (102mm)					
width		cu	weight		w/chrome		w/Valu-Master®		weight		w/chrome		w/Valu-Master®	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
18″	457	0.3	0.3	0.1	**QL18W-1C**	58	**QL18W-1V**	59	0.9	0.4	**QL18W-4C**	59	**QL18W-4V**	60
21″	533	0.3	0.4	0.2	**QL21W-1C**	60	**QL21W-1V**	62	1.0	0.5	**QL21W-4C**	63	**QL21W-4V**	66
24″	610	0.3	0.5	0.2	**QL24W-1C**	62	**QL24W-1V**	63	1.2	0.6	**QL24W-4C**	63	**QL24W-4V**	66

Left-to-Right Ledges…

			1″-high (25mm)						4″-high (102mm)					
length		cu	weight		w/chrome		w/Valu-Master®		weight		w/chrome		w/Valu-Master®	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
24″	610	0.3	0.5	0.2	**QL24L-1C**	62	**QL24L-1V**	63	1.2	0.6	**QL24L-4C**	63	**QL24L-4V**	66
30″	762	0.5	0.7	0.3	**QL30L-1C**	74	**QL30L-1V**	77	1.4	0.6	**QL30L-4C**	83	**QL30L-4V**	84
36″	914	0.6	0.9	0.4	**QL36L-1C**	86	**QL36L-1V**	87	1.6	0.7	**QL36L-4C**	97	**QL36L-4V**	98
42″	1067	0.6	1.1	0.5	**QL42L-1C**	92	**QL42L-1V**	93	1.8	0.8	**QL42L-4C**	98	**QL42L-4V**	99
48″	1092	0.7	1.3	0.6	**QL48L-1C**	93	**QL48L-1V**	94	2.0	0.9	**QL48L-4C**	99	**QL48L-4V**	103
54″	1372	0.8	1.5	0.7	**QL54L-1C**	99	**QL54L-1V**	103	2.2	1.0	**QL54L-4C**	104	**QL54L-4V**	106
60″	1524	0.8	1.7	0.8	**QL60L-1C**	115	**QL60L-1V**	116	2.4	1.1	**QL60L-4C**	119	**QL60L-4V**	120
72″	1829	1.0	2.1	1.0	**QL72L-1C**	122	**QL72L-1V**	125	2.6	1.2	**QL72L-4C**	130	**QL72L-4V**	132

QuadPLUS® Dividers

8″ *(203mm)* height.



length		w/chrome		w/Valu-Master®	
in.	mm	model #	list	model #	list
18″	457	**QPSD18-C**	125	**QPSD18-V**	127
21″	533	**QPSD21-C**	127	**QPSD21-V**	130
24″	610	**QPSD24-C**	136	**QPSD24-V**	137

Post Clamps

Provides maximum strength when shelving units are connected by clamping posts securely together.



stainless steel		black epoxy	
model #	list	model #	list
ADD-A-CLAMP	12	**ADD-A-CLAMP-BL**	17

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Seismic Footplate Kits

see product announcement **EG8144**



bolt plate for #SFP10-1 | *two-post bolt plate for #SFP10-2* | *four-post bolt plate for #SFP10-4*

FEATURES

- For 1″-diameter posts of pre-existing shelf units.
- 20 PSF per shelf weight capacity.
- Includes hardware to attach to posts.
- Bolt plate is zinc-plated.
- Post straps are chrome-plated.

Note: Shelves and posts sold separately.


Converts standard shelving into seismic shelving!




post strap for #SFP10-2 and #SFP10-4

description	quantity of bolt plates per kit	width x length x height in.	mm	kit model #	list
one-post bolt plate	4	2⅞″ x 7″ x 4¼″	73 x 178 x 108	**SFP10-1**	306
two-post bolt plate, 2 sets of post straps*	2	8″ x 11″ x 4¼″	203 x 279 x 108	**SFP10-2**	506
four-post bolt plate, 4 sets of post straps*	1	11″ x 11″ x 4¼″	279 x 279 x 108	**SFP10-4**	478


* Post straps come with hardware for assembly, and split sleeves for attaching to posts.




For single shelving unit, you need…




one (1) #SFP10-1 kit




For TWO adjacent shelving units, you need…




one (1) #SFP10-1 kit




one (1) #SFP10-2 kit




For FOUR adjacent shelving units, you need…



one (1) #SFP10-1 kit



two (2) #SFP10-2 kits



one (1) #SFP10-4 kit

OSHPD APPROVED
OPM-0349-13

Approved by the California Office of Statewide Health Planning and Development.

Note: OSHPD ongoing evaluation may affect EAGLE GROUP's approve/pre-approve status. Consult factory.

Four-Shelf Starter Units

see spec sheet **EG01.25**



EAGLEgard® finish standard with MICROGARD® protection.

See bottom of page 4 for details.

INCLUDES:

- Four shelves.
- Four posts *(same finish as shelves).*
- Shipped knocked-down.

Note: 54″ *(1372mm)* shelves available *(see page 6).*

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

Models with 63″ *(1600mm)* Height

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18″ width *(457mm)*	24″	610	42	19	1.8	S4-63-1824Z •	603	S4-63-1824C •	625	S4-63-1824V •	648	S4-63-1824VG •	648	S4-63-1824E •	740	S4-63-1824S •	2227
	30″	762	47	21	2.2	S4-63-1830Z •	617	S4-63-1830C •	630	S4-63-1830V •	684	S4-63-1830VG •	684	S4-63-1830E •	764	S4-63-1830S •	2255
	36″	914	53	24	2.6	S4-63-1836Z •	630	S4-63-1836C •	648	S4-63-1836V •	705	S4-63-1836VG •	705	S4-63-1836E •	785	S4-63-1836S •	2269
	42″	1067	57	26	3.0	S4-63-1842Z •	705	S4-63-1842C •	740	S4-63-1842V •	798	S4-63-1842VG •	798	S4-63-1842E •	899	S4-63-1842S •	2616
	48″	1219	63	29	3.5	S4-63-1848Z •	705	S4-63-1848C •	740	S4-63-1848V •	798	S4-63-1848VG •	798	S4-63-1848E •	899	S4-63-1848S •	2616
	60″	1524	82	37	4.2	S4-63-1860Z •	789	S4-63-1860C •	840	S4-63-1860V •	937	S4-63-1860VG •	937	S4-63-1860E •	1032	S4-63-1860S •	3196
	72″	1829	94	43	5.0	S4-63-1872Z •	958	S4-63-1872C •	964	S4-63-1872V •	1044	S4-63-1872VG •	1044	S4-63-1872E •	1160	S4-63-1872S •	3703
21″ width *(533mm)*	24″	610	46	21	2.1	S4-63-2124Z •	648	S4-63-2124C •	698	S4-63-2124V •	710	S4-63-2124VG •	710	S4-63-2124E •	814	S4-63-2124S	2504
	30″	762	52	24	2.6	S4-63-2130Z •	660	S4-63-2130C •	710	S4-63-2130V •	747	S4-63-2130VG •	747	S4-63-2130E •	827	S4-63-2130S	2523
	36″	914	59	27	3.0	S4-63-2136Z •	684	S4-63-2136C •	734	S4-63-2136V •	764	S4-63-2136VG •	764	S4-63-2136E •	864	S4-63-2136S •	2537
	42″	1067	65	30	3.5	S4-63-2142Z •	754	S4-63-2142C •	820	S4-63-2142V •	864	S4-63-2142VG •	864	S4-63-2142E •	973	S4-63-2142S	2858
	48″	1219	71	32	4.0	S4-63-2148Z •	754	S4-63-2148C •	820	S4-63-2148V •	864	S4-63-2148VG •	864	S4-63-2148E •	973	S4-63-2148S •	2858
	60″	1524	88	40	5.0	S4-63-2160Z •	884	S4-63-2160C •	937	S4-63-2160V •	1000	S4-63-2160VG •	1000	S4-63-2160E •	1099	S4-63-2160S •	3647
	72″	1829	98	45	7.8	S4-63-2172Z •	1032	S4-63-2172C •	1083	S4-63-2172V •	1176	S4-63-2172VG •	1176	S4-63-2172E •	1306	S4-63-2172S	4223
24″ width *(610mm)*	24″	610	50	23	2.4	S4-63-2424Z •	684	S4-63-2424C •	727	S4-63-2424V •	754	S4-63-2424VG •	754	S4-63-2424E •	877	S4-63-2424S •	2662
	30″	762	57	26	2.9	S4-63-2430Z •	698	S4-63-2430C •	747	S4-63-2430V •	789	S4-63-2430VG •	789	S4-63-2430E •	895	S4-63-2430S •	2675
	36″	914	65	30	3.5	S4-63-2436Z •	719	S4-63-2436C •	764	S4-63-2436V •	807	S4-63-2436VG •	807	S4-63-2436E •	907	S4-63-2436S •	2704
	42″	1067	72	33	3.6	S4-63-2442Z •	827	S4-63-2442C •	877	S4-63-2442V •	937	S4-63-2442VG •	937	S4-63-2442E •	1066	S4-63-2442S •	3174
	48″	1219	79	36	4.5	S4-63-2448Z •	827	S4-63-2448C •	877	S4-63-2448V •	937	S4-63-2448VG •	937	S4-63-2448E •	1066	S4-63-2448S •	3174
	60″	1524	98	45	5.6	S4-63-2460Z •	973	S4-63-2460C •	1016	S4-63-2460V •	1099	S4-63-2460VG •	1099	S4-63-2460E •	1223	S4-63-2460S •	3769
	72″	1829	120	55	6.8	S4-63-2472Z •	1083	S4-63-2472C •	1170	S4-63-2472V •	1254	S4-63-2472VG •	1254	S4-63-2472E •	1398	S4-63-2472S •	4578

Models with 74″ *(1880mm)* Height

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18″ width *(457mm)*	24″	610	51	23	1.9	S4-74-1824Z •	610	S4-74-1824C •	640	S4-74-1824V •	660	S4-74-1824VG •	660	S4-74-1824E •	764	S4-74-1824S •	2293
	30″	762	58	26	2.3	S4-74-1830Z •	625	S4-74-1830C •	648	S4-74-1830V •	698	S4-74-1830VG •	698	S4-74-1830E •	785	S4-74-1830S •	2319
	36″	914	65	30	2.7	S4-74-1836Z •	640	S4-74-1836C •	660	S4-74-1836V •	719	S4-74-1836VG •	719	S4-74-1836E •	807	S4-74-1836S •	2334
	42″	1067	70	32	3.1	S4-74-1842Z •	710	S4-74-1842C •	754	S4-74-1842V •	814	S4-74-1842VG •	814	S4-74-1842E •	922	S4-74-1842S •	2683
	48″	1219	78	36	3.6	S4-74-1848Z •	710	S4-74-1848C •	754	S4-74-1848V •	814	S4-74-1848VG •	814	S4-74-1848E •	922	S4-74-1848S •	2683
	60″	1524	102	46	4.3	S4-74-1860Z •	798	S4-74-1860C •	858	S4-74-1860V •	950	S4-74-1860VG •	950	S4-74-1860E •	1054	S4-74-1860S •	3263
	72″	1829	117	53	5.1	S4-74-1872Z •	964	S4-74-1872C •	982	S4-74-1872V •	1059	S4-74-1872VG •	1059	S4-74-1872E •	1182	S4-74-1872S •	3769
21″ width *(533mm)*	24″	610	57	26	2.2	S4-74-2124Z •	653	S4-74-2124C •	710	S4-74-2124V •	727	S4-74-2124VG •	727	S4-74-2124E •	836	S4-74-2124S	2566
	30″	762	64	29	2.7	S4-74-2130Z •	666	S4-74-2130C •	727	S4-74-2130V •	764	S4-74-2130VG •	764	S4-74-2130E •	849	S4-74-2130S	2588
	36″	914	73	33	3.1	S4-74-2136Z •	688	S4-74-2136C •	747	S4-74-2136V •	776	S4-74-2136VG •	776	S4-74-2136E •	884	S4-74-2136S •	2603
	42″	1067	81	37	3.6	S4-74-2142Z •	764	S4-74-2142C •	836	S4-74-2142V •	877	S4-74-2142VG •	877	S4-74-2142E •	995	S4-74-2142S	2920
	48″	1219	88	40	4.1	S4-74-2148Z •	764	S4-74-2148C •	836	S4-74-2148V •	877	S4-74-2148VG •	877	S4-74-2148E •	995	S4-74-2148S •	2920
	60″	1524	109	50	5.1	S4-74-2160Z •	895	S4-74-2160C •	950	S4-74-2160V •	1016	S4-74-2160VG •	1016	S4-74-2160E •	1123	S4-74-2160S •	3709
	72″	1829	122	55	7.7	S4-74-2172Z •	1037	S4-74-2172C •	1095	S4-74-2172V •	1189	S4-74-2172VG •	1189	S4-74-2172E •	1329	S4-74-2172S	4289
24″ width *(610mm)*	24″	610	62	28	2.5	S4-74-2424Z •	688	S4-74-2424C •	740	S4-74-2424V •	770	S4-74-2424VG •	770	S4-74-2424E •	899	S4-74-2424S •	2726
	30″	762	71	32	3.0	S4-74-2430Z •	705	S4-74-2430C •	764	S4-74-2430V •	807	S4-74-2430VG •	807	S4-74-2430E •	915	S4-74-2430S •	2740
	36″	914	81	37	3.6	S4-74-2436Z •	727	S4-74-2436C •	776	S4-74-2436V •	820	S4-74-2436VG •	820	S4-74-2436E •	927	S4-74-2436S •	2770
	42″	1067	89	40	3.7	S4-74-2442Z •	836	S4-74-2442C •	895	S4-74-2442V •	950	S4-74-2442VG •	950	S4-74-2442E •	1087	S4-74-2442S •	3240
	48″	1219	98	45	4.6	S4-74-2448Z •	836	S4-74-2448C •	895	S4-74-2448V •	950	S4-74-2448VG •	950	S4-74-2448E •	1087	S4-74-2448S •	3240
	60″	1524	122	55	5.7	S4-74-2460Z •	982	S4-74-2460C •	1032	S4-74-2460V •	1118	S4-74-2460VG •	1118	S4-74-2460E •	1248	S4-74-2460S •	3834
	72″	1829	149	68	6.9	S4-74-2472Z •	1087	S4-74-2472C •	1182	S4-74-2472V •	1270	S4-74-2472VG •	1270	S4-74-2472E •	1420	S4-74-2472S •	4645

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Four-Shelf Add-On Units

see spec sheet **EG01.25**



EAGLEgard® finish standard with MICROGARD® protection.

See bottom of page 4 for details.

INCLUDES:

- Four shelves.
- Two posts *(same finish as shelves).*
- Two "S" hooks per shelf.
- Shipped knocked-down.

Note: 54″ *(1372mm)* shelves available *(see page 6).*

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

Models with 63″ *(1600mm)* Height

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18″ width *(457mm)*	24″	610	35	16	1.8	A4-63-1824Z •	564	A4-63-1824C •	582	A4-63-1824V •	598	A4-63-1824VG •	598	A4-63-1824E •	684	A4-63-1824S •	2026
	30″	762	40	18	2.2	A4-63-1830Z •	577	A4-63-1830C •	589	A4-63-1830V •	634	A4-63-1830VG •	634	A4-63-1830E •	705	A4-63-1830S •	2055
	36″	914	46	21	2.6	A4-63-1836Z •	593	A4-63-1836C •	603	A4-63-1836V •	655	A4-63-1836VG •	655	A4-63-1836E •	727	A4-63-1836S •	2072
	42″	1067	50	23	3.0	A4-63-1842Z •	663	A4-63-1842C •	698	A4-63-1842V •	750	A4-63-1842VG •	750	A4-63-1842E •	840	A4-63-1842S •	2418
	48″	1219	56	25	3.5	A4-63-1848Z •	663	A4-63-1848C •	698	A4-63-1848V •	750	A4-63-1848VG •	750	A4-63-1848E •	840	A4-63-1848S •	2418
	60″	1524	75	34	4.2	A4-63-1860Z •	750	A4-63-1860C •	798	A4-63-1860V •	888	A4-63-1860VG •	888	A4-63-1860E •	973	A4-63-1860S •	2997
	72″	1829	87	40	5.0	A4-63-1872Z •	919	A4-63-1872C •	922	A4-63-1872V •	998	A4-63-1872VG •	998	A4-63-1872E •	1099	A4-63-1872S •	3506
21″ width *(533mm)*	24″	610	39	18	2.1	A4-63-2124Z •	605	A4-63-2124C •	653	A4-63-2124V •	663	A4-63-2124VG •	663	A4-63-2124E •	754	A4-63-2124S	2300
	30″	762	45	21	2.6	A4-63-2130Z •	622	A4-63-2130C •	666	A4-63-2130V •	703	A4-63-2130VG •	703	A4-63-2130E •	770	A4-63-2130S	2322
	36″	914	52	24	3.0	A4-63-2136Z •	645	A4-63-2136C •	688	A4-63-2136V •	714	A4-63-2136VG •	714	A4-63-2136E •	807	A4-63-2136S •	2338
	42″	1067	58	26	3.5	A4-63-2142Z •	714	A4-63-2142C •	776	A4-63-2142V •	818	A4-63-2142VG •	818	A4-63-2142E •	915	A4-63-2142S	2654
	48″	1219	64	29	4.0	A4-63-2148Z •	714	A4-63-2148C •	776	A4-63-2148V •	818	A4-63-2148VG •	818	A4-63-2148E •	915	A4-63-2148S •	2654
	60″	1524	81	37	5.0	A4-63-2160Z •	845	A4-63-2160C •	895	A4-63-2160V •	955	A4-63-2160VG •	955	A4-63-2160E •	1044	A4-63-2160S •	3445
	72″	1829	92	42	7.8	A4-63-2172Z •	993	A4-63-2172C •	1037	A4-63-2172V •	1127	A4-63-2172VG •	1127	A4-63-2172E •	1248	A4-63-2172S	4026
24″ width *(610mm)*	24″	610	43	20	2.4	A4-63-2424Z •	645	A4-63-2424C •	684	A4-63-2424V •	708	A4-63-2424VG •	708	A4-63-2424E •	818	A4-63-2424S •	2460
	30″	762	50	23	2.9	A4-63-2430Z •	655	A4-63-2430C •	705	A4-63-2430V •	744	A4-63-2430VG •	744	A4-63-2430E •	830	A4-63-2430S •	2476
	36″	914	58	26	3.5	A4-63-2436Z •	680	A4-63-2436C •	719	A4-63-2436V •	759	A4-63-2436VG •	759	A4-63-2436E •	845	A4-63-2436S •	2506
	42″	1067	65	30	3.6	A4-63-2442Z •	787	A4-63-2442C •	836	A4-63-2442V •	888	A4-63-2442VG •	888	A4-63-2442E •	1005	A4-63-2442S •	2975
	48″	1219	72	33	4.5	A4-63-2448Z •	787	A4-63-2448C •	836	A4-63-2448V •	888	A4-63-2448VG •	888	A4-63-2448E •	1005	A4-63-2448S •	2975
	60″	1524	91	41	5.6	A4-63-2460Z •	932	A4-63-2460C •	973	A4-63-2460V •	1056	A4-63-2460VG •	1056	A4-63-2460E •	1164	A4-63-2460S •	3569
	72″	1829	113	51	6.8	A4-63-2472Z •	1040	A4-63-2472C •	1123	A4-63-2472V •	1208	A4-63-2472VG •	1208	A4-63-2472E •	1338	A4-63-2472S •	4380

Models with 74″ *(1880mm)* Height

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18″ width *(457mm)*	24″	610	43	20	1.9	A4-74-1824Z •	569	A4-74-1824C •	589	A4-74-1824V •	605	A4-74-1824VG •	605	A4-74-1824E •	692	A4-74-1824S •	2059
	30″	762	50	23	2.3	A4-74-1830Z •	585	A4-74-1830C •	596	A4-74-1830V •	645	A4-74-1830VG •	645	A4-74-1830E •	714	A4-74-1830S •	2089
	36″	914	57	26	2.7	A4-74-1836Z •	600	A4-74-1836C •	610	A4-74-1836V •	663	A4-74-1836VG •	663	A4-74-1836E •	738	A4-74-1836S •	2103
	42″	1067	62	28	3.1	A4-74-1842Z •	666	A4-74-1842C •	705	A4-74-1842V •	759	A4-74-1842VG •	759	A4-74-1842E •	852	A4-74-1842S •	2450
	48″	1219	70	32	3.6	A4-74-1848Z •	666	A4-74-1848C •	705	A4-74-1848V •	759	A4-74-1848VG •	759	A4-74-1848E •	852	A4-74-1848S •	2450
	60″	1524	93	42	4.3	A4-74-1860Z •	760	A4-74-1860C •	807	A4-74-1860V •	897	A4-74-1860VG •	897	A4-74-1860E •	984	A4-74-1860S •	3032
	72″	1829	108	49	5.1	A4-74-1872Z •	882	A4-74-1872C •	927	A4-74-1872V •	1005	A4-74-1872VG •	1005	A4-74-1872E •	1116	A4-74-1872S •	3537
21″ width *(533mm)*	24″	610	48	22	2.2	A4-74-2124Z •	610	A4-74-2124C •	660	A4-74-2124V •	673	A4-74-2124VG •	673	A4-74-2124E •	766	A4-74-2124S	2334
	30″	762	56	26	2.7	A4-74-2130Z •	625	A4-74-2130C •	676	A4-74-2130V •	708	A4-74-2130VG •	708	A4-74-2130E •	782	A4-74-2130S	2355
	36″	914	65	30	3.1	A4-74-2136Z •	648	A4-74-2136C •	698	A4-74-2136V •	722	A4-74-2136VG •	722	A4-74-2136E •	818	A4-74-2136S •	2370
	42″	1067	73	33	3.6	A4-74-2142Z •	719	A4-74-2142C •	785	A4-74-2142V •	823	A4-74-2142VG •	823	A4-74-2142E •	925	A4-74-2142S	2689
	48″	1219	80	36	4.1	A4-74-2148Z •	719	A4-74-2148C •	785	A4-74-2148V •	823	A4-74-2148VG •	823	A4-74-2148E •	925	A4-74-2148S •	2689
	60″	1524	101	46	5.1	A4-74-2160Z •	849	A4-74-2160C •	899	A4-74-2160V •	962	A4-74-2160VG •	962	A4-74-2160E •	1056	A4-74-2160S •	3478
	72″	1829	113	51	7.7	A4-74-2172Z •	995	A4-74-2172C •	1044	A4-74-2172V •	1136	A4-74-2172VG •	1136	A4-74-2172E •	1258	A4-74-2172S	4059
24″ width *(610mm)*	24″	610	53	24	2.5	A4-74-2424Z •	648	A4-74-2424C •	688	A4-74-2424V •	714	A4-74-2424VG •	714	A4-74-2424E •	823	A4-74-2424S •	2492
	30″	762	62	28	3.0	A4-74-2430Z •	660	A4-74-2430C •	710	A4-74-2430V •	750	A4-74-2430VG •	750	A4-74-2430E •	838	A4-74-2430S •	2509
	36″	914	73	33	3.6	A4-74-2436Z •	684	A4-74-2436C •	727	A4-74-2436V •	766	A4-74-2436VG •	766	A4-74-2436E •	852	A4-74-2436S •	2537
	42″	1067	81	37	3.7	A4-74-2442Z •	789	A4-74-2442C •	840	A4-74-2442V •	897	A4-74-2442VG •	897	A4-74-2442E •	1012	A4-74-2442S •	3007
	48″	1219	90	41	4.6	A4-74-2448Z •	789	A4-74-2448C •	840	A4-74-2448V •	897	A4-74-2448VG •	897	A4-74-2448E •	1012	A4-74-2448S •	3007
	60″	1524	113	51	5.7	A4-74-2460Z •	937	A4-74-2460C •	982	A4-74-2460V •	1062	A4-74-2460VG •	1062	A4-74-2460E •	1173	A4-74-2460S •	3603
	72″	1829	141	64	6.9	A4-74-2472Z •	1044	A4-74-2472C •	1130	A4-74-2472V •	1216	A4-74-2472VG •	1216	A4-74-2472E •	1345	A4-74-2472S •	4415

Five-Shelf Starter Units



see spec sheet **EG01.25**

INCLUDES:
- Five wire shelves.
- Four posts *(same finish as shelves).*
- Shipped knocked-down.

Note: 54″ *(1372mm)* shelves available *(see page 6).*

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

EAGLEgard® finish standard with MICROGARD® protection.
See bottom of page 4 for details.

patented QuadTruss® design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

Models with 74″ *(1880mm)* Height

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18″ width (457mm)	24″	610	51	23	1.9	S5-74-1824Z •	719	S5-74-1824C •	750	S5-74-1824V •	776	S5-74-1824VG •	776	S5-74-1824E •	897	S5-74-1824S •	2726
	30″	762	58	26	2.3	S5-74-1830Z •	738	S5-74-1830C •	760	S5-74-1830V •	822	S5-74-1830VG •	822	S5-74-1830E •	923	S5-74-1830S •	2763
	36″	914	65	30	2.7	S5-74-1836Z •	754	S5-74-1836C •	778	S5-74-1836V •	849	S5-74-1836VG •	849	S5-74-1836E •	950	S5-74-1836S •	2778
	42″	1067	70	32	3.1	S5-74-1842Z •	845	S5-74-1842C •	897	S5-74-1842V •	966	S5-74-1842VG •	966	S5-74-1842E •	1095	S5-74-1842S •	3215
	48″	1219	78	36	3.6	S5-74-1848Z •	845	S5-74-1848C •	897	S5-74-1848V •	966	S5-74-1848VG •	966	S5-74-1848E •	1095	S5-74-1848S •	3215
	60″	1524	102	46	4.3	S5-74-1860Z •	955	S5-74-1860C •	1025	S5-74-1860V •	1140	S5-74-1860VG •	1140	S5-74-1860E •	1258	S5-74-1860S •	3942
	72″	1829	117	53	5.1	S5-74-1872Z •	1162	S5-74-1872C •	1177	S5-74-1872V •	1275	S5-74-1872VG •	1275	S5-74-1872E •	1420	S5-74-1872S •	4573
21″ width (533mm)	24″	610	57	26	2.2	S5-74-2124Z •	773	S5-74-2124C •	840	S5-74-2124V •	859	S5-74-2124VG •	859	S5-74-2124E •	986	S5-74-2124S	3072
	30″	762	64	29	2.7	S5-74-2130Z •	789	S5-74-2130C •	862	S5-74-2130V •	905	S5-74-2130VG •	905	S5-74-2130E •	1005	S5-74-2130S	3097
	36″	914	73	33	3.1	S5-74-2136Z •	819	S5-74-2136C •	885	S5-74-2136V •	922	S5-74-2136VG •	922	S5-74-2136E •	1050	S5-74-2136S •	3116
	42″	1067	81	37	3.6	S5-74-2142Z •	908	S5-74-2142C •	997	S5-74-2142V •	1047	S5-74-2142VG •	1047	S5-74-2142E •	1184	S5-74-2142S	3514
	48″	1219	88	40	4.1	S5-74-2148Z •	908	S5-74-2148C •	997	S5-74-2148V •	1047	S5-74-2148VG •	1047	S5-74-2148E •	1184	S5-74-2148S •	3514
	60″	1524	109	50	5.1	S5-74-2160Z •	1072	S5-74-2160C •	1142	S5-74-2160V •	1219	S5-74-2160VG •	1219	S5-74-2160E •	1349	S5-74-2160S •	4503
	72″	1829	122	55	7.7	S5-74-2172Z •	1253	S5-74-2172C •	1319	S5-74-2172V •	1438	S5-74-2172VG •	1438	S5-74-2172E •	1604	S5-74-2172S	5226
24″ width (610mm)	24″	610	62	28	2.5	S5-74-2424Z •	819	S5-74-2424C •	877	S5-74-2424V •	910	S5-74-2424VG •	910	S5-74-2424E •	1067	S5-74-2424S •	3269
	30″	762	71	32	3.0	S5-74-2430Z •	837	S5-74-2430C •	906	S5-74-2430V •	958	S5-74-2430VG •	958	S5-74-2430E •	1086	S5-74-2430S •	3288
	36″	914	81	37	3.6	S5-74-2436Z •	864	S5-74-2436C •	923	S5-74-2436V •	975	S5-74-2436VG •	975	S5-74-2436E •	1103	S5-74-2436S •	3325
	42″	1067	89	40	3.7	S5-74-2442Z •	999	S5-74-2442C •	1067	S5-74-2442V •	1140	S5-74-2442VG •	1140	S5-74-2442E •	1304	S5-74-2442S •	3914
	48″	1219	98	45	4.6	S5-74-2448Z •	999	S5-74-2448C •	1067	S5-74-2448V •	1140	S5-74-2448VG •	1140	S5-74-2448E •	1304	S5-74-2448S •	3914
	60″	1524	122	55	5.7	S5-74-2460Z •	1180	S5-74-2460C •	1242	S5-74-2460V •	1347	S5-74-2460VG •	1347	S5-74-2460E •	1504	S5-74-2460S •	4654
	72″	1829	149	68	6.9	S5-74-2472Z •	1316	S5-74-2472C •	1429	S5-74-2472V •	1536	S5-74-2472VG •	1536	S5-74-2472E •	1720	S5-74-2472S •	5666

Models with 86″ *(2184mm)* Height

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18″ width (457mm)	24″	610	55	25	3.9	S5-86-1824Z •	754	S5-86-1824C •	795	S5-86-1824V •	820	S5-86-1824VG •	597	S5-86-1824E •	678	S5-86-1824S •	2798
	30″	762	60	27	3.9	S5-86-1830Z •	773	S5-86-1830C •	803	S5-86-1830V •	865	S5-86-1830VG •	630	S5-86-1830E •	698	S5-86-1830S •	2834
	36″	914	65	30	3.9	S5-86-1836Z •	789	S5-86-1836C •	822	S5-86-1836V •	895	S5-86-1836VG •	651	S5-86-1836E •	718	S5-86-1836S •	2855
	42″	1067	75	34	4.9	S5-86-1842Z •	882	S5-86-1842C •	939	S5-86-1842V •	1008	S5-86-1842VG •	734	S5-86-1842E •	823	S5-86-1842S •	3288
	48″	1219	80	36	4.9	S5-86-1848Z •	882	S5-86-1848C •	939	S5-86-1848V •	1008	S5-86-1848VG •	734	S5-86-1848E •	823	S5-86-1848S •	3288
	60″	1524	105	48	6.4	S5-86-1860Z •	993	S5-86-1860C •	1066	S5-86-1860V •	1182	S5-86-1860VG •	860	S5-86-1860E •	943	S5-86-1860S •	4010
	72″	1829	120	54	7.4	S5-86-1872Z •	1200	S5-86-1872C •	1219	S5-86-1872V •	1317	S5-86-1872VG •	959	S5-86-1872E •	1061	S5-86-1872S •	4645
21″ width (533mm)	24″	610	60	27	3.9	S5-86-2124Z •	809	S5-86-2124C •	884	S5-86-2124V •	903	S5-86-2124VG •	657	S5-86-2124E •	746	S5-86-2124S	3140
	30″	762	65	30	3.9	S5-86-2130Z •	827	S5-86-2130C •	905	S5-86-2130V •	947	S5-86-2130VG •	689	S5-86-2130E •	757	S5-86-2130S	3169
	36″	914	75	34	4.4	S5-86-2136Z •	855	S5-86-2136C •	929	S5-86-2136V •	964	S5-86-2136VG •	702	S5-86-2136E •	791	S5-86-2136S •	3188
	42″	1067	80	36	5.9	S5-86-2142Z •	945	S5-86-2142C •	1038	S5-86-2142V •	1093	S5-86-2142VG •	795	S5-86-2142E •	889	S5-86-2142S	3585
	48″	1219	90	41	5.9	S5-86-2148Z •	945	S5-86-2148C •	1038	S5-86-2148V •	1093	S5-86-2148VG •	795	S5-86-2148E •	889	S5-86-2148S •	3585
	60″	1524	110	50	6.9	S5-86-2160Z •	1109	S5-86-2160C •	1183	S5-86-2160V •	1264	S5-86-2160VG •	920	S5-86-2160E •	1010	S5-86-2160S •	4573
	72″	1829	140	64	8.4	S5-86-2172Z •	1289	S5-86-2172C •	1365	S5-86-2172V •	1480	S5-86-2172VG •	1078	S5-86-2172E •	1195	S5-86-2172S	5297
24″ width (610mm)	24″	610	65	30	4.4	S5-86-2424Z •	855	S5-86-2424C •	922	S5-86-2424V •	956	S5-86-2424VG •	696	S5-86-2424E •	802	S5-86-2424S •	3342
	30″	762	75	34	4.4	S5-86-2430Z •	873	S5-86-2430C •	949	S5-86-2430V •	1000	S5-86-2430VG •	729	S5-86-2430E •	817	S5-86-2430S •	3358
	36″	914	85	39	4.4	S5-86-2436Z •	899	S5-86-2436C •	966	S5-86-2436V •	1018	S5-86-2436VG •	741	S5-86-2436E •	831	S5-86-2436S •	3395
	42″	1067	95	43	6.4	S5-86-2442Z •	1036	S5-86-2442C •	1115	S5-86-2442V •	1182	S5-86-2442VG •	860	S5-86-2442E •	975	S5-86-2442S •	3984
	48″	1219	100	45	6.4	S5-86-2448Z •	1036	S5-86-2448C •	1115	S5-86-2448V •	1182	S5-86-2448VG •	860	S5-86-2448E •	975	S5-86-2448S •	3984
	60″	1524	125	57	7.9	S5-86-2460Z •	1217	S5-86-2460C •	1283	S5-86-2460V •	1392	S5-86-2460VG •	1013	S5-86-2460E •	1119	S5-86-2460S •	4726
	72″	1829	150	68	9.4	S5-86-2472Z •	1354	S5-86-2472C •	1474	S5-86-2472V •	1582	S5-86-2472VG •	1152	S5-86-2472E •	1277	S5-86-2472S •	5742

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Five-Shelf Add-On Units

see spec sheet **EG01.25**



INCLUDES:

- Five wire shelves.
- Two posts *(same finish as shelves).*
- Two "S" hooks per shelf.
- Shipped knocked-down.

Note: 54″ *(1372mm)* shelves available *(see page 6).*

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

EAGLEgard® finish standard with MICROGARD® protection.

See bottom of page 4 for details.

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

Models with 74″ *(1880mm)* Height

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18″ width *(457mm)*	24″	610	43	20	1.9	A5-74-1824Z •	686	A5-74-1824C •	710	A5-74-1824V •	734	A5-74-1824VG •	734	A5-74-1824E •	840	A5-74-1824S •	2509
	30″	762	50	23	2.3	A5-74-1830Z •	705	A5-74-1830C •	720	A5-74-1830V •	778	A5-74-1830VG •	778	A5-74-1830E •	869	A5-74-1830S •	2544
	36″	914	57	26	2.7	A5-74-1836Z •	722	A5-74-1836C •	739	A5-74-1836V •	807	A5-74-1836VG •	807	A5-74-1836E •	897	A5-74-1836S •	2563
	42″	1067	62	28	3.1	A5-74-1842Z •	814	A5-74-1842C •	858	A5-74-1842V •	923	A5-74-1842VG •	923	A5-74-1842E •	1040	A5-74-1842S •	2997
	48″	1219	80	36	3.6	A5-74-1848Z •	814	A5-74-1848C •	858	A5-74-1848V •	923	A5-74-1848VG •	923	A5-74-1848E •	1040	A5-74-1848S •	2997
	60″	1524	93	42	4.3	A5-74-1860Z •	922	A5-74-1860C •	984	A5-74-1860V •	1095	A5-74-1860VG •	1095	A5-74-1860E •	1205	A5-74-1860S •	3723
	72″	1829	108	49	5.1	A5-74-1872Z •	1129	A5-74-1872C •	1139	A5-74-1872V •	1232	A5-74-1872VG •	1232	A5-74-1872E •	1366	A5-74-1872S •	4355
21″ width *(533mm)*	24″	610	48	22	2.2	A5-74-2124Z •	740	A5-74-2124C •	800	A5-74-2124V •	819	A5-74-2124VG •	819	A5-74-2124E •	932	A5-74-2124S	2855
	30″	762	56	26	2.7	A5-74-2130Z •	759	A5-74-2130C •	820	A5-74-2130V •	864	A5-74-2130VG •	864	A5-74-2130E •	950	A5-74-2130S	2882
	36″	914	65	30	3.1	A5-74-2136Z •	786	A5-74-2136C •	847	A5-74-2136V •	882	A5-74-2136VG •	882	A5-74-2136E •	997	A5-74-2136S •	2897
	42″	1067	73	33	3.6	A5-74-2142Z •	876	A5-74-2142C •	956	A5-74-2142V •	1007	A5-74-2142VG •	1007	A5-74-2142E •	1130	A5-74-2142S	3296
	48″	1219	80	36	4.1	A5-74-2148Z •	876	A5-74-2148C •	956	A5-74-2148V •	1007	A5-74-2148VG •	1007	A5-74-2148E •	1130	A5-74-2148S •	3296
	60″	1524	101	46	5.1	A5-74-2160Z •	1038	A5-74-2160C •	1098	A5-74-2160V •	1180	A5-74-2160VG •	1180	A5-74-2160E •	1295	A5-74-2160S •	4284
	72″	1829	113	51	7.7	A5-74-2172Z •	1219	A5-74-2172C •	1280	A5-74-2172V •	1396	A5-74-2172VG •	1396	A5-74-2172E •	1549	A5-74-2172S	5007
24″ width *(610mm)*	24″	610	53	24	2.5	A5-74-2424Z •	786	A5-74-2424C •	838	A5-74-2424V •	873	A5-74-2424VG •	873	A5-74-2424E •	1006	A5-74-2424S •	3050
	30″	762	62	28	3.0	A5-74-2430Z •	803	A5-74-2430C •	865	A5-74-2430V •	919	A5-74-2430VG •	919	A5-74-2430E •	1026	A5-74-2430S •	3072
	36″	914	73	33	3.6	A5-74-2436Z •	830	A5-74-2436C •	883	A5-74-2436V •	937	A5-74-2436VG •	937	A5-74-2436E •	1043	A5-74-2436S •	3105
	42″	1067	81	37	3.7	A5-74-2442Z •	966	A5-74-2442C •	1029	A5-74-2442V •	1097	A5-74-2442VG •	1097	A5-74-2442E •	1243	A5-74-2442S •	3695
	48″	1219	90	41	4.6	A5-74-2448Z •	966	A5-74-2448C •	1029	A5-74-2448V •	1097	A5-74-2448VG •	1097	A5-74-2448E •	1243	A5-74-2448S •	3695
	60″	1524	113	51	5.7	A5-74-2460Z •	1147	A5-74-2460C •	1203	A5-74-2460V •	1307	A5-74-2460VG •	1307	A5-74-2460E •	1440	A5-74-2460S •	4437
	72″	1829	141	64	6.9	A5-74-2472Z •	1283	A5-74-2472C •	1392	A5-74-2472V •	1497	A5-74-2472VG •	1497	A5-74-2472E •	1659	A5-74-2472S •	5450


Models with 86″ *(2184mm)* Height

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18″ width *(457mm)*	24″	610	45	20	3.7	A5-86-1824Z •	705	A5-86-1824C •	734	A5-86-1824V •	754	A5-86-1824VG •	754	A5-86-1824E •	862	A5-86-1824S •	2544
	30″	762	51	23	3.7	A5-86-1830Z •	722	A5-86-1830C •	742	A5-86-1830V •	799	A5-86-1830VG •	799	A5-86-1830E •	885	A5-86-1830S •	2580
	36″	914	56	25	3.7	A5-86-1836Z •	740	A5-86-1836C •	760	A5-86-1836V •	827	A5-86-1836VG •	827	A5-86-1836E •	915	A5-86-1836S •	2599
	42″	1067	66	30	4.7	A5-86-1842Z •	830	A5-86-1842C •	877	A5-86-1842V •	945	A5-86-1842VG •	945	A5-86-1842E •	1059	A5-86-1842S •	3034
	48″	1219	71	32	4.7	A5-86-1848Z •	830	A5-86-1848C •	877	A5-86-1848V •	945	A5-86-1848VG •	945	A5-86-1848E •	1059	A5-86-1848S •	3034
	60″	1524	96	44	6.2	A5-86-1860Z •	939	A5-86-1860C •	1005	A5-86-1860V •	1118	A5-86-1860VG •	1118	A5-86-1860E •	1220	A5-86-1860S •	3758
	72″	1829	111	50	7.2	A5-86-1872Z •	1147	A5-86-1872C •	1159	A5-86-1872V •	1253	A5-86-1872VG •	1253	A5-86-1872E •	1387	A5-86-1872S •	4392
21″ width *(533mm)*	24″	610	51	23	3.7	A5-86-2124Z •	759	A5-86-2124C •	823	A5-86-2124V •	839	A5-86-2124VG •	839	A5-86-2124E •	950	A5-86-2124S	2887
	30″	762	56	25	3.7	A5-86-2130Z •	776	A5-86-2130C •	840	A5-86-2130V •	884	A5-86-2130VG •	884	A5-86-2130E •	967	A5-86-2130S	2917
	36″	914	66	30	4.2	A5-86-2136Z •	803	A5-86-2136C •	869	A5-86-2136V •	905	A5-86-2136VG •	905	A5-86-2136E •	1014	A5-86-2136S •	2933
	42″	1067	71	32	5.7	A5-86-2142Z •	896	A5-86-2142C •	976	A5-86-2142V •	1032	A5-86-2142VG •	1032	A5-86-2142E •	1149	A5-86-2142S	3332
	48″	1219	81	37	5.7	A5-86-2148Z •	896	A5-86-2148C •	976	A5-86-2148V •	1032	A5-86-2148VG •	1032	A5-86-2148E •	1149	A5-86-2148S •	3332
	60″	1524	101	46	6.7	A5-86-2160Z •	1058	A5-86-2160C •	1122	A5-86-2160V •	1204	A5-86-2160VG •	1204	A5-86-2160E •	1312	A5-86-2160S •	4317
	72″	1829	131	59	8.2	A5-86-2172Z •	1238	A5-86-2172C •	1304	A5-86-2172V •	1419	A5-86-2172VG •	1419	A5-86-2172E •	1565	A5-86-2172S	5043
24″ width *(610mm)*	24″	610	56	25	4.2	A5-86-2424Z •	803	A5-86-2424C •	862	A5-86-2424V •	896	A5-86-2424VG •	896	A5-86-2424E •	1026	A5-86-2424S •	3086
	30″	762	66	30	4.2	A5-86-2430Z •	822	A5-86-2430C •	885	A5-86-2430V •	939	A5-86-2430VG •	939	A5-86-2430E •	1043	A5-86-2430S •	3105
	36″	914	76	35	4.2	A5-86-2436Z •	849	A5-86-2436C •	906	A5-86-2436V •	958	A5-86-2436VG •	958	A5-86-2436E •	1060	A5-86-2436S •	3140
	42″	1067	86	39	6.2	A5-86-2442Z •	985	A5-86-2442C •	1050	A5-86-2442V •	1120	A5-86-2442VG •	1120	A5-86-2442E •	1260	A5-86-2442S •	3729
	48″	1219	91	41	6.2	A5-86-2448Z •	985	A5-86-2448C •	1050	A5-86-2448V •	1120	A5-86-2448VG •	1120	A5-86-2448E •	1260	A5-86-2448S •	3729
	60″	1524	116	53	7.7	A5-86-2460Z •	1169	A5-86-2460C •	1220	A5-86-2460V •	1330	A5-86-2460VG •	1330	A5-86-2460E •	1460	A5-86-2460S •	4474
	72″	1829	141	64	9.2	A5-86-2472Z •	1303	A5-86-2472C •	1412	A5-86-2472V •	1518	A5-86-2472VG •	1518	A5-86-2472E •	1678	A5-86-2472S •	5487

Add-A-Shelf® (NSF)

see spec sheet **EG01.11A**





Add-A-Shelf® Collars

allows addition or removal of shelf without breaking down the entire unit.

description	model #	list
set of four	**A208891**	19

- *One set of four included with each shelf.*
- *Must be used with split sleeves.*

*To order: Model # **PLASTIC SPLIT SLEEVES**, list (per set of four): $7.*

WEIGHT CAPACITY:

- 300 lb. *(136.1 kg)*; per shelf.
  - using an evenly distributed load.

Note: Top and bottom shelves of unit must be standard shelves. Post are sold separately.

(For Chrome finish, see page 6; for black, red, or white epoxy, see page 60).

WARNING:

- Use Add-A-Shelf® shelves for intermediate shelves. Add-A-Shelf® is not recommended for mobile applications.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

Add-A-Shelf® Adjustable Shelves - Patent # 5,884,567


	length		weight		cu	EAGLEbrite®		chrome		black		red		white	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
14″ width *(356mm)*	36″	914	8	3.6	0.5	**A1436Z**	117	**A1436C** •	125	**A1436BL** •	127	**A1436R**	127	**A1436W**	127
	48″	1219	10	4.5	0.7	**A1448Z**	130	**A1448C** •	143	**A1448BL**	144	**A1448R**	144	**A1448W**	144
18″ width *(457mm)*	36″	914	9	4.1	0.7	**A1836Z**	127	**A1836C** •	130	**A1836BL**	132	**A1836R**	132	**A1836W**	132
	48″	1219	12	5.5	0.9	**A1848Z**	147	**A1848C** •	155	**A1848BL**	156	**A1848R**	156	**A1848W**	156
	60″	1524	15	6.8	1.0	**A1860Z**	174	**A1860C**	182	**A1860BL**	183	**A1860R**	183	**A1860W**	183
21″ width *(533mm)*	36″	914	11	5.0	0.8	**A2136Z**	143	**A2136C**	152	**A2136BL**	155	**A2136R**	155	**A2136W**	155
	48″	1219	14	6.4	1.1	**A2148Z**	162	**A2148C**	176	**A2148BL**	177	**A2148R**	177	**A2148W**	177
	60″	1524	17	7.7	1.3	**A2160Z**	193	**A2160C**	216	**A2160BL**	217	**A2160R**	217	**A2160W**	217
24″ width *(610mm)*	36″	914	13	5.9	0.8	**A2436Z**	149	**A2436C** •	162	**A2436BL**	166	**A2436R**	166	**A2436W**	166
	48″	1219	16	7.3	1.2	**A2448Z**	177	**A2448C** •	192	**A2448BL**	193	**A2448R**	193	**A2448W**	193
	60″	1524	21	9.5	1.5	**A2460Z**	216	**A2460C** •	244	**A2460BL**	245	**A2460R**	245	**A2460W**	245

PACKAGING:

- 36″ and 48″ lengths: Four per box.
- 60″ lengths: Two per box.
- Four pairs split sleeves per shelf.
- Four-pack collars per shelf.

Add-A-Shelf® Reverse Mat Shelves - Patent # 5,884,567

	length		weight		cu	EAGLEbrite®		chrome		black		red		white	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
14″ width *(356mm)*	36″	914	8	3.6	0.5	**D1436Z**	119	**D1436C**	130	**D1436BL**	132	**D1436R**	132	**D1436W**	132
	48″	1219	10	4.5	0.7	**D1448Z**	133	**D1448C**	145	**D1448BL**	147	**D1448R**	147	**D1448W**	147
18″ width *(457mm)*	36″	914	9	4.1	0.7	**D1836Z**	132	**D1836C**	133	**D1836BL**	136	**D1836R**	136	**D1836W**	136
	48″	1219	12	5.5	0.9	**D1848Z**	152	**D1848C**	158	**D1848BL**	159	**D1848R**	159	**D1848W**	159
21″ width *(533mm)*	36″	914	11	5.0	0.8	**D2136Z**	145	**D2136C**	156	**D2136BL**	158	**D2136R**	158	**D2136W**	158
	48″	1219	14	6.4	1.1	**D2148Z**	169	**D2148C**	182	**D2148BL**	183	**D2148R**	183	**D2148W**	183
24″ width *(610mm)*	36″	914	13	5.9	0.8	**D2436Z**	155	**D2436C**	169	**D2436BL**	170	**D2436R**	170	**D2436W**	170
	48″	1219	16	7.3	1.2	**D2448Z**	183	**D2448C**	195	**D2448BL**	197	**D2448R**	197	**D2448W**	197



HOW TO ASSEMBLE: Add-A-Shelf® Collar


Numerically calibrated grooved posts, tapered plastic split sleeves and shelf collars combine to make shelving assembly a SIMPLE 3 STEP EXERCISE:



Snap split sleeves onto post over the number of your choice.



Slide collar over split sleeves. When together, a positive lock is created without the use of tools.



Place shelf over collar to complete.



Add-A-Shelf® as a merchandise display unit

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Posts for Add-A-Shelf®

see spec sheet **EG01.11A**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



post height		weight		cu	EAGLEbrite®		chrome		black		red		white	
in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
7″	178	0.8	0.4	0.1	**P7-Z** •	22	**P7-C**	25	**P7-BL**	26	**P7-R**	26	**P7-W**	26
14″	356	1.0	0.5	0.1	**P14-Z** •	26	**P14-C** •	28	**P14-BL** •	29	**P14-R**	29	**P14-W**	29
33″	838	2.0	0.9	0.1	**P33-Z** •	32	**P33-C** •	33	**P33-BL** •	36	**P33-R**	36	**P33-W**	36
54″	1372	3.0	1.4	0.1	**P54-Z** •	40	**P54-C** •	43	**P54-BL** •	44	**P54-R**	44	**P54-W**	44
63″	1600	3.5	1.8	0.3	**P63-Z** •	43	**P63-C** •	44	**P63-BL** •	47	**P63-R**	47	**P63-W**	47
74″	1880	4.0	1.8	0.5	**P74-Z** •	44	**P74-C** •	49	**P74-BL** •	53	**P74-R**	53	**P74-W**	53
86″	2184	5.0	2.3	0.8	**P86-Z** •	55	**P86-C** •	59	**P86-BL** •	60	**P86-R**	60	**P86-W**	60

Add-A-Shelf® Post Clamps

see spec sheet **EG01.11A**



stainless steel		black epoxy	
model #	list	model #	list
ADD-A-CLAMP	12	**ADD-A-CLAMP-BL**	17

Add-A-Shelf® Starter Units

see spec sheet **EG01.11B**



KIT INCLUDES:

- Two standard shelves.
- Two Add-A-Shelf® shelves.
- Four Redi-Pak® posts.
- Four bags of split sleeves.
- Two bags of Add-A-Shelf® collars.

ALL IN ONE BOX
LOWERING SHIPPING COST!

FEATURES:

- Front edge of shelf can be lowered 4″ *(102mm)* to create slanted shelf.

Note: Top and bottom shelves of unit must be standard shelves.

WARNING:

- Use Add-A-Shelf® shelves for intermediate shelves. Add-A-Shelf® is not recommended for mobile applications.

patented QuadTruss® design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

			Units with 63″ *(1600mm)* Posts				Units with 74″ *(1880mm)* Posts			
	length		chrome		black epoxy		chrome		black epoxy	
	in.	mm	model #	list	model #	list	model #	list	model #	list
14″ width *(356mm)*	36″	914	**RS4-63-A1436C**	880	**RS4-63-A1436BL**	889	**RS4-74-A1436C**	937	**RS4-74-A1436BL**	945
	48″	1219	**RS4-63-A1448C**	938	**RS4-63-A1448BL**	947	**RS4-74-A1448C**	994	**RS4-74-A1448BL**	1004
18″ width *(457mm)*	36″	914	**RS4-63-A1836C**	939	**RS4-63-A1836BL**	949	**RS4-74-A1836C**	999	**RS4-74-A1836BL**	1007
	48″	1219	**RS4-63-A1848C**	1016	**RS4-63-A1848BL**	1026	**RS4-74-A1848C**	1074	**RS4-74-A1848BL**	1085
21″ width *(533mm)*	36″	914	**RS4-63-A2136C**	966	**RS4-63-A2136BL**	975	**RS4-74-A2136C**	1026	**RS4-74-A2136BL**	1036
	48″	1219	**RS4-63-A2148C**	1063	**RS4-63-A2148BL**	1080	**RS4-74-A2148C**	1122	**RS4-74-A2148BL**	1133
24″ width *(610mm)*	36″	914	**RS4-63-A2436C**	1026	**RS4-63-A2436BL**	1036	**RS4-74-A2436C**	1083	**RS4-74-A2436BL**	1093
	48″	1219	**RS4-63-A2448C**	1172	**RS4-63-A2448BL**	1182	**RS4-74-A2448C**	1223	**RS4-74-A2448BL**	1236

Redi-Pak® Wire Shelving Units

see spec sheet **EG01.26**





Packed and shipped in one box.

SAVES UP TO 50% ON SHIPPING COSTS!

4-Shelf Units:
- Four wire shelves.
- Four two-piece posts.

5-Shelf Units:
- Five wire shelves.
- Four two-piece posts.

Can be shipped UPS.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

4-Shelf Units, 63″ *(1600mm)* Height

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
18″ width *(457mm)*	36″	914	52	23.6	2.8	**1836Z63**	760	**1836C63**	808	**1836V63**	869	**1836VG63**	869	**1836EG63**	983
	48″	1219	64	29.0	3.6	**1848Z63**	858	**1848C63**	919	**1848V63**	987	**1848VG63**	987	**1848EG63**	1125
	60″	1524	84	38.1	4.8	**1860Z63**	1007	**1860C63**	1040	**1860V63**	1122	**1860VG63**	1122	**1860EG63**	1283
24″ width *(610mm)*	36″	914	68	30.8	3.2	**2436Z63**	867	**2436C63**	943	**2436V63**	1014	**2436VG63**	1014	**2436EG63**	1136
	48″	1219	80	36.3	4.8	**2448Z63**	995	**2448C63**	1086	**2448V63**	1169	**2448VG63**	1169	**2448EG63**	1340
	60″	1524	100	45.4	6.0	**2460Z63**	1164	**2460C63**	1263	**2460V63**	1355	**2460VG63**	1355	**2460EG63**	1525

4-Shelf Units, 74″ *(1880mm)* Height

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
18″ width *(457mm)*	36″	914	52	23.6	2.8	**1836Z74**	773	**1836C74**	823	**1836V74**	884	**1836VG74**	884	**1836EG74**	985
	48″	1219	74	33.6	3.6	**1848Z74**	896	**1848C74**	954	**1848V74**	1026	**1848VG74**	1026	**1848EG74**	1160
	60″	1524	84	38.1	4.8	**1860Z74**	1007	**1860C74**	1063	**1860V74**	1147	**1860VG74**	1147	**1860EG74**	1363
24″ width *(610mm)*	36″	914	68	30.8	3.2	**2436Z74**	897	**2436C74**	958	**2436V74**	1032	**2436VG74**	1032	**2436EG74**	1159
	48″	1219	80	36.3	4.8	**2448Z74**	1040	**2448C74**	1118	**2448V74**	1203	**2448VG74**	1203	**2448EG74**	1388
	60″	1524	100	45.4	6.0	**2460Z74**	1209	**2460C74**	1295	**2460V74**	1393	**2460VG74**	1393	**2460EG74**	1565

5-Shelf Units, 63″ *(1600mm)* Height

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
18″ width *(457mm)*	36″	914	61	27.7	3.5	**1836Z63-5**	915	**1836C63-5**	974	**1836V63-5**	1045	**1836VG63-5**	1045	**1836E63-5**	1169
	48″	1219	76	34.5	4.5	**1848Z63-5**	1045	**1848C63-5**	1115	**1848V63-5**	1198	**1848VG63-5**	1198	**1848E63-5**	1370
	60″	1524	101	45.8	6.0	**1860Z63-5**	1142	**1860C63-5**	1276	**1860V63-5**	1375	**1860VG63-5**	1375	**1860E63-5**	1575
24″ width *(610mm)*	36″	914	81	36.7	4.0	**2436Z63-5**	1063	**2436C63-5**	1149	**2436V63-5**	1232	**2436VG63-5**	1232	**2436E63-5**	1387
	48″	1219	96	43.6	6.0	**2448Z63-5**	1230	**2448C63-5**	1347	**2448V63-5**	1448	**2448VG63-5**	1448	**2448E63-5**	1506
	60″	1524	121	54.9	7.5	**2460Z63-5**	1438	**2460C63-5**	1526	**2460V63-5**	1643	**2460VG63-5**	1643	**2460E63-5**	1860

5-Shelf Units, 74″ *(1880mm)* Height

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
18″ width *(457mm)*	36″	914	61	27.7	3.5	**1836Z74-5**	917	**1836C74-5**	1008	**1836V74-5**	1086	**1836VG74-5**	1086	**1836E74-5**	1223
	48″	1219	76	34.5	4.5	**1848Z74-5**	1082	**1848C74-5**	1160	**1848V74-5**	1254	**1848VG74-5**	1254	**1848E74-5**	1425
	60″	1524	101	45.8	6.0	**1860Z74-5**	1160	**1860C74-5**	1319	**1860V74-5**	1420	**1860VG74-5**	1420	**1860E74-5**	1637
24″ width *(610mm)*	36″	914	81	36.7	4.0	**2436Z74-5**	1096	**2436C74-5**	1194	**2436V74-5**	1280	**2436VG74-5**	1280	**2436E74-5**	1440
	48″	1219	96	43.6	6.0	**2448Z74-5**	1272	**2448C74-5**	1386	**2448V74-5**	1489	**2448VG74-5**	1489	**2448E74-5**	1704
	60″	1524	121	54.9	7.5	**2460Z74-5**	1477	**2460C74-5**	1565	**2460V74-5**	1683	**2460VG74-5**	1683	**2460E74-5**	1917

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Redi-Pak® Utility Carts

see spec sheet **EG01.10**



Packed and shipped in one box.

SAVES UP TO 50% ON SHIPPING COSTS!



Easy handling and inventory tracking!

WEIGHT CAPACITY:
- Medium-duty 500 lb. *(227 kg)*.

INCLUDES:
- 36½″ *(927mm)* height.
- One handle.
- Two posts.
- Four resilient 4″ *(102mm)* casters with donut bumpers.
- Either two or three chrome shelves with built-in 1″ *(25mm)* ledge on three sides.

Can be shipped UPS.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*


				2-Shelf Unit				3-Shelf Unit			
	length		cubic	weight				weight			
width	in.	mm	feet	lb.	kg	model #	list	lbs.	kg	model #	list
18″ *(457mm)*	36″	914	3.0	38	17.2	**U2-1836C-RP**	616	45	20.4	**U3-1836C-RP**	742

patented QuadTruss® design

(Patent #5,390,803)

Reverse Mat Shelves

see spec sheet **EG01.03E**



Shelves have built-in ledges which prevent contents from falling off!

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

WEIGHT CAPACITY:
- 250 lb. *(113 kg)*; per shelf.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		weight		cu	EAGLEbrite®		chrome		black		red		white	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
14″ width *(356mm)*	36″	914	7	3.2	0.5	**RM1436Z**	104	**RM1436C**	118	**RM1436BL**	119	**RM1436R**	119	**RM1436W**	119
	48″	1219	10	4.5	0.7	**RM1448Z**	120	**RM1448C**	133	**RM1448BL** •	136	**RM1448R**	136	**RM1448W**	136
18″ width *(457mm)*	36″	914	9	4.1	0.7	**RM1836Z**	120	**RM1836C**	120	**RM1836BL**	122	**RM1836R**	122	**RM1836W**	122
	48″	1219	11	4.9	0.9	**RM1848Z**	140	**RM1848C**	145	**RM1848BL**	147	**RM1848R**	147	**RM1848W**	147
21″ width *(533mm)*	36″	914	11	4.9	0.8	**RM2136Z**	133	**RM2136C**	144	**RM2136BL**	145	**RM2136R**	145	**RM2136W**	145
	48″	1219	13	5.9	1.1	**RM2148Z**	152	**RM2148C**	169	**RM2148BL**	170	**RM2148R**	170	**RM2148W**	170
24″ width *(610mm)*	24″	610	9	4.1	0.8	**RM2424Z**	133	**RM2424C**	143	**RM2424BL**	144	**RM2424R**	144	**RM2424W**	144
	36″	914	12	5.4	0.8	**RM2436Z**	143	**RM2436C**	152	**RM2436BL**	155	**RM2436R**	155	**RM2436W**	155
	48″	1219	15	6.8	1.2	**RM2448Z**	170	**RM2448C**	183	**RM2448BL**	184	**RM2448R**	184	**RM2448W**	184

Label Holders for Reverse Mat Shelves

see spec sheet **EG01.03E**



length		fits shelf size			
in.	mm	in.	mm	model #	list
3¼″	83	all		**A225494**	9
13″	330	18″	457	**A225512**	19
19″	483	24″	610	**A225513**	25
25″	635	30″	762	**A225514**	28
31″	787	36″	914	**A225515**	44
43″	1092	48″	1219	**A225516**	49
45″	1143	48″	1219	**A225517**	84
55″	1397	60″	1524	**A225518**	86
67″	1702	72″	1829	**A225519**	92

FEATURES:
- Clear plastic.
- Snaps onto shelf edge.
- Provides easy identification of shelf contents or section.
- Holds 1¼″ *(32mm)* high labels.


Note: These also work on standard shelves.

Hybrid Shelves

see spec sheet EG01.46



four-post system with hybrid shelves



hybrid shelf

FEATURES:


- Shelves mount over two crossbraces of a four-post high-density system.
- Available for new systems or can be retrofitted to existing systems.
- Can be mixed or matched with solid metal shelves as required.
- Load tested to 250 lbs. *(113.4 kg).*
- Open-wire construction.

PACKAGING:

- 24″-48″ *(610-1219mm)* lengths: Four per box.

Additional Side-to-Side Partitions for Optional Center Stop Assemblies

length		EAGLEbrite®	
in.	mm	model #	list
30″	762	**A219390**	78
36″	914	**A219391**	119
42″	1067	**A219392**	130
48″	1219	**A219393**	139



Optional Center Stop Assemblies

- For Standard Four-Post Series only.
- Comes with one side-to-side partition that interlocks with two front-to-back ledges to form an “H”.

Standard Four-Post Series

	length		EAGLEbrite®		VALU-MASTER®		stainless steel		EAGLEbrite®		VALU-MASTER®		stainless steel	
	in.	mm	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
12″ width *(305mm)*	24″	610	**SP1224Z**	117	**SP1224V**	127	**SP1224S**	196	**SPD1224-Z**	154	**SPD1224-V**	165	**SPD1224-S**	265
	36″	914	**SP1236Z**	129	**SP1236V**	139	**SP1236S**	275	**SPD1236-Z**	166	**SPD1236-V**	184	**SPD1236-S**	369
	42″	1067	**SP1242Z**	134	**SP1242V**	164	**SP1242S**	304	**SPD1242-Z**	182	**SPD1242-V**	217	**SPD1242-S**	400
	48″	1219	**SP1248Z**	165	**SP1248V**	170	**SP1248S**	309	**SPD1248-Z**	219	**SPD1248-V**	228	**SPD1248-S**	408
15″ width *(381mm)*	30″	762	**SP1530Z**	127	**SP1530V**	130	**SP1530S**	215	**SPD1530-Z**	217	**SPD1530-V**	228	**SPD1530-S**	278
	36″	914	**SP1536Z**	139	**SP1536V**	148	**SP1536S**	287	**SPD1536-Z**	273	**SPD1536-V**	285	**SPD1536-S**	383
	42″	1067	**SP1542Z**	164	**SP1542V**	170	**SP1542S**	314	**SPD1542-Z**	285	**SPD1542-V**	306	**SPD1542-S**	416
	48″	1219	**SP1548Z**	170	**SP1548V**	180	**SP1548S**	320	**SPD1548-Z**	304	**SPD1548-V**	315	**SPD1548-S**	430
16″ width *(406mm)*	30″	762	**SP1630Z**	132	**SP1630V**	139	**SP1630S**	216	**SPD1630-Z**	226	**SPD1630-V**	238	**SPD1630-S**	283
	36″	914	**SP1636Z**	148	**SP1636V**	154	**SP1636S**	250	**SPD1636-Z**	278	**SPD1636-V**	289	**SPD1636-S**	334
	42″	1067	**SP1642Z**	166	**SP1642V**	176	**SP1642S**	289	**SPD1642-Z**	288	**SPD1642-V**	309	**SPD1642-S**	393
	48″	1219	**SP1648Z**	180	**SP1648V**	184	**SP1648S**	328	**SPD1648-Z**	309	**SPD1648-V**	320	**SPD1648-S**	437
18″ width *(457mm)*	30″	762	**SP1830Z**	134	**SP1830V**	143	**SP1830S**	238	**SPD1830-Z**	228	**SPD1830-V**	239	**SPD1830-S**	314
	36″	914	**SP1836Z**	149	**SP1836V**	159	**SP1836S**	277	**SPD1836-Z**	283	**SPD1836-V**	304	**SPD1836-S**	372
	42″	1067	**SP1842Z**	166	**SP1842V**	176	**SP1842S**	320	**SPD1842-Z**	288	**SPD1842-V**	315	**SPD1842-S**	430
	48″	1219	**SP1848Z**	180	**SP1848V**	184	**SP1848S**	365	**SPD1848-Z**	312	**SPD1848-V**	328	**SPD1848-S**	483
21″ width *(533mm)*	30″	762	**SP2130Z**	148	**SP2130V**	154	**SP2130S**	263	**SPD2130-Z**	238	**SPD2130-V**	248	**SPD2130-S**	345
	36″	914	**SP2136Z**	164	**SP2136V**	170	**SP2136S**	309	**SPD2136-Z**	288	**SPD2136-V**	309	**SPD2136-S**	408
	42″	1067	**SP2142Z**	176	**SP2142V**	183	**SP2142S**	352	**SPD2142-Z**	309	**SPD2142-V**	320	**SPD2142-S**	470
	48″	1219	**SP2148Z**	186	**SP2148V**	196	**SP2148S**	398	**SPD2148-Z**	318	**SPD2148-V**	334	**SPD2148-S**	528
24″ width *(610mm)*	30″	762	**SP2430Z**	166	**SP2430V**	176	**SP2430S**	338	**SPD2430-Z**	248	**SPD2430-V**	263	**SPD2430-S**	452
	36″	914	**SP2436Z**	170	**SP2436V**	180	**SP2436S**	398	**SPD2436-Z**	307	**SPD2436-V**	319	**SPD2436-S**	528
	42″	1067	**SP2442Z**	208	**SP2442V**	217	**SP2442S**	460	**SPD2442-Z**	315	**SPD2442-V**	332	**SPD2442-S**	617
	48″	1219	**SP2448Z**	216	**SP2448V**	226	**SP2448S**	509	**SPD2448-Z**	330	**SPD2448-V**	344	**SPD2448-S**	685
30″ width *(762mm)*	30″	762	**SP3030Z**	196	**SP3030V**	215	**SP3030S**	400	**SPD3030-Z**	272	**SPD3030-V**	283	**SPD3030-S**	534
	36″	914	**SP3036Z**	208	**SP3036V**	217	**SP3036S**	462	**SPD3036-Z**	328	**SPD3036-V**	340	**SPD3036-S**	618
	42″	1067	**SP3042Z**	238	**SP3042V**	244	**SP3042S**	540	**SPD3042-Z**	338	**SPD3042-V**	358	**SPD3042-S**	720
	48″	1219	**SP3048Z**	254	**SP3048V**	269	**SP3048S**	597	**SPD3048-Z**	352	**SPD3048-V**	372	**SPD3048-S**	803
32″ width *(813mm)*	36″	914	**SP3236Z**	220	**SP3236V**	230	**SP3236S**	469	**SPD3236-Z**	383	**SPD3236-V**	405	**SPD3236-S**	626
	42″	1067	**SP3242Z**	255	**SP3242V**	272	**SP3242S**	469	**SPD3242-Z**	400	**SPD3242-V**	419	**SPD3242-S**	626
	48″	1219	**SP3248Z**	273	**SP3248V**	285	**SP3248S**	610	**SPD3248-Z**	412	**SPD3248-V**	433	**SPD3248-S**	812
36″ width *(914mm)*	36″	914	**SP3636Z**	244	**SP3636V**	263	**SP3636S**	608	**SPD3636-Z**	398	**SPD3636-V**	416	**SPD3636-S**	810
	42″	1067	**SP3642Z**	269	**SP3642V**	278	**SP3642S**	698	**SPD3642-Z**	412	**SPD3642-V**	433	**SPD3642-S**	929
	48″	1219	**SP3648Z**	278	**SP3648V**	299	**SP3648S**	794	**SPD3648-Z**	426	**SPD3648-V**	445	**SPD3648-S**	1054

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Hybrid Shelves (Cont.)

see spec sheet **EG01.46**

Case Work Series

	length		EAGLEbrite®		VALU-MASTER®		stainless steel	
	in.	mm	model #	list	model #	list	model #	list
12″ width *(305mm)*	28″	711	**SPL1224Z**	117	**SPL1224V**	127	**SPL1224S**	196
	34″	864	**SPL1236Z**	129	**SPL1236V**	139	**SPL1236S**	275
	40″	1016	**SPL1242Z**	134	**SPL1242V**	164	**SPL1242S**	304
	46″	1168	**SPL1248Z**	165	**SPL1248V**	170	**SPL1248S**	309
15″ width *(381mm)*	28″	711	**SPL1530Z**	127	**SPL1530V**	130	**SPL1530S**	215
	34″	864	**SPL1536Z**	139	**SPL1536V**	148	**SPL1536S**	287
	40″	1016	**SPL1542Z**	164	**SPL1542V**	170	**SPL1542S**	314
	46″	1168	**SPL1548Z**	170	**SPL1548V**	180	**SPL1548S**	320
16″ width *(406mm)*	28″	711	**SPL1630Z**	132	**SPL1630V**	139	**SPL1630S**	216
	34″	864	**SPL1636Z**	148	**SPL1636V**	154	**SPL1636S**	250
	40″	1016	**SPL1642Z**	166	**SPL1642V**	176	**SPL1642S**	289
	46″	1168	**SPL1648Z**	180	**SPL1648V**	184	**SPL1648S**	328
18″ width *(457mm)*	28″	711	**SPL1830Z**	134	**SPL1830V**	143	**SPL1830S**	238
	34″	864	**SPL1836Z**	149	**SPL1836V**	159	**SPL1836S**	277
	40″	1016	**SPL1842Z**	166	**SPL1842V**	176	**SPL1842S**	320
	46″	1168	**SPL1848Z**	180	**SPL1848V**	184	**SPL1848S**	365

	length		EAGLEbrite®		VALU-MASTER®		stainless steel	
	in.	mm	model #	list	model #	list	model #	list
21″ width *(533mm)*	28″	711	**SPL2130Z**	148	**SPL2130V**	154	**SPL2130S**	263
	34″	864	**SPL2136Z**	164	**SPL2136V**	170	**SPL2136S**	309
	40″	1016	**SPL2142Z**	176	**SPL2142V**	183	**SPL2142S**	352
	46″	1168	**SPL2148Z**	186	**SPL2148V**	196	**SPL2148S**	398
24″ width *(610mm)*	28″	711	**SPL2430Z**	166	**SPL2430V**	176	**SPL2430S**	338
	34″	864	**SPL2436Z**	170	**SPL2436V**	180	**SPL2436S**	398
	40″	1016	**SPL2442Z**	208	**SPL2442V**	217	**SPL2442S**	460
	46″	1168	**SPL2448Z**	216	**SPL2448V**	226	**SPL2448S**	509
30″ width *(762mm)*	28″	711	**SPL3030Z**	196	**SPL3030V**	215	**SPL3030S**	400
	34″	864	**SPL3036Z**	208	**SPL3036V**	217	**SPL3036S**	462
	40″	1016	**SPL3042Z**	238	**SPL3042V**	244	**SPL3042S**	540
	46″	1168	**SPL3048Z**	254	**SPL3048V**	269	**SPL3048S**	597
32″ width *(813mm)*	34″	864	**SPL3236Z**	220	**SPL3236V**	230	**SPL3236S**	469
	40″	1016	**SPL3242Z**	255	**SPL3242V**	272	**SPL3242S**	469
	46″	1168	**SPL3248Z**	273	**SPL3248V**	285	**SPL3248S**	610
36″ width *(914mm)*	34″	864	**SPL3636Z**	244	**SPL3636V**	263	**SPL3636S**	608
	40″	1016	**SPL3642Z**	269	**SPL3642V**	278	**SPL3642S**	698
	46″	1168	**SPL3648Z**	278	**SPL3648V**	299	**SPL3648S**	794

Wire Basket Utility Carts (NSF)

see spec sheet **EG01.35**

FEATURES:

- Includes four 4″ *(102mm)* swivel stem casters with bumpers and two push handles.
- 40″ *(1016mm)* overall cart height.

description	weight lbs.	weight kg	model #	list
1 chrome basket shelf, 1 chrome standard shelf	31	14.1	**WBC1836C-1B1W**	622
2 chrome basket shelves	32	14.5	**WBC1836C-2B**	549



Replacement Wire Basket Shelf — 400-lb. (181.4 kg) weight capacity.

width x length in.	width x length mm	weight lbs.	weight kg	chrome model #	chrome list
18″ x 36″	457 x 914	10	4.5	**WBS1836C**	180



Stainless Utility Carts (NSF)

see spec sheet **EG01.42**

FEATURES:

- Type 430 stainless steel construction.
- Three stainless steel hemmed shelves welded to angle legs.
- Galvanized bottom channel frame featuring four 4″ *(102mm)* swivel plate casters.
- 1″-diameter handle on one end.

Shelves are hemmed for further strength and stability!



#UUC-322

Standard Duty Carts — 500-lb. weight capacity.

overall width x length x height in.	overall width x length x height mm	shelf width x length (inner dimensions) in.	shelf width x length (inner dimensions) mm	shelf clearance in.	shelf clearance mm	weight lbs.	weight kg	with * standard upturns model #	with * standard upturns list	with upturn on all sides of all shelves model #	with upturn on all sides of all shelves list
16¾″ x 29⅝″ x 32″	426 x 753 x 813	16½″ x 25⅝″	419 x 643	12½″	318	78	35.4	**UC-311**	1256	**UUC-311**	1304
19″ x 33″ x 32″	483 x 838 x 813	18¾″ x 28¹¹⁄₁₆″	476 x 729	12½″	318	78	35.4	**UC-322**	1293	**UUC-322**	1340

* Upturn on sides and rear of top and center shelves.

A highly flexible and maneuverable transport product which can be configured in either wire or solid shelves, or a combination of both.

Medium Duty Utility Carts

see spec sheet **EG01.10**



patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

WEIGHT CAPACITY:
- 500 lb. *(227 kg)* maximum.

INCLUDES:
- Two utility handles.
- Four resilient rubber casters.
- 18″ wide carts have 4″ *(102mm)* casters.
- 21″ and 24″ carts have 5″ *(127mm)* casters.

Note: For conductive use, order aluminum split sleeves or plastic conductive split sleeves *(page 47)*, and optional grounding cable or anti-static drag chain *(page 168)*.

See page 29 for optional stainless steel handles.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

2-Shelf Units

	width	length in.	length mm	cu ft	weight lbs.	weight kg	EAGLEbrite® model #	EAGLEbrite® list	chrome model #	chrome list	stainless steel model #	stainless steel list
40″ height* *(1016mm)* *including casters*	**18″** *(457mm)*	24″	610	2.5	32	14.5	**EU2-1824Z** •	528	**EU2-1824C** •	534	**EU2-1824S**	1314
		30″	762	2.5	35	15.8	**EU2-1830Z** •	542	**EU2-1830C** •	549	**EU2-1830S**	1426
		36″	914	2.5	38	17.2	**EU2-1836Z** •	552	**EU2-1836C** •	555	**EU2-1836S**	1504
	21″ *(533mm)*	36″	914	2.9	42	19.1	**EU2-2136Z** •	600	**EU2-2136C** •	625	**EU2-2136S**	1680
	24″ *(610mm)*	36″	914	2.9	45	20.4	**EU2-2436Z** •	625	**EU2-2436C** •	647	**EU2-2436S**	1773

* Stainless steel cart are 40″ *(1016mm)* height. Chrome carts 37¾″ *(959mm)* height including casters.

3-Shelf Units

	width	length in.	length mm	cu ft	weight lbs.	weight kg	EAGLEbrite® model #	EAGLEbrite® list	chrome model #	chrome list	stainless steel model #	stainless steel list
40″ height* *(1016mm)* *including casters*	**18″** *(457mm)*	24″	610	2.5	37	16.7	**EU3-1824Z** •	647	**EU3-1824C** •	653	**EU3-1824S**	1683
		30″	762	2.5	41	18.5	**EU3-1830Z** •	663	**EU3-1830C** •	674	**EU3-1830S**	1850
		36″	914	2.5	45	20.4	**EU3-1836Z** •	683	**EU3-1836C** •	686	**EU3-1836S**	1962
	21″ *(533mm)*	36″	914	2.9	48	21.8	**EU3-2136Z** •	740	**EU3-2136C** •	773	**EU3-2136S**	2203
	24″ *(610mm)*	36″	914	2.9	58	26.3	**EU3-2436Z** •	772	**EU3-2436C** •	807	**EU3-2436S**	2344

* Stainless steel cart are 40″ *(1016mm)* height. Chrome carts 37¾″ *(959mm)* height including casters.

Utility Carts with Solid Shelf

see spec sheet **EG01.10**



patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

INCLUDES:
- Two chrome handles.
- Four casters.
- Two chrome finish open-wire shelves.
- One stainless steel solid shelf.

Note: For conductive use, order aluminum split sleeves or plastic conductive split sleeves *(page 47)*, and optional grounding cable or anti-static drag chain *(page 168)*.

See page 29 for optional stainless steel handles.

	width	length in.	length mm	caster diameter in.	caster diameter mm	weight lbs.	weight kg	cu ft	model #	list
37¾″ height *(959mm)* *including casters*	**18″** *(457mm)*	24″	610	4″	102	36	16.3	2.5	**EU3-1824CS**	937
		30″	762	4″	102	39	17.7	2.5	**EU3-1830CS**	970
		36″	914	4″	102	42	19.1	2.5	**EU3-1836CS**	1017
	21″ *(533mm)*	36″	914	5″	127	65	29.5	2.9	**U3-2136CS**	1112
	24″ *(610mm)*	36″	914	5″	127	71	32.2	3.3	**U3-2436CS**	1172

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Heavy Duty Utility Carts

see spec sheet **EG01.10**



patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

WEIGHT CAPACITY:
- 800 lb. *(363 kg)* maximum.

INCLUDES:
- Two handles *(see below)*—one on each end.
- Four 5″ *(127mm)* resilient rubber swivel casters.

Note: Carts can be made conductive with the use of aluminum split sleeves or plastic conductive split sleeves *(page 47)*, and optional grounding cable or anti-static drag chain *(page 168)*.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

2-Shelf Units

		length		cu	weight		EAGLEbrite®		chrome		stainless steel	
		in.	mm	ft	lbs.	kg	model #	list	model #	list	model #	list
40″ height* (1016mm) including casters	18″ width (457mm)	36″	914	2.5	38	17.2	**U2-1836Z** •	600	**U2-1836C** •	609	**U2-1836S**	1634
		42″	1067	2.9	41	18.5	**U2-1842Z** •	628	**U2-1842C** •	647	**U2-1842S**	1806
	21″ width (533mm)	36″	914	2.9	42	19.1	**U2-2136Z** •	628	**U2-2136C** •	654	**U2-2136S**	1773
		42″	1067	3.4	44	20.0	**U2-2142Z** •	663	**U2-2142C** •	689	**U2-2142S**	1944
		48″	1219	3.9	48	21.8	**U2-2148Z** •	676	**U2-2148C** •	699	**U2-2148S**	1944
	24″ width (610mm)	36″	914	3.3	46	20.9	**U2-2436Z** •	654	**U2-2436C** •	683	**U2-2436S**	1869
		42″	1067	3.9	50	22.7	**U2-2442Z** •	699	**U2-2442C** •	729	**U2-2442S**	2106
		48″	1219	4.4	52	23.6	**U2-2448Z** •	710	**U2-2448C** •	742	**U2-2448S**	2106
		60″	1524	5.5	62	28.1	**U2-2460Z** •	792	**U2-2460C** •	810	**U2-2460S**	2417

* Stainless steel cart are 40″ *(1016mm)* height. Chrome carts 37¾″ *(959mm)* height including casters.

3-Shelf Units

		length		cu	weight		EAGLEbrite®		chrome		stainless steel	
		in.	mm	ft	lbs.	kg	model #	list	model #	list	model #	list
40″ height* (1016mm) including casters	18″ width (457mm)	36″	914	2.5	48	21.8	**U3-1836Z** •	726	**U3-1836C** •	736	**U3-1836S**	2095
		42″	1067	2.9	52	23.6	**U3-1842Z** •	770	**U3-1842C** •	795	**U3-1842S**	2354
	21″ width (533mm)	36″	914	2.9	53	24.0	**U3-2136Z** •	769	**U3-2136C** •	808	**U3-2136S**	2304
		42″	1067	3.4	56	25.4	**U3-2142Z** •	816	**U3-2142C** •	859	**U3-2142S**	2554
		48″	1219	3.9	62	28.1	**U3-2148Z** •	830	**U3-2148C** •	873	**U3-2148S**	2554
	24″ width (610mm)	36″	914	3.3	59	26.8	**U3-2436Z** •	807	**U3-2436C** •	837	**U3-2436S**	2438
		42″	1067	3.9	65	29.5	**U3-2442Z** •	870	**U3-2442C** •	917	**U3-2442S**	2798
		48″	1219	4.4	68	30.8	**U3-2448Z** •	884	**U3-2448C** •	934	**U3-2448S**	2798
		60″	1524	5.5	83	37.6	**U3-2460Z** •	1007	**U3-2460C** •	1037	**U3-2460S**	3263

* Stainless steel cart are 40″ *(1016mm)* height. Chrome carts 37¾″ *(959mm)* height including casters.

Handles for Utility Carts

see spec sheets **EG01.03B** **EG04.07**

Note: Electropolished Utility Hands for cleanroom applications.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



width		weight		cubic	chrome*		stainless steel**		electropolished**	
in.	mm	lbs.	kg	feet	model #	list	model #	list	model #	list
18″	457	4.0	1.8	0.9	**UH18-C** •	82	**UH18-S**	205	**EPUH18-S**	267
21″	533	4.2	1.9	0.9	**UH21-C** •	83	**UH21-S**	208	**EPUH21-S**	270
24″	610	4.5	2.1	0.9	**UH24-C** •	83	**UH24-S**	214	**EPUH24-S**	277

*31½″ *(800mm)* height without casters
**33⅜″ *(848mm)* height without casters

Stem Caster Carts

NSF

see spec sheet **EG01.07**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



INCLUDES:

- Four 63″ *(1600mm)* posts.
- Four shelves.
- Plastic split sleeves.
- Donut bumpers.
- Indicated 5″ x 1¼″ *(127 x 32mm)* casters.
- 68″ *(1727mm)* overall height.
- Fast assembly without the use of tools.
- Shipped knocked-down.

Note: Carts can be made conductive with the use of aluminum split sleeves or plastic conductive split sleeves *(page 47)*, and optional grounding cable or anti-static drag chain *(page 168)*.

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

		weight		cu	caster	wheel	EAGLEbrite®			chrome		
		lbs.	kg	ft	type	tread	model #		list	model #		list
18″ width *(457mm)*	36″ length *(914mm)*	58	26.3	2.6	swivel	resilient	CC1836Z-S	•	885	CC1836C-S	•	897
					swivel	poly	CC1836Z-SP	•	1018	CC1836C-SP	•	1029
					swivel/brake	resilient	CC1836Z-SB	•	908	CC1836C-SB	•	917
					swivel/brake	poly	CC1836Z-SBP	•	1040	CC1836C-SBP	•	1055
					swivel/rigid	resilient	CC1836Z-SR	•	932	CC1836C-SR	•	958
					swivel/rigid	poly	CC1836Z-SRP	•	1043	CC1836C-SRP	•	1080
	48″ length *(1219mm)*	70	31.7	3.5	swivel	resilient	CC1848Z-S	•	897	CC1848C-S	•	982
					swivel	poly	CC1848Z-SP	•	1029	CC1848C-SP	•	1117
					swivel/brake	resilient	CC1848Z-SB	•	1005	CC1848C-SB	•	1033
					swivel/brake	poly	CC1848Z-SBP	•	1139	CC1848C-SBP	•	1164
					swivel/rigid	resilient	CC1848Z-SR	•	1012	CC1848C-SR	•	1060
					swivel/rigid	poly	CC1848Z-SRP	•	1125	CC1848C-SRP	•	1180
	60″ length *(1524mm)*	86	39.0	4.4	swivel	resilient	CC1860Z-S	•	1084	CC1860C-S	•	1117
					swivel	poly	CC1860Z-SP	•	1214	CC1860C-SP	•	1248
					swivel/brake	resilient	CC1860Z-SB	•	1112	CC1860C-SB	•	1139
					swivel/brake	poly	CC1860Z-SBP	•	1244	CC1860C-SBP	•	1272
					swivel/rigid	resilient	CC1860Z-SR	•	1115	CC1860C-SR	•	1160
					swivel/rigid	poly	CC1860Z-SRP	•	1230	CC1860C-SRP	•	1276
21″ width *(533mm)*	36″ length *(914mm)*	67	30.4	3.0	swivel	resilient	CC2136Z-S	•	954	CC2136C-S	•	1000
					swivel	poly	CC2136Z-SP	•	1084	CC2136C-SP	•	1130
					swivel/brake	resilient	CC2136Z-SB	•	975	CC2136C-SB	•	1026
					swivel/brake	poly	CC2136Z-SBP	•	1112	CC2136C-SBP	•	1155
					swivel/rigid	resilient	CC2136Z-SR	•	984	CC2136C-SR	•	1056
					swivel/rigid	poly	CC2136Z-SRP	•	1098	CC2136C-SRP	•	1173
	48″ length *(1219mm)*	79	35.8	4.0	swivel	resilient	CC2148Z-S	•	1037	CC2148C-S	•	1095
					swivel	poly	CC2148Z-SP	•	1172	CC2148C-SP	•	1228
					swivel/brake	resilient	CC2148Z-SB	•	1060	CC2148C-SB	•	1119
					swivel/brake	poly	CC2148Z-SBP	•	1194	CC2148C-SBP	•	1253
					swivel/rigid	resilient	CC2148Z-SR	•	1066	CC2148C-SR	•	1149
					swivel/rigid	poly	CC2148Z-SRP	•	1183	CC2148C-SRP	•	1264
	60″ length *(1524mm)*	96	43.5	5.0	swivel	resilient	CC2160Z-S	•	1172	CC2160C-S	•	1214
					swivel	poly	CC2160Z-SP	•	1300	CC2160C-SP	•	1352
					swivel/brake	resilient	CC2160Z-SB	•	1194	CC2160C-SB	•	1244
					swivel/brake	poly	CC2160Z-SBP	•	1329	CC2160C-SBP	•	1375
					swivel/rigid	resilient	CC2160Z-SR	•	1205	CC2160C-SR	•	1270
					swivel/rigid	poly	CC2160Z-SRP	•	1327	CC2160C-SRP	•	1382
24″ width *(610mm)*	36″ length *(914mm)*	74	33.5	3.5	swivel	resilient	CC2436Z-S	•	993	CC2436C-S	•	1037
					swivel	poly	CC2436Z-SP	•	1123	CC2436C-SP	•	1172
					swivel/brake	resilient	CC2436Z-SB	•	1016	CC2436C-SB	•	1060
					swivel/brake	poly	CC2436Z-SBP	•	1147	CC2436C-SBP	•	1194
					swivel/rigid	resilient	CC2436Z-SR	•	1028	CC2436C-SR	•	1085
					swivel/rigid	poly	CC2436Z-SRP	•	1142	CC2436C-SRP	•	1203
	48″ length *(1219mm)*	90	40.8	4.5	swivel	resilient	CC2448Z-S	•	1103	CC2448C-S	•	1159
					swivel	poly	CC2448Z-SP	•	1234	CC2448C-SP	•	1294
					swivel/brake	resilient	CC2448Z-SB	•	1127	CC2448C-SB	•	1184
					swivel/brake	poly	CC2448Z-SBP	•	1206	CC2448C-SBP	•	1317
					swivel/rigid	resilient	CC2448Z-SR	•	1136	CC2448C-SR	•	1210
					swivel/rigid	poly	CC2448Z-SRP	•	1254	CC2448C-SRP	•	1333
	60″ length *(1524mm)*	110	49.9	5.6	swivel	resilient	CC2460Z-S	•	1266	CC2460C-S	•	1300
					swivel	poly	CC2460Z-SP	•	1398	CC2460C-SP	•	1437
					swivel/brake	resilient	CC2460Z-SB	•	1287	CC2460C-SB	•	1329
					swivel/brake	poly	CC2460Z-SBP	•	1419	CC2460C-SBP	•	1456
					swivel/rigid	resilient	CC2460Z-SR	•	1295	CC2460C-SR	•	1356
					swivel/rigid	poly	CC2460Z-SRP	•	1412	CC2460C-SRP	•	1477

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Cart Covers

see spec sheet **EG01.09**

Meets J.C.A.H. standards for transporting clean linen!



cart cover enveloping entire cart/truck



cart cover with panel folded back for easy shelf accessibility

Light weight, easy to handle!

FEATURES:

- Top corners are reinforced.
- Choice of coated nylon or uncoated polyester.
- Coated cart covers available in powder blue *(suffix "**PB**")* and light green *(suffix "**LG**")*. Example: CVC-63-1836**PB**. Other colors available—consult factory.
- 10˝ x 12˝ *(254 x 305mm)* paperwork pouch at right side, when facing front of cart cover.
- Covers are nonreturnable.

Note: Cart covers to fit Security Units *(pages 42-43)* available. To order cart cover for Stationary or Mobile Security Unit, add suffix "**-S**" to end of model number (ex: CV-63-2436-**S**) and add 20% to list price. To order cart cover for Dolly Truck Security Unit, add suffix "**-D**" to end of model number (ex: CV-63-2436-**D**) and add 20% to list price.

Double-Flap option available. **$66 upcharge.** To order, add suffix "**-DF**" to model number (ex: CV-63-2436-**DF**).

Black electrostatic discharge (ESD) cart covers also available—see page 176.

	length		post height		weight		cu	White Coated Nylon*				White Uncoated Polyester			
								with zipper		with velcro		with zipper		with velcro	
	in.	mm	in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list
18˝ width *(457mm)*	36˝	914	54˝	1372	3	1.4	1	**CZC-54-1836**	428	**CVC-54-1836**	440	**CZ-54-1836**	248	**CV-54-1836**	272
			63˝	1600				**CZC-63-1836**	436	**CVC-63-1836**	460	**CZ-63-1836**	263	**CV-63-1836**	278
	48˝	1219	54˝	1372	4	1.8	1	**CZC-54-1848**	440	**CVC-54-1848**	466	**CZ-54-1848**	276	**CV-54-1848**	294
			63˝	1600				**CZC-63-1848**	455	**CVC-63-1848**	470	**CZ-63-1848**	277	**CV-63-1848**	299
	60˝	1524	54˝	1372	5	2.3	1	**CZC-54-1860**	478	**CVC-54-1860**	495	**CZ-54-1860**	287	**CV-54-1860**	303
			63˝	1600				**CZC-63-1860**	487	**CVC-63-1860**	506	**CZ-63-1860**	292	**CV-63-1860**	306
21˝ width *(533mm)*			54˝	1372				**CZC-54-2148**	493	**CVC-54-2148**	512	**CZ-54-2148**	319	**CV-54-2148**	338
	48˝	1219	63˝	1600	4	1.8	1	**CZC-63-2148**	512	**CVC-63-2148**	536	**CZ-63-2148**	353	**CV-63-2148**	367
			74˝	1880				**CZC-74-2148**	519	**CVC-74-2148**	538	**CZ-74-2148**	403	**CV-74-2148**	426
			54˝	1372				**CZC-54-2160**	565	**CVC-54-2160**	580	**CZ-54-2160**	333	**CV-54-2160**	356
	60˝	1524	63˝	1600	5	2.3	1	**CZC-63-2160**	573	**CVC-63-2160**	593	**CZ-63-2160**	367	**CV-63-2160**	387
			74˝	1880				**CZC-74-2160**	582	**CVC-74-2160**	603	**CZ-74-2160**	432	**CV-74-2160**	440
24˝ width *(610mm)*	24˝	610	54˝	1372	3	1.4	1	**CZC-54-2424**	519	**CVC-54-2424**	523	**CZ-54-2424**	584	**CV-54-2424**	387
			63˝	1600				**CZC-63-2424**	528	**CVC-63-2424**	542	**CZ-63-2424**	604	**CV-63-2424**	465
			54˝	1372				**CZC-54-2436**	436	**CVC-54-2436**	460	**CZ-54-2436**	284	**CV-54-2436**	300
	36˝	914	63˝	1600	3	1.4	1	**CZC-63-2436**	460	**CVC-63-2436**	478	**CZ-63-2436**	294	**CV-63-2436**	315
			74˝	1880				**CZC-74-2436**	469	**CVC-74-2436**	489	**CZ-74-2436**	356	**CV-74-2436**	366
			86˝	2184				**CZC-86-2436**	509	**CVC-86-2436**	542	**CZ-86-2436**	444	**CV-86-2436**	455
			54˝	1372				**CZC-54-2448**	516	**CVC-54-2448**	537	**CZ-54-2448**	306	**CV-54-2448**	330
	48˝	1219	63˝	1600	4	1.8	1	**CZC-63-2448**	538	**CVC-63-2448**	565	**CZ-63-2448**	362	**CV-63-2448**	383
			74˝	1880				**CZC-74-2448**	552	**CVC-74-2448**	569	**CZ-74-2448**	392	**CV-74-2448**	416
			86˝	2184				**CZC-86-2448**	633	**CVC-86-2448**	652	**CZ-86-2448**	474	**CV-86-2448**	489
			54˝	1372				**CZC-54-2460**	577	**CVC-54-2460**	596	**CZ-54-2460**	410	**CV-54-2460**	432
	60˝	1524	63˝	1600	5	2.3	1	**CZC-63-2460**	586	**CVC-63-2460**	610	**CZ-63-2460**	428	**CV-63-2460**	440
			74˝	1880				**CZC-74-2460**	596	**CVC-74-2460**	616	**CZ-74-2460**	485	**CV-74-2460**	504
			86˝	2184				**CZC-86-2460**	687	**CVC-86-2460**	687	**CZ-86-2460**	565	**CV-86-2460**	582
			54˝	1372				**CZC-54-2472**	586	**CVC-54-2472**	610	**CZ-54-2472**	426	**CV-54-2472**	438
	72˝	1829	63˝	1600	6	2.7	1	**CZC-63-2472**	597	**CVC-63-2472**	623	**CZ-63-2472**	455	**CV-63-2472**	470
			74˝	1880				**CZC-74-2472**	614	**CVC-74-2472**	627	**CZ-74-2472**	495	**CV-74-2472**	516
			86˝	2184				**CZC-86-2472**	720	**CVC-86-2472**	710	**CZ-86-2472**	593	**CV-86-2472**	610

* White-coated nylon covers are fire-retardant

Helps keep equipment clean on shelf carts and shelf trucks.

Transparent Vinyl Cart Covers

see spec sheet **EG01.09**

Meets J.C.A.H. standards for transporting clean linen!



transparent cart cover

Light weight, easy to handle!

FEATURES:

- Transparent vinyl allows for ease of viewing cart contents.
- Top corners are reinforced.
- Choice of zipper or velcro closure.
- Fully transparent except for the seams.
- 10˝ x 12˝ *(254 x 305mm)* paperwork pouch at right side, when facing front of cart cover.
- Covers are nonreturnable.

Note: Cart covers to fit Security Units *(pages 42-43)* available. To order cart cover for Stationary or Mobile Security Unit, add suffix "**-S**" to end of model number (ex: CV-63-2436-**S**) and add 20% to list price. To order cart cover for Dolly Truck Security Unit, add suffix "**-D**" to end of model number (ex: CV-63-2436-**D**) and add 20% to list price.

Double-Flap option available. **$66 upcharge.** To order, add suffix "**-DF**" to model number (ex: CV-63-2436-**DF**).

Black electrostatic discharge (ESD) cart covers also available—see page 176.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		post height		weight		cu	with zipper		with velcro	
	in.	mm	in.	mm	lbs.	kg	ft	model #	list	model #	list
18˝ width *(457mm)*	36˝	914	54˝	1372	3	1.4	1	**CZ-54-1836-T**	550	**CV-54-1836-T**	604
			63˝	1600				**CZ-63-1836-T**	550	**CV-63-1836-T**	604
	48˝	1219	54˝	1372	4	1.8	1	**CZ-54-1848-T**	556	**CV-54-1848-T**	614
			63˝	1600				**CZ-63-1848-T**	556	**CV-63-1848-T**	614
	60˝	1524	54˝	1372	5	2.3	1	**CZ-54-1860-T**	577	**CV-54-1860-T**	633
			63˝	1600				**CZ-63-1860-T**	616	**CV-63-1860-T**	676
21˝ width *(533mm)*			54˝	1372				**CZ-54-2148-T**	610	**CV-54-2148-T**	673
	48˝	1219	63˝	1600	4	1.8	1	**CZ-63-2148-T**	649	**CV-63-2148-T**	712
			74˝	1880				**CZ-74-2148-T**	684	**CV-74-2148-T**	750
			54˝	1372				**CZ-54-2160-T**	678	**CV-54-2160-T**	745
	60˝	1524	63˝	1600	5	2.3	1	**CZ-63-2160-T**	719	**CV-63-2160-T**	789
			74˝	1880				**CZ-74-2160-T**	758	**CV-74-2160-T**	830
24˝ width *(610mm)*	24˝	610	54˝	1372	3	1.4	1	**CZ-54-2424-T**	586	**CV-54-2424-T**	647
			63˝	1600				**CZ-63-2424-T**	586	**CV-63-2424-T**	647
			54˝	1372				**CZ-54-2436-T**	596	**CV-54-2436-T**	654
	36˝	914	63˝	1600	3	1.4	1	**CZ-63-2436-T**	596	**CV-63-2436-T**	654
			74˝	1880				**CZ-74-2436-T**	727	**CV-74-2436-T**	799
			86˝	2184				**CZ-86-2436-T**	766	**CV-86-2436-T**	844
			54˝	1372				**CZ-54-2448-T**	627	**CV-54-2448-T**	688
	48˝	1219	63˝	1600	4	1.8	1	**CZ-63-2448-T**	627	**CV-63-2448-T**	688
			74˝	1880				**CZ-74-2448-T**	649	**CV-74-2448-T**	712
			86˝	2184				**CZ-86-2448-T**	807	**CV-86-2448-T**	885
			54˝	1372				**CZ-54-2460-T**	687	**CV-54-2460-T**	759
	60˝	1524	63˝	1600	5	2.3	1	**CZ-63-2460-T**	687	**CV-63-2460-T**	759
			74˝	1880				**CZ-74-2460-T**	838	**CV-74-2460-T**	922
			86˝	2184				**CZ-86-2460-T**	882	**CV-86-2460-T**	970
			54˝	1372				**CZ-54-2472-T**	770	**CV-54-2472-T**	847
	72˝	1829	63˝	1600	6	2.7	1	**CZ-63-2472-T**	786	**CV-63-2472-T**	864
			74˝	1880				**CZ-74-2472-T**	864	**CV-74-2472-T**	950
			86˝	2184				**CZ-86-2472-T**	907	**CV-86-2472-T**	998

Helps keep equipment clean on shelf carts and shelf trucks.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Angled Shelf/ Visual Merchandising Carts

see spec sheet EG01.44



visual merchandising cart with optional shelf dividers

Ideal for displaying POINT-OF-SALE or SPECIAL SALE ITEMS.

FEATURES:

- 68″ *(1727mm)* height.
- 3¼″ *(83mm)* upturn at front
- 1¼″ *(32mm)* downturn at rear.
- Shelves are reversible.
- Units available in 2´ to 5´ lengths *(610 to 1524mm)*.

WEIGHT CAPACITY:

- 300 lbs. *(136.1 kg)* per shelf.

INCLUDES:

- Four shelves adjust on 1″ *(25mm)* vertical increments and the 0˚-30˚ slope of each shelf.
- Four posts.
- Four 5″ x 1¼″ *(127 x 32mm)* resilient swivel casters, two with brake.
- Additional caster sizes are available.
- Standard wire shelves *(page 6)* can be used.


Note: To order red or white epoxy finish, add suffix "**R**" *(red)* or "**W**" *(white)*. **Example: M1836R.** *Priced same as black epoxy.*

Additional shelves and wire dividers available as options.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

All carts listed are 18″ (457mm)-wide. 24″ (610mm)-wide carts available.

length		weight		cu	EAGLEbrite®		chrome		black		VALU-MASTER®		Valu-Gard®	
in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″	610	52	23.6	3.6	**M1824Z-4**	1055	**M1824C-4**	1182	**M1824BL-4**	1204	**M1824V-4**	1204	**M1824VG-4**	1204
36″	914	60	27.2	4.4	**M1836Z-4** •	1099	**M1836C-4**	1214	**M1836BL-4**	1232	**M1836V-4**	1232	**M1836VG-4**	1232
48″	1219	68	30.8	5.8	**M1848Z-4** •	1222	**M1848C-4**	1266	**M1848BL-4**	1317	**M1848V-4**	1317	**M1848VG-4**	1317
60″	1524	76	34.5	7.3	**M1860Z-4** •	1308	**M1860C-4**	1352	**M1860BL-4**	1394	**M1860V-4**	1394	**M1860VG-4**	1394



Additional Angled Shelves for Angled Shelf / Visual Merchandising Carts - Hanger rails included.

length		weight		cu	EAGLEbrite®		chrome		black		VALU-MASTER®		Valu-Gard®	
in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″	610	4	1.8	2.2	**M1824Z**	169	**M1824C**	195	**M1824BL**	208	**M1824V**	208	**M1824VG**	208
36″	914	9	4.1	2.5	**M1836Z**	180	**M1836C**	205	**M1836BL**	215	**M1836V**	215	**M1836VG**	215
48″	1219	12	5.5	2.8	**M1848Z**	209	**M1848C**	217	**M1848BL**	229	**M1848V**	229	**M1848VG**	229
60″	1524	17	7.7	3.1	**M1860Z**	229	**M1860C**	242	**M1860BL**	250	**M1860V**	250	**M1860VG**	250

Note: If purchased as component piece for unit assembly, two 3-sided truss frames must be ordered (see page 34).



Shelf Dividers for Angled Shelf / Visual Merchandising Carts - 4½″ *(114mm)* height.

length		weight		cu	chrome		black		VALU-MASTER®		Valu-Gard®	
in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list
18″	457	1.0	0.5	0.6	**M18C**	72	**M18BL**	74	**M18V**	74	**M18VG**	74

Front-to-Back Hanger Rail for Angled Shelf / Visual Merchandising Carts



length		weight		cu	EAGLEbrite®		chrome		black		VALU-MASTER®		Valu-Gard®	
in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
18″	457	0.7	0.3	2.0	**WR18-Z**	29	**WR18-C**	33	**WR18-BL**	38	**WR18-V**	40	**WR18-VG**	40

Side-to-Side Hanger Rails for Angled Shelf / Visual Merchandising Carts

length		weight		cu	EAGLEbrite®		chrome		black		VALU-MASTER®		Valu-Gard®	
in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″	610	1.5	0.7	0.3	**LR24-Z**	40	**LR24-C**	49	**LR24-BL**	54	**LR24-V**	54	**LR24-VG**	54
36″	914	1.9	0.9	0.6	**LR36-Z**	43	**LR36-C**	58	**LR36-BL**	63	**LR36-V**	63	**LR36-VG**	63
48″	1219	2.1	1.0	0.7	**LR48-Z**	44	**LR48-C**	72	**LR48-BL**	74	**LR48-V**	74	**LR48-VG**	74
60″	1524	2.5	1.1	0.8	**LR60-Z**	49	**LR60-C**	82	**LR60-BL**	83	**LR60-V**	83	**LR60-VG**	83

Angled Shelf/ Visual Merchandising Carts (continued)

see spec sheet **EG01.44**



three-sided truss snare 18″ (457mm) front-to-back.



four-sided truss snare 18″ (457mm) front-to-back.

3-Sided Truss Frame for Angled Shelf/Visual Merchandising Cart

length		weight		cu	EAGLEbrite®		chrome		black		VALU-MASTER®		Valu-Gard®	
in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
36″	914	3.5	1.6	2	**3TF1836-Z**	58	**3TF1836-C**	60	**3TF1836-BL**	66	**3TF1836-V**	66	**3TF1836-VG**	66
48″	1219	4.0	1.8	3	**3TF1848-Z**	60	**3TF1848-C**	72	**3TF1848-BL**	77	**3TF1848-V**	77	**3TF1848-VG**	77
60″	1524	4.5	2.0	4	**3TF1860-Z**	67	**3TF1860-C**	77	**3TF1860-BL**	84	**3TF1860-V**	84	**3TF1860-VG**	84

4-Sided Truss Frame for Angled Shelf/Visual Merchandising Carts

length		weight		cu	EAGLEbrite®		chrome		black		VALU-MASTER®		Valu-Gard®	
in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
36″	914	3.5	1.6	2	**4TF1836-Z**	94	**4TF1836-C**	99	**4TF1836-BL**	112	**4TF1836-V**	112	**4TF1836-VG**	112
48″	1219	4.0	1.8	3	**4TF1848-Z**	99	**4TF1848-C**	116	**4TF1848-BL**	119	**4TF1848-V**	119	**4TF1848-VG**	119
60″	1524	4.5	2.0	4	**4TF1860-Z**	106	**4TF1860-C**	125	**4TF1860-BL**	133	**4TF1860-V**	133	**4TF1860-VG**	133

Mobile Platform Carts

see spec sheet **EG60.36**



Lifetime guarantee against rust and corrosion!

5-year guarantee against workmanship and material defects!

FEATURES:

- Heavy duty all-aluminum construction.
- 1½″ x 2¾″ *(38 x 70mm)* square tubing.
- 5″ *(127mm)* casters—two swivel with brake and two rigid.

overall dimensions width x depth x height				deck size width x depth				weight capacity			
in.		mm		in.		mm		lbs.	kg	model #	list
20″ x 37¾″ x 42″		508 x 959 x 1067		20″ x 36″		508 x 914		1200	544.3	**1202**	1194
20″ x 49¾″ x 42″		508 x 1264 x 1067		20″ x 48″		508 x 1219		1200	544.3	**1203**	1316
20″ x 61¾″ x 42″		508 x 1569 x 1067		20″ x 60″		508 x 1524		1200	544.3	**1212**	1530

Black Polymer Utility Cart

see spec sheet **EG01.06**



Utilizes three heavy duty black polymer shelves and utility handles!

WEIGHT CAPACITY:

- 200 lb. *(90.7 kg)*.

FEATURES:

- Four 4″ *(102mm)* diameter swivel casters, two with brake.
- Stylish brushed aluminum uprights.

height	width	length in.	length mm	weight lbs.	weight kg	model #	list
37¾″ *(959mm)* *including casters*	**18⅝″** *(473mm)*	33⅝″	854	30	13.6	**EU3-2030-P**	1273

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Dolly Trucks

NSF

see spec sheet **EG01.08**



FEATURES:

- Fast assembly without tools.
- Open wire construction.
- Shipped knocked-down.

INCLUDES:

- Four shelves.
- Four posts.
- Plastic split sleeves.
- Four designated 5″ x 1¼″ *(127 x 32mm)* casters.
- Aluminum truck dolly with wraparound bumper.

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

			shelf dimensions width x length in.	mm	weight lbs.	kg	cu ft	caster type	wheel tread	with EAGLEbrite® shelf unit model #	list	with chrome shelf unit model #	list
69″ height *(1753mm)*	23¾″ width *(603mm)*	40⅞″ length *(1038mm)*	18″ x 36″	457 x 914	72	32.7	4.2	swivel	resilient	DT1836-ZS	1648	DT1836-CS	1703
								swivel	poly	DT1836-ZSP	1597	DT1836-CSP	1648
								swivel/brake	resilient	DT1836-ZSB	1664	DT1836-CSB	1714
								swivel/brake	poly	DT1836-ZSBP	1616	DT1836-CSBP	1664
		52⅞″ length *(1343mm)*	18″ x 48″	457 x 1219	86	39.0	5.6	swivel	resilient	DT1848-ZS	1776	DT1848-CS	1847
								swivel	poly	DT1848-ZSP	1726	DT1848-CSP	1794
								swivel/brake	resilient	DT1848-ZSB	1789	DT1848-CSB	1862
								swivel/brake	poly	DT1848-ZSBP	1740	DT1848-CSBP	1808
		64⅞″ length *(1648mm)*	18″ x 36″	457 x 914	100	45.4	6.8	swivel	resilient	DT1860-ZS	1938	DT1860-CS	2010
								swivel	poly	DT1860-ZSP	1887	DT1860-CSP	1959
								swivel/brake	resilient	DT1860-ZSB	1955	DT1860-CSB	2023
								swivel/brake	poly	DT1860-ZSBP	1899	DT1860-CSBP	1970
	26¾″ width *(680mm)*	40⅞″ length *(1038mm)*	21″ x 36″	533 x 914	82	37.2	4.8	swivel	resilient	DT2136-ZS	1740	DT2136-CS	1828
								swivel	poly	DT2136-ZSP	1696	DT2136-CSP	1778
								swivel/brake	resilient	DT2136-ZSB	1750	DT2136-CSB	1847
								swivel/brake	poly	DT2136-ZSBP	1708	DT2136-CSBP	1794
		52⅞″ length *(1343mm)*	21″ x 48″	533 x 1219	98	44.5	6.4	swivel	resilient	DT2148-ZS	1869	DT2148-CS	1964
								swivel	poly	DT2148-ZSP	1822	DT2148-CSP	1918
								swivel/brake	resilient	DT2148-ZSB	1884	DT2148-CSB	1983
								swivel/brake	poly	DT2148-ZSBP	1833	DT2148-CSBP	1930
		64⅞″ length *(1648mm)*	21″ x 60″	533 x 1524	114	51.7	7.9	swivel	resilient	DT2160-ZS	2055	DT2160-CS	2134
								swivel	poly	DT2160-ZSP	2008	DT2160-CSP	2089
								swivel/brake	resilient	DT2160-ZSB	2072	DT2160-CSB	2149
								swivel/brake	poly	DT2160-ZSBP	2019	DT2160-CSBP	2172
	29¾″ width *(756mm)*	40⅞″ length *(1038mm)*	24″ x 36″	610 x 914	90	40.8	5.6	swivel	resilient	DT2436-ZS	1773	DT2436-CS	1855
								swivel	poly	DT2436-ZSP	1723	DT2436-CSP	1800
								swivel/brake	resilient	DT2436-ZSB	1788	DT2436-CSB	1869
								swivel/brake	poly	DT2436-ZSBP	1739	DT2436-CSBP	1822
		52⅞″ length *(1343mm)*	24″ x 48″	610 x 1219	112	50.8	7.2	swivel	resilient	DT2448-ZS	1930	DT2448-CS	2034
								swivel	poly	DT2448-ZSP	1884	DT2448-CSP	1983
								swivel/brake	resilient	DT2448-ZSB	1948	DT2448-CSB	2044
								swivel/brake	poly	DT2448-ZSBP	1896	DT2448-CSBP	1996
		64⅞″ length *(1648mm)*	24″ x 60″	610 x 1524	134	60.8	8.9	swivel	resilient	DT2460-ZS	2144	DT2460-CS	2222
								swivel	poly	DT2460-ZSP	2095	DT2460-CSP	2177
								swivel/brake	resilient	DT2460-ZSB	2162	DT2460-CSB	2236
								swivel/brake	poly	DT2460-ZSBP	1534	DT2460-CSBP	1592

Garment Racks



model # GR1836C

see spec sheet **EG01.28**

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

INCLUDES:

- Four chrome post with adjustable feet.
- Two wire chrome plated shelves.
- 74″ *(1880mm)* height on stationary units.
- 80″ *(3032mm)* height on mobile units.
- Mobile racks four 5″ *(127mm)* polyurethane tread casters, with rubber donut bumper.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Convenient storage of coats, uniforms, or garments.

	length in.	length mm	weight lbs.	weight kg	cu ft	description	STATIONARY model #	STATIONARY list	MOBILE model #	MOBILE list
18″ width (457mm)	36″	914	48	21.8	2.2	unit as shown	**GR1836C**	566	**UR1836C**	896
	36″	914	64	29.0	2.2	same, plus 1 solid shelf	**GRS1836C**	783	**URS1836C**	1174
	48″	1219	52	23.6	2.6	unit as shown	**GR1848C**	616	**UR1848C**	958
	48″	1219	72	32.7	2.6	same, plus 1 solid shelf	**GRS1848C**	859	**URS1848C**	1287
	60″	1524	58	26.3	3.2	unit as shown	**GR1860C**	689	**UR1860C**	1036
	60″	1524	82	37.2	3.2	same, plus 1 solid shelf	**GRS1860C**	984	**URS1860C**	1474

Optional Wire Shelves

	length in.	length mm	weight lbs.	weight kg	cu ft	model #	list
18″ width (457mm)	36″	914	9	4.1	0.7	**1836C** •	119
	48″	1219	12	5.5	0.9	**1848C** •	143
	60″	1524	17	7.7	1.2	**1860C** •	169


Optional Hangers

description	weight lbs.	weight kg	cu ft	chrome model #	chrome list
open loop hanger	0.4	0.2	0.3	**OLH-C** •	26
closed loop hanger	0.4	0.2	0.3	**CLH-C**	26

Replacement Coat Hanger Tubes

length in.	length mm	weight lbs.	weight kg	cubic feet	model #	list
24″	610	1.5	0.7	0.1	**CH24**	67
30″	762	1.7	0.8	0.1	**CH30**	73
36″	914	2.2	1.0	0.1	**CH36**	77
42″	1067	2.7	1.2	0.1	**CH42**	78
48″	1219	3.2	1.5	0.1	**CH48** •	82
54″	1372	3.5	1.6	0.2	**CH54**	85
60″	1524	3.8	1.7	0.2	**CH60**	92





Platforms

NSF

see spec sheet **EG01.13**



600 lbs. weight capacity

FEATURES:

- Open-wire construction for improved air circulation, minimizing dust.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

		length in.	length mm	weight lbs.	weight kg	cu ft	EAGLEbrite® model #	EAGLEbrite® list	chrome model #	chrome list	EAGLEgard® model #	EAGLEgard® list
14″ height (356mm)	18″ width (457mm)	24″	610	10	4.5	0.7	**PF1824-Z** •	205	**PF1824-C** •	216	**PF1824-E** •	255
		30″	762	11	5.0	0.7	**PF1830-Z** •	208	**PF1830-C** •	217	**PF1830-E** •	260
		36″	914	13	5.9	0.7	**PF1836-Z** •	214	**PF1836-C** •	219	**PF1836-E** •	267
	21″ width (533mm)	24″	610	12	5.4	0.7	**PF2124-Z** •	216	**PF2124-C** •	232	**PF2124-E** •	275
		30″	762	13	5.9	0.7	**PF2130-Z** •	218	**PF2130-C** •	242	**PF2130-E** •	277
		36″	914	14	6.4	0.8	**PF2136-Z** •	220	**PF2136-C** •	244	**PF2136-E** •	280
	24″ width (610mm)	24″	610	13	5.9	0.8	**PF2424-Z** •	220	**PF2424-C** •	243	**PF2424-E** •	292
		30″	762	15	6.8	0.8	**PF2430-Z** •	228	**PF2430-C** •	248	**PF2430-E** •	294
		36″	914	17	7.7	0.8	**PF2436-Z** •	230	**PF2436-C** •	252	**PF2436-E** •	297

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Dunnage Shelves

see spec sheet EG01.13



Improves your system's weight-bearing capacity.

FEATURES:

- Four-sided frame with center supports.
- Removable heavy duty 5/16″ *(8mm)*-diameter wire mat assembly.

Note: All weights and cubic feet are approximate.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		weight		cu	chrome		EAGLEgard®		stainless steel	
	in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
18″ width *(457mm)*	24″	610	14	6.4	0.6	**DS1824-C**	200	**DS1824-E**	254	n/a	n/a
	30″	762	18	8.2	0.7	**DS1830-C**	220	**DS1830-E**	267	n/a	n/a
	36″	914	21	9.5	0.8	**DS1836-C**	234	**DS1836-E**	285	**DS1836-S**	737
	48″	1219	28	12.7	1.1	**DS1848-C**	273	**DS1848-E** •	337	**DS1848-S**	896
	60″	1524	33	15.0	1.3	**DS1860-C**	317	**DS1860-E** •	378	**DS1860-S**	1054
21″ width *(533mm)*	24″	610	15	6.8	0.6	**DS2124-C**	225	**DS2124-E**	276	n/a	n/a
	30″	762	19	8.6	0.8	**DS2130-C**	232	**DS2130-E**	287	n/a	n/a
	36″	914	22	10.0	0.9	**DS2136-C**	246	**DS2136-E**	302	n/a	n/a
	48″	1219	28	12.7	1.2	**DS2148-C**	282	**DS2148-E**	344	n/a	n/a
	60″	1524	34	15.4	1.5	**DS2160-C**	322	**DS2160-E**	409	n/a	n/a
24″ width *(610mm)*	24″	610	16	7.3	0.8	**DS2424-C**	218	**DS2424-E**	266	n/a	n/a
	30″	762	20	9.0	0.9	**DS2430-C**	240	**DS2430-E**	287	n/a	n/a
	36″	914	24	10.9	1.1	**DS2436-C**	258	**DS2436-E**	311	**DS2436-S**	802
	48″	1219	30	13.6	1.4	**DS2448-C**	291	**DS2448-E** •	354	**DS2448-S**	971
	60″	1524	37	16.8	1.8	**DS2460-C**	344	**DS2460-E** •	416	**DS2460-S**	1165

Dunnage Racks

see spec sheet EG01.13



Store large items off the floor!

Snag-free wire surface.

WEIGHT CAPACITY:

- Up to 36″ long: 1600 lbs. *(635 kg)*.
- 48″ long: 1300 lbs. *(590 kg)*.
- 60″ long: 1000 lbs. *(454 kg)*.
  - static load equally distributed.

Note: All weights and cubic feet are approximate.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

		length		weight		cu	chrome		EAGLEgard®		stainless steel	
		in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
14″ overall height *(356mm)*	**18″ width** *(457mm)*	24″	610	21	9.5	0.5	**DR1824-C**	444	**DR1824-E**	519	n/a	n/a
		30″	762	24	10.9	1.0	**DR1830-C**	473	**DR1830-E**	555	n/a	n/a
		36″	914	31	14.1	1.6	**DR1836-C**	504	**DR1836-E**	589	**DR1836-S**	1280
		48″	1219	37	16.8	2.2	**DR1848-C**	594	**DR1848-E** •	705	**DR1848-S**	1708
		60″	1524	43	19.5	3.0	**DR1860-C**	736	**DR1860-E**	778	n/a	n/a
	21″ width *(533mm)*	24″	610	24	10.9	0.8	**DR2124-C**	465	**DR2124-E**	552	n/a	n/a
		30″	762	27	12.2	2.0	**DR2130-C**	497	**DR2130-E**	589	n/a	n/a
		36″	914	33	15.0	2.0	**DR2136-C**	530	**DR2136-E**	625	n/a	n/a
		48″	1219	39	17.6	2.9	**DR2148-C**	628	**DR2148-E**	738	n/a	n/a
		60″	1524	45	20.4	3.3	**DR2160-C**	715	**DR2160-E**	808	n/a	n/a
	24″ width *(610mm)*	24″	610	27	12.2	1.4	**DR2424-C**	474	**DR2424-E**	563	n/a	n/a
		30″	762	30	13.6	1.8	**DR2430-C**	510	**DR2430-E**	593	n/a	n/a
		36″	914	35	15.9	2.1	**DR2436-C** •	547	**DR2436-E** •	642	**DR2436-S**	1470
		48″	1219	41	18.6	2.8	**DR2448-C** •	645	**DR2448-E** •	758	**DR2448-S**	1870
		60″	1524	47	21.3	3.5	**DR2460-C**	740	**DR2460-E**	850	n/a	n/a

Mobile Dunnage Racks

see spec sheet EG01.13



Easy to maneuver!

WEIGHT CAPACITY:
- 800 lbs. *(363 kg)*.
  - equally distributed on the top surface.

INCLUDES:
- Four 5″ swivel polyurethane tread casters, two with brakes.
- 3-sided frame with 1″ *(25mm)*-square tubing.
- Snag-free wire surface.

Note: All weights and cubic feet are approximate.

		length		weight		cu	chrome		EAGLEgard®		stainless steel	
		in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
14″ overall height *(356mm)*	18″ width *(457mm)*	24″	610	33	15.0	1.0	**MDR1824-C**	999	**MDR1824-E**	1149	n/a	n/a
		30″	762	36	16.3	2.3	**MDR1830-C**	1018	**MDR1830-E**	1173	n/a	n/a
		36″	914	43	19.5	2.3	**MDR1836-C**	1095	**MDR1836-E**	1223	**MDR1836-S**	2034
		48″	1219	49	22.2	3.0	**MDR1848-C**	1192	**MDR1848-E**	1394	**MDR1848-S**	2400
		60″	1524	55	24.9	4.5	**MDR1860-C**	1210	**MDR1860-E**	1412	n/a	n/a
	21″ width *(533mm)*	24″	610	36	16.3	3.1	**MDR2124-C**	1028	**MDR2124-E**	1182	n/a	n/a
		30″	762	39	17.6	3.3	**MDR2130-C**	1036	**MDR2130-E**	1200	n/a	n/a
		36″	914	45	20.4	3.0	**MDR2136-C**	1059	**MDR2136-E**	1223	n/a	n/a
		48″	1219	51	23.1	4.0	**MDR2148-C**	1155	**MDR2148-E**	1342	n/a	n/a
		60″	1524	57	25.9	5.0	**MDR2160-C**	1248	**MDR2160-E**	1418	n/a	n/a
	24″ width *(610mm)*	24″	610	40	18.1	3.0	**MDR2424-C**	1033	**MDR2424-E**	1194	n/a	n/a
		30″	762	42	19.1	3.0	**MDR2430-C**	1043	**MDR2430-E**	1206	n/a	n/a
		36″	914	47	21.3	3.0	**MDR2436-C**	1127	**MDR2436-E**	1266	**MDR2436-S**	2172
		48″	1219	53	24.0	4.0	**MDR2448-C**	1230	**MDR2448-E**	1393	**MDR2448-S**	2562
		60″	1524	63	28.6	5.0	**MDR2460-C**	1276	**MDR2460-E**	1488	n/a	n/a

Polymer Dunnage Racks

see spec sheet EG01.17

FEATURES:
- No assembly required.

Durable polyethylene construction prevents corrosion and rust.



	width		length		weight		cubic	capacity				
	in.	mm	in.	mm	lbs.	kg	feet	lbs.	kg	color	model #	list
12″ height *(305mm)*	22″	559	36″	914	18	8.2	5.5	2000	907	black	**PD3622**	553
	22″	559	48″	1219	24	10.9	7.3	3000	1361	black	**PD4822**	664
	22″	559	60″	1524	28	12.7	9.2	3000	1361	black	**PD6022**	766
	36″	914	48″	1219	35	15.9	14.5	3500	1588	black	**PD4836**	734

Starter Units with Dunnage Shelf

see spec sheet EG01.19



Heavy duty dunnage shelf improves the units overall weight-bearing capacity.

FEATURES:
- Tapered split sleeves create a positive lock that becomes stronger as the load increases.
- 74″ *(1880mm)* posts numbered in increments of 1″ *(25mm)* to ensure fast and level assembly.

Stationary

width x length		zinc		chrome		EAGLEgard®	
in.	mm	model #	list	model #	list	model #	list
24″ x 48″	610 x 1219	**DS4-P74-2448Z**	1270	**DS4-P74-2448C**	1454	**DS4-P74-2448E**	1488

patented QuadTruss® design **(Patent #5,390,803)**

Mobile

width x length		zinc		chrome		EAGLEgard®	
in.	mm	model #	list	model #	list	model #	list
24″ x 48″	610 x 1219	**DS4-CP74-2448Z**	1453	**DS4-CP74-2448C**	1643	**DS4-CP74-2448E**	1673

Note: Mobile models feature 5″ resilient swivel casters with bumpers.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Aluminum Dunnage Racks

see spec sheet EG01.17

FEATURES:
- 1½″ *(38mm)* square tubing.
- Plastic feet.



(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		weight		cubic	weight capacity		number	RACKS WITH 8″ (203mm) HEIGHT		RACKS WITH 12″ (305mm) HEIGHT	
	in.	mm	lbs.	kg	feet	lbs.	kg	of lats	model #	list	model #	list
20″ width (508mm)	36″	914	10	4.5	6.8	2000	907	4	WDR203608-A •	464	WDR203612-A •	464
	48″	1219	14	6.4	8.9	2000	907	4	WDR204808-A •	536	WDR204812-A •	536
	60″	1524	18	8.2	11.0	1500	680	4	WDR206008-A •	603	WDR206012-A •	603
24″ width (610mm)	36″	914	12	5.4	8.0	2000	907	5	WDR243608-A •	519	WDR243612-A •	519
	48″	1219	16	7.3	10.5	2000	907	5	WDR244808-A •	585	WDR244812-A •	585
	60″	1524	20	9.1	13.1	1500	680	5	WDR246008-A •	676	WDR246012-A •	676

Nesting Dunnage Racks

see spec sheet EG01.17

FEATURES:
- All-aluminum construction.



2,700 to 3,200 lb. (1225 to 1452 kg) weight capacity.

Racks are stackable, saving space when not in use.

		length		weight		cubic	weight capacity			
		in.	mm	lbs.	kg	feet	lbs.	kg	model #	list
12″ height (305mm)	″ width (457mm)	24″	610	8	3.6	3.0	3200	1452	NDR182412-A	440
		36″	914	10	4.5	4.5	3200	1452	NDR183612-A	509
		48″	1219	12	5.4	6.0	2700	1225	NDR184812-A	567
	20″ width (508mm)	24″	610	8	3.6	3.4	3200	1452	NDR202412-A	440
		36″	914	10	4.5	5.1	3200	1452	NDR203612-A	509
		48″	1219	12	5.4	6.7	2700	1225	NDR204812-A	567
	24″ width (610mm)	24″	610	9	4.1	4.0	3200	1452	NDR242412-A	523
		36″	914	11	5.0	6.0	3200	1452	NDR243612-A	582
		48″	1219	14	6.4	8.0	2700	1225	NDR244812-A	676

Aluminum Truck Dollies

see spec sheet EG01.03B

INCLUDES:
- Four designated 5″ x 1¼″ *(127 x 32mm)* casters with poly tread.
- Wraparound bumpers.



	length		weight		cubic	caster	caster load rate (each)			
	in.	mm	lbs.	kg	feet	type	lbs.	kg	model #	list
29¾″ width (756mm)	52⅞″	1343	41	18.6	6.3	swivel	300	136.1	TD2448-SP	993
	52⅞″	1343	44	20.0	6.3	swivel/brake	300	136.1	TD2448-BSP	2038
	64⅞″	1648	48	21.8	7.6	swivel	300	136.1	TD2460-SP	1040
	64⅞″	1648	50	22.7	7.6	swivel/brake	300	136.1	TD2460-BSP	2048

Dolly Frames with Wraparound Bumper

see spec sheet **EG01.03B**



dolly frames with wraparound bumper

ORDERING:

- If ordering casters list dolly frame and caster model numbers separately.
- Holes are prepunched for use with plate casters on page 10.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		Aluminum					Chrome Plated Steel				
	in.	mm	weight lbs.	weight kg	cu ft	model #	list	weight lbs.	weight kg	cu ft	model #	list
23¾″ width *(603mm)*	40⅞″	1038	14	6.4	1.6	**DF1836-A**	586	16	7.3	1.6	**DF1836-C**	884
	46⅞″	1191	16	7.3	1.9	**DF1842-A**	616	18	8.2	1.9	**DF1842-C**	929
	52⅞″	1343	18	8.2	2.1	**DF1848-A**	637	20	9.1	2.1	**DF1848-C**	958
	64⅞″	1648	21	9.6	2.6	**DF1860-A**	699	23	10.4	2.6	**DF1860-C**	1059
	76⅞″	1953	23	10.4	2.9	**DF1872-A**	814	25	11.3	2.9	**DF1872-C**	1228
26¾″ width *(680mm)*	40⅞″	1038	17	7.7	1.8	**DF2136-A**	630	19	8.6	1.8	**DF2136-C**	950
	46⅞″	1191	19	8.6	2.1	**DF2142-A**	653	21	9.6	2.1	**DF2142-C**	984
	52⅞″	1343	21	9.6	2.4	**DF2148-A**	684	24	10.9	2.4	**DF2148-C**	1028
	64⅞″	1648	23	10.4	2.9	**DF2160-A**	734	23	11.8	2.9	**DF2160-C**	1099
	76⅞″	1953	25	11.3	3.5	**DF2172-A**	770	28	12.7	3.5	**DF2172-C**	1164
29¾″ width *(756mm)*	40⅞″	1038	21	9.6	2.1	**DF2436-A**	620	23	10.4	2.1	**DF2436-C**	937
	46⅞″	1191	26	11.8	2.4	**DF2442-A**	650	29	13.2	2.4	**DF2442-C**	982
	52⅞″	1343	29	13.2	3.9	**DF2448-A**	676	32	14.5	3.9	**DF2448-C**	1017
	64⅞″	1648	31	14.1	4.2	**DF2460-A** •	734	34	15.4	4.2	**DF2460-C**	1099
	76⅞″	1953	39	17.7	4.5	**DF2472-A**	859	42	19.1	4.5	**DF2472-C**	1294

Plastic Label Holders

see spec sheet **EG01.03D**



gray plastic label holder



black plastic label holder



clear plastic label holder

FEATURES:

- Snaps onto shelf edge.
- Provides easy identification of shelf contents or section.
- Holds 1″ to 1¼″ *(25 to 32mm)* high labels.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

length		fits shelf size		gray		black		clear	
in.	mm	in.	mm	model #	list	model #	list	model #	list
3″	76	all	all	**A204331** *	7	**A206216** *	7	**A208746**	7
13″	330	18″	457	**A206196**	12	**A206217**	12	**A208747**	12
19″	483	24″	610	**A206197**	19	**A206218**	19	**A208749**	19
25″	635	30″	762	**A206198**	22	**A206219**	22	**A208750**	22
31″	787	36″	914	**A206199**	25	**A206220**	25	**A208751** •	25
33″	838	36″	914	**A213096**	17	**A227763**	17	**A227764**	17
37″	940	42″	1067	**A223747**	26	**A223748**	26	**A223749**	26
43″	1092	48″	1219	**A206200**	28	**A206221**	28	**A208752**	28
45″	1143	48″	1219	**A212494**	33	**A225208**	33	**A217621**	33
55″	1397	60″	1524	**A206201**	37	**A206222**	37	**A208753**	37
67″	1702	72″	1829	**A227842**	35	**A227841**	35	**A222144**	35

* Actual length: 3¼″ *(83mm)*



Wire Basket Shelf

NSF

see spec sheet **EG01.03E**

FEATURES:

- Chrome-plated.
- For use with standard shelving posts.
- 4¼″ *(107mm)* depth.

400-lb. (181.4 kg) weight capacity!



width	length in	length mm	weight lbs.	weight kg	model #	list
18″ *(457mm)*	36″	914	10	4.5	**WBS1836C**	180

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Security Modules

see spec sheet EG01.16



shown with hinged door
(shown mounted to shelf unit sold separately)




shown with flip-up door
(shown mounted to shelf unit sold separately)

INCLUDES:

- End panels.
- Rear panel.
- Door(s).
- Fits in between two wire shelves spaced 20″ *(508mm)* apart.

Note: Shelving units sold separately—see pages 18 and 20.



Converts portion of shelf unit into a lockable enclosed security unit, adding versatility to shelf unit. More than one module can be added to unit, depending on unit's overall height.

Hinged Doors

	length		weight		EAGLEbrite® zinc		chrome		Valu-Gard® green		EAGLEgard®		stainless steel	
	in.	mm	lb.	kg	model #	list	model #	list	model #	list	model #	list	model #	list
18″ width *(457mm)*	30″	762	20	9.0	**SECM1830Z**	633	**SECM1830C**	828	**SECM1830VG**	863	**SECM1830E**	873	**SECM1830S**	2238
	36″	914	23	10.4	**SECM1836Z**	648	**SECM1836C**	838	**SECM1836VG**	873	**SECM1836E**	883	**SECM1836S**	2278
	48″	1219	27	12.2	**SECM1848Z**	687	**SECM1848C**	889	**SECM1848VG**	927	**SECM1848E**	938	**SECM1848S**	2437
	60″	1524	32	14.5	**SECM1860Z**	692	**SECM1860C**	1000	**SECM1860VG**	1043	**SECM1860E**	1054	**SECM1860S**	2452
21″ width *(533mm)*	30″	762	21	9.5	**SECM2130Z**	647	**SECM2130C**	837	**SECM2130VG**	870	**SECM2130E**	882	**SECM2130S**	2272
	36″	914	24	10.9	**SECM2136Z**	658	**SECM2136C**	850	**SECM2136VG**	886	**SECM2136E**	897	**SECM2136S**	2319
	48″	1219	29	13.2	**SECM2148Z**	705	**SECM2148C**	907	**SECM2148VG**	944	**SECM2148E**	956	**SECM2148S**	2497
	60″	1524	33	15.0	**SECM2160Z**	714	**SECM2160C**	1014	**SECM2160VG**	1056	**SECM2160E**	1066	**SECM2160S**	2523
24″ width *(610mm)*	30″	762	24	10.9	**SECM2430Z**	654	**SECM2430C**	849	**SECM2430VG**	885	**SECM2430E**	896	**SECM2430S**	2308
	36″	914	27	12.2	**SECM2436Z**	678	**SECM2436C**	907	**SECM2436VG**	944	**SECM2436E**	956	**SECM2436S**	2392
	48″	1219	31	14.1	**SECM2448Z**	720	**SECM2448C**	1029	**SECM2448VG**	1073	**SECM2448E**	1085	**SECM2448S**	2552
	60″	1524	35	15.9	**SECM2460Z**	765	**SECM2460C**	1154	**SECM2460VG**	1203	**SECM2460E**	1210	**SECM2460S**	2720


Flip-Up Door

	length		weight		EAGLEbrite® zinc		chrome		Valu-Gard® green		EAGLEgard®		stainless steel	
	in.	mm	lb.	kg	model #	list	model #	list	model #	list	model #	list	model #	list
18″ width *(457mm)*	30″	762	24	10.9	**SECM1830FZ**	745	**SECM1830FC**	884	**SECM1830FVG**	920	**SECM1830FE**	937	**SECM1830FS**	2614
	36″	914	29	13.2	**SECM1836FZ**	754	**SECM1836FC**	897	**SECM1836FVG**	936	**SECM1836FE**	944	**SECM1836FS**	2650
	48″	1219	34	15.4	**SECM1848FZ**	787	**SECM1848FC**	939	**SECM1848FVG**	978	**SECM1848FE**	987	**SECM1848FS**	2783
	60″	1524	39	17.6	**SECM1860FZ**	795	**SECM1860FC**	939	**SECM1860FVG**	978	**SECM1860FE**	1067	**SECM1860FS**	2798
21″ width *(533mm)*	30″	762	26	11.8	**SECM2130FZ**	752	**SECM2130FC**	897	**SECM2130FVG**	936	**SECM2130FE**	944	**SECM2130FS**	2647
	36″	914	30	13.6	**SECM2136FZ**	766	**SECM2136FC**	907	**SECM2136FVG**	944	**SECM2136FE**	956	**SECM2136FS**	2686
	48″	1219	35	15.9	**SECM2148FZ**	814	**SECM2148FC**	958	**SECM2148FVG**	998	**SECM2148FE**	1007	**SECM2148FS**	2830
	60″	1524	40	18.1	**SECM2160FZ**	823	**SECM2160FC**	1032	**SECM2160FVG**	1074	**SECM2160FE**	1086	**SECM2160FS**	2860
24″ width *(610mm)*	30″	762	28	12.7	**SECM2430FZ**	764	**SECM2430FC**	905	**SECM2430FVG**	942	**SECM2430FE**	950	**SECM2430FS**	2675
	36″	914	32	14.5	**SECM2436FZ**	778	**SECM2436FC**	950	**SECM2436FVG**	994	**SECM2436FE**	1004	**SECM2436FS**	2744
	48″	1219	38	17.2	**SECM2448FZ**	816	**SECM2448FC**	1045	**SECM2448FVG**	1092	**SECM2448FE**	1097	**SECM2448FS**	2880
	60″	1524	43	19.5	**SECM2460FZ**	855	**SECM2460FC**	1139	**SECM2460FVG**	1185	**SECM2460FE**	1200	**SECM2460FS**	3014

FULL-SIZE SECURITY UNITS

Safely store and transport costly materials and items subject to pilferage.

Full-Size Stationary Security Units



see spec sheet **EG01.22**

additional center shelves (see page 43)

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.


FEATURES:
- 2″ x 2″ *(51 x 51mm)* mesh.
- Shipped knocked-down.

Note: See pages 31-32 for optional cart covers available.
Doors on front and rear of unit available. To order, add suffix "**-2D**" (ex: SC2436S-**2D**). **20% upcharge**.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

		length		weight		cu	chrome		EAGLEgard®		stainless steel	
		in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
67″ overall height *(1702mm)*	17¼″ width *(438mm)*	33¼″	845	114	51.7	5	**SC1430**	1847	**SC1430E**	1855	**SC1430S**	4375
		39¼″	997	123	55.8	5	**SC1436** •	2050	**SC1436E**	2059	**SC1436S**	4858
		51¼″	1302	141	64.0	9	**SC1448** •	2550	**SC1448E**	2582	**SC1448S**	5914
		63¼″	1607	159	72.1	10	**SC1460**	2826	**SC1460E**	2797	**SC1460S**	6164
	27¼″ width *(692mm)*	33¼″	845	123	55.8	9	**SC2430**	1969	**SC2430E**	2405	**SC2430S**	5454
		39¼″	997	145	65.8	9	**SC2436** •	2185	**SC2436E** •	2675	**SC2436S**	6056
		51¼″	1302	171	77.6	13	**SC2448** •	2726	**SC2448E** •	3325	**SC2448S**	7377
		63¼″	1607	197	89.4	15	**SC2460** •	2955	**SC2460E**	3606	**SC2460S**	7639
	33¼″ width *(845mm)*	33¼″	845	145	65.8	15	**SC3030**	2476	**SC3030E**	2943	**SC3030S**	6814
		39¼″	997	163	73.9	13	**SC3036**	2748	**SC3036E**	3267	**SC3036S**	7572
		51¼″	1302	181	82.1	15	**SC3048**	3425	**SC3048E**	4273	**SC3048S**	9226
		63¼″	1607	207	93.9	18	**SC3060**	3695	**SC3060E**	4594	**SC3060S**	9548

Full-Size Mobile Security Units



see spec sheet **EG01.22**

additional center shelves (see page 43)

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

FEATURES:
- Four swivel 5″ x 1¼″ *(127 x 32mm)* stem casters with polyurethane tread, two with brake.
- 2″ x 2″ *(51 x 51mm)* mesh.
- Shipped knocked-down.

Note: All stainless steel mobile security units come with stainless steel casters with polyurethane tread. See page 9 for other stem casters available.
See pages 30-31 for optional cart covers available.
Doors on front and rear of unit available. To order, add suffix "**-2D**" (ex: CSC2430-**2D**). **20% upcharge**.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

		length		weight		cu	chrome		EAGLEgard®		stainless steel	
		in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
69″ overall height *(1753mm)*	27¼″ width *(692mm)*	33¼″	845	135	61.2	9	**CSC2430**	2314	**CSC2430E**	2747	**CSC2430S**	5454
		39¼″	997	161	73.0	9	**CSC2436** •	2572	**CSC2436E** •	3050	**CSC2436S**	6056
		51¼″	1302	185	83.9	13	**CSC2448** •	3106	**CSC2448E** •	3708	**CSC2448S**	7378
		63¼″	1607	204	92.5	15	**CSC2460** •	3342	**CSC2460E**	3987	**CSC2460S**	7639
	33¼″ width *(845mm)*	33¼″	845	161	73.0	15	**CSC3030**	2923	**CSC3030E**	3519	**CSC3030S**	6814
		39¼″	997	179	87.2	13	**CSC3036**	3250	**CSC3036E**	3915	**CSC3036S**	7572
		51¼″	1302	203	92.1	15	**CSC3048**	3918	**CSC3048E** •	4749	**CSC3048S**	9226
		63¼″	1607	221	100.2	18	**CSC3060** •	4214	**CSC3060E**	5115	**CSC3060S**	9548

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Full-Size Dolly Truck Security Units

see spec sheet **EG01.22**



patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

INCLUDES:

- Dolly with wraparound bumper.
- 2″ x 2″ *(51x 51mm)* mesh.
- Four swivel 5″ x 1¼″ *(127 x 32mm)* poly plate casters, two with brakes.
- Shipped knocked down.

Note: See page 10 for optional plate casters.
See pages 31-32 for optional cart covers available.
Doors on front and rear of unit available. To order, add suffix "**-2D**" (ex: DTSC2448-**2D**). **20% upcharge**.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

		length		weight		cu	chrome shelf unit with aluminum dolly		EAGLEgard® shelf unit with aluminum dolly		stainless steel shelf unit with stainless steel dolly	
		in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
69″ overall height *(1753mm)*	**29¾″ width** *(756mm)*	34⅞″	886	161	73.0	7.3	**DTSC2430**	2778	**DTSC2430E**	4816	**DTSC2430S**	8964
		40⅞″	1038	177	80.3	10.7	**DTSC2436**	3086	**DTSC2436E**	5349	**DTSC2436S**	9962
		52⅞″	1343	214	97.1	18.5	**DTSC2448**	3662	**DTSC2448E**	6367	**DTSC2448S**	11822
		64⅞″	1648	245	111.1	22.9	**DTSC2460**	3936	**DTSC2460E**	7022	**DTSC2460S**	12134

Optional Posts for Full-Size Security Units

post height		weight		cu	chrome		EAGLEgard®		stainless steel	
in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
74″	1880	4	1.8	0.5	**SP74-CS**	58	**SP74-ES**	67	**SP74-SS**	145
86″	2184	5	2.3	0.8	**SP86-CS**	72	**SP86-ES**	77	**SP86-SS**	169

Optional Shelves for Full-Size Security Units

Wire Shelves — Must be installed when assembling unit.

Optional Quad-Adjust® Shelves — For use as intermediate shelves only.

	length		weight		cu	chrome		EAGLEgard®		stainless steel		chrome		EAGLEgard®		stainless steel	
	in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
14″ width* *(356mm)*	30″	762	7	3.2	0.5	**1430C** •	106	**1430E** •	125	**1430S**	359	n/a		n/a		n/a	
	36″	914	8	3.6	0.5	**1436C** •	116	**1436E** •	130	**1436S** •	363	**QA1436C**	182	**QA1436E**	203	**QA1436S**	495
	48″	1219	10	4.5	0.7	**1448C** •	130	**1448E** •	149	**1448S** •	445	**QA1448C**	205	**QA1448E**	230	**QA1448S**	593
	60″	1524	14	6.4	0.9	**1460C** •	147	**1460E** •	172	**1460S** •	566	**QA1460C**	219	**QA1460E**	250	**QA1460S**	742
24″ width *(610mm)*	30″	762	11	5.0	0.8	**2430C** •	144	**2430E** •	174	**2430S** •	550	n/a		n/a		n/a	
	36″	914	13	5.9	0.8	**2436C** •	147	**2436E** •	177	**2436S** •	555	**QA2436C**	219	**QA2436E**	256	**QA2436S**	729
	48″	1219	16	7.3	1.2	**2448C** •	177	**2448E** •	217	**2448S** •	674	**QA2448C**	256	**QA2448E**	303	**QA2448S**	867
	60″	1524	21	9.5	1.5	**2460C** •	214	**2460E** •	256	**2460S** •	822	**QA2460C**	294	**QA2460E**	345	**QA2460S**	1055
30″ width* *(762mm)*	30″	762	16	7.3	1.0	**3030C**	192	**3030E**	228	**3030S**	649						
	36″	914	17	7.7	1.0	**3036C** •	217	**3036E** •	263	**3036S** •	736						
	48″	1219	20	9.1	1.5	**3048C** •	250	**3048E** •	299	**3048S** •	858	-					
	60″	1524	25	11.4	1.8	**3060C** •	275	**3060E** •	339	**3060S** •	950						

* 14″ and 30″ widths *(356 and 762mm) do not fit Full-Size Dolly Truck Security Units.*

Ordering Full Size Security Units Assembled:

- Security carts shipped assembled, **add $1943** to list price and add suffix "**-A**". **Example: SC1460E-A.**
- For assembled unit with center shelves installed *(evenly spaced)*, indicate number of center shelves wanted by adding a number before the **"A"** in suffix **"-A"**.
- For **example, suffix "-1A"** indicates assembled unit with one center shelf, suffix **"-2A"** indicates assembled unit with two center shelves, and so on. **Example: SC1460E-2A.**
- **PRICING: add $1943 to list price** of security unit, and add list price of each applicable center shelf to be added.

Mini Security Units

see spec sheet **EG01.22**



patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

FEATURES:
- Stationary chrome plated units.
- 40″ *(1016mm)* height.
- Shipped knocked down.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		weight		cubic		
	in.	mm	lbs.	kg	feet	model #	list
16″ width	38″	965	88	39.9	8.6	**MSC1436** •	1769
(406mm)	50″	1270	104	47.2	9.6	**MSC1448**	2260
26″ width	38″	965	100	45.4	9.2	**MSC2436** *	1836
(660mm)	50″	1270	114	51.7	10.6	**MSC2448** *	2344

* Optional stem casters *(page 9)* available only for these models.

Optional Shelves for Mini Security Units

- With chrome plated finish.

	length		weight		cubic		
	in.	mm	lbs.	kg	feet	model #	list
14″ width	36″	914	8	3.6	0.5	**1436C** •	116
(356mm)	48″	1219	10	4.5	0.7	**1448C** •	130
24″ width	36″	914	13	6.0	0.8	**2436C** •	147
(610mm)	48″	1219	16	7.3	1.2	**2448C** •	177



Optional Add-A-Shelf® Adjustable Shelves for All Security Units

see spec sheet **EG01.22**



optional Add-A-Shelf® being added to security unit

WEIGHT CAPACITY:
- 300 lb.*(136.1 kg)* per shelf.

Note: Top and bottom shelves of unit must be standard shelves—see page 43.

WARNING:
- Use Add-A-Shelf® shelves for intermediate shelves.

FEATURES:
- Chrome finish.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

	length		weight		cubic		
	in.	mm	lbs.	kg	feet	model #	list
14″ width	36″	914	8	3.6	0.5	**A1436C** •	125
(356mm)	48″	1219	10	4.6	0.7	**A1448C** •	143
24″ width	36″	914	13	5.9	0.8	**A2436C** •	162
(610mm)	48″	1219	16	7.3	1.2	**A2448C** •	192
	60″	1524	21	9.5	1.5	**A2460C** •	244

Just a quick note...

GET FREE DOWNLOADS
• Spec Sheet • Product Instructions • Special Flyers • Brochures •
www.eaglemhc.com

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Tank Racks

see spec sheet EG01.31

FEATURES:
- All models chrome-plated.
- Two styles available.



style "B" tank rack with optional drip pan shown



style "A" tank rack with optional drip pan shown

Style "A" – 33″ *(838mm)* height
Includes:
- One dunnage mat with frame.
- One 3-sided frame.
- Four 33″ *(838mm)* posts.
- Cable assembly.

Style "B" – 74″ *(1880mm)* height
Includes:
- One dunnage mat with frame.
- One 3-sided frame.
- Four 74″ *(1880mm)* posts.
- Cable assembly.
- Two standard shelves.

	length		weight		cu			weight		cu		
	in.	mm	lb.	kg	ft	model #	list	lb.	kg	ft	model #	list
24″ width *(610mm)*	30″	762	40	18.1	0.2	**STR2430A**	816	68	30.8	0.3	**STR2430B**	1244
	48″	1219	50	22.7	0.3	**STR2448A**	975	88	39.9	0.4	**STR2448B**	1509

Optional Drip Pans for Tank Racks

- Stainless steel.



	length		weight		cu		
	in.	mm	lb.	kg	ft	model #	list
24″ width *(610mm)*	30″	762	8	3.6	0.2	**DP30**	436
	48″	1219	12	5.4	0.3	**DP48**	494

Optional Cylinder Retainer for Tank Racks

- Chrome-plated.
- Cylinders are secured to retainer to further prevent damage.

width		weight		cu		
in.	mm	lb.	kg	ft	model #	list
24″	610	7	3.2	0.3	**CRR24-C**	208



Modular Desks / Workstations

see spec sheet EG01.02

FEATURES:
- Heavy gauge type 304 stainless steel.
- Two chrome cantilever open-wire shelves.
- 16 gauge 1″ *(25mm)* diameter chrome-plated posts with exclusive MasterSeal® coating.
- Rear grid panel constructed of chrome.
- Three-sided 1″ *(25mm)* channel frame.
- Leveling feet.
- 74″ *(1880mm)* O.A. height.



	length		weight		cubic		
	in.	mm	lb.	kg	feet	model #	list
24″ width *(610mm)*	36″	914	78	35.3	1.0	**MD2436**	2240
	48″	1219	85	38.6	1.0	**MD2448**	2427

Optional Keyboard Station

- Mounts under tabletop.
- 20½″ wide x 11½″ deep *(521 x 292mm)*.

weight		cu	chrome		stainless	
lbs.	kg	ft	model #	list	model #	list
6.0	2.7	0.35	**KBD-1**	467	**KBD-1/SS**	649



adjusTable® Work Surface Systems

see spec sheet **EG10.09**

CUSTOM:

- Unit can be expanded and customized by adding optional shelving accessories *(pages 48-53)*.
- Custom configurations available, including alternate finishes and solid shelving. Contact factory to configure your custom workstation.
- Optional drawers available *(see pages 212-215)*.



basic unit

CUSTOMIZABLE WORK SURFACE CONFIGURATIONS TO MEET YOUR NEEDS!



1-tier unit



2-tier unit

Note: To order table with 5″ *(127mm)* resilient-tread casters, add suffix **"-CAH"** and **add to list price $8986**. **Example: T3036EBW-1-CAH.**

To order table with 5″ *(127mm)* poly-tread casters, add suffix **"-CAHP"** and **add to list price $855**. **Example: T3036EBW-1-CAHP.**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

patented QuadTruss® design
(Patent #5,390,803)

Patented QuadTruss® Design makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

adjusTable® **Additional wire undershelves, solid stainless steel undershelves, chrome wire overshelves, or solid stainless steel overshelves make the possibilities almost unlimited.**

Basic Units
33½″ *(851mm)* overall height.

1-tier Units
54½″ *(1384mm)* overall height.

2-tier Units
62½″ *(1588mm)* overall height.

	length		cu	weight		16/304		14/304		weight		16/304		14/304		weight		16/304		14/304	
	in.	mm	ft	lbs.	kg	model #	list	model #	list	lbs.	kg	model #	list	model #	list	lbs.	kg	model #	list	model #	list
24″ width *(610mm)*	36″	914	4.5	65	29.5	**T2436EBW**	1556	**T2436EW**	1707	73	33.1	**T2436EBW-1**	1937	**T2436EW-1**	2086	81	36.7	**T2436EBW-2**	2123	**T2436EW-2**	2275
	48″	1219	5.7	81	36.7	**T2448EBW**	1689	**T2448EW**	1959	91	41.3	**T2448EBW-1**	2172	**T2448EW-1**	2374	101	45.8	**T2448EBW-2**	2394	**T2448EW-2**	2600
	60″	1524	7.1	99	44.9	**T2460EBW**	1980	**T2460EW**	2252	113	51.3	**T2460EBW-1**	2452	**T2460EW-1**	2683	127	57.6	**T2460EBW-2**	2693	**T2460EW-2**	2925
30″ width *(762mm)*	36″	914	4.5	75	34.0	**T3036EBW**	1723	**T3036EW**	1930	83	37.6	**T3036EBW-1**	2104	**T3036EW-1**	2319	91	41.3	**T3036EBW-2**	2289	**T3036EW-2**	2506
	48″	1219	5.7	94	42.6	**T3048EBW**	1945	**T3048EW**	2216	104	47.2	**T3048EBW-1**	2364	**T3048EW-1**	2625	114	51.7	**T3048EBW-2**	2585	**T3048EW-2**	2862
	60″	1524	7.1	115	52.2	**T3060EBW**	2252	**T3060EW**	2563	129	58.5	**T3060EBW-1**	2683	**T3060EW-1**	2999	143	64.9	**T3060EBW-2**	2923	**T3060EW-2**	3245

CONSISTS OF:
- Stainless steel table top/work surface with hat channel supports.
- Four 33″ *(838mm)* chrome posts.
- Two chrome wire undershelves.*

CONSISTS OF:
- Stainless steel table top/work surface with hat channel supports.
- Two 54″ *(1372mm)* rear chrome posts.
- Two 33″ *(838mm)* front chrome posts.
- Two 21″ *(533mm)* front chrome posts for overshelf.
- One 14″ *(356mm)* wide chrome wire overshelf.
- Two chrome wire undershelves.*

CONSISTS OF:
- Stainless steel table top/work surface with hat channel supports.
- Two 63″ *(1600mm)* rear chrome posts.
- Two 33″ *(838mm)* front chrome posts.
- Two 29″ *(737mm)* front chrome posts for overshelves.
- Two 14″ *(356mm)* wide chrome wire overshelves.
- Two chrome wire undershelves.*

* 18″ *(457mm)* wide undershelves used for 24″ *(610mm)* wide tables; 24″ *(610mm)* wide undershelves used for 30″ *(762mm)* wide tables.

Table Mount / Wire Mount

weight		cu	Table Mount				Wire Mount			
			chrome		stainless		chrome		stainless	
lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list
6.0	2.7	0.35	**KBD-1**	467	**KBD-1/SS**	649	**KBD-2** •	406	**KBD-2/SS**	707



table mount keyboard station



wire mount keyboard station

Post Clamp for 1-tier and 2-tier Units

- Attaches 3″ x 3″ *(76 x 76mm)* grid panel *(see enclosure panels on page 48 and wall mats on page 90)* onto AdjusTable® systems with overshelves.
- Chrome-plated collar with ¼-20 weld stud, chrome acorn nut and heavy gauge clamp.

model #	list each
A210098	8



100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Shelving Components / Accessories

see spec sheets **EG01.03A** **EG01.03D**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Collar Plug

- Fills shelf corner openings where posts have been eliminated by use of "S" hooks.
- Packed four per bag.



model #	list
COLLAR PLUG *(set of four)*	16

Post Cap

- Fills post end openings at top of shelving unit.



model #	list ea
POST CAP	4

Post Clamps

- Provides maximum strength when shelving units are connected by clamping posts securely together.



chrome		black epoxy	
model #	list ea	model #	list ea
POST CLAMP	12	**A214169**	16

Note: Will not work with QuadPLUS® or Add-A-Shelf®

Retaining Clamp

- Chrome-plated.
- For use with enclosure panels *(page 48)* in conjunction with wire shelf.



model #	list ea
RETAINING CLAMP	7

Glides

- Fits under leveling bolt to protect floors from abrasion.



model #	list ea
GLIDES	5

Aluminum Split Sleeves

- For conductive, over-the-road or high-temperature installations.
- Set of four.



aluminum split sleeves and ring

with zinc rings		with stainless rings	
model #	list	model #	list
A208909 •	32	**A208908** •	49

Plastic Split Sleeves

- Four included with each shelf.
- High-temperature-resistant ABS plastic create a positive lock that becomes stronger as the load increases.



model #	list
PLASTIC SPLIT SLEEVES *(set of four)*	8

Plastic Conductive Split Sleeves

- Packed four per bag.



model #	list
A219236	22

Casting

- Stabilizes leveling foot.



casting

model #	list ea
A203568	5

Leveling Foot

- Use these to accommodate for uneven floors.



leveling foot

model #	list ea
LEVELING FOOT	4

Security "S" Hooks

- Discourages separation of adjoined shelf units.
- Hardware included.



model #	list ea
S-HOOKS-SK	14

"S" Hooks

- Join individual shelving units in a number of combinations using "S" hooks.
- Joins end-to-end, back-to-back, or at right angles.
- Two hooks required per connection.
- Stainless steel.



model #	list ea
A200012 •	7

Foot Plates

- These allow unit to be bolted to the floor.
- Can be used without bolts when a wider foot is desired for more stability.



triangular



square



space-saving square



space-saving "slim"

type of foot plate	chrome		black epoxy		stainless steel	
	model #	list ea	model #	list ea	model #	list ea
Triangular	**FOOT PLATE**	26	**FOOT PLATE-BL**	28	**FOOT PLATE-S**	49
Square	**A207199**	37	**A226104**	37	**A208627**	54
"Space-Saving" Square	**A226093**	40	**A226105**	40	**A226096**	58
Space-Saving "Slim"	**A230624**	40	**A230625**	40	**A230612**	55

Enclosure Panels


see spec sheet EG01.03A

• Includes four retaining clamps.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Note: These do not work with corner castings of solid shelves. Recommended for use with wire shelves only.

Helps secure shelf contents, enclosing the back and sides of unit.



shelf	panel width in.	panel width mm	post height in.	post height mm	weight lb.	weight kg	cubic feet	chrome model #	chrome list	stainless model #	stainless list
18″ width (457mm)	14″	356	54″	1372	6	2.7	1.5	**E1854-C**	120	**E1854-S**	269
	14″	356	63″	1600	7	3.2	1.8	**E1863-C** •	127	**E1863-S**	287
	14″	356	74″	1880	8	3.6	2.0	**E1874-C** •	139	**E1874-S**	338
	14″	356	86″	2184	9	4.1	2.3	**E1886-C**	250	**E1886-S**	349
24″ width (610mm)	20″	233	54″	1372	9	4.1	2.1	**E2454-C**	143	**E2454-S**	322
	20″	233	63″	1600	10	4.5	2.3	**E2463-C** •	152	**E2463-S**	354
	20″	233	74″	1880	11	5.0	2.6	**E2474-C** •	158	**E2474-S**	387
	20″	233	86″	2184	12	5.4	2.8	**E2486-C**	277	**E2486-S**	407

CONSULT THESE TABLES FOR NUMBER OF PANELS REQUIRED:

Panels sold individually. Consult charts below for number of panels needed.

For the Back of Unit

shelf length in.	shelf length mm	for 54″ (1372mm) post height —panel(s) required	for 63″ (1600mm) post height —panel(s) required	for 74″ (1880mm) post height —panel(s) required	for 86″ (2184mm) post height —panel(s) required
30″	762	one (1) **E2454**	one (1) **E2463**	one (1) **E2474**	one (1) **E2486**
36″	914	two (2) **E1854**	two (2) **E1863**	two (2) **E1874**	two (2) **E1886**
42″	1067	one (1) **E1854**	one (1) **E1863**	one (1) **E1874**	one (1) **E1886**
		one (1) **E2454**	one (1) **E2463**	one (1) **E2474**	one (1) **E2486**
48″	1092	two (2) **E2454**	two (2) **E2463**	two (2) **E2474**	two (2) **E2486**
54″	1372	two (2) **E1854**	two (2) **E1863**	two (2) **E1874**	two (2) **E1886**
		one (1) **E2454**	one (1) **E2463**	one (1) **E2474**	one (1) **E2486**
60″	1524	two (2) **E2454**	two (2) **E2463**	two (2) **E2474**	two (2) **E2486**
		one (1) **E1854**	one (1) **E1863**	one (1) **E1874**	one (1) **E1886**
72″	1829	three (3) **E2454**	three (3) **E2463**	three (3) **E2474**	three (3) **E2486**

For Each End

shelf width in.	shelf width mm	for 54″ (1372mm) post height —panel(s) required	for 63″ (1600mm) post height —panel(s) required	for 74″ (1880mm) post height —panel(s) required	for 86″ (2184mm) post height —panel(s) required
18″	457	one (1) **E1854**	one (1) **E1863**	one (1) **E1874**	one (1) **E1886**
21″	533	one (1) **E1854**	one (1) **E1863**	one (1) **E1874**	one (1) **E1886**
24″	610	one (1) **E2454**	one (1) **E2463**	one (1) **E2474**	one (1) **E2486**
30″	762	one (1) **E2454**	one (1) **E2463**	one (1) **E2474**	one (1) **E2486**
36″	914	two (2) **E1854**	two (2) **E1863**	two (2) **E1874**	one (1) **E1886**

Clips for Solid Shelves (ONLY)

EG01.03A *spec sheet*

…for Bottom Shelves ONLY

Order one for every two (2) enclosure panels.



model #	list each
SSENCBKT	4

…for All Other Solid Shelves

Sold individually.



model #	list each
A204318	4

Rods and Tabs

see spec sheet EG01.03D



chrome model #	chrome list ea	stainless steel model #	stainless steel list ea
R54-C	22	**R54-S**	63
R63-C •	25	**R63-S**	72
R74-C •	26	**R74-S**	82
R86-C •	29	**R86-S**	85

FEATURES:

- Used to enclose backs or sides of shelving units to prevent contents from falling.
- Also used to partition shelving units by positioning rods interior to shelves.
- Model number indicates height.
- Each rod comes with four tabs.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Dividers

see spec sheet EG01.03A


FEATURES:
- 8″ high *(203mm)* dividers keep shelf contents organized.

Solid Shelving Dividers

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

length in.	length mm	cubic feet	weight lb.	weight kg	chrome model #	chrome list	stainless steel model #	stainless steel list
14″	356	0.6	1.0	0.5	**SSD14-C**	43	**SSD14-S**	139
18″	457	0.6	1.3	0.6	**SSD18-C**	49	**SSD18-S**	144
21″	533	0.8	1.5	0.7	**SSD21-C**	54	**SSD21-S**	170
24″	610	1.0	1.8	0.8	**SSD24-C** •	59	**SSD24-S**	174
30″	762	1.2	2.3	1.0	**SSD30-C**	82	**SSD30-S**	216
36″	914	1.4	3.0	1.4	**SSD36-C**	98	**SSD36-S**	254






Wire Shelving Dividers NSF

length in.	length mm	cubic feet	weight lb.	weight kg	chrome model #	chrome list	VALU-MASTER® model #	VALU-MASTER® list	Valu-Gard® model #	Valu-Gard® list	EAGLEgard® model #	EAGLEgard® list	stainless model #	stainless list
14″	356	0.6	1.0	0.5	**SD14-C** •	43	**SD14-V**	44	**SD14-VG**	44	**SD14-E**	47	**SD14-S**	120
18″	457	0.6	1.0	0.5	**SD18-C**	49	**SD18-V**	53	**SD18-VG**	53	**SD18-E**	54	**SD18-S**	137
21″	533	0.8	2.0	0.9	**SD21-C** •	54	**SD21-V**	55	**SD21-VG**	55	**SD21-E**	59	**SD21-S**	156
24″	610	1.0	2.0	0.9	**SD24-C** •	60	**SD24-V**	66	**SD24-VG**	66	**SD24-E**	73	**SD24-S** •	169
30″	762	1.2	2.0	0.9	**SD30-C**	73	**SD30-V**	74	**SD30-VG**	74	n/a	n/a	**SD30-S**	205
36″	914	1.4	3.0	1.4	**SD36-C**	84	**SD36-V**	87	**SD36-VG**	87	n/a	n/a	**SD36-S**	245

Slanted Shelves

see spec sheet EG01.03E



optional slanted shelves

2″ slant increases visibility, allows easy access to shelf contents.

FEATURES:
- 2″ *(51mm)* slope.
- Shipped knocked-down.

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

	length in.	length mm	weight lb.	weight kg	cubic feet	EAGLEbrite® model #	EAGLEbrite® list	chrome model #	chrome list	EAGLEgard® model #	EAGLEgard® list
21″ width *(533mm)*	36″	914	11	5.0	0.8	**SL2136Z**	177	**SL2136C**	195	**SL2136E**	229
	48″	1219	14	6.4	1.1	**SL2148Z**	229	**SL2148C**	254	**SL2148E**	304
	60″	1524	18	8.2	1.1	**SL2160Z**	248	**SL2160C**	272	**SL2160E**	354
24″ width *(610mm)*	36″	914	13	5.9	0.8	**SL2436Z**	218	**SL2436C**	244	**SL2436E**	293
	48″	1219	16	7.3	1.2	**SL2448Z**	255	**SL2448C**	280	**SL2448E**	343
	60″	1524	21	9.5	1.5	**SL2460Z**	276	**SL2460C**	299	**SL2460E**	363

Stationary Wire Wall Mounts NSF

see spec sheet EG02.12



end unit

Designed for fixed application

Note: Shelves *(page 6)* sold separately.

END UNIT:
- One single shelf support and mounting plate.

MID UNIT:
- One double shelf support and mounting plate.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

			End Units*								Mid Units							
length in.	length mm	cu ft	weight** lbs.	weight** kg	chrome model #	chrome list	Valu-Gard® model #	Valu-Gard® list	stainless** model #	stainless** list	weight** lbs.	weight** kg	chrome model #	chrome list	Valu-Gard® model #	Valu-Gard® list	stainless** model #	stainless** list
14″	356	0.5	6	2.7	**WB14-C** •	84	**WB14-VG** •	85	**WB14-S** •	197	8	3.6	**DWB14-C** •	125	**DWB14-VG**	127	**DWB14-S**	299
18″	457	0.5	8	3.6	**WB18-C** •	85	**WB18-VG** •	86	**WB18-S** •	210	10	4.5	**DWB18-C** •	128	**DWB18-VG**	130	**DWB18-S**	317
21″	533	0.7	10	4.5	**WB21-C** •	85	**WB21-VG**	86	**WB21-S**	216	12	5.5	**DWB21-C**	128	**DWB21-VG**	130	**DWB21-S**	325
24″	610	0.7	12	5.5	**WB24-C** •	86	**WB24-VG**	92	**WB24-S** •	220	14	6.4	**DWB24-C** •	130	**DWB24-VG**	133	**DWB24-S**	338


*End Units priced per piece; **For stainless steel units, add 1 lb. *(0.5 kg)* weight.

Ledges

see spec sheet **EG01.03A**

FEATURES:
- Prevents contents from falling off unit.
- Easily attaches without the use of tools.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



1˝-high (25mm) ledge for wire shelving



4˝-high (102mm) ledge for wire shelving

Ledges are stackable!

Solid Shelving Ledges

length		cu	1˝-high *(25mm)* Ledges *						4˝-high *(102mm)* Ledges					
			weight		chrome		stainless steel		weight		chrome		stainless steel	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
14˝	356	0.2	0.2	0.1	**SL14-1C**	33	**SL14-1S**	66	0.8	0.4	**SL14-4C**	43	**SL14-4S**	82
18˝	457	0.3	0.3	0.1	**SL18-1C**	36	**SL18-1S**	72	0.9	0.4	**SL18-4C**	44	**SL18-4S**	84
21˝	533	0.3	0.4	0.2	**SL21-1C**	37	**SL21-1S**	77	1.0	0.5	**SL21-4C**	47	**SL21-4S**	94
24˝	610	0.3	0.5	0.2	**SL24-1C**	43	**SL24-1S**	85	1.2	0.6	**SL24-4C**	49	**SL24-4S**	112
30˝	762	0.5	0.7	0.3	**SL30-1C**	53	**SL30-1S**	103	1.4	0.6	**SL30-4C**	58	**SL30-4S**	127
36˝	914	0.6	0.9	0.4	**SL36-1C**	55	**SL36-1S**	119	1.6	0.7	**SL36-4C**	63	**SL36-4S**	152
42˝	1067	0.6	1.1	0.5	**SL42-1C**	58	**SL42-1S**	130	1.8	0.8	**SL42-4C**	67	**SL42-4S**	172
48˝	1092	0.7	1.3	0.6	**SL48-1C**	63	**SL48-1S**	149	2.0	0.9	**SL48-4C**	78	**SL48-4S**	214
54˝	1372	0.8	1.5	0.7	**SL54-1C**	67	**SL54-1S**	166	2.2	1.0	**SL54-4C**	82	**SL54-4S**	242
60˝	1524	0.8	1.7	0.8	**SL60-1C**	72	**SL60-1S**	174	2.4	1.1	**SL60-4C**	83	**SL60-4S**	255
72˝	1829	1.0	2.1	1.0	**SL72-1C**	78	**SL72-1S**	193	2.6	1.2	**SL72-4C**	95	**SL72-4S**	263

* When installed, actual height of ledge is 1½˝ *(38mm)*.

Wire Shelving 1˝-high *(25mm)* Ledges *

length		cu	weight		chrome		VALU-MASTER®		Valu-Gard®		stainless	
in.	mm	ft	lb.	kg	model #	list	model #	list	model #	list	model #	list
14˝	356	0.2	0.2	0.1	**L14-1C**	26	**L14-1V**	28	**L14-1VG**	28	**L14-1S**	40
18˝	457	0.3	0.3	0.1	**L18-1C**	28	**L18-1V**	29	**L18-1VG**	29	**L18-1S**	44
21˝	533	0.3	0.4	0.2	**L21-1C**	29	**L21-1V**	32	**L21-1VG**	32	**L21-1S**	49
24˝	610	0.3	0.5	0.2	**L24-1C** •	32	**L24-1V**	33	**L24-1VG**	33	**L24-1S**	54
30˝	762	0.5	0.7	0.3	**L30-1C**	36	**L30-1V**	37	**L30-1VG**	37	**L30-1S**	73
36˝	914	0.6	0.9	0.4	**L36-1C**	43	**L36-1V**	44	**L36-1VG**	44	**L36-1S**	82
42˝	1067	0.6	1.1	0.5	**L42-1C**	44	**L42-1V**	47	**L42-1VG**	47	**L42-1S**	87
48˝	1092	0.7	1.3	0.6	**L48-1C** •	47	**L48-1V**	49	**L48-1VG**	49	**L48-1S**	87
54˝	1372	0.8	1.5	0.7	**L54-1C** •	53	**L54-1V**	54	**L54-1VG**	54	**L54-1S**	112
60˝	1524	0.8	1.7	0.8	**L60-1C** •	53	**L60-1V**	55	**L60-1VG**	55	**L60-1S**	112
72˝	1829	1.0	2.1	1.0	**L72-1C**	54	**L72-1V**	58	**L72-1VG**	58	**L72-1S**	122

* When installed, actual height of ledge is 1½˝ *(38mm)*.

Wire Shelving 4˝-high *(102mm)* Ledges

length		cu	weight		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
in.	mm	ft	lb.	kg	model #	list	model #	list	model #	list	model #	list	model #	list
14˝	356	0.2	0.8	0.4	**L14-4C** •	33	**L14-4V**	36	**L14-4VG**	36	**L14-4E**	37	**L14-4S**	72
18˝	457	0.3	0.9	0.4	**L18-4C** •	36	**L18-4V**	37	**L18-4VG**	37	**L18-4E**	44	**L18-4S** •	78
21˝	533	0.3	1.0	0.5	**L21-4C** •	37	**L21-4V**	40	**L21-4VG**	40	**L21-4E**	47	**L21-4S**	87
24˝	610	0.3	1.2	0.6	**L24-4C** •	43	**L24-4V**	44	**L24-4VG**	44	**L24-4E**	49	**L24-4S** •	94
30˝	762	0.5	1.4	0.6	**L30-4C** •	49	**L30-4V**	53	**L30-4VG**	53	**L30-4E**	58	**L30-4S**	117
36˝	914	0.6	1.6	0.7	**L36-4C** •	54	**L36-4V**	55	**L36-4VG**	55	**L36-4E**	60	**L36-4S** •	136
42˝	1067	0.6	1.8	0.8	**L42-4C** •	63	**L42-4V**	67	**L42-4VG**	67	**L42-4E**	77	**L42-4S**	172
48˝	1092	0.7	2.0	0.9	**L48-4C** •	63	**L48-4V**	72	**L48-4VG**	72	**L48-4E**	77	**L48-4S**	172
54˝	1372	0.8	2.2	1.0	**L54-4C**	72	**L54-4V**	74	**L54-4VG**	74	**L54-4E**	83	**L54-4S**	195
60˝	1524	0.8	2.4	1.1	**L60-4C** •	72	**L60-4V**	77	**L60-4VG**	77	**L60-4E**	83	**L60-4S**	195
72˝	1829	1.0	2.6	1.2	**L72-4C** •	84	**L72-4V**	87	**L72-4VG**	87	**L72-4E**	98	**L72-4S** •	245

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Slide Systems

see spec sheet **EG01.03C**

LOAD CAPACITY:
- Up to 35 lbs. *(15.9 kg).*

FEATURES:
- Easily attaches without the use of tools.



slide system with tote boxes



Clever way to improve space efficiency.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

fits shelf width	adaptable tote boxes	width x length x depth	weight lbs.	weight kg	cubic feet	model #	list
24″ *(610mm)*	TB1722-3, TB1722-6, TB1722-9	21⅝″ x 20″ x 10¼″ *(683 x 508 x 260mm)*	7.5	3.4	3.8	**TS2021** •	198
21″ *(533mm)*	TB1016-3, TB1016-6	17⅛″ x 14″ x 10¼″ *(543 x 356 x 260mm)*	4.0	1.8	1.8	**TS1417**	189
21″ *(533mm)*	TB1722-3*, TB1722-6*, TB1722-9*	17⅛″ x 25⅛″ x 10¼″ *(543 x 797 x 260mm)*	5.0	2.3	4.0	**TS2517**	197

* Fits TS2517 sideways

Tote Boxes for Slide Systems

see spec sheet **EG01.03C**

FEATURES:
- Dividable up to 1⅛″ *(29mm)* square compartments.
- Injection molded from high-density polyethylene material.

Note: Also available in molded fiberglass *(see page 52).*



ESD Tote Boxes and Accessories also available! See pages 173 and 174.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

fits slide system	width x length x depth inches	width x length x depth mm	weight lbs.	weight kg	cubic feet	color	model #	list
TS1417	10⅞″ x 16½″ x 3½″	276 x 419 x 89	1.0	0.5	0.4	gray	**TB1016-3**	59
TS1417	10⅞″ x 16½″ x 6″	276 x 419 x 152	1.5	0.7	0.8	gray	**TB1016-6**	63
TS2021, TS2517	17½″ x 22½″ x 3″	444 x 572 x 76	2.3	1.0	0.8	gray	**TB1722-3** *	95
TS2021, TS2517	17½″ x 22½″ x 6″	444 x 572 x 152	3.5	1.6	1.5	gray	**TB1722-6** * •	112
TS2021, TS2517	17½″ x 22½″ x 8″	444 x 572 x 203	4.0	1.8	3.0	gray	**TB1722-9** *	132

* Fits TS2517 sideways

Tote Box Dividers and Covers

		Long Dividers			Short Dividers			Covers	
fits tote box	color	model #	list	max. # accepted	model #	list	max. # accepted	model #	list
TB1016-3	gray	**A217766**	7	7	**A217760**	7	11	**A217765**	55
TB1016-6	gray	**A203841**	8	7	**A203843**	7	11	**A217765**	55
TB1722-3	gray	**A217763**	7	11	**A217764**	7	15	**A217638**	67
TB1722-6	gray	**A203842**	8	11	**A203844**	9	15	**A217638**	67
TB1722-9	gray	**A203845**	12	11	**A203846**	9	15	**A217638**	67



cover



dividers

Card Holders for Tote Boxes

see spec sheet **EG01.03C**

FEATURES:
- Clear vinyl.



holds labels in.	holds labels mm	model #	list
2″ x 8″	51 x 203	**CH28**	16
3″ x 5″	76 x 127	**CH35**	19
5″ x 8″	127 x 203	**CH58**	22

Molded Fiberglass Boxes and Trays

see spec sheet **EG01.03C**

FEATURES:
- Made of thermoset polyester composite material.
- Flame and chemical resistant.

Boxes are stackable for maximum storage efficiency!



assorted molded fiberglass boxes and trays

description	bottom inside dimensions length x width x depth in.	bottom inside dimensions mm	top outside dimensions length x width x height in.	top outside dimensions mm	cu ft	model #	list
tray	24⅜″ x 16¼″ x 1″	619 x 413 x 25	25¾″ x 17⅛″ x 1⅛″	654 x 454 x 29	0.1	**A208505**	139
stacking box	23⅞″ x 15⅞″ x 2⅛″	606 x 403 x 73	25¾″ x 17¾″ x 3″	654 x 451 x 76	0.6	**A208506**	184
stacking box	23⅞″ x 15⅞″ x 4½″	606 x 403 x 114	25¾″ x 17¾″ x 4½″	654 x 451 x 114	1.0	**A208507**	170
stacking box	23⅞″ x 15⅞″ x 5¾″	606 x 403 x 146	25¾″ x 17¾″ x 6″	654 x 451 x 152	1.3	**A208508**	162
lid	—	—	25¾″ x 17¾″	654 x 451	—	**A208513***	98

* Model #A208513 lid fits models A208506, A208507, and A208508 stacking boxes.

Storage Baskets

see spec sheet **EG01.03E**

FEATURES:
- Chrome-plated.
- Easily attaches to hanger rail or side of wire shelf.



width x length x height in.	width x length x height mm	weight lbs.	weight kg	cubic feet	model #	list
13⅜″ x 5″ x 7″	340 x 127 x 178	9	4.1	0.4	**A216650**	72
17⅜″ x 7½″ x 5″	441 x 191 x 127	7	3.2	0.6	**A216651**	77
17⅜″ x 7½″ x 10″	441 x 191 x 254	11	5.0	1.0	**A216652**	103

File Basket

see spec sheet **EG01.03E**

FEATURES:
- Chrome-plated.
- Fits all widths.



Ideal for organizing standard-sized file folders.

width x length x height in.	width x length x height mm	weight lbs.	weight kg	cubic feet	model #	list
2⅝″ x 12¾″ x 8¾″	67 x 324 x 222	2	0.9	0.3	**A216649**	84

Triangle Shelf

see spec sheet **EG01.03E**

FEATURES:
- Attached to standard posts *(sold separately —see pages 8 and 23)*, can be a freestanding unit.
- Or added onto standard 18″ wide wire shelving *(page 6)* via “S” hooks.




width	weight lbs.	weight kg	chrome model #	chrome list	black epoxy model #	black epoxy list
18″ *(457mm)*	16	7.3	**TR18C**	84	**TR18BL**	94

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Sliding Shelf

see spec sheet **EG01.03E**




FEATURES:
- Chrome-plated.
- For use with standard 1″ (*25mm*)-diameter posts—on wire shelf or solid shelf units.

width x length		weight		chrome	
in	mm	lbs.	kg	model #	list
18″ x 36″	457 x 914	9	4.1	**SLS1836C**	147

Tray Slides NSF

see spec sheet **EG01.03C**



Slides help maximize your use of space!

FEATURES:
- 1¾″ *(45mm)* spacing, 22″ *(559mm)* height.
- Sold as a set of two.
- 18″ or 24″ *(457 or 610mm)* wide applications.
- Can be used with tote boxes on page 51.

		Standard Holds 9 trays.						**Heavy Duty** Holds 11 trays. Features panel assembly welded to the back of slides					
	cu	weight		chrome		EAGLEgard®		weight		chrome		EAGLEgard®	
width	ft	lbs.	kg	model #	list	model #	list	lbs.	kg	model #	list	model #	list
17⅛″ *(435mm)*	2.3	9	4.1	**TS18-C**	156	**TS18-E**	184	12	5.4	**HDTS18-C**	366	**HDTS18-E**	407
23⅛″ *(587mm)*	3.0	11	5.0	**TS24-C**	166	**TS24-E**	193	15	6.8	**HDTS24-C**	405	**HDTS24-E**	448

Adjustable Undershelf Slides

see spec sheet **EG01.03C**



adjustable undershelf slides with tote box

FEATURES:
- Stainless steel.
- Accommodates any tote box side-to-side dimension.
- Sold as a set.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

description	weight lbs.	weight kg	model #	list
slides for 18″ *(457mm)* wide shelf	3	1.4	**US18-S**	107
slides for 21″ *(533mm)* wide shelf	3	1.4	**US21-S**	118
slides for 24″ *(610mm)* wide shelf	3	1.4	**US24-S**	122
slides for 30″ *(762mm)* wide shelf	4	1.8	**US30-S**	130
slides with side-to-side mount, for 24″ *(610mm)* wide shelf	3	1.4	**USS24-S**	242
slides with side-to-side mount, for 30″ *(762mm)* wide shelf	4	1.8	**USS30-S**	292

Tote Boxes for Adjustable Undershelf Slides

width x length x depth		weight		cubic		
in.	mm	lbs.	kg	feet	model #	list
17½″ x 22⅜″ x 3″	446 x 568 x 76	2	0.9	0.8	**TB1722-3**	95
17½″ x 22⅜″ x 6″	446 x 568 x 152	3	1.4	1.4	**TB1722-6** •	112
17½″ x 22⅜″ x 8″	446 x 568 x 203	4	1.8	2.3	**TB1722-9**	132

One-Piece Slides

see spec sheet **EG01.03C**



one-piece slide with tote box

FEATURES:
- Easily attaches to shelf.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Helps prevent shelf clutter!


description	weight lbs.	weight kg	cubic feet	model #	list
slides for 18″ *(457mm)* wide shelf	6	2.7	0.4	**OUS18**	229
slides for 21″ *(533mm)* wide shelf	8	3.6	0.6	**OUS21**	232
slides for 24″ *(610mm)* wide shelf	9	4.1	0.8	**OUS24**	245

Tote Box for One-Piece Slides

width x length x depth		weight		cubic		
in.	mm	lbs.	kg	feet	model #	list
17½″ x 22⅜″ x 6″	446 x 568 x 152	3.5	1.6	1.5	**TB1722-6** •	112

Post Extension Kit and Components

see spec sheet **EG01.03D**



Post Extension Kit

description	model #	list
consists of components listed below, set of four	**4PEK**	118

Components

item	model #	list
double-threaded bolt	**A200868**	5
wall bracket	**B201023**	19
casting	**A207351**	8

FEATURES:


- Screw posts together with double-threaded bolt and extra foot casting.

Note: DO NOT attempt to use any higher combinations than P54 and P86 maximum, 140″ *(3556mm)* total. Any combinations higher than 86″ *(2184mm)* must be attached to walls using wall bracket on post adjacent to wall. Place units only against wall, not in center of room.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

3-Sided Double Truss Frames

see spec sheet **EG01.03B**



two trusses in one

Improves support and stability!

Note: See page 55 for 3-Sided Channel Frames.

	length		weight		cu	chrome		EAGLEgard®		stainless steel	
	in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
18″ width *(457mm)*	24″	610	5	2.2	0.7	**DTF1824-C**	130	**DTF1824-E**	144	**DTF1824-S**	393
	30″	762	6	2.7	0.7	**DTF1830-C**	132	**DTF1830-E**	147	**DTF1830-S**	405
	36″	914	6	2.7	0.7	**DTF1836-C**	133	**DTF1836-E**	155	**DTF1836-S**	412
	42″	1067	7	3.2	0.8	**DTF1842-C**	136	**DTF1842-E**	156	**DTF1842-S**	427
	48″	1219	7	3.2	0.8	**DTF1848-C**	140	**DTF1848-E**	158	**DTF1848-S**	436
	60″	1524	8	3.6	1.0	**DTF1860-C**	158	**DTF1860-E**	184	**DTF1860-S**	498
	72″	1829	9	4.1	1.4	**DTF1872-C**	177	**DTF1872-E**	208	**DTF1872-S**	553
21″ width *(533mm)*	24″	610	5	2.2	0.8	**DTF2124-C**	133	**DTF2124-E**	152	**DTF2124-S**	398
	30″	762	6	2.7	0.8	**DTF2130-C**	136	**DTF2130-E**	155	**DTF2130-S**	405
	36″	914	6	2.7	0.8	**DTF2136-C**	140	**DTF2136-E**	158	**DTF2136-S**	410
	42″	1067	7	3.2	0.9	**DTF2142-C**	144	**DTF2142-E**	172	**DTF2142-S**	438
	48″	1219	8	3.6	0.9	**DTF2148-C**	145	**DTF2148-E**	174	**DTF2148-S**	443
	60″	1524	8	3.6	1.1	**DTF2160-C**	176	**DTF2160-E**	205	**DTF2160-S**	515
	72″	1829	10	4.5	1.4	**DTF2172-C**	228	**DTF2172-E**	270	**DTF2172-S**	565
24″ width *(610mm)*	24″	610	6	2.7	1.5	**DTF2424-C**	133	**DTF2424-E**	155	**DTF2424-S**	400
	30″	762	7	3.2	1.5	**DTF2430-C**	136	**DTF2430-E**	156	**DTF2430-S**	410
	36″	914	7	3.2	1.5	**DTF2436-C**	143	**DTF2436-E**	169	**DTF2436-S**	430
	42″	1067	8	3.6	2.0	**DTF2442-C**	144	**DTF2442-E**	172	**DTF2442-S**	439
	48″	1219	9	4.1	2.5	**DTF2448-C**	147	**DTF2448-E**	177	**DTF2448-S**	444
	60″	1524	10	4.5	2.5	**DTF2460-C**	177	**DTF2460-E**	208	**DTF2460-S**	519
	72″	1829	11	5.0	2.7	**DTF2472-C**	228	**DTF2472-E**	270	**DTF2472-S**	786
30″ width *(762mm)*	36″	914	7	3.2	2.0	**DTF3036-C**	162	**DTF3036-E**	192	**DTF3036-S**	526
	48″	1219	9	4.1	2.5	**DTF3048-C**	176	**DTF3048-E**	205	**DTF3048-S**	553
	60″	1524	10	4.5	2.5	**DTF3060-C**	192	**DTF3060-E**	220	**DTF3060-S**	637
	72″	1829	11	5.0	2.7	**DTF3072-C**	244	**DTF3072-E**	293	**DTF3072-S**	699
36″ width *(914mm)*	36″	914	7	3.2	2.5	**DTF3636-C**	189	**DTF3636-E**	217	**DTF3636-S**	547
	48″	1219	9	4.1	2.7	**DTF3648-C**	198	**DTF3648-E**	228	**DTF3648-S**	563
	60″	1524	10	4.5	2.7	**DTF3660-C**	218	**DTF3660-E**	250	**DTF3660-S**	647
	72″	1829	11	5.0	3.0	**DTF3672-C**	275	**DTF3672-E**	318	**DTF3672-S**	710

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

3-Sided Channel Frames

see spec sheet **EG01.03B**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



	length		weight		cu	chrome		EAGLEgard®		stainless steel	
	in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
18″ width *(457mm)*	24″	610	5	2.2	0.7	**CF1824-C**	174	**CF1824-E**	205	**CF1824-S**	444
	30″	762	6	2.7	0.7	**CF1830-C**	182	**CF1830-E**	216	**CF1830-S**	467
	36″	914	6	2.7	0.7	**CF1836-C**	183	**CF1836-E**	217	**CF1836-S**	486
	42″	1067	7	3.2	0.8	**CF1842-C**	189	**CF1842-E**	220	**CF1842-S**	489
	48″	1219	7	3.2	0.8	**CF1848-C**	192	**CF1848-E**	226	**CF1848-S**	497
	60″	1524	8	3.6	1.0	**CF1860-C**	215	**CF1860-E**	254	**CF1860-S**	569
	72″	1829	9	4.1	1.4	**CF1872-C**	242	**CF1872-E**	292	**CF1872-S**	626
21″ width *(533mm)*	24″	610	5	2.2	0.8	**CF2124-C**	177	**CF2124-E**	209	**CF2124-S**	453
	30″	762	6	2.7	0.8	**CF2130-C**	183	**CF2130-E**	217	**CF2130-S**	467
	36″	914	6	2.7	0.8	**CF2136-C**	189	**CF2136-E**	220	**CF2136-S**	475
	42″	1067	7	3.2	0.9	**CF2142-C**	195	**CF2142-E**	229	**CF2142-S**	497
	48″	1219	8	3.6	0.9	**CF2148-C**	197	**CF2148-E**	230	**CF2148-S**	503
	60″	1524	8	3.6	1.1	**CF2160-C**	228	**CF2160-E**	275	**CF2160-S**	589
	72″	1829	10	4.5	1.4	**CF2172-C**	318	**CF2172-E**	386	**CF2172-S**	649
24″ width *(610mm)*	24″	610	6	2.7	1.5	**CF2424-C**	183	**CF2424-E**	217	**CF2424-S**	467
	30″	762	7	3.2	1.5	**CF2430-C**	189	**CF2430-E**	220	**CF2430-S**	487
	36″	914	7	3.2	1.5	**CF2436-C**	195	**CF2436-E**	229	**CF2436-S**	497
	42″	1067	8	3.6	2.0	**CF2442-C**	197	**CF2442-E**	230	**CF2442-S**	515
	48″	1219	9	4.1	2.5	**CF2448-C** •	198	**CF2448-E** •	242	**CF2448-S**	519
	60″	1524	10	4.5	2.5	**CF2460-C** •	242	**CF2460-E** •	292	**CF2460-S**	609
	72″	1829	11	5.0	2.7	**CF2472-C**	332	**CF2472-E**	395	**CF2472-S**	664
30″ width *(762mm)*	36″	914	7	3.2	2.0	**CF3036-C**	205	**CF3036-E**	248	**CF3036-S**	609
	48″	1219	9	4.1	2.5	**CF3048-C**	214	**CF3048-E**	254	**CF3048-S**	626
	60″	1524	10	4.5	2.5	**CF3060-C**	334	**CF3060-E**	306	**CF3060-S**	726
	72″	1829	11	5.0	2.7	**CF3072-C**	354	**CF3072-E**	430	**CF3072-S**	798
36″ width *(914mm)*	36″	914	7	3.2	2.5	**CF3636-C**	219	**CF3636-E**	269	**CF3636-S**	622
	48″	1219	9	4.1	2.7	**CF3648-C**	228	**CF3648-E**	275	**CF3648-S**	648
	60″	1524	10	4.5	2.7	n/a	n/a	**CF3660-E**	330	**CF3660-S**	739
	72″	1829	11	5.0	3.0	n/a	n/a	**CF3672-E**	465	**CF3672-S**	820

Handles for Caster Carts


NSF

see spec sheet **EG01.03B**



Push Handles

Easily slips over posts.



Extended Push Handles


Designed to prevent damage to knuckles.

FEATURES:

- Fits unit widths only.

width		weight		cubic	chrome		stainless steel		cubic	chrome		stainless steel	
in.	mm	lbs.	kg	feet	model #	list	model #	list	feet	model #	list	model #	list
14″	356	1.7	0.8	0.1	**PH14-C**	53	**PH14-S**	136	0.2	**EH14-C**	180	**EH14-S**	193
18″	457	1.9	0.9	0.1	**PH18-C** •	58	**PH18-S**	155	0.3	**EH18-C**	184	**EH18-S**	232
21″	533	2.1	1.0	0.1	**PH21-C**	59	**PH21-S**	170	0.3	**EH21-C**	185	**EH21-S**	244
24″	610	2.3	1.1	0.2	**PH24-C** •	59	**PH24-S**	183	0.4	**EH24-C**	186	**EH24-S**	260
30″	762	2.6	1.2	0.3	**PH30-C**	74	**PH30-S**	198	0.5	**EH30-C**	192	**EH30-S**	272
36″	914	3.0	1.4	0.3	**PH36-C**	84	**PH36-S**	214	0.5	**EH36-C**	193	**EH36-S**	295

Note: Stainless steel models include electropolished finish.



patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.



UNIQUE ROLLER DESIGN

- Patent #5,680,942.
- Makes moving mobile units easy.
- Eliminates binding due to uneven floors.
- Rollers also support track.




SHELVES
sold separately *(see page 6)* are available in EAGLEbrite® zinc, chrome, VALU-MASTER® pewter gray epoxy, EAGLEgard® green epoxy, and stainless steel finish.

Maximum shelf length should not exceed 60″ *(1524mm)*.

Overhead Track High-Density Storage System NSF

Note: Master Trak® not recommended for use in carpeted areas.



Components

Shelves sold separately *(see page 6)*.

A front & rear overhead tracks
B stationary end units
C mobile units
D open aisle—30″ to 36″ *(762 to 914mm)* is recommended
E stationary mid unit *(optional—use same model # as stationary end unit kit)*

Stationary End / Intermediate Unit Kits

see spec sheet **EG01.18**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

- Posts.
- Hardware necessary for connecting stationary end units to track.
- One kit is required for each end unit.
- End units must be anchored to the floor to prevent movement.
- Priced per kit.

Note: Shelves sold separately *(see page 6)*.

74″ (1880mm) Posts								*86″ (2184mm)* Posts							
weight		cu	EAGLEbrite®		chrome		EAGLEgard®		weight		cu	EAGLEbrite®		chrome		EAGLEgard®	
lbs.	kg	ft	model #	list	model #	list	model #	list	lbs.	kg	ft	model #	list	model #	list	model #	list
17	7.7	0.1	**EP74-Z** •	354	**EP74-C** •	378	**EP74-E** •	415	21	9.5	0.1	**EP86-Z**	369	**EP86-C**	400	**EP86-E**	443

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment



(Shelves shown are sold separately—see page 6)

Master Trak® Mobile Unit Kits

see spec sheet **EG01.18**

- Posts.
- Casters are 5″ x 1½″ *(127 x 38mm)* polymer.
- All parts and necessary hardware.
- One kit is required for each mobile unit.
- Priced per kit.

WEIGHT CAPACITY:
- 900 lbs. *(408 kg).*

Note: Shelves sold separately see page 6.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Replacement Caster
Offset rigid poly caster replacement

model #	list
CSR05P-300	85

width		cu	74″ *(1880mm)* Height*								86″ *(2184mm)* Height*							
			weight		EAGLEbrite®		chrome		EAGLEgard®		weight		EAGLEbrite®		chrome		EAGLEgard®	
in.	mm	ft	lbs.	kg	model #	list	model #	list	model #	list	lbs.	kg	model #	list	model #	list	model #	list
18″	457	0.1	33	15.0	**MUK18-Z**	736	**MUK18-C** •	816	**MUK18-E**	1362	37	16.8	**MUK18-Z86**	764	**MUK18-C86**	845	**MUK18-E86**	1382
21″	533	0.1	34	15.4	**MUK21-Z**	760	**MUK21-C**	837	**MUK21-E**	1380	38	17.2	**MUK21-Z86**	792	**MUK21-C86**	870	**MUK21-E86**	1418
24″	610	0.1	35	15.9	**MUK24-Z**	769	**MUK24-C** •	849	**MUK24-E** •	1399	39	17.6	**MUK24-Z86**	803	**MUK24-C86**	884	**MUK24-E86**	1452
30″	762	0.1	35	15.9	**MUK30-Z**	785	**MUK30-C**	870	**MUK30-E**	1440	39	17.6	**MUK30-Z86**	816	**MUK30-C86**	906	**MUK30-E86**	1489
36″	914	0.1	36	16.3	**MUK36-Z**	800	**MUK36-C**	908	**MUK36-E**	1480	40	18.1	**MUK36-Z86**	828	**MUK36-C86**	949	**MUK36-E86**	1527

* Casters are included in post height.

Master Trak® Overhead Track Kits

see spec sheet **EG01.18**

- All necessary sections of front and rear tracks for assembling track lengths of 6′ to 21′ *(1829 to 6401mm)*, plus all hardware.

PACKAGING:
- Kits 13′ *(3962mm)* and longer are wood-crated.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Note: Any kits 9′ *(2743mm)* or longer include two or more front and rear track sections, with joiner pieces and all hardware. A mid-stationary unit is recommended on lengths of over 30′ *(9144mm)*.


length		weight		cu		
ft.	mm	lbs.	kg	ft	model #	list
6′	1829	18	8.2	1.8	**OHT-6**	800
7′	2134	21	9.5	2.1	**OHT-7**	895
8′	2438	24	10.9	2.4	**OHT-8**	1340
9′	2743	27	12.2	2.7	**OHT-9**	1456
10′	3048	30	13.6	3.0	**OHT-10**	1582

length		weight		cu		
ft.	mm	lbs.	kg	ft	model #	list
11′	3353	33	15.0	3.3	**OHT-11**	1700
12′	3658	36	16.3	3.6	**OHT-12**	1822
13′	3962	39	17.7	3.9	**OHT-13**	1930
14′	4267	42	19.1	4.2	**OHT-14**	2043
15′	4572	45	20.4	4.5	**OHT-15**	2482

length		weight		cu		
ft.	mm	lbs.	kg	ft	model #	list
16′	4877	48	21.8	4.8	**OHT-16**	2603
17′	5181	51	23.1	5.1	**OHT-17** •	2722
18′	5486	54	24.5	5.4	**OHT-18**	2837
19′	5791	57	25.9	5.7	**OHT-19**	2952
20′	6096	60	27.2	6.0	**OHT-20**	3070
21′	6401	63	28.6	6.3	**OHT-21**	3180

Single-Deep
Floor-Trak® High-Density Storage System (NSF)

see spec sheet **EG01.39A**



dimensions of floor track

single deep unit shown assembled with wire starter unit

FEATURES:

- Non-corrosive track constructed of anodized aluminum.
- The system is ADA-compliant. NSF approved.
- Simple and easy to install.
- Easy to add on additional units.
- Open construction allows for the use of cart covers when required.
- Industrial-type, hardened steel bearings allow loaded units to glide effortlessly over the track.

Note: Unit will tilt if not loaded properly.
LOAD BOTTOM FIRST!

Single-Deep Skate Kits

- Two skates.
- All necessary parts and hardware.
- One kit is required for each mobile unit.
- Skates are aircraft-quality aluminum with stainless steel inserts and hardened steel ball bearings.
- Weight capacity of 2000 lbs *(907.2 kg)* per mobile section.

Note: Shelves *(page 6)* and posts *(page 8)* sold separately.

width		weight		cu		
in.	mm	lbs.	kg	ft	model #	list
18˝	457	6	2.7	0.09	**SDSK-18**	1037
21˝	533	7	3.2	0.11	**SDSK-21**	1075
24˝	610	7	3.2	0.23	**SDSK-24**	1119
30˝	762	8	3.6	0.15	**SDSK-30**	1250
36˝	914	10	4.5	0.18	**SDSK-36**	1653

Anti-Tip Brackets for use with Floor-Trak® Skate Kits

Stainless steel. Set of four.



model #	list
SDSKATB-S	363

…sold individually

Hardware included.

model #	list
SKATB-S	122

Optional Shim Kits

Accommodates uneven floors.

model #	list
912991	277

Optional Foot Brake Kit

Mounts onto frontmost skate.

model #	list
MFBK-S	176

Single-Deep Floor Track Kits

- Pair of aluminum tracks with plastic end stops.
- All hardware included.

Note: Not recommended to piece tracks together. Order length needed. Custom lengths available. Consult factory.


length		weight		cu		
ft.	mm	lbs.	kg	ft	model #	list
6´	1829	5	2.3	0.06	**SDFT-6**	1055
7´	2134	5	2.3	0.07	**SDFT-7**	1194
8´	2438	6	2.7	0.08	**SDFT-8**	1334
9´	2743	7	3.2	0.09	**SDFT-9**	1477
10´	3048	8	3.6	0.10	**SDFT-10**	1616
11´	3353	8	3.6	0.11	**SDFT-11**	1752
12´	3658	9	4.1	0.12	**SDFT-12**	1897
13´	3962	10	4.5	0.13	**SDFT-13**	2040
14´	4267	11	5.0	0.14	**SDFT-14**	2180
15´	4572	11	5.0	0.15	**SDFT-15**	2319
16´	4877	12	5.4	0.16	**SDFT-16**	2464
17´	5181	13	5.8	0.17	**SDFT-17**	2605
18´	5486	14	6.4	0.18	**SDFT-18**	2745
19´	5791	14	6.4	0.19	**SDFT-19**	2884
20´	6096	15	6.8	0.20	**SDFT-20**	3028
21´	6401	16	7.3	0.21	**SDFT-21**	3167
22´	6706	17	7.7	0.21	**SDFT-22**	3245
23´	7010	18	8.2	0.21	**SDFT-23**	3294
24´	7315	19	8.6	0.21	**SDFT-24**	3427
25´	7620	20	9.0	0.21	**SDFT-25**	3563
26´	7925	21	9.5	0.21	**SDFT-26**	3695
27´	8230	22	10.0	0.21	**SDFT-27**	3827
28´	8534	23	10.4	0.21	**SDFT-28**	3962
29´	8839	24	10.9	0.21	**SDFT-29**	4096
30´	9144	25	11.3	0.21	**SDFT-30**	4232

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Double-Deep Floor-Trak® High-Density Storage System

see spec sheet **EG01.39B**



double deep unit shown assembled with wire starter unit

dimensions of floor track

Double-Deep Skate Kits

- Three skates.
- All necessary parts and hardware.
- One kit is required for each mobile unit.
- Skates are aircraft-quality aluminum with stainless steel inserts and hardened steel ball bearings.
- Weight capacity of 1500 lbs *(680.4 kg)* per mobile section —3000 lbs. *(1361 kg)* at middle skate.

Note: Shelves *(see page 6)* and posts *(see page 8)* sold separately.

width		weight		cu		
in.	mm	lbs.	kg	ft	model #	list
18″	457	10	4.5	0.14	**DDSK-18**	1884
21″	533	11	5.0	0.16	**DDSK-21**	1937
24″	610	12	5.4	0.18	**DDSK-24**	2008
30″	762	14	6.4	0.23	**DDSK-30**	2203
36″	914	16	7.3	0.27	**DDSK-36**	2803

Optional Shim Kits

Accommodates uneven floors.

model #	list
912991	277

Optional Foot Brake Kit

Mounts onto frontmost skate.

model #	list
MFBK-S	176

Note: Unit will tilt if not loaded properly. **LOAD BOTTOM FIRST!**

Double-Deep Floor Track Kits

- Three aluminum tracks with plastic end stops.
- All hardware included.

Note: Not recommended to piece tracks together. Order length needed. Custom lengths available. Consult factory.

Double-deep units should not exceed depths of 12' *(3658mm)*. 11' and 12' *(2794 and 3658mm)*-deep units should be used only with 24", 30" *or* 36" *(610, 762, or 914mm)*-wide shelves.

length		weight		cu		
ft.	mm	lbs.	kg	ft	model #	list
6´	1829	7	3.2	0.09	**DDFT-6**	1577
7´	2134	8	3.6	0.11	**DDFT-7**	1789
8´	2438	9	4.1	0.12	**DDFT-8**	1998
9´	2743	10	4.5	0.14	**DDFT-9**	2210
10´	3048	13	5.8	0.16	**DDFT-10**	2426
11´	3353	14	6.4	0.17	**DDFT-11**	2636
12´	3658	15	6.8	0.18	**DDFT-12**	2850
13´	3962	16	7.3	0.20	**DDFT-13**	3056
14´	4267	16	7.3	0.21	**DDFT-14**	3270
15´	4572	17	7.7	0.23	**DDFT-15**	3482
16´	4877	18	8.2	0.24	**DDFT-16**	3689
17´	5181	19	8.6	0.26	**DDFT-17**	3905
18´	5486	21	9.5	0.27	**DDFT-18**	4118
19´	5791	22	10.0	0.29	**DDFT-19**	4328
20´	6096	23	10.4	0.30	**DDFT-20**	4539
21´	6401	24	10.9	0.32	**DDFT-21**	4749
22´	6706	25	11.3	0.32	**DDFT-22**	4876
23´	7010	26	11.8	0.32	**DDFT-23**	4936
24´	7315	27	12.2	0.32	**DDFT-24**	5137
25´	7620	28	12.7	0.32	**DDFT-25**	5339
26´	7925	29	13.2	0.32	**DDFT-26**	5540
27´	8230	30	13.6	0.32	**DDFT-27**	5742
28´	8534	31	14.1	0.32	**DDFT-28**	5944
29´	8839	32	14.5	0.32	**DDFT-29**	6148
30´	9144	33	15.0	0.32	**DDFT-30**	4626

Anti-Tip Brackets for use with Floor-Trak® Skate Kits

Stainless steel. Set of six.

model #	list
DDSKATB-S	495



…sold individually

Hardware included.

model #	list
SKATB-S	122

Inside Posts for Double-Deep Units

- Each double-deep unit requires a set of four 'inside' posts *(listed below)* along with four standard stationary posts.

Note: See page 8 for standard stationary posts and page 6 for wire shelves *(posts and shelves sold separately)*.

Sets of four 74″ *(1880mm)* posts

weight		cu	EAGLEbrite®		chrome		EAGLEgard®	
lbs.	kg	ft	model #	list	model #	list	model #	list
17	7.7	0.1	**TEP74-Z**	269	**TEP74-C**	303	**TEP74-E**	325

Sets of four 86″ *(2184mm)* posts

weight		cu	EAGLEbrite®		chrome		EAGLEgard®	
lbs.	kg	ft	model #	list	model #	list	model #	list
21	9.5	0.1	**TEP86-Z**	315	**TEP86-C**	337	**TEP86-E**	362

IMPORTANT: Maximum post height per skate size: 18″-, 21″-, and 24″-wide skates on 74″ post height or less; 30″- and 36″-wide skates on 86″ post height or less.

STAND OUTS™

Show-off your merchandise when you use our wire display shelving units in various configurations highlighted by our brilliant finishes.

- Open wire grid shelf allows maximum merchandise visibility.
- Easy to assemble.
- Shelf spacing adjusts in seconds.
- Choose from our custom and standard colors.

Decorative Shelves

see spec sheet **EG01.34A**



patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

INCLUDES:

- Four plastic split sleeves per shelf ordered, packaged four per bag.
- Black sleeves except white shelves.
- White shelves come with white sleeves.

Note: To order custom decorative colors, add suffix **"BM"** *(black matte)*, **"L"** *(lilac)*, **"M"** *(maroon)*, **"SV"** *(silver vein)*, **"SA"** *(sapphire)*, **"SG"** *(smoked glass)*, **"T"** *(teal)*, **"GV"** *(gold vein)*, **"CV"** *(copper vein)*, or **"RU"** *(ruby)* to the desired shelf size model number when ordering. **Call for custom decorative color pricing.** There is also a **$363 NET set up charge** for any custom color orders less than 250 pieces.



(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		weight		cubic	red		white		black	
	in.	mm	lbs.	kg	feet	model #	list	model #	list	model #	list
14″ width *(356mm)*	24″	610	6	2.9	0.5	**1424R**•	104	**1424W**•	74	**1424BL**•	74
	30″	762	7	3.2	0.5	**1430R**	112	**1430W**	81	**1430BL**	81
	36″	914	8	3.6	0.5	**1436R**	118	**1436W**	85	**1436BL**•	85
	42″	1067	9	3.9	0.7	**1442R**	132	**1442W**	95	**1442BL**	95
	48″	1219	10	4.4	0.7	**1448R**	136	**1448W**	98	**1448BL**•	98
	54″	1372	12	5.4	0.9	**1454R**	147	**1454W**	106	**1454BL**•	106
	60″	1524	14	6.4	0.9	**1460R**	155	**1460W**	112	**1460BL**•	112
	72″	1829	17	7.7	1.1	**1472R**	182	**1472W**	131	**1472BL**•	131
18″ width *(457mm)*	24″	610	7	3.2	0.7	**1824R**	118	**1824W**	85	**1824BL**	85
	30″	762	8	3.6	0.7	**1830R**	127	**1830W**•	91	**1830BL**•	91
	36″	914	9	3.9	0.7	**1836R**	132	**1836W**	95	**1836BL**•	95
	42″	1067	11	5.0	0.9	**1842R**	145	**1842W**	105	**1842BL**•	105
	48″	1219	12	5.4	0.9	**1848R**	156	**1848W**	113	**1848BL**	113
	54″	1372	15	6.8	1.2	**1854R**	186	**1854W**	135	**1854BL**•	135
	60″	1524	17	7.7	1.2	**1860R**	189	**1860W**	137	**1860BL**•	137
	72″	1829	20	9.1	1.3	**1872R**	217	**1872W**	157	**1872BL**	157
21″ width *(533mm)*	24″	610	8	3.7	0.7	**2124R**	133	**2124W**	96	**2124BL**	96
	30″	762	9	4.1	0.7	**2130R**	143	**2130W**	103	**2130BL**•	103
	36″	914	11	5.0	0.8	**2136R**	145	**2136W**	105	**2136BL**	105
	42″	1067	12	5.4	1.1	**2142R**	170	**2142W**	123	**2142BL**•	123
	48″	1219	14	6.4	1.1	**2148R**	172	**2148W**	124	**2148BL**	124
	54″	1372	16	7.3	1.3	**2154R**	203	**2154W**	146	**2154BL**	146
	60″	1524	18	8.2	1.3	**2160R**	208	**2160W**	151	**2160BL**	151
	72″	1829	24	10.9	1.4	**2172R**	250	**2172W**	181	**2172BL**•	181
24″ width *(610mm)*	24″	610	9	4.1	0.8	**2424R**	144	**2424W**	104	**2424BL**	104
	30″	762	11	5.0	0.8	**2430R**•	155	**2430W**	112	**2430BL**•	112
	36″	914	13	5.9	0.8	**2436R**	158	**2436W**	114	**2436BL**	114
	42″	1067	15	6.8	1.2	**2442R**	189	**2442W**	137	**2442BL**•	137
	48″	1219	16	7.3	1.2	**2448R**	197	**2448W**	143	**2448BL**	143
	54″	1372	19	8.6	1.5	**2454R**	219	**2454W**	159	**2454BL**•	159
	60″	1524	21	9.5	1.5	**2460R**	230	**2460W**	167	**2460BL**•	167
	72″	1829	26	11.8	1.6	**2472R**	270	**2472W**	196	**2472BL**	196

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

STAND-OUTS™ Decorative Shelving Accessories

see spec sheet **EG01.34A** **EG01.34B**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Inlays

- Fits between posts and levels with top of shelf edge.



	length		weight**		cu	Black & White Hardboard Reversible. Priced per inlay. ⅛″-thick.		Clear * Plastic Priced per pack of four. 1/32″-thick.	
	in.	mm	lbs.	kg	ft	model #	list	model #	list
14″ width *(356mm)*	30″	762	1.0	0.5	0.2	**DSI-1430**	87	**CSI-1430**	140
	36″	914	1.0	0.5	0.2	**DSI-1436**	95	**CSI-1436**	147
	48″	1219	1.0	0.5	0.2	**DSI-1448**	112	**CSI-1448** •	180
	60″	1524	1.0	0.5	0.2	**DSI-1460**	117	**CSI-1460**	250
18″ width *(457mm)*	36″	914	1.0	0.5	0.2	**DSI-1836**	107	**CSI-1836** •	155
	48″	1219	1.0	0.5	0.2	**DSI-1848**	122	**CSI-1848**	183
	60″	1524	1.0	0.5	0.2	**DSI-1860**	127	**CSI-1860**	216
	72″	1829	1.0	0.5	0.2	**DSI-1872**	133	**CSI-1872**	245
21″ width *(533mm)*	36″	914	1.1	0.5	0.2	**DSI-2136**	119	**CSI-2136**	166
	48″	1219	1.2	0.5	0.3	**DSI-2148**	127	**CSI-2148**	192
	60″	1524	1.3	0.5	0.3	**DSI-2160**	133	**CSI-2160**	218
	72″	1829	1.4	0.5	0.3	**DSI-2172**	139	**CSI-2172**	250
24″ width *(610mm)*	24″	610	1.0	0.5	0.2	**DSI-2424**	103	**CSI-2424**	143
	30″	762	1.0	0.5	0.3	**DSI-2430**	115	**CSI-2430**	162
	36″	914	1.0	0.5	0.3	**DSI-2436**	122	**CSI-2436**	172
	48″	1219	1.1	0.5	0.3	**DSI-2448**	143	**CSI-2448**	198
	54″	1372	1.3	0.6	0.3	**DSI-2454**	149	**CSI-2454**	219
	60″	1524	1.4	0.6	0.3	**DSI-2460**	158	**CSI-2460**	252
	72″	1829	1.8	0.8	0.3	**DSI-2472**	169	**CSI-2472**	275
30″ width *(762mm)*	60″	1524	2.0	0.9	0.3	**DSI-3060**	176	**CSI-3060**	394
	72″	1829	2.5	1.1	0.3	**DSI-3072**	184	**CSI-3072**	400

* Actual width of CSI Inlays is minus 1¼″ *(32mm)*; CSI Inlays shipped with protective blue film. Remove film before installing.

** Weight shown per inlay.

Cantilever Shelves

see spec sheet **EG01.34B**

FEATURES:

- 1″ *(25mm)* wraparound ledge.
- 12″ *(305mm)* wide shelves.
- 75 lb. *(34 kg)* - evenly distributed static load.

NOTE: When ordering back posts, confirm with customer service, the correct post height to accommodate these shelves.



Ideal for adding extra storage above an existing shelving unit.

Packaged two per box.

	length		weight		cu	red		white		black	
	in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
12″ width *(305mm)*	24″	610	4	1.8	0.5	**CS1224-R**	116	**CS1224-W**	116	**CS1224-BL**	116
	30″	762	5	2.3	0.8	**CS1230-R**	120	**CS1230-W**	120	**CS1230-BL**	120
	36″	914	6	2.7	0.8	**CS1236-R**	125	**CS1236-W**	125	**CS1236-BL**	125
	42″	1067	7	3.2	0.9	**CS1242-R**	139	**CS1242-W**	139	**CS1242-BL**	139
	48″	1219	8	3.6	1.0	**CS1248-R**	144	**CS1248-W**	144	**CS1248-BL**	144
	54″	1371	8	3.6	1.0	**CS1254-R**	156	**CS1254-W**	156	**CS1254-BL**	156
	60″	1524	9	4.1	1.0	**CS1260-R**	169	**CS1260-W**	169	**CS1260-BL**	169

Decorative Casters

For use with Stationary Posts *(page 62)*. 150-lb. *(68.0 kg)* wt. cap.

type	wheel diameter in.	mm	weight lbs.	kg	cubic feet	model #	list
swivel	2″	51	0.4	0.2	0.03	**A208903** •	19
swivel/brake	2″	51	0.4	0.2	0.03	**A208904** •	22
swivel	4″	102	0.7	0.3	0.03	**A208905** •	43
swivel/brake	4″	102	0.8	0.4	0.03	**A208906** •	55



#A208903 *#A208905*

Decorative Foot Plate



diameter in.	mm	model #	list
2″	51	**A204942**	8


STAND-OUTS™ Decorative Shelving Accessories

see spec sheet **EG01.34A** **EG01.34B**

Ledges

see spec sheet **EG01.34A**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*





					1″ *(25mm)* Ledges*				4″ *(102mm)* Ledges					
length		cu	weight		Model numbers				weight		Model numbers			
in.	mm	ft	lbs.	kg	red	white	black	list	lbs.	kg	red	white	black	list
14″	356	0.2	0.2	0.1	L14-1R	L14-1W	L14-1BL	28	0.8	0.4	L14-4R	L14-4W	L14-4BL	36
18″	457	0.3	0.3	0.1	L18-1R	L18-1W	L18-1BL	29	0.9	0.4	L18-4R	L18-4W	L18-4BL	37
21″	533	0.3	0.4	0.2	L21-1R	L21-1W	L21-1BL	32	1.0	0.5	L21-4R	L21-4W	L21-4BL	40
24″	610	0.3	0.5	0.2	L24-1R	L24-1W	L24-1BL	33	1.2	0.6	L24-4R	L24-4W	L24-4BL	44
30″	762	0.5	0.7	0.3	L30-1R	L30-1W	L30-1BL	37	1.4	0.6	L30-4R	L30-4W	L30-4BL	53
36″	914	0.6	0.9	0.4	L36-1R	L36-1W	L36-1BL	44	1.6	0.7	L36-4R	L36-4W	L36-4BL •	55
42″	1067	0.6	1.1	0.5	L42-1R	L42-1W	L42-1BL	47	1.8	0.8	L42-4R	L42-4W	L42-4BL	67
48″	1219	0.7	1.3	0.6	L48-1R	L48-1W	L48-1BL	49	2.0	0.9	L48-4R	L48-4W	L48-4BL •	72
54″	1372	0.8	1.5	0.7	L54-1R	L54-1W	L54-1BL	54	2.2	1.0	L54-4R	L54-4W	L54-4BL	74
60″	1524	0.8	1.7	0.8	L60-1R	L60-1W	L60-1BL	55	2.4	1.1	L60-4R	L60-4W	L60-4BL	77
72″	1829	1.0	2.1	1.0	L72-1R	L72-1W	L72-1BL	58	2.6	1.2	L72-4R	L72-4W	L72-4BL	87


* When installed, actual height of ledge is 1½″ *(38mm)*.

Shelf Dividers

see spec sheet **EG01.34A**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Organize shelf contents with these snap-on dividers!



length		weight		cubic	red		white		black	
in.	mm	lbs.	kg	feet	model #	list	model #	list	model #	list
14″	356	1.0	0.5	0.6	SD14-R	44	SD14-W	44	SD14-BL	44
18″	457	1.3	0.6	0.6	SD18-R	53	SD18-W	53	SD18-BL	53
21″	533	1.5	0.7	0.8	SD21-R	55	SD21-W	55	SD21-BL	55
24″	610	1.8	0.8	1.0	SD24-R	66	SD24-W	66	SD24-BL	66
30″	762	2.2	1.0	1.2	SD30-R	74	SD30-W	74	SD30-BL	74
36″	914	2.7	1.2	1.4	SD36-R	87	SD36-W	87	SD36-BL	87

Posts

see spec sheet **EG01.34A**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



					For Stationary Applications				For Mobile Applications			
height		weight		cu	Model #				Model #			
in.	mm	lbs.	kg	ft	red	white	black	list	red	white	black	list
7″	178	0.8	0.4	0.1	P7-R	P7-W	P7-BL	26	CP7-R	CP7-W	CP7-BL	26
14″	356	1.0	0.5	0.1	P14-R	P14-W	P14-BL •	29	CP14-R	CP14-W	CP14-BL	29
33″	838	2.0	0.9	0.1	P33-R	P33-W	P33-BL •	36	CP33-R	CP33-W	CP33-BL	36
54″	1372	3.0	1.4	0.1	P54-R	P54-W	P54-BL •	44	CP54-R	CP54-W	CP54-BL •	44
63″	1600	3.5	1.8	0.3	P63-R	P63-W	P63-BL •	47	CP63-R	CP63-W	CP63-BL	47
74″	1880	4.0	1.8	0.5	P74-R	P74-W	P74-BL •	53	CP74-R	CP74-W	CP74-BL •	53
86″	2184	5.0	2.3	0.8	P86-R	P86-W	P86-BL •	60	CP86-R	CP86-W	CP86-BL	59

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Quik-Set® Flat Solid Shelves

see spec sheet **EG01.23**



FEATURES:

- Heavy duty.
- All sides of shelves are constructed with a 2″ *(51mm)* downturn and marine edge.
- Each corner is fitted with a heavy-duty aluminum casting to accept a split sleeve.
- No tools are required for assembly.

Stainless Steel

	length		cu	14 gauge weight				16 gauge weight			
	in.	mm	ft	lb.	kg	model #	list	lb.	kg	model #	list
18″ width (457mm)	36″	914	0.8	24	10.9	**SHDS1836SF**	789	19	8.6	**HDS1836SF**	758
	42″	1067	0.9	26	11.8	**SHDS1842SF**	877	21	9.5	**HDS1842SF**	822
	48″	1219	1.0	29	13.2	**SHDS1848SF**	956	24	10.9	**HDS1848SF**	885
	54″	1372	1.1	33	15.0	**SHDS1854SF**	1040	27	12.2	**HDS1854SF**	970
	60″	1524	1.3	36	16.3	**SHDS1860SF**	1122	29	13.2	**HDS1860SF**	1059
24″ width (610mm)	36″	914	1.0	35	15.9	**SHDS2436SF**	1026	28	12.7	**HDS2436SF**	939
	42″	1067	1.2	39	17.6	**SHDS2442SF**	1123	32	14.5	**HDS2442SF**	1059
	48″	1219	1.3	43	19.5	**SHDS2448SF**	1263	36	16.3	**HDS2448SF**	1147
	54″	1372	1.5	48	21.8	**SHDS2454SF**	1363	41	18.6	**HDS2454SF**	1250
	60″	1524	1.7	55	24.9	**SHDS2460SF**	1460	47	21.3	**HDS2460SF**	1340

VALU-MASTER® Gray Epoxy

	length		cu	14 gauge weight				16 gauge weight			
	in.	mm	ft	lb.	kg	model #	list	lb.	kg	model #	list
18″ width (457mm)	36″	914	0.8	24	10.9	**SHDS1836VF**	405	19	8.6	**HDS1836VF**	392
	42″	1067	0.9	26	11.8	**SHDS1842VF**	430	21	9.5	**HDS1842VF**	408
	48″	1219	1.0	29	13.2	**SHDS1848VF**	440	24	10.9	**HDS1848VF**	426
	54″	1372	1.1	33	15.0	**SHDS1854VF**	473	27	12.2	**HDS1854VF**	427
	60″	1524	1.3	36	16.3	**SHDS1860VF**	495	29	13.2	**HDS1860VF**	467
24″ width (610mm)	36″	914	1.0	35	15.9	**SHDS2436VF**	438	28	12.7	**HDS2436VF**	418
	42″	1067	1.2	39	17.6	**SHDS2442VF**	462	32	14.5	**HDS2442VF**	437
	48″	1219	1.3	43	19.5	**SHDS2448VF**	474	36	16.3	**HDS2448VF**	449
	54″	1372	1.5	48	21.8	**SHDS2454VF**	518	41	18.6	**HDS2454VF**	487
	60″	1524	1.7	55	24.9	**SHDS2460VF**	534	47	21.3	**HDS2460VF**	507

Valu-Gard® Green Epoxy

	length		cu	14 gauge weight				16 gauge weight			
	in.	mm	ft	lb.	kg	model #	list	lb.	kg	model #	list
18″ width (457mm)	36″	914	0.8	24	10.9	**SHDS1836VGF**	405	19	8.6	**HDS1836VGF**	392
	42″	1067	0.9	26	11.8	**SHDS1842VGF**	430	21	9.5	**HDS1842VGF**	408
	48″	1219	1.0	29	13.2	**SHDS1848VGF**	440	24	10.9	**HDS1848VGF**	426
	54″	1372	1.1	33	15.0	**SHDS1854VGF**	473	27	12.2	**HDS1854VGF**	427
	60″	1524	1.3	36	16.3	**SHDS1860VGF**	495	29	13.2	**HDS1860VGF**	467
24″ width (610mm)	36″	914	1.0	35	15.9	**SHDS2436VGF**	438	28	12.7	**HDS2436VGF**	418
	42″	1067	1.2	39	17.6	**SHDS2442VGF**	462	32	14.5	**HDS2442VGF**	437
	48″	1219	1.3	43	19.5	**SHDS2448VGF**	474	36	16.3	**HDS2448VGF**	449
	54″	1372	1.5	48	21.8	**SHDS2454VGF**	518	41	18.6	**HDS2454VGF**	487
	60″	1524	1.7	55	24.9	**SHDS2460VGF**	534	47	21.3	**HDS2460VGF**	507

Quik-Set® Embossed Solid Shelves

see spec sheet **EG01.23**



FEATURES:

- Heavy duty.
- Constructed with a 2″ *(51mm)* downturn and marine edge.
- Each corner is fitted with a heavy-duty aluminum casting to accept a split sleeve.
- Top of shelf is die stamped with a 1″ *(25mm)* diameter drawn impression to provide a raised area for air circulation.
- Each emboss is on 3″ *(76mm)* centers for the width and 3″ *(76mm)* centers for the length.

Stainless Steel

	length		cu	14 gauge weight				16 gauge weight			
	in.	mm	ft	lb.	kg	model #	list	lb.	kg	model #	list
18″ width *(457mm)*	36″	914	0.8	24	10.9	**SHDS1836SE**	863	19	8.6	**HDS1836SE**	837
	42″	1067	0.9	26	11.8	**SHDS1842SE**	956	21	9.5	**HDS1842SE**	926
	48″	1219	1.0	29	13.2	**SHDS1848SE**	1038	24	10.9	**HDS1848SE**	1014
	54″	1372	1.1	33	15.0	**SHDS1854SE**	1117	27	12.2	**HDS1854SE**	1059
	60″	1524	1.3	36	16.3	**SHDS1860SE**	1192	29	13.2	**HDS1860SE**	1115
24″ width *(610mm)*	36″	914	1.0	35	15.9	**SHDS2436SE**	1075	28	12.7	**HDS2436SE**	1000
	42″	1067	1.2	39	17.6	**SHDS2442SE**	1103	32	14.5	**HDS2442SE**	1087
	48″	1219	1.3	43	19.5	**SHDS2448SE**	1198	36	16.3	**HDS2448SE**	1154
	54″	1372	1.5	48	21.8	**SHDS2454SE**	1342	41	18.6	**HDS2454SE**	1280
	60″	1524	1.7	55	24.9	**SHDS2460SE**	1488	47	21.3	**HDS2460SE**	1375

VALU-MASTER® Gray Epoxy

	length		cu	14 gauge weight				16 gauge weight			
	in.	mm	ft	lb.	kg	model #	list	lb.	kg	model #	list
18″ width *(457mm)*	36″	914	0.8	24	10.9	**SHDS1836VE**	418	19	8.6	**HDS1836VE**	400
	42″	1067	0.9	26	11.8	**SHDS1842VE**	438	21	9.5	**HDS1842VE**	420
	48″	1219	1.0	29	13.2	**SHDS1848VE**	445	24	10.9	**HDS1848VE**	430
	54″	1372	1.1	33	15.0	**SHDS1854VE**	485	27	12.2	**HDS1854VE**	465
	60″	1524	1.3	36	16.3	**SHDS1860VE**	503	29	13.2	**HDS1860VE**	474
24″ width *(610mm)*	36″	914	1.0	35	15.9	**SHDS2436VE**	444	28	12.7	**HDS2436VE**	430
	42″	1067	1.2	39	17.6	**SHDS2442VE**	467	32	14.5	**HDS2442VE**	443
	48″	1219	1.3	43	19.5	**SHDS2448VE**	485	36	16.3	**HDS2448VE**	464
	54″	1372	1.5	48	21.8	**SHDS2454VE**	525	41	18.6	**HDS2454VE**	498
	60″	1524	1.7	55	24.9	**SHDS2460VE**	549	47	21.3	**HDS2460VE**	515

Valu-Gard® Green Epoxy

	length		cu	14 gauge weight				16 gauge weight			
	in.	mm	ft	lb.	kg	model #	list	lb.	kg	model #	list
18″ width *(457mm)*	36″	914	0.8	24	10.9	**SHDS1836VGE**	418	19	8.6	**HDS1836VGE**	400
	42″	1067	0.9	26	11.8	**SHDS1842VGE**	438	21	9.5	**HDS1842VGE**	420
	48″	1219	1.0	29	13.2	**SHDS1848VGE**	445	24	10.9	**HDS1848VGE**	430
	54″	1372	1.1	33	15.0	**SHDS1854VGE**	485	27	12.2	**HDS1854VGE**	465
	60″	1524	1.3	36	16.3	**SHDS1860VGE**	503	29	13.2	**HDS1860VGE**	474
24″ width *(610mm)*	36″	914	1.0	35	15.9	**SHDS2436VGE**	444	28	12.7	**HDS2436VGE**	430
	42″	1067	1.2	39	17.6	**SHDS2442VGE**	467	32	14.5	**HDS2442VGE**	443
	48″	1219	1.3	43	19.5	**SHDS2448VGE**	485	36	16.3	**HDS2448VGE**	464
	54″	1372	1.5	48	21.8	**SHDS2454VGE**	525	41	18.6	**HDS2454VGE**	498
	60″	1524	1.7	55	24.9	**SHDS2460VGE**	549	47	21.3	**HDS2460VGE**	515

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Quik-Set® Louvered Solid Shelves

see spec sheet **EG01.23**



FEATURES:

- Heavy duty.
- Shelves are constructed with a 2″ *(51mm)* downturn and marine edge.
- Each corner is fitted with a heavy-duty aluminum casting to accept a split sleeve.
- Top of shelf is die stamped with a 2¾″ x ½″ *(70 x 13mm)* opening with a 1/16″ *(2mm)* drawn depression around the opening to provide reinforcement.
- Each opening is on 3″ *(76mm)* centers for the width and 3″ *(76mm)* centers for the length.

Stainless Steel

	length		cu	14 gauge weight				16 gauge weight			
	in.	mm	ft	lb.	kg	model #	list	lb.	kg	model #	list
18″ width (457mm)	36″	914	0.8	24	10.9	**SHDS1836SL**	863	17	7.7	**HDS1836SL**	837
	42″	1067	0.9	26	11.8	**SHDS1842SL**	956	19	8.6	**HDS1842SL**	926
	48″	1219	1.0	29	13.2	**SHDS1848SL**	1038	22	10.0	**HDS1848SL**	1014
	54″	1372	1.1	33	15.0	**SHDS1854SL**	1117	25	11.3	**HDS1854SL**	1059
	60″	1524	1.3	36	16.3	**SHDS1860SL**	1192	27	12.2	**HDS1860SL**	1115
24″ width (610mm)	36″	914	1.0	35	15.9	**SHDS2436SL**	1075	26	11.8	**HDS2436SL**	1000
	42″	1067	1.2	39	17.6	**SHDS2442SL**	1103	30	13.6	**HDS2442SL**	1087
	48″	1219	1.3	43	19.5	**SHDS2448SL**	1198	34	15.4	**HDS2448SL**	1184
	54″	1372	1.5	48	21.8	**SHDS2454SL**	1342	39	17.6	**HDS2454SL**	1280
	60″	1524	1.7	55	24.9	**SHDS2460SL**	1488	45	20.4	**HDS2460SL**	1375

VALU-MASTER® Gray Epoxy

	length		cu	14 gauge weight				16 gauge weight			
	in.	mm	ft	lb.	kg	model #	list	lb.	kg	model #	list
18″ width (457mm)	36″	914	0.8	22	10.4	**SHDS1836VL**	426	17	7.7	**HDS1836VL**	403
	42″	1067	0.9	24	10.9	**SHDS1842VL**	440	19	8.6	**HDS1842VL**	427
	48″	1219	1.0	27	12.2	**SHDS1848VL**	460	22	10.0	**HDS1848VL**	437
	54″	1372	1.1	31	14.5	**SHDS1854VL**	466	25	11.3	**HDS1854VL**	453
	60″	1524	1.3	34	15.4	**SHDS1860VL**	509	27	12.2	**HDS1860VL**	469
24″ width (610mm)	36″	914	1.0	33	15.0	**SHDS2436VL**	449	26	11.8	**HDS2436VL**	432
	42″	1067	1.2	37	16.8	**SHDS2442VL**	470	30	13.6	**HDS2442VL**	445
	48″	1219	1.3	41	18.6	**SHDS2448VL**	493	34	15.4	**HDS2448VL**	466
	54″	1372	1.5	47	21.3	**SHDS2454VL**	534	39	17.6	**HDS2454VL**	509
	60″	1524	1.7	53	24.0	**SHDS2460VL**	553	45	20.4	**HDS2460VL**	519

Valu-Gard® Green Epoxy

	length		cu	14 gauge weight				16 gauge weight			
	in.	mm	ft	lb.	kg	model #	list	lb.	kg	model #	list
18″ width (457mm)	36″	914	0.8	22	10.4	**SHDS1836VGL**	426	17	7.7	**HDS1836VGL**	403
	42″	1067	0.9	24	10.9	**SHDS1842VGL**	440	19	8.6	**HDS1842VGL**	427
	48″	1219	1.0	27	12.2	**SHDS1848VGL**	460	22	10.0	**HDS1848VGL**	437
	54″	1372	1.1	31	14.5	**SHDS1854VGL**	466	25	11.3	**HDS1854VGL**	453
	60″	1524	1.3	34	15.4	**SHDS1860VGL**	509	27	12.2	**HDS1860VGL**	469
24″ width (610mm)	36″	914	1.0	33	15.0	**SHDS2436VGL**	449	26	11.8	**HDS2436VGL**	432
	42″	1067	1.2	37	16.8	**SHDS2442VGL**	470	30	13.6	**HDS2442VGL**	445
	48″	1219	1.3	41	18.6	**SHDS2448VGL**	493	34	15.4	**HDS2448VGL**	466
	54″	1372	1.5	47	21.3	**SHDS2454VGL**	534	39	17.6	**HDS2454VGL**	509
	60″	1524	1.7	53	24.0	**SHDS2460VGL**	553	45	20.4	**HDS2460VGL**	519

Quik-Set® Solid Shelving Accessories

see spec sheet **EG01.23A**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



Posts

1⅝″ *(42mm)* diameter. Grooved in 2″ *(51mm)* increments.

height		weight		cu	Stationary Posts		Caster Posts	
					stainless steel		stainless steel	
in.	mm	lb.	kg	ft	model #	list	model #	list
14″	356	1.0	0.5	0.2	**HDSP14-S**	98	**HDSCP14-S**	98
33″	838	2.0	0.9	0.2	**HDSP33-S**	136	**HDSCP33-S**	136
54″	1372	3.0	1.4	0.2	**HDSP54-S**	143	**HDSCP54-S**	143
63″	1600	3.5	1.8	0.2	**HDSP63-S**	166	**HDSCP63-S**	166
74″	1880	4.0	1.8	0.2	**HDSP74-S**	186	**HDSCP74-S**	186

Adjustable Foot

Adjust from minimum height of 1½″ to maximum height of 2½″ *(38 to 64mm)*.

weight			
lb.	kg	model #	list
0.25	0.1	**301036**	19



Post Cap

Black plastic cap fits inside 1⅝″ *(32mm)* diameter post.

weight			
lb.	kg	model #	list
0.25	0.1	**330010**	7



Casters

- 5″ *(127mm)* diameter.
- Set of four *(two swivel, two with brake)*.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



Polymer Cart Washable with Polymer Tread

weight capacity per caster			list per
lbs.	kg	model #	set
250	113.4	**CAHW4-SB** •	1060

Nickel with Poly Tread

weight capacity per caster			list per
lbs.	kg	model #	set
250	113.4	**CAHP4-SB** •	855

Stainless Steel Caster Cradle®

see product announcement **EG8108M**



FEATURES:

- The only caster stabilizing device with a patented uniform circular design (patent #US 8,678,335 B2) that allows for approach from any angle.
- Units are secured to the floor where the casters are to be centered.

description	model #	list/pkg
quantity of 2 per package	**CC-S-2**	166
quantity of 10 per package	**CC-S-10**	655
quantity of 60 per package	**CC-S-60**	3672

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment



Weight Capacities

Allowable Bracket Loading *(per bracket)*

bracket length in.	mm	maximum load recommended lb.	kg
14″	356	540	244.9
18″	457	465	210.9
21″	533	395	179.2
24″	610	360	163.3

Shelf Load Capacity *(per shelf)*
Shelves not included.

shelf description	weight capacity lb.	kg
Shelves 24″ to 48″ *(610 to 1219mm)* long	800	362.8
Shelves 54″ to 72″ *(1372 to 1829mm)* long	600	272.2

Features:

- Requires no post supports to get in the way, making shelf loading and unloading easier.
- 100% usable shelving surface, from section to section, wall to wall, and front to back.
- Floor is unobstructed.
- Infinite height adjustability, no slots or keyholes to line up for leveling.
- Heavy-duty, rugged construction.
- Cantilever shelving components are listed on pages 67 through 71.

Cantilever Shelving Systems

Standard Uprights

see spec sheet **EG01.45A**



For wall-mounted storage.

FEATURES:

- 14 gauge.
- Continuously seam-welded.
- Rust and corrosion resistant.

Note: Prices do not include ceiling brackets.

height		cu	Gray Epoxy						Stainless Steel						Aluminum					
			weight		REGULAR		NSF		weight		REGULAR		NSF		weight		REGULAR		NSF	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
12″	305	0.02	1	0.5	**MMU-1**	44	**MMNSU-1**	53	1	0.5	**MMUSS-1**	149	**MMNSUSS-1**	158	1	0.5	**MMU/A-1**	44	**MMNSU/A-1**	53
24″	610	0.04	3	1.4	**MMU-2**	82	**MMNSU-2**	84	3	1.4	**MMUSS-2**	272	**MMNSUSS-2**	284	2	0.9	**MMU/A-2**	82	**MMNSU/A-2**	84
36″	914	0.06	4	1.8	**MMU-3**	127	**MMNSU-3**	133	4	1.8	**MMUSS-3**	407	**MMNSUSS-3**	432	2	0.9	**MMU/A-3**	127	**MMNSU/A-3**	133
48″	1219	0.08	6	2.7	**MMU-4**	147	**MMNSU-4**	158	5	2.3	**MMUSS-4**	542	**MMNSUSS-4**	567	3	1.4	**MMU/A-4**	147	**MMNSU/A-4**	158
60″	1524	0.10	7	3.2	**MMU-5**	185	**MMNSU-5**	197	7	3.2	**MMUSS-5**	683	**MMNSUSS-5**	715	4	1.8	**MMU/A-5**	185	**MMNSU/A-5**	197
72″	1829	0.13	9	4.1	**MMU-6**	220	**MMNSU-6**	242	8	3.6	**MMUSS-6**	810	**MMNSUSS-6**	844	4	1.8	**MMU/A-6**	220	**MMNSU/A-6**	242
84″	2134	0.15	10	4.5	**MMU-7**	263	**MMNSU-7**	278	9	4.1	**MMUSS-7**	944	**MMNSUSS-7**	985	5	2.3	**MMU/A-7**	263	**MMNSU/A-7**	278
96″	2438	0.17	11	5.0	**MMU-8**	300	**MMNSU-8**	325	11	5.0	**MMUSS-8**	1075	**MMNSUSS-8**	1127	6	2.7	**MMU/A-8**	300	**MMNSU/A-8**	325
108″	2743	0.19	13	5.8	**MMU-9**	338	**MMNSU-9**	367	12	5.4	**MMUSS-9**	1206	**MMNSUSS-9**	1267	7	3.2	**MMU/A-9**	338	**MMNSU/A-9**	367
120″	3048	0.21	14	6.4	**MMU-10**	378	**MMNSU-10**	407	13	5.8	**MMUSS-10**	1338	**MMNSUSS-10**	1408	7	3.2	**MMU/A-10**	378	**MMNSU/A-10**	407
144″	3658	0.23	17	7.7	**MMU-12**	466	**MMNSU-12**	503	16	7.3	**MMUSS-12**	1608	**MMNSUSS-12**	1689	9	4.1	**MMU/A-12**	466	**MMNSU/A-12**	503
156″	3962	0.25	20	9.0	**MMU-14**	547	n/a	n/a	-	-	n/a	n/a	n/a	n/a	10	4.5	**MMU/A-14**	547	**MMNSU/A-14**	584
168″	4267	0.30	23	10.4	**MMU-16**	620	n/a	n/a	-	-	n/a	n/a	n/a	n/a	12	5.4	**MMU/A-16**	620	**MMNSU/A-16**	664

Back-To-Back Uprights — Floor-To-Ceiling

see spec sheet **EG01.45A**

FEATURES:
- Attaches to floor and ceiling.
- Two uprights are bolted or welded back-to-back.

Note: Prices do not include ceiling brackets.



For center room storage.

height		cu	Gray Epoxy						Stainless Steel						Aluminum			
			weight		REGULAR		NSF		weight		REGULAR		NSF		weight		REGULAR	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list	lb.	kg	model #	list
48″	1219	0.29	11	5.0	**MMBB/FC-4**	322	**MMNSBB/FC-4**	353	11	5.0	**MMBBSS/FC-4**	1082	**MMNSBBSS/FC-4**	1236	11	5.0	**MMBB/FC/A-4**	322
60″	1524	0.37	14	6.4	**MMBB/FC-5**	405	**MMNSBB/FC-5**	436	24	10.9	**MMBBSS/FC-5**	1355	**MMNSBBSS/FC-5**	1555	14	6.4	**MMBB/FC/A-5**	405
72″	1829	0.44	17	7.7	**MMBB/FC-6**	486	**MMNSBB/FC-6**	525	28	12.7	**MMBBSS/FC-6**	1608	**MMNSBBSS/FC-6**	1852	17	7.7	**MMBB/FC/A-6**	486
84″	2134	0.51	20	9.0	**MMBB/FC-7**	569	**MMNSBB/FC-7**	617	33	15.0	**MMBBSS/FC-7**	1877	**MMNSBBSS/FC-7**	2160	20	9.0	**MMBB/FC/A-7**	569
96″	2438	0.59	23	10.4	**MMBB/FC-8**	654	**MMNSBB/FC-8**	710	38	17.2	**MMBBSS/FC-8**	2142	**MMNSBBSS/FC-8**	2460	23	10.4	**MMBB/FC/A-8**	654
108″	2743	0.66	26	11.8	**MMBB/FC-9**	739	**MMNSBB/FC-9**	799	42	19.1	**MMBBSS/FC-9**	2407	**MMNSBBSS/FC-9**	2769	26	11.8	**MMBB/FC/A-9**	739
120″	3048	0.73	29	13.2	**MMBB/FC-10**	1020	**MMNSBB/FC-10**	895	47	21.3	**MMBBSS/FC-10**	2677	**MMNSBBSS/FC-10**	3077	29	13.2	**MMBB/FC/A-10**	1020
144″	3658	0.88	34	15.4	**MMBB/FC-12**	1054	**MMNSBB/FC-12**	1099	57	25.9	**MMBBSS/FC-12**	3215	**MMNSBBSS/FC-12**	3697	34	15.4	**MMBB/FC/A-12**	1054

Heavy-Duty Back-To-Back Uprights — Floor-To-Ceiling

see spec sheet **EG01.45C**

FEATURES:
- Double-faced unitized uprights.
- Attaches to floor and ceiling.
- Two uprights are bolted or welded back-to-back.

Note: Prices do not include ceiling brackets.



For center room storage.

height		cu	Gray Epoxy						Stainless Steel						Aluminum			
			weight		REGULAR		NSF		weight		REGULAR		NSF		weight		REGULAR	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list	lb.	kg	model #	list
48″	1219	0.29	20	9.0	**MMBB-4**	555	**MMNSBB-4**	628	11	5.0	**MMBBSS-4**	1283	**MMNSBBSS-4**	1474	14	6.4	**MMBB/A-4**	565
60″	1524	0.37	25	11.3	**MMBB-5**	654	**MMNSBB-5**	758	24	10.9	**MMBBSS-5**	1615	**MMNSBBSS-5**	1858	17	7.7	**MMBB/A-5**	640
72″	1829	0.44	30	13.6	**MMBB-6**	787	**MMNSBB-6**	905	28	12.7	**MMBBSS-6**	1947	**MMNSBBSS-6**	2234	21	9.5	**MMBB/A-6**	764
84″	2134	0.51	35	15.9	**MMBB-7**	919	**MMNSBB-7**	1055	33	15.0	**MMBBSS-7**	2270	**MMNSBBSS-7**	2600	24	10.9	**MMBB/A-7**	897
96″	2438	0.59	40	18.1	**MMBB-8**	1055	**MMNSBB-8**	1204	38	17.2	**MMBBSS-8**	2593	**MMNSBBSS-8**	2973	28	12.7	**MMBB/A-8**	1018
108″	2743	0.66	45	20.4	**MMBB-9**	1184	**MMNSBB-9**	1349	42	19.1	**MMBBSS-9**	2915	**MMNSBBSS-9**	3345	31	14.1	**MMBB/A-9**	1152
120″	3048	0.73	50	22.7	**MMBB-10**	1316	**MMNSBB-10**	1509	47	21.3	**MMBBSS-10**	3236	**MMNSBBSS-10**	3719	34	15.4	**MMBB/A-10**	1275
144″	3658	0.88	60	27.2	**MMBB-12**	1574	**MMNSBB-12**	1806	57	25.9	**MMBBSS-12**	3900	**MMNSBBSS-12**	4452	41	18.6	**MMBB/A-12**	1530

Ceiling Brackets for Standard and Back-To-Back Uprights

see spec sheet **EG01.45B**

Note: Required for all installations.

Note: In a run of shelving, left or right brackets can be used as "center" brackets.



	Gray Epoxy				Stainless Steel				Aluminum			
	REGULAR		NSF		REGULAR		NSF		REGULAR		NSF	
description	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
left	**MMCB-6-L**	40	**MMNSCB-6-L**	40	**MMCBSS-6-L**	98	**MMNSCBSS-6-L**	103	**MMCB/A6-L**	63	**MMNSCB/A6-L**	63
right	**MMCB-6-R**	40	**MMNSCB-6-R**	40	**MMCBSS-6-R**	98	**MMNSCBSS-6-R**	103	**MMCB/A6-R**	63	**MMNSCB/A6-R**	63


100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Heavy Duty Crossbraces

see spec sheet EG01.45C

FEATURES:
- Adds to stability of unit.
- 1″ *(25mm)* wide 7-gauge steel.



fits shelf length		crossbrace length		Gray Epoxy weight				Nickel weight			
in.	mm	in.	mm	lb.	kg	model #	list	lb.	kg	model #	list
36″	914	48″	1219	2	0.9	**MMXB-48**	43	2	0.9	**MMXB-N-48**	112
48″	1219	60″	1524	3	1.4	**MMXB-60**	53	3	1.4	**MMXB-N-60**	133
60″	1524	72″	1829	4	1.8	**MMXB-72**	59	4	1.8	**MMXB-N-72**	158
72″	1829	84″	2134	5	2.3	**MMXB-84**	67	5	2.3	**MMXB-N-84**	184

Single Knob Brackets

see spec sheet EG01.45B

FEATURES:
- With flange on top left or right, these brackets support single shelf or end of shelf run.





Left Single Knob Brackets

length		cu	Gray Epoxy weight		REGULAR		NSF		Stainless Steel weight		REGULAR		NSF		Aluminum weight		REGULAR		NSF	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
14″	356	0.09	2	0.9	**MMB-K-14-L**	112	**MMNSB-K-14-L**	120	2	0.9	**MMBSS-K-14-L**	236	**MMNSBSS-K-14-L**	255	1	0.5	**MMB-K/A-14-L**	127	**MMNSB-K/A-14-L**	136
18″	457	0.12	3	1.4	**MMB-K-18-L**	136	**MMNSB-K-18-L**	147	2	0.9	**MMBSS-K-18-L**	329	**MMNSBSS-K-18-L**	339	1	0.5	**MMB-K/A-18-L**	143	**MMNSB-K/A-18-L**	156
21″	533	0.15	3	1.4	**MMB-K-21-L**	149	**MMNSB-K-21-L**	170	3	1.4	**MMBSS-K-21-L**	392	**MMNSBSS-K-21-L**	410	1	0.5	**MMB-K/A-21-L**	158	**MMNSB-K/A-21-L**	177
24″	610	0.17	3	1.4	**MMB-K-24-L**	170	**MMNSB-K-24-L**	183	3	1.4	**MMBSS-K-24-L**	426	**MMNSBSS-K-24-L**	440	2	0.9	**MMB-K/A-24-L**	183	**MMNSB-K/A-24-L**	197

Right Single Knob Brackets

length		cu	Gray Epoxy weight		REGULAR		NSF		Stainless Steel weight		REGULAR		NSF		Aluminum weight		REGULAR		NSF	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
14″	356	0.09	2	0.9	**MMB-K-14-R**	112	**MMNSB-K-14-R**	120	2	0.9	**MMBSS-K-14-R**	236	**MMNSBSS-K-14-R**	255	1	0.5	**MMB-K/A-14-R**	91	**MMNSB-K/A-14-R**	136
18″	457	0.12	3	1.4	**MMB-K-18-R**	136	**MMNSB-K-18-R**	147	2	0.9	**MMBSS-K-18-R**	329	**MMNSBSS-K-18-R**	339	1	0.5	**MMB-K/A-18-R**	103	**MMNSB-K/A-18-R**	156
21″	533	0.15	3	1.4	**MMB-K-21-R**	149	**MMNSB-K-21-R**	170	3	1.4	**MMBSS-K-21-R**	392	**MMNSBSS-K-21-R**	410	1	0.5	**MMB-K/A-21-R**	114	**MMNSB-K/A-21-R**	177
24″	610	0.17	3	1.4	**MMB-K-24-R**	170	**MMNSB-K-24-R**	183	3	1.4	**MMBSS-K-24-R**	426	**MMNSBSS-K-24-R**	440	2	0.9	**MMB-K/A-24-R**	132	**MMNSB-K/A-24-R**	197

Double Knob Brackets

see spec sheet EG01.45B

For use with wire or solid shelving

FEATURES:
- With flanges on top left and right, these brackets support two adjoining wire or solid shelves on a common upright.



length		cu	Gray Epoxy weight		REGULAR		NSF		Stainless Steel weight		REGULAR		NSF		Aluminum weight		REGULAR		NSF	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
14″	356	0.19	3	1.4	**MMDB-K-14**	189	**MMNSDB-K-14**	186	3	1.4	**MMDBSS-K-14**	329	**MMNSDBSS-K-14**	354	1	0.5	**MMDB-K/A-14**	186	**MMNSDB-K/A-14**	209
18″	457	0.25	4	1.8	**MMDB-K-18**	220	**MMNSDB-K-18**	245	3	1.4	**MMDBSS-K-18**	469	**MMNSDBSS-K-18**	495	2	0.9	**MMDB-K/A-18**	245	**MMNSDB-K/A-18**	269
21″	533	0.29	4	1.8	**MMDB-K-21**	245	**MMNSDB-K-21**	272	4	1.8	**MMDBSS-K-21**	559	**MMNSDBSS-K-21**	592	2	0.9	**MMDB-K/A-21**	263	**MMNSDB-K/A-21**	292
24″	610	0.33	5	2.3	**MMDB-K-24**	254	**MMNSDB-K-24**	277	4	1.8	**MMDBSS-K-24**	610	**MMNSDBSS-K-24**	627	2	0.9	**MMDB-K/A-24**	276	**MMNSDB-K/A-24**	306

Optional Single Foot Brackets with Knobs

see spec sheet **EG01.45B**



For use with wire and solid shelving

FEATURES:

- Serves as a base for bottom shelf.
- Left brackets and right brackets available.
- 9⅜″ *(238mm)* height.

Left Single Foot Brackets with Knobs

					Gray Epoxy						Stainless Steel			
length		cu	weight		REGULAR		NSF		weight		REGULAR		NSF	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
14″	356	0.13	4	1.8	**MMFB-K-14-L**	184	**MMNSFB-K-14-L**	198	4	1.8	**MMFBSSK-149-L**	538	**MMNSFBSSK-149-L**	620
18″	457	0.17	5	2.3	**MMFB-K-18-L**	219	**MMNSFB-K-18-L**	243	6	2.7	**MMFBSSK-189-L**	712	**MMNSFBSSK-189-L**	816
21″	533	0.19	6	2.7	**MMFB-K-21-L**	250	**MMNSFB-K-21-L**	276	-	-	n/a	n/a	n/a	n/a
24″	610	0.21	6	2.7	**MMFB-K-24-L**	272	**MMNSFB-K-24-L**	300	7	3.2	**MMFBSSK-249-L**	919	**MMNSFBSSK-249-L**	1054

Right Single Foot Brackets with Knobs

					Gray Epoxy						Stainless Steel			
length		cu	weight		REGULAR		NSF		weight		REGULAR		NSF	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
14″	356	0.13	4	1.8	**MMFB-K-14-R**	184	**MMNSFB-K-14-R**	198	4	1.8	**MMFBSSK-149-R**	538	**MMNSFBSSK-149-R**	620
18″	457	0.17	5	2.3	**MMFB-K-18-R**	219	**MMNSFB-K-18-R**	243	6	2.7	**MMFBSSK-189-R**	712	**MMNSFBSSK-189-R**	816
21″	533	0.19	6	2.7	**MMFB-K-21-R**	250	**MMNSFB-K-21-R**	276	-	-	n/a	n/a	n/a	n/a
24″	610	0.21	6	2.7	**MMFB-K-24-R**	272	**MMNSFB-K-24-R**	300	7	3.2	**MMFBSSK-249-R**	919	**MMNSFBSSK-249-R**	1054

Optional Double Foot Brackets with Knobs

see spec sheet **EG01.45B**



FEATURES:

- For use with wire or solid shelving.
- Serves as a base for adjoining two bottom shelves.
- 9⅜″ *(238mm)* height.

					Gray Epoxy						Stainless Steel			
length		cu	weight		REGULAR		NSF		weight		REGULAR		NSF	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
14″	356	0.26	4	1.8	**MMDFB-K-14**	299	**MMNSDFB-K-14**	329	5	2.3	**MMDFBSSK-149**	617	**MMNSDFBSSK-149**	710
18″	457	0.33	5	2.3	**MMDFB-K-18**	386	**MMNSDFB-K-18**	428	7	3.2	**MMDFBSSK-189**	786	**MMNSDFBSSK-189**	907
21″	533	0.39	6	2.7	**MMDFB-K-21**	427	**MMNSDFB-K-21**	466	-	-	n/a	n/a	n/a	n/a
24″	610	0.42	7	3.2	**MMDFB-K-24**	438	**MMNSDFB-K-24**	485	8	3.6	**MMDFBSSK-249**	1045	**MMNSDFBSSK-249**	1206

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Heavy Duty Single Knob "C" Brackets

see spec sheet **EG01.45C**



FEATURES:

- For dynamic loads.
- For use with wire or solid shelving.

Left Single Knob Brackets

length		cu	weight		Gray Epoxy				Stainless Steel				Aluminum			
					REGULAR		NSF				REGULAR		NSF			
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
18″	457	0.12	3	1.4	**MMBC-K-18-L**	118	**MMNSBC-K-18-L**	127	2	0.9	**MMBCSS-K-18-L**	216	**MMNSBCSS-K-18-L**	226	1	0.5	**MMBC-K/A-18-L**	112	**MMNSBC-K/A-18-L**	118
21″	533	0.15	3	1.4	**MMBC-K-21-L**	133	**MMNSBC-K-21-L**	143	3	1.4	**MMBCSS-K-21-L**	267	**MMNSBCSS-K-21-L**	293	1	0.5	**MMBC-K/A-21-L**	127	**MMNSBC-K/A-21-L**	133
24″	610	0.17	3	1.4	**MMBC-K-24-L**	149	**MMNSBC-K-24-L**	158	3	1.4	**MMBCSS-K-24-L**	317	**MMNSBCSS-K-24-L**	339	2	0.9	**MMBC-K/A-24-L**	133	**MMNSBC-K/A-24-L**	143

Right Single Knob Brackets

length		cu	weight		Gray Epoxy				Stainless Steel				Aluminum			
					REGULAR		NSF				REGULAR		NSF			
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
18″	457	0.12	3	1.4	**MMBC-K-18-R**	118	**MMNSBC-K-18-R**	127	2	0.9	**MMBCSS-K-18-R**	216	**MMNSBCSS-K-18-R**	226	1	0.5	**MMBC-K/A-18-R**	112	**MMNSBC-K/A-18-R**	118
21″	533	0.15	3	1.4	**MMBC-K-21-R**	133	**MMNSBC-K-21-R**	143	3	1.4	**MMBCSS-K-21-R**	267	**MMNSBCSS-K-21-R**	293	1	0.5	**MMBC-K/A-21-R**	127	**MMNSBC-K/A-21-R**	133
24″	610	0.17	3	1.4	**MMBC-K-24-R**	149	**MMNSBC-K-24-R**	158	3	1.4	**MMBCSS-K-24-R**	317	**MMNSBCSS-K-24-R**	339	2	0.9	**MMBC-K/A-24-R**	133	**MMNSBC-K/A-24-R**	143

Heavy Duty Double Knob "C" Brackets

see spec sheet **EG01.45C**



FEATURES:

- For dynamic loads.
- With flanges on top left and right, these brackets support two adjoining wire or solid shelves on a common upright.

length		cu	weight		Gray Epoxy				Stainless Steel				Aluminum			
					REGULAR		NSF				REGULAR		NSF			
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
18″	457	0.25	4	1.8	**MMDBC-K-18**	189	**MMNSDBC-K-18**	209	3	1.4	**MMDBCSS-K-18**	322	**MMNSDBCSS-K-18**	339	2	0.9	**MMDBC-K/A-18**	176	**MMNSDBC-K/A-18**	189
21″	533	0.29	4	1.8	**MMDBC-K-21**	216	**MMNSDBC-K-21**	232	4	1.8	**MMDBCSS-K-21**	375	**MMNSDBCSS-K-21**	398	2	0.9	**MMDBC-K/A-21**	198	**MMNSDBC-K/A-21**	209
24″	610	0.33	5	2.3	**MMDBC-K-24**	226	**MMNSDBC-K-24**	243	4	1.8	**MMDBCSS-K-24**	416	**MMNSDBCSS-K-24**	445	2	0.9	**MMDBC-K/A-24**	216	**MMNSDBC-K/A-24**	216



UP TO 2,800-LB. WEIGHT CAPACITY

PATENTED!
(patent #10,159,339)

SEE PAGES 75 THROUGH 80 FOR Q-LEVER® STARTER AND ADD-ON UNITS.

SEE PAGES 81 THROUGH 83 FOR VARIOUS Q-LEVER® WORKSTATIONS.

Q-LEVER®

CLEVER STORAGE SOLUTIONS

Heavy Duty Cantilever Shelving Systems

(pages 73 through 85)

NSF

No one else offers brackets that can be positioned…






100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Q-LEVER

CLEVER STORAGE SOLUTIONS



up to 2,800-lb. CAPACITY

PATENTED!
(patent #10,159,339)

Q-LEVER® Shelving has a load bearing capacity of 600 lbs. per shelf and 1,000 lbs. on the bottom dunnage shelf. Unit safely holds up to 2,800 lbs.

ADDITIONAL NOTES

- Evenly distribute the weight across each shelf, and keep heavier loads on the bottom.
- Unit must be bolted to the floor if bottom shelf is removed.
- Unit must be placed on a level surface to avoid a tipping hazard.



5-Tier Starter Unit




Starter and Add-On Units joined

Overview…

- Maximizes storage, free standing shelving allows access to all corners.
- With no front uprights, accessibility and productivity are improved.
- Uprights utilize 2″ adjustment for shelf and accessory spacing.
- Shelves and accessories can be easily adjusted without tools.
- Can be expanded side to side with Add-On units which share a common upright with existing unit; saving cost and space.
- Units allow for sheet metal or wire overlays.
- Sizing available:
  - Widths: 18″, 21″, 24″ and 30″.
  - Lengths: 24″, 30″, 36″, 42″, 48″, 54″, 60″, 66″ and 72″.

Q-LEVER

CLEVER STORAGE SOLUTIONS




Overview of chart dimensions…

- Add **4″** to the shelf length for nominal length of starter unit.
- Add **1/2″** to the shelf length for nominal length of add-on unit.
- Add **5″** to the shelf width for both starter unit and add-on unit.

Applicable charts are on pages 75 through 80.

Q-LEVER® standard starter and add-on units feature standard wire shelves and dunnage shelves. The Q-LEVER® system can also accommodate...

Solid Shelves • Quad-PLUS® • Double Wire Mat Shelves • Reverse Mat Shelves • Dunnage Shelves
…or a mixture of same based upon your storage needs.






100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Q-LEVER® 76″ (1930mm) Four-Tier Starter Units

see spec sheets **EG01.58A** *and* **EG01.58B**



unit with all wire shelves



unit with bottom dunnage shelf

FEATURES:

- Features two 76″ *(1930mm)* uprights, two braces, X-brace assembly, and hardware.
- Uprights utilize pins on 2″ *(51mm)* centers for maximum flexibility for shelves and accessories
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on uprights.

Consult factory for pricing.

Starter Units with All Wire Shelves

Includes four wire shelves and three pairs of brackets.

shelf length		unit** length		…with 18″ (457mm)-wide Shelves *		…with 21″ (533mm)-wide Shelves *		…with 24″ (610mm)-wide Shelves *		…with 30″ (762mm)-wide Shelves * NSF	
in.	mm	in.	mm	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
24″	610	28″	711	Q1824V76-4	Q1824VG76-4	Q2124V76-4	Q2124VG76-4	Q2424V76-4	Q2424VG76-4	–	–
30″	762	34″	864	Q1830V76-4	Q1830VG76-4	Q2130V76-4	Q2130VG76-4	Q2430V76-4	Q2430VG76-4	Q3030V76-4	Q3030VG76-4
36″	914	40″	1016	Q1836V76-4	Q1836VG76-4	Q2136V76-4	Q2136VG76-4	Q2436V76-4	Q2436VG76-4	Q3036V76-4	Q3036VG76-4
42″	1067	46″	1168	Q1842V76-4	Q1842VG76-4	Q2142V76-4	Q2142VG76-4	Q2442V76-4	Q2442VG76-4	Q3042V76-4	Q3042VG76-4
48″	1219	52″	1320	Q1848V76-4	Q1848VG76-4	Q2148V76-4	Q2148VG76-4	Q2448V76-4	Q2448VG76-4	Q3048V76-4	Q3048VG76-4
54″	1372	58″	1473	Q1854V76-4	Q1854VG76-4	Q2154V76-4	Q2154VG76-4	Q2454V76-4	Q2454VG76-4	Q3054V76-4	Q3054VG76-4
60″	1524	64″	1626	Q1860V76-4	Q1860VG76-4	Q2160V76-4	Q2160VG76-4	Q2460V76-4	Q2460VG76-4	Q3060V76-4	Q3060VG76-4
66″	1676	70″	1778	Q1866V76-4	Q1866VG76-4	Q2166V76-4	Q2166VG76-4	Q2466V76-4	Q2466VG76-4	Q3066V76-4	Q3066VG76-4
72″	1829	76″	1930	Q1872V76-4	Q1872VG76-4	Q2172V76-4	Q2172VG76-4	Q2472V76-4	Q2472VG76-4	Q3072V76-4	Q3072VG76-4

* For unit width, add 5″ (127mm) to shelf width.
** Dimensions are nominal.

Starter Units with Bottom Dunnage Shelf

Includes three wire shelves, three pairs of brackets and one dunnage shelf.

shelf length		unit** length		…with 18″ (457mm)-wide Shelves *		…with 21″ (533mm)-wide Shelves *		…with 24″ (610mm)-wide Shelves *		…with 30″ (762mm)-wide Shelves *	
in.	mm	in.	mm	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
24″	610	28″	711	Q1824V76-4D	Q1824VG76-4D	Q2124V76-4D	Q2124VG76-4D	Q2424V76-4D	Q2424VG76-4D	–	–
30″	762	34″	864	Q1830V76-4D	Q1830VG76-4D	Q2130V76-4D	Q2130VG76-4D	Q2430V76-4D	Q2430VG76-4D	Q3030V76-4D	Q3030VG76-4D
36″	914	40″	1016	Q1836V76-4D	Q1836VG76-4D	Q2136V76-4D	Q2136VG76-4D	Q2436V76-4D	Q2436VG76-4D	Q3036V76-4D	Q3036VG76-4D
42″	1067	46″	1168	Q1842V76-4D	Q1842VG76-4D	Q2142V76-4D	Q2142VG76-4D	Q2442V76-4D	Q2442VG76-4D	Q3042V76-4D	Q3042VG76-4D
48″	1219	52″	1320	Q1848V76-4D	Q1848VG76-4D	Q2148V76-4D	Q2148VG76-4D	Q2448V76-4D	Q2448VG76-4D	Q3048V76-4D	Q3048VG76-4D
54″	1372	58″	1473	Q1854V76-4D	Q1854VG76-4D	Q2154V76-4D	Q2154VG76-4D	Q2454V76-4D	Q2454VG76-4D	Q3054V76-4D	Q3054VG76-4D
60″	1524	64″	1626	Q1860V76-4D	Q1860VG76-4D	Q2160V76-4D	Q2160VG76-4D	Q2460V76-4D	Q2460VG76-4D	Q3060V76-4D	Q3060VG76-4D
66″	1676	70″	1778	Q1866V76-4D	Q1866VG76-4D	Q2166V76-4D	Q2166VG76-4D	Q2466V76-4D	Q2466VG76-4D	Q3066V76-4D	Q3066VG76-4D
72″	1829	76″	1930	Q1872V76-4D	Q1872VG76-4D	Q2172V76-4D	Q2172VG76-4D	Q2472V76-4D	Q2472VG76-4D	Q3072V76-4D	Q3072VG76-4D

* For unit width, add 5″ (127mm) to shelf width.
** Dimensions are nominal.

Q-LEVER® 76″ (1930mm) Four-Tier Add-On Units

see spec sheets **EG01.58C** *and* **EG01.58D**



unit with all wire shelves

unit with bottom dunnage shelf

FEATURES:

- Features one 76″ *(1930mm)* upright, two braces, X-brace assembly, and hardware.
- Uprights utilize pins on 2″ *(51mm)* centers for maximum flexibility for shelves and accessories
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on upright.

Consult factory for pricing.

Add-On Units with All Wire Shelves

Includes four wire shelves and three pairs of brackets.

shelf length		unit** length		…with 18″ (457mm)-wide Shelves *		…with 21″ (533mm)-wide Shelves *		…with 24″ (610mm)-wide Shelves *		…with 30″ (762mm)-wide Shelves *	
in.	mm	in.	mm	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
24″	610	25½″	648	Q1824V76A-4	Q1824VG76A-4	Q2124V76A-4	Q2124VG76A-4	Q2424V76A-4	Q2424VG76A-4	–	–
30″	762	31½″	800	Q1830V76A-4	Q1830VG76A-4	Q2130V76A-4	Q2130VG76A-4	Q2430V76A-4	Q2430VG76A-4	Q3030V76A-4	Q3030VG76A-4
36″	914	37½″	953	Q1836V76A-4	Q1836VG76A-4	Q2136V76A-4	Q2136VG76A-4	Q2436V76A-4	Q2436VG76A-4	Q3036V76A-4	Q3036VG76A-4
42″	1067	43½″	1105	Q1842V76A-4	Q1842VG76A-4	Q2142V76A-4	Q2142VG76A-4	Q2442V76A-4	Q2442VG76A-4	Q3042V76A-4	Q3042VG76A-4
48″	1219	49½″	1257	Q1848V76A-4	Q1848VG76A-4	Q2148V76A-4	Q2148VG76A-4	Q2448V76A-4	Q2448VG76A-4	Q3048V76A-4	Q3048VG76A-4
54″	1372	55½″	1410	Q1854V76A-4	Q1854VG76A-4	Q2154V76A-4	Q2154VG76A-4	Q2454V76A-4	Q2454VG76A-4	Q3054V76A-4	Q3054VG76A-4
60″	1524	61½″	1562	Q1860V76A-4	Q1860VG76A-4	Q2160V76A-4	Q2160VG76A-4	Q2460V76A-4	Q2460VG76A-4	Q3060V76A-4	Q3060VG76A-4
66″	1676	67½″	1715	Q1866V76A-4	Q1866VG76A-4	Q2166V76A-4	Q2166VG76A-4	Q2466V76A-4	Q2466VG76A-4	Q3066V76A-4	Q3066VG76A-4
72″	1829	73½″	1867	Q1872V76A-4	Q1872VG76A-4	Q2172V76A-4	Q2172VG76A-4	Q2472V76A-4	Q2472VG76A-4	Q3072V76A-4	Q3072VG76A-4

* For unit width, add 5″ (127mm) to shelf width.
** Dimensions are nominal.

Add-On Units with Bottom Dunnage Shelf

Includes three wire shelves, three pairs of brackets and one dunnage shelf.

shelf length		unit** length		…with 18″ (457mm)-wide Shelves *		…with 21″ (533mm)-wide Shelves *		…with 24″ (610mm)-wide Shelves *		…with 30″ (762mm)-wide Shelves *	
in.	mm	in.	mm	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
24″	610	28″	711	Q1824V76A-4D	Q1824VG76A-4D	Q2124V76A-4D	Q2124VG76A-4D	Q2424V76A-4D	Q2424VG76A-4D	–	–
30″	762	34″	864	Q1830V76A-4D	Q1830VG76A-4D	Q2130V76A-4D	Q2130VG76A-4D	Q2430V76A-4D	Q2430VG76A-4D	Q3030V76A-4D	Q3030VG76A-4D
36″	914	40″	1016	Q1836V76A-4D	Q1836VG76A-4D	Q2136V76A-4D	Q2136VG76A-4D	Q2436V76A-4D	Q2436VG76A-4D	Q3036V76A-4D	Q3036VG76A-4D
42″	1067	46″	1168	Q1842V76A-4D	Q1842VG76A-4D	Q2142V76A-4D	Q2142VG76A-4D	Q2442V76A-4D	Q2442VG76A-4D	Q3042V76A-4D	Q3042VG76A-4D
48″	1219	52″	1320	Q1848V76A-4D	Q1848VG76A-4D	Q2148V76A-4D	Q2148VG76A-4D	Q2448V76A-4D	Q2448VG76A-4D	Q3048V76A-4D	Q3048VG76A-4D
54″	1372	58″	1473	Q1854V76A-4D	Q1854VG76A-4D	Q2154V76A-4D	Q2154VG76A-4D	Q2454V76A-4D	Q2454VG76A-4D	Q3054V76A-4D	Q3054VG76A-4D
60″	1524	64″	1626	Q1860V76A-4D	Q1860VG76A-4D	Q2160V76A-4D	Q2160VG76A-4D	Q2460V76A-4D	Q2460VG76A-4D	Q3060V76A-4D	Q3060VG76A-4D
66″	1676	70″	1778	Q1866V76A-4D	Q1866VG76A-4D	Q2166V76A-4D	Q2166VG76A-4D	Q2466V76A-4D	Q2466VG76A-4D	Q3066V76A-4D	Q3066VG76A-4D
72″	1829	76″	1930	Q1872V76A-4D	Q1872VG76A-4D	Q2172V76A-4D	Q2172VG76A-4D	Q2472V76A-4D	Q2472VG76A-4D	Q3072V76A-4D	Q3072VG76A-4D

* For unit width, add 5″ (127mm) to shelf width.
** Dimensions are nominal.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Q-LEVER® 76″ (1930mm) Five-Tier Starter Units

see spec sheets **EG01.59A** *and* **EG01.59B**



unit with all wire shelves

unit with bottom dunnage shelf

FEATURES:

- Features two 76″ *(1930mm)* uprights, two braces, X-brace assembly, and hardware.
- Uprights utilize pins on 2″ *(51mm)* centers for maximum flexibility for shelves and accessories
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on uprights.

Consult factory for pricing.

Starter Units with All Wire Shelves

Includes five wire shelves and four pairs of brackets.

shelf length		unit** length		…with 18″ (457mm)-wide Shelves *		…with 21″ (533mm)-wide Shelves *		…with 24″ (610mm)-wide Shelves *		…with 30″ (762mm)-wide Shelves *	
in.	mm	in.	mm	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
24″	610	28″	711	Q1824V76-5	Q1824VG76-5	Q2124V76-5	Q2124VG76-5	Q2424V76-5	Q2424VG76-5	–	–
30″	762	34″	864	Q1830V76-5	Q1830VG76-5	Q2130V76-5	Q2130VG76-5	Q2430V76-5	Q2430VG76-5	Q3030V76-5	Q3030VG76-5
36″	914	40″	1016	Q1836V76-5	Q1836VG76-5	Q2136V76-5	Q2136VG76-5	Q2436V76-5	Q2436VG76-5	Q3036V76-5	Q3036VG76-5
42″	1067	46″	1168	Q1842V76-5	Q1842VG76-5	Q2142V76-5	Q2142VG76-5	Q2442V76-5	Q2442VG76-5	Q3042V76-5	Q3042VG76-5
48″	1219	52″	1320	Q1848V76-5	Q1848VG76-5	Q2148V76-5	Q2148VG76-5	Q2448V76-5	Q2448VG76-5	Q3048V76-5	Q3048VG76-5
54″	1372	58″	1473	Q1854V76-5	Q1854VG76-5	Q2154V76-5	Q2154VG76-5	Q2454V76-5	Q2454VG76-5	Q3054V76-5	Q3054VG76-5
60″	1524	64″	1626	Q1860V76-5	Q1860VG76-5	Q2160V76-5	Q2160VG76-5	Q2460V76-5	Q2460VG76-5	Q3060V76-5	Q3060VG76-5
66″	1676	70″	1778	Q1866V76-5	Q1866VG76-5	Q2166V76-5	Q2166VG76-5	Q2466V76-5	Q2466VG76-5	Q3066V76-5	Q3066VG76-5
72″	1829	76″	1930	Q1872V76-5	Q1872VG76-5	Q2172V76-5	Q2172VG76-5	Q2472V76-5	Q2472VG76-5	Q3072V76-5	Q3072VG76-5

* For unit width, add 5″ (127mm) to shelf width.
** Dimensions are nominal.

Starter Units with Bottom Dunnage Shelf

Includes four wire shelves, four pairs of brackets and one dunnage shelf.

shelf length		unit** length		…with 18″ (457mm)-wide Shelves *		…with 21″ (533mm)-wide Shelves *		…with 24″ (610mm)-wide Shelves *		…with 30″ (762mm)-wide Shelves *	
in.	mm	in.	mm	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
24″	610	28″	711	Q1824V76-5D	Q1824VG76-5D	Q2124V76-5D	Q2124VG76-5D	Q2424V76-5D	Q2424VG76-5D	–	–
30″	762	34″	864	Q1830V76-5D	Q1830VG76-5D	Q2130V76-5D	Q2130VG76-5D	Q2430V76-5D	Q2430VG76-5D	Q3030V76-5D	Q3030VG76-5D
36″	914	40″	1016	Q1836V76-5D	Q1836VG76-5D	Q2136V76-5D	Q2136VG76-5D	Q2436V76-5D	Q2436VG76-5D	Q3036V76-5D	Q3036VG76-5D
42″	1067	46″	1168	Q1842V76-5D	Q1842VG76-5D	Q2142V76-5D	Q2142VG76-5D	Q2442V76-5D	Q2442VG76-5D	Q3042V76-5D	Q3042VG76-5D
48″	1219	52″	1320	Q1848V76-5D	Q1848VG76-5D	Q2148V76-5D	Q2148VG76-5D	Q2448V76-5D	Q2448VG76-5D	Q3048V76-5D	Q3048VG76-5D
54″	1372	58″	1473	Q1854V76-5D	Q1854VG76-5D	Q2154V76-5D	Q2154VG76-5D	Q2454V76-5D	Q2454VG76-5D	Q3054V76-5D	Q3054VG76-5D
60″	1524	64″	1626	Q1860V76-5D	Q1860VG76-5D	Q2160V76-5D	Q2160VG76-5D	Q2460V76-5D	Q2460VG76-5D	Q3060V76-5D	Q3060VG76-5D
66″	1676	70″	1778	Q1866V76-5D	Q1866VG76-5D	Q2166V76-5D	Q2166VG76-5D	Q2466V76-5D	Q2466VG76-5D	Q3066V76-5D	Q3066VG76-5D
72″	1829	76″	1930	Q1872V76-5D	Q1872VG76-5D	Q2172V76-5D	Q2172VG76-5D	Q2472V76-5D	Q2472VG76-5D	Q3072V76-5D	Q3072VG76-5D

* For unit width, add 5″ (127mm) to shelf width.
** Dimensions are nominal.

Q-LEVER® 76″ (1930mm) Five-Tier Add-On Units

see spec sheets **EG01.58E** *and* **EG01.58F**



unit with all wire shelves



unit with bottom dunnage shelf

FEATURES:

- Features one 76″ *(1930mm)* upright, two braces, X-brace assembly, and hardware.
- Uprights utilize pins on 2″ *(51mm)* centers for maximum flexibility for shelves and accessories
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on upright(s)

Consult factory for pricing.

Add-On Units with All Wire Shelves

Includes five wire shelves and four pairs of brackets.

shelf length		unit** length		…with 18″ (457mm)-wide Shelves *		…with 21″ (533mm)-wide Shelves *		…with 24″ (610mm)-wide Shelves *		…with 30″ (762mm)-wide Shelves *	
in.	mm	in.	mm	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
24″	610	25½″	648	Q1824V76A-5	Q1824VG76A-5	Q2124V76A-5	Q2124VG76A-5	Q2424V76A-5	Q2424VG76A-5	–	–
30″	762	31½″	800	Q1830V76A-5	Q1830VG76A-5	Q2130V76A-5	Q2130VG76A-5	Q2430V76A-5	Q2430VG76A-5	Q3030V76A-5	Q3030VG76A-5
36″	914	37½″	953	Q1836V76A-5	Q1836VG76A-5	Q2136V76A-5	Q2136VG76A-5	Q2436V76A-5	Q2436VG76A-5	Q3036V76A-5	Q3036VG76A-5
42″	1067	43½″	1105	Q1842V76A-5	Q1842VG76A-5	Q2142V76A-5	Q2142VG76A-5	Q2442V76A-5	Q2442VG76A-5	Q3042V76A-5	Q3042VG76A-5
48″	1219	49½″	1257	Q1848V76A-5	Q1848VG76A-5	Q2148V76A-5	Q2148VG76A-5	Q2448V76A-5	Q2448VG76A-5	Q3048V76A-5	Q3048VG76A-5
54″	1372	55½″	1410	Q1854V76A-5	Q1854VG76A-5	Q2154V76A-5	Q2154VG76A-5	Q2454V76A-5	Q2454VG76A-5	Q3054V76A-5	Q3054VG76A-5
60″	1524	61½″	1562	Q1860V76A-5	Q1860VG76A-5	Q2160V76A-5	Q2160VG76A-5	Q2460V76A-5	Q2460VG76A-5	Q3060V76A-5	Q3060VG76A-5
66″	1676	67½″	1715	Q1866V76A-5	Q1866VG76A-5	Q2166V76A-5	Q2166VG76A-5	Q2466V76A-5	Q2466VG76A-5	Q3066V76A-5	Q3066VG76A-5
72″	1829	73½″	1867	Q1872V76A-5	Q1872VG76A-5	Q2172V76A-5	Q2172VG76A-5	Q2472V76A-5	Q2472VG76A-5	Q3072V76A-5	Q3072VG76A-5

* For unit width, add 5″ (127mm) to shelf width.
** Dimensions are nominal.

Add-On Units with Bottom Dunnage Shelf

Includes four wire shelves, four pairs of brackets and one dunnage shelf.

shelf length		unit** length		…with 18″ (457mm)-wide Shelves *		…with 21″ (533mm)-wide Shelves *		…with 24″ (610mm)-wide Shelves *		…with 30″ (762mm)-wide Shelves *	
in.	mm	in.	mm	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
24″	610	28″	711	Q1824V76A-5D	Q1824VG76A-5D	Q2124V76A-5D	Q2124VG76A-5D	Q2424V76A-5D	Q2424VG76A-5D	–	–
30″	762	34″	864	Q1830V76A-5D	Q1830VG76A-5D	Q2130V76A-5D	Q2130VG76A-5D	Q2430V76A-5D	Q2430VG76A-5D	Q3030V76A-5D	Q3030VG76A-5D
36″	914	40″	1016	Q1836V76A-5D	Q1836VG76A-5D	Q2136V76A-5D	Q2136VG76A-5D	Q2436V76A-5D	Q2436VG76A-5D	Q3036V76A-5D	Q3036VG76A-5D
42″	1067	46″	1168	Q1842V76A-5D	Q1842VG76A-5D	Q2142V76A-5D	Q2142VG76A-5D	Q2442V76A-5D	Q2442VG76A-5D	Q3042V76A-5D	Q3042VG76A-5D
48″	1219	52″	1320	Q1848V76A-5D	Q1848VG76A-5D	Q2148V76A-5D	Q2148VG76A-5D	Q2448V76A-5D	Q2448VG76A-5D	Q3048V76A-5D	Q3048VG76A-5D
54″	1372	58″	1473	Q1854V76A-5D	Q1854VG76A-5D	Q2154V76A-5D	Q2154VG76A-5D	Q2454V76A-5D	Q2454VG76A-5D	Q3054V76A-5D	Q3054VG76A-5D
60″	1524	64″	1626	Q1860V76A-5D	Q1860VG76A-5D	Q2160V76A-5D	Q2160VG76A-5D	Q2460V76A-5D	Q2460VG76A-5D	Q3060V76A-5D	Q3060VG76A-5D
66″	1676	70″	1778	Q1866V76A-5D	Q1866VG76A-5D	Q2166V76A-5D	Q2166VG76A-5D	Q2466V76A-5D	Q2466VG76A-5D	Q3066V76A-5D	Q3066VG76A-5D
72″	1829	76″	1930	Q1872V76A-5D	Q1872VG76A-5D	Q2172V76A-5D	Q2172VG76A-5D	Q2472V76A-5D	Q2472VG76A-5D	Q3072V76A-5D	Q3072VG76A-5D

* For unit width, add 5″ (127mm) to shelf width.
** Dimensions are nominal.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Q-LEVER® 86″ (2184mm) Five-Tier Starter Units

see spec sheets **EG01.59C** *and* **EG01.59D**



unit with all wire shelves

unit with bottom dunnage shelf

FEATURES:

- Features two 86″ *(2184mm)* uprights, two braces, X-brace assembly, and hardware.
- Uprights utilize pins on 2″ *(51mm)* centers for maximum flexibility for shelves and accessories
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on upright(s)

Consult factory for pricing.

Starter Units with All Wire Shelves

Includes five wire shelves and four pairs of brackets.

shelf length		unit** length		…with 18″ (457mm)-wide Shelves *		…with 21″ (533mm)-wide Shelves *		…with 24″ (610mm)-wide Shelves *		…with 30″ (762mm)-wide Shelves *	
in.	mm	in.	mm	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
24″	610	28″	711	Q1824V86-5	Q1824VG86-5	Q2124V86-5	Q2124VG86-5	Q2424V86-5	Q2424VG86-5	–	–
30″	762	34″	864	Q1830V86-5	Q1830VG86-5	Q2130V86-5	Q2130VG86-5	Q2430V86-5	Q2430VG86-5	Q3030V86-5	Q3030VG86-5
36″	914	40″	1016	Q1836V86-5	Q1836VG86-5	Q2136V86-5	Q2136VG86-5	Q2436V86-5	Q2436VG86-5	Q3036V86-5	Q3036VG86-5
42″	1067	46″	1168	Q1842V86-5	Q1842VG86-5	Q2142V86-5	Q2142VG86-5	Q2442V86-5	Q2442VG86-5	Q3042V86-5	Q3042VG86-5
48″	1219	52″	1320	Q1848V86-5	Q1848VG86-5	Q2148V86-5	Q2148VG86-5	Q2448V86-5	Q2448VG86-5	Q3048V86-5	Q3048VG86-5
54″	1372	58″	1473	Q1854V86-5	Q1854VG86-5	Q2154V86-5	Q2154VG86-5	Q2454V86-5	Q2454VG86-5	Q3054V86-5	Q3054VG86-5
60″	1524	64″	1626	Q1860V86-5	Q1860VG86-5	Q2160V86-5	Q2160VG86-5	Q2460V86-5	Q2460VG86-5	Q3060V86-5	Q3060VG86-5
66″	1676	70″	1778	Q1866V86-5	Q1866VG86-5	Q2166V86-5	Q2166VG86-5	Q2466V86-5	Q2466VG86-5	Q3066V86-5	Q3066VG86-5
72″	1829	76″	1930	Q1872V86-5	Q1872VG86-5	Q2172V86-5	Q2172VG86-5	Q2472V86-5	Q2472VG86-5	Q3072V86-5	Q3072VG86-5

* For unit width, add 5″ (127mm) to shelf width.
** Dimensions are nominal.

Starter Units with Bottom Dunnage Shelf

Includes four wire shelves, four pairs of brackets and one dunnage shelf.

shelf length		unit** length		…with 18″ (457mm)-wide Shelves *		…with 21″ (533mm)-wide Shelves *		…with 24″ (610mm)-wide Shelves *		…with 30″ (762mm)-wide Shelves *	
in.	mm	in.	mm	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
24″	610	28″	711	Q1824V86-5D	Q1824VG86-5D	Q2124V86-5D	Q2124VG86-5D	Q2424V86-5D	Q2424VG86-5D	–	–
30″	762	34″	864	Q1830V86-5D	Q1830VG86-5D	Q2130V86-5D	Q2130VG86-5D	Q2430V86-5D	Q2430VG86-5D	Q3030V86-5D	Q3030VG86-5D
36″	914	40″	1016	Q1836V86-5D	Q1836VG86-5D	Q2136V86-5D	Q2136VG86-5D	Q2436V86-5D	Q2436VG86-5D	Q3036V86-5D	Q3036VG86-5D
42″	1067	46″	1168	Q1842V86-5D	Q1842VG86-5D	Q2142V86-5D	Q2142VG86-5D	Q2442V86-5D	Q2442VG86-5D	Q3042V86-5D	Q3042VG86-5D
48″	1219	52″	1320	Q1848V86-5D	Q1848VG86-5D	Q2148V86-5D	Q2148VG86-5D	Q2448V86-5D	Q2448VG86-5D	Q3048V86-5D	Q3048VG86-5D
54″	1372	58″	1473	Q1854V86-5D	Q1854VG86-5D	Q2154V86-5D	Q2154VG86-5D	Q2454V86-5D	Q2454VG86-5D	Q3054V86-5D	Q3054VG86-5D
60″	1524	64″	1626	Q1860V86-5D	Q1860VG86-5D	Q2160V86-5D	Q2160VG86-5D	Q2460V86-5D	Q2460VG86-5D	Q3060V86-5D	Q3060VG86-5D
66″	1676	70″	1778	Q1866V86-5D	Q1866VG86-5D	Q2166V86-5D	Q2166VG86-5D	Q2466V86-5D	Q2466VG86-5D	Q3066V86-5D	Q3066VG86-5D
72″	1829	76″	1930	Q1872V86-5D	Q1872VG86-5D	Q2172V86-5D	Q2172VG86-5D	Q2472V86-5D	Q2472VG86-5D	Q3072V86-5D	Q3072VG86-5D

* For unit width, add 5″ (127mm) to shelf width.
** Dimensions are nominal.

Q-LEVER® 86″ (2184mm) Five-Tier Add-On Units

see spec sheets **EG01.60** *and* **EG01.59F**



unit with all wire shelves

unit with bottom dunnage shelf

FEATURES:

- Features one 86″ *(2184mm)* upright, two braces, X-brace assembly, and hardware.
- Uprights utilize pins on 2″ *(51mm)* centers for maximum flexibility for shelves and accessories
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on upright(s)

Consult factory for pricing.

Add-On Units with All Wire Shelves

Includes five wire shelves and four pairs of brackets.

shelf length		unit** length		…with 18″ (457mm)-wide Shelves *		…with 21″ (533mm)-wide Shelves *		…with 24″ (610mm)-wide Shelves *		…with 30″ (762mm)-wide Shelves *	
in.	mm	in.	mm	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
24″	610	25½″	648	Q1824V86A-5	Q1824VG86A-5	Q2124V86A-5	Q2124VG86A-5	Q2424V86A-5	Q2424VG86A-5	–	–
30″	762	31½″	800	Q1830V86A-5	Q1830VG86A-5	Q2130V86A-5	Q2130VG86A-5	Q2430V86A-5	Q2430VG86A-5	Q3030V86A-5	Q3030VG86A-5
36″	914	37½″	953	Q1836V86A-5	Q1836VG86A-5	Q2136V86A-5	Q2136VG86A-5	Q2436V86A-5	Q2436VG86A-5	Q3036V86A-5	Q3036VG86A-5
42″	1067	43½″	1105	Q1842V86A-5	Q1842VG86A-5	Q2142V86A-5	Q2142VG86A-5	Q2442V86A-5	Q2442VG86A-5	Q3042V86A-5	Q3042VG86A-5
48″	1219	49½″	1257	Q1848V86A-5	Q1848VG86A-5	Q2148V86A-5	Q2148VG86A-5	Q2448V86A-5	Q2448VG86A-5	Q3048V86A-5	Q3048VG86A-5
54″	1372	55½″	1410	Q1854V86A-5	Q1854VG86A-5	Q2154V86A-5	Q2154VG86A-5	Q2454V86A-5	Q2454VG86A-5	Q3054V86A-5	Q3054VG86A-5
60″	1524	61½″	1562	Q1860V86A-5	Q1860VG86A-5	Q2160V86A-5	Q2160VG86A-5	Q2460V86A-5	Q2460VG86A-5	Q3060V86A-5	Q3060VG86A-5
66″	1676	67½″	1715	Q1866V86A-5	Q1866VG86A-5	Q2166V86A-5	Q2166VG86A-5	Q2466V86A-5	Q2466VG86A-5	Q3066V86A-5	Q3066VG86A-5
72″	1829	73½″	1867	Q1872V86A-5	Q1872VG86A-5	Q2172V86A-5	Q2172VG86A-5	Q2472V86A-5	Q2472VG86A-5	Q3072V86A-5	Q3072VG86A-5

* For unit width, add 5″ (127mm) to shelf width.
** Dimensions are nominal.

Add-On Units with Bottom Dunnage Shelf

Includes four wire shelves, four pairs of brackets and one dunnage shelf.

shelf length		unit** length		…with 18″ (457mm)-wide Shelves *		…with 21″ (533mm)-wide Shelves *		…with 24″ (610mm)-wide Shelves *		…with 30″ (762mm)-wide Shelves *	
in.	mm	in.	mm	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
24″	610	28″	711	Q1824V86A-5D	Q1824VG86A-5D	Q2124V86A-5D	Q2124VG86A-5D	Q2424V86A-5D	Q2424VG86A-5D	–	–
30″	762	34″	864	Q1830V86A-5D	Q1830VG86A-5D	Q2130V86A-5D	Q2130VG86A-5D	Q2430V86A-5D	Q2430VG86A-5D	Q3030V86A-5D	Q3030VG86A-5D
36″	914	40″	1016	Q1836V86A-5D	Q1836VG86A-5D	Q2136V86A-5D	Q2136VG86A-5D	Q2436V86A-5D	Q2436VG86A-5D	Q3036V86A-5D	Q3036VG86A-5D
42″	1067	46″	1168	Q1842V86A-5D	Q1842VG86A-5D	Q2142V86A-5D	Q2142VG86A-5D	Q2442V86A-5D	Q2442VG86A-5D	Q3042V86A-5D	Q3042VG86A-5D
48″	1219	52″	1320	Q1848V86A-5D	Q1848VG86A-5D	Q2148V86A-5D	Q2148VG86A-5D	Q2448V86A-5D	Q2448VG86A-5D	Q3048V86A-5D	Q3048VG86A-5D
54″	1372	58″	1473	Q1854V86A-5D	Q1854VG86A-5D	Q2154V86A-5D	Q2154VG86A-5D	Q2454V86A-5D	Q2454VG86A-5D	Q3054V86A-5D	Q3054VG86A-5D
60″	1524	64″	1626	Q1860V86A-5D	Q1860VG86A-5D	Q2160V86A-5D	Q2160VG86A-5D	Q2460V86A-5D	Q2460VG86A-5D	Q3060V86A-5D	Q3060VG86A-5D
66″	1676	70″	1778	Q1866V86A-5D	Q1866VG86A-5D	Q2166V86A-5D	Q2166VG86A-5D	Q2466V86A-5D	Q2466VG86A-5D	Q3066V86A-5D	Q3066VG86A-5D
72″	1829	76″	1930	Q1872V86A-5D	Q1872VG86A-5D	Q2172V86A-5D	Q2172VG86A-5D	Q2472V86A-5D	Q2472VG86A-5D	Q3072V86A-5D	Q3072VG86A-5D

* For unit width, add 5″ (127mm) to shelf width.
** Dimensions are nominal.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Q-LEVER® Workstations with Open Base

see spec sheet **EG01.59E**



worktable with open base

FEATURES:

- Features tabletop, two 36″ *(914mm)* uprights with legs & feet, and X-brace assembly.
- Tabletop constructed of 14 gauge type 304 stainless steel.
- Removable tabletop, no need for tools.
- 4½″ backsplash.
- Valu-Master® gray epoxy finish on uprights.

Consult factory for pricing.

shelf length		unit* length		…with 24″ (610mm)-wide Tabletop		…with 30″ (762mm)-wide Tabletop	
in.	mm	in.	mm	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
36″	914	37½″	953	Q2436V36-WO	Q2436VG36-WO	Q3036V36-WO	Q3036VG36-WO
42″	1067	43½″	1105	Q2442V36-WO	Q2442VG36-WO	Q3042V36-WO	Q3042VG36-WO
48″	1219	49½″	1257	Q2448V36-WO	Q2448VG36-WO	Q3048V36-WO	Q3048VG36-WO
54″	1372	55½″	1410	Q2454V36-WO	Q2454VG36-WO	Q3054V36-WO	Q3054VG36-WO
60″	1524	61½″	1562	Q2460V36-WO	Q2460VG36-WO	Q3060V36-WO	Q3060VG36-WO

* Dimensions are nominal.

Q-LEVER® Workstations with Storage Shelf

see spec sheet **EG01.60**



worktable with storage shelf

FEATURES:

- Features tabletop, two 36″ *(914mm)* uprights with legs & feet, X-brace assembly, and heavy duty dunnage shelf.
- Tabletop constructed of 14 gauge type 304 stainless steel.
- Removable tabletop, no need for tools.
- 4½″ backsplash.
- Valu-Master® gray epoxy finish on uprights.

Consult factory for pricing.

shelf length		unit* length		…with 24″ (610mm)-wide Tabletop		…with 30″ (762mm)-wide Tabletop	
in.	mm	in.	mm	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
36″	914	37½″	953	Q2436V36-WS	Q2436VG36-WS	Q3036V36-WS	Q3036VG36-WS
42″	1067	43½″	1105	Q2442V36-WS	Q2442VG36-WS	Q3042V36-WS	Q3042VG36-WS
48″	1219	49½″	1257	Q2448V36-WS	Q2448VG36-WS	Q3048V36-WS	Q3048VG36-WS
54″	1372	55½″	1410	Q2454V36-WS	Q2454VG36-WS	Q3054V36-WS	Q3054VG36-WS
60″	1524	61½″	1562	Q2460V36-WS	Q2460VG36-WS	Q3060V36-WS	Q3060VG36-WS

* Dimensions are nominal.

Q-LEVER® Overhead Storage Stations

see spec sheet **EG01.62**



FEATURES:

- Features two 76″ *(1930mm)* uprights with legs & feet, X-brace assembly, and two overshelves.
- Overshelves adjust on 2″ *(51mm)* increments.
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves.
- Valu-Master® gray epoxy finish on uprights.

Consult factory for pricing.

shelf length		unit* length		…with 24″ (610mm)-wide Overall Width		…with 30″ (762mm)-wide Overall Width	
in.	mm	in.	mm	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
36″	914	37½″	953	Q2436V76-OS	Q2436VG76-OS	Q3036V76-OS	Q3036VG76-OS
42″	1067	43½″	1105	Q2442V76-OS	Q2442VG76-OS	Q3042V76-OS	Q3042VG76-OS
48″	1219	49½″	1257	Q2448V76-OS	Q2448VG76-OS	Q3048V76-OS	Q3048VG76-OS
54″	1372	55½″	1410	Q2454V76-OS	Q2454VG76-OS	Q3054V76-OS	Q3054VG76-OS
60″	1524	61½″	1562	Q2460V76-OS	Q2460VG76-OS	Q3060V76-OS	Q3060VG76-OS

* Dimensions are nominal.

Q-LEVER® Task Stations

see spec sheet **EG01.62**



FEATURES:

- Features tabletop, two 76″ *(1930mm)* uprights with legs & feet, X-brace assembly, wall grid, and two adjustable overshelves.
- Wall grid features 3″ x 3″ *(76 x 76mm)* mesh.
- Tabletop is removable, no need for tools.
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves.
- Valu-Master® gray epoxy finish on uprights.

Consult factory for pricing.

shelf length		unit* length		…with 24″ (610mm)-wide Tabletop		…with 30″ (762mm)-wide Tabletop	
in.	mm	in.	mm	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
36″	914	37½″	953	Q2436V76-TS	Q2436VG76-TS	Q3036V76-TS	Q3036VG76-TS
42″	1067	43½″	1105	Q2442V76-TS	Q2442VG76-TS	Q3042V76-TS	Q3042VG76-TS
48″	1219	49½″	1257	Q2448V76-TS	Q2448VG76-TS	Q3048V76-TS	Q3048VG76-TS
54″	1372	55½″	1410	Q2454V76-TS	Q2454VG76-TS	Q3054V76-TS	Q3054VG76-TS
60″	1524	61½″	1562	Q2460V76-TS	Q2460VG76-TS	Q3060V76-TS	Q3060VG76-TS

* Dimensions are nominal.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Q-LEVER® Utility Stations

see spec sheet **EG01.61**



- Features tabletop, drawers, two 76″ *(1930mm)* uprights with legs & feet, X-brace assembly, wall grid, two adjustable overshelves, and heavy duty dunnage shelf.
- Overshelves adjust on 2″ *(51mm)* increments.
- Tabletop is removable, no need for tools.
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves.
- Valu-Master® gray epoxy finish on uprights.

FEATURES:

Consult factory for pricing.

				…with 24″ (610mm)-wide Tabletop		…with 30″ (762mm)-wide Tabletop	
shelf length		unit* length		Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
in.	mm	in.	mm				
36″	914	37½″	953	Q2436V76-US	Q2436VG76-US	Q3036V76-US	Q3036VG76-US
42″	1067	43½″	1105	Q2442V76-US	Q2442VG76-US	Q3042V76-US	Q3042VG76-US
48″	1219	49½″	1257	Q2448V76-US	Q2448VG76-US	Q3048V76-US	Q3048VG76-US
54″	1372	55½″	1410	Q2454V76-US	Q2454VG76-US	Q3054V76-US	Q3054VG76-US
60″	1524	61½″	1562	Q2460V76-US	Q2460VG76-US	Q3060V76-US	Q3060VG76-US

* Dimensions are nominal.

Q-LEVER® Manager's Stations

see spec sheet **EG01.61**



shown with optional storage baskets, supply bins and hooks

- Features tabletop, drawers, two 76″ *(1930mm)* uprights with legs & feet, X-brace assembly, power strip, overhead light, monitor arm, wall grid, and bin holder.
- Tabletop is removable, no need for tools.
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves.
- Valu-Master® gray epoxy finish on uprights.

FEATURES:

.

Consult factory for pricing.

				…with 24″ (610mm)-wide Tabletop		…with 30″ (762mm)-wide Tabletop	
shelf length		unit* length		Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish	Shelves with Valu-Master® finish	Shelves with Valu-Gard® finish
in.	mm	in.	mm				
36″	914	37½″	953	Q2436V76-MS	Q2436VG76-MS	Q3036V76-MS	Q3036VG76-MS
42″	1067	43½″	1105	Q2442V76-MS	Q2442VG76-MS	Q3042V76-MS	Q3042VG76-MS
48″	1219	49½″	1257	Q2448V76-MS	Q2448VG76-MS	Q3048V76-MS	Q3048VG76-MS
54″	1372	55½″	1410	Q2454V76-MS	Q2454VG76-MS	Q3054V76-MS	Q3054VG76-MS
60″	1524	61½″	1562	Q2460V76-MS	Q2460VG76-MS	Q3060V76-MS	Q3060VG76-MS

* Dimensions are nominal.

Q-LEVER® Accessories

see spec sheet **EG01.63**

Drawers

- Stainless steel construction.
- Choice of two 3″ *(76mm)* tall drawers, or one 6″ tall drawer.
- Screws into existing holes in underside of Q-LEVER® workstation top.
- Precision steel ball bearing drawer slides for medium-duty applications.
- Drawer profile features an easy to operate disconnect finger release trigger.
- Load capacity is 100 lbs. (45 kg).

description	model #
one 6″-tall drawer	QDRAWER-1
two 3″-tall drawers	QDRAWER-2



Tabletops

- Heavy gauge polished stainless steel construction.
- 4½″ *(114mm)* backsplash.
- Square edges are turned down 90°, with a 30° kick in the front.
- Reinforced with hat channel construction underneath.
- Channel construction provides holes to accept drawers.
- Channel construction provides holes to accept drawers.
- Tabletops are removable.



length in.	length mm	24″ (610mm)-wide model	30″ (762mm)-wide model
24″	610	Q2424T	Q3024T
30″	762	Q2430T	Q3030T
36″	914	Q2436T	Q3036T
42″	1067	Q2442T	Q3042T
48″	1219	Q2448T	Q3048T
54″	1372	Q2454T	Q3054T
60″	1524	Q2460T	Q3060T
72″	1829	Q2472T	Q3072T

Overhead Lights

- Overhead light shelf is powder-coated Valu-Master® gray.
- Dimmable light fixture is powder white.
- Built-in ON/OFF switch with a high/low output option.
- Color temp = Warm White
- Power cord is 78″ *(1981mm)* in length.
- Adjustable on Q-LEVER® uprights.



length in.	length mm	model	length in.	length mm	model
24″	610	Q24VO	48″	1219	Q48VO
30″	762	Q30VO	54″	1372	Q54VO
36″	914	Q36VO	60″	1524	Q60VO
42″	1067	Q42VO	72″	1829	Q72VO

Power Strips

- Power strip is powder-coated black, mount is powder-coated Valu-Master® gray.
- 120-volt, NEMA 5-15P.
- Outlets are placed at right angle to accommodate bulky transformers.
- Comes with a 15´ AC power cord.
- Lighted power switch confirms power ON/OFF status.
- Snap-in switch guard prevents accidental turnoff.
- Uses a 15-amp circuit breaker.
- Adjustable on Q-LEVER® uprights.



length in.	length mm	model	length in.	length mm	model
24″	610	Q24VP	48″	1219	Q48VP
30″	762	Q30VP	54″	1372	Q54VP
36″	914	Q36VP	60″	1524	Q60VP
42″	1067	Q42VP	72″	1829	Q72VP

Flat Panel Monitor Arm

- Plated powder-coated black.
- Can pivot left-to-right.
- Universal VESA mount – 100 x 100mm and 75 x 75 mm hole pattern.
- Accepts all flat pattern monitors 10″ to 30″.
- Has internal area for internal cable management for a neat appearance.
- Adjustable on Q-LEVER® uprights.
- Can be mounted on either side of upright.
- Weight capacity is 14 lbs (6.4 kg).



model #
QARM

Consult factory for pricing.


100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Q-LEVER® Accessories

see spec sheet **EG01.63**

Wall Grids



- Wires are 2-gauge mild steel, crisscrossed to create a 3″ x 3″ mesh.
- Easily hooks onto uprights without the need for tools.
- Holds wall mat accessories.
- Valu-Master® gray epoxy finish.

height x length		
in.	mm	model
18″ x 36″	457 x 914	**Q1836VW**
18″ x 48″	457 x 1219	**Q1848VW**
18″ x 60″	457 x 1524	**Q1860VW**
30″ x 36″	762 x 914	**Q3036VW**
30″ x 48″	762 x 1219	**Q3048VW**

Hanger Rails



- Easily hooks onto uprights.
- Accommodates all accessories.
- Can be used as a backstop.
- Valu-Master® gray epoxy finish.

length			length		
in.	mm	model	in.	mm	model
24″	610	**Q24VH**	48″	1219	**Q48VH**
30″	762	**Q30VH**	54″	1372	**Q54VH**
36″	914	**Q36VH**	60″	1524	**Q60VH**
42″	1067	**Q42VH**	72″	1829	**Q72VH**

Supply Bins



- Made of durable polypropylene, providing longlasting years of service.
- Integral molded slots accept ID labels.

color	width x length x height in.	width x length x height mm	carton quantity	model
blue	5½″ x 10⅞″ x 5″	140 x 276 x 127	12	**A203877**
blue	11″ x 10⅞″ x 5″	279 x 276 x 127	6	**A203879**
blue	8¼″ x 14¾″ x 7″	210 x 375 x 178	12	**A203881**
blue	16½″ x 14¾″ x 7″	419 x 375 x 178	6	**A203883**

Storage Baskets



- Easily attaches to hanger rail or side of wire shelf.
- Valu-Master® gray epoxy finish.

width x length x height		
in.	mm	model
5″ x 13⅜″ x 7″	127 x 340 x 178	**WB-V**
7½″ x 17⅜″ x 5″	191 x 441 x 127	**WB-M-V**
7½″ x 17⅜″ x 10″	191 x 441 x 254	**WB-L-V**

Consult factory for pricing.

NOTES

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

NOTES

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Adjustable Post Wire Wall Mounts

Sold as Components....97
Sold as Prepackaged Units....96

Snap-n-Slide®

Wall Shelves....92
Wire Wall Shelves....93

Wall Shelves

Piggyback Wall Mounted Shelf Kits....94
Shelves with Removable Hooks....95
Single Bar Utility Racks....95
Stationary Wire Wall Mounts....97
Tab Lock Shelves....93
Wall Mounted Shelves....94
Equipment Shelves with Cord Cutout....96
Wire Wall Shelf Kits....93

WALSTOR® Modular Wall System....90

WALSTOR® Modular Wall System Accessories....91

Printer Shelves

see spec sheet **EG02.17**



slanted printer shelf



standard printer shelf

Designed for label printers!

FEATURES:

- Heavy gauge stainless steel.
- Hole with grommet, for wiring, located at rear.
- Four mounting holes.
- Available in standard or slanted.

Can be shipped UPS.

side-to-side		front-to-rear		weight		Standard		Slanted	
in.	mm	in.	mm	lbs.	kg	model #	list	model #	list
7″	178	10″	254	2.48	1.22	**MWS0710-PS**	144	**MWS0710-SPS**	149
9″	229	12″	305	2.80	1.27	**MWS0912-PS**	172	**MWS0912-SPS**	176

WALSTOR® Modular Wall System




Convert wasted wall space into a productive and organized work area.

Imagine the possibilities!

- Maximize space.
- Keep every thing within easy reach, without taking up valuable floor space.
- Organize room effectively and efficiently with total flexibility.
- Sway-resistant design locks individual shelves firmly into place uneven loads safely on the system.
- Positioned anywhere on a wall, regardless of stud position.


To learn more about WalStor®, see pages 90 and 91.



Single Shelf Kit



Double Shelf Kit (with extra shelves)



WALSTOR®

WalStor® system shown demonstrating an uneven load capability.

Modular Wall System

see spec sheet **EG02.00A**

Note: WalStor® must be mounted to a solid surface or studs in a wall. User needs to determine installation materials and methods suitable to hold and support the WalStor® system.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Wall Mats


- 3″ x 3″ *(76 x 76mm)* zinc-plated grids.
- Required only for hanging accessories.

height	length in.	length mm	weight lbs.	weight kg	cubic feet	model #	list
18″ *(457mm)*	36″	914	9	4.1	0.2	**WM1836** •	155
	48″	1219	11	5.0	0.3	**WM1848** •	198
	60″	1524	14	6.4	0.3	**WM1860**	232
24″ *(609mm)*	48″	1219	13	5.8	0.3	**WM2448** •	236
	72″	1828	19	8.6	0.5	**WM2472**	272
	84″	2133	22	9.9	0.6	**WM2484**	325
	96″	2438	25	11.3	0.7	**WM2496**	343
33″ *(838mm)*	54″	1372	22	9.9	0.5	**WM3354**	395
48″ *(1219mm)*	48″	1219	19	8.6	0.7	**WM4848**	383

Vertical Wall Uprights

- Zinc-plated finish.
- Sold in pairs.

height in.	height mm	weight lbs.	weight kg	cu ft	model #	list
12″	305	2	0.9	0.2	**PR12VU** •	92
30″	762	4	1.8	0.4	**PR30VU** •	147
45″	1143	5	2.3	0.5	**PR45VU** •	183




wall mats and vertical wall uprights

Wire Shelf Brackets

- Zinc-plated finish.
- Sold in pairs.

(**Note:** Must be ordered with Vertical Wall Uprights)




depth in.	depth mm	weight lbs.	weight kg	cubic feet	model #	list
14″	356	3	1.5	0.1	**PR14B** •	196
18″	457	4	2.0	0.1	**PR18B** •	215
21″	533	4	2.0	0.1	**PR21B**	219
24″	610	5	2.0	0.1	**PR24B**	283



Single Shelf Kits

- One EAGLEbrite® shelf.
- One wall mat.
- One pair of 30″ *(762mm)* vertical wall uprights.
- One pair of 18″ *(457mm)* wire shelf brackets.

	shelf and wall mat size in.	shelf and wall mat size mm	weight lbs.	weight kg	cu ft	model #	list
18″ width *(457mm)*	36″	914	35	15.9	3.5	**WAL-1-1836**	647
	48″	1219	36	16.3	4.5	**WAL-1-1848**	714




Double Shelf Kits

- Two EAGLEbrite® shelves.
- Two wall mats.
- One pair of 45″ *(1143mm)* vertical wall uprights.
- Two pairs of 18″ *(457mm)* wire shelf brackets.

	shelf dimensions in.	shelf dimensions mm	weight lbs.	weight kg	cubic feet	model #	list
18″ width *(457mm)*	36″	914	41	18.6	2.0	**WAL-2-1836**	1180
	48″	1219	49	22.2	2.4	**WAL-2-1848**	1317

Wall Grid Shelving - *see spec sheet* EG02.00C

width x length in.	width x length mm	weight lbs.	weight kg	cubic feet	chrome model #	chrome list	Valu-Gard® model #	Valu-Gard® list	EAGLEbrite® model #	EAGLEbrite® list
14″ x 30″	356 x 762	7	3.2	3.1	**1430WGS-C**	219	**1430WGS-VG**	228	**1430WGS-Z**	203
14″ x 36″	356 x 914	9	4.1	3.6	**1436WGS-C**	229	**1436WGS-VG**	238	**1436WGS-Z**	216
18″ x 30″	457 x 762	9	4.1	3.7	**1830WGS-C**	236	**1830WGS-VG**	242	**1830WGS-Z**	219
18″ x 36″	457 x 914	12	5.4	4.5	**1836WGS-C**	244	**1836WGS-VG**	254	**1836WGS-Z**	226
18″ x 48″	457 x 1219	15	6.8	6.0	**1848WGS-C**	283	**1848WGS-VG** •	292	**1848WGS-Z**	260



100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

WALSTOR®

Custom configurations allow you to personalize your WalStor® system for merchandise displays or over-the-workstation storage. Engineered with the idea that a perfect storage system adapts easily to individual requirements.

Modular Wall System Accessories NSF

see spec sheet **EG02.00B**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



WalStor® system with optional accessories shown

shelf collar plugs ➤
Model #: **COLLAR PLUG**
List: $**12** *(4 per shelf required)*



utensil rack ➤
Model #: **SCOOP10-VG.** List: $**116**
5″ depth x 10-1/2″ length *(127 x 267mm)*,
2 lbs., 0.5 cu. ft. ValuGard® epoxy finish.



small snap hook** ➤



large snap hook** ➤



utensil hook** ➤



large double hook** ➤




book holder ➤




light duty utility shelf ➤



grid shelf ➤



triangle shelf ➤



towel rack ➤



spice rack ➤



merchandising display hook** ➤



large bin ➤



small bin ➤



hanging file holder ➤



plastic bin holder ➤



grid panel wall bracket ➤



⅓-size pan holder ➤



drop basket ➤



wire basket ➤



grid panel basket ➤



description	length x width x height in.	mm	weight lbs.	kg	cu ft	model #	list
⅓ size pan holder	12″ x 8″ x 3″	305 x 203 x 76	1.0	0.5	0.2	**PH3RD**	98
book holder	3″ x 12″ x 10″	76 x 305 x 254	2.0	0.9	0.2	**BH-1**	277
drop basket *(for 18″ wire shelf)*	22″ x 18″ x 11″	559 x 457 x 280	3.0	1.4	0.3	**DB**	214
grid shelf	16¾″ x 16¾″	426 x 426	4.0	1.8	0.6	**GS17**	275
hanging file holder	12″ x 8″ x 3″	305 x 203 x 76	1.0	0.5	0.2	**HFH**	97
large double hook	2¼″ x 4¼″ x ⅜″	57 x 108 x 3	0.3	0.1	0.1	**LDH** ** •	19
large plastic bin	10⅞″ x 11″ x 5″	276 x 280 x 127	1.0	0.5	0.3	**A203879** *	44
large snap hook	2¼″ x 4¼″ x ⅜″	57 x 108 x 3	0.3	0.1	0.1	**LH** ** •	12
lt. duty utility shelf	11¼″ x 8″ x 3½″	286 x 203 x 89	2.0	0.9	0.2	**LDUS12**	118
merch. dspl hook	4″ x 3″	101 x 76	0.2	0.1	0.1	**MDH-4** **	28
merch. dspl hook	6″ x 3″	152 x 76	0.2	0.1	0.1	**MDH-6** **	29
merch. dspl hook	8″ x 3″	203 x 76	0.2	0.1	0.1	**MDH-8** **	38
merch. dspl hook	10″ x 3″	254 x 76	0.2	0.1	0.1	**MDH-10** **	40
merch. dspl hook	12″ x 3″	304 x 76	0.2	0.1	0.1	**MDH-12** **	44

description	length x width x height in.	mm	weight lbs.	kg	cu ft	model #	list
plastic bin dividers	10⅞″ x 5″	276 x 127	2.0	0.9	0.1	**A204237**	38
plastic bin holder	4″ x 2″	102 x 51	0.3	0.1	0.4	**PBH** •	73
small plastic bin	10⅞″ x 5½″ x 5″	276 x 140 x 127	0.75	0.3	0.2	**A203877** *	34
small snap hook	1¼″ x 4¼″ x ⅜″	32 x 127 x 76	0.3	0.1	0.1	**SH** ** •	7
spice rack	14″ x 2″	356 x 51	1.0	0.5	0.1	**SR14**	120
spice rack	24″ x 2″	610 x 51	1.5	0.7	0.2	**SR24**	128
towel rack	10½″ x 5″ x 3.5″	267 x 127 x 76	1.0	0.5	0.3	**TR10**	97
utensil hook	2½″ x 2″	64 x 51	0.3	0.1	0.1	**UH** ** •	25
wire basket	13⅜″ x 5″ x 7″	340 x 127 x 178	0.5	0.2	0.2	**WB** •	63
2-deck can rack	8⅝″ x 13″ x 14″	219 x 330 x 356	1.0	0.5	0.1	**CR2D**	315
4-deck can rack	8¼″ x 8½″ x 28½″	210 x 216 x 724	3.0	1.3	1.2	**CR4D**	352
wall bracket	3″ x 4″ x 4″	76 x 102 x 102	0.2	0.1	0.1	**GPWB**	43
triangle shelf	24″ x 24″	610 x 610	3.6	1.6	0.5	**GPS24-C**	137
grid panel basket	15″ x 24″	381 x 610	2.8	1.2	0.4	**GBP15-C**	154

*A203877 requires (1) PBH. A203879 requires (2) PBH. **All hooks are heavy gauge chrome-plated.

Snap-n-Slide® Wall Shelves

see spec sheet **EG02.01**



FEATURES:


- Brackets can be mounted to wall studs – no wall backing required.
- 1½″ *(38mm)* upturn on rear and ends.
- Heavy gauge stainless steel construction.
- No tools required to attach shelf to wall brackets.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Optional Dividers for Snap-n-Slide® Wall Shelves

- 4″ *(102mm)* height.

description	model #	list
for 12″ *(305mm)* shelving	**358114**	74
for 15″ *(381mm)* shelving	**358115**	78



12″ *(305mm)* wide Snap-n-Slide® Shelves with Rolled Front Edge

length		weight		wt. capacity*		cu	16 gauge type 430		16 gauge type 304		14 gauge type 304	
in.	mm	lbs.	kg	lbs.	kg	ft	model #	list	model #	list	model #	list
24″	610	12	5.4	90	40.8	0.7	**SWS1224-16/4** •	448	**SWS1224-16/3** •	537	**SWS1224-14/3**	569
36″	915	14	6.4	135	61.2	1.1	**SWS1236-16/4** •	485	**SWS1236-16/3** •	680	**SWS1236-14/3** •	726
48″	1219	17	7.7	180	81.6	1.4	**SWS1248-16/4** •	594	**SWS1248-16/3** •	752	**SWS1248-14/3** •	809
60″	1524	23	10.4	225	102.1	1.8	**SWS1260-16/4** •	630	**SWS1260-16/3** •	822	**SWS1260-14/3**	876
72″	1829	25	11.3	270	122.5	2.1	**SWS1272-16/4** •	782	**SWS1272-16/3** •	1012	**SWS1272-14/3**	1109

15″ *(381mm)* wide Snap-n-Slide® Shelves with Rolled Front Edge

length		weight		wt. capacity*		cu	16 gauge type 430		16 gauge type 304		14 gauge type 304	
in.	mm	lbs.	kg	lbs.	kg	ft	model #	list	model #	list	model #	list
24″	610	15	6.8	90	40.8	1.1	**SWS1524-16/4**	485	**SWS1524-16/3**	588	**SWS1524-14/3**	640
36″	915	17	7.7	135	61.2	1.7	**SWS1536-16/4** •	498	**SWS1536-16/3** •	703	**SWS1536-14/3**	789
48″	1219	21	9.5	180	81.6	2.2	**SWS1548-16/4** •	598	**SWS1548-16/3** •	852	**SWS1548-14/3**	962
60″	1524	28	12.7	225	102.1	2.7	**SWS1560-16/4** •	652	**SWS1560-16/3** •	936	**SWS1560-14/3**	987
72″	1829	30	13.6	270	122.5	3.3	**SWS1572-16/4**	797	**SWS1572-16/3**	1164	**SWS1572-14/3**	1316

15″ *(381mm)* wide Snap-n-Slide® Shelves with "V" Marine Front Edge 14 gauge

length		weight		wt. capacity*		cu	14 gauge type 304		14 gauge type 316	
in.	mm	lbs.	kg	lbs.	kg	ft	model #	list	model #	list
24″	610	15	6.8	90	40.8	1.1	**SWS1524-14/304-VMAR**	830	**SWS1524-14/316-VMAR**	926
36″	915	17	7.7	135	61.2	1.7	**SWS1536-14/304-VMAR**	869	**SWS1536-14/316-VMAR**	1072
48″	1219	21	9.5	180	81.6	2.2	**SWS1548-14/304-VMAR**	1129	**SWS1548-14/316-VMAR**	1332
60″	1524	28	12.7	225	102.1	2.7	**SWS1560-14/304-VMAR**	1256	**SWS1560-14/316-VMAR**	1497
72″	1829	30	13.6	270	122.5	3.3	**SWS1572-14/304-VMAR**	1487	**SWS1572-14/316-VMAR**	1753

15″ *(381mm)* wide Snap-n-Slide® Shelves with "V" Marine Front Edge 16 gauge

length		weight		wt. capacity*		cu	16 gauge type 430		16 gauge type 304	
in.	mm	lbs.	kg	lbs.	kg	ft	model #	list	model #	list
24″	610	15	6.8	90	40.8	1.1	**SWS1524-16/430-VMAR**	726	**SWS1524-16/304-VMAR**	816
36″	915	17	7.7	135	61.2	1.7	**SWS1536-16/430-VMAR**	787	**SWS1536-16/304-VMAR**	907
48″	1219	21	9.5	180	81.6	2.2	**SWS1548-16/430-VMAR**	927	**SWS1548-16/304-VMAR**	1085
60″	1524	28	12.7	225	102.1	2.7	**SWS1560-16/430-VMAR**	997	**SWS1560-16/304-VMAR**	1192
72″	1829	30	13.6	270	122.5	3.3	**SWS1572-16/430-VMAR**	1173	**SWS1572-16/304-VMAR**	1394


* Weight capacities pertain to evenly distributed weight.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Snap-n-Slide® Wire Wall Shelves

see spec sheet EG02.02



FEATURES:
- Wire design allows for air circulation.
- Brackets can be mounted to studs with no backing required.

Note: See page 92 for solid Snap-n-Slide® Wall Shelves.

	length		weight		weight * capacity		cu	chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®	
	in.	mm	lbs.	kg	lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list
12″ width (305mm)	24″	610	5	2.3	70	31.8	0.7	SNSW1224C	208	SNSW1224V	217	SNSW1224VG	217	SNSW1224E	240
	36″	915	7	3.2	105	47.6	1.1	SNSW1236C	272	SNSW1236V	287	SNSW1236VG	287	SNSW1236E	309
	48″	1219	9	4.1	140	63.5	1.4	SNSW1248C	338	SNSW1248V	354	SNSW1248VG	354	SNSW1248E	377
	60″	1524	11	5.0	175	79.5	1.8	SNSW1260C	366	SNSW1260V	386	SNSW1260VG	386	SNSW1260E	414
	72″	1829	14	6.4	210	95.3	2.1	SNSW1272C	469	SNSW1272V	495	SNSW1272VG	495	SNSW1272E	518

* Weight capacity pertains to evenly distributed weight.

Wire Wall Shelf Kits

see spec sheet EG02.04



INCLUDES:
- One wire shelf.
- Two stationary wire wall mounts.

	length		weight		chrome		VALU-MASTER®		Valu-Gard®	
	in.	mm	lb.	kg	model #	list	model #	list	model #	list
14″ width (356mm)	36″	914	12	5.4	GWB1436C	215	GWB1436V	217	GWB1436VG	217
	48″	1219	14	6.4	GWB1448C	238	GWB1448V	242	GWB1448VG	242
18″ width (457mm)	36″	914	14	6.4	GWB1836C	226	GWB1836V	242	GWB1836VG	242
	48″	1219	17	7.7	GWB1848C	252	GWB1848V	275	GWB1848VG	275

Tab Lock Shelves

see spec sheet EG02.09




FEATURES:
- 16 gauge, type 430 stainless steel.
- 1½″ *(38mm)* roll on front.
- 1½″ *(38mm)* upturn on rear and ends.
- Tab lock for easy assembly.
- Die-formed stainless steel mounting brackets.
- Not available in other widths.
- 60″ *(1524mm)* length max.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		weight		cubic		
	in.	mm	lbs.	kg	feet	model #	list
10″ width (254mm)	24″	610	10	4.5	0.6	WS1024TL •	374
	36″	915	12	5.4	0.9	WS1036TL •	398
	48″	1219	15	6.8	1.3	WS1048TL •	454
	60″	1524	20	9.0	1.6	WS1060TL •	512
12″ width (305mm)	24″	610	12	5.4	0.6	WS1224TL •	400
	36″	915	14	6.4	0.9	WS1236TL •	433
	48″	1219	17	7.7	1.3	WS1248TL •	489
	60″	1524	23	10.4	1.6	WS1260TL •	547

Wall Mounted Shelves

see spec sheet EG02.05



Die-formed stainless steel mounting brackets are stud-welded to shelf.

FEATURES:
- 1½″ *(38mm)* roll on front.
- 1½″ *(38mm)* upturn on rear and ends.

Note: 15″ and 18″ *(381 and 457mm)* wide shelves available. To order, replace "12" in model number with a **"15"** or **"18"** indicating desired shelf width ***(example: WS1548-16/3)***. For 15″ *(381mm)* wide shelves, **add 15% to list price** of 12″ *(305mm)* wide models. For 18″ wide shelves, **add 30% to list price** of 12″ *(305mm)* shelves.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		weight		cubic	16 gauge, type 430		16 gauge, type 304		14 gauge, type 304	
	in.	mm	lbs.	kg	feet	model #	list	model #	list	model #	list
10″ width *(254mm)*	24″	610	10	4.5	0.5	**WS1024-16/4**	850	**WS1024-16/3**	997	**WS1024-14/3**	1096
	36″	915	12	5.4	0.7	**WS1036-16/4** •	915	**WS1036-16/3**	1123	**WS1036-14/3**	1239
	48″	1219	15	6.8	0.9	**WS1048-16/4** •	925	**WS1048-16/3**	1200	**WS1048-14/3**	1312
	60″	1524	20	9.0	1.2	**WS1060-16/4** •	986	**WS1060-16/3**	1327	**WS1060-14/3**	1452
	72″	1829	22	10.0	1.4	**WS1072-16/4** •	1054	**WS1072-16/3**	1448	**WS1072-14/3**	1585
	84″	2133	24	10.9	1.7	**WS1084-16/4**	1110	**WS1084-16/3**	1567	**WS1084-14/3**	1717
	96″	2438	29	13.2	1.9	**WS1096-16/4**	1283	**WS1096-16/3**	1807	**WS1096-14/3**	1986
	108″	2743	32	14.5	2.1	**WS10108-16/4**	1395	**WS10108-16/3**	1983	**WS10108-14/3**	2183
	120″	3048	34	15.4	2.3	**WS10120-16/4**	1465	**WS10120-16/3**	2239	**WS10120-14/3**	2460
12″ width *(305mm)*	24″	610	12	5.4	0.6	**WS1224-16/4** •	915	**WS1224-16/3** •	1063	**WS1224-14/3**	1173
	36″	915	14	6.4	0.9	**WS1236-16/4** •	983	**WS1236-16/3** •	1195	**WS1236-14/3**	1309
	48″	1219	17	7.7	1.1	**WS1248-16/4** •	1005	**WS1248-16/3** •	1280	**WS1248-14/3**	1408
	60″	1524	23	10.4	1.4	**WS1260-16/4** •	1069	**WS1260-16/3** •	1414	**WS1260-14/3**	1552
	72″	1829	25	11.3	1.7	**WS1272-16/4** •	1145	**WS1272-16/3** •	1544	**WS1272-14/3** •	1692
	84″	2133	28	12.7	2.0	**WS1284-16/4** •	1210	**WS1284-16/3** •	1675	**WS1284-14/3**	1843
	96″	2438	31	14.1	2.2	**WS1296-16/4** •	1419	**WS1296-16/3** •	1833	**WS1296-14/3**	2016
	108″	2743	36	16.3	2.5	**WS12108-16/4**	1554	**WS12108-16/3**	2152	**WS12108-14/3**	2359
	120″	3048	39	17.6	2.8	**WS12120-16/4**	1617	**WS12120-16/3**	2272	**WS12120-14/3**	2500

Piggyback Wall Mounted Shelf Kits

see spec sheet EG02.13

PATENTED! *(patent #8,025,163 B2)*



FEATURES:
- Brackets can be mounted to studs – no wall backing required.
- Freedom to move the shelves left or right.
- Wire design allows for air circulation.
- 18″ *(457mm)* width.
- No tools required to attach shelf to wall brackets.

Additional Brackets (pair)

18″ (457mm) width. Chrome.

description	weight lbs.	weight kg	model #	list
three-tier	7.3	3.3	**SSW18B3-C**	169
five-tier	10.8	4.9	**SSW18B5-C**	197

Three-Tier Units – Includes one pair of 23⅞″ *(606mm)*-high brackets.

shelf width x length in.	shelf width x length mm	Units with One Chrome Shelf weight lbs.	weight kg	model #	list	Units with Two Chrome Shelves weight lbs.	weight kg	model #	list	Units with Three Chrome Shelves weight lbs.	weight kg	model #	list
18″ x 24″	457 x 610	12	5.4	**S1-3B-SSW1824C**	215	17	7.7	**S2-3B-SSW1824C**	325	22	10.0	**S3-3B-SSW1824C**	436
18″ x 30″	457 x 762	13	5.9	**S1-3B-SSW1830C**	239	19	8.6	**S2-3B-SSW1830C**	374	25	11.3	**S3-3B-SSW1830C**	504
18″ x 36″	457 x 914	14	6.4	**S1-3B-SSW1836C**	254	21	9.5	**S2-3B-SSW1836C**	403	28	12.7	**S3-3B-SSW1836C**	550
18″ x 42″	457 x 1067	16	7.3	**S1-3B-SSW1842C**	276	24	10.9	**S2-3B-SSW1842C**	455	33	15.0	**S3-3B-SSW1842C**	633
18″ x 48″	457 x 1219	17	7.7	**S1-3B-SSW1848C**	292	27	12.2	**S2-3B-SSW1848C**	478	37	16.8	**S3-3B-SSW1848C**	664
18″ x 60	457 x 1524	22	10.0	**S1-3B-SSW1860C**	339	37	16.8	**S2-3B-SSW1860C**	577	51	23.1	**S3-3B-SSW1860C**	814

Additional Shelves

chrome weight lbs.	chrome weight kg	chrome model #	chrome list
5	2.3	**SSW1824C**	116
6	2.7	**SSW1830C**	139
7	3.2	**SSW1836C**	155
9	4.1	**SSW1842C**	185
9	4.1	**SSW1848C**	195
10	4.5	**SSW1848C**	195
15	6.8	**SSW1860C**	248

Five-Tier Units – Includes one pair of 33⅞″ *(860mm)*-high brackets.

shelf width x length in.	shelf width x length mm	Units with Three Chrome Shelf weight lbs.	weight kg	model #	list	Units with Four Chrome Shelves weight lbs.	weight kg	model #	list	Units with Five Chrome Shelves weight lbs.	weight kg	model #	list
18″ x 24″	457 x 610	19	8.6	**S3-5B-SSW1824C**	473	22	10.0	**S4-5B-SSW1824C**	580	29	13.2	**S5-5B-SSW1824C**	686
18″ x 30″	457 x 762	22	10.0	**S3-5B-SSW1830C**	539	28	12.7	**S4-5B-SSW1830C**	678	34	15.4	**S5-5B-SSW1830C**	810
18″ x 36″	457 x 914	25	11.3	**S3-5B-SSW1836C**	588	32	14.5	**S4-5B-SSW1836C**	736	39	17.6	**S5-5B-SSW1836C**	884
18″ x 42″	457 x 1067	30	13.6	**S3-5B-SSW1842C**	672	38	17.2	**S4-5B-SSW1842C**	849	47	21.3	**S5-5B-SSW1842C**	1026
18″ x 48″	457 x 1219	34	15.4	**S3-5B-SSW1848C**	705	44	20.0	**S4-5B-SSW1848C**	893	54	24.5	**S5-5B-SSW1848C**	1082
18″ x 60	457 x 1524	49	22.2	**S3-5B-SSW1860C**	850	64	29.0	**S4-5B-SSW1860C**	1087	79	35.8	**S5-5B-SSW1860C**	1327

Additional Shelves

chrome weight lbs.	chrome weight kg	chrome model #	chrome list
5	2.3	**SSW1824C**	116
6	2.7	**SSW1830C**	139
7	3.2	**SSW1836C**	155
9	4.1	**SSW1842C**	185
10	4.5	**SSW1848C**	195
15	6.8	**SSW1860C**	248

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Shelves with Removable Hooks

see spec sheet EG02.06



FEATURES:

- 16 gauge type 430 shelf with type 304 stainless steel pot rack.
- 1½″ *(38mm)* roll on front.
- 1½″ *(38mm)* upturn on rear and ends.
- Furnished with one double-prong hook per foot.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	10″ *(254mm)* Wide Shelves						12″ *(305mm)* Wide Shelves					
length		weight		cu			weight		cu			
in.	mm	lbs.	kg	ft	model #	list	lbs.	kg	ft	model #		list
36″	914	12	5.4	1.0	**WSP1036**	1547	15	6.8	1.1	**WSP1236**		1605
48″	1219	23	10.4	1.3	**WSP1048**	1577	29	13.2	1.5	**WSP1248**	•	1662
60″	1524	37	16.8	1.6	**WSP1060**	1648	43	19.5	1.8	**WSP1260**	•	1740
72″	1829	51	23.1	1.9	**WSP1072**	1707	57	25.9	2.2	**WSP1272**	•	1806
84″	2134	65	29.5	2.2	**WSP1084**	1789	71	32.2	2.6	**WSP1284**		1909
96″	2438	79	35.8	2.5	**WSP1096**	1914	85	38.6	2.9	**WSP1296**		1954
108″	2743	93	42.2	2.8	**WSP10108**	2509	99	44.9	3.3	**WSP12108**		2665
120″	3048	107	48.5	3.1	**WSP10120**	2566	113	51.3	3.6	**WSP12120**		2727
132″	3353	121	54.9	3.4	**WSP10132**	2720	127	57.6	4.0	**WSP12132**		2867
144″	3658	135	61.2	3.7	**WSP10144**	2777	141	64.0	4.4	**WSP12144**		2920

	15″ *(381mm)* Wide Shelves						18″ *(457mm)* Wide Shelves					
length		weight		cu			weight		cu			
in.	mm	lbs.	kg	ft	model #	list	lbs.	kg	ft	model #		list
36″	914	21	9.5	1.3	**WSP1536**	2096	27	12.2	1.6	**WSP1836**		2509
48″	1219	35	15.9	1.8	**WSP1548**	2142	41	18.6	2.2	**WSP1848**		2550
60″	1524	49	22.2	2.3	**WSP1560**	1773	55	24.9	2.7	**WSP1860**		1955
72″	1829	63	28.6	2.7	**WSP1572**	2643	69	31.3	3.2	**WSP1872**		2872
84″	2134	77	34.9	3.2	**WSP1584**	3026	83	37.6	3.7	**WSP1884**		3117
96″	2438	91	41.3	3.6	**WSP1596**	3170	97	44.0	4.3	**WSP1896**		3299
108″	2743	105	47.6	4.0	**WSP15108**	3443	111	50.3	4.8	**WSP18108**		4009
120″	3048	119	54.0	4.5	**WSP15120**	3498	125	56.7	5.3	**WSP18120**		4072
132″	3353	133	60.3	4.9	**WSP15132**	3759	139	63.1	5.9	**WSP18132**		4152
144″	3658	147	66.7	5.4	**WSP15144**	3820	153	69.4	6.4	**WSP18144**		4216



Additional Hook for Shelves with Removable Hooks

- Stainless steel.

weight		cu		list
lbs.	kg	ft	model #	ea.
0.2	0.1	0.1	**300696**	53

Single Bar Utility Racks

see spec sheet EG10.06



FEATURES:

- Flat 3⁄16″ *(5mm)*-thick, 2″ *(51mm)*-wide solid bar.
- 24″ *(610mm)* racks are one-piece, all others come with support brackets.
- Includes one two-prong hook per foot.



Additional Hook for Single Bar Utility Racks

- Stainless steel.

weight		cu		list
lbs.	kg	ft	model #	ea.
0.2	0.1	0.1	**300696**	53

		ALUMINUM				STAINLESS STEEL			
	length*	weight				weight			
	in. mm	lbs.	kg	model #	list	lbs.	kg	model #	list
8½″ width *(216mm)*	24″ 610	5	2.3	**SBPR-24-A**	294	9	4.1	**SBPR-24-S**	395
	36″ 915	6	2.7	**SBPR-36-A**	445	12	5.4	**SBPR-36-S**	559
	48″ 1219	7	3.2	**SBPR-48-A**	474	15	6.8	**SBPR-48-S**	627
	60″ 1524	9	4.1	**SBPR-60-A**	509	18	8.2	**SBPR-60-S**	693
	72″ 1829	11	5.0	**SBPR-72-A**	703	21	9.5	**SBPR-72-S**	906
	84″ 2134	13	5.9	**SBPR-84-A**	728	25	11.3	**SBPR-84-S**	966
	96″ 2438	15	6.8	**SBPR-96-A**	908	29	13.2	**SBPR-96-S**	1169
	108″ 2743	17	7.7	**SBPR-108-A**	973	34	15.4	**SBPR-108-S**	1263
	120″ 3048	20	9.0	**SBPR-120-A**	999	39	17.6	**SBPR-120-S**	1326

* For overall lengths, add 5-1/8″ *(130mm)*.

Equipment Shelves with Cord Cutout

see spec sheet **EG02.10M**



FEATURES:


- 24″ *(610mm)* length.
- Made of highly polished heavy gauge type 430 stainless steel.
- Marine counter edge in front that prevents contents from sliding off.
- Hole with grommet at center rear for wiring.

width		weight		cubic			
in.	mm	lbs.	kg	feet	model #		list
18″	457	17	7.7	4.8	**MWS1824**	•	907
24″	610	23	10.4	4.8	**MWS2424**	•	103

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Adjustable Post Wire Wall Mounts Sold as Prepackaged Units

see spec sheet **EG02.11**



Adjustable post wall mounts are sold as prepackaged end and mid units, or sold as components (see page 97). The prepackaged units contain all needed components except shelves and wall bolts. Wall bolts must be selected according to wall type.

FEATURES:

END UNITS.

- Two posts, single shelf brackets, post supports.
- Number of shelf brackets depends on the height of the posts.
  - 14″ *(356mm)* posts: one row of brackets.
  - 33″ *(838mm)* posts: two rows of brackets
  - …and so on.

MID UNITS

- One post, double shelf brackets, post supports.
- Number of shelf brackets corresponds to post height the same as end units.

ORDERING:

- One shelf long, order only one end unit.
- Two shelves long, order one end and one mid unit.
- Three shelves long, order one end and two mid units. And so on.

Note: Shelves *(page 6)* and accessories *(pages 49 & 50)* are sold separately.

	post height		# of	cu	weight*		Prepackaged End Units						Prepackaged Mid Units					
							chrome		Valu-Gard®		stainless steel		chrome		Valu-Gard®		stainless steel	
	in.	mm	shelves	ft	lbs.	kg	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
14″ width *(356mm)*	14″	356	1	0.6	7	3.2	**PWE14-1C**	345	**PWE14-1VG**	345	**PWE14-1S**	929	**PWM14-1C**	220	**PWM14-1VG**	220	**PWM14-1S**	617
	33″	838	2	0.7	14	6.4	**PWE14-2C**	555	**PWE14-2VG**	555	**PWE14-2S**	1699	**PWM14-2C**	376	**PWM14-2VG**	376	**PWM14-2S**	1118
	54″	1372	3	0.7	22	10.0	**PWE14-3C**	770	**PWE14-3VG**	770	**PWE14-3S**	2183	**PWM14-3C**	529	**PWM14-3VG**	529	**PWM14-3S**	1489
	63″	1600	4	0.7	28	13.0	**PWE14-4C**	929	**PWE14-4VG**	929	**PWE14-4S**	2677	**PWM14-4C**	655	**PWM14-4VG**	655	**PWM14-4S**	1865
18″ width *(457mm)*	14″	356	1	0.6	8	3.6	**PWE18-1C**	349	**PWE18-1VG**	349	**PWE18-1S**	987	**PWM18-1C**	226	**PWM18-1VG**	226	**PWM18-1S**	637
	33″	838	2	0.6	15	6.8	**PWE18-2C**	555	**PWE18-2VG**	555	**PWE18-2S**	1773	**PWM18-2C**	377	**PWM18-2VG**	377	**PWM18-2S**	1164
	54″	1372	3	0.7	23	10.0	**PWE18-3C**	773	**PWE18-3VG**	773	**PWE18-3S**	2285	**PWM18-3C**	537	**PWM18-3VG**	537	**PWM18-3S**	1543
	63″	1600	4	0.7	29	13.0	**PWE18-4C**	934	**PWE18-4VG**	934	**PWE18-4S**	2816	**PWM18-4C**	662	**PWM18-4VG**	662	**PWM18-4S**	1797
21″ width *(533mm)*	14″	356	1	0.7	9	4.1	**PWE21-1C**	353	**PWE21-1VG**	353	**PWE21-1S**	997	**PWM21-1C**	232	**PWM21-1VG**	232	**PWM21-1S**	648
	33″	838	2	0.8	16	7.3	**PWE21-2C**	573	**PWE21-2VG**	573	**PWE21-2S**	1784	**PWM21-2C**	403	**PWM21-2VG**	403	**PWM21-2S**	1176
	54″	1372	3	0.9	25	11.0	**PWE21-3C**	799	**PWE21-3VG**	799	**PWE21-3S**	2300	**PWM21-3C**	564	**PWM21-3VG**	564	**PWM21-3S**	1565
	63″	1600	4	0.9	32	15.0	**PWE21-4C**	973	**PWE21-4VG**	973	**PWE21-4S**	2816	**PWM21-4C**	704	**PWM21-4VG**	704	**PWM21-4S**	1927
24″ width *(610mm)*	14″	356	1	0.7	10	4.5	**PWE24-1C**	353	**PWE24-1VG**	353	**PWE24-1S**	1017	**PWM24-1C**	236	**PWM24-1VG**	236	**PWM24-1S**	653
	33″	838	2	0.8	17	7.7	**PWE24-2C**	580	**PWE24-2VG**	580	**PWE24-2S**	1823	**PWM24-2C**	403	**PWM24-2VG**	403	**PWM24-2S**	1180
	54″	1372	3	0.9	26	12.0	**PWE24-3C**	809	**PWE24-3VG**	809	**PWE24-3S**	2355	**PWM24-3C**	567	**PWM24-3VG**	567	**PWM24-3S**	1585
	63″	1600	4	0.9	34	16.0	**PWE24-4C**	982	**PWE24-4VG**	982	**PWE24-4S**	2909	**PWM24-4C**	707	**PWM24-4VG**	707	**PWM24-4S**	1997

* For stainless steel units, add 1 lb. *(0.5 kg)* weight.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com


EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Adjustable Post Wire Wall Mounts Sold as Components

see spec sheet EG02.11

FEATURES:
- Designed to allow inter-mixing of shelf widths or customizing of units to fit specification needs.
- All components priced individually.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



brackets used in conjunction with posts and center supports

End Brackets

length		weight		cu	chrome		Valu-Gard®		stainless steel	
in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
14″	356	3	1.4	0.5	**PWB14C** •	84	**PWB14VG** •	84	**PWB14S** •	270
18″	457	4	1.8	0.6	**PWB18C** •	85	**PWB18VG** •	85	**PWB18S**	275
21″	533	5	2.3	1.0	**PWB21C** •	86	**PWB21VG**	86	**PWB21S**	292
24″	610	6	2.7	1.0	**PWB24C** •	93	**PWB24VG**	93	**PWB24S** •	299

Note: Must be used with posts to mount to the wall.

Posts

height		weight		cu	chrome		Valu-Gard®		stainless steel	
in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
14″	356	2	0.9	0.1	**PW14C** •	97	**PW14VG** •	97	**PW14S**	275
33″	838	3	1.4	0.1	**PW33C** •	122	**PW33VG** •	122	**PW33S**	439
54″	1372	5	2.3	0.1	**PW54C** •	154	**PW54VG**	154	**PW54S**	445
63″	1524	6	2.7	0.2	**PW63C**	156	**PW63VG**	156	**PW63S**	455

Mid Brackets

length		weight		cu	chrome		Valu-Gard®		stainless steel	
in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
14″	356	6	2.7	0.5	**PDWB14C** •	130	**PDWB14VG** •	130	**PDWB14S**	408
18″	457	8	3.6	0.6	**PDWB18C** •	136	**PDWB18VG**	136	**PDWB18S**	418
21″	533	10	4.5	1.0	**PDWB21C** •	140	**PDWB21VG**	140	**PDWB21S**	439
24″	610	12	5.4	1.0	**PDWB24C**	144	**PDWB24VG**	144	**PDWB24S**	445

Note: Must be used with posts to mount to the wall.

Center Support for Posts

weight		cu	chrome		Valu-Gard®		stainless steel	
lbs.	kg	ft	model #	list	model #	list	model #	list
1	0.5	0.5	**A228162**	25	**A218017**	25	**A207016**	83

Note: Must be used in conjunction with post.

Stationary Wire Wall Mounts

see spec sheet EG02.12

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Designed for fixed application where vertical adjustment is not required.





End Units*
One single shelf support and mounting plate.

Mid Units
One double shelf support and mounting plate.

length		cu	weight**		chrome		Valu-Gard®		stainless**		weight**		chrome		Valu-Gard®		stainless**	
in.	mm	ft	lbs.	kg	model #	list	model #	list	model #	list	lbs.	kg	model #	list	model #	list	model #	list
14″	356	0.5	6	2.7	**WB14-C** •	84	**WB14-VG** •	85	**WB14-S** •	197	8	3.6	**DWB14-C** •	125	**DWB14-VG**	127	**DWB14-S**	299
18″	457	0.5	8	3.6	**WB18-C** •	85	**WB18-VG** •	86	**WB18-S** •	210	10	4.5	**DWB18-C** •	128	**DWB18-VG**	130	**DWB18-S**	317
21″	533	0.7	10	4.5	**WB21-C** •	85	**WB21-VG**	86	**WB21-S**	216	12	5.5	**DWB21-C**	128	**DWB21-VG**	130	**DWB21-S**	325
24″	610	0.7	12	5.5	**WB24-C** •	86	**WB24-VG**	92	**WB24-S** •	220	14	6.4	**DWB24-C** •	130	**DWB24-VG**	133	**DWB24-S**	338

*End Units priced per piece; **For stainless steel units, add 1 lb. *(0.5 kg)* weight.

Wall Mounted Drop Tables/Shelves


see product announcement **EG02.15**

FEATURES:

- 3/4″ *(19mm)* thick shelf.
- Pair of chrome-plated drop brackets.
- Weight capacity of 80 lbs. *(36.3 kg)*.



drop bracket shown in raised-up position



poly drop table/shelf mounted onto wall —shown in dropped-down position

width		length		Poly * weight				Richlite® ** weight				16/3 Stainless Steel with Wooden Core weight			
in.	mm	in.	mm	lb.	kg	model #	list	lb.	kg	model #	list	lb.	kg	model #	list
10″	254	24″	610	7	3.2	**DSP-1024**	453	7	3.2	**DSR-1024**	683	11	5.0	**DSS-1024**	529
10″	254	30″	762	9	4.1	**DSP-1030**	473	9	4.1	**DSR-1030**	776	13	5.9	**DSS-1030**	538
10″	254	36″	914	11	5.0	**DSP-1036**	498	11	5.0	**DSR-1036**	882	15	6.8	**DSS-1036**	565
12″	305	24″	610	8	3.6	**DSP-1224**	465	8	3.6	**DSR-1224**	739	12	5.4	**DSS-1224**	534
12″	305	30″	762	10	4.5	**DSP-1230**	489	10	4.5	**DSR-1230**	744	14	6.4	**DSS-1230**	564
12″	305	36″	914	12	5.4	**DSP-1236**	523	12	5.4	**DSR-1236**	999	16	7.3	**DSS-1236**	580

* Poly tables/shelves can withstand hot items up to 180˚F without discoloration.

** Richlite® tables/shelves can withstand hot items up to 350˚F without discoloration.

Wall Cabinets

see spec sheet **EG02.07**

FEATURES:

- Heavy gauge stainless steel.
- Back is recessed with full-length concealed mounting plate for easy installation.
- Fixed center shelf.
- Hinged doors provided with lift-off pin hinges.
- 15″ *(381mm)* width. 28″ *(711mm)* overall height.



wall cabinet with hinged doors



wall cabinet with sliding doors

length		cu	Open Front weight				Hinged Doors weight				Sliding Doors weight			
in.	mm	ft	lbs.	kg	model #	list	lbs.	kg	model #	list	lbs.	kg	model #	list
24″	610	13.5	117	53.1	**WCO-24**	6149	136	61.7	**WCH-24**	8344	136	61.7	**WCS-24**	6956
30″	762	17.3	129	58.5	**WCO-30**	6156	154	69.9	**WCH-30**	9247	154	69.9	**WCS-30**	8475
36″	914	18.0	141	64.0	**WCO-36**	6384	172	78.0	**WCH-36**	9407	172	78.0	**WCS-36**	8738
42″	1067	18.2	–		–		191	86.6	**WCH-42**	9886	191	86.6	**WCS-42**	8782
48″	1219	18.3	165	74.8	**WCO-48**	7354	208	94.3	**WCH-48**	10192	208	94.3	**WCS-48**	9572
54″	1372	25.4	–		–		226	102.5	**WCH-54**	10423	226	102.5	**WCS-54**	9749
60″	1524	22.6	189	85.7	**WCO-60**	8048	244	110.7	**WCH-60**	11686	244	110.7	**WCS-60**	11069
66″	1676	30.6	–		–		256	115.1	**WCH-66**	11772	–		–	
72″	1829	26.8	213	96.6	**WCO-72**	8539	262	118.8	**WCH-72**	13094	262	118.8	**WCS-72**	12398
84″	2134	38.5	225	102.1	**WCO-84**	9009	281	127.5	**WCH-84** *	13460	281	127.5	**WCS-84** *	12719
90″	2286	41.7	–		–		298	135.3	**WCH-90** *	14223	298	135.3	**WCS-90** *	13469
96″	2438	35.2	249	112.9	**WCO-96**	10089	316	143.3	**WCH-96** *	14664	316	143.3	**WCS-96** *	13887
120″	3048	55.8	–		–		–		–		359	162.9	**WCS-120** *	16732

* Features two pairs of doors.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

NOTES

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Stainless Steel Modular Casework

Adjustable Height Tables
- Electronic Drive 119
- Pinned Leg 119

Base Units - Sitting Height Cabinets
- Corner Base Cabinets 109
- with Door/Drawer Combo 109
- with Drawer Bank 108
- with Full-Height Door(s) 108
- with Open Front 108
- Sink Bases 109

Base Units - Standing Height Cabinets
- Corner Base Cabinets 107
- with Door/Drawer Combo 105-106
- with Drawer Bank(s) 103-104
- with Full-Height Door(s) 103
- with Open Front 103
- Sink Bases 107

Base Fillers
- Corner Fillers 111
- Knee Space Apron Kits 110
- Knee Space Panels 110
- Rear Filler Panels 111
- Rear Filler Scribes 111
- Toe Fillers 110
- Toe Scribes 110

Bench Frames
- Standard 117
- with Drawer(s) 118

Healthcare Storage 116

Laboratory Wall Shelves 120

Pegboards 120

Stainless Steel Countertops 121-122

Tall Cabinets
- Framed Glass Swinging Tall Cases 115
- Open Tall Cases 114
- Solid Swinging Tall Cases 114

Upper Cabinets
- Corner Cases 113
- Framed Glass Swinging Wall Cases 113
- Open Wall Cases 112
- Solid Swinging Wall Cases 112

Vertical Storage Cabinets 117

Pharmaceutical • Biotech • Medical Device • Cleanroom • Lab • Research




Eagle MHC manufactures a broadline of stainless steel inset casework featuring a wide variety of drawer and door configurations to meet your laboratory requirements.

Our casework construction and performance characteristics are in full compliance with SEFA 8M Metal standards.

In addition to our extensive casework product line, Eagle MHC offers stainless steel countertops, custom stainless steel fabrication, laboratory sinks, workstations and storage solutions.


Visit **www.eaglemhc.com/casework** to…


- Explore our Casework Products
- Download Standard Casework Construction Specifications
- View projects featuring Eagle's casework
- Request a Quote from Our Sales Team
- Get CAD/Revit drawings



Standard Casework Construction Specifications







Click on the buttons below to download copies of our Casework General Architectural Specifications, SEFA 8M Test Results – Casework, SEFA 3 Test Results – Worksurfaces, and CAD & REVIT files.

Download General Architectural Specifications

Download SEFA3 Test Results Worksurfaces

Download SEFA8 Test Results Casework

Download CAD and REVIT Files

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment


Base Units - Standing Height Cabinets

with Open Base

see spec sheet **EG03.00**

depth		width		weight			
in	mm	in	mm	lbs.	kg	description	model #
22″	559	18″	457	74	33.6	open base	**SSC-HOB-18**
22″	559	24″	610	99	44.9	open base	**SSC-HOB-24**
22″	559	30″	762	124	56.2	open base	**SSC-HOB-30**
22″	559	36″	914	133	60.3	open base	**SSC-HOB-36**
22″	559	48″	1218	149	67.6	open base	**SSC-HOB-48**

FEATURES:
- Open Base with interior shelf
- Standing Height - 35″ *(889mm)* high.
- 22″ *(559mm)* depth.



with Full-Height Door(s)

see spec sheet **EG03.00**

depth		width		weight			
in	mm	in	mm	lbs.	kg	description	model #
22″	559	18″	457	99	44.9	left swing door	**SSC-HCBL-18**
22″	559	18″	457	99	44.9	right swing door	**SSC-HCBR-18**
22″	559	24″	610	124	56.2	left swing door	**SSC-HCBL-24**
22″	559	24″	610	124	56.2	right swing door	**SSC-HCBR-24**
22″	559	30″	762	174	78.9	double doors	**SSC-HCB-30**
22″	559	36″	914	183	83.0	double doors	**SSC-HCB-36**
22″	559	48″	1219	199	90.3	double doors	**SSC-HCB-48**

FEATURES:
- Full-height hinged door(s) with wire style pull.
- Intermediate shelf.
- Standing Height - 35″ *(889mm)* high.
- 22″ *(559mm)* depth.



SSC-HCBL-18



SSC-HCBR-24



SSC-HCB-30

with Single-Bank Drawers

see spec sheet **EG03.01**

FEATURES:
- Units with single-bank full-length drawers.
- Standing Height - 35″ *(889mm)* high.
- 22″ *(559mm)* depth.

Four 7″ (178mm) Drawers Per Unit

22″	559	18″	457	142	64.4	4	7″	178	**SSC-HDB7-18**
22″	559	24″	610	167	75.7	4	7″	178	**SSC-HDB7-24**
22″	559	30″	762	260	117.9	4	7″	178	**SSC-HDB7-30**
22″	559	36″	914	269	122.0	4	7″	178	**SSC-HDB7-36**
22″	559	48″	1219	285	129.0	4	7″	178	**SSC-HDB7-48**



SSC-HDB7-24



SSC-HDB7-36

Three 10″ (254mm) Drawers Per Unit

depth		width		weight		no. of	drawer height		
in	mm	in	mm	lbs.	kg	drawers	in.	mm	model #
22″	559	18″	457	134	60.8	3	10″	254	**SSC-HDB10-18**
22″	559	24″	610	159	72.1	3	10″	254	**SSC-HDB10-24**
22″	559	30″	762	244	110.7	3	10″	254	**SSC-HDB10-30**
22″	559	36″	914	253	114.8	3	10″	254	**SSC-HDB10-36**
22″	559	48″	1219	269	122.1	3	10″	254	**SSC-HDB10-48**



SSC-HDB10-24

Consult factory for pricing.

Base Units - Standing Height Cabinets (continued)

with Single-Bank Drawers (continued)


see spec sheet **EG03.01**

FEATURES:

- Units with single-bank full-length drawers.
- Standing Height - 35″ *(889mm)* high.
- 22″ *(559mm)* depth.

Ten 3″ (76mm) Drawers Per Unit

depth		width		weight		no. of	drawer height		
in	mm	in	mm	lbs.	kg	drawers	in.	mm	model #
22″	559	18″	457	174	78.9	10	3″	76	**SSC-HDB3-18**
22″	559	24″	610	199	90.3	10	3″	76	**SSC-HDB3-24**
22″	559	30″	762	324	146.9	10	3″	76	**SSC-HDB3-30**
22″	559	36″	914	333	151.0	10	3″	76	**SSC-HDB3-36**
22″	559	48″	1219	349	158.0	10	3″	76	**SSC-HDB3-48**



SSC-HDB3-24

Five 6″ (152mm) Drawers Per Unit

depth		width		weight		no. of	drawer height		
in	mm	in	mm	lbs.	kg	drawers	in.	mm	model #
22″	559	18″	457	149	67.6	5	6″	152	**SSC-HDB6-18**
22″	559	24″	610	174	78.9	5	6″	152	**SSC-HDB6-24**
22″	559	30″	762	274	124.3	5	6″	152	**SSC-HDB6-30**
22″	559	36″	914	283	128.4	5	6″	152	**SSC-HDB6-36**
22″	559	48″	1219	299	135.6	5	6″	152	**SSC-HDB6-48**



SSC-HDB6-18



SSC-HDB6-48

with Double-Bank Drawers

see spec sheet **EG03.02**

FEATURES:

- Units with double-bank of drawers.
- Standing Height - 35″ *(889mm)* high.
- 22″ *(559mm)* depth.

Ten 6″ (152mm) Drawers Per Unit

depth		width		weight		no. of	drawer height		
in	mm	in	mm	lbs.	kg	drawers	in.	mm	model #
22″	559	30″	762	548	248.6	10	6″	152	**SSC-HDBD6-30**
22″	559	36″	914	566	256.7	10	6″	152	**SSC-HDBD6-36**
22″	559	48″	1219	598	271.2	10	6″	152	**SSC-HDBD6-48**



SSC-HDBD6-36

Eight 7″ (178mm) Drawers Per Unit

depth		width		weight		no. of	drawer height		
in	mm	in	mm	lbs.	kg	drawers	in.	mm	model #
22″	559	30″	762	520	235.9	8	7″	152	**SSC-HDBD7-30**
22″	559	36″	914	538	244.0	8	7″	152	**SSC-HDBD7-36**
22″	559	48″	1219	570	258.6	8	7″	152	**SSC-HDBD7-48**



SSC-HDBD7-48

Consult factory for pricing.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Base Units - Standing Height Cabinets (continued)

with Door/Drawer Combination


see spec sheet **EG03.03**

FEATURES:

- Units with hinged door(s) and drawer(s).
- Standing Height - 35″ *(889mm)* high.
- 22″ *(559mm)* depth.









Units with 3″ (76mm) Drawers

depth in	depth mm	width in	width mm	weight lbs.	weight kg	no. of drawers	drawer height in.	drawer height mm	description	model #
22″	559	18″	457	94	42.6	2	3″	76	left swing door	**SSC-HDDLT3-18**
22″	559	18″	457	94	42.6	2	3″	76	right swing door	**SSC-HDDRT3-18**
22″	559	24″	610	119	53.9	2	3″	76	left swing door	**SSC-HDDLT3-24**
22″	559	24″	610	119	53.9	2	3″	76	right swing door	**SSC-HDDRT3-24**
22″	559	30″	762	214	97.1	2	3″	76	double doors	**SSC-HDDT3-30**
22″	559	36″	914	223	101.1	2	3″	76	double doors	**SSC-HDDT3-36**
22″	559	48″	1219	239	108.4	2	3″	76	double doors	**SSC-HDDT3-48**
22″	559	30″	762	224	101.6	4	3″	76	double doors	**SSC-HDDT3D-30**
22″	559	36″	914	233	105.7	4	3″	76	double doors	**SSC-HDDT3D-36**
22″	559	48″	1219	249	112.9	4	3″	76	double doors	**SSC-HDDT3D-48**



SSC-HDDLT6-18



SSC-HDDLR6-18



SSC-HDDT6D-30

Units with One or Two 6″ (152mm) Drawers

depth in	depth mm	width in	width mm	weight lbs.	weight kg	no. of drawers	drawer height in.	drawer height mm	description	model #
22″	559	18″	457	114	51.7	1	6″	152	left swing door	**SSC-HDDLT6-18**
22″	559	18″	457	114	51.7	1	6″	152	right swing door	**SSC-HDDRT6-18**
22″	559	24″	610	139	63.0	1	6″	152	left swing door	**SSC-HDDLT6-24**
22″	559	24″	610	139	63.0	1	6″	152	right swing door	**SSC-HDDRT6-24**
22″	559	30″	762	204	92.5	1	6″	152	double doors	**SSC-HDDT6-30**
22″	559	36″	914	213	96.6	1	6″	152	double doors	**SSC-HDDT6-36**
22″	559	48″	1218	229	103.9	1	6″	152	double doors	**SSC-HDDT6-48**
22″	559	30″	762	214	97.1	2	6″	152	double doors	**SSC-HDDT6D-30**
22″	559	36″	914	223	101.2	2	6″	152	double doors	**SSC-HDDT6D-36**
22″	559	48″	1218	239	108.4	2	6″	152	double doors	**SSC-HDDT6D-48**

Consult factory for pricing.

Base Units - Standing Height Cabinets (continued)

with Door/Drawer Combination (cont.)

see spec sheet **EG03.04** *and* **EG03.05**

FEATURES:

- Units with door(s) and drawer(s).
- Standing Height - 35″ *(889mm)* high.
- 22″ *(559mm)* depth.

Units with Five 6″ (152mm) Drawers

depth in	depth mm	width in	width mm	weight lbs.	weight kg	no. of drawers	drawer height in.	drawer height mm	description	model #
22″	559	30″	762	209	94.8	5	6″	152	left swing door	**SSC-HDDL6-30**
22″	559	30″	762	209	94.8	5	6″	152	right swing door	**SSC-HDDR6-30**
22″	559	36″	914	218	98.9	5	6″	152	left swing door	**SSC-HDDL6-36**
22″	559	36″	914	218	98.9	5	6″	152	right swing door	**SSC-HDDR6-36**
22″	559	48″	1219	234	106.1	5	6″	152	left swing door	**SSC-HDDL6-48**
22″	559	48″	1219	234	106.1	5	6″	152	right swing door	**SSC-HDDR6-48**



SSC-HDDL6-30



SSC-HDDR6-30

Units with Six 6″ (152mm) Drawers

depth in	depth mm	width in	width mm	weight lbs.	weight kg	no. of drawers	drawer height in.	drawer height mm	description	model #
22″	559	30″	762	234	106.1	6	6″	152	left swing door	**SSC-HDDLT6D-30**
22″	559	30″	762	234	106.1	6	6″	152	right swing door	**SSC-HDDRT6D-30**
22″	559	36″	914	243	110.2	6	6″	152	left swing door	**SSC-HDDLT6D-36**
22″	559	36″	914	243	110.2	6	6″	152	right swing door	**SSC-HDDRT6D-36**
22″	559	48″	1219	259	117.5	6	6″	152	left swing door	**SSC-HDDLT6D-48**
22″	559	48″	1219	259	117.5	6	6″	152	right swing door	**SSC-HDDRT6D-48**



SSC-HDDLT6D-48



SSC-HDDRT6D-48

Units with Four 7″ (178mm) Drawers

depth in	depth mm	width in	width mm	weight lbs.	weight kg	no. of drawers	drawer height in.	drawer height mm	description	model #
22″	559	30″	762	202	91.6	4	7″	178	left swing door	**SSC-HDDL7-30**
22″	559	30″	762	202	91.6	4	7″	178	right swing door	**SSC-HDDR7-30**
22″	559	36″	914	211	95.7	4	7″	178	left swing door	**SSC-HDDL7-36**
22″	559	36″	914	211	95.7	4	7″	178	right swing door	**SSC-HDDR7-36**
22″	559	48″	1219	227	102.9	4	7″	178	left swing door	**SSC-HDDL7-48**
22″	559	48″	1219	227	102.9	4	7″	178	right swing door	**SSC-HDDR7-48**



SSC-HDDL7-36



SSC-HDDR7-36

Units with Five 7″ (178mm) Drawers

depth in	depth mm	width in	width mm	weight lbs.	weight kg	no. of drawers	drawer height in.	drawer height mm	description	model #
22″	559	30″	762	244	110.7	5	7″	178	left swing door	**SSC-HDDLT7D-30**
22″	559	30″	762	244	110.7	5	7″	178	right swing door	**SSC-HDDRT7D-30**
22″	559	36″	914	253	114.8	5	7″	178	left swing door	**SSC-HDDLT7D-36**
22″	559	36″	914	253	114.8	5	7″	178	right swing door	**SSC-HDDRT7D-36**
22″	559	48″	1219	269	122.0	5	7″	178	left swing door	**SSC-HDDLT7D-48**
22″	559	48″	1219	269	122.0	5	7″	178	right swing door	**SSC-HDDRT7D-48**



SSC-HDDLT7D-30

Consult factory for pricing.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Base Units - Standing Height Cabinets (continued)

Sink Bases

see spec sheet **EG03.06**

FEATURES:
- Units with hinged door(s).
- Standing Height - 35″ *(889mm)* high.
- Partial height back panel.
- 22″ *(559mm)* depth.

depth in	depth mm	width in	width mm	weight lbs.	weight kg	description	model #
22″	559	18″	457	99	44.9	left swing door	**SSC-HSBL-18**
22″	559	18″	457	99	44.9	right swing door	**SSC-HSBR-18**
22″	559	24″	610	124	56.2	left swing door	**SSC-HSBL-24**
22″	559	24″	610	124	56.2	right swing door	**SSC-HSBR-24**
22″	559	30″	762	174	78.9	double doors	**SSC-HSB-30**
22″	559	36″	914	183	83.0	double doors	**SSC-HSB-36**
22″	559	48″	1219	199	90.2	double doors	**SSC-HSB-48**
22″	559	56″	1422	219	99.3	double doors	**SSC-HSB-56**
22″	559	58″	1473	222	100.7	double doors	**SSC-HSB-58**





Angled Sink Bases

see spec sheet **EG03.06**

FEATURES:
- Removable access panel at front
- Open design at rear for plumbing
- Mounts to adjacent freestanding base units

depth in	depth mm	width in	width mm	weight lbs.	weight kg	model #
22″	559	24″	610	53	24.0	**SSC-HSBA-24**
22″	559	30″	762	56	25.4	**SSC-HSBA-30**
22″	559	36″	914	62	28.2	**SSC-HSBA-36**
22″	559	48″	1219	75	34.0	**SSC-HSBA-48**



SSC-HSBS-36

NEW Corner Base Cabinets


see spec sheet **EG03.07**

FEATURES:
- Standing Height - 35″ *(889mm)* high.
- Intermediate shelf adjustable on ½″ (12mm) increments.
- 22″ *(559mm)* depth.

depth in	depth mm	width* in	width* mm	weight lbs.	weight kg	description	model #
22″	559	49″	1245	142	64.4	open base	**SSC-HCOB-18**
22″	559	49″	1245	149	67.6	left swing door	**SSC-HCCBL-18**
22″	559	49″	1245	149	67.6	right swing door	**SSC-HCCBR-18**

* Overall end-to-end dimension.





Consult factory for pricing.


Base Units - Sitting Height Cabinets

with Open Base

see spec sheet **EG03.10**

FEATURES:
- Open Base with interior shelf
- Sitting Height - 29⅛″ *(740mm)* high.
- 22″ *(559mm)* depth.

depth		width		weight			
in	mm	in	mm	lbs.	kg	description	model #
22″	559	18″	457	72	32.7	open base	**SSC-SOB-18**
22″	914	24″	610	97	44.0	open base	**SSC-SOB-24**
22″	914	30″	610	122	55.3	open base	**SSC-SOB-30**
22″	914	36″	610	131	59.4	open base	**SSC-SOB-36**
22″	914	48″	610	147	66.7	open base	**SSC-SOB-48**



with Full Height Door(s)

see spec sheet **EG03.10**

FEATURES:
- Full height door with interior shelf
- Sitting Height - 29⅛″ *(740mm)* high.
- 22″ *(559mm)* depth.

depth		width		weight			
in	mm	in	mm	lbs.	kg	description	model #
22″	559	18″	457	97	44.0	left swing door	**SSC-SCBL-18**
22″	914	18″	457	97	44.0	right swing door	**SSC-SCBR-18**
22″	914	24″	610	122	55.3	left swing door	**SSC-SCBL-24**
22″	914	24″	610	122	55.3	right swing door	**SSC-SCBR-24**
22″	914	30″	762	172	78.0	double doors	**SSC-SCB-30**
22″	914	36″	914	181	82.1	double doors	**SSC-SCB-36**
22″	914	48″	1219	197	89.4	double doors	**SSC-SCB-48**



SSC-HCBL-18



SSC-HCBR-24



SSC-HCB-30

with Drawers

see spec sheet **EG03.11**

FEATURES:
- Units with single-bank full-length drawers.
- Sitting Height - 29⅛″ *(740mm)* high.
- 22″ *(559mm)* depth.

Two 12″ (305mm) Drawers Per Unit

depth		width		weight		no. of	drawer height		
in	mm	in	mm	lbs.	kg	drawers	in.	mm	model #
22″	559	18″	457	112	50.8	2	12″	305	**SSC-SDB12-18**
22″	559	24″	610	137	62.1	2	12″	305	**SSC-SDB12-24**



SSC-SDB12-18

Four 6″ (152mm) Drawers Per Unit

depth		width		weight		no. of	drawer height		
in	mm	in	mm	lbs.	kg	drawers	in.	mm	model #
22″	559	18″	457	132	59.9	4	6″	152	**SSC-SDB6-18**
22″	559	24″	610	157	71.2	4	6″	152	**SSC-SDB6-24**



SSC-SDB6-18

Consult factory for pricing.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Base Units - Sitting Height Cabinets (continued)

with Door/Drawer Combination

see spec sheet **EG03.12**

FEATURES:
- Units with door(s) and drawer(s).
- Sitting Height - 29⅛″ *(740mm)* high.
- 22″ *(559mm)* depth.

depth		width			Units with Two 3″ (76mm)-high Drawers			Units with One 6″ (152mm)-high Drawer		
					weight			weight		
in	mm	in	mm	description	lbs.	kg	model #	lbs.	kg	model #
22″	559	18″	457	left swing door	117	53.1	**SSC-SDDLT3-18**	112	50.8	**SSC-SDDLT6-18**
22″	559	18″	457	right swing door	117	53.1	**SSC-SDDRT3-18**	112	50.8	**SSC-SDDRT6-18**
22″	559	24″	610	left swing door	142	64.4	**SSC-SDDLT3-24**	137	62.1	**SSC-SDDLT6-24**
22″	559	24″	610	right swing door	142	64.4	**SSC-SDDRT3-24**	137	62.1	**SSC-SDDRT6-24**



SSC-SDDLT3-24



SSC-SDDRT6-18

Sink Bases

see spec sheet **EG03.13**

FEATURES:
- Units with hinged door(s).
- Sitting Height - 29⅛″ *(740mm)* high.
- Partial height back panel.
- 22″ *(559mm)* depth.

depth		width		weight			
in	mm	in	mm	lbs.	kg	description	model #
22″	559	18″	457	97	44.0	left swing door	**SSC-SSBL-18**
22″	914	18″	457	97	44.0	right swing door	**SSC-SSBR-18**
22″	914	24″	610	122	55.3	left swing door	**SSC-SSBL-24**
22″	914	24″	610	122	55.3	right swing door	**SSC-SSBR-24**
22″	914	30″	762	172	78.0	double doors	**SSC-SSB-30**
22″	914	36″	914	181	82.1	double doors	**SSC-SSB-36**
22″	914	48″	1219	197	89.4	double doors	**SSC-SSB-48**
22″	559	56	1422	217	98.4	double doors	**SSC-SSB-56**
22″	559	58	1473	220	99.8	double doors	**SSC-SSB-58**



SSC-SSBL-24



SSC-SSB-56

Angled Sink Bases

see spec sheet **EG03.13**

FEATURES:
- Removable access panel at front
- Open design at rear for plumbing
- Mounts to adjacent freestanding base units

depth		width		weight		
in	mm	in	mm	lbs.	kg	model #
22″	559	24″	610	49	22.2	**SSC-SSBA-24**
22″	559	30″	762	52	23.6	**SSC-SSBA-30**
22″	559	36″	914	56	25.4	**SSC-SSBA-36**
22″	559	48″	1219	65	29.5	**SSC-SSBA-48**



SSC-SSBA-18


NEW Corner Base Cabinets

see spec sheet **EG03.14**

FEATURES:
- Sitting Height - 29⅛″ *(740mm)* high.
- Intermediate shelf adjustable on ½″ (12mm) increments.
- 22″ *(559mm)* depth.

depth		width*		weight			
in	mm	in	mm	lbs.	kg	description	model #
22″	559	49″	1245	138	62.6	open base	**SSC-SCOB-18**
22″	559	49″	1245	145	65.8	left swing door	**SSC-SCCBL-18**
22″	559	49″	1245	145	65.8	right swing door	**SSC-SCCBR-18**

* Overall end-to-end dimension.





Consult factory for pricing.

Base Fillers

Knee Space Apron Kits

see spec sheet **EG03.20**

FEATURES:
- Ships knocked down.
- Mounts to adjacent freestanding bases.
- Kits with Drawer feature 3″ drawer assembly with wire pull.

				without Drawer			w/One 3″ Drawer		
depth		width		weight			weight		
in	mm	in.	mm	lbs.	kg	model #	lbs.	kg	model #
22″	559	24″	610	32	14.5	**SSC-KAK-24**	46	20.8	**SSC-KAK1D-24**
22″	559	30″	762	35	15.9	**SSC-KAK-30**	49	22.2	**SSC-KAK1D-30**
22″	559	36″	914	38	17.2	**SSC-KAK-36**	52	23.6	**SSC-KAK1D-36**
22″	559	48″	1219	41	18.5	**SSC-KAK-48**	55	25.0	**SSC-KAK1D-48**



Knee-Space Filler Panels

see spec sheet **EG03.20**

FEATURES:
- 29⅛″ *(740mm)* Sitting or 35″ *(889mm)* Standing Height.
- For use with no apron above.



		35″ Standing Height			29⅛″ Sitting Height		
width		weight			weight		
in	mm	lbs.	kg	model #	lbs.	kg	model #
24″	610	20.0	9.1	**SSC-HKPL-24**	17.0	7.7	**SSC-SKPL-24**
30″	762	22.0	10.1	**SSC-HKPL-30**	18.5	8.6	**SSC-SKPL-30**
36″	914	24.0	10.9	**SSC-HKPL-36**	20.0	9.0	**SSC-SKPL-36**

Toe Fillers

see spec sheet **EG03.20**

FEATURES:
- 29⅛″ *(740mm)* Sitting, 35″ *(889mm)* Standing Height, or 84″ *(2134mm)* Tall Height.



				35″ Standing Height			29⅛″ Sitting Height			84″ Tall Height		
depth		width		weight		weight						
in	mm	in.	mm	lbs.	kg	model #	lbs.	kg	model #	lbs.	kg	model #
1″	25	3″	76	1.0	0.5	**SSC-HTF-3**	0.9	0.5	**SSC-STF-3**	2.4	1.1	**SSC-TTF-3**
1″	25	6″	152	2.0	0.9	**SSC-HTF-6**	1.7	0.8	**SSC-STF-6**	4.8	2.2	**SSC-TTF-6**
1	25	12″	305	3.0	1.4	**SSC-HTF-12**	2.5	1.1	**SSC-STF-12**	9.6	4.4	**SSC-TTF-12**

Toe Scribes

see spec sheet **EG03.20**

FEATURES:
- 29⅛″ *(740mm)* Sitting, 35″ *(889mm)* Standing Height, or 84″ *(2134mm)* Tall Height.



					35″ Standing Height			29⅛″ Sitting Height			84″ Tall Height		
depth		width			weight			weight			weight		
in	mm	in.	mm	orientation	lbs.	kg	model #	lbs.	kg	model #	lbs.	kg	model #
1″	25	1″	25	left	1.0	0.5	**SSC-HTSL-1**	0.9	0.5	**SSC-STSL-1**	2.4	1.1	**SSC-TTSL-1**
1″	25	2″	51	left	1.5	0.7	**SSC-HTSL-2**	1.0	0.5	**SSC-STSL-2**	3.6	1.6	**SSC-TTSL-2**
1″	25	3″	76	left	2.0	0.9	**SSC-HTSL-3**	1.3	0.6	**SSC-STSL-3**	4.8	2.2	**SSC-TTSL-3**
1″	25	1″	25	right	1.0	0.5	**SSC-HTSR-1**	0.9	0.5	**SSC-STSR-1**	2.4	1.1	**SSC-TTSR-1**
1″	25	2″	51	right	1.5	0.7	**SSC-HTSR-2**	1.0	0.5	**SSC-STSR-2**	3.6	1.6	**SSC-TTSR-2**
1″	25	3″	76	right	2.0	0.9	**SSC-HTSR-3**	1.3	0.6	**SSC-STSR-3**	4.8	2.2	**SSC-TTSR-3**

Consult factory for pricing.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Base Fillers (continued)

Rear Filler Panels

see spec sheet **EG03.21**

FEATURES:
- 29⅛″ *(740mm)* Sitting, 35″ *(889mm)* Standing Height, or 84″ *(2134mm)* Tall Height.

				35″ Standing Height			29⅛″ Sitting Height			84″ Tall Height		
depth		width		weight			weight			weight		
in	mm	in.	mm	lbs.	kg	model #	lbs.	kg	model #	lbs.	kg	model #
3″	76	6″	152	4.0	1.8	**SSC-HRFP-6**	3.0	1.4	**SSC-SRFP-6**	9.6	4.4	**SSC-TRFP-6**
3″	76	12″	305	5.0	2.3	**SSC-HRFP-12**	4.0	1.8	**SSC-SRFP-12**	14.4	6.5	**SSC-TRFP-12**



Rear Filler Scribes

see spec sheet **EG03.21**

FEATURES:
- 29⅛″ *(740mm)* Sitting, 35″ *(889mm)* Standing Height, or 84″ *(2134mm)* Tall Height.

					35″ Standing Height			29⅛″ Sitting Height			84″ Tall Height		
depth		width			weight			weight			weight		
in	mm	in.	mm	orientation	lbs.	kg	model #	lbs.	kg	model #	lbs.	kg	model #
1″	25	1″	25	left	1.2	0.5	**SSC-HRFSL-1**	1.0	0.5	**SSC-SRFSL-1**	2.9	1.3	**SSC-TRFSL-1**
1″	25	2″	51	left	1.4	0.6	**SSC-HRFSL-2**	1.0	0.5	**SSC-SRFSL-2**	3.4	1.5	**SSC-TRFSL-2**
1″	25	3″	76	left	2.2	1.0	**SSC-HRFSL-3**	2.0	0.9	**SSC-SRFSL-3**	5.3	2.4	**SSC-TRFSL-3**
1″	25	6″	152	left	3.3	1.5	**SSC-HRFSL-6**	3.0	1.4	**SSC-SRFSL-6**	7.9	3.6	**SSC-TRFSL-6**
1″	25	1″	25	right	1.2	0.5	**SSC-HRFSR-1**	1.0	0.5	**SSC-SRFSR-1**	2.9	1.3	**SSC-TRFSR-1**
1″	25	2″	51	right	1.4	0.6	**SSC-HRFSR-2**	1.0	0.5	**SSC-SRFSR-2**	3.4	1.5	**SSC-TRFSR-2**
1″	25	3″	76	right	2.2	1.0	**SSC-HRFSR-3**	2.0	0.9	**SSC-SRFSR-3**	5.3	2.4	**SSC-TRFSR-3**
1″	25	6″	152	right	3.3	1.5	**SSC-HRFSR-6**	3.0	1.4	**SSC-SRFSR-6**	7.9	3.6	**SSC-TRFSR-6**



Corner Fillers

see spec sheet **EG03.21**

FEATURES:
- 29⅛″ *(740mm)* Sitting, 35″ *(889mm)* Standing Height, or 84″ *(2134mm)* Tall Height.

				35″ Standing Height			29⅛″ Sitting Height			84″ Tall Height		
depth		width		weight			weight			weight		
in	mm	in.	mm	lbs.	kg	model #	lbs.	kg	model #	lbs.	kg	model #
1″	25	3″	76	2.0	0.9	**SSC-HCF-3**	1.5	0.7	**SSC-SCF-3**	4.8	2.2	**SSC-TCF-3**
1″	25	6″	152	3.0	1.4	**SSC-HCF-6**	2.5	1.1	**SSC-SCF-6**	7.2	3.3	**SSC-TCF-6**



Consult factory for pricing.


Upper Cabinets

Open Wall Cases

see spec sheet **EG03.30**

FEATURES:
- Open front.
- Two adjustable shelves.
- 31″ *(787mm)* height.
- 13″ *(330mm)* or 16″ *(406mm)* depth.

depth		width		with Flat Top weight			with Sloped Top weight		
in	mm	in	mm	lbs.	kg	model #	lbs.	kg	model #
13″	330	18″	457	117	53.1	**SSC-WCO-1318**	132	59.9	**SSC-WCOST-1318**
13	330	24	610	123	55.8	**SSC-WCO-1324**	138	62.6	**SSC-WCOST-1324**
13	330	30	762	129	58.5	**SSC-WCO-1330**	144	65.3	**SSC-WCOST-1330**
13	330	36	914	141	63.9	**SSC-WCO-1336**	156	70.7	**SSC-WCOST-1336**
13	330	48	1219	165	74.8	**SSC-WCO-1348**	180	81.6	**SSC-WCOST-1348**
16	406	18	457	122	55.3	**SSC-WCO-1618**	137	62.1	**SSC-WCOST-1618**
16	406	24	610	128	58.0	**SSC-WCO-1624**	143	64.9	**SSC-WCOST-1624**
16	406	30	762	134	60.8	**SSC-WCO-1630**	149	67.6	**SSC-WCOST-1630**
16	406	36	914	146	66.2	**SSC-WCO-1636**	161	73.0	**SSC-WCOST-1636**
16	406	48	1219	170	77.1	**SSC-WCO-1648**	185	83.9	**SSC-WCOST-1648**



Solid Swinging Wall Cases

see spec sheet **EG03.31**

FEATURES:
- Full height solid hinged door(s).
- Two adjustable shelves.
- 31″ *(787mm)* height.
- 13″ *(330mm)* or 16″ *(406mm)* depth.

with Flat Top


depth		width		weight			
in	mm	in	mm	lbs.	kg	description	model #
13″	330	18″	457	136	61.7	left swing door	**SSC-WCHL-1318**
13″	330	18″	457	136	61.7	right swing door	**SSC-WCHR-1318**
13″	330	24″	610	142	64.4	left swing door	**SSC-WCHL-1324**
13″	330	24″	610	142	64.4	right swing door	**SSC-WCHR-1324**
13″	330	30″	762	154	69.8	double doors	**SSC-WCH-1330**
13″	330	36″	914	172	78.0	double doors	**SSC-WCH-1336**
13″	330	48″	1219	208	94.3	double doors	**SSC-WCH-1348**
16″	406	18″	457	142	64.4	left swing door	**SSC-WCHL-1618**
16″	406	18	457	142	64.4	right swing door	**SSC-WCHR-1618**
16″	406	24″	610	148	67.1	left swing door	**SSC-WCHL-1624**
16″	406	24″	610	148	67.1	right swing door	**SSC-WCHR-1624**
16″	406	30″	762	160	72.6	double doors	**SSC-WCH-1630**
16″	406	36″	914	166	75.3	double doors	**SSC-WCH-1636**
16″	406	48″	1219	214	97.1	double doors	**SSC-WCH-1648**



SSC-WCHL-1324



SSC-WCHR-1324



SSC-WCH-1348

with Sloped Top

depth		width		weight			
in	mm	in	mm	lbs.	kg	description	model #
13″	330	18″	457	156	70.7	left swing door	**SSC-WCHLST-1318**
13″	330	18″	457	156	70.7	right swing door	**SSC-WCHRST-1318**
13″	330	24″	610	162	73.5	left swing door	**SSC-WCHLST-1324**
13″	330	24″	610	162	73.5	right swing door	**SSC-WCHRST-1324**
13″	330	30″	762	174	78.9	double doors	**SSC-WCHST-1330**
13″	330	36″	914	192	87.1	double doors	**SSC-WCHST-1336**
13″	330	48″	1219	228	103.4	double doors	**SSC-WCHST-1348**
16″	406	18″	457	162	73.5	left swing door	**SSC-WCHLST-1618**
16″	406	18	457	162	73.5	right swing door	**SSC-WCHRST-1618**
16″	406	24″	610	168	76.2	left swing door	**SSC-WCHLST-1624**
16″	406	24″	610	168	76.2	right swing door	**SSC-WCHRST-1624**
16″	406	30″	762	180	81.6	double doors	**SSC-WCHST-1630**
16″	406	36″	914	186	84.4	double doors	**SSC-WCHST-1636**
16″	406	48″	1219	234	106.1	double doors	**SSC-WCHST-1648**



SSC-WCHLST-1324



SSC-WCHRST-1324



SSC-WCHST-1330

Consult factory for pricing.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Upper Cabinets (continued)

Framed Glass Swinging Wall Cases

see spec sheet **EG03.32**

FEATURES:

- Full height hinged door(s) with framed glass.
- Two adjustable shelves.
- 31″ *(787mm)* height.
- 13″ *(330mm)* or 16″ *(406mm)* depth.

with Flat Top


depth		width		weight			
in	mm	in	mm	lbs.	kg	description	model #
13″	330	18″	457	166	75.3	left swing door	**SSC-WCGHL-1318**
13″	330	18″	457	166	75.3	right swing door	**SSC-WCGHR-1318**
13″	330	24″	610	172	78.0	left swing door	**SSC-WCGHL-1324**
13″	330	24″	610	172	78.0	right swing door	**SSC-WCGHR-1324**
13″	330	30″	762	184	83.4	double doors	**SSC-WCGH-1330**
13″	330	36″	914	184	83.4	double doors	**SSC-WCGH-1336**
13″	330	48″	1219	202	91.6	double doors	**SSC-WCGH-1348**
16″	406	18″	457	172	78.0	left swing door	**SSC-WCGHL-1618**
16″	406	18″	457	172	78.0	right swing door	**SSC-WCGHR-1618**
16″	406	24″	610	178	80.7	left swing door	**SSC-WCGHL-1624**
16″	406	24″	610	178	80.7	right swing door	**SSC-WCGHR-1624**
16″	406	30″	762	160	72.6	double doors	**SSC-WCGH-1630**
16″	406	36″	914	166	75.3	double doors	**SSC-WCGH-1636**
16″	406	48″	1219	214	97.1	double doors	**SSC-WCGH-1648**



SSC-WCGHL-1324



SSC-WCGHR-1324



SSC-WCGH-1348

with Sloped Top


depth		width		weight			
in	mm	in	mm	lbs.	kg	description	model #
13″	330	18″	457	186	84.4	left swing door	**SSC-WCGHLST-1318**
13″	330	18″	457	186	84.4	right swing door	**SSC-WCGHRST-1318**
13″	330	24″	610	192	87.1	left swing door	**SSC-WCGHLST-1324**
13″	330	24″	610	192	87.1	right swing door	**SSC-WCGHRST-1324**
13″	330	30″	762	244	110.7	double doors	**SSC-WCGHST-1330**
13″	330	36″	914	222	100.7	double doors	**SSC-WCGHST-1336**
13″	330	48″	1219	158	71.7	double doors	**SSC-WCGHST-1348**
16″	406	18″	457	192	87.1	left swing door	**SSC-WCGHLST-1618**
16″	406	18″	457	192	87.1	right swing door	**SSC-WCGHRST-1618**
16″	406	24″	610	198	89.8	left swing door	**SSC-WCGHLST-1624**
16″	406	24″	610	198	89.8	right swing door	**SSC-WCGHRST-1624**
16″	406	30″	762	210	95.2	double doors	**SSC-WCGHST-1630**
16″	406	36″	914	216	98.0	double doors	**SSC-WCGHST-1636**
16″	406	48″	1219	264	119.7	double doors	**SSC-WCGHST-1648**



SSC-WCGHLST-1324



SSC-WCGHRST-1324



SSC-WCGHST-1630

NEW Corner Cases


see spec sheet **EG03.33**

FEATURES:

- Open front or solid hinged left or right door.
- Two adjustable shelves.
- 31″ *(787mm)* height.
- 13″ *(330mm)* or 16″ *(406mm)* depth.

depth		width*		weight			
in	mm	in	mm	lbs.	kg	description	model #
13″	330	36⅜″	924	120	54.4	open front	**SSC-WCCO-1318**
13″	330	18″	457	126	57.2	left swing door	**SSC-WCCHL-1318**
13″	330	18″	457	126	57.2	right swing door	**SSC-WCCHR-1318**
16″	406	18″	457	135	61.2	open front	**SSC-WCCO-1618**
16″	406	18″	457	141	64.0	left swing door	**SSC-WCCHL-1618**
16″	406	18″	457	141	64.0	right swing door	**SSC-WCCHR-1618**

* Overall end-to-end dimension.



SSC-WCCHR-1318

Consult factory for pricing.

Tall Cabinets


Open Tall Cases

see spec sheet **EG03.40**

depth		width		with Flat Top weight			with Sloped Top weight		
in	mm	in	mm	lbs.	kg	model #	lbs.	kg	model #
18″	457	24″	610	263	119.3	**SSC-TOB-1824**	283	128.3	**SSC-TOBST-1824**
18″	457	30″	762	293	132.9	**SSC-TOB-1830**	313	142.0	**SSC-TOBST-1830**
18″	457	36″	914	301	136.5	**SSC-TOB-1836**	321	145.6	**SSC-TOBST-1836**
18″	457	48″	1219	331	150.1	**SSC-TOB-1848**	351	159.2	**SSC-TOBST-1848**
24″	610	24″	610	338	153.3	**SSC-TOB-2424**	358	162.4	**SSC-TOBST-2424**
24″	610	30″	762	368	166.9	**SSC-TOB-2430**	388	176.0	**SSC-TOBST-2430**
24″	610	36″	914	413	187.3	**SSC-TOB-2436**	433	196.4	**SSC-TOBST-2436**
24″	610	48″	1219	443	200.9	**SSC-TOB-2448**	463	210.0	**SSC-TOBST-2448**

FEATURES:

- Open front.
- Five adjustable shelves.
- 84″ *(2134mm)* height.
- 18″ *(457mm)* or 24″ *(610mm)* depth.



Solid Swinging Tall Cases

see spec sheet **EG03.41**

FEATURES:

- Full height solid hinged door(s).
- Five adjustable shelves.
- 84″ *(2134mm)* height.
- 18″ *(457mm)* or 24″ *(610mm)* depth.

with Flat Top

depth		width		weight			
in	mm	in	mm	lbs.	kg	description	model #
18″	457	24″	610	343	64.4	left swing door	**SSC-TCBL-1824**
18″	457	24″	610	343	64.4	right swing door	**SSC-TCBR-1824**
18″	457	30″	762	381	69.8	double doors	**SSC-TCB-1830**
18″	457	36″	914	413	78.0	double doors	**SSC-TCB-1836**
18″	457	48″	1219	418	94.3	double doors	**SSC-TCB-1848**
24″	610	24″	610	373	67.1	left swing door	**SSC-TCBL-2424**
24″	610	24″	610	373	67.1	right swing door	**SSC-TCBR-2424**
24″	610	30″	762	448	72.6	double doors	**SSC-TCB-2430**
24″	610	36″	914	493	75.3	double doors	**SSC-TCB-2436**
24″	610	48″	1219	523	97.1	double doors	**SSC-TCB-2448**

with Sloped Top

depth		width		weight			
in	mm	in	mm	lbs.	kg	description	model #
18″	457	24″	610	363	164.6	left swing door	**SSC-TCBSTL-1824**
18″	457	24″	610	363	164.6	right swing door	**SSC-TCBSTR-1824**
18″	457	30″	762	401	181.9	double doors	**SSC-TCBST-1830**
18″	457	36″	914	431	195.5	double doors	**SSC-TCBST-1836**
18″	457	48″	1219	438	198.6	double doors	**SSC-TCBST-1848**
24″	610	24″	610	393	178.2	left swing door	**SSC-TCBSTL-2424**
24″	610	24″	610	393	178.2	right swing door	**SSC-TCBSTR-2424**
24″	610	30″	762	468	212.2	double doors	**SSC-TCBST-2430**
24″	610	36″	914	513	232.7	double doors	**SSC-TCBST-2436**
24″	610	48″	1219	543	246.3	double doors	**SSC-TCBST-2448**



SSC-TCBL-1824



SSC-TCBR-1824



SSC-TCB-1830



SSC-TCBSTL-1824



SSC-TCBSTR-1824



SSC-TCBST-1830

Consult factory for pricing.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Tall Cabinets (continued)



Framed Glass Swinging Tall Cases

see spec sheet **EG03.42**

FEATURES:

- Full height hinged door(s) with framed glass.
- Five adjustable shelves.
- 84″ *(2134mm)* height.
- 18″ *(457mm)* or 24″ *(610mm)* depth.

with Flat Top

depth		width		weight			
in	mm	in	mm	lbs.	kg	description	model #
18″	457	24″	610	443	200.9	left swing door	**SSC-TCBGL-1824**
18″	457	24″	610	443	200.9	right swing door	**SSC-TCBGR-1824**
18″	457	30″	762	481	218.1	double doors	**SSC-TCBG-1830**
18″	457	36″	914	481	218.1	double doors	**SSC-TCBG-1836**
18″	457	48″	1219	518	234.9	double doors	**SSC-TCBG-1848**
24″	610	24″	610	473	214.5	left swing door	**SSC-TCBGL-2424**
24″	610	24″	610	473	214.5	right swing door	**SSC-TCBGR-2424**
24″	610	30″	762	548	248.5	double doors	**SSC-TCBG-2430**
24″	610	36″	914	593	268.9	double doors	**SSC-TCBG-2436**
24″	610	48″	1219	623	282.5	double doors	**SSC-TCBG-2448**

with Sloped Top

depth		width		weight			
in	mm	in	mm	lbs.	kg	description	model #
18″	457	24″	610	463	210.0	left swing door	**SSC-TCBGLST-1824**
18″	457	24″	610	463	210.0	right swing door	**SSC-TCBGRST-1824**
18″	457	30″	762	501	227.2	double doors	**SSC-TCBGST-1830**
18″	457	36″	914	531	240.8	double doors	**SSC-TCBGST-1836**
18″	457	48″	1219	538	244.0	double doors	**SSC-TCBGST-1848**
24″	610	24″	610	493	223.6	left swing door	**SSC-TCBGLST-2424**
24″	610	24″	610	493	223.6	right swing door	**SSC-TCBGRST-2424**
24″	610	30″	762	568	257.6	double doors	**SSC-TCBGST-2430**
24″	610	36″	914	613	278.0	double doors	**SSC-TCBGST-2436**
24″	610	48″	1219	643	291.6	double doors	**SSC-TCBGST-2448**


SSC-TCBGL-1818


SSC-TCBGR-1824


SSC-TCBG-1830


SSC-TCBGLST-1824


SSC-TCBGRST-1824


SSC-TCBGST-1830

Consult factory for pricing.

NEW Healthcare Storage Cabinets SEFA

see spec sheet EG03.70



double-width unit with baskets

FEATURES:

- Type 304 stainless steel construction.
- 45 pairs of slides on inner panels.
- Hinged doors, with 4″ *(102mm)* wire-style pulls, available solid or with framed glass.
- Single- and double-width units available.
- 83″ *(2108mm)* height.

			Single-Width Units			Double-Width Units		
depth			width			width		
in	mm	description	in.	mm	model #	in.	mm	model #
18″	457	solid	28″	711	**PSSC-TCB-1828**	54″	1372	**PSSC-TCB-1854**
18″	457	with framed glass	28″	711	**PSSC-TCBG-1828**	54″	1372	**PSSC-TCBG-1854**
26″	661	solid	20″	508	**PSSC-TCB-2620**	38″	965	**PSSC-TCB-2638**
26″	661	with framed glass	20″	508	**PSSC-TCBG-2620**	38″	965	**PSSC-TCBG-2638**

NEW Baskets and Trays for Healthcare Storage Cabinets SEFA

see spec sheet EG03.71

FEATURES:

- Cream-colored ABS material.
- Tray stopper keeps basket / tray from falling.
- 23⅝″ x 15¾″ *(600 x 400mm)*.



#PSST-SB4




#PSST-ST8 shown with dividers

Baskets and Trays

height		length x width		number of slide*			Optional Dividers	
in.	mm	in.	mm	spaces used	OPEN BASKETS model #	SOLID TRAYS model #	SHORT model #	LONG model #
2″	51	23⅝″ x 15¾″	600 x 400	2 slide spaces	-	**PSSC-ST2**	**PSSC-SD2**	**PSSC-LD2**
4″	102	23⅝″ x 15¾″	600 x 400	3 slide spaces	**PSSC-SB4**	**PSSC-ST4**	**PSSC-SD4**	**PSSC-LD4**
8″	203	23⅝″ x 15¾″	600 x 400	5 slide spaces	**PSSC-SB8**	**PSSC-ST8**	**PSSC-SD8**	**PSSC-LD8**

* Standard 83″ (2108mm) cabinets have 45 available slide spaces.



Accessories for Baskets and Trays

description	model #
vertical label holder: can be adhered to top of dividers or front edge of baskets	**PSSC-LHV**
horizontal label holder: can be adhered to top of dividers or front edge of baskets	**PSSC-LHH**
blue color strip: other colors available	**PSSC-HDLS-BL**
T-holder for dividers: allows use of custom-length dividers	**PSSC-THD**
basket stop: prevents basket from falling out when pulled	**PSSC-BSKSTP**
divider lock: keeps dividers locked in place	**PSSC-DL**
pull handle: attaches to 23-5/8″ (600mm) basket side	**PSSC-LHAN-W**
pull handle: attaches to 15-3/4″ (400mm) basket side	**PSSC-LHAN-S**

Consult factory for pricing.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Vertical Storage Cabinets

see spec sheet **EG04.11**



vertical storage cabinet with flat top

Note: Custom sizes, glass doors, locks, and additional shelves available upon request. Please contact factory for pricing on these options.


FEATURES:

- Type 304 stainless steel construction.
- Four (4) adjustable intermediate shelves.
- Hinged doors with wire-style pulls.
- Stationary units feature stainless steel legs with 1″ *(25mm)* adjustable bullet feet.
- Mobile "-CPB" units include 5″ *(127mm)*-diameter swivel/brake casters with poly tread.


					with Flat Top					with Sloped Top				
depth		width			height		weight			height		weight		
in	mm	in.	mm		in.	mm	lbs.	kg	model #	in.	mm	lbs.	kg	model #
18″	457	36″	914	stationary	72″	1829	416	188.7	**SSC-TSC-1836**	77″	1956	419	190.0	**SSC-TSCST-1836**
18″	457	48″	1219	stationary	72″	1829	490	222.3	**SSC-TSC-1848**	77″	1956	495	224.5	**SSC-TSCST-1848**
24″	610	36″	914	stationary	72″	1829	458	207.7	**SSC-TSC-2436**	77″	1956	461	209.1	**SSC-TSCST-2436**
24″	610	48″	1219	stationary	72″	1829	539	244.5	**SSC-TSC-2448**	77″	1956	545	247.2	**SSC-TSCST-2448**
24″	610	36″	914	mobile	72″	1829	462	209.6	**SSC-TSC-2436-CPB**	78″	1981	465	210.9	**SSC-TSCST-2436-CPB**
24″	610	48″	1219	mobile	72″	1829	543	246.3	**SSC-TSC-2448-CPB**	78″	1981	549	249.0	**SSC-TSCST-2448-CPB**

Bench Frames

Model Number Configuration



#SSC-HT-2460 shown



Model Number: **SSC** - **HT** - **2460**

- **SSC** — *stainless steel casework*
- **HT** — *"HT" = Standing Height "ST" = Sitting Height*
- **2460** — *actual dimension of top (in inches)*

Note: Allow 1″ overhang from each side of table frame to be fitted for top.


Standard Bench Frames

see spec sheet **EG03.50**

FEATURES:

- Standing and Sitting-Height models available.
- 22″ *(559mm)* or 28″ *(712mm)* depth.

				35″ Standing Height			29⅛″ Sitting Height		
depth		width		weight			weight		
in	mm	in	mm	lbs.	kg	model #	lbs.	kg	model #
22″	559	22″	559	50	22.7	**SSC-HT-2424**	48	21.8	**SSC-ST-2424**
22″	559	28″	711	55	24.9	**SSC-HT-2430**	53	24.0	**SSC-ST-2430**
22″	559	34″	864	60	27.2	**SSC-HT-2436**	58	26.3	**SSC-ST-2436**
22″	559	40″	1016	65	29.5	**SSC-HT-2442**	63	28.6	**SSC-ST-2442**
22″	559	46″	1168	70	31.7	**SSC-HT-2448**	68	30.8	**SSC-ST-2448**
22″	559	58″	1473	78	35.4	**SSC-HT-2460**	76	34.5	**SSC-ST-2460**
22″	559	64″	1626	84	38.1	**SSC-HT-2466**	82	37.2	**SSC-ST-2466**
22″	559	70″	1778	90	40.8	**SSC-HT-2472**	88	39.9	**SSC-ST-2472**
28″	711	22″	559	55	24.9	**SSC-HT-3024**	53	24.0	**SSC-ST-3024**
28″	711	28″	711	58	26.3	**SSC-HT-3030**	56	25.4	**SSC-ST-3030**
28″	711	34″	864	65	29.5	**SSC-HT-3036**	63	28.6	**SSC-ST-3036**
28″	711	40″	1016	70	31.7	**SSC-HT-3042**	68	30.8	**SSC-ST-3042**
28″	711	46″	1168	75	34.0	**SSC-HT-3048**	73	33.1	**SSC-ST-3048**
28″	711	58″	1473	84	38.1	**SSC-HT-3060**	82	37.2	**SSC-ST-3060**
28″	711	64″	1626	91	41.3	**SSC-HT-3066**	89	40.4	**SSC-ST-3066**
28″	711	70″	1778	98	44.4	**SSC-HT-3072**	96	43.5	**SSC-ST-3072**



Consult factory for pricing.


Bench Frames with Drawers

with One Drawer

see spec sheet **EG04.51**

FEATURES:
- Standing and Sitting-Height models available.
- 22″ *(559mm)* or 28″ *(712mm)* depth.

				35″ Standing Height			29⅛″ Sitting Height		
depth		width		weight			weight		
in	mm	in	mm	lbs.	kg	model #	lbs.	kg	model #
22″	559	22″	559	50	22.7	**SSC-HT1D-2424**	48	21.8	**SSC-ST1D-2424**
22″	559	28″	711	55	24.9	**SSC-HT1D-2430**	53	24.0	**SSC-ST1D-2430**
22″	559	34″	864	60	27.2	**SSC-HT1D-2436**	58	26.3	**SSC-ST1D-2436**
22″	559	40″	1016	65	29.5	**SSC-HT1D-2442**	63	28.6	**SSC-ST1D-2442**
22″	559	46″	1168	70	31.7	**SSC-HT1D-2448**	68	30.8	**SSC-ST1D-2448**
22″	559	58″	1473	78	35.4	**SSC-HT1D-2460**	76	34.5	**SSC-ST1D-2460**
22″	559	64″	1626	84	38.1	**SSC-HT1D-2466**	82	37.2	**SSC-ST1D-2466**
22″	559	70″	1778	90	40.8	**SSC-HT1D-2472**	88	39.9	**SSC-ST1D-2472**
28″	711	22″	559	55	24.9	**SSC-HT1D-3024**	53	24.0	**SSC-ST1D-3024**
28″	711	28″	711	58	26.3	**SSC-HT1D-3030**	56	25.4	**SSC-ST1D-3030**
28″	711	34″	864	65	29.5	**SSC-HT1D-3036**	63	28.6	**SSC-ST1D-3036**
28″	711	40″	1016	70	31.7	**SSC-HT1D-3042**	68	30.8	**SSC-ST1D-3042**
28″	711	46″	1168	75	34.0	**SSC-HT1D-3048**	73	33.1	**SSC-ST1D-3048**
28″	711	58″	1473	84	38.1	**SSC-HT1D-3060**	82	37.2	**SSC-ST1D-3060**
28″	711	64″	1626	91	41.3	**SSC-HT1D-3066**	89	40.4	**SSC-ST1D-3066**
28″	711	70″	1778	98	44.4	**SSC-HT1D-3072**	96	43.5	**SSC-ST1D-3072**



with Two Drawers

see spec sheet **EG03.52**

FEATURES:
- Standing and Sitting-Height models available.
- 22″ *(559mm)* or 28″ *(712mm)* depth.

				35″ Standing Height			29⅛″ Sitting Height		
depth		width		weight			weight		
in	mm	in	mm	lbs.	kg	model #	lbs.	kg	model #
22″	559	22″	559	50	22.7	**SSC-HT2D-2424**	48	21.8	**SSC-ST2D-2424**
22″	559	28″	711	55	24.9	**SSC-HT2D-2430**	53	24.0	**SSC-ST2D-2430**
22″	559	34″	864	60	27.2	**SSC-HT2D-2436**	58	26.3	**SSC-ST2D-2436**
22″	559	40″	1016	65	29.5	**SSC-HT2D-2442**	63	28.6	**SSC-ST2D-2442**
22″	559	46″	1168	70	31.7	**SSC-HT2D-2448**	68	30.8	**SSC-ST2D-2448**
22″	559	58″	1473	78	35.4	**SSC-HT2D-2460**	76	34.5	**SSC-ST2D-2460**
22″	559	64″	1626	84	38.1	**SSC-HT2D-2466**	82	37.2	**SSC-ST2D-2466**
22″	559	70″	1778	90	40.8	**SSC-HT2D-2472**	88	39.9	**SSC-ST2D-2472**
28″	711	22″	559	55	24.9	**SSC-HT2D-3024**	53	24.0	**SSC-ST2D-3024**
28″	711	28″	711	58	26.3	**SSC-HT2D-3030**	56	25.4	**SSC-ST2D-3030**
28″	711	34″	864	65	29.5	**SSC-HT2D-3036**	63	28.6	**SSC-ST2D-3036**
28″	711	40″	1016	70	31.7	**SSC-HT2D-3042**	68	30.8	**SSC-ST2D-3042**
28″	711	46″	1168	75	34.0	**SSC-HT2D-3048**	73	33.1	**SSC-ST2D-3048**
28″	711	58″	1473	84	38.1	**SSC-HT2D-3060**	82	37.2	**SSC-ST2D-3060**
28″	711	64″	1626	91	41.3	**SSC-HT2D-3066**	89	40.4	**SSC-ST2D-3066**
28″	711	70″	1778	98	44.4	**SSC-HT2D-3072**	96	43.5	**SSC-ST2D-3072**



Consult factory for pricing.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

NEW Adjustable Height Tables SEFA

Pinned Leg Adjustable Height Tables

see spec sheet **EG03.53**

FEATURES:

- 2″ *(51mm)* square legs with leveling mount.
- Adjustable from 30″ to 37″ *(762 to 940mm)* height.
- 22″ *(559mm)* or 28″ *(712mm)* depth.

depth*		width*		Frame Assemblies Only	Units with Stainless* Steel Tabletop
in	mm	in	mm	model #	model #
22″	559	22″	559	SSC-AHTP-2424	SSC-AHTTP-2424
22″	559	28″	711	SSC-AHTP-2430	SSC-AHTTP-2430
22″	559	34″	864	SSC-AHTP-2436	SSC-AHTTP-2436
22″	559	46″	1168	SSC-AHTP-2448	SSC-AHTTP-2448
22″	559	58″	1473	SSC-AHTP-2460	SSC-AHTTP-2460
22″	559	70″	1778	SSC-AHTP-2472	SSC-AHTTP-2472
28″	711	28″	711	SSC-AHTP-3030	SSC-AHTTP-3030
28″	711	34″	864	SSC-AHTP-3036	SSC-AHTTP-3036
28″	711	46″	1168	SSC-AHTP-3048	SSC-AHTTP-3048
28″	711	58″	1473	SSC-AHTP-3060	SSC-AHTTP-3060
28″	711	70″	1778	SSC-AHTP-3072	SSC-AHTTP-3072

* For units with tabletop, add 2″ to width and depth. Tabletop is 16 gauge stainless steel, with support channels, sound-deadening tape, and square edge on all for sides.



Electronic Drive Adjustable Height Tables

see spec sheet **EG03.54**

- 2″ *(51mm)* square legs with leveling mount.
- 29″ to 40″ *(737 to 1016mm)* height adjustment.
- Electromechanical drive in each leg.
- 22″ *(559mm)* or 28″ *(712mm)* depth.

depth*		width*		Frame Assemblies Only	Units with Stainless* Steel Tabletop
in	mm	in	mm	model #	model #
22″	559	22″	559	SSC-AHTM-2424	SSC-AHTTM-2424
22″	559	28″	711	SSC-AHTM-2430	SSC-AHTTM-2430
22″	559	34″	864	SSC-AHTM-2436	SSC-AHTTM-2436
22″	559	46″	1168	SSC-AHTM-2448	SSC-AHTTM-2448
22″	559	58″	1473	SSC-AHTM-2460	SSC-AHTTM-2460
22″	559	70″	1778	SSC-AHTM-2472	SSC-AHTTM-2472
28″	711	28″	711	SSC-AHTM-3030	SSC-AHTTM-3030
28″	711	34″	864	SSC-AHTM-3036	SSC-AHTTM-3036
28″	711	46″	1168	SSC-AHTM-3048	SSC-AHTTM-3048
28″	711	58″	1473	SSC-AHTM-3060	SSC-AHTTM-3060
28″	711	70″	1778	SSC-AHTM-3072	SSC-AHTTM-3072

* For units with tabletop, add 2″ to width and depth. Tabletop is 16 gauge stainless steel, with support channels, sound-deadening tape, and square edge on all for sides.



Consult factory for pricing.

Pegboards

see spec sheet **EG03.60**



#SSC-PB2436-4



#SSC-PB1824-4

FEATURES:

- Heavy gauge 304 stainless steel construction
- Comes standard with 6″ white polymer pegs
- 4″ integral drip trough
- All drip troughs come with 36″ long clear flexible drain tubing
- Wall mounting bracket included

width in	width mm	height in	height mm	weight lbs.	weight kg	no. of pegs	model #
18″	457	24″	610	13	5.9	15	SSC-PB1824-4
24″	610	18″	457	15	6.8	16	SSC-PB2418-4
24″	610	24″	610	17	7.7	20	SSC-PB2424-4
24″	610	30″	762	23	10.4	32	SSC-PB2430-4
24″	610	36″	914	25	11.3	40	SSC-PB2436-4
30″	762	24″	610	23	10.4	25	SSC-PB3024-4
30″	762	30″	762	25	11.3	50	SSC-PB3030-4
30″	762	36″	914	25	11.3	40	SSC-PB3036-4
36″	914	24″	610	25	11.3	30	SSC-PB3624-4
36″	914	30″	762	26	11.8	60	SSC-PB3630-4
36″	914	36″	914	27	12.2	66	SSC-PB3636-4
48″	1219	24″	610	26	11.8	40	SSC-PB3624-4
48″	1219	30″	762	28	12.7	48	SSC-PB3630-4
48″	1219	36″	914	30	13.6	88	SSC-PB3636-4

Options for Pegboards

description	weight lbs.	weight kg	model #
10-pack of pegs	4	1.8	SSC-PB-6PEG
10-pack of hole covers	4	1.8	SSC-PB-BLANK

NEW Laboratory Wall Shelves

see spec sheets **EG03.80** **EG03.81**





Available with or without front wire ledge!

FEATURES:

- 16 gauge stainless steel shelves, with center hat channel and 1¼″ rear upturn
- Adjustable on 1½″ increments
- 36″ tall, 1″ square tubular uprights

shelf depth in	shelf depth mm	shelf length in	shelf length mm	overall length in	overall length mm	weight lbs.	weight kg	WITH UPTURNED BOOKENDS: STANDARD SHELVES model #	WITH UPTURNED BOOKENDS: WITH WIRE LEDGE model #	WITH DOWNTURNED BOOKENDS: STANDARD SHELVES model #	WITH DOWNTURNED BOOKENDS: WITH WIRE LEDGE model #
12″	305	30″	762	31″	787	38	17.2	LS1230-36-3	LS1230-36-3L	LSD1230-36-3	LSD1230-36-3L
12″	305	36″	914	37″	939	43	19.5	LS1236-36-3	LS1236-36-3L	LSD1236-36-3	LSD1236-36-3L
12″	305	48″	1219	49″	1244	52	23.6	LS1248-36-3	LS1248-36-3L	LSD1248-36-3	LSD1248-36-3L
12″	305	60″	1524	61″	1549	62	28.1	LS1260-36-3	LS1260-36-3L	LSD1260-36-3	LSD1260-36-3L
12″	305	72″	1828	73″	1854	71	32.2	LS1272-36-3	LS1272-36-3L	LSD1272-36-3	LSD1272-36-3L
15″	381	30″	762	31″	787	44	20.0	LS1530-36-3	LS1530-36-3L	LSD1530-36-3	LSD1530-36-3L
15″	381	36″	914	37″	939	50	22.7	LS1536-36-3	LS1536-36-3L	LSD1536-36-3	LSD1536-36-3L
15″	381	48″	1219	49″	1244	61	27.7	LS1548-36-3	LS1548-36-3L	LSD1548-36-3	LSD1548-36-3L
15″	381	60″	1524	61″	1549	72	32.7	LS1560-36-3	LS1560-36-3L	LSD1560-36-3	LSD1560-36-3L
15″	381	72″	1828	73″	1854	83	37.6	LS1572-36-3	LS1572-36-3L	LSD1572-36-3	LSD1572-36-3L
18″	457	30″	762	31″	787	51	23.1	LS1830-36-3	LS1830-36-3L	LSD1830-36-3	LSD1830-36-3L
18″	457	36″	914	37″	939	57	25.9	LS1836-36-3	LS1836-36-3L	LSD1836-36-3	LSD1836-36-3L
18″	457	48″	1219	49″	1244	70	31.8	LS1848-36-3	LS1848-36-3L	LSD1848-36-3	LSD1848-36-3L
18″	457	60″	1524	61″	1549	83	37.5	LS1860-36-3	LS1860-36-3L	LSD1860-36-3	LSD1860-36-3L
18″	457	72″	1828	73″	1854	97	44.0	LS1872-36-3	LS1872-36-3L	LSD1872-36-3	LSD1872-36-3L

Consult factory for pricing.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Stainless Steel Countertops





stainless steel countertops fabricated to drawings indicating backsplash height, raised edge and field condition requirements


- 16 or 14 gauge, type 304 or 316 stainless steel. Other gauges and types of stainless available to meet the function and chemical resistant demands of highly specialized labs.
- Standard front edge Square or Box Marine, unless otherwise specified. See *detail 1* on next page.
- Back and end splashes are manufactured per specification. See *details 2 & 3* on next page. All working surfaces and sink bowls have coved sanitary horizontal and vertical corners.
- Either a mechanical hairline seam or field welded joint available per your specifications.
  Maximum length without seam is 144″ if no end splash. Length is reduced by 5½″ for each end splash that may be required.
- Fabricated sink bowls available in most any size and depth with single or multiple compartments.
- For backsplash mounted faucets, splash will need to be at least 2″ deep for plumbing access, holes for deck mounted faucets are typically centered 1½″ from the edge of sink bowl.
- Both L-shaped and U-shaped tops are available per your drawings.
  - Corners are mitered and factory welded.
  - Maximum size without field joint provisions is 96″ x 96″ to fit into standard trailer for ground shipment.
- Countertops have stainless steel reinforcing hat channels. Sound deadening tape is factory installed. Top support options include National Sanitation Foundation (NSF)-listed sprayed latex sound deadening and marine grade plywood backing with white laminate facing.
- Standard packaging is wood reinforced cardboard and is included in the cost. Should full crating be required, it too will be included in the cost.







Stainless Steel Countertops


see spec sheet **EG04.12**








detail 1: edges



detail 2:
4" backsplash with 1" return and turndown. Z-clip provided for wall attachement.



detail 3:
4-1/2" backsplash with 1" return.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

SpecFAB® Custom Capabilities

Custom Equipment Manufactured to Your Specifications!



CUSTOM APPLICATIONS COMPRISED OF SPECIALLY FABRICATED, STAINLESS STEEL EQUIPMENT OR PRE-FAB MODULAR COMPONENTS, OR A COMBINATION OF BOTH, WORK THEIR WAY QUICKLY THROUGH A SIMPLE YET SOPHISTICATED DESIGN, APPROVAL AND FABRICATION PROCESS. EQUIPMENT BUILT TO YOUR EXACT SPECIFICATIONS, PRE-WIRED AND PRE-PLUMBED (IF APPLICABLE), IS SHIPPED WITH SHORTER LEAD TIMES AND AT A LOWER OVERALL COST.



Manufacturing Capabilities:

- Engineering and design assistance.
- Room layouts provided.
- Standard and custom built stainless products.
- Small to large order capacities.
- Designed and built to industry standards.
- Quality controlled throughout process.
- In-house equipment capabilities and standard products provide ***economical*** solutions.
- Electropolishing services.





Eagle's SpecFAB® Division was formed to fill the gap between standard equipment and high-cost "wish-and-wait" highly customized equipment. SpecFAB® provides a way to short-cut the design and fabrication process. Depending on our customer's needs, we can build custom configurations from scratch or we can design pre-fab modular components. Having this flexibility means we can deliver custom equipment faster and at a lower cost. There's more that separates SpecFAB® from other custom equipment providers – its investment in the most sophisticated manufacturing systems means that each and every custom piece is consistent. We can make multiple pieces with repeat precision.

With SpecFAB®, you get quality custom equipment, built to your specifications and delivered to you fast – at affordable prices. The process begins with our staff of professional designers who analyze your idea, your needs and your budget. We create many of our custom configurations from superior pre-fab modular components. In this way we custom-fit an custom-build equipment while passing along important cost-efficiencies to you.

Design Services for Carts, Work Flow, and Room Layouts

Shelf-Select™


*A **no-cost** design and layout service for wire shelving products.*

Provide us with…


- Dimensions of the space available
- Number of shelves required per unit
- Post heights
- Indicate stationary, mobile or high-density
- Any additional pertinent storage requirements

And we'll provide you with…


- **Plan View**
  Shelving systems layout makes the most efficient utilization of your available space.
- **Perspective View**
  Illustrates the proposed equipment assembled in the available space. A great tool for presentation which reduces field assembly time provided to your installer.
- **Quote**
  Includes model numbers, net prices and shipping weights for all components in specified job.



plan view



perspective view



quote



SEFA

SPACE Planning

AUTODESK REVIT

Since joining the Revit® community in late 2012, Eagle has been working diligently to create our Revit® content library of catalog items.

You can access Eagle's Revit® library through our website—www.eaglemhc.com—which features a link on the homepage which takes you directly to our offering in the KCL library.



Contact us…

If you are interested in a model that is not yet available via our website, please contact us via email at: revit@eaglegrp.com

Please include the following information with your request, if applicable:

- Contact information
- Project name
- Requested timeline
- Deliverable media
- Custom or standard (include Model #)
- Plans and/or specifications related
- Special considerations
- Revit version (2014-2017 available)

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Accessories/Components

Hangers & Hanger Bar Kits 128-129
Polymer Stem Casters 129
Posts, Electropolished 129
Replacement Garment Hanger Tubes..... 129

adjusTable® Work Surface Systems

adjusTable® Work Surface Systems 136-137
with Cantilevered Overhead System 138-139
with Wire Overshelf System 140-141

Freestanding Gowning Racks

with Hanger Rail 126
with Wire Shelving Components..... 127

Workstations

Mobile Computer Workstations 135
Workstations..... 135

More Cleanroom/Lab Equipment

Cleanroom Tables 132-134
Gowning Benches..... 130-131
Laboratory Wall Shelves..... 146
Roll Bag Dispensers..... 142
Shoe Racks 143
Stainless Steel Countertops 144-145
Vertical Storage Cabinets..... 143
Wall Mounted Gowning Racks 128

See page 146 for the NEW *Laboratory Wall Shelves*



Breath/Safety Shields

See pages 269-273

- A variety of styles to choose from, including countertop, bolted-on, and ceiling-mounted shields.
- All shields feature 1″ *(25mm)* radius corners.
- All models constructed of durable 7/32″ *(6mm)* Plexiglas®.
- Custom sizes available upon request.

Freestanding Gowning Racks with Hanger Rail

see spec sheet **EG04.01A**



single gowning rack – facilitating hangers to be non-removable*



*double gowning rack – facilitating hangers * to be removable*



cantilevered gowning rack – facilitating hangers to be removable*

** hangers shown sold separately*

FEATURES:

- Stainless steel construction offers a non-contaminating surface that eliminates particle shedding.
- Electropolished models feature electrochemically passivated surfaces for the most demanding requirements.
- *75″ (1905mm)* height.
- Hanger slots are standard *3″ (76mm)* centers, but other center configurations are available.

Notes: All models use open loop hangers—sold separately. See page 128.

Prices do not include hangers.

25% upcharge to change slot spacing from standard.

Casters not available for these units.

Designed for efficient storage of garments in the cleanroom.

Single Rack Models

	length		weight		cu	number of	for Non-Removable Hangers				for Removable Hangers			
							stainless steel		electropolished		stainless steel		electropolished	
	in.	mm	lbs.	kg	ft	hanger slots	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	48″	1219	40	18.1	15.0	15	S2448-SGRN	4628	EP2448-SGRN	5559	S2448-SGRR	4012	EP2448-SGRR	4920
	60″	1524	45	20.4	15.0	19	S2460-SGRN	4732	EP2460-SGRN	6020	S2460-SGRR	4094	EP2460-SGRR	5338
	72″	1829	50	22.7	15.0	23	S2472-SGRN	4808	EP2472-SGRN	6233	S2472-SGRR	4198	EP2472-SGRR	5574
	84″	2134	55	24.9	17.5	27	S2484-SGRN	5155	EP2484-SGRN	6580	S2484-SGRR	4510	EP2484-SGRR	5887

Double Rack Models

	length		weight		cu	number of	for Non-Removable Hangers				for Removable Hangers			
							stainless steel		electropolished		stainless steel		electropolished	
	in.	mm	lbs.	kg	ft	hanger slots	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	48″	1219	59	26.7	15.0	32	S2448-DGRN	6923	EP2448-DGRN	8685	S2448-DGRR	6277	EP2448-DGRR	7760
	60″	1524	68	30.8	15.0	40	S2460-DGRN	7205	EP2460-DGRN	9269	S2460-DGRR	6658	EP2460-DGRR	8275
	72″	1829	77	34.9	15.0	48	S2472-DGRN	7519	EP2472-DGRN	9859	S2472-DGRR	6873	EP2472-DGRR	8800
	84″	2134	86	39.0	17.5	56	S2484-DGRN	7850	EP2484-DGRN	10207	S2484-DGRR	7207	EP2484-DGRR	9115

Cantilevered Rack Models

	length		weight		cu	number of	for Non-Removable Hangers				for Removable Hangers			
							stainless steel		electropolished		stainless steel		electropolished	
	in.	mm	lbs.	kg	ft	hanger slots	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	48″	1219	45	20.4	15.0	16	S2448-CGRN	4628	EP2448-CGRN	4920	S2448-CGRR	4012	EP2448-CGRR	4920
	60″	1524	50	22.7	15.0	20	S2460-CGRN	4732	EP2460-CGRN	5338	S2460-CGRR	4094	EP2460-CGRR	5338
	72″	1829	55	24.9	15.0	24	S2472-CGRN	4808	EP2472-CGRN	5574	S2472-CGRR	4198	EP2472-CGRR	5574
	84″	2134	60	27.2	17.5	28	S2484-CGRN	5154	EP2484-CGRN	5887	S2484-CGRR	4510	EP2484-CGRR	5887

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

EAGLE offers gowning racks that incorporate wire shelving components with specially designed gown storage options. They offer a more economical rack option in less demanding environments in chrome plated steel as well as electropolished stainless steel models.

Freestanding Gowning Racks with Wire Shelving Components

see spec sheet **EG04.01B**

FEATURES:

- 86″ *(2184mm)* height.
- Wire shelf features QuadTruss® Design. Patent #5,390,803.

Note: See each model for spacing centers. 25% upcharge to change slot spacing from standard.

with Hanger Slots

- Hanger slots on standard 2½″ *(64mm)* centers.
- Custom spacing available.
- Prices do not include hangers – see page 128 for optional hangers.

	length		weight		cubic	number of	electropolished		chrome	
	in.	mm	lbs.	kg	feet	hanger slots	model #	list	model #	list
24″ width *(610mm)*	48″	1219	30	13.6	5.4	17	**EP2448-GR**	2319	**C2448-GR**	963
	60″	1524	37	16.8	6.5	22	**EP2460-GR**	2766	**C2460-GR**	1086
	72″	1829	40	18.1	7.0	27	**EP2472-GR**	3243	**C2472-GR**	1236



*gowning rack – freestanding with hanger slots**

Optional Keeper Bars for above Gowning Racks

- Makes hangers non-removable.

length		number of	electropolished		chrome	
in.	mm	hanger slots	model #	list	model #	list
48″	1219	17	**KB48-EP**	143	**KB48-C**	118
60″	1524	22	**KB60-EP**	158	**KB60-C**	132
72″	1829	27	**KB72-EP**	177	**KB72-C**	144

with Hooks

- Hooks welded on all four shelf sides are spaced on 1½″ *(38mm)* centers and are staggered 1″ *(25mm)* vertically hook-to-hook for ease of access.

	length		weight		cubic	number of	electropolished		chrome	
	in.	mm	lbs.	kg	feet	hooks	model #	list	model #	list
14″ width *(356mm)*	48″	1219	56	25.4	5.4	72	**EP1448-GRH**	4592	**C1448-GRH**	2277
	60″	1524	68	30.8	6.5	88	**EP1460-GRH**	5486	**C1460-GRH**	2372
	72″	1829	80	36.3	7.0	104	**EP1472-GRH**	6683	**C1472-GRH**	2845



closeup of hooks

gowning rack – freestanding with hooks

with Hanger Tube

- 1″ *(25mm)* diameter tubular bar which easily mounts to underside of wire shelf.
- Facilitates laminar flow.
- See page 129 for replacement garment hanger tubes.

	length		weight		cubic	stainless steel		chrome	
	in.	mm	lbs.	kg	feet	model #	list	model #	list
24″ width *(610mm)*	48″	1219	27	12.2	5.4	**S2448-GRT**	1670	**C2448-GRT**	663
	60″	1524	34	15.4	6.5	**S2460-GRT**	1823	**C2460-GRT**	720
	72″	1829	37	16.7	7.0	**S2472-GRT**	2018	**C2472-GRT**	814

Convenient for storage of lab coats, uniforms and garments.

Weight Capacity: 50 lbs.



*gowning rack – freestanding with hanger tube**

** hangers shown sold separately*

Wall Mounted Gowning Racks


see spec sheet EG04.08

FEATURES:

- Open wire top shelf for laminar flow. Features QuadTruss® Design. Patent #5,390,803.
- Hangers are not included.

Note: See bottom of this page for optional hangers available.

When space management is critical, EAGLE offers three wall mounted options for garment storage.



gowning rack – wall mounted with optional hangers

with Hanger Slots

- Hanger slots on 2½″ *(64mm)* centers. Prices do not include hangers.

	length		weight		cubic	number of	electropolished		chrome	
	in.	mm	lbs.	kg	feet	hanger slots	model #	list	model #	list
24″ width *(610mm)*	48″	1219	19	8.6	1.4	17	**EP2448-WGR**	1830	**C2448-WGR**	739
	60″	1524	24	10.9	1.7	22	**EP2460-WGR**	2233	**C2460-WGR**	896
	72″	1829	29	13.2	2.0	27	**EP2472-WGR**	2678	**C2472-WGR**	1029

Optional Keeper Bars for above Gowning Racks

- Makes hangers non-removable.

length		number of	electropolished		chrome	
in.	mm	hanger slots	model #	list	model #	list
48″	1219	17	**KB48-EP**	143	**KB48-C**	118
60″	1524	22	**KB60-EP**	158	**KB60-C**	132
72″	1829	27	**KB72-EP**	177	**KB72-C**	144



gowning rack – wall mounted with hooks

with Hooks

- Hooks welded on 1½″ *(38mm)* centers.

	length		weight		cubic	number of	electropolished		chrome	
	in.	mm	lbs.	kg	feet	hooks	model #	list	model #	list
14″ width *(356mm)*	48″	1219	21	9.5	1.4	30	**EP1448-WGRH**	2375	**C1448-WGRH**	1037
	60″	1524	27	12.2	1.7	38	**EP1460-WGRH**	2830	**C1460-WGRH**	1194
	72″	1829	31	14.1	2.0	46	**EP1472-WGRH**	3400	**C1472-WGRH**	1452



wall mounted tubular gowning rack

with Hanger Tube

- See page 129 for replacement garment hanger tubes.

	length		weight		cubic	electropolished		chrome	
	in.	mm	lbs.	kg	feet	model #	list	model #	list
18″ width *(457mm)*	48″	1219	17	7.7	1.4	**S1848-WGRT**	929	**C1848-WGRT**	388
	60″	1524	22	10.0	1.7	**S1860-WGRT**	1066	**C1860-WGRT**	416
	72″	1829	27	12.2	2.0	**S1872-WGRT**	1244	**C1872-WGRT**	445

Hangers

see spec sheet EG04.06


Note: For freestanding or wall mounted gowning racks, removable or non-removable models *(pages 126-128).*

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



closed loop hanger

			Open Loop Hangers						Closed Loop Hangers					
weight		cu	chrome		stainless steel		electropolished		chrome		stainless steel		electropolished	
lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
0.4	0.2	0.3	**OLH-C** •	26	**OLH-S** •	36	**OLH-EP**	42	**CLH-C**	26	**CLH-S**	36	**CLH-EP**	38



2-Piece Hangers

weight		cu	chrome		stainless steel		electropolished	
lbs.	kg	ft	model #	list	model #	list	model #	list
0.5	0.2	0.3	**TPH-C**	82	**TPH-S**	94	**TPH-EP**	106

- Use with non-removable hanger rack models.
- Top component affixed to gowning rack, while bottom component is removable for convenient mounting of the garment.
- These hangers discourage removal from the gowning area.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Accessories

Hanger Bar Kits

see spec sheet EG04.06



FEATURES:

- For use with 2-piece and open loop hangers.
- Retrofits existing shelving into freestanding or wall mounted gowning racks.
- 24″ *(610mm)* wide shelves only.
- Hanger slots on standard 2½″ *(64mm)* centers.
- Custom spacing available.
- Prices do not include hangers.

Note: For freestanding or wall mounted gowning racks, removable or non-removable models (*pages 126-128*).

length		weight		cu	number of	electropolished		stainless steel		chrome	
in.	mm	lbs.	kg	ft	hanger slots	model #	list	model #	list	model #	list
48″	1219	7.0	3.2	0.8	17	**HBK-48EP**	609	**HBK-48S**	506	**HBK-48C**	418
60″	1524	9.5	4.3	1.2	22	**HBK-60EP**	678	**HBK-60S**	563	**HBK-60C**	480
72″	1829	12.0	5.4	1.6	27	**HBK-72EP**	710	**HBK-72S**	623	**HBK-72C**	534

Replacement Garment Hanger Tubes

see spec sheet EG04.07


length		weight		cubic	chrome		stainless steel	
in.	mm	lbs.	kg	feet	model #	list	model #	list
24″	610	1.5	0.7	0.1	**CH24**	67	**CH24-S**	145
30″	762	1.7	0.8	0.1	**CH30**	73	**CH30-S**	149
36″	914	2.2	1.0	0.1	**CH36**	77	**CH36-S**	155
42″	1067	2.7	1.2	0.1	**CH42**	78	**CH42-S**	160
48″	1219	3.2	1.5	0.1	**CH48** •	82	**CH48-S**	166
54″	1372	3.5	1.6	0.2	**CH54**	85	**CH54-S**	185
60″	1524	3.8	1.7	0.2	**CH60**	92	**CH60-S**	203
72″	1929	4.7	2.1	0.2	**CH72**	95	**CH72-S**	210

Weight Capacity: 50 lbs.

Note: Mounts onto 18″, 21″, and 24″ *(457, 533, and 610mm)* wide shelves only.

For freestanding or wall mounted gowning racks with hanger tubes *(pages 127 & 128)*.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



garment hanger tube

Electropolished Posts

see spec sheet EG04.07



stationary post

Stationary posts come standard with electropolished foot plates.

post height		weight		cu	…Stationary		…Mobile	
in.	mm	lbs.	kg	ft	model #	list	model #	list
33″	383	2.0	0.9	0.4	**P33-EPS**	122	**CP33-EPS**	122
54″	1372	3.0	1.4	0.4	**P54-EPS**	162	**CP54-EPS**	162
63″	1600	3.5	1.6	0.4	**P63-EPS**	176	**CP63-EPS**	176
74″	1880	4.0	1.8	0.5	**P74-EPS**	197	**CP74-EPS**	197
86″	2184	5.0	2.3	0.5	**P86-EPS**	216	**CP86-EPS**	216

Polymer Stem Casters

see spec sheets EG01.05 EG04.07

- Stainless steel axle.
- Zinc-plated stem.
- Polymer horn.
- Polyurethane wheel.

Note: For use with mobile posts *(see above)*.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

type	type of bearing	capacity		wheel diameter		wheel face		weight		cu	model #	list
		lbs.	kg	in.	mm	in.	mm	lbs.	kg	ft		
stem/swivel	delrin	250	113.4	5″	127	1¼″	32	2.0	0.9	0.1	**CPSS5-250** •	137
stem/brake	delrin	250	113.4	5″	127	1¼″	32	2.0	0.9	0.1	**CPSB5-250** •	169




These casters offer total corrosion resistance.

Note: These casters are not autoclave.

Stainless Steel Caster Cradle®

see product announcement **EG8108M**



PATENTED!
(patent #US 8,678,335 B2)

FEATURES:

- The only caster stabilizing device with a patented uniform circular design (patent #US 8,678,335 B2) that allows for approach from any angle.
- Units are secured to the floor where the casters are to be centered.

description	model #	list/pkg
quantity of 2 per package	**CC-S-2**	166
quantity of 10 per package	**CC-S-10**	655
quantity of 60 per package	**CC-S-60**	3672

EL Series Heavy Duty Solid Gowning Benches

see spec sheet **EG04.13**

FEATURES:

- 14 gauge type 304 stainless steel.
- Available with welded or adjustable h-frame or 4-sided frame.
- Hat channel on underside of seat.
- Stainless steel legs and foot plates.
- 17″ *(432mm)* overall height.



…with adjustable 4-sided frame and two optional shelf sections



heavy duty gowning bench with welded H-frame

Optional Shelf Section
10″ x 12″ *(254 x 305mm)*. For units with 4-sided frame only.



…with Adjustable Frame

	length		weight		cubic	4-SIDED FRAME		H-FRAME BASE	
	in.	mm	lbs.	kg	feet	model #	list	model #	list
16″ width *(406mm)*	36″	914	33	15.0	2.6	**ELGB1636-4**	2372	**ELGB1636-H**	2453
	48″	1219	40	18.1	3.5	**ELGB1648-4**	2497	**ELGB1648-H**	2556
	60″	1524	47	21.3	2.5	**ELGB1660-4**	3919	**ELGB1660-H**	2723
	72″	1829	54	24.5	3.0	**ELGB1672-4**	3956	**ELGB1672-H**	2762

…with Welded Frame

	length		weight		cubic	4-SIDED FRAME		H-FRAME BASE	
	in.	mm	lbs.	kg	feet	model #	list	model #	list
16″ width *(406mm)*	36″	914	36	16.3	6.8	**ELGB1636-4W**	2986	**ELGB1636-HW**	3067
	48″	1219	43	19.5	9.0	**ELGB1648-4W**	3109	**ELGB1648-HW**	3170
	60″	1524	50	22.7	11.3	**ELGB1660-4W**	4532	**ELGB1660-HW**	3334
	72″	1829	57	25.9	13.5	**ELGB1672-4W**	4572	**ELGB1672-HW**	3375

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Standard Gowning Benches

see spec sheet **EG04.03**

FEATURES:

- Flanged stainless foot plates for convenient attachment to the floor.
- Available in brushed finish 304 stainless steel or electropolished finish.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Solid

- 14 gauge type 304 stainless steel seat.
- Front and rear feature a rolled edge, with ends turned down at 90˚.
- Shipped knocked-down.
- 17˝ *(432mm)* overall height.

Hold up to 500 lbs.!

	length		weight		cubic	electropolished		stainless steel	
	in.	mm	lbs.	kg	feet	model #	list	model #	list
9˝ width (229mm)	36˝	914	26	11.8	5.8	**CRB0936EP**	2367	**CRB0936**	1832
	48˝	1219	32	14.5	8.2	**CRB0948EP**	2492	**CRB0948**	1923
	60˝	1524	39	17.6	11.0	**CRB0960EP**	2792	**CRB0960**	2055
	72˝	1829	46	20.9	14.6	**CRB0972EP**	3019	**CRB0972**	2233
12˝ width (305mm)	24˝	610	24	10.9	2.2	**CRB1224EP**	2500	**CRB1224**	1955
	36˝	914	30	13.6	2.5	**CRB1236EP**	2500	**CRB1236** •	1955
	48˝	1219	40	18.1	3.4	**CRB1248EP**	2628	**CRB1248** •	2054
	60˝	1524	50	22.7	3.6	**CRB1260EP**	2886	**CRB1260** •	2145
	72˝	1829	60	27.2	4.3	**CRB1272EP** *	3119	**CRB1272** *•	2329
	84˝	2134	70	31.8	5.2	**CRB1284EP** *	3223	**CRB1284** *	2426

* Comes with six legs.



#CRB0948



#CRB1284

Wire

- Four (4) 18˝ *(457mm)* legs with foot plates.
- One (1) three-sided channel frame.
- One (1) wire shelf featuring QuadTruss® Design (patent #5,390,803).

	length		weight		cubic	chrome		stainless steel	
	in.	mm	lbs.	kg	feet	model #	list	model #	list
14˝ width (356mm)	36˝	914	15	6.8	0.5	**W1436-GBC**	487	**W1436-GBS**	1460
	48˝	1219	19	8.6	0.7	**W1448-GBC**	537	**W1448-GBS**	1620
	60˝	1524	25	11.3	0.9	**W1460-GBC**	585	**W1460-GBS**	1692
	72˝	1829	30	13.6	1.1	**W1472-GBC**	614	**W1472-GBS**	1794



An economical gowning bench using wire shelving components that offers 62% laminar flow.

Ideal for less demanding environments, or during construction as the room is brought into clean.

Gowning Benches with Standard Undershelf…

- Designated seat, legs, foot plates, and one wire undershelf *(additional wire undershelves and dividers are optional)*.
- 72˝ *(1829mm)* units have six legs.
- Standard undershelf for all 72˝ *(1829mm)* units consists of two #1436S wire shelves with S-hooks.
- All wire undershelves are 14˝ *(356mm)*-wide and feature QuadTruss® Design (patent #5,390,803).
- 19˝ *(483mm)* overall height.

Seats hold up to 500 lbs.!

…with Perforated Seat

¾˝ *(19mm)* perforations on 1˝ *(25mm)* center.

	length		weight		cubic	electropolished		stainless steel	
	in.	mm	lbs.	kg	feet	model #	list	model #	list
18˝ width (457mm)	36˝	914	38	17.2	4.4	**PCRB1836EP**	3777	**PCRB1836**	3037
	48˝	1219	43	19.5	5.7	**PCRB1848EP**	3980	**PCRB1848**	3197
	60˝	1524	49	22.0	7.1	**PCRB1860EP**	4378	**PCRB1860**	3392
	72˝	1829	55	24.9	8.5	**PCRB1872EP**	4726	**PCRB1872**	3660

…with Solid Seat

	length		weight		cubic	electropolished		stainless steel	
	in.	mm	lbs.	kg	feet	model #	list	model #	list
18˝ width (457mm)	36˝	914	38	17.2	4.4	**CRB1836EP**	3355	**CRB1836**	2636
	48˝	1219	43	19.5	5.7	**CRB1848EP**	3529	**CRB1848**	2776
	60˝	1524	49	22.0	7.1	**CRB1860EP**	3880	**CRB1860**	2938
	72˝	1829	55	25.0	8.5	**CRB1872EP**	4188	**CRB1872**	3177



gowning bench with standard undershelf and perforated seat, shown with additional undershelf and dividers

Options for Gowning Benches with Undershelf

Dividers — 4˝ high.

model	list
SD14-4S	97

Additional Undershelves*

model	list
1436S •*	363
1448S •	445
1460S •	566

* 72˝ *(1829mm)*-long benches require two #1436S undershelves and two **#A200012** S-hooks (**$5 List** ea.).

Cleanroom Tables with Flat Top—Stainless

see spec sheets **EG04.02A** *and* **EG04.02B**

All tables feature brushed stainless steel finish.

Please note: Cleanroom Tables are not eligible for returns.

FEATURES:

- Available with solid or perforated top, with C-Frame, H-Frame, or undershelf base.
- All tops are 14 gauge type 304* stainless.
- Perforated tops *(¾″-dia. holes on 1″ center)*. allow for 40% laminar flow, depending on size.
- Shipped knocked down, reducing freight costs and the potential for freight damage.
- 35½″ overall height.

* To upgrade to **316 stainless steel construction**, add suffix "**-316**" (ex: CRT3060T-C-**316**) with 35% upcharge.

"CRT" Series tables – Solid top with choice of:

- Knocked down stainless steel C-frame
- Knocked down stainless steel H-frame
- Solid stainless steel fixed undershelf.

For Optional Casters and Glides, see page 134.

For *NEW* Foot Rest, see page 142.

	length		weight		cu	C-FRAME BASE		H-FRAME BASE		UNDERSHELF BASE	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list
24″ width (610mm)	24″	610	40	18.1	2.9	CRT2424T-C	2277	CRT2424T-H	2277	CRT2424T-US	2845
	36″	914	50	22.7	3.5	CRT2436T-C	2529	CRT2436T-H	2529	CRT2436T-US	3162
	48″	1219	60	27.3	4.6	CRT2448T-C	2643	CRT2448T-H	2643	CRT2448T-US	3303
	60″	1524	68	30.9	5.7	CRT2460T-C	2748	CRT2460T-H	2748	CRT2460T-US	3436
	72″	1829	86	39.1	6.9	CRT2472T-C	3123	CRT2472T-H	3123	CRT2472T-US	3903
	84″	2134	90	40.9	7.9	CRT2484T-C	3772	CRT2484T-H	3772	CRT2484T-US	4716
	96″	2438	111	50.5	9.1	CRT2496T-C	4030	CRT2496T-H	4030	CRT2496T-US	5036
30″ width (762mm)	30″	762	42	19.1	2.9	CRT3030T-C	2312	CRT3030T-H	2312	CRT3030T-US	2888
	36″	914	52	23.6	3.5	CRT3036T-C	2569	CRT3036T-H	2569	CRT3036T-US	3210
	48″	1219	65	29.5	4.6	CRT3048T-C	2667	CRT3048T-H	2667	CRT3048T-US	3334
	60″	1524	76	34.5	5.7	CRT3060T-C	3044	CRT3060T-H	3044	CRT3060T-US	3807
	72″	1829	89	40.5	6.9	CRT3072T-C	3309	CRT3072T-H	3309	CRT3072T-US	4137
	84″	2134	101	45.9	7.9	CRT3084T-C	3922	CRT3084T-H	3922	CRT3084T-US	4903
	96″	2438	122	55.5	9.1	CRT3096T-C	4193	CRT3096T-H	4193	CRT3096T-US	5240
36″ width (914mm)	36″	914	60	27.3	4.4	CRT3636T-C	2663	CRT3636T-H	2663	CRT3636T-US	3328
	48″	1219	73	33.2	5.5	CRT3648T-C	2799	CRT3648T-H	2799	CRT3648T-US	3498
	60″	1524	85	38.6	6.8	CRT3660T-C	3544	CRT3660T-H	3544	CRT3660T-US	4432
	72″	1829	100	45.5	8.1	CRT3672T-C	3844	CRT3672T-H	3844	CRT3672T-US	4806
	84″	2134	116	52.7	9.5	CRT3684T-C	4103	CRT3684T-H	4103	CRT3684T-US	5128
	96″	2438	135	61.4	10.8	CRT3696T-C	4497	CRT3696T-H	4497	CRT3696T-US	5623



with solid top and C-frame



with perforated top and H-frame

"CRPT" Series – Perforated top *(¾″-dia. holes on 1″ center)* with choice of:

- Knocked down stainless steel H-frame
- Knocked down stainless steel C-frame
- Perforated stainless steel fixed undershelf *(¾″-dia. holes on 1″ center)*

For Optional Casters and Glides, see page 134.

For *NEW* Foot Rest, see page 142.


	length		weight		cu	C-FRAME BASE		H-FRAME BASE		UNDERSHELF BASE	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list
24″ width (610mm)	24″	610	30	13.6	2.9	CRPT2424T-C	2597	CRPT2424T-H	2597	CRPT2424T-US	3245
	36″	914	40	18.1	3.5	CRPT2436T-C	3054	CRPT2436T-H	3054	CRPT2436T-US	3818
	48″	1219	50	22.7	4.6	CRPT2448T-C	3572	CRPT2448T-H	3572	CRPT2448T-US	4464
	60″	1524	58	26.3	5.7	CRPT2460T-C	3858	CRPT2460T-H	3858	CRPT2460T-US	4819
	72″	1829	76	34.5	6.9	CRPT2472T-C	4938	CRPT2472T-H	4938	CRPT2472T-US	6174
	84″	2134	80	36.3	7.9	CRPT2484T-C	5473	CRPT2484T-H	5473	CRPT2484T-US	6840
	96″	2438	101	45.8	9.1	CRPT2496T-C	7117	CRPT2496T-H	7117	CRPT2496T-US	8897
30″ width (762mm)	30″	762	32	14.5	2.9	CRPT3030T-C	2697	CRPT3030T-H	2697	CRPT3030T-US	3372
	36″	914	42	19.1	3.5	CRPT3036T-C	3177	CRPT3036T-H	3177	CRPT3036T-US	3973
	48″	1219	55	24.9	4.6	CRPT3048T-C	3686	CRPT3048T-H	3686	CRPT3048T-US	4606
	60″	1524	66	29.9	5.7	CRPT3060T-C	3984	CRPT3060T-H	3984	CRPT3060T-US	4982
	72″	1829	79	35.8	6.9	CRPT3072T-C	4954	CRPT3072T-H	4954	CRPT3072T-US	6192
	84″	2134	91	41.3	7.9	CRPT3084T-C	5906	CRPT3084T-H	5906	CRPT3084T-US	7383
	96″	2438	112	50.8	9.1	CRPT3096T-C	7295	CRPT3096T-H	7295	CRPT3096T-US	9119
36″ width (914mm)	36″	914	50	22.7	4.4	CRPT3636T-C	3334	CRPT3636T-H	3334	CRPT3636T-US	4170
	48″	1219	63	28.6	5.5	CRPT3648T-C	3795	CRPT3648T-H	3795	CRPT3648T-US	4742
	60″	1524	75	34.0	6.8	CRPT3660T-C	4407	CRPT3660T-H	4407	CRPT3660T-US	5509
	72″	1829	90	40.8	8.1	CRPT3672T-C	4986	CRPT3672T-H	4986	CRPT3672T-US	6233
	84″	2134	106	48.1	9.5	CRPT3684T-C	5956	CRPT3684T-H	5956	CRPT3684T-US	7443
	96″	2438	125	56.7	10.8	CRPT3696T-C	7482	CRPT3696T-H	7482	CRPT3696T-US	9349

Optional Base Frames available for Cleanroom Tables

The following options are not included in the table price. Contact Customer Service for pricing.

For CRT and CRPT Series tables only:

- Welded construction C-frame.
- Welded construction H-frame.



100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Cleanroom Tables with Backsplash—Stainless

see spec sheets **EG04.02E** *and* **EG04.02F**

All tables feature brushed stainless steel finish.

Please note: Cleanroom Tables are not eligible for returns.

FEATURES:

- Available with solid or perforated top, with C-Frame, H-Frame, or undershelf base.
- All tops are 14 gauge type 304* stainless.
- Perforated tops *(¾″-dia. holes on 1″ center)*. allow for 40% laminar flow, depending on size.
- 4½″ *(114mm)* backsplash.
- Shipped knocked down.
- 35½″ overall height.

* To upgrade to **316 stainless steel construction**, add suffix "**-316**" (ex: CRT3060T-C-**316**) with 35% upcharge.

"**CRT**" Series tables – Solid top with 4½″ backsplash, with choice of:

- Knocked down stainless steel C-frame
- Knocked down stainless steel H-frame
- Solid stainless steel fixed undershelf.

	length		weight		cu	C-FRAME BASE		H-FRAME BASE		UNDERSHELF BASE	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list
24″ width *(610mm)*	24″	610	40	18.1	2.9	**CRT2424T-C-BS**	2620	**CRT2424T-H-BS**	2620	**CRT2424T-US-BS**	3273
	36″	914	50	22.7	3.5	**CRT2436T-C-BS**	2908	**CRT2436T-H-BS**	2908	**CRT2436T-US-BS**	3636
	48″	1219	60	27.3	4.6	**CRT2448T-C-BS**	3038	**CRT2448T-H-BS**	3038	**CRT2448T-US-BS**	3798
	60″	1524	68	30.9	5.7	**CRT2460T-C-BS**	3159	**CRT2460T-H-BS**	3159	**CRT2460T-US-BS**	3952
	72″	1829	86	39.1	6.9	**CRT2472T-C-BS**	3593	**CRT2472T-H-BS**	3593	**CRT2472T-US-BS**	4488
	84″	2134	90	40.9	7.9	**CRT2484T-C-BS**	4337	**CRT2484T-H-BS**	4337	**CRT2484T-US-BS**	5423
	96″	2438	111	50.5	9.1	**CRT2496T-C-BS**	4633	**CRT2496T-H-BS**	4633	**CRT2496T-US-BS**	4488
30″ width *(762mm)*	30″	762	42	19.1	2.9	**CRT3030T-C-BS**	2659	**CRT3030T-H-BS**	2659	**CRT3030T-US-BS**	3325
	36″	914	52	23.6	3.5	**CRT3036T-C-BS**	2955	**CRT3036T-H-BS**	2955	**CRT3036T-US-BS**	3692
	48″	1219	65	29.5	4.6	**CRT3048T-C-BS**	3070	**CRT3048T-H-BS**	3070	**CRT3048T-US-BS**	3836
	60″	1524	76	34.5	5.7	**CRT3060T-C-BS**	3503	**CRT3060T-H-BS**	3503	**CRT3060T-US-BS**	4377
	72″	1829	89	40.5	6.9	**CRT3072T-C-BS**	3807	**CRT3072T-H-BS**	3807	**CRT3072T-US-BS**	4759
	84″	2134	101	45.9	7.9	**CRT3084T-C-BS**	4510	**CRT3084T-H-BS**	4510	**CRT3084T-US-BS**	5639
	96″	2438	122	55.5	9.1	**CRT3096T-C-BS**	4820	**CRT3096T-H-BS**	4820	**CRT3096T-US-BS**	6025
36″ width *(914mm)*	36″	914	60	27.3	4.4	**CRT3636T-C-BS**	3062	**CRT3636T-H-BS**	3062	**CRT3636T-US-BS**	3826
	48″	1219	73	33.2	5.5	**CRT3648T-C-BS**	3218	**CRT3648T-H-BS**	3218	**CRT3648T-US-BS**	4022
	60″	1524	85	38.6	6.8	**CRT3660T-C-BS**	4075	**CRT3660T-H-BS**	4075	**CRT3660T-US-BS**	5097
	72″	1829	100	45.5	8.1	**CRT3672T-C-BS**	4420	**CRT3672T-H-BS**	4420	**CRT3672T-US-BS**	5526
	84″	2134	116	52.7	9.5	**CRT3684T-C-BS**	4717	**CRT3684T-H-BS**	4717	**CRT3684T-US-BS**	5896
	96″	2438	135	61.4	10.8	**CRT3696T-C-BS**	5172	**CRT3696T-H-BS**	5172	**CRT3696T-US-BS**	6465

For Optional Casters and Glides, see page 134.

For *NEW* Foot Rest, see page 142.

"**CRPT**" Series – Perforated top *(¾″-dia. holes on 1″ center)* with 4½″ backsplash, with choice of:

- Knocked down stainless steel H-frame
- Knocked down stainless steel C-frame
- Perforated stainless steel fixed undershelf *(¾″-dia. holes on 1″ center)*

	length		weight		cu	C-FRAME BASE		H-FRAME BASE		UNDERSHELF BASE	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list
24″ width *(610mm)*	24″	610	30	13.6	2.9	**CRPT2424T-C-BS**	2986	**CRPT2424T-H-BS**	2986	**CRPT2424T-US-BS**	3729
	36″	914	40	18.1	3.5	**CRPT2436T-C-BS**	3512	**CRPT2436T-H-BS**	3512	**CRPT2436T-US-BS**	4392
	48″	1219	50	22.7	4.6	**CRPT2448T-C-BS**	4106	**CRPT2448T-H-BS**	4106	**CRPT2448T-US-BS**	5133
	60″	1524	58	26.3	5.7	**CRPT2460T-C-BS**	4433	**CRPT2460T-H-BS**	4433	**CRPT2460T-US-BS**	5542
	72″	1829	76	34.5	6.9	**CRPT2472T-C-BS**	5678	**CRPT2472T-H-BS**	5678	**CRPT2472T-US-BS**	7099
	84″	2134	80	36.3	7.9	**CRPT2484T-C-BS**	6294	**CRPT2484T-H-BS**	6294	**CRPT2484T-US-BS**	7867
	96″	2438	101	45.8	9.1	**CRPT2496T-C-BS**	8184	**CRPT2496T-H-BS**	8184	**CRPT2496T-US-BS**	7099
30″ width *(762mm)*	30″	762	32	14.5	2.9	**CRPT3030T-C-BS**	3099	**CRPT3030T-H-BS**	3099	**CRPT3030T-US-BS**	3877
	36″	914	42	19.1	3.5	**CRPT3036T-C-BS**	3653	**CRPT3036T-H-BS**	3653	**CRPT3036T-US-BS**	4567
	48″	1219	55	24.9	4.6	**CRPT3048T-C-BS**	4239	**CRPT3048T-H-BS**	4239	**CRPT3048T-US-BS**	5297
	60″	1524	66	29.9	5.7	**CRPT3060T-C-BS**	4582	**CRPT3060T-H-BS**	4582	**CRPT3060T-US-BS**	5727
	72″	1829	79	35.8	6.9	**CRPT3072T-C-BS**	5696	**CRPT3072T-H-BS**	5696	**CRPT3072T-US-BS**	7118
	84″	2134	91	41.3	7.9	**CRPT3084T-C-BS**	6789	**CRPT3084T-H-BS**	6789	**CRPT3084T-US-BS**	8489
	96″	2438	112	50.8	9.1	**CRPT3096T-C-BS**	8389	**CRPT3096T-H-BS**	8389	**CRPT3096T-US-BS**	10487
36″ width *(914mm)*	36″	914	50	22.7	4.4	**CRPT3636T-C-BS**	3836	**CRPT3636T-H-BS**	3836	**CRPT3636T-US-BS**	4797
	48″	1219	63	28.6	5.5	**CRPT3648T-C-BS**	4362	**CRPT3648T-H-BS**	4362	**CRPT3648T-US-BS**	5453
	60″	1524	75	34.0	6.8	**CRPT3660T-C-BS**	5070	**CRPT3660T-H-BS**	5070	**CRPT3660T-US-BS**	6334
	72″	1829	90	40.8	8.1	**CRPT3672T-C-BS**	5736	**CRPT3672T-H-BS**	5736	**CRPT3672T-US-BS**	7169
	84″	2134	106	48.1	9.5	**CRPT3684T-C-BS**	6848	**CRPT3684T-H-BS**	6848	**CRPT3684T-US-BS**	8560
	96″	2438	125	56.7	10.8	**CRPT3696T-C-BS**	8604	**CRPT3696T-H-BS**	8604	**CRPT3696T-US-BS**	10749

For Optional Casters and Glides, see page 134.

For *NEW* Foot Rest, see page 142.

Cleanroom Tables - Electropolished Stainless

see spec sheets **EG04.02C** *and* **EG04.02D**

Please note: Cleanroom Tables are not eligible for returns.

FEATURES:

- Available with solid or perforated top, with C-Frame, H-Frame, or undershelf base.
- All tops are 14 gauge type 304* stainless.
- Perforated tops *(¾″-dia. holes on 1″ center)*. allow for 40% laminar flow, depending on size.
- Shipped knocked down, reducing freight costs and the potential for freight damage.
- 35½″ overall height.

* To upgrade to **316 stainless steel construction**, add suffix "**-316**" (ex: SEP3048T-C-**316**) with 35% upcharge.

"**SEP**" Series tables – Electropolished stainless solid top with choice of:

- Knocked down electropolished C-frame
- Knocked down electropolished H-frame
- Solid electropolished fixed undershelf.

For *NEW* Foot Rest, see page 142.

	length		weight		cu	C-FRAME BASE		H-FRAME BASE		UNDERSHELF BASE	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list
24″ width (610mm)	24″	610	30	18.1	2.9	**SEP2424T-C**	3449	**SEP2424T-H**	3449	**SEP2424T-US**	4312
	36″	914	50	22.7	3.5	**SEP2436T-C**	3834	**SEP2436T-H**	3834	**SEP2436T-US**	4792
	48″	1219	60	27.3	4.6	**SEP2448T-C**	4799	**SEP2448T-H**	4799	**SEP2448T-US**	5998
	60″	1524	68	30.9	5.7	**SEP2460T-C**	5159	**SEP2460T-H**	5159	**SEP2460T-US**	6450
	72″	1829	86	39.1	6.9	**SEP2472T-C**	6384	**SEP2472T-H**	6384	**SEP2472T-US**	7983
	84″	2134	90	40.9	7.9	**SEP2484T-C**	7312	**SEP2484T-H**	7312	**SEP2484T-US**	9140
30″ width (762mm)	36″	914	52	23.6	3.5	**SEP3036T-C**	4319	**SEP3036T-H**	4319	**SEP3036T-US**	5404
	48″	1219	65	29.5	4.6	**SEP3048T-C**	5016	**SEP3048T-H**	5016	**SEP3048T-US**	6269
	60″	1524	76	34.5	5.7	**SEP3060T-C**	5625	**SEP3060T-H**	5625	**SEP3060T-US**	7029
	72″	1829	89	40.5	6.9	**SEP3072T-C**	6497	**SEP3072T-H**	6497	**SEP3072T-US**	8120
	84″	2134	101	45.9	7.9	**SEP3084T-C**	7532	**SEP3084T-H**	7532	**SEP3084T-US**	9415
36″ width (914mm)	36″	914	60	27.3	4.4	**SEP3636T-C**	4480	**SEP3636T-H**	4480	**SEP3636T-US**	5600
	48″	1219	73	33.2	5.5	**SEP3648T-C**	5278	**SEP3648T-H**	5278	**SEP3648T-US**	6598
	60″	1524	85	38.6	6.8	**SEP3660T-C**	6085	**SEP3660T-H**	6085	**SEP3660T-US**	7608
	72″	1829	100	45.5	8.1	**SEP3672T-C**	6715	**SEP3672T-H**	6715	**SEP3672T-US**	8395



with solid top and C-frame base

"**EPCRT**" Series tables – Brushed electropolished perforated top (¾″-dia. holes on 1″ center) with choice of:


- Knocked down electropolished H-frame
- Knocked down electropolished C-frame
- Perforated electropolished fixed undershelf *(¾″-dia. holes on 1″ center)*

For *NEW* Foot Rest, see page 142.


	length		weight		cu	C-FRAME BASE		H-FRAME BASE		UNDERSHELF BASE	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list
24″ width (610mm)	24″	610	30	18.1	2.9	**EPCRT2424T-C**	3293	**EPCRT2424T-H**	3293	**EPCRT2424T-US**	4115
	36″	914	40	22.7	3.5	**EPCRT2436T-C**	3865	**EPCRT2436T-H**	3865	**EPCRT2436T-US**	4834
	48″	1219	50	27.3	4.6	**EPCRT2448T-C**	4820	**EPCRT2448T-H**	4820	**EPCRT2448T-US**	6026
	60″	1524	58	30.9	5.7	**EPCRT2460T-C**	5203	**EPCRT2460T-H**	5203	**EPCRT2460T-US**	6504
	72″	1829	76	39.1	6.9	**EPCRT2472T-C**	6420	**EPCRT2472T-H**	6420	**EPCRT2472T-US**	8028
	84″	2134	80	40.9	7.9	**EPCRT2484T-C**	7370	**EPCRT2484T-H**	7370	**EPCRT2484T-US**	9210
30″ width (762mm)	36″	914	42	23.6	3.5	**EPCRT3036T-C**	4352	**EPCRT3036T-H**	4352	**EPCRT3036T-US**	5440
	48″	1219	55	29.5	4.6	**EPCRT3048T-C**	5042	**EPCRT3048T-H**	5042	**EPCRT3048T-US**	6304
	60″	1524	66	34.5	5.7	**EPCRT3060T-C**	5660	**EPCRT3060T-H**	5660	**EPCRT3060T-US**	7075
	72″	1829	79	40.5	6.9	**EPCRT3072T-C**	6523	**EPCRT3072T-H**	6523	**EPCRT3072T-US**	8152
	84″	2134	92	45.9	7.9	**EPCRT3084T-C**	7569	**EPCRT3084T-H**	7569	**EPCRT3084T-US**	9463
36″ width (914mm)	36″	914	50	27.3	4.4	**EPCRT3636T-C**	4762	**EPCRT3636T-H**	4762	**EPCRT3636T-US**	5950
	48″	1219	63	33.2	5.5	**EPCRT3648T-C**	5617	**EPCRT3648T-H**	5617	**EPCRT3648T-US**	7020
	60″	1524	75	38.6	6.8	**EPCRT3660T-C**	6492	**EPCRT3660T-H**	6492	**EPCRT3660T-US**	8112
	72″	1829	90	45.5	8.1	**EPCRT3672T-C**	7160	**EPCRT3672T-H**	7160	**EPCRT3672T-US**	8949



with perforated top and H-frame base



C-frame base (overhead view)



H-frame base (overhead view)

Optional Casters and Glides for Cleanroom Tables

see spec sheet **EG10.59**

For Cleanroom Tables on pages 132 through 134.





Polymer Cart Washable Casters with Polymer Tread (NSF)

description	weight lbs.	weight kg	model #	list
5″ *(127mm)* dia., set of four *(two swivel, two w/brake)*	250	113.4	**CAHW4-SB**	1060
5″ *(127mm)* dia., set of six *(three swivel, three w/brake)*	250	113.4	**CAHW6-SB**	1592

Glides for Cleanroom Table Foot

description	model #	list ea.
black, plastic, fits on hex foot	**387622**	8

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Workstations

see spec sheet EG04.10



basic wire workstation



wire top workstation with two overshelves

WEIGHT CAPACITY:

- Up to 800 lb. *(363kg)* load-bearing capacity.

FEATURES:

- Mobile units come with four 5″ *(127mm)* poly stem casters *(two with brake)*.
- Wire units offer 62% laminar flow.
- All units have standard working height of 33″ *(838mm)*.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Basic Wire Units

						Stationary Units				Mobile Units					
	length		cu	weight		chrome		stainless steel		weight		chrome		stainless steel	
	in.	mm	ft	lbs.	kg	model #	list	model #	list	lbs.	kg	model #	list	model #	list
24″ width *(610mm)*	36″	914	3.0	21	9.5	**WS2436C**	433	**WS2436S**	1599	29	13.2	**MWS2436C**	995	**MWS2436S**	2209
	48″	1219	3.8	28	12.7	**WS2448C**	493	**WS2448S**	1744	36	16.3	**MWS2448C**	1054	**MWS2448S**	2355

Wire Top Units with Two Overshelves

						Stationary Units				Mobile Units					
	length		cu	weight		chrome		stainless steel		weight		chrome		stainless steel	
	in.	mm	ft	lbs.	kg	model #	list	model #	list	lbs.	kg	model #	list	model #	list
24″ width *(610mm)*	36″	914	4.4	34	15.4	**WS2436WT**	664	**WS2436WT-S**	2504	42	19.1	**MWS2436WT**	1236	**MWS2436WT-S**	2944
	48″	1219	5.5	41	18.6	**WS2448WT**	770	**WS2448WT-S**	2565	56	25.4	**MWS2448WT**	1332	**MWS2448WT-S**	3177

Optional Keyboard Stations for Workstations

- 20½″ wide x 11½″ deep *(521 x 292mm)*.
- Works on 24″ *(610mm)* wide shelves.

weight		cubic	chrome		stainless steel	
lbs.	kg	feet	model #	list	model #	list
6.0	2.7	0.35	**KBD-2•**	406	**KBD-2/SS**	707



chrome keyboard station shown

Mobile Computer Workstations

see spec sheet EG01.04



with optional mouse shelf

Optional Mouse Shelf

width x length			cu	weight		chrome	
in.		mm	ft	lbs.	kg	model #	list
7″ x 7″		178 x 178	0.1	2.0	0.9	**MS-C**	25

patented QuadTruss® design (Patent #5,390,803)

FEATURES:

- 5″ *(127mm)* casters–two with brake.
- Cantilevered shelf, undershelf, keyboard drawer.
- 38⅜″ *(981mm)* working height.
- 53⅜″ *(1362mm)* overall height.

Note: Call factory for information on other casters available.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

						with Resilient-Tread Casters				w/Polyurethane-Tread Casters			
	length		weight		cu	chrome		stainless steel		chrome		stainless steel	
	in.	mm	lbs.	kg	ft	model #	*list	model #	*list	model #	*list	model #	*list
24″ *(610mm)*	24″	610	40	18.1	3.7	**MCWS2424C**	•1516	**MCWS2424S**	2439	**MCWS2424C-P**	1549	**MCWS2424S-P**	2473
30″ *(762mm)*	30″	762	56	25.4	4.5	**MCWS3030C**	1636	**MCWS3030S**	2547	**MCWS3030C-P**	1670	**MCWS3030S-P**	2577

* List prices do not include cost of mouse shelf.

** 24″ x 24″ *(610 x 610mm)* units feature 14″ x 24″ *(357 x 610mm)* undershelf, 30″ x 30″ *(762 x 762mm)* units feature 18″ x 30″ *(457 x 762mm)* undershelf.

adjusTable® Work Surface Systems

NSF

Now NSF!

see spec sheet EG04.04A



with H-frame base and wire shelf (suffix "-1H-1W")



with C-frame base and wire shelf (suffix "-1C-1W")

EAGLE's adjusTable® system allows you to create work surfaces in the configuration of your choice.

FEATURES:

- Four 33″ *(838mm)* posts and your choice of base combination.
- Tabletops on all models feature hat channels underneath for added strength.
- 34½″ *(876mm)* overall height.

Note: To order table with 5″ *(127mm)* resilient tread casters, add suffix **"-CAH"** and **add to list price $986**.
Example: AC2436T-2H-CAH.
To order table with 5″ *(127mm)* poly tread casters, add suffix **"-CAHP"** and **add to list price $855**.
Example: AS2436T-2H-CAHP.
See page 142 for optional drawers and keyboard station.

"AC" Series tables – Brushed 16/304 stainless steel solid top with choice of:

- Two knocked down chrome C-frames
- Two knocked down chrome H-frames
- One chrome C-frame and one chrome wire undershelf
- One chrome H-frame and one chrome wire undershelf
- Two chrome wire undershelves

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	36″	914	65	29.5	4.5	**AC2436T-2C**	1427	**AC2436T-2H**	1427	**AC2436T-1C-1W**	1427	**AC2436T-1H-1W**	1427	**AC2436T-2W**	1427
	48″	1219	81	36.7	5.7	**AC2448T-2C**	1670	**AC2448T-2H**	1670	**AC2448T-1C-1W**	1670	**AC2448T-1H-1W**	1670	**AC2448T-2W**	1670
	60″	1524	97	44.0	7.1	**AC2460T-2C**	1884	**AC2460T-2H**	1884	**AC2460T-1C-1W**	1884	**AC2460T-1H-1W**	1884	**AC2460T-2W**	1884
	72″	1829	113	51.3	8.5	**AC2472T-2C**	2050	**AC2472T-2H**	2050	**AC2472T-1C-1W**	2050	**AC2472T-1H-1W**	2050	**AC2472T-2W**	2050
30″ width (762mm)	36″	914	75	34.0	4.5	**AC3036T-2C**	1556	**AC3036T-2H**	1556	**AC3036T-1C-1W**	1556	**AC3036T-1H-1W**	1556	**AC3036T-2W**	1556
	48″	1219	94	42.6	5.7	**AC3048T-2C**	1844	**AC3048T-2H**	1844	**AC3048T-1C-1W**	1844	**AC3048T-1H-1W**	1844	**AC3048T-2W**	1844
	60″	1524	113	51.3	7.1	**AC3060T-2C**	2092	**AC3060T-2H**	2092	**AC3060T-1C-1W**	2092	**AC3060T-1H-1W**	2092	**AC3060T-2W**	2092
	72″	1829	132	59.9	8.5	**AC3072T-2C**	2277	**AC3072T-2H**	2277	**AC3072T-1C-1W**	2277	**AC3072T-1H-1W**	2277	**AC3072T-2W**	2277
36″ width (914mm)	36″	914	85	38.6	5.6	**AC3636T-2C**	1960	**AC3636T-2H**	1960	**AC3636T-1C-1W**	1960	**AC3636T-1H-1W**	1960	**AC3636T-2W**	1960
	48″	1219	108	49.0	7.1	**AC3648T-2C**	2240	**AC3648T-2H**	2240	**AC3648T-1C-1W**	2240	**AC3648T-1H-1W**	2240	**AC3648T-2W**	2240
	60″	1524	131	59.4	8.9	**AC3660T-2C**	2453	**AC3660T-2H**	2453	**AC3660T-1C-1W**	2453	**AC3660T-1H-1W**	2453	**AC3660T-2W**	2453
	72″	1829	154	69.9	10.6	**AC3672T-2C**	2727	**AC3672T-2H**	2727	**AC3672T-1C-1W**	2727	**AC3672T-1H-1W**	2727	**AC3672T-2W**	2727

"AS" Series tables – Brushed 16/304 stainless steel solid top with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one chrome wire undershelf
- Two stainless steel wire undershelves

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	36″	914	65	29.5	4.5	**AS2436T-2C**	2148	**AS2436T-2H**	2148	**AS2436T-1C-1W**	2148	**AS2436T-1H-1W**	2148	**AS2436T-2W**	2148
	48″	1219	81	36.7	5.7	**AS2448T-2C**	2478	**AS2448T-2H**	2478	**AS2448T-1C-1W**	2478	**AS2448T-1H-1W**	2478	**AS2448T-2W**	2478
	60″	1524	97	44.0	7.1	**AS2460T-2C**	2872	**AS2460T-2H**	2872	**AS2460T-1C-1W**	2872	**AS2460T-1H-1W**	2872	**AS2460T-2W**	2872
	72″	1829	113	51.3	8.5	**AS2472T-2C**	3269	**AS2472T-2H**	3269	**AS2472T-1C-1W**	3269	**AS2472T-1H-1W**	3269	**AS2472T-2W**	3269
30″ width (762mm)	36″	914	75	34.0	4.5	**AS3036T-2C**	2445	**AS3036T-2H**	2445	**AS3036T-1C-1W**	2445	**AS3036T-1H-1W**	2445	**AS3036T-2W**	2445
	48″	1219	94	42.6	5.7	**AS3048T-2C**	2850	**AS3048T-2H**	2850	**AS3048T-1C-1W**	2850	**AS3048T-1H-1W**	2850	**AS3048T-2W**	2850
	60″	1524	113	51.3	7.1	**AS3060T-2C**	3267	**AS3060T-2H**	3267	**AS3060T-1C-1W**	3267	**AS3060T-1H-1W**	3267	**AS3060T-2W**	3267
	72″	1829	132	59.9	8.5	**AS3072T-2C**	3812	**AS3072T-2H**	3812	**AS3072T-1C-1W**	3812	**AS3072T-1H-1W**	3812	**AS3072T-2W**	3812
36″ width (914mm)	36″	914	85	38.6	5.6	**AS3636T-2C**	2837	**AS3636T-2H**	2837	**AS3636T-1C-1W**	2837	**AS3636T-1H-1W**	2837	**AS3636T-2W**	2837
	48″	1219	108	49.0	7.1	**AS3648T-2C**	3427	**AS3648T-2H**	3427	**AS3648T-1C-1W**	3427	**AS3648T-1H-1W**	3427	**AS3648T-2W**	3427
	60″	1524	131	59.4	8.9	**AS3660T-2C**	3944	**AS3660T-2H**	3944	**AS3660T-1C-1W**	3944	**AS3660T-1H-1W**	3944	**AS3660T-2W**	3944
	72″	1829	154	69.9	10.6	**AS3672T-2C**	4505	**AS3672T-2H**	4505	**AS3672T-1C-1W**	4505	**AS3672T-1H-1W**	4505	**AS3672T-2W**	4505

Contact factory for custom workstation configurations.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

adjusTable® Work Surface Systems (NSF)

see spec sheet **EG04.04A**

(continued from page 136)

Note: To order table with 5″ *(127mm)* resilient tread casters, add suffix **"-CAH"** and **add to list price $986. Example: AP2436T-2H-CAH.**
To order table with 5″ *(127mm)* poly tread casters, add suffix **"-CAHP"** and **add to list price $855. Example: AP2436T-2H-CAHP.**
See page 142 for optional drawers and keyboard station.

"AP" Series tables – Brushed 14/304 stainless steel perforated* top *(¾″-dia. holes on 1″ center)* with choice of

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one s/s wire undershelf
- Two stainless steel wire undershelves

* For perforated tops, laminar air flow is 23-25% depending on size.

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	36″	914	65	29.5	4.5	AP2436T-2C	2697	AP2436T-2H	2697	AP2436T-1C-1W	2697	AP2436T-1H-1W	2697	AP2436T-2W	2697
	48″	1219	81	36.7	5.7	AP2448T-2C	3036	AP2448T-2H	3036	AP2448T-1C-1W	3036	AP2448T-1H-1W	3036	AP2448T-2W	3036
	60″	1524	97	44.0	7.1	AP2460T-2C	3429	AP2460T-2H	3429	AP2460T-1C-1W	3429	AP2460T-1H-1W	3429	AP2460T-2W	3429
	72″	1829	113	51.3	8.5	AP2472T-2C	3826	AP2472T-2H	3826	AP2472T-1C-1W	3826	AP2472T-1H-1W	3826	AP2472T-2W	3826
30″ width (762mm)	36″	914	75	34.0	4.5	AP3036T-2C	2997	AP3036T-2H	2997	AP3036T-1C-1W	2997	AP3036T-1H-1W	2997	AP3036T-2W	2997
	48″	1219	94	42.6	5.7	AP3048T-2C	3406	AP3048T-2H	3406	AP3048T-1C-1W	3406	AP3048T-1H-1W	3406	AP3048T-2W	3406
	60″	1524	113	51.3	7.1	AP3060T-2C	3825	AP3060T-2H	3825	AP3060T-1C-1W	3825	AP3060T-1H-1W	3825	AP3060T-2W	3825
	72″	1829	132	59.9	8.5	AP3072T-2C	4362	AP3072T-2H	4362	AP3072T-1C-1W	4362	AP3072T-1H-1W	4362	AP3072T-2W	4362
36″ width (914mm)	36″	914	85	38.6	5.6	AP3636T-2C	3389	AP3636T-2H	3389	AP3636T-1C-1W	3389	AP3636T-1H-1W	3389	AP3636T-2W	3389
	48″	1219	108	49.0	7.1	AP3648T-2C	3980	AP3648T-2H	3980	AP3648T-1C-1W	3980	AP3648T-1H-1W	3980	AP3648T-2W	3980
	60″	1524	131	59.4	8.9	AP3660T-2C	4495	AP3660T-2H	4495	AP3660T-1C-1W	4495	AP3660T-1H-1W	4495	AP3660T-2W	4495
	72″	1829	154	69.9	10.6	AP3672T-2C	4788	AP3672T-2H	4788	AP3672T-1C-1W	4788	AP3672T-1H-1W	4788	AP3672T-2W	4788

"AEP" Series tables – Electropolished solid top with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one s/s wire undershelf
- Two stainless steel wire undershelves

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	36″	914	65	29.5	4.5	AEP2436T-2C	2733	AEP2436T-2H	2733	AEP2436T-1C-1W	2733	AEP2436T-1H-1W	2733	AEP2436T-2W	2733
	48″	1219	81	36.7	5.7	AEP2448T-2C	3276	AEP2448T-2H	3276	AEP2448T-1C-1W	3276	AEP2448T-1H-1W	3276	AEP2448T-2W	3276
	60″	1524	97	44.0	7.1	AEP2460T-2C	3982	AEP2460T-2H	3982	AEP2460T-1C-1W	3982	AEP2460T-1H-1W	3982	AEP2460T-2W	3982
	72″	1829	113	51.3	8.5	AEP2472T-2C	4480	AEP2472T-2H	4480	AEP2472T-1C-1W	4480	AEP2472T-1H-1W	4480	AEP2472T-2W	4480
30″ width (762mm)	36″	914	75	34.0	4.5	AEP3036T-2C	3530	AEP3036T-2H	3530	AEP3036T-1C-1W	3530	AEP3036T-1H-1W	3530	AEP3036T-2W	3530
	48″	1219	94	42.6	5.7	AEP3048T-2C	4104	AEP3048T-2H	4104	AEP3048T-1C-1W	4104	AEP3048T-1H-1W	4104	AEP3048T-2W	4104
	60″	1524	113	51.3	7.1	AEP3060T-2C	4549	AEP3060T-2H	4549	AEP3060T-1C-1W	4549	AEP3060T-1H-1W	4549	AEP3060T-2W	4549
	72″	1829	132	59.9	8.5	AEP3072T-2C	5173	AEP3072T-2H	5173	AEP3072T-1C-1W	5173	AEP3072T-1H-1W	5173	AEP3072T-2W	5173
36″ width (914mm)	36″	914	85	38.6	5.6	AEP3636T-2C	3936	AEP3636T-2H	3936	AEP3636T-1C-1W	3936	AEP3636T-1H-1W	3936	AEP3636T-2W	3936
	48″	1219	108	49.0	7.1	AEP3648T-2C	4638	AEP3648T-2H	4638	AEP3648T-1C-1W	4638	AEP3648T-1H-1W	4638	AEP3648T-2W	4638
	60″	1524	131	59.4	8.9	AEP3660T-2C	5363	AEP3660T-2H	5363	AEP3660T-1C-1W	5363	AEP3660T-1H-1W	5363	AEP3660T-2W	5363
	72″	1829	154	69.9	10.6	AEP3672T-2C	6012	AEP3672T-2H	6012	AEP3672T-1C-1W	6012	AEP3672T-1H-1W	6012	AEP3672T-2W	6012

"APEP" Series tables – Electropolished perforated* top *(¾″-dia. holes on 1″ center)* with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one s/s wire undershelf
- Two stainless steel wire undershelves

* For perforated tops, laminar air flow is 23-25% depending on size.

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	36″	914	65	29.5	4.5	APEP2436T-2C	3314	APEP2436T-2H	3314	APEP2436T-1C-1W	3314	APEP2436T-1H-1W	3314	APEP2436T-2W	3314
	48″	1219	81	36.7	5.7	APEP2448T-2C	3862	APEP2448T-2H	3862	APEP2448T-1C-1W	3862	APEP2448T-1H-1W	3862	APEP2448T-2W	3862
	60″	1524	97	44.0	7.1	APEP2460T-2C	4565	APEP2460T-2H	4565	APEP2460T-1C-1W	4565	APEP2460T-1H-1W	4565	APEP2460T-2W	4565
	72″	1829	113	51.3	8.5	APEP2472T-2C	5056	APEP2472T-2H	5056	APEP2472T-1C-1W	5056	APEP2472T-1H-1W	5056	APEP2472T-2W	5056
30″ width (762mm)	36″	914	75	34.0	4.5	APEP3036T-2C	4116	APEP3036T-2H	4116	APEP3036T-1C-1W	4116	APEP3036T-1H-1W	4116	APEP3036T-2W	4116
	48″	1219	94	42.6	5.7	APEP3048T-2C	4692	APEP3048T-2H	4692	APEP3048T-1C-1W	4692	APEP3048T-1H-1W	4692	APEP3048T-2W	4692
	60″	1524	113	51.3	7.1	APEP3060T-2C	5136	APEP3060T-2H	5136	APEP3060T-1C-1W	5136	APEP3060T-1H-1W	5136	APEP3060T-2W	5136
	72″	1829	132	59.9	8.5	APEP3072T-2C	5772	APEP3072T-2H	5772	APEP3072T-1C-1W	5772	APEP3072T-1H-1W	5772	APEP3072T-2W	5772
36″ width (914mm)	36″	914	85	38.6	5.6	APEP3636T-2C	4367	APEP3636T-2H	4367	APEP3636T-1C-1W	4367	APEP3636T-1H-1W	4367	APEP3636T-2W	4367
	48″	1219	108	49.0	7.1	APEP3648T-2C	5144	APEP3648T-2H	5144	APEP3648T-1C-1W	5144	APEP3648T-1H-1W	5144	APEP3648T-2W	5144
	60″	1524	131	59.4	8.9	APEP3660T-2C	5959	APEP3660T-2H	5959	APEP3660T-1C-1W	5959	APEP3660T-1H-1W	5959	APEP3660T-2W	5959
	72″	1829	154	69.9	10.6	APEP3672T-2C	6614	APEP3672T-2H	6614	APEP3672T-1C-1W	6614	APEP3672T-1H-1W	6614	APEP3672T-2W	6614

Contact factory for custom workstation configurations.

adjusTable® Work Surface Systems with Cantilevered Overhead System

NSF

see spec sheet EG04.04B

Now NSF!

FEATURES:

- 34½″ *(876mm)* working height.
- 63″ *(1600mm)* overall height.



shown with two C-frame bases (suffix "-2C")

Note: To order table with 5″ *(127mm)* resilient tread casters, add suffix **"-CAH"** and **add to list price $986**.
Example: OAC2436T-2H--CAH.
To order table with 5″ *(127mm)* poly tread casters, add suffix **"-CAHP"** and **add to list price $855**.
Example: OAC2436T-2H-CAHP.
See page 142 for optional drawers and keyboard station.

Allows you to create work surfaces of your choice. Tabletops on all models feature hat channels underneath for added strength.

Work surface of your choice is combined with two 33″ *(838mm)* front posts, two 63″ *(1600mm)* rear posts, two cantilevered wire overshelves, and your choice of base combination. Overall height of 63″ *(1600mm)*.

"OAC" Series tables – Brushed 16/304 stainless steel solid top and chrome wire overshelves, with choice of:

- Two knocked down chrome C-frames
- Two knocked down chrome H-frames
- One chrome C-frame and one chrome wire undershelf
- One chrome H-frame and one chrome wire undershelf
- Two chrome wire undershelves

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	36″	914	65	29.5	4.4	OAC2436T-2C	1700	OAC2436T-2H	1700	OAC2436T-1C-1W	1700	OAC2436T-1H-1W	1700	OAC2436T-2W	1700
	48″	1219	81	36.7	5.7	OAC2448T-2C	1958	OAC2448T-2H	1958	OAC2448T-1C-1W	1958	OAC2448T-1H-1W	1958	OAC2448T-2W	1958
	60″	1524	97	44.0	7.0	OAC2460T-2C	2217	OAC2460T-2H	2217	OAC2460T-1C-1W	2217	OAC2460T-1H-1W	2217	OAC2460T-2W	2217
30″ width (762mm)	36″	914	75	34.0	4.4	OAC3036T-2C	1808	OAC3036T-2H	1808	OAC3036T-1C-1W	1808	OAC3036T-1H-1W	1808	OAC3036T-2W	1808
	48″	1219	94	42.6	5.7	OAC3048T-2C	2133	OAC3048T-2H	2133	OAC3048T-1C-1W	2133	OAC3048T-1H-1W	2133	OAC3048T-2W	2133
	60″	1524	113	51.3	7.0	OAC3060T-2C	2423	OAC3060T-2H	2423	OAC3060T-1C-1W	2423	OAC3060T-1H-1W	2423	OAC3060T-2W	2423
36″ width (914mm)	36″	914	85	38.6	5.0	OAC3636T-2C	2208	OAC3636T-2H	2208	OAC3636T-1C-1W	2208	OAC3636T-1H-1W	2208	OAC3636T-2W	2208
	48″	1219	108	49.0	7.0	OAC3648T-2C	2526	OAC3648T-2H	2526	OAC3648T-1C-1W	2526	OAC3648T-1H-1W	2526	OAC3648T-2W	2526
	60″	1524	131	59.4	9.0	OAC3660T-2C	2758	OAC3660T-2H	2758	OAC3660T-1C-1W	2758	OAC3660T-1H-1W	2758	OAC3660T-2W	2758

"OAS" Series tables – Brushed 16/304 stainless steel solid top and stainless steel wire overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one chrome wire undershelf
- Two stainless steel wire undershelves

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	36″	914	65	29.5	4.4	OAS2436T-2C	2955	OAS2436T-2H	2955	OAS2436T-1C-1W	2955	OAS2436T-1H-1W	2955	OAS2436T-2W	2955
	48″	1219	81	36.7	5.7	OAS2448T-2C	3380	OAS2448T-2H	3380	OAS2448T-1C-1W	3380	OAS2448T-1H-1W	3380	OAS2448T-2W	3380
	60″	1524	97	44.0	7.0	OAS2460T-2C	3920	OAS2460T-2H	3920	OAS2460T-1C-1W	3920	OAS2460T-1H-1W	3920	OAS2460T-2W	3920
30″ width (762mm)	36″	914	75	34.0	4.4	OAS3036T-2C	3255	OAS3036T-2H	3255	OAS3036T-1C-1W	3255	OAS3036T-1H-1W	3255	OAS3036T-2W	3255
	48″	1219	94	42.6	5.7	OAS3048T-2C	3749	OAS3048T-2H	3749	OAS3048T-1C-1W	3749	OAS3048T-1H-1W	3749	OAS3048T-2W	3749
	60″	1524	113	51.3	7.0	OAS3060T-2C	4317	OAS3060T-2H	4317	OAS3060T-1C-1W	4317	OAS3060T-1H-1W	4317	OAS3060T-2W	4317
36″ width (914mm)	36″	914	85	38.6	5.0	OAS3636T-2C	3643	OAS3636T-2H	3643	OAS3636T-1C-1W	3643	OAS3636T-1H-1W	3643	OAS3636T-2W	3643
	48″	1219	108	49.0	7.0	OAS3648T-2C	4320	OAS3648T-2H	4320	OAS3648T-1C-1W	4320	OAS3648T-1H-1W	4320	OAS3648T-2W	4320
	60″	1524	131	59.4	9.0	OAS3660T-2C	4987	OAS3660T-2H	4987	OAS3660T-1C-1W	4987	OAS3660T-1H-1W	4987	OAS3660T-2W	4987

Contact factory for custom workstation configurations.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

adjusTable® Work Surface Systems with Cantilevered Overhead System

see spec sheet EG04.04B

(continued from page 138)

Note: To order table with 5″ *(127mm)* resilient tread casters, add suffix **"-CAH"** and **add to list price $986. Example: OAP2436T-2H-CAH.**
To order table with 5″ *(127mm)* poly tread casters, add suffix **"-CAHP"** and **add to list price $855. Example: OAP2436T-2H-CAHP.**
See page 142 for optional drawers and keyboard station.

"OAP" Series tables – Brushed 14/304 stainless steel top with ¾″ *(19mm)* perforations* on 1″ *(25mm)* centers and stainless steel wire overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one s/s wire undershelf
- Two stainless steel wire undershelves

* For perforated tops, laminar air flow is 23-25% depending on size.

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	36″	914	65	29.5	4.4	OAP2436T-2C	3396	OAP2436T-2H	3396	OAP2436T-1C-1W	3396	OAP2436T-1H-1W	3396	OAP2436T-2W	3396
	48″	1219	81	36.7	5.7	OAP2448T-2C	3933	OAP2448T-2H	3933	OAP2448T-1C-1W	3933	OAP2448T-1H-1W	3933	OAP2448T-2W	3933
	60″	1524	97	44.0	7.0	OAP2460T-2C	4476	OAP2460T-2H	4476	OAP2460T-1C-1W	4476	OAP2460T-1H-1W	4476	OAP2460T-2W	4476
30″ width (762mm)	36″	914	75	34.0	4.4	OAP3036T-2C	3808	OAP3036T-2H	3808	OAP3036T-1C-1W	3808	OAP3036T-1H-1W	3808	OAP3036T-2W	3808
	48″	1219	94	42.6	5.7	OAP3048T-2C	4305	OAP3048T-2H	4305	OAP3048T-1C-1W	4305	OAP3048T-1H-1W	4305	OAP3048T-2W	4305
	60″	1524	113	51.3	7.0	OAP3060T-2C	4875	OAP3060T-2H	4875	OAP3060T-1C-1W	4875	OAP3060T-1H-1W	4875	OAP3060T-2W	4875
36″ width (914mm)	36″	914	85	38.6	5.0	OAP3636T-2C	4198	OAP3636T-2H	4198	OAP3636T-1C-1W	4198	OAP3636T-1H-1W	4198	OAP3636T-2W	4198
	48″	1219	108	49.0	7.0	OAP3648T-2C	4876	OAP3648T-2H	4876	OAP3648T-1C-1W	4876	OAP3648T-1H-1W	4876	OAP3648T-2W	4876
	60″	1524	131	59.4	9.0	OAP3660T-2C	5540	OAP3660T-2H	5540	OAP3660T-1C-1W	5540	OAP3660T-1H-1W	5540	OAP3660T-2W	5540

"OAEP" Series tables – 14/304 electropolished solid top and stainless steel wire overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one s/s wire undershelf
- Two stainless steel wire undershelves

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	36″	914	65	29.5	4.4	OAEP2436T-2C	3707	OAEP2436T-2H	3707	OAEP2436T-1C-1W	3707	OAEP2436T-1H-1W	3707	OAEP2436T-2W	3707
	48″	1219	81	36.7	5.7	OAEP2448T-2C	4220	OAEP2448T-2H	4220	OAEP2448T-1C-1W	4220	OAEP2448T-1H-1W	4220	OAEP2448T-2W	4220
	60″	1524	97	44.0	7.0	OAEP2460T-2C	5093	OAEP2460T-2H	5093	OAEP2460T-1C-1W	5093	OAEP2460T-1H-1W	5093	OAEP2460T-2W	5093
30″ width (762mm)	36″	914	75	34.0	4.4	OAEP3036T-2C	4392	OAEP3036T-2H	4392	OAEP3036T-1C-1W	4392	OAEP3036T-1H-1W	4392	OAEP3036T-2W	4392
	48″	1219	94	42.6	5.7	OAEP3048T-2C	5049	OAEP3048T-2H	5049	OAEP3048T-1C-1W	5049	OAEP3048T-1H-1W	5049	OAEP3048T-2W	5049
	60″	1524	113	51.3	7.0	OAEP3060T-2C	5653	OAEP3060T-2H	5653	OAEP3060T-1C-1W	5653	OAEP3060T-1H-1W	5653	OAEP3060T-2W	5653
36″ width (914mm)	36″	914	85	38.6	5.0	OAEP3636T-2C	4786	OAEP3636T-2H	4786	OAEP3636T-1C-1W	4786	OAEP3636T-1H-1W	4786	OAEP3636T-2W	4786
	48″	1219	108	49.0	7.0	OAEP3648T-2C	5582	OAEP3648T-2H	5582	OAEP3648T-1C-1W	5582	OAEP3648T-1H-1W	5582	OAEP3648T-2W	5582
	60″	1524	131	59.4	9.0	OAEP3660T-2C	6465	OAEP3660T-2H	6465	OAEP3660T-1C-1W	6465	OAEP3660T-1H-1W	6465	OAEP3660T-2W	6465

"OAPEP" Series tables – 14/304 electropolished top with ¾″ *(19mm)* perforations* on 1″ *(25mm)* centers and stainless steel wire overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one s/s wire undershelf
- Two stainless steel wire undershelves

* For perforated tops, laminar air flow is 23-25% depending on size.

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	36″	914	65	29.5	4.4	OAPEP2436T-2C	4169	OAPEP2436T-2H	4169	OAPEP2436T-1C-1W	4169	OAPEP2436T-1H-1W	4169	OAPEP2436T-2W	4169
	48″	1219	81	36.7	5.7	OAPEP2448T-2C	4809	OAPEP2448T-2H	4809	OAPEP2448T-1C-1W	4809	OAPEP2448T-1H-1W	4809	OAPEP2448T-2W	4809
	60″	1524	97	44.0	7.0	OAPEP2460T-2C	5673	OAPEP2460T-2H	5673	OAPEP2460T-1C-1W	5673	OAPEP2460T-1H-1W	5673	OAPEP2460T-2W	5673
30″ width (762mm)	36″	914	75	34.0	4.4	OAPEP3036T-2C	4970	OAPEP3036T-2H	4970	OAPEP3036T-1C-1W	4970	OAPEP3036T-1H-1W	4970	OAPEP3036T-2W	4970
	48″	1219	94	42.6	5.7	OAPEP3048T-2C	5638	OAPEP3048T-2H	5638	OAPEP3048T-1C-1W	5638	OAPEP3048T-1H-1W	5638	OAPEP3048T-2W	5638
	60″	1524	113	51.3	7.0	OAPEP3060T-2C	6238	OAPEP3060T-2H	6238	OAPEP3060T-1C-1W	6238	OAPEP3060T-1H-1W	6238	OAPEP3060T-2W	6238
36″ width (914mm)	36″	914	85	38.6	5.0	OAPEP3636T-2C	5226	OAPEP3636T-2H	5226	OAPEP3636T-1C-1W	5226	OAPEP3636T-1H-1W	5226	OAPEP3636T-2W	5226
	48″	1219	108	49.0	7.0	OAPEP3648T-2C	6092	OAPEP3648T-2H	6092	OAPEP3648T-1C-1W	6092	OAPEP3648T-1H-1W	6092	OAPEP3648T-2W	6092
	60″	1524	131	59.4	9.0	OAPEP3660T-2C	7062	OAPEP3660T-2H	7062	OAPEP3660T-1C-1W	7062	OAPEP3660T-1H-1W	7062	OAPEP3660T-2W	7062

Contact factory for custom workstation configurations.

adjusTable® Work Surface Systems with Wire Overshelf System

see spec sheet EG04.04C

Now NSF!

FEATURES:
- 34½″ *(876mm)* working height.
- 63″ *(1600mm)* overall height.



shown with two C-frame bases (suffix "-2C")

Note: To order table with 5″ *(127mm)* resilient tread casters, add suffix **"-CAH"** and **add to list price $986**.
Example: WOAC2436T-2H-CAH.
To order table with 5″ *(127mm)* poly tread casters, add suffix **"-CAHP"** and **add to list price $855**.
Example: WOAS2436T-2H-CAHP.
See page 142 for optional drawers and keyboard station.

Allows you to create work surfaces of your choice. Tabletops on all models feature hat channels underneath for added strength.

Work surface of your choice is combined with two 33″ *(838mm)* front posts, two 63″ *(1600mm)* rear posts, two wire overshelves, two 29″ *(737mm)* front posts for wire overshelves, and your choice of base combination. 63″ *(1600mm)* overall height.

"**WOAC**" Series tables – 16/304 brushed stainless solid top and chrome overshelves, with choice of:

- Two knocked down chrome C-frames
- Two knocked down chrome H-frames
- One chrome C-frame and one chrome wire undershelf
- One chrome H-frame and one chrome wire undershelf
- Two chrome wire undershelves

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	36″	914	65	29.5	4.4	WOAC2436T-2C	1798	WOAC2436T-2H	1798	WOAC2436T-1C-1W	1798	WOAC2436T-1H-1W	1798	WOAC2436T-2W	1798
	48″	1219	81	36.7	5.7	WOAC2448T-2C	2045	WOAC2448T-2H	2045	WOAC2448T-1C-1W	2045	WOAC2448T-1H-1W	2045	WOAC2448T-2W	2045
	60″	1524	97	44.0	7.0	WOAC2460T-2C	2297	WOAC2460T-2H	2297	WOAC2460T-1C-1W	2297	WOAC2460T-1H-1W	2297	WOAC2460T-2W	2297
30″ width (762mm)	36″	914	75	34.0	4.4	WOAC3036T-2C	1900	WOAC3036T-2H	1900	WOAC3036T-1C-1W	1900	WOAC3036T-1H-1W	1900	WOAC3036T-2W	1900
	48″	1219	94	42.6	5.7	WOAC3048T-2C	2218	WOAC3048T-2H	2218	WOAC3048T-1C-1W	2218	WOAC3048T-1H-1W	2218	WOAC3048T-2W	2218
	60″	1524	113	51.3	7.0	WOAC3060T-2C	2498	WOAC3060T-2H	2498	WOAC3060T-1C-1W	2498	WOAC3060T-1H-1W	2498	WOAC3060T-2W	2498
36″ width (914mm)	36″	914	85	38.6	5.0	WOAC3636T-2C	2307	WOAC3636T-2H	2307	WOAC3636T-1C-1W	2307	WOAC3636T-1H-1W	2307	WOAC3636T-2W	2307
	48″	1219	108	49.0	7.0	WOAC3648T-2C	2610	WOAC3648T-2H	2610	WOAC3648T-1C-1W	2610	WOAC3648T-1H-1W	2610	WOAC3648T-2W	2610
	60″	1524	131	59.4	9.0	WOAC3660T-2C	2836	WOAC3660T-2H	2836	WOAC3660T-1C-1W	2836	WOAC3660T-1H-1W	2836	WOAC3660T-2W	2836

"**WOAS**" Series tables – 16/304 brushed stainless solid top and stainles steel overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one chrome wire undershelf
- Two stainless steel wire undershelves

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	36″	914	65	29.5	4.4	WOAS2436T-2C	3112	WOAS2436T-2H	3112	WOAS2436T-1C-1W	3112	WOAS2436T-1H-1W	3112	WOAS2436T-2W	3112
	48″	1219	81	36.7	5.7	WOAS2448T-2C	3616	WOAS2448T-2H	3616	WOAS2448T-1C-1W	3616	WOAS2448T-1H-1W	3616	WOAS2448T-2W	3616
	60″	1524	97	44.0	7.0	WOAS2460T-2C	4245	WOAS2460T-2H	4245	WOAS2460T-1C-1W	4245	WOAS2460T-1H-1W	4245	WOAS2460T-2W	4245
30″ width (762mm)	36″	914	75	34.0	4.4	WOAS3036T-2C	3412	WOAS3036T-2H	3412	WOAS3036T-1C-1W	3412	WOAS3036T-1H-1W	3412	WOAS3036T-2W	3412
	48″	1219	94	42.6	5.7	WOAS3048T-2C	3986	WOAS3048T-2H	3986	WOAS3048T-1C-1W	3986	WOAS3048T-1H-1W	3986	WOAS3048T-2W	3986
	60″	1524	113	51.3	7.0	WOAS3060T-2C	4640	WOAS3060T-2H	4640	WOAS3060T-1C-1W	4640	WOAS3060T-1H-1W	4640	WOAS3060T-2W	4640
36″ width (914mm)	36″	914	85	38.6	5.0	WOAS3636T-2C	3799	WOAS3636T-2H	3799	WOAS3636T-1C-1W	3799	WOAS3636T-1H-1W	3799	WOAS3636T-2W	3799
	48″	1219	108	49.0	7.0	WOAS3648T-2C	4559	WOAS3648T-2H	4559	WOAS3648T-1C-1W	4559	WOAS3648T-1H-1W	4559	WOAS3648T-2W	4559
	60″	1524	131	59.4	9.0	WOAS3660T-2C	5315	WOAS3660T-2H	5315	WOAS3660T-1C-1W	5315	WOAS3660T-1H-1W	5315	WOAS3660T-2W	5315

Contact factory for custom workstation configurations.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

adjusTable® Work Surface Systems with Wire Overshelf System

see spec sheet EG04.04C

(continued from page 140)

Note: To order table with 5″ *(127mm)* resilient tread casters, add suffix **"-CAH"** and **add to list price $986**
Example: WOAP2436T-2H-CAH.

To order table with 5″ *(127mm)* poly tread casters, add suffix **"-CAHP"** and **add to list price $855**.
Example: WOAP2436T-2H-CAHP.

See page 142 for optional drawers and keyboard station.

"WOAP" Series tables – 14/304 brushed stainless steel top with ¾″ *(19mm)* perforations on 1″ *(25mm)* centers and stainless steel overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one s/s wire undershelf
- Two stainless steel wire undershelves

* For perforated tops, laminar air flow is 23-25% depending on size.

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	36″	914	65	29.5	4.4	WOAP2436T-2C	3553	WOAP2436T-2H	3553	WOAP2436T-1C-1W	3553	WOAP2436T-1H-1W	3553	WOAP2436T-2W	3553
	48″	1219	81	36.7	5.7	WOAP2448T-2C	4165	WOAP2448T-2H	4165	WOAP2448T-1C-1W	4165	WOAP2448T-1H-1W	4165	WOAP2448T-2W	4165
	60″	1524	97	44.0	7.0	WOAP2460T-2C	4798	WOAP2460T-2H	4798	WOAP2460T-1C-1W	4798	WOAP2460T-1H-1W	4798	WOAP2460T-2W	4798
30″ width (762mm)	36″	914	75	34.0	4.4	WOAP3036T-2C	3839	WOAP3036T-2H	3839	WOAP3036T-1C-1W	3839	WOAP3036T-1H-1W	3839	WOAP3036T-2W	3839
	48″	1219	94	42.6	5.7	WOAP3048T-2C	4539	WOAP3048T-2H	4539	WOAP3048T-1C-1W	4539	WOAP3048T-1H-1W	4539	WOAP3048T-2W	4539
	60″	1524	113	51.3	7.0	WOAP3060T-2C	5194	WOAP3060T-2H	5194	WOAP3060T-1C-1W	5194	WOAP3060T-1H-1W	5194	WOAP3060T-2W	5194
36″ width (914mm)	36″	914	85	38.6	5.0	WOAP3636T-2C	4352	WOAP3636T-2H	4352	WOAP3636T-1C-1W	4352	WOAP3636T-1H-1W	4352	WOAP3636T-2W	4352
	48″	1219	108	49.0	7.0	WOAP3648T-2C	5110	WOAP3648T-2H	5110	WOAP3648T-1C-1W	5110	WOAP3648T-1H-1W	5110	WOAP3648T-2W	5110
	60″	1524	131	59.4	9.0	WOAP3660T-2C	5863	WOAP3660T-2H	5863	WOAP3660T-1C-1W	5863	WOAP3660T-1H-1W	5863	WOAP3660T-2W	5863

"WOAEP" Series tables – 14/304 electropolished solid top and stainless steel overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one s/s wire undershelf
- Two stainless steel wire undershelves

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	36″	914	65	29.5	4.4	WOAEP2436T-2C	3867	WOAEP2436T-2H	3867	WOAEP2436T-1C-1W	3867	WOAEP2436T-1H-1W	3867	WOAEP2436T-2W	3867
	48″	1219	81	36.7	5.7	WOAEP2448T-2C	4473	WOAEP2448T-2H	4473	WOAEP2448T-1C-1W	4473	WOAEP2448T-1H-1W	4473	WOAEP2448T-2W	4473
	60″	1524	97	44.0	7.0	WOAEP2460T-2C	5429	WOAEP2460T-2H	5429	WOAEP2460T-1C-1W	5429	WOAEP2460T-1H-1W	5429	WOAEP2460T-2W	5429
30″ width (762mm)	36″	914	75	34.0	4.4	WOAEP3036T-2C	4550	WOAEP3036T-2H	4550	WOAEP3036T-1C-1W	4550	WOAEP3036T-1H-1W	4550	WOAEP3036T-2W	4550
	48″	1219	94	42.6	5.7	WOAEP3048T-2C	5304	WOAEP3048T-2H	5304	WOAEP3048T-1C-1W	5304	WOAEP3048T-1H-1W	5304	WOAEP3048T-2W	5304
	60″	1524	113	51.3	7.0	WOAEP3060T-2C	5997	WOAEP3060T-2H	5997	WOAEP3060T-1C-1W	5997	WOAEP3060T-1H-1W	5997	WOAEP3060T-2W	5997
36″ width (914mm)	36″	914	85	38.6	5.0	WOAEP3636T-2C	4955	WOAEP3636T-2H	4955	WOAEP3636T-1C-1W	4955	WOAEP3636T-1H-1W	4955	WOAEP3636T-2W	4955
	48″	1219	108	49.0	7.0	WOAEP3648T-2C	5836	WOAEP3648T-2H	5836	WOAEP3648T-1C-1W	5836	WOAEP3648T-1H-1W	5836	WOAEP3648T-2W	5836
	60″	1524	131	59.4	9.0	WOAEP3660T-2C	6807	WOAEP3660T-2H	6807	WOAEP3660T-1C-1W	6807	WOAEP3660T-1H-1W	6807	WOAEP3660T-2W	6807

"WOAPEP" Series tables – 14/304 electropolished perforated top and stainless steel overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one s/s wire undershelf
- Two stainless steel wire undershelves

* For perforated tops, laminar air flow is 23-25% depending on size.

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	36″	914	65	29.5	4.4	WOAPEP2436T-2C	4332	WOAPEP2436T-2H	4332	WOAPEP2436T-1C-1W	4332	WOAPEP2436T-1H-1W	4332	WOAPEP2436T-2W	4332
	48″	1219	81	36.7	5.7	WOAPEP2448T-2C	5056	WOAPEP2448T-2H	5056	WOAPEP2448T-1C-1W	5056	WOAPEP2448T-1H-1W	5056	WOAPEP2448T-2W	5056
	60″	1524	97	44.0	7.0	WOAPEP2460T-2C	6016	WOAPEP2460T-2H	6016	WOAPEP2460T-1C-1W	6016	WOAPEP2460T-1H-1W	6016	WOAPEP2460T-2W	6016
30″ width (762mm)	36″	914	75	34.0	4.4	WOAPEP3036T-2C	5136	WOAPEP3036T-2H	5136	WOAPEP3036T-1C-1W	5136	WOAPEP3036T-1H-1W	5136	WOAPEP3036T-2W	5136
	48″	1219	94	42.6	5.7	WOAPEP3048T-2C	5885	WOAPEP3048T-2H	5885	WOAPEP3048T-1C-1W	5885	WOAPEP3048T-1H-1W	5885	WOAPEP3048T-2W	5885
	60″	1524	113	51.3	7.0	WOAPEP3060T-2C	6575	WOAPEP3060T-2H	6575	WOAPEP3060T-1C-1W	6575	WOAPEP3060T-1H-1W	6575	WOAPEP3060T-2W	6575
36″ width (914mm)	36″	914	85	38.6	5.0	WOAPEP3636T-2C	5388	WOAPEP3636T-2H	5388	WOAPEP3636T-1C-1W	5388	WOAPEP3636T-1H-1W	5388	WOAPEP3636T-2W	5388
	48″	1219	108	49.0	7.0	WOAPEP3648T-2C	6345	WOAPEP3648T-2H	6345	WOAPEP3648T-1C-1W	6345	WOAPEP3648T-1H-1W	6345	WOAPEP3648T-2W	6345
	60″	1524	131	59.4	9.0	WOAPEP3660T-2C	7404	WOAPEP3660T-2H	7404	WOAPEP3660T-1C-1W	7404	WOAPEP3660T-1H-1W	7404	WOAPEP3660T-2W	7404

Contact factory for custom workstation configurations.

Options for adjusTable® Work Surface Systems

Optional Table Mount Keyboard Station

20½″ wide x 11½″ deep *(521 x 292mm)*.

weight lbs.	weight kg	cubic feet	stainless steel model #	stainless steel list
6.0	2.7	0.35	**KBD-1/SS**	649



keyboard station

Optional Utility Drawers

Stainless steel construction. Enclosed assembly comes complete with housing, drawer, drawer pan, and drawer front. Guides and rollers included.

length x width x height in.	length x width x height mm	cu ft	with Pull Flange and Full Front weight lbs.	with Pull Flange and Full Front weight kg	with Pull Flange and Full Front part #	with Pull Flange and Full Front list	Enclosed Assembly weight lbs.	Enclosed Assembly weight kg	Enclosed Assembly part #	Enclosed Assembly list
20″ x 20″ x 5″	508 x 508 x 127	3.0	25	11.3	**501571** •	738	35	15.9	**501572** •	1339



model #501571 utility drawer



model #501572 enclosed assembly

NEW Foot Rest

see product announcement **EG8224**



Designed with stress relief in mind.

width x length x height in.	width x length x height mm	model #	list
11 1/16″ x 21″ x 12 7/8″	281 x 533 x 327	**FR-1221-SS**	976

- Heavy gauge stainless steel all-welded construction.
- 1″ square tubular welded frame, with non-slip rubber feet.
- Platform at 12° angle.
- Adjusts from 4½″ to 9¾″ (lowest leading edge to the floor).

Roll Bag Dispensers

see spec sheet **EG04.00**



Not recommended on casters.

An effective means for dispensing rolls of bags, film, or tube stock. An easy way to establish protocol by avoiding inadvertent mixing of non-compatible chemicals.

FEATURES:

- Two 14″ x 48″ *(356 x 1219mm)* wire shelves.
- Eight removable dispensing bars.
- One 3-sided channel frame.
- Four 74″ *(1829mm)* posts with 30″ *(762mm)* outrigger feet—featuring triangular foot plates — for stability.
- Dispensing bars are adjustable on 1″ *(25mm)* increments.
- Custom sizes available.

60-lb. weight capacity per bar!


overall width x length in.	overall width x length mm	shelf width x length in.	shelf width x length mm	weight lbs.	weight kg	cu ft	chrome model #	chrome list	stainless steel model #	stainless steel list
30″ x 48″	762 x 1219	14″ x 48″	356 x 1219	79	35.8	2.3	**BD1448C**	2894	**BD1448S**	4314

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Shoe Racks

see spec sheet **EG04.09**



patented QuadTruss® design
(Patent #5,390,803)

Wire shelves offer the optimum combination of laminar flow and ventilation for the storage of cleanroom shoes.

FEATURES:

- Rods & tabs run through the shelves to create the cubbies for each pair of shoes.
- Shoe racks may be configured in chrome plated as well as electropolished stainless steel.
- Foot plates are included for fastening to the floor.
- 86″ *(2184mm)* post height.

Note: Optional snap-on plastic label holders are available for identification of each cubby.

	length*		weight		cu	# of	cubby size width x height		chrome		stainless steel	
	in.	mm	lbs.	kg	ft	cubbies	in.	mm	model #	list	model #	list
14″ width *(356mm)*	36″	914	133	60.3	4	40	9″ x 6½″	229 x 165	**SR1436C**	2164	**SR1436S**	7469
	48″	102	153	69.4	4	50	9½″ x 6½″	241 x 165	**SR1448C**	2460	**SR1448S**	6616
	60″	1524	190	86.2	8	60	10″ x 6½″	254 x 165	**SR1460C**	2777	**SR1460S**	7765
	72″	1829	220	99.8	8	80	9″ x 6½″	229 x 165	**SR1472C**	3074	**SR1472S**	9352

*Available in any shelf length. For information on shelf lengths, see "Wire Shelves," page 6.

Vertical Storage Cabinets

see spec sheet **EG04.11**



vertical storage cabinet with flat top

FEATURES:

- Type 304 stainless steel construction.
- Four (4) adjustable intermediate shelves.
- Hinged doors with wire-style pulls.
- Stationary units feature stainless steel legs with 1″ *(25mm)* adjustable bullet feet.
- Mobile "-CPB" units include 5″ *(127mm)*-diameter swivel/brake casters with poly tread.

Note: Custom sizes, glass doors, locks, and additional shelves available upon request. Please contact factory for pricing on these options.

Consult factory for pricing.

				with Flat Top					with Sloped Top				
depth		width			height		weight		height		weight		
in	mm	in.	mm		in.	mm	lbs.	kg	model #	in.	mm	lbs.	kg	model #
18″	457	36″	914	stationary	72″	1829	416	188.7	**SSC-TSC-1836**	77″	1956	419	190.0	**SSC-TSCST-1836**
18″	457	48″	1219	stationary	72″	1829	490	222.3	**SSC-TSC-1848**	77″	1956	495	224.5	**SSC-TSCST-1848**
24″	610	36″	914	stationary	72″	1829	458	207.7	**SSC-TSC-2436**	77″	1956	461	209.1	**SSC-TSCST-2436**
24″	610	48″	1219	stationary	72″	1829	539	244.5	**SSC-TSC-2448**	77″	1956	545	247.2	**SSC-TSCST-2448**
24″	610	36″	914	mobile	72″	1829	462	209.6	**SSC-TSC-2436-CPB**	78″	1981	465	210.9	**SSC-TSCST-2436-CPB**
24″	610	48″	1219	mobile	72″	1829	543	246.3	**SSC-TSC-2448-CPB**	78″	1981	549	249.0	**SSC-TSCST-2448-CPB**

Stainless Steel Countertops





stainless steel countertops fabricated to drawings indicating backsplash height, raised edge and field condition requirements

- 16 or 14 gauge, type 304 or 316 stainless steel. Other gauges and types of stainless available to meet the function and chemical resistant demands of highly specialized labs.
- Standard front edge Square or Box Marine, unless otherwise specified. See *detail 1* on next page.
- Back and end splashes are manufactured per specification. See *details 2 & 3* on next page. All working surfaces and sink bowls have coved sanitary horizontal and vertical corners.
- Either a mechanical hairline seam or field welded joint available per your specifications.
  Maximum length without seam is 144″ if no end splash. Length is reduced by 5½″ for each end splash that may be required.
- Fabricated sink bowls available in most any size and depth with single or multiple compartments.
- For backsplash mounted faucets, splash will need to be at least 2″ deep for plumbing access, holes for deck mounted faucets are typically centered 1½″ from the edge of sink bowl.
- Both L-shaped and U-shaped tops are available per your drawings.
  - Corners are mitered and factory welded.
  - Maximum size without field joint provisions is 96″ x 96″ to fit into standard trailer for ground shipment.
- Countertops have stainless steel reinforcing hat channels. Sound deadening tape is factory installed. Top support options include National Sanitation Foundation (NSF)-listed sprayed latex sound deadening and marine grade plywood backing with white laminate facing.
- Standard packaging is wood reinforced cardboard and is included in the cost. Should full crating be required, it too will be included in the cost.







100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com


EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Stainless Steel Countertops

see spec sheet EG04.12









box marine edge

detail 1: edges



detail 2:
4" backsplash with 1" return and turndown. Z-clip provided for wall attachement.



detail 3:
4-1/2" backsplash with 1" return.

Consult factory for pricing.

NOTE: – Drawings to be submitted for approval prior to fabrication using the latest version of AutoCad software. They will be emailed in Adobe Acrobat format (.pdf) unless specified otherwise. AutoCad files (.dwg) are available upon request.

– Complete field welding and finishing services are available at additional expense.

NEW Laboratory Wall Shelves

SEFA

see spec sheets **EG03.80** **EG03.81**





FEATURES:

- 16 gauge stainless steel shelves, with center hat channel and 1¼″ rear upturn
- Available with or without front wire ledge.
- 4½″ bookends on each shelf.
- Shelves adjustable on 1½″ increments
- 36″ tall, 1″ square tubular uprights

shelf depth		shelf length		overall length		weight		WITH UPTURNED BOOKENDS		WITH DOWNTURNED BOOKENDS	
in	mm	in	mm	in	mm	lbs.	kg	STANDARD SHELVES model #	WITH WIRE LEDGE model #	STANDARD SHELVES model #	WITH WIRE LEDGE model #
12″	305	30″	762	31″	787	38	17.2	LS1230-36-3	LS1230-36-3L	LSD1230-36-3	LSD1230-36-3L
12″	305	36″	914	37″	939	43	19.5	LS1236-36-3	LS1236-36-3L	LSD1236-36-3	LSD1236-36-3L
12″	305	48″	1219	49″	1244	52	23.6	LS1248-36-3	LS1248-36-3L	LSD1248-36-3	LSD1248-36-3L
12″	305	60″	1524	61″	1549	62	28.1	LS1260-36-3	LS1260-36-3L	LSD1260-36-3	LSD1260-36-3L
12″	305	72″	1828	73″	1854	71	32.2	LS1272-36-3	LS1272-36-3L	LSD1272-36-3	LSD1272-36-3L
15″	381	30″	762	31″	787	44	20.0	LS1530-36-3	LS1530-36-3L	LSD1530-36-3	LSD1530-36-3L
15″	381	36″	914	37″	939	50	22.7	LS1536-36-3	LS1536-36-3L	LSD1536-36-3	LSD1536-36-3L
15″	381	48″	1219	49″	1244	61	27.7	LS1548-36-3	LS1548-36-3L	LSD1548-36-3	LSD1548-36-3L
15″	381	60″	1524	61″	1549	72	32.7	LS1560-36-3	LS1560-36-3L	LSD1560-36-3	LSD1560-36-3L
15″	381	72″	1828	73″	1854	83	37.6	LS1572-36-3	LS1572-36-3L	LSD1572-36-3	LSD1572-36-3L
18″	457	30″	762	31″	787	51	23.1	LS1830-36-3	LS1830-36-3L	LSD1830-36-3	LSD1830-36-3L
18″	457	36″	914	37″	939	57	25.9	LS1836-36-3	LS1836-36-3L	LSD1836-36-3	LSD1836-36-3L
18″	457	48″	1219	49″	1244	70	31.8	LS1848-36-3	LS1848-36-3L	LSD1848-36-3	LSD1848-36-3L
18″	457	60″	1524	61″	1549	83	37.5	LS1860-36-3	LS1860-36-3L	LSD1860-36-3	LSD1860-36-3L
18″	457	72″	1828	73″	1854	97	44.0	LS1872-36-3	LS1872-36-3L	LSD1872-36-3	LSD1872-36-3L

Consult factory for pricing.

NOTES

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

Exchange Carts

EC Series....150
ECD Series....150
ECD7/ECE7 Series....153
ECDS Series....151
ECDT Series....152
ECE Series....150
ECES Series....151
ECET Series....153
ECS Series....151
ECT Series....152

Carts

Basket....159
Catheter Procedure....158
Catheter Storage....157
Inhalation Therapy....156
Linen....156
Mail....156
Patient Article Carts/Accessories....154
Sterile Wrap....157
Suture....155
Wire Basket Utility....159

Steril-Eze® Surgical Case Carts

Open....160
Open Wire....160

More Healthcare

Cart Covers....162
Double-Sided Bin-Holder Rails....164
Foot Stools....155
I.V. Stands....154
Instrument Tables....161
Mobile Garment Racks....161
Plate Casters....154
Shower Benches....160
Stainless Steel Overlays....164
Storage Bins....163
Surgical Scrub Sinks....166
Wall Mounted Multi-Station Hand Sinks....165

Kanban Supply Storage Carts

product announcement **EG8097**



patented QuadTruss® design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

Consult factory for additional configurations.

FEATURES:

- Six wire reverse mat shelves each contain a lip on all sides to ensure bins stay in place. Each shelf accommodates two rows of 14¾″ *(375mm)*-deep bins (see photo at left).
- Shelf slanted for ease of sliding supply bins forward, and for greater visibility of contents.
- 68″ *(1727mm)* overall height includes 63″ (1600mm)-high 1″ *(25mm)* diameter posts, and 5″ *(127mm)*-diameter swivel casters—two with brake.
- Shelves and posts feature chrome finish.

width x length		bin capacity per shelf				
		bin size:	bin size:	bin size:		
in.	mm	14-3/4″ x 5-1/2″ x 5″	14-3/4″ x 8-1/4″ x 7″	14-3/4″ x 16-1/2″ x 7″	model #	list
30″ x 36″	914 x 914	12	8	4	**ELKB-3036-C**	2972
30″ x 48″	914 x 1219	12	10	4	**ELKB-3048-C**	3394



Optional Supply Bins

width		length		height			
in.	mm	in.	mm	in.	mm	model #	list
14¾″	375	5½″	140	7″	178	**KB-234-BL**	40
14¾″	375	8¼″	210	7″	178	**KB-240-BL**	66
14¾″	375	16½″	419	7″	178	**KB-250-BL**	107

Healthcare Products For Hospitals

Products for Environmental Services



Products for Facilities and Biomedical



Products for Laboratories



Products for Pharmacy



Click on the brochure cover to download the latest brochure

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglegrp.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Healthcare Products For Hospitals

Products for Sterile Processing



Products for Facilities and Biomedical



Stainless Steel Inset Casework



Safety Breath Shields



Click on the brochure cover to download the latest brochure

Exchange Carts

see spec sheet **EG05.09A**

Meets all requirements for supply exchange in any healthcare environment.

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

FEATURES:

- Chrome-plated posts are grooved and are numbered on one-inch increments, enabling shelving to be adjusted up and down.
- Open-wire construction reduces dust and contamination build-up.
- Five chrome-plated wire shelves.
- With various shelving configurations, caster styles, accessory packages, and a number of sizes, these carts are the ultimate in versatility!



#EC2160C

EC Series

5˝ *(127mm)* resilient stem casters *(two with brake)*. Six plastic label holders. 69˝ *(1753mm)* overall height.

shelf width x length		weight		cubic		
in.	mm	lbs.	kg	feet	model #	list
21˝ x 48˝	533 x 1219	93	42.2	6.3	**EC2148C**	1162
21˝ x 60˝	533 x 1524	114	51.7	7.3	**EC2160C**	1300
24˝ x 48˝	610 x 1219	106	48.1	6.8	**EC2448C**	1254
24˝ x 60˝	610 x 1524	131	59.4	8.3	**EC2460C**	1416



#ECD2448C

ECD Series

6˝ *(152mm)* polyurethane casters *(two with brake)*. Chrome dolly frame with wraparound bumper. 6˝ *(152mm)* deep tote boxes with dividers. Shelf dividers. Six plastic label holders. One slide assembly. 70˝ *(1778mm)* overall height.

shelf width x length		weight		cubic	# of tote	# of shelf		
in.	mm	lbs.	kg	feet	boxes	dividers	model #	list
21˝ x 48˝	533 x 1219	123	55.8	9.9	2	2	**ECD2148C**	3525
21˝ x 60˝	533 x 1524	146	66.2	12.2	2	3	**ECD2160C**	3697
24˝ x 48˝	610 x 1219	163	73.9	19.6	2	2	**ECD2448C**	3647
24˝ x 60˝	610 x 1524	188	85.3	19.6	2	3	**ECD2460C**	3873



#ECE2448C

ECE Series

8˝ *(203mm)* polyurethane casters *(two with brake)*. Chrome dolly frame with wraparound bumper. Side and back enclosure panels. Slide assemblies. 6˝ *(152mm)* deep tote boxes with box dividers. Shelf dividers. 12 plastic label holders. 72˝ *(1829mm)* overall height.

shelf width x length		weight		cubic	# of tote	# of shelf	# of super		
in.	mm	lbs.	kg	feet	boxes	dividers	slides	model #	list
21˝ x 48˝	533 x 1219	160	72.6	20.3	2	4	1	**ECE2148C**	4275
21˝ x 60˝	533 x 1524	185	83.9	25.2	4	6	2	**ECE2160C**	5033
24˝ x 48˝	610 x 1219	178	80.7	23.5	2	4	1	**ECE2448C**	4394
24˝ x 60˝	610 x 1524	203	92.1	34.8	4	6	2	**ECE2460C**	5222

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglegrp.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Exchange Carts

see spec sheet **EG05.09A** **EG05.09B**

Meets all requirements for supply exchange in any healthcare environment.

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

FEATURES:

- Chrome-plated posts are grooved and are numbered on one-inch increments, enabling shelving to be adjusted up and down.
- Open-wire construction reduces dust and contamination build-up.
- Four chrome-plated wire shelves.
- With various shelving configurations, caster styles, accessory packages, and a number of sizes, these carts are the ultimate in versatility!

ECS Series

5″ *(127mm)* resilient stem casters *(two with brake).* One stainless steel solid shelf. Six plastic label holders. 69″ *(1753mm)* overall height.

shelf width x length		weight		cubic		
in.	mm	lbs.	kg	feet	model #	list
21″ x 48″	533 x 1219	158	71.6	6.3	**ECS2148C**	1487
21″ x 60″	533 x 1524	183	83.0	7.3	**ECS2160C**	1673
24″ x 48″	610 x 1219	173	78.5	6.8	**ECS2448C**	1584
24″ x 60″	610 x 1524	193	87.5	8.3	**ECS2460C**	1803



#ECS2160C

ECDS Series

6″ *(152mm)* polyurethane casters *(two with brake).* One stainless steel solid shelf. Chrome dolly frame with wraparound bumper. One slide assembly. 6″ *(152mm)* deep tote boxes with box dividers. Shelf dividers. Six plastic label holders. 70″ *(1778mm)* overall height.

shelf width x length		weight		cubic	# of tote	# of shelf		
in.	mm	lbs.	kg	feet	boxes	dividers	model #	list
21″ x 48″	533 x 1219	185	83.9	15.8	2	2	**ECDS2148C**	3853
21″ x 60″	533 x 1524	200	90.7	19.2	2	3	**ECDS2160C**	4110
24″ x 48″	610 x 1219	192	87.1	15.8	2	2	**ECDS2448C**	3927
24″ x 60″	610 x 1524	218	98.9	19.2	2	3	**ECDS2460C**	4259



#ECDS2160C

ECES Series

8″ *(203mm)* polyurethane casters *(two with brake).* One stainless steel solid shelf. Chrome dolly frame with wraparound bumper. Side and back enclosure panels. Slide assemblies. 6″ *(152mm)* deep tote boxes with box dividers. Shelf dividers. 12 plastic label holders. 72″ *(1829mm)* overall height.

shelf width x length		weight		cubic	# of tote	# of shelf	# of super		
in.	mm	lbs.	kg	feet	boxes	dividers	slides	model #	list
21″ x 48″	533 x 1219	160	72.6	20.3	2	4	1	**ECES2148C**	4532
21″ x 60″	533 x 1524	185	83.9	25.2	4	6	2	**ECES2160C**	5034
24″ x 48″	610 x 1219	178	80.7	23.5	2	4	1	**ECES2448C**	4638
24″ x 60″	610 x 1524	203	92.1	34.8	4	6	2	**ECES2460C**	5352



#ECES2160C

Exchange Carts

see spec sheet **EG05.09B** **EG05.09C**

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

FEATURES:

- Chrome-plated posts are grooved and are numbered on one-inch increments, enabling shelving to be adjusted up and down.
- Open-wire construction reduces dust and contamination build-up.
- Four chrome-plated wire shelves.
- Choice of chrome-plated wire or stainless steel solid fifth shelf.

Meets all requirements for supply exchange in any healthcare environment.

With various shelving configurations, caster styles, accessory packages, and a number of sizes, these exchange carts are the ultimate in versatility.



#ECT2160C

ECT Series

5″ *(127mm)* resilient stem casters *(two with brake)*. One slide assembly. Two 6″ *(152mm)* deep tote boxes with box dividers. Six plastic label holders. 69″ *(1753mm)* overall height.

shelf width x length		weight		cubic	# of tote			
in.	mm	lbs.	kg	feet	boxes	shelves	model #	list
21″ x 60″	533 x 1524	166	75.3	11.6	2	5-wire	**ECT2160C**	1699
21″ x 60″	533 x 1524	191	86.6	11.6	2	4-wire, 1-solid	**ECTS2160C**	2077
24″ x 60″	610 x 1524	181	82.1	11.6	2	5-wire	**ECT2460C**	1820
24″ x 60″	610 x 1524	206	93.4	11.6	2	4-wire, 1-solid	**ECTS2460C**	2207



#ECDTS2160C

ECDT Series

6″ *(152mm)* polyurethane casters *(two with brake)*. Chrome dolly frame with wraparound bumper. Three slide assemblies. Six tote boxes with box dividers. Three shelf dividers. Six plastic label holders. 70″ *(1778mm)* overall height.

shelf width x length		weight		cu	tote boxes	tote boxes	tote boxes			
in.	mm	lbs.	kg	ft	3″ (76mm)	6″ (152mm)	9″ (229mm)	shelves	model #	list
21″ x 60″	533 x 1524	231	104.7	26.6	1	4	1	5-wire	**ECDT2160C**	4528
21″ x 60″	533 x 1524	241	109.3	26.6	1	4	1	4-wire, 1-solid	**ECDTS2160C**	4907
24″ x 60″	610 x 1524	246	111.6	26.6	1	4	1	5-wire	**ECDT2460C**	4683
24″ x 60″	610 x 1524	256	116.1	26.6	1	4	1	4-wire, 1-solid	**ECDTS2460C**	5069

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglegrp.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Exchange Carts

see spec sheet **EG05.09C**

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

FEATURES:

- Chrome-plated posts are grooved and are numbered on one-inch increments, enabling shelving to be adjusted up and down.
- Open-wire construction reduces dust and contamination build-up.
- Four chrome-plated wire shelves.
- Choice of chrome-plated wire or stainless steel solid fifth shelf.

Meets all requirements for supply exchange in any healthcare environment.

With various shelving configurations, caster styles, accessory packages, and a number of sizes, these exchange carts are the ultimate in versatility.



ECET Series

6″ *(152mm)* polyurethane casters (two with brake). Chrome dolly frame with wraparound bumper. Side and back enclosure panels. Three slide assemblies. Six tote boxes with box dividers. 12 plastic label holders. 72″ *(1829mm)* overall height.

shelf width x length		weight		cu	tote boxes	tote boxes	tote boxes			
in.	mm	lbs.	kg	ft	3″ (76mm)	6″ (152mm)	9″ (229mm)	shelves	model #	list
21″ x 60″	533 x 1524	250	113.4	29.6	1	4	1	5-wire	**ECET2160C**	5045
21″ x 60″	533 x 1524	260	117.9	29.6	1	4	1	4-wire, 1-solid	**ECETS2160C**	5425
24″ x 60″	610 x 1524	262	118.8	29.6	1	4	1	5-wire	**ECET2460C**	5160
24″ x 60″	610 x 1524	272	123.4	29.6	1	4	1	4-wire, 1-solid	**ECETS2460C**	5549



ECD7/ECE7 Series


8″ *(203mm)* polyurethane casters *(two with brake)*. Choice of three shelf dividers or side and back enclosure panels. Three slide assemblies. Seven tote boxes with snap on card holders and box dividers. 12 plastic label holders. Chrome dolly frame with wraparound bumper. 72″ *(1829mm)* overall height.

shelf width x length		weight		cu	tote boxes	tote boxes				
in.	mm	lbs.	kg	ft	3″ (76mm)	6″ (152mm)	shelves	other	model #	list
24″ x 60″	610 x 1524	226	102.5	19.6	2	5	5-wire	shelf dividers	**ECD72460C**	4984
24″ x 60″	610 x 1524	236	107.0	19.6	2	5	4-wire, 1-solid	shelf dividers	**ECD7S2460C**	5374
24″ x 60″	610 x 1524	250	113.4	28.8	2	5	5-wire	enclosure panels	**ECE72460C**	5475
24″ x 60″	610 x 1524	260	117.9	28.8	2	5	4-wire, 1-solid	enclosure panels	**ECE7S2460C**	5864

I.V. Stands

see product announcement **EG05.19**

description	weight lbs.	weight kg	cu ft	model #	list
with black epoxy coated top	28	12.7	2.7	**IV-1**	862
with blue epoxy coated top	28	12.7	2.7	**IV-2**	862
with green epoxy coated top	28	12.7	2.7	**IV-3**	862
with red epoxy coated top	28	12.7	2.7	**IV-4**	862



FEATURES:

- 16 gauge type 304 stainless steel 1″ *(25mm)*-diameter pole.
- Heavy carbon steel five-leg base with black epoxy finish.
- 3″ *(76mm)* swivel casters with chrome-plated hood and rubber tread—two with brake.
- Four-hook top with stainless steel finish.

Accessories for I.V. Stands

description	weight lbs.	weight kg	model #	list
patient handle & accessory tray	3	1.4	**380401**	272
two-cylinder holder	5	2.3	**380402**	220
electrical strip	4	1.8	**380403**	810
wire basket	4	1.8	**380404**	220


#380401


#380402


#380404

Patient Article Carts

see spec sheet **EG05.10**

FEATURES:

- 24″ *(610mm)* long coat hanger tube and 12 rods.

Overall Heights:
"PC" carts = 68″ (1727mm)
"PCH" carts = 68½″ (1740mm)


PCH model shown

	length in.	length mm	weight lbs.	weight kg	cu ft	intermediate shelf length in.	intermediate shelf length mm	style	# of dividers	# of bin markers	model #	list
24″ width *(610mm)*	48″	1219	103	46.7	13.6	24″	610	standard	8	12	**PC2448-C**	2029
	60″	1524	126	57.2	18.2	36″	914	standard	12	16	**PC2460-C**	2362
	48″	1219	166	75.8	24.8	24″	610	heavy duty	8	12	**PCH2448-C**	2418
	60″	1524	188	85.3	25.4	36″	914	heavy duty	12	16	**PCH2460-C**	2652

Patient Article Cart Covers

shelf width x length in.	shelf width x length mm	post height in.	post height mm	weight lbs.	weight kg	cu ft	uncoated w/zipper model #	uncoated w/zipper list	coated w/zipper model #	coated w/zipper list
24″ x 48″	610 x 1219	63″	1600	4	1.8	0.5	**CZ-63-2448**	362	**CZC-63-2448**	538
24″ x 60″	610 x 1524	63″	1600	5	2.3	0.6	**CZ-63-2460**	428	**CZC-63-2460**	586

Accessories for Patient Article Carts

description	weight lbs.	weight kg	cubic feet	model #	list
8″ *(203mm)* divider	1.8	0.8	0.5	**SD24-C**	60
rod *(includes 4 fastening tabs)*	0.5	0.2	0.4	**R63-C**	25
plastic label holder	—	—	—	**A204331**	7
24″ x 24″ *(610 x 610mm)* chrome shelf	9.5	4.3	0.8	**2424C**	139
24″ x 36″ *(610 x 914mm)* chrome shelf	13.6	6.2	0.8	**2436C**	147

Polyurethane Plate Casters

see spec sheet **EG01.05B**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

type	capacity lbs.	capacity kg	wheel diameter in.	wheel diameter mm	wheel face in.	wheel face mm	weight lbs.	weight kg	cu ft	EAGLEbrite® zinc model #	list
swivel	600	272.1	6″	152	2″	51	9.0	4.1	0.5	**CPS6P-600** •	169
brake	600	272.1	6″	152	2″	51	9.0	4.1	0.5	**CPB6P-600** •	189
rigid	600	272.1	6″	152	2″	51	9.0	4.1	0.5	**CPR6P-600**	189
swivel	700	317.5	8″	203	2″	51	10.5	4.8	1.0	**CPS8P-700**	189
brake	700	317.5	8″	203	2″	51	10.5	4.8	1.0	**CPB8P-700**	214
rigid	700	317.5	8″	203	2″	51	10.5	4.8	1.0	**CPR8P-700**	214


with brake

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglegrp.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Suture Carts

see spec sheet **EG05.08**



FEATURES:

- 18″ *(457mm)* width.
- Four or five specially designed, adjustable slanted shelves for quick and easy access to sutures.
- Shelves adjust up to 30˚ slant.
- Open-wire construction.
- All models include three dividers per shelf.
- 5″ *(127mm)* casters, two of which have brakes, are chrome-plated with polyurethane tread.
- All components are chrome-plated.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

4-Shelf Units — 63″ *(1600mm)* overall height.

	length		post height		weight		cu		
	in.	mm	in.	mm	lbs.	kg	ft	model #	list
18″ width *(457mm)*	36″	914	54″	1372	62	28.1	2.5	**SCH1836C-4**	1688
	48″	1219	54″	1372	66	29.9	3.5	**SCH1848C-4**	1695

5-Shelf Units — 70″ *(1778mm)* overall height.

	length		post height		weight		cu		
	in.	mm	in.	mm	lbs.	kg	ft	model #	list
18″ width *(457mm)*	36″	914	63″	1600	73	33.1	3.5	**SCH1836C-5**	2019
	48″	1219	63″	1600	81	36.7	5.3	**SCH1848C-5**	2130

Options for Suture Carts

Customize your unit to suit any application.

length		weight		cubic			
in.	mm	lbs.	kg	feet	description	model #	list
36″	914	3	1.4	1.0	3 shelf add-on	**SCH1836C**	174
48″	1219	5	2.3	1.8	4 shelf add-on	**SCH1848C**	195
18″	457	1	0.5	0.3	divider	**M18C** •	72

Suture Cart Covers…

shelf width x length		post height		weight		cu	…White Coated Nylon*				…White Uncoated Polyester			
							with zipper		with velcro		with zipper		with velcro	
in.	mm	in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list
18″ x 36″	457 x 914	54″	1372	3	1.4	1	**CZC-54-1836**	428	**CVC-54-1836**	440	**CZ-54-1836**	248	**CV-54-1836**	272
18″ x 48″	457 x 1219	54″	1372	4	1.8	1	**CZC-54-1848**	440	**CVC-54-1848**	466	**CZ-54-1848**	276	**CV-54-1848**	294
18″ x 36″	457 x 914	63″	1600	3	1.4	1	**CZC-63-1836**	436	**CVC-63-1836**	460	**CZ-63-1836**	263	**CV-63-1836**	278
18″ x 48″	457 x 1219	63″	1600	4	1.8	1	**CZC-63-1848**	455	**CVC-63-1848**	470	**CZ-63-1848**	277	**CV-63-1848**	299

* White-coated nylon covers are fire-retardant.

Foot Stools

see spec sheet **EG05.04**



300-lb. Weight capacity!

FEATURES:

- Single-step foot stool.
- All-welded construction.
- Flared legs with rubber tips.
- Non-slip rubber mat.
- Chrome or stainless steel finish.

width x length x height		weight		cubic			
in.	mm	lbs.	kg	feet	finish	model #	list
11⅜″ x 14¼″ x 9″	289 x 362 x 229	8	3.6	1.0	stainless steel	**SFS16S**	627
11⅜″ x 14¼″ x 9″	289 x 362 x 229	10	4.5	1.0	chrome	**SFS14C**	232

Linen Carts

see spec sheet **EG05.02**



STANDARD FEATURES:

- Four chrome-plated wire shelves.
- One solid stainless steel shelf.
- Chrome-plated 63″ *(1600mm)* posts.
- 5″ *(127mm)* resilient stem casters *(two with brake)*.
- Donut bumpers.

HEAVY DUTY FEATURES:

- Four chrome-plated wire shelves.
- One solid stainless steel shelf.
- Chrome-plated dolly frame with wraparound bumper.
- 6″ *(152mm)* polyurethane casters *(two with brake)*.
- Side and back enclosure panels.
- Chrome plated posts, aluminum split sleeves.
- Locking hardware.

Heavy Duty Linen Cart — 69″ *(1753mm)* overall height.

*width x length		weight		cubic		
in.	mm	lbs.	kg	feet	model #	list
24″ x 60″	610 x 1524	240	108.9	29	**LCD2460C**	4505

* Shelf width x length. Dolly is 29¾″ width x 64⅞″ length *(756 x 1648mm)*.

Standard Duty Linen Cart — 72″ *(1829mm)* overall height.

*width x length		weight		cubic		
in.	mm	lbs.	kg	feet	model #	list
24″ x 60″	610 x 1524	190	86.2	8.3	**LC2460C**	1806

* Shelf width x length. Dolly is 29¾″ width x 64⅞″ length *(756 x 1648mm)*.

Mail Cart

see spec sheet **EG05.04**



Designed to handle internal/external mail distribution.

FEATURES:

- 5″ *(127mm)* swivel casters on front.
- 10″ *(254mm)* rigid roller-bearing casters on rear.
- Nickel-chrome finished.
- 1″ *(25mm)* tubular frame.
- 11″ *(279mm)* height top basket for files.
- 7″ *(178mm)* height bottom basket for boxes.

overall width x length x height		weight		cubic		
in.	mm	lbs.	kg	feet	model #	list
28″ x 47″ x 38½″	711 x 1194 x 978	60	27.2	6.0	**MC-1**	1815

Inhalation Therapy Cart

see spec sheet **EG05.12**



patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

FEATURES:

- Bottom shelf, handles and trussed frames are chrome plated.
- Cylinder racks are 5/16″ *(8mm)* in diameter with 4½″ x 4½″ *(114 x 114mm)* openings for gas cylinders.
- Racks accommodate twelve D or E cylinders and are plastisol coated.
- Cart design conforms to NFPA-99.
- Aluminum split sleeves and four UL recognized 5″ *(127mm)* conductive casters.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

width x length x height		weight		cubic		
in.	mm	lbs.	kg	feet	model #	list
20″ x 27″ x 31½″	508 x 686 x 1016	41	19	3.5	**GCC1** •	1292

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglegrp.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Sterile Wrap Carts



see spec sheet **EG05.05**

FEATURES:

- Chrome bottom shelf.
- Channel frame - chrome.
- Post material are chrome.
- 5″ *(127mm)* swivel casters with poly tread.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

width x length x height in.	mm	weight lbs.	kg	cubic feet	model #	list
24″ x 48″ x 68″	610 x 1219 x 1727	83	37.6	7.6	**SWC2448C**	2074
24″ x 60″ x 68″	610 x 1524 x 1727	94	42.6	8.3	**SWC2460C**	2232

Sterile Wrap Cart Covers

shelf width x length in.	mm	post height in.	mm	weight lbs.	kg	cu ft	uncoated model #	list	coated model #	list
24″ x 48″	610 x 1219	63″	1600	4	1.8	0.4	**CZ-63-2448**	362	**CZC-63-2448**	538
24″ x 48″	610 x 1219	63″	1600	4	1.8	0.4	**CV-63-2448**	383	**CVC-63-2448**	565
24″ x 60″	610 x 1524	63″	1600	5	2.3	0.4	**CZ-63-2460**	428	**CZC-63-2460**	586
24″ x 60″	610 x 1524	63″	1600	5	2.3	0.4	**CV-63-2460**	440	**CVC-63-2460**	610

NOTE: In model numbers, "Z" stands for zipper and "V" for velcro enclosures

Additional Support Bars

length in.	mm	weight lbs.	kg	cu ft	model #	list
48″	1219	2.7	1.2	0.1	**SB48**	116
60″	1524	3.4	1.5	0.2	**SB60**	132


Catheter Storage Carts

product announcement **EG8094**

FEATURES:

- Catheter storage slides hang from underside of top shelf.
- Each slide accommodates 5 to 7 catheters.
- Card holder featured on front of each slide.
- Intermediate three-sided truss frame.
- Four 5″-diameter swivel casters, two with brake, with resilient tread and donut bumpers.
- 80″ *(203mm)* total height.
- Chrome finish.

	length in.	mm	# of slides	# of hooks per slide	chrome model #	list
18″ width *(457mm)*	36″	914	6	5	**ELCTH-1836C**	4887
	48″	1219	7	5	**ELCTH-1848C**	5627
	60″	1524	10	5	**ELCTH-1860C**	7666
	72″	1829	13	5	**ELCTH-1872C**	9850
21″ width *(533mm)*	36″	914	6	6	**ELCTH-2136C**	5094
	48″	1219	7	6	**ELCTH-2148C**	5926
	60″	1524	10	6	**ELCTH-2160C**	8148
	72″	1829	13	6	**ELCTH-2172C**	10337
24″ width *(610mm)*	36″	914	6	7	**ELCTH-2436C**	5374
	48″	1219	7	7	**ELCTH-2448C**	6252
	60″	1524	10	7	**ELCTH-2460C**	8526
	72″	1829	13	7	**ELCTH-2472C**	10827





#ELCTH-2436C

Catheter Storage Cart Covers

White coated nylon, with velcro fasteners.

	length in.	mm	model #	list
18″ width *(457mm)*	36″	914	**CVC-74-1836**	480
	48″	1219	**CVC-74-1848**	494
	60″	1524	**CVC-74-1860**	529
	72″	1829	**CVC-74-1872**	559
21″ width *(533mm)*	36″	914	**CVC-74-2136**	512
	48″	1219	**CVC-74-2148**	538
	60″	1524	**CVC-74-2160**	603
	72″	1829	**CVC-74-2172**	623
24″ width *(610mm)*	36″	914	**CVC-74-2436**	489
	48″	1219	**CVC-74-2448**	569
	60″	1524	**CVC-74-2460**	616
	72″	1829	**CVC-74-2472**	627

Optional Additional Single Storage Slides

fits shelves	model #	list
18″ (457mm) front-to-back	**ELCTH-18**	653
21″ (533mm) front-to-back	**ELCTH-21**	686
24″ (610mm) front-to-back	**ELCTH-24**	7204

Catheter Procedure Carts

see spec sheet **EG05.03**



model #CPC6024D



model #CPC48B

FEATURES:

- All components are adjustable.
- Support bars are readily removable.
- Hooks, boxes, slides, bins, and wire ledges included with appropriate models.
- *5˝ (127mm)* swivel casters with polyurethane tread, two with brakes.
- *73˝ (1854mm)* height.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

Capable of holding a variety of sizes and styles of catheter packages.

Combination-Style Carts with 36˝ *(914mm)* Side Shelves and four 24˝ *(610mm)* Bars

	length		weight		cubic	# of hooks	maximum # of hooks	max. # of	tote	super			
	in.	mm	lbs.	kg	feet	included	per bar	boxes	slides	bins	ledges	model #	list
24˝ width *(610mm)*	60˝	1524	146	66.2	15.0	16	5	N/A	N/A	N/A	N/A	**CPC6036**	3155
	60˝	1524	174	78.9	17.8	16	5	2	1	6	6	**CPC6036D**	4123

Combination-Style Carts with 24˝ *(610mm)* Side Shelves and four 36˝ *(914mm)* Bars

	length		weight		cubic	# of hooks	maximum # of hooks	max. # of	tote	super			
	in.	mm	lbs.	kg	feet	included	per bar	boxes	slides	bins	ledges	model #	list
24˝ width *(610mm)*	60˝	1524	149	67.6	9.8	24	9	N/A	N/A	N/A	N/A	**CPC6024**	3380
	60˝	1524	162	73.5	18.6	24	9	2	1	6	6	**CPC6024D**	4293

Bulk Storage Carts with four 48˝ *(1219mm)* Bars

	length		weight		cubic	# of hooks	maximum # of hooks	max. # of	tote	super			
width	in.	mm	lbs.	kg	feet	included	per bar	boxes	slides	bins	ledges	model #	list
24˝ *(610mm)*	48˝	1219	82	37.2	8.7	32	13	N/A	N/A	6	6	**CPC48B**	3329

Bulk Storage Carts with four 60˝ *(1524mm)* Bars

	length		weight		cubic	# of hooks	maximum # of hooks	max. # of	tote	super			
width	in.	mm	lbs.	kg	feet	included	per bar	boxes	slides	bins	ledges	model #	list
24˝ *(610mm)*	60˝	1524	101	45.8	7.4	40	17	N/A	N/A	6	6	**CPC60B**	3680

Replacement Catheter Hook

11¾˝ *(299mm)* length. Black epoxy finish.

model #	list
A204176	303

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglegrp.com

Basket Carts

see spec sheet **EG05.04**

Collapsible X-frame is ideal for mail, pharmacy, lab, medical records and other small tasks.

FEATURES:

- Maneuvers easily and quietly on 3″ *(76mm)* swivel casters with rubber tread.
- Tubular, chrome plated frame.
- Poly-coated wire baskets and basket support.



width x length x height in.	mm	weight lbs.	kg	cubic feet	description	model #	list
18″ x 26″ x 37″	457 x 661 x 940	26	11.8	12.0	cart with (2) 6″ baskets	**BC18**	808
18″ x 26″ x 37″	457 x 661 x 940	27	12.2	12.0	cart with (1) 6″ and (1) 12″ basket	**BC18-1**	838

Baskets for Basket Carts - Poly-coated white wire baskets.

width x length x height in.	mm	weight lbs.	kg	cubic feet	model #	list
14¼″ x 24½″ x 6″	362 x 620 x 152	5.5	2.5	1.8	**A203895**	91
14¼″ x 24½″ x 12″	362 x 620 x 305	6.5	3.0	2.8	**A203929**	124

Wire Basket Utility Carts NSF

spec sheet **EG01.35**

FEATURES:

- Includes swivel stem casters with bumpers and two push handles.
- 36½″ *(927mm)* overall cart height.



description	weight lbs.	kg	model #	list
1 chrome basket shelf, 1 chrome standard shelf	31	14.1	**WBC1836C-1B1W**	622
2 chrome basket shelves	32	14.5	**WBC1836C-2B**	549
1 replacement chrome basket shelf	10	4.5	**WBS1836C**	180

Steril-Eze® Open Surgical Case Carts

see spec sheet **EG05.15**



FEATURES:

- Adjustable shelves.
- All type 304 stainless steel.
- Hemmed safety edges.
- 5″ *(127mm)* swivel casters with polyurethane tread, two with brakes.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

width x length x height in.	mm	weight lbs.	kg	cu ft	description	model #	list
24″ x 36″ x 36″	610 x 914 x 914	89	40.4	3.8	open surgical case cart	**OSCC2436**	3133
24″ x 48″ x 36″	610 x 1219 x 914	118	53.5	3.8	open surgical case cart	**OSCC2448**	3333
12″ x 20″ x 4″	305 x 508 x 102	6	2.7	4.9	optional drawer	**A204178**	406

Steril-Eze® Open Wire Surgical Case Carts

see spec sheet **EG05.17**



patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

FEATURES:

- Wire shelves.
- Tote boxes & slides.
- Enclosure panels.
- Stainless steel finish.
- 5″ *(127mm)* swivel casters with polyurethane tread, two with brakes.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*


width x length x height* in.	mm	weight lbs.	kg	description	model #	list
24″ x 24″ x 60¼″	610 x 610 x 1530	88	39.9	4 wire shelves, 1 tote box	**OCC2424S**	4506
24″ x 48″ x 60¼″	610 x 1219 x 1530	130	59.0	4 wire shelves, 2 tote boxes	**OCC2448S**	5430

* Height includes casters.

Shower Benches

product announcement **EG8189**

Teak wood slats offer superior water resistance, and can withstand heat, moisture and mold.



Consult factory for pricing.

FEATURES:

- Seat is made of full-length 1⅛″-thick x 3½″-wide *(29 x 89mm)* Burmese teak wood slats, featuring finished top edges, spaced for drainage.
- Wall-mounted model includes 11-gauge stainless steel drop brackets, allowing the bench to be folded down when not in use.
- Options available include lengths from 24″ to 36″ *(610 to 914mm)*, towel ring, soap/shower basket.

description	width in.	width mm	length in.	length mm	model #
wall mount, stainless brackets	16″	762	30″	762	**SB1630W**
floor mount, stainless base	16″	762	30″	762	**SB1630-S**
floor mount, teak wood base	16″	762	30″	762	**SB1630-T**

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglegrp.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Mobile Garment Racks

see spec sheet **EG01.28**



model # UR1836C

Convenient storage or transportation of lab coats, uniforms, or garments.

FEATURES:

- Top shelf for hats or flat items.
- Bottom shelf *(shelves)* for drying shoes or boots.
- 74″ *(1880mm)* height on stationary units,
- 80″ *(2032mm)* height on mobile units.
- 5″ *(127mm)* polyurethane tread casters.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

width x length x height in.	mm	weight lbs.	kg	cubic feet	description	model #	list
18″ x 36″ x 80″	457 x 914 x 2032	48	21.8	2.2	unit as shown	**UR1836C**	896
18″ x 36″ x 80″	457 x 914 x 2032	64	29.0	2.2	same, plus 1 solid shelf	**URS1836C**	1174
18″ x 48″ x 80″	457 x 1219 x 2032	52	23.6	2.6	unit as shown	**UR1848C**	958
18″ x 48″ x 80″	457 x 1219 x 2032	72	32.7	2.6	same, plus 1 solid shelf	**URS1848C**	1287
18″ x 60″ x 80″	457 x 1524 x 2032	58	26.3	3.2	unit as shown	**UR1860C**	1036
18″ x 60″ x 80″	457 x 1524 x 2032	82	37.2	3.2	same, plus 1 solid shelf	**URS1860C**	1474

Optional Wire Shelves

width x length in.	mm	weight lbs.	kg	cubic feet	model #	list
18″ x 36″	457 x 914	9	4.1	0.7	**1836C**	119
18″ x 48″	457 x 1219	12	5.5	0.9	**1848C**	143
18″ x 60″	457 x 1524	17	7.7	1.2	**1860C**	169

Optional Open Loop Hangers

weight lbs.	kg	cubic feet	chrome model #	list	stainless steel model #	list	electropolished model #	list
0.4	0.2	0.3	**OLH-C** •	26	**OLH-S** •	36	**OLH-EP**	42

Optional Closed Loop Hangers

weight lbs.	kg	cubic feet	chrome model #	list	stainless steel model #	list	electropolished model #	list
0.4	0.2	0.3	**CLH-C**	26	**CLH-S**	36	**CLH-EP**	38

Replacement Coat Hanger Tubes

length in.	mm	weight lbs.	kg	cubic feet	model #	list
24″	610	1.5	0.7	0.1	**CH24**	67
30″	762	1.7	0.8	0.1	**CH30**	73
36″	914	2.2	1.0	0.1	**CH36**	77
42″	1067	2.7	1.2	0.1	**CH42**	78
48″	1219	3.2	1.5	0.1	**CH48**	82
54″	1372	3.5	1.6	0.2	**CH54**	85
60″	1524	3.8	1.7	0.2	**CH60**	92

Instrument Tables

see spec sheet **EG05.01**



with undershelf

All Welded Assembly.

FEATURES:

- Top surface, undershelf, and legs are heavy gauge type 304 stainless steel.
- Edges of the top are safety hemmed.
- 1″ *(25mm)* diameter tubular legs with 4″ *(102mm)* diameter swivel casters.
- 34″ *(864mm)* overall height.

width x length in.	mm	weight lbs.	kg	cu ft	with H-frame model #	list	with undershelf model #	list
16″ x 20″	406 x 508	25	11.3	6.3	**ITT1620**	1995	**ITU1620**	1883
16″ x 30″	406 x 762	30	13.6	9.5	**ITT1630**	2043	**ITU1630**	1959
18″ x 34″	457 x 864	33	15.0	12.1	**ITT1834**	2059	**ITU1834**	1993
20″ x 36″	508 x 914	36	16.3	14.2	**ITT2036**	2099	**ITU2036**	2077
20″ x 48″	508 x 1219	47	21.3	18.9	**ITT2048**	2172	**ITU2048**	2200
24″ x 36″	610 x 914	39	17.7	17.0	**ITT2436**	2137	**ITU2436**	2148
24″ x 46″	610 x 1168	50	22.7	21.8	**ITT2446**	2204	**ITU2446**	2270
24″ x 58″	610 x 1473	59	26.8	37.4	**ITT2458**	2280	**ITU2458**	2407

Cart Covers (NSF)

see spec sheet **EG01.09**



cart cover enveloping entire cart/truck



cart cover with panel folded back for easy shelf accessibility

FEATURES:

- Top corners are reinforced.
- Choice of white coated, white uncoated, or transparent vinyl.
- Coated cart covers available in powder blue *(suffix "**PB**")* and light green *(suffix "**LG**")*. Example: CVC-63-1836**PB**
- 10˝ x 12˝ *(254 x 305mm)* paperwork pouch at right side, when facing front of cart cover.
- Covers are nonreturnable.

Note: Black electrostatic discharge (ESD) cart covers also available—see page 176.

Double-Flap option available. **$66 upcharge.** To order, add suffix "**-DF**" to model number (ex: CV-63-2436-**DF**).

Light weight, easy to handle!

Meets J.C.A.H. standards for transporting clean linen!

									White Coated Nylon*				White Uncoated Polyester				Transparent**			
	length		post height		weight		cu		zipper		velcro		zipper		velcro		zipper		velcro	
	in.	mm	in.	mm	lbs.	kg	ft		model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18˝ width *(457mm)*	36˝	914	54˝	1372	3	1.4	1		**CZC-54-1836**	428	**CVC-54-1836**	440	**CZ-54-1836**	248	**CV-54-1836**	272	**CZ-54-1836-T**	550	**CV-54-1836-T**	604
			63˝	1600					**CZC-63-1836**	436	**CVC-63-1836**	460	**CZ-63-1836**	263	**CV-63-1836**	278	**CZ-63-1836-T**	550	**CV-63-1836-T**	604
	48˝	1219	54˝	1372	4	1.8	1		**CZC-54-1848**	440	**CVC-54-1848**	466	**CZ-54-1848**	276	**CV-54-1848**	294	**CZ-54-1848-T**	556	**CV-54-1848-T**	614
			63˝	1600					**CZC-63-1848**	455	**CVC-63-1848**	470	**CZ-63-1848**	277	**CV-63-1848**	299	**CZ-63-1848-T**	556	**CV-63-1848-T**	614
	60˝	1524	54˝	1372	5	2.3	1		**CZC-54-1860**	478	**CVC-54-1860**	495	**CZ-54-1860**	287	**CV-54-1860**	303	**CZ-54-1860-T**	577	**CV-54-1860-T**	633
			63˝	1600					**CZC-63-1860**	487	**CVC-63-1860**	506	**CZ-63-1860**	292	**CV-63-1860**	306	**CZ-63-1860-T**	616	**CV-63-1860-T**	676
21˝ width *(533mm)*			54˝	1372					**CZC-54-2148**	493	**CVC-54-2148**	512	**CZ-54-2148**	319	**CV-54-2148**	338	**CZ-54-2148-T**	610	**CV-54-2148-T**	673
	48˝	1219	63˝	1600	4	1.8	1		**CZC-63-2148**	512	**CVC-63-2148**	536	**CZ-63-2148**	353	**CV-63-2148**	367	**CZ-63-2148-T**	649	**CV-63-2148-T**	712
			74˝	1880					**CZC-74-2148**	519	**CVC-74-2148**	538	**CZ-74-2148**	403	**CV-74-2148**	426	**CZ-74-2148-T**	684	**CV-74-2148-T**	750
			54˝	1372					**CZC-54-2160**	565	**CVC-54-2160**	580	**CZ-54-2160**	333	**CV-54-2160**	356	**CZ-54-2160-T**	678	**CV-54-2160-T**	745
	60˝	1524	63˝	1600	5	2.3	1		**CZC-63-2160**	573	**CVC-63-2160**	593	**CZ-63-2160**	367	**CV-63-2160**	387	**CZ-63-2160-T**	719	**CV-63-2160-T**	789
			74˝	1880					**CZC-74-2160**	582	**CVC-74-2160**	603	**CZ-74-2160**	432	**CV-74-2160**	440	**CZ-74-2160-T**	758	**CV-74-2160-T**	830
24˝ width *(610mm)*	24˝	610	54˝	1372	3	1.4	1		**CZC-54-2424**	519	**CVC-54-2424**	523	**CZ-54-2424**	584	**CV-54-2424**	387	**CZ-54-2424-T**	586	**CV-54-2424-T**	647
			63˝	1600					**CZC-63-2424**	528	**CVC-63-2424**	542	**CZ-63-2424**	604	**CV-63-2424**	465	**CZ-63-2424-T**	586	**CV-63-2424-T**	647
			54˝	1372					**CZC-54-2436**	436	**CVC-54-2436**	460	**CZ-54-2436**	284	**CV-54-2436**	300	**CZ-54-2436-T**	596	**CV-54-2436-T**	654
	36˝	914	63˝	1600	3	1.4	1		**CZC-63-2436**	460	**CVC-63-2436**	478	**CZ-63-2436**	294	**CV-63-2436**	315	**CZ-63-2436-T**	596	**CV-63-2436-T**	654
			74˝	1880					**CZC-74-2436**	469	**CVC-74-2436**	489	**CZ-74-2436**	356	**CV-74-2436**	366	**CZ-74-2436-T**	727	**CV-74-2436-T**	799
			86˝	2184					**CZC-86-2436**	509	**CVC-86-2436**	542	**CZ-86-2436**	444	**CV-86-2436**	455	**CZ-86-2436-T**	766	**CV-86-2436-T**	844
			54˝	1372					**CZC-54-2448**	516	**CVC-54-2448**	537	**CZ-54-2448**	306	**CV-54-2448**	330	**CZ-54-2448-T**	627	**CV-54-2448-T**	688
	48˝	1219	63˝	1600	4	1.8	1		**CZC-63-2448**	538	**CVC-63-2448**	565	**CZ-63-2448**	362	**CV-63-2448**	383	**CZ-63-2448-T**	627	**CV-63-2448-T**	688
			74˝	1880					**CZC-74-2448**	552	**CVC-74-2448**	569	**CZ-74-2448**	392	**CV-74-2448**	416	**CZ-74-2448-T**	649	**CV-74-2448-T**	712
			86˝	2184					**CZC-86-2448**	633	**CVC-86-2448**	652	**CZ-86-2448**	474	**CV-86-2448**	489	**CZ-86-2448-T**	807	**CV-86-2448-T**	885
			54˝	1372					**CZC-54-2460**	577	**CVC-54-2460**	596	**CZ-54-2460**	410	**CV-54-2460**	432	**CZ-54-2460-T**	687	**CV-54-2460-T**	759
	60˝	1524	63˝	1600	5	2.3	1		**CZC-63-2460**	586	**CVC-63-2460**	610	**CZ-63-2460**	428	**CV-63-2460**	440	**CZ-63-2460-T**	687	**CV-63-2460-T**	759
			74˝	1880					**CZC-74-2460**	596	**CVC-74-2460**	616	**CZ-74-2460**	485	**CV-74-2460**	504	**CZ-74-2460-T**	838	**CV-74-2460-T**	922
			86˝	2184					**CZC-86-2460**	687	**CVC-86-2460**	687	**CZ-86-2460**	565	**CV-86-2460**	582	**CZ-86-2460-T**	882	**CV-86-2460-T**	970
			54˝	1372					**CZC-54-2472**	586	**CVC-54-2472**	610	**CZ-54-2472**	426	**CV-54-2472**	438	**CZ-54-2472-T**	770	**CV-54-2472-T**	847
	72˝	1829	63˝	1600	6	2.7	1		**CZC-63-2472**	597	**CVC-63-2472**	623	**CZ-63-2472**	455	**CV-63-2472**	470	**CZ-63-2472-T**	786	**CV-63-2472-T**	864
			74˝	1880					**CZC-74-2472**	614	**CVC-74-2472**	627	**CZ-74-2472**	495	**CV-74-2472**	516	**CZ-74-2472-T**	864	**CV-74-2472-T**	950
			86˝	2184					**CZC-86-2472**	720	**CVC-86-2472**	710	**CZ-86-2472**	593	**CV-86-2472**	610	**CZ-86-2472-T**	907	**CV-86-2472-T**	998

* White-coated nylon covers are fire-retardant; ** Entire cover is transparent except for the seams.

Helps keep equipment clean on shelf carts and shelf trucks.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglegrp.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Storage Bins

see spec sheet **EG05.07**

The perfect solution to organizing or storing small, easy-to-lose items. Lightweight but durable.

Exchange Bins

Available in three sizes.

color	length x width x height in.	mm	weight lbs.	kg	cubic feet	minimum order qty	model #	list each
blue	18″ x 4⅛″ x 4″	457 x 105 x 102	8	3.6	0.2	12	**A203885**	9
blue	18″ x 6⅝″ x 4″	457 x 168 x 102	12	5.5	0.3	12	**A203887**	16
blue	23⅝″ x 6⅝″ x 4″	600 x 168 x 102	8	3.6	0.4	6	**A203889**	28



Dividers for Exchange Bins

Note: Sold only in cartons of 24.

color	length x height in.	mm	weight lbs.	kg	cubic feet	carton quantity	model #	list per ctn.
black	4⅛″ x 4″	105 x 102	1	0.5	—	24	**A204235**	37
black	6⅝″ x 4″	168 x 102	2	0.9	—	24	**A204236**	47

Supply Bins

Available in four sizes.

color	length x width x height in.	mm	weight lbs.	kg	cubic feet	minimum order qty	model #	list each
blue	10⅞″ x 5½″ x 5″	276 x 140 x 127	12	5.5	0.2	12	**A203877**	34
blue	10⅞″ x 11″ x 5″	276 x 280 x 127	9	4.1	0.4	6	**A203879**	44
blue	14¾″ x 8¼″ x 7″	374 x 210 x 178	22	10.0	0.6	12	**A203881**	40
blue	14¾″ x 16½″ x 7″	374 x 419 x 178	18	8.1	1.0	6	**A203883**	55



Dividers for Supply Bins

Note: Sold only in cartons of 6.

color	length x height in.	mm	weight lbs.	kg	cubic feet	carton quantity	model #	list per ctn.
black	10⅞″ x 5″	276 x 127	2	0.9	—	6	**A204237**	38
black	14¾″ x 7″	374 x 178	3	1.4	—	6	**A204238**	49

Stock Bin

These stackable bins are built for heavy-duty use.

color	length x width x height in.	mm	weight lbs.	kg	cubic feet	carton quantity	model #	list each
beige	17⅞″ x 8½″ x 4″	454 x 216 x 102	21	9.5	0.8	6	**A203891**	58



Divider for Stock Bin

Note: Shipped in cartons only.

color	length x height in.	mm	weight lbs.	kg	cubic feet	carton quantity	model #	list each
black	8½″ x 4″	216 x 102	1	0.5	—	6	**A204239**	32

Bulk Supply Tub

Durable. Perfect for transporting or storing larger items.

color	length x width x height in.	mm	weight lbs.	kg	cubic feet	carton quantity	model #	list each
gray	24½″ x 19″ x 9½″	622 x 483 x 241	20	9.1	2.8	6	**A203893**	112




Stainless Steel Overlays

see product announcement **EG8177**

width x length *			
in.	mm	model#	list
24″ x 24″	610 x 610	**353761**	736
24″ x 30″	610 x 762	**353762**	773
24″ x 36″	610 x 914	**353763**	823
24″ x 48″	610 x 1219	**353764**	917
24″ x 51″	610 x 1295	**353765**	966
24″ x 60″	610 x 1524	**353766**	1130
24″ x 72″	610 x 1829	**353767**	1247
24″ x 96″	610 x 2438	**353768**	1532
30″ x 30″	762 x 762	**353770**	819
30″ x 36″	762 x 914	**353771**	883
30″ x 48″	762 x 1219	**353772**	997
30″ x 51″	762 x 1295	**353773**	1038
30″ x 60″	762 x 1524	**353774**	1236
30″ x 72″	762 x 1829	**353775**	1345
30″ x 96″	762 x 2438	**353776**	1665
36″ x 60″	914 x 1524	**382984**	1765
36″ x 72″	914 x 1829	**362659**	1960

* inside measurements



overlay fitted onto tabletop

FEATURES:

- For process tables.
- Economical upgrade to existing work surface, with no fasteners required.
- 20 gauge type 304 stainless steel construction with satin finish.
- Liquid adhesive could be used per application.
- Durable finish allowing easy cleanup.
- Hemmed safety edge on all four sides.
- Corners are welded and polished.
- Custom sizes and material gauges are available.



Double-Sided Bin-Holder Rails

PATENTED! (patent #8,141,724 B2)

see spec sheet **EG07.14**

BIN-HOLDER RAILS:

- Bin-holder rails are sold as an accessory or purchased with posts as a kit.
- EAGLEbrite® zinc or chrome plated.
- Bins attach to both sides of rail - no tools required.

BIN-HOLDER RAIL CARTS:

- Carts consist of four bin-holder rails and four 63″ posts with casters.
- Posts are numbered in increments of 1″ *(25mm)* to ensure fast and level assembly.



*shown assembled as a cart (*bins sold separately)*



Assembly — numerically calibrated grooved posts, tapered plastic split sleeves and rail collars combine to make shelving assembly a simple two-step exercise:

1) snap the split sleeves onto a post over the number of your choice
2) slide a rail collar over the split sleeves. A positive lock between rail bin and post is created without the use of any tools.



Bin holder rails can also be used on EAGLE Floor-Trak® units

*For additional information on Floor-Trak® Systems, refer to spec sheet EG01.39 or visit us on-line, www.eaglegrp.com.

					Bin-Holder Rails				Bin-Holder Rail Carts					
	length		weight		Zinc		Chrome		weight		Zinc		Chrome	
	in.	mm	lbs.	kg	model #	list	model#	list	lbs.	kg	model #	list	model#	list
24″ width (610mm)	36″	914	11.0	5.0	**DBH2436Z**	292	**DBH2436C**	400	64	29.0	**DBHC2436Z-4**	1792	**DBHC2436C-4**	1887
	42″	1067	12.5	5.7	**DBH2442Z**	398	**DBH2442C**	406	70	31.8	**DBHC2442Z-4**	1915	**DBHC2442C-4**	1915
	48″	1219	14.0	6.4	**DBH2448Z**	420	**DBH2448C**	466	76	34.5	**DBHC2448Z-4**	1978	**DBHC2448C-4**	2148
	54″	1372	15.5	7.0	**DBH2454Z**	432	**DBH2454C**	473	82	37.2	**DBHC2454Z-4**	2017	**DBHC2454C-4**	2180
	60″	1524	17.0	7.7	**DBH2460Z**	460	**DBH2460C**	510	88	39.9	**DBHC2460Z-4**	2125	**DBHC2460C-4**	2328
30″ width (762mm)	36″	914	12.5	5.7	**DBH3036Z**	394	**DBH3036C**	438	70	31.8	**DBHC3036Z-4**	1880	**DBHC3036C-4**	2042
	42″	1067	14.0	6.4	**DBH3042Z**	405	**DBH3042C**	455	76	34.5	**DBHC3042Z-4**	1918	**DBHC3042C-4**	2105
	48″	1219	15.5	7.0	**DBH3048Z**	334	**DBH3048C**	515	82	37.2	**DBHC3048Z-4**	2123	**DBHC3048C-4**	2352
	54″	1372	17.0	7.7	**DBH3054Z**	467	**DBH3054C**	537	88	39.9	**DBHC3054Z-4**	2164	**DBHC3054C-4**	2438
	60″	1524	18.5	8.4	**DBH3060Z**	506	**DBH3060C**	604	94	42.6	**DBHC3060Z-4**	2312	**DBHC3060C-4**	2708

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglegrp.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Wall Mounted Multi-Station Hand Sinks

see spec sheets **EG05.20A** **EG05.20B** **EG05.20C**





FEATURES:

- Single full-length bowl with basket drain(s) and rolled edge.
- 14/3 stainless steel construction.
- Wall-mounted tubular supports consists of 16 gauge 1⅝″ *(41mm)*-diameter tubing.
- Basket drain—two drains on 96″ *(2438mm)* sinks.
- 9½″ *(241mm)* backsplash.

Faucet holes at 8″ (203mm) on center.

overall width x length x height		bowl width x length x depth		# of faucets	…without faucets*				…with faucets			
					weight				weight			
in.	mm	in.	mm	req/included	lbs.	kg	model #	list	lbs.	kg	model #	list
21⅝″ x 48″ x 27⅛″	549 x 1219 x 689	14″ x 43″ x 8″	356 x 1092 x 203	2	61	27.2	**HSA-WM-48**	8005	69	31.3	**HSA-WM-48-F**	9475
21⅝″ x 60″ x 27⅛″	549 x 1524 x 689	14″ x 55″ x 8″	356 x 1397 x 203	2	72	32.7	**HSA-WM-60**	8218	80	36.3	**HSA-WM-60-F**	9786
21⅝″ x 72″ x 27⅛″	549 x 1829 x 689	14″ x 67″ x 8″	356 x 1702 x 203	3	81	36.7	**HSA-WM-72**	8410	93	42.2	**HSA-WM-72-F**	9739
21⅝″ x 96″ x 27⅛″	549 x 2438 x 689	14″ x 91″ x 8″	356 x 2311 x 203	4	102	46.3	**HSA-WM-96**	9760	116	53.5	**HSA-WM-96-F**	12986

* Optional faucet available. **Model #313075; List: $303**





Knee-Valve Operated Units…

NEW

Spouts included.

overall width x length x height		bowl width x length x depth		# of spouts	…with single knee valves				…with double knee valves			
					weight				weight			
in.	mm	in.	mm	included	lbs.	kg	model #	list	lbs.	kg	model #	list
21⅝″ x 48″ x 27⅛″	549 x 1219 x 689	14″ x 43″ x 8″	356 x 1092 x 203	2	70	31.8	**HSA-WM-48-1FK**	9726	72	32.7	**HSA-WM-48-FK**	10028
21⅝″ x 60″ x 27⅛″	549 x 1524 x 689	14″ x 55″ x 8″	356 x 1397 x 203	2	81	36.7	**HSA-WM-60-1FK**	10024	83	37.7	**HSA-WM-60-FK**	10326
21⅝″ x 72″ x 27⅛″	549 x 1829 x 689	14″ x 67″ x 8″	356 x 1702 x 203	3	95	43.1	**HSA-WM-72-1FK**	10136	98	44.5	**HSA-WM-72-FK**	10588
21⅝″ x 96″ x 27⅛″	549 x 2438 x 689	14″ x 91″ x 8″	356 x 2311 x 203	4	120	54.4	**HSA-WM-96-1FK**	13531	124	56.3	**HSA-WM-96-FK**	14135



Units with Electronic-Eye Faucets

NEW

120-volt AC-powered.

overall width x length x height		bowl width x length x depth		# of faucets	weight			
in.	mm	in.	mm	included	lbs.	kg	model #	list
21⅝″ x 48″ x 27⅛″	549 x 1219 x 689	14″ x 43″ x 8″	356 x 1092 x 203	2	74	33.6	**HSA-WM-48-FE**	10790
21⅝″ x 60″ x 27⅛″	549 x 1524 x 689	14″ x 55″ x 8″	356 x 1397 x 203	2	85	38.6	**HSA-WM-60-FE**	11092
21⅝″ x 72″ x 27⅛″	549 x 1829 x 689	14″ x 67″ x 8″	356 x 1702 x 203	3	100	45.4	**HSA-WM-72-FE**	11727
21⅝″ x 96″ x 27⅛″	549 x 2438 x 689	14″ x 91″ x 8″	356 x 2311 x 203	4	128	58.1	**HSA-WM-96-FE**	15653

Surgical Scrub Sinks

see spec sheet **EG05.11**



#SHS2424-1D

ADA-compliant



#SHS2424-1W-ADA

FEATURES:

- 16 gauge type 304 stainless steel.
- Removable front access panel.
- Electronic-eye gooseneck faucet.
- 4″ *(102mm)*-high backsplash.
- Square edge on front and sides.
- Sink bowl with deep slope basin.
- Temperature control mixing valve.
- Z-clips for wall mounting.
- Includes stainless steel flat strainer drain, tail piece, and p-trap.
- Includes flexible stainless steel supply hoses.

description	overall width x length x height in.	mm	bowl width x length x depth in.	mm	weight lbs.	kg	model #	list
wall-mount unit with deck mount faucet	24½″ x 24″ x 28″	622 x 610 x 711	17½″ x 20″ x 11″	445 x 508 x 279	87	39.5	**SHS2424-1D**	8196
ADA wall-mount unit with splash-mount faucet	20″ x 24″ x 29½″	508 x 610 x 749	16½″ x 20″ x 6½″	419 x 508 x 165	83	37.6	**SHS2424-1W-ADA**	7407

NOTES

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglegrp.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Electronics

Accessories

Card Holders.....174
Conductive Bins and Dividers 175
Conductive Casters.....176
Dividers for ESD Tote Boxes.....174
ESD Cart Covers 176
ESD Tote Boxes & Accessories..... 173-174
Split Sleeves.....176

adjusTable®

Extras 179
with Cantilever Overhead System 177
with Wire Overshelf System 178

Carts

Burn-In Carts.....170
Electronic Tray 168
Electronic Vibration Dampening 168
Gravity Flow Line Feed 169


More Electronics

All-Welded Units with Solid Tray Racks 170
Benchside Tote Box Carriers 173
Double-Sided Bin-Holder Rails.....180
Mobile Computer Workstation 171
Reel Shelves.....171
Stencil Shelf 170
Tote Box Carriers 172



Electronic Tray Carts

see spec sheet **EG07.05**



FEATURES:

- Knock-down units.
- EAGLEbrite® zinc-plated wire shelves.
- Chrome posts.
- Aluminum split sleeves.
- End-load and side-load racks offer a practical and economical method of transporting or storing 17⅞″ x 25¾″ *(454 x 654mm)* product on trays.
- Units require no tools for assembly.
- 5″ *(127mm)* diameter resilient swivel casters, two with brake.
- Units can be made conductive by adding drag chain or ESD cable.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

description	overall dimensions width x length x height in.	mm	weight lbs.	kg	cu ft	sliding space in.	mm	full size pan capacity	model #	list
end load	30″ x 21″ x 67⅜″	762 x 533 x 1711	65	29.5	15.0	1½″	38	38	**WTRE38-Z**	954
end load	30″ x 21″ x 67⅜″	762 x 533 x 1711	74	33.6	15.0	3″	76	20	**WTRE20-Z**	945
side load	21″ x 30″ x 67⅜″	533 x 762 x 1711	65	29.5	15.0	1½″	38	38	**WTRS38-Z**	954
side load	21″ x 30″ x 67⅜″	533 x 762 x 1711	74	33.6	15.0	3″	76	20	**WTRS20-Z**	945

Electronic Vibration Dampening Tray Carts

see spec sheet **EG07.04**



electronic vibration dampening tray cart (half size)

Engineered to provide maximum benefit in three key areas: vibration transfer, ESD safe, and cost.

FEATURES:


- Polyurethane 50 shore A casters dramatically reduce vibration transfer.
- Standard caster configuration features two swivel and two with brake.
- Carts are made ESD safe with the use of aluminum split sleeves and optional grounding device.
- EAGLEbrite® zinc-plated wire shelves.
- Product safety is ensured with front and back locks on all models.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

description	overall dimensions width x length x height in.	mm	weight lbs.	kg	cu ft	sliding space in.	mm	full size pan capacity	model #	list
end load, half height	31¾″ x 21⅝″ x 49⅜″	807 x 543 x 1254	80	36.3	15.0	1¾″	45	20	**ETCE20-Z**	1547
end load, full height	31¾″ x 21⅝″ x 62⅜″	807 x 543 x 1584	97	44.0	15.0	1¾″	45	30	**ETCE30-Z** *	1744
side load, half height	21⅝″ x 31¾″ x 49⅜″	543 x 807 x 1254	80	36.3	15.0	1¾″	45	20	**ETCS20-Z**	1547
side load, full height	21⅝″ x 31¾″ x 62⅜″	543 x 807 x 1584	97	44.0	15.0	1¾″	45	30	**ETCS30-Z** *	1744

* Half-height carts include two ergonomically positioned push handles.


Options for Electronic Tray Carts and Vibration Dampening Tray Carts



Optional ESD Grounding Cable

- Provides greater dependability on mobile units.
- Replaces conductive casters when used with conductive split sleeves.
- Easily installed.

model #	list
GC-16	43



Optional Anti-Static Drag Chain

- 16″ *(406mm)* long.
- Used for conductive applications.
- Clips into shelf.

model #	list
DC16-S •	40

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglegrp.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Gravity Flow Line Feed Carts

see spec sheet **EG07.03**



Offers the ergonomic advantage of an angled shelf along with added visibility in the storage bins.

FEATURES:

- Standard model includes three EAGLEbrite® zinc-plated angled shelves, four posts, four casters *(two with brake)*, one 3-sided truss, and one 4-sided truss.
- Flexibility to adjust shelves on 1″ *(25mm)* vertical increments and the slope of each shelf.
- Open-wire construction for high visibility of merchandise.
- Chrome posts.
- 5″ x 1¼″ *(127 x 32mm)* standard resilient swivel casters, two with brake — each with a weight capacity of 300 lbs. *(136.1 kg)*.
- Mobile units are 69″ *(1753mm)* height, including casters.
- Stationary units are 63″ *(1600mm)* height.

Note: Additional shelves available as options. Additional caster sizes available.

length		weight		cubic	Stationary		Mobile	
					EAGLEbrite®		EAGLEbrite®	
in.	mm	lbs.	kg	feet	model #	list	model #	list
36″	914	93	42.2	6	**SM3636Z-3**	1129	**M3636Z-3**	1318
48″	1219	114	51.7	8	**SM3648Z-3**	1267	**M3648Z-3**	1456
60″	1524	144	65.3	10	**SM3660Z-3**	1563	**M3660Z-3**	1715

Replacement/Additional Components for Gravity Flow Line Feed Carts:



Angled Shelves

- Hanger rails included.

length		weight		cubic	EAGLEbrite®	
in.	mm	lbs.	kg	feet	model #	list
36″	914	26	11.8	5	**M3636Z**	318
48″	1219	32	14.5	7	**M3648Z**	345
60″	1524	40	18.1	9	**M3660Z**	410



D-Truss Profile

Side-to-Side Hanger Rails…

length		weight		cubic	EAGLEbrite®	
in.	mm	lbs.	kg	feet	model #	list
36″	914	3	1.4	1.5	**A215543**	59
48″	1219	4	1.8	2.0	**A215544**	66
60″	1524	5	2.3	2.5	**A215546**	72



3-Sided Truss Frame

- 36″ *(914mm)* wide.

length		weight		cubic	EAGLEbrite®	
in.	mm	lbs.	kg	feet	model #	list
36″	914	7	3.2	2	**A215538**	72
48″	1219	10	4.5	3	**A215539**	92
60″	1524	12	5.4	4	**A215541**	98



4-Sided Truss Frame

- 36″ *(914mm)* wide.

length		weight		cubic	EAGLEbrite®	
in.	mm	lbs.	kg	feet	model #	list
36″	914	9	4.1	2	**A215532**	104
48″	1219	12	5.4	3	**A215534**	125
60″	1524	15	6.8	4	**A215536**	143

Burn-In Carts

see spec sheet **EG07.07**



A simple testing and preparation station for electronic products.

FEATURES:

- For transporting products to and from testing areas.
- Casters are resilient swivel 5″ *(127mm)* diameter and include donut bumpers.
- Standard power harness is designed to be used on four-shelf unit as shown.
- 69″ *(1753mm)* high.
- Aluminum split sleeves.

width x length in.	mm	weight lbs.	kg	cubic feet	chrome model #	list	zinc model #	list
28″ x 64″	711 x 1626	114	51.7	6.0	**BIC**	6926	**BIC-Z**	6885

Replacement Power Harness Nine outlets each. NEMA 5-15P plug.

description	weight lbs.	kg	cubic feet	model #	list
one strip w/cord & plug	2	0.9	0.7	**MHPH**	1425
four strips wired to one cord & plug	8	3.6	2.8	**MHPH-4**	2689

patented QuadTruss design

(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

All-Welded Units with Solid Tray Racks

see spec sheet **EG07.00**



Holds 18″ x 26″ pans.

FEATURES:

- All-welded aluminum frame construction.
- Frame and supports are 1″ *(25mm)* square aluminum tubing.
- Tray slides are 1⅞″ *(48mm)* wide with two raised beads to minimize friction.
- 5″ *(127mm)* casters.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

description	overall dimensions width x length x height in.	mm	weight lbs.	kg	cu ft	sliding space in.	mm	full size pan capacity	model #	list
front load	20½″ x 26″ x 69¼″	518 x 660 x 1759	47	21.3	21.0	2″	51	30	**OUR-1830-2/W** •	1917
side load	28½″ x 20″ x 69¼″	724 x 457 x 1759	32	14.5	25.2	2″	51	30	**OUR-2630-2/W**	1840

Aluminum Tray

description	dimensions in.	mm	model #	list
solid, 18 gauge	17¾″ x 25¾″	451 x 654	**SP1826-18** •	58



Stencil Shelf

see spec sheet **EG07.08**



two tiers of stencil shelves shown in mobile unit configuration

The stencil shelf may be used with any combination of posts and casters that best meets your requirements.

posts and casters sold separately —see pages 8 & 9

FEATURES:

- EAGLEbrite® zinc finish.
- One bottom and one top partitioned shelf.
- One ST1836Z-13 is required for each tier desired.
- Each unit has (15) 2″ *(51mm)* partitions.

Note: Stationary unit can be made conductive with the use of optional aluminum split sleeves *(page 176)*.

Mobile unit may be made conductive with the use of optional aluminum split sleeves *(page 176)* and an optional drag chain *(page 168)*.

#ST1836Z-13 includes two shelves.

width x length in.	mm	weight lbs.	kg	cu ft	capacity	model #	list
18″ x 36″	457 x 914	18	8.2	5.0	holds (15) stencils	**ST1836Z-13**	564

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglegrp.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Mobile Computer Workstations

see spec sheet **EG01.04**



with optional mouse shelf

patented QuadTruss® design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

FEATURES:

- 5″ *(127mm)* casters–two with brake.
- Cantilevered shelf, undershelf, keyboard drawer.
- 38⅜″ *(981mm)* working height.
- 53⅜″ *(1362mm)* overall height.

Note: See page 176 for other casters available.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

						with Resilient-Tread Casters				w/Polyurethane-Tread Casters			
	length		weight		cu	chrome		stainless steel		chrome		stainless steel	
width**	in.	mm	lbs.	kg	ft	model #	*list	model #	*list	model #	*list	model #	*list
24″ *(610mm)*	24″	610	40	18.1	3.7	**MCWS2424C**	• 1516	**MCWS2424S**	2439	**MCWS2424C-P**	1549	**MCWS2424S-P**	2473
30″ *(762mm)*	30″	762	56	25.4	4.5	**MCWS3030C**	1636	**MCWS3030S**	2547	**MCWS3030C-P**	1670	**MCWS3030S-P**	2577

* List prices do not include cost of mouse shelf.

** 24″ x 24″ *(610 x 610mm)* units feature 14″ x 24″ *(357 x 610mm)* undershelf, 30″ x 30″ *(762 x 762mm)* units feature 18″ x 30″ *(457 x 762mm)* undershelf.


Optional Mouse Shelf for Mobile Computer Workstation

width x length		cu	weight		chrome	
in.	mm	ft	lbs.	kg	model #	list
7″ x 7″	178 x 178	0.1	2.0	0.9	**MS-C**	25



Reel Shelves

see spec sheet **EG07.06**



R1836Z-7 shelves

R1836Z-13 shelves

reel shelves shown in mobile unit configuration - posts and casters sold separately (see pages 8 & 9)

FEATURES:

- EAGLEbrite® zinc plated finish with MasterSeal®, 9-gauge wire for the mat, and 6-gauge wire for the cradle and trusses.
- R1836-7 has a ¾″ *(19mm)* open space for each reel.
- R1836-13 has a 2″ *(51mm)* open space for each reel.
- The reel shelves may be used with any combination of posts and casters that best meets your requirements.


The perfect solution to store and transport surface mount reels.

width x length		weight		cubic			
in.	mm	lbs.	kg	feet	capacity	model #	list
18″ x 36″	457 x 914	10	4.5	5.0	holds (78) 7″-diameter reels	**R1836Z-7**	342
18″ x 36″	457 x 914	9	4.1	5.0	holds (15) 13″-diameter reels or 15″-diameter reels	**R1836Z-13**	304


Tote Box Carriers

see spec sheet **EG07.01**


The ideal way to transport totes, trays, and other containers.



slide section dimensions



inside clearances of adjustable model



inside clearances of standard non-adjustable model

FEATURES:

- Three sets of tote box slides.
- Two brake and two swivel casters, resilient or polymer.
- 68″ *(1727mm)* height, includes casters
- 63″ *(1600mm)* 16-gauge chrome-plated posts.
- 26″ *(660mm)* length from front to back.

Note: See pages 173 and 174 for tote boxes and tote box accessories.

Note: To order units with aluminum split sleeves in place of standard plastic split sleeves, add suffix "**-ESD**". Example: TBC1-R-**ESD**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

One-Bay

- Adjustable or standard.
- Comes with three single slide sets.

width x length in.	mm	weight lbs.	kg	cubic feet	caster type	description	model #	list
26″ x 22⅝″	660 x 575	55	24.9	3.5	resilient	1 section, non-adjustable	**TBC1-R** *	1275
		55	24.9	3.5	poly	1 section, non-adjustable	**TBC1-P** *	1307
26″ x 20⅝″	660 x 524	55	24.9	3.5	resilient	1 section, adjustable	**TBC-R**	1264
to 26″ x 29⅜″	to 660 x 746	55	24.9	3.5	poly	1 section, adjustable	**TBC-P**	1393

* For Non-Adjustable units, applicable tote boxes are #TB3030XL, TB3060XL, TB3080XL, and TB3120XL *(page 173)*.



one-bay tote box carrier shown with optional tote boxes

Two-Bay

- Comes with three single slide sets and three double slides.

width x length in.	mm	weight lbs.	kg	cubic feet	caster type	description	model #	list
26″ x 41¾″	660 x 1060	112	50.8	9	resilient	2 section, non-adjustable	**TBC2-R** *	1862
26″ x 41¾″	660 x 1060	112	50.8	9	poly	2 section, non-adjustable	**TBC2-P** *	1899

* For Non-Adjustable units, applicable tote boxes are #TB3030XL, TB3060XL, TB3080XL, and TB3120XL *(page 173)*.



two-bay tote box carrier shown with optional tote boxes

Three-Bay

- Comes with three single slide sets and six double slides.

width x length in.	mm	weight lbs.	kg	cubic feet	caster type	description	model #	list
26″ x 60⅞″	660 x 1546	168	76.2	12	resilient	3 section, non-adjustable	**TBC3-R** *	2627
26″ x 60⅞″	660 x 1546	168	76.2	12	poly	3 section, non-adjustable	**TBC3-P** *	2665

* For Non-Adjustable units, applicable tote boxes are #TB3030XL, TB3060XL, TB3080XL, and TB3120XL *(page 173)*.



three-bay tote box carrier shown with optional tote boxes and additional slides

Tote Box Slides for Tote Box Carriers

- Made of 16 gauge chrome plated steel with a channel opening of 1⅛″ *(29mm)*.

type	weight lbs.	kg	cubic feet	model #	list
single slides *(sold in pairs)*	1.5	0.7	0.5	**TBC-S** •	170 per pair
double slide *(sold individually)*	3.0	1.4	0.5	**TBC-SD**	160 each

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglegrp.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Benchside Tote Box Carriers

see spec sheet **EG07.02**

FEATURES:

- Angled wire shelf with 3½″ (*89mm*) upturn.
- Wire undershelf.
- Posts joined to 5″ (*127mm*)-diameter swivel casters with resilient tread—two with brake.
- All shelves and posts are zinc-plated.

Note: For static dissipation, add aluminum split sleeves *(page 176)* and drag chain *(page 168)*.

Variable shelf angle is ergonomically sensitive to repetitive pick-and-place activity.



benchside tote box carrier shown with optional tote boxes

width x length in.	width x length mm	height	in.	mm	weight lbs.	weight kg	cubic feet	caster type	model #	list
18″ x 24″	457 x 610	(rear) (front)	39″ 30″	991 762	50	22.7	3.3	(2) 5″ resilient swivel (2) 5″ resilient w/brake	**1824BTZ**	736
18″ x 36″	457 x 914	(rear) (front)	39″ 30″	991 762	55	24.9	4.5	(2) 5″ resilient swivel (2) 5″ resilient w/brake	**1836BTZ**	769
18″ x 48″	457 x 1219	(rear) (front)	39″ 30″	991 762	60	27.2	6.0	(2) 5″ resilient swivel (2) 5″ resilient w/brake	**1848BTZ**	809
18″ x 60″	457 x 1524	(rear) (front)	39″ 30″	991 762	65	29.5	7.5	(2) 5″ resilient swivel (2) 5″ resilient w/brake	**1860BTZ**	886

Optional ESD Tote Boxes & Tote Box Accessories

see spec sheet **EG07.09**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



ESD Tote Boxes

- Made of conductive material.
- Fits tote box carriers *(page 172)*.
- Containers can be divided into compartments by length and/or width.
- Dividers are on 1¼″ *(32mm)* centers.

dimensions of outside top length x width x height in.	dimensions of outside top length x width x height mm	weight lbs.	weight kg	cu ft	max. divider slots long in.	max. divider slots long mm	max. divider slots short in.	max. divider slots short mm	model #	list
10.8″ x 8.5″ x 3.5″	274 x 216 x 89	0.7	0.3	0.2	5″	127	7″	178	**TB1035XL**	47
10.8″ x 8.5″ x 5.0″	274 x 216 x 127	0.9	0.4	0.3	5″	127	7″	178	**TB1050XL**	54
16.5″ x 10.9″ x 3.5″	419 x 277 x 89	1.2	0.5	0.4	7″	178	11″	279	**TB2035XL**	55
16.5″ x 10.9″ x 6.0″	419 x 277 x 152	1.6	0.7	0.6	7″	178	11″	279	**TB2060XL**	77
16.5″ x 10.9″ x 8.0″	419 x 277 x 203	2.0	0.9	0.8	7″	178	11″	279	**TB2080XL**	85
22.4″ x 17.4″ x 3.0″	567 x 442 x 76	1.8	0.8	0.7	11″	279	15″	381	**TB3030XL** *	132
22.4″ x 17.4″ x 6.0″	567 x 442 x 152	3.5	1.6	1.3	11″	279	15″	381	**TB3060XL** *	137
22.4″ x 17.4″ x 8.0″	567 x 442 x 203	4.1	1.9	1.8	11″	279	15″	381	**TB3080XL** *	166
22.4″ x 17.4″ x 12.0″	567 x 442 x 305	6.0	2.7	1.7	11″	279	15″	381	**TB3120XL** *	228

* Only the TB3000 series tote boxes fit non-adjustable tote box carriers *(page 172)*.

ESD Snap-On Tote Box Covers

Conductive. Black.

Protect the contents of your divider box with these hi-density injection molded covers.

for container model	weight lbs.	weight kg	cubic feet	model #	list
TB1000 Series	0.2	0.1	0.1	**CTB1000-XL**	36
TB2000 Series	0.5	0.2	0.1	**CTB2000-XL**	63
TB3000 Series	1.2	0.5	0.3	**CTB3000-XL**	103



ESD Tote Box Accessories (continued)

see spec sheet **EG07.09**

Dividers



Conductive. These injection molded dividers compartmentalize width and length of box interior to prevent part movement.

	Long Dividers			Short Dividers		
fits tote box	model #	list	max. # accepted	model #	list	max. # accepted
TB1035XL	**DL1035-XL**	7	5	**DS1035-XL**	6	7
TB1050XL	**DL1050-XL**	8	5	**DS1050-XL**	7	7
TB2035XL	**DL2035-XL**	8	7	**DS2035-XL**	7	11
TB2060XL	**DL2060-XL**	12	7	**DS2060-XL**	9	11
TB2080XL	**DL2080-XL**	19	7	**DS2080-XL**	12	11
TB3030XL	**DL3030-XL**	12	11	**DS3030-XL**	8	15
TB3060XL	**DL3060-XL**	16	11	**DS3060-XL**	9	15
TB3080XL	**DL3080-XL**	19	11	**DS3080-XL**	12	15
TB3120XL	**DL3120-XL**	49	11	**DS3120-XL**	40	15

Card Holders for ESD Tote Boxes



FEATURES:

- Static dissipative.
- Transparent blue vinyl material.
- Easily snaps onto TB3000 Series divider boxes *(page 173)*.

holds labels			
in.	mm	model #	list
2″ x 8″	51 x 203	**CH28S**	19
3″ x 5″	76 x 127	**CH35S**	25
5″ x 8″	127 x 203	**CH58S**	26

Go Green. Go ECO-Built™ by EAGLE.

For institutions concerned about meeting their own green standards, buying Eco-Built™ is simply the right thing to do.

Look for the ECO-Built™ tag on the bar code


100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglegrp.com

Conductive Bins and Dividers

see spec sheet EG07.11

FEATURES:

- Molded with a carbon-filled copolymer poly propylene material which protects sensitive electronic components from typical electromagnetic interference (EMI).



Ultra-strong stackable containers are ideal for storage and transportation of electronic components and parts, assemblies, and loaded circuit boards.



assorted conductive bins



bins with dividers

overall dimensions width x length x height in.	mm	weight* lbs.	kg	cu* ft	carton quantity	Bins model #	Bins list each	Dividers model #	Dividers list each
4⅛″ x 4½″ x 3″	105 x 114 x 76	0.5	0.2	0.7	48	**A208336**	9	**A208348**	16
4⅛″ x 5½″ x 3″	105 x 138 x 76	0.5	0.2	0.8	48	**A208337**	9	**A208349**	19
4⅛″ x 7½″ x 3″	105 x 191 x 76	0.5	0.2	1.0	48	**A208338**	16	**A208350**	26
5½″ x 11″ x 5″	138 x 279 x 127	0.5	0.2	0.6	12	**A208339**	38	**A208351**	36
11″ x 11″ x 5″	279 x 279 x 127	1.5	0.7	0.5	8	**A208341**	54	**A208353**	36
8¼″ x 11″ x 7″	210 x 279 x 178	1.5	0.7	0.5	8	**A208342**	55	**A208354**	58
8¼″ x 14¾″ x 7″	210 x 375 x 178	1.5	0.7	1.1	8	**A208343**	59	**A208355**	67
16½″ x 14¾″ x 7″	419 x 375 x 178	3.0	1.4	1.8	6	**A208344**	104	**A208356**	67
11″ x 16″ x 8″	279 x 406 x 203	2.5	1.1	1.3	4	**A208345**	112	**A208357**	83
11″ x 18″ x 10″	279 x 457 x 254	2.8	1.2	1.7	4	**A208346**	125	**A208358**	94
16½″ x 18″ x 11″	419 x 457 x 279	4.0	1.8	2.6	4	**A208347**	169	**A208359**	94

* Total carton



ESD Cart Covers

see spec sheet **EG07.12**

Controls electrostatic discharge while protecting contents from moisture and contamination.



Black outside, Green inside.

FEATURES:

- Controls electrostatic discharge while protecting contents from moisture and contamination.
- All cart covers have a flap on one side.
- "ETC" model cart covers have both side and end flaps for side or end load.
- Comes with paperwork pouch.
- ESD cart covers are waterproof, tear-resistant, antibacterial and flame retardant.

shelf width x length in.	mm	post height in.	mm	weight lbs.	kg	cubic feet	model #	list
18″ x 36″	457 x 914	63″	1600	3	1.4	2.5	**CZ-63-1836-ESD**	776
18″ x 48″	457 x 1219	63″	1600	4	1.8	2.5	**CZ-63-1848-ESD**	870
24″ x 24″	610 x 610	63″	1600	3	1.4	2.5	**CZ-63-2424-ESD**	776
24″ x 36″	610 x 914	63″	1600	3	1.4	2.5	**CZ-63-2436-ESD**	810
24″ x 48″	610 x 1219	63″	1600	4	1.8	2.5	**CZ-63-2448-ESD**	943
24″ x 60″	610 x 1524	63″	1600	5	2.3	2.5	**CZ-63-2460-ESD**	1017
fits #ETCE20-Z (page 168) fits #ETCS20-Z (page 168)		49″	1245	3	1.4	2.5	**CZ-49-ETC**	795
fits #ETCE30-Z (page 168) fits #ETCS30-Z (page 168)		63″	1600	4	1.8	2.5	**CZ-63-ETC**	898

Conductive Casters

see spec sheets **EG01.05A** **EG07.12**

FEATURES:

- Meets federal specification FF-C-88C regarding conductivity.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



type	capacity lbs.	kg	wheel diameter in.	mm	wheel face in.	mm	weight lbs.	kg	cu ft	zinc model #	list
stem/swivel	200	90.7	5″	127	1¼″	32	2.5	1.2	0.1	**CSS5-CC** •	107
stem/brake	200	90.7	5″	127	1¼″	32	2.8	1.3	0.1	**CSB5-CC** •	119
stem/rigid*	200	90.7	5″	127	1¼″	32	3.5	1.6	0.1	**CSR5-CC**	122

* Channel frames for rigid stem casters available. See page 9.

Split Sleeves

see spec sheets **EG01.03D** **EG07.12**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Aluminum Split Sleeves

- For conductive, over the road or high-temperature installations.
- Set of four.

with zinc rings model #	list	with stainless rings model #	list
A208909 •	32	**A208908** •	49



aluminum split sleeves and ring

Plastic Conductive Split Sleeves

- Packed four per bag.

model #	list
A219236	22



100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglegrp.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

adjusTable® Work Surface Systems with Cantilevered Overhead System

NSF Now NSF!

see spec sheet EG07.13A

FEATURES:

- 34½″ *(876mm)* working height.
- Tabletops on all models feature hat channels underneath for added strength.



adjusTable® with overhead cantilevered system shown with H-frame & wire undershelf base, and optional bin holder, reel holder, and bench power center

Note: To order table with 5″ *(127mm)* resilient tread casters, add suffix **"-CAH"** and **add to list price $986**.
Example: OAC2436T-2H-CAH.

To order table with 5″ *(127mm)* poly tread casters, add suffix **"-CAHP"** and **add to list price $855**.
Example: OAC2436T-2H-CAHP.

Allows you to create work surfaces of your choice. Tabletops on all models feature hat channels underneath for added strength.

Work surface of your choice is combined with two 33″ *(838mm)* front posts, two 63″ *(1600mm)* rear posts, two cantilevered wire overshelves, and your choice of base combination. Overall height of 63″ *(1600mm)*.

"OAC" Series tables – Brushed 16/304 stainless steel solid top and chrome wire overshelves, with choice of:

- Two knocked down chrome C-frames
- Two knocked down chrome H-frames
- One chrome C-frame and one chrome wire undershelf
- One chrome H-frame and one chrome wire undershelf
- Two chrome wire undershelves

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	36″	914	65	29.5	4.4	OAC2436T-2C	1700	OAC2436T-2H	1700	OAC2436T-1C-1W	1700	OAC2436T-1H-1W	1700	OAC2436T-2W	1700
	48″	1219	81	36.7	5.7	OAC2448T-2C	1958	OAC2448T-2H	1958	OAC2448T-1C-1W	1958	OAC2448T-1H-1W	1958	OAC2448T-2W	1958
	60″	1524	97	44.0	7.0	OAC2460T-2C	2217	OAC2460T-2H	2217	OAC2460T-1C-1W	2217	OAC2460T-1H-1W	2217	OAC2460T-2W	2217
30″ width (762mm)	36″	914	75	34.0	4.4	OAC3036T-2C	1808	OAC3036T-2H	1808	OAC3036T-1C-1W	1808	OAC3036T-1H-1W	1808	OAC3036T-2W	1808
	48″	1219	94	42.6	5.7	OAC3048T-2C	2133	OAC3048T-2H	2133	OAC3048T-1C-1W	2133	OAC3048T-1H-1W	2133	OAC3048T-2W	2133
	60″	1524	113	51.3	7.0	OAC3060T-2C	2423	OAC3060T-2H	2423	OAC3060T-1C-1W	2423	OAC3060T-1H-1W	2423	OAC3060T-2W	2423
36″ width (914mm)	36″	914	85	38.6	5.0	OAC3636T-2C	2208	OAC3636T-2H	2208	OAC3636T-1C-1W	2208	OAC3636T-1H-1W	2208	OAC3636T-2W	2208
	48″	1219	108	49.0	7.0	OAC3648T-2C	2526	OAC3648T-2H	2526	OAC3648T-1C-1W	2526	OAC3648T-1H-1W	2526	OAC3648T-2W	2526
	60″	1524	131	59.4	9.0	OAC3660T-2C	2758	OAC3660T-2H	2758	OAC3660T-1C-1W	2758	OAC3660T-1H-1W	2758	OAC3660T-2W	2758

"OAS" Series tables – Brushed 16/304 stainless steel solid top and stainless steel wire overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one chrome wire undershelf
- Two stainless steel wire undershelves

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	36″	914	65	29.5	4.4	OAS2436T-2C	2955	OAS2436T-2H	2955	OAS2436T-1C-1W	2955	OAS2436T-1H-1W	2955	OAS2436T-2W	2955
	48″	1219	81	36.7	5.7	OAS2448T-2C	3380	OAS2448T-2H	3380	OAS2448T-1C-1W	3380	OAS2448T-1H-1W	3380	OAS2448T-2W	3380
	60″	1524	97	44.0	7.0	OAS2460T-2C	3920	OAS2460T-2H	3920	OAS2460T-1C-1W	3920	OAS2460T-1H-1W	3920	OAS2460T-2W	3920
30″ width (762mm)	36″	914	75	34.0	4.4	OAS3036T-2C	3255	OAS3036T-2H	3255	OAS3036T-1C-1W	3255	OAS3036T-1H-1W	3255	OAS3036T-2W	3255
	48″	1219	94	42.6	5.7	OAS3048T-2C	3749	OAS3048T-2H	3749	OAS3048T-1C-1W	3749	OAS3048T-1H-1W	3749	OAS3048T-2W	3749
	60″	1524	113	51.3	7.0	OAS3060T-2C	4317	OAS3060T-2H	4317	OAS3060T-1C-1W	4317	OAS3060T-1H-1W	4317	OAS3060T-2W	4317
36″ width (914mm)	36″	914	85	38.6	5.0	OAS3636T-2C	3643	OAS3636T-2H	3643	OAS3636T-1C-1W	3643	OAS3636T-1H-1W	3643	OAS3636T-2W	3643
	48″	1219	108	49.0	7.0	OAS3648T-2C	4320	OAS3648T-2H	4320	OAS3648T-1C-1W	4320	OAS3648T-1H-1W	4320	OAS3648T-2W	4320
	60″	1524	131	59.4	9.0	OAS3660T-2C	4987	OAS3660T-2H	4987	OAS3660T-1C-1W	4987	OAS3660T-1H-1W	4987	OAS3660T-2W	4987

Contact factory for custom workstation configurations.

adjusTable® Work Surface Systems with Wire Overshelf System

NSF Now NSF!

see spec sheet EG07.13A

FEATURES:

- 34½″ *(876mm)* working height.
- Tabletops on all models feature hat channels underneath for added strength.



shown with two C-frame bases (suffix "-2C")

Note: To order table with 5″ *(127mm)* resilient tread casters, add suffix **"-CAH"** and **add to list price $986**.
Example: WOAC2436T-2H-CAH.
To order table with 5″ *(127mm)* poly tread casters, add suffix **"-CAHP"** and **add to list price $855**.
Example: WOAC2436T-2H-CAHP.

Allows you to create work surfaces of your choice. Tabletops on all models feature hat channels underneath for added strength.

Work surface of your choice is combined with two 33″ *(838mm)* front posts, two 63″ *(1600mm)* rear posts, two wire overshelves, two 29″ *(737mm)* front posts for wire overshelves, and your choice of base combination. 63″ *(1600mm)* overall height.

"**WOAC**" Series tables – 16/304 brushed stainless solid top and chrome overshelves, with choice of:

- Two knocked down chrome C-frames
- Two knocked down chrome H-frames
- One chrome C-frame and one chrome wire undershelf
- One chrome H-frame and one chrome wire undershelf
- Two chrome wire undershelves

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width *(610mm)*	36″	914	65	29.5	4.4	**WOAC2436T-2C**	1798	**WOAC2436T-2H**	1798	**WOAC2436T-1C-1W**	1798	**WOAC2436T-1H-1W**	1798	**WOAC2436T-2W**	1798
	48″	1219	81	36.7	5.7	**WOAC2448T-2C**	2045	**WOAC2448T-2H**	2045	**WOAC2448T-1C-1W**	2045	**WOAC2448T-1H-1W**	2045	**WOAC2448T-2W**	2045
	60″	1524	97	44.0	7.0	**WOAC2460T-2C**	2297	**WOAC2460T-2H**	2297	**WOAC2460T-1C-1W**	2297	**WOAC2460T-1H-1W**	2297	**WOAC2460T-2W**	2297
30″ width *(762mm)*	36″	914	75	34.0	4.4	**WOAC3036T-2C**	1900	**WOAC3036T-2H**	1900	**WOAC3036T-1C-1W**	1900	**WOAC3036T-1H-1W**	1900	**WOAC3036T-2W**	1900
	48″	1219	94	42.6	5.7	**WOAC3048T-2C**	2218	**WOAC3048T-2H**	2218	**WOAC3048T-1C-1W**	2218	**WOAC3048T-1H-1W**	2218	**WOAC3048T-2W**	2218
	60″	1524	113	51.3	7.0	**WOAC3060T-2C**	2498	**WOAC3060T-2H**	2498	**WOAC3060T-1C-1W**	2498	**WOAC3060T-1H-1W**	2498	**WOAC3060T-2W**	2498
36″ width *(914mm)*	36″	914	85	38.6	5.0	**WOAC3636T-2C**	2307	**WOAC3636T-2H**	2307	**WOAC3636T-1C-1W**	2307	**WOAC3636T-1H-1W**	2307	**WOAC3636T-2W**	2307
	48″	1219	108	49.0	7.0	**WOAC3648T-2C**	2610	**WOAC3648T-2H**	2610	**WOAC3648T-1C-1W**	2610	**WOAC3648T-1H-1W**	2610	**WOAC3648T-2W**	2610
	60″	1524	131	59.4	9.0	**WOAC3660T-2C**	2836	**WOAC3660T-2H**	2836	**WOAC3660T-1C-1W**	2836	**WOAC3660T-1H-1W**	2836	**WOAC3660T-2W**	2836

"**WOAS**" Series tables – 16/304 brushed stainless solid top and stainles steel overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one chrome wire undershelf
- Two stainless steel wire undershelves

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width *(610mm)*	36″	914	65	29.5	4.4	**WOAS2436T-2C**	3112	**WOAS2436T-2H**	3112	**WOAS2436T-1C-1W**	3112	**WOAS2436T-1H-1W**	3112	**WOAS2436T-2W**	3112
	48″	1219	81	36.7	5.7	**WOAS2448T-2C**	3616	**WOAS2448T-2H**	3616	**WOAS2448T-1C-1W**	3616	**WOAS2448T-1H-1W**	3616	**WOAS2448T-2W**	3616
	60″	1524	97	44.0	7.0	**WOAS2460T-2C**	4245	**WOAS2460T-2H**	4245	**WOAS2460T-1C-1W**	4245	**WOAS2460T-1H-1W**	4245	**WOAS2460T-2W**	4245
30″ width *(762mm)*	36″	914	75	34.0	4.4	**WOAS3036T-2C**	3412	**WOAS3036T-2H**	3412	**WOAS3036T-1C-1W**	3412	**WOAS3036T-1H-1W**	3412	**WOAS3036T-2W**	3412
	48″	1219	94	42.6	5.7	**WOAS3048T-2C**	3986	**WOAS3048T-2H**	3986	**WOAS3048T-1C-1W**	3986	**WOAS3048T-1H-1W**	3986	**WOAS3048T-2W**	3986
	60″	1524	113	51.3	7.0	**WOAS3060T-2C**	4640	**WOAS3060T-2H**	4640	**WOAS3060T-1C-1W**	4640	**WOAS3060T-1H-1W**	4640	**WOAS3060T-2W**	4640
36″ width *(914mm)*	36″	914	85	38.6	5.0	**WOAS3636T-2C**	3799	**WOAS3636T-2H**	3799	**WOAS3636T-1C-1W**	3799	**WOAS3636T-1H-1W**	3799	**WOAS3636T-2W**	3799
	48″	1219	108	49.0	7.0	**WOAS3648T-2C**	4559	**WOAS3648T-2H**	4559	**WOAS3648T-1C-1W**	4559	**WOAS3648T-1H-1W**	4559	**WOAS3648T-2W**	4559
	60″	1524	131	59.4	9.0	**WOAS3660T-2C**	5315	**WOAS3660T-2H**	5315	**WOAS3660T-1C-1W**	5315	**WOAS3660T-1H-1W**	5315	**WOAS3660T-2W**	5315

Contact factory for custom workstation configurations.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglegrp.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Extras for adjusTable® with Overhead Systems

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

see spec sheet **EG07.13B**

Bin Holders

- Accommodates supply and conductive bins.
- Constructed of 1⅝″ x ½″ *(41 x 13mm)* 12-gauge mild steel, angle-welded to two conical collars for support.
- Shipped with two plastic split sleeves for attachment to posts.



Chrome-plated bin holders allow you to sort, store and separate supplies.

workstation length		weight		cu	bin capacity			
in.	mm	lbs.	kg	ft	in.	mm	model #	list
36″	914	3.0	1.4	0.1	33″	838	**BH36C**	59
48″	1219	4.0	1.8	0.1	45″	1143	**BH48C** •	62
60″	1524	4.5	2.0	0.3	57″	1448	**BH60C** •	66

Reel Holders

- Constructed of 1¼″ x 1¼″ x 3″ *(32 x 32 x 76mm)* chrome-plated 14-gauge “C” channel, welded to a conical collar.
- Shipped with plastic split sleeves for attachment to posts.
- Rod is constructed of ⅝″ *(16mm)* diameter 16 gauge stainless steel tubing.
- Tubing is held within rod holders with removable 1½″ *(38mm)* long zinc-plated hairpin cotter clips.



Chrome-plated reel holders allow you to sort and store wire and labels.

workstation length		weight		cu	reel capacity			
in.	mm	lbs.	kg	ft	in.	mm	model #	list
36″	914	3.0	1.4	0.1	31″	787	**RH36-C**	132
48″	1219	4.0	1.8	0.1	42″	1067	**RH48-C**	137
60″	1524	4.5	2.0	0.3	54″	1372	**RH60-C**	140

Bench Power Centers

- UL-approved 115-volt, 20-amp power strip comes complete with mounting hardware and 6′ *(1829mm)* cord.
- Cleat included to secure power cord when not in use.



workstation length		weight		cu	outlet capacity		
in.	mm	lbs.	kg	ft	115V - 20A	model #	list
36″	914	10	4.5	0.1	5	**BPC36C**	604
48″	1219	15	6.8	0.1	7	**BPC48C**	610
60″	1524	20	9.0	0.3	9	**BPC60C**	617

See pages 212-215 for optional utility drawers.

Stainless Steel Cleaner & Polish

weight			
oz.	kg	model #	list
15	0.4	**004026**	32



FEATURES:


- Cleans and polishes in one step.
- Does not streak or leave fingerprints.
- Leaves a protective invisible coating.

Double-Sided Bin-Holder Rails

see product announcement **EG07.14**



shown assembled as a cart (bins sold separately)



bin holder rail (bins sold separately)

PATENTED! (patent #8,141,724 B2)

Bin-Holder Rails:

- Bin-holder rails are sold as an accessory or purchased with posts as a kit.
- EAGLEbrite® zinc or chrome plated.
- Bins attach to both sides of rail – no tools required.

Bin-Holder Rail Carts:

- Carts consist of four bin-holder rails and four 63″ *(1600mm)* posts with casters.
- Posts are numbered in increments of 1″ *(25mm)* to ensure fast and level assembly.
- Assembly — numerically calibrated grooved posts, tapered plastic split sleeves and rail collars combine to make shelving assembly a simple two-step exercise:
  1) snap the split sleeves onto a post over the number of your choice; and
  2) slide a rail collar over the split sleeves. A positive lock between rail bin and post is created without the use of any tools.

Bin-Holder Rails

	length		weight		Zinc		Chrome	
	in.	mm	lbs.	kg	model #	list	model#	list
24″ width (610mm)	36″	914	11.0	5.0	**DBH2436Z**	292	**DBH2436C**	400
	42″	1067	12.5	5.7	**DBH2442Z**	398	**DBH2442C**	406
	48″	1219	14.0	6.4	**DBH2448Z**	420	**DBH2448C**	466
	54″	1372	15.5	7.0	**DBH2454Z**	432	**DBH2454C**	473
	60″	1524	17.0	7.7	**DBH2460Z**	460	**DBH2460C**	510
30″ width (762mm)	36″	914	12.5	5.7	**DBH3036Z**	394	**DBH3036C**	438
	42″	1067	14.0	6.4	**DBH3042Z**	405	**DBH3042C**	455
	48″	1219	15.5	7.0	**DBH3048Z**	460	**DBH3048C**	515
	54″	1372	17.0	7.7	**DBH3054Z**	467	**DBH3054C**	537
	60″	1524	18.5	8.4	**DBH3060Z**	506	**DBH3060C**	604



Bin holder rails can also be used on Eagle Floor-Trak® units

For additional information on Floor-Trak® Systems, refer to spec sheet EG01.39, or visit us online at *www.eaglegrp.com*

Bin-Holder Rail Carts

	length		weight		Zinc		Chrome	
	in.	mm	lbs.	kg	model #	list	model#	list
24″ width (610mm)	36″	914	64	29.0	**DBHC2436Z-4**	1792	**DBHC2436C-4**	1887
	42″	1067	70	31.8	**DBHC2442Z-4**	1915	**DBHC2442C-4**	1915
	48″	1219	76	34.5	**DBHC2448Z-4**	1978	**DBHC2448C-4**	2148
	54″	1372	82	37.2	**DBHC2454Z-4**	2017	**DBHC2454C-4**	2180
	60″	1524	88	39.9	**DBHC2460Z-4**	2125	**DBHC2460C-4**	2328
30″ width (762mm)	36″	914	70	31.8	**DBHC3036Z-4**	1880	**DBHC3036C-4**	2042
	42″	1067	76	34.5	**DBHC3042Z-4**	1918	**DBHC3042C-4**	2105
	48″	1219	82	37.2	**DBHC3048Z-4**	2123	**DBHC3048C-4**	2352
	54″	1372	88	39.9	**DBHC3054Z-4**	2164	**DBHC3054C-4**	2438
	60″	1524	94	42.6	**DBHC3060Z-4**	2312	**DBHC3060C-4**	2708

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglegrp.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

NOTES

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglegrp.com

Tables for Non-Critical Environments

Accessories/Components

Casters.....198-199, 205
More Accessories and Components.....198, 200, 209-211

Custom Options.....218

Drawers.....212-215

Hardwood Worktables.....199

Overshelves / Table Mounted

Flex-Master® Adjustable.....207-209
Microwave.....211
Non-Adjustable / All-Welded.....210

SPEC-MASTER®

Enclosed Worktables
with Backsplash.....203
with Flat Top.....201
with Upturn.....202

Specialty Tables

adjusTable® Work Surface Systems.....204
Folding Tables.....206

Stands

Mobile Utility Stands.....206
Mobile with Undershelf.....206
Stationary Utility Stands.....205

Utility Tool Racks.....216-217

Wall Cabinets.....209

Worktables w/Stainless Steel Top

with Backsplash and Tubular Base.....196-197
with Backsplash and Undershelf Base.....194-195
with Flat Top and Tubular Base.....188-189
with Flat Top and Undershelf Base.....186-187
with Upturn and Tubular Base.....192-193
with Upturn and Undershelf Base.....190-191
Filler Tables.....200
Knock Down Worktables with Cabinet Kit.....200

For Wall Shelves, see page 89.

Wall Mounted Stainless Steel Tables

see spec sheet **EG10.01**

Facilitates small rolling cabinets which can be moved in and out.




table featuring flat top with box marine counter edge


FEATURES:

- Tabletop available in 16- or 14-gauge stainless steel.
- 14-gauge brackets with hole for electrical wire run.
- Wall mounted for environments with frequent wash downs.
- Available in same configuration as a standard worktable *(pages 186-197)*.
- 200 lb. *(90.7 kg)* weight capacity.
- Options available include integral sink bowls, drawers, end splashes, and sound deadening.

	length in.	length mm	weights* lbs.	weights* kg	no. of brackets	16/304 TABLETOP WITH ROLLED EDGE model #	16/304 TABLETOP WITH ROLLED EDGE list	14/304 TABLETOP * WITH ROLLED EDGE model #	14/304 TABLETOP * WITH ROLLED EDGE list	14/304 TABLETOP WITH * BOX MARINE COUNTER EDGE model #	14/304 TABLETOP WITH * BOX MARINE COUNTER EDGE list
Tables with Flat Top											
30″ width (762mm)	48″	1219	71	32.2	3	**WT3048SEB**	1082	**WT3048SE**	1527	**WT3048SEM**	2144
	60″	1524	82	37.6	3	**WT3060SEB**	1264	**WT3060SE**	1744	**WT3060SEM**	2285
	72″	1829	95	43.1	4	**WT3072SEB**	1417	**WT3072SE**	2038	**WT3072SEM**	2582
Tables with 1½″ Upturn											
30″ width (762mm)	48″	1219	71	32.2	3	**UWT3048SEB**	1270	**UWT3048SE**	1797	**UWT3048SEM**	2517
	60″	1524	83	37.6	3	**UWT3060SEB**	1487	**UWT3060SE**	2048	**UWT3060SEM**	2688
	72″	1829	95	43.1	4	**UWT3072SEB**	1666	**UWT3072SE**	2395	**UWT3072SEM**	3036
Tables with 4½″ Backsplash											
30″ width (762mm)	48″	1219	73	33.1	3	**WT3048SEB-BS**	1347	**WT3048SE-BS**	1908	**WT3048SEM-BS**	2680
	60″	1524	84	38.1	3	**WT3060SEB-BS**	1577	**WT3060SE-BS**	2180	**WT3060SEM-BS**	2858
	72″	1829	97	44.0	4	**WT3072SEB-BS**	1769	**WT3072SE-BS**	2547	**WT3072SEM-BS**	3223


* Increase stated weight by 10%.

Optional table edges available:



SPEC-MASTER® Marine Series

14 gauge, 300 series stainless steel tabletop.
Features a marine counter edge to prevent spillage.





WITH FLAT TOP AND UNDERSHELF…
See pages 186-187



WITH FLAT TOP AND TUBULAR BASE…
See pages 188-189



WITH 4½″ *(267MM)* BACKSPLASH AND UNDERSHELF…
See pages 194-195




WITH 4½″ *(267MM)* BACKSPLASH AND TUBULAR BASE...
See pages 196-197

EM, SEM, GTEM, and STEM series

SPEC-MASTER® Series

14 gauge, 300 series stainless steel tabletop.





WITH FLAT TOP AND UNDERSHELF…
See pages 186-187



WITH UPTURN AND UNDERSHELF…
See pages 190-191



WITH BACKSPLASH AND UNDERSHELF…
See pages 194-195



WITH FLAT TOP AND TUBULAR BASE…
See pages 188-189



WITH UPTURN AND TUBULAR BASE…
See pages 192-193




WITH BACKSPLASH AND TUBULAR BASE...
See pages 196-197

E, SE, GTE, and STE series

Deluxe Series

16 gauge, 300 series stainless steel table top.





WITH FLAT TOP AND UNDERSHELF…

See pages 186-187



WITH UPTURN AND UNDERSHELF…

See pages 190-191



WITH BACKSPLASH AND UNDERSHELF…

See pages 194-195



WITH FLAT TOP AND TUBULAR BASE…

See pages 188-189



WITH UPTURN AND TUBULAR BASE…

See pages 192-193




WITH BACKSPLASH AND TUBULAR BASE...

See pages 196-197

EB, SEB, GTEB, and STEB series

Budget Series

16 gauge, type 430 stainless steel table top.





WITH FLAT TOP AND UNDERSHELF…

See pages 186-187



WITH UPTURN AND UNDERSHELF…

See pages 190-191



WITH BACKSPLASH AND UNDERSHELF…

See pages 194-195



WITH FLAT TOP AND TUBULAR BASE…

See pages 188-189



WITH UPTURN AND TUBULAR BASE…

See pages 192-193




WITH BACKSPLASH AND TUBULAR BASE...

See pages 196-197

B, SB, GTB, and STB series

Worktables with Stainless Steel Flat Top & Galvanized Legs/Undershelf (NSF)

see spec sheets **EG10.40A** **EG10.40B** **EG10.40C** **EG10.40D**



Adjustable undershelf welded gusset standard on all tables!

patented uni-lok® system
(Patent #5,165,349)

FEATURES:

- 1⅝″ *(41mm)* diameter legs and adjustable undershelf are heavy gauge galvanized steel.
- Heavy gauge polished stainless steel top.
- Offers worktables with a rolled edge on front and rear, with ends turned 90°, except SPEC-MASTER® Marine edge.
- 35⅛″ - 36⅛″ *(892 - 918mm)* adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **$1272 to list price** and suffix **"-SD"**. **Example: T2424B-SD.**

Optional fixed undershelf available in place of standard adjustable undershelf. To order, **add 10% to list price**, and **"-F"** to end of suffix. **Example: T2424B-F.**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.



See page 198 for optional casters available.

	length		# of	weight		cu	BUDGET 16 ga. type 430 top		DELUXE 16 ga. 300 series top		*SPEC-MASTER® 14 ga. 300 series top		* ▼ Marine 14 ga. 300 series top	
	in.	mm	legs	lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	24″	610	4	40	18.1	3.5	T2424B •	1288	T2424EB	1419	T2424E	1493	T2424EM	2489
	30″	762	4	45	20.4	3.8	T2430B •	1395	T2430EB	1549	T2430E	1650	T2430EM	2667
	36″	914	4	50	22.7	4.4	T2436B •	1517	T2436EB	1665	T2436E	1766	T2436EM	2785
	48″	1219	4	60	27.2	5.7	T2448B •	1547	T2448EB	1692	T2448E	1798	T2448EM	2830
	60″	1524	4	70	31.8	7.1	T2460B •	1629	T2460EB	1836	T2460E	1970	T2460EM	2995
	72″	1829	4	80	36.3	8.5	T2472B •	1745	T2472EB	1986	T2472E	2136	T2472EM	3178
	84″	2134	4	90	40.8	11.2	T2484B	2227	T2484EB	2840	T2484E	2909	T2484EM	3880
	96″	2438	6	100	45.4	11.2	T2496B •	2530	T2496EB	3047	T2496E	3125	T2496EM	4104
	108″	2743	6	110	49.9	14.0	T24108B	4118	T24108EB	4399	T24108E	4308	T24108EM	5383
	120″	3048	6	120	54.4	14.0	T24120B	4232	T24120EB	4526	T24120E	4745	T24120EM	5507
	132″	3353	8	130	59.0	16.8	T24132B	4255	T24132EB	4606	T24132E	4994	T24132EM	5908
	144″	3658	8	140	63.5	16.8	T24144B	4258	T24144EB	4745	T24144E	5010	T24144EM	6037
30″ width (762mm)	30″	762	4	46	20.9	3.8	T3030B •	1437	T3030EB	1605	T3030E	1707	T3030EM	2727
	36″	914	4	52	23.6	4.4	T3036B •	1552	T3036EB	1720	T3036E	1823	T3036EM	2855
	48″	1219	4	64	29.0	5.7	T3048B •	1574	T3048EB •	1773	T3048E	1896	T3048EM	2925
	60″	1524	4	76	34.5	7.1	T3060B •	1720	T3060EB •	1948	T3060E	2089	T3060EM	3137
	72″	1829	4	84	38.1	8.5	T3072B •	1870	T3072EB •	2136	T3072E	2285	T3072EM	3349
	84″	2134	4	96	43.6	11.2	T3084B •	2333	T3084EB	2886	T3084E	3070	T3084EM	4049
	96″	2438	6	108	49.0	11.2	T3096B •	2703	T3096EB	3145	T3096E	3354	T3096EM	4332
	108″	2743	6	120	54.4	14.0	T30108B	4158	T30108EB	4662	T30108E	4906	T30108EM	5789
	120″	3048	6	132	59.9	14.0	T30120B	4296	T30120EB	4798	T30120E	5038	T30120EM	5919
	132″	3353	8	144	65.3	16.8	T30132B	4512	T30132EB	5063	T30132E	5204	T30132EM	6267
	144″	3658	8	156	70.8	16.8	T30144B	4645	T30144EB	5099	T30144E	5493	T30144EM	6400
36″ width (914mm)	48″	1219	4	70	31.8	7.0	T3648B	1960	T3648EB	2156	T3648E	2222	T3648EM	3519
	60″	1524	4	82	37.2	8.8	T3660B	2208	T3660EB	2419	T3660E	2489	T3660EM	3795
	72″	1829	4	96	43.6	10.5	T3672B	2417	T3672EB	2625	T3672E	2715	T3672EM	4040
	84″	2134	4	108	49.0	12.2	T3684B	3320	T3684EB	3565	T3684E	3633	T3684EM	4873
	96″	2438	6	120	54.4	13.9	T3696B	3530	T3696EB	3778	T3696E	3886	T3696EM	5105
	108″	2743	6	132	59.9	17.3	T36108B	5018	T36108EB	5596	T36108E	5727	T36108EM	6689
	120″	3048	6	144	65.3	17.3	T36120B	5129	T36120EB	5727	T36120E	5863	T36120EM	6823
	132″	3353	8	156	70.8	20.7	T36132B	5258	T36132EB	5919	T36132E	6123	T36132EM	7227
	144″	3658	8	168	76.2	20.7	T36144B	5550	T36144EB	6048	T36144E	6437	T36144EM	7365
48″ width (1219mm)	48″	1219	4	124	56.2	9.3	–		–		T4848E	5182	T4848EM	6903
	60″	1524	4	146	66.2	14.0	–		–		T4860E	5789	T4860EM	7516
	72″	1829	6	171	77.6	14.0	–		–		T4872E	6287	T4872EM	8017
	84″	2134	6	197	89.4	18.7	–		–		T4884E	8538	T4884EM	10258
	96″	2438	8	241	109.3	18.7	–		–		T4896E	9029	T4896EM	10756
	108″	2743	8	278	126.1	23.3	–		–		T48108E	13507	T48108EM	15244
	120″	3048	8	316	143.3	23.3	–		–		T48120E	13664	T48120EM	15366
	132″	3353	10	353	160.1	27.9	–		–		T48132E	14840	T48132EM	16552
	144″	3658	10	391	177.4	27.9	–		–		T48144E	14949	T48144EM	16683

* On SPEC-MASTER® and SPEC-MASTER® Marine tables, increase stated weight by 10%. ▼ SPEC-MASTER® Marine tables feature a marine counter edge to prevent spillage.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Worktables with Stainless Steel Flat Top & Stainless Steel Legs/Undershelf

see spec sheets EG10.41A EG10.41B EG10.41C EG10.41D



FEATURES:

- 1⅝″ *(41mm)* diameter legs and adjustable undershelf are heavy gauge stainless steel.
- Heavy gauge polished stainless steel top.
- Offers worktables with a rolled edge on front and rear, with ends turned 90°, except SPEC-MASTER® Marine.
- 35⅛″ - 36⅛″ *(892 - 918mm)* adjustable working height.

patented uni-lok® system
(Patent #5,165,349)



See page 198 for optional casters available.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **$1272** to list price and suffix **"-SD"**. **Example: T2424SB-SD.**

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		# of	weight		cu	BUDGET 16 ga. type 430 top		DELUXE 16 ga. 300 series top		*SPEC-MASTER® 14 ga. 300 series top		* ▼ Marine 14 ga. 300 series top	
	in.	mm	legs	lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	24″	610	4	40	18.1	3.5	T2424SB	1807	T2424SEB •	1929	T2424SE •	2080	T2424SEM	3108
	30″	762	4	45	20.4	3.8	T2430SB	1970	T2430SEB	2123	T2430SE	2309	T2430SEM	3332
	36″	914	4	50	22.7	4.4	T2436SB •	2083	T2436SEB •	2240	T2436SE	2427	T2436SEM	3452
	48″	1219	4	60	27.2	5.7	T2448SB •	2143	T2448SEB •	2320	T2448SE	2530	T2448SEM	3560
	60″	1524	4	70	31.8	7.1	T2460SB	2314	T2460SEB	2527	T2460SE	2759	T2460SEM	3785
	72″	1829	4	80	36.3	8.5	T2472SB	2482	T2472SEB	2726	T2472SE	2988	T2472SEM	4019
	84″	2134	4	90	40.8	11.2	T2484SB	3065	T2484SEB	3749	T2484SE	4085	T2484SEM	4959
	96″	2438	6	100	45.4	11.2	T2496SB	3289	T2496SEB	4009	T2496SE	4380	T2496SEM	5242
	108″	2743	6	110	49.9	14.0	T24108SB	5339	T24108SEB	5566	T24108SE	6269	T24108SEM	6774
	120″	3048	6	120	54.4	14.0	T24120SB	5465	T24120SEB	5910	T24120SE	6396	T24120SEM	6900
	132″	3353	8	130	59.0	16.8	T24132SB	5586	T24132SEB	6082	T24132SE	6609	T24132SEM	7442
	144″	3658	8	140	63.5	16.8	T24144SB	5877	T24144SEB	6205	T24144SE	6936	T24144SEM	7574
30″ width (762mm)	30″	762	4	46	20.9	3.8	T3030SB	2050	T3030SEB •	2256	T3030SE	2448	T3030SEM	3476
	36″	914	4	52	23.6	4.4	T3036SB •	2194	T3036SEB •	2369	T3036SE	2569	T3036SEM	3594
	48″	1219	4	64	29.0	5.7	T3048SB •	2280	T3048SEB •	2489	T3048SE •	2725	T3048SEM	3738
	60″	1524	4	76	34.5	7.1	T3060SB •	2497	T3060SEB •	2744	T3060SE •	2995	T3060SEM	4020
	72″	1829	4	84	38.1	8.5	T3072SB •	2704	T3072SEB •	2988	T3072SE •	3280	T3072SEM	4444
	84″	2134	4	96	43.6	11.2	T3084SB	3177	T3084SEB	3917	T3084SE	4267	T3084SEM	5129
	96″	2438	6	108	49.0	11.2	T3096SB •	3562	T3096SEB •	4330	T3096SE •	4726	T3096SEM	5338
	108″	2743	6	120	54.4	14.0	T30108SB	5664	T30108SEB	6185	T30108SE	6698	T30108SEM	7326
	120″	3048	6	132	59.9	14.0	T30120SB	5795	T30120SEB	6316	T30120SE	6834	T30120SEM	7456
	132″	3353	8	144	65.3	16.8	T30132SB	6155	T30132SEB	6750	T30132SE	7330	T30132SEM	7947
	144″	3658	8	156	70.8	16.8	T30144SB	6284	T30144SEB	6887	T30144SE	7466	T30144SEM	8080
36″ width (914mm)	48″	1219	4	70	31.8	7.0	T3648SB	2630	T3648SEB	2939	T3648SE	3108	T3648SEM	4366
	60″	1524	4	82	37.2	8.8	T3660SB	2914	T3660SEB	3220	T3660SE	3423	T3660SEM	4696
	72″	1829	4	96	43.6	10.5	T3672SB	3186	T3672SEB	3516	T3672SE	3737	T3672SEM	5034
	84″	2134	4	108	49.0	12.2	T3684SB	4404	T3684SEB	4778	T3684SE	5059	T3684SEM	6139
	96″	2438	6	120	54.4	13.9	T3696SB	4747	T3696SEB	5122	T3696SE	5440	T3696SEM	6515
	108″	2743	6	132	59.9	17.3	T36108SB	6738	T36108SEB	7347	T36108SE	7785	T36108SEM	8444
	120″	3048	6	144	65.3	17.3	T36120SB	6875	T36120SEB	7475	T36120SE	7919	T36120SEM	8566
	132″	3353	8	156	70.8	20.7	T36132SB	7117	T36132SEB	7794	T36132SE	8510	T36132SEM	9154
	144″	3658	8	168	76.2	20.7	T36144SB	7449	T36144SEB	8149	T36144SE	8640	T36144SEM	9289
48″ width (1219mm)	48″	1219	4	124	56.2	9.3	–		–		T4848SE	6006	T4848SEM	7734
	60″	1524	4	146	66.2	14.0	–		–		T4860SE	6643	T4860SEM	8380
	72″	1829	6	171	77.6	14.0	–		–		T4872SE	7255	T4872SEM	8992
	84″	2134	6	197	89.4	18.7	–		–		T4884SE	9808	T4884SEM	11536
	96″	2438	8	241	109.3	18.7	–		–		T4896SE	10587	T4896SEM	12320
	108″	2743	8	278	126.1	23.3	–		–		T48108SE	15437	T48108SEM	17173
	120″	3048	8	316	143.3	23.3	–		–		T48120SE	15573	T48120SEM	17299
	132″	3353	10	353	160.1	27.9	–		–		T48132SE	16744	T48132SEM	18469
	144″	3658	10	391	177.4	27.9	–		–		T48144SE	16869	T48144SEM	18599

* SPEC-MASTER® and SPEC-MASTER® Marine tables feature all stainless steel construction. Increase stated weight by 10%.

▼ SPEC-MASTER® Marine tables feature a marine counter edge to prevent spillage.

Worktables with Stainless Steel Flat Top & Galvanized Tubular Base NSF

see spec sheets EG10.42A EG10.42B EG10.42C EG10.42D



(Patent #5,165,349)



corner connection

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.



See page 198 for optional casters available.

FEATURES:

- Tubular base.
- 1⅝″ *(41mm)*-diameter legs and 1¼″ *(32mm)*-diameter crossbracing are heavy gauge galvanized steel.
- Heavy gauge polished stainless steel top.
- Offers worktables with a rolled edge on front and rear, with ends turned 90°, except SPEC-MASTER® Marine.
- 35⅛″ - 36⅛″ *(892 - 918mm)* adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **$1272 to list price** and suffix **"-SD"**. **Example: T2424GTB-SD.**

C-frame standard. To order table with H-frame, add **$263 to list price** and suffix "**-H**". **Example: T3036GTBE-H**.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		# of	weight		cu	BUDGET 16 ga. type 430 top		DELUXE 16 ga. 300 series top		*SPEC-MASTER® 14 ga. 300 series top		* ▼ Marine 14 ga. 300 series top	
	in.	mm	legs	lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	24″	610	4	40	18.1	3.5	T2424GTB	Bad Tag!	T2424GTEB	1645	T2424GTE	1709	T2424GTEM	2717
	30″	762	4	45	20.4	3.8	T2430GTB	1615	T2430GTEB	1773	T2430GTE	1872	T2430GTEM	2884
	36″	914	4	50	22.7	4.4	T2436GTB	1733	T2436GTEB	1889	T2436GTE	1986	T2436GTEM	3006
	48″	1219	4	60	27.2	5.7	T2448GTB	1759	T2448GTEB	1917	T2448GTE	2026	T2448GTEM	3056
	60″	1524	4	70	31.8	7.1	T2460GTB	1847	T2460GTEB	2056	T2460GTE	2188	T2460GTEM	3220
	72″	1829	4	80	36.3	8.5	T2472GTB	1964	T2472GTEB	2210	T2472GTE	2353	T2472GTEM	3410
	84″	2134	4	90	40.8	11.2	T2484GTB	2438	T2484GTEB	3070	T2484GTE	3136	T2484GTEM	4106
	96″	2438	6	100	45.4	11.2	T2496GTB	2744	T2496GTEB	3273	T2496GTE	3337	T2496GTEM	4320
	108″	2743	6	110	49.9	14.0	T24108GTB	4189	T24108GTEB	4609	T24108GTE	5072	T24108GTEM	5605
	120″	3048	6	120	54.4	14.0	T24120GTB	4339	T24120GTEB	4740	T24120GTE	5125	T24120GTEM	5727
	132″	3353	8	130	59.0	16.8	T24132GTB	4445	T24132GTEB	4834	T24132GTE	5196	T24132GTEM	6130
	144″	3658	8	140	63.5	16.8	T24144GTB	4464	T24144GTEB	4963	T24144GTE	5215	T24144GTEM	6260
30″ width (762mm)	30″	762	4	47	21.3	3.8	T3030GTB	1654	T3030GTEB	1826	T3030GTE	1929	T3030GTEM	2955
	36″	914	4	53	24.0	4.4	T3036GTB	1765	T3036GTEB	1948	T3036GTE	2045	T3036GTEM	3073
	48″	1219	4	65	29.5	5.7	T3048GTB	1796	T3048GTEB	1987	T3048GTE	2119	T3048GTEM	3149
	60″	1524	4	77	34.9	7.1	T3060GTB	1938	T3060GTEB	2172	T3060GTE	2318	T3060GTEM	3362
	72″	1829	4	89	40.4	8.5	T3072GTB	2080	T3072GTEB •	2353	T3072GTE	2509	T3072GTEM	3573
	84″	2134	4	101	45.8	11.2	T3084GTB	2547	T3084GTEB	3109	T3084GTE	3287	T3084GTEM	4273
	96″	2438	6	113	51.3	11.2	T3096GTB	2919	T3096GTEB	3366	T3096GTE	3578	T3096GTEM	4559
	108″	2743	6	125	56.7	14.0	T30108GTB	4384	T30108GTEB	4877	T30108GTE	5122	T30108GTEM	6012
	120″	3048	6	137	62.1	14.0	T30120GTB	4512	T30120GTEB	5016	T30120GTE	5258	T30120GTEM	6147
	132″	3353	8	149	67.6	16.8	T30132GTB	4587	T30132GTEB	5144	T30132GTE	5425	T30132GTEM	6489
	144″	3658	8	161	73.0	16.8	T30144GTB	4853	T30144GTEB	5432	T30144GTE	5712	T30144GTEM	6622
36″ width (914mm)	48″	1219	4	73	33.1	7.0	T3648GTB	2182	T3648GTEB	2378	T3648GTE	2717	T3648GTEM	3738
	60″	1524	4	87	39.5	8.8	T3660GTB	2427	T3660GTEB	2638	T3660GTE	2725	T3660GTEM	4009
	72″	1829	4	101	45.8	10.5	T3672GTB	2630	T3672GTEB	2840	T3672GTE	2939	T3672GTEM	4267
	84″	2134	4	115	52.2	12.2	T3684GTB	3536	T3684GTEB	3785	T3684GTE	3887	T3684GTEM	5099
	96″	2438	6	129	58.5	13.9	T3696GTB	3705	T3696GTEB	3999	T3696GTE	4108	T3696GTEM	5337
	108″	2743	6	143	64.9	17.3	T36108GTB	5074	T36108GTEB	5649	T36108GTE	5954	T36108GTEM	6917
	120″	3048	6	157	71.2	17.3	T36120GTB	5350	T36120GTEB	5954	T36120GTE	6087	T36120GTEM	7050
	132″	3353	8	171	77.6	20.7	T36132GTB	5466	T36132GTEB	6136	T36132GTE	6343	T36132GTEM	7456
	144″	3658	8	185	83.9	20.7	T36144GTB	5760	T36144GTEB	6452	T36144GTE	6470	T36144GTEM	7589
48″ width (1219mm)	48″	1219	4	87	39.5	9.3	–		–		T4848GTE	5395	T4848GTEM	7084
	60″	1524	4	101	45.8	14.0	–		–		T4860GTE	6018	T4860GTEM	7734
	72″	1829	6	115	52.2	14.0	–		–		T4872GTE	6512	T4872GTEM	8388
	84″	2134	6	120	54.4	18.7	–		–		T4884GTE	8763	T4884GTEM	10475
	96″	2438	8	143	64.9	18.7	–		–		T4896GTE	9238	T4896GTEM	10975
	108″	2743	8	157	71.2	23.3	–		–		T48108GTE	13722	T48108GTEM	15456
	120″	3048	8	171	77.6	23.3	–		–		T48120GTE	13875	T48120GTEM	15587
	132″	3353	10	185	83.9	27.9	–		–		T48132GTE	15065	T48132GTEM	16763
	144″	3658	10	199	90.3	27.9	–		–		T48144GTE	15189	T48144GTEM	16894

* On SPEC-MASTER® and SPEC-MASTER® Marine tables, increase stated weight by 10%. ▼ SPEC-MASTER® Marine tables feature a marine counter edge to prevent spillage.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment


* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Worktables with Stainless Steel Flat Top & Stainless Steel Tubular Base

see spec sheets EG10.43A EG10.43B EG10.43C EG10.43D



(Patent #5,165,349)



corner connection

See page 198 for optional casters available.

FEATURES:

- Tubular base.
- 1⅝″ *(41mm)*-diameter legs and 1¼″ *(32mm)*-diameter crossbracing are heavy gauge stainless steel.
- Heavy gauge polished stainless steel top.
- Offers worktables with a rolled edge on front and rear, with ends turned 90°, except SPEC-MASTER® Marine.
- 35⅛″ - 36⅛″ *(892 - 918mm)* adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **$1272 to list price** and suffix **"-SD"**. **Example: T2424STB-SD.**

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.

C-frame standard. To order table with H-frame, add **$263 to list price** and suffix "**-H**". **Example: T2448STE-H**.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		# of	weight		cu	BUDGET 16 ga. type 430 top		DELUXE 16 ga. 300 series top		*SPEC-MASTER® 14 ga. 300 series top		* ▼ Marine 14 ga. 300 series top	
	in.	mm	legs	lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	24″	610	4	40	18.1	3.5	T2424STB	2020	T2424STEB	2152	T2424STE	2304	T2424STEM	3329
	30″	762	4	45	20.4	3.8	T2430STB	2188	T2430STEB	2349	T2430STE	2530	T2430STEM	3560
	36″	914	4	50	22.7	4.4	T2436STB	2300	T2436STEB	2467	T2436STE	2649	T2436STEM	3677
	48″	1219	4	60	27.2	5.7	T2448STB	2355	T2448STEB	2544	T2448STE	2752	T2448STEM	3689
	60″	1524	4	70	31.8	7.1	T2460STB	2527	T2460STEB	2744	T2460STE	2982	T2460STEM	4007
	72″	1829	4	80	36.3	8.5	T2472STB	2699	T2472STEB	2954	T2472STE	3215	T2472STEM	4250
	84″	2134	4	90	40.8	11.2	T2484STB	3276	T2484STEB	3978	T2484STE	4300	T2484STEM	5180
	96″	2438	6	100	45.4	11.2	T2496STB	3510	T2496STEB	4243	T2496STE	4598	T2496STEM	5574
	108″	2743	6	110	49.9	14.0	T24108STB	5392	T24108STEB	5999	T24108STE	6495	T24108STEM	6986
	120″	3048	6	120	54.4	14.0	T24120STB	5677	T24120STEB	6133	T24120STE	6617	T24120STEM	7120
	132″	3353	8	130	59.0	16.8	T24132STB	5797	T24132STEB	6297	T24132STE	6827	T24132STEM	7659
	144″	3658	8	140	63.5	16.8	T24144STB	5922	T24144STEB	6427	T24144STE	6956	T24144STEM	7789
30″ width (762mm)	30″	762	4	47	21.3	3.8	T3030STB	2294	T3030STEB	2477	T3030STE	2674	T3030STEM	3699
	36″	914	4	53	24.0	4.4	T3036STB	2410	T3036STEB	2592	T3036STE	2792	T3036STEM	3816
	48″	1219	4	65	29.5	5.7	T3048STB	2500	T3048STEB •	2717	T3048STE	2949	T3048STEM	3974
	60″	1524	4	77	34.9	7.1	T3060STB	2717	T3060STEB •	2963	T3060STE	3242	T3060STEM	4252
	72″	1829	4	89	40.4	8.5	T3072STB	2920	T3072STEB •	3215	T3072STE	3505	T3072STEM	4666
	84″	2134	4	101	45.8	11.2	T3084STB •	3404	T3084STEB	4139	T3084STE	4489	T3084STEM	5365
	96″	2438	6	113	51.3	11.2	T3096STB	3772	T3096STEB	4554	T3096STE	4959	T3096STEM	5559
	108″	2743	6	125	56.7	14.0	T30108STB	5877	T30108STEB	6404	T30108STE	6918	T30108STEM	7549
	120″	3048	6	137	62.1	14.0	T30120STB	6012	T30120STEB	6542	T30120STE	7053	T30120STEM	7676
	132″	3353	8	149	67.6	16.8	T30132STB	6188	T30132STEB	6774	T30132STE	7344	T30132STEM	8176
	144″	3658	8	161	73.0	16.8	T30144STB	6499	T30144STEB	7104	T30144STE	7689	T30144STEM	8307
36″ width (914mm)	48″	1219	4	73	33.1	7.0	T3648STB	2855	T3648STEB	3164	T3648STE	3329	T3648STEM	4586
	60″	1524	4	87	39.5	8.8	T3660STB	3129	T3660STEB	3444	T3660STE	3648	T3660STEM	4922
	72″	1829	4	101	45.8	10.5	T3672STB	3406	T3672STEB	3737	T3672STE	3972	T3672STEM	5256
	84″	2134	4	115	52.2	12.2	T3684STB	4625	T3684STEB	4992	T3684STE	5277	T3684STEM	6366
	96″	2438	6	129	58.5	13.9	T3696STB	4962	T3696STEB	5350	T3696STE	5659	T3696STEM	6748
	108″	2743	6	143	64.9	17.3	T36108STB	6764	T36108STEB	7489	T36108STE	8004	T36108STEM	8663
	120″	3048	6	157	71.2	17.3	T36120STB	7087	T36120STEB	7707	T36120STE	8139	T36120STEM	8792
	132″	3353	8	171	77.6	20.7	T36132STB	7325	T36132STEB	8139	T36132STE	8470	T36132STEM	9370
	144″	3658	8	185	83.9	20.7	T36144STB	7449	T36144STEB	8375	T36144STE	8874	T36144STEM	9507
48″ width (1219mm)	48″	1219	4	87	39.5	9.3	–		–		T4848STE	6456	T4848STEM	7950
	60″	1524	4	101	45.8	14.0	–		–		T4860STE	6862	T4860STEM	8603
	72″	1829	6	115	52.2	14.0	–		–		T4872STE	7473	T4872STEM	9198
	84″	2134	6	120	54.4	18.7	–		–		T4884STE	10040	T4884STEM	11759
	96″	2438	8	143	64.9	18.7	–		–		T4896STE	10803	T4896STEM	12528
	108″	2743	8	157	71.2	23.3	–		–		T48108STE	15684	T48108STEM	17386
	120″	3048	8	171	77.6	23.3	–		–		T48120STE	15788	T48120STEM	17514
	132″	3353	10	185	83.9	27.9	–		–		T48132STE	16984	T48132STEM	18687
	144″	3658	10	199	90.3	27.9	–		–		T48144STE	17075	T48144STEM	18815

* SPEC-MASTER® and SPEC-MASTER® Marine tables feature all stainless steel construction. Increase stated weight by 10%.

▼ SPEC-MASTER® Marine tables feature a marine counter edge to prevent spillage.

Worktables with Stainless Steel Top, Upturn & Galvanized Legs/Undershelf

NSF

see spec sheets **EG10.02A** **EG10.02B** **EG10.02C**



patented uni-lok® system
(Patent #5,165,349)

NOW STANDARD!

FEATURES:

- 1½″ *(38mm)* upturn at the rear of the table.
- 1⅝″ *(41mm)*-diameter legs and adjustable undershelf are heavy gauge galvanized steel.
- Heavy gauge polished stainless steel top.
- 35⅛″ - 36⅛″ *(892 - 918mm)* adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **$1272 to list price** and **suffix "-SD"**. **Example: UT2424B-SD.**

Optional fixed undershelf available in place of standard adjustable undershelf. To order, **add 10% to list price**, and **"-F"** to end of suffix. **Example: UT2424EB-F.**

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.



See page 198 for optional casters available.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		# of	weight		cu	BUDGET 16 gauge type 430 top		DELUXE 16 gauge 300 series top		*SPEC-MASTER® 14 gauge 300 series top	
	in.	mm	legs	lbs.	kg	ft	model #	list	model #	list	model #	list
24″ width (610mm)	24″	610	4	40	18.1	3.5	UT2424B	1456	UT2424EB	1603	UT2424E	1665
	30″	762	4	45	20.4	3.8	UT2430B •	1573	UT2430EB	1720	UT2430E	1826
	36″	914	4	50	22.7	4.4	UT2436B •	1680	UT2436EB	1837	UT2436E	1948
	48″	1219	4	60	27.2	5.7	UT2448B •	1708	UT2448EB	1872	UT2448E	1983
	60″	1524	4	70	31.8	7.1	UT2460B •	1806	UT2460EB	2014	UT2460E	2145
	72″	1829	4	80	36.3	8.5	UT2472B •	1919	UT2472EB	2162	UT2472E	2309
	84″	2134	4	90	40.8	11.2	UT2484B	2392	UT2484EB	3033	UT2484E	3094
	96″	2438	6	100	45.4	11.2	UT2496B	2704	UT2496EB	3228	UT2496E	3296
	108″	2743	6	110	49.9	14.0	UT24108B	4275	UT24108EB	4437	UT24108E	4660
	120″	3048	6	120	54.4	14.0	UT24120B	4362	UT24120EB	4700	UT24120E	4932
	132″	3353	8	130	59.0	16.8	UT24132B	4405	UT24132EB	4789	UT24132E	5194
	144″	3658	8	140	63.5	16.8	UT24144B	4430	UT24144EB	5065	UT24144E	5349
30″ width (762mm)	30″	762	4	50	22.7	3.8	UT3030B •	1612	UT3030EB	1783	UT3030E	1877
	36″	914	4	55	24.9	4.4	UT3036B •	1720	UT3036EB	1900	UT3036E	1996
	48″	1219	4	65	29.5	5.7	UT3048B •	1745	UT3048EB	1947	UT3048E	2067
	60″	1524	4	75	34.0	7.1	UT3060B •	1893	UT3060EB	2136	UT3060E	2270
	72″	1829	4	85	38.6	8.5	UT3072B •	2038	UT3072EB	2309	UT3072E	2467
	84″	2134	4	95	43.1	11.2	UT3084B	2506	UT3084EB	3065	UT3084E	3252
	96″	2438	6	105	47.6	11.2	UT3096B •	2872	UT3096EB	3328	UT3096E	3530
	108″	2743	6	115	52.2	14.0	UT30108B	4330	UT30108EB	4836	UT30108E	5084
	120″	3048	6	125	56.7	14.0	UT30120B	4455	UT30120EB	4976	UT30120E	5217
	132″	3353	8	135	61.2	16.8	UT30132B	4680	UT30132EB	5112	UT30132E	5376
	144″	3658	8	145	65.8	16.8	UT30144B	4814	UT30144EB	5236	UT30144E	5503
36″ width (914mm)	48″	1219	4	75	34.0	7.0	UT3648B	2136	UT3648EB	2339	UT3648E	2404
	60″	1524	4	85	38.6	8.8	UT3660B	2382	UT3660EB	2592	UT3660E	2674
	72″	1829	4	95	43.1	10.5	UT3672B	2588	UT3672EB	2806	UT3672E	2886
	84″	2134	4	105	47.6	12.2	UT3684B	3489	UT3684EB	3737	UT3684E	3845
	96″	2438	6	115	52.2	13.9	UT3696B	3699	UT3696EB	3954	UT3696E	4063
	108″	2743	6	125	56.7	17.3	UT36108B	5183	UT36108EB	5567	UT36108E	5745
	120″	3048	6	135	61.2	17.3	UT36120B	5315	UT36120EB	5910	UT36120E	6043
	132″	3353	8	145	65.8	20.7	UT36132B	5427	UT36132EB	6092	UT36132E	6300
	144″	3658	8	155	70.3	20.7	UT36144B	5722	UT36144EB	6222	UT36144E	6429

* On SPEC-MASTER® tables, increase stated weight by 10%.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Worktables with Stainless Steel Top Upturn & Stainless Steel Legs/Undershelf

NSF

see spec sheets **EG10.48A** **EG10.48B** **EG10.48C**



FEATURES:

- 1½″ *(38mm)* upturn at the rear of the table.
- 1⅝″ *(41mm)*-diameter legs and adjustable undershelf are heavy gauge stainless steel.
- Heavy gauge polished stainless steel top.
- 35⅛″ - 36⅛″ *(892 - 918mm)* adjustable working height.

patented uni-lok system (Patent #5,165,349)



See page 198 for optional casters available.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **$1272 to list price** and suffix **"-SD"**. **Example: UT2424SB-SD.**

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.

	length		# of	weight		cu	BUDGET 16 gauge type 430 top		DELUXE 16 gauge 300 series top		*SPEC-MASTER® 14 gauge 300 series top	
	in.	mm	legs	lbs.	kg	ft	model #	list	model #	list	model #	list
24″ width (610mm)	24″	610	4	40	18.1	3.5	UT2424SB	1985	UT2424SEB	2104	UT2424SE	2259
	30″	762	4	45	20.4	3.8	UT2430SB	2144	UT2430SEB	2299	UT2430SE	2488
	36″	914	4	50	22.7	4.4	UT2436SB	2256	UT2436SEB	2426	UT2436SE	2608
	48″	1219	4	60	27.2	5.7	UT2448SB	2318	UT2448SEB	2504	UT2448SE	2715
	60″	1524	4	70	31.8	7.1	UT2460SB	2482	UT2460SEB	2699	UT2460SE	2947
	72″	1829	4	80	36.3	8.5	UT2472SB	2649	UT2472SEB	2897	UT2472SE	3172
	84″	2134	4	90	40.8	11.2	UT2484SB	3234	UT2484SEB	3932	UT2484SE	4266
	96″	2438	6	100	45.4	11.2	UT2496SB	3465	UT2496SEB	4184	UT2496SE	4554
	108″	2743	6	110	49.9	14.0	UT24108SB	5507	UT24108SEB	5954	UT24108SE	6437
	120″	3048	6	120	54.4	14.0	UT24120SB	5634	UT24120SEB	6087	UT24120SE	6572
	132″	3353	8	130	59.0	16.8	UT24132SB	5752	UT24132SEB	6436	UT24132SE	6776
	144″	3658	8	140	63.5	16.8	UT24144SB	6053	UT24144SEB	6566	UT24144SE	7117
30″ width (762mm)	30″	762	4	50	22.7	3.8	UT3030SB	2252	UT3030SEB	2429	UT3030SE	2625
	36″	914	4	55	24.9	4.4	UT3036SB	2365	UT3036SEB	2554	UT3036SE	2738
	48″	1219	4	65	29.5	5.7	UT3048SB	2452	UT3048SEB	2674	UT3048SE	2895
	60″	1524	4	75	34.0	7.1	UT3060SB	2665	UT3060SEB	2922	UT3060SE	3178
	72″	1829	4	85	38.6	8.5	UT3072SB	2884	UT3072SEB	3172	UT3072SE	3462
	84″	2134	4	95	43.1	11.2	UT3084SB	3358	UT3084SEB	4094	UT3084SE	4444
	96″	2438	6	105	47.6	11.2	UT3096SB	3728	UT3096SEB	4517	UT3096SE	4906
	108″	2743	6	115	52.2	14.0	UT30108SB	5839	UT30108SEB	6363	UT30108SE	6884
	120″	3048	6	125	56.7	14.0	UT30120SB	5970	UT30120SEB	6492	UT30120SE	7016
	132″	3353	8	135	61.2	16.8	UT30132SB	6149	UT30132SEB	6723	UT30132SE	7512
	144″	3658	8	145	65.8	16.8	UT30144SB	6272	UT30144SEB	7055	UT30144SE	7649
36″ width (914mm)	48″	1219	4	75	34.0	7.0	UT3648SB	2803	UT3648SEB	3109	UT3648SE	3282
	60″	1524	4	85	38.6	8.8	UT3660SB	3080	UT3660SEB	3410	UT3660SE	3600
	72″	1829	4	95	43.1	10.5	UT3672SB	3364	UT3672SEB	3699	UT3672SE	3918
	84″	2134	4	105	47.6	12.2	UT3684SB	4573	UT3684SEB	4959	UT3684SE	5240
	96″	2438	6	115	52.2	13.9	UT3696SB	4919	UT3696SEB	5299	UT3696SE	5629
	108″	2743	6	125	56.7	17.3	UT36108SB	6912	UT36108SEB	7306	UT36108SE	7962
	120″	3048	6	135	61.2	17.3	UT36120SB	7049	UT36120SEB	7659	UT36120SE	8099
	132″	3353	8	145	65.8	20.7	UT36132SB	7492	UT36132SEB	7969	UT36132SE	8433
	144″	3658	8	155	70.3	20.7	UT36144SB	7636	UT36144SEB	8337	UT36144SE	8822

* On SPEC-MASTER® tables, increase stated weight by 10%. All stainless steel construction.

Worktables with Stainless Steel Top, Upturn & Galvanized Tubular Base

see spec sheets EG10.03A EG10.03B EG10.03C



FEATURES:

- 1½″ *(38mm)* upturn at the rear of the table.
- Tubular base.
- 1⅝″ *(41mm)*-diameter legs and 1¼″ *(32mm)*-diameter crossbracing are heavy gauge galvanized steel.
- Heavy gauge polished stainless steel top.
- 35⅛″ - 36⅛″ *(892 - 918mm)* adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **$1272 to list price** and suffix **"-SD"**. **Example: UT2424GTB-SD.**

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.

C-frame standard. To order table with H-frame, add **$263 to list price** and suffix "**-H**". **Example: UT3036GTE-H**.



See page 198 for optional casters available.

	length		# of	weight		cu	BUDGET 16 gauge type 430 top		DELUXE 16 gauge 300 series top		*SPEC-MASTER® 14 gauge 300 series top	
	in.	mm	legs	lbs.	kg	ft	model #	list	model #	list	model #	list
24″ width (610mm)	24″	610	4	40	18.1	3.5	UT2424GTB	1674	UT2424GTEB	1825	UT2424GTE	2054
	30″	762	4	45	20.4	3.8	UT2430GTB	1788	UT2430GTEB	1947	UT2430GTE	2145
	36″	914	4	50	22.7	4.4	UT2436GTB	1900	UT2436GTEB	2062	UT2436GTE	2182
	48	1219	4	60	27.2	5.7	UT2448GTB	1927	UT2448GTEB	2093	UT2448GTE	2287
	60″	1524	4	70	31.8	7.1	UT2460GTB	2018	UT2460GTEB	2238	UT2460GTE	2364
	72″	1829	4	80	36.3	8.5	UT2472GTB	2137	UT2472GTEB	2394	UT2472GTE	2530
	84″	2134	4	90	40.8	11.2	UT2484GTB	2609	UT2484GTEB	3252	UT2484GTE	3317
	96″	2438	6	100	45.4	11.2	UT2496GTB	2920	UT2496GTEB	3452	UT2496GTE	3519
	108″	2743	6	110	49.9	14.0	UT24108GTB	4362	UT24108GTEB	4659	UT24108GTE	4873
	120″	3048	6	120	54.4	14.0	UT24120GTB	4628	UT24120GTEB	4925	UT24120GTE	5144
	132″	3353	8	130	59.0	16.8	UT24132GTB	4636	UT24132GTEB	5004	UT24132GTE	5258
	144″	3658	8	140	63.5	16.8	UT24144GTB	4654	UT24144GTEB	5128	UT24144GTE	5387
30″ width (762mm)	30″	762	4	50	22.7	3.8	UT3030GTB	1825	UT3030GTEB	2007	UT3030GTE	2104
	36″	914	4	53	24.0	4.4	UT3036GTB	1938	UT3036GTEB	2123	UT3036GTE	2222
	48″	1219	4	57	25.9	5.7	UT3048GTB	1964	UT3048GTEB	2165	UT3048GTE	2296
	60″	1524	4	67	30.4	7.1	UT3060GTB	2106	UT3060GTEB	2353	UT3060GTE	2489
	72″	1829	4	77	34.9	8.5	UT3072GTB	2252	UT3072GTEB	2530	UT3072GTE	2686
	84″	2134	4	87	39.5	11.2	UT3084GTB	2725	UT3084GTEB	3285	UT3084GTE	3476
	96″	2438	6	97	44.0	11.2	UT3096GTB	3089	UT3096GTEB	3548	UT3096GTE	3752
	108″	2743	6	107	48.5	14.0	UT30108GTB	4429	UT30108GTEB	5065	UT30108GTE	5299
	120″	3048	6	117	53.1	14.0	UT30120GTB	4666	UT30120GTEB	5196	UT30120GTE	5440
	132″	3353	8	127	57.6	16.8	UT30132GTB	4764	UT30132GTEB	5330	UT30132GTE	5759
	144″	3658	8	137	62.1	16.8	UT30144GTB	4888	UT30144GTEB	5456	UT30144GTE	5905
36″ width (914mm)	48″	1219	4	61	27.7	7.0	UT3648GTB	2352	UT3648GTEB	2562	UT3648GTE	2625
	60″	1524	4	73	33.1	8.8	UT3660GTB	2600	UT3660GTEB	2820	UT3660GTE	2888
	72″	1829	4	85	38.6	10.5	UT3672GTB	2803	UT3672GTEB	3033	UT3672GTE	3109
	84″	2134	4	97	44.0	12.2	UT3684GTB	3714	UT3684GTEB	3972	UT3684GTE	4065
	96″	2438	6	109	49.4	13.9	UT3696GTB	3917	UT3696GTEB	4174	UT3696GTE	4287
	108″	2743	6	121	54.9	17.3	UT36108GTB	5398	UT36108GTEB	5830	UT36108GTE	5960
	120″	3048	6	133	60.3	17.3	UT36120GTB	5527	UT36120GTEB	6133	UT36120GTE	6267
	132″	3353	8	145	65.8	20.7	UT36132GTB	5637	UT36132GTEB	6312	UT36132GTE	6514
	144″	3658	8	157	71.2	20.7	UT36144GTB	5764	UT36144GTEB	6445	UT36144GTE	6643

* On SPEC-MASTER® tables, increase stated weight by 10%.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Worktables with Stainless Steel Top, Upturn & Stainless Steel Tubular Base

see spec sheets **EG10.49A** **EG10.49B** **EG10.49C**



(Patent #5,165,349)

corner connection



See page 198 for optional casters available.

FEATURES:

- 1½″ *(38mm)* upturn at the rear of the table.
- Tubular base.
- 1⅝″ *(41mm)*-diameter legs and 1¼″ *(32mm)*-diameter crossbracing are heavy gauge stainless steel.
- Heavy gauge polished stainless steel top.
- 35⅛″ - 36⅛″ *(892 - 918mm)* adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **$1272 to list price** and suffix **"-SD"**. **Example: UT2424STB-SD.**

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.

C-frame standard. To order table with H-frame, add **$263 to list price** and suffix "**-H**". **Example: UT2448STB-H**.

	length		# of	weight		cu	BUDGET 16 gauge type 430 top		DELUXE 16 gauge 300 series top		*SPEC-MASTER® 14 gauge 300 series top	
	in.	mm	legs	lbs.	kg	ft	model #	list	model #	list	model #	list
24″ width *(610mm)*	24″	610	4	40	18.1	3.5	**UT2424STB**	2236	**UT2424STEB**	2322	**UT2424STE**	2477
	30″	762	4	45	20.4	3.8	**UT2430STB**	2359	**UT2430STEB**	2527	**UT2430STE**	2715
	36″	914	4	50	22.7	4.4	**UT2436STB**	2477	**UT2436STEB**	2643	**UT2436STE**	2830
	48″	1219	4	60	27.2	5.7	**UT2448STB**	2529	**UT2448STEB**	2726	**UT2448STE**	2939
	60″	1524	4	70	31.8	7.1	**UT2460STB**	2699	**UT2460STEB**	2922	**UT2460STE**	3165
	72″	1829	4	80	36.3	8.5	**UT2472STB**	2870	**UT2472STEB**	3127	**UT2472STE**	3395
	84″	2134	4	90	40.8	11.2	**UT2484STB**	3453	**UT2484STEB**	4153	**UT2484STE**	4482
	96″	2438	6	100	45.4	11.2	**UT2496STB**	3675	**UT2496STEB**	4416	**UT2496STE**	4786
	108″	2743	6	110	49.9	14.0	**UT24108STB**	5562	**UT24108STEB**	6006	**UT24108STE**	6664
	120″	3048	6	120	54.4	14.0	**UT24120STB**	5849	**UT24120STEB**	6312	**UT24120STE**	6803
	132″	3353	8	130	59.0	16.8	**UT24132STB**	5967	**UT24132STEB**	6467	**UT24132STE**	6995
	144″	3658	8	140	63.5	16.8	**UT24144STB**	5973	**UT24144STEB**	6604	**UT24144STE**	7338
30″ width *(762mm)*	30″	762	4	50	22.7	3.8	**UT3030STB**	2474	**UT3030STEB**	2662	**UT3030STE**	2840
	36″	914	4	53	24.0	4.4	**UT3036STB**	2587	**UT3036STEB**	2777	**UT3036STE**	2962
	48″	1219	4	57	25.9	5.7	**UT3048STB**	2674	**UT3048STEB**	2888	**UT3048STE**	3125
	60″	1524	4	67	30.4	7.1	**UT3060STB**	2885	**UT3060STEB**	3145	**UT3060STE**	3410
	72″	1829	4	77	34.9	8.5	**UT3072STB**	3092	**UT3072STEB**	3395	**UT3072STE**	3686
	84″	2134	4	87	39.5	11.2	**UT3084STB**	3573	**UT3084STEB**	4319	**UT3084STE**	4666
	96″	2438	6	97	44.0	11.2	**UT3096STB**	3945	**UT3096STEB**	4733	**UT3096STE**	5122
	108″	2743	6	107	48.5	14.0	**UT30108STB**	5887	**UT30108STEB**	6584	**UT30108STE**	7099
	120″	3048	6	117	53.1	14.0	**UT30120STB**	6185	**UT30120STEB**	6717	**UT30120STE**	7227
	132″	3353	8	127	57.6	16.8	**UT30132STB**	6354	**UT30132STEB**	6944	**UT30132STE**	7734
	144″	3658	8	137	62.1	16.8	**UT30144STB**	6488	**UT30144STEB**	7280	**UT30144STE**	7869
36″ width *(914mm)*	48″	1219	4	61	27.7	7.0	**UT3648STB**	3016	**UT3648STEB**	3332	**UT3648STE**	3514
	60″	1524	4	73	33.1	8.8	**UT3660STB**	3300	**UT3660STEB**	3626	**UT3660STE**	3823
	72″	1829	4	85	38.6	10.5	**UT3672STB**	3582	**UT3672STEB**	3918	**UT3672STE**	4140
	84″	2134	4	97	44.0	12.2	**UT3684STB**	4789	**UT3684STEB**	5180	**UT3684STE**	5456
	96″	2438	6	109	49.4	13.9	**UT3696STB**	5128	**UT3696STEB**	5526	**UT3696STE**	5840
	108″	2743	6	121	54.9	17.3	**UT36108STB**	6927	**UT36108STEB**	7525	**UT36108STE**	8185
	120″	3048	6	133	60.3	17.3	**UT36120STB**	7259	**UT36120STEB**	7877	**UT36120STE**	8320
	132″	3353	8	145	65.8	20.7	**UT36132STB**	7486	**UT36132STEB**	8178	**UT36132STE**	8614
	144″	3658	8	157	71.2	20.7	**UT36144STB**	7617	**UT36144STEB**	8559	**UT36144STE**	8788

* On SPEC-MASTER® tables, increase stated weight by 10%.
SPEC-MASTER® tables feature all stainless steel construction.

Worktables with Stainless Steel Top, Backsplash & Galvanized Legs/Undershelf

NSF

see spec sheets EG10.44A EG10.44B EG10.44C EG10.44D



adjustable undershelf welded gusset

NOW STANDARD!

patented uni-lok* system (Patent #5,165,349)

FEATURES:

- 4½″ *(114mm)* backsplash at the rear of the table.
- 1⅝″ *(41mm)*-diameter legs and adjustable undershelf are heavy gauge galvanized steel.
- Heavy gauge polished stainless steel top.
- SPEC-MASTER® Marine series worktables feature a marine counter edge on front and both ends.
- 35⅛″ - 36⅛″ *(892 - 918mm)* adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **$1272 to list price** and suffix **"-SD"**. **Example: T2424B-BS-SD.**

Optional fixed undershelf available in place of standard adjustable undershelf. To order, **add 10% to list price**, and **"-F"** to end of suffix. **Example: T3048EM-BS-F.**

For optional power strips *(only for tables with backsplash)*, see page 198.

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.



See page 198 for optional casters available.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		# of	weight		cu	BUDGET 16 ga. type 430 top		DELUXE 16 ga. 300 series top		*SPEC-MASTER® 14 ga. 300 series top		* ▼ Marine 14 ga. 300 series top	
	in.	mm	legs	lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	24″	610	4	43	19.5	3.5	T2424B-BS	1769	T2424EB-BS	1930	T2424E-BS	1982	T2424EM-BS	3327
	30″	762	4	48	21.8	3.8	T2430B-BS	1893	T2430EB-BS	2089	T2430E-BS	2152	T2430EM-BS	3605
	36″	914	4	53	24.0	4.4	T2436B-BS	2006	T2436EB-BS	2207	T2436E-BS	2269	T2436EM-BS	3622
	48″	1219	4	63	28.6	5.7	T2448B-BS •	2017	T2448EB-BS	2255	T2448E-BS	2320	T2448EM-BS	3785
	60″	1524	4	73	33.1	7.1	T2460B-BS •	2153	T2460EB-BS	2419	T2460E-BS	2489	T2460EM-BS	3855
	72″	1829	4	85	38.6	8.5	T2472B-BS •	2275	T2472EB-BS	2582	T2472E-BS	2674	T2472EM-BS	4037
	84″	2134	4	97	44.0	11.2	T2484B-BS	2789	T2484EB-BS	3285	T2484E-BS	3398	T2484EM-BS	4752
	96″	2438	6	114	51.7	11.2	T2496B-BS	3112	T2496EB-BS	3544	T2496E-BS	3626	T2496EM-BS	4984
	108″	2743	6	142	64.4	14.0	T24108B-BS	4689	T24108EB-BS	5020	T24108E-BS	5189	T24108EM-BS	6317
	120″	3048	6	154	69.9	14.0	T24120B-BS	4814	T24120EB-BS	5134	T24120E-BS	5299	T24120EM-BS	6640
	132″	3353	8	166	75.3	16.8	T24132B-BS	4932	T24132EB-BS	5142	T24132E-BS	5429	T24132EM-BS	6863
	144″	3658	8	178	80.7	16.8	T24144B-BS	5196	T24144EB-BS	5542	T24144E-BS	5723	T24144EM-BS	6995
30″ width (762mm)	30″	762	4	50	22.7	3.8	T3030B-BS •	1927	T3030EB-BS	2152	T3030E-BS	2210	T3030EM-BS	3538
	36″	914	4	53	24.0	4.4	T3036B-BS •	2044	T3036EB-BS	2269	T3036E-BS	2328	T3036EM-BS	3560
	48″	1219	4	70	31.8	5.7	T3048B-BS •	2078	T3048EB-BS	2339	T3048E-BS	2418	T3048EM-BS	3886
	60″	1524	4	81	36.7	7.1	T3060B-BS •	2232	T3060EB-BS	2530	T3060E-BS	2618	T3060EM-BS	4112
	72″	1829	4	94	42.6	8.5	T3072B-BS •	2380	T3072EB-BS	2732	T3072E-BS	2830	T3072EM-BS	4207
	84″	2134	4	108	49.0	11.2	T3084B-BS	2919	T3084EB-BS	3437	T3084E-BS	3560	T3084EM-BS	5075
	96″	2438	6	130	59.0	11.2	T3096B-BS •	3300	T3096EB-BS	3727	T3096E-BS	3860	T3096EM-BS	5393
	108″	2743	6	150	68.0	14.0	T30108B-BS	4939	T30108EB-BS	5277	T30108E-BS	5456	T30108EM-BS	6758
	120″	3048	6	170	77.1	14.0	T30120B-BS	5074	T30120EB-BS	5416	T30120E-BS	5589	T30120EM-BS	6884
	132″	3353	8	188	85.3	16.8	T30132B-BS	5374	T30132EB-BS	5727	T30132E-BS	5936	T30132EM-BS	7248
	144″	3658	8	207	93.9	16.8	T30144B-BS	5499	T30144EB-BS	5863	T30144E-BS	6072	T30144EM-BS	7367
36″ width (914mm)	48″	1219	4	77	34.9	7.0	T3648B-BS	2703	T3648EB-BS	2816	T3648E-BS	2897	T3648EM-BS	4394
	60″	1524	4	90	40.8	8.8	T3660B-BS	2923	T3660EB-BS	3220	T3660E-BS	3329	T3660EM-BS	4670
	72″	1829	4	106	48.1	10.5	T3672B-BS	3105	T3672EB-BS	3443	T3672E-BS	3565	T3672EM-BS	4929
	84″	2134	4	123	55.8	12.2	T3684B-BS	3666	T3684EB-BS	4030	T3684E-BS	4174	T3684EM-BS	5795
	96″	2438	6	132	59.9	13.9	T3696B-BS	4122	T3696EB-BS	4532	T3696E-BS	4693	T3696EM-BS	6030
	108″	2743	6	169	76.7	17.3	T36108B-BS	5830	T36108EB-BS	6192	T36108E-BS	6400	T36108EM-BS	7689
	120″	3048	6	192	87.1	17.3	T36120B-BS	5958	T36120EB-BS	6322	T36120E-BS	6534	T36120EM-BS	7816
	132″	3353	8	216	98.0	20.7	T36132B-BS	6120	T36132EB-BS	6509	T36132E-BS	6936	T36132EM-BS	8252
	144″	3658	8	239	108.4	20.7	T36144B-BS	6247	T36144EB-BS	6834	T36144E-BS	7077	T36144EM-BS	8380

* On SPEC-MASTER® and SPEC-MASTER® Marine tables, increase stated weight by 10%.

▼ SPEC-MASTER® Marine tables feature a marine counter edge to prevent spillage.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Worktables with Stainless Steel Top, Backsplash & Stainless Steel Legs/Undershelf

NSF

see spec sheets EG10.45A EG10.45B EG10.45C EG10.45D



FEATURES:

- 4½″ *(114mm)* backsplash at the rear of the table.
- 1⅝″ *(41mm)*-diameter legs and adjustable undershelf are heavy gauge stainless steel.
- Heavy gauge polished stainless steel top.
- SPEC-MASTER® Marine series worktables feature a marine counter edge on front and both ends.
- 35⅛″ - 36⅛″ *(892 - 918mm)* adjustable working height.

patented uni-lok* system
(Patent #5,165,349)

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **$1272 to list price** and suffix **"-SD"**. **Example: T2424SB-BS-SD.**

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

For optional power strips *(only for tables with backsplash)*, see page 198.



See page 198 for optional casters available.

	length		# of	weight		cu	BUDGET 16 ga. type 430 top		DELUXE 16 ga. 300 series top		*SPEC-MASTER® 14 ga. 300 series top		* ▼ Marine 14 ga. 300 series top	
	in.	mm	legs	lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	24″	610	4	43	19.5	3.5	T2424SB-BS	2429	T2424SEB-BS	2536	T2424SE-BS	2677	T2424SEM-BS	3917
	30″	762	4	48	21.8	3.8	T2430SB-BS	2618	T2430SEB-BS	2727	T2430SE-BS	2912	T2430SEM-BS	4140
	36″	914	4	53	24.0	4.4	T2436SB-BS	2732	T2436SEB-BS •	2855	T2436SE-BS	3094	T2436SEM-BS	4266
	48″	1219	4	63	28.6	5.7	T2448SB-BS	2789	T2448SEB-BS •	2954	T2448SE-BS •	3164	T2448SEM-BS	4375
	60″	1524	4	73	33.1	7.1	T2460SB-BS	2958	T2460SEB-BS	3172	T2460SE-BS •	3398	T2460SEM-BS	4596
	72″	1829	4	85	38.6	8.5	T2472SB-BS	3133	T2472SEB-BS	3395	T2472SE-BS •	3647	T2472SEM-BS	4823
	84″	2134	4	97	44.0	11.2	T2484SB-BS	3714	T2484SEB-BS	4354	T2484SE-BS	4666	T2484SEM-BS	5759
	96″	2438	6	114	51.7	11.2	T2496SB-BS	3936	T2496SEB-BS	4636	T2496SE-BS	4978	T2496SEM-BS	6045
	108″	2743	6	142	64.4	14.0	T24108SB-BS	5589	T24108SEB-BS	6462	T24108SE-BS	6936	T24108SEM-BS	7594
	120″	3048	6	154	69.9	14.0	T24120SB-BS	6109	T24120SEB-BS	6588	T24120SE-BS	7055	T24120SEM-BS	7717
	132″	3353	8	166	75.3	16.8	T24132SB-BS	6219	T24132SEB-BS	6975	T24132SE-BS	7277	T24132SEM-BS	8248
	144″	3658	8	178	80.7	16.8	T24144SB-BS	6534	T24144SEB-BS	7108	T24144SE-BS	7630	T24144SEM-BS	8380
30″ width (762mm)	30″	762	4	50	22.7	3.8	T3030SB-BS	2728	T3030SEB-BS	2863	T3030SE-BS	3058	T3030SEM-BS	4284
	36″	914	4	53	24.0	4.4	T3036SB-BS	2844	T3036SEB-BS •	2982	T3036SE-BS	3177	T3036SEM-BS	4404
	48″	1219	4	70	31.8	5.7	T3048SB-BS •	2939	T3048SEB-BS •	3112	T3048SE-BS •	3337	T3048SEM-BS	4553
	60″	1524	4	81	36.7	7.1	T3060SB-BS •	3144	T3060SEB-BS •	3389	T3060SE-BS •	3633	T3060SEM-BS	4833
	72″	1829	4	94	42.6	8.5	T3072SB-BS •	3342	T3072SEB-BS •	3652	T3072SE-BS •	3933	T3072SEM-BS	5110
	84″	2134	4	108	49.0	11.2	T3084SB-BS	3826	T3084SEB-BS	4517	T3084SE-BS	4847	T3084SEM-BS	5943
	96″	2438	6	130	59.0	11.2	T3096SB-BS	4208	T3096SEB-BS •	4959	T3096SE-BS	5334	T3096SEM-BS	6384
	108″	2743	6	150	68.0	14.0	T30108SB-BS	6314	T30108SEB-BS	6847	T30108SE-BS	7362	T30108SEM-BS	8139
	120″	3048	6	170	77.1	14.0	T30120SB-BS	6445	T30120SEB-BS	6984	T30120SE-BS	7495	T30120SEM-BS	8270
	132″	3353	8	188	85.3	16.8	T30132SB-BS	6804	T30132SEB-BS	7456	T30132SE-BS	8028	T30132SEM-BS	8765
	144″	3658	8	207	93.9	16.8	T30144SB-BS	6933	T30144SEB-BS	7589	T30144SE-BS	8155	T30144SEM-BS	8905
36″ width (914mm)	48″	1219	4	77	34.9	7.0	T3648SB-BS	3276	T3648SEB-BS	3659	T3648SE-BS	3932	T3648SEM-BS	5184
	60″	1524	4	90	40.8	8.8	T3660SB-BS	3562	T3660SEB-BS	4130	T3660SE-BS	4430	T3660SEM-BS	5510
	72″	1829	4	106	48.1	10.5	T3672SB-BS	3844	T3672SEB-BS	4429	T3672SE-BS	4748	T3672SEM-BS	5847
	84″	2134	4	123	55.8	12.2	T3684SB-BS	5049	T3684SEB-BS	5263	T3684SE-BS	5659	T3684SEM-BS	6958
	96″	2438	6	132	59.9	13.9	T3696SB-BS	5388	T3696SEB-BS	5634	T3696SE-BS	6062	T3696SEM-BS	7338
	108″	2743	6	169	76.7	17.3	T36108SB-BS	7393	T36108SEB-BS	7993	T36108SE-BS	8589	T36108SEM-BS	9234
	120″	3048	6	192	87.1	17.3	T36120SB-BS	7522	T36120SEB-BS	8118	T36120SE-BS	8727	T36120SEM-BS	9372
	132″	3353	8	216	98.0	20.7	T36132SB-BS	7973	T36132SEB-BS	8428	T36132SE-BS	9069	T36132SEM-BS	9964
	144″	3658	8	239	108.4	20.7	T36144SB-BS	8112	T36144SEB-BS	8562	T36144SE-BS	9475	T36144SEM-BS	10098

* SPEC-MASTER® and SPEC-MASTER® Marine tables feature all stainless steel construction. Increase stated weight by 10%.

▼ SPEC-MASTER® Marine tables feature a marine counter edge to prevent spillage.

Worktables with Stainless Steel Top, Backsplash & Galvanized Tubular Base

see spec sheets EG10.46A EG10.46B EG10.46C EG10.46D



(Patent #5,165,349)

corner connection

FEATURES:

- 4½″ *(114mm)* backsplash at the rear of the table.
- Tubular base.
- 1⅝″ *(41mm)*-diameter legs and 1¼″ *(32mm)*-diameter crossbracing are heavy gauge galvanized steel.
- Heavy gauge polished stainless steel top.
- SPEC-MASTER® Marine series worktables feature a marine counter edge on front and both ends.
- 35⅛″ - 36⅛″ *(892 - 918mm)* adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **$1272 to list price** and suffix **"-SD"**. **Example: T2424GTB-BS-SD.**

C-frame standard. To order table with H-frame, add **$263 to list price** and suffix "**-H**". **Example: T2448GTB-BS-H.**

For optional power strips *(only for tables with backsplash)*, see page 198.

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.



See page 198 for optional casters available.

a	length		# of	weight		cu	BUDGET 16 ga. type 430 top		DELUXE 16 ga. 300 series top		*SPEC-MASTER® 14 ga. 300 series top		* ▼ Marine 14 ga. 300 series top	
	in.	mm	legs	lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	24″	610	4	41	18.6	3.5	T2424GTB-BS	1987	T2424GTEB-BS	2153	T2424GTE-BS	2205	T2424GTEM-BS	3648
	30″	762	4	46	20.9	3.8	T2430GTB-BS	2105	T2430GTEB-BS	2318	T2430GTE-BS	2366	T2430GTEM-BS	3838
	36″	914	4	51	23.1	4.4	T2436GTB-BS	2228	T2436GTEB-BS	2429	T2436GTE-BS	2488	T2436GTEM-BS	3949
	48″	1219	4	61	27.7	5.7	T2448GTB-BS	2232	T2448GTEB-BS	2474	T2448GTE-BS	2544	T2448GTEM-BS	4007
	60″	1524	4	71	32.2	7.1	T2460GTB-BS	2369	T2460GTEB-BS	2638	T2460GTE-BS	2717	T2460GTEM-BS	4184
	72″	1829	4	81	36.7	8.5	T2472GTB-BS	2492	T2472GTEB-BS	2806	T2472GTE-BS	2888	T2472GTEM-BS	4380
	84″	2134	4	91	41.3	11.2	T2484GTB-BS	3005	T2484GTEB-BS	3515	T2484GTE-BS	3623	T2484GTEM-BS	5118
	96″	2438	6	101	45.8	11.2	T2496GTB-BS	3328	T2496GTEB-BS	3729	T2496GTE-BS	3849	T2496GTEM-BS	5365
	108″	2743	6	111	50.3	14.0	T24108GTB-BS	4764	T24108GTEB-BS	5094	T24108GTE-BS	5260	T24108GTEM-BS	6740
	120″	3048	6	121	54.9	14.0	T24120GTB-BS	5030	T24120GTEB-BS	5367	T24120GTE-BS	5526	T24120GTEM-BS	6858
	132″	3353	8	131	59.4	16.8	T24132GTB-BS	5134	T24132GTEB-BS	5475	T24132GTE-BS	5643	T24132GTEM-BS	7295
	144″	3658	8	141	64.0	16.8	T24144GTB-BS	5258	T24144GTEB-BS	5634	T24144GTE-BS	5776	T24144GTEM-BS	7423
30″ width (762mm)	30″	762	4	51	23.1	3.8	T3030GTB-BS	2144	T3030GTEB-BS	2366	T3030GTE-BS	2429	T3030GTEM-BS	3888
	36″	914	4	56	25.4	4.4	T3036GTB-BS	2256	T3036GTEB-BS	2488	T3036GTE-BS	2554	T3036GTEM-BS	4007
	48″	1219	4	66	29.9	5.7	T3048GTB-BS	2287	T3048GTEB-BS	2562	T3048GTE-BS	2633	T3048GTEM-BS	4108
	60″	1524	4	76	34.5	7.1	T3060GTB-BS	2445	T3060GTEB-BS	2752	T3060GTE-BS	2837	T3060GTEM-BS	4330
	72″	1829	4	86	39.0	8.5	T3072GTB-BS	2596	T3072GTEB-BS	2959	T3072GTE-BS	3056	T3072GTEM-BS	4554
	84″	2134	4	96	43.6	11.2	T3084GTB-BS	3139	T3084GTEB-BS	3659	T3084GTE-BS	3784	T3084GTEM-BS	5297
	96″	2438	6	106	48.1	11.2	T3096GTB-BS	3515	T3096GTEB-BS	3948	T3096GTE-BS	4075	T3096GTEM-BS	5629
	108″	2743	6	116	52.6	14.0	T30108GTB-BS	5164	T30108GTEB-BS	5349	T30108GTE-BS	5677	T30108GTEM-BS	7176
	120″	3048	6	126	57.2	14.0	T30120GTB-BS	5284	T30120GTEB-BS	5642	T30120GTE-BS	5809	T30120GTEM-BS	7305
	132″	3353	8	136	61.7	16.8	T30132GTB-BS	5586	T30132GTEB-BS	5786	T30132GTE-BS	5978	T30132GTEM-BS	7676
	144″	3658	8	146	66.2	16.8	T30144GTB-BS	5727	T30144GTEB-BS	5915	T30144GTE-BS	6110	T30144GTEM-BS	7816
36″ width (914mm)	48″	1219	4	71	32.1	7.0	T3648GTB-BS	2919	T3648GTEB-BS	3036	T3648GTE-BS	3127	T3648GTEM-BS	4739
	60″	1524	4	81	36.7	8.8	T3660GTB-BS	3144	T3660GTEB-BS	3444	T3660GTE-BS	3550	T3660GTEM-BS	5025
	72″	1829	4	91	41.3	10.5	T3672GTB-BS	3217	T3672GTEB-BS	3660	T3672GTE-BS	3785	T3672GTEM-BS	5294
	84″	2134	4	101	45.8	12.2	T3684GTB-BS	3885	T3684GTEB-BS	4260	T3684GTE-BS	4404	T3684GTEM-BS	6186
	96″	2438	6	111	50.3	13.9	T3696GTB-BS	4197	T3696GTEB-BS	4748	T3696GTE-BS	4919	T3696GTEM-BS	6433
	108″	2743	6	121	54.9	17.3	T36108GTB-BS	5870	T36108GTEB-BS	6233	T36108GTE-BS	6622	T36108GTEM-BS	8136
	120″	3048	6	131	59.4	17.3	T36120GTB-BS	6170	T36120GTEB-BS	6549	T36120GTE-BS	6759	T36120GTEM-BS	8265
	132″	3353	8	141	64.0	20.7	T36132GTB-BS	6333	T36132GTEB-BS	6722	T36132GTE-BS	6956	T36132GTEM-BS	8709
	144″	3658	8	151	68.5	20.7	T36144GTB-BS	6453	T36144GTEB-BS	6852	T36144GTE-BS	7084	T36144GTEM-BS	8844

* On SPEC-MASTER® and SPEC-MASTER® Marine tables, increase stated weight by 10%.

▼ SPEC-MASTER® Marine tables feature a marine counter edge to prevent spillage.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Worktables with Stainless Steel Top, Backsplash & Stainless Steel Tubular Base

NSF

see spec sheets **EG10.47A** **EG10.47B** **EG10.47C** **EG10.47D**



corner connection

(Patent #5,165,349)

FEATURES:

- 4½″ *(114mm)* backsplash at the rear of the table.
- Tubular base.
- 1⅝″ *(41mm)*-diameter legs and 1¼″ *(32mm)*-diameter crossbracing are heavy gauge stainless steel.
- Heavy gauge polished stainless steel top.
- SPEC-MASTER® Marine series worktables feature a marine counter edge on front and both ends.
- 35⅛″ - 36⅛″ *(892 - 918mm)* adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add $**1272 to list price** and suffix **"-SD"**. **Example: T2424STB-BS-SD.**

C-frame standard. To order table with H-frame, add **$263 to list price** and suffix "**-H**". **Example: T2436STB-BS-H.**

For optional power strips *(only for tables with backsplash)*, see page 198.

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.



See page 198 for optional casters available.

	length		# of	weight		cu	BUDGET 16 ga. type 430 top		DELUXE 16 ga. 300 series top		*SPEC-MASTER® 14 ga. 300 series top		* ▼ Marine 14 ga. 300 series top	
	in.	mm	legs	lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	24″	610	4	41	18.6	3.5	T2424STB-BS	2647	T2424STEB-BS	2759	T2424STE-BS •	2895	T2424STEM-BS	4139
	30″	762	4	46	20.9	3.8	T2430STB-BS	2834	T2430STEB-BS	2955	T2430STE-BS	3137	T2430STEM-BS	4372
	36″	914	4	51	23.1	4.4	T2436STB-BS	2949	T2436STEB-BS	3073	T2436STE-BS	3258	T2436STEM-BS	4486
	48″	1219	4	61	27.7	5.7	T2448STB-BS	3005	T2448STEB-BS	3172	T2448STE-BS	3377	T2448STEM-BS	4587
	60″	1524	4	71	32.2	7.1	T2460STB-BS	3170	T2460STEB-BS	3395	T2460STE-BS	3623	T2460STEM-BS	4822
	72″	1829	4	81	36.7	8.5	T2472STB-BS	3352	T2472STEB-BS	3618	T2472STE-BS	3864	T2472STEM-BS	5053
	84″	2134	4	91	41.3	11.2	T2484STB-BS	3923	T2484STEB-BS	4576	T2484STE-BS	4888	T2484STEM-BS	5978
	96″	2438	6	101	45.8	11.2	T2496STB-BS	4153	T2496STEB-BS	4850	T2496STE-BS	5198	T2496STEM-BS	6272
	108″	2743	6	111	50.3	14.0	T24108STB-BS	6023	T24108STEB-BS	6488	T24108STE-BS	6944	T24108STEM-BS	7808
	120″	3048	6	121	54.9	14.0	T24120STB-BS	6327	T24120STEB-BS	6809	T24120STE-BS	7280	T24120STEM-BS	7943
	132″	3353	8	131	59.4	16.8	T24132STB-BS	6429	T24132STEB-BS	6993	T24132STE-BS	7504	T24132STEM-BS	8473
	144″	3658	8	141	64.0	16.8	T24144STB-BS	6553	T24144STEB-BS	7330	T24144STE-BS	7630	T24144STEM-BS	8605
30″ width (762mm)	30″	762	4	51	23.1	3.8	T3030STB-BS	2948	T3030STEB-BS	3085	T3030STE-BS	3280	T3030STEM-BS	4507
	36″	914	4	56	25.4	4.4	T3036STB-BS	3063	T3036STEB-BS	3207	T3036STE-BS	3406	T3036STEM-BS	4630
	48″	1219	4	66	29.9	5.7	T3048STB-BS	3145	T3048STEB-BS	3334	T3048STE-BS	3585	T3048STEM-BS	4785
	60″	1524	4	76	34.5	7.1	T3060STB-BS	3362	T3060STEB-BS	3612	T3060STE-BS	3863	T3060STEM-BS	4906
	72″	1829	4	86	39.0	8.5	T3072STB-BS	3573	T3072STEB-BS	3880	T3072STE-BS	4154	T3072STEM-BS	5338
	84″	2134	4	96	43.6	11.2	T3084STB-BS	4043	T3084STEB-BS	4733	T3084STE-BS	5072	T3084STEM-BS	6169
	96″	2438	6	106	48.1	11.2	T3096STB-BS	4429	T3096STEB-BS	5180	T3096STE-BS	5550	T3096STEM-BS	6614
	108″	2743	6	116	52.6	14.0	T30108STB-BS	6534	T30108STEB-BS	6992	T30108STE-BS	7584	T30108STEM-BS	8366
	120″	3048	6	126	57.2	14.0	T30120STB-BS	6665	T30120STEB-BS	7070	T30120STE-BS	7723	T30120STEM-BS	8503
	132″	3353	8	136	61.7	16.8	T30132STB-BS	6822	T30132STEB-BS	7676	T30132STE-BS	8252	T30132STEM-BS	8994
	144″	3658	8	146	66.2	16.8	T30144STB-BS	6939	T30144STEB-BS	7816	T30144STE-BS	8382	T30144STEM-BS	9127
36″ width (914mm)	48″	1219	4	71	32.1	7.0	T3648STB-BS	3489	T3648STEB-BS	3886	T3648STE-BS	4153	T3648STEM-BS	4954
	60″	1524	4	81	36.7	8.8	T3660STB-BS	3772	T3660STEB-BS	4344	T3660STE-BS	4658	T3660STEM-BS	5562
	72″	1829	4	91	41.3	10.5	T3672STB-BS	4049	T3672STEB-BS	4650	T3672STE-BS	4980	T3672STEM-BS	6075
	84″	2134	4	101	45.8	12.2	T3684STB-BS	5259	T3684STEB-BS	5493	T3684STE-BS	5888	T3684STEM-BS	7183
	96″	2438	6	111	50.3	13.9	T3696STB-BS	5612	T3696STEB-BS	5860	T3696STE-BS	6285	T3696STEM-BS	7562
	108″	2743	6	121	54.9	17.3	T36108STB-BS	7609	T36108STEB-BS	7980	T36108STE-BS	8816	T36108STEM-BS	9465
	120″	3048	6	131	59.4	17.3	T36120STB-BS	7739	T36120STEB-BS	8349	T36120STE-BS	8942	T36120STEM-BS	9597
	132″	3353	8	141	64.0	20.7	T36132STB-BS	7949	T36132STEB-BS	8655	T36132STE-BS	9567	T36132STEM-BS	10184
	144″	3658	8	151	68.5	20.7	T36144STB-BS	8074	T36144STEB-BS	8778	T36144STE-BS	9715	T36144STEM-BS	10317

* SPEC-MASTER® and SPEC-MASTER® Marine tables feature all stainless steel construction. Increase stated weight by 10%.

▼ SPEC-MASTER® Marine tables feature a marine counter edge to prevent spillage.

Optional Power Strips for Stainless Steel Worktables with Backsplash

length in.	length mm	number of outlets	model #	list
24″	610	8	**PS2408**	No Match!
36″	914	12	**PS3612**	No Match!
48″	1219	16	**PS4816**	No Match!
60″	1524	20	**PS6020**	No Match!

FEATURES:

- Brushed aluminum finish.
- 15´ *(4572mm)* cord and plug.
- Reset button.
- Toggle ON-OFF switch.
- Mounts via pair of stainless steel clips—no tools required.



Optional Casters (NSF)

see spec sheet **EG10.59**

Note: To determine set of casters applicable, see "# of legs" column in Worktables charts *(pages 186-197).*

See page 215 for optional caster stabilizers.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

description	wt. cap. per caster lbs.	wt. cap. per caster kg	model #	list
Zinc with Resilient Tread				
4″ *(102mm)* dia., set of four *(two swivel, two w/brake)*	115	52.2	**CA4-SB** •	745
4″ *(102mm)* dia., set of six *(three swivel, three w/brake)*	115	52.2	**CA6-SB**	1116
4″ *(102mm)* dia., set of eight *(four swivel, four w/brake)*	115	52.2	**CA8-SB**	1488
5″ *(127mm)* dia., set of four *(two swivel, two w/brake)*	200	90.7	**CAH4-SB** •	986
5″ *(127mm)* dia., set of six *(three swivel, three w/brake)*	200	90.7	**CAH6-SB**	1480
5″ *(127mm)* dia., set of eight *(four swivel, four w/brake)*	200	90.7	**CAH8-SB**	1975
Nickel with Poly Tread				
5″ *(127mm)* dia., set of four *(two swivel, two w/brake)*	250	113.4	**CAHP4-SB** •	855
5″ *(127mm)* dia., set of six *(three swivel, three w/brake)*	250	113.4	**CAHP6-SB**	1282
5″ *(127mm)* dia., set of eight *(four swivel, four w/brake)*	250	113.4	**CAHP8-SB**	1708
Polymer Cart Washable with Polymer Tread				
5″ *(127mm)* dia., set of four *(two swivel, two w/brake)*	250	113.4	**CAHW4-SB**	1060
5″ *(127mm)* dia., set of six *(three swivel, three w/brake)*	250	113.4	**CAHW6-SB**	1592
5″ *(127mm)* dia., set of eight *(four swivel, four w/brake)*	250	113.4	**CAHW8-SB**	2119



Go Green. Go ECO-Built™ by EAGLE.

The advantages may be invisible. But when you see the tag you'll know the product you purchase has been produced in the EAGLE plant, under the principles that drive the ECO-Built™ program.

For institutions concerned about meeting their own green standards, buying ECO-Built™ is simply the right thing to do.

Look for the ECO-Built™ tag on the bar code

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Hardwood Worktables

see spec sheet EG10.10

FEATURES:

- 1¾″ *(44mm)* hardwood tops.
- With flat top or with 4″ *(102mm)* coved backsplash and end splashes.
- Shipped knocked down.

Note: All shipping weights and cubic feet are approximate.

For optional drawer assemblies, see page 214.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



hardwood table with flat top and undershelf…



…with flat top and tubular base…



…with backsplash and undershelf…



…with backsplash and tubular base

Flat Top Hardwood Worktables…

36¼″ *(921mm)* overall height.

	length		cu	weight		…with Adjustable Undershelf				…with Tubular Base			
						galvanized legs & undershelf		stainless steel legs and undershelf		weight		galvanized tubular base		stainless steel tubular base	
	in.	mm	ft	lbs.	kg	model #	list	model #	list	lbs.	kg	model #	list	model #	list
24″ width *(610mm)*	48″	1219	5.3	94	42.6	**MT2448B**	1652	**MT2448S**	1986	92	41.7	**MT2448GT**	1467	**MT2448ST**	1872
	60″	1524	6.6	118	53.5	**MT2460B**	1855	**MT2460S**	2255	117	53.1	**MT2460GT**	1625	**MT2460ST**	2096
	72″	1829	8.0	141	64.0	**MT2472B**	2055	**MT2472S**	2517	138	62.6	**MT2472GT**	1782	**MT2472ST**	2329
	96″	2438	10.7	189	85.7	**MT2496B**	2914	**MT2496S**	3516	182	82.6	**MT2496GT**	2554	**MT2496ST**	2912
30″ width *(762mm)*	48″	1219	6.7	141	64.0	**MT3048B**	1825	**MT3048S**	2255	139	63.1	**MT3048GT**	1648	**MT3048ST**	2143
	60″	1524	8.3	147	66.7	**MT3060B**	2073	**MT3060S**	2586	145	65.8	**MT3060GT**	1852	**MT3060ST**	2443
	72″	1829	9.9	177	80.3	**MT3072B**	2318	**MT3072S**	2915	174	77.8	**MT3072GT**	2048	**MT3072ST**	2733
	96″	2438	13.2	235	106.6	**MT3096B**	3320	**MT3096S**	4063	230	104.3	**MT3096GT**	2952	**MT3096ST**	3819

Hardwood Worktables with Backsplash & End Splashes…

40¼″ *(1022mm)* overall height.

	length		cu	weight		…with Adjustable Undershelf				…with Tubular Base			
						galvanized legs & undershelf		stainless steel legs and undershelf		weight		galvanized tubular base		stainless steel tubular base	
	in.	mm	ft	lbs.	kg	model #	list	model #	list	lbs.	kg	model #	list	model #	list
30″ width *(762mm)*	48″	1219	7.0	110	49.9	**MT3048B-BS**	3485	**MT3048S-BS**	4480	119	54.0	**MT3048GT-BS**	3345	**MT3048ST-BS**	4250
	60″	1524	9.8	149	67.6	**MT3060B-BS**	3643	**MT3060S-BS**	4716	147	66.7	**MT3060GT-BS**	3407	**MT3060ST-BS**	4474
	72″	1829	11.7	180	81.6	**MT3072B-BS**	4380	**MT3072S-BS**	5392	177	80.3	**MT3072GT-BS**	4095	**MT3072ST-BS**	5253
	96″	2438	15.5	240	108.9	**MT3096B-BS**	5992	**MT3096S-BS**	7133	235	106.6	**MT3096GT-BS**	5612	**MT3096ST-BS**	6758

Optional Casters for Hardwood Worktables



zinc casters



cart washable casters

Note: See page 215 for optional caster stabilizers.

	Zinc with Resilient Tread				Nickel with Poly Tread				Polymer Cart Washable with Polymer Tread			
	wt. cap. per caster			list per	wt. cap. per caster			list per	wt. cap. per caster			list per
description	lbs.	kg	model #	set	lbs.	kg	model #	set	lbs.	kg	model #	set
4″ *(102mm)* dia., set of 4 *(2 swivel, 2 w/brake)*	115	52.2	**CA4-SB** •	745	–		n/a	n/a	–		n/a	n/a
4″ *(102mm)* dia., set of 6 *(3 swivel, 3 w/brake)*	115	52.2	**CA6-SB**	1116	–		n/a	n/a	–		n/a	n/a
5″ *(127mm)* dia., set of 4 *(2 swivel, 2 w/brake)*	200	90.7	**CAH4-SB** •	986	250	113.4	**CAHP4-SB** •	855	250	113.4	**CAHW4-SB**	1060
5″ *(127mm)* dia., set of 6 *(3 swivel, 3 w/brake)*	200	90.7	**CAH6-SB**	1480	250	113.4	**CAHP6-SB**	1282	250	113.4	**CAHW6-SB**	1592

Knock Down Worktables with Cabinet Kit

see spec sheet EG10.36



FEATURES:

- Type 430 stainless steel tabletop and side panels.
- Tabletop is 30″ *(762mm)* front-to-back, with 4½″ *(114mm)* high backsplash.
- Stainless steel side panels and front doors with open rear.
- Easy assembly via machine screws and threaded inserts.
- 34½″ *(876mm)* height.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

patented uni-lok system
(Patent #5,165,349)

	length		cubic	weight		…with Hinged Doors		…with Sliding Doors	
	in.	mm	feet	lbs.	kg	model #	list	model #	list
30″ width (914mm)	36″	914	4.4	52	23.6	T3036BA-BS-HGD	2973	T3036BA-BS-SLD	3270
	48″	1219	5.4	66	29.9	T3048BA-BS-HGD	3172	T3048BA-BS-SLD	3489
	60″	1524	7.1	79	35.8	T3060BA-BS-HGD	3404	T3060BA-BS-SLD	3737

Filler Tables

see spec sheet EG10.51



Note: Filler tables are not designed to stand alone or to hold heavy equipment loads. Application and safe installation are the responsibility of the end user.

FEATURES:

- Standard flanged feet adds stability to 12″ and 15″ *(305 and 381mm)* long tables.
- 18″ *(457mm)* feature bullet feet.
- 1½″ *(38mm)* upturn.
- Stainless steel legs crossbraced front-to-back and side-to-side.
- 34½″ *(876mm)* working height.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

patented uni-lok system
(Patent #5,165,349)

	length		cubic	weight *		Deluxe 16 gauge type 304 stainless steel top.		SPEC-MASTER® * 14 gauge type 304 stainless steel top.	
	in.	mm	feet	lbs.	kg	model #	list	model #	list
24″ width (610mm)	12″	305	2.9	30	13.6	UT2412STEB	1466	UT2412STE	1593
	15″	381	2.9	34	15.4	UT2415STEB	1499	UT2415STE	1629
	18″	457	2.9	36	16.3	UT2418STEB	1567	UT2418STE	1704
30″ width (762mm)	12″	305	2.9	34	15.4	UT3012STEB •	1584	UT3012STE	1720
	15″	381	2.9	36	16.3	UT3015STEB •	1617	UT3015STE	1759
	18″	457	2.9	40	18.1	UT3018STEB •	1708	UT3018STE	1858
36″ width (914mm)	12″	305	3.5	37	16.8	UT3612STEB	1687	UT3612STE	1833
	15″	381	3.5	40	18.1	UT3615STEB	1740	UT3615STE	1888
	18″	457	3.5	45	20.4	UT3618STEB	1806	UT3618STE	1964

* Add 10% weight for SPEC-MASTER®.

Worktable Stabilizer Bar (pair)

see spec sheet EG10.59



model #	list
WTSA30	330

FEATURES:

- Fits standard 30″ and 36″ *(762 and 914mm)* width worktables.
- Heavy 12 gauge steel angle and gussets.
- Valu-Master® epoxy coated.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

SPEC-MASTER® Enclosed Worktables with Flat Top


see spec sheet **EG10.30**







patented uni-lok® system
(Patent #5,165,349)



FEATURES:

- All-welded cabinet.
- Top mechanically polished to satin finish.
- Sound-deadened between top and frame.
- 1⅝″ *(42mm)* diameter type 304 stainless legs.
- 1″ *(25mm)* adjustable feet.
- 1½″ *(38mm)* sanitary rolled rim on front and back with square edge on ends for flush fit.
- 34½″ *(876mm)* overall height.

Note: Full length fixed center shelf available. To order full width, **add 20% to list price** and suffix **"-FCS"**.
To order two-thirds width, add **20% to list price** and suffix **"-CS"**. **Example: OB2436SE-CS**.

To order table with 4″ *(102mm)* casters, add suffix **"-CA"** and **add to list price $745** *(for tables with four legs)* or **$1116** *(for tables with six legs)*.
Example: OB2436SE-CA.


To order table with 5″ *(127mm)* casters, add suffix **"-CAH"** and **add to list price $986** *(for tables with four legs)* or **$1480** *(for tables with six legs)*.
Example: OB2436SE-CAH.

NSF sprayed-on sound deadening available.
To order, add **$1272 to list price** and suffix **"-SD"**. **Example: OB2436SE-SD.**

For enhanced utility, add overshelves from page 210.

	length		# of	cu	with Open Front				with Sliding Doors*				with Hinged Doors*			
					weight				weight				weight			
	in.	mm	legs	ft	lbs.	kg	model #	list	lbs.	kg	model #	list	lbs.	kg	model #	list
24″ width *(610mm)*	36″	914	4	36	132	59.9	**OB2436SE**	4410	138	62.6	**CB2436SE**	5630	138	62.6	**CBH2436SE**	6899
	48″	1219	4	49	160	72.6	**OB2448SE**	4580	170	77.1	**CB2448SE**	6297	170	77.1	**CBH2448SE**	7226
	60″	1524	4	63	200	90.7	**OB2460SE**	4900	212	96.2	**CB2460SE**	6765	212	96.2	**CBH2460SE**	7704
	72″	1829	4	72	240	108.9	**OB2472SE**	5226	254	115.2	**CB2472SE**	7255	254	115.2	**CBH2472SE**	8174
	84″	2134	6	83	281	127.5	**OB2484SE**	5685	299	135.6	**CB2484SE** **	8294	299	135.6	**CBH2484SE** **	9197
	96″	2438	6	95	322	146.1	**OB2496SE**	5972	339	153.8	**CB2496SE** **	8962	339	153.8	**CBH2496SE** **	9864
	120″	3048	6	105	366	166.0	**OB24120SE**	7080	384	174.2	**CB24120SE** **	10352	384	174.2	**CBH24120SE** **	11250
30″ width *(762mm)*	36″	914	4	36	136	61.7	**OB3036SE**	4659	142	64.4	**CB3036SE**	5880	142	64.4	**CBH3036SE**	7133
	48″	1219	4	49	166	75.3	**OB3048SE**	4820	173	78.5	**CB3048SE**	6534	173	78.5	**CBH3048SE**	7460
	60″	1524	4	63	199	90.3	**OB3060SE**	5183	219	99.3	**CB3060SE**	7053	219	99.3	**CBH3060SE**	7984
	72″	1829	4	72	248	112.5	**OB3072SE**	5552	261	118.4	**CB3072SE**	7577	261	118.4	**CBH3072SE**	8504
	84″	2134	6	83	294	133.4	**OB3084SE**	5930	312	141.5	**CB3084SE** **	8523	312	141.5	**CBH3084SE** **	9439
	96″	2438	6	95	340	154.2	**OB3096SE**	6544	350	158.8	**CB3096SE** **	9334	350	158.8	**CBH3096SE** **	10239
	120″	3048	6	105	432	196.0	**OB30120SE**	7527	450	204.1	**CB30120SE** **	10797	450	204.1	**CBH30120SE** **	11687

* 20 gauge stainless steel doors. To order optional door locks, add suffix "**-L**" and $198 list price; ** Tables 84″ *(2134mm)* and longer have two sets of doors.



ALSO AVAILABLE!

SPEC-MASTER® Marine Counter Edge Cabinets


To order, **add 20% to list price** and add **"M"** after **"SE"** in model number.
Example: OB2436SEM.

see spec sheet **EG10.33A**

SPEC-MASTER® Enclosed Worktables with Upturn (NSF)

see spec sheet **EG10.31**





patented **uni-lok®** system

(Patent #5,165,349)

FEATURES:

- All-welded cabinet.
- Top mechanically polished to satin finish.
- Top is 14 gauge type 304 stainless steel reinforced with a full length "hat" channel support.
- Body is heavy gauge type 430 stainless steel.
- Sound-deadened between top and frame.
- 1⅝″ *(42mm)* diameter type 304 stainless legs.
- 1″ *(25mm)* adjustable feet.
- 1½″ *(38mm)* sanitary rolled rim on front, 1½″ *(38mm)* rear upturn, and square edge on ends for flush fit.
- 34½″ *(876mm)* working height, 36″ *(914mm)* overall height.

Note: Full length fixed center shelf available. To order full width, **add 20% to list price** and suffix **"-FCS"**. To order two-thirds width, add **20% to list price** and suffix **"-CS"**. **Example: UOB2436SE-CS**.

To order table with 4″ *(102mm)* casters, add suffix **"-CA"** and **add to list price $745** *(for tables with four legs)* or **$1116** *(for tables with six legs)*. **Example: UOB3036SE-CA.**


To order table with 5″ *(127mm)* casters, add suffix **"-CAH"** and **add to list price $986** *(for tables with four legs)* or **$1480** *(for tables with six legs)*. **Example: UOB3036SE-CAH.**

NSF sprayed-on sound deadening available. To order, add **$1272 to list price** and suffix **"-SD"**. **Example: UOB3036SE-SD.**

For enhanced utility, add overshelves from page 210.

	length		# of	cu	with Open Front				with Sliding Doors*				with Hinged Doors*			
					weight				weight				weight			
	in.	mm	legs	ft	lbs.	kg	model #	list	lbs.	kg	model #	list	lbs.	kg	model #	list
24″ width (610mm)	36″	914	4	36	132	59.9	**UOB2436SE**	4410	138	62.6	**UCB2436SE**	5630	138	62.6	**UCBH2436SE**	6899
	48″	1219	4	49	160	72.6	**UOB2448SE**	4580	170	77.1	**UCB2448SE**	6297	170	77.1	**UCBH2448SE**	7226
	60″	1524	4	63	200	90.7	**UOB2460SE**	4900	212	96.2	**UCB2460SE**	6765	212	96.2	**UCBH2460SE**	7704
	72″	1829	4	72	240	108.9	**UOB2472SE**	5226	254	115.2	**UCB2472SE**	7255	254	115.2	**UCBH2472SE**	8174
	84″	2134	6	83	281	127.5	**UOB2484SE**	5685	299	135.6	**UCB2484SE** **	8294	299	135.6	**UCBH2484SE** **	9197
	96″	2438	6	95	322	146.1	**UOB2496SE**	5972	339	153.8	**UCB2496SE** **	8962	339	153.8	**UCBH2496SE** **	9864
	120″	3048	6	105	366	166.0	**UOB24120SE**	7080	384	174.2	**UCB24120SE** **	10352	384	174.2	**UCBH24120SE** **	11250
30″ width (762mm)	36″	914	4	36	136	61.7	**UOB3036SE**	4659	142	64.4	**UCB3036SE**	5880	142	64.4	**UCBH3036SE**	7133
	48″	1219	4	49	166	75.3	**UOB3048SE**	4820	173	78.5	**UCB3048SE**	6534	173	78.5	**UCBH3048SE**	7460
	60″	1524	4	63	199	90.3	**UOB3060SE**	5183	219	99.3	**UCB3060SE**	7053	219	99.3	**UCBH3060SE**	7984
	72″	1829	4	72	248	112.5	**UOB3072SE**	5543	261	118.4	**UCB3072SE**	7577	261	118.4	**UCBH3072SE**	8504
	84″	2134	6	83	294	133.4	**UOB3084SE**	5930	312	141.5	**UCB3084SE** **	8523	312	141.5	**UCBH3084SE** **	9439
	96″	2438	6	95	340	154.2	**UOB3096SE**	6544	350	158.8	**UCB3096SE** **	9334	350	158.8	**UCBH3096SE** **	10239
	120″	3048	6	105	432	196.0	**UOB30120SE**	7527	450	204.1	**UCB30120SE** **	10797	450	204.1	**UCBH30120SE** **	11687

* 20 gauge stainless steel doors. To order optional door locks, add suffix "**-L**" and $178 list price; ** Tables 84″ *(2134mm)* and longer have two sets of doors.



ALSO AVAILABLE!

SPEC-MASTER® Marine Counter Edge Cabinets

To order, **add 20% to list price** and add **"M"** after **"SE"** in model number. **Example: UOB2436SEM.**

see spec sheet **EG10.33B**

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

SPEC-MASTER® Enclosed Worktables with Backsplash (NSF)

see spec sheet **EG10.32**



FEATURES:

patented uni-lok* system
(Patent #5,165,349)

- All-welded cabinet.
- Top mechanically polished to satin finish.
- Top is 14 gauge type 304 stainless steel reinforced with a full length "hat" channel support.
- Body is heavy gauge type 430 stainless steel.
- Sound-deadened between top and frame.
- 1⅝″ *(42mm)* diameter type 304 stainless legs.
- 1″ *(25mm)* adjustable stainless steel feet.
- 1½″ (38mm) sanitary rolled rim on front, 4½″ *(114mm)* backsplash on rear, and square edge on ends for flush fit.
- 34½″ *(876mm)* working height, 39″ *(991mm)* overall height.

Note: Full length fixed center shelf available. To order full width, **add 20% to list price** and suffix **"-FCS"**. To order two-thirds width, add **20% to list price** and suffix **"-CS"**. **Example: UOB2436SE-BS-CS.**

To order table with 4″ *(102mm)* casters, add suffix **"-CA"** and **add to list price $745** *(for tables with four legs)* or **$1116** *(for tables with six legs).* **Example: UOB3036SE-BS-CA.**


To order table with 5″ *(127mm)* casters, add suffix **"-CAH"** and **add to list price $986** *(for tables with four legs)* or **$1480** *(for tables with six legs).* **Example: UOB3036SE-BS-CAH.**

NSF sprayed-on sound deadening available. To order, add **$1272 to list price** and suffix **"-SD"**. **Example: UOB3036SE-BS-SD.**

For enhanced utility, add overshelves from page 210.

	length		# of	cu	weight		with Open Front				with Sliding Doors*				with Hinged Doors*	
	in.	mm	legs	ft	lbs.	kg	model #	list	lbs.	kg	model #	list	lbs.	kg	model #	list
24″ width *(610mm)*	36″	914	4	36	133	60.3	OB2436SE-BS	4463	139	63.1	CB2436SE-BS	5919	139	63.1	CBH2436SE-BS	6950
	48″	1219	4	49	161	73.0	OB2448SE-BS	4627	171	77.6	CB2448SE-BS	6343	171	77.6	CBH2448SE-BS	7272
	60″	1524	4	63	202	91.6	OB2460SE-BS	4960	214	97.1	CB2460SE-BS	6833	214	97.1	CBH2460SE-BS	7758
	72″	1829	4	72	243	110.2	OB2472SE-BS	5297	256	116.1	CB2472SE-BS	7330	256	116.1	CBH2472SE-BS	8252
	84″	2134	6	83	284	128.8	OB2484SE-BS	5766	304	137.9	CB2484SE-BS **	8374	304	137.9	CBH2484SE-BS **	9287
	96″	2438	6	95	326	147.9	OB2496SE-BS	6065	343	155.6	CB2496SE-BS **	9048	343	155.6	CBH2496SE-BS **	9967
	120″	3048	6	105	390	176.9	OB24120SE-BS	7198	390	176.9	CB24120SE-BS **	10469	390	176.9	CBH24120SE-BS **	11364
30″ width *(762mm)*	36″	914	4	36	137	62.1	OB3036SE-BS	4849	143	64.9	CB3036SE-BS	6112	143	64.9	CBH3036SE-BS	7180
	48″	1219	4	49	167	75.8	OB3048SE-BS	4865	174	78.9	CB3048SE-BS	6575	174	78.9	CBH3048SE-BS	7504
	60″	1524	4	63	201	91.2	OB3060SE-BS	5432	221	100.2	CB3060SE-BS	7119	221	100.2	CBH3060SE-BS	8034
	72″	1829	4	72	251	113.9	OB3072SE-BS	5618	264	119.8	CB3072SE-BS	7648	264	119.8	CBH3072SE-BS	8565
	84″	2134	6	83	299	135.6	OB3084SE-BS	6009	319	144.7	CB3084SE-BS **	8605	319	144.7	CBH3084SE-BS **	9526
	96″	2438	6	95	344	156.0	OB3096SE-BS	6638	355	161.0	CB3096SE-BS **	9420	355	161.0	CBH3096SE-BS **	10949
	120″	3048	6	105	438	198.7	OB30120SE-BS	5573	458	207.8	CB30120SE-BS **	7955	458	207.8	CBH30120SE-BS **	8603

* 20 gauge stainless steel doors. To order optional door locks, add suffix "**-L**" and $178 list price; ** Tables 84″ *(2134mm)* and longer have two sets of doors.



ALSO AVAILABLE!

SPEC-MASTER® Marine Counter Edge Cabinets

To order, **add 20% to list price** and add **"M"** after **"SE"** in model number. **Example: OB2436SEM-BS.**

see spec sheet **EG10.33C**

adjusTable® Work Surface Systems

see spec sheet **EG10.09**



basic unit *1-tier unit* *2-tier unit*

adjusTable®

Additional wire undershelves, solid stainless steel undershelves, chrome wire overshelves, or solid stainless steel overshelves make the possibilities almost unlimited.

patented QuadTruss® design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

CUSTOM:

- Unit can be further expanded and customized by adding optional shelving accessories *(pages 47-53)*.
- Custom configurations available, including alternate finishes and solid shelving. Contact factory to configure your custom workstation.
- All units come with non-marring grey vinyl foot glides.
- Optional drawers available *(see pages 212-215)*.

Note: To order table with 5″ *(127mm)* resilient tread casters, add suffix **"-CAH"** and **add to list price $986**.
Example: T3036EBW-1-CAH.

To order table with 5″ *(127mm)* poly tread casters, add suffix **"-CAHP"** and **add to list price $855**.
Example: T3036EBW-1-CAHP.

For Post Clamps for 1-tier and 2-tier unit, see page 46.

For Keyboard stations, see page 46.

Basic Units — 33½″ *(851mm)* overall height.

	length		cu	weight		16/304		14/304	
	in.	mm	ft	lbs.	kg	model #	list	model #	list
24″ width *(610mm)*	36″	914	4.5	65	29.5	**T2436EBW**	1556	**T2436EW**	1707
	48″	1219	5.7	81	36.7	**T2448EBW**	1689	**T2448EW**	1959
	60″	1524	7.1	99	44.9	**T2460EBW**	1980	**T2460EW**	2252
30″ width *(762mm)*	36″	914	4.5	75	34.0	**T3036EBW**	1723	**T3036EW**	1930
	48″	1219	5.7	94	42.6	**T3048EBW**	1945	**T3048EW**	2216
	60″	1524	7.1	115	52.2	**T3060EBW**	2252	**T3060EW**	2563

CONSISTS OF:

- Stainless steel table top/work surface with hat channel supports.
- Four 33″ *(838mm)* chrome posts.
- Two chrome wire undershelves.*

1-tier Units — 54½″ *(1384mm)* overall height.

	length		cu	weight		16/304		14/304	
	in.	mm	ft	lbs.	kg	model #	list	model #	list
24″ width *(610mm)*	36″	914	4.5	73	33.1	**T2436EBW-1**	1937	**T2436EW-1**	2086
	48″	1219	5.7	91	41.3	**T2448EBW-1**	2172	**T2448EW-1**	2374
	60″	1524	7.1	113	51.3	**T2460EBW-1**	2452	**T2460EW-1**	2683
30″ width *(762mm)*	36″	914	4.5	83	37.6	**T3036EBW-1**	2104	**T3036EW-1**	2319
	48″	1219	5.7	104	47.2	**T3048EBW-1**	2364	**T3048EW-1**	2625
	60″	1524	7.1	129	58.5	**T3060EBW-1**	2683	**T3060EW-1**	2999

CONSISTS OF:

- Stainless steel table top/work surface with hat channel supports.
- Two 54″ *(1372mm)* rear chrome posts.
- Two 33″ *(838mm)* front chrome posts.
- Two 21″ *(533mm)* front chrome posts for overshelf.
- One 14″ *(356mm)* wide chrome wire overshelf.
- Two chrome wire undershelves.*

2-tier Units — 62½″ *(1588mm)* overall height.

	length		cu	weight		16/304		14/304	
	in.	mm	ft	lbs.	kg	model #	list	model #	list
24″ width *(610mm)*	36″	914	4.5	81	36.7	**T2436EBW-2**	2123	**T2436EW-2**	2275
	48″	1219	5.7	101	45.8	**T2448EBW-2**	2394	**T2448EW-2**	2600
	60″	1524	7.1	127	57.6	**T2460EBW-2**	2693	**T2460EW-2**	2925
30″ width *(762mm)*	36″	914	4.5	91	41.3	**T3036EBW-2**	2289	**T3036EW-2**	2506
	48″	1219	5.7	114	51.7	**T3048EBW-2**	2585	**T3048EW-2**	2862
	60″	1524	7.1	143	64.9	**T3060EBW-2**	2923	**T3060EW-2**	3245

CONSISTS OF:

- Stainless steel table top/work surface with hat channel supports.
- Two 63″ *(1600mm)* rear chrome posts.
- Two 33″ *(838mm)* front chrome posts.
- Two 29″ *(737mm)* front chrome posts for overshelves.
- Two 14″ *(356mm)* wide chrome wire overshelves.
- Two chrome wire undershelves.*

* 18″ *(457mm)* wide undershelves used for 24″ *(610mm)* wide tables; 24″ *(610mm)* wide undershelves used for 30″ *(762mm)* wide tables.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Utility Stands (NSF)

see spec sheet EG10.26A





FEATURES:
- Highly polished 16 gauge, 300 series stainless steel flat top.
- Adjustable undershelf or adjustable crossbracing.
- 24″ *(610mm)* working height.

WEIGHT CAPACITIES:
- 600 lb. *(272.2 kg)* weight capacity of top.
- 150 lb. *(68.0 kg)* weight capacity of undershelf. - evenly distributed static load.

patented uni-lok® system
(Patent #5,165,349)

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

width	length in.	length mm	weight lbs.	weight kg	cubic feet	…with Undershelf: galvanized legs model #	galvanized legs list	stainless steel legs model #	stainless steel legs list	…with Tubular Base: galvanized legs model #	galvanized legs list	stainless steel legs model #	stainless steel legs list
24″ *(610mm)*	24″	610	42	19.1	3.5	MS2424 •	1573	MS2424S	1909	TMS2424	1573	TMS2424S	1909
30″ *(762mm)*	24″	610	47	21.3	3.8	MS3024 •	1640	MS3024S	2006	TMS3024	1640	TMS3024S	2006
	30″	762	49	22.2	3.8	MS3030 •	1826	MS3030S	2272	TMS3030	1826	TMS3030S	2272
	36″	914	51	23.1	4.0	MS3036 •	1874	MS3036S	2309	TMS3036	1874	TMS3036S	2309
36″ *(914mm)*	36″	914	53	24.0	4.2	MS3636	1966	MS3636S	2418	TMS3636	1966	TMS3636S	2418



caster *caster with brake*

Optional Casters for Utility Stands

description	wt. cap. per caster lbs.	wt. cap. per caster kg	model #	list
4″ *(102mm)* dia., set of four *(two swivel, two w/brake)*	115	52.2	CA4-SB •	745
4″ *(102mm)* dia., set of six *(three swivel, three w/brake)*	115	52.2	CA6-SB	1116
5″ *(127mm)* dia., set of four *(two swivel, two w/brake)*	200	90.7	CAH4-SB •	986
5″ *(127mm)* dia., set of six *(three swivel, three w/brake)*	200	90.7	CAH6-SB	1480

Optional Utensil Rack for Utility Stands

- Stainless steel.
- 54″ *(1371mm)* height.

weight lbs.	weight kg	cubic feet	model #	add to unit list
23	10.4	5.3	UR-501	1275



utility stand with undershelf and optional utensil rack

Note: see page 215 for optional caster stabilizers.



ADA/Ergonomic Height Adjustable Tables

Adjusts from 32″ to 40″ height!

see product announcement EG10.37

patented uni-lok® system
(Patent #5,165,349)

width	length in.	length mm	weight cap. lbs.	weight cap. kg	…with Flat Top: 16/304 top model #	16/304 top list	14/304 top model #	14/304 top list	…with 4″ Backsplash: 16/304 top model #	16/304 top list	14/304 top model	14/304 top list
24″ *(610mm)*	48″	1219	575	260.8	T2448SEB-HA	8498	T2448SE-HA	8696	T2448SEB-BS-HA	9096	T2448SE-BS-HA	9855
	60″	1524	550	249.5	T2460SEB-HA	8689	T2460SE-HA	8910	T2460SEB-BS-HA	9306	T2460SE-BS-HA	10080
	72″	1829	525	238.1	T2472SEB-HA	8880	T2472SE-HA	9130	T2472SEB-BS-HA	9512	T2472SE-BS-HA	10315
30″ *(762mm)*	48″	1219	575	260.8	T3048SEB-HA	8655	T3048SE-HA	8877	T3048SEB-BS-HA	9252	T3048SE-BS-HA	10023
	60″	1524	550	249.5	T3060SEB-HA	8900	T3060SE-HA	9136	T3060SEB-BS-HA	9509	T3060SE-BS-HA	10304
	72″	1829	525	238.1	T3072SEB-HA	9130	T3072SE-HA	9406	T3072SEB-BS-HA	9759	T3072SE-BS-HA	10587

To indicate location of crank case, add suffix "**-L**" (left end), "**-R**" (right end), or "**-C**" (center) at end of model number. Example: T2448-SE-HA-**L**

Notes: For optional mobility, only THESE 5″ casters can be used: **Model #A205340** swivel, **list $138 ea.**, **#A205341** swivel w/brake, **list $140 ea**. 5″ *(127mm)* rotary bumper: **Model #A205342**, **list $30** each.

Optional H- and C-frame tubular bases available in lieu of undershelf. Consult factory.

Mobile Utility Stands

see spec sheet **EG10.26B**



patented uni-lok® system
(Patent #5,165,349)

Note: see page 215 for optional caster stabilizers.

FEATURES:

- 34″ *(864mm)* working height.
- 14 gauge 300 series stainless steel top with no-drip marine counter edge.
- Stainless steel crossbracing on three sides.
- Four 4″ *(102mm)* casters *(two with brakes)*.
- Pan rack slide holds six 18″ x 26″ *(457 x 660mm)* pans.
- 400 lb. *(181.4 kg)* total weight capacity *(top and slides)* - evenly distributed static load.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		weight		cubic	galvanized		stainless steel	
	in.	mm	lbs.	kg	feet	model #	list	model #	list
30″ width *(762mm)*	30″	762	55	24.9	3.8	**MMT3030G**	4017	**MMT3030S** •	4482
	36″	914	60	27.2	4.1	**MMT3036G**	4109	**MMT3036S**	4615

Mobile Utility Stand with Undershelf

see spec sheet **EG10.26B**



patented uni-lok® system
(Patent #5,165,349)

FEATURES:

- Top is 14 gauge 300 series stainless steel with no-drip marine counter edge.
- Stainless steel undershelf.
- Two 4″ *(102mm)* casters with brake.

Note: see page 215 for optional caster stabilizers.

	length		weight		cubic		
width	in.	mm	lbs.	kg	feet	model #	list
24″ *(610mm)*	30″	762	47	21.3	3.8	**MET2430S**	3505

Stainless Steel Lok-n-Fold™ Tables

see spec sheet **EG10.57**





with removable undershelf


FEATURES:

- Heavy gauge type 430 stainless steel top.
- Folding legs constructed of heavy gauge painted mild steel.
- Locking dimples, a safety mechanism, ensure legs are locked in place.
- 30⅞″ *(784mm)* non-adjustable height.

	length		weight capacity		cu	WITH OPEN BASE				WITH REMOVABLE GALVANIZED UNDERSHELF				WITH REMOVABLE STAINLESS STEEL UNDERSHELF			
						weight				weight				weight			
	in.	mm	lbs.	kg	ft	lbs.	kg	model #	list	lbs.	kg	model #	list	lbs.	kg	model #	list
24″ width *(610mm)*	48″	1219	360	163.3	6.0	44	20.0	**T2448F**	1147	61	27.7	**T2448F-US**	1382	61	27.7	**T2448F-USS**	1498
	60″	1524	450	204.1	7.5	48	21.8	**T2460F**	1208	65	29.5	**T2460F-US**	1493	65	29.5	**T2460F-USS**	1628
	72″	1829	540	244.9	8.9	52	23.6	**T2472F**	1378	70	31.8	**T2472F-US**	1582	70	31.8	**T2472F-USS**	1748
30″ width *(762mm)*	48″	1219	450	204.1	7.4	46	20.9	**T3048F**	1258	63	28.6	**T3048F-US**	1419	63	28.6	**T3048F-USS**	1528
	60″	1524	562	254.9	9.2	50	22.7	**T3060F**	1347	69	31.3	**T3060F-US**	1530	69	31.3	**T3060F-USS**	1655
	72″	1829	675	306.2	11.0	56	25.4	**T3072F**	1428	75	34.0	**T3072F-US**	1633	75	34.0	**T3072F-USS**	1783

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment



Features:

- Any table can be customized with overshelves of the same length.
- System can easily be changed or expanded as needed.
- Tables are caster-capable for workstation mobility.
- Overshelves' height adjustable in 1″ *(25mm)* increments for flexible and accurate placement.
- 10″ and 12″ *(254 and 305mm)* shelf widths can be intermixed on same posts.
- Split sleeve.
- Tapered collar for easy assembly.
- Overshelves shipped knocked-down.
- All shipping weights and cubic feet are approximate.

FLEX-MASTER® Overshelf System NSF

Continued on pages 208 & 209

Overshelves

see spec sheet **EG10.08**

FEATURES:

- 14 gauge 300 series shelves available upon request.
- Priced per shelf.

Note: 15″ and 18″ *(381 and 457mm)* wide shelves available. To order, replace "12" in model number with a **"15"** or **"18"** indicating desired shelf width *(example: 411584)*. For 15″ *(381mm)* wide shelves, **add 15% to list price** of 12″ *(305mm)* wide models. For 18″ *(457mm)* wide shelves, **add 30% to list price** of 12″ *(305mm)* shelves.



(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		weight		cubic	16/430		16/300	
	in.	mm	lbs.	kg	feet	model #	list ea	model #	list ea
10″ width *(254mm)*	30″	762	10.1	4.6	0.5	**411030**	592	**421030**	647
	36″	915	12.1	5.5	0.6	**411036**	597	**421036**	664
	48″	1219	13.1	6.0	0.8	**411048**	647	**421048**	734
	60″	1524	15.2	6.9	1.0	**411060**	705	**421060**	823
	72″	1829	17.2	7.8	1.2	**411072**	798	**421072**	922
	84″	2133	19.3	8.8	1.5	**411084**	889	**421084**	1012
	96″	2438	21.3	9.7	1.7	**411096**	982	**421096**	1145
	108″	2743	23.4	10.6	1.9	**411010**	1062	**421010**	1228
	120″	3048	25.4	11.5	2.1	**411012**	1147	**421012**	1307
	132″	3353	27.4	12.5	2.3	**411013**	1242	**421013**	1400
	144″	3658	29.4	13.4	2.5	**411014**	1332	**421014**	1526
12″ width *(305mm)*	30″	762	11.1	5.1	0.6	**411230**	597	**421230**	664
	36″	915	12.3	5.6	0.8	**411236**	627	**421236**	744
	48″	1219	14.8	6.7	1.0	**411248** •	683	**421248**	776
	60″	1524	17.2	7.8	1.3	**411260** •	733	**421260** •	864
	72″	1829	19.7	9.1	1.5	**411272** •	838	**421272** •	978
	84″	2133	22.1	10.0	1.8	**411284**	934	**421284**	1096
	96″	2438	24.6	11.2	2.0	**411296**	1008	**421296**	1223
	108″	2743	27.0	12.3	2.3	**411210**	1122	**421210**	1316
	120″	3048	29.5	13.4	2.5	**411212**	1252	**421212**	1414
	132″	3353	31.5	14.3	2.7	**411213**	1339	**421213**	1504
	144″	3658	33.5	15.2	2.9	**411214**	1428	**421214**	1592

Posts - FLEX-MASTER® Overshelf System

see spec sheet EG10.08



ORDERING:

- Sold in pairs.
- Each pair includes mounting plate.
- For 30″ to 72″ *(762 to 1829mm)* shelves: two pairs.
- For 84″ to 120″ *(2134 to 3048mm)* shelves: three pairs required.
- For 132″ and 144″ *(3353 and 3658mm)* shelves: four pairs required.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

height		weight		cubic	chrome		stainless steel	
in.	mm	lbs.	kg	feet	model #	list	model #	list
18″	457	1.7	0.8	0.1	**418202** •	258	**418002** •	300
30″	762	2.4	1.1	0.2	**430202** •	283	**430002** •	386
48″	1219	5.6	2.5	0.2	**448202** •	345	**448002** •	507

Utility Racks

see spec sheet EG10.08



FEATURES:

- Chrome plated.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

for overshelf length		weight		cubic			for overshelf length		weight		cubic		
in.	mm	lbs.	kg	feet	model #	list	in.	mm	lbs.	kg	feet	model #	list
30″	762	1.7	0.8	0.2	**PRT30-C**	139	84″	2133	4.1	1.9	0.4	**PRT84-C** *	284
36″	915	1.9	0.9	0.2	**PRT36-C**	162	96″	2438	4.9	2.2	0.4	**PRT96-C** *	333
48″	1219	2.1	1.0	0.2	**PRT48-C**	180	108″	2743	5.6	2.5	0.5	**PRT108-C** *	338
60″	1524	2.5	1.1	0.3	**PRT60-C**	210	120″	3048	6.2	2.8	0.5	**PRT120-C** *	350
72″	1829	2.9	1.3	0.4	**PRT72-C** •	244	132″	3353	6.9	3.1	0.6	**PRT132-C** **	377
							144″	3658	7.6	3.5	0.6	**PRT144-C** **	410

* Utility racks 84″ to 120″ *(2133 to 3048mm)* come in two pieces.
**132″ and 144″ *(3353 and 3658mm)* racks come in three pieces.

Mounting Plate

see spec sheet EG10.08



model #	list each
311915 •	47

FEATURES:


- Aluminum.
- Designed to accommodate both 10″ and 12″ *(254 and 305mm)* wide shelves.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Hooks

see spec sheet EG10.08

For use with utility racks.



FEATURES:

- Stainless steel double-prong with 2¼″ *(57mm)* prongs, or 6″ *(176mm)*-long chrome.
- Slips over utility racks.



(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

description	weight lbs.	weight kg	cubic feet	model #	list each
stainless double-prong hook	0.2	0.1	0.1	**300696** •	53
6″ (176mm)-long chrome hook	0.1	0.1	0.1	**379769**	9

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

FLEX-MASTER® Kits for All Stainless Steel Worktables

see spec sheet **EG10.08**

Kit A

description	for Budget tables* add to list	for all other tables add to list
fits 36″ *(914mm)* long worktables	2460	2693
fits 48″ *(1219mm)* long worktables	2605	2798
fits 60″ *(1524mm)* long worktables	2765	3032
fits 72″ *(1829mm)* long worktables	3053	3330

* **Note:** Kits for "Budget" worktables include 16 gauge type 430 shelves and stainless steel posts.

KIT A INCLUDES:

- Two 12″ *(305mm)* wide 16 gauge type 304 shelves.
- Two 30″ *(762mm)* stainless steel front posts.
- Two 48″ *(1219mm)* stainless steel rear posts.
- Two chrome utility racks.

To order, add suffix **"-FM-PL"** to model number.
Example: T3060SE-FM-PL.

Tabletops are predrilled for rear mounting of posts and shelves.

Kit B

description	for Budget tables* add to list	for all other tables add to list
fits 36″ *(914mm)* long worktables	2018	2250
fits 48″ *(1219mm)* long worktables	2125	2362
fits 60″ *(1524mm)* long worktables	2366	2492
fits 72″ *(1829mm)* long worktables	2438	2722

* **Note:** Kits for "Budget" worktables include 16 gauge type 430 shelves and stainless steel posts.

KIT B INCLUDES:

- Two 12″ *(305mm)* wide 16 gauge type 304 shelves.
- Four 30″ *(762mm)* stainless steel posts.

To order, add suffix **"-FM"** to model number.
Example: T3060SE-FM.

Stainless Steel Bins

see spec sheet **EG10.59**



width x length x height in.	width x length x height mm	weight lbs.	weight kg	cubic feet	model #	list
6½″ x 5½″ x 6″	165 x 140 x 152	1.5	0.7	0.1	**SB-1**	543

FEATURES:

- Designed for either overshelf or wall shelf applications.
- 22 gauge stainless steel with fully coved deep-drawn construction, complete with label holders.
- Removable bin must be allowed 7¾″ *(197mm)* space and slides on stainless steel angle supports secured to underside of shelf.

Note: Shipping weight and cubic feet are approximate.

Wall Cabinets

see spec sheet **EG02.07**

			Open Front				Hinged Doors				Sliding Doors			
length in.	length mm	cu ft	weight lbs.	weight kg	model #	list	weight lbs.	weight kg	model #	list	weight lbs.	weight kg	model #	list
24″	610	13.5	117	53.1	**WCO-24**	6149	136	61.7	**WCH-24**	8344	136	61.7	**WCS-24**	6956
30″	762	17.3	129	58.5	**WCO-30**	6156	154	69.9	**WCH-30**	9247	154	69.9	**WCS-30**	8475
36″	914	18.0	141	64.0	**WCO-36**	6384	172	78.0	**WCH-36**	9407	172	78.0	**WCS-36**	8738
42″	1067	18.2	–		–		191	86.6	**WCH-42**	9886	191	86.6	**WCS-42**	8782
48″	1219	18.3	165	74.8	**WCO-48**	7354	208	94.3	**WCH-48**	10192	208	94.3	**WCS-48**	9572
54″	1372	25.4	–		–		226	102.5	**WCH-54**	10423	226	102.5	**WCS-54**	9749
60″	1524	22.6	189	85.7	**WCO-60**	8048	244	110.7	**WCH-60**	11686	244	110.7	**WCS-60**	11069
66″	1676	30.6	–		–		256	115.1	**WCH-66**	11772	256	115.1	–	
72″	1829	26.8	213	96.6	**WCO-72**	8539	262	118.8	**WCH-72**	13094	262	118.8	**WCS-72**	12398
84″	2134	38.5	225	102.1	**WCO-84**	9009	281	127.5	**WCH-84***	13460	281	127.5	**WCS-84***	12719
90″	2286	41.7	–		–		298	135.3	**WCH-90***	14223	298	135.3	**WCS-90***	13469
96″	2438	35.2	249	112.9	**WCO-96**	10089	316	143.3	**WCH-96***	14664	316	143.3	**WCS-96***	13887
120″	3048	55.8	–		–		359	162.9	–		359	162.9	**WCS-120***	16732

* Features two pairs of doors.

FEATURES:

- Heavy gauge stainless steel.
- Back recessed, w/full-length concealed mounting plate for easy installation.
- Fixed center shelf.
- Hinged doors with lift-off pin hinges.
- 15″ *(381mm)* width. 28″ *(711mm)* overall height.



wall cabinet with hinged doors

Overshelves, Non-Adjustable

see spec sheet EG10.28



single deck overshelf



double deck overshelf

FEATURES:

- Mounted on four stainless steel, 1″ *(25mm)* diameter tubular base legs.
- Special width shelves available.

Note: Recommended that overshelves be ordered when ordering tables. Specify choice of centered or rear-mounted on table. Otherwise, table must be field-drilled for mounting overshelves.

Single Deck Overshelves, Non-Adjustable - Shipped knocked-down.

	length		# of	weight		cu	16 gauge, type 430		16 gauge, type 304		14 gauge, type 304	
	in.	mm	legs	lbs.	kg	ft	model #	list	model #	list	model #	list
10″ width *(254mm)*	36″	915	4	15	6.8	0.9	**OS1036-16/4**	1072	**OS1036-16/3**	1297	**OS1036-14/3**	1436
	48″	1219	4	19	8.6	1.3	**OS1048-16/4**	1143	**OS1048-16/3**	1418	**OS1048-14/3**	1575
	60″	1524	4	24	10.9	1.6	**OS1060-16/4**	1210	**OS1060-16/3**	1556	**OS1060-14/3**	1729
	72″	1829	4	29	13.2	1.9	**OS1072-16/4**	1297	**OS1072-16/3**	1699	**OS1072-14/3**	1884
	84″	2133	6	34	15.4	2.2	**OS1084-16/4**	1372	**OS1084-16/3**	1833	**OS1084-14/3**	2034
	96″	2438	6	37	16.8	2.5	**OS1096-16/4**	1675	**OS1096-16/3**	2183	**OS1096-14/3**	2427
	108″	2743	6	38	17.2	2.8	**OS10108-16/4**	1717	**OS10108-16/3**	2247	**OS10108-14/3**	2489
	120″	3048	6	39	17.6	3.1	**OS10120-16/4**	1782	**OS10120-16/3**	2433	**OS10120-14/3**	2715
	132″	3353	8	42	19.1	3.7	**OS10132-16/4**	1863	**OS10132-16/3**	2587	**OS10132-14/3**	2880
	144″	3658	8	46	20.9	4.2	**OS10144-16/4**	1930	**OS10144-16/3**	2720	**OS10144-14/3**	3020
12″ width *(305mm)*	36″	915	4	16	7.3	0.9	**OS1236-16/4**	1136	**OS1236-16/3**	1354	**OS1236-14/3**	1504
	48″	1219	4	20	9.0	1.3	**OS1248-16/4**	1204	**OS1248-16/3**	1487	**OS1248-14/3**	1650
	60″	1524	4	25	11.3	1.6	**OS1260-16/4**	1283	**OS1260-16/3**	1627	**OS1260-14/3**	1807
	72″	1829	4	30	13.6	1.9	**OS1272-16/4**	1375	**OS1272-16/3**	1782	**OS1272-14/3**	1980
	84″	2133	6	35	15.9	2.2	**OS1284-16/4**	1460	**OS1284-16/3**	1923	**OS1284-14/3**	2143
	96″	2438	6	38	17.2	2.5	**OS1296-16/4**	1782	**OS1296-16/3**	2319	**OS1296-14/3**	2582
	108″	2743	6	39	17.6	2.5	**OS12108-16/4**	1893	**OS12108-16/3**	2489	**OS12108-14/3**	2773
	120″	3048	6	40	18.1	3.1	**OS12120-16/4**	1958	**OS12120-16/3**	2618	**OS12120-14/3**	2909
	132″	3353	8	43	19.5	3.7	**OS12132-16/4**	2070	**OS12132-16/3**	2797	**OS12132-14/3**	3109
	144″	3658	8	47	21.3	4.2	**OS12144-16/4**	2134	**OS12144-16/3**	2923	**OS12144-14/3**	3248

Double Deck Overshelves, Non-Adjustable - All welded construction, shipped assembled.

	length		# of	weight		cu	16 gauge, type 430		16 gauge, type 304		14 gauge, type 304	
	in.	mm	legs	lbs.	kg	ft	model #	list	model #	list	model #	list
10″ width *(254mm)*	36″	915	4	31	14.1	8.6	**DOS1036-16/4**	2104	**DOS1036-16/3**	2356	**DOS1036-14/3**	2592
	48″	1219	4	39	17.6	11.4	**DOS1048-16/4**	2172	**DOS1048-16/3**	2477	**DOS1048-14/3**	2728
	60″	1524	4	48	21.8	14.2	**DOS1060-16/4**	2333	**DOS1060-16/3**	2704	**DOS1060-14/3**	2975
	72″	1829	4	59	26.8	17.0	**DOS1072-16/4**	2477	**DOS1072-16/3**	2922	**DOS1072-14/3**	3210
	84″	2134	6	69	31.3	19.8	**DOS1084-16/4**	2623	**DOS1084-16/3**	3130	**DOS1084-14/3**	3443
	96″	2438	6	75	34.0	22.6	**DOS1096-16/4**	3204	**DOS1096-16/3**	3784	**DOS1096-14/3**	4164
	108″	2743	6	77	34.9	25.4	**DOS10108-16/4**	3429	**DOS10108-16/3**	4085	**DOS10108-14/3**	4492
	120″	3048	6	79	35.8	28.2	**DOS10120-16/4**	3500	**DOS10120-16/3**	4217	**DOS10120-14/3**	4634
	132″	3353	8	85	38.6	35.8	**DOS10132-16/4**	3729	**DOS10132-16/3**	4525	**DOS10132-14/3**	4976
	144″	3658	8	92	41.7	41.8	**DOS10144-16/4**	3799	**DOS10144-16/3**	4639	**DOS10144-14/3**	5105
12″ width *(305mm)*	36″	915	4	32	14.5	8.6	**DOS1236-16/4**	2227	**DOS1236-16/3**	2476	**DOS1236-14/3**	2872
	48″	1219	4	40	18.1	11.4	**DOS1248-16/4**	2287	**DOS1248-16/3**	2664	**DOS1248-14/3**	3083
	60″	1524	4	48	21.8	14.2	**DOS1260-16/4**	2467	**DOS1260-16/3**	2862	**DOS1260-14/3**	3317
	72″	1829	4	60	27.2	17.0	**DOS1272-16/4**	2643	**DOS1272-16/3**	3065	**DOS1272-14/3**	3563
	84″	2134	6	70	31.8	19.8	**DOS1284-16/4**	2808	**DOS1284-16/3**	3358	**DOS1284-14/3**	3826
	96″	2438	6	76	34.5	22.6	**DOS1296-16/4**	3414	**DOS1296-16/3**	3976	**DOS1296-14/3**	4243
	108″	2743	6	78	35.4	25.4	**DOS12108-16/4**	3695	**DOS12108-16/3**	4142	**DOS12108-14/3**	4559
	120″	3048	6	80	36.3	28.3	**DOS12120-16/4**	3764	**DOS12120-16/3**	4350	**DOS12120-14/3**	4788
	132″	3353	8	87	39.5	35.9	**DOS12132-16/4**	4040	**DOS12132-16/3**	4836	**DOS12132-14/3**	5319
	144″	3658	8	95	43.1	42.0	**DOS12144-16/4**	4106	**DOS12144-16/3**	4967	**DOS12144-14/3**	5462

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Extra Undershelves

see spec sheet EG10.59



FEATURES:

- For tables with uni-lok® hat channel frame.
- Designed for storage of shorter, smaller items under worktable where only one undershelf might not suffice.
- Available in galvanized or stainless steel.

Note: When ordering an extra or replacement undershelf, please order per the size of your tabletop. Please note the "for table size" column in chart.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	for table size * length		weight		cu	galvanized (adjustable)		stainless steel (adjustable)			
	in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
24″ width (610mm)	24″	610	15	6.6	1.6	**2424GADJUS**	332	**2424SADJUS-18/4**	739	**2424SADJUS-18/3**	810
	30″	762	18	8.2	1.9	**2430GADJUS**	395	**2430SADJUS-18/4**	809	**2430SADJUS-18/3**	888
	36″	915	21	9.6	2.3	**2436GADJUS**	405	**2436SADJUS-18/4**	852	**2436SADJUS-18/3**	932
	48″	1219	27	12.2	3.0	**2448GADJUS**	417	**2448SADJUS-18/4**	936	**2448SADJUS-18/3**	1025
	60″	1524	33	15.0	3.7	**2460GADJUS**	436	**2460SADJUS-18/4**	1054	**2460SADJUS-18/3**	1152
	72″	1829	39	17.6	4.5	**2472GADJUS**	440	**2472SADJUS-18/4**	1178	**2472SADJUS-18/3**	1294
	84″	2134	45	20.4	5.2	**2484GADJUS**	444	**2484SADJUS-18/4**	1314	**2484SADJUS-18/3**	1436
	96″	2438	51	23.1	5.9	**2496GADJUS**	473	**2496SADJUS-18/4**	1417	**2496SADJUS-18/3**	1552
	108″	2743	57	25.9	6.6	**24108GADJUS**	489	**24108SADJUS-18/4**	1615	**24108SADJUS-18/3**	1749
	120″	3048	63	28.6	7.3	**24120GADJUS**	527	**24120SADJUS-18/4**	1625	**24120SADJUS-18/3**	1766
	132″	3353	69	31.3	8.1	**24132GADJUS**	588	**24132SADJUS-18/4**	1737	**24132SADJUS-18/3**	1889
	144″	3658	75	34.0	8.8	**24144GADJUS**	649	**24144SADJUS-18/4**	2056	**24144SADJUS-18/3**	2232
30″ width (762mm)	24″	610	17	7.5	1.9	**3024GADJUS**	345	**3024SADJUS-18/4**	863	**3024SADJUS-18/3**	938
	30″	762	21	9.5	2.4	**3030GADJUS**	417	**3030SADJUS-18/4**	926	**3030SADJUS-18/3**	1014
	36″	915	24	10.7	2.8	**3036GADJUS**	420	**3036SADJUS-18/4**	982	**3036SADJUS-18/3**	1067
	48″	1219	30	13.6	3.7	**3048GADJUS** •	436	**3048SADJUS-18/4**	1066	**3048SADJUS-18/3**	1172
	60″	1524	36	16.3	4.6	**3060GADJUS** •	444	**3060SADJUS-18/4**	1220	**3060SADJUS-18/3**	1338
	72″	1829	42	19.1	5.5	**3072GADJUS** •	473	**3072SADJUS-18/4**	1366	**3072SADJUS-18/3**	1494
	84″	2134	48	21.8	6.4	**3084GADJUS**	486	**3084SADJUS-18/4**	1512	**3084SADJUS-18/3**	1652
	96″	2438	54	24.5	7.3	**3096GADJUS**	489	**3096SADJUS-18/4**	1680	**3096SADJUS-18/3**	1837
	108″	2743	60	27.2	8.2	**30108GADJUS**	559	**30108SADJUS-18/4**	1856	**30108SADJUS-18/3**	2070
	120″	3048	66	29.9	9.0	**30120GADJUS**	594	**30120SADJUS-18/4**	2062	**30120SADJUS-18/3**	2183
	132″	3353	72	32.7	9.9	**30132GADJUS**	640	**30132SADJUS-18/4**	2282	**30132SADJUS-18/3**	2404
	144″	3658	78	35.4	10.8	**30144GADJUS**	708	**30144SADJUS-18/4**	2474	**30144SADJUS-18/3**	2686

* Undershelves for 30″ *(762mm)* wide tables listed above also fit 36″ *(915mm)* wide tables.

Table Mounted Microwave Shelves

NSF

see spec sheet EG10.25



FEATURES:

- 16 gauge type 304 stainless steel.
- 24″ x 24″ *(610 x 610mm)* microwave area.
- 16⅝″ *(422mm)* clearance above tabletop.
- Six stainless steel posts.

						Left Side		Right Side		Center				
	length		weight		cu					weight		cu		
	in.	mm	lbs.	kg	ft	model #	list	model #	list	lbs.	kg	ft	model #	list
12″ width (305mm)	60″	1524	30	13.6	1.9	**MOS1260L**	2008	**MOS1260R**	2008	32	14.5	2.1	**MOS1260C**	2277
	72″	1829	35	15.9	2.4	**MOS1272L**	2273	**MOS1272R**	2273	38	17.2	2.6	**MOS1272C**	2543
	84″	2133	40	18.1	3.0	**MOS1284L**	2458	**MOS1284R**	2458	43	19.5	3.2	**MOS1284C**	2725
	96″	2438	45	20.4	3.4	**MOS1296L**	2725	**MOS1296R**	2725	48	21.8	3.7	**MOS1296C**	2837

Drawers

- For stainless steel and hardwood tables.
- Type 430 stainless steel.

Note: To specify drawer assemblies for hardwood tables *(page 199)*, you must order model #605500 mounting kit *(at no additional charge)* along with drawer selected.

To specify drawer assemblies for custom equipment *(fabricated through SpecFAB®)* which requires angle frame construction, you must order model #605499 *(at no additional charge)* mounting kit along with drawer selected.

Drawer Capacity Per Table

Drawers can be centered, left or right.
Holes are predrilled for 20″ x 20″ drawers only.

table length in.	table length mm	15″ x 20″ (381 x 508mm) drawer capacity per table	20″ x 20″ (508 x 508mm) drawer capacity per table
24″	610	0	0
30″	762	1 centered	0
36″	914	1 centered	1 centered
48″	1219	1 centered; or 1 left & 1 right	1 centered
60″	1524	1 centered; or 1 left & 1 right	1 centered; or 1 left & 1 right
72″	1829	3 *(1 centered, 1 left, 1 right)*	1 centered; or 1 left & 1 right
84″	2134	4	1 centered; or 1 left & 1 right
96″	2438	4 *(2 left, 2 right)*	2 *(1 left, 1 right)*
108″	2743	4 *(2 left, 2 right)*	4 *(2 left, 2 right)*
120″	3048	4 *(2 left, 2 right)*	4 *(2 left, 2 right)*
132″	3353	6 *(3 left, 3 right)*	4 *(2 left, 2 right)*
144″	3658	6 *(3 left, 3 right)*	4 *(2 left, 2 right)*

Drawers with Polymer Slides

see spec sheet **EG10.13A**



Weight Capacity up to 20 lbs.

Note: For use on standard worktables only, not for equipment using angle frame construction.

No locks are available for these drawers.

FEATURES:

- ½″ *(13mm)* thick polycarbonate grooved friction slides.
- To specify drawer assemblies for tabletops with box marine edge, you must order one of the following based on the table width, along with drawer selected:
  - #611383 for 24″-wide tables
  - #611384 for 30″-wide tables
  - For tables 36″ and wider, consult factory.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

width x length x height in.mm	width x length x height ft	cu lbs.	For ALL 24″ STANDARD tables: weight kgmodel #		list		lbs.	For ALL 30″ & 36″ STANDARD tables: weight kgmodel #		list		lbs.	For 36″ tables with FRAMING specified AT 30⅛″ CENTER LINES: weight kgmodel #		list	lbs.
20″ x 15″ x 5″	508 x 381 x 127	1.4	13	5.8	**502976***	•	333	13	5.8	**503007***	•	333	13	5.8	**503011***	333
20″ x 20″ x 5″	508 x 508 x 127	1.4	13	5.8	**502975****	•	395	13	5.8	**503006**	•	395	13	5.8	**503010**	395

* Tables must be field drilled for mounting; ** #502975 will protrude past tabletop width.

Drawers with Pull Flange

see spec sheet **EG10.13A**



FEATURES:

- Includes full-extension zinc-plated steel slides with rubber stops.

Note: No locks are available for these drawers.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

width x length x height in.	width x length x height mm	weight lbs.	weight kg	cubic feet	model #		list
20″ x 15″ x 5″	508 x 381 x 127	13	5.8	1.4	**502941***	•	454
20″ x 20″ x 5″	508 x 508 x 127	13	5.8	1.4	**500772**	•	525

* Tables must be field drilled for mounting.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Drawers with Pull Flange & Full Front

see spec sheet EG10.13A



FEATURES:

- Includes full-extension zinc-plated steel slides with rubber stops.
- Hemmed safety pull handle.

Note: No locks are available for these drawers.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

width x length x height in.	width x length x height mm	weight lbs.	weight kg	cubic feet	model #	list
20″ x 15″ x 5″	508 x 381 x 127	25	11.3	3.0	**502942 * •**	675
20″ x 20″ x 5″	508 x 508 x 127	25	11.3	3.0	**501571 •**	738

* Tables must be field drilled for mounting.

Tier Drawers - Regular

see spec sheet EG10.13B



tier drawer



tier drawer with legs

FEATURES:

- Heavy gauge type 430 stainless steel cabinet with three roller-track drawers.
- With or without legs.
- Guides.
- Full-extension zinc-plated steel slides.
- Stainless steel drawer.
- Hemmed safety pull handle on each drawer.

Note: All shipping weights and cubic feet are approximate.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

width x length x height inches	width x length x height mm	description	weight lbs.	weight kg	cubic feet	model #	list
22½″ x 24″ x 22″	572 x 610 x 559	3 drawers, nylon feet	75	34.0	9.8	**TD3 •**	4528
22½″ x 24″ x 34½″	572 x 610 x 876	3 drawers, with legs	78	35.4	9.8	**TD3L**	5112

NSF-Approved Tier Drawers NSF

see spec sheet EG10.13B



removable NSF drawer slide

model #NTD3L with NSF-certified drawer

FEATURES:

- Utilizes totally removable drawer slides certified by the National Sanitation Foundation.
- Otherwise, design and features are the same as tier drawers mentioned above.
- Hemmed safety pull handle on each drawer.

Notes: These drawers can be integrated into a table. **Model #NTD3I. $5604 list.**

Optional Pan Replacement available. **Model #608120. $214 list.**

width x length x height inches	width x length x height mm	description	weight lbs.	weight kg	cubic feet	model #	list
22½″ x 24″ x 22″	572 x 610 x 559	3 drawers, nylon feet	75	34.0	9.8	**NTD3**	4850
22½″ x 24″ x 34½″	572 x 610 x 876	3 drawers, with legs	78	35.4	9.8	**NTD3L**	5118

Drawer Assemblies

see spec sheet **EG10.13B**



enclosed drawer assembly



SPEC-MASTER® heavy duty drawer assembly

For Stainless Steel and Hardwood Tables!

FEATURES:

- Removable drawer pan.

Note: All shipping weights and cubic feet are approximate.

Lock available. **$237 list**. To order, add suffix **"-L"**. **Example: 502972-L.**

To determine number of drawers per table, see chart on page 212.


(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

width x length x height (drawer pan only)		cu	Enclosed Assemblies (NSF) Type 430 stainless steel, front with hemmed safety pull handle, and full-extension stainless steel slides.						SPEC-MASTER® Heavy Duty Assemblies (NSF) Type 304 stainless steel, insulated front and self-closing drawer slides that fully extend from housing. ***THESE ASSEMBLIES ARE STACKABLE!!***					
			weight				OPTIONAL PAN REPLACEMENT		weight				OPTIONAL PAN REPLACEMENT	
in.	mm	ft	lbs.	kg	model #	list	model #	list	lbs.	kg	model #	list	model #	list
20″ x 15″ x 5″	508 x 381 x 127	3.0	35	15.9	**502943** * •	1288	**608115**	356	40	18.1	**502972** * •	2080	**608117**	436
20″ x 20″ x 5″	508 x 508 x 127	3.0	35	15.9	**501572** •	1339	**608116**	356	40	18.1	**502971** •	2153	**606826**	449

* Tables must be field drilled for mounting.

Drawer Assemblies With NSF-Approved Slides (NSF)

see spec sheet **EG10.13B**



removable NSF drawer slide



#502946 or 502947 drawer assembly

FEATURES:

- Type 430 stainless steel.
- Utilizes a totally removable drawer slide, making it easy to clean for complete sanitation.
- Requires no tools.
- All-stainless steel housing, frame, drawer front complete with full-length front pull flange, and removable drawer pan with large radius corners.
- Hemmed safety pull handle.

Note: To determine number of drawers per table, see chart on page 212. Optional lock available. **$277 list**. To order, add suffix **"-L"**. **Example: 502946-L.**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

width x length x height (drawer pan only)		weight		cubic			OPTIONAL PAN REPLACEMENT	
in.	mm	lbs.	kg	feet	model #	list	model #	list
20″ x 15″ x 5″	508 x 381 x 127	35	15.9	3.0	**502947** * •	1327	**608115**	356
20″ x 20″ x 5″	508 x 508 x 127	35	15.9	3.0	**502946** •	1389	**608116**	356

* Tables must be field drilled for mounting.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Polymer Drawers (NSF)

see spec sheet **EG10.13A**

FEATURES:

- Made of heavy gauge polymer.
- With pull flange and built-in drawer stop.



width x length x depth in.	width x length x depth mm	weight lbs.	weight kg	cubic feet	model #	list
13⅞″ x 19″ x 3″	352 x 483 x 76	9	4.1	1.4	**502948**	536
13⅞″ x 19″ x 6″	352 x 483 x 152	13	5.8	3.0	**502949**	642
13⅞″ x 19″ x 9″	352 x 483 x 229	18	8.2	4.5	**502950**	778

Drawer Kits for All Stainless Steel Worktables

see spec sheet **EG10.13A**

description	add * suffix #	add to list
enclosed assembly *(#501572)* with 20″ x 20″ x 5″ *(508 x 508 x 127mm)* drawer pan	**-D1**	1339
20″ x 20″ x 5″ *(508 x 508 x 127mm)* drawer with pull flange and full front *(#501571)*	**-D2**	738
20″ x 20″ x 5″ *(508 x 508 x 127mm)* drawer with pull flange *(#500772)*	**-D3**	525

* Example: **T3060SB-D3**

Stainless Steel Caster Cradle®

see product announcement **EG8108M**

FEATURES:

- The only caster stabilizing device with a patented uniform circular design (patent #US 8,678,335 B2) that allows for approach from any angle.
- Units are secured to the floor where the casters are to be centered.



description	model #	list/pkg
quantity of 2 per package	**CC-S-2**	166
quantity of 10 per package	**CC-S-10**	655
quantity of 60 per package	**CC-S-60**	3672

The Benefits of Broadline Manufacturing from EAGLE.

Call Your EAGLE GROUP Representative Now To Place Your Order.

Table Mounted Utility Tool Racks

see spec sheet EG10.12



FEATURES:

- Furnished with 1⅝″ *(41mm)* stainless steel tubular supports extending through table top and fastened securely to adjustable undershelf.
- Racks are triple-bar type made of 3/16″ x 2″ *(5 x 51mm)*, aluminum or type 304 stainless steel bars bolted together and fitted with one two-prong sliding hook per foot.

NOTE: All shipping weights and cubic feet are approximate. Worktables with Utility Tool Rack not recommended for use with casters.


(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

				Aluminum						Stainless Steel				
fits table length		rack length		weight		cu ft	model #	list		weight		cu ft	model #	list
in.	mm	in.	mm	lbs.	kg					lbs.	kg			
36″	914	28″	711	38	17.2	1.7	**TM36APR**	1719		50	22.7	1.7	**TM36PR**	2055
48″	1219	40″	1016	42	19.1	1.9	**TM48APR**	1788		57	25.9	1.9	**TM48PR**	2172
60″	1524	52″	1321	46	20.9	1.9	**TM60APR**	1848		64	29.0	1.9	**TM60PR**	2287
72″	1829	64″	1626	50	22.7	1.9	**TM72APR**	1936		70	31.8	1.9	**TM72PR** •	2407
84″	2134	76″	1930	54	24.5	1.9	**TM84APR**	2307		77	34.9	1.9	**TM84PR**	2844
96″	2438	88″	2235	58	26.3	2.1	**TM96APR**	2378		83	37.6	2.1	**TM96PR**	2962
108″	2743	100″	2540	62	28.1	2.3	**TM108APR** *	2885		89	40.4	2.3	**TM108PR** *	3582
120″	3048	112″	2845	66	29.9	2.5	**TM120APR** *	2973		95	43.1	2.5	**TM120PR** *	3729
132″	3353	124″	3150	71	32.2	2.8	**TM132APR** *	3059		102	46.3	2.8	**TM132PR** *	3918
144″	3658	136″	3454	76	34.5	3.1	**TM144APR** *	3162		109	49.4	3.1	**TM144PR** *	3992

* These racks include center tubular support.

Optional Adjustable Shelves for Table Mounted Pan/Pot Racks

12″ *(305mm)* wide. 16 gauge, type 304 stainless steel.



optional adjustable shelf for table mounted pot/pan racks

shelf length		weight		cubic feet	model #	list
in.	mm	lbs.	kg			
36″	914	16	7.3	0.9	**TM36PRS**	838
48″	1219	20	9.0	1.3	**TM48PRS**	906
60″	1524	25	11.3	1.6	**TM60PRS**	973
72″	1829	30	13.6	1.9	**TM72PRS**	1045
84″	2134	35	15.9	2.2	**TM84PRS**	1122
96″	2438	39	17.6	2.5	**TM96PRS**	1243
108″	2743	41	18.6	3.1	**TM108PRS**	3104
120″	3048	45	20.4	3.6	**TM120PRS**	3134
132″	3353	49	22.2	4.1	**TM132PRS**	3273
144″	3658	53	24.0	4.7	**TM144PRS**	3309

Single Bar Pot Racks

see spec sheet EG10.06

			ALUMINUM				STAINLESS STEEL			
	length		weight				weight			
	in.	mm	lbs.	kg	model #	list	lbs.	kg	model #	list
8½″ width *(216mm)*	24″	610	5	2.3	**SBPR-24-A**	294	9	4.1	**SBPR-24-S**	395
	36″	915	6	2.7	**SBPR-36-A**	445	12	5.4	**SBPR-36-S**	559
	48″	1219	7	3.2	**SBPR-48-A**	474	15	6.8	**SBPR-48-S**	627
	60″	1524	9	4.1	**SBPR-60-A**	509	18	8.2	**SBPR-60-S**	693
	72″	1829	11	5.0	**SBPR-72-A**	703	21	9.5	**SBPR-72-S**	906
	84″	2134	13	5.9	**SBPR-84-A**	728	25	11.3	**SBPR-84-S**	966
	96″	2438	15	6.8	**SBPR-96-A**	908	29	13.2	**SBPR-96-S**	1169
	108″	2743	17	7.7	**SBPR-108-A**	973	34	15.4	**SBPR-108-S**	1263
	120″	3048	20	9.0	**SBPR-120-A**	999	39	17.6	**SBPR-120-S**	1326

* For overall lengths, add 5-1/8″ *(130mm)*.

FEATURES:

- Flat 3/16″ *(5mm)*-thick, 2″ *(51mm)*-wide solid bar.
- 24″ *(610mm)* racks are one-piece, all others come with support brackets.
- Includes one two-prong hook per foot.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



single bar utility rack



utility hook

Additional Hook for Single Bar Utility Racks

- Stainless steel.

weight		cu ft	model #	list ea.
lbs.	kg			
0.2	0.1	0.1	**300696** •	53

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Ceiling Mounted Utility Tool Racks

see spec sheet **EG10.12**



FEATURES:

- Furnished with chain hangers for ceiling suspension.
- Racks are triple-bar type made of 3⁄16″ x 2″ *(5 x 51mm)*, aluminum or type 304 stainless steel bars bolted together, and fitted with one two-prong sliding hook per foot.


Note: All shipping weights and cubic feet are approximate.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

rack length		Aluminum					Stainless Steel				
		weight		cu			weight		cu		
in.	mm	lbs.	kg	ft	model #	list	lbs.	kg	ft	model #	list
28″	711	28	12.7	0.7	**CM36APR**	1386	41	18.6	0.7	**CM36PR**	1766
40″	1016	32	14.5	0.9	**CM48APR** •	1453	48	21.8	0.9	**CM48PR** •	1847
52″	1321	36	16.3	1.2	**CM60APR** •	1518	54	24.5	1.2	**CM60PR** •	1970
64″	1626	40	18.1	1.6	**CM72APR** •	1606	60	27.2	1.6	**CM72PR** •	2086
76″	1930	44	20.0	1.9	**CM84APR**	1985	67	30.4	1.8	**CM84PR**	2538
88″	2235	48	21.8	2.1	**CM96APR**	2048	74	33.6	2.1	**CM96PR**	2649
100″	2540	53	24.0	2.5	**CM108APR**	2395	81	36.7	2.5	**CM108PR**	3334
112″	2845	58	26.3	2.9	**CM120APR**	2426	87	39.5	2.9	**CM120PR**	3519
124″	3150	63	28.6	3.3	**CM132APR**	2552	94	42.6	3.3	**CM132PR**	3567
136″	3454	68	30.8	3.7	**CM144APR**	2605	101	45.8	3.7	**CM144PR**	4070

Wall Mounted Utility Tool Racks

see spec sheet **EG10.12**



FEATURES:

- Racks are double-bar type made of 3⁄16″ x 2″ *(5 x 51mm)*, aluminum or type 304 stainless steel bars bolted together, and fitted with one two-prong sliding hook per foot.
- Stainless steel brackets.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

rack length		Aluminum					Stainless Steel				
		weight		cu			weight		cu		
in.	mm	lbs.	kg	ft	model #	list	lbs.	kg	ft	model #	list
36″	914	13	5.8	1.0	**WM36APR** •	499	18	8.2	1.0	**WM36PR** •	577
48″	1219	15	6.8	1.2	**WM48APR** •	525	22	10.0	1.2	**WM48PR** •	698
60″	1524	17	7.7	1.4	**WM60APR** •	596	26	11.8	1.4	**WM60PR** •	744
72″	1829	19	8.6	1.8	**WM72APR** •	764	29	13.2	1.8	**WM72PR** •	944
84″	2134	21	9.5	2.0	**WM84APR** •	803	33	15.0	2.0	**WM84PR** •	1026
96″	2438	23	10.4	2.3	**WM96APR** •	985	37	16.8	2.3	**WM96PR** •	1454
108″	2743	25	11.3	2.6	**WM108APR**	1192	41	18.6	2.6	**WM108PR**	1633
120″	3048	28	12.7	2.9	**WM120APR**	1205	45	20.4	2.9	**WM120PR**	1729
132″	3353	31	14.1	3.2	**WM132APR**	1394	50	22.7	3.3	**WM132PR**	1753
144″	3658	34	15.4	3.5	**WM144APR**	1497	55	24.9	3.5	**WM144PR**	2207

Corner Guards

see spec sheet **EG10.14**




- Adheres to corner of adjacent wall(s).
- Heavy gauge stainless steel.
- Adhesive tape backing.

height		2″ x 2″ Inner Corner Guards		2″ x 2″ Outer Corner Guards	
in.	mm	model #	list	model #	list
36″	914	**CG-I-36**	198	**CG-O-36**	198
48″	1219	**CG-I-48**	236	**CG-O-48**	236
60″	1524	**CG-I-60**	269	**CG-O-60**	269
72″	1829	**CG-I-72**	295	**CG-O-72**	295

- Options / Accessories / Replacements -

Please allow six to eight weeks shipping cycle for custom fabrication after receipt of approved drawings.
Add 10% upcharge to expedite 4-week shipping cycle.



see spec sheet **EG10.50**

model #	description	unit	list
E10	Square edge table - front and/or rear	per table	398
E11	Marine counter edge	per table	855
E12	"V" type marine edge	per table	855
E13	Bullnose edge	per table	810
E15	Vertical tray dividers - 4-section assembly, 3″ on centers	each	1263
300698	Casters - 4″ *(102mm)*-diameter with brake	each	195
300699	Casters - 4″ *(102mm)*-diameter without brake	each	185
317635	Casters - 5″ *(127mm)*-diameter with brake	each	254
317636	Casters - 5″ *(127mm)*-diameter without brake	each	254
313835	Stainless steel flanged bullet feet	each	53
300692	Bullet feet - stainless steel	each	36
301036	Bullet feet - white metal	each	19
300293	Bullet feet - plastic	each	5
E17	Special height legs	per table	299
E18 *	Duplex receptacle and mounting plate (under table)	each	748
E18.1 *	Duplex receptacle in splash (requires at least 6″-high splash)	each	722
E18.2 *	Pedestal duplex receptacle (top of table or overshelf)	each	836
E19	Stainless steel gussets	each	65
	Sinks — complete with faucet and basket drain (Specify location)		
E20	- 10″ x 14″ x 9.5″ bowl *(254 x 356 x 241mm)*	each	2016
E21	- 14″ x 16″ x 9.5″ bowl *(356 x 406 x 241mm)*	each	2116
E22 **	- 16″ x 20″ x 8″ bowl *(406 x 508 x 203mm)*	each	2255
E23 **	- 16″ x 20″ x 14″ bowl *(406 x 508 x 356mm)*	each	2504
E24 **	- 18″ x 20″ x 14″ bowl *(457 x 508 x 356mm)*	each	2742
E24A	- 20″ x 20″ x 14″ *(508 x 508 x 356mm)*	each	2763
E25 **	- 24″ x 24″ x 14″ *(610 x 610 x 356mm)* for 36″ (914mm)-wide tables	each	3737
313304	T&S faucet upgrade - deck mount 4″ *(102mm)* centers	each	1119


model #	description	unit	list
300720	Lever drains - 1.5″ I.P.S. *(38mm)*	each	436
300721	Lever drains - 2″ I.P.S. *(51mm)*	each	436
300722	Lever drains - 2″ I.P.S. *(51mm)* with overflow	each	889
341189 ***	Twist handle drains - 1.5″ I.P.S. *(38mm)*	each	456
336002 ***	Twist handle drains - 2″ I.P.S. *(51mm)*	each	456
341190 ***	Twist handle drains - 2″ I.P.S. *(51mm)* with overflow	each	1034
E27	Top cutout - square or round (Specify location)	each	536
E28	Angle slides for pans, up to six pairs Specify location and pan size.	set	1034
E29	Urn trough, 4.5″ wide x 1.25″ deep *(114 x 32mm)* with 1.5″ *(38mm)* drain, complete with louvered grate. (Length must be maximum of 6″ shorter than table. Specify location.)	lin. ft	272
E30	End splash — per end (Specify end), all heights	each	585
E31	1.5″ *(38mm)* rear upturn for undershelf	table	236
E32	Can opener hole with under table support (Specify location)		380
E33	Sink splashes — single thickness 4″ tall *(102mm)*	each	600
E34	Column cutout (Send floor plan/sketch)	each	1244

NOT PICTURED


model #	description	unit	list
606329	Scrap chute, 6″ *(152mm)*-diameter	each	418
606331	Knife rack (fits rolled rim, poly, and square edge tables)	each	612
E35	16 gauge s/s apron in front of sinks or cutouts	lin. ft	295
E36	Fully welded - top, undershelf & legs	each	943
E36A	Welded base only - undershelf & legs	each	633
E37	NSF sprayed-on sound deadening up to 12′ *(3658mm)*	table	1272
E37A	- for each additional foot	lin. ft	103
E38-6 ****	Cantilever mount up to 6′ *(1829mm)* - add to wall shelf price	each	739
E38-12 ****	Cantilever mount up to 12′ *(3658mm)* - add to wall shelf price	each	1106
E39	Enclosed backsplash	lin. ft	159

* For GFI receptacle, add "**-GFI**" to E number (example: E18.1-**GFI**) and $77 to list price.
** These sink bowls will not fit in a table any less than 30″ *(762mm)* wide.
*** Optional twist drain brackets available for use with twist handle drains.
**** Applicable to wall mount shelves and pot racks.


Optional Sinks Built Into Tables – Standard Locations



sink on left/right side of table




sink on center of table



sink with faucet on end of table

Optional Table Edges



100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

NOTES

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

Accessories/Replacements
Hand Sinks 233-236
All Other Sinks 237, 242, 259-261

Custom Options 259

412, 414, and 314 Series Sinks
One-Compartment 238
Two-Compartment 239
Three-Compartment 240
Four-Compartment 241

Cool Trough® Water Tempering Systems 264-265
Portable Cool Trough® 267

Counter Drop-In Sinks 254-256

Floor Drains/Troughs 262-26

Hand Sinks 222-236
Accessories 233-236
Electronic 225-226
HFL-5000 Touchless Handwashing System 222
Physically Challenged / ADA 229
With Waste Receptacle 232


Seamless Welded-In Sinks 257-259

SPEC-MASTER® Heavy Duty Sinks
One-Compartment FN Series 243
Two-Compartment FN Series 244
Three-Compartment FN Series 245
Four-Compartment FN Series 246
FFN Series Flush Front 249
Specialty Use/Parts Cleaning 251

Specialty Sinks
314 Series Corner 250
310 / 312 Series Specialty Use 251
Lavatory 236
Mop Sink Storage Cabinets 253
Mop Sinks 252

Utility Sinks 247-249

EAGLE HAND SINKS WITH MICROGARD® Antimicrobial Protection.



NOW HERE'S A GREAT IDEA:

Making your handwashing stations more convenient and accessible by integrating them into your work sequence. What better way to attain more frequent handwashing.

Let the industry's clean leader help by giving you the widest range of hand sink choices – many available with exclusive MICROGARD® Antimicrobial Protection. More models, configurations and accessories mean more design options for you... so you'll have more efficient work areas, along with improved hygiene.

For all the details on how EAGLE hand sinks add up to better sanitation, **visit www.eaglegrp.com.**

Stainless Steel Fabricated Sinks

see spec sheets **EG20.14** **EG20.15**

FEATURES:

- 14″-deep *(356mm)* bowls with ¾″ *(19mm)* radius corners.
- 8″ *(203mm)*-high backsplash with ¾″ *(19mm)* upturn and tile edge.

20″ x 20″ (508 x 508mm) bowls *(except where noted*)*



S14-20-3-18-SL



S16-20-3-18

# of bowls	drainboard length in.	drainboard length mm	# of drbds	overall length in.	overall length mm	S14 Series: 14 gauge type 304 stainless steel construction model #	S14 Series list	S16 Series: 16 gauge type 304 stainless steel construction model #	S16 Series list
						Stainless steel legs, crossbracing, gussets and bullet feet.		Galvanized legs, crossbracing and gussets, and plastic bullet feet.	
1	n/a		0	29″	737	**S14-20-1-SL**	3022	**S16-20-1**	2663
2	18″	457	1	67½″	1715	**S14-20-2-18R-SL**	5253	**S16-20-2-18R**	4625
	18″	457	1	67½″	1715	**S14-20-2-18L-SL**	5253	**S16-20-2-18L**	4625
	18″	457	2	81″	2057	**S14-20-2-18-SL**	5526	**S16-20-2-18**	4865
3	18″	457	1	89½″	2273	**S14-20-3-18R-SL**	6927	**S16-20-3-18R**	6095
	18″	457	1	89½″	2273	**S14-20-3-18L-SL**	6927	**S16-20-3-18L**	6095
	18″	457	2	103″	2616	**S14-20-3-18-SL**	7292	**S16-20-3-18**	6415
	24″	610	1	95½″	2426	**S14-20-3-24R-SL**	7223	**S16-20-3-24R**	6356
	24″	610	1	95½″	2426	**S14-20-3-24L-SL**	7223	**S16-20-3-24L**	6356
	24″	610	2	115″	2921	**S14-20-3-24-SL**	7606	**S16-20-3-24**	6689
3	18″	457	2	103″	2616	**S14-28-3-18-SL** *	9233	**S16-28-3-18** *	8118

* #S14-28-3-18-SL and #S16-28-3-18 sinks feature 28″-wide x 20″-long *(711 x 508mm)* sink bowls and two sets of faucet holes.

HFL-5000 Touch-Free Handwashing Systems

see spec sheet **EG20.55**

- EAGLE hand sink with MICROGARD® antimicrobial protection.
- Automated paper towel dispenser. EAGLE part #384796.
- Splash-mount gooseneck faucet, with electronic eye sensor. Eagle part #384969 or EAGLE part #369865.
- Hand sanitizing dispenser. EAGLE part #377455.
- Hand soap dispenser. EAGLE part #377456.
- Glove rack with single service gloves. EAGLE part #352855.
- Soft bristle white nail brush. EAGLE part #348602

Refer to specification sheet for full component details and specifications.



description of hand sink included	model #	list
with waste receptacle	**HFL-5000**	7837
with skirt *(no waste receptacle)*	**HFL-5000-S**	6986
with waste receptacle and end splashes	**HFL-5000-LRS**	8303

Optional MICROGARD®* for Hand Sinks!

(See pages 223-232 for applicable hand sinks.)

- MICROGARD® is an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew on the surface that cause stains, odors and degradation.
- MICROGARD® combines inorganic antimicrobial silver ions with a patented delivery system. The patented delivery system triggers the release of silver ions which react with bacteria in three ways:
  1) Suffocates the cell.
  2) Stops the cell reproduction system.
  3) Stops the cell from growing.
- MICROGARD® is a second line of defense. In keeping with good hygiene practices, clean this product as usual. The protection will not wash out, while organic bactericides may.**
- MICROGARD® is applied onto top and underside of sink deck, backsplash, and inside & outside of sink bowl *(excludes faucets, drains, towel/soap dispensers, waste receptacle, skirt, pedal valves, and nail brush holder).*

* MICROGARD® does not protect users or others against bacteria, viruses, germs or other disease organisms. Always clean this product thoroughly after each use.

** **Note:** To clean, use mild soap and water, rinse, and wipe entire surface dry. Soft non-abrasive cleaners may be used when necessary. Strong abrasive cleaners will scratch and dull the surface.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglegrp.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Traditional Hand Sinks (NSF)

see spec sheet **EG20.40**

MICROGARD®
an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

FEATURES:

- All sinks are wall mountable.
- Deep-drawn seamless design.
- Positive drain, included on all models.
- All type 304 stainless steel.
- Splash mount gooseneck faucet included on all models except HSA-10.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Cleanest sinks in the industry!

HSA-10* • list: 956



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 12¾″ *(376 x 480 x 324mm)*
weight:	10 lbs. *(4.5 kg)*
cubic feet:	3.0
includes:	*4″ (102mm)* centerline faucet holes, basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $218** to list price.

HSA-10-FAW • list: 1505



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 12¾″ *(376 x 480 x 324mm)*
weight:	14 lbs. *(6.4 kg)*
cubic feet:	2.8
includes:	Faucet with wrist handles, p-trap, tail piece, basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $218** to list price.

HSA-10-F • list: 1119



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 12¾″ *(376 x 480 x 324mm)*
weight:	12 lbs. *(5.2 kg)*
cubic feet:	2.8
includes:	Faucet, basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $218** to list price.

HSA-10-FL • list: 1603



bowl size:	10″ x 14″ x 5″ *(254 x 356 x 127mm)*
overall size:	14¾″ x 18⅞″ x 12½″ *(376 x 480 x 318mm)*
weight:	15 lbs. *(6.6 kg)*
cubic feet:	3.0
includes:	Faucet, polymer lever drain.

HSA-10-FA • list: 1182



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 12¾″ *(376 x 480 x 324mm)*
weight:	14 lbs. *(6.4 kg)*
cubic feet:	3.0
includes:	Faucet, p-trap, tail piece, basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $218** to list price.

HSA-10-FO • list: 1328



bowl size:	10″ x 14″ x 5″ *(254 x 356 x 127mm)*
overall size:	14¾″ x 18⅞″ x 12½″ *(376 x 480 x 318mm)*
weight:	13 lbs. *(5.6 kg)*
cubic feet:	3.0
includes:	Faucet, polymer lever drain w/overflow.

* To order hand sink with no faucet holes, add suffix **"-NH"** to model number **(example: HSA-10-NH)**. **$250 upcharge.**

Hand Sinks with Standard Towel Dispenser and/or Soap Dispenser

see spec sheets **EG20.05** **EG20.41**

MICROGARD®
an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

FEATURES:

- Deep-drawn positive drain and splash mount gooseneck faucet included on all models.
- All 304 series stainless steel, including towel dispenser.
- Soap dispenser on all models holds 16 ounces.
- Towel dispenser holds 4″ x 10″ *(102 x 254mm)* C-fold disposable paper towels.

HSA-10-FDP — list: 2355



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 19¼″ x 28¼″ *(376 x 489 x 718mm)*
weight:	29 lbs. *(13.2 kg)*
cubic feet:	6.2
includes:	Faucet, towel dispenser, soap dispenser, basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $218** to list price.

HSA-10-FODP — list: 2888



bowl size:	10″ x 14″ x 5″ *(254 x 356 x 127mm)*
overall size:	14¾″ x 19¼″ x 28″ *(376 x 489 x 711mm)*
weight:	30 lbs. *(13.6 kg)*
cubic feet:	6.2
includes:	Faucet, towel dispenser, soap dispenser, polymer lever drain w/overflow.

HSA-10-FDPS — list: 3594



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 19¼″ x 30″ *(376 x 489 x 762mm)*
weight:	29 lbs. *(13.2 kg)*
cubic feet:	6.2
includes:	Faucet, towel dispenser, soap dispenser, skirt, basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $218** to list price.

HSA-10-F-DS* — list: 1473



(See page 231 for #HSAN-10-F-DS)

bowl size:	9¾″ x 13½″ x 6½″ *(248 x 343 x 165mm)*
overall size:	14 13/16″ x 18⅞″ x 12¾″ *(376 x 480 x 324mm)*
weight:	12 lbs. *(5.2 kg)*
cubic feet:	2.8
includes:	Faucet, 16-oz deck-mt soap dispenser, basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $218** to list price.

HSA-10-FLDP — list: 2827



bowl size:	10″ x 14″ x 5″ *(254 x 356 x 127mm)*
overall size:	14¾″ x 19¼″ x 28″ *(376 x 489 x 711mm)*
weight:	32 lbs. *(14.5 kg)*
cubic feet:	6.2
includes:	Faucet, towel dispenser, soap dispenser, polymer lever drain.

HSA-10-FWLDP-LRS — list: 3815



bowl size:	10″ x 14″ x 5″ *(254 x 356 x 127mm)*
overall size:	14¾″ x 19¼″ x 28″ *(376 x 489 x 711mm)*
weight:	30 lbs. *(13.6 kg)*
cubic feet:	6.2
includes:	Faucet with wrist handles, towel dispenser, soap dispenser, polymer lever drain, and side splashes.

* Overall height does not include soap dispenser bottle. See page 231 for "Space-Saver" hand sink with deck-mount soap dispenser.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Electronic Eye Hand Sinks - AC POWER

see spec sheet **EG20.42**

Note: For regulating water temperature, Temperature Adjustment Valve *(see page 234)* is required.

MICROGARD®
an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

FEATURES:

- Electronic "eye" sensor beam activates water flow and adjusts from 3″ to 12″ *(76 to 305mm).*
- Requires 120-volt, 15-amp electricity.
- 120-volt AC adapter.
- Splash mount gooseneck spout.
- Lever or basket drain.
- Y-Inlet Non-Adjustable Mixing Valve.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

HSA-10-FE*• list: 4070



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 12¾″ *(376 x 480 x 324mm)*
weight:	14 lbs. *(6.3 kg)*
cubic feet:	3.0
includes:	Spout, electronic eye, and basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $218** to list price.

HSA-10-FDPE * list: 5825



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 19¼″ x 28¼″ *(376 x 489 x 718mm)*
weight:	31 lbs. *(14.1 kg)*
cubic feet:	6.2
includes:	Spout, electronic eye, soap dispenser, towel dispenser, and basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $218** to list price.

HSA-10-FOE list: 4278



bowl size:	10″ x 14″ x 5″ *(254 x 356 x 127mm)*
overall size:	14¾″ x 18⅞″ x 12½″ *(376 x 480 x 318mm)*
weight:	13 lbs. *(5.7 kg)*
cubic feet:	3.0
includes:	Spout, electronic eye, and polymer lever drain with overflow.

HSA-10-FODPE list: 5849



bowl size:	10″ x 14″ x 5″ *(254 x 356 x 127mm)*
overall size:	14¾″ x 19¼″ x 28″ *(376 x 489 x 711mm)*
weight:	30 lbs. *(13.6 kg)*
cubic feet:	6.2
includes:	Spout, electronic eye, soap dispenser, towel dispenser, and polymer lever drain with overflow.

HSA-10-FA-PE list: 5417



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 40¾″ *(376 x 480 x 1036mm)*
weight:	28 lbs. *(12.7 kg)*
cubic feet:	9.5
includes:	Spout, electronic eye, soap dispenser, P-trap, tail piece, and basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $218** to list price.

HSA-10-FDPEE list: 6378



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 19¼″ x 31¼″ *(376 x 489 x 794mm)*
weight:	30 lbs. *(13.6 kg)*
cubic feet:	6.2
includes:	Spout, electronic eye, towel dispenser, electronic soap dispenser, and basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $218** to list price.

* Optional waste receptacle available for models HSA-10-FE, HSA-10-FPDE, and HSA-10-FDPEE. See page 235.

Electronic Hand Sinks - Battery Power

NSF

see spec sheets **EG20.07** **EG20.49**

FEATURES:

- Battery-powered electronic-eye faucet which operates on four "AA" batteries (included).
- Y-Inlet Non-Adjustable Mixing Valve.
- "Low battery" indicator light.

MICROGARD®
an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

HSA-10-FDPEE-B-T — list: 8954



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 19¼″ x 47½″ *(376 x 489 x 1207mm)*
weight:	54 lbs. *(24.5 kg)*
cubic feet:	9.8
includes:	Battery-powered electronic eye faucet, towel dispenser, electronic soap dispenser, waste receptacle & skirt, and basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $218** to list price.

HSAP-14-ADA-FE-B — list: 8929



bowl size:	16″ x 14″ x 5″ *(406 x 356 x 127mm)*
overall size:	24″ x 22″ x 24½″ *(610 x 559 x 623mm)*
weight:	65 lbs. *(29.5 kg)*
cubic feet:	19.2
includes:	Battery-powered electronic eye faucet, basket drain, c-fold towel dispenser in front, deck-mount soap dispenser, skirt.

HSA-10-FE-B-DS * — list: 5056



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¹³⁄₁₆″ x 18⅞″ x 12¾″ *(376 x 480 x 324mm)*
weight:	16 lbs. *(7.3 kg)*
cubic feet:	3.0
includes:	Battery-powered electronic eye faucet, deck-mount soap dispenser, basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $218** to list price.

HSA-10-FE-B-NB-MG — list: 5155



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¹³⁄₁₆″ x 18⅞″ x 12¾″ *(376 x 480 x 324mm)*
weight:	26 lbs. *(11.8 kg)*
cubic feet:	3.0
includes:	Battery-powered electronic eye faucet, splash-mount nail brush holder, nail brush, MICROGARD®, basket drain.

MICROGARD®
Standard

HSAN-10-FE-B-DS* — list: 5664



bowl size:	13½″ x 9¾″ x 6¾″ *(343 x 248 x 171mm)*
overall size:	17¹³⁄₁₆″ x 12⅛″ x 14¼″ *(457 x 308 x 362mm)*
weight:	16 lbs. *(7.3 kg)*
cubic feet:	2.8
includes:	Battery-powered electronic eye faucet, deck-mount soap dispenser, basket drain.

HSA-10-FE-B-T-NB-MG — list: 6353



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¹³⁄₁₆″ x 18⅞″ x 29⅛″ *(376 x 480 x 740mm)*
weight:	25 lbs. *(11.3 kg)*
cubic feet:	8.1
includes:	Battery-powered electronic eye faucet, splash-mount nail brush holder, nail brush, MICROGARD® waste receptacle & skirt, basket drain.

MICROGARD®
Standard

* Overall height does not include soap dispenser bottle.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Miscellaneous Hand Sinks

NSF

see spec sheets **EG20.21** **EG20.44**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

MICROGARD®
an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

HSA-10-FKP — list: 2704



single knee pedal valve

bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 17½″ *(376 x 480 x 445mm)*
weight:	26 lbs. *(11.8 kg)*
cubic feet:	6.0
includes:	Spout, single pedal knee valve, skirt, basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $196** to list price.

HSA-10-FA-P • — list: 2475



with Foot Valve Operation

bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 40⅛″ *(376 x 480 x 1019mm)*
weight:	32 lbs. *(14.5 kg)*
cubic feet:	7.4
includes:	Spout, foot pedal valves, P-trap, tail piece, basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $218** to list price.

HSA-10-1FK*• — list: 2426



with Knee Valve Operation

bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 17½″ *(376 x 480 x 445mm)*
weight:	27 lbs. *(12.2 kg)*
cubic feet:	4.0
includes:	Spout, single knee pedal, skirt, and basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $218** to list price.

HSA-10-FA-1P • — list: 2475



with Foot Valve Operation

bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 40⅛″ *(376 x 480 x 1019mm)*
weight:	32 lbs. *(14.5 kg)*
cubic feet:	10.2
includes:	Spout, single foot pedal valve, P-trap, tail piece, basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $218** to list price.

HSA-10-FDPK * — list: 3714



with Knee Valve Operation

bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 19¼″ x 33″ *(376 x 489 x 838mm)*
weight:	44 lbs. *(20.0 kg)*
cubic feet:	6.2
includes:	Spout, knee pedals, skirt, soap dispenser, towel dispenser, basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $218** to list price.

HSA-10-FK* • — list: 2426



with Knee Valve Operation

bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 17½″ *(376 x 480 x 445mm)*
weight:	27 lbs. *(12.2 kg)*
cubic feet:	3.9
includes:	Spout, knee pedals, skirt, and basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $218** to list price.

HSA-10-FW • — list: 1294



with Standard Wrist Handles

bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 12¾″ *(376 x 480 x 324mm)*
weight:	14 lbs. *(6.4 kg)*
cubic feet:	3.0
includes:	Faucet with wrist handles, basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $218** to list price.

* Overall height does not include skirt and knee valves.

Portable Hand Sinks (NSF)

see spec sheets **EG20.06A** **EG8132**



portable hand sink with stainless steel cabinet and single sink bowl



portable hand sink with laminate cabinet and removable water plate.

FEATURES:

- Stainless steel top features box marine edge and rear backsplash.
- 5-gallon fresh water tank, 7-gallon gray water tank.
- Deck mount faucet with 1/4-turn handles.
- Towel rack and trash chute included.
- NEMA 5-15 plug & cord.

Notes: Optional Poly Cutting Board available. 3/4″-thick. Green color. **Model #376509**, **list $306**.

Custom portable hand sinks available through SpecFAB®.

Sinks with Stainless Steel Cabinet—Comes with 4″ *(102mm)* swivel casters▾ (two with brake).

description	bowl size width x length x depth in.	mm	overall size width x length x height in.	mm	WITH COLD WATER ONLY weight * lbs.	kg	model #	list	WITH HOT & COLD WATER lbs.	kg	model #	list
with single S/S bowl	14″ x 10″ x 5″	356 x 254 x 127	24″ x 26″ x 44½″	610 x 660 x 1130	232	105.2	**PHS-S-C**	9504	251	113.9	**PHS-S-H**	11734
with 3-compartment bowl	11⅝″ x 6⅛″ x 5″	295 x 156 x 127	24″ x 26″ x 44½″	610 x 660 x 1130	232	105.2	**PHS-S3-C**	9812	251	113.9	**PHS-S3-H**	12352
with acrylic water plate**	12½″ x 16″	32 x 406	24″ x 26″ x 44½″	610 x 660 x 1130	232	105.2	**PHS-A-C**	11395	251	113.9	**PHS-A-H**	13515

Sinks with Laminated Cabinet—Features Wilsonart® "Biltmore Cherry." Comes with 3″ *(76mm)* swivel casters▾ (two with brake).

description	bowl size width x length x depth in.	mm	overall size width x length x height in.	mm	WITH COLD WATER ONLY weight * lbs.	kg	model #	list	WITH HOT & COLD WATER lbs.	kg	model #	list
with single S/S bowl	14″ x 10″ x 5″	356 x 254 x 127	25″ x 28″ x 44½″	635 x 711 x 1130	237	107.5	**PHS-S-C-LB**	10643	262	118.8	**PHS-S-H-LB**	11920
with 3-compartment bowl	11⅝″ x 6⅛″ x 5″	295 x 156 x 127	25″ x 28″ x 44½″	635 x 711 x 1130	237	107.5	**PHS-S3-C-LB**	10792	262	118.8	**PHS-S3-H-LB**	14038
with acrylic water plate**	12½″ x 16″	32 x 406	25″ x 28″ x 44½″	635 x 711 x 1130	237	107.5	**PHS-A-C-LB**	12537	262	118.8	**PHS-A-H-LB**	14867

▾ 150 lb. (68.0 kg) weight capacity per caster.
* Weights shown reflect empty tanks.
** Features 12½″ x 16″ *(32 x 406mm)* removable polycarbonate water plate which drains into a stainless steel trough, and deck-mount faucet.

Portable Hand Sinks with Open Base (NSF)

see spec sheet **EG20.06B**

NEW



shown with optional wrist handle faucet

Units with Wire Undershelf also available!
—See Spec Sheet.

FEATURES:

- Same inclusions as Portable Hand Sinks with Cabinet *(above)*, but with open base instead.
- Stainless steel undershelf with cord wrap and marine edge.
- 1⅝″ *(41mm)*-diameter stainless steel legs with 4″ *(102mm)*-diameter casters, two w/brake.
- Removable 12¾″ x 10⅜″ x 6″ pan.

overall width x length x height* in	mm	WITH COLD WATER ONLY weight lbs.	kg	model #	list	WITH HOT & COLD WATER weight lbs.	kg	model #	list
30″ x 30″ x 34⅞″	762 x 762 x 886	217	98.4	**PHSE-S-C**	7949	217	98.4	**PHSE-S-H**	9716

* Working height, excludes height of faucet.

NEW

Portable Hand Sink Supply Cart

see spec sheet **EG20.06C**

Accommodates two 5-gallon tanks and two 7-gallon tanks (sold separately)
—See Spec Sheet.



FEATURES:

- 24″ x 24″ (610 x 610mm) chrome-plated wire shelf and wire storage basket and four-sided wire truss frame.
- 5″ (127mm) casters—two with brake—with resilient tread and donut bumper.

overall width x length x height in	mm	model #	list
31 15/16″ x 26 3/16″ x 39″	1811 x 665 x 991	**PHS-SUPCRT-A**	1065

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Hand Wash Sinks

see spec sheet EG20.47



Model # HWC-E



Model # HWB-E

FEATURES:

- Type 304 stainless steel all-welded construction.
- 1½″ *(38mm)* bull nose front edge.
- Hinged door with pull handle and magnetic catch.
- Pump-action soap dispenser on rear deck.
- Built-in front-loading C-fold towel dispenser located in front of sink bowl.
- Deck-mounted faucet.
- Basket drain.
- Crumb cup.

Space-Saver Models—Wall-mountable. Furnished with Z-clips to secure to wall.

bowl size width x length x depth in.	mm	overall size width x length x height in.	mm	WITH STANDARD FAUCET weight lbs.	kg	model #	list	WITH T&S FAUCET weight lbs.	kg	model #	list
9¼″ x 11½″ x 6″	235 x 292 x 152	16⁹⁄₁₆″ x 14″ x 21¼″	421 x 356 x 540	36	16.3	**HWC-E**	4486	37	16.8	**HWC-T**	4897

Drop-In Models

bowl size width x length x depth in.	mm	overall size width x length x height in.	mm	cutout dimensions width x length in.	mm	WITH STANDARD FAUCET weight lbs.	kg	model #	list	WITH T&S FAUCET weight lbs.	kg	model #	list
9¼″ x 11½″ x 6″	235 x 292 x 152	17½″ x 16½″ x 17¼″	445 x 419 x 438	16″ x 14⅞″	406 x 378	32	14.5	**HWB-E**	4693	33	15.0	**HWB-T**	5099

Physically Challenged Hand Sinks

see spec sheet EG20.45

FEATURES:

- Standard with faucet and basket drain.

Designed for unique applications!


(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

HSAP-14-FW — list: 3219



bowl size:	16″ x 14″ x 5″ *(406 x 356 x 127mm)*
overall size:	24⅛″ x 19″ x 16½″ *(613 x 483 x 419mm)*
weight:	26 lbs. *(11.8 kg)*
cubic feet:	6.5
includes:	Faucet, basket drain, and wall brackets.

HSAP-14-ADA-FE-B — list: 8929



bowl size:	16″ x 14″ x 5″ *(406 x 356 x 127mm)*
overall size:	24″ x 22″ x 24½″ *(610 x 559 x 623mm)*
weight:	65 lbs. *(29.5 kg)*
cubic feet:	19.2
includes:	Battery-powered electronic eye splash-mount faucet, c-fold towel dispenser in front, deck mount soap dispenser, skirt, basket drain.

HSAP-14-ADA-FW — list: 7637



bowl size:	16″ x 14″ x 5″ *(406 x 356 x 127mm)*
overall size:	24″ x 22″ x 24½″ *(610 x 559 x 623mm)*
weight:	55 lbs. *(24.9 kg)*
cubic feet:	14.1
includes:	Splash-mount faucet w/wrist handles, c-fold towel dispenser in front, deck mount soap dispenser, skirt, basket drain.

Replacement T&S Faucets for HSAP-14-ADA-FW

Top quality splash-mount faucets. 4″ center.

features	model #	list
gooseneck spout	**306134**	999
wrist handles, gooseneck spout	**313305**	997



#313305

Hand Sinks with Side Splashes NSF

see spec sheet **EG20.56**

FEATURES:
- Standard with faucet and basket drain.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

HSA-10-F-LRS • list: 1978



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 12¾″ *(376 x 480 x 324mm)*
weight:	14 lbs. *(6.4 kg)*
cubic feet:	3.9
includes:	Faucet, basket drain, and side splashes.

HSAN-10-F-LRS • list: 2188



bowl size:	13½″ x 9¾″ x 6¾″ *(343 x 248 x 173mm)*
overall size:	18″ x 12″ x 14¼″ *(457 x 305 x 362mm)*
weight:	13 lbs. *(5.9 kg)*
cubic feet:	2.8
includes:	12″ *(305mm)* side-to-side, faucet, basket drain, and side splashes.

HSA-10-FTWS-LRS list: 2623



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 12¾″ *(376 x 480 x 324mm)*
weight:	21 lbs. *(9.5 kg)*
cubic feet:	3.5
includes:	Faucet, tubular wall brackets, basket drain, and side splashes.

HSA-10-FDPE-LRS list: 6680



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 19¼″ x 28¼″ *(376 x 489 x 718mm)*
weight:	31 lbs. *(14.1 kg)*
cubic feet:	2.8
includes:	Spout with electronic eye, towel dispenser, soap dispenser, basket drain, and side splashes.

Miscellaneous Hand Sinks NSF

see spec sheet **EG20.31**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

MICROGARD®
an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

HSA-10-FAW • list: 1505



with Standard Wrist Handles

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $218** to list price.

bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 12¾″ *(376 x 480 x 324mm)*
weight:	14 lbs. *(6.4 kg)*
cubic feet:	2.8
includes:	Faucet with wrist handles, P-trap, tail piece, basket drain.

HSA-10-FTWS list: 1765



with Tubular Wall Support

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $218** to list price.

bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 12¾″ *(376 x 480 x 324mm)*
weight:	20 lbs. *(9.0 kg)*
cubic feet:	3.0
includes:	Faucet, tubular wall brackets, basket drain.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Space-Saver Series Hand Sinks

see spec sheets EG20.05 EG20.43

FEATURES:
- Standard with faucet and basket drain.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

MICROGARD®
an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

HSAN-10-F • list: 1332



Only 12″ (305mm) side-to-side to maximum space efficiency.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $218** to list price.

bowl size:	13½″ x 9¾″ x 6¾″ *(343 x 248 x 171mm)*
overall size:	18″ x 12″ x 14¼″ *(457 x 305 x 362mm)*
weight:	12 lbs. *(5.2 kg)*
cubic feet:	2.8
includes:	Splash mount faucet, basket drain.

HSAND-10-F • list: 1112



Only 12″ (305mm) side-to-side to maximum space efficiency.

bowl size:	13½″ x 9¾″ x 6¾″ *(343 x 248 x 171mm)*
overall size:	19⅝″ x 12″ x 14¼″ *(498 x 305 x 362mm)*
weight:	12 lbs. *(5.2 kg)*
cubic feet:	2.8
includes:	Deck mount faucet, basket drain.

HSANT-FS list: 1573



19½″ (495mm) backsplash and skirt

bowl size:	13½″ x 9¾″ x 6¾″ *(343 x 248 x 171mm)*
overall size:	18″ x 12″ x 26½″ *(457 x 305 x 673mm)*
weight:	26 lbs. *(11.8 kg)*
cubic feet:	6.5
includes:	Faucet, 19½″ *(495mm)* high backsplash, basket drain.

HSAN-10-F-DS * list: 1699



bowl size:	13½″ x 9¾″ x 6½″ *(343 x 248 x 165mm)*
overall size:	17¹³⁄₁₆″ x 12⅛″ x 14¼″ *(457 x 308 x 362mm)*
weight:	12 lbs., 5.2 kg
cubic feet:	2.8
includes:	Faucet, deck-mount soap dispenser, basket drain.

* Overall height does not include soap dispenser globe.

Stainless Steel Cleaner & Polish



- Cleans and polishes in one step.
- Does not streak or leave fingerprints.
- Leaves a protective invisible coating.

weight oz.	weight kg	model #	list
15	0.4	**004026**	36

Special Purpose Hand Sinks

see spec sheets EG20.20 EG20.36 EG20.37 EG20.48

FEATURES:
- Standard with faucet and basket drain.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Designed for unique applications!

MICROGARD®
an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

Hand Sink with Deck Mount Faucet

HSAD-10-F • list: 1034



bowl size:	9¾″ x 13½″ x 6¾″ *(249 x 343 x 171mm)*
overall size:	16½″ x 18⅞″ x 12¾″ *(419 x 479 x 324mm)*
weight:	14 lbs. *(6.4 kg)*
cubic feet:	3.0
includes:	Faucet and basket drain.

Economical Hand Sink

- Faucet is deck mounted gooseneck.

HSAE-10-FA • list: 1244



bowl size:	10″ x 14″ x 5″ *(254 x 356 x 127mm)*
overall size:	15″ x 16¾″ x 9″ *(381 x 425 x 229mm)*
weight:	10 lbs. *(4.5 kg)*
cubic feet:	3.0
includes:	Faucet, p-trap, tail piece, basket drain, wall brackets, 4″ *(102mm)* high backsplash.

Hand Sink with Waste Receptacle-*Patent protected*

- U.S. Patent #5,732,422.
- Faucet is splash mounted gooseneck.

HSA-10-FDP-T list: 3430



MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $218** to list price.

bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 19¼″ x 44⅝″ *(376 x 480 x 1133mm)*
weight:	29 lbs. *(13.2 kg)*
cubic feet:	6.2
includes:	Faucet, basket drain, 12-oz soap dispenser, towel dispenser, waste skirt, and waste receptacle.

Hand Sink with 8″ *(203mm)* Centerline Faucet Holes

- Accommodates splash-mount faucet with 8″ *(203mm)* centerline.

HSA-10-8 list: 927



MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $218** to list price.

bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 12¾″ *(376 x 480 x 324mm)*
weight:	10 lbs. *(4.5 kg)*
cubic feet:	3.0
includes:	8″ *(203mm)* centerline faucet holes *(no faucet)*, basket drain

Hand Sink with 8″ *(203mm)* Centerline Faucet

- Faucet is splash mounted gooseneck.

HSA-10-8F list: 1193



MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $218** to list price.

bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 12¾″ *(376 x 480 x 324mm)*
weight:	12 lbs. *(5.2 kg)*
cubic feet:	3.0
includes:	Faucet on 8″ *(203mm)* center, basket drain.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Hand Sink Accessories -Faucets & Valves

see spec sheet **EG20.52A**



splash mounted faucet



deck mounted faucet



deck mounted faucet with 8˝ spout



drinking bubbler

FEATURES:

- All faucets below feature 4˝ *(102mm)* centers, except where noted.

Note: Faucets listed are lead-free AB1953-compliant.

Can be shipped UPS.

Standard Faucets

- With 4˝ *(102mm)* center, except #313075.

description	model #	list
splash mounted, gooseneck spout	**303987**	309
wrist handles	**307120**	195
splash mounted with wrist handles, gooseneck spout	**306495**	645
deck mounted, gooseneck spout, 1/4-turn handles	**302004**	343
deck mounted, 8˝ *(203mm)* spout, 1/4-turn handles	**301248**	307
drinking bubbler	**318495**	1085
splash mounted, gooseneck spout, 8˝ *(203mm)* center	**313075**	303

Repair Kit for Standard Faucets



- For faucets #303987, 302004, and 301248 only.

description	model #	list
hot/cold ceramic cartridge	**368421**	56

Faucet-Mount Emergency Eyewash Units





#377563

- Fits in place of standard aerator on spout.

description	model #	list
pull valve activation, includes two dust covers, chrome finish	**326272**	882
rotate to activate, polished stainless finish, “eye-pod” design	**377563**	1759

IMPORTANT NOTE: If anti-scald valve (see below) is needed, order #373848 only.

Anti-Scald Valve for Faucet-Mount Emergency Eyewash Units

- This is the only anti-scald valve to be used with faucet-mount emergency eyewash units (above).
- Meets ANSI Z358.1 and ASSE 1071 standards.

description	model #	list
½˝ *(13mm)* NPT, 65 - 90˚F	**373848**	3972

Battery-Powered Electronic-Eye Faucets



T&S faucet

- Used as a replacement to sinks on page 225 *(by adding suffix **“-B”**)*, or as a replacement faucet for sinks on page 226 via the model number below.

description	model #	list
Splash mount. Comes with four “AA” batteries and built-in low-battery indicator	**326014**	2923
Upgrade: T&S electric-eye faucet, splash-mtd with batteries and AC adapter for dual operation. With AC adapter plugged in, faucet automatically switches to AC power to conserve batteries.	**356128**	3132

Short 90˚ for Splash Mount Faucets



description	model #	list
set of two, 1/2˝ NPT female x male	**376740**	104

Spouts/Spout Assemblies



description	model #	list
splash-mount replacement gooseneck for knee/foot valve-operated models	**312162**	627

Shut-Off Valve



- Antibacterial surface.
- Screws onto faucet aerator.
- Polished chrome finish.

description	model #	list
shut-off push bar	**349921**	130

Anti-Scald Valve



- Automatic shutdown with either hot or cold water failure.
- ASSE 1016 and 1017 listed.

IMPORTANT: Not for use with Faucet-Mount Emergency Eyewash Units.

description	model #	list
½˝ *(13mm)* NPT, 100 - 145˚F	**326696**	1172

Hand Sink Accessories - Valves

see spec sheet **EG20.52A**

Can be shipped UPS.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Temperature Adjustment Valve ("Mixing Valve")

- For hand sinks with AC-powered electronic faucet or hand sinks with single pedal valves.
- Cast brass body.
- ⅜″ *(10mm)* all connections.



description	model #	list
built-in check valves to prevent backflow and adjustment screw valves to mix hot and cold	**326015**	203

Non-Adjustable Y-Inlet Mixing Valve

- For electronic hand sinks and hand sinks with single pedal valves only.
- "Y" shaped single-piece component. Chrome-plated brass body.



description	model #	list
Male connections; threads are ⅝-24 UNEF	**342938**	60

Tempering Valve

- Maximum output of 120˚F.
- Maximum pressure of 150 psi.
- ASSE 1016 and 1070 listed.



description	model #	list
thermoplastic body, ⅜″ *(10mm)* male compression fittings, 80˚F-120˚F, 0.5-2.5 gpm, built-in check valve	**375612**	630



single foot pedal valve



double foot pedal valve



knee pedal valve

Pedal Valves

description	DOUBLE PEDALS model #	DOUBLE PEDALS list	SINGLE PEDALS model #	SINGLE PEDALS list
foot pedal valve, floor mount	**300604**	699	**355994**	699
knee pedal valve	**313481**	934	**351738**	934

Replacement Cartridge for all Pedal Valves: **Model # 374955. List: $58**

Hand Sink Accessories - Miscellaneous

see spec sheet **EG20.52B**

Can be shipped UPS.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



#318496 towel dispenser



#DP-10 towel dispenser



#384796 towel dispenser

Towel/Soap Dispensers

description	model #	list
type 304 with conventional soap dispenser	**DP-10*•**	1530
type 304 stainless, with electric eye soap dispenser	**DP-20***	3186
type 304 stainless, wall mounted	**318496**	536
break-resistant plastic, touchless, wall mounted	**384796**	271

* Fits all HSA hand sinks except Space Saver models.



conventional soap dispenser



soap dispenser with electric eye



deck mount soap dispenser

Soap Dispensers

description	model #	list
soap dispenser, conventional, 12-oz	**300602**	59
soap dispenser, wall mounted with electric eye	**377456**	492
soap dispenser, deck-mount, 16-oz	**324074**	226

Hand Sanitizing Dispenser


description	model #	list
Purell/LTX, wall mounted	**377455**	492




hand sanitizing dispenser

Plumbing

description	model #	list
tail piece, nickel-plated	**300791**	33
P-trap, nickel-plated	**300789**	172





Nail Brush and Nail Brush Holder

- To order nail brush and nail brush holder, add suffix **"-NB"** to hand sink model number. **Example: HSA-10-F-NB .**

description	model #	list each
infectious-control nail brush made of FDA-approved material, splash-mount stainless steel nail brush holder	add suffix **"-NB"**	210

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Hand Sink Accessories - Miscellaneous

see spec sheet **EG20.52B**

Can be shipped UPS.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Waste Receptacle

PATENTED DESIGN

- U.S. Patent #5,732,422.
- 20 gauge stainless steel.
- Removable.
- Comes with skirt.
- Must be factory installed.

Note: To order, add suffix **"-T"** to hand sink model number.
Example: HSA-10-F-T.

for models:	model #	list
HSA-10; HSA-10-F; HSA-10-FA; HSA-10-FDP; HSA-10-FE; HSA-10-FDPE; HSA-10-FDPEE; and HSA-10-FW	add suffix **"-T"**	1159



HSA-10-FDP-T hand sink with waste receptacle

End Splashes…

- Type 304 stainless steel.

Note: Will not work with Space Saver Hand Sinks *(page 231)* that have faucets with wrist handles.

…Factory-installed

Notes: To order, add suffix **"-LS"** *(left end splash)*, **"-RS"** *(right end splash)*, or **"-LRS"** *(both end splashes)*. **Example: HSA-10-F-LRS.**

MICROGARD® cannot be put on hand sinks with end splashes.

descriptions	model #	list
left end splash only	add suffix **"-LS"**	433
right end splash only	add suffix **"-RS"**	433
left and right end splash	add suffix **"-LRS"**	866



hand sink with optional end splashes

…for Field-installation

descriptions	model #	list each
one self-adhesive side splash, can be used for right or left application	**HSA-SSK** •	275
same as above, but fits only on Physically Challenged sinks (page 229)	**HSAP-SSK**	333



pair of end splashes for field installation



polymer lever drain

Wall Brackets

- 14 gauge type 304 stainless steel.

descriptions	model #	list
side mounting, one pair	**606396** •	405
same as above, but fit only Space Saver models	**611869**	405



pair of wall brackets

Skirt Assembly

- Type 304 stainless steel.

fits models:	model #	list
HSA-10; HSA-10-F; HSA-10-FA; HSA-10-FDP; HSA-10-FE; HSA-10-FDPE; HSA-10-FDPEE; and HSA-10-FW.	**606215** •	906
HSAN-10-F	**607560**	642



Drains

description	maximum flow rate gallons per minute	maximum flow rate gallons per hour	model #	list
polymer lever drain fits 3½″ *(89mm)* diameter holes	11	660	**319931**	147
overflow assembly for lever drain #319931 *(above)*	-	-	**319932**	67
1½″ *(38mm)* drain assembly, fits 2″ *(51mm)* dia. hole	12	720	**300886**	26
mini crumb cup for 1½″ *(38mm)* drain	-	-	**300966**	8
s/s basket drain assembly fits 3½″ *(89mm)* diameter holes w/crumb cups	18	1080	**300287**	40
cast metal lever drain with overflow assembly, with 7¼″ *(185mm)* long lever, fits 3½″ *(89mm)* diameter holes	-	-	**347771***	412

* Applicable only for hand sinks with overflow, replaces #319931/319932 assembly.

Hot Water Heater

see spec sheet **EG20.52B**



99% EFFICIENT!
Flow switch activates heater only on demand—no standby heat loss.

No temperature/pressure relief valve needed (check local codes), reducing installation cost.

applicable hand sinks include:	add suffix #	list each
HSA-10; HSA-10-F; HSA-10-FA; HSA-10-FDP; HSA-10-FE; HSA-10-FDPE; HSA-10-FDPEE; HSA-10-FW; HSA-10-FA-P; and HSAD-10-F.	**"-WH"**	4267

FEATURES:

- For EAGLE hand sinks with 10″ x 14″ *(254 x 356mm)* rounded bowl.
- Stainless steel pedestal base features notches for electrical wiring and front access panel.
- Unit comes equipped with an energy-saving tankless water heater. 120V 29A electricity. 0.5 GPM. 150 PSI maximum operating pressure (minimum 25 PSI).
- Water is heated instantaneously when faucet is on.
- To order, add suffix **"-WH"** to model number and **add $4267 to list price** of hand sink. **Example: HSA-10-FDPEE-WH**

Note: Must be field-wired.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Lavatory Sinks

see spec sheet **EG20.12**

Replacements for Lavatory Sinks

description	to fit process sink model #	model #	list
splash mount spout	P1916, P1916FE, W1916	**300600**	353
drain assembly	P1916, P1916FE, W1916,	**300287**	40
temperature adjustment valve, or "mixing valve"	P1916FE	**326015**	203

FEATURES:

- A marine edge.
- Type 304 stainless steel sink bowl.
- Gooseneck spout.
- Soap dispenser.
- Basket drain.
- Wall mount and pedestal models available.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

W1916-FA • list: 2744



wall mounted

bowl size:	15¾″ x 19¾″ x 8⅞″ *(400 x 500 x 225mm)*
sink overall size:	23″ x 24¼″ x 16¹⁄₁₆″ *(584 x 616 x 408mm)*
shipping wt:	35 lbs., 15.9 kg
cubic feet:	1.6
includes:	Gooseneck faucet, soap dispenser, basket drain.

P1916 • list: 4627



pedestal mounted, foot pedal valve

bowl size:	15¾″ x 19¾″ x 8⅞″ *(400 x 500 x 225mm)*
sink overall size:	23″ x 24¼″ x 39¹⁄₁₆″ *(584 x 616 x 992mm)*
shipping wt:	48 lbs., 21.8 kg
cubic feet:	1.6
includes:	Gooseneck spout, soap dispenser, pedestal with foot valves, basket drain.

W1916 list: 5255



wall mounted, knee valve operation

bowl size:	15¾″ x 19¾″ x 8⅞″ *(400 x 500 x 225mm)*
sink overall size:	23″ x 24¼″ x 16¹⁄₁₆″ *(584 x 616 x 408mm)*
shipping wt:	43 lbs., 19.5 kg
cubic feet:	1.6
includes:	Gooseneck spout, soap dispenser, knee valves, basket drain.

P1916FE list: 6194



pedestal mounted, electronic-eye operation

bowl size:	15¾″ x 19¾″ x 8⅞″ *(400 x 500 x 225mm)*
sink overall size:	23″ x 24¼″ x 39¹⁄₁₆″ *(584 x 616 x 992mm)*
shipping wt:	48 lbs., 21.8 kg
cubic feet:	1.6
includes:	Gooseneck spout with electronic-eye operation, soap dispenser, pedestal, basket drain.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment



Euro-style edging on front and sides.

Sink Kits for 412, 414, and 314 Series Sinks

see spec sheet **EG20.51A**


Standard Sink Kit components:

Stainless steel gussets

Stainless steel crossbraced legs

Stainless steel feet

T&S faucet #313293





lever drain (with Kit B)



twist handle drain (with Kit D)

Kit A

Add suffix **"-CLF"** to sink model number.

description	add to list price
1 faucet	2247
2 faucets	3369

Kit B

Standard sink kit components plus lever drain. Add suffix **"-CLFD"** to sink model number.

description	add to list price
1 faucet	2247
2 faucets	3369
per lever drain	436

Kit C

Standard sink kit components plus lever drain with overflow. Add suffix **"-CLFDO"** to sink model number.

description	add to list price
1 faucet	2247
2 faucets	3369
per lever drain with overflow	889

description	add to list price
1 faucet	2247
2 faucets	3369
per twist handle drain	456

Kit E

Standard sink kit components plus twist handle drain with overflow and twist handle bracket. Add suffix **"-CLFDOT"** to sink model number.

description	add to list price
1 faucet	2247
2 faucets	3369
per twist handle drain with overflow	1034

412, 414, and 314 Series Sinks
Deep Drawn Construction

- Deep drawn seamless coved corner sink bowls of all units have a generous radius and are rectangular for maximum capacity.
- Legs are galvanized, 1⅝″ *(41mm)* diameter.
- Crossbraced front-to-back with 1″ *(25mm)* diameter galvanized tubing.
- Leg gussets are welded to a die-cut heavy-gauge reinforcing plate, and welded adjacent to sink bowl for maximum stability and support.
- 9½″ *(241mm)* standard backsplash includes 1″ *(25mm)* upturn and tile edge for easy installation and feathering to wall/splash surface.
- Basket-type waste drains are included to fit sink bowl's 3½″ *(89mm)* opening and feature 1½″ *(38mm)* outlet.
- 30″ and 36″ *(762 and 914mm)* drainboards available upon request.

Note: **Stainless steel legs with front-to-back crossbracing available *(does not include stainless steel feet).***

To order, **add $674 to list price** and suffix **"-SL"** to model number **(example: 414-16-1-SL)**.

To order stainless steel legs and gussets, **add $932 to list price** and suffix **"-SLG"** to model number **(example: 414-16-1-SLG).**

Adjustable front-to-back crossbracing available. Add suffix **"-ACB"** to model number, and **add $315** to list price. Example: 414-16-1-**ACB**

Left-to-right crossbracing available. For galvanized, add **5% to list price** and suffix **"-CBG"** to model number.

For stainless steel *(does not include stainless steel legs)*, **add 10% to list price** and suffix **"-CBS"** to model number **(example: 414-16-1-CBS).**

Twist drain brackets available. Works in conjunction with optional twist handle drains *(not included – see page 260).* To order, **add $56 per compartment to list price** and suffix **"-TB"** to model number. **Example: 414-16-1-TB.**

For overflow hole *(does not include drain)*, **add $83 per compartment to list price** and suffix **"-OF"** to model number **(example: 414-16-1-OF).**

Sink accessories, see pages 259-261.

All shipping weights and cubic feet are approximate.

ALL SINKS SHIPPED FULLY CRATED.

412, 414, and 314 Series Sinks
One-Compartment Sinks

NSF

see spec sheets **EG20.03** **EG20.23** **EG20.27**



2″-wide euro-style edging

one-compartment sink with double drainboards



one-compartment sink with one drainboard

412 SERIES:
- All heavy gauge type 430 construction.
- 10½″ *(267mm)* deep sink bowl.
- 44″ (1118mm) overall height.

414 SERIES:
- 14″ *(356mm)* deep heavy gauge type 304 sink bowl with type 430 drainboards, and backsplash.
- 44″ (1118mm) overall height.

314 SERIES:
- All heavy gauge type 304 construction.
- 14″ *(356mm)* deep sink bowl.
- 44″ (1118mm) overall height.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

One Compartment, No Drainboards

bowl size width x length		drainboard length		weight		cu	overall size width x length		GOOD 412 Series - see spec sheet - EG20.03		BETTER 414 Series - see spec sheet - EG20.23		BEST 314 Series - see spec sheet - EG20.27	
in.	mm	in.	mm	lbs.	kg	ft	in.	mm	model #	list	model #	list	model #	list
20″ x 16″	508 x 406	–		40	18.1	10.5	27½″ x 23¼″	699 x 591	**412-16-1** •	3127	**414-16-1** •	3594	**314-16-1** •	4065
24″ x 18″	610 x 457	–		45	20.4	10.0	31¾″ x 25½″	807 x 648	–		**414-18-1** •	4208	**314-18-1**	4704
22″ x 22″	559 x 559	–		55	24.9	14.5	29¾″ x 29½″	756 x 749	–		**414-22-1** •	4474	**314-22-1**	4732
24″ x 24″	610 x 610	–		60	27.2	16.5	31¾″ x 31½″	807 x 800	–		**414-24-1** •	4536	**314-24-1**	5053

One Compartment, One Drainboard *(right or left)*

bowl size width x length		drainboard length		weight		cu	overall size width x length		GOOD 412 Series - see spec sheet - EG20.03		BETTER 414 Series - see spec sheet - EG20.23		BEST 314 Series - see spec sheet - EG20.27	
in.	mm	in.	mm	lbs.	kg	ft	in.	mm	model #	list	model #	list	model #	list
20″ x 16″	508 x 406	18″	457	59	26.8	18.1	27½″ x 38⅞″	699 x 987	**412-16-1-18R or L** •	4386	**414-16-1-18R or L** •	4925	**314-16-1-18R or L**	5456
		24″	610	65	29.5	19.5	27½″ x 44⅞″	699 x 1140	**412-16-1-24R or L**	4418	**414-16-1-24R or L** •	4983	**314-16-1-24R or L** •	5525
24″ x 18″	610 x 457	18″	457	64	29.0	22.0	31¾″ x 40¾″	807 x 1035	–		**414-18-1-18R or L**	5417	**314-18-1-18R or L**	5960
		24″	610	70	31.8	22.9	31¾″ x 46¾″	807 x 1188	–		**414-18-1-24R or L**	5456	**314-18-1-24R or L**	5999
22″ x 22″	559 x 559	18″	457	74	33.6	23.0	29¾″ x 45″	756 x 1143	–		**414-22-1-18R or L**	5919	**314-22-1-18R or L**	6133
		24″	610	80	36.3	26.0	29¾″ x 51″	756 x 1295	–		**414-22-1-24R or L**	5959	**314-22-1-24R or L**	6176
24″ x 24″	610 x 610	18″	457	79	35.8	25.0	31¾″ x 46¾″	807 x 1188	–		**414-24-1-18R or L**	6540	**314-24-1-18R or L**	7117
		24″	610	85	38.6	28.6	31¾″ x 52¾″	787 x 1340	–		**414-24-1-24R or L** •	6606	**314-24-1-24R or L**	7219

One Compartment, Double Drainboards


bowl size width x length		drainboard length		weight		cu	overall size width x length		GOOD 412 Series - see spec sheet - EG20.03		BETTER 414 Series - see spec sheet - EG20.23		BEST 314 Series - see spec sheet - EG20.27	
in.	mm	in.	mm	lbs.	kg	ft	in.	mm	model #	list	model #	list	model #	list
20″ x 16″	508 x 406	18″	457	78	35.4	25.7	27½″ x 54½″	699 x 1384	**412-16-1-18** •	4650	**414-16-1-18**	5155	**314-16-1-18**	5703
		24″	610	90	40.8	30.8	27½″ x 66½″	699 x 1689	**412-16-1-24**	4662	**414-16-1-24**	5319	**314-16-1-24**	5875
24″ x 18″	610 x 457	18″	457	83	37.6	29.6	31¾″ x 56″	807 x 1422	–		**414-18-1-18**	5888	**314-18-1-18**	6467
		24″	610	95	43.1	38.1	31¾″ x 68″	807 x 1727	–		**414-18-1-24**	5943	**314-18-1-24**	6527
22″ x 22″	559 x 559	18″	457	93	42.2	30.3	29¾″ x 60½″	756 x 1537	–		**414-22-1-18**	6449	**314-22-1-18**	6673
		24″	610	105	47.6	37.1	29¾″ x 72½″	756 x 1842	–		**414-22-1-24**	6500	**314-22-1-24**	6727
24″ x 24″	610 x 610	18″	457	98	44.5	32.5	31¾″ x 62″	807 x 1575	–		**414-24-1-18**	6806	**314-24-1-18**	7280
		24″	610	110	49.9	40.6	31¾″ x 74″	807 x 1880	–		**414-24-1-24**	6907	**314-24-1-24**	7542

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

412, 414, and 314 Series Sinks
Two-Compartment Sinks (NSF)

see spec sheets EG20.03 EG20.24 EG20.28



two-compartment sink with double drainboards



two-compartment sink with no drainboards

412 SERIES:
- All heavy gauge type 430 construction.
- 10½″ *(267mm)* deep sink bowls.
- 44″ (1118mm) overall height.

414 SERIES:
- 14″ *(356mm)* deep heavy gauge type 304 sink bowls with type 430 drainboards, and backsplash.
- 44″ (1118mm) overall height.

314 SERIES:
- All heavy gauge type 304 construction.
- 14″ *(356mm)* deep sink bowls.
- 44″ (1118mm) overall height.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Two Compartments, No Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cu ft	overall size width x length in.	mm	GOOD 412 Series - see spec sheet - EG20.03 model #	list	BETTER 414 Series - see spec sheet - EG20.24 model #	list	BEST 314 Series - see spec sheet - EG20.28 model #	list
20″ x 16″	508 x 406	–		64	29.0	18.1	27½″ x 41″	699 x 1041	**412-16-2** •	4275	**414-16-2** •	4922	**314-16-2** •	5455
24″ x 18″	610 x 457	–		75	33.8	24.0	31¾″ x 45½″	807 x 1156	–		**414-18-2** •	5663	**314-18-2**	6542
22″ x 22″	559 x 559	–		80	36.3	25.8	29¾″ x 53½″	756 x 1359	–		**414-22-2**	6178	**314-22-2**	6736
24″ x 24″	610 x 610	–		90	40.8	29.6	31¾″ x 57½″	807 x 1461	–		**414-24-2** •	6827	**314-24-2** •	7759

Two Compartments, One Drainboard *(right or left)*


bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cu ft	overall size width x length in.	mm	GOOD 412 Series - see spec sheet - EG20.03 model #	list	BETTER 414 Series - see spec sheet - EG20.24 model #	list	BEST 314 Series - see spec sheet - EG20.28 model #	list
20″ x 16″	508 x 406	18″	457	83	37.6	25.7	27½″ x 56⅝″	699 x 1438	**412-16-2-18R or L** •	5665	**414-16-2-18R or L** •	6510	**314-16-2-18R or L**	7120
		24″	610	89	40.4	28.3	27½″ x 62⅝″	699 x 1591	**412-16-2-24R or L**	5723	**414-16-2-24R or L** •	6612	**314-16-2-24R or L**	7528
24″ x 18″	610 x 457	18″	457	94	42.6	33.0	31¾″ x 60¾″	807 x 1543	–		**414-18-2-18R or L**	7605	**314-18-2-18R or L**	8566
		24″	610	100	45.4	35.0	31¾″ x 66¾″	807 x 1696	–		**414-18-2-24R or L**	7650	**314-18-2-24R or L**	8617
22″ x 22″	559 x 559	18″	457	99	44.9	34.0	29¾″ x 69″	756 x 1753	–		**414-22-2-18R or L**	8465	**314-22-2-18R or L**	8987
		24″	610	105	47.6	37.1	29¾″ x 75″	756 x 1905	–		**414-22-2-24R or L**	8509	**314-22-2-24R or L**	9034
24″ x 24″	610 x 610	18″	457	109	49.4	38.0	31¾″ x 72¾″	807 x 1847	–		**414-24-2-18R or L**	9184	**314-24-2-18R or L**	9978
		24″	610	115	52.2	41.6	31¾″ x 78¾″	807 x 2000	–		**414-24-2-24R or L** •	9383	**314-24-2-24R or L**	10647

Two Compartments, Double Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cu ft	overall size width x length in.	mm	GOOD 412 Series - see spec sheet - EG20.03 model #	list	BETTER 414 Series - see spec sheet - EG20.24 model #	list	BEST 314 Series - see spec sheet - EG20.28 model #	list
20″ x 16″	508 x 406	18″	457	102	46.3	32.8	27½″ x 72¼″	699 x 1848	**412-16-2-18** •	5853	**414-16-2-18** •	6764	**314-16-2-18**	7689
		24″	610	114	51.7	38.5	27½″ x 84¼″	660 x 2140	**412-16-2-24**	5944	**414-16-2-24** •	6887	**314-16-2-24**	7818
24″ x 18″	610 x 457	18″	457	113	51.3	43.8	31¾″ x 76″	807 x 1930	–		**414-18-2-18**	7832	**314-18-2-18**	8810
		24″	610	125	56.7	48.7	31¾″ x 88″	807 x 2235	–		**414-18-2-24**	7919	**314-18-2-24**	8903
22″ x 22″	559 x 559	18″	457	118	53.5	42.0	29¾″ x 84½″	756 x 2146	–		**414-22-2-18**	8729	**314-22-2-18**	9254
		24″	610	130	59.0	48.5	29¾″ x 96½″	756 x 2451	–		**414-22-2-24**	8828	**314-22-2-24**	9350
24″ x 24″	610 x 610	18″	457	128	58.1	47.0	31¾″ x 88″	807 x 2235	–		**414-24-2-18**	9489	**314-24-2-18**	10394
		24″	610	140	63.5	53.6	31¾″ x 100″	807 x 2540	–		**414-24-2-24** •	9784	**314-24-2-24**	10852

412, 414, and 314 Series Sinks
Three-Compartment Sinks (NSF)

see spec sheets **EG20.03** **EG20.25** **EG20.29**



three-compartment sink with double drainboards (faucet not included)

three-compartment sink with no drainboards

412 SERIES:
- All heavy gauge type 430 construction.
- 10½″ *(267mm)* deep sink bowls.
- 44″ (1118mm) overall height.

414 SERIES:
- 14″ *(356mm)* deep heavy gauge type 304 sink bowls with type 430 drainboards, and backsplash.
- 44″ (1118mm) overall height.

314 SERIES:
- All heavy gauge type 304 construction.
- 14″ *(356mm)* deep sink bowls.
- 44″ (1118mm) overall height.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Three Compartments, No Drainboards

bowl size width x length		drainboard length		weight		cu	overall size width x length		GOOD 412 Series - see spec sheet - EG20.03		BETTER 414 Series - see spec sheet - EG20.25		BEST 314 Series - see spec sheet - EG20.29	
in.	mm	in.	mm	lbs.	kg	ft	in.	mm	model #	list	model #	list	model #	list
20″ x 16″	508 x 406	–		85	38.6	25.7	27½″ x 58¾″	699 x 1492	**412-16-3** •	5418	**414-16-3** •	5964	**314-16-3** •	6823
24″ x 18″	610 x 457	–		114	51.7	33.0	31¾″ x 65½″	807 x 1664	–		**414-18-3** *•	7367	**314-18-3** *	8636
22″ x 22″	559 x 559	–		120	54.4	37.1	29¾″ x 77½″	756 x 1969	–		**414-22-3** *	8192	**314-22-3** *	9042
24″ x 24″	610 x 610	–		125	56.7	41.5	31¾″ x 83½″	807 x 2121	–		**414-24-3** *•	8937	**314-24-3** *	10082

* Features two sets of faucet holes.

Three Compartments, One Drainboard *(right or left)*

bowl size width x length		drainboard length		weight		cu	overall size width x length		GOOD 412 Series - see spec sheet - EG20.03		BETTER 414 Series - see spec sheet - EG20.25		BEST 314 Series - see spec sheet - EG20.29	
in.	mm	in.	mm	lbs.	kg	ft	in.	mm	model #	list	model #	list	model #	list
20″ x 16″	508 x 406	18″	457	104	47.2	33.3	27½″ x 74⅜″	699 x 1889	**412-16-3-18R or L** •	5726	**414-16-3-18R or L** •	7544	**314-16-3-18R or L**	9159
		24″	610	110	49.9	35.8	27½″ x 80⅜″	699 x 2042	**412-16-3-24R or L**	5785	**414-16-3-24R or L**	7604	**314-16-3-24R or L**	9226
24″ x 18″	610 x 457	18″	457	133	60.3	42.0	31¾″ x 80¾″	807 x 2051	–		**414-18-3-18R or L** *	9475	**314-18-3-18R or L** *	10834
		24″	610	139	63.1	68.0	31¾″ x 86¾″	807 x 2203	–		**414-18-3-24R or L** *	9512	**314-18-3-24R or L** *	10872
22″ x 22″	559 x 559	18″	457	139	63.1	45.0	29¾″ x 93″	756 x 2362	–		**414-22-3-18R or L** *	10663	**314-22-3-18R or L** *	11478
		24″	610	145	65.8	48.4	29¾″ x 99″	756 x 2515	–		**414-22-3-24R or L** *	10705	**314-22-3-24R or L** *	11526
24″ x 24″	610 x 610	18″	457	144	65.3	50.0	31¾″ x 98¾″	807 x 2508	–		**414-24-3-18R or L** *	11784	**314-24-3-18R or L** *	12885
		24″	610	150	68.0	54.6	31¾″ x 104¾″	807 x 2661	–		**414-24-3-24R or L** *•	11950	**314-24-3-24R or L** *	13425

* Features two sets of faucet holes.

Three Compartments, Double Drainboards

bowl size width x length		drainboard length		weight		cu	overall size width x length		GOOD 412 Series - see spec sheet - EG20.03		BETTER 414 Series - see spec sheet - EG20.25		BEST 314 Series - see spec sheet - EG20.29	
in.	mm	in.	mm	lbs.	kg	ft	in.	mm	model #	list	model #	list	model #	list
20″ x 16″	508 x 406	18″	457	123	55.8	40.9	27½″ x 90″	699 x 2286	**412-16-3-18** •	5927	**414-16-3-18** •	7748	**314-16-3-18** •	9383
		24″	610	135	61.2	46.0	27½″ x 102″	699 x 2591	**412-16-3-24** •	6029	**414-16-3-24** •	7869	**314-16-3-24** •	9514
24″ x 18″	610 x 457	18″	457	152	68.9	50.5	31¾″ x 96″	807 x 2438	–		**414-18-3-18** *•	9723	**314-18-3-18*** •	11094
		24″	610	164	74.4	57.0	31¾″ x 108″	807 x 2743	–		**414-18-3-24** *•	9964	**314-18-3-24*** •	11284
22″ x 22″	559 x 559	18″	457	158	71.6	54.0	29¾″ x 108½″	756 x 2756	–		**414-22-3-18** *•	10954	**314-22-3-18***	11766
		24″	610	170	77.1	59.6	29¾″ x 120½″	756 x 3061	–		**414-22-3-24** *•	11236	**314-22-3-24*** •	12048
24″ x 24″	610 x 610	18″	457	163	73.9	60.0	31¾″ x 114″	807 x 2896	–		**414-24-3-18** *•	11794	**314-24-3-18***	12772
		24″	610	175	79.4	65.2	31¾″ x 126″	807 x 3200	–		**414-24-3-24** *•	12312	**314-24-3-24***	13806

* Features two sets of faucet holes.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

414 and 314 Series Sinks
Four-Compartment Sinks (NSF)

see spec sheets EG20.26 EG20.30



four-compartment sink with double drainboards

2″-wide euro-style edging

414 SERIES:
- 14″ *(356mm)* deep heavy gauge type 304 sink bowls with type 430 drainboards, and backsplash.
- 44″ (1118mm) overall height.
- Two sets of faucet holes.

314 SERIES:
- All heavy gauge type 304 construction.
- 14″ *(356mm)* deep sink bowls.
- 44″ (1118mm) overall height.
- Two sets of faucet holes.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Four Compartments, No Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cu ft	overall size width x length in.	mm	BETTER 414 Series - see spec sheet - EG20.26 model #	list	BEST 314 Series - see spec sheet - EG20.30 model #	list
20″ x 16″	508 x 406	n/a	n/a	125	56.7	33.3	27½″ x 76½″	699 x 1943	**414-16-4**	8054	**314-16-4**	9642
24″ x 18″	610 x 457	n/a	n/a	135	61.2	48.4	31¾″ x 85½″	807 x 2172	**414-18-4**	9307	**314-18-4**	10954
24″ x 24″	610 x 610	n/a	n/a	153	69.4	55.6	31¾″ x 109½″	807 x 2783	**414-24-4**	11470	**314-24-4**	13223

Four Compartments, One Drainboard *(right or left)*

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cu ft	overall size width x length in.	mm	BETTER 414 Series - see spec sheet - EG20.26 model #	list	BEST 314 Series - see spec sheet - EG20.30 model #	list
20″ x 16″	508 x 406	18″	457	144	65.3	41.0	27½″ x 92⅛″	699 x 2340	**414-16-4-18R or L**	9785	**314-16-4-18R or L**	11466
		24″	610	150	68.0	43.4	27½″ x 98⅛″	699 x 2492	**414-16-4-24R or L**	9850	**314-16-4-24R or L**	11532
24″ x 18″	610 x 457	18″	457	154	69.9	49.0	31¾″ x 100¾″	807 x 2559	**414-18-4-18R or L**	11750	**314-18-4-18R or L**	13470
		24″	610	160	72.6	59.6	31¾″ x 106¾″	807 x 2711	**414-18-4-24R or L**	12054	**314-18-4-24R or L**	13515
24″ x 24″	610 x 610	18″	457	172	78.0	61.0	31¾″ x 124¾″	807 x 3169	**414-24-4-18R or L**	14095	**314-24-4-18R or L**	16295
		24″	610	178	80.7	67.7	31¾″ x 130¾″	807 x 3321	**414-24-4-24R or L**	15165	**314-24-4-24R or L**	17094

Four Compartments, Double Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cu ft	overall size width x length in.	mm	BETTER 414 Series - see spec sheet - EG20.26 model #	list	BEST 314 Series - see spec sheet - EG20.30 model #	list
20″ x 16″	508 x 406	18″	457	163	73.9	48.5	27½″ x 107¾″	699 x 2737	**414-16-4-18** •	10189	**314-16-4-18**	11883
		24″	610	175	79.5	53.6	27½″ x 119¾″	699 x 3042	**414-16-4-24**	10344	**314-16-4-24**	12048
24″ x 18″	610 x 457	18″	457	173	78.5	65.0	31¾″ x 116″	807 x 2946	**414-18-4-18**	11939	**314-18-4-18**	13714
		24″	610	185	83.9	70.9	31¾″ x 128″	807 x 3251	**414-18-4-24**	12078	**314-18-4-24**	13863
24″ x 24″	610 x 610	18″	457	191	86.6	73.0	31¾″ x 140″	807 x 3556	**414-24-4-18**	14833	**314-24-4-18**	16640
		24″	610	203	92.1	79.7	31¾″ x 152″	807 x 3861	**414-24-4-24** •	15507	**314-24-4-24**	17445

Stainless Steel Cleaner & Polish

weight oz.	kg	model #	list
15	0.4	**004026**	36



FEATURES:
- Cleans and polishes in one step.
- Does not streak or leave fingerprints.
- Leaves a protective invisible coating.

Sink Kits for SPEC-MASTER® FN Series Sinks

- Includes T&S faucet #313293.



T&S faucet #313293



lever drain (with sink kits B)



lever drain with overflow (with sink kits C)

Go Green.
Go EAGLE.

Look for the tag on the bar code



Kit A

- Add suffix **"-F"** to sink model number.

description	add to list price
1 faucet	1122
2 faucets	2243

Kit B

- T&S faucet plus lever drain. Add suffix **"-FD"** to sink model number.

description	add to list price
1 faucet	1122
2 faucets	2243
per lever drain	392

Kit C

- T&S faucet plus lever drain with overflow. Add suffix **"-FDO"** to sink model number.

description	add to list price
1 faucet	1122
2 faucets	2243
per lever drain with overflow	889

Kit D

- T&S faucet plus twist handle drain and twist handle bracket. Add suffix **"-FDT"** to sink model number.

description	add to list price
1 faucet	1122
2 faucets	2243
per twist handle drain	456

Kit E

- T&S faucet plus twist handle drain with overflow and twist handle bracket. Add suffix **"-FDOT"** to sink model number.

description	add to list price
1 faucet	122
2 faucets	2243
per twist handle drain with overflow	1034



100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

SPEC-MASTER® FN Series Coved Corner Sinks
One-Compartment Sinks NSF

see spec sheet **EG20.32**



FEATURES:

- 14 gauge 300 series 18-8 stainless steel.
- All bowls are 14″ *(356mm)* deep and have ⅝″ *(16mm)* radius corners, both vertical and horizontal.
- Stainless steel gussets, feet, legs and crossbracing.
- Adjustable crossbracing front-to-back and side-to-side for increased stability.
- 9½″ *(241mm)* standard backsplash includes 1″ *(25mm)* upturn and tile edge.
- Basket-type waste drains are included to fit sink bowl's 3½″ *(89mm)* opening and feature 1½″ *(38mm)* outlet.
- 30″ and 36″ *(762 and 914mm)* drainboards* available upon request.
- 44½″ (1130mm) overall height.

Notes: **Twist drain bracket available.**
Works in conjunction with optional twist handle drain *(not included – see page 260)*. To order, **add $56 per compartment to list price** and suffix **"-TB"** to model number **(example: FN2016-1-14/3-TB).**

For overflow hole *(does not include drain)*, **add $83 per compartment to list price** and suffix **"-OF"** to model number **(example: FN2016-1-14/3-OF).**

* On sinks with drainboard(s) 30″ and 36″, legs are under the outer end of the drainboard(s).

Note: All shipping weights and cubic feet are approximate.
ALL SINKS SHIPPED FULLY CRATED.
For sink accessories, see pages 260-261.
For sink kits, see page 242.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

One Compartment, No Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	model #	list
20″ x 16″	508 x 406	–		55	24.9	10.1	27″ x 21″	686 x 533	**FN2016-1-14/3**	5392
20″ x 18″	508 x 457	–		58	26.3	11.9	27″ x 23″	686 x 584	**FN2018-1-14/3** •	6075
20″ x 20″	508 x 508	–		60	27.2	12.9	27″ x 25″	686 x 635	**FN2020-1-14/3**	6075
24″ x 24″	610 x 610	–		69	31.2	17.8	31″ x 29″	787 x 737	**FN2424-1-14/3**	6503
28″ x 20″	711 x 508	–		79	35.8	16.7	35″ x 25″	889 x 635	**FN2820-1-14/3**	7172




One Compartment, One Drainboard *(right or left)*

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	model #	list
20″ x 16″	508 x 406	18″	457	74	30.8	18.7	27″ x 37½″	686 x 953	**FN2016-1-18R or L-14/3**	5740
		24″	610	80	33.1	21.5	27″ x 43½″	686 x 1105	**FN2016-1-24R or L-14/3**	5836
20″ x 18″	508 x 457	18″	457	76	34.4	20.3	27″ x 39½″	686 x 1003	**FN2018-1-18R or L-14/3**	6293
		24″	610	81	36.7	22.4	27″ x 45½″	686 x 1156	**FN2018-1-24R or L-14/3**	6400
20″ x 20″	508 x 508	24″	610	85	37.2	23.4	27″ x 47½″	686 x 1207	**FN2020-1-24R or L-14/3**	6400
24″ x 24″	610 x 610	24″	610	88	37.6	30.5	31″ x 51½″	787 x 1308	**FN2424-1-24R or L-14/3**	7319
28″ x 20″	711 x 508	24″	610	104	43.1	30.2	35″ x 47½″	889 x 1207	**FN2820-1-24R or L-14/3**	7482



One Compartment, Double Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	model #	list
20″ x 16″	508 x 406	18″	457	93	37.6	26.3	27″ x 54″	686 x 1372	**FN2016-1-18-14/3**	5963
		24″	610	105	42.1	32.0	27″ x 66″	686 x 1676	**FN2016-1-24-14/3**	6197
20″ x 18″	508 x 457	18″	457	96	43.5	28.7	27″ x 56″	686 x 1422	**FN2018-1-18-14/3**	6548
		24″	610	106	48.1	32.9	27″ x 68″	686 x 1727	**FN2018-1-24-14/3**	6758
20″ x 20″	508 x 508	24″	610	110	48.5	33.9	27″ x 70″	686 x 1778	**FN2020-1-24-14/3**	6758
24″ x 24″	610 x 610	24″	610	119	49.0	43.9	31″ x 74″	787 x 1880	**FN2424-1-24-14/3**	7747
28″ x 20″	711 x 508	24″	610	129	55.3	43.8	35″ x 70″	889 x 1778	**FN2820-1-24-14/3**	7823



SPEC-MASTER® FN Series Coved Corner Sinks
Two-Compartment Sinks (NSF)

see spec sheet **EG20.33**



(faucet not included)

Notes: **Twist drain brackets available.**
Works in conjunction with optional twist handle drains *(not included – see page 260)*. To order, **add $56 per compartment to list price** and suffix **"-TB"** to model number **(example: FN2032-2-14/3-TB).**

For overflow hole *(does not include drain)*, **add $83 per compartment to list price** and suffix **"-OF"** to model number **(example: FN2032-2-14/3-OF).**

FEATURES:

- 14 gauge 300 series 18-8 stainless steel.
- All bowls are 14″ *(356mm)* deep and have ⅝″ *(16mm)* radius corners, both vertical and horizontal.
- Stainless steel gussets, feet, legs and crossbracing.
- Adjustable crossbracing front-to-back and side-to-side for increased stability.
- 9½″ *(241mm)* standard backsplash includes 1″ *(25mm)* upturn and tile edge.
- Basket-type waste drains are included to fit sink bowls' 3½″ *(89mm)* opening and feature 1½″ *(38mm)* outlet.
- 30″ and 36″ *(762 and 914mm)* drainboards* available upon request.
- 44½″ (1130mm) overall height.

* On sinks with drainboard(s) 30″ and 36″, legs are under the outer end of the drainboard(s).

Note: All shipping weights and cubic feet are approximate.
ALL SINKS SHIPPED FULLY CRATED.
For sink accessories, see pages 260-261.
For sink kits, see page 242.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Two Compartments, No Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	model #	list
20″ x 16″	508 x 406	–		77	34.9	20.4	27″ x 39″	686 x 991	**FN2032-2-14/3**	7208
20″ x 18″	508 x 457	–		82	37.2	22.4	27″ x 43″	686 x 1092	**FN2036-2-14/3**	7917
20″ x 20″	508 x 508	–		86	39.0	23.9	27″ x 47″	686 x 1194	**FN2040-2-14/3**	7917
24″ x 24″	610 x 610	–		91	41.3	32.2	31″ x 55″	787 x 1397	**FN2448-2-14/3**	9410
28″ x 20″	711 x 508	–		96	43.6	31.3	35″ x 47″	889 x 1194	**FN2840-2-14/3**	9428



Two Compartments, One Drainboard *(right or left)*

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	model #	list
20″ x 16″	508 x 406	18″	457	96	43.6	28.2	27″ x 55½″	686 x 1410	**FN2032-2-18R or L-14/3**	7747
		24″	610	102	46.3	31.1	27″ x 61½″	686 x 1562	**FN2032-2-24R or L-14/3**	7882
20″ x 18″	508 x 457	18″	457	101	45.8	30.6	27″ x 59½″	686 x 1511	**FN2036-2-18R or L-14/3**	8764
		24″	610	107	48.5	33.1	27″ x 65½″	686 x 1664	**FN2036-2-24R or L-14/3**	8874
20″ x 20″	508 x 508	24″	610	111	50.3	35.0	27″ x 69½″	686 x 1763	**FN2040-2-24R or L-14/3**	8874
24″ x 24″	610 x 610	24″	610	116	52.6	45.0	31″ x 77½″	787 x 1969	**FN2448-2-24R or L-14/3**	10674
28″ x 20″	711 x 508	24″	610	121	54.9	45.0	35″ x 69½″	889 x 1763	**FN2840-2-24R or L-14/3**	10674



Two Compartments, Double Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	model #	list
20″ x 16″	508 x 406	18″	457	115	52.2	36.0	27″ x 72″	686 x 1829	**FN2032-2-18-14/3**	8017
		24″	610	127	57.6	41.8	27″ x 84″	686 x 2134	**FN2032-2-24-14/3**	8209
20″ x 18″	508 x 457	18″	457	120	54.4	39.4	27″ x 76″	686 x 1930	**FN2036-2-18-14/3** •	8592
		24″	610	132	59.9	43.8	27″ x 88″	686 x 2235	**FN2036-2-24-14/3**	9196
20″ x 20″	508 x 508	24″	610	136	61.7	45.7	27″ x 92″	686 x 2337	**FN2040-2-24-14/3**	9196
24″ x 24″	610 x 610	24″	610	141	64.0	58.4	31″ x 100″	787 x 2540	**FN2448-2-24-14/3**	11055
28″ x 20″	711 x 508	24″	610	146	66.2	58.8	35″ x 92″	889 x 2337	**FN2840-2-24-14/3**	11127



100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

SPEC-MASTER® FN Series Coved Corner Sinks
Three-Compartment Sinks NSF

see spec sheet **EG20.34**



(faucets not included)

FEATURES:

- 14 gauge 300 series 18-8 stainless steel.
- All bowls are 14″ *(356mm)* deep and have ⅝″ *(16mm)* radius corners, both vertical and horizontal.
- Stainless steel gussets, feet, legs and crossbracing.
- Adjustable crossbracing front-to-back and side-to-side for increased stability.
- 9½″ *(241mm)* standard backsplash includes 1″ *(25mm)* upturn and tile edge.
- Basket-type waste drains are included to fit sink bowls' 3½″ *(89mm)* opening and feature 1½″ *(38mm)* outlet.
- 30″ and 36″ *(762 and 914mm)* drainboards* available upon request.
- 44½″ (1130mm) overall height.

* On sinks with drainboard(s) 30″ and 36″, legs are under the outer end of the drainboard(s).

Notes: **Twist drain brackets available.**
Works in conjunction with optional twist handle drains *(not included – see page 260)*. To order, **add $56 per compartment** to list price and suffix **"-TB"** to model number **(example: FN2048-3-14/3-TB).**

For overflow hole *(does not include drain)*, **add $83 per compartment to list price** and suffix **"-OF"** to model number **(example: FN2048-3-14/3-OF).**

Note: All shipping weights and cubic feet are approximate.
ALL SINKS SHIPPED FULLY CRATED.
For sink accessories, see pages 260-261.
For sink kits, see page 242.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Three Compartments, No Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	model #	list
20″ x 16″	508 x 406	–		99	44.9	29.2	27″ x 57″	686 x 1448	**FN2048-3-14/3**	8912
20″ x 18″	508 x 457	–		102	46.3	32.1	27″ x 63″	686 x 1600	**FN2054-3-14/3 ***	10186
20″ x 20″	508 x 508	–		114	51.7	35.0	27″ x 69″	686 x 1753	**FN2060-3-14/3 ***	10186
24″ x 24″	610 x 610	–		127	57.6	46.7	31″ x 81″	787 x 2057	**FN2472-3-14/3 ***	11847
28″ x 20″	711 x 508	–		130	59.0	45.0	35″ x 69″	889 x 1753	**FN2860-3-14/3 ***	12205



* Features two sets of faucet holes.

Three Compartments, One Drainboard *(right or left)*


bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	model #	list
20″ x 16″	508 x 406	18″	457	118	53.5	36.9	27″ x 73½″	686 x 1867	**FN2048-3-18R or L-14/3**	9284
		24″	610	124	56.2	39.9	27″ x 79½″	686 x 2019	**FN2048-3-24R or L-14/3**	9376
20″ x 18″	508 x 457	18″	457	121	54.9	40.4	27″ x 79½″	686 x 2019	**FN2054-3-18R or L-14/3 ***	10945
		24″	610	127	57.6	42.8	27″ x 85½″	686 x 2172	**FN2054-3-24R or L-14/3 ***	11022
20″ x 20″	508 x 508	24″	610	139	63.1	45.7	27″ x 91½″	686 x 2324	**FN2060-3-24R or L-14/3 ***	11022
24″ x 24″	610 x 610	24″	610	152	68.9	59.5	31″ x 103½″	787 x 2629	**FN2472-3-24R or L-14/3 ***	13398
28″ x 20″	711 x 508	24″	610	155	70.3	58.8	35″ x 91½″	889 x 2324	**FN2860-3-24R or L-14/3 ***	13639



* Features two sets of faucet holes.

Three Compartments, Double Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	model #	list
20″ x 16″	508 x 406	18″	457	137	61.7	44.7	27″ x 90″	686 x 2286	**FN2048-3-18-14/3**	9509
		24″	610	149	67.6	50.6	27″ x 102″	686 x 2591	**FN2048-3-24-14/3**	9703
20″ x 18″	508 x 457	18″	457	140	63.5	49.1	27″ x 96″	686 x 2438	**FN2054-3-18-14/3 *•**	11203
		24″	610	158	71.6	53.5	27″ x 108″	686 x 2743	**FN2054-3-24-14/3 ***	11527
20″ x 20″	508 x 508	24″	610	164	74.4	56.4	27″ x 114″	686 x 2896	**FN2060-3-24-14/3 ***	11527
24″ x 24″	610 x 610	24″	610	177	80.3	72.8	31″ x 126″	787 x 3200	**FN2472-3-24-14/3 ***	13752
28″ x 20″	711 x 508	24″	610	180	81.6	72.5	35″ x 114″	889 x 2896	**FN2860-3-24-14/3 ***	14116



* Features two sets of faucet holes.

SPEC-MASTER® FN Series Coved Corner Sinks
Four-Compartment Sinks (NSF)

see spec sheet **EG20.35**



all sinks two sets of faucets holes

FEATURES:

- 14 gauge 300 series 18-8 stainless steel.
- All bowls are 14″ *(356mm)* deep and have ⅝″ *(16mm)* radius corners, both vertical and horizontal.
- Stainless steel gussets, feet, legs and crossbracing.
- Adjustable crossbracing front-to-back and side-to-side for increased stability.
- 9½″ *(241mm)* standard backsplash includes 1″ *(25mm)* upturn and tile edge.
- Basket-type waste drains are included to fit sink bowls' 3½″ *(89mm)* opening and feature 1½″ *(38mm)* outlet.
- 30″ and 36″ *(762 and 914mm)* drainboards* available upon request.
- 44½″ (1130mm) overall height.

Notes: **Twist drain brackets available.**
Works in conjunction with optional twist handle drains *(not included – see page 260)*. To order, **add $56 per compartment** to list price and suffix **"-TB"** to model number **(example: FN2064-4-14/3-TB).**

For overflow hole *(does not include drain)*, **add $83 per compartment to list price** and suffix **"-OF"** to model number **(example: FN2064-4-14/3-OF).**

* On sinks with drainboard(s) 30″ and 36″, legs are under the outer end of the drainboard(s).

Note: All shipping weights and cubic feet are approximate.
ALL SINKS SHIPPED FULLY CRATED.
For sink accessories, see pages 260-261.
For sink kits, see page 242.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*


Four Compartments, No Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	model #	list
20″ x 16″	508 x 406	–		121	54.9	35.4	27″ x 75″	686 x 1905	**FN2064-4-14/3**	11394
20″ x 18″	508 x 457	–		132	59.9	39.0	27″ x 83″	686 x 2108	**FN2072-4-14/3**	12800
20″ x 20″	508 x 508	–		142	64.4	42.7	27″ x 91″	686 x 2311	**FN2080-4-14/3**	12800
24″ x 24″	610 x 610	–		163	73.9	57.1	31″ x 107″	787 x 2718	**FN2496-4-14/3**	14727
28″ x 20″	711 x 508	–		170	77.1	54.9	35″ x 91″	889 x 2311	**FN2880-4-14/3**	15578



Four Compartments, One Drainboard *(right or left)*

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	model #	list
20″ x 16″	508 x 406	18″	457	140	63.5	45.7	27″ x 91½″	686 x 2324	**FN2064-4-18R or L-14/3**	11477
		24″	610	146	66.2	48.6	27″ x 97½″	686 x 2477	**FN2064-4-24R or L-14/3**	11582
20″ x 18″	508 x 457	18″	457	151	68.5	50.1	27″ x 99½″	686 x 2527	**FN2072-4-18R or L-14/3**	13547
		24″	610	157	71.2	52.5	27″ x 105½″	686 x 2680	**FN2072-4-24R or L-14/3**	13625
20″ x 20″	508 x 508	24″	610	167	75.8	56.4	27″ x 113½″	686 x 2883	**FN2080-4-24R or L-14/3**	13625
24″ x 24″	610 x 610	24″	610	188	85.3	68.5	31″ x 129½″	787 x 3289	**FN2496-4-24R or L-14/3**	16118
28″ x 20″	711 x 508	24″	610	195	88.5	67.7	35″ x 113½″	889 x 2883	**FN2880-4-24R or L-14/3**	16574



Four Compartments, Double Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	model #	list
20″ x 16″	508 x 406	18″	457	159	72.1	53.5	27″ x 108″	686 x 2743	**FN2064-4-18-14/3**	11899
		24″	610	171	77.6	55.4	27″ x 120″	686 x 3048	**FN2064-4-24-14/3**	12123
20″ x 18″	508 x 457	18″	457	170	77.1	54.9	27″ x 116″	686 x 2646	**FN2072-4-18-14/3** •	13888
		24″	610	182	82.6	59.0	27″ x 128″	686 x 3251	**FN2072-4-24-14/3**	14018
20″ x 20″	508 x 508	24″	610	192	87.1	62.6	27″ x 136″	686 x 3454	**FN2080-4-24-14/3**	14018
24″ x 24″	610 x 610	24″	610	213	96.6	81.4	31″ x 152″	787 x 3861	**FN2496-4-24-14/3**	16569
28″ x 20″	711 x 508	24″	610	220	99.8	110.2	35″ x 136″	889 x 3454	**FN2880-4-24-14/3**	12426



100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Utility Sinks
One- and Two-Compartment Sinks

see spec sheets **EG20.13A** **EG20.13B**





Note: Overflow hole available *(does not include drain)*. To order, **add $83 per compartment to list price** and suffix **"-OF"** to model number **(example: 1818-1-16/3-OF).**

For detachable drainboards, see page 249.

For NSF-approved utility sinks, **add 35% to list price** and add prefix **"N-"** to model number. **Example: N-2460-2-16/3.**

FEATURES:

- For numerous applications when NSF construction is not required.
- Square-corner construction.
- 8″ *(203mm)* backsplash.
- Adjustable bullet feet.
- Heavy gauge stainless steel.
- 304 and 430 series construction available.
- Sink compartments are 13⅜″ *(340mm)* deep.
- Legs are 1⅝″ *(41mm)* diameter galvanized tubing and are located directly under sink compartments for maximum stability and weight support.
- 42¾″ (1086mm) overall height.

These sinks are NOT recommended for healthcare and laboratory applications. If you are unsure as to your application needs, please contact Factory.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

One Compartment, No Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	type 430 stainless steel model #	list	type 304 stainless steel model #	list
18″ x 18″	457 x 457	–		53	24.0	0.9	22″ x 19⅜″	559 x 492	**1818-1-16/4** •	1765	**1818-1-16/3**	2060
18″ x 24″	457 x 610	–		56	25.4	11.6	22″ x 25⅜″	559 x 645	**1824-1-16/4**	1778	**1824-1-16/3**	2154
21″ x 18″	533 x 457	–		56	25.4	10.5	25″ x 19⅜″	635 x 492	**2118-1-16/4** •	1759	**2118-1-16/3**	2112
21″ x 24″	533 x 610	–		59	26.8	13.1	25″ x 25⅜″	635 x 645	**2124-1-16/4** •	1822	**2124-1-16/3**	2214
21″ x 36″	533 x 914	–		65	29.5	18.1	25″ x 37⅜″	635 x 949	**2136-1-16/4**	1959	**2136-1-16/3**	2458
24″ x 24″	610 x 610	–		60	27.2	14.6	28″ x 25⅜″	711 x 645	**2424-1-16/4** •	1896	**2424-1-16/3**	2322
24″ x 36″	610 x 914	–		68	30.8	20.2	28″ x 37⅜″	711 x 949	**2436-1-16/4** •	2017	**2436-1-16/3**	2574

One Compartment, Double Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	type 430 stainless steel model #	list	type 304 stainless steel model #	list
21″ x 24″	533 x 610	18″	457	99	44.9	28.3	25″ x 60¼″	635 x 1530	**2124-1-18-16/4**	3917	**2124-1-18-16/3**	4775
24″ x 24″	610 x 610	24″	610	108	49.0	37.1	28″ x 72¼″	711 x 1835	**2424-1-24-16/4**	4215	**2424-1-24-16/3**	4933

Two Compartments, No Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	type 430 stainless steel model #	list	type 304 stainless steel model #	list
18″ x 18″	457 x 457	–		75	34.0	16.1	22″ x 37⅜″	559 x 949	**1836-2-16/4** •	2382	**1836-2-16/3**	2912
18″ x 24″	457 x 610	–		80	36.3	20.6	22″ x 49⅜″	559 x 1254	**1848-2-16/4**	2497	**1848-2-16/3**	3136
21″ x 18″	533 x 457	–		80	36.3	18.1	25″ x 37⅜″	635 x 949	**2136-2-16/4** •	2433	**2136-2-16/3**	2997
21″ x 24″	533 x 610	–		85	38.6	23.2	25″ x 49⅜″	635 x 1254	**2148-2-16/4**	2463	**2148-2-16/3**	3165
24″ x 24″	610 x 610	–		89	40.4	25.8	28″ x 49⅜″	711 x 1254	**2448-2-16/4** •	2703	**2448-2-16/3**	3362
24″ x 30″	610 x 762	–		95	43.1	31.5	28″ x 61⅜″	711 x 1559	**2460-2-16/4**	3352	**2460-2-16/3**	3860

Two Compartments, Double Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	type 430 stainless steel model #	list	type 304 stainless steel model #	list
21″ x 18″	533 x 457	18″	457	120	3048	33.3	25″ x 72¼″	635 x 1835	**2136-2-18-16/4**	4826	**2136-2-18-16/3**	5833
24″ x 24″	610 x 610	24″	610	139	3531	48.4	28″ x 96¼″	711 x 2445	**2448-2-24-16/4**	5025	**2448-2-24-16/3**	6033

Utility Sinks
Three- and Four-Compartment Sinks

see spec sheets **EG20.13C** **EG20.13D**





Note: Overflow hole available *(does not include drain)*. To order, **add $74 per compartment to list price** and suffix **"-OF"** to model number **(example: 1836-3-16/3-OF).**

For detachable drainboards, see page 249.

For NSF-approved utility sinks, **add 35% to list price** and add prefix **"N-"** to model number. **Example: N-1836-3-16/3.**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Three Compartments, No Drainboards

bowl size width x length		drainboard length		weight		cubic	overall size width x length		type 430 stainless steel		type 304 stainless steel	
in.	mm	in.	mm	lbs.	kg	feet	in.	mm	model #	list	model #	list
18″ x 12″	457 x 305	–		79	35.8	16.1	22″ x 37⅜″	559 x 949	**1836-3-16/4 •**	2744	**1836-3-16/3**	3334
18″ x 16″	457 x 406	–		90	40.8	20.6	22″ x 49⅜″	559 x 1254	**1848-3-16/4**	2862	**1848-3-16/3**	3543
18″ x 18″	457 x 457	–		97	44.0	22.8	22″ x 55⅜″	559 x 1407	**1854-3-16/4 •**	3252	**1854-3-16/3**	3869
21″ x 12″	533 x 305	–		85	38.6	18.1	25″ x 37⅜″	635 x 949	**2136-3-16/4 •**	2815	**2136-3-16/3**	3444
21″ x 16″	533 x 406	–		87	39.5	23.2	25″ x 49⅜″	635 x 1254	**2148-3-16/4 •**	2939	**2148-3-16/3**	3659
21″ x 18″	533 x 457	–		100	45.4	25.7	25″ x 55⅜″	635 x 1407	**2154-3-16/4 •**	3263	**2154-3-16/3**	3975
21″ x 20″	533 x 508	–		110	49.9	28.3	25″ x 61⅜″	635 x 1559	**2160-3-16/4 ***	3372	**2160-3-16/3 ***	4130
24″ x 16″	610 x 406	–		92	41.7	25.8	28″ x 49⅜″	711 x 1254	**2448-3-16/4**	3085	**2448-3-16/3**	3823
24″ x 20″	610 x 508	–		115	52.2	31.5	28″ x 61⅜″	711 x 1559	**2460-3-16/4 ***	3567	**2460-3-16/3 ***	4289
24″ x 24″	610 x 610	–		125	56.7	37.1	28″ x 73⅜″	711 x 1864	**2472-3-16/4 *•**	3654	**2472-3-16/3 ***	4540

* Features two sets of faucet holes.

Three Compartments, Double Drainboards

bowl size width x length		drainboard length		weight		cubic	overall size width x length		type 430 stainless steel		type 304 stainless steel	
in.	mm	in.	mm	lbs.	kg	feet	in.	mm	model #	list	model #	list
21″ x 12″	533 x 305	18″	457	125	56.7	33.3	25″ x 72¼″	635 x 1835	**2136-3-18-16/4**	4932	**2136-3-18-16/3**	5875
21″ x 16″	533 x 406	18″	457	127	57.6	38.4	25″ x 84¼″	635 x 2140	**2148-3-18-16/4**	5094	**2148-3-18-16/3**	6277
21″ x 18″	533 x 457	18″	457	140	63.5	40.9	25″ x 90¼″	635 x 2292	**2154-3-18-16/4**	5564	**2154-3-18-16/3**	6672
24″ x 24″	610 x 610	24″	610	175	79.4	59.6	28″ x 120¼″	711 x 3054	**2472-3-24-16/4***	6000	**2472-3-24-16/3 ***	7645

* Features two sets of faucet holes.

Four Compartments, No Drainboards *(All sinks feature two sets of faucet holes.)*

bowl size width x length		drainboard length		weight		cubic	overall size width x length		type 430 stainless steel		type 304 stainless steel	
in.	mm	in.	mm	lbs.	kg	feet	in.	mm	model #	list	model #	list
18″ x 18″	457 x 457	–		110	49.9	29.5	22″ x 73⅜″	559 x 1864	**1872-4-16/4**	3738	**1872-4-16/3**	4660
21″ x 18″	533 x 457	–		115	52.2	33.3	25″ x 73⅜″	635 x 1864	**2172-4-16/4**	3917	**2172-4-16/3**	4733
24″ x 18″	610 x 457	–		125	56.7	37.1	28″ x 73⅜″	711 x 1864	**2472-4-16/4**	4023	**2472-4-16/3**	4954

Four Compartments, Double Drainboards - *(All sinks feature two sets of faucet holes.)*

bowl size width x length		drainboard length		weight		cubic	overall size width x length		type 430 stainless steel		type 304 stainless steel	
in.	mm	in.	mm	lbs.	kg	feet	in.	mm	model #	list	model #	list
21″ x 18″	533 x 457	18″	457	155	70.3	48.5	25″ x 108¼″	635 x 2750	**2172-4-18-16/4**	6169	**2172-4-18-16/3**	7198

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Detachable Drainboards for Utility Sinks

see spec sheet **EG20.13E**



Drainboards will not work on NSF utility sinks!

FEATURES:

- Unique die-stamped rolled rim construction.
- All drainboards are fully reversible, allowing for left- or right-hand operation.
- "Easy clip-on installation" utilizes two support brackets that bolt to sink gussets.
- Available in 430 or 304 series stainless steel.
- Drainboards 30″ *(762mm)* long are furnished with legs.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

width (front-to-back) x length (side-to-side) in.	mm	weight lbs.	kg	cu ft	16 gauge type 430 stainless steel model #		list	16 gauge type 304 stainless steel model #	list
18″ x 18″	457 x 457	19	8.6	1.8	**18x18 RRDEDB**	•	497	**18x18 RRDEDB-16/3**	830
18″ x 24″	457 x 610	23	10.4	1.9	**18x24 RRDEDB**	•	527	**18x24 RRDEDB-16/3**	873
18″ x 30″	457 x 762	27	12.2	2.8	**18x30 RRDEDB**		896	**18x30 RRDEDB-16/3**	976
21″ x 18″	533 x 457	20	9.0	1.8	**21x18 RRDEDB**	•	497	**21x18 RRDEDB-16/3**	830
21″ x 24″	533 x 610	24	10.9	2.1	**21x24 RRDEDB**	•	534	**21x24 RRDEDB-16/3**	873
21″ x 30″	533 x 762	28	12.7	2.5	**21x30 RRDEDB**		999	**21x30 RRDEDB-16/3**	1050
24″ x 18″	610 x 457	21	9.5	2.3	**24x18 RRDEDB**	•	512	**24x18 RRDEDB-16/3**	819
24″ x 24″	610 x 610	25	11.3	2.4	**24x24 RRDEDB**	•	554	**24x24 RRDEDB-16/3**	903
24″ x 30″	610 x 762	29	13.2	2.7	**24x30 RRDEDB**		982	**24x30 RRDEDB-16/3**	1034

SPEC-MASTER® FFN Series Flush Front Sinks

see spec sheet **EG20.54**



FEATURES:

- Full front and 10″ *(254mm)* high backsplash are 14 gauge stainless steel.
- 14 gauge double drainboards, rolled rims and sink bowl partitions.
- 1″ *(25mm)* downturn at rear.
- Sink compartments feature ¾″ *(19mm)* coved inside radii.
- Basket-type waste drain fits 3½″ *(89mm)* opening and features 1½″ *(38mm)* outlet.
- Legs are located directly under sink bowls.
- All-welded base constructed of 1⅝″ *(41mm)* diameter tubular stainless steel.
- Adjustable stainless steel bullet feet.
- 14″ *(356mm)* water level and swirl-away drainage.
- 44⅝″ *(1134mm)* overall height.

				Two Compartments				Three Compartments *			
bowl size width x length in.	mm	drainboard length in.	mm	overall size width x length in.	mm	model #	list	overall size width x length in.	mm	model #	list
27″ x 18″	686 x 457	24″	610	30½″ x 85⅝″	775 x 2216	**FFN2736-2-24-14/3**	20538	30½″ x 105¼″	775 x 2673	**FFN2754-3-24-14/3**	24776
27″ x 18″	686 x 457	30″	762	30½″ x 97⅝″	775 x 2480	**FFN2736-2-30-14/3**	22987	30½″ x 117¼″	775 x 2978	**FFN2754-3-30-14/3**	27600
27″ x 20″	686 x 508	24″	610	30½″ x 89⅝″	775 x 2318	**FFN2740-2-24-14/3**	21485	30½″ x 111¼″	775 x 2826	**FFN2760-3-24-14/3**	26196
27″ x 20″	686 x 508	30″	762	30½″ x 101⅝″	775 x 2581	**FFN2740-2-30-14/3**	23923	30½″ x 123¼″	775 x 3131	**FFN2760-3-30-14/3**	29022
27″ x 24″	686 x 610	24″	610	30½″ x 97⅝″	775 x 2521	**FFN2748-2-24-14/3**	23365	30½″ x 123¼″	775 x 3131	**FFN2772-3-24-14/3**	29022
27″ x 24″	686 x 610	30″	762	30½″ x 109⅝″	775 x 2785	**FFN2748-2-30-14/3**	25814	30½″ x 135¼″	775 x 3435	**FFN2772-3-30-14/3**	31839
27″ x 30″	686 x 762	24″	610	30½″ x 109⅝″	775 x 2826	**FFN2760-2-24-14/3**	26196	30½″ x 141¼″	775 x 3588	**FFN2790-3-24-14/3**	33256
27″ x 30″	686 x 762	30″	762	30½″ x 121⅝″	775 x 3089	**FFN2760-2-30-14/3**	28633	30½″ x 153¼″	775 x 3893	**FFN2790-3-30-14/3**	36084

* Three-Compartment sinks feature two sets of faucet holes.

SPEC-MASTER® Specialty Use/Parts Cleaning Sinks (NSF)

see spec sheet **EG20.38**



FEATURES:

- All bowls have 14″ depth *(356mm)*, ⅝″ *(16mm)* radius corners.
- 14 gauge type 304 18-8 stainless steel construction.
- Available with one, two, or no drainboards.

Note: All shipping weights and cubic feet are approximate.

Two Compartments

inside bowl dimensions width x length in.	mm	overall dimensions width x length x height in.	mm	drain boards	weight lbs.	kg	cu ft	model #	list
14″ x 32″	356 x 813	37″ x 37″ x 44½″	902 x 940 x 1130	none	155	70.3	23	**SFN2832-2-14/3**	9169
14″ x 32″	356 x 813	37″ x 53½″ x 44½″	902 x 1359 x 1130	one 18″ *(457mm)* R or L	175	79.3	26	**SFN2832-2-18R or L-14/3**	10317
14″ x 32″	356 x 813	37″ x 70″ x 44½″	902 x 1778 x 1130	two 18″ *(457mm)* R & L	200	90.7	46	**SFN2832-2-18-14/3**	11295

Three Compartments

inside bowl dimensions width x length in.	mm	overall dimensions width x length x height in.	mm	drain boards	weight lbs.	kg	cu ft	model #	list
two 14″ x 32″ *(356 x 813mm)* bowls, & one 20″ x 30″ *(508 x 762mm)* bowl		37″ x 59″ x 44½″	902 x 1499 x 1130	none	164	74.4	36	**SFN3052-3-14/3**	11750
		37″ x 75½″ x 44½″	902 x 1918 x 1130	one 18″ *(457mm)* R or L	192	87.1	47	**SFN3052-3-18R or L-14/3**	12719
		37″ x 92″ x 44½″	902 x 2337 x 1130	two 18″ *(457mm)* R & L	210	95.3	58	**SFN3052-3-18-14/3**	13044
three 32″ x 14″ *(813 x 356mm)* bowls		39″ x 51″ x 44½″	991 x 1265 x 1130	none	160	72.6	32	**SFN3242-3-14/3**	12244
		39″ x 67½″ x 44½″	991 x 1715 x 1130	one 18″ *(457mm)* R or L	175	79.4	45	**SFN3242-3-18R or L-14/3**	12623
		39″ x 84″ x 44½″	991 x 2134 x 1130	two 18″ *(457mm)* R & L	200	90.7	56	**SFN3242-3-18-14/3**	13075

314 Series Corner Sinks (NSF)

see spec sheet **EG20.09**



all sinks have two sets of faucet holes

FEATURES:

- Deep-drawn, heavy gauge type 304 construction.
- Poly cutting board/sink cover.

Note: All shipping weights and cubic feet are approximate. **ALL UNITS SHIPPED FULLY CRATED.**

Twist drain brackets available. Works in conjunction with optional twist handle drains *(not included - see page 260)*. To order, **add $56 per compartment to list price** and suffix **"-TB"** to model number. **Example: C314-10-3-12-TB.**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

no. bowls	bowl size width x length x depth	drain boards	overall size width x length x height	shipping weight	cu ft	model #	list
3	10″ x 14″ x 10″ *(254 x 355 x 254mm)*	two 12″ *(305mm)*	39″ x 43″ x 44″ *(991 x 1092 x 1118mm)*	152 lbs. *(68.9 kg)*	30	**C314-10-3-12**	9325
3	16″ x 20″ x 14″ *(406 x 508 x 356mm)*	two 18″ *(457mm)*	57¼″ x 59¾″ x 44″ *(1454 x 1518 x 1118mm)*	211 lbs. *(95.7 kg)*	77	**C314-16-3-18** •	12266
3	22″ x 22″ x 14″ *(558 x 558 x 356mm)*	two 18″ *(457mm)*	69″ x 69″ x 44″ *(1753 x 1753 x 1118mm)*	227 lbs. *(103.0 kg)*	90	**C314-22-3-18**	13305
3	24″ x 24″ x 14″ *(610 x 610 x 356mm)*	two 24″ *(610mm)*	79″ x 79″ x 44″ *(2007 x 2007 x 1118mm)*	258 lbs. *(117.0 kg)*	108	**C314-24-3-24**	14378

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

310 and 312 Series Specialty Use Sinks

NSF

see spec sheet **EG20.19**



FEATURES:

- Heavy gauge type 304 construction.
- Sink bowls are deep-drawn, except where noted.
- 9½″ *(241mm)* backsplash includes 1″ *(25mm)* upturn and tile edge for easy installation and feathering to wall/splash surface.

Note: All shipping weights and cubic feet are approximate.

Twist drain brackets available.
Works in conjunction with optional twist handle drains *(not included – see page 260)*. To order, **add $56 per compartment to list price** and suffix **"-TB"** to model number **(example: 310-10-3-12-TB).**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

310 Series

no. bowls	bowl size width x length x depth	drain boards	overall size width x length x height	shipping weight	cu ft	model #	list
3	14″ x 10″ x 9¾″ *(355 x 254 x 247mm)*	two 12″ *(305mm)*	21 11/16″ x 60″ x 41″ *(551 x 1524 x 1041mm)*	71 lbs. *(32.2 kg)*	23	**310-10-3-12** •	5559
3	14″ x 10″ x 9¾″ *(355 x 254 x 247mm)*	two 18″ *(457mm)*	21 11/16″ x 72″ x 41″ *(551 x 1829 x 1041mm)*	78 lbs. *(35.4 kg)*	27	**310-10-3-18** •	5698
3	14″ x 10″ x 9¾″ *(355 x 254 x 247mm)*	two 24″ *(610mm)*	21 11/16″ x 84″ x 41″ *(551 x 2134 x 1041mm)*	87 lbs. *(39.5 kg)*	32	**310-10-3-24**	5799

312 Series

no. bowls	bowl size width x length x depth	drain boards	overall size width x length x height	shipping weight	cu ft	model #	list
3	20″ x 12″ x 12″ *(508 x 305 x 305mm)*	two 12″ *(305mm)*	27 11/16″ x 66″ x 41″ *(703 x 1676 x 1041mm)*	89 lbs. *(40.4 kg)*	22	**312-12-3-12** •*	5897
3	14″ x 16″ x 12″ *(356 x 406 x 305mm)*	two 12″ *(305mm)*	23 11/16″ x 72″ x 41″ *(602 x 1829 x 1041mm)*	105 lbs. *(47.6 kg)*	46	**312-14-3-12** •	6316

* #312-12-3-12 features fabricated sink bowls.

Faucet for Convenience Store Sinks

description	model #	list
10″ *(254mm)* spout	**300489**	515



Go Green. Go ECO-Built™ by EAGLE.

The advantages may be invisible. But when you see the tag you'll know the product you purchase has been produced in the EAGLE plant, under the principles that drive the ECO-Built™ program.

For institutions concerned about meeting their own green standards, buying ECO-Built™ is simply the right thing to do.

Look for the ECO-Built™ tag on the bar code

Mop Sinks (NSF)

see spec sheet **EG20.01**



FEATURES:

- 304 18-8 stainless steel construction.
- Sink bowl is heavy gauge with deep-drawn coved corners.
- Drain with flat strainer plate.

Note: See page 253 for Mop Storage Cabinets and optional Utility Shelves with Mop Hangers.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

bowl width x length x depth in	bowl width x length x depth mm	cu ft	overall width x length x height in.	overall width x length x height mm	sh. weight lbs.	sh. weight kg	model #	list
16″ x 20″ x 8″	406 x 508 x 203	8.4	21½″ x 24⅝″ x 15½″	546 x 625 x 394	35	15.8	**F1916 •***	2744
16″ x 20″ x 12″	406 x 508 x 305	8.4	21½″ x 24⅝″ x 19½″	546 x 625 x 495	53	24.0	**F1916-12 ******	2840
20″ x 28″ x 8″	508 x 711 x 203	11.9	25½″ x 32⅝″ x 15½″	648 x 829 x 394	68	30.8	**F2820 ***	3139
20″ x 28″ x 12″	508 x 711 x 305	11.9	25½″ x 32⅝″ x 19½″	648 x 829 x 495	86	39.0	**F2820-12 ******	3487

* Includes 3¼″ high backsplash. 12½″ deck height.
** Includes 3¼″ high backsplash. 16½″ deck height.



3-pole mop holder



4-pole mop holder



hose & bracket



service faucet

Optional Accessories for Mop Sink

description	weight lbs.	weight kg	model #	list
3-pole mop holder, 18″ *(457mm)* length	4	1.8	**312688**	353
4-pole mop holder, 24″ *(610mm)* length	4.5	2.0	**321561 •**	515
30″ *(762mm)* hose & wall mounted bracket	8	3.6	**312689**	338
service faucet *(comes with vacuum breaker)*	11	5.0	**312690**	984



NEW

Optional 16″ Splash Kits for Mop Sinks

16 gauge type 304 stainless steel. 3″ radius on front of end splashes. Kits come with hardware for attaching to mop sink.

descriptions	fits "F1916" mop sinks model #	fits "F1916" mop sinks list	fits "F2820" mop sinks model #	fits "F2820" mop sinks list
left and rear splash kit	**503095**	987	**503098**	1045
right and rear splash kit	**503096**	987	**503099**	1045
left, right and rear splash kit	**503097**	1556	**503100**	1707



100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Chemical Storage Wall Cabinets

see product announcement **EG8092**



Overall dimensions of all units: 15˝ width x 24˝ length x 28˝ height.

FEATURES:

- Heavy gauge 300 or 430 series stainless steel construction.
- Stationary center shelf with safety edge.
- Top is slanted at a 15˚ angle.
- Sides are louvered along the top for ventilation.
- Double-panel removable doors with or without key lock.
- Recessed back accommodates and conceals full-length mounting plate.

features	TYPE 430 STAINLESS model #	list	TYPE 300 STAINLESS model #	list
left-hinged door	**WCH4-24C-L**	6983	**WCH-24C-L**	7737
left-hinged door with key lock	**WCH4-24C-LL**	7454	**WCH-24C-LL**	8208
right-hinged door	**WCH4-24C-R**	6983	**WCH-24C-R**	7737
right-hinged door with key lock	**WCH4-24C-RL**	7454	**WCH-24C-RL**	8208

Mop Sink Storage Cabinets NSF

see spec sheet **EG20.04**



FEATURES:

- Heavy gauge type 430 stainless steel construction.
- Overhead shelf (Double-width units feature four shelves).
- Double-pan 20 gauge stainless steel hinged doors.
- Transverse rod handles featuring keyed locks.
- Top is slanted at a 15˚ angle.
- Sides are louvered along the top for ventilation.
- Mop sink holds two mops.
- Cabinets comes with service faucet, 30˝ *(762mm)* hose and wall mounted bracket.

Note: **Optional upgrade to type 300 stainless steel cabinet available.**
To order, **add 15% to list price** and suffix **"-SE"** to model number **(example: F1916-VSCS-SE).**

description	width x length x height in.	mm	weight lbs.	kg	cubic feet	model #	list
single-width cabinet	22¼˝ x 25˝ x 84¼˝	565 x 635 x 2140	274	124.3	39.0	**F1916-VSCS**	10200
double-width cabinet, mop sink at left	22¼˝ x 47½˝ x 84¼˝	565 x 1207 x 2140	544	246.7	81.9	**F1916-VSCS-DL**	11653
double-width cabinet, mop sink at right	22¼˝ x 47½˝ x 84¼˝	565 x 1207 x 2140	544	246.7	81.9	**F1916-VSCS-DR**	11653

Utility Shelves with Mop Hangers

see spec sheet **EG20.02**

FEATURES:

- 16 gauge type 304 stainless steel.
- Mop hangers. Flat hooks.
- Hangers and hooks are riveted to front of shelf.

Note: Faucets listed are lead-free AB1953-compliant.

width x length in.	mm	model #	list
8˝ x 24˝	203 x 610	**US0824-16/3** •	1098
8˝ x 36˝	203 x 914	**US0836-16/3**	1264
8˝ x 48˝	203 x 1219	**US0848-16/3**	1599



(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Countertop Drop-In Sinks with Self Rim Design

NSF

see spec sheet EG20.39

FEATURES:

- 304 series stainless steel.
- Faucet and 1½″ *(38mm)* outlet basket drain.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Not NSF approved for warewashing and/or food preparation operations.
Not intended for NSF installation into stainless steel worksurface. Please consult factory if need arises.



#SR-10-14-9.5-1
one-compartment sink



#SR-10-14-9.5-2
two-compartment sink

Note: Faucet holes are punched on 4″ *(102mm)* centers. To order sinks with faucet holes punched on 8″ *(203mm)* centers, **add $292 to list price** and add suffix **"-8CL" (example: SR18-24-13.5-2-8CL).** Faucets sold separately for **"-8CL"** sinks. See page 255.

All weights and cubic feet in charts are approximate.

Recommended for 1″-thick countertops. If countertop is thicker than 1″, please indicate at time of order.

One Compartment – Furnished with #302004 faucet with gooseneck spout, except where noted. See page 255 for other available faucets.

inside bowl dimensions width x length x depth in.	mm	overall width x length in.	mm	TOP MOUNT cutout width x length in.	mm	BOTTOM MOUNT cutout* width x length in.	mm	weight lbs.	kg	cu ft	model #	list
14″ x 10″ x 5″	356 x 254 x 127	19″ x 12¾″	483 x 324	17⅝″ x 11¼″	448 x 286	14 13/16″ x 10 13/16″	376 x 275	10	4.5	0.7	**SR10-14-5-1** •▲	905
14″ x 10″ x 9½″	356 x 254 x 241	18⅞″ x 12¾″	480 x 324	17½″ x 11¼″	445 x 286	14 13/16″ x 10 13/16″	376 x 275	12	5.4	1.4	**SR10-14-9.5-1** •	993
14″ x 12″ x 9½″	356 x 305 x 241	19″ x 14¾″	483 x 375	17⅝″ x 13¼″	448 x 337	14⅜″ x 12⅜″	365 x 314	14	6.4	1.7	**SR12-14-9.5-1** •▲	1332
10″ x 14″ x 5″	254 x 356 x 127	15″ x 16¾″	381 x 426	13⅜″ x 15¼″	346 x 387	10 13/16″ x 14 13/16″	275 x 376	10	4.5	0.8	**SR14-10-5-1** ▲	905
10″ x 14″ x 5″	254 x 356 x 127	15″ x 16¾″	381 x 426	13⅜″ x 15¼″	346 x 387	n/a		12	5.4	0.8	**SRU14-10-5-1** **▲	1704
10″ x 14″ x 9½″	254 x 356 x 241	15″ x 16⅝″	381 x 422	13⅜″ x 15⅛″	346 x 384	10 13/16″ x 14 13/16″	275 x 376	12	5.4	1.6	**SR14-10-9.5-1**	1294
12″ x 14″ x 9½″	305 x 356 x 241	17″ x 16¾″	432 x 426	15⅝″ x 15¼″	397 x 387	12⅜″ x 14⅜″	314 x 365	14	6.4	1.8	**SR14-12-9.5-1** ▲	1317
16″ x 14″ x 9½″	406 x 356 x 241	21″ x 16¾″	533 x 425	19⅝″ x 15¼″	499 x 387	16⅝″ x 14⅝″	422 x 372	23	10.4	2.1	**SR14-16-9.5-1** •▲	1552
14″ x 16″ x 9½″	356 x 406 x 241	19″ x 18¾″	483 x 476	17⅝″ x 17¼″	448 x 448	14⅝″ x 16⅝″	372 x 422	23	10.4	2.1	**SR16-14-9.5-1** ▲	1552
20″ x 16″ x 8″	508 x 406 x 203	24¾″ x 18½″	629 x 470	23⅜″ x 17″	594 x 432	20⅝″ x 16⅝″	524 x 422	26	11.8	2.2	**SR16-19-8-1** ★	1328
20″ x 16″ x 13½″	508 x 406 x 343	24¾″ x 18½″	629 x 470	23⅜″ x 17″	594 x 432	20⅝″ x 16⅝″	524 x 422	28	12.7	3.9	**SR16-19-13.5-1** ★	1662
24″ x 18″ x 13½″	610 x 457 x 343	28¾″ x 20½″	730 x 521	27⅜″ x 19″	695 x 483	24⅝″ x 18⅝″	626 x 473	32	14.5	4.9	**SR18-24-13.5-1** ★	1762
16″ x 20″ x 8″	406 x 508 x 203	20¾″ x 22½″	527 x 572	19⅜″ x 21″	492 x 533	16⅝″ x 20⅝″	422 x 524	24	10.9	2.3	**SR19-16-8-1** ■•	1552
16″ x 20″ x 13½″	406 x 508 x 343	20¾″ x 22½″	527 x 572	19⅜″ x 21″	492 x 533	16⅝″ x 20⅝″	422 x 524	25	11.3	3.9	**SR19-16-13.5-1** ■•	1662
12″ x 20″ x 6½″	305 x 508 x 165	17″ x 22¾″	432 x 578	15⅝″ x 21¼″	397 x 540	12⅜″ x 20⅛″	310 x 511	28	12.7	1.6	**SR20-12-6.5-1** ▲	1675
22″ x 22″ x 13½″	559 x 559 x 343	27″ x 24¾″	686 x 629	25⅝″ x 23¼″	651 x 591	see template included w/sink		34	15.4	5.5	**SR22-22-13.5-1** ■	2033
18″ x 24″ x 13½″	457 x 610 x 343	22¾″ x 26½″	578 x 673	21⅛″ x 25″	543 x 635	18⅝″ x 24⅝″	473 x 626	32	14.5	5.0	**SR24-18-13.5-1** ★	1617
24″ x 24″ x 13½″	610 x 610 x 343	28¾″ x 26½″	730 x 673	27⅜″ x 25″	695 x 635	24 11/16″ x 24 11/16″	627 x 627	36	16.3	6.4	**SR24-24-13.5-1** ■	2119

* See page 255 for Bottom Mount Kit; ** #SRU14-10-5-1 features an upturn on sides and rear; 20 gauge stainless steel. All others constructed of 18 gauge stainless steel; These sinks utilize #301248 faucet with 8″ *(203mm)* swivel spout; These sinks utilize #300490 faucet with 12″ *(305mm)* swivel spout



deck mount electronic-eye faucet

Optional Deck-Mount Electronic-Eye Faucet for One Compartment Drop-In Sinks only

To order, add suffix **"-FE"** to model #.
Example: SR10-14-5-1**-FE.** Consult factory for list price.

Two Compartment – Furnished with #300490 faucet with 12″ *(203mm)* spout, except where noted. See page 255 for other available faucets.

inside bowl dimensions width x length x depth in.	mm	overall width x length in.	mm	TOP MOUNT cutout width x length in.	mm	BOTTOM MOUNT cutout* width x length in.	mm	weight lbs.	kg	cu ft	model #	list
14″ x 10″ x 9½″	356 x 254 x 241	18⅞″ x 24¾″	480 x 629	17½″ x 23¼″	445 x 591	14 13/16″ x 23″	376 x 584	25	11.3	2.8	**SR10-14-9.5-2** •	2096
14″ x 12″ x 9½″	356 x 305 x 241	19″ x 28¾″	483 x 730	17⅝″ x 27¼″	448 x 692	14⅜″ x 26⅝″	365 x 676	27	12.2	3.2	**SR12-14-9.5-2** ▲	2306
16″ x 14″ x 9½″	406 x 356 x 241	21″ x 32¾″	525 x 832	19⅝″ x 31¼″	499 x 794	16⅝″ x 30⅝″	422 x 778	42	19.1	4.0	**SR14-16-9.5-2** ▲	2456
20″ x 16″ x 8″	508 x 406 x 203	24¾″ x 36¼″	527 x 921	23⅜″ x 34¾″	594 x 883	20⅝″ x 34¼″	524 x 870	48	21.8	4.3	**SR16-19-8-2**	2756
20″ x 16″ x 13½″	508 x 406 x 343	24¾″ x 36¼″	527 x 921	23⅜″ x 34¾″	594 x 883	20⅝″ x 34¼″	524 x 870	52	23.6	7.5	**SR16-19-13.5-2** •	2895
24″ x 18″ x 13½″	610 x 457 x 343	28¾″ x 40¼″	578 x 1022	27⅜″ x 38¾″	695 x 984	24⅝″ x 38½″	626 x 978	56	24.9	9.7	**SR18-24-13.5-2**	3317
22″ x 22″ x 13½″	559 x 559 x 343	27″ x 48¾″	686 x 1238	25⅝″ x 47¼″	651 x 1200	see template included w/sink		57	25.9	10.7	**SR22-22-13.5-2**	4966
24″ x 24″ x 13½″	610 x 610 x 343	28¾″ x 52⅛″	730 x 1324	27⅜″ x 50⅝″	695 x 1286	24 13/16″ x 50¼″	630 x 1276	64	29.0	12.5	**SR24-24-13.5-2**	4476

* See page 255 for Bottom Mount Kit; Model #SR10-14-9.5-2 utilizes #301248 faucet with 8″ *(203mm)* swivel spout; 20 gauge stainless steel. All others constructed of 18 gauge stainless steel.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Countertop Drop-In Sinks with Self Rim Design

see spec sheet EG20.39

FEATURES:

- 304 series stainless steel.
- Faucet and 1½″ *(38mm)* outlet basket drain.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Not NSF approved for warewashing and/or food preparation operations.
Not intended for NSF installation into stainless steel worksurface. Please consult factory if need arises.



#SR-10-14-9.5-3
three-compartment sink

Note: Faucet holes are punched on 4″ *(102mm)* centers. To order sinks with faucet holes punched on 8″ *(203mm)* centers, **add $292 to list price** and add suffix **"-8CL" (example: SR18-24-13.5-3-8CL).** Faucets sold separately for **"-8CL"** sinks. See "T&S Deck Mount Faucets" chart below.

All weights and cubic feet in charts are approximate.

Recommended for 1″-thick countertops. For countertops thicker than 1″, consult factory.

Three Compartment – Furnished with #300490 faucet with 12″ *(305mm)* spout, except where noted. See below for other available faucets.

inside bowl dimensions width x length x depth in.	mm	overall width x length in.	mm	TOP MOUNT cutout width x length in.	mm	BOTTOM MOUNT cutout* width x length in.	mm	weight lbs.	kg	cu ft	model #	list
14″ x 10″ x 9½″	356 x 254 x 241	18⅞″ x 36¾″	480 x 933	17½″ x 35¼″	445 x 895	14¹³⁄₁₆″ x 35″	376 x 889	37	16.8	4.1	**SR10-14-9.5-3** •	2803
14″ x 12″ x 9½″	356 x 305 x 241	19″ x 42¾″	483 x 1086	17⅝″ x 41¼″	448 x 1031	14⅜″ x 40⅝″	365 x 1032	39	17.6	4.7	**SR12-14-9.5-3** ▲	3383
16″ x 14″ x 9½″	406 x 356 x 241	21″ x 48¾″	533 x 1238	19⅝″ x 47¼″	498 x 1200	16⅝″ x 46⅝″	422 x 1184	66	29.9	6.0	**SR14-16-9.5-3** •▲	3452
20″ x 16″ x 8″	508 x 406 x 203	24¾″ x 54″	629 x 1372	23¾″ x 52½″	594 x 1334	20⅝″ x 52¼″	524 x 1327	72	32.7	6.3	**SR16-19-8-3**	3585
20″ x 16″ x 13½″	508 x 406 x 343	24¾″ x 54″	629 x 1372	23¾″ x 52½″	594 x 1334	20⅝″ x 52¼″	524 x 1327	77	34.9	10.9	**SR16-19-13.5-3** •	3796
24″ x 18″ x 13½″	610 x 457 x 343	28¾″ x 60″	730 x 1524	27¾″ x 58½″	695 x 1486	24⅝″ x 58¼″	626 x 1480	82	37.2	14.1	**SR18-24-13.5-3** ■	4604

* See below for Bottom Mount Kit; These sinks utilize #301440 faucet with 14″ *(356mm)* swivel spout; 20 gauge stainless steel. All others constructed of 18 gauge stainless steel.

Options for Countertop Drop-In Sinks

see spec sheet EG20.39

Note: Faucets listed are lead-free AB1953-compliant.

Faucets can be shipped UPS.

Standard Deck Mount Faucets — with 1/4-turn handles

description	model #	list
gooseneck faucet, 4″ *(102mm)* center, for single bowls	**302004**	343
8″ *(203mm)* spout, 4″ *(102mm)* centers, for single and double bowls	**301248**	307
12″ *(305mm)* spout, 4″ *(102mm)* centers, for triple bowls	**300490**	327
14″ *(356mm)* spout, 4″ *(102mm)* centers, for triple bowls	**301440**	354



#302004 faucet



#301248 faucet

T&S Deck Mount Faucets *OUR BEST*

description	model #	list
gooseneck faucet, 4″ *(102mm)* center, for single bowls	**313308**	818
8″ *(203mm)* spout, 4″ *(102mm)* center, for single and double bowls	**313306**	788
8″ *(203mm)* spout, 4″ *(102mm)* center, for single and double bowls, with spray arm	**377430** *	810
8″ *(203mm)* spout, 8″ *(203mm)* center, for single and double bowls, with spray arm	**303560** *	908
12″ *(305mm)* spout, 4″ *(102mm)* center, for triple bowls	**313303**	816
12″ *(305mm)* spout, 8″ *(203mm)* center, for triple bowls, with spray arm	**303561** *	1028
14″ *(356mm)* spout, 4″ *(102mm)* center, for triple bowls	**313307**	818
14″ *(356mm)* spout, 8″ *(203mm)* center, for triple bowls, with spray arm	**303562** *	1025

* Faucets with spray arm require special faucet holes.




#303560 faucet

Bottom-Mount Kit — One kit per one-compartment sinks, two kits per two-compartment sink, three kits per three-compartment sink.

description	model #	list
8 undermount clips per kit	**362188**	49



undermount clip



Countertop Drop-Ins with No Deck (NSF)

see product announcement **EG8207**

FEATURES:

- 304 series stainless steel.
- Basket drain.
- 1⅜″ trim on all four sides.



One Compartment

inside bowl dimensions width x length x depth		overall width x length		TOP MOUNT cutout width x length		BOTTOM MOUNT cutout* width x length		weight		cu		
in.	mm	in.	mm	in.	mm	in.	mm	lbs.	kg	ft	model #	list
14″ x 10″ x 5″	356 x 254 x 127	16⅝″ x 12¾″	422 x 324	15¼″ x 11¼″	387 x 286	14¹³⁄₁₆″ x 10¹³⁄₁₆″	376 x 275	10	4.5	0.7	**SR10-14-5-1-ND** ●▲	823
14″ x 10″ x 9½″	356 x 254 x 241	16½″ x 12¾″	419 x 324	15¼″ x 11¼″	387 x 286	14¹³⁄₁₆″ x 10¹³⁄₁₆″	376 x 275	12	5.4	1.4	**SR10-14-9.5-1-ND** ●	1083
14″ x 12″ x 9½″	356 x 305 x 241	16⅝″ x 14¾″	422 x 375	15¼″ x 13¼″	387 x 337	14⅜″ x 12⅝″	365 x 314	14	6.4	1.7	**SR12-14-9.5-1-ND** ●▲	1303
16″ x 14″ x 9½″	406 x 356 x 241	18⅝″ x 16¾″	473 x 425	17¼″ x 15¼″	438 x 387	16⅝″ x 14⅝″	422 x 372	23	10.4	2.1	**SR14-16-9.5-1-ND** ●▲	1480
20″ x 16″ x 8″	508 x 406 x 203	22⅜″ x 18½″	568 x 470	21″ x 17″	533 x 432	20⅝″ x 16⅝″	524 x 422	26	11.8	2.2	**SR16-19-8-1-ND**	1333
20″ x 16″ x 13½″	508 x 406 x 343	22⅜″ x 18½″	568 x 470	21″ x 17″	533 x 432	20⅝″ x 16⅝″	524 x 422	28	12.7	3.9	**SR16-19-13.5-1-ND**	1467
24″ x 18″ x 13½″	610 x 457 x 343	26⅜″ x 20½″	670 x 521	25″ x 19″	635 x 483	24⅝″ x 18⅝″	626 x 473	32	14.5	4.9	**SR18-24-13.5-1-ND**	1564
22″ x 22″ x 13½″	559 x 559 x 343	24⅜″ x 24¾″	626 x 629	23¼″ x 23¼″	591 x 591	22⅝″ x 22⅝″	575 x 575	34	15.4	5.5	**SR22-22-13.5-1-ND**	2699
24″ x 24″ x 13½″	610 x 610 x 343	26⅜″ x 26½″	670 x 673	25″ x 25″	635 x 635	24¹¹⁄₁₆″ x 24¹¹⁄₁₆″	627 x 627	36	16.3	6.4	**SR24-24-13.5-1-ND**	1712

* See page 255 for Bottom Mount Kit; 20 gauge stainless steel. All others constructed of 18 gauge stainless steel.

Two Compartment

inside bowl dimensions width x length x depth		overall width x length		TOP MOUNT cutout width x length		BOTTOM MOUNT cutout* width x length		weight		cu		
in.	mm	in.	mm	in.	mm	in.	mm	lbs.	kg	ft	model #	list
14″ x 10″ x 9½″	356 x 254 x 241	16½″ x 24¾″	419 x 629	15¼″ x 23¼″	387 x 591	14¹³⁄₁₆″ x 23″	376 x 584	25	11.3	2.8	**SR10-14-9.5-2-ND** ●	2045
14″ x 12″ x 9½″	356 x 305 x 241	16⅝″ x 28¾″	422 x 730	15¼″ x 27¼″	387 x 692	14⅜″ x 26⅝″	365 x 676	27	12.2	3.2	**SR12-14-9.5-2-ND** ▲	2364
16″ x 14″ x 9½″	406 x 356 x 241	18⅝″ x 32¾″	473 x 832	17¼″ x 31¼″	438 x 794	16⅝″ x 30⅝″	422 x 778	42	19.1	4.0	**SR14-16-9.5-2-ND** ▲	2528
20″ x 16″ x 8″	508 x 406 x 203	22⅜″ x 36¼″	568 x 921	21″ x 34¾″	533 x 883	20⅝″ x 34½″	524 x 876	48	21.8	4.3	**SR16-19-8-2-ND**	2012
20″ x 16″ x 13½″	508 x 406 x 343	22⅜″ x 36¼″	568 x 921	21″ x 34¾″	533 x 883	20⅝″ x 34½″	524 x 876	52	23.6	7.5	**SR16-19-13.5-2-ND** ●	2277
24″ x 18″ x 13½″	610 x 457 x 343	26⅜″ x 40¼″	670 x 1022	25″ x 38¾″	635 x 984	24⅝″ x 38½″	626 x 978	56	24.9	9.7	**SR18-24-13.5-2-ND**	2734
22″ x 22″ x 13½″	559 x 559 x 343	24⅝″ x 48¾″	626 x 1238	23¼″ x 47¼″	591 x 1200	22⅝″ x 46⅝″	575 x 1184	57	25.9	10.7	**SR22-22-13.5-2-ND**	5018
24″ x 24″ x 13½″	610 x 610 x 343	26⅜″ x 52⅛″	670 x 1324	25″ x 50⅝″	635 x 1286	24¹³⁄₁₆″ x 50¼″	630 x 1276	64	29.0	12.5	**SR24-24-13.5-2-ND**	2105

* See page 255 for Bottom Mount Kit; 20 gauge stainless steel. All others constructed of 18 gauge stainless steel.

Three Compartment

inside bowl dimensions width x length x depth		overall width x length		TOP MOUNT cutout width x length		BOTTOM MOUNT cutout* width x length		weight		cu		
in.	mm	in.	mm	in.	mm	in.	mm	lbs.	kg	ft	model #	list
14″ x 10″ x 9½″	356 x 254 x 241	16½″ x 36¾″	419 x 933	15¼″ x 35¼″	387 x 895	14¹³⁄₁₆″ x 35″	376 x 889	37	16.8	4.1	**SR10-14-9.5-3-ND** ●	2180
14″ x 12″ x 9½″	356 x 305 x 241	16⅝″ x 42¾″	422 x 1086	15¼″ x 41¼″	387 x 1031	14⅜″ x 40⅝″	331 x 1032	39	17.6	4.7	**SR12-14-9.5-3-ND** ▲	3253
16″ x 14″ x 9½″	406 x 356 x 241	18⅝″ x 48¾″	473 x 1238	17¼″ x 47¼″	438 x 1200	16⅝″ x 46⅝″	422 x 1184	66	29.9	6.0	**SR14-16-9.5-3-ND** ●▲	3488
20″ x 16″ x 8″	508 x 406 x 203	22⅜″ x 54″	568 x 1372	21″ x 52½″	533 x 1334	20⅝″ x 52¼″	524 x 1327	72	32.7	6.3	**SR16-19-8-3-ND**	2832
20″ x 16″ x 13½″	508 x 406 x 343	22⅜″ x 54″	568 x 1372	21″ x 52½″	533 x 1334	20⅝″ x 52¼″	524 x 1327	77	34.9	10.9	**SR16-19-13.5-3-ND** ●	3142
24″ x 18″ x 13½″	610 x 457 x 343	26⅜″ x 60″	670 x 1524	25″ x 58½″	635 x 1486	24⅝″ x 58¼″	626 x 1480	82	37.2	14.1	**SR18-24-13.5-3-ND**	3776

* See page 255 for Bottom Mount Kit; 20 gauge stainless steel. All others constructed of 18 gauge stainless steel.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Seamless Welded-In Sinks (NSF)

see spec sheet **EG20.18**

FEATURES:


- For NSF-approved welded fabrication.
- Deep-drawn seamless bowls.
- Type 304 stainless steel construction.
- Basket drain.

Note: All shipping weights and cubic feet are approximate.



For Undermount…

An understructure* is secured atop cabinet, then the sink's flanges are secured between understructure and countertop.



* provided by contractor

One Compartment

inside bowl dimensions width x length x depth in.	mm	overall dimensions width x length in.	mm	gauge	drain in.	mm	weight lbs.	kg	cu ft	model #	list
14″ x 10″ x 5″	356 x 254 x 127	16″ x 12″	406 x 305	20	3½″	89	9	4.1	1.4	**FDI-10-14-5-1**	433
14″ x 10″ x 9½″	356 x 254 x 241	16″ x 12″	406 x 305	18	3½″	89	11	5.0	1.4	**FDI-10-14-9.5-1**	662
14″ x 12″ x 9½″	356 x 305 x 241	16″ x 14″	406 x 356	20	3½″	89	13	5.8	2.4	**FDI-12-14-9.5-1**	688
20″ x 12″ x 6½″	508 x 305 x 165	22″ x 14″	559 x 356	20	2″	51	14	6.4	2.6	**FDI-12-20-6.5-1**	720
16″ x 14″ x 6″	406 x 356 x 152	18″ x 16″	457 x 406	20	3½″	89	14	6.4	2.5	**FDI-14-16-6-1**	739
16″ x 14″ x 9½″	406 x 356 x 241	18″ x 16″	457 x 406	20	3½″	89	14	6.4	2.3	**FDI-14-16-9.5-1**	760
20″ x 16″ x 8″	508 x 406 x 203	21¾″ x 18″	552 x 457	18	3½″	89	23	10.4	3.7	**FDI-16-19-8-1**	929
20″ x 16″ x 13½″	508 x 406 x 343	21¾″ x 18″	552 x 457	18	3½″	89	25	11.3	3.7	**FDI-16-19-13.5-1**	938
24″ x 18″ x 13½″	610 x 457 x 343	26″ x 20″	660 x 508	18	3½″	89	37	16.8	8.6	**FDI-18-24-13.5-1**	1139
20″ x 20″ x 5″	508 x 508 x 127	22″ x 22″	559 x 559	20	3½″	89	19	8.6	1.5	**FDI-20-20-5-1**	728
22″ x 22″ x 13½″	559 x 559 x 343	24″ x 24″	610 x 610	18	3½″	89	39	17.6	7.3	**FDI-22-22-13.5-1**	1328
24″ x 24″ x 13½″	610 x 610 x 343	26″ x 26″	660 x 660	18	3½″	89	41	18.6	8.3	**FDI-24-24-13.5-1**	1386

Two Compartment

inside bowl dimensions width x length x depth in.	mm	overall dimensions width x length in.	mm	gauge	drain in.	mm	weight lbs.	kg	cu ft	model #	list
14″ x 10″ x 9½″	356 x 254 x 241	16″ x 24″	406 x 610	18	3½″	89	19	8.6	6.5	**FDI-10-14-9.5-2**	1272
14″ x 12″ x 9½″	356 x 305 x 241	16″ x 28″	406 x 711	20	3½″	89	21	9.5	4.5	**FDI-12-14-9.5-2**	1372
16″ x 14″ x 9½″	406 x 356 x 241	18″ x 32″	457 x 813	20	3½″	89	25	11.3	6.2	**FDI-14-16-9.5-2**	1477
20″ x 16″ x 8″	508 x 406 x 203	21¾″ x 36″	552 x 914	18	3½″	89	43	19.5	5.1	**FDI-16-19-8-2**	1797
20″ x 16″ x 13½″	508 x 406 x 343	21¾″ x 36″	552 x 914	18	3½″	89	50	22.7	7.6	**FDI-16-19-13.5-2**	1847
24″ x 18″ x 13½″	610 x 457 x 343	26″ x 40″	660 x 1016	18	3½″	89	73	33.1	15.7	**FDI-18-24-13.5-2**	2156
22″ x 22″ x 13½″	559 x 559 x 343	24″ x 48″	610 x 1219	18	3½″	89	75	34.0	12.6	**FDI-22-22-13.5-2**	2556
24″ x 24″ x 13½″	610 x 610 x 343	26″ x 52″	660 x 1321	18	3½″	89	81	36.7	15.0	**FDI-24-24-13.5-2**	2665

Seamless Welded-In Sinks (NSF)

see spec sheet **EG20.18**

FEATURES:


- For NSF-approved welded fabrication.
- Deep-drawn seamless bowls.
- Type 304 stainless steel construction.
- Basket drain.

Note: All shipping weights and cubic feet are approximate.



For Undermount…

An understructure* is secured atop cabinet, then the sink's flanges are secured between understructure and countertop.



* provided by contractor

Three Compartment

inside bowl dimensions width x length x depth in.	mm	overall dimensions width x length in.	mm	gauge	drain in.	mm	weight lbs.	kg	cu ft	model #	list
14″ x 10″ x 9½″	356 x 254 x 241	16″ x 36″	406 x 914	18	3½″	89	27	12.2	4.0	**FDI-10-14-9.5-3**	1898
14″ x 12″ x 9½″	356 x 305 x 241	16″ x 42″	406 x 1067	20	3½″	89	30	13.6	5.3	**FDI-12-14-9.5-3**	1918
16″ x 14″ x 9½″	406 x 356 x 241	18″ x 48″	457 x 1219	20	3½″	89	36	16.3	7.2	**FDI-14-16-9.5-3**	2153
20″ x 16″ x 8″	508 x 406 x 203	21¾″ x 54″	552 x 1372	18	3½″	89	63	28.6	11.3	**FDI-16-19-8-3**	2592
20″ x 16″ x 13½″	508 x 406 x 343	21¾″ x 54″	552 x 1372	18	3½″	89	75	34.0	15.9	**FDI-16-19-13.5-3**	2704
24″ x 18″ x 13½″	610 x 457 x 343	26″ x 60″	660 x 1524	18	3½″	89	101	45.8	21.8	**FDI-18-24-13.5-3**	3133
22″ x 22″ x 13½″	559 x 559 x 343	24″ x 72″	610 x 1829	18	3½″	89	113	51.3	19.8	**FDI-22-22-13.5-3**	3550
24″ x 24″ x 13½″	610 x 610 x 343	26″ x 78″	660 x 1981	18	3½″	89	123	55.8	21.8	**FDI-24-24-13.5-3**	3705

Four Compartment

inside bowl dimensions width x length x depth in.	mm	overall dimensions width x length in.	mm	gauge	drain in.	mm	weight lbs.	kg	cu ft	model #	list
14″ x 10″ x 9½″	356 x 254 x 241	16″ x 48″	406 x 1219	18	3½″	89	35	15.9	6.0	**FDI-10-14-9.5-4**	2282
14″ x 12″ x 9½″	356 x 305 x 241	16″ x 56″	406 x 1422	20	3½″	89	39	17.6	7.2	**FDI-12-14-9.5-4**	2550
16″ x 14″ x 9½″	406 x 356 x 241	18″ x 64″	457 x 1626	20	3½″	89	47	21.3	9.7	**FDI-14-16-9.5-4**	2648
20″ x 16″ x 8″	508 x 406 x 203	21¾″ x 72″	552 x 1829	18	3½″	89	83	37.6	16.9	**FDI-16-19-8-4**	3133
20″ x 16″ x 13½″	508 x 406 x 343	21¾″ x 72″	552 x 1829	18	3½″	89	100	45.4	14.8	**FDI-16-19-13.5-4**	3234
24″ x 18″ x 13½″	610 x 457 x 343	26″ x 80″	660 x 3032	18	3½″	89	129	58.5	28.4	**FDI-18-24-13.5-4**	3686
22″ x 22″ x 13½″	559 x 559 x 343	24″ x 96″	610 x 2438	18	3½″	89	151	68.6	23.5	**FDI-22-22-13.5-4**	4308
24″ x 24″ x 13½″	610 x 610 x 343	26″ x 104″	660 x 2642	18	3½″	89	163	73.9	28.5	**FDI-24-24-13.5-4**	4485

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment


Seamless Welded-In Sinks with Fabricated Wall

see spec sheet **EG20.16**

FEATURES:


- For NSF-approved welded fabrication.
- Type 304 18-8 stainless steel construction.
- Bowls are tapered to allow for 60% nesting which facilitates shipping and storage.
- 5/8″ *(16mm)* radius corners.
- 3½″ *(89mm)* drain hole with sump.
- Swirl away drainage.

inside bowl dimensions (W x L x D) in.	inside bowl dimensions (W x L x D) mm	gauge	weight lbs.	weight kg	cu ft	model #	list
9″ x 12″ x 6″	229 x 305 x 432	16	6	2.7	0.4	**FNWNF-9-12-6-1**	1223
9″ x 14″ x 8″	229 x 356 x 203	16	8	3.6	0.5	**FNWNF-9-14-8-1**	1299
12″ x 14″ x 8″	305 x 356 x 203	16	11	5.0	0.8	**FNWNF-12-14-8-1**	1338
14″ x 16″ x 8″	356 x 406 x 203	16	12	5.4	1.0	**FNWNF-14-16-8-1**	1400
18″ x 18″ x 10″	457 x 457 x 254	14	24	10.9	1.9	**FNWNF-18-18-10-1**	1254
18″ x 18″ x 12″	457 x 457 x 305	14	27	12.2	2.3	**FNWNF-18-18-12-1**	1272
20″ x 20″ x 10″	508 x 508 x 254	14	25	11.3	2.3	**FNWNF-20-20-10-1**	1328
20″ x 20″ x 12″	508 x 508 x 305	14	29	13.2	2.8	**FNWNF-20-20-12-1**	1394
20″ x 20″ x 14″	508 x 508 x 356	14	32	14.5	3.2	**FNWNF-20-20-14-1**	1469
20″ x 27″ x 6″	508 x 686 x 432	14	20	9.0	1.5	**FNWNF-20-27-6-1**	1254
20½″ x 20½″ x 5″	521 x 521 x 127	14	18	8.2	1.2	**FNWNF-20.5-20.5-5-1**	1154
20½″ x 20½″ x 8″	521 x 521 x 203	14	24	10.9	1.9	**FNWNF-20.5-20.5-8-1**	1266
24″ x 24″ x 12″	610 x 610 x 305	14	38	17.2	4.0	**FNWNF-24-24-12-1**	1552
24″ x 24″ x 14″	610 x 610 x 356	14	42	19.1	4.7	**FNWNF-24-24-14-1**	1628



Custom Sink Modifications

see spec sheet **EG20.50**



model #	description	list
E30	End splash - per end, all heights	585
E40	Provision for sink heater	85
E41	Disposal provision package—collar	1370
E41A	Disposal provision package—cone	1370
E43	Stand pipe with corner guard, available only on FN-style and utility sinks	414
E44	Faucet hole revision - adding or moving	308
E45	Trough installed in drainboard	1680
E46	Rubber scrap block installed	674
E101A	Turn down backsplash - per sink, includes Z-clips	454

Not Pictured

model #	description	list
E37	NSF sprayed-on sound deadening - up to 12´ *(3658mm)*	1272
E37A	- for each additional foot	103
E38-6 *	Cantilever mount up to 6´ *(1829mm)* - add to wall shelf price	739
E38-12 *	Cantilever mount up to 12´ *(3658mm)* - add to wall shelf price	9995
E39	Enclosed backsplash	159/lin. ft.
E47	Sink cover holders, sized for stainless steel or poly (includes upper and lower track)	1263/slot
E48	Stainless steel apron, to cover sink bowls - 2 or 3 compartment	2019
E48A	- for each additional compartment over 3	338
E49	s/s undershelf under drainboards - up to 24″ *(610mm)* w/short legs	1086
E49A	- for each additional foot over 24″ *(610mm)*	476
E50	Provision for water pump	2830
E51	Optional size drainboard	627/lin. ft.
E52	High backsplash up to 13″ *(330mm)*	327/lin. ft.
E53	High backsplash up to 18″ *(457mm)*	584/lin. ft.
E54	Working height revision	552/sink
E55	Drainboard corner turn	2547/ea.
E56	overflow hole	83

* Applicable to wall mount shelves and pot racks.

Sink Accessories/Replacements

Can be shipped UPS.

see spec sheet **EG20.51A**

Sink Covers…

For 412, 414, 314, and Spec-Master® FN Series Sinks only.

	Polyboard		Stainless Steel	
fits sink bowl size	model #	list	model #	list
14″ x 10″ *(356 x 254mm)*	**313207**	252	**321555**	309
16″ x 20″ *(483 x 508mm)*	**351584**	284	**351585**	353
20″ x 18″ *(508 x 457mm)*	**335377**	294	**346175**	374
20″ x 20″ *(508 x 508mm)*	**326267**	299	**305428**	376
22″ x 22″ *(559 x 559mm)*	**313204**	307	**321557**	395
24″ x 18″ *(610 x 457mm)*	**326268**	300	**326270**	383
24″ x 24″ *(610 x 610mm)*	**313205**	332	**321558**	485
28″ x 20″ *(711 x 508mm)*	**326269**	330	**326271**	388



polyboard sink cover



stainless steel sink cover



lever handle drain with overflow



twist handle drain



crumb cup strainer



lever handle drain



Drains

description	max. flow rate gal. per minute	gal. per hour	model #	list
lever handle drain with 1.5″ or 2″ *(38 or 51mm)* NPS connection	27	1620	**300720**	436
lever handle drain with 2″ *(51mm)* NPS connection	32	1920	**300721**	436
lever handle drain with 2″ *(51mm)* NPS connection and overflow	32	1920	**300722**	889
twist handle drain with 1.5″ or 2″ *(38 or 51mm)* NPS connection	27	1620	**341189** *	456
twist handle drain with 2″ *(51mm)* NPS connection	32	1920	**336002** *	456
twist handle drain with 2″ *(51mm)* NPS connection and overflow	32	1920	**341190** *	1034
nickel-plated brass rotary drain with 1.5″ or 2″ *(38 or 51mm)* NPS connection	40	2400	**369653**	738
crumb cup strainer with 1.5″ *(38mm)* outlet	18	1080	**300287**	40

* Twist handle bracket, for use with twist handle drain, should be ordered as sink option **"-TB"** at time of sink order
—or see 'Sink Kits' on page 217 *(for 314, 412, or 414 Series sinks)* or page 242 *(for FN Series sinks).*

Control Bracket

description	model #	list each
3″ x 5″ *(76 x 127mm)*, extra heavy duty	**309796**	130

Note: Requires custom mounting.



stainless steel flanged bullet foot

Leg Components

description	model #	list each
19″ *(483mm)* stainless steel leg for utility sinks	**300315**	60
stainless steel bullet feet	**300692**	36
stainless steel flanged bullet feet	**313835**	53
plastic bullet feet	**300293**	5

Plumbing Components

description	model #	list each
P-trap, nickel-plated	**300789**	172
tail piece for 1.5″ *(38.1mm)* IPS connection, nickel-plated	**300791**	33
anti-siphon vacuum breaker	**313832**	330
backflow preventer	**313834**	386



P-trap



tail piece



anti-siphon vacuum breaker



backflow preventer

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Sink Accessories/Replacements

see spec sheet **EG20.51B**

Note: Faucets listed are lead-free AB1953-compliant.

Can be shipped UPS.

T&S Extra Heavy Duty Faucets

- Top-of-the-line, T&S quality products.
- Splash mounted with 8″ *(203mm)* centers.



12″ (305mm) T&S faucet

OUR BEST

description	model #	list
8″ *(203mm)* spout	**313920**	1095
10″ *(254mm)* spout	**340380**	1118
12″ *(305mm)* spout	**313293**	1122
14″ *(356mm)* spout	**313294**	1133

Standard Faucets

- 8″ *(203mm)* centers.
- Splash mounted

description	model #	list
8″ *(203mm)* spout, standard	**313918**	410
12″ *(305mm)* spout, standard	**300716**	418
14″ *(356mm)* spout, standard	**300804**	433
16″ *(406mm)* spout, standard	**313919**	436
12″ *(305mm)* spout, heavy duty	**301001**	1012
14″ *(356mm)* spout, heavy duty	**301002**	1025
19″ *(489mm)* double-jointed spout	**301003**	1136
gooseneck, 8″ *(203mm)* center	**313075**	303

Standard Faucets with Wrist Handles

- Deck mounted with 4″ *(102mm)* centers.
- 4″ *(102mm)* long wrist handles and gooseneck spout.

description	model #	list
standard, rigid gooseneck spout	**301005**	580
heavy duty, swivel gooseneck spout	**301004**	943

OUR BEST

T&S Extra Heavy Duty Faucet with Wrist Handles



- Top-of-the-line T&S quality.
- Deck mounted with 4″ *(102mm)* centers.
- 4″ *(102mm)* long wrist handles and rigid gooseneck spout.

description	model #	list
extra heavy duty	**313304**	1119



19″ (483mm) double-jointed spout faucet



12″ (305mm) heavy duty faucet

Repair Kits for Standard Faucets

description	for faucets #	model #	list
hot/cold stems, handles, seats, bonnet nuts, O-rings	313918, 313919	**304146**	186
hot/cold ceramic cartridge	300716, 300804	**368421**	56



standard wrist handle faucet

Prerinse Units and Components

Standard

description	model #	list
splash mounted spray unit	**300719**	2095
deck mounted spray unit	**300718**	2089
faucet add-on with 12″ *(305mm)* spout	**301189**	555
wall bracket	**301190**	140
prerinse hose, 36″ *(914mm)* length	**313116**	400
prerinse spray valve assembly for spray units #300718 and 300719	**313323**	345



splash mounted prerinse spray unit



prerinse spray valve assembly

deck mounted prerinse spray unit

T&S Extra Heavy Duty - Top-of-the-line.

OUR BEST

description	model #	list
splash mounted spray unit with wall bracket	**313296**	2740
deck mounted spray unit with wall bracket	**313295**	2582
faucet add-on with 12″ *(305mm)* spout for use with #313296 faucet	**313297**	684



prerinse wall bracket




prerinse faucet add-on

Floor Troughs


see spec sheet **EG25.00**



floor trough with subway-style grading



(see chart below for dimensions A through E)



FEATURES:

- Built-in pitch towards drain ensures complete drainage.
- Secured with anchor straps.
- Stainless steel drain accommodates up to a 4″ *(102mm)* diameter pipe, and removable perforated stainless steel basket.
- Stainless steel subway-style grating or fiberglass grating.

Note: Custom sizes available. Contact factory for pricing.

Gray Fiberglass Grating available.
To order add suffix **"G"** to model #.
Example FT-1218-FGG.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Note: Floor Troughs with ADA-compliant Grating* available! Provides a more solid walking area, and objects are less likely to fall through. Available for Floor Troughs with Fiberglass AND Stainless Steel Grating! To order, add suffix **"-ADA"**. **Example: FT-1224-FG-ADA**.

…with Yellow Fiberglass Grating

** Troughs with optional ADA-compliant Fiberglass Grating features wider T-bars resistant to corrosion, skid, fire, chipping and cracking. To order,* **add 5% to list price**.

dimension D in.	dimension D mm	dimension E in.	dimension E mm	12″ (305mm) WIDE TROUGHS dimension A: 7″ *(178mm)* dimension B: 9″ *(229mm)* dimension C: 12″ *(305mm)* model #	list	15″ (381mm) WIDE TROUGHS dimension A: 10″ *(254mm)* dimension B: 12″ *(305mm)* dimension C: 15″ *(381mm)* model #	list	18″ (457mm) WIDE TROUGHS dimension A: 13″ *(330mm)* dimension B: 15″ *(381mm)* dimension C: 18″ *(457mm)* model #	list	24″ (610mm) WIDE TROUGHS dimension A: 19″ *(483mm)* dimension B: 21″ *(533mm)* dimension C: 24″ *(610mm)* model #	list
18″	457	15″	381	**FT-1218-FG**	3565	-		-		-	
24″	610	21″	533	**FT-1224-FG**	3864	**FT-1524-FG**	3944	**FT-1824-FG**	4232	**FT-2424-FG**	4530
30″	762	27″	686	**FT-1230-FG**	4243	**FT-1530-FG**	4284	**FT-1830-FG**	4673	**FT-2430-FG**	5105
36″	914	33″	838	**FT-1236-FG**	4444	**FT-1536-FG**	4482	**FT-1836-FG**	5007	**FT-2436-FG** •	5505
48″	1219	45″	1143	**FT-1248-FG**	5099	**FT-1548-FG**	5160	**FT-1848-FG**	5797	**FT-2448-FG**	6463
60″	1524	57″	1448	**FT-1260-FG**	5523	**FT-1560-FG**	5764	**FT-1860-FG**	6474	**FT-2460-FG**	7408
72″	1829	69″	1753	**FT-1272-FG**	6238	**FT-1572-FG**	6363	**FT-1872-FG**	7236	**FT-2472-FG**	7475
84″	2134	81″	2057	**FT-1284-FG**	6823	**FT-1584-FG**	7018	**FT-1884-FG**	8077	**FT-2484-FG**	9315
96″	2438	93″	2362	**FT-1296-FG**	7445	**FT-1596-FG**	7574	**FT-1896-FG**	8822	**FT-2496-FG**	10192
120″	3048	117″	2972	**FT-12120-FG**	8689	**FT-15120-FG**	9166	**FT-18120-FG**	10685	**FT-24120-FG**	12395

…with Subway-Style Stainless Steel Grating


** Troughs with optional ADA-compliant Stainless Steel Grating features added stainless steel flat bars spaced only 1/4″ apart.* **Call factory for pricing**

dimension D in.	dimension D mm	dimension E in.	dimension E mm	12″ (305mm) WIDE TROUGHS dimension A: 7″ *(178mm)* dimension B: 9″ *(229mm)* dimension C: 12″ *(305mm)* model #	list	15″ (381mm) WIDE TROUGHS dimension A: 10″ *(254mm)* dimension B: 12″ *(305mm)* dimension C: 15″ *(381mm)* model #	list	18″ (457mm) WIDE TROUGHS dimension A: 13″ *(330mm)* dimension B: 15″ *(381mm)* dimension C: 18″ *(457mm)* model #	list	24″ (610mm) WIDE TROUGHS dimension A: 19″ *(483mm)* dimension B: 21″ *(533mm)* dimension C: 24″ *(610mm)* model #	list
18″	457	15″	381	**FT-1218-SG**	4956	-		-		-	
24″	610	21″	533	**FT-1224-SG** •	5196	**FT-1524-SG**	5526	**FT-1824-SG** •	5843	**FT-2424-SG**	7075
30″	762	27″	686	**FT-1230-SG**	5356	**FT-1530-SG**	5659	**FT-1830-SG**	6169	**FT-2430-SG**	7366
36″	914	33″	838	**FT-1236-SG** •	5522	**FT-1536-SG**	6428	**FT-1836-SG** •	6495	**FT-2436-SG** •	8399
48″	1219	45″	1143	**FT-1248-SG** •	6822	**FT-1548-SG**	7823	**FT-1848-SG**	7723	**FT-2448-SG**	9726
60″	1524	57″	1448	**FT-1260-SG**	8180	**FT-1560-SG**	9159	**FT-1860-SG**	9529	**FT-2460-SG**	10905
72″	1829	69″	1753	**FT-1272-SG**	9403	**FT-1572-SG**	10537	**FT-1872-SG**	10432	**FT-2472-SG**	12675
84″	2134	81″	2057	**FT-1284-SG**	11050	**FT-1584-SG**	11915	**FT-1884-SG**	12667	**FT-2484-SG**	13855
96″	2438	93″	2362	**FT-1296-SG**	11365	**FT-1596-SG**	13207	**FT-1896-SG**	12993	**FT-2496-SG**	15328
120″	3048	117″	2972	**FT-12120-SG**	14938	**FT-15120-SG**	16083	**FT-18120-SG**	17218	**FT-24120-SG**	18565

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com


EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment


Anti-Splash Floor Troughs (NSF)



"Anti-Splash" design assures complete drainage while preventing splashing back onto the floor.

see spec sheet **EG25.01**





(see chart below for dimensions A through E)

FEATURES:

- Built-in pitch towards drain ensures complete drainage.
- Secured with anchor straps.
- Stainless steel drain accommodates up to a 4″ *(102mm)* diameter pipe, and removable perforated stainless steel basket.
- Stainless steel subway-style grating or fiberglass grating.

Note: Custom sizes available. Contact factory for pricing.

Gray Fiberglass Grating available.
To order add suffix **"G"** to model #.
Example ASFT-1218-FGG.

Note: Floor Troughs with ADA-compliant Grating* available! Provides a more solid walking area, and objects are less likely to fall through. Available for Floor Troughs with Fiberglass AND Stainless Steel Grating! To order, add suffix **"-ADA"**. **Example: ASFT-1224-SG-ADA**.

…with Yellow Fiberglass Grating

** Troughs with optional ADA-compliant Fiberglass Grating features wider T-bars resistant to corrosion, skid, fire, chipping and cracking. To order,* **add 5% to list price**.

dimension D		dimension E		12″ (305mm) WIDE TROUGHS dimension A: 7″ *(178mm)* dimension B: 9″ *(229mm)* dimension C: 12″ *(305mm)*		15″ (381mm) WIDE TROUGHS dimension A: 10″ *(254mm)* dimension B: 12″ *(305mm)* dimension C: 15″ *(381mm)*		18″ (457mm) WIDE TROUGHS dimension A: 13″ *(330mm)* dimension B: 15″ *(381mm)* dimension C: 18″ *(457mm)*		24″ (610mm) WIDE TROUGHS dimension A: 19″ *(483mm)* dimension B: 21″ *(533mm)* dimension C: 24″ *(610mm)*	
in.	mm	in.	mm	model #	list	model #	list	model #	list	model #	list
18″	457	15″	381	**ASFT-1218-FG**	4004	-		-		-	
24″	610	21″	533	**ASFT-1224-FG**	4343	**ASFT-1524-FG**	4430	**ASFT-1824-FG**	4756	**ASFT-2424-FG**	5094
30″	762	27″	686	**ASFT-1230-FG**	4766	**ASFT-1530-FG**	4807	**ASFT-1830-FG**	5253	**ASFT-2430-FG**	5742
36″	914	33″	838	**ASFT-1236-FG**	4993	**ASFT-1536-FG**	5036	**ASFT-1836-FG**	5626	**ASFT-2436-FG**	6188
48″	1219	45″	1143	**ASFT-1248-FG**	5727	**ASFT-1548-FG**	5797	**ASFT-1848-FG**	6514	**ASFT-2448-FG**	7264
60″	1524	57″	1448	**ASFT-1260-FG**	6203	**ASFT-1560-FG**	6485	**ASFT-1860-FG**	7272	**ASFT-2460-FG**	8322
72″	1829	69″	1753	**ASFT-1272-FG**	7010	**ASFT-1572-FG**	7148	**ASFT-1872-FG**	8128	**ASFT-2472-FG**	8405
84″	2134	81″	2057	**ASFT-1284-FG**	7667	**ASFT-1584-FG**	7882	**ASFT-1884-FG**	9082	**ASFT-2484-FG**	10467
96″	2438	93″	2362	**ASFT-1296-FG**	8367	**ASFT-1596-FG**	8509	**ASFT-1896-FG**	9910	**ASFT-2496-FG**	11449
120″	3048	117″	2972	**ASFT-12120-FG**	9763	**ASFT-15120-FG**	10300	**ASFT-18120-FG**	12006	**ASFT-24120-FG**	13229

…with Subway-Style Stainless Steel Grating

** Troughs with optional ADA-compliant Stainless Steel Grating features added stainless steel flat bars spaced only 1/4″ apart.* **Call factory for pricing**

dimension D		dimension E		12″ (305mm) WIDE TROUGHS dimension A: 7″ *(178mm)* dimension B: 9″ *(229mm)* dimension C: 12″ *(305mm)*		15″ (381mm) WIDE TROUGHS dimension A: 10″ *(254mm)* dimension B: 12″ *(305mm)* dimension C: 15″ *(381mm)*		18″ (457mm) WIDE TROUGHS dimension A: 13″ *(330mm)* dimension B: 15″ *(381mm)* dimension C: 18″ *(457mm)*		24″ (610mm) WIDE TROUGHS dimension A: 19″ *(483mm)* dimension B: 21″ *(533mm)* dimension C: 24″ *(610mm)*	
in.	mm	in.	mm	model #	list	model #	list	model #	list	model #	list
18″	457	15″	381	**ASFT-1218-SG**	5550	-		-		-	
24″	610	21″	533	**ASFT-1224-SG**	5574	**ASFT-1524-SG**	5393	**ASFT-1824-SG**	6222	**ASFT-2424-SG**	7454
30″	762	27″	686	**ASFT-1230-SG**	5830	**ASFT-1530-SG**	5992	**ASFT-1830-SG**	6642	**ASFT-2430-SG**	8636
36″	914	33″	838	**ASFT-1236-SG**	6085	**ASFT-1536-SG**	6963	**ASFT-1836-SG**	7062	**ASFT-2436-SG**	8966
48″	1219	45″	1143	**ASFT-1248-SG**	7577	**ASFT-1548-SG**	8382	**ASFT-1848-SG**	8474	**ASFT-2448-SG**	10485
60″	1524	57″	1448	**ASFT-1260-SG**	9122	**ASFT-1560-SG**	9264	**ASFT-1860-SG**	10475	**ASFT-2460-SG**	11847
72″	1829	69″	1753	**ASFT-1272-SG**	10532	**ASFT-1572-SG**	11327	**ASFT-1872-SG**	11569	**ASFT-2472-SG**	13809
84″	2134	81″	2057	**ASFT-1284-SG**	12365	**ASFT-1584-SG**	12885	**ASFT-1884-SG**	13993	**ASFT-2484-SG**	15174
96″	2438	93″	2362	**ASFT-1296-SG**	12880	**ASFT-1596-SG**	14205	**ASFT-1896-SG**	14503	**ASFT-2496-SG**	16836
120″	3048	117″	2972	**ASFT-12120-SG**	16828	**ASFT-15120-SG**	17672	**ASFT-18120-SG**	19099	**ASFT-24120-SG**	20455

Cool Trough® Water Tempering Systems

NSF

see spec sheet **EG25.03A**


FEATURES:


- Integral mechanical temperature sensor maintains water temperature of 130˚F or less.
- Built-in pitch towards drain ensures complete drainage.
- No electrical connection required.



#WTFT-1215-FGG
Cool Trough®

PATENTED!
(patent #9,588,525)





(see chart below for dimensions A through E)

...with Gray Fiberglass Grating

dimension D in.	dimension D mm	dimension E in.	dimension E mm	12″ (305mm) WIDE TROUGHS dimension A: 7″ (178mm) dimension B: 9″ (229mm) dimension C: 12″ (305mm) model #	list	15″ (381mm) WIDE TROUGHS dimension A: 10″ (254mm) dimension B: 12″ (305mm) dimension C: 15″ (381mm) model #	list	18″ (457mm) WIDE TROUGHS dimension A: 13″ (330mm) dimension B: 15″ (381mm) dimension C: 18″ (457mm) model #	list	24″ (610mm) WIDE TROUGHS dimension A: 19″ (483mm) dimension B: 21″ (533mm) dimension C: 24″ (610mm) model #	list
15″	381	12″	305	**WTFT-1215-FGG**	19116	-		-		-	
18″	457	15″	381	**WTFT-1218-FGG**	20074	**WTFT-1518-FGG**	19534	-		-	
24″	610	21″	533	**WTFT-1224-FGG**	20393	**WTFT-1524-FGG**	20470	**WTFT-1824-FGG**	20776	**WTFT-2424-FGG**	21087
30″	762	27″	686	**WTFT-1230-FGG**	20783	**WTFT-1530-FGG**	20826	**WTFT-1830-FGG**	21233	**WTFT-2430-FGG**	21686
36″	914	33″	838	**WTFT-1236-FGG**	20996	**WTFT-1536-FGG**	21034	**WTFT-1836-FGG**	21584	**WTFT-2436-FGG**	22104
48″	1219	45″	1143	**WTFT-1248-FGG**	21680	**WTFT-1548-FGG**	21745	**WTFT-1848-FGG**	22414	**WTFT-2448-FGG**	23106
60″	1524	57″	1448	**WTFT-1260-FGG**	22123	**WTFT-1560-FGG**	22292	**WTFT-1860-FGG**	23119	**WTFT-2460-FGG**	24097
72″	1829	69″	1753	**WTFT-1272-FGG**	22870	**WTFT-1572-FGG**	22999	**WTFT-1872-FGG**	23439	**WTFT-2472-FGG**	24164
84″	2134	81″	2057	**WTFT-1284-FGG**	23482	**WTFT-1584-FGG**	23686	**WTFT-1884-FGG**	24794	**WTFT-2484-FGG**	26084
96″	2438	93″	2362	**WTFT-1296-FGG**	24136	**WTFT-1596-FGG**	24264	**WTFT-1896-FGG**	25572	**WTFT-2496-FGG**	27004

...with Subway-Style Stainless Steel Grating

dimension D in.	dimension D mm	dimension E in.	dimension E mm	12″ (305mm) WIDE TROUGHS dimension A: 7″ (178mm) dimension B: 9″ (229mm) dimension C: 12″ (305mm) model #	list	15″ (381mm) WIDE TROUGHS dimension A: 10″ (254mm) dimension B: 12″ (305mm) dimension C: 15″ (381mm) model #	list	18″ (457mm) WIDE TROUGHS dimension A: 13″ (330mm) dimension B: 15″ (381mm) dimension C: 18″ (457mm) model #	list	24″ (610mm) WIDE TROUGHS dimension A: 19″ (483mm) dimension B: 21″ (533mm) dimension C: 24″ (610mm) model #	list
15″	381	12″	305	**WTFT-1215-SG**	21060	-		-		-	
18″	457	15″	381	**WTFT-1218-SG**	21527	**WTFT-1518-SG**	21337	-		-	
24″	610	21″	533	**WTFT-1224-SG**	21782	**WTFT-1524-SG**	22128	**WTFT-1824-SG**	22456	**WTFT-2424-SG**	23748
30″	762	27″	686	**WTFT-1230-SG**	21950	**WTFT-1530-SG**	22264	**WTFT-1830-SG**	22797	**WTFT-2430-SG**	24049
36″	914	33″	838	**WTFT-1236-SG**	22120	**WTFT-1536-SG**	23070	**WTFT-1836-SG**	23139	**WTFT-2436-SG**	25130
48″	1219	45″	1143	**WTFT-1248-SG**	23480	**WTFT-1548-SG**	24526	**WTFT-1848-SG**	25437	**WTFT-2448-SG**	26515
60″	1524	57″	1448	**WTFT-1260-SG**	24903	**WTFT-1560-SG**	25927	**WTFT-1860-SG**	26308	**WTFT-2460-SG**	27749
72″	1829	69″	1753	**WTFT-1272-SG**	26176	**WTFT-1572-SG**	27362	**WTFT-1872-SG**	28585	**WTFT-2472-SG**	29594
84″	2134	81″	2057	**WTFT-1284-SG**	27896	**WTFT-1584-SG**	28800	**WTFT-1884-SG**	29589	**WTFT-2484-SG**	30828
96″	2438	93″	2362	**WTFT-1296-SG**	28228	**WTFT-1596-SG**	30149	**WTFT-1896-SG**	31684	**WTFT-2496-SG**	32366

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Anti-Splash Cool Trough® Water Tempering Systems

see spec sheet **EG25.03B**


FEATURES:


- Integral mechanical temperature sensor maintains water temperature of 130˚F or less.
- Built-in pitch towards drain ensures complete drainage.
- No electrical connection required.



#ASWTFT-1215-FGG
Cool Trough®

PATENTED!
(patent #9,588,525)





(see chart below for dimensions A through E)

...with Gray Fiberglass Grating

12˝ (305mm) WIDE TROUGHS
dimension A: 7˝ *(178mm)*
dimension B: 9˝ *(229mm)*
dimension C: 12˝ *(305mm)*

15˝ (381mm) WIDE TROUGHS
dimension A: 10˝ *(254mm)*
dimension B: 12˝ *(305mm)*
dimension C: 15˝ *(381mm)*

18˝ (457mm) WIDE TROUGHS
dimension A: 13˝ *(330mm)*
dimension B: 15˝ *(381mm)*
dimension C: 18˝ *(457mm)*

24˝ (610mm) WIDE TROUGHS
dimension A: 19˝ *(483mm)*
dimension B: 21˝ *(533mm)*
dimension C: 24˝ *(610mm)*

dimension D in.	dimension D mm	dimension E in.	dimension E mm	model #	list	model #	list	model #	list	model #	list
15˝	381	12˝	305	**ASWTFT-1215-FGG**	20083	-		-		-	
18˝	457	15˝	381	**ASWTFT-1218-FGG**	20534	**ASWTFT-1518-FGG**	20486	-		-	
24˝	610	21˝	533	**ASWTFT-1224-FGG**	20889	**ASWTFT-1524-FGG**	20982	**ASWTFT-1824-FGG**	21325	**ASWTFT-2424-FGG**	21675
30˝	762	27˝	686	**ASWTFT-1230-FGG**	21333	**ASWTFT-1530-FGG**	21376	**ASWTFT-1830-FGG**	21838	**ASWTFT-2430-FGG**	22354
36˝	914	33˝	838	**ASWTFT-1236-FGG**	21569	**ASWTFT-1536-FGG**	21614	**ASWTFT-1836-FGG**	22230	**ASWTFT-2436-FGG**	22816
48˝	1219	45˝	1143	**ASWTFT-1248-FGG**	22337	**ASWTFT-1548-FGG**	22414	**ASWTFT-1848-FGG**	23160	**ASWTFT-2448-FGG**	23943
60˝	1524	57˝	1448	**ASWTFT-1260-FGG**	22833	**ASWTFT-1560-FGG**	23125	**ASWTFT-1860-FGG**	23952	**ASWTFT-2460-FGG**	25047
72˝	1829	69˝	1753	**ASWTFT-1272-FGG**	23674	**ASWTFT-1572-FGG**	23825	**ASWTFT-1872-FGG**	24845	**ASWTFT-2472-FGG**	25134
84˝	2134	81˝	2057	**ASWTFT-1284-FGG**	24367	**ASWTFT-1584-FGG**	24588	**ASWTFT-1884-FGG**	25844	**ASWTFT-2484-FGG**	27292
96˝	2438	93˝	2362	**ASWTFT-1296-FGG**	25096	**ASWTFT-1596-FGG**	25245	**ASWTFT-1896-FGG**	26708	**ASWTFT-2496-FGG**	28316

...with Subway-Style Stainless Steel Grating

12˝ (305mm) WIDE TROUGHS
dimension A: 7˝ *(178mm)*
dimension B: 9˝ *(229mm)*
dimension C: 12˝ *(305mm)*

15˝ (381mm) WIDE TROUGHS
dimension A: 10˝ *(254mm)*
dimension B: 12˝ *(305mm)*
dimension C: 15˝ *(381mm)*

18˝ (457mm) WIDE TROUGHS
dimension A: 13˝ *(330mm)*
dimension B: 15˝ *(381mm)*
dimension C: 18˝ *(457mm)*

24˝ (610mm) WIDE TROUGHS
dimension A: 19˝ *(483mm)*
dimension B: 21˝ *(533mm)*
dimension C: 24˝ *(610mm)*

dimension D in.	dimension D mm	dimension E in.	dimension E mm	model #	list	model #	list	model #	list	model #	list
15˝	381	12˝	305	**ASWTFT-1215-SG**	22008	-		-		-	
18˝	457	15˝	381	**ASWTFT-1218-SG**	22148	**ASWTFT-1518-SG**	20982	-		-	
24˝	610	21˝	533	**ASWTFT-1224-SG**	22178	**ASWTFT-1524-SG**	21986	**ASWTFT-1824-SG**	22855	**ASWTFT-2424-SG**	24140
30˝	762	27˝	686	**ASWTFT-1230-SG**	22443	**ASWTFT-1530-SG**	22610	**ASWTFT-1830-SG**	23289	**ASWTFT-2430-SG**	25374
36˝	914	33˝	838	**ASWTFT-1236-SG**	22712	**ASWTFT-1536-SG**	23629	**ASWTFT-1836-SG**	23732	**ASWTFT-2436-SG**	25720
48˝	1219	45˝	1143	**ASWTFT-1248-SG**	24270	**ASWTFT-1548-SG**	25108	**ASWTFT-1848-SG**	25207	**ASWTFT-2448-SG**	27305
60˝	1524	57˝	1448	**ASWTFT-1260-SG**	25886	**ASWTFT-1560-SG**	26030	**ASWTFT-1860-SG**	27297	**ASWTFT-2460-SG**	28733
72˝	1829	69˝	1753	**ASWTFT-1272-SG**	27355	**ASWTFT-1572-SG**	27355	**ASWTFT-1872-SG**	28440	**ASWTFT-2472-SG**	30782
84˝	2134	81˝	2057	**ASWTFT-1284-SG**	29275	**ASWTFT-1584-SG**	29849	**ASWTFT-1884-SG**	30970	**ASWTFT-2484-SG**	32209
96˝	2438	93˝	2362	**ASWTFT-1296-SG**	29808	**ASWTFT-1596-SG**	31196	**ASWTFT-1896-SG**	31507	**ASWTFT-2496-SG**	33944

Replacement Subway-Style Grating for Floor Troughs and Drains

see spec sheet **EG25.02**

Stainless Steel Grating



- Constructed of 3/16″ x 1″ *(5 x 25mm)* vertically positioned bars, spaced 1″ *(25mm)* apart to allow ease of drainage.
- 13/16″ *(21mm)* clearance between bars prevents casters on mobile equipment from wedging in grate.
- Two 5/16″ *(8mm)* rods, set 2 1/4″ *(57mm)* in from each edge, are welded to the bars to eliminate swaying.
- Standard on floor troughs.
- Sizes available fit floor drains up to 24″ *(610mm)* wide.
- Grates 12″ and 15″ *(305 and 381mm)* wide feature three rods.
- Grates 21″ *(533mm)* wide feature five rods.

for floor trough widths		grate width x length			
in.	mm	in.	mm	model #	list each
12″	305	9″ x 7 1/2″	229 x 191	**341169**	685
12″	305	9″ x 9″	229 x 229	**341117**	873
12″	305	9″ x 12″	229 x 305	**341123**	950
15″	381	12″ x 9″	305 x 229	**340992**	1040
15″	381	12″ x 12″	305 x 305	**331006**	1122
18″	457	15″ x 6″	381 x 154	**341330**	966
18″	457	15″ x 7 1/2″	381 x 191	**341110**	1026
18″	457	15″ x 9″	381 x 229	**341113**	1098
18″	457	15″ x 12″	381 x 305	**336992**	1203
18″	457	15″ x 15″	381 x 381	**345934**	1304
24″	610	21″ x 9″	533 x 229	**341109**	1243
24″	610	21″ x 11″	533 x 279	**351572**	1333
24″	610	21″ x 12″	533 x 305	**336976**	1375

Wide "T" Bar Fiberglass Grating — *ADA-compliant!*



GRAY

- Conforms with the Americans with Disabilities Act for use with the physically handicapped.
- Provides a more solid walking area than traditional "T" bar shape, and prevents objects from falling through grating.
- Corrosion-, skid- and fire-resistant.
- High strength, low thermal conductivity.
- Resistant to chipping and cracking.
- Temperature rating of 250˚F.

for floor trough widths		grate width x length		Gray	
in.	mm	in.	mm	model #	list ea
12″	305	9″ x 9″	229 x 229	**370000**	269
12″	305	9″ x 12″	229 x 305	**370001**	327
12″	305	9″ x 15″	229 x 381	**370002**	353
15″	381	12″ x 9″	305 x 229	**370003**	278
15″	381	12″ x 12″	305 x 305	**370004**	343
18″	457	15″ x 9″	381 x 229	**370005**	356
18″	457	15″ x 12″	381 x 305	**370006**	444
18″	457	15″ x 15″	381 x 381	**370007**	550
24″	610	21″ x 9″	533 x 229	**370008**	453
24″	610	21″ x 12″	533 x 305	**370009**	569

Fiberglass Grating



GRAY OR YELLOW

- Constructed of 1″ *(25mm)* high yellow or gray polyester material with a non-slip grit on top surface.
- Tapered "I" beam construction for ease of cleaning and draining.
- Temperature rating of 250˚F.
- Other sizes available—consult factory.

for floor trough widths		grate width x length		Yellow		Gray	
in.	mm	in.	mm	model #	list ea	model #	list ea
12″	305	9″ x 9″	229 x 229	**362648**	217	**374015**	228
12″	305	9″ x 12″	229 x 305	**362647**	258	**374018**	273
12″	305	9″ x 15″	229 x 381	**373030**	275	**374021**	289
15″	381	12″ x 9″	305 x 229	**362650**	217	**374044**	228
15″	381	12″ x 12″	305 x 305	**362649**	258	**374047**	273
18″	457	15″ x 9″	381 x 229	**362652**	277	**374073**	294
18″	457	15″ x 12″	381 x 305	**362651**	338	**374076**	354
18″	457	15″ x 15″	381 x 381	**373206**	416	**374079**	443
24″	610	21″ x 9″	533 x 229	**362654**	339	**374102**	356
24″	610	21″ x 12″	533 x 305	**362653**	420	**374105**	448

Floor Drains

see spec sheet **EG25.00**



shown without grating

description	width x length in.	mm	model #	list
with yellow fiberglass grating	12″ x 12″	305 x 305	**FD-FG**	2837
with subway-style grating	12″ x 12″	305 x 305	**FD-SG**	3778

Note: Floor opening = 11 1/2″ x 11 1/2″ *(292 x 292)*

FEATURES:

- Perforated waste cup can be inverted to double as a bee hive strainer.
- Yellow fiberglass grating or subway-style stainless steel grating.

Note: **Gray Fiberglass Grating available.** To order add suffix **"G"** to model #. **Example FD-FGG.**

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Portable Cool Trough® Water Tempering System (NSF)



see spec sheet **EG25.03A**

PATENTED!
(patent #9,588,525)

FEATURES:

- Integral mechanical temperature sensor maintains water temperature of 130˚F or less.
- Built-in pitch towards drain ensures complete drainage.
- 3˝ (76mm)-diameter casters—two rigid, two swivel with brake.
- No electrical connection required.
- 12 gauge base.

Note: Water line and connection provided by plumbing contractor.

overall side-to-side		overall * front-to-back		overall height			
in.	mm	in.	mm	in.	mm	model #	list
15˝	381	12˝	305	36˝	914	**PWTFT-1215**	17753

* Includes base and handle.

NOTES

NOTES

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

Dividers
for Square or Round Tables..... 271
for Oval or Rectangular Tables 271

Divider Wall Extensions.....273

Freestanding Countertop.....270

Knock-Down Desk Partitions.....270

Mobile Partitions.....273

Mounted Breath Shields
Ceiling 272
Bolted-On 272
Clamp-On 272

Back to work

Promoting safer workplaces





REOPEN SAFELY.

EAGLE'S BREATH/SAFETY SHIELDS CAN HELP.

Constructed of durable plexiglass, these protective shields come in a variety of styles, sizes and installation options.

Our wide range of configurations ensure that each area of your workplace, from offices, lobbies, gathering spaces, and conference rooms are properly retrofitted to provide safe and secure protection.



For More Information or to Request a Quotation, Contact Your Eagle Account Specialist.
1-800-441-8440


SEFA

MADE IN USA

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment
100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

Freestanding Countertop Breath/Safety Shields

see spec sheet **EG06.00**



FEATURES:

- Vertical and horizontal shields available.
- 7/32″-thick durable plexiglass.
- Available with or without pass-through.
- Easy assembly—NO TOOLS required. Two 8″ x 14″ stands lock into place with shield.
- Knocks down flat for storage.
- Sold in packs of four (4).

description	height in	height mm	length in	length mm	quantity per pack	model #
solid	24″	610	24″	610	4	**BGFC-2424**
with pass through	24″	610	24″	610	4	**BGFC-2424-PT**
solid	24″	610	36″	914	4	**BGFC-2436**
with pass through	24″	610	36″	914	4	**BGFC-2436-PT**
solid	24″	610	48″	1219	4	**BGFC-2448**
with pass through	24″	610	48″	1219	4	**BGFC-2448-PT**
solid	30″	762	24″	610	4	**BGFC-3024**
with pass through	30″	762	24″	610	4	**BGFC-3024-PT**
solid	30″	762	36″	914	4	**BGFC-3036**
with pass through	30″	762	36″	914	4	**BGFC-3036-PT**
solid	30″	762	48″	1219	4	**BGFC-3048**
with pass through	30″	762	48″	1219	4	**BGFC-3048-PT**
solid	36″	914	24″	610	4	**BGFC-3624**
with pass through	36″	914	24″	610	4	**BGFC-3624-PT**

Knock-Down Desk Partitions

see spec sheet **EG06.01**



FEATURES:

- 7/32″-thick durable plexiglass.
- Paper slot pass-thru.
- Tab and slot assembly.
- Knocks down flat for storage.
- No tools required for assembly.

height in	height mm	length in	length mm	quantity per pack	model #
24″	610	24″	610	1	**BGDP-2424**
24″	610	30″	762	1	**BGDP-2430**
24″	610	36″	914	1	**BGDP-2436**
24″	610	48″	1219	1	**BGDP-2448**

Consult factory for pricing.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Dividers for Square or Round Tables

see spec sheet **EG06.02**





FEATURES:

- 7/32″-thick durable plexiglass.
- Knocks down flat for storage.
- Optional drop edge can be added to prevent sliding on tabletop.
- 3-Way dividers feature panels with curved design, which create the “Y”-shaped divider.
- 4-Way dividers feature two interlocking panels, which form the four-way “X”-shaped divider.

3-Way Dividers

height		diameter		
in	mm	in	mm	model #
24″	610	36″	914	**BGTD-3Y36**
24″	610	42″	1067	**BGTD-3Y42**
24″	610	48″	1219	**BGTD-3Y48**

4-Way Dividers

height		length		width		
in.	mm	in.	mm	in.	mm	model #
24″	610	48″	1219	48″	1219	**BGTD-2448**
24″	610	60″	1524	60″	1524	**BGTD-2460**
30″	762	48″	1219	48″	1219	**BGTD-3048**
30″	762	60″	1524	60″	1524	**BGTD-3060**

Dividers for Oval or Rectangular Tables

see spec sheet **EG06.03**

FEATURES:

- Panels interlock to create dividers to section off tabletop.
- 7/32″-thick durable plexiglass.
- Knocks down flat for storage.
- Optional drop edge can be added to prevent sliding on tabletop.







description	height		length		width		
	in	mm	in	mm	in	mm	model #
creates 4 sections	24″	610	60″	1524	30″	914	**BGTD-2460-4**
creates 4 sections	24″	610	72″	1829	30″	914	**BGTD-2472-4**
creates 6 sections	24″	610	72″	1829	30″	914	**BGTD-2472-6**
creates 8 sections	24″	610	72″	1829	30″	914	**BGTD-2472-8**
creates 4 sections	30″	914	60″	1524	30″	914	**BGTD-3060-4**
creates 4 sections	30″	762	72″	1829	30″	914	**BGTD-3072-4**
creates 6 sections	30″	762	72″	1829	30″	914	**BGTD-3072-6**
creates 8 sections	30″	762	72″	1829	30″	914	**BGTD-3072-8**

Consult factory for pricing.

Ceiling-Mounted Breath/Safety Shields

see spec sheet **EG06.03**



FEATURES:

- 7/32″-thick durable plexiglass.
- Three (3) 60″-long chains.
- Six (6) “S” hooks.

height in	height mm	length in	length mm	quantity per pack	model #
24″	610	24″	610	1	**BGCM-2424**
24″	610	36″	914	1	**BGCM-2436**
24″	610	48″	1219	1	**BGCM-2448**
30″	762	24″	610	1	**BGCM-3024**
30″	762	36″	914	1	**BGCM-3036**
30″	762	48″	1219	1	**BGCM-3048**

Bolted-On Breath/Safety Shields

see spec sheet **EG06.02**



FEATURES:

- Easily mounts onto front of counter.
- 7/32″-thick durable plexiglass.
- 1″ radius corners.
- Sold in packs of two (2).

height in	height mm	length in	length mm	quantity per pack	model #
30″	762	24″	610	2	**BGBO-3024**
30″	762	36″	914	2	**BGBO-3036**
30″	762	48″	1219	2	**BGBO-3048**
36″	914	24″	610	2	**BGBO-3624**
36″	914	36″	914	2	**BGBO-3636**
36″	914	48″	1219	2	**BGBO-3648**

Clamp-On Breath/Safety Shields

see spec sheet **EG06.01**



FEATURES:

- Shields clamp onto table edge surface.
- 7/32″-thick durable plexiglass.
- Clamp range is 1″ to 1-1/2″ (can be customized).
- Stainless clamps have protective rubber inside to protect table surface.

height in	height mm	length in	length mm	quantity per pack	model #
24″	610	24″	610	1	**BGCM-2424**
24″	610	36″	914	1	**BGCM-2436**
24″	610	48″	1219	1	**BGCM-2448**
30″	762	24″	610	1	**BGCM-3024**
30″	762	36″	914	1	**BGCM-3036**
30″	762	48″	1219	1	**BGCM-3048**


Consult factory for pricing.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Divider Wall Extension Shields

see spec sheet **EG06.07**



FEATURES:

- Clamps onto standard cubicle/divider wall to extend protection.
- Clamps provide customizable range to accommodate range of thicknesses.
- 7/32″-thick durable plexiglass.

height		length		quantity	
in	mm	in	mm	per pack	model #
24″	610	24″	610	1	**BGDW-2424**
24″	610	36″	914	1	**BGDW-2436**
24″	610	48″	1219	1	**BGDW-2448**
24″	610	60″	1524	1	**BGDW-2460**
24″	610	72″	1829	1	**BGDW-2472**

Mobile Partitions

see spec sheet **EG06.00**



with access hole



with half screen

FEATURES:

- 7/32″-thick durable plexiglass.
- 1″ stainless steel tubing frame.
- 1-1/2″ stainless tubing base.
- 2″ twin wheel casters.
- Nestable for storage.

description	height		width		model #
	in	mm	in	mm	
full screen, solid	72″	1829	30″	914	**BGMP-3072**
full screen, 2" access hole	72″	1829	30″	914	**BGMP-3072-TT**
half screen	72″	1829	30″	914	**BGMP-3072-TH**

Consult factory for pricing.

NOTES

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

SpecFAB® Custom Fabrication

Shelf Select™ 277
The SpecFAB® Division 276



EAGLE™
SpecFAB Division
Quality Stainless & Millwork Fabrication

EAGLE SpecFAB Division
Quality Stainless & Millwork Fabrication

EAGLE's SpecFAB® Division fills the gap between standard equipment and high-cost, highly customized equipment. Depending on the custom need, configurations can be designed from pre-fab pieces by using existing components, or designed completely from scratch to match exacting consultant and architect's plans and details. This flexibility means custom equipment can be delivered faster and at a lower cost directly to the job site.

Frequently Asked Questions about Project Quotations:

How do I request a Quote?

- Standard or modified product using listed 'E' numbers from the catalog:
  - Email requests to the Customer Service Representative for your geographical area or *custserv@eaglegrp.com*
  - Telephone (800) 441-8440 and ask for the Customer Service Representative for your city and state.
  - Fax (302) 653-2065
  - Eagle Group, ATTN: Customer Service, I00 Industrial Blvd., Clayton, DE 19938
- Custom products not found in the catalog:
  - Email requests to *quotes@eaglegrp.com*
  - Fax (302) 653-2065
  - Eagle Group, ATTN: Project Quotations, I00 Industrial Blvd., Clayton, DE 19938

What to include with your request?

- Your Name and Dealer Name
- Job or Project Name
- Required Date for Quote
- Bid Date for Project
- Projected Installation Date and Timeline
- Consultant Name when Applicable
- Plans and Specs related to the Project
- Special Considerations

How long will it take to process my request for a custom quote?

- Typical lead time of 72 hours for most new incoming projects.
- Large scale projects will carry longer lead times. Please be sure to communicate required bid dates.

How can I find out the status of my custom quote request?

- Customer Service - The Customer Service representative for your area can access information regarding the status of your request via email or call (800) 441-8440.
- SpecFAB® Customer Service.
- SpecFAB® Quote Coordinator - call (800) 441-8440 and ask for the Quote Coordinator.
- Outgoing email signatures for quotes sent from SpecFAB® highlight the primary points of contact.

Frequently Asked Questions about Project Submittals:

How do I get a Submittal Drawing?

- Submit a purchase order for the project with plans and specifications if not previously provided to the Quotations Department.
- Provide a letter of intent for the project.
- Request quote drawings via *quotes@eaglegrp.com*.
- Shelf Select™ requests through *quotes@eaglegrp.com*.

How long will it take to receive drawings?

- Typical requests for drawings are addressed within 72-hours.
- Large scale projects will carry longer lead times. Please be sure to communicate required bid dates.
- To contact Project Submittals regarding your drawings, contact the Submittals Manager, Bruce Moffett at *bmoffett@eaglegrp.com* or (800) 441-8440, ext. 3158.
- Outgoing email signatures for drawings sent from SpecFAB® highlight the primary points of contact.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

Shelf Select™

A No-Cost Design & Layout Service for Shelving Products. by EAGLE SpecFAB Division

Quality Stainless & Millwork Fabrication

Typical Shelf Select™ applications include walk-in coolers and freezers; dry storage areas; supermarkets; and department stores.

Provide Us With:

- Dimensions of a storage space available.
- Number of shelves per unit.
- Post heights.
- Indicate stationary, mobile or high density shelving.
- Any additional specific or pertinent storage requirements.

And We'll Provide You With:

- ***Plan View***
  Shelving system layout makes the most efficient utilization of your space available.
- ***Perspective View****
  Illustrates the proposed equipment assembled in the available space. A great tool for presentation which reduces field assembly time when provided to your installer.
- ***Quote****
  Includes model numbers, net prices and shipping weights for all components in specified job.

* Will be provided after plan view is approved.

For more information about Shelf Select™, request Shelf Select™ service announcement **EG8027**

Simply


Email: quotes@eaglegrp.com

Fax: 302-653-2065


in your order and our trained staff will begin planning, layout and quotation upon receipt.

A completed Shelf Select™ custom layout and quotation will be mailed, emailed or faxed back to you within 48 hours.

PLAN VIEW



PERSPECTIVE VIEW





FINAL OUTCOME!

NOTES

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

MARCH 2022 PRICELIST

Material Handling, Healthcare, Cleanroom, Lab

Alphanumeric Price Index

EAGLE's Alphanumeric Price Index has been developed to assist our customers in quickly locating items found in our main Price List.

EAGLE is committed to ***customer service*** and ***customer satisfaction*** along with ***quality products***.

If you need assistance,
please call EAGLE's Customer Service Center at

1-800-441-8440



ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
004026	32	179, 231, 241
1202	1194	34
1203	1316	34
1212	1530	34
1424BL	104	60
1424C	103	6
1424E	119	6
1424R	104	60
1424S	355	6
1424V	104	6
1424VG	104	6
1424W	104	60
1424Z	87	6
1430BL	112	60
1430C	106	6,43
1430E	125	6,43
1430R	112	60
1430S	359	6,43
1430V	112	6
1430VG	112	6
1430W	112	60
1430WGS-C	219	90
1430WGS-VG	228	90
1430WGS-Z	203	90
1430Z	94	6
1436BL	118	60
1436C	116	6,43,44
1436E	130	6,44
1436R	118	60
1436S	363	6,43,131
1436V	118	6
1436VG	118	6
1436W	118	60
1436WGS-C	229	90
1436WGS-VG	238	90
1436WGS-Z	216	90
1436Z	99	6
1442BL	132	60
1442C	130	6
1442E	149	6
1442R	132	60
1442S	445	6
1442V	136	6
1442VG	136	6
1442W	132	60
1442Z	118	6
1448BL	136	60
1448C	130	6,43,44
1448E	149	6,43
1448R	136	60
1448S	445	6,43,131
1448V	136	6
1448VG	136	6
1448W	136	60
1448Z	118	6
1454BL	147	60
1454C	136	6
1454E	172	6
1454R	147	60
1454S	566	6
1454V	155	6
1454VG	155	6
1454W	147	60
1454Z	120	6
1460BL	155	60
1460C	147	6,43
1460E	172	6,43
1460R	155	60
1460S	566	6,43,131
1460V	155	6
1460VG	155	6
1460W	155	60
1460Z	139	6
1472BL	182	60
1472C	172	6
1472E	197	6
1472R	182	60
1472S	642	6
1472V	182	6
1472VG	182	6
1472W	182	60
1472Z	158	6
1818-1-16/3	2060	247
1818-1-16/4	1765	247
1824-1-16/3	2154	247
1824-1-16/4	1778	247
1824BL	118	60
1824BTZ	736	173
1824C	116	6
1824E	136	6
1824R	118	60
1824S	437	6
1824V	118	6
1824VG	118	6
1824W	118	60
1824Z	112	6
1830BL	127	60
1830C	117	6
1830E	140	6
1830R	127	60
1830S	443	6
1830V	127	6
1830VG	127	6
1830W	127	60
1830WGS-C	236	90
1830WGS-VG	242	90
1830WGS-Z	219	90
1830Z	116	6
1836-2-16/3	2912	247
1836-2-16/4	2382	247
1836-3-16/3	3334	248
1836-3-16/4	2744	248
1836BL	132	60
1836BTZ	769	173
1836C	119	6,36,161
1836C63	808	24
1836C63-5	974	24
1836C74	823	24
1836C74-5	1008	24
1836E	145	6
1836EG63	983	24
1836E63-5	1169	24
1836EG74	985	24
1836E74-5	1223	24
1836R	132	60
1836S	445	6
1836V	132	6
1836V63	869	24
1836V63-5	1045	24
1836V74	884	24
1836V74-5	1086	24
1836VG	132	6
1836VG63	869	24
1836VG63-5	1045	24
1836VG74	884	24
1836VG74-5	1086	24
1836W	132	60
1836WGS-C	244	90
1836WGS-VG	254	90
1836WGS-Z	226	90
1836Z	118	6
1836Z63	760	24
1836Z63-5	915	24
1836Z74	773	24
1836Z74-5	917	24
1842BL	145	60
1842C	143	6
1842E	176	6
1842R	145	60
1842S	534	6
1842V	156	6
1842VG	156	6
1842W	145	60
1842Z	136	6
1848-2-16/3	3136	247
1848-2-16/4	2497	247
1848-3-16/3	3543	248
1848-3-16/4	2862	248
1848BL	156	60
1848BTZ	809	173
1848C	143	6,36,161
1848C63	919	24
1848C63-5	1115	24
1848C74	954	24
1848C74-5	1160	24
1848E	176	6
1848EG63	1125	24
1848E63-5	1370	24
1848EG74	1160	24
1848E74-5	1425	24
1848R	156	60
1848S	534	6
1848V	156	6
1848V63	987	24
1848V63-5	1198	24
1848V74	1026	24
1848V74-5	1254	24
1848VG	156	6
1848VG63	987	24
1848VG63-5	1198	24
1848VG74	1026	24
1848VG74-5	1254	24
1848W	156	60
1848WGS-C	283	90
1848WGS-VG	292	90
1848WGS-Z	260	90
1848Z	136	6
1848Z63	858	24
1848Z63-5	1045	24
1848Z74	896	24
1848Z74-5	1082	24
1854-3-16/3	3869	248
1854-3-16/4	3252	248
1854BL	186	60
1854C	169	6
1854E	209	6
1854R	186	60
1854S	680	6
1854V	189	6
1854VG	189	6
1854W	186	60
1854Z	158	6
1860BL	189	60
1860BTZ	886	173
1860C	169	6,36,161
1860C63	1040	24
1860C63-5	1276	24
1860C74	1063	24
1860C74-5	1319	24
1860E	209	6
1860EG63	1283	24
1860E63-5	1575	24
1860EG74	1363	24
1860E74-5	1637	24
1860R	189	60
1860S	680	6
1860V	189	6
1860V63	1122	24
1860V63-5	1375	24
1860V74	1147	24
1860V74-5	1420	24
1860VG	189	6
1860VG63	1122	24
1860VG63-5	1375	24
1860VG74	1147	24
1860VG74-5	1420	24
1860W	189	60
1860Z	158	6
1860Z63	1007	24
1860Z63-5	1142	24
1860Z74	1007	24
1860Z74-5	1160	24
1872-4-16/3	4660	248
1872-4-16/4	3738	248
1872BL	217	60
1872C	198	6
1872E	242	6
1872R	217	60
1872S	807	6
1872V	217	6
1872VG	217	6
1872W	217	60
1872Z	186	6
18x18 RRDEDB	497	249
18x18 RRDEDB-16/3	830	249
18x24 RRDEDB	527	249
18x24 RRDEDB-16/3	873	249
18x30 RRDEDB	896	249
18x30 RRDEDB-16/3	976	249
2118-1-16/3	2112	247
2118-1-16/4	1759	247
2124-1-16/3	2214	247
2124-1-16/4	1822	247
2124-1-18-16/3	4775	247
2124-1-18-16/4	3917	247
2124BL	133	60
2124C	132	6
2124E	155	6
2124R	133	60
2124S	506	6
2124V	133	6
2124VG	133	6
2124W	133	60
2124Z	120	6
2130BL	143	60
2130C	136	6
2130E	158	6
2130R	143	60
2130S	510	6
2130V	143	6
2130VG	143	6
2130W	143	60
2130Z	125	6
2136-1-16/3	2458	247
2136-1-16/4	1959	247

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
2136-2-16/3	2997	247
2136-2-16/4	2433	247
2136-2-18-16/3	5833	247
2136-2-18-16/4	4826	247
2136-3-16/3	3444	248
2136-3-16/4	2815	248
2136-3-18-16/3	5875	248
2136-3-18-16/4	4932	248
2136BL	145	60
2136C	140	6
2136E	166	6
2136R	145	60
2136S	515	6
2136V	145	6
2136VG	145	6
2136W	145	60
2136Z	130	6
2142BL	170	60
2142C	162	6
2142E	193	6
2142R	170	60
2142S	594	6
2142V	172	6
2142VG	172	6
2142W	170	60
2142Z	147	6
2148-2-16/3	3165	247
2148-2-16/4	2463	247
2148-3-16/3	3659	248
2148-3-16/4	2939	248
2148-3-18-16/3	6277	248
2148-3-18-16/4	5094	248
2148BL	172	60
2148C	162	6
2148E	193	6
2148R	172	60
2148S	594	6
2148V	172	6
2148VG	172	6
2148W	172	60
2148Z	147	6
2154-3-16/3	3975	248
2154-3-16/4	3263	248
2154-3-18-16/3	6672	248
2154-3-18-16/4	5564	248
2154BL	203	60
2154C	192	6
2154E	226	6
2154R	203	60
2154S	789	6
2154V	208	6
2154VG	208	6
2154W	203	60
2154Z	182	6
2160-3-16/3	5684	248
2160-3-16/4	3372	248
2160BL	208	60
2160C	192	6
2160E	226	6
2160R	208	60
2160S	789	6
2160V	208	6
2160VG	208	6
2160W	208	60
2160Z	182	6
2172-4-16/3	4733	248
2172-4-16/4	3917	248
2172-4-18-16/3	7198	248
2172-4-18-16/4	6169	248
2172BL	250	60
2172C	228	6
2172E	276	6
2172R	250	60
2172S	937	6
2172V	250	6
2172VG	250	6
2172W	250	60
2172Z	217	6
21x18 RRDEDB	497	249
21x18 RRDEDB-16/3	830	249
21x24 RRDEDB	534	249
21x24 RRDEDB-16/3	873	249
21x30 RRDEDB	999	249
21x30 RRDEDB-16/3	1050	249
24108GADJUS	489	211
24108SADJUS-18/3	1749	211
24108SADJUS-18/4	1615	211
24120GADJUS	527	211
24120SADJUS-18/3	1766	211
24120SADJUS-18/4	1625	211
24132GADJUS	588	211
24132SADJUS-18/3	1889	211
24132SADJUS-18/4	1737	211
24144GADJUS	649	211
24144SADJUS-18/3	2232	211
24144SADJUS-18/4	2056	211
2424-1-16/3	2322	247
2424-1-16/4	1896	247
2424-1-24-16/3	4933	247
2424-1-24-16/4	4215	247
2424BL	144	60
2424C	139	6,154
2424E	170	6
2424GADJUS	332	211
2424R	144	60
2424S	547	6
2424SADJUS-18/3	810	211
2424SADJUS-18/4	739	211
2424V	144	6
2424VG	144	6
2424W	144	60
2424Z	130	6
2430BL	155	60
2430C	144	6,43
2430E	174	6,43
2430GADJUS	395	211
2430R	155	60
2430S	550	6,43
2430SADJUS-18/3	888	211
2430SADJUS-18/4	809	211
2430V	155	6
2430VG	155	6
2430W	155	60
2430Z	133	6
2436-1-16/3	2574	247
2436-1-16/4	2017	247
2436BL	158	60
2436C	147	6,43,44, 154
2436C63	943	24
2436C63-5	1149	24
2436C74	958	24
2436C74	958	24
2436C74-5	1194	24
2436E	177	6,43
2436EG63	1136	24
2436E63-5	1387	24
2436EG74	1159	24
2436E74-5	1440	24
2436GADJUS	405	211
2436R	158	60
2436S	555	6,43
2436SADJUS-18/3	932	211
2436SADJUS-18/4	852	211
2436V	158	6
2436V63	1014	24
2436V63-5	1232	24
2436V74	1032	24
2436V74-5	1280	24
2436VG	158	6
2436VG63	1014	24
2436VG63-5	1232	24
2436VG74	1032	24
2436VG74-5	1280	24
2436W	158	60
2436Z	139	6
2436Z63	867	24
2436Z63-5	1063	24
2436Z74	897	24
2436Z74-5	1096	24
2442BL	189	60
2442C	177	6
2442E	217	6
2442R	189	60
2442S	674	6
2442V	197	6
2442VG	197	6
2442W	189	60
2442Z	166	6
2448-2-16/3	3362	247
2448-2-16/4	2703	247
2448-2-24-16/3	6033	247
2448-2-24-16/4	5025	247
2448-3-16/3	3823	248
2448-3-16/4	3085	248
2448BL	197	60
2448C	177	6,43,44
2448C63	1086	24
2448C63-5	1347	24
2448C74	1118	24
2448C74-5	1386	24
2448E	217	6,43
2448EG63	1340	24
2448E63-5	1506	24
2448EG74	1388	24
2448E74-5	1704	24
2448GADJUS	417	211
2448R	197	60
2448S	674	6,43
2448SADJUS-18/3	1025	211
2448SADJUS-18/4	936	211
2448V	197	6
2448V63	1169	24
2448V63-5	1448	24
2448V74	1203	24
2448V74-5	1489	24
2448VG	197	6
2448VG63	1169	24
2448VG63-5	1448	24
2448VG74	1203	24
2448VG74-5	1489	24
2448W	197	60
2448Z	166	6
2448Z63	995	24
2448Z63-5	1230	24
2448Z74	1040	24
2448Z74-5	1272	24
2454BL	219	60
2454C	214	6
2454E	256	6
2454R	219	60
2454S	822	6
2454V	230	6
2454VG	230	6
2454W	219	60
2454Z	203	6
2460-2-16/3	3860	247
2460-2-16/4	3352	247
2460-3-16/3	4289	248
2460-3-16/4	3567	248
2460BL	230	60
2460C	214	6,43
2460C63	1263	24
2460C63-5	1526	24
2460C74	1295	24
2460C74-5	1565	24
2460E	256	6,43
2460EG63	1525	24
2460E63-5	1860	24
2460EG74	1565	24
2460E74-5	1917	24
2460GADJUS	436	211
2460R	230	60
2460S	822	6,43
2460SADJUS-18/3	1152	211
2460SADJUS-18/4	1054	211
2460V	230	6
2460V63	1355	24
2460V63-5	1643	24
2460V74	1393	24
2460V74-5	1683	24
2460VG	230	6
2460VG63	1355	24
2460VG63-5	1643	24
2460VG74	1393	24
2460VG74-5	1683	24
2460W	230	60
2460Z	203	6
2460Z63	1164	24
2460Z63-5	1438	24
2460Z74	1209	24
2460Z74-5	1477	24
2472-3-16/3	4540	248
2472-3-16/4	3654	248
2472-3-24-16/3	7645	248
2472-3-24-16/4	6000	248
2472-4-16/3	4954	248
2472-4-16/4	4023	248
2472BL	270	60
2472C	250	6
2472E	300	6
2472GADJUS	440	211
2472R	270	60
2472S	1026	6
2472SADJUS-18/3	1294	211
2472SADJUS-18/4	1178	211
2472V	270	6
2472VG	270	6
2472W	270	60
2472Z	229	6
2484GADJUS	444	211
2484SADJUS-18/3	1436	211
2484SADJUS-18/4	1314	211
2496GADJUS	473	211
2496SADJUS-18/3	1552	211
2496SADJUS-18/4	1417	211

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
24x18 RRDEDB	512	249
24x18 RRDEDB-16/3	819	249
24x24 RRDEDB	554	249
24x24 RRDEDB-16/3	903	249
24x30 RRDEDB	982	249
24x30 RRDEDB-16/3	1034	249
300287	40	235,236, 260
300293	5	218,260
300315	60	260
300489	515	251
300490	327	255
300600	353	236
300602	59	234
300604	699	234
300692	36	218,260
300696	53	95,208, 216
300698	189	218
300699	182	218
300716	418	261
300718	2089	261
300719	2095	261
300720	436	218,260
300721	436	218,260
300722	889	218,260
300789	172	234,260
300791	33	234,260
300804	433	261
300886	26	235
300966	8	235
301001	1012	261
301002	1025	261
301003	1136	261
301004	943	261
301005	580	261
301036	19	66,218
30108GADJUS	559	211
30108SADJUS-18/3	2070	211
30108SADJUS-18/4	1856	211
30120GADJUS	594	211
30120SADJUS-18/3	2183	211
30120SADJUS-18/4	2062	211
30132GADJUS	640	211
30132SADJUS-18/3	2404	211
30132SADJUS-18/4	2282	211
30144GADJUS	708	211
30144SADJUS-18/3	2686	211
30144SADJUS-18/4	2474	211
301189	555	261
301190	140	261
301248	307	233,255
301440	354	255
302004	343	233,255
3024GADJUS	345	211
3024SADJUS-18/3	938	211
3024SADJUS-18/4	863	211
3030C	192	6,43
3030E	228	6,43
3030GADJUS	417	211
3030S	649	6,43
3030SADJUS-18/3	1014	211
3030SADJUS-18/4	926	211
3030V	195	6
3030VG	195	6
3030Z	169	6
303560	908	255
303561	1028	255
303562	1025	255
3036C	217	6,43
3036E	263	6,43
3036GADJUS	420	211
3036S	736	6,43
3036SADJUS-18/3	1067	211
3036SADJUS-18/4	982	211
3036V	220	6
3036VG	220	6
3036Z	189	6
303987	309	233
304146	186	261
3048C	250	6,43
3048E	299	6,43
3048GADJUS	436	211
3048S	858	6,43
3048SADJUS-18/3	1172	211
3048SADJUS-18/4	1066	211
3048V	256	6
3048VG	256	6
3048Z	217	6
305428	376	260
3060C	275	6,43
3060E	339	6,43
3060GADJUS	444	211
3060S	950	6,43
3060SADJUS-18/3	1338	211
3060SADJUS-18/4	1220	211
3060V	287	6
3060VG	287	6
3060Z	244	6
306134	999	229
306495	645	233
307120	195	233
3072C	330	6
3072E	408	6
3072GADJUS	473	211
3072S	1154	6
3072SADJUS-18/3	1494	211
3072SADJUS-18/4	1366	211
3072V	343	6
3072VG	343	6
3072Z	294	6
3084GADJUS	486	211
3084SADJUS-18/3	1652	211
3084SADJUS-18/4	1512	211
3096GADJUS	489	211
3096SADJUS-18/3	1837	211
3096SADJUS-18/4	1680	211
309796	130	260
310-10-3-12	5559	251
310-10-3-18	5698	251
310-10-3-24	5799	251
311915	47	208
312-12-3-12	5897	251
312-14-3-12	6316	251
312162	627	233
312688	353	252
312689	338	252
312690	984	252
313075	303	160, 233,261
313116	400	261
313204	307	260
313205	332	260
313207	252	260
313293	1122	261
313294	1133	261
313295	2582	261
313296	2740	261
313297	684	261
313303	816	255
313304	1119	218,261
313305	997	229
313306	788	255
313307	818	255
313308	818	255
313323	345	261
313481	934	234
313832	330	260
313834	386	260
313835	53	218,260
313918	410	261
313919	436	261
313920	1095	261
314-16-1	4065	238
314-16-1-18	5703	238
314-16-1-18L	5456	238
314-16-1-18R	5456	238
314-16-1-24	5875	238
314-16-1-24L	5525	238
314-16-1-24R	5525	238
314-16-2	5455	239
314-16-2-18	7689	239
314-16-2-18L	7120	239
314-16-2-18R	7120	239
314-16-2-24	7818	239
314-16-2-24L	7528	239
314-16-2-24R	7528	239
314-16-3	6823	240
314-16-3-18	9383	240
314-16-3-18L	9159	240
314-16-3-18R	9159	240
314-16-3-24	9514	240
314-16-3-24L	9226	240
314-16-3-24R	9226	240
314-16-4	9642	241
314-16-4-18	11883	241
314-16-4-18L	11466	241
314-16-4-18R	11466	241
314-16-4-24	12048	241
314-16-4-24L	11532	241
314-16-4-24R	11532	241
314-18-1	4704	238
314-18-1-18	6467	238
314-18-1-18L	5960	238
314-18-1-18R	5960	238
314-18-1-24	6527	238
314-18-1-24L	5999	238
314-18-1-24R	5999	238
314-18-2	6542	239
314-18-2-18	8810	239
314-18-2-18L	8566	239
314-18-2-18R	8566	239
314-18-2-24	8903	239
314-18-2-24L	8617	239
314-18-2-24R	8617	239
314-18-3	8636	240
314-18-3-18	11094	240
314-18-3-18L	10834	240
314-18-3-18R	10834	240
314-18-3-24	11284	240
314-18-3-24L	10872	240
314-18-3-24R	10872	240
314-18-4	10954	241
314-18-4-18	13714	241
314-18-4-18L	13470	241
314-18-4-18R	13470	241
314-18-4-24	13863	241
314-18-4-24L	13515	241
314-18-4-24R	13515	241
314-22-1	4732	238
314-22-1-18	6673	238
314-22-1-18L	6133	238
314-22-1-18R	6133	238
314-22-1-24	6727	238
314-22-1-24L	6176	238
314-22-1-24R	6176	238
314-22-2	6736	239
314-22-2-18	9254	239
314-22-2-18L	8987	239
314-22-2-18R	8987	239
314-22-2-24	9350	239
314-22-2-24L	9034	239
314-22-2-24R	9034	239
314-22-3	9042	240
314-22-3-18	11766	240
314-22-3-18L	11478	240
314-22-3-18R	11478	240
314-22-3-24	12048	240
314-22-3-24L	11526	240
314-22-3-24R	11526	240
314-24-1	5053	238
314-24-1-18	7280	238
314-24-1-18L	7117	238
314-24-1-18R	7117	238
314-24-1-24	7542	238
314-24-1-24L	7219	238
314-24-1-24R	7219	238
314-24-2	7759	239
314-24-2-18	10394	239
314-24-2-18L	9978	239
314-24-2-18R	9978	239
314-24-2-24	10852	239
314-24-2-24L	10647	239
314-24-2-24R	10647	239
314-24-3	10082	240
314-24-3-18	12772	240
314-24-3-18L	12885	240
314-24-3-18R	12885	240
314-24-3-24	13806	240
314-24-3-24L	13425	240
314-24-3-24R	13425	240
314-24-4	13223	241
314-24-4-18	16640	241
314-24-4-18L	16295	241
314-24-4-18R	16295	241
314-24-4-24	17445	241
314-24-4-24L	17094	241
314-24-4-24R	17094	241
317635	245	218
317636	245	218
318495	1085	233
318496	536	234
319931	147	235
319932	67	235
321555	309	260
321557	395	260
321558	485	260
321561	515	252
324074	226	234
326014	2923	233
326015	178	234,236
326267	299	260
326268	300	260
326269	330	260
326270	383	260
326271	388	260

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
326272	882	233
326696	1172	233
330010	7	66
331006	1122	266
335377	294	260
336002	456	218,260
336976	1375	266
336992	1203	266
340380	1118	261
340992	1040	266
341109	1243	266
341110	1026	266
341113	1098	266
341117	873	266
341123	950	266
341169	685	266
341189	456	218,260
341190	1034	218,260
341330	966	266
342938	60	234
345934	1304	266
346175	374	260
347771	412	235
349921	130	233
351572	1333	266
351584	284	260
351585	353	260
351738	934	234
353761	736	164
353762	773	164
353763	823	164
353764	917	164
353765	966	164
353766	1130	164
353767	1247	164
353768	1532	164
353770	819	164
353771	883	164
353772	997	164
353773	1038	164
353774	1236	164
353775	1345	164
353776	1665	164
355994	699	234
356128	3132	233
358114	74	92
358115	78	92
362188	49	255
362647	258	266
362648	217	266
362649	258	266
362650	217	266
362651	338	266
362652	277	266
362653	420	266
362654	339	266
362659	1960	164
3636C	243	6
3636E	294	6
3636S	822	6
3636V	244	6
3636VG	244	6
3636Z	208	6
3648C	277	6
3648E	339	6
3648S	966	6
3648V	292	6
3648VG	292	6
3648Z	245	6
3660C	322	6
3660E	400	6
3660S	1125	6
3660V	332	6
3660VG	332	6
3660Z	280	6
3672C	377	6
3672E	470	6
3672S	1340	6
3672V	403	6
3672VG	403	6
3672Z	339	6
368421	56	233,261
369653	738	260
370000	269	266
370001	327	266
370002	353	266
370003	278	266
370004	343	266
370005	356	266
370006	444	266
370007	550	266
370008	453	266
370009	569	266
373030	275	266
373206	416	266
373848	3972	233
374015	228	266
374018	273	266
374021	289	266
374044	228	266
374047	273	266
374073	294	266
374076	354	266
374079	443	266
374102	356	266
374105	448	266
374955	63	234
375612	630	234
376509	318	228
376740	104	233
377430	83	255
377455	492	234
377456	492	234
377563	1759	233
379769	9	208
380401	272	154
380402	220	154
380403	810	154
380404	220	154
382984	1765	164
384796	374	234
387622	8	134
3TF1836-BL	66	34
3TF1836-C	60	34
3TF1836-V	66	34
3TF1836-VG	66	34
3TF1836-Z	58	34
3TF1848-BL	77	34
3TF1848-C	72	34
3TF1848-V	77	34
3TF1848-VG	77	34
3TF1848-Z	60	34
3TF1860-BL	84	34
3TF1860-C	77	34
3TF1860-V	84	34
3TF1860-VG	84	34
3TF1860-Z	67	34
411010	1062	207
411012	1147	207
411013	1242	207
411014	1332	207
411030	592	207
411036	597	207
411048	647	207
411060	705	207
411072	798	207
411084	889	207
411096	982	207
411210	1122	207
411212	1252	207
411213	1339	207
411214	1428	207
411230	597	207
411236	627	207
411248	683	207
411260	733	207
411272	838	207
411284	934	207
411296	1008	207
412-16-1	3127	238
412-16-1-18	4650	238
412-16-1-18L	4386	238
412-16-1-18R	4386	238
412-16-1-24	4662	238
412-16-1-24L	4418	238
412-16-1-24R	4418	238
412-16-2	4275	239
412-16-2-18	5853	239
412-16-2-18L	5665	239
412-16-2-18R	5665	239
412-16-2-24	5944	239
412-16-2-24L	5723	239
412-16-2-24R	5723	239
412-16-3	5418	240
412-16-3-18	5927	240
412-16-3-18L	5726	240
412-16-3-18R	5726	240
412-16-3-24	6029	240
412-16-3-24L	5785	240
412-16-3-24R	5785	240
414-16-1	3594	238
414-16-1-18	5155	238
414-16-1-18L	4925	238
414-16-1-18R	4925	238
414-16-1-24	5319	238
414-16-1-24L	4983	238
414-16-1-24R	4983	238
414-16-2	4922	239
414-16-2-18	6764	239
414-16-2-18L	6510	239
414-16-2-18R	6510	239
414-16-2-24	6887	239
414-16-2-24L	6612	239
414-16-2-24R	6612	239
414-16-3	5964	240
414-16-3-18	7748	240
414-16-3-18L	7544	240
414-16-3-18R	7544	240
414-16-3-24	7869	240
414-16-3-24L	7604	240
414-16-3-24R	7604	240
414-16-4	8054	241
414-16-4-18	10189	241
414-16-4-18L	9785	241
414-16-4-18R	9785	241
414-16-4-24	10344	241
414-16-4-24L	9850	241
414-16-4-24R	9850	241
414-18-1	4208	238
414-18-1-18	5888	238
414-18-1-18L	5417	238
414-18-1-18R	5417	238
414-18-1-24	5943	238
414-18-1-24L	5456	238
414-18-1-24R	5456	238
414-18-2	5663	239
414-18-2-18	7832	239
414-18-2-18L	7605	239
414-18-2-18R	7605	239
414-18-2-24	7919	239
414-18-2-24L	7650	239
414-18-2-24R	7650	239
414-18-3	7367	240
414-18-3-18	9723	240
414-18-3-18L	9475	240
414-18-3-18R	9475	240
414-18-3-24	9964	240
414-18-3-24L	9512	240
414-18-3-24R	9512	240
414-18-4	9307	241
414-18-4-18	11939	241
414-18-4-18L	11750	241
414-18-4-18R	11750	241
414-18-4-24	12078	241
414-18-4-24L	12054	241
414-18-4-24R	12054	241
414-22-1	4474	238
414-22-1-18	6449	238
414-22-1-18L	5919	238
414-22-1-18R	5919	238
414-22-1-24	6500	238
414-22-1-24L	5959	238
414-22-1-24R	5959	238
414-22-2	6178	239
414-22-2-18	8729	239
414-22-2-18L	8465	239
414-22-2-18R	8465	239
414-22-2-24	8828	239
414-22-2-24L	8509	239
414-22-2-24R	8509	239
414-22-3	8192	240
414-22-3-18	10954	240
414-22-3-18L	10663	240
414-22-3-18R	10663	240
414-22-3-24	11236	240
414-22-3-24L	10705	240
414-22-3-24R	10705	240
414-24-1	4536	238
414-24-1-18	6806	238
414-24-1-18L	6540	238
414-24-1-18R	6540	238
414-24-1-24	6907	238
414-24-1-24L	6606	238
414-24-1-24R	6606	238
414-24-2	6827	239
414-24-2-18	9489	239
414-24-2-18L	9184	239
414-24-2-18R	9184	239
414-24-2-24	9784	239
414-24-2-24L	9383	239
414-24-2-24R	9383	239
414-24-3	8937	240
414-24-3-18	11794	240
414-24-3-18L	11784	240
414-24-3-18R	11784	240
414-24-3-24	12312	240

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
414-24-3-24L	11950	240
414-24-3-24R	11950	240
414-24-4	11470	241
414-24-4-18	14833	241
414-24-4-18L	14095	241
414-24-4-18R	14095	241
414-24-4-24	15507	241
414-24-4-24L	15165	241
414-24-4-24R	15165	241
418002	300	208
418202	258	208
421010	1228	207
421012	1307	207
421013	1400	207
421014	1526	207
421030	647	207
421036	664	207
421048	734	207
421060	823	207
421072	922	207
421084	1012	207
421096	1145	207
421210	1316	207
421212	1414	207
421213	1504	207
421214	1592	207
421230	664	207
421236	744	207
421248	776	207
421260	864	207
421272	978	207
421284	1096	207
421296	1223	207
430002	386	208
430202	283	208
448002	507	208
448202	345	208
4PEK	118	54
4TF1836-BL	112	34
4TF1836-C	99	34
4TF1836-V	112	34
4TF1836-VG	112	34
4TF1836-Z	94	34
4TF1848-BL	119	34
4TF1848-C	116	34
4TF1848-V	119	34
4TF1848-VG	119	34
4TF1848-Z	99	34
4TF1860-BL	133	34
4TF1860-C	125	34
4TF1860-V	133	34
4TF1860-VG	133	34
4TF1860-Z	106	34
500772	525	212
501571	738	142,213
501572	1339	142,214
502941	454	212
502942	675	213
502943	1288	214
502946	1389	214
502947	1327	214
502948	536	215
502949	642	215
502950	778	215
502971	2153	214
502972	2080	214
502975	395	212
502976	333	212
503006	395	212
503007	333	212
503010	395	212
503011	333	212
503095	987	252
503096	987	252
503097	1556	252
503098	1045	252
503099	1045	252
503100	1707	252
606215	906	235
606329	418	218
606331	612	218
606396	405	235
606826	449	214
607560	642	235
608115	356	214
608116	356	214
608117	436	214
611869	405	235
912991	277	58,59
A1436BL	127	22
A1436C	125	22,44
A1436R	127	22
A1436W	127	22
A1436Z	117	22
A1448BL	144	22
A1448C	143	22,44
A1448R	144	22
A1448W	144	22
A1448Z	130	22
A1836BL	132	22
A1836C	130	22
A1836R	132	22
A1836W	132	22
A1836Z	127	22
A1848BL	156	22
A1848C	155	22
A1848R	156	22
A1848W	156	22
A1848Z	147	22
A1860BL	183	22
A1860C	182	22
A1860R	183	22
A1860W	183	22
A1860Z	174	22
A200012	6	47
A200019	12	9
A200868	5	54
A201007	37	9
A201008	47	9
A201009	47	9
A201706	29	9
A203078	53	7
A203568	5	47
A203841	8	51
A203842	8	51
A203843	7	51
A203844	9	51
A203845	12	51
A203846	9	51
A203877	34	91,163
A203879	44	91,163
A203881	40	163
A203883	55	163
A203885	9	163
A203887	16	163
A203889	28	163
A203891	58	163
A203893	112	163
A203895	127	159
A203929	172	159
A204176	303	158
A204178	406	160
A204235	37	163
A204236	47	163
A204237	38	91,163
A204238	49	163
A204239	32	163
A204318	4	48
A204331	7	40,154
A204795	53	9
A204942	8	61
A206196	12	40
A206197	19	40
A206198	22	40
A206199	25	40
A206200	28	40
A206201	37	40
A206216	7	40
A206217	12	40
A206218	19	40
A206219	22	40
A206220	25	40
A206221	28	40
A206222	37	40
A207016	83	97
A207199	37	47
A207351	8	54
A207562	54	9
A208336	9	175
A208337	9	175
A208338	16	175
A208339	38	175
A208341	54	175
A208342	55	175
A208343	59	175
A208344	104	175
A208345	112	175
A208346	125	175
A208347	169	175
A208348	16	175
A208349	19	175
A208350	26	175
A208351	36	175
A208353	36	175
A208354	58	175
A208355	67	175
A208356	67	175
A208357	83	175
A208358	94	175
A208359	94	175
A208505	139	52
A208506	184	52
A208507	170	52
A208508	162	52
A208513	98	52
A208627	54	47
A208746	7	40
A208747	12	40
A208749	19	40
A208750	22	40
A208751	25	40
A208752	28	40
A208753	37	40
A208891	19	22
A208903	19	61
A208904	22	61
A208905	43	61
A208906	55	61
A208908	49	47,176
A208909	32	47,176
A210098	8	45
A212494	33	40
A213096	25	40
A213261	26	9
A2136BL	155	22
A2136C	152	22
A2136R	155	22
A2136W	155	22
A2136Z	143	22
A214169	16	47
A2148BL	177	22
A2148C	176	22
A2148R	177	22
A2148W	177	22
A2148Z	162	22
A215532	104	169
A215534	125	169
A215536	143	169
A215538	72	169
A215539	92	169
A215541	98	169
A215543	59	169
A215544	66	169
A215546	72	169
A2160BL	217	22
A2160C	216	22
A2160R	217	22
A2160W	217	22
A2160Z	193	22
A216649	84	52
A216650	72	52
A216651	77	52
A216652	103	52
A217621	33	40
A217638	67	51
A217760	7	51
A217763	7	51
A217764	7	51
A217765	55	51
A217766	7	51
A218017	25	97
A219236	22	47,176
A219390	78	26
A219391	119	26
A219392	130	26
A219393	139	26
A222144	49	40
A223747	26	40
A223748	26	40
A223749	26	40
A225208	33	40
A225494	9	25
A225512	19	25
A225513	25	25
A225514	28	25
A225515	44	25
A225516	49	25
A225517	84	25
A225518	86	25
A225519	92	25
A226093	40	47
A226096	58	47
A226104	37	47
A226105	40	47
A227763	25	40

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
A227764	25	40
A227841	49	40
A227842	49	40
A228162	25	97
A230612	55	47
A230624	40	47
A230625	40	47
A2436BL	166	22
A2436C	162	22,44
A2436R	166	22
A2436W	166	22
A2436Z	149	22
A2448BL	193	22
A2448C	192	22,44
A2448R	193	22
A2448W	193	22
A2448Z	177	22
A2460BL	245	22
A2460C	244	22,44
A2460R	245	22
A2460W	245	22
A2460Z	216	22
A4-63-1824C	582	19
A4-63-1824E	684	19
A4-63-1824S	2026	19
A4-63-1824V	598	19
A4-63-1824VG	598	19
A4-63-1824Z	564	19
A4-63-1830C	589	19
A4-63-1830E	705	19
A4-63-1830S	2055	19
A4-63-1830V	634	19
A4-63-1830VG	634	19
A4-63-1830Z	577	19
A4-63-1836C	603	19
A4-63-1836E	727	19
A4-63-1836S	2072	19
A4-63-1836V	655	19
A4-63-1836VG	655	19
A4-63-1836Z	593	19
A4-63-1842C	698	19
A4-63-1842E	840	19
A4-63-1842S	2418	19
A4-63-1842V	750	19
A4-63-1842VG	750	19
A4-63-1842Z	663	19
A4-63-1848C	698	19
A4-63-1848E	840	19
A4-63-1848S	2418	19
A4-63-1848V	750	19
A4-63-1848VG	750	19
A4-63-1848Z	663	19
A4-63-1860C	798	19
A4-63-1860E	973	19
A4-63-1860S	2997	19
A4-63-1860V	888	19
A4-63-1860VG	888	19
A4-63-1860Z	750	19
A4-63-1872C	922	19
A4-63-1872E	1099	19
A4-63-1872S	3506	19
A4-63-1872V	998	19
A4-63-1872VG	998	19
A4-63-1872Z	919	19
A4-63-2124C	653	19
A4-63-2124E	754	19
A4-63-2124S	2300	19
A4-63-2124V	663	19
A4-63-2124VG	663	19
A4-63-2124Z	605	19
A4-63-2130C	666	19
A4-63-2130E	770	19
A4-63-2130S	2322	19
A4-63-2130V	703	19
A4-63-2130VG	703	19
A4-63-2130Z	622	19
A4-63-2136C	688	19
A4-63-2136E	807	19
A4-63-2136S	2338	19
A4-63-2136V	714	19
A4-63-2136VG	714	19
A4-63-2136Z	645	19
A4-63-2142C	776	19
A4-63-2142E	915	19
A4-63-2142S	2654	19
A4-63-2142V	818	19
A4-63-2142VG	818	19
A4-63-2142Z	714	19
A4-63-2148C	776	19
A4-63-2148E	915	19
A4-63-2148S	2654	19
A4-63-2148V	818	19
A4-63-2148VG	818	19
A4-63-2148Z	714	19
A4-63-2160C	895	19
A4-63-2160E	1044	19
A4-63-2160S	3445	19
A4-63-2160V	955	19
A4-63-2160VG	955	19
A4-63-2160Z	845	19
A4-63-2172C	1037	19
A4-63-2172E	1248	19
A4-63-2172S	4026	19
A4-63-2172V	1127	19
A4-63-2172VG	1127	19
A4-63-2172Z	993	19
A4-63-2424C	684	19
A4-63-2424E	818	19
A4-63-2424S	2460	19
A4-63-2424V	708	19
A4-63-2424VG	708	19
A4-63-2424Z	645	19
A4-63-2430C	705	19
A4-63-2430E	830	19
A4-63-2430S	2476	19
A4-63-2430V	744	19
A4-63-2430VG	744	19
A4-63-2430Z	655	19
A4-63-2436C	719	19
A4-63-2436E	845	19
A4-63-2436S	2506	19
A4-63-2436V	759	19
A4-63-2436VG	759	19
A4-63-2436Z	680	19
A4-63-2442C	836	19
A4-63-2442E	1005	19
A4-63-2442S	2975	19
A4-63-2442V	888	19
A4-63-2442VG	888	19
A4-63-2442Z	787	19
A4-63-2448C	836	19
A4-63-2448E	1005	19
A4-63-2448S	2975	19
A4-63-2448V	888	19
A4-63-2448VG	888	19
A4-63-2448Z	787	19
A4-63-2460C	973	19
A4-63-2460E	1164	19
A4-63-2460S	3569	19
A4-63-2460V	1056	19
A4-63-2460VG	1056	19
A4-63-2460Z	932	19
A4-63-2472C	1123	19
A4-63-2472E	1338	19
A4-63-2472S	4380	19
A4-63-2472V	1208	19
A4-63-2472VG	1208	19
A4-63-2472Z	1040	19
A4-74-1824C	589	19
A4-74-1824E	692	19
A4-74-1824S	2059	19
A4-74-1824V	605	19
A4-74-1824VG	605	19
A4-74-1824Z	569	19
A4-74-1830C	596	19
A4-74-1830E	714	19
A4-74-1830S	2089	19
A4-74-1830V	645	19
A4-74-1830VG	645	19
A4-74-1830Z	585	19
A4-74-1836C	610	19
A4-74-1836E	738	19
A4-74-1836S	2103	19
A4-74-1836V	663	19
A4-74-1836VG	663	19
A4-74-1836Z	600	19
A4-74-1842C	705	19
A4-74-1842E	852	19
A4-74-1842S	2450	19
A4-74-1842V	759	19
A4-74-1842VG	759	19
A4-74-1842Z	666	19
A4-74-1848C	705	19
A4-74-1848E	852	19
A4-74-1848S	2450	19
A4-74-1848V	759	19
A4-74-1848VG	759	19
A4-74-1848Z	666	19
A4-74-1860C	807	19
A4-74-1860E	984	19
A4-74-1860S	3032	19
A4-74-1860V	897	19
A4-74-1860VG	897	19
A4-74-1860Z	760	19
A4-74-1872C	927	19
A4-74-1872E	1116	19
A4-74-1872S	3537	19
A4-74-1872V	1005	19
A4-74-1872VG	1005	19
A4-74-1872Z	882	19
A4-74-2124C	660	19
A4-74-2124E	766	19
A4-74-2124S	2334	19
A4-74-2124V	673	19
A4-74-2124VG	673	19
A4-74-2124Z	610	19
A4-74-2130C	676	19
A4-74-2130E	782	19
A4-74-2130S	2355	19
A4-74-2130V	708	19
A4-74-2130VG	708	19
A4-74-2130Z	625	19
A4-74-2136C	698	19
A4-74-2136E	818	19
A4-74-2136S	2370	19
A4-74-2136V	722	19
A4-74-2136VG	722	19
A4-74-2136Z	648	19
A4-74-2142C	785	19
A4-74-2142E	925	19
A4-74-2142S	2689	19
A4-74-2142V	823	19
A4-74-2142VG	823	19
A4-74-2142Z	719	19
A4-74-2148C	785	19
A4-74-2148E	925	19
A4-74-2148S	2689	19
A4-74-2148V	823	19
A4-74-2148VG	823	19
A4-74-2148Z	719	19
A4-74-2160C	899	19
A4-74-2160E	1056	19
A4-74-2160S	3478	19
A4-74-2160V	962	19
A4-74-2160VG	962	19
A4-74-2160Z	849	19
A4-74-2172C	1044	19
A4-74-2172E	1258	19
A4-74-2172S	4059	19
A4-74-2172V	1136	19
A4-74-2172VG	1136	19
A4-74-2172Z	995	19
A4-74-2424C	688	19
A4-74-2424E	823	19
A4-74-2424S	2492	19
A4-74-2424V	714	19
A4-74-2424VG	714	19
A4-74-2424Z	648	19
A4-74-2430C	710	19
A4-74-2430E	838	19
A4-74-2430S	2509	19
A4-74-2430V	750	19
A4-74-2430VG	750	19
A4-74-2430Z	660	19
A4-74-2436C	727	19
A4-74-2436E	852	19
A4-74-2436S	2537	19
A4-74-2436V	766	19
A4-74-2436VG	766	19
A4-74-2436Z	684	19
A4-74-2442C	840	19
A4-74-2442E	1012	19
A4-74-2442S	3007	19
A4-74-2442V	897	19
A4-74-2442VG	897	19
A4-74-2442Z	789	19
A4-74-2448C	840	19
A4-74-2448E	1012	19
A4-74-2448S	3007	19
A4-74-2448V	897	19
A4-74-2448VG	897	19
A4-74-2448Z	789	19
A4-74-2460C	982	19
A4-74-2460E	1173	19
A4-74-2460S	3603	19
A4-74-2460V	1062	19
A4-74-2460VG	1062	19
A4-74-2460Z	937	19
A4-74-2472C	1130	19
A4-74-2472E	1345	19
A4-74-2472S	4415	19
A4-74-2472V	1216	19
A4-74-2472VG	1216	19
A4-74-2472Z	1044	19
A5-74-1824C	710	21
A5-74-1824E	840	21

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
A5-74-1824S	2509	21
A5-74-1824V	734	21
A5-74-1824VG	734	21
A5-74-1824Z	686	21
A5-74-1830C	720	21
A5-74-1830E	869	21
A5-74-1830S	2544	21
A5-74-1830V	778	21
A5-74-1830VG	778	21
A5-74-1830Z	705	21
A5-74-1836C	739	21
A5-74-1836E	897	21
A5-74-1836S	2563	21
A5-74-1836V	807	21
A5-74-1836VG	807	21
A5-74-1836Z	722	21
A5-74-1842C	858	21
A5-74-1842E	1040	21
A5-74-1842S	2997	21
A5-74-1842V	923	21
A5-74-1842VG	923	21
A5-74-1842Z	814	21
A5-74-1848C	858	21
A5-74-1848E	1040	21
A5-74-1848S	2997	21
A5-74-1848V	923	21
A5-74-1848VG	923	21
A5-74-1848Z	814	21
A5-74-1860C	984	21
A5-74-1860E	1205	21
A5-74-1860S	3723	
A5-74-1860V	1095	21
A5-74-1860VG	1095	21
A5-74-1860Z	922	21
A5-74-1872C	1139	21
A5-74-1872E	1366	21
A5-74-1872S	4355	21
A5-74-1872V	1232	21
A5-74-1872VG	1232	21
A5-74-1872Z	1129	21
A5-74-2124C	800	21
A5-74-2124E	932	21
A5-74-2124S	2855	21
A5-74-2124V	819	21
A5-74-2124VG	819	21
A5-74-2124Z	740	21
A5-74-2130C	820	21
A5-74-2130E	950	21
A5-74-2130S	2882	21
A5-74-2130V	864	21
A5-74-2130VG	864	21
A5-74-2130Z	759	21
A5-74-2136C	847	21
A5-74-2136E	997	21
A5-74-2136S	2897	21
A5-74-2136V	882	21
A5-74-2136VG	882	21
A5-74-2136Z	786	21
A5-74-2142C	956	21
A5-74-2142E	1130	21
A5-74-2142S	3296	21
A5-74-2142V	1007	21
A5-74-2142VG	1007	21
A5-74-2142Z	876	21
A5-74-2148C	956	21
A5-74-2148E	1130	21
A5-74-2148S	3296	21
A5-74-2148V	1007	21
A5-74-2148VG	1007	21
A5-74-2148Z	876	21
A5-74-2160C	1098	21
A5-74-2160E	1295	21
A5-74-2160S	4284	21
A5-74-2160V	1180	21
A5-74-2160VG	1180	21
A5-74-2160Z	1038	21
A5-74-2172C	1280	21
A5-74-2172E	1549	21
A5-74-2172S	5007	21
A5-74-2172V	1396	21
A5-74-2172VG	1396	21
A5-74-2172Z	1219	21
A5-74-2424C	838	21
A5-74-2424E	1006	21
A5-74-2424S	3050	21
A5-74-2424V	873	21
A5-74-2424VG	873	21
A5-74-2424Z	786	21
A5-74-2430C	865	21
A5-74-2430E	1026	21
A5-74-2430S	3072	21
A5-74-2430V	919	21
A5-74-2430VG	919	21
A5-74-2430Z	803	21
A5-74-2436C	883	21
A5-74-2436E	1043	21
A5-74-2436S	3105	21
A5-74-2436V	937	21
A5-74-2436VG	937	21
A5-74-2436Z	830	21
A5-74-2442C	1029	21
A5-74-2442E	1243	21
A5-74-2442S	3695	21
A5-74-2442V	1097	21
A5-74-2442VG	1097	21
A5-74-2442Z	966	21
A5-74-2448C	1029	21
A5-74-2448E	1243	21
A5-74-2448S	3695	21
A5-74-2448V	1097	21
A5-74-2448VG	1097	21
A5-74-2448Z	966	21
A5-74-2460C	1203	21
A5-74-2460E	1440	21
A5-74-2460S	4437	21
A5-74-2460V	1307	21
A5-74-2460VG	1307	21
A5-74-2460Z	1147	21
A5-74-2472C	1392	21
A5-74-2472E	1659	21
A5-74-2472S	5450	21
A5-74-2472V	1497	21
A5-74-2472VG	1497	21
A5-74-2472Z	1283	21
A5-86-1824C	734	21
A5-86-1824E	862	21
A5-86-1824S	2544	21
A5-86-1824V	754	21
A5-86-1824VG	754	21
A5-86-1824Z	705	21
A5-86-1830C	742	21
A5-86-1830E	885	21
A5-86-1830S	2580	21
A5-86-1830V	799	21
A5-86-1830VG	799	21
A5-86-1830Z	722	21
A5-86-1836C	760	21
A5-86-1836E	915	21
A5-86-1836S	2599	21
A5-86-1836V	827	21
A5-86-1836VG	827	21
A5-86-1836Z	740	21
A5-86-1842C	877	21
A5-86-1842E	1059	21
A5-86-1842S	3034	21
A5-86-1842V	945	21
A5-86-1842VG	945	21
A5-86-1842Z	830	21
A5-86-1848C	877	21
A5-86-1848E	1059	21
A5-86-1848S	3034	21
A5-86-1848V	945	21
A5-86-1848VG	945	21
A5-86-1848Z	830	21
A5-86-1860C	1005	21
A5-86-1860E	1220	21
A5-86-1860S	3758	21
A5-86-1860V	1118	21
A5-86-1860VG	1118	21
A5-86-1860Z	939	21
A5-86-1872C	1159	21
A5-86-1872E	1387	21
A5-86-1872S	4392	21
A5-86-1872V	1253	21
A5-86-1872VG	1253	21
A5-86-1872Z	1147	21
A5-86-2124C	823	21
A5-86-2124E	950	21
A5-86-2124S	2887	21
A5-86-2124V	839	21
A5-86-2124VG	839	21
A5-86-2124Z	759	21
A5-86-2130C	840	21
A5-86-2130E	967	21
A5-86-2130S	2917	21
A5-86-2130V	884	21
A5-86-2130VG	884	21
A5-86-2130Z	776	21
A5-86-2136C	869	21
A5-86-2136E	1014	21
A5-86-2136S	2933	21
A5-86-2136V	905	21
A5-86-2136VG	905	21
A5-86-2136Z	803	21
A5-86-2142C	976	21
A5-86-2142E	1149	21
A5-86-2142S	3332	21
A5-86-2142V	1032	21
A5-86-2142VG	1032	21
A5-86-2142Z	896	21
A5-86-2148C	976	21
A5-86-2148E	1149	21
A5-86-2148S	3332	21
A5-86-2148V	1032	21
A5-86-2148VG	1032	21
A5-86-2148Z	896	21
A5-86-2160C	1122	21
A5-86-2160E	1312	21
A5-86-2160S	4317	21
A5-86-2160V	1204	21
A5-86-2160VG	1204	21
A5-86-2160Z	1058	21
A5-86-2172C	1304	21
A5-86-2172E	1565	21
A5-86-2172S	5043	21
A5-86-2172V	1419	21
A5-86-2172VG	1419	21
A5-86-2172Z	1238	21
A5-86-2424C	862	21
A5-86-2424E	1026	21
A5-86-2424S	3086	21
A5-86-2424V	896	21
A5-86-2424VG	896	21
A5-86-2424Z	803	21
A5-86-2430C	885	21
A5-86-2430E	1043	21
A5-86-2430S	3105	21
A5-86-2430V	939	21
A5-86-2430VG	939	21
A5-86-2430Z	822	21
A5-86-2436C	906	21
A5-86-2436E	1060	21
A5-86-2436S	3140	21
A5-86-2436V	958	21
A5-86-2436VG	958	21
A5-86-2436Z	849	21
A5-86-2442C	1050	21
A5-86-2442E	1260	21
A5-86-2442S	3729	21
A5-86-2442V	1120	21
A5-86-2442VG	1120	21
A5-86-2442Z	985	21
A5-86-2448C	1050	21
A5-86-2448E	1260	21
A5-86-2448S	3729	21
A5-86-2448V	1120	21
A5-86-2448VG	1120	21
A5-86-2448Z	985	21
A5-86-2460C	1220	21
A5-86-2460E	1460	21
A5-86-2460S	4474	21
A5-86-2460V	1330	21
A5-86-2460VG	1330	21
A5-86-2460Z	1169	21
A5-86-2472C	1412	21
A5-86-2472E	1678	21
A5-86-2472S	5487	21
A5-86-2472V	1518	21
A5-86-2472VG	1518	21
A5-86-2472Z	1303	21
AC2436T-1C-1W	1427	136
AC2436T-1H-1W	1427	136
AC2436T-2C	1427	136
AC2436T-2H	1427	136
AC2436T-2W	1427	136
AC2448T-1C-1W	1670	136
AC2448T-1H-1W	1670	136
AC2448T-2C	1670	136
AC2448T-2H	1670	136
AC2448T-2W	1670	136
AC2460T-1C-1W	1884	136
AC2460T-1H-1W	1884	136
AC2460T-2C	1884	136
AC2460T-2H	1884	136
AC2460T-2W	1884	136
AC2472T-1C-1W	2050	136
AC2472T-1H-1W	2050	136
AC2472T-2C	2050	136
AC2472T-2H	2050	136
AC2472T-2W	2050	136
AC3036T-1C-1W	1556	136
AC3036T-1H-1W	1556	136
AC3036T-2C	1556	136
AC3036T-2H	1556	136
AC3036T-2W	1556	136
AC3048T-1C-1W	1844	136

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
AC3048T-1H-1W	1844	136
AC3048T-2C	1844	136
AC3048T-2H	1844	136
AC3048T-2W	1844	136
AC3060T-1C-1W	2092	136
AC3060T-1H-1W	2092	136
AC3060T-2C	2092	136
AC3060T-2H	2092	136
AC3060T-2W	2092	136
AC3072T-1C-1W	2277	136
AC3072T-1H-1W	2277	136
AC3072T-2C	2277	136
AC3072T-2H	2277	136
AC3072T-2W	2277	136
AC3636T-1C-1W	1960	136
AC3636T-1H-1W	1960	136
AC3636T-2C	1960	136
AC3636T-2H	1960	136
AC3636T-2W	1960	136
AC3648T-1C-1W	2240	136
AC3648T-1H-1W	2240	136
AC3648T-2C	2240	136
AC3648T-2H	2240	136
AC3648T-2W	2240	136
AC3660T-1C-1W	2453	136
AC3660T-1H-1W	2453	136
AC3660T-2C	2453	136
AC3660T-2H	2453	136
AC3660T-2W	2453	136
AC3672T-1C-1W	2727	136
AC3672T-1H-1W	2727	136
AC3672T-2C	2727	136
AC3672T-2H	2727	136
AC3672T-2W	2727	136
ADD-A-CLAMP	16	16,23
ADD-A-CLAMP-BL	22	16,23
AEP2436T-1C-1W	2733	137
AEP2436T-1H-1W	2733	137
AEP2436T-2C	2733	137
AEP2436T-2H	2733	137
AEP2436T-2W	2733	137
AEP2448T-1C-1W	3276	137
AEP2448T-1H-1W	3276	137
AEP2448T-2C	3276	137
AEP2448T-2H	3276	137
AEP2448T-2W	3276	137
AEP2460T-1C-1W	3982	137
AEP2460T-1H-1W	3982	137
AEP2460T-2C	3982	137
AEP2460T-2H	3982	137
AEP2460T-2W	3982	137
AEP2472T-1C-1W	4480	137
AEP2472T-1H-1W	4480	137
AEP2472T-2C	4480	137
AEP2472T-2H	4480	137
AEP2472T-2W	4480	137
AEP3036T-1C-1W	3530	137
AEP3036T-1H-1W	3530	137
AEP3036T-2C	3530	137
AEP3036T-2H	3530	137
AEP3036T-2W	3530	137
AEP3048T-1C-1W	4104	137
AEP3048T-1H-1W	4104	137
AEP3048T-2C	4104	137
AEP3048T-2H	4104	137
AEP3048T-2W	4104	137
AEP3060T-1C-1W	4549	137
AEP3060T-1H-1W	4549	137
AEP3060T-2C	4549	137
AEP3060T-2H	4549	137
AEP3060T-2W	4549	137
AEP3072T-1C-1W	5173	137
AEP3072T-1H-1W	5173	137
AEP3072T-2C	5173	137
AEP3072T-2H	5173	137
AEP3072T-2W	5173	137
AEP3636T-1C-1W	3936	137
AEP3636T-1H-1W	3936	137
AEP3636T-2C	3936	137
AEP3636T-2H	3936	137
AEP3636T-2W	3936	137
AEP3648T-1C-1W	4638	137
AEP3648T-1H-1W	4638	137
AEP3648T-2C	4638	137
AEP3648T-2H	4638	137
AEP3648T-2W	4638	137
AEP3660T-1C-1W	5363	137
AEP3660T-1H-1W	5363	137
AEP3660T-2C	5363	137
AEP3660T-2H	5363	137
AEP3660T-2W	5363	137
AEP3672T-1C-1W	6012	137
AEP3672T-1H-1W	6012	137
AEP3672T-2C	6012	137
AEP3672T-2H	6012	137
AEP3672T-2W	6012	137
AP2436T-1C-1W	2697	137
AP2436T-1H-1W	2697	137
AP2436T-2C	2697	137
AP2436T-2H	2697	137
AP2436T-2W	2697	137
AP2448T-1C-1W	3036	137
AP2448T-1H-1W	3036	137
AP2448T-2C	3036	137
AP2448T-2H	3036	137
AP2448T-2W	3036	137
AP2460T-1C-1W	3429	137
AP2460T-1H-1W	3429	137
AP2460T-2C	3429	137
AP2460T-2H	3429	137
AP2460T-2W	3429	137
AP2472T-1C-1W	3826	137
AP2472T-1H-1W	3826	137
AP2472T-2C	3826	137
AP2472T-2H	3826	137
AP2472T-2W	3826	137
AP3036T-1C-1W	2997	137
AP3036T-1H-1W	2997	137
AP3036T-2C	2997	137
AP3036T-2H	2997	137
AP3036T-2W	2997	137
AP3048T-1C-1W	3406	137
AP3048T-1H-1W	3406	137
AP3048T-2C	3406	137
AP3048T-2H	3406	137
AP3048T-2W	3406	137
AP3060T-1C-1W	3825	137
AP3060T-1H-1W	3825	137
AP3060T-2C	3825	137
AP3060T-2H	3825	137
AP3060T-2W	3825	137
AP3072T-1C-1W	4362	137
AP3072T-1H-1W	4362	137
AP3072T-2C	4362	137
AP3072T-2H	4362	137
AP3072T-2W	4362	137
AP3636T-1C-1W	3389	137
AP3636T-1H-1W	3389	137
AP3636T-2C	3389	137
AP3636T-2H	3389	137
AP3636T-2W	3389	137
AP3648T-1C-1W	3980	137
AP3648T-1H-1W	3980	137
AP3648T-2C	3980	137
AP3648T-2H	3980	137
AP3648T-2W	3980	137
AP3660T-1C-1W	4495	137
AP3660T-1H-1W	4495	137
AP3660T-2C	4495	137
AP3660T-2H	4495	137
AP3660T-2W	4495	137
AP3672T-1C-1W	4788	137
AP3672T-1H-1W	4788	137
AP3672T-2C	4788	137
AP3672T-2H	4788	137
AP3672T-2W	4788	137
APEP2436T-1C-1W	3314	137
APEP2436T-1H-1W	3314	137
APEP2436T-2C	3314	137
APEP2436T-2H	3314	137
APEP2436T-2W	3314	137
APEP2448T-1C-1W	3862	137
APEP2448T-1H-1W	3862	137
APEP2448T-2C	3862	137
APEP2448T-2H	3862	137
APEP2448T-2W	3862	137
APEP2460T-1C-1W	4565	137
APEP2460T-1H-1W	4565	137
APEP2460T-2C	4565	137
APEP2460T-2H	4565	137
APEP2460T-2W	4565	137
APEP2472T-1C-1W	5056	137
APEP2472T-1H-1W	5056	137
APEP2472T-2C	5056	137
APEP2472T-2H	5056	137
APEP2472T-2W	5056	137
APEP3036T-1C-1W	4116	137
APEP3036T-1H-1W	4116	137
APEP3036T-2C	4116	137
APEP3036T-2H	4116	137
APEP3036T-2W	4116	137
APEP3048T-1C-1W	4692	137
APEP3048T-1H-1W	4692	137
APEP3048T-2C	4692	137
APEP3048T-2H	4692	137
APEP3048T-2W	4692	137
APEP3060T-1C-1W	5136	137
APEP3060T-1H-1W	5136	137
APEP3060T-2C	5136	137
APEP3060T-2H	5136	137
APEP3060T-2W	5136	137
APEP3072T-1C-1W	5772	137
APEP3072T-1H-1W	5772	137
APEP3072T-2C	5772	137
APEP3072T-2H	5772	137
APEP3072T-2W	5772	137
APEP3636T-1C-1W	4367	137
APEP3636T-1H-1W	4367	137
APEP3636T-2C	4367	137
APEP3636T-2H	4367	137
APEP3636T-2W	4367	137
APEP3648T-1C-1W	5144	137
APEP3648T-1H-1W	5144	137
APEP3648T-2C	5144	137
APEP3648T-2H	5144	137
APEP3648T-2W	5144	137
APEP3660T-1C-1W	5959	137
APEP3660T-1H-1W	5959	137
APEP3660T-2C	5959	137
APEP3660T-2H	5959	137
APEP3660T-2W	5959	137
APEP3672T-1C-1W	6614	137
APEP3672T-1H-1W	6614	137
APEP3672T-2C	6614	137
APEP3672T-2H	6614	137
APEP3672T-2W	6614	137
AS2436T-1C-1W	2148	136
AS2436T-1H-1W	2148	136
AS2436T-2C	2148	136
AS2436T-2H	2148	136
AS2436T-2W	2148	136
AS2448T-1C-1W	2478	136
AS2448T-1H-1W	2478	136
AS2448T-2C	2478	136
AS2448T-2H	2478	136
AS2448T-2W	2478	136
AS2460T-1C-1W	2872	136
AS2460T-1H-1W	2872	136
AS2460T-2C	2872	136
AS2460T-2H	2872	136
AS2460T-2W	2872	136
AS2472T-1C-1W	3269	136
AS2472T-1H-1W	3269	136
AS2472T-2C	3269	136
AS2472T-2H	3269	136
AS2472T-2W	3269	136
AS3036T-1C-1W	2445	136
AS3036T-1H-1W	2445	136
AS3036T-2C	2445	136
AS3036T-2H	2445	136
AS3036T-2W	2445	136
AS3048T-1C-1W	2850	136
AS3048T-1H-1W	2850	136
AS3048T-2C	2850	136
AS3048T-2H	2850	136
AS3048T-2W	2850	136
AS3060T-1C-1W	3267	136
AS3060T-1H-1W	3267	136
AS3060T-2C	3267	136
AS3060T-2H	3267	136
AS3060T-2W	3267	136
AS3072T-1C-1W	3812	136
AS3072T-1H-1W	3812	136
AS3072T-2C	3812	136
AS3072T-2H	3812	136
AS3072T-2W	3812	136
AS3636T-1C-1W	2837	136
AS3636T-1H-1W	2837	136
AS3636T-2C	2837	136
AS3636T-2H	2837	136
AS3636T-2W	2837	136
AS3648T-1C-1W	3427	136
AS3648T-1H-1W	3427	136
AS3648T-2C	3427	136
AS3648T-2H	3427	136
AS3648T-2W	3427	136
AS3660T-1C-1W	3944	136
AS3660T-1H-1W	3944	136
AS3660T-2C	3944	136
AS3660T-2H	3944	136
AS3660T-2W	3944	136
AS3672T-1C-1W	4505	136
AS3672T-1H-1W	4505	136
AS3672T-2C	4505	136
AS3672T-2H	4505	136
AS3672T-2W	4505	136

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
ASFT-12120-FG	9763	263
ASFT-12120-SG	16828	263
ASFT-1218-FG	4004	263
ASFT-1218-SG	5550	263
ASFT-1224-FG	4343	263
ASFT-1224-SG	5574	263
ASFT-1230-FG	4766	263
ASFT-1230-SG	5830	263
ASFT-1236-FG	4993	263
ASFT-1236-SG	6085	263
ASFT-1248-FG	5727	263
ASFT-1248-SG	7577	263
ASFT-1260-FG	6203	263
ASFT-1260-SG	9122	263
ASFT-1272-FG	7010	263
ASFT-1272-SG	10532	263
ASFT-1284-FG	7667	263
ASFT-1284-SG	12365	263
ASFT-1296-FG	8367	263
ASFT-1296-SG	12880	263
ASFT-15120-FG	10300	263
ASFT-15120-SG	17672	263
ASFT-1524-FG	4430	263
ASFT-1524-SG	5393	263
ASFT-1530-FG	4807	263
ASFT-1530-SG	5992	263
ASFT-1536-FG	5036	263
ASFT-1536-SG	6963	263
ASFT-1548-FG	5797	263
ASFT-1548-SG	8382	263
ASFT-1560-FG	6485	263
ASFT-1560-SG	9264	263
ASFT-1572-FG	7148	263
ASFT-1572-SG	11327	263
ASFT-1584-FG	7882	263
ASFT-1584-SG	12885	263
ASFT-1596-FG	8509	263
ASFT-1596-SG	14205	263
ASFT-18120-FG	12006	263
ASFT-18120-SG	19099	263
ASFT-1824-FG	4756	263
ASFT-1824-SG	6222	263
ASFT-1830-FG	5253	263
ASFT-1830-SG	6642	263
ASFT-1836-FG	5626	263
ASFT-1836-SG	7062	263
ASFT-1848-FG	6514	263
ASFT-1848-SG	8474	263
ASFT-1860-FG	7272	263
ASFT-1860-SG	10475	263
ASFT-1872-FG	8128	263
ASFT-1872-SG	11569	263
ASFT-1884-FG	9082	263
ASFT-1884-SG	13993	263
ASFT-1896-FG	9910	263
ASFT-1896-SG	14503	263
ASFT-24120-FG	13229	263
ASFT-24120-SG	20455	263
ASFT-2424-FG	5094	263
ASFT-2424-SG	7454	263
ASFT-2430-FG	5742	263
ASFT-2430-SG	8636	263
ASFT-2436-FG	6188	263
ASFT-2436-SG	8966	263
ASFT-2448-FG	7264	263
ASFT-2448-SG	10485	263
ASFT-2460-FG	8322	263
ASFT-2460-SG	11847	263
ASFT-2472-FG	8405	263
ASFT-2472-SG	13809	263
ASFT-2484-FG	10467	263
ASFT-2484-SG	15174	263
ASFT-2496-FG	11449	263
ASFT-2496-SG	16836	263
ASWTFT-1215-FGG	20083	265
ASWTFT-1215-SG	22008	265
ASWTFT-1218-FGG	20534	265
ASWTFT-1218-SG	22148	265
ASWTFT-1224-FGG	20889	265
ASWTFT-1224-SG	22178	265
ASWTFT-1230-FGG	21333	265
ASWTFT-1230-SG	22443	265
ASWTFT-1236-FGG	21569	265
ASWTFT-1236-SG	22712	265
ASWTFT-1248-FGG	22337	265
ASWTFT-1248-SG	24270	265
ASWTFT-1260-FGG	22833	265
ASWTFT-1260-SG	25886	265
ASWTFT-1272-FGG	23674	265
ASWTFT-1272-SG	27355	265
ASWTFT-1284-FGG	24367	265
ASWTFT-1284-SG	29275	265
ASWTFT-1296-FGG	25096	265
ASWTFT-1296-SG	29808	265
ASWTFT-1518-FGG	20486	265
ASWTFT-1518-SG	20982	265
ASWTFT-1524-FGG	20982	265
ASWTFT-1524-SG	21986	265
ASWTFT-1530-FGG	21376	265
ASWTFT-1530-SG	22610	265
ASWTFT-1536-FGG	21614	265
ASWTFT-1536-SG	23629	265
ASWTFT-1548-FGG	22414	265
ASWTFT-1548-SG	25108	265
ASWTFT-1560-FGG	23125	265
ASWTFT-1560-SG	26030	265
ASWTFT-1572-FGG	23825	265
ASWTFT-1572-SG	27355	265
ASWTFT-1584-FGG	24588	265
ASWTFT-1584-SG	29849	265
ASWTFT-1596-FGG	25245	265
ASWTFT-1596-SG	31196	265
ASWTFT-1824-FGG	21325	265
ASWTFT-1824-SG	22855	265
ASWTFT-1830-FGG	21838	265
ASWTFT-1830-SG	23289	265
ASWTFT-1836-FGG	22230	265
ASWTFT-1836-SG	23732	265
ASWTFT-1848-FGG	23160	265
ASWTFT-1848-SG	25207	265
ASWTFT-1860-FGG	23952	265
ASWTFT-1860-SG	27297	265
ASWTFT-1872-FGG	23439	265
ASWTFT-1872-SG	28440	265
ASWTFT-1884-FGG	25844	265
ASWTFT-1884-SG	30970	265
ASWTFT-1896-FGG	26708	265
ASWTFT-1896-SG	31507	265
ASWTFT-2424-FGG	21675	265
ASWTFT-2424-SG	24140	265
ASWTFT-2430-FGG	22354	265
ASWTFT-2430-SG	25374	265
ASWTFT-2436-FGG	22816	265
ASWTFT-2436-SG	25720	265
ASWTFT-2448-FGG	23943	265
ASWTFT-2448-SG	27305	265
ASWTFT-2460-FGG	25047	265
ASWTFT-2460-SG	28733	265
ASWTFT-2472-FGG	25134	265
ASWTFT-2472-SG	30782	265
ASWTFT-2484-FGG	27292	265
ASWTFT-2484-SG	32209	265
ASWTFT-2496-FGG	28316	265
ASWTFT-2496-SG	33944	265
B201023	19	54
BC18	1109	159
BC18-1	1152	159
BD1448C	2894	142
BD1448S	4314	142
BH-1	277	91
BH36C	59	179
BH48C	62	179
BH60C	66	179
BIC	6926	170
BIC-Z	6885	170
BPC36C	604	179
BPC48C	610	179
BPC60C	617	179
C1448-GRH	2277	127
C1448-WGRH	1037	128
C1460-GRH	2372	127
C1460-WGRH	1194	128
C1472-GRH	2845	127
C1472-WGRH	1452	128
C1848-WGRT	388	128
C1860-WGRT	416	128
C1872-WGRT	445	128
C2448-GR	963	127
C2448-GRT	663	127
C2448-WGR	739	128
C2460-GR	1086	127
C2460-GRT	720	127
C2460-WGR	896	128
C2472-GR	1236	127
C2472-GRT	814	127
C2472-WGR	1029	128
C314-10-3-12	9325	250
C314-16-3-18	12266	250
C314-22-3-18	13305	250
C314-24-3-24	14378	250
CA4-SB	745	198,199, 205
CA6-SB	1116	198,199, 205
CA8-SB	1488	198
CAH4-SB	986	198,199, 205
CAH6-SB	1480	198,199, 205
CAH8-SB	1975	198
CAHP4-SB	855	66,198, 199
CAHP6-SB	1282	198,199
CAHP8-SB	1708	198
CAHW4-SB	1060	66,134, 198,199
CAHW6-SB	1592	134,198, 199
CAHW8-SB	2119	198
CB24120SE	10352	201
CB24120SE-BS	10469	203
CB2436SE	5630	201
CB2436SE-BS	5919	203
CB2448SE	6297	201
CB2448SE-BS	6343	203
CB2460SE	6765	201
CB2460SE-BS	6833	203
CB2472SE	7255	201
CB2472SE-BS	7330	203
CB2484SE	8294	201
CB2484SE-BS	8374	203
CB2496SE	8962	201
CB2496SE-BS	9048	203
CB30120SE	10797	201
CB30120SE-BS	10914	203
CB3036SE	5880	201
CB3036SE-BS	6112	203
CB3048SE	6534	201
CB3048SE-BS	6575	203
CB3060SE	7053	201
CB3060SE-BS	7119	203
CB3072SE	7577	201
CB3072SE-BS	7648	203
CB3084SE	8523	201
CB3084SE-BS	8605	203
CB3096SE	9334	201
CB3096SE-BS	9420	203
CBH24120SE	11250	201
CBH24120SE-BS	11364	203
CBH2436SE	6899	201
CBH2436SE-BS	6950	203
CBH2448SE	7226	201
CBH2448SE-BS	7272	203
CBH2460SE	7704	201
CBH2460SE-BS	7758	203
CBH2472SE	8174	201
CBH2472SE-BS	8252	203
CBH2484SE	9197	201
CBH2484SE-BS	9287	203
CBH2496SE	9864	201
CBH2496SE-BS	9967	203
CBH30120SE	11687	201
CBH30120SE-BS	11803	203
CBH3036SE	7133	201
CBH3036SE-BS	7180	203
CBH3048SE	7460	201
CBH3048SE-BS	7504	203
CBH3060SE	7984	201
CBH3060SE-BS	8034	203
CBH3072SE	8504	201
CBH3072SE-BS	8565	203
CBH3084SE	9439	201
CBH3084SE-BS	9526	203
CBH3096SE	10239	201
CBH3096SE-BS	10949	203
CC-S-10	655	66,130, 215
CC-S-2	166	66,130, 215
CC-S-60	3672	66,130, 215
CC1836C-S	897	30
CC1836C-SB	917	30
CC1836C-SBP	1055	30
CC1836C-SP	1029	30
CC1836C-SR	958	30
CC1836C-SRP	1080	30
CC1836Z-S	885	30
CC1836Z-SB	908	30
CC1836Z-SBP	1040	30
CC1836Z-SP	1018	30
CC1836Z-SR	932	30
CC1836Z-SRP	1043	30
CC1848C-S	982	30
CC1848C-SB	1033	30
CC1848C-SBP	1164	30

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
CC1848C-SP	1117	30
CC1848C-SR	1060	30
CC1848C-SRP	1180	30
CC1848Z-S	897	30
CC1848Z-SB	1005	30
CC1848Z-SBP	1139	30
CC1848Z-SP	1029	30
CC1848Z-SR	1012	30
CC1848Z-SRP	1125	30
CC1860C-S	1117	30
CC1860C-SB	1139	30
CC1860C-SBP	1272	30
CC1860C-SP	1248	30
CC1860C-SR	1160	30
CC1860C-SRP	1276	30
CC1860Z-S	1084	30
CC1860Z-SB	1112	30
CC1860Z-SBP	1244	30
CC1860Z-SP	1214	30
CC1860Z-SR	1115	30
CC1860Z-SRP	1230	30
CC2136C-S	1000	30
CC2136C-SB	1026	30
CC2136C-SBP	1155	30
CC2136C-SP	1130	30
CC2136C-SR	1056	30
CC2136C-SRP	1173	30
CC2136Z-S	954	30
CC2136Z-SB	975	30
CC2136Z-SBP	1112	30
CC2136Z-SP	1084	30
CC2136Z-SR	984	30
CC2136Z-SRP	1098	30
CC2148C-S	1095	30
CC2148C-SB	1119	30
CC2148C-SBP	1253	30
CC2148C-SP	1228	30
CC2148C-SR	1149	30
CC2148C-SRP	1264	30
CC2148Z-S	1037	30
CC2148Z-SB	1060	30
CC2148Z-SBP	1194	30
CC2148Z-SP	1172	30
CC2148Z-SR	1066	30
CC2148Z-SRP	1183	30
CC2160C-S	1214	30
CC2160C-SB	1244	30
CC2160C-SBP	1375	30
CC2160C-SP	1352	30
CC2160C-SR	1270	30
CC2160C-SRP	1382	30
CC2160Z-S	1172	30
CC2160Z-SB	1194	30
CC2160Z-SBP	1329	30
CC2160Z-SP	1300	30
CC2160Z-SR	1205	30
CC2160Z-SRP	1327	30
CC2436C-S	1037	30
CC2436C-SB	1060	30
CC2436C-SBP	1194	30
CC2436C-SP	1172	30
CC2436C-SR	1085	30
CC2436C-SRP	1203	30
CC2436Z-S	993	30
CC2436Z-SB	1016	30
CC2436Z-SBP	1147	30
CC2436Z-SP	1123	30
CC2436Z-SR	1028	30
CC2436Z-SRP	1142	30
CC2448C-S	1159	30
CC2448C-SB	1184	30
CC2448C-SBP	1317	30
CC2448C-SP	1294	30
CC2448C-SR	1210	30
CC2448C-SRP	1333	30
CC2448Z-S	1103	30
CC2448Z-SB	1127	30
CC2448Z-SBP	1206	30
CC2448Z-SP	1234	30
CC2448Z-SR	1136	30
CC2448Z-SRP	1254	30
CC2460C-S	1300	30
CC2460C-SB	1329	30
CC2460C-SBP	1456	30
CC2460C-SP	1437	30
CC2460C-SR	1356	30
CC2460C-SRP	1477	30
CC2460Z-S	1266	30
CC2460Z-SB	1287	30
CC2460Z-SBP	1419	30
CC2460Z-SP	1398	30
CC2460Z-SR	1295	30
CC2460Z-SRP	1412	30
CF1824-C	174	55
CF1824-E	205	55
CF1824-S	444	55
CF1830-C	182	55
CF1830-E	216	55
CF1830-S	467	55
CF1836-C	183	55
CF1836-E	217	55
CF1836-S	486	55
CF1842-C	189	55
CF1842-E	220	55
CF1842-S	489	55
CF1848-C	192	55
CF1848-E	226	55
CF1848-S	497	55
CF1860-C	215	55
CF1860-E	254	55
CF1860-S	569	55
CF1872-C	242	55
CF1872-E	292	55
CF1872-S	626	55
CF2124-C	177	55
CF2124-E	209	55
CF2124-S	453	55
CF2130-C	183	55
CF2130-E	217	55
CF2130-S	467	55
CF2136-C	189	55
CF2136-E	220	55
CF2136-S	475	55
CF2142-C	195	55
CF2142-E	229	55
CF2142-S	497	55
CF2148-C	197	55
CF2148-E	230	55
CF2148-S	503	55
CF2160-C	228	55
CF2160-E	275	55
CF2160-S	589	55
CF2172-C	318	55
CF2172-E	386	55
CF2172-S	649	55
CF2424-C	183	55
CF2424-E	217	55
CF2424-S	467	55
CF2430-C	189	55
CF2430-E	220	55
CF2430-S	487	55
CF2436-C	195	55
CF2436-E	229	55
CF2436-S	497	55
CF2442-C	197	55
CF2442-E	230	55
CF2442-S	515	55
CF2448-C	198	55
CF2448-E	242	55
CF2448-S	519	55
CF2460-C	242	55
CF2460-E	292	55
CF2460-S	609	55
CF2472-C	332	55
CF2472-E	395	55
CF2472-S	664	55
CF3036-C	205	55
CF3036-E	248	55
CF3036-S	609	55
CF3048-C	214	55
CF3048-E	254	55
CF3048-S	626	55
CF3060-C	334	55
CF3060-E	306	55
CF3060-S	726	55
CF3072-C	354	55
CF3072-E	430	55
CF3072-S	798	55
CF3636-C	219	55
CF3636-E	269	55
CF3636-S	622	55
CF3648-C	228	55
CF3648-E	275	55
CF3648-S	648	55
CF3660-E	330	55
CF3660-S	739	55
CF3672-E	465	55
CF3672-S	820	55
CG-I-36	198	217
CG-I-48	236	217
CG-I-60	269	217
CG-I-72	295	217
CG-O-36	198	217
CG-O-48	236	217
CG-O-60	269	217
CG-O-72	295	217
CH24	67	36,129,161
CH24-S	145	129
CH28	16	52
CH28S	19	174
CH30	73	36,129,161
CH30-S	149	129
CH35	19	52
CH35S	25	174
CH36	77	36,129,161
CH36-S	155	129
CH42	78	36,129,161
CH42-S	160	129
CH48	82	36,129,161
CH48-S	166	129
CH54	85	36,129,161
CH54-S	185	129
CH58	22	52
CH58S	26	174
CH60	92	36,129,161
CH60-S	203	129
CH72	95	129
CH72-S	210	129
CLH-C	26	36,128,161
CLH-EP	38	128,161
CLH-S	36	128,161
CM108APR	2395	217
CM108PR	3334	217
CM120APR	2426	217
CM120PR	3519	217
CM132APR	2552	217
CM132PR	3567	217
CM144APR	2605	217
CM144PR	4070	217
CM36APR	1386	217
CM36PR	1766	217
CM48APR	1453	217
CM48PR	1847	217
CM60APR	1518	217
CM60PR	1970	217
CM72APR	1606	217
CM72PR	2086	217
CM84APR	1985	217
CM84PR	2538	217
CM96APR	2048	217
CM96PR	2649	217
COLLAR PLUG	16	47,91
CP14-BL	29	62
CP14-C	28	8
CP14-E	32	8
CP14-R	29	62
CP14-S	60	8
CP14-V	29	8
CP14-VG	29	8
CP14-W	29	62
CP14-Z	26	8
CP18-C	32	8
CP18-E	43	8
CP18-S	85	8
CP18-V	33	8
CP18-VG	33	8
CP18-Z	29	8
CP33-BL	36	62
CP33-C	33	8
CP33-E	44	8
CP33-EPS	122	129
CP33-R	36	62
CP33-S	98	8
CP33-V	36	8
CP33-VG	36	8
CP33-W	36	62
CP33-Z	32	8
CP54-BL	44	62
CP54-C	43	8
CP54-E	47	8
CP54-EPS	162	129
CP54-R	44	62
CP54-S	112	8
CP54-V	44	8
CP54-VG	44	8
CP54-W	44	62
CP54-Z	40	8
CP63-BL	47	62

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
CP63-C	44	8
CP63-E	54	8
CP63-EPS	176	129
CP63-R	47	62
CP63-S	122	8
CP63-V	47	8
CP63-VG	47	8
CP63-W	47	62
CP63-Z	43	8
CP7-BL	26	62
CP7-C	25	8
CP7-E	29	8
CP7-R	26	62
CP7-S	58	8
CP7-V	26	8
CP7-VG	26	8
CP7-W	26	62
CP7-Z	22	8
CP74-BL	53	62
CP74-C	49	8
CP74-E	58	8
CP74-EPS	197	129
CP74-R	53	62
CP74-S	139	8
CP74-V	53	8
CP74-VG	53	8
CP74-W	53	62
CP74-Z	44	8
CP86-BL	59	62
CP86-C	59	8
CP86-E	66	8
CP86-EPS	216	129
CP86-R	59	62
CP86-S	158	8
CP86-V	60	8
CP86-VG	60	8
CP86-W	59	62
CP86-Z	55	8
CPB5-200	77	10
CPB5-250	94	10
CPB5P-300	84	10
CPB5P-500	174	10
CPB5S-300	272	10
CPB6-500	144	10
CPB6P-600	189	10,154
CPB6Z-800	156	10
CPB8P-700	214	10,154
CPB8Z-900	172	10
CPC48B	3329	158
CPC6024	3380	158
CPC6024D	4293	158
CPC6036	3155	158
CPC6036D	4123	158
CPC60B	3680	158
CPL6Z-800	315	10
CPL8Z-900	325	10
CPR5-200	77	10
CPR5-250	94	10
CPR5P-300	78	10
CPR5P-500	174	10
CPR6-500	130	10
CPR6P-600	189	10,154
CPR6Z-800	122	10
CPR8P-700	214	10,154
CPR8Z-900	136	10
CPS5-200	67	10
CPS5-250	86	10
CPS5P-300	77	10
CPS5P-500	152	10
CPS5S-300	250	10
CPS6-500	130	10
CPS6P-600	169	10,154
CPS6Z-800	132	10
CPS8P-700	189	10,154
CPS8Z-900	147	10
CPSB5-250	169	9,129
CPSS5-250	137	9,129
CR2D	315	91
CR4D	352	91
CRB0936	1832	131
CRB0936EP	2367	131
CRB0948	1923	131
CRB0948EP	2492	131
CRB0960	2055	131
CRB0960EP	2792	131
CRB0972	2233	131
CRB0972EP	3019	131
CRB1224	1955	131
CRB1224EP	2500	131
CRB1236	1955	131
CRB1236EP	2500	131
CRB1248	2054	131
CRB1248EP	2628	131
CRB1260	2145	131
CRB1260EP	2886	131
CRB1272	2329	131
CRB1272EP	3119	131
CRB1284	2426	131
CRB1284EP	3223	131
CRB1836	2636	131
CRB1836EP	3355	131
CRB1848	2776	131
CRB1848EP	3529	131
CRB1860	2938	131
CRB1860EP	3880	131
CRB1872	3177	131
CRB1872EP	4188	131
CRPT2424T-C	2597	132
CRPT2424T-C-BS	2986	133
CRPT2424T-H	2597	132
CRPT2424T-H-BS	2986	133
CRPT2424T-US	3245	132
CRPT2424T-US-BS	3729	133
CRPT2436T-C	3054	132
CRPT2436T-C-BS	3512	133
CRPT2436T-H	3054	132
CRPT2436T-H-BS	3512	133
CRPT2436T-US	3818	132
CRPT2436T-US-BS	4392	133
CRPT2448T-C	3572	132
CRPT2448T-C-BS	4106	133
CRPT2448T-H	3572	132
CRPT2448T-H-BS	4106	133
CRPT2448T-US	4464	132
CRPT2448T-US-BS	5133	133
CRPT2460T-C	3858	132
CRPT2460T-C-BS	4433	133
CRPT2460T-H	3858	132
CRPT2460T-H-BS	4433	133
CRPT2460T-US	4819	132
CRPT2460T-US-BS	5542	133
CRPT2472T-C	4938	132
CRPT2472T-C-BS	5678	133
CRPT2472T-H	4938	132
CRPT2472T-H-BS	5678	133
CRPT2472T-US	6174	132
CRPT2472T-US-BS	7099	133
CRPT2484T-C	5473	132
CRPT2484T-C-BS	6294	133
CRPT2484T-H	5473	132
CRPT2484T-H-BS	6294	133
CRPT2484T-US	6840	132
CRPT2484T-US-BS	7867	133
CRPT2496T-C	7117	132
CRPT2496T-C-BS	8184	133
CRPT2496T-H	7117	132
CRPT2496T-H-BS	8184	133
CRPT2496T-US	8897	132
CRPT2496T-US-BS	7099	133
CRPT3030T-C	2697	132
CRPT3030T-C-BS	3099	133
CRPT3030T-H	2697	132
CRPT3030T-H-BS	3099	133
CRPT3030T-US	3372	132
CRPT3030T-US-BS	3877	133
CRPT3036T-C	3177	132
CRPT3036T-C-BS	3653	133
CRPT3036T-H	3177	132
CRPT3036T-H-BS	3653	133
CRPT3036T-US	3973	132
CRPT3036T-US-BS	4567	133
CRPT3048T-C	3686	132
CRPT3048T-C-BS	4239	133
CRPT3048T-H	3686	132
CRPT3048T-H-BS	4239	133
CRPT3048T-US	4606	132
CRPT3048T-US-BS	5297	133
CRPT3060T-C	3984	132
CRPT3060T-C-BS	4582	133
CRPT3060T-H	3984	132
CRPT3060T-H-BS	4582	133
CRPT3060T-US	4982	132
CRPT3060T-US-BS	5727	133
CRPT3072T-C	4954	132
CRPT3072T-C-BS	5696	133
CRPT3072T-H	4954	132
CRPT3072T-H-BS	5696	133
CRPT3072T-US	6192	132
CRPT3072T-US-BS	7118	133
CRPT3084T-C	5906	132
CRPT3084T-C-BS	6789	133
CRPT3084T-H	5906	132
CRPT3084T-H-BS	6789	133
CRPT3084T-US	7383	132
CRPT3084T-US-BS	8489	133
CRPT3096T-C	7295	132
CRPT3096T-C-BS	8389	133
CRPT3096T-H	7295	132
CRPT3096T-H-BS	8389	133
CRPT3096T-US	9119	132
CRPT3096T-US-BS	10487	133
CRPT3636T-C	3334	132
CRPT3636T-C-BS	3836	133
CRPT3636T-H	3334	132
CRPT3636T-H-BS	3836	133
CRPT3636T-US	4170	132
CRPT3636T-US-BS	4797	133
CRPT3648T-C	3795	132
CRPT3648T-C-BS	4362	133
CRPT3648T-H	3795	132
CRPT3648T-H-BS	4362	133
CRPT3648T-US	4742	132
CRPT3648T-US-BS	5453	133
CRPT3660T-C	4407	132
CRPT3660T-C-BS	5070	133
CRPT3660T-H	4407	132
CRPT3660T-H-BS	5070	133
CRPT3660T-US	5509	132
CRPT3660T-US-BS	6334	133
CRPT3672T-C	4986	132
CRPT3672T-C-BS	5736	133
CRPT3672T-H	4986	132
CRPT3672T-H-BS	5736	133
CRPT3672T-US	6233	132
CRPT3672T-US-BS	7169	133
CRPT3684T-C	5956	132
CRPT3684T-C-BS	6848	133
CRPT3684T-H	5956	132
CRPT3684T-H-BS	6848	133
CRPT3684T-US	7443	132
CRPT3684T-US-BS	8560	133
CRPT3696T-C	7482	132
CRPT3696T-C-BS	8604	133
CRPT3696T-H	7482	132
CRPT3696T-H-BS	8604	133
CRPT3696T-US	9349	132
CRPT3696T-US-BS	10749	133
CRR24-C	208	45
CRT2424T-C	2277	132
CRT2424T-C-BS	2620	133
CRT2424T-H	2277	132
CRT2424T-H-BS	2620	133
CRT2424T-US	2845	132
CRT2424T-US-BS	3273	133
CRT2436T-C	2529	132
CRT2436T-C-BS	2908	133
CRT2436T-H	2529	132
CRT2436T-H-BS	2908	133
CRT2436T-US	3162	132
CRT2436T-US-BS	3636	133
CRT2448T-C	2643	132
CRT2448T-C-BS	3038	133
CRT2448T-H	2643	132
CRT2448T-H-BS	3038	133
CRT2448T-US	3303	132
CRT2448T-US-BS	3798	133
CRT2460T-C	2748	132
CRT2460T-C-BS	3159	133
CRT2460T-H	2748	132
CRT2460T-H-BS	3159	133
CRT2460T-US	3436	132
CRT2460T-US-BS	3952	133
CRT2472T-C	3123	132
CRT2472T-C-BS	3593	133
CRT2472T-H	3123	132
CRT2472T-H-BS	3593	133
CRT2472T-US	3903	132
CRT2472T-US-BS	4488	133
CRT2484T-C	3772	132
CRT2484T-C-BS	4337	133
CRT2484T-H	3772	132
CRT2484T-H-BS	4337	133
CRT2484T-US	4716	132
CRT2484T-US-BS	5423	133
CRT2496T-C	4030	132
CRT2496T-C-BS	4633	133
CRT2496T-H	4030	132
CRT2496T-H-BS	4633	133
CRT2496T-US	5036	132
CRT2496T-US-BS	4488	133
CRT3030T-C	2312	132
CRT3030T-C-BS	2659	133
CRT3030T-H	2312	132
CRT3030T-H-BS	2659	133
CRT3030T-US	2888	132
CRT3030T-US-BS	3325	133

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
CRT3036T-C	2569	132
CRT3036T-C-BS	2955	133
CRT3036T-H	2569	132
CRT3036T-H-BS	2955	133
CRT3036T-US	3210	132
CRT3036T-US-BS	3692	133
CRT3048T-C	2667	132
CRT3048T-C-BS	3070	133
CRT3048T-H	2667	132
CRT3048T-H-BS	3070	133
CRT3048T-US	3334	132
CRT3048T-US-BS	3836	133
CRT3060T-C	3044	132
CRT3060T-C-BS	3503	133
CRT3060T-H	3044	132
CRT3060T-H-BS	3503	133
CRT3060T-US	3807	132
CRT3060T-US-BS	4377	133
CRT3072T-C	3309	132
CRT3072T-C-BS	3807	133
CRT3072T-H	3309	132
CRT3072T-H-BS	3807	133
CRT3072T-US	4137	132
CRT3072T-US-BS	4759	133
CRT3084T-C	3922	132
CRT3084T-C-BS	4510	133
CRT3084T-H	3922	132
CRT3084T-H-BS	4510	133
CRT3084T-US	4903	132
CRT3084T-US-BS	5639	133
CRT3096T-C	4193	132
CRT3096T-C-BS	4820	133
CRT3096T-H	4193	132
CRT3096T-H-BS	4820	133
CRT3096T-US	5240	132
CRT3096T-US-BS	6025	133
CRT3636T-C	2663	132
CRT3636T-C-BS	3062	133
CRT3636T-H	2663	132
CRT3636T-H-BS	3062	133
CRT3636T-US	3328	132
CRT3636T-US-BS	3826	133
CRT3648T-C	2799	132
CRT3648T-C-BS	3218	133
CRT3648T-H	2799	132
CRT3648T-H-BS	3218	133
CRT3648T-US	3498	132
CRT3648T-US-BS	4022	133
CRT3660T-C	3544	132
CRT3660T-C-BS	4075	133
CRT3660T-H	3544	132
CRT3660T-H-BS	4075	133
CRT3660T-US	4432	132
CRT3660T-US-BS	5097	133
CRT3672T-C	3844	132
CRT3672T-C-BS	4420	133
CRT3672T-H	3844	132
CRT3672T-H-BS	4420	133
CRT3672T-US	4806	132
CRT3672T-US-BS	5526	133
CRT3684T-C	4103	132
CRT3684T-C-BS	4717	133
CRT3684T-H	4103	132
CRT3684T-H-BS	4717	133
CRT3684T-US	5128	132
CRT3684T-US-BS	5896	133
CRT3696T-C	4497	132
CRT3696T-C-BS	5172	133
CRT3696T-H	4497	132
CRT3696T-H-BS	5172	133
CRT3696T-US	5623	132
CRT3696T-US-BS	6465	133
CS1224-BL	116	61
CS1224-C	112	8
CS1224-R	116	61
CS1224-S	350	8
CS1224-W	116	61
CS1230-BL	120	61
CS1230-C	118	8
CS1230-R	120	61
CS1230-S	378	8
CS1230-W	120	61
CS1236-BL	125	61
CS1236-C	120	8
CS1236-R	125	61
CS1236-S	395	8
CS1236-W	125	61
CS1242-BL	139	61
CS1242-C	136	8
CS1242-R	139	61
CS1242-S	418	8
CS1242-W	139	61
CS1248-BL	144	61
CS1248-C	140	8
CS1248-R	144	61
CS1248-S	439	8
CS1248-W	144	61
CS1254-BL	156	61
CS1254-C	152	8
CS1254-R	156	61
CS1254-S	467	8
CS1254-W	156	61
CS1260-BL	169	61
CS1260-C	162	8
CS1260-R	169	61
CS1260-S	515	8
CS1260-W	169	61
CSB5-300	62	9
CSB5-CC	119	176
CSB5P-300	94	9
CSB5PS-300	292	9
CSB5S-200	276	9
CSB5WPS-300	264	9
CSC2430	2314	42
CSC2430E	2747	42
CSC2430S	5454	42
CSC2436	2572	42
CSC2436E	3050	42
CSC2436S	6056	42
CSC2448	3106	42
CSC2448E	3708	42
CSC2448S	7378	42
CSC2460	3342	42
CSC2460E	3987	42
CSC2460S	7639	42
CSC3030	2923	42
CSC3030E	3519	42
CSC3030S	6814	42
CSC3036	3250	42
CSC3036E	3915	42
CSC3036S	7572	42
CSC3048	3918	42
CSC3048E	4749	42
CSC3048S	9226	42
CSC3060	4214	42
CSC3060E	5115	42
CSC3060S	9548	42
CSI-1430	140	61
CSI-1436	147	61
CSI-1448	180	61
CSI-1460	250	61
CSI-1836	155	61
CSI-1848	183	61
CSI-1860	216	61
CSI-1872	245	61
CSI-2136	166	61
CSI-2148	192	61
CSI-2160	218	61
CSI-2172	250	61
CSI-2424	143	61
CSI-2430	162	61
CSI-2436	172	61
CSI-2448	198	61
CSI-2454	219	61
CSI-2460	252	61
CSI-2472	275	61
CSI-3060	394	61
CSI-3072	400	61
CSPB5-300	92	9
CSPB5P-300	103	9
CSR5-300	59	9
CSR5-CC	122	176
CSR5P-300	95	9
CSR5PS-300	243	9
CSR5S-200	243	9
CSR05P-300	95	57
CSS4-125	43	9
CSS5-125	47	9
CSS5-300	54	9
CSS5-CC	107	176
CSS5P-300	85	9
CSS5PS-300	263	9
CSS5S-200	252	9
CSS5WPS-300	243	9
CTB1000-XL	36	173
CTB2000-XL	63	173
CTB3000-XL	103	173
CV-54-1836	272	31,155, 162
CV-54-1836-T	604	32,162
CV-54-1848	294	31,155, 162
CV-54-1848-T	614	32,162
CV-54-1860	303	31,162
CV-54-1860-T	633	32,162
CV-54-2148	338	31,162
CV-54-2148-T	673	32,162
CV-54-2160	356	31,162
CV-54-2160-T	745	32,162
CV-54-2424	387	31,162
CV-54-2424-T	647	32,162
CV-54-2436	300	31,162
CV-54-2436-T	654	32,162
CV-54-2448	330	31,162
CV-54-2448-T	688	32,162
CV-54-2460	432	31,162
CV-54-2460-T	759	32,162
CV-54-2472	438	31,162
CV-54-2472-T	847	32,162
CV-63-1836	278	31,155, 162
CV-63-1836-T	604	32,162
CV-63-1848	299	31,155, 162
CV-63-1848-T	614	32,162
CV-63-1860	306	31,162
CV-63-1860-T	676	32,162
CV-63-2148	367	31,162
CV-63-2148-T	712	32,162
CV-63-2160	387	31,162
CV-63-2160-T	789	32,162
CV-63-2424	465	31,162
CV-63-2424-T	647	32,162
CV-63-2436	315	31,162
CV-63-2436-T	654	32,162
CV-63-2448	383	31,157, 162
CV-63-2448-T	688	32,162
CV-63-2460	440	31,157, 162
CV-63-2460-T	759	32,162
CV-63-2472	470	31,162
CV-63-2472-T	864	32,162
CV-74-2148	426	31,162
CV-74-2148-T	750	32,162
CV-74-2160	440	31,162
CV-74-2160-T	830	32,162
CV-74-2436	366	31,162
CV-74-2436-T	799	32,162
CV-74-2448	416	31,162
CV-74-2448-T	712	32,162
CV-74-2460	504	31,162
CV-74-2460-T	922	32,162
CV-74-2472	516	31,162
CV-74-2472-T	950	32,162
CV-86-2436	455	31,162
CV-86-2436-T	844	32,162
CV-86-2448	489	31,162
CV-86-2448-T	885	32,162
CV-86-2460	582	31,162
CV-86-2460-T	970	32,162
CV-86-2472	610	31,162
CV-86-2472-T	998	32,162
CVC-54-1836	440	31,155, 162
CVC-54-1848	466	31,155, 162
CVC-54-1860	495	31,162
CVC-54-2148	512	31,162
CVC-54-2160	580	31,162
CVC-54-2424	523	31,162
CVC-54-2436	460	31,162
CVC-54-2448	537	31,162
CVC-54-2460	596	31,162
CVC-54-2472	610	31,162
CVC-63-1836	460	31,155, 162
CVC-63-1848	470	31,155, 162
CVC-63-1860	506	31,162
CVC-63-2148	536	31,162
CVC-63-2160	593	31,162
CVC-63-2424	542	31,162
CVC-63-2436	478	31,162
CVC-63-2448	565	31,157, 162
CVC-63-2460	610	31,157, 162
CVC-63-2472	623	31,162
CVC-74-1836	480	157
CVC-74-1848	494	157
CVC-74-1860	529	157
CVC-74-1872	559	157
CVC-74-2136	512	157
CVC-74-2148	538	31,157, 162

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
CVC-74-2160	603	31,157, 162
CVC-74-2172	623	157
CVC-74-2436	489	31,157, 162
CVC-74-2448	569	31,157, 162
CVC-74-2460	616	31,157, 162
CVC-74-2472	627	31,157, 162
CVC-86-2436	542	31,162
CVC-86-2448	652	31,162
CVC-86-2460	687	31,162
CVC-86-2472	710	31,162
CZ-49-ETC	795	176
CZ-54-1836	248	31,155, 162
CZ-54-1836-T	550	32,162
CZ-54-1848	276	31,155, 162
CZ-54-1848-T	556	32,162
CZ-54-1860	287	31,162
CZ-54-1860-T	577	32,162
CZ-54-2148	319	31,162
CZ-54-2148-T	610	32,162
CZ-54-2160	333	31,162
CZ-54-2160-T	678	32,162
CZ-54-2424	584	31,162
CZ-54-2424-T	586	32,162
CZ-54-2436	284	31,162
CZ-54-2436-T	596	32,162
CZ-54-2448	306	31,162
CZ-54-2448-T	627	32,162
CZ-54-2460	410	31,162
CZ-54-2460-T	687	32,162
CZ-54-2472	426	31,162
CZ-54-2472-T	770	32,162
CZ-63-1836	263	31,155, 162
CZ-63-1836-ESD	776	176
CZ-63-1836-T	550	32,162
CZ-63-1848	277	31,155, 162
CZ-63-1848-ESD	870	176
CZ-63-1848-T	556	32,162
CZ-63-1860	292	31,162
CZ-63-1860-T	616	32,162
CZ-63-2148	353	31,162
CZ-63-2148-T	649	32,162
CZ-63-2160	367	31,162
CZ-63-2160-T	719	32,162
CZ-63-2424	604	31,162
CZ-63-2424-ESD	776	176
CZ-63-2424-T	586	32,162
CZ-63-2436	294	31,162
CZ-63-2436-ESD	810	176
CZ-63-2436-T	596	32,162
CZ-63-2448	362	31,154, 157,162
CZ-63-2448-ESD	943	176
CZ-63-2448-T	627	32,162
CZ-63-2460	428	31,154, 157,162
CZ-63-2460-ESD	1017	176
CZ-63-2460-T	687	32,162
CZ-63-2472	455	31,162
CZ-63-2472-T	786	32,162
CZ-63-ETC	898	176
CZ-74-2148	403	31,162
CZ-74-2148-T	684	32,162
CZ-74-2160	432	31,162
CZ-74-2160-T	758	32,162
CZ-74-2436	356	31,162
CZ-74-2436-T	727	32,162
CZ-74-2448	392	31,162
CZ-74-2448-T	649	32,162
CZ-74-2460	485	31,162
CZ-74-2460-T	838	32,162
CZ-74-2472	495	31,162
CZ-74-2472-T	864	32,162
CZ-86-2436	444	31,162
CZ-86-2436-T	766	32,162
CZ-86-2448	474	31,162
CZ-86-2448-T	807	32,162
CZ-86-2460	565	31,162
CZ-86-2460-T	882	32,162
CZ-86-2472	593	31,162
CZ-86-2472-T	907	32,162
CZC-54-1836	428	31,155, 162
CZC-54-1848	440	31,155, 162
CZC-54-1860	478	31,162
CZC-54-2148	493	31,162
CZC-54-2160	565	31,162
CZC-54-2424	519	31,162
CZC-54-2436	436	31,162
CZC-54-2448	516	31,162
CZC-54-2460	577	31,162
CZC-54-2472	586	31,162
CZC-63-1836	436	31,155, 162
CZC-63-1848	455	31,155, 162
CZC-63-1860	487	31,162
CZC-63-2148	512	31,162
CZC-63-2160	573	31,162
CZC-63-2424	528	31,162
CZC-63-2436	460	31,162
CZC-63-2448	538	31,154, 157,162
CZC-63-2460	586	31,154, 157,162
CZC-63-2472	597	31,162
CZC-74-2148	519	31,162
CZC-74-2160	582	31,162
CZC-74-2436	469	31,162
CZC-74-2448	552	31,162
CZC-74-2460	596	31,162
CZC-74-2472	614	31,162
CZC-86-2436	509	31,162
CZC-86-2448	633	31,162
CZC-86-2460	687	31,162
CZC-86-2472	720	31,162
D1436BL	132	22
D1436C	130	22
D1436R	132	22
D1436W	132	22
D1436Z	119	22
D1448BL	147	22
D1448C	145	22
D1448R	147	22
D1448W	147	22
D1448Z	133	22
D1836BL	136	22
D1836C	133	22
D1836R	136	22
D1836W	136	22
D1836Z	132	22
D1848BL	159	22
D1848C	158	22
D1848R	159	22
D1848W	159	22
D1848Z	152	22
D2136BL	158	22
D2136C	156	22
D2136R	158	22
D2136W	158	22
D2136Z	145	22
D2148BL	183	22
D2148C	182	22
D2148R	183	22
D2148W	183	22
D2148Z	169	22
D2436BL	170	22
D2436C	169	22
D2436R	170	22
D2436W	170	22
D2436Z	155	22
D2448BL	197	22
D2448C	195	22
D2448R	197	22
D2448W	197	22
D2448Z	183	22
DB	214	91
DBH2436C	400	164,180
DBH2436Z	292	164,180
DBH2442C	406	164,180
DBH2442Z	398	164,180
DBH2448C	466	164,180
DBH2448Z	420	164,180
DBH2454C	473	164,180
DBH2454Z	432	164,180
DBH2460C	510	164,180
DBH2460Z	460	164,180
DBH3036C	438	164,180
DBH3036Z	394	164,180
DBH3042C	455	164,180
DBH3042Z	405	164,180
DBH3048C	515	164,180
DBH3048Z	460	164,180
DBH3054C	537	164,180
DBH3054Z	467	164,180
DBH3060C	604	164,180
DBH3060Z	506	164,180
DBHC2436C-4	1887	164,180
DBHC2436Z-4	1792	164,180
DBHC2442C-4	1915	164,180
DBHC2442Z-4	1915	164,180
DBHC2448C-4	2148	164,180
DBHC2448Z-4	1978	164,180
DBHC2454C-4	2180	164,180
DBHC2454Z-4	2017	164,180
DBHC2460C-4	2328	164,180
DBHC2460Z-4	2125	164,180
DBHC3036C-4	2042	164,180
DBHC3036Z-4	1880	164,180
DBHC3042C-4	2105	164,180
DBHC3042Z-4	1918	164,180
DBHC3048C-4	2352	164,180
DBHC3048Z-4	2123	164,180
DBHC3054C-4	2438	164,180
DBHC3054Z-4	2164	164,180
DBHC3060C-4	2708	164,180
DBHC3060Z-4	2312	164,180
DC16-S	40	168
DDFT-10	2426	59
DDFT-11	2636	59
DDFT-12	2850	59
DDFT-13	3056	59
DDFT-14	3270	59
DDFT-15	3482	59
DDFT-16	3689	59
DDFT-17	3905	59
DDFT-18	4118	59
DDFT-19	4328	59
DDFT-20	4539	59
DDFT-21	4749	59
DDFT-22	4876	59
DDFT-23	4936	59
DDFT-24	5137	59
DDFT-25	5339	59
DDFT-26	5540	59
DDFT-27	5742	59
DDFT-28	5944	59
DDFT-29	6148	59
DDFT-30	6347	59
DDFT-6	1577	59
DDFT-7	1789	59
DDFT-8	1998	59
DDFT-9	2210	59
DDSK-18	1884	59
DDSK-21	1937	59
DDSK-24	2008	59
DDSK-30	2203	59
DDSK-36	2803	59
DDSKATB-S	495	59
DF1836-A	586	40
DF1836-C	884	40
DF1842-A	616	40
DF1842-C	929	40
DF1848-A	637	40
DF1848-C	958	40
DF1860-A	699	40
DF1860-C	1059	40
DF1872-A	814	40
DF1872-C	1228	40
DF2136-A	630	40
DF2136-C	950	40
DF2142-A	653	40
DF2142-C	984	40
DF2148-A	684	40
DF2148-C	1028	40
DF2160-A	734	40
DF2160-C	1099	40
DF2172-A	770	40
DF2172-C	1164	40
DF2436-A	620	40
DF2436-C	937	40
DF2442-A	650	40
DF2442-C	982	40
DF2448-A	676	40
DF2448-C	1017	40
DF2460-A	734	40
DF2460-C	1099	40
DF2472-A	859	40
DF2472-C	1294	40
DL1035-XL	7	174
DL1050-XL	8	174
DL2035-XL	8	174
DL2060-XL	12	174
DL2080-XL	19	174
DL3030-XL	12	174
DL3060-XL	16	174
DL3080-XL	19	174

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
DL3120-XL	49	174
DOS10108-14/3	4492	210
DOS10108-16/3	4085	210
DOS10108-16/4	3429	210
DOS10120-14/3	4634	210
DOS10120-16/3	4217	210
DOS10120-16/4	3500	210
DOS10132-14/3	4976	210
DOS10132-16/3	4525	210
DOS10132-16/4	3729	210
DOS10144-14/3	5105	210
DOS10144-16/3	4639	210
DOS10144-16/4	3799	210
DOS1036-14/3	2592	210
DOS1036-16/3	2356	210
DOS1036-16/4	2104	210
DOS1048-14/3	2728	210
DOS1048-16/3	2477	210
DOS1048-16/4	2172	210
DOS1060-14/3	2975	210
DOS1060-16/3	2704	210
DOS1060-16/4	2333	210
DOS1072-14/3	3210	210
DOS1072-16/3	2922	210
DOS1072-16/4	2477	210
DOS1084-14/3	3443	210
DOS1084-16/3	3130	210
DOS1084-16/4	2623	210
DOS1096-14/3	4164	210
DOS1096-16/3	3784	210
DOS1096-16/4	3204	210
DOS12108-14/3	4559	210
DOS12108-16/3	4142	210
DOS12108-16/4	3695	210
DOS12120-14/3	4788	210
DOS12120-16/3	4350	210
DOS12120-16/4	3764	210
DOS12132-14/3	5319	210
DOS12132-16/3	4836	210
DOS12132-16/4	4040	210
DOS12144-14/3	5462	210
DOS12144-16/3	4967	210
DOS12144-16/4	4106	210
DOS1236-14/3	2872	210
DOS1236-16/3	2476	210
DOS1236-16/4	2227	210
DOS1248-14/3	3083	210
DOS1248-16/3	2664	210
DOS1248-16/4	2287	210
DOS1260-14/3	3317	210
DOS1260-16/3	2862	210
DOS1260-16/4	2467	210
DOS1272-14/3	3563	210
DOS1272-16/3	3065	210
DOS1272-16/4	2643	210
DOS1284-14/3	3826	210
DOS1284-16/3	3358	210
DOS1284-16/4	2808	210
DOS1296-14/3	4243	210
DOS1296-16/3	3976	210
DOS1296-16/4	3414	210
DP-10	1530	234
DP-20	3186	234
DP30	436	45
DP48	494	45
DR1824-C	444	37
DR1824-E	519	37
DR1830-C	473	37
DR1830-E	555	37
DR1836-C	504	37
DR1836-E	589	37
DR1836-S	1280	37
DR1848-C	594	37
DR1848-E	705	37
DR1848-S	1708	37
DR1860-C	736	37
DR1860-E	778	37
DR2124-C	465	37
DR2124-E	552	37
DR2130-C	497	37
DR2130-E	589	37
DR2136-C	530	37
DR2136-E	625	37
DR2148-C	628	37
DR2148-E	738	37
DR2160-C	715	37
DR2160-E	808	37
DR2424-C	474	37
DR2424-E	563	37
DR2430-C	510	37
DR2430-E	593	37
DR2436-C	547	37
DR2436-E	642	37
DR2436-S	1470	37
DR2448-C	645	37
DR2448-E	758	37
DR2448-S	1870	37
DR2460-C	740	37
DR2460-E	850	37
DS1035-XL	6	174
DS1050-XL	7	174
DS1824-C	276	37
DS1824-E	350	37
DS1830-C	304	37
DS1830-E	367	37
DS1836-C	322	37
DS1836-E	393	37
DS1836-S	1012	37
DS1848-C	376	37
DS1848-E	464	37
DS1848-S	1230	37
DS1860-C	437	37
DS1860-E	519	37
DS1860-S	1448	37
DS2035-XL	7	174
DS2060-XL	9	174
DS2080-XL	12	174
DS2124-C	309	37
DS2124-E	380	37
DS2130-C	319	37
DS2130-E	395	37
DS2136-C	339	37
DS2136-E	416	37
DS2148-C	388	37
DS2148-E	474	37
DS2160-C	443	37
DS2160-E	563	37
DS2424-C	300	37
DS2424-E	366	37
DS2430-C	330	37
DS2430-E	395	37
DS2436-C	355	37
DS2436-E	428	37
DS2436-S	1103	37
DS2448-C	400	37
DS2448-E	487	37
DS2448-S	1333	37
DS2460-C	474	37
DS2460-E	573	37
DS2460-S	1599	37
DS3030-XL	8	174
DS3060-XL	9	174
DS3080-XL	12	174
DS3120-XL	40	174
DS4-CP74-2448C	1643	38
DS4-CP74-2448E	1673	38
DS4-CP74-2448Z	1453	38
DS4-P74-2448C	1454	38
DS4-P74-2448E	1488	38
DS4-P74-2448Z	1270	38
DSI-1430	87	61
DSI-1436	95	61
DSI-1448	112	61
DSI-1460	117	61
DSI-1836	107	61
DSI-1848	122	61
DSI-1860	127	61
DSI-1872	133	61
DSI-2136	119	61
DSI-2148	127	61
DSI-2160	133	61
DSI-2172	139	61
DSI-2424	103	61
DSI-2430	115	61
DSI-2436	122	61
DSI-2448	143	61
DSI-2454	149	61
DSI-2460	158	61
DSI-2472	169	61
DSI-3060	176	61
DSI-3072	184	61
DSP-1024	453	98
DSP-1030	473	98
DSP-1036	498	98
DSP-1224	465	98
DSP-1230	489	98
DSP-1236	523	98
DSR-1024	683	98
DSR-1030	776	98
DSR-1036	882	98
DSR-1224	739	98
DSR-1230	744	98
DSR-1236	999	98
DSS-1024	529	98
DSS-1030	538	98
DSS-1036	565	98
DSS-1224	534	98
DSS-1230	564	98
DSS-1236	580	98
DT1836-CS	1703	35
DT1836-CSB	1714	35
DT1836-CSBP	1664	35
DT1836-CSP	1648	35
DT1836-ZS	1648	35
DT1836-ZSB	1664	35
DT1836-ZSBP	1616	35
DT1836-ZSP	1597	35
DT1848-CS	1847	35
DT1848-CSB	1862	35
DT1848-CSBP	1808	35
DT1848-CSP	1794	35
DT1848-ZS	1776	35
DT1848-ZSB	1789	35
DT1848-ZSBP	1740	35
DT1848-ZSP	1726	35
DT1860-CS	2010	35
DT1860-CSB	2023	35
DT1860-CSBP	1970	35
DT1860-CSP	1959	35
DT1860-ZS	1938	35
DT1860-ZSB	1955	35
DT1860-ZSBP	1899	35
DT1860-ZSP	1887	35
DT2136-CS	1828	35
DT2136-CSB	1847	35
DT2136-CSBP	1794	35
DT2136-CSP	1778	35
DT2136-ZS	1740	35
DT2136-ZSB	1750	35
DT2136-ZSBP	1708	35
DT2136-ZSP	1696	35
DT2148-CS	1964	35
DT2148-CSB	1983	35
DT2148-CSBP	1930	35
DT2148-CSP	1918	35
DT2148-ZS	1869	35
DT2148-ZSB	1884	35
DT2148-ZSBP	1833	35
DT2148-ZSP	1822	35
DT2160-CS	2134	35
DT2160-CSB	2149	35
DT2160-CSBP	2172	35
DT2160-CSP	2089	35
DT2160-ZS	2055	35
DT2160-ZSB	2072	35
DT2160-ZSBP	2019	35
DT2160-ZSP	2008	35
DT2436-CS	1855	35
DT2436-CSB	1869	35
DT2436-CSBP	1822	35
DT2436-CSP	1800	35
DT2436-ZS	1773	35
DT2436-ZSB	1788	35
DT2436-ZSBP	1739	35
DT2436-ZSP	1723	35
DT2448-CS	2034	35
DT2448-CSB	2044	35
DT2448-CSBP	1996	35
DT2448-CSP	1983	35
DT2448-ZS	1930	35
DT2448-ZSB	1948	35
DT2448-ZSBP	1896	35
DT2448-ZSP	1884	35
DT2460-CS	2222	35
DT2460-CSB	2236	35
DT2460-CSBP	2185	35
DT2460-CSP	2177	35
DT2460-ZS	2144	35
DT2460-ZSB	2162	35
DT2460-ZSBP	2106	35
DT2460-ZSP	2095	35
DTF1824-C	130	54
DTF1824-E	144	54
DTF1824-S	393	54
DTF1830-C	132	54
DTF1830-E	147	54
DTF1830-S	405	54
DTF1836-C	133	54
DTF1836-E	155	54
DTF1836-S	412	54
DTF1842-C	136	54
DTF1842-E	156	54
DTF1842-S	427	54
DTF1848-C	140	54
DTF1848-E	158	54
DTF1848-S	436	54

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
DTF1860-C	158	54
DTF1860-E	184	54
DTF1860-S	498	54
DTF1872-C	177	54
DTF1872-E	208	54
DTF1872-S	553	54
DTF2124-C	133	54
DTF2124-E	152	54
DTF2124-S	398	54
DTF2130-C	136	54
DTF2130-E	155	54
DTF2130-S	405	54
DTF2136-C	140	54
DTF2136-E	158	54
DTF2136-S	410	54
DTF2142-C	144	54
DTF2142-E	172	54
DTF2142-S	438	54
DTF2148-C	145	54
DTF2148-E	174	54
DTF2148-S	443	54
DTF2160-C	176	54
DTF2160-E	205	54
DTF2160-S	515	54
DTF2172-C	228	54
DTF2172-E	270	54
DTF2172-S	565	54
DTF2424-C	133	54
DTF2424-E	155	54
DTF2424-S	400	54
DTF2430-C	136	54
DTF2430-E	156	54
DTF2430-S	410	54
DTF2436-C	143	54
DTF2436-E	169	54
DTF2436-S	430	54
DTF2442-C	144	54
DTF2442-E	172	54
DTF2442-S	439	54
DTF2448-C	147	54
DTF2448-E	177	54
DTF2448-S	444	54
DTF2460-C	177	54
DTF2460-E	208	54
DTF2460-S	519	54
DTF2472-C	228	54
DTF2472-E	270	54
DTF2472-S	786	54
DTF3036-C	162	54
DTF3036-E	192	54
DTF3036-S	526	54
DTF3048-C	176	54
DTF3048-E	205	54
DTF3048-S	553	54
DTF3060-C	192	54
DTF3060-E	220	54
DTF3060-S	637	54
DTF3072-C	244	54
DTF3072-E	293	54
DTF3072-S	699	54
DTF3636-C	189	54
DTF3636-E	217	54
DTF3636-S	547	54
DTF3648-C	198	54
DTF3648-E	228	54
DTF3648-S	563	54
DTF3660-C	218	54
DTF3660-E	250	54
DTF3660-S	647	54
DTF3672-C	275	54
DTF3672-E	318	54
DTF3672-S	710	54
DTSC2430	2778	43
DTSC2430E	4816	43
DTSC2430S	8964	43
DTSC2436	3086	43
DTSC2436E	5349	43
DTSC2436S	9962	43
DTSC2448	3662	43
DTSC2448E	6367	43
DTSC2448S	11822	43
DTSC2460	3936	43
DTSC2460E	7022	43
DTSC2460S	12134	43
DWB14-C	125	49,97
DWB14-S	299	49,97
DWB14-VG	127	49,97
DWB18-C	128	49,97
DWB18-S	317	49,97
DWB18-VG	130	49,97
DWB21-C	128	49,97
DWB21-S	325	49,97
DWB21-VG	130	49,97
DWB24-C	130	49,97
DWB24-S	338	49,97
DWB24-VG	133	49,97
E1854-C	120	48
E1854-S	269	48
E1863-C	127	48
E1863-S	287	48
E1874-C	139	48
E1874-S	338	48
E1886-C	250	48
E1886-S	349	48
E2454-C	143	48
E2454-S	322	48
E2463-C	152	48
E2463-S	354	48
E2474-C	158	48
E2474-S	387	48
E2486-C	277	48
E2486-S	407	48
EC2148C	1162	150
EC2160C	1300	150
EC2448C	1254	150
EC2460C	1416	150
ECD2148C	3525	150
ECD2160C	3697	150
ECD2448C	3647	150
ECD2460C	3873	150
ECD72460C	4984	153
ECD7S2460C	5374	153
ECDS2148C	3853	151
ECDS2160C	4110	151
ECDS2448C	3927	151
ECDS2460C	4259	151
ECDT2160C	4528	152
ECDT2460C	4683	152
ECDTS2160C	4907	152
ECDTS2460C	5069	152
ECE2148C	4275	150
ECE2160C	5033	150
ECE2448C	4394	150
ECE2460C	5222	150
ECE72460C	5475	153
ECE7S2460C	5864	153
ECES2148C	4532	151
ECES2160C	5034	151
ECES2448C	4638	151
ECES2460C	5352	151
ECET2160C	5045	153
ECET2460C	5160	153
ECETS2160C	5425	153
ECETS2460C	5549	153
ECS2148C	1487	151
ECS2160C	1673	151
ECS2448C	1584	151
ECS2460C	1803	151
ECT2160C	1699	152
ECT2460C	1820	152
ECTS2160C	2077	152
ECTS2460C	2207	152
EH14-C	180	55
EH14-S	193	55
EH18-C	184	55
EH18-S	232	55
EH21-C	185	55
EH21-S	244	55
EH24-C	186	55
EH24-S	260	55
EH30-C	192	55
EH30-S	272	55
EH36-C	193	55
EH36-S	295	55
ELCTH-18	653	157
ELCTH-1836C	4887	157
ELCTH-1848C	5627	157
ELCTH-1860C	7666	157
ELCTH-1872C	9850	157
ELCTH-21	686	157
ELCTH-2136C	5094	157
ELCTH-2148C	5926	157
ELCTH-2160C	8148	157
ELCTH-2172C	10337	157
ELCTH-24	720	157
ELCTH-2436C	5374	157
ELCTH-2448C	6252	157
ELCTH-2460C	8526	157
ELCTH-2472C	10827	157
ELGB1636-4	2372	130
ELGB1636-4W	2986	130
ELGB1636-H	2453	130
ELGB1636-HW	3067	130
ELGB1648-4	2497	130
ELGB1648-4W	3109	130
ELGB1648-H	2556	130
ELGB1648-HW	3170	130
ELGB1660-4	3919	130
ELGB1660-4W	4532	130
ELGB1660-H	2723	130
ELGB1660-HW	3334	130
ELGB1672-4	3956	130
ELGB1672-4W	4572	130
ELGB1672-H	2762	130
ELGB1672-HW	3375	130
ELGB-TRAY	112	130
ELKB-3036-C	2972	147
ELKB-3048-C	3394	147
EP1448-GRH	4592	127
EP1448-WGRH	2375	128
EP1460-GRH	5486	127
EP1460-WGRH	2830	128
EP1472-GRH	6683	127
EP1472-WGRH	3400	128
EP2448-CGRN	5559	126
EP2448-CGRR	4920	126
EP2448-DGRN	8685	126
EP2448-DGRR	7760	126
EP2448-GR	2319	127
EP2448-SGRN	5559	126
EP2448-SGRR	4920	126
EP2448-WGR	1830	128
EP2460-CGRN	6020	126
EP2460-CGRR	5338	126
EP2460-DGRN	9269	126
EP2460-DGRR	8275	126
EP2460-GR	2766	127
EP2460-SGRN	6020	126
EP2460-SGRR	5338	126
EP2460-WGR	2233	128
EP2472-CGRN	6233	126
EP2472-CGRR	5574	126
EP2472-DGRN	9859	126
EP2472-DGRR	8800	126
EP2472-GR	3243	127
EP2472-SGRN	6233	126
EP2472-SGRR	5574	126
EP2472-WGR	2678	128
EP2484-CGRN	6580	126
EP2484-CGRR	5887	126
EP2484-DGRN	10207	126
EP2484-DGRR	9115	126
EP2484-SGRN	6580	126
EP2484-SGRR	5887	126
EP74-C	378	56
EP74-E	415	56
EP74-Z	354	56
EP86-C	400	56
EP86-E	443	56
EP86-Z	369	56
EPCRT2424T-C	3293	134
EPCRT2424T-H	3293	134
EPCRT2424T-US	4115	134
EPCRT2436T-C	3865	134
EPCRT2436T-H	3865	134
EPCRT2436T-US	4834	134
EPCRT2448T-C	4820	134
EPCRT2448T-H	4820	134
EPCRT2448T-US	6026	134
EPCRT2460T-C	5203	134
EPCRT2460T-H	5203	134
EPCRT2460T-US	6504	134
EPCRT2472T-C	6420	134
EPCRT2472T-H	6420	134
EPCRT2472T-US	8028	134
EPCRT2484T-C	7370	134
EPCRT2484T-H	7370	134
EPCRT2484T-US	9210	134
EPCRT3036T-C	4352	134
EPCRT3036T-H	4352	134
EPCRT3036T-US	5440	134
EPCRT3048T-C	5042	134
EPCRT3048T-H	5042	134
EPCRT3048T-US	6304	134
EPCRT3060T-C	5660	134
EPCRT3060T-H	5660	134
EPCRT3060T-US	7075	134
EPCRT3072T-C	6523	134
EPCRT3072T-H	6523	134
EPCRT3072T-US	8152	134
EPCRT3084T-C	7569	134
EPCRT3084T-H	7569	134
EPCRT3084T-US	9463	134
EPCRT3636T-C	4762	134
EPCRT3636T-H	4762	134
EPCRT3636T-US	5950	134

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
EPCRT3648T-C	5617	134
EPCRT3648T-H	5617	134
EPCRT3648T-US	7020	134
EPCRT3660T-C	6492	134
EPCRT3660T-H	6492	134
EPCRT3660T-US	8112	134
EPCRT3672T-C	7160	134
EPCRT3672T-H	7160	134
EPCRT3672T-US	8949	134
EPUH18-S	267	29
EPUH21-S	270	29
EPUH24-S	277	29
ETCE20-Z	1547	168
ETCE30-Z	1744	168
ETCS20-Z	1547	168
ETCS30-Z	1744	168
EU2-1824C	534	28
EU2-1824S	1314	28
EU2-1824Z	528	28
EU2-1830C	549	28
EU2-1830S	1426	28
EU2-1830Z	542	28
EU2-1836C	555	28
EU2-1836S	1504	28
EU2-1836Z	552	28
EU2-2136C	625	28
EU2-2136S	1680	28
EU2-2136Z	600	28
EU2-2436C	647	28
EU2-2436S	1773	28
EU2-2436Z	625	28
EU3-1824C	653	28
EU3-1824CS	937	28
EU3-1824S	1683	28
EU3-1824Z	647	28
EU3-1830C	674	28
EU3-1830CS	970	28
EU3-1830S	1850	28
EU3-1830Z	663	28
EU3-1836C	686	28
EU3-1836CS	1017	28
EU3-1836S	1962	28
EU3-1836Z	683	28
EU3-2030-P	1273	34
EU3-2136C	773	28
EU3-2136S	2203	28
EU3-2136Z	740	28
EU3-2436C	807	28
EU3-2436S	2344	28
EU3-2436Z	772	28
F1916	2744	252
F1916-12	2840	252
F1916-VSCS	10200	253
F1916-VSCS-DL	11653	253
F1916-VSCS-DR	11653	253
F2820	3139	252
F2820-12	3487	252
F2QA2-74-1836C	804	12
F2QA2-74-1836E	926	12
F2QA2-74-1836S	2630	12
F2QA2-74-1836V	870	12
F2QA2-74-1836VG	870	12
F2QA2-74-1836Z	785	12
F2QA2-74-1848C	898	12
F2QA2-74-1848E	1059	12
F2QA2-74-1848S	3017	12
F2QA2-74-1848V	985	12
F2QA2-74-1848VG	985	12
F2QA2-74-1848Z	864	12
F2QA2-74-1860C	1014	12
F2QA2-74-1860E	1198	12
F2QA2-74-1860S	3663	12
F2QA2-74-1860V	1098	12
F2QA2-74-1860VG	1098	12
F2QA2-74-1860Z	962	12
F2QA2-74-1872C	1140	12
F2QA2-74-1872E	1328	12
F2QA2-74-1872S	4222	12
F2QA2-74-1872V	1247	12
F2QA2-74-1872VG	1247	12
F2QA2-74-1872Z	1075	12
F2QA2-74-2436C	920	12
F2QA2-74-2436E	1065	12
F2QA2-74-2436S	3117	12
F2QA2-74-2436V	994	12
F2QA2-74-2436VG	994	12
F2QA2-74-2436Z	870	12
F2QA2-74-2448C	1054	12
F2QA2-74-2448E	1236	12
F2QA2-74-2448S	3626	12
F2QA2-74-2448V	1145	12
F2QA2-74-2448VG	1145	12
F2QA2-74-2448Z	987	12
F2QA2-74-2460C	1194	12
F2QA2-74-2460E	1398	12
F2QA2-74-2460S	4296	12
F2QA2-74-2460V	1299	12
F2QA2-74-2460VG	1299	12
F2QA2-74-2460Z	1136	12
F2QA2-74-2472C	1358	12
F2QA2-74-2472E	1587	12
F2QA2-74-2472S	5196	12
F2QA2-74-2472V	1475	12
F2QA2-74-2472VG	1475	12
F2QA2-74-2472Z	1260	12
FD-FG	2837	266
FD-SG	3778	266
FDI-10-14-5-1	596	257
FDI-10-14-9.5-1	662	257
FDI-10-14-9.5-2	1272	257
FDI-10-14-9.5-3	1898	258
FDI-10-14-9.5-4	2282	258
FDI-12-14-9.5-1	688	257
FDI-12-14-9.5-2	1372	257
FDI-12-14-9.5-3	1918	258
FDI-12-14-9.5-4	2550	258
FDI-12-20-6.5-1	720	257
FDI-14-16-6-1	739	257
FDI-14-16-9.5-1	760	257
FDI-14-16-9.5-2	1477	257
FDI-14-16-9.5-3	2153	258
FDI-14-16-9.5-4	2648	258
FDI-16-19-13.5-1	938	257
FDI-16-19-13.5-2	1847	257
FDI-16-19-13.5-3	2704	258
FDI-16-19-13.5-4	3234	258
FDI-16-19-8-1	929	257
FDI-16-19-8-2	1797	257
FDI-16-19-8-3	2592	258
FDI-16-19-8-4	3133	258
FDI-18-24-13.5-1	1139	257
FDI-18-24-13.5-2	2156	257
FDI-18-24-13.5-3	3133	258
FDI-18-24-13.5-4	3686	258
FDI-20-20-5-1	728	257
FDI-22-22-13.5-1	1328	257
FDI-22-22-13.5-2	2556	257
FDI-22-22-13.5-3	3550	258
FDI-22-22-13.5-4	4308	258
FDI-24-24-13.5-1	1386	257
FDI-24-24-13.5-2	2665	257
FDI-24-24-13.5-3	3705	258
FDI-24-24-13.5-4	4485	258
FFN2736-2-24-14/3	20538	249
FFN2736-2-30-14/3	22987	249
FFN2740-2-24-14/3	21485	249
FFN2740-2-30-14/3	23923	249
FFN2748-2-24-14/3	23365	249
FFN2748-2-30-14/3	25814	249
FFN2754-3-24-14/3	24776	249
FFN2754-3-30-14/3	27600	249
FFN2760-2-24-14/3	26196	249
FFN2760-2-30-14/3	28633	249
FFN2760-3-24-14/3	26196	249
FFN2760-3-30-14/3	29022	249
FFN2772-3-24-14/3	29022	249
FFN2772-3-30-14/3	31839	249
FFN2790-3-24-14/3	33256	249
FFN2790-3-30-14/3	36084	249
FN2016-1-14/3	5392	243
FN2016-1-18-14/3	5963	243
FN2016-1-18L-14/3	5740	243
FN2016-1-18R-14/3	5740	243
FN2016-1-24-14/3	6197	243
FN2016-1-24L-14/3	5836	243
FN2016-1-24R-14/3	5836	243
FN2018-1-14/3	6075	243
FN2018-1-18-14/3	6548	243
FN2018-1-18L-14/3	6293	243
FN2018-1-18R-14/3	6293	243
FN2018-1-24-14/3	6758	243
FN2018-1-24L-14/3	6400	243
FN2018-1-24R-14/3	6400	243
FN2020-1-14/3	6075	243
FN2020-1-24-14/3	6758	243
FN2020-1-24L-14/3	6400	243
FN2020-1-24R-14/3	6400	243
FN2032-2-14/3	7208	244
FN2032-2-18-14/3	8017	244
FN2032-2-18L-14/3	7747	244
FN2032-2-18R-14/3	7747	244
FN2032-2-24-14/3	8209	244
FN2032-2-24L-14/3	7882	244
FN2032-2-24R-14/3	7882	244
FN2036-2-14/3	7917	244
FN2036-2-18-14/3	8592	244
FN2036-2-18L-14/3	8764	244
FN2036-2-18R-14/3	8764	244
FN2036-2-24-14/3	9196	244
FN2036-2-24L-14/3	8874	244
FN2036-2-24R-14/3	8874	244
FN2040-2-14/3	7917	244
FN2040-2-24-14/3	9196	244
FN2040-2-24L-14/3	8874	244
FN2040-2-24R-14/3	8874	244
FN2048-3-14/3	8912	245
FN2048-3-18-14/3	9509	245
FN2048-3-18L-14/3	9284	245
FN2048-3-18R-14/3	9284	245
FN2048-3-24-14/3	9703	245
FN2048-3-24L-14/3	9376	245
FN2048-3-24R-14/3	9376	245
FN2054-3-14/3	10186	245
FN2054-3-18-14/3	11203	245
FN2054-3-18L-14/3	10945	245
FN2054-3-18R-14/3	10945	245
FN2054-3-24-14/3	11527	245
FN2054-3-24L-14/3	11022	245
FN2054-3-24R-14/3	11022	245
FN2060-3-14/3	10186	245
FN2060-3-24-14/3	11527	245
FN2060-3-24L-14/3	11022	245
FN2060-3-24R-14/3	11022	245
FN2064-4-14/3	11394	246
FN2064-4-18-14/3	11899	246
FN2064-4-18L-14/3	11477	246
FN2064-4-18R-14/3	11477	246
FN2064-4-24-14/3	12123	246
FN2064-4-24L-14/3	11582	246
FN2064-4-24R-14/3	11582	246
FN2072-4-14/3	12800	246
FN2072-4-18-14/3	13888	246
FN2072-4-18L-14/3	13547	246
FN2072-4-18R-14/3	13547	246
FN2072-4-24-14/3	14018	246
FN2072-4-24L-14/3	13625	246
FN2072-4-24R-14/3	13625	246
FN2080-4-14/3	12800	246
FN2080-4-24-14/3	14018	246
FN2080-4-24L-14/3	13625	246
FN2080-4-24R-14/3	13625	246
FN2424-1-14/3	6503	243
FN2424-1-24-14/3	7747	243
FN2424-1-24L-14/3	7319	243
FN2424-1-24R-14/3	7319	243
FN2448-2-14/3	9410	244
FN2448-2-24-14/3	11055	244
FN2448-2-24L-14/3	10674	244
FN2448-2-24R-14/3	10674	244
FN2472-3-14/3	11847	245
FN2472-3-24-14/3	13752	245
FN2472-3-24L-14/3	13398	245
FN2472-3-24R-14/3	13398	245
FN2496-4-14/3	14727	246
FN2496-4-24-14/3	16569	246
FN2496-4-24L-14/3	16118	246
FN2496-4-24R-14/3	16118	246
FN2820-1-14/3	7172	243
FN2820-1-24-14/3	7823	243
FN2820-1-24L-14/3	7482	243
FN2820-1-24R-14/3	7482	243
FN2840-2-14/3	9428	244
FN2840-2-24-14/3	11127	244
FN2840-2-24L-14/3	10674	244
FN2840-2-24R-14/3	10674	244
FN2860-3-14/3	12205	245
FN2860-3-24-14/3	14116	245
FN2860-3-24L-14/3	13639	245
FN2860-3-24R-14/3	13639	245
FN2880-4-14/3	15578	246
FN2880-4-24-14/3	17047	246
FN2880-4-24L-14/3	16574	246
FN2880-4-24R-14/3	16574	246
FNWNF-12-14-8-1	1338	259
FNWNF-14-16-8-1	1400	259
FNWNF-18-18-10-1	1254	259
FNWNF-18-18-12-1	1272	259
FNWNF-20-20-10-1	1328	259
FNWNF-20-20-12-1	1394	259
FNWNF-20-20-14-1	1469	259
FNWNF-20-27-6-1	1254	259
FNWNF-20.5-20.5-5-1	1154	259
FNWNF-20.5-20.5-8-1	1266	259
FNWNF-24-24-12-1	1552	259
FNWNF-24-24-14-1	1628	259
FNWNF-9-12-6-1	1223	259

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
FNWNF-9-14-8-1	1299	259
FOOT PLATE	26	47
FOOT PLATE-BL	28	47
FOOT PLATE-S	49	47
FR-1221-SS	976	142
FT-12120-FG	8689	262
FT-12120-SG	14938	262
FT-1218-FG	3565	262
FT-1218-SG	4956	262
FT-1224-FG	3864	262
FT-1224-SG	5196	262
FT-1230-FG	4243	262
FT-1230-SG	5356	262
FT-1236-FG	4444	262
FT-1236-SG	5522	262
FT-1248-FG	5099	262
FT-1248-SG	6822	262
FT-1260-FG	5523	262
FT-1260-SG	8180	262
FT-1272-FG	6238	262
FT-1272-SG	9403	262
FT-1284-FG	6823	262
FT-1284-SG	11050	262
FT-1296-FG	7445	262
FT-1296-SG	11365	262
FT-15120-FG	9166	262
FT-15120-SG	16083	262
FT-1524-FG	3944	262
FT-1524-SG	5526	262
FT-1530-FG	4284	262
FT-1530-SG	5659	262
FT-1536-FG	4482	262
FT-1536-SG	6428	262
FT-1548-FG	5160	262
FT-1548-SG	7823	262
FT-1560-FG	5764	262
FT-1560-SG	9159	262
FT-1572-FG	6363	262
FT-1572-SG	10537	262
FT-1584-FG	7018	262
FT-1584-SG	11915	262
FT-1596-FG	7574	262
FT-1596-SG	13207	262
FT-18120-FG	10685	262
FT-18120-SG	17218	262
FT-1824-FG	4232	262
FT-1824-SG	5843	262
FT-1830-FG	4673	262
FT-1830-SG	6169	262
FT-1836-FG	5007	262
FT-1836-SG	6495	262
FT-1848-FG	5797	262
FT-1848-SG	7723	262
FT-1860-FG	6474	262
FT-1860-SG	9529	262
FT-1872-FG	7236	262
FT-1872-SG	10432	262
FT-1884-FG	8077	262
FT-1884-SG	12667	262
FT-1896-FG	8822	262
FT-1896-SG	12993	262
FT-24120-FG	12395	262
FT-24120-SG	18565	262
FT-2424-FG	4530	262
FT-2424-SG	7075	262
FT-2430-FG	5105	262
FT-2430-SG	7366	262
FT-2436-FG	5505	262
FT-2436-SG	8399	262
FT-2448-FG	6463	262
FT-2448-SG	9726	262
FT-2460-FG	7408	262
FT-2460-SG	10905	262
FT-2472-FG	7475	262
FT-2472-SG	12675	262
FT-2484-FG	9315	262
FT-2484-SG	13855	262
FT-2496-FG	10192	262
FT-2496-SG	15328	262
GBP15-C	154	91
GC-16	43	168
GCC1	1292	156
GLIDES	5	47
GPS24-C	137	91
GPWB	43	91
GR1836C	566	36
GR1848C	616	36
GR1860C	689	36
GRS1836C	783	36
GRS1848C	859	36
GRS1860C	984	36
GS17	275	91
GWB1436C	215	93
GWB1436V	217	93
GWB1436VG	217	93
GWB1448C	238	93
GWB1448V	242	93
GWB1448VG	242	93
GWB1836C	226	93
GWB1836V	242	93
GWB1836VG	242	93
GWB1848C	252	93
GWB1848V	275	93
GWB1848VG	275	93
HBK-48C	418	129
HBK-48EP	609	129
HBK-48S	506	129
HBK-60C	480	129
HBK-60EP	678	129
HBK-60S	563	129
HBK-72C	534	129
HBK-72EP	710	129
HBK-72S	623	129
HDS1836SE	837	64
HDS1836SF	758	63
HDS1836SL	837	65
HDS1836VE	400	64
HDS1836VF	392	63
HDS1836VGE	400	64
HDS1836VGF	392	63
HDS1836VGL	403	65
HDS1836VL	403	65
HDS1842SE	926	64
HDS1842SF	822	63
HDS1842SL	926	65
HDS1842VE	420	64
HDS1842VF	408	63
HDS1842VGE	420	64
HDS1842VGF	408	63
HDS1842VGL	427	65
HDS1842VL	427	65
HDS1848SE	1014	64
HDS1848SF	885	63
HDS1848SL	1014	65
HDS1848VE	430	64
HDS1848VF	426	63
HDS1848VGE	430	64
HDS1848VGF	426	63
HDS1848VGL	437	65
HDS1848VL	437	65
HDS1854SE	1059	64
HDS1854SF	970	63
HDS1854SL	1059	65
HDS1854VE	465	64
HDS1854VF	427	63
HDS1854VGE	465	64
HDS1854VGF	427	63
HDS1854VGL	453	65
HDS1854VL	453	65
HDS1860SE	1115	64
HDS1860SF	1059	63
HDS1860SL	1115	65
HDS1860VE	474	64
HDS1860VF	467	63
HDS1860VGE	474	64
HDS1860VGF	467	63
HDS1860VGL	469	65
HDS1860VL	469	65
HDS2436SE	1000	64
HDS2436SF	939	63
HDS2436SL	1000	65
HDS2436VE	430	64
HDS2436VF	418	63
HDS2436VGE	430	64
HDS2436VGF	418	63
HDS2436VGL	432	65
HDS2436VL	432	65
HDS2442SE	1087	64
HDS2442SF	1059	63
HDS2442SL	1087	65
HDS2442VE	443	64
HDS2442VF	437	63
HDS2442VGE	443	64
HDS2442VGF	437	63
HDS2442VGL	445	65
HDS2442VL	445	65
HDS2448SE	1154	64
HDS2448SF	1147	63
HDS2448SL	1184	65
HDS2448VE	464	64
HDS2448VF	449	63
HDS2448VGE	464	64
HDS2448VGF	449	63
HDS2448VGL	466	65
HDS2448VL	466	65
HDS2454SE	1280	64
HDS2454SF	1250	63
HDS2454SL	1280	65
HDS2454VE	498	64
HDS2454VF	487	63
HDS2454VGE	498	64
HDS2454VGF	487	63
HDS2454VGL	509	65
HDS2454VL	509	65
HDS2460SE	1375	64
HDS2460SF	1340	63
HDS2460SL	1375	65
HDS2460VE	515	64
HDS2460VF	507	63
HDS2460VGE	515	64
HDS2460VGF	507	63
HDS2460VGL	519	65
HDS2460VL	519	65
HDSCP14-S	98	66
HDSCP33-S	136	66
HDSCP54-S	143	66
HDSCP63-S	166	66
HDSCP74-S	186	66
HDSP14-S	98	66
HDSP33-S	136	66
HDSP54-S	143	66
HDSP63-S	166	66
HDSP74-S	186	66
HDTS18-C	366	53
HDTS18-E	407	53
HDTS24-C	405	53
HDTS24-E	448	53
HFH	97	91
HFL-5000	7837	222
HFL-5000-LRS	8303	222
HFL-5000-S	6986	222
HSA-10	956	223
HSA-10-1FK	2426	227
HSA-10-8	927	232
HSA-10-8F	1193	232
HSA-10-F	1119	223
HSA-10-F-DS	1473	224
HSA-10-F-LRS	1978	230
HSA-10-FA	1182	223
HSA-10-FA-1P	2475	227
HSA-10-FA-P	2475	227
HSA-10-FA-PE	5417	225
HSA-10-FAW	1505	223,230
HSA-10-FDP	2355	224
HSA-10-FDP-T	3430	232
HSA-10-FDPE	5825	225
HSA-10-FDPE-LRS	6680	230
HSA-10-FDPEE	6378	225
HSA-10-FDPEE-B-T	8954	226
HSA-10-FDPK	3714	227
HSA-10-FDPS	3594	224
HSA-10-FE	4070	225
HSA-10-FE-B-DS	5056	226
HSA-10-FE-B-NB-MG	5155	226
HSA-10-FE-B-T-NB-MG	6353	226
HSA-10-FK	2426	227
HSA-10-FKP	2704	227
HSA-10-FL	1603	223
HSA-10-FLDP	2827	224
HSA-10-FO	1328	223
HSA-10-FODP	2888	224
HSA-10-FODPE	5849	225
HSA-10-FOE	4278	225
HSA-10-FTWS	1765	230
HSA-10-FTWS-LRS	2623	230
HSA-10-FW	1294	227
HSA-10-FWLDP-LRS	3815	224
HSA-SSK	275	235
HSA-WM-48	8005	165
HSA-WM-48-1FK	9726	165
HSA-WM-48-F	9475	165
HSA-WM-48-FE	10790	165
HSA-WM-48-FK	10028	165
HSA-WM-60	8218	165
HSA-WM-60-1FK	10024	165
HSA-WM-60-F	9786	165
HSA-WM-60-FE	11092	165
HSA-WM-60-FK	10326	165
HSA-WM-72	8410	165
HSA-WM-72-1FK	10136	165
HSA-WM-72-F	9739	165
HSA-WM-72-FE	11727	165
HSA-WM-72-FK	10588	165
HSA-WM-96	9760	165
HSA-WM-96-1FK	13531	165
HSA-WM-96-F	12986	165

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
HSA-WM-96-FE	15653	165
HSA-WM-96-FK	14135	165
HSAD-10-F	1034	232
HSAE-10-FA	1244	232
HSAN-10-F	1332	231
HSAN-10-F-DS	1699	231
HSAN-10-F-LRS	2188	230
HSAN-10-FE-B-DS	5664	226
HSAND-10-F	1112	231
HSANT-FS	1573	231
HSAP-14-ADA-FE-B	8929	226,229
HSAP-14-ADA-FW	7637	229
HSAP-14-FW	3219	229
HSAP-SSK	333	235
HWB-E	4693	229
HWB-T	5099	229
HWC-E	4486	229
HWC-T	4897	229
ITT1620	1995	161
ITT1630	2043	161
ITT1834	2059	161
ITT2036	2099	161
ITT2048	2172	161
ITT2436	2137	161
ITT2446	2204	161
ITT2458	2280	161
ITU1620	1883	161
ITU1630	1959	161
ITU1834	1993	161
ITU2036	2077	161
ITU2048	2200	161
ITU2436	2148	161
ITU2446	2270	161
ITU2458	2407	161
IV-1	862	154
IV-2	862	154
IV-3	862	154
IV-4	862	154
KB-234-BL	40	147
KB-240-BL	66	147
KB-250-BL	107	147
KB48-C	118	127,128
KB48-EP	143	127,128
KB60-C	132	127,128
KB60-EP	158	127,128
KB72-C	144	127,128
KB72-EP	177	127,128
KBD-1	467	45,46
KBD-1/SS	649	45,46,142
KBD-2	406	46,135
KBD-2/SS	707	46,135
L14-1BL	28	62
L14-1C	26	50
L14-1R	28	62
L14-1S	40	50
L14-1V	28	50
L14-1VG	28	50
L14-1W	28	62
L14-4BL	36	62
L14-4C	33	50
L14-4E	37	50
L14-4R	36	62
L14-4S	72	50
L14-4V	36	50
L14-4VG	36	50
L14-4W	36	62
L18-1BL	29	62
L18-1C	28	50
L18-1R	29	62
L18-1S	44	50
L18-1V	29	50
L18-1VG	29	50
L18-1W	29	62
L18-4BL	37	62
L18-4C	36	50
L18-4E	44	50
L18-4R	37	62
L18-4S	78	50
L18-4V	37	50
L18-4VG	37	50
L18-4W	37	62
L21-1BL	32	62
L21-1C	29	50
L21-1R	32	62
L21-1S	49	50
L21-1V	32	50
L21-1VG	32	50
L21-1W	32	62
L21-4BL	40	62
L21-4C	37	50
L21-4E	47	50
L21-4R	40	62
L21-4S	87	50
L21-4V	40	50
L21-4VG	40	50
L21-4W	40	62
L24-1BL	33	62
L24-1C	32	50
L24-1R	33	62
L24-1S	54	50
L24-1V	33	50
L24-1VG	33	50
L24-1W	33	62
L24-4BL	44	62
L24-4C	43	50
L24-4E	49	50
L24-4R	44	62
L24-4S	94	50
L24-4V	44	50
L24-4VG	44	50
L24-4W	44	62
L30-1BL	37	62
L30-1C	36	50
L30-1R	37	62
L30-1S	73	50
L30-1V	37	50
L30-1VG	37	50
L30-1W	37	62
L30-4BL	53	62
L30-4C	49	50
L30-4E	58	50
L30-4R	53	62
L30-4S	117	50
L30-4V	53	50
L30-4VG	53	50
L30-4W	53	62
L36-1BL	44	62
L36-1C	43	50
L36-1R	44	62
L36-1S	82	50
L36-1V	44	50
L36-1VG	44	50
L36-1W	44	62
L36-4BL	55	62
L36-4C	54	50
L36-4E	60	50
L36-4R	55	62
L36-4S	136	50
L36-4V	55	50
L36-4VG	55	50
L36-4W	55	62
L42-1BL	47	62
L42-1C	44	50
L42-1R	47	62
L42-1S	87	50
L42-1V	47	50
L42-1VG	47	50
L42-1W	47	62
L42-4BL	67	62
L42-4C	63	50
L42-4E	77	50
L42-4R	67	62
L42-4S	172	50
L42-4V	67	50
L42-4VG	67	50
L42-4W	67	62
L48-1BL	49	62
L48-1C	47	50
L48-1R	49	62
L48-1S	87	50
L48-1V	49	50
L48-1VG	49	50
L48-1W	49	62
L48-4BL	72	62
L48-4C	63	50
L48-4E	77	50
L48-4R	72	62
L48-4S	172	50
L48-4V	72	50
L48-4VG	72	50
L48-4W	72	62
L54-1BL	54	62
L54-1C	53	50
L54-1R	54	62
L54-1S	112	50
L54-1V	54	50
L54-1VG	54	50
L54-1W	54	62
L54-4BL	74	62
L54-4C	72	50
L54-4E	83	50
L54-4R	74	62
L54-4S	195	50
L54-4V	74	50
L54-4VG	74	50
L54-4W	74	62
L60-1BL	55	62
L60-1C	53	50
L60-1R	55	62
L60-1S	112	50
L60-1V	55	50
L60-1VG	55	50
L60-1W	55	62
L60-4BL	77	62
L60-4C	72	50
L60-4E	83	50
L60-4R	77	62
L60-4S	195	50
L60-4V	77	50
L60-4VG	77	50
L60-4W	77	62
L72-1BL	58	62
L72-1C	54	50
L72-1R	58	62
L72-1S	122	50
L72-1V	58	50
L72-1VG	58	50
L72-1W	58	62
L72-4BL	87	62
L72-4C	84	50
L72-4E	98	50
L72-4R	87	62
L72-4S	245	50
L72-4V	87	50
L72-4VG	87	50
L72-4W	87	62
LC2460C	1806	156
LCD2460C	4505	156
LDH	19	91
LDUS12	118	91
LEVELING FOOT	4	47
LH	12	91
LR24-BL	54	33
LR24-C	49	33
LR24-V	54	33
LR24-VG	54	33
LR24-Z	40	33
LR36-BL	63	33
LR36-C	58	33
LR36-V	63	33
LR36-VG	63	33
LR36-Z	43	33
LR48-BL	74	33
LR48-C	72	33
LR48-V	74	33
LR48-VG	74	33
LR48-Z	44	33
LR60-BL	83	33
LR60-C	82	33
LR60-V	83	33
LR60-VG	83	33
LR60-Z	49	32
M1824BL	208	33
M1824BL-4	1204	33
M1824C	195	33
M1824C-4	1182	33
M1824V	208	33
M1824V-4	1204	33
M1824VG	208	33
M1824VG-4	1204	33
M1824Z	169	33
M1824Z-4	1055	33
M1836BL	215	33
M1836BL-4	1232	33
M1836C	205	33
M1836C-4	1214	33
M1836V	215	33
M1836V-4	1232	33
M1836VG	215	33
M1836VG-4	1232	33
M1836Z	180	33
M1836Z-4	1099	33
M1848BL	229	33
M1848BL-4	1317	33
M1848C	217	33
M1848C-4	1266	33
M1848V	229	33
M1848V-4	1317	33
M1848VG	229	33
M1848VG-4	1317	33
M1848Z	209	33
M1848Z-4	1222	33
M1860BL	250	33
M1860BL-4	1394	33
M1860C	242	33
M1860C-4	1352	33

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
M1860V	250	33
M1860V-4	1394	33
M1860VG	250	33
M1860VG-4	1394	33
M1860Z	229	33
M1860Z-4	1308	33
M18BL	74	33
M18C	72	33,155
M18V	74	33
M18VG	74	33
M3636Z	318	169
M3636Z-3	1318	169
M3648Z	345	169
M3648Z-3	1456	169
M3660Z	410	169
M3660Z-3	1715	169
MC-1	1815	156
MCWS2424C	1516	135,171
MCWS2424C-P	1549	135,171
MCWS2424S	2439	135,171
MCWS2424S-P	2473	135,171
MCWS3030C	1636	135,171
MCWS3030C-P	1670	135,171
MCWS3030S	2547	135,171
MCWS3030S-P	2577	135,171
MD2436	2240	45
MD2448	2427	45
MDH-10	40	91
MDH-12	44	91
MDH-4	28	91
MDH-6	29	91
MDH-8	38	91
MDR1824-C	999	38
MDR1824-E	1149	38
MDR1830-C	1018	38
MDR1830-E	1173	38
MDR1836-C	1095	38
MDR1836-E	1223	38
MDR1836-S	2034	38
MDR1848-C	1192	38
MDR1848-E	1394	38
MDR1848-S	2400	38
MDR1860-C	1210	38
MDR1860-E	1412	38
MDR2124-C	1028	38
MDR2124-E	1182	38
MDR2130-C	1036	38
MDR2130-E	1200	38
MDR2136-C	1059	38
MDR2136-E	1223	38
MDR2148-C	1155	38
MDR2148-E	1342	38
MDR2160-C	1248	38
MDR2160-E	1418	38
MDR2424-C	1033	38
MDR2424-E	1194	38
MDR2430-C	1043	38
MDR2430-E	1206	38
MDR2436-C	1127	38
MDR2436-E	1266	38
MDR2436-S	2172	38
MDR2448-C	1230	38
MDR2448-E	1393	38
MDR2448-S	2562	38
MDR2460-C	1276	38
MDR2460-E	1488	38
MET2430S	3505	206
MFBK-S	176	58,59
MHPH	1425	170
MHPH-4	2689	170
MMB-K-14-L	112	69
MMB-K-14-R	112	69
MMB-K-18-L	136	69
MMB-K-18-R	136	69
MMB-K-21-L	149	69
MMB-K-21-R	149	69
MMB-K-24-L	170	69
MMB-K-24-R	170	69
MMB-K/A-14-L	127	69
MMB-K/A-14-R	127	69
MMB-K/A-18-L	143	69
MMB-K/A-18-R	143	69
MMB-K/A-21-L	158	69
MMB-K/A-21-R	158	69
MMB-K/A-24-L	183	69
MMB-K/A-24-R	183	69
MMBB-10	1316	68
MMBB-12	1574	68
MMBB-4	555	68
MMBB-5	654	68
MMBB-6	787	68
MMBB-7	919	68
MMBB-8	1055	68
MMBB-9	1184	68
MMBB/A-10	1275	68
MMBB/A-12	1530	68
MMBB/A-4	565	68
MMBB/A-5	640	68
MMBB/A-6	764	68
MMBB/A-7	897	68
MMBB/A-8	1018	68
MMBB/A-9	1152	68
MMBB/FC-10	1020	68
MMBB/FC-12	1054	68
MMBB/FC-4	322	68
MMBB/FC-5	405	68
MMBB/FC-6	486	68
MMBB/FC-7	569	68
MMBB/FC-8	654	68
MMBB/FC-9	739	68
MMBB/FC/A-10	1020	68
MMBB/FC/A-12	1054	68
MMBB/FC/A-4	322	68
MMBB/FC/A-5	405	68
MMBB/FC/A-6	486	68
MMBB/FC/A-7	569	68
MMBB/FC/A-8	654	68
MMBB/FC/A-9	739	68
MMBBSS-10	3236	68
MMBBSS-12	3900	68
MMBBSS-4	1283	68
MMBBSS-5	1615	68
MMBBSS-6	1947	68
MMBBSS-7	2270	68
MMBBSS-8	2593	68
MMBBSS-9	2915	68
MMBBSS/FC-10	2677	68
MMBBSS/FC-12	3215	68
MMBBSS/FC-4	1082	68
MMBBSS/FC-5	1355	68
MMBBSS/FC-6	1608	68
MMBBSS/FC-7	1877	68
MMBBSS/FC-8	2142	68
MMBBSS/FC-9	2407	68
MMBC-K-18-L	118	71
MMBC-K-18-R	118	71
MMBC-K-21-L	133	71
MMBC-K-21-R	133	71
MMBC-K-24-L	149	71
MMBC-K-24-R	149	71
MMBC-K/A-18-L	112	71
MMBC-K/A-18-R	112	71
MMBC-K/A-21-L	127	71
MMBC-K/A-21-R	127	71
MMBC-K/A-24-L	133	71
MMBC-K/A-24-R	133	71
MMBCSS-K-18-L	216	71
MMBCSS-K-18-R	216	71
MMBCSS-K-21-L	267	71
MMBCSS-K-21-R	267	71
MMBCSS-K-24-L	317	71
MMBCSS-K-24-R	317	71
MMBSS-K-14-L	236	69
MMBSS-K-14-R	236	69
MMBSS-K-18-L	329	69
MMBSS-K-18-R	329	69
MMBSS-K-21-L	392	69
MMBSS-K-21-R	392	69
MMBSS-K-24-L	426	69
MMBSS-K-24-R	426	69
MMCB-6-L	40	68
MMCB-6-R	40	68
MMCB/A6-L	63	68
MMCB/A6-R	63	68
MMCBSS-6-L	98	68
MMCBSS-6-R	98	68
MMDB-K-14	189	69
MMDB-K-18	220	69
MMDB-K-21	245	69
MMDB-K-24	254	69
MMDB-K/A-14	186	69
MMDB-K/A-18	245	69
MMDB-K/A-21	263	69
MMDB-K/A-24	276	69
MMDBC-K-18	189	71
MMDBC-K-21	216	71
MMDBC-K-24	226	71
MMDBC-K/A-18	176	71
MMDBC-K/A-21	198	71
MMDBC-K/A-24	216	71
MMDBCSS-K-18	322	71
MMDBCSS-K-21	375	71
MMDBCSS-K-24	416	71
MMDBSS-K-14	329	69
MMDBSS-K-18	469	69
MMDBSS-K-21	559	69
MMDBSS-K-24	610	69
MMDFB-K-14	299	70
MMDFB-K-18	386	70
MMDFB-K-21	427	70
MMDFB-K-24	438	70
MMDFBSSK-149	617	70
MMDFBSSK-189	786	70
MMDFBSSK-249	1045	70
MMFB-K-14-L	184	70
MMFB-K-14-R	184	70
MMFB-K-18-L	219	70
MMFB-K-18-R	219	70
MMFB-K-21-L	250	70
MMFB-K-21-R	250	70
MMFB-K-24-L	272	70
MMFB-K-24-R	272	70
MMFBSSK-149-L	538	70
MMFBSSK-149-R	538	70
MMFBSSK-189-L	712	70
MMFBSSK-189-R	712	70
MMFBSSK-249-L	919	70
MMFBSSK-249-R	919	70
MMNSB-K-14-L	120	69
MMNSB-K-14-R	120	69
MMNSB-K-18-L	147	69
MMNSB-K-18-R	147	69
MMNSB-K-21-L	170	69
MMNSB-K-21-R	170	69
MMNSB-K-24-L	183	69
MMNSB-K-24-R	183	69
MMNSB-K/A-14-L	136	69
MMNSB-K/A-14-R	136	69
MMNSB-K/A-18-L	156	69
MMNSB-K/A-18-R	156	69
MMNSB-K/A-21-L	177	69
MMNSB-K/A-21-R	177	69
MMNSB-K/A-24-L	197	69
MMNSB-K/A-24-R	197	69
MMNSBB-10	1509	68
MMNSBB-12	1806	68
MMNSBB-4	628	68
MMNSBB-5	758	68
MMNSBB-6	905	68
MMNSBB-7	1055	68
MMNSBB-8	1204	68
MMNSBB-9	1349	68
MMNSBB/FC-10	895	68
MMNSBB/FC-12	1099	68
MMNSBB/FC-4	353	68
MMNSBB/FC-5	436	68
MMNSBB/FC-6	525	68
MMNSBB/FC-7	617	68
MMNSBB/FC-8	710	68
MMNSBB/FC-9	799	68
MMNSBBSS-10	3719	68
MMNSBBSS-12	4452	68
MMNSBBSS-4	1474	68
MMNSBBSS-5	1858	68
MMNSBBSS-6	2234	68
MMNSBBSS-7	2600	68
MMNSBBSS-8	2973	68
MMNSBBSS-9	3345	68
MMNSBBSS/FC-10	3077	68
MMNSBBSS/FC-12	3697	68
MMNSBBSS/FC-4	1236	68
MMNSBBSS/FC-5	1555	68
MMNSBBSS/FC-6	1852	68
MMNSBBSS/FC-7	2160	68
MMNSBBSS/FC-8	2460	68
MMNSBBSS/FC-9	2769	68
MMNSBC-K-18-L	127	71
MMNSBC-K-18-R	127	71
MMNSBC-K-21-L	143	71
MMNSBC-K-21-R	143	71
MMNSBC-K-24-L	158	71
MMNSBC-K-24-R	158	71
MMNSBC-K/A-18-L	118	71
MMNSBC-K/A-18-R	118	71
MMNSBC-K/A-21-L	133	71
MMNSBC-K/A-21-R	133	71
MMNSBC-K/A-24-L	143	71
MMNSBC-K/A-24-R	143	71
MMNSBCSS-K-18-L	226	71
MMNSBCSS-K-18-R	226	71
MMNSBCSS-K-21-L	293	71
MMNSBCSS-K-21-R	293	71
MMNSBCSS-K-24-L	339	71
MMNSBCSS-K-24-R	339	71
MMNSBSS-K-14-L	255	69
MMNSBSS-K-14-R	255	69

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
MMNSBSS-K-18-L	339	69
MMNSBSS-K-18-R	339	69
MMNSBSS-K-21-L	410	69
MMNSBSS-K-21-R	410	69
MMNSBSS-K-24-L	440	69
MMNSBSS-K-24-R	440	69
MMNSCB-6-L	40	68
MMNSCB-6-R	40	68
MMNSCB/A6-L	63	68
MMNSCB/A6-R	63	68
MMNSCBSS-6-L	103	68
MMNSCBSS-6-R	103	68
MMNSDB-K-14	186	69
MMNSDB-K-18	245	69
MMNSDB-K-21	272	69
MMNSDB-K-24	277	69
MMNSDB-K/A-14	209	69
MMNSDB-K/A-18	269	69
MMNSDB-K/A-21	292	69
MMNSDB-K/A-24	306	69
MMNSDBC-K-18	209	71
MMNSDBC-K-21	232	71
MMNSDBC-K-24	243	71
MMNSDBC-K/A-18	189	71
MMNSDBC-K/A-21	209	71
MMNSDBC-K/A-24	216	71
MMNSDBCSS-K-18	339	71
MMNSDBCSS-K-21	398	71
MMNSDBCSS-K-24	445	71
MMNSDBSS-K-14	354	69
MMNSDBSS-K-18	495	69
MMNSDBSS-K-21	592	69
MMNSDBSS-K-24	627	69
MMNSDFB-K-14	329	70
MMNSDFB-K-18	428	70
MMNSDFB-K-21	466	70
MMNSDFB-K-24	485	70
MMNSDFBSSK-149	710	70
MMNSDFBSSK-189	907	70
MMNSDFBSSK-249	1206	70
MMNSFB-K-14-L	198	70
MMNSFB-K-14-R	198	70
MMNSFB-K-18-L	243	70
MMNSFB-K-18-R	243	70
MMNSFB-K-21-L	276	70
MMNSFB-K-21-R	276	70
MMNSFB-K-24-L	300	70
MMNSFB-K-24-R	300	70
MMNSFBSSK-149-L	620	70
MMNSFBSSK-149-R	620	70
MMNSFBSSK-189-L	816	70
MMNSFBSSK-189-R	816	70
MMNSFBSSK-249-L	1054	70
MMNSFBSSK-249-R	1054	70
MMNSU-1	53	67
MMNSU-10	407	67
MMNSU-12	503	67
MMNSU-2	84	67
MMNSU-3	133	67
MMNSU-4	158	67
MMNSU-5	197	67
MMNSU-6	242	67
MMNSU-7	278	67
MMNSU-8	325	67
MMNSU-9	367	67
MMNSU/A-1	53	67
MMNSU/A-10	407	67
MMNSU/A-12	503	67
MMNSU/A-14	584	67
MMNSU/A-16	664	67
MMNSU/A-2	84	67
MMNSU/A-3	133	67
MMNSU/A-4	158	67
MMNSU/A-5	197	67
MMNSU/A-6	242	67
MMNSU/A-7	278	67
MMNSU/A-8	325	67
MMNSU/A-9	367	67
MMNSUSS-1	158	67
MMNSUSS-10	1408	67
MMNSUSS-12	1689	67
MMNSUSS-2	284	67
MMNSUSS-3	432	67
MMNSUSS-4	567	67
MMNSUSS-5	715	67
MMNSUSS-6	844	67
MMNSUSS-7	985	67
MMNSUSS-8	1127	67
MMNSUSS-9	1267	67
MMT3030G	4017	206
MMT3030S	4482	206
MMT3036G	4109	206
MMT3036S	4615	206
MMU-1	44	67
MMU-10	378	67
MMU-12	466	67
MMU-14	547	67
MMU-16	620	67
MMU-2	82	67
MMU-3	127	67
MMU-4	147	67
MMU-5	185	67
MMU-6	220	67
MMU-7	263	67
MMU-8	300	67
MMU-9	338	67
MMU/A-1	44	67
MMU/A-10	378	67
MMU/A-12	466	67
MMU/A-14	547	67
MMU/A-16	620	67
MMU/A-2	82	67
MMU/A-3	127	67
MMU/A-4	147	67
MMU/A-5	185	67
MMU/A-6	220	67
MMU/A-7	263	67
MMU/A-8	300	67
MMU/A-9	338	67
MMUSS-1	149	67
MMUSS-10	1338	67
MMUSS-12	1608	67
MMUSS-2	272	67
MMUSS-3	407	67
MMUSS-4	542	67
MMUSS-5	683	67
MMUSS-6	810	67
MMUSS-7	944	67
MMUSS-8	1075	67
MMUSS-9	1206	67
MMXB-48	43	69
MMXB-60	53	69
MMXB-72	59	69
MMXB-84	67	69
MMXB-N-48	112	69
MMXB-N-60	133	69
MMXB-N-72	158	69
MMXB-N-84	184	69
MOS1260C	2277	211
MOS1260L	2008	211
MOS1260R	2008	211
MOS1272C	2543	211
MOS1272L	2273	211
MOS1272R	2273	211
MOS1284C	2725	211
MOS1284L	2458	211
MOS1284R	2458	211
MOS1296C	2837	211
MOS1296L	2725	211
MOS1296R	2725	211
MS-C	25	135,171
MS2424	1573	205
MS2424S	1909	205
MS3024	1640	205
MS3024S	2006	205
MS3030	1826	205
MS3030S	2272	205
MS3036	1874	205
MS3036S	2309	205
MS3636	1966	205
MS3636S	2418	205
MSC1436	1769	44
MSC1448	2260	44
MSC2436	1836	44
MSC2448	2344	44
MT2448B	1652	199
MT2448GT	1467	199
MT2448S	1986	199
MT2448ST	1872	199
MT2460B	1855	199
MT2460GT	1625	199
MT2460S	2255	199
MT2460ST	2096	199
MT2472B	2055	199
MT2472GT	1782	199
MT2472S	2517	199
MT2472ST	2329	199
MT2496B	2914	199
MT2496GT	2554	199
MT2496S	3516	199
MT2496ST	2912	199
MT3048B	1825	199
MT3048B-BS	3485	199
MT3048GT	1648	199
MT3048GT-BS	3345	199
MT3048S	2255	199
MT3048S-BS	4480	199
MT3048ST	2143	199
MT3048ST-BS	4250	199
MT3060B	2073	199
MT3060B-BS	3643	199
MT3060GT	1852	199
MT3060GT-BS	3407	199
MT3060S	2586	199
MT3060S-BS	4716	199
MT3060ST	2443	199
MT3060ST-BS	4474	199
MT3072B	2318	199
MT3072B-BS	4380	199
MT3072GT	2048	199
MT3072GT-BS	4095	199
MT3072S	2915	199
MT3072S-BS	5392	199
MT3072ST	2733	199
MT3072ST-BS	5253	199
MT3096B	3320	199
MT3096B-BS	5992	199
MT3096GT	2952	199
MT3096GT-BS	5612	199
MT3096S	4063	199
MT3096S-BS	7133	199
MT3096ST	3819	199
MT3096ST-BS	6758	199
MUK18-C	816	57
MUK18-C86	845	57
MUK18-E	1362	57
MUK18-E86	1382	57
MUK18-Z	736	57
MUK18-Z86	764	57
MUK21-C	837	57
MUK21-C86	870	57
MUK21-E	1380	57
MUK21-E86	1418	57
MUK21-Z	760	57
MUK21-Z86	792	57
MUK24-C	849	57
MUK24-C86	884	57
MUK24-E	1399	57
MUK24-E86	1452	57
MUK24-Z	769	57
MUK24-Z86	803	57
MUK30-C	870	57
MUK30-C86	906	57
MUK30-E	1440	57
MUK30-E86	1489	57
MUK30-Z	785	57
MUK30-Z86	816	57
MUK36-C	908	57
MUK36-C86	949	57
MUK36-E	1480	57
MUK36-E86	1527	57
MUK36-Z	800	57
MUK36-Z86	828	57
MWS0710-PS	144	89
MWS0710-SPS	149	89
MWS0912-PS	172	89
MWS0912-SPS	176	89
MWS1824	907	96
MWS2424	103	96
MWS2436C	995	135
MWS2436S	2209	135
MWS2436WT	1236	135
MWS2436WT-S	2944	135
MWS2448C	1054	135
MWS2448S	2355	135
MWS2448WT	1332	135
MWS2448WT-S	3177	135
NDR182412-A	440	39
NDR183612-A	509	39
NDR184812-A	567	39
NDR202412-A	440	39
NDR203612-A	509	39
NDR204812-A	567	39
NDR242412-A	523	39
NDR243612-A	582	39
NDR244812-A	676	39
NTD3	4850	213
NTD3L	5118	213
OAC2436T-1C-1W	1700	138,177
OAC2436T-1H-1W	1700	138,177
OAC2436T-2C	1700	138,177
OAC2436T-2H	1700	138,177
OAC2436T-2W	1700	138,177
OAC2448T-1C-1W	1958	138,177
OAC2448T-1H-1W	1958	138,177
OAC2448T-2C	1958	138,177

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
0AC2448T-2H	1958	138,177
0AC2448T-2W	1958	138,177
0AC2460T-1C-1W	2217	138,177
0AC2460T-1H-1W	2217	138,177
0AC2460T-2C	2217	138,177
0AC2460T-2H	2217	138,177
0AC2460T-2W	2217	138,177
0AC3036T-1C-1W	1808	138,177
0AC3036T-1H-1W	1808	138,177
0AC3036T-2C	1808	138,177
0AC3036T-2H	1808	138,177
0AC3036T-2W	1808	138,177
0AC3048T-1C-1W	2133	138,177
0AC3048T-1H-1W	2133	138,177
0AC3048T-2C	2133	138,177
0AC3048T-2H	2133	138,177
0AC3048T-2W	2133	138,177
0AC3060T-1C-1W	2423	138,177
0AC3060T-1H-1W	2423	138,177
0AC3060T-2C	2423	138,177
0AC3060T-2H	2423	138,177
0AC3060T-2W	2423	138,177
0AC3636T-1C-1W	2208	138,177
0AC3636T-1H-1W	2208	138,177
0AC3636T-2C	2208	138,177
0AC3636T-2H	2208	138,177
0AC3636T-2W	2208	138,177
0AC3648T-1C-1W	2526	138,177
0AC3648T-1H-1W	2526	138,177
0AC3648T-2C	2526	138,177
0AC3648T-2H	2526	138,177
0AC3648T-2W	2526	138,177
0AC3660T-1C-1W	2758	138,177
0AC3660T-1H-1W	2758	138,177
0AC3660T-2C	2758	138,177
0AC3660T-2H	2758	138,177
0AC3660T-2W	2758	138,177
0AEP2436T-1C-1W	3707	139
0AEP2436T-1H-1W	3707	139
0AEP2436T-2C	3707	139
0AEP2436T-2H	3707	139
0AEP2436T-2W	3707	139
0AEP2448T-1C-1W	4220	139
0AEP2448T-1H-1W	4220	139
0AEP2448T-2C	4220	139
0AEP2448T-2H	4220	139
0AEP2448T-2W	4220	139
0AEP2460T-1C-1W	5093	139
0AEP2460T-1H-1W	5093	139
0AEP2460T-2C	5093	139
0AEP2460T-2H	5093	139
0AEP2460T-2W	5093	139
0AEP3036T-1C-1W	4392	139
0AEP3036T-1H-1W	4392	139
0AEP3036T-2C	4392	139
0AEP3036T-2H	4392	139
0AEP3036T-2W	4392	139
0AEP3048T-1C-1W	5049	139
0AEP3048T-1H-1W	5049	139
0AEP3048T-2C	5049	139
0AEP3048T-2H	5049	139
0AEP3048T-2W	5049	139
0AEP3060T-1C-1W	5653	139
0AEP3060T-1H-1W	5653	139
0AEP3060T-2C	5653	139
0AEP3060T-2H	5653	139
0AEP3060T-2W	5653	139
0AEP3636T-1C-1W	4786	139
0AEP3636T-1H-1W	4786	139
0AEP3636T-2C	4786	139
0AEP3636T-2H	4786	139
0AEP3636T-2W	4786	139
0AEP3648T-1C-1W	5582	139
0AEP3648T-1H-1W	5582	139
0AEP3648T-2C	5582	139
0AEP3648T-2H	5582	139
0AEP3648T-2W	5582	139
0AEP3660T-1C-1W	6465	139
0AEP3660T-1H-1W	6465	139
0AEP3660T-2C	6465	139
0AEP3660T-2H	6465	139
0AEP3660T-2W	6465	139
0AP2436T-1C-1W	3396	139
0AP2436T-1H-1W	3396	139
0AP2436T-2C	3396	139
0AP2436T-2H	3396	139
0AP2436T-2W	3396	139
0AP2448T-1C-1W	3933	139
0AP2448T-1H-1W	3933	139
0AP2448T-2C	3933	139
0AP2448T-2H	3933	139
0AP2448T-2W	3933	139
0AP2460T-1C-1W	4476	139
0AP2460T-1H-1W	4476	139
0AP2460T-2C	4476	139
0AP2460T-2H	4476	139
0AP2460T-2W	4476	139
0AP3036T-1C-1W	3808	139
0AP3036T-1H-1W	3808	139
0AP3036T-2C	3808	139
0AP3036T-2H	3808	139
0AP3036T-2W	3808	139
0AP3048T-1C-1W	4305	139
0AP3048T-1H-1W	4305	139
0AP3048T-2C	4305	139
0AP3048T-2H	4305	139
0AP3048T-2W	4305	139
0AP3060T-1C-1W	4875	139
0AP3060T-1H-1W	4875	139
0AP3060T-2C	4875	139
0AP3060T-2H	4875	139
0AP3060T-2W	4875	139
0AP3636T-1C-1W	4198	139
0AP3636T-1H-1W	4198	139
0AP3636T-2C	4198	139
0AP3636T-2H	4198	139
0AP3636T-2W	4198	139
0AP3648T-1C-1W	4876	139
0AP3648T-1H-1W	4876	139
0AP3648T-2C	4876	139
0AP3648T-2H	4876	139
0AP3648T-2W	4876	139
0AP3660T-1C-1W	5540	139
0AP3660T-1H-1W	5540	139
0AP3660T-2C	5540	139
0AP3660T-2H	5540	139
0AP3660T-2W	5540	139
0APEP2436T-1C-1W	4169	139
0APEP2436T-1H-1W	4169	139
0APEP2436T-2C	4169	139
0APEP2436T-2H	4169	139
0APEP2436T-2W	4169	139
0APEP2448T-1C-1W	4809	139
0APEP2448T-1H-1W	4809	139
0APEP2448T-2C	4809	139
0APEP2448T-2H	4809	139
0APEP2448T-2W	4809	139
0APEP2460T-1C-1W	5673	139
0APEP2460T-1H-1W	5673	139
0APEP2460T-2C	5673	139
0APEP2460T-2H	5673	139
0APEP2460T-2W	5673	139
0APEP3036T-1C-1W	4970	139
0APEP3036T-1H-1W	4970	139
0APEP3036T-2C	4970	139
0APEP3036T-2H	4970	139
0APEP3036T-2W	4970	139
0APEP3048T-1C-1W	5638	139
0APEP3048T-1H-1W	5638	139
0APEP3048T-2C	5638	139
0APEP3048T-2H	5638	139
0APEP3048T-2W	5638	139
0APEP3060T-1C-1W	6238	139
0APEP3060T-1H-1W	6238	139
0APEP3060T-2C	6238	139
0APEP3060T-2H	6238	139
0APEP3060T-2W	6238	139
0APEP3636T-1C-1W	5226	139
0APEP3636T-1H-1W	5226	139
0APEP3636T-2C	5226	139
0APEP3636T-2H	5226	139
0APEP3636T-2W	5226	139
0APEP3648T-1C-1W	6092	139
0APEP3648T-1H-1W	6092	139
0APEP3648T-2C	6092	139
0APEP3648T-2H	6092	139
0APEP3648T-2W	6092	139
0APEP3660T-1C-1W	7062	139
0APEP3660T-1H-1W	7062	139
0APEP3660T-2C	7062	139
0APEP3660T-2H	7062	139
0APEP3660T-2W	7062	139
0AS2436T-1C-1W	2955	138,177
0AS2436T-1H-1W	2955	138,177
0AS2436T-2C	2955	138,177
0AS2436T-2H	2955	138,177
0AS2436T-2W	2955	138,177
0AS2448T-1C-1W	3380	138,177
0AS2448T-1H-1W	3380	138,177
0AS2448T-2C	3380	138,177
0AS2448T-2H	3380	138,177
0AS2448T-2W	3380	138,177
0AS2460T-1C-1W	3920	138,177
0AS2460T-1H-1W	3920	138,177
0AS2460T-2C	3920	138,177
0AS2460T-2H	3920	138,177
0AS2460T-2W	3920	138,177
0AS3036T-1C-1W	3255	138,177
0AS3036T-1H-1W	3255	138,177
0AS3036T-2C	3255	138,177
0AS3036T-2H	3255	138,177
0AS3036T-2W	3255	138,177
0AS3048T-1C-1W	3749	138,177
0AS3048T-1H-1W	3749	138,177
0AS3048T-2C	3749	138,177
0AS3048T-2H	3749	138,177
0AS3048T-2W	3749	138,177
0AS3060T-1C-1W	4317	138,177
0AS3060T-1H-1W	4317	138,177
0AS3060T-2C	4317	138,177
0AS3060T-2H	4317	138,177
0AS3060T-2W	4317	138,177
0AS3636T-1C-1W	3643	138,177
0AS3636T-1H-1W	3643	138,177
0AS3636T-2C	3643	138,177
0AS3636T-2H	3643	138,177
0AS3636T-2W	3643	138,177
0AS3648T-1C-1W	4320	138,177
0AS3648T-1H-1W	4320	138,177
0AS3648T-2C	4320	138,177
0AS3648T-2H	4320	138,177
0AS3648T-2W	4320	138,177
0AS3660T-1C-1W	4987	138,177
0AS3660T-1H-1W	4987	138,177
0AS3660T-2C	4987	138,177
0AS3660T-2H	4987	138,177
0AS3660T-2W	4987	138,177
0B24120SE	7080	201
0B24120SE-BS	7198	203
0B2436SE	4410	201
0B2436SE-BS	4463	203
0B2448SE	4580	201
0B2448SE-BS	4627	203
0B2460SE	4900	201
0B2460SE-BS	4960	203
0B2472SE	5226	201
0B2472SE-BS	5297	203
0B2484SE	5685	201
0B2484SE-BS	5766	203
0B2496SE	5972	201
0B2496SE-BS	6065	203
0B30120SE	7527	201
0B30120SE-BS	7647	203
0B3036SE	4659	201
0B3036SE-BS	4849	203
0B3048SE	4820	201
0B3048SE-BS	4865	203
0B3060SE	5183	201
0B3060SE-BS	5432	203
0B3072SE	5552	201
0B3072SE-BS	5618	203
0B3084SE	5930	201
0B3084SE-BS	6009	203
0B3096SE	6544	201
0B3096SE-BS	6638	203
0CC2424S	4506	159
0CC2448S	5430	159
0HT-10	1582	57
0HT-11	1700	57
0HT-12	1822	57
0HT-13	1930	57
0HT-14	2043	57
0HT-15	2482	57
0HT-16	2603	57
0HT-17	2722	57
0HT-18	2837	57
0HT-19	2952	57
0HT-20	3070	57
0HT-21	3180	57
0HT-6	800	57
0HT-7	895	57
0HT-8	1340	57
0HT-9	1456	57
0LH-C	26	36,128, 161
0LH-EP	42	128,161
0LH-S	36	128,161
0S10108-14/3	2489	210
0S10108-16/3	2247	210
0S10108-16/4	1717	210
0S10120-14/3	2715	210
0S10120-16/3	2433	210
0S10120-16/4	1782	210
0S10132-14/3	2880	210
0S10132-16/3	2587	210
0S10132-16/4	1863	210

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
OS10144-14/3	3020	210
OS10144-16/3	2720	210
OS10144-16/4	1930	210
OS1036-14/3	1436	210
OS1036-16/3	1297	210
OS1036-16/4	1072	210
OS1048-14/3	1575	210
OS1048-16/3	1418	210
OS1048-16/4	1143	210
OS1060-14/3	1729	210
OS1060-16/3	1556	210
OS1060-16/4	1210	210
OS1072-14/3	1884	210
OS1072-16/3	1699	210
OS1072-16/4	1297	210
OS1084-14/3	2034	210
OS1084-16/3	1833	210
OS1084-16/4	1372	210
OS1096-14/3	2427	210
OS1096-16/3	2183	210
OS1096-16/4	1675	210
OS12108-14/3	2773	210
OS12108-16/3	2489	210
OS12108-16/4	1893	210
OS12120-14/3	2909	210
OS12120-16/3	2618	210
OS12120-16/4	1958	210
OS12132-14/3	3109	210
OS12132-16/3	2797	210
OS12132-16/4	2070	210
OS12144-14/3	3248	210
OS12144-16/3	2923	210
OS12144-16/4	2134	210
OS1236-14/3	1504	210
OS1236-16/3	1354	210
OS1236-16/4	1136	210
OS1248-14/3	1650	210
OS1248-16/3	1487	210
OS1248-16/4	1204	210
OS1260-14/3	1807	210
OS1260-16/3	1627	210
OS1260-16/4	1283	210
OS1272-14/3	1980	210
OS1272-16/3	1782	210
OS1272-16/4	1375	210
OS1284-14/3	2143	210
OS1284-16/3	1923	210
OS1284-16/4	1460	210
OS1296-14/3	2582	210
OS1296-16/3	2319	210
OS1296-16/4	1782	210
OSCC2436	3133	160
OSCC2448	3333	160
OUR-1830-2/W	1917	170
OUR-2630-2/W	1840	170
OUS18	229	53
OUS21	232	53
OUS24	245	53
P14-BL	29	23,62
P14-C	28	8,23
P14-E	32	8
P14-R	29	23,62
P14-S	60	8
P14-V	29	8
P14-VG	29	8
P14-W	29	23,62
P14-Z	26	8,23
P18-C	32	8
P18-E	43	8
P18-S	85	8
P18-V	33	8
P18-VG	33	8
P18-Z	29	8
P1916	4627	236
P1916FE	6194	236
P33-BL	36	23,62
P33-C	33	8,23
P33-E	44	8
P33-EPS	122	129
P33-R	36	23,62
P33-S	98	8
P33-V	36	8
P33-VG	36	8
P33-W	36	23,62
P33-Z	32	8,23
P54-BL	44	23,62
P54-C	43	8,23
P54-E	47	8
P54-EPS	162	129
P54-R	44	23,62
P54-S	112	8
P54-V	44	8
P54-VG	44	8
P54-W	44	23,62
P54-Z	40	8,23
P63-BL	47	23,62
P63-C	44	8,23
P63-E	54	8
P63-EPS	176	129
P63-R	47	23,62
P63-S	122	8
P63-V	47	8
P63-VG	47	8
P63-W	47	23,62
P63-Z	43	8,23
P7-BL	26	23,62
P7-C	25	8,23
P7-E	29	8
P7-R	26	23,62
P7-S	58	8
P7-V	26	8
P7-VG	26	8
P7-W	26	23,62
P7-Z	22	8,23
P74-BL	53	23,62
P74-C	49	8,23
P74-E	58	8
P74-EPS	197	129
P74-R	53	23,62
P74-S	139	8
P74-V	53	8
P74-VG	53	8
P74-W	53	23,62
P74-Z	44	8,23
P86-BL	60	23,62
P86-C	59	8,23
P86-E	66	8
P86-EPS	216	129
P86-R	60	23,62
P86-S	158	8
P86-V	60	8
P86-VG	60	8
P86-W	60	23,62
P86-Z	55	8,23
P96-C	67	8
P96-S	177	8
PBH	73	91
PC2448-C	2029	154
PC2460-C	2362	154
PCH2448-C	2418	154
PCH2460-C	2652	154
PCPL5-250	133	10
PCPS5-250	106	10
PCRB1836	3037	131
PCRB1836EP	3777	131
PCRB1848	3197	131
PCRB1848EP	3980	131
PCRB1860	3392	131
PCRB1860EP	4378	131
PCRB1872	3660	131
PCRB1872EP	4726	131
PD3622	553	38
PD4822	664	38
PD4836	734	38
PD6022	766	38
PDWB14C	130	97
PDWB14S	408	97
PDWB14VG	130	97
PDWB18C	136	97
PDWB18S	418	97
PDWB18VG	136	97
PDWB21C	140	97
PDWB21S	439	97
PDWB21VG	140	97
PDWB24C	144	97
PDWB24S	445	97
PDWB24VG	144	97
PF1824-C	216	36
PF1824-E	255	36
PF1824-Z	205	36
PF1830-C	217	36
PF1830-E	260	36
PF1830-Z	208	36
PF1836-C	219	36
PF1836-E	267	36
PF1836-Z	214	36
PF2124-C	232	36
PF2124-E	275	36
PF2124-Z	216	36
PF2130-C	242	36
PF2130-E	277	36
PF2130-Z	218	36
PF2136-C	244	36
PF2136-E	280	36
PF2136-Z	220	36
PF2424-C	243	36
PF2424-E	292	36
PF2424-Z	220	36
PF2430-C	248	36
PF2430-E	294	36
PF2430-Z	228	36
PF2436-C	252	36
PF2436-E	297	36
PF2436-Z	230	36
PH14-C	53	55
PH14-S	136	55
PH18-C	58	55
PH18-S	155	55
PH21-C	59	55
PH21-S	170	55
PH24-C	59	55
PH24-S	183	55
PH30-C	74	55
PH30-S	198	55
PH36-C	84	55
PH36-S	214	55
PH3RD	98	91
PHS-A-C	11395	228
PHS-A-C-LB	12537	228
PHS-A-H	13515	228
PHS-A-H-LB	14867	228
PHS-S-C	9504	228
PHS-S-C-LB	10643	228
PHS-S-H	11734	228
PHS-S-H-LB	11920	228
PHS-S3-C	9812	228
PHS-S3-C-LB	10792	228
PHS-S3-H	12352	228
PHS-S3-H-LB	14038	228
PHS-SUPCRT-A	1065	228
PHSE-S-C	7949	228
PHSE-S-H	9716	228
PLASTIC SPLIT SLEEVES	8	47
POST CAP	4	47
POST CLAMP	12	47
PR12VU	92	90
PR14B	196	90
PR18B	215	90
PR21B	219	90
PR24B	283	90
PR30VU	147	90
PR45VU	183	90
PRT108-C	338	208
PRT120-C	350	208
PRT132-C	377	208
PRT144-C	410	208
PRT30-C	139	208
PRT36-C	162	208
PRT48-C	180	208
PRT60-C	210	208
PRT72-C	244	208
PRT84-C	284	208
PRT96-C	333	208
PS2408	332	198
PS3612	362	198
PS4816	375	198
PS6020	465	198
PW14C	97	97
PW14S	275	97
PW14VG	97	97
PW33C	122	97
PW33S	439	97
PW33VG	122	97
PW54C	154	97
PW54S	445	97
PW54VG	154	97
PW63C	156	97
PW63S	455	97
PW63VG	156	97
PWB14C	84	97
PWB14S	270	97
PWB14VG	84	97
PWB18C	85	97
PWB18S	275	97
PWB18VG	85	97
PWB21C	86	97
PWB21S	292	97
PWB21VG	86	97
PWB24C	93	97
PWB24S	299	97
PWB24VG	93	97
PWE14-1C	345	96
PWE14-1S	929	96
PWE14-1VG	345	96
PWE14-2C	555	96
PWE14-2S	1699	96

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
PWE14-2VG	555	96
PWE14-3C	770	96
PWE14-3S	2183	96
PWE14-3VG	770	96
PWE14-4C	929	96
PWE14-4S	2677	96
PWE14-4VG	929	96
PWE18-1C	349	96
PWE18-1S	987	96
PWE18-1VG	349	96
PWE18-2C	555	96
PWE18-2S	1773	96
PWE18-2VG	555	96
PWE18-3C	773	96
PWE18-3S	2285	96
PWE18-3VG	773	96
PWE18-4C	934	96
PWE18-4S	2816	96
PWE18-4VG	934	96
PWE21-1C	353	96
PWE21-1S	997	96
PWE21-1VG	353	96
PWE21-2C	573	96
PWE21-2S	1784	96
PWE21-2VG	573	96
PWE21-3C	799	96
PWE21-3S	2300	96
PWE21-3VG	799	96
PWE21-4C	973	96
PWE21-4S	2816	96
PWE21-4VG	973	96
PWE24-1C	353	96
PWE24-1S	1017	96
PWE24-1VG	353	96
PWE24-2C	580	96
PWE24-2S	1823	96
PWE24-2VG	580	96
PWE24-3C	809	96
PWE24-3S	2355	96
PWE24-3VG	809	96
PWE24-4C	982	96
PWE24-4S	2909	96
PWE24-4VG	982	96
PWM14-1C	220	96
PWM14-1S	617	96
PWM14-1VG	220	96
PWM14-2C	376	96
PWM14-2S	1118	96
PWM14-2VG	376	96
PWM14-3C	529	96
PWM14-3S	1489	96
PWM14-3VG	529	96
PWM14-4C	655	96
PWM14-4S	1865	96
PWM14-4VG	655	96
PWM18-1C	226	96
PWM18-1S	637	96
PWM18-1VG	226	96
PWM18-2C	377	96
PWM18-2S	1164	96
PWM18-2VG	377	96
PWM18-3C	537	96
PWM18-3S	1543	96
PWM18-3VG	537	96
PWM18-4C	662	96
PWM18-4S	1797	96
PWM18-4VG	662	96
PWM21-1C	232	96
PWM21-1S	648	96
PWM21-1VG	232	96
PWM21-2C	403	96
PWM21-2S	1176	96
PWM21-2VG	403	96
PWM21-3C	564	96
PWM21-3S	1565	96
PWM21-3VG	564	96
PWM21-4C	704	96
PWM21-4S	1927	96
PWM21-4VG	704	96
PWM24-1C	236	96
PWM24-1S	653	96
PWM24-1VG	236	96
PWM24-2C	403	96
PWM24-2S	1180	96
PWM24-2VG	403	96
PWM24-3C	567	96
PWM24-3S	1585	96
PWM24-3VG	567	96
PWM24-4C	707	96
PWM24-4S	1997	96
PWM24-4VG	707	96
PWTFT-1215	17753	267
QA1424C	172	11
QA1424E	189	11
QA1424S	487	11
QA1424V	166	11
QA1424VG	166	11
QA1424Z	156	11
QA1430C	177	11
QA1430E	195	11
QA1430S	494	11
QA1430V	174	11
QA1430VG	174	11
QA1430Z	166	11
QA1436C	182	11,43
QA1436E	203	11,43
QA1436S	495	11,43
QA1436V	184	11
QA1436VG	184	11
QA1436Z	170	11
QA1442C	198	11
QA1442E	219	11
QA1442S	592	11
QA1442V	208	11
QA1442VG	208	11
QA1442Z	182	11
QA1448C	205	11,43
QA1448E	230	11,43
QA1448S	593	11,43
QA1448V	214	11
QA1448VG	214	11
QA1448Z	189	11
QA1454C	214	11
QA1454E	242	11
QA1454S	726	11
QA1454V	216	11
QA1454VG	216	11
QA1454Z	203	11
QA1460C	219	11,43
QA1460E	250	11,43
QA1460S	742	11,43
QA1460V	242	11
QA1460VG	242	11
QA1460Z	214	11
QA1472C	250	11
QA1472E	276	11
QA1472S	830	11
QA1472V	255	11
QA1472VG	255	11
QA1472Z	239	11
QA1824C	182	11
QA1824E	214	11
QA1824S	586	11
QA1824V	180	11
QA1824VG	180	11
QA1824Z	180	11
QA1830C	186	11
QA1830E	215	11
QA1830S	592	11
QA1830V	197	11
QA1830VG	197	11
QA1830Z	183	11
QA1836C	192	11
QA1836E	218	11
QA1836S	596	11
QA1836V	209	11
QA1836VG	209	11
QA1836Z	189	11
QA1842C	214	11
QA1842E	250	11
QA1842S	693	11
QA1842V	220	11
QA1842VG	220	11
QA1842Z	205	11
QA1848C	216	11
QA1848E	255	11
QA1848S	704	11
QA1848V	242	11
QA1848VG	242	11
QA1848Z	214	11
QA1854C	242	11
QA1854E	280	11
QA1854S	869	11
QA1854V	255	11
QA1854VG	255	11
QA1854Z	230	11
QA1860C	245	11
QA1860E	293	11
QA1860S	880	11
QA1860V	267	11
QA1860VG	267	11
QA1860Z	239	11
QA1872C	277	11
QA1872E	322	11
QA1872S	1033	11
QA1872V	309	11
QA1872VG	309	11
QA1872Z	267	11
QA2124C	205	11
QA2124E	230	11
QA2124S	664	11
QA2124V	195	11
QA2124VG	195	11
QA2124Z	192	11
QA2130C	214	11
QA2130E	239	11
QA2130S	676	11
QA2130V	214	11
QA2130VG	214	11
QA2130Z	195	11
QA2136C	215	11
QA2136E	243	11
QA2136S	683	11
QA2136V	230	11
QA2136VG	230	11
QA2136Z	203	11
QA2142C	232	11
QA2142E	267	11
QA2142S	772	11
QA2142V	245	11
QA2142VG	245	11
QA2142Z	216	11
QA2148C	242	11
QA2148E	270	11
QA2148S	776	11
QA2148V	255	11
QA2148VG	255	11
QA2148Z	219	11
QA2154C	264	11
QA2154E	304	11
QA2154S	1006	11
QA2154V	275	11
QA2154VG	275	11
QA2154Z	255	11
QA2160C	269	11
QA2160E	314	11
QA2160S	1012	11
QA2160V	277	11
QA2160VG	277	11
QA2160Z	256	11
QA2172C	315	11
QA2172E	367	11
QA2172S	1189	11
QA2172V	337	11
QA2172VG	337	11
QA2172Z	303	11
QA2424C	214	11
QA2424E	248	11
QA2424S	719	11
QA2424V	215	11
QA2424VG	215	11
QA2424Z	203	11
QA2430C	216	11
QA2430E	252	11
QA2430S	722	11
QA2430V	230	11
QA2430VG	230	11
QA2430Z	208	11
QA2436C	219	11,43
QA2436E	256	11,43
QA2436S	729	11,43
QA2436V	243	11
QA2436VG	243	11
QA2436Z	214	11
QA2442C	252	11
QA2442E	295	11
QA2442S	864	11
QA2442V	260	11
QA2442VG	260	11
QA2442Z	239	11
QA2448C	256	11,43
QA2448E	303	11,43
QA2448S	867	11,43
QA2448V	278	11
QA2448VG	278	11
QA2448Z	243	11
QA2454C	292	11
QA2454E	338	11
QA2454S	1047	11
QA2454V	306	11
QA2454VG	306	11
QA2454Z	276	11
QA2460C	294	11,43
QA2460E	345	11,43
QA2460S	1055	11,43
QA2460V	322	11

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
QA2460VG	322	11
QA2460Z	278	11
QA2472C	337	11
QA2472E	394	11
QA2472S	1300	11
QA2472V	375	11
QA2472VG	375	11
QA2472Z	317	11
QAR1424C	182	12
QAR1424E	203	12
QAR1424S	516	12
QAR1424V	176	12
QAR1424VG	176	12
QAR1424Z	170	12
QAR1436C	193	12
QAR1436E	215	12
QAR1436S	526	12
QAR1436V	197	12
QAR1436VG	197	12
QAR1436Z	180	12
QAR1448C	216	12
QAR1448E	248	12
QAR1448S	630	12
QAR1448V	220	12
QAR1448VG	220	12
QAR1448Z	193	12
QAR1824C	192	12
QAR1824E	220	12
QAR1824S	623	12
QAR1824V	195	12
QAR1824VG	195	12
QAR1824Z	189	12
QAR1836C	205	12
QAR1836E	232	12
QAR1836S	637	12
QAR1836V	218	12
QAR1836VG	218	12
QAR1836Z	203	12
QAR1848C	229	12
QAR1848E	270	12
QAR1848S	747	12
QAR1848V	254	12
QAR1848VG	254	12
QAR1848Z	220	12
QAR2124C	198	12
QAR2124E	236	12
QAR2124S	642	12
QAR2124V	209	12
QAR2124VG	209	12
QAR2124Z	197	12
QAR2136C	228	12
QAR2136E	255	12
QAR2136S	720	12
QAR2136V	248	12
QAR2136VG	248	12
QAR2136Z	215	12
QAR2148C	254	12
QAR2148E	292	12
QAR2148S	827	12
QAR2148V	270	12
QAR2148VG	270	12
QAR2148Z	239	12
QAR2424C	220	12
QAR2424E	263	12
QAR2424S	765	12
QAR2424V	226	12
QAR2424VG	226	12
QAR2424Z	216	12
QAR2436C	239	12
QAR2436E	272	12
QAR2436S	776	12
QAR2436V	255	12
QAR2436VG	255	12
QAR2436Z	226	12
QAR2448C	272	12
QAR2448E	319	12
QAR2448S	920	12
QAR2448V	300	12
QAR2448VG	300	12
QAR2448Z	255	12
QDR2436-S	630	16
QDR2436-V	465	16
QDR2448-S	688	16
QDR2448-V	485	16
QDR2460-S	759	16
QDR2460-V	510	16
QL18W-1C	58	16
QL18W-1V	59	16
QL18W-4C	59	16
QL18W-4V	60	16
QL21W-1C	60	16
QL21W-1V	62	16
QL21W-4C	63	16
QL21W-4V	66	16
QL24L-1C	62	16
QL24L-1V	63	16
QL24L-4C	63	16
QL24L-4V	66	16
QL24W-1C	62	16
QL24W-1V	63	16
QL24W-4C	63	16
QL24W-4V	66	16
QL30L-1C	74	16
QL30L-1V	77	16
QL30L-4C	83	16
QL30L-4V	84	16
QL36L-1C	86	16
QL36L-1V	87	16
QL36L-4C	97	16
QL36L-4V	98	16
QL42L-1C	92	16
QL42L-1V	93	16
QL42L-4C	98	16
QL42L-4V	99	16
QL48L-1C	93	16
QL48L-1V	94	16
QL48L-4C	99	16
QL48L-4V	103	16
QL54L-1C	99	16
QL54L-1V	103	16
QL54L-4C	104	16
QL54L-4V	106	16
QL60L-1C	115	16
QL60L-1V	116	16
QL60L-4C	119	16
QL60L-4V	120	16
QL72L-1C	122	16
QL72L-1V	125	16
QL72L-4C	130	16
QL72L-4V	132	16
QPAF-QA1824C	236	14
QPAF-QA1824V	242	14
QPAF-QA1830C	239	14
QPAF-QA1830V	244	14
QPAF-QA1836C	239	14
QPAF-QA1836V	244	14
QPAF-QA1842C	243	14
QPAF-QA1842V	248	14
QPAF-QA1848C	245	14
QPAF-QA1848V	252	14
QPAF-QA1854C	254	14
QPAF-QA1854V	258	14
QPAF-QA1860C	256	14
QPAF-QA1860V	263	14
QPAF-QA1872C	258	14
QPAF-QA1872V	264	14
QPAF-QA2424C	248	14
QPAF-QA2424V	254	14
QPAF-QA2430C	254	14
QPAF-QA2430V	258	14
QPAF-QA2436C	258	14
QPAF-QA2436V	264	14
QPAF-QA2442C	264	14
QPAF-QA2442V	270	14
QPAF-QA2448C	270	14
QPAF-QA2448V	275	14
QPAF-QA2454C	275	14
QPAF-QA2454V	278	14
QPAF-QA2460C	276	14
QPAF-QA2460V	280	14
QPAF-QA2472C	289	14
QPAF-QA2472V	294	14
QPAF-1824C	115	14
QPAF-1824V	116	14
QPAF-1830C	117	14
QPAF-1830V	118	14
QPAF-1836C	119	14
QPAF-1836V	120	14
QPAF-1842C	122	14
QPAF-1842V	125	14
QPAF-1848C	127	14
QPAF-1848V	128	14
QPAF-1854C	128	14
QPAF-1854V	130	14
QPAF-1860C	132	14
QPAF-1860V	133	14
QPAF-1872C	136	14
QPAF-1872V	139	14
QPAF-2424C	128	14
QPAF-2424V	130	14
QPAF-2430C	133	14
QPAF-2430V	136	14
QPAF-2436C	137	14
QPAF-2436V	140	14
QPAF-2442C	140	14
QPAF-2442V	144	14
QPAF-2448C	149	14
QPAF-2448V	155	14
QPAF-2454C	152	14
QPAF-2454V	156	14
QPAF-2460C	152	14
QPAF-2460V	156	14
QPAF-2472C	170	14
QPAF-2472V	174	14
QPB1816C-6	365	14
QPB1816C-9	393	14
QPB1816V-6	375	14
QPB1816V-9	400	14
QPB1822C-6	406	14
QPB1822C-9	436	14
QPB1822V-6	415	14
QPB1822V-9	443	14
QPB2416C-6	380	14
QPB2416C-9	407	14
QPB2416V-6	387	14
QPB2416V-9	416	14
QPB2422C-6	420	14
QPB2422C-9	448	14
QPB2422V-6	432	14
QPB2422V-9	460	14
QPF-1824C-BL	159	13
QPF-1824C-BS	169	13
QPF-1824V-BL	169	13
QPF-1824V-BS	177	13
QPF-1830C-BL	169	13
QPF-1830C-BS	177	13
QPF-1830V-BL	177	13
QPF-1830V-BS	185	13
QPF-1836C-BL	169	13
QPF-1836C-BS	177	13
QPF-1836V-BL	177	13
QPF-1836V-BS	185	13
QPF-1842C-BL	203	13
QPF-1842C-BS	215	13
QPF-1842V-BL	214	13
QPF-1842V-BS	223	13
QPF-1848C-BL	203	13
QPF-1848C-BS	215	13
QPF-1848V-BL	214	13
QPF-1848V-BS	223	13
QPF-1854C-BL	239	13
QPF-1854C-BS	252	13
QPF-1854V-BL	252	13
QPF-1854V-BS	264	13
QPF-1860C-BL	239	13
QPF-1860C-BS	252	13
QPF-1860V-BL	252	13
QPF-1860V-BS	264	13
QPF-1872C-BL	272	13
QPF-1872C-BS	287	13
QPF-1872V-BL	287	13
QPF-1872V-BS	300	13
QPF-2124C-BL	182	13
QPF-2124C-BS	189	13
QPF-2124V-BL	189	13
QPF-2124V-BS	198	13
QPF-2130C-BL	185	13
QPF-2130C-BS	195	13
QPF-2130V-BL	195	13
QPF-2130V-BS	208	13
QPF-2136C-BL	185	13
QPF-2136C-BS	195	13
QPF-2136V-BL	195	13
QPF-2136V-BS	208	13
QPF-2142C-BL	218	13
QPF-2142C-BS	229	13
QPF-2142V-BL	229	13
QPF-2142V-BS	243	13
QPF-2148C-BL	218	13
QPF-2148C-BS	229	13
QPF-2148V-BL	229	13
QPF-2148V-BS	243	13
QPF-2154C-BL	256	13
QPF-2154C-BS	272	13
QPF-2154V-BL	270	13
QPF-2154V-BS	287	13
QPF-2160C-BL	256	13
QPF-2160C-BS	272	13
QPF-2160V-BL	270	13
QPF-2160V-BS	287	13
QPF-2172C-BL	314	13
QPF-2172C-BS	332	13
QPF-2172V-BL	330	13
QPF-2172V-BS	350	13
QPF-2424C-BL	198	13
QPF-2424C-BS	214	13

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
QPF-2424V-BL	210	13
QPF-2424V-BS	220	13
QPF-2430C-BL	203	13
QPF-2430C-BS	216	13
QPF-2430V-BL	215	13
QPF-2430V-BS	226	13
QPF-2436C-BL	203	13
QPF-2436C-BS	216	13
QPF-2436V-BL	215	13
QPF-2436V-BS	226	13
QPF-2442C-BL	248	13
QPF-2442C-BS	258	13
QPF-2442V-BL	260	13
QPF-2442V-BS	272	13
QPF-2448C-BL	248	13
QPF-2448C-BS	258	13
QPF-2448V-BL	260	13
QPF-2448V-BS	272	13
QPF-2454C-BL	294	13
QPF-2454C-BS	307	13
QPF-2454V-BL	307	13
QPF-2454V-BS	322	13
QPF-2460C-BL	294	13
QPF-2460C-BS	307	13
QPF-2460V-BL	307	13
QPF-2460V-BS	322	13
QPF-2472C-BL	343	13
QPF-2472C-BS	359	13
QPF-2472V-BL	359	13
QPF-2472V-BS	378	13
QPF-QA1824C-BL	186	13
QPF-QA1824C-BS	195	13
QPF-QA1824V-BL	195	13
QPF-QA1824V-BS	209	13
QPF-QA1830C-BL	195	13
QPF-QA1830C-BS	209	13
QPF-QA1830V-BL	209	13
QPF-QA1830V-BS	218	13
QPF-QA1836C-BL	195	13
QPF-QA1836C-BS	209	13
QPF-QA1836V-BL	209	13
QPF-QA1836V-BS	218	13
QPF-QA1842C-BL	239	13
QPF-QA1842C-BS	252	13
QPF-QA1842V-BL	248	13
QPF-QA1842V-BS	264	13
QPF-QA1848C-BL	239	13
QPF-QA1848C-BS	252	13
QPF-QA1848V-BL	248	13
QPF-QA1848V-BS	264	13
QPF-QA1854C-BL	278	13
QPF-QA1854C-BS	295	13
QPF-QA1854V-BL	295	13
QPF-QA1854V-BS	309	13
QPF-QA1860C-BL	278	13
QPF-QA1860C-BS	295	13
QPF-QA1860V-BL	295	13
QPF-QA1860V-BS	309	13
QPF-QA1872C-BL	319	13
QPF-QA1872C-BS	334	13
QPF-QA1872V-BL	334	13
QPF-QA1872V-BS	354	13
QPF-QA2124C-BL	215	13
QPF-QA2124C-BS	220	13
QPF-QA2124V-BL	220	13
QPF-QA2124V-BS	232	13
QPF-QA2130C-BL	218	13
QPF-QA2130C-BS	229	13
QPF-QA2130V-BL	229	13
QPF-QA2130V-BS	243	13
QPF-QA2136C-BL	218	13
QPF-QA2136C-BS	229	13
QPF-QA2136V-BL	229	13
QPF-QA2136V-BS	243	13
QPF-QA2142C-BL	256	13
QPF-QA2142C-BS	270	13
QPF-QA2142V-BL	270	13
QPF-QA2142V-BS	284	13
QPF-QA2148C-BL	256	13
QPF-QA2148C-BS	270	13
QPF-QA2148V-BL	270	13
QPF-QA2148V-BS	284	13
QPF-QA2154C-BL	303	13
QPF-QA2154C-BS	319	13
QPF-QA2154V-BL	318	13
QPF-QA2154V-BS	334	13
QPF-QA2160C-BL	303	13
QPF-QA2160C-BS	319	13
QPF-QA2160V-BL	318	13
QPF-QA2160V-BS	334	13
QPF-QA2172C-BL	366	13
QPF-QA2172C-BS	392	13
QPF-QA2172V-BL	387	13
QPF-QA2172V-BS	408	13
QPF-QA2424C-BL	232	13
QPF-QA2424C-BS	248	13
QPF-QA2424V-BL	245	13
QPF-QA2424V-BS	260	13
QPF-QA2430C-BL	239	13
QPF-QA2430C-BS	254	13
QPF-QA2430V-BL	252	13
QPF-QA2430V-BS	267	13
QPF-QA2436C-BL	239	13
QPF-QA2436C-BS	254	13
QPF-QA2436V-BL	252	13
QPF-QA2436V-BS	267	13
QPF-QA2442C-BL	293	13
QPF-QA2442C-BS	304	13
QPF-QA2442V-BL	306	13
QPF-QA2442V-BS	319	13
QPF-QA2448C-BL	293	13
QPF-QA2448C-BS	304	13
QPF-QA2448V-BL	306	13
QPF-QA2448V-BS	319	13
QPF-QA2454C-BL	345	13
QPF-QA2454C-BS	362	13
QPF-QA2454V-BL	362	13
QPF-QA2454V-BS	380	13
QPF-QA2460C-BL	345	13
QPF-QA2460C-BS	362	13
QPF-QA2460V-BL	362	13
QPF-QA2460V-BS	380	13
QPF-QA2472C-BL	405	13
QPF-QA2472C-BS	426	13
QPF-QA2472V-BL	426	13
QPF-QA2472V-BS	444	13
QPMU1836C-B5-74	1399	15
QPMU1836V-B5-74	1177	15
QPMU1848C-B5-74	1593	15
QPMU1848V-B5-74	1367	15
QPMU1860C-B5-74	1815	15
QPMU1860V-B5-74	1589	15
QPMU2136C-B5-74	1505	15
QPMU2136V-B5-74	1278	15
QPMU2148C-B5-74	1695	15
QPMU2148V-B5-74	1470	15
QPMU2160C-B5-74	1925	15
QPMU2160V-B5-74	1700	15
QPMU2436C-B5-74	1608	15
QPMU2436V-B5-74	1386	15
QPMU2448C-B5-74	1863	15
QPMU2448V-B5-74	1640	15
QPMU2460C-B5-74	2132	15
QPMU2460V-B5-74	1907	15
QPSD18-C	125	16
QPSD18-V	127	16
QPSD21-C	127	16
QPSD21-V	130	16
QPSD24-C	136	16
QPSD24-V	137	16
QPSU1836C-B5-74	1338	15
QPSU1836V-B5-74	1116	15
QPSU1848C-B5-74	1537	15
QPSU1848V-B5-74	1314	15
QPSU1860C-B5-74	1739	15
QPSU1860V-B5-74	1515	15
QPSU2136C-B5-74	1444	15
QPSU2136V-B5-74	1219	15
QPSU2148C-B5-74	1626	15
QPSU2148V-B5-74	1399	15
QPSU2160C-B5-74	1840	15
QPSU2160V-B5-74	1616	15
QPSU2436C-B5-74	1540	15
QPSU2436V-B5-74	1316	15
QPSU2448C-B5-74	1788	15
QPSU2448V-B5-74	1563	15
QPSU2460C-B5-74	2040	15
QPSU2460V-B5-74	1815	15
QTR24361-S	406	15
QTR24361-V	375	15
QTR24363-S	398	15
QTR24363-V	366	15
QTR24481-S	436	15
QTR24481-V	392	15
QTR24483-S	428	15
QTR24483-V	386	15
QTR24601-S	469	15
QTR24601-V	416	15
QTR24603-S	464	15
QTR24603-V	408	15
R1836Z-13	304	171
R1836Z-7	342	171
R54-C	22	48
R54-S	63	48
R63-C	25	48,154
R63-S	72	48
R74-C	26	48
R74-S	82	48
R86-C	29	48
R86-S	85	48
RETAINING CLAMP	7	47
RH36-C	132	179
RH48-C	137	179
RH60-C	140	179
RM1436BL	119	25
RM1436C	118	25
RM1436R	119	25
RM1436W	119	25
RM1436Z	104	25
RM1448BL	136	25
RM1448C	133	25
RM1448R	136	25
RM1448W	136	25
RM1448Z	120	25
RM1836BL	122	25
RM1836C	120	25
RM1836R	122	25
RM1836W	122	25
RM1836Z	120	25
RM1848BL	147	25
RM1848C	145	25
RM1848R	147	25
RM1848W	147	25
RM1848Z	140	25
RM2136BL	145	25
RM2136C	144	25
RM2136R	145	25
RM2136W	145	25
RM2136Z	133	25
RM2148BL	170	25
RM2148C	169	25
RM2148R	170	25
RM2148W	170	25
RM2148Z	152	25
RM2424BL	144	25
RM2424C	143	25
RM2424R	144	25
RM2424W	144	25
RM2424Z	133	25
RM2436BL	155	25
RM2436C	152	25
RM2436R	155	25
RM2436W	155	25
RM2436Z	143	25
RM2448BL	184	25
RM2448C	183	25
RM2448R	184	25
RM2448W	184	25
RM2448Z	170	25
RS4-63-A1436BL	889	23
RS4-63-A1436C	880	23
RS4-63-A1448BL	947	23
RS4-63-A1448C	938	23
RS4-63-A1836BL	949	23
RS4-63-A1836C	939	23
RS4-63-A1848BL	1026	23
RS4-63-A1848C	1016	23
RS4-63-A2136BL	975	23
RS4-63-A2136C	966	23
RS4-63-A2148BL	1080	23
RS4-63-A2148C	1063	23
RS4-63-A2436BL	1036	23
RS4-63-A2436C	1026	23
RS4-63-A2448BL	1182	23
RS4-63-A2448C	1172	23
RS4-74-A1436BL	945	23
RS4-74-A1436C	937	23
RS4-74-A1448BL	1004	23
RS4-74-A1448C	994	23
RS4-74-A1836BL	1007	23
RS4-74-A1836C	999	23
RS4-74-A1848BL	1085	23
RS4-74-A1848C	1074	23
RS4-74-A2136BL	1036	23
RS4-74-A2136C	1026	23
RS4-74-A2148BL	1133	23
RS4-74-A2148C	1122	23
RS4-74-A2436BL	1093	23
RS4-74-A2436C	1083	23
RS4-74-A2448BL	1236	23
RS4-74-A2448C	1223	23
S-HOOKS-SK	16	47
S1-3B-SSW1824C	215	94
S1-3B-SSW1830C	239	94
S1-3B-SSW1836C	254	94
S1-3B-SSW1842C	276	94

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
S1-3B-SSW1848C	292	94
S1-3B-SSW1860C	339	94
S14-20-1-SL	3022	222
S14-20-2-18-SL	5526	222
S14-20-2-18L-SL	5253	222
S14-20-2-18R-SL	5253	222
S14-20-3-18-SL	7292	222
S14-20-3-18L-SL	6927	222
S14-20-3-18R-SL	6927	222
S14-20-3-24-SL	7606	222
S14-20-3-24L-SL	7223	222
S14-20-3-24R-SL	7223	222
S14-28-3-18-SL	9233	222
S16-20-1	2663	222
S16-20-2-18	4865	222
S16-20-2-18L	4625	222
S16-20-2-18R	4625	222
S16-20-3-18	6415	222
S16-20-3-18L	6095	222
S16-20-3-18R	6095	222
S16-20-3-24	6689	222
S16-20-3-24L	6356	222
S16-20-3-24R	6356	222
S16-28-3-18	8118	222
S1848-WGRT	929	128
S1860-WGRT	1066	128
S1872-WGRT	1244	128
S2-3B-SSW1824C	325	94
S2-3B-SSW1830C	374	94
S2-3B-SSW1836C	403	94
S2-3B-SSW1842C	455	94
S2-3B-SSW1848C	478	94
S2-3B-SSW1860C	577	94
S2448-CGRN	4628	126
S2448-CGRR	4012	126
S2448-DGRN	6923	126
S2448-DGRR	6277	126
S2448-GRT	1670	127
S2448-SGRN	4628	126
S2448-SGRR	4012	126
S2460-CGRN	4732	126
S2460-CGRR	4094	126
S2460-DGRN	7205	126
S2460-DGRR	6658	126
S2460-GRT	1823	127
S2460-SGRN	4732	126
S2460-SGRR	4094	126
S2472-CGRN	4808	126
S2472-CGRR	4198	126
S2472-DGRN	7519	126
S2472-DGRR	6873	126
S2472-GRT	2018	127
S2472-SGRN	4808	126
S2472-SGRR	4198	126
S2484-CGRN	5154	126
S2484-CGRR	4510	126
S2484-DGRN	7850	126
S2484-DGRR	7207	126
S2484-SGRN	5155	126
S2484-SGRR	4510	126
S3-3B-SSW1824C	436	94
S3-3B-SSW1830C	504	94
S3-3B-SSW1836C	550	94
S3-3B-SSW1842C	633	94
S3-3B-SSW1848C	664	94
S3-3B-SSW1860C	814	94
S3-5B-SSW1824C	473	94
S3-5B-SSW1830C	539	94
S3-5B-SSW1836C	588	94
S3-5B-SSW1842C	672	94
S3-5B-SSW1848C	705	94
S3-5B-SSW1860C	850	94
S4-5B-SSW1824C	580	94
S4-5B-SSW1830C	678	94
S4-5B-SSW1836C	736	94
S4-5B-SSW1842C	849	94
S4-5B-SSW1848C	893	94
S4-5B-SSW1860C	1087	94
S4-63-1824C	625	18
S4-63-1824E	740	18
S4-63-1824S	2227	18
S4-63-1824V	648	18
S4-63-1824VG	648	18
S4-63-1824Z	603	18
S4-63-1830C	630	18
S4-63-1830E	764	18
S4-63-1830S	2255	18
S4-63-1830V	684	18
S4-63-1830VG	684	18
S4-63-1830Z	617	18
S4-63-1836C	648	18
S4-63-1836E	785	18
S4-63-1836S	2269	18
S4-63-1836V	705	18
S4-63-1836VG	705	18
S4-63-1836Z	630	18
S4-63-1842C	740	18
S4-63-1842E	899	18
S4-63-1842S	2616	18
S4-63-1842V	798	18
S4-63-1842VG	798	18
S4-63-1842Z	705	18
S4-63-1848C	740	18
S4-63-1848E	899	18
S4-63-1848S	2616	18
S4-63-1848V	798	18
S4-63-1848VG	798	18
S4-63-1848Z	705	18
S4-63-1860C	840	18
S4-63-1860E	1032	18
S4-63-1860S	3196	18
S4-63-1860V	937	18
S4-63-1860VG	937	18
S4-63-1860Z	789	18
S4-63-1872C	964	18
S4-63-1872E	1160	18
S4-63-1872S	3703	18
S4-63-1872V	1044	18
S4-63-1872VG	1044	18
S4-63-1872Z	958	18
S4-63-2124C	698	18
S4-63-2124E	814	18
S4-63-2124S	2504	18
S4-63-2124V	710	18
S4-63-2124VG	710	18
S4-63-2124Z	648	18
S4-63-2130C	710	18
S4-63-2130E	827	18
S4-63-2130S	2523	18
S4-63-2130V	747	18
S4-63-2130VG	747	18
S4-63-2130Z	660	18
S4-63-2136C	734	18
S4-63-2136E	864	18
S4-63-2136S	2537	18
S4-63-2136V	764	18
S4-63-2136VG	764	18
S4-63-2136Z	684	18
S4-63-2142C	820	18
S4-63-2142E	973	18
S4-63-2142S	2858	18
S4-63-2142V	864	18
S4-63-2142VG	864	18
S4-63-2142Z	754	18
S4-63-2148C	820	18
S4-63-2148E	973	18
S4-63-2148S	2858	18
S4-63-2148V	864	18
S4-63-2148VG	864	18
S4-63-2148Z	754	18
S4-63-2160C	937	18
S4-63-2160E	1099	18
S4-63-2160S	3647	18
S4-63-2160V	1000	18
S4-63-2160VG	1000	18
S4-63-2160Z	884	18
S4-63-2172C	1083	18
S4-63-2172E	1306	18
S4-63-2172S	4223	18
S4-63-2172V	1176	18
S4-63-2172VG	1176	18
S4-63-2172Z	1032	18
S4-63-2424C	727	18
S4-63-2424E	877	18
S4-63-2424S	2662	18
S4-63-2424V	754	18
S4-63-2424VG	754	18
S4-63-2424Z	684	18
S4-63-2430C	747	18
S4-63-2430E	895	18
S4-63-2430S	2675	18
S4-63-2430V	789	18
S4-63-2430VG	789	18
S4-63-2430Z	698	18
S4-63-2436C	764	18
S4-63-2436E	907	18
S4-63-2436S	2704	18
S4-63-2436V	807	18
S4-63-2436VG	807	18
S4-63-2436Z	719	18
S4-63-2442C	877	18
S4-63-2442E	1066	18
S4-63-2442S	3174	18
S4-63-2442V	937	18
S4-63-2442VG	937	18
S4-63-2442Z	827	18
S4-63-2448C	877	18
S4-63-2448E	1066	18
S4-63-2448S	3174	18
S4-63-2448V	937	18
S4-63-2448VG	937	18
S4-63-2448Z	827	18
S4-63-2460C	1016	18
S4-63-2460E	1223	18
S4-63-2460S	3769	18
S4-63-2460V	1099	18
S4-63-2460VG	1099	18
S4-63-2460Z	973	18
S4-63-2472C	1170	18
S4-63-2472E	1398	18
S4-63-2472S	4578	18
S4-63-2472V	1254	18
S4-63-2472VG	1254	18
S4-63-2472Z	1083	18
S4-74-1824C	640	18
S4-74-1824E	764	18
S4-74-1824S	2293	18
S4-74-1824V	660	18
S4-74-1824VG	660	18
S4-74-1824Z	610	18
S4-74-1830C	648	18
S4-74-1830E	785	18
S4-74-1830S	2319	18
S4-74-1830V	698	18
S4-74-1830VG	698	18
S4-74-1830Z	625	18
S4-74-1836C	660	18
S4-74-1836E	807	18
S4-74-1836S	2334	18
S4-74-1836V	719	18
S4-74-1836VG	719	18
S4-74-1836Z	640	18
S4-74-1842C	754	18
S4-74-1842E	922	18
S4-74-1842S	2683	18
S4-74-1842V	814	18
S4-74-1842VG	814	18
S4-74-1842Z	710	18
S4-74-1848C	754	18
S4-74-1848E	922	18
S4-74-1848S	2683	18
S4-74-1848V	814	18
S4-74-1848VG	814	18
S4-74-1848Z	710	18
S4-74-1860C	858	18
S4-74-1860E	1054	18
S4-74-1860S	3263	18
S4-74-1860V	950	18
S4-74-1860VG	950	18
S4-74-1860Z	798	18
S4-74-1872C	982	18
S4-74-1872E	1182	18
S4-74-1872S	3769	18
S4-74-1872V	1059	18
S4-74-1872VG	1059	18
S4-74-1872Z	964	18
S4-74-2124C	710	18
S4-74-2124E	836	18
S4-74-2124S	2566	18
S4-74-2124V	727	18
S4-74-2124VG	727	18
S4-74-2124Z	653	18
S4-74-2130C	727	18
S4-74-2130E	849	18
S4-74-2130S	2588	18
S4-74-2130V	764	18
S4-74-2130VG	764	18
S4-74-2130Z	666	18
S4-74-2136C	747	18
S4-74-2136E	884	18
S4-74-2136S	2603	18
S4-74-2136V	776	18
S4-74-2136VG	776	18
S4-74-2136Z	688	18
S4-74-2142C	836	18
S4-74-2142E	995	18
S4-74-2142S	2920	18
S4-74-2142V	877	18
S4-74-2142VG	877	18
S4-74-2142Z	764	18
S4-74-2148C	836	18
S4-74-2148E	995	18
S4-74-2148S	2920	18
S4-74-2148V	877	18
S4-74-2148VG	877	18
S4-74-2148Z	764	18

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
S4-74-2160C	950	18
S4-74-2160E	1123	18
S4-74-2160S	3709	18
S4-74-2160V	1016	18
S4-74-2160VG	1016	18
S4-74-2160Z	895	18
S4-74-2172C	1095	18
S4-74-2172E	1329	18
S4-74-2172S	4289	18
S4-74-2172V	1189	18
S4-74-2172VG	1189	18
S4-74-2172Z	1037	18
S4-74-2424C	740	18
S4-74-2424E	899	18
S4-74-2424S	2726	18
S4-74-2424V	770	18
S4-74-2424VG	770	18
S4-74-2424Z	688	18
S4-74-2430C	764	18
S4-74-2430E	915	18
S4-74-2430S	2740	18
S4-74-2430V	807	18
S4-74-2430VG	807	18
S4-74-2430Z	705	18
S4-74-2436C	776	18
S4-74-2436E	927	18
S4-74-2436S	2770	18
S4-74-2436V	820	18
S4-74-2436VG	820	18
S4-74-2436Z	727	18
S4-74-2442C	895	18
S4-74-2442E	1087	18
S4-74-2442S	3240	18
S4-74-2442V	950	18
S4-74-2442VG	950	18
S4-74-2442Z	836	18
S4-74-2448C	895	18
S4-74-2448E	1087	18
S4-74-2448S	3240	18
S4-74-2448V	950	18
S4-74-2448VG	950	18
S4-74-2448Z	836	18
S4-74-2460C	1032	18
S4-74-2460E	1248	18
S4-74-2460S	3834	18
S4-74-2460V	1118	18
S4-74-2460VG	1118	18
S4-74-2460Z	982	18
S4-74-2472C	1182	18
S4-74-2472E	1420	18
S4-74-2472S	4645	18
S4-74-2472V	1270	18
S4-74-2472VG	1270	18
S4-74-2472Z	1087	18
S5-5B-SSW1824C	686	94
S5-5B-SSW1830C	810	94
S5-5B-SSW1836C	884	94
S5-5B-SSW1842C	1026	94
S5-5B-SSW1848C	1082	94
S5-5B-SSW1860C	1327	94
S5-74-1824C	750	20
S5-74-1824E	897	20
S5-74-1824S	2726	20
S5-74-1824V	776	20
S5-74-1824VG	776	20
S5-74-1824Z	719	20
S5-74-1830C	760	20
S5-74-1830E	923	20
S5-74-1830S	2763	20
S5-74-1830V	822	20
S5-74-1830VG	822	20
S5-74-1830Z	738	20
S5-74-1836C	778	20
S5-74-1836E	950	20
S5-74-1836S	2778	20
S5-74-1836V	849	20
S5-74-1836VG	849	20
S5-74-1836Z	754	20
S5-74-1842C	897	20
S5-74-1842E	1095	20
S5-74-1842S	3215	20
S5-74-1842V	966	20
S5-74-1842VG	966	20
S5-74-1842Z	845	20
S5-74-1848C	897	20
S5-74-1848E	1095	20
S5-74-1848S	3215	20
S5-74-1848V	966	20
S5-74-1848VG	966	20
S5-74-1848Z	845	20
S5-74-1860C	1025	20
S5-74-1860E	1258	20
S5-74-1860S	3942	20
S5-74-1860V	1140	20
S5-74-1860VG	1140	20
S5-74-1860Z	955	20
S5-74-1872C	1177	20
S5-74-1872E	1420	20
S5-74-1872S	4573	20
S5-74-1872V	1275	20
S5-74-1872VG	1275	20
S5-74-1872Z	1162	20
S5-74-2124C	840	20
S5-74-2124E	986	20
S5-74-2124S	3072	20
S5-74-2124V	859	20
S5-74-2124VG	859	20
S5-74-2124Z	773	20
S5-74-2130C	862	20
S5-74-2130E	1005	20
S5-74-2130S	3097	20
S5-74-2130V	905	20
S5-74-2130VG	905	20
S5-74-2130Z	789	20
S5-74-2136C	885	20
S5-74-2136E	1050	20
S5-74-2136S	3116	20
S5-74-2136V	922	20
S5-74-2136VG	922	20
S5-74-2136Z	819	20
S5-74-2142C	997	20
S5-74-2142E	1184	20
S5-74-2142S	3514	20
S5-74-2142V	1047	20
S5-74-2142VG	1047	20
S5-74-2142Z	908	20
S5-74-2148C	997	20
S5-74-2148E	1184	20
S5-74-2148S	3514	20
S5-74-2148V	1047	20
S5-74-2148VG	1047	20
S5-74-2148Z	908	20
S5-74-2160C	1142	20
S5-74-2160E	1349	20
S5-74-2160S	4503	20
S5-74-2160V	1219	20
S5-74-2160VG	1219	20
S5-74-2160Z	1072	20
S5-74-2172C	1319	20
S5-74-2172E	1604	20
S5-74-2172S	5226	20
S5-74-2172V	1438	20
S5-74-2172VG	1438	20
S5-74-2172Z	1253	20
S5-74-2424C	877	20
S5-74-2424E	1067	20
S5-74-2424S	3269	20
S5-74-2424V	910	20
S5-74-2424VG	910	20
S5-74-2424Z	819	20
S5-74-2430C	906	20
S5-74-2430E	1086	20
S5-74-2430S	3288	20
S5-74-2430V	958	20
S5-74-2430VG	958	20
S5-74-2430Z	837	20
S5-74-2436C	923	20
S5-74-2436E	1103	20
S5-74-2436S	3325	20
S5-74-2436V	975	20
S5-74-2436VG	975	20
S5-74-2436Z	864	20
S5-74-2442C	1067	20
S5-74-2442E	1304	20
S5-74-2442S	3914	20
S5-74-2442V	1140	20
S5-74-2442VG	1140	20
S5-74-2442Z	999	20
S5-74-2448C	1067	20
S5-74-2448E	1304	20
S5-74-2448S	3914	20
S5-74-2448V	1140	20
S5-74-2448VG	1140	20
S5-74-2448Z	999	20
S5-74-2460C	1242	20
S5-74-2460E	1504	20
S5-74-2460S	4654	20
S5-74-2460V	1347	20
S5-74-2460VG	1347	20
S5-74-2460Z	1180	20
S5-74-2472C	1429	20
S5-74-2472E	1720	20
S5-74-2472S	5666	20
S5-74-2472V	1536	20
S5-74-2472VG	1536	20
S5-74-2472Z	1316	20
S5-86-1824C	795	20
S5-86-1824E	932	20
S5-86-1824S	2798	20
S5-86-1824V	820	20
S5-86-1824VG	820	20
S5-86-1824Z	754	20
S5-86-1830C	803	20
S5-86-1830E	959	20
S5-86-1830S	2834	20
S5-86-1830V	865	20
S5-86-1830VG	865	20
S5-86-1830Z	773	20
S5-86-1836C	822	20
S5-86-1836E	986	20
S5-86-1836S	2855	20
S5-86-1836V	895	20
S5-86-1836VG	895	20
S5-86-1836Z	789	20
S5-86-1842C	939	20
S5-86-1842E	1130	20
S5-86-1842S	3288	20
S5-86-1842V	1008	20
S5-86-1842VG	1008	20
S5-86-1842Z	882	20
S5-86-1848C	939	20
S5-86-1848E	1130	20
S5-86-1848S	3288	20
S5-86-1848V	1008	20
S5-86-1848VG	1008	20
S5-86-1848Z	882	20
S5-86-1860C	1066	20
S5-86-1860E	1295	20
S5-86-1860S	4010	20
S5-86-1860V	1182	20
S5-86-1860VG	1182	20
S5-86-1860Z	993	20
S5-86-1872C	1219	20
S5-86-1872E	1456	20
S5-86-1872S	4645	20
S5-86-1872V	1317	20
S5-86-1872VG	1317	20
S5-86-1872Z	1200	20
S5-86-2124C	884	20
S5-86-2124E	1025	20
S5-86-2124S	3140	20
S5-86-2124V	903	20
S5-86-2124VG	903	20
S5-86-2124Z	809	20
S5-86-2130C	905	20
S5-86-2130E	1040	20
S5-86-2130S	3169	20
S5-86-2130V	947	20
S5-86-2130VG	947	20
S5-86-2130Z	827	20
S5-86-2136C	929	20
S5-86-2136E	1086	20
S5-86-2136S	3188	20
S5-86-2136V	964	20
S5-86-2136VG	964	20
S5-86-2136Z	855	20
S5-86-2142C	1038	20
S5-86-2142E	1220	20
S5-86-2142S	3585	20
S5-86-2142V	1093	20
S5-86-2142VG	1093	20
S5-86-2142Z	945	20
S5-86-2148C	1038	20
S5-86-2148E	1220	20
S5-86-2148S	3585	20
S5-86-2148V	1093	20
S5-86-2148VG	1093	20
S5-86-2148Z	945	20
S5-86-2160C	1183	20
S5-86-2160E	1387	20
S5-86-2160S	4573	20
S5-86-2160V	1264	20
S5-86-2160VG	1264	20
S5-86-2160Z	1109	20
S5-86-2172C	1365	20
S5-86-2172E	1640	20
S5-86-2172S	5297	20
S5-86-2172V	1480	20
S5-86-2172VG	1480	20
S5-86-2172Z	1289	20
S5-86-2424C	922	20
S5-86-2424E	1103	20
S5-86-2424S	3342	20
S5-86-2424V	956	20
S5-86-2424VG	956	20
S5-86-2424Z	855	20

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
S5-86-2430C	949	20
S5-86-2430E	1122	20
S5-86-2430S	3358	20
S5-86-2430V	1000	20
S5-86-2430VG	1000	20
S5-86-2430Z	873	20
S5-86-2436C	966	20
S5-86-2436E	1142	20
S5-86-2436S	3395	20
S5-86-2436V	1018	20
S5-86-2436VG	1018	20
S5-86-2436Z	899	20
S5-86-2442C	1115	20
S5-86-2442E	1339	20
S5-86-2442S	3984	20
S5-86-2442V	1182	20
S5-86-2442VG	1182	20
S5-86-2442Z	1036	20
S5-86-2448C	1115	20
S5-86-2448E	1339	20
S5-86-2448S	3984	20
S5-86-2448V	1182	20
S5-86-2448VG	1182	20
S5-86-2448Z	1036	20
S5-86-2460C	1283	20
S5-86-2460E	1537	20
S5-86-2460S	4726	20
S5-86-2460V	1392	20
S5-86-2460VG	1392	20
S5-86-2460Z	1217	20
S5-86-2472C	1474	20
S5-86-2472E	1753	20
S5-86-2472S	5742	20
S5-86-2472V	1582	20
S5-86-2472VG	1582	20
S5-86-2472Z	1354	20
SB-1	543	209
SB48	116	157
SB60	132	157
SBPR-108-A	973	95,216
SBPR-108-S	1263	95,216
SBPR-120-A	999	95,216
SBPR-120-S	1326	95,216
SBPR-24-A	294	95,216
SBPR-24-S	395	95,216
SBPR-36-A	445	95,216
SBPR-36-S	559	95,216
SBPR-48-A	474	95,216
SBPR-48-S	627	95,216
SBPR-60-A	509	95,216
SBPR-60-S	693	95,216
SBPR-72-A	703	95,216
SBPR-72-S	906	95,216
SBPR-84-A	728	95,216
SBPR-84-S	966	95,216
SBPR-96-A	908	95,216
SBPR-96-S	1169	95,216
SC1430	1847	42
SC1430E	1855	42
SC1430S	4375	42
SC1436	2050	42
SC1436E	2059	42
SC1436S	4858	42
SC1448	2550	42
SC1448E	2582	42
SC1448S	5914	42
SC1460	2826	42
SC1460E	2797	42
SC1460S	6164	42
SC2430	1969	42
SC2430E	2405	42
SC2430S	5454	42
SC2436	2185	42
SC2436E	2675	42
SC2436S	6056	42
SC2448	2726	42
SC2448E	3325	42
SC2448S	7377	42
SC2460	2955	42
SC2460E	3606	42
SC2460S	7639	42
SC3030	2476	42
SC3030E	2943	42
SC3030S	6814	42
SC3036	2748	42
SC3036E	3267	42
SC3036S	7572	42
SC3048	3425	42
SC3048E	4273	42
SC3048S	9226	42
SC3060	3695	42
SC3060E	4594	42
SC3060S	9548	42
SCH1836C	174	155
SCH1836C-4	1688	155
SCH1836C-5	2019	155
SCH1848C	195	155
SCH1848C-4	1695	155
SCH1848C-5	2130	155
SCOOP10-VG	116	91
SD14-4S	97	131
SD14-BL	44	62
SD14-C	43	49
SD14-E	47	49
SD14-R	44	62
SD14-S	120	49
SD14-V	44	49
SD14-VG	44	49
SD14-W	44	62
SD18-BL	53	62
SD18-C	49	49
SD18-E	54	49
SD18-R	53	62
SD18-S	137	49
SD18-V	53	49
SD18-VG	53	49
SD18-W	53	62
SD21-BL	55	62
SD21-C	54	49
SD21-E	59	49
SD21-R	55	62
SD21-S	156	49
SD21-V	55	49
SD21-VG	55	49
SD21-W	55	62
SD24-BL	66	62
SD24-C	60	49,154
SD24-E	73	49
SD24-R	66	62
SD24-S	169	49
SD24-V	66	49
SD24-VG	66	49
SD24-W	66	62
SD30-BL	74	62
SD30-C	73	49
SD30-R	74	62
SD30-S	205	49
SD30-V	74	49
SD30-VG	74	49
SD30-W	74	62
SD36-BL	87	62
SD36-C	84	49
SD36-R	87	62
SD36-S	245	49
SD36-V	87	49
SD36-VG	87	49
SD36-W	87	62
SDFT-10	1616	58
SDFT-11	1752	58
SDFT-12	1897	58
SDFT-13	2040	58
SDFT-14	2180	58
SDFT-15	2319	58
SDFT-16	2464	58
SDFT-17	2605	58
SDFT-18	2745	58
SDFT-19	2884	58
SDFT-20	3028	58
SDFT-21	3167	58
SDFT-22	3245	58
SDFT-23	3294	58
SDFT-24	3427	58
SDFT-25	3563	58
SDFT-26	3695	58
SDFT-27	3827	58
SDFT-28	3962	58
SDFT-29	4096	58
SDFT-30	4232	58
SDFT-6	1055	58
SDFT-7	1194	58
SDFT-8	1334	58
SDFT-9	1477	58
SDSK-18	1037	58
SDSK-21	1075	58
SDSK-24	1119	58
SDSK-30	1250	58
SDSK-36	1653	58
SDSKATB-S	363	59
SECM1830C	828	41
SECM1830E	873	41
SECM1830FC	884	41
SECM1830FE	937	41
SECM1830FS	2614	41
SECM1830FVG	920	41
SECM1830FZ	745	41
SECM1830S	2238	41
SECM1830VG	863	41
SECM1830Z	633	41
SECM1836C	838	41
SECM1836E	883	41
SECM1836FC	897	41
SECM1836FE	944	41
SECM1836FS	2650	41
SECM1836FVG	936	41
SECM1836FZ	754	41
SECM1836S	2278	41
SECM1836VG	873	41
SECM1836Z	648	41
SECM1848C	889	41
SECM1848E	938	41
SECM1848FC	939	41
SECM1848FE	987	41
SECM1848FS	2783	41
SECM1848FVG	978	41
SECM1848FZ	787	41
SECM1848S	2437	41
SECM1848VG	927	41
SECM1848Z	687	41
SECM1860C	1000	41
SECM1860E	1054	41
SECM1860FC	939	41
SECM1860FE	1067	41
SECM1860FS	2798	41
SECM1860FVG	978	41
SECM1860FZ	795	41
SECM1860S	2452	41
SECM1860VG	1043	41
SECM1860Z	692	41
SECM2130C	837	41
SECM2130E	882	41
SECM2130FC	897	41
SECM2130FE	944	41
SECM2130FS	2647	41
SECM2130FVG	936	41
SECM2130FZ	752	41
SECM2130S	2272	41
SECM2130VG	870	41
SECM2130Z	647	41
SECM2136C	850	41
SECM2136E	897	41
SECM2136FC	907	41
SECM2136FE	956	41
SECM2136FS	2686	41
SECM2136FVG	944	41
SECM2136FZ	766	41
SECM2136S	2319	41
SECM2136VG	886	41
SECM2136Z	658	41
SECM2148C	907	41
SECM2148E	956	41
SECM2148FC	958	41
SECM2148FE	1007	41
SECM2148FS	2830	41
SECM2148FVG	998	41
SECM2148FZ	814	41
SECM2148S	2497	41
SECM2148VG	944	41
SECM2148Z	705	41
SECM2160C	1014	41
SECM2160E	1066	41
SECM2160FC	1032	41
SECM2160FE	1086	41
SECM2160FS	2860	41
SECM2160FVG	1074	41
SECM2160FZ	823	41
SECM2160S	2523	41
SECM2160VG	1056	41
SECM2160Z	714	41
SECM2430C	849	41
SECM2430E	896	41
SECM2430FC	905	41
SECM2430FE	950	41
SECM2430FS	2675	41
SECM2430FVG	942	41
SECM2430FZ	764	41
SECM2430S	2308	41
SECM2430VG	885	41
SECM2430Z	654	41
SECM2436C	907	41
SECM2436E	956	41
SECM2436FC	950	41
SECM2436FE	1004	41
SECM2436FS	2744	41
SECM2436FVG	994	41
SECM2436FZ	778	41
SECM2436S	2392	41

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
SECM2436VG	944	41
SECM2436Z	678	41
SECM2448C	1029	41
SECM2448E	1085	41
SECM2448FC	1045	41
SECM2448FE	1097	41
SECM2448FS	2880	41
SECM2448FVG	1092	41
SECM2448FZ	816	41
SECM2448S	2552	41
SECM2448VG	1073	41
SECM2448Z	720	41
SECM2460C	1154	41
SECM2460E	1210	41
SECM2460FC	1139	41
SECM2460FE	1200	41
SECM2460FS	3014	41
SECM2460FVG	1185	41
SECM2460FZ	855	41
SECM2460S	2720	41
SECM2460VG	1203	41
SECM2460Z	765	41
SEP2424T-C	3449	134
SEP2424T-H	3449	134
SEP2424T-US	4312	134
SEP2436T-C	3834	134
SEP2436T-H	3834	134
SEP2436T-US	4792	134
SEP2448T-C	4799	134
SEP2448T-H	4799	134
SEP2448T-US	5998	134
SEP2460T-C	5159	134
SEP2460T-H	5159	134
SEP2460T-US	6450	134
SEP2472T-C	6384	134
SEP2472T-H	6384	134
SEP2472T-US	7983	134
SEP2484T-C	7312	134
SEP2484T-H	7312	134
SEP2484T-US	9140	134
SEP3036T-C	4319	134
SEP3036T-H	4319	134
SEP3036T-US	5404	134
SEP3048T-C	5016	134
SEP3048T-H	5016	134
SEP3048T-US	6269	134
SEP3060T-C	5625	134
SEP3060T-H	5625	134
SEP3060T-US	7029	134
SEP3072T-C	6497	134
SEP3072T-H	6497	134
SEP3072T-US	8120	134
SEP3084T-C	7532	134
SEP3084T-H	7532	134
SEP3084T-US	9415	134
SEP3636T-C	4480	134
SEP3636T-H	4480	134
SEP3636T-US	5600	134
SEP3648T-C	5278	134
SEP3648T-H	5278	134
SEP3648T-US	6598	134
SEP3660T-C	6085	134
SEP3660T-H	6085	134
SEP3660T-US	7608	134
SEP3672T-C	6715	134
SEP3672T-H	6715	134
SEP3672T-US	8395	134
SFN2832-2-14/3	9169	250
SFN2832-2-18-14/3	11295	250
SFN2832-2-18L-14/3	10317	250
SFN2832-2-18R-14/3	10317	250
SFN3052-3-14/3	11750	250
SFN3052-3-18-14/3	13044	250
SFN3052-3-18L-14/3	12719	250
SFN3052-3-18R-14/3	12719	250
SFN3242-3-14/3	12244	250
SFN3242-3-18-14/3	13075	250
SFN3242-3-18L-14/3	12623	250
SFN3242-3-18R-14/3	12623	250
SFP10-1	306	17
SFP10-2	506	17
SFP10-4	478	17
SFS14C	232	155
SFS16S	627	155
SH	7	91
SHDS1836SE	863	64
SHDS1836SF	789	63
SHDS1836SL	863	65
SHDS1836VE	418	64
SHDS1836VF	405	63
SHDS1836VGE	418	64
SHDS1836VGF	405	63
SHDS1836VGL	426	65
SHDS1836VL	426	65
SHDS1842SE	956	64
SHDS1842SF	877	63
SHDS1842SL	956	65
SHDS1842VE	438	64
SHDS1842VF	430	63
SHDS1842VGE	438	64
SHDS1842VGF	430	63
SHDS1842VGL	440	65
SHDS1842VL	440	65
SHDS1848SE	1038	64
SHDS1848SF	956	63
SHDS1848SL	1038	65
SHDS1848VE	445	64
SHDS1848VF	440	63
SHDS1848VGE	445	64
SHDS1848VGF	440	63
SHDS1848VGL	460	65
SHDS1848VL	460	65
SHDS1854SE	1117	64
SHDS1854SF	1040	63
SHDS1854SL	1117	65
SHDS1854VE	485	64
SHDS1854VF	473	63
SHDS1854VGE	485	64
SHDS1854VGF	473	63
SHDS1854VGL	466	65
SHDS1854VL	466	65
SHDS1860SE	1192	64
SHDS1860SF	1122	63
SHDS1860SL	1192	65
SHDS1860VE	503	64
SHDS1860VF	495	63
SHDS1860VGE	503	64
SHDS1860VGF	495	63
SHDS1860VGL	509	65
SHDS1860VL	509	65
SHDS2436SE	1075	64
SHDS2436SF	1026	63
SHDS2436SL	1075	65
SHDS2436VE	444	64
SHDS2436VF	438	63
SHDS2436VGE	444	64
SHDS2436VGF	438	63
SHDS2436VGL	449	65
SHDS2436VL	449	65
SHDS2442SE	1103	64
SHDS2442SF	1123	63
SHDS2442SL	1103	65
SHDS2442VE	467	64
SHDS2442VF	462	63
SHDS2442VGE	467	64
SHDS2442VGF	462	63
SHDS2442VGL	470	65
SHDS2442VL	470	65
SHDS2448SE	1198	64
SHDS2448SF	1263	63
SHDS2448SL	1198	65
SHDS2448VE	485	64
SHDS2448VF	474	63
SHDS2448VGE	485	64
SHDS2448VGF	474	63
SHDS2448VGL	493	65
SHDS2448VL	493	65
SHDS2454SE	1342	64
SHDS2454SF	1363	63
SHDS2454SL	1342	65
SHDS2454VE	525	64
SHDS2454VF	518	63
SHDS2454VGE	525	64
SHDS2454VGF	518	63
SHDS2454VGL	534	65
SHDS2454VL	534	65
SHDS2460SE	1488	64
SHDS2460SF	1460	63
SHDS2460SL	1488	65
SHDS2460VE	549	64
SHDS2460VF	534	63
SHDS2460VGE	549	64
SHDS2460VGF	534	63
SHDS2460VGL	553	65
SHDS2460VL	553	65
SHS2424-1D	8196	166
SHS2424-1W-ADA	7407	166
SKATB-S	122	58,59
SL14-1C	33	50
SL14-1S	66	50
SL14-4C	43	50
SL14-4S	82	50
SL18-1C	36	50
SL18-1S	72	50
SL18-4C	44	50
SL18-4S	84	50
SL21-1C	37	50
SL21-1S	77	50
SL21-4C	47	50
SL21-4S	94	50
SL2136C	195	49
SL2136E	229	49
SL2136Z	177	49
SL2148C	254	49
SL2148E	304	49
SL2148Z	229	49
SL2160C	272	49
SL2160E	354	49
SL2160Z	248	49
SL24-1C	43	50
SL24-1S	85	50
SL24-4C	49	50
SL24-4S	112	50
SL2436C	244	49
SL2436E	293	49
SL2436Z	218	49
SL2448C	280	49
SL2448E	343	49
SL2448Z	255	49
SL2460C	299	49
SL2460E	363	49
SL2460Z	276	49
SL30-1C	53	50
SL30-1S	103	50
SL30-4C	58	50
SL30-4S	127	50
SL36-1C	55	50
SL36-1S	119	50
SL36-4C	63	50
SL36-4S	152	50
SL42-1C	58	50
SL42-1S	130	50
SL42-4C	67	50
SL42-4S	172	50
SL48-1C	63	50
SL48-1S	149	50
SL48-4C	78	50
SL48-4S	214	50
SL54-1C	67	50
SL54-1S	166	50
SL54-4C	82	50
SL54-4S	242	50
SL60-1C	72	50
SL60-1S	174	50
SL60-4C	83	50
SL60-4S	255	50
SL72-1C	78	50
SL72-1S	193	50
SL72-4C	95	50
SL72-4S	263	50
SLS1836C	147	52
SM3636Z-3	1129	169
SM3648Z-3	1267	169
SM3660Z-3	1563	169
SNSW1224C	208	93
SNSW1224E	240	93
SNSW1224V	217	93
SNSW1224VG	217	93
SNSW1236C	272	93
SNSW1236E	309	93
SNSW1236V	287	93
SNSW1236VG	287	93
SNSW1248C	338	93
SNSW1248E	377	93
SNSW1248V	354	93
SNSW1248VG	354	93
SNSW1260C	366	93
SNSW1260E	414	93
SNSW1260V	386	93
SNSW1260VG	386	93
SNSW1272C	469	93
SNSW1272E	518	93
SNSW1272V	495	93
SNSW1272VG	495	93
SP1224S	196	26
SP1224V	127	26
SP1224Z	117	26
SP1236S	275	26
SP1236V	139	26
SP1236Z	129	26
SP1242S	304	26
SP1242V	164	26
SP1242Z	134	26
SP1248S	309	26
SP1248V	170	26
SP1248Z	165	26

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
SP1530S	215	26
SP1530V	130	26
SP1530Z	127	26
SP1536S	287	26
SP1536V	148	26
SP1536Z	139	26
SP1542S	314	26
SP1542V	170	26
SP1542Z	164	26
SP1548S	320	26
SP1548V	180	26
SP1548Z	170	26
SP1630S	216	26
SP1630V	139	26
SP1630Z	132	26
SP1636S	250	26
SP1636V	154	26
SP1636Z	148	26
SP1642S	289	26
SP1642V	176	26
SP1642Z	166	26
SP1648S	328	26
SP1648V	184	26
SP1648Z	180	26
SP1826-18	58	170
SP1830S	238	26
SP1830V	143	26
SP1830Z	134	26
SP1836S	277	26
SP1836V	159	26
SP1836Z	149	26
SP1842S	320	26
SP1842V	176	26
SP1842Z	166	26
SP1848S	365	26
SP1848V	184	26
SP1848Z	180	26
SP2130S	263	26
SP2130V	154	26
SP2130Z	148	26
SP2136S	309	26
SP2136V	170	26
SP2136Z	164	26
SP2142S	352	26
SP2142V	183	26
SP2142Z	176	26
SP2148S	398	26
SP2148V	196	26
SP2148Z	186	26
SP2430S	338	26
SP2430V	176	26
SP2430Z	166	26
SP2436S	398	26
SP2436V	180	26
SP2436Z	170	26
SP2442S	460	26
SP2442V	217	26
SP2442Z	208	26
SP2448S	509	26
SP2448V	226	26
SP2448Z	216	26
SP3030S	400	26
SP3030V	215	26
SP3030Z	196	26
SP3036S	462	26
SP3036V	217	26
SP3036Z	208	26
SP3042S	540	26
SP3042V	244	26
SP3042Z	238	26
SP3048S	597	26
SP3048V	269	26
SP3048Z	254	26
SP3236S	469	26
SP3236V	230	26
SP3236Z	220	26
SP3242S	469	26
SP3242V	272	26
SP3242Z	255	26
SP3248S	610	26
SP3248V	285	26
SP3248Z	273	26
SP3636S	608	26
SP3636V	263	26
SP3636Z	244	26
SP3642S	698	26
SP3642V	278	26
SP3642Z	269	26
SP3648S	794	26
SP3648V	299	26
SP3648Z	278	26
SP74-CS	58	43
SP74-ES	67	43
SP74-SS	145	43
SP86-CS	72	43
SP86-ES	77	43
SP86-SS	169	43
SPD1224-S	265	26
SPD1224-V	165	26
SPD1224-Z	154	26
SPD1236-S	369	26
SPD1236-V	184	26
SPD1236-Z	166	26
SPD1242-S	400	26
SPD1242-V	217	26
SPD1242-Z	182	26
SPD1248-S	408	26
SPD1248-V	228	26
SPD1248-Z	219	26
SPD1530-S	278	26
SPD1530-V	228	26
SPD1530-Z	217	26
SPD1536-S	383	26
SPD1536-V	285	26
SPD1536-Z	273	26
SPD1542-S	416	26
SPD1542-V	306	26
SPD1542-Z	285	26
SPD1548-S	430	26
SPD1548-V	315	26
SPD1548-Z	304	26
SPD1630-S	283	26
SPD1630-V	238	26
SPD1630-Z	226	26
SPD1636-S	334	26
SPD1636-V	289	26
SPD1636-Z	278	26
SPD1642-S	393	26
SPD1642-V	309	26
SPD1642-Z	288	26
SPD1648-S	437	26
SPD1648-V	320	26
SPD1648-Z	309	26
SPD1830-S	314	26
SPD1830-V	239	26
SPD1830-Z	228	26
SPD1836-S	372	26
SPD1836-V	304	26
SPD1836-Z	283	26
SPD1842-S	430	26
SPD1842-V	315	26
SPD1842-Z	288	26
SPD1848-S	483	26
SPD1848-V	328	26
SPD1848-Z	312	26
SPD2130-S	345	26
SPD2130-V	248	26
SPD2130-Z	238	26
SPD2136-S	408	26
SPD2136-V	309	26
SPD2136-Z	288	26
SPD2142-S	470	26
SPD2142-V	320	26
SPD2142-Z	309	26
SPD2148-S	528	26
SPD2148-V	334	26
SPD2148-Z	318	26
SPD2430-S	452	26
SPD2430-V	263	26
SPD2430-Z	248	26
SPD2436-S	528	26
SPD2436-V	319	26
SPD2436-Z	307	26
SPD2442-S	617	26
SPD2442-V	332	26
SPD2442-Z	315	26
SPD2448-S	685	26
SPD2448-V	344	26
SPD2448-Z	330	26
SPD3030-S	534	26
SPD3030-V	283	26
SPD3030-Z	272	26
SPD3036-S	618	26
SPD3036-V	340	26
SPD3036-Z	328	26
SPD3042-S	720	26
SPD3042-V	358	26
SPD3042-Z	338	26
SPD3048-S	803	26
SPD3048-V	372	26
SPD3048-Z	352	26
SPD3236-S	626	26
SPD3236-V	405	26
SPD3236-Z	383	26
SPD3242-S	626	26
SPD3242-V	419	26
SPD3242-Z	400	26
SPD3248-S	812	26
SPD3248-V	433	26
SPD3248-Z	412	26
SPD3636-S	810	26
SPD3636-V	416	26
SPD3636-Z	398	26
SPD3642-S	929	26
SPD3642-V	433	26
SPD3642-Z	412	26
SPD3648-S	1054	26
SPD3648-V	445	26
SPD3648-Z	426	26
SPL1224S	196	27
SPL1224V	127	27
SPL1224Z	117	27
SPL1236S	275	27
SPL1236V	139	27
SPL1236Z	129	27
SPL1242S	304	27
SPL1242V	164	27
SPL1242Z	134	27
SPL1248S	309	27
SPL1248V	170	27
SPL1248Z	165	27
SPL1530S	215	27
SPL1530V	130	27
SPL1530Z	127	27
SPL1536S	287	27
SPL1536V	148	27
SPL1536Z	139	27
SPL1542S	314	27
SPL1542V	170	27
SPL1542Z	164	27
SPL1548S	320	27
SPL1548V	180	27
SPL1548Z	170	27
SPL1630S	216	27
SPL1630V	139	27
SPL1630Z	132	27
SPL1636S	250	27
SPL1636V	154	27
SPL1636Z	148	27
SPL1642S	289	27
SPL1642V	176	27
SPL1642Z	166	27
SPL1648S	328	27
SPL1648V	184	27
SPL1648Z	180	27
SPL1830S	238	27
SPL1830V	143	27
SPL1830Z	134	27
SPL1836S	277	27
SPL1836V	159	27
SPL1836Z	149	27
SPL1842S	320	27
SPL1842V	176	27
SPL1842Z	166	27
SPL1848S	365	27
SPL1848V	184	27
SPL1848Z	180	27
SPL2130S	263	27
SPL2130V	154	27
SPL2130Z	148	27
SPL2136S	309	27
SPL2136V	170	27
SPL2136Z	164	27
SPL2142S	352	27
SPL2142V	183	27
SPL2142Z	176	27
SPL2148S	398	27
SPL2148V	196	27
SPL2148Z	186	27
SPL2430S	338	27
SPL2430V	176	27
SPL2430Z	166	27
SPL2436S	398	27
SPL2436V	180	27
SPL2436Z	170	27
SPL2442S	460	27
SPL2442V	217	27
SPL2442Z	208	27
SPL2448S	509	27
SPL2448V	226	27
SPL2448Z	216	27
SPL3030S	400	27
SPL3030V	215	27
SPL3030Z	196	27
SPL3036S	462	27
SPL3036V	217	27

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
SPL3036Z	208	27
SPL3042S	540	27
SPL3042V	244	27
SPL3042Z	238	27
SPL3048S	597	27
SPL3048V	269	27
SPL3048Z	254	27
SPL3236S	469	27
SPL3236V	230	27
SPL3236Z	220	27
SPL3242S	469	27
SPL3242V	272	27
SPL3242Z	255	27
SPL3248S	610	27
SPL3248V	285	27
SPL3248Z	273	27
SPL3636S	608	27
SPL3636V	263	27
SPL3636Z	244	27
SPL3642S	698	27
SPL3642V	278	27
SPL3642Z	269	27
SPL3648S	794	27
SPL3648V	299	27
SPL3648Z	278	27
SR10-14-5-1	905	254
SR10-14-5-1-ND	823	256
SR10-14-9.5-1	993	254
SR10-14-9.5-1-ND	1083	256
SR10-14-9.5-2	2096	254
SR10-14-9.5-2-ND	2045	256
SR10-14-9.5-3	2803	255
SR10-14-9.5-3-ND	2180	256
SR12-14-9.5-1	1332	254
SR12-14-9.5-1-ND	1303	256
SR12-14-9.5-2	2306	254
SR12-14-9.5-2-ND	2364	256
SR12-14-9.5-3	3383	255
SR12-14-9.5-3-ND	3253	256
SR14	120	91
SR14-10-5-1	905	254
SR14-10-9.5-1	1294	254
SR14-12-9.5-1	1317	254
SR14-16-9.5-1	1552	254
SR14-16-9.5-1-ND	1480	256
SR14-16-9.5-2	2456	254
SR14-16-9.5-2-ND	2528	256
SR14-16-9.5-3	3452	255
SR14-16-9.5-3-ND	3488	256
SR1436C	2164	143
SR1436S	7469	143
SR1448C	2460	143
SR1448S	6616	143
SR1460C	2777	143
SR1460S	7765	143
SR1472C	3074	143
SR1472S	9352	143
SR16-14-9.5-1	1552	254
SR16-19-13.5-1	1662	254
SR16-19-13.5-1-ND	1467	256
SR16-19-13.5-2	2895	254
SR16-19-13.5-2-ND	2277	256
SR16-19-13.5-3	3796	255
SR16-19-13.5-3-ND	3142	256
SR16-19-8-1	1328	254
SR16-19-8-1-ND	1333	256
SR16-19-8-2	2756	254
SR16-19-8-2-ND	2012	256
SR16-19-8-3	3585	255
SR16-19-8-3-ND	2832	256
SR18-24-13.5-1	1762	254
SR18-24-13.5-1-ND	1564	256
SR18-24-13.5-2	3317	254
SR18-24-13.5-2-ND	2734	256
SR18-24-13.5-3	4604	255
SR18-24-13.5-3-ND	3776	256
SR19-16-13.5-1	1662	254
SR19-16-8-1	1552	254
SR20-12-6.5-1	1675	254
SR22-22-13.5-1	2789	254
SR22-22-13.5-1-ND	2699	256
SR22-22-13.5-2	4966	254
SR22-22-13.5-2-ND	5018	256
SR24	128	91
SR24-18-13.5-1	1617	254
SR24-24-13.5-1	2119	254
SR24-24-13.5-1-ND	1712	256
SR24-24-13.5-2	4476	254
SR24-24-13.5-2-ND	2888	256
SRU14-10-5-1	1704	254
SS1424G	260	7
SS1424S	436	7
SS1424V	287	7
SS1424VG	287	7
SS1430G	267	7
SS1430S	449	7
SS1430V	293	7
SS1430VG	293	7
SS1436G	277	7
SS1436S	449	7
SS1436V	303	7
SS1436VG	303	7
SS1442G	287	7
SS1442S	539	7
SS1442V	315	7
SS1442VG	315	7
SS1448G	292	7
SS1448S	539	7
SS1448V	319	7
SS1448VG	319	7
SS1454G	314	7
SS1454S	589	7
SS1454V	347	7
SS1454VG	347	7
SS1460G	315	7
SS1460S	648	7
SS1460V	356	7
SS1460VG	356	7
SS1824G	258	7
SS1824S	493	7
SS1824V	293	7
SS1824VG	293	7
SS1830G	272	7
SS1830S	504	7
SS1830V	297	7
SS1830VG	297	7
SS1836G	276	7
SS1836S	504	7
SS1836V	309	7
SS1836VG	309	7
SS1842G	294	7
SS1842S	617	7
SS1842V	322	7
SS1842VG	322	7
SS1848G	297	7
SS1848S	617	7
SS1848V	330	7
SS1848VG	330	7
SS1854G	320	7
SS1854S	698	7
SS1854V	356	7
SS1854VG	356	7
SS1860G	329	7
SS1860S	739	7
SS1860V	363	7
SS1860VG	363	7
SS2124G	277	7
SS2124S	550	7
SS2124V	308	7
SS2124VG	308	7
SS2130G	287	7
SS2130S	563	7
SS2130V	317	7
SS2130VG	317	7
SS2136G	306	7
SS2136S	563	7
SS2136V	334	7
SS2136VG	334	7
SS2142G	309	7
SS2142S	705	7
SS2142V	347	7
SS2142VG	347	7
SS2148G	319	7
SS2148S	705	7
SS2148V	353	7
SS2148VG	353	7
SS2154G	345	7
SS2154S	733	7
SS2154V	386	7
SS2154VG	386	7
SS2160G	345	7
SS2160S	864	7
SS2160V	388	7
SS2160VG	388	7
SS2424G	278	7
SS2424S	594	7
SS2424V	309	7
SS2424VG	309	7
SS2430G	292	7
SS2430S	604	7
SS2430V	317	7
SS2430VG	317	7
SS2436G	307	7
SS2436S	604	7
SS2436V	338	7
SS2436VG	338	7
SS2442G	317	7
SS2442S	738	7
SS2442V	355	7
SS2442VG	355	7
SS2448G	329	7
SS2448S	738	7
SS2448V	362	7
SS2448VG	362	7
SS2454G	353	7
SS2454S	827	7
SS2454V	393	7
SS2454VG	393	7
SS2460G	362	7
SS2460S	867	7
SS2460V	406	7
SS2460VG	406	7
SSD14-C	43	49
SSD14-S	139	49
SSD18-C	49	49
SSD18-S	144	49
SSD21-C	54	49
SSD21-S	170	49
SSD24-C	59	49
SSD24-S	174	49
SSD30-C	82	49
SSD30-S	216	49
SSD36-C	98	49
SSD36-S	254	49
SSENCBKT	103	48
SSW1824C	116	94
SSW1830C	139	94
SSW1836C	155	94
SSW1842C	185	94
SSW1848C	195	94
SSW1860C	248	94
SSW18B3-C	169	94
SSW18B5-C	197	94
ST1836Z-13	564	170
STR2430A	816	45
STR2430B	1244	45
STR2448A	975	45
STR2448B	1509	45
SWC2448C	2074	157
SWC2460C	2232	157
SWS1224-14/3	569	92
SWS1224-16/3	537	92
SWS1224-16/4	448	92
SWS1236-14/3	726	92
SWS1236-16/3	680	92
SWS1236-16/4	485	92
SWS1248-14/3	809	92
SWS1248-16/3	752	92
SWS1248-16/4	594	92
SWS1260-14/3	876	92
SWS1260-16/3	822	92
SWS1260-16/4	630	92
SWS1272-14/3	1109	92
SWS1272-16/3	1012	92
SWS1272-16/4	782	92
SWS1524-14/3	640	92
SWS1524-14/304-VMAR	830	92
SWS1524-14/316-VMAR	926	92
SWS1524-16/3	588	92
SWS1524-16/304-VMAR	816	92
SWS1524-16/4	485	92
SWS1524-16/430-VMAR	726	92
SWS1536-14/3	789	92
SWS1536-14/304-VMAR	869	92
SWS1536-14/316-VMAR	1072	92
SWS1536-16/3	703	92
SWS1536-16/304-VMAR	907	92
SWS1536-16/4	498	92
SWS1536-16/430-VMAR	787	92
SWS1548-14/3	962	92
SWS1548-14/304-VMAR	1129	92
SWS1548-14/316-VMAR	1332	92
SWS1548-16/3	852	92
SWS1548-16/304-VMAR	1085	92
SWS1548-16/4	598	92
SWS1548-16/430-VMAR	927	92
SWS1560-14/3	987	92
SWS1560-14/304-VMAR	1256	92
SWS1560-14/316-VMAR	1497	92
SWS1560-16/3	936	92
SWS1560-16/304-VMAR	1192	92
SWS1560-16/4	652	92
SWS1560-16/430-VMAR	997	92
SWS1572-14/3	1316	92
SWS1572-14/304-VMAR	1487	92
SWS1572-14/316-VMAR	1753	92

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
SWS1572-16/3	1164	92
SWS1572-16/304-VMAR	1394	92
SWS1572-16/4	797	92
SWS1572-16/430-VMAR	1173	92
T24108B	4118	186
T24108B-BS	4689	194
T24108E	4308	186
T24108E-BS	5189	194
T24108EB	4399	186
T24108EB-BS	5020	194
T24108EM	5383	186
T24108EM-BS	6317	194
T24108GTB	4189	188
T24108GTB-BS	4764	196
T24108GTE	5072	188
T24108GTE-BS	5260	196
T24108GTEB	4609	188
T24108GTEB-BS	5094	196
T24108GTEM	5605	188
T24108GTEM-BS	6740	196
T24108SB	5339	187
T24108SB-BS	5589	195
T24108SE	6269	187
T24108SE-BS	6936	195
T24108SEB	5566	187
T24108SEB-BS	6462	195
T24108SEM	6774	187
T24108SEM-BS	7594	195
T24108STB	5392	189
T24108STB-BS	6023	197
T24108STE	6495	189
T24108STE-BS	6944	197
T24108STEB	5999	189
T24108STEB-BS	6488	197
T24108STEM	6986	189
T24108STEM-BS	7808	197
T24120B	4232	186
T24120B-BS	4814	194
T24120E	4745	186
T24120E-BS	5299	194
T24120EB	4526	186
T24120EB-BS	5134	194
T24120EM	5507	186
T24120EM-BS	6640	194
T24120GTB	4339	188
T24120GTB-BS	5030	196
T24120GTE	5125	188
T24120GTE-BS	5526	196
T24120GTEB	4740	188
T24120GTEB-BS	5367	196
T24120GTEM	5727	188
T24120GTEM-BS	6858	196
T24120SB	5465	187
T24120SB-BS	6109	195
T24120SE	6396	187
T24120SE-BS	7055	195
T24120SEB	5910	187
T24120SEB-BS	6588	195
T24120SEM	6900	187
T24120SEM-BS	7717	195
T24120STB	5677	189
T24120STB-BS	6327	197
T24120STE	6617	189
T24120STE-BS	7280	197
T24120STEB	6133	189
T24120STEB-BS	6809	197
T24120STEM	7120	189
T24120STEM-BS	7943	197
T24132B	4255	186
T24132B-BS	4932	194
T24132E	4994	186
T24132E-BS	5429	194
T24132EB	4606	186
T24132EB-BS	5142	194
T24132EM	5908	186
T24132EM-BS	6863	194
T24132GTB	4445	188
T24132GTB-BS	5134	196
T24132GTE	5196	188
T24132GTE-BS	5643	196
T24132GTEB	4834	188
T24132GTEB-BS	5475	196
T24132GTEM	6130	188
T24132GTEM-BS	7295	196
T24132SB	5586	187
T24132SB-BS	6219	195
T24132SE	6609	187
T24132SE-BS	7277	195
T24132SEB	6082	187
T24132SEB-BS	6975	195
T24132SEM	7442	187
T24132SEM-BS	8248	195
T24132STB	5797	189
T24132STB-BS	6429	197
T24132STE	6827	189
T24132STE-BS	7504	197
T24132STEB	6297	197
T24132STEB-BS	6993	189
T24132STEM	7659	189
T24132STEM-BS	8473	197
T24144B	4258	186
T24144B-BS	5196	194
T24144E	5010	186
T24144E-BS	5723	194
T24144EB	4745	186
T24144EB-BS	5542	194
T24144EM	6037	186
T24144EM-BS	6995	194
T24144GTB	4464	188
T24144GTB-BS	5258	196
T24144GTE	5215	188
T24144GTE-BS	5776	196
T24144GTEB	4963	188
T24144GTEB-BS	5634	196
T24144GTEM	6260	188
T24144GTEM-BS	7423	196
T24144SB	5877	187
T24144SB-BS	6534	195
T24144SE	6936	187
T24144SE-BS	7630	195
T24144SEB	6205	187
T24144SEB-BS	7108	195
T24144SEM	7574	187
T24144SEM-BS	8380	195
T24144STB	5922	189
T24144STB-BS	6553	197
T24144STE	6956	189
T24144STE-BS	7630	197
T24144STEB	6427	189
T24144STEB-BS	7330	197
T24144STEM	7789	189
T24144STEM-BS	8605	197
T2424B	1288	186
T2424B-BS	1769	194
T2424E	1493	186
T2424E-BS	1982	194
T2424EB	1419	186
T2424EB-BS	1930	194
T2424EM	2489	186
T2424EM-BS	3327	194
T2424GTB	1505	188
T2424GTB-BS	1987	196
T2424GTE	1709	188
T2424GTE-BS	2205	196
T2424GTEB	1645	188
T2424GTEB-BS	2153	196
T2424GTEM	2717	188
T2424GTEM-BS	3648	196
T2424SB	1807	187
T2424SB-BS	2429	195
T2424SE	2080	187
T2424SE-BS	2677	195
T2424SEB	1929	187
T2424SEB-BS	2536	195
T2424SEM	3108	187
T2424SEM-BS	3917	195
T2424STB	2020	189
T2424STB-BS	2647	197
T2424STE	2304	189
T2424STE-BS	2895	197
T2424STEB	2152	189
T2424STEB-BS	2759	197
T2424STEM	3329	189
T2424STEM-BS	4139	197
T2430B	1395	186
T2430B-BS	1893	194
T2430E	1650	186
T2430E-BS	2152	194
T2430EB	1549	186
T2430EB-BS	2089	194
T2430EM	2667	186
T2430EM-BS	3605	194
T2430GTB	1615	188
T2430GTB-BS	2105	196
T2430GTE	1872	188
T2430GTE-BS	2366	196
T2430GTEB	1773	188
T2430GTEB-BS	2318	196
T2430GTEM	2884	188
T2430GTEM-BS	3838	196
T2430SB	1970	187
T2430SB-BS	2618	195
T2430SE	2309	187
T2430SE-BS	2912	195
T2430SEB	2123	187
T2430SEB-BS	2727	195
T2430SEM	3332	187
T2430SEM-BS	4140	195
T2430STB	2188	189
T2430STB-BS	2834	197
T2430STE	2530	189
T2430STE-BS	3137	197
T2430STEB	2349	189
T2430STEB-BS	2955	197
T2430STEM	3560	189
T2430STEM-BS	4372	197
T2436B	1517	186
T2436B-BS	2006	194
T2436E	1766	186
T2436E-BS	2269	194
T2436EB	1665	186
T2436EB-BS	2207	194
T2436EBW	1556	46,204
T2436EBW-1	1937	46,204
T2436EBW-2	2123	46,204
T2436EM	2785	186
T2436EM-BS	3622	194
T2436EW	1707	46,204
T2436EW-1	2086	46,204
T2436EW-2	2275	46,204
T2436GTB	1733	188
T2436GTB-BS	2228	196
T2436GTE	1986	188
T2436GTE-BS	2488	196
T2436GTEB	1889	188
T2436GTEB-BS	2429	196
T2436GTEM	3006	188
T2436GTEM-BS	3949	196
T2436SB	2083	187
T2436SB-BS	2732	195
T2436SE	2427	187
T2436SE-BS	3094	195
T2436SEB	2240	187
T2436SEB-BS	2855	195
T2436SEM	3452	187
T2436SEM-BS	4266	195
T2436STB	2300	189
T2436STB-BS	2949	197
T2436STE	2649	189
T2436STE-BS	3258	197
T2436STEB	2467	189
T2436STEB-BS	3073	197
T2436STEM	3677	189
T2436STEM-BS	4486	197
T2448B	1547	186
T2448B-BS	2017	194
T2448E	1798	186
T2448E-BS	2320	194
T2448EB	1692	186
T2448EB-BS	2255	194
T2448EBW	1689	46,204
T2448EBW-1	2172	46,204
T2448EBW-2	2394	46,204
T2448EM	2830	186
T2448EM-BS	3785	194
T2448EW	1959	46,204
T2448EW-1	2374	46,204
T2448EW-2	2600	46,204
T2448F	1147	206
T2448F-US	1382	206
T2448F-USS	1498	206
T2448GTB	1759	188
T2448GTB-BS	2232	196
T2448GTE	2026	188
T2448GTE-BS	2544	196
T2448GTEB	1917	188
T2448GTEB-BS	2474	196
T2448GTEM	3056	188
T2448GTEM-BS	4007	196
T2448SB	2143	187
T2448SB-BS	2789	195
T2448SE	2530	187
T2448SE-BS	3164	195
T2448SE-BS-HA	9855	205
T2448SE-HA	8696	205
T2448SEB	2320	187
T2448SEB-BS	2954	195
T2448SEB-BS-HA	9096	205
T2448SEB-HA	8498	205
T2448SEM	3560	187
T2448SEM-BS	4375	195
T2448STB	2355	189
T2448STB-BS	3005	197
T2448STE	2752	189
T2448STE-BS	3377	197
T2448STEB	2544	189

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
T2448STEB-BS	3172	197
T2448STEM	3689	189
T2448STEM-BS	4587	197
T2460B	1629	186
T2460B-BS	2153	194
T2460E	1970	186
T2460E-BS	2489	194
T2460EB	1836	186
T2460EB-BS	2419	194
T2460EBW	1980	46,204
T2460EBW-1	2452	46,204
T2460EBW-2	2693	46,204
T2460EM	2995	186
T2460EM-BS	3855	194
T2460EW	2252	46,204
T2460EW-1	2683	46,204
T2460EW-2	2925	46,204
T2460F	1208	206
T2460F-US	1493	206
T2460F-USS	1628	206
T2460GTB	1847	188
T2460GTB-BS	2369	196
T2460GTE	2188	188
T2460GTE-BS	2717	196
T2460GTEB	2056	188
T2460GTEB-BS	2638	196
T2460GTEM	3220	188
T2460GTEM-BS	4184	196
T2460SB	2314	187
T2460SB-BS	2958	195
T2460SE	2759	187
T2460SE-BS	3398	195
T2460SE-BS-HA	10080	205
T2460SE-HA	8910	205
T2460SEB	2527	187
T2460SEB-BS	3172	195
T2460SEB-BS-HA	9306	205
T2460SEB-HA	8689	205
T2460SEM	3785	187
T2460SEM-BS	4596	195
T2460STB	2527	189
T2460STB-BS	3170	197
T2460STE	2982	189
T2460STE-BS	3623	197
T2460STEB	2744	189
T2460STEB-BS	3395	197
T2460STEM	4007	189
T2460STEM-BS	4822	197
T2472B	1745	186
T2472B-BS	2275	194
T2472E	2136	186
T2472E-BS	2674	194
T2472EB	1986	186
T2472EB-BS	2582	194
T2472EM	3178	186
T2472EM-BS	4037	194
T2472F	1378	206
T2472F-US	1582	206
T2472F-USS	1748	206
T2472GTB	1964	188
T2472GTB-BS	2492	196
T2472GTE	2353	188
T2472GTE-BS	2888	196
T2472GTEB	2210	188
T2472GTEB-BS	2806	196
T2472GTEM	3410	188
T2472GTEM-BS	4380	196
T2472SB	2482	187
T2472SB-BS	3133	195
T2472SE	2988	187
T2472SE-BS	3647	195
T2472SE-BS-HA	10315	205
T2472SE-HA	9130	205
T2472SEB	2726	187
T2472SEB-BS	3395	195
T2472SEB-BS-HA	9512	205
T2472SEB-HA	8880	205
T2472SEM	4019	187
T2472SEM-BS	4823	195
T2472STB	2699	189
T2472STB-BS	3352	197
T2472STE	3215	189
T2472STE-BS	3864	197
T2472STEB	2954	189
T2472STEB-BS	3618	197
T2472STEM	4250	189
T2472STEM-BS	5053	197
T2484B	2227	186
T2484B-BS	2789	194
T2484E	2909	186
T2484E-BS	3398	194
T2484EB	2840	186
T2484EB-BS	3285	194
T2484EM	3880	186
T2484EM-BS	4752	194
T2484GTB	2438	188
T2484GTB-BS	3005	196
T2484GTE	3136	188
T2484GTE-BS	3623	196
T2484GTEB	3070	188
T2484GTEB-BS	3515	196
T2484GTEM	4106	188
T2484GTEM-BS	5118	196
T2484SB	3065	187
T2484SB-BS	3714	195
T2484SE	4085	187
T2484SE-BS	4666	195
T2484SEB	3749	187
T2484SEB-BS	4354	195
T2484SEM	4959	187
T2484SEM-BS	5759	195
T2484STB	3276	189
T2484STB-BS	3923	197
T2484STE	4300	189
T2484STE-BS	4888	197
T2484STEB	3978	189
T2484STEB-BS	4576	197
T2484STEM	5180	189
T2484STEM-BS	5978	197
T2496B	2530	186
T2496B-BS	3112	194
T2496E	3125	186
T2496E-BS	3626	194
T2496EB	3047	186
T2496EB-BS	3544	194
T2496EM	4104	186
T2496EM-BS	4984	194
T2496GTB	2744	188
T2496GTB-BS	3328	196
T2496GTE	3337	188
T2496GTE-BS	3849	196
T2496GTEB	3273	188
T2496GTEB-BS	3729	196
T2496GTEM	4320	188
T2496GTEM-BS	5365	196
T2496SB	3289	187
T2496SB-BS	3936	195
T2496SE	4380	187
T2496SE-BS	4978	195
T2496SEB	4009	187
T2496SEB-BS	4636	195
T2496SEM	5242	187
T2496SEM-BS	6045	195
T2496STB	3510	189
T2496STB-BS	4153	197
T2496STE	4598	189
T2496STE-BS	5198	197
T2496STEB	4243	189
T2496STEB-BS	4850	197
T2496STEM	5574	189
T2496STEM-BS	6272	197
T30108B	4158	186
T30108B-BS	4939	194
T30108E	4906	186
T30108E-BS	5456	194
T30108EB	4662	186
T30108EB-BS	5277	194
T30108EM	5789	186
T30108EM-BS	6758	194
T30108GTB	4384	188
T30108GTB-BS	5164	196
T30108GTE	5122	188
T30108GTE-BS	5677	196
T30108GTEB	4877	188
T30108GTEB-BS	5349	196
T30108GTEM	6012	188
T30108GTEM-BS	7176	196
T30108SB	5664	187
T30108SB-BS	6314	195
T30108SE	6698	187
T30108SE-BS	7362	195
T30108SEB	6185	187
T30108SEB-BS	6847	195
T30108SEM	7326	187
T30108SEM-BS	8139	195
T30108STB	5877	189
T30108STB-BS	6534	197
T30108STE	6918	189
T30108STE-BS	7584	197
T30108STEB	6404	189
T30108STEB-BS	6992	197
T30108STEM	7549	189
T30108STEM-BS	8366	197
T30120B	4296	186
T30120B-BS	5074	194
T30120E	5038	186
T30120E-BS	5589	194
T30120EB	4798	186
T30120EB-BS	5416	194
T30120EM	5919	186
T30120EM-BS	6884	194
T30120GTB	4512	188
T30120GTB-BS	5284	196
T30120GTE	5258	188
T30120GTE-BS	5809	196
T30120GTEB	5016	188
T30120GTEB-BS	5642	196
T30120GTEM	6147	188
T30120GTEM-BS	7305	196
T30120SB	5795	187
T30120SB-BS	6445	195
T30120SE	6834	187
T30120SE-BS	7495	195
T30120SEB	6316	187
T30120SEB-BS	6984	195
T30120SEM	7456	187
T30120SEM-BS	8270	195
T30120STB	6012	189
T30120STB-BS	6665	197
T30120STE	7053	189
T30120STE-BS	7723	197
T30120STEB	6542	189
T30120STEB-BS	7070	197
T30120STEM	7676	189
T30120STEM-BS	8503	197
T30132B	4512	186
T30132B-BS	5374	194
T30132E	5204	186
T30132E-BS	5936	194
T30132EB	5063	186
T30132EB-BS	5727	194
T30132EM	6267	186
T30132EM-BS	7248	194
T30132GTB	4587	188
T30132GTB-BS	5586	196
T30132GTE	5425	188
T30132GTE-BS	5978	196
T30132GTEB	5144	188
T30132GTEB-BS	5786	196
T30132GTEM	6489	188
T30132GTEM-BS	7676	196
T30132SB	6155	187
T30132SB-BS	6804	195
T30132SE	7330	187
T30132SE-BS	8028	195
T30132SEB	6750	187
T30132SEB-BS	7456	195
T30132SEM	7947	187
T30132SEM-BS	8765	195
T30132STB	6188	189
T30132STB-BS	6822	197
T30132STE	7344	189
T30132STE-BS	8252	197
T30132STEB	6774	189
T30132STEB-BS	7676	197
T30132STEM	8176	189
T30132STEM-BS	8994	197
T30144B	4645	186
T30144B-BS	5499	194
T30144E	5493	186
T30144E-BS	6072	194
T30144EB	5099	186
T30144EB-BS	5863	194
T30144EM	6400	186
T30144EM-BS	7367	194
T30144GTB	4853	188
T30144GTB-BS	5727	196
T30144GTE	5712	188
T30144GTE-BS	6110	196
T30144GTEB	5432	188
T30144GTEB-BS	5915	196

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
T30144GTEM	6622	188
T30144GTEM-BS	7816	196
T30144SB	6284	187
T30144SB-BS	6933	195
T30144SE	7466	187
T30144SE-BS	8155	195
T30144SEB	6887	187
T30144SEB-BS	7589	195
T30144SEM	8080	187
T30144SEM-BS	8905	195
T30144STB	6499	189
T30144STB-BS	6939	197
T30144STE	7689	189
T30144STE-BS	8382	197
T30144STEB	7104	189
T30144STEB-BS	7816	197
T30144STEM	8307	189
T30144STEM-BS	9127	197
T3030B	1437	186
T3030B-BS	1927	194
T3030E	1707	186
T3030E-BS	2210	194
T3030EB	1605	186
T3030EB-BS	2152	194
T3030EM	2727	186
T3030EM-BS	3538	194
T3030GTB	1654	188
T3030GTB-BS	2144	196
T3030GTE	1929	188
T3030GTE-BS	2429	196
T3030GTEB	1826	188
T3030GTEB-BS	2366	196
T3030GTEM	2955	188
T3030GTEM-BS	3888	196
T3030SB	2050	187
T3030SB-BS	2728	195
T3030SE	2448	187
T3030SE-BS	3058	195
T3030SEB	2256	187
T3030SEB-BS	2863	195
T3030SEM	3476	187
T3030SEM-BS	4284	195
T3030STB	2294	189
T3030STB-BS	2948	197
T3030STE	2674	189
T3030STE-BS	3280	197
T3030STEB	2477	189
T3030STEB-BS	3085	197
T3030STEM	3699	189
T3030STEM-BS	4507	197
T3036B	1552	186
T3036B-BS	2044	194
T3036BA-BS-HGD	2973	200
T3036BA-BS-SLD	3270	200
T3036E	1823	186
T3036E-BS	2328	194
T3036EB	1720	186
T3036EB-BS	2269	194
T3036EBW	1723	46,204
T3036EBW-1	2104	46,204
T3036EBW-2	2289	46,204
T3036EM	2855	186
T3036EM-BS	3560	194
T3036EW	1930	46,204
T3036EW-1	2319	46,204
T3036EW-2	2506	46,204
T3036GTB	1765	188
T3036GTB-BS	2256	196
T3036GTE	2045	188
T3036GTE-BS	2554	196
T3036GTEB	1948	188
T3036GTEB-BS	2488	196
T3036GTEM	3073	188
T3036GTEM-BS	4007	196
T3036SB	2194	187
T3036SB-BS	2844	195
T3036SE	2569	187
T3036SE-BS	3177	195
T3036SEB	2369	187
T3036SEB-BS	2982	195
T3036SEM	3594	187
T3036SEM-BS	4404	195
T3036STB	2410	189
T3036STB-BS	3063	197
T3036STE	2792	189
T3036STE-BS	3406	197
T3036STEB	2592	189
T3036STEB-BS	3207	197
T3036STEM	3816	189
T3036STEM-BS	4630	197
T3048B	1574	186
T3048B-BS	2078	194
T3048BA-BS-HGD	3172	200
T3048BA-BS-SLD	3489	200
T3048E	1896	186
T3048E-BS	2418	194
T3048EB	1773	186
T3048EB-BS	2339	194
T3048EBW	1945	46,204
T3048EBW-1	2364	46,204
T3048EBW-2	2585	46,204
T3048EM	2925	186
T3048EM-BS	3886	194
T3048EW	2216	46,204
T3048EW-1	2625	46,204
T3048EW-2	2862	46,204
T3048F	1258	206
T3048F-US	1419	206
T3048F-USS	1528	206
T3048GTB	1796	188
T3048GTB-BS	2287	196
T3048GTE	2119	188
T3048GTE-BS	2633	196
T3048GTEB	1987	188
T3048GTEB-BS	2562	196
T3048GTEM	3149	188
T3048GTEM-BS	4108	196
T3048SB	2280	187
T3048SB-BS	2939	195
T3048SE	2725	187
T3048SE-BS	3337	195
T3048SE-BS-HA	10023	205
T3048SE-HA	8877	205
T3048SEB	2489	187
T3048SEB-BS	3112	195
T3048SEB-BS-HA	9252	205
T3048SEB-HA	8655	205
T3048SEM	3738	187
T3048SEM-BS	4553	195
T3048STB	2500	189
T3048STB-BS	3145	197
T3048STE	2949	189
T3048STE-BS	3585	197
T3048STEB	2717	189
T3048STEB-BS	3334	197
T3048STEM	3974	189
T3048STEM-BS	4785	197
T3060B	1720	186
T3060B-BS	2232	194
T3060BA-BS-HGD	3404	200
T3060BA-BS-SLD	3737	162
T3060E	2089	186
T3060E-BS	2618	194
T3060EB	1948	186
T3060EB-BS	2530	194
T3060EBW	2252	46,204
T3060EBW-1	2683	46,204
T3060EBW-2	2923	46,204
T3060EM	3137	186
T3060EM-BS	4112	194
T3060EW	2563	46,204
T3060EW-1	2999	46,204
T3060EW-2	3245	46,204
T3060F	1347	206
T3060F-US	1530	206
T3060F-USS	1655	206
T3060GTB	1938	188
T3060GTB-BS	2445	196
T3060GTE	2318	188
T3060GTE-BS	2837	196
T3060GTEB	2172	188
T3060GTEB-BS	2752	196
T3060GTEM	3362	188
T3060GTEM-BS	4330	196
T3060SB	2497	187
T3060SB-BS	3144	195
T3060SE	2995	187
T3060SE-BS	3633	195
T3060SE-BS-HA	10304	205
T3060SE-HA	9136	205
T3060SEB	2744	187
T3060SEB-BS	3389	195
T3060SEB-BS-HA	9509	205
T3060SEB-HA	8900	205
T3060SEM	4020	187
T3060SEM-BS	4833	195
T3060STB	2717	189
T3060STB-BS	3362	197
T3060STE	3242	189
T3060STE-BS	3863	197
T3060STEB	2963	189
T3060STEB-BS	3612	197
T3060STEM	4252	189
T3060STEM-BS	4906	197
T3072B	1870	186
T3072B-BS	2380	194
T3072E	2285	186
T3072E-BS	2830	194
T3072EB	2136	186
T3072EB-BS	2732	194
T3072EM	3349	186
T3072EM-BS	4207	194
T3072F	1428	206
T3072F-US	1633	206
T3072F-USS	1783	206
T3072GTB	2080	188
T3072GTB-BS	2596	196
T3072GTE	2509	188
T3072GTE-BS	3056	196
T3072GTEB	2353	188
T3072GTEB-BS	2959	196
T3072GTEM	3573	188
T3072GTEM-BS	4554	196
T3072SB	2704	187
T3072SB-BS	3342	195
T3072SE	3280	187
T3072SE-BS	3933	195
T3072SE-BS-HA	10587	205
T3072SE-HA	9406	205
T3072SEB	2988	187
T3072SEB-BS	3652	195
T3072SEB-BS-HA	9759	205
T3072SEB-HA	9130	205
T3072SEM	4444	187
T3072SEM-BS	5110	195
T3072STB	2920	189
T3072STB-BS	3573	197
T3072STE	3505	189
T3072STE-BS	4154	197
T3072STEB	3215	189
T3072STEB-BS	3880	197
T3072STEM	4666	189
T3072STEM-BS	5338	197
T3084B	2333	186
T3084B-BS	2919	194
T3084E	3070	186
T3084E-BS	3560	194
T3084EB	2886	186
T3084EB-BS	3437	194
T3084EM	4049	186
T3084EM-BS	5075	194
T3084GTB	2547	188
T3084GTB-BS	3139	196
T3084GTE	3287	188
T3084GTE-BS	3784	196
T3084GTEB	3109	188
T3084GTEB-BS	3659	196
T3084GTEM	4273	188
T3084GTEM-BS	5297	196
T3084SB	3177	187
T3084SB-BS	3826	195
T3084SE	4267	187
T3084SE-BS	4847	195
T3084SEB	3917	187
T3084SEB-BS	4517	195
T3084SEM	5129	187
T3084SEM-BS	5943	195
T3084STB	3404	189
T3084STB-BS	4043	197
T3084STE	4489	189
T3084STE-BS	5072	197
T3084STEB	4139	189
T3084STEB-BS	4733	197
T3084STEM	5365	189
T3084STEM-BS	6169	197
T3096B	2703	186
T3096B-BS	3300	194
T3096E	3354	186
T3096E-BS	3860	194
T3096EB	3145	186

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
T3096EB-BS	3727	194
T3096EM	4332	186
T3096EM-BS	5393	194
T3096GTB	2919	188
T3096GTB-BS	3515	196
T3096GTE	3578	188
T3096GTE-BS	4075	196
T3096GTEB	3366	188
T3096GTEB-BS	3948	196
T3096GTEM	4559	188
T3096GTEM-BS	5629	196
T3096SB	3562	187
T3096SB-BS	4208	195
T3096SE	4726	187
T3096SE-BS	5334	195
T3096SEB	4330	187
T3096SEB-BS	4959	195
T3096SEM	5338	187
T3096SEM-BS	6384	195
T3096STB	3772	189
T3096STB-BS	4429	197
T3096STE	4959	189
T3096STE-BS	5550	197
T3096STEB	4554	189
T3096STEB-BS	5180	197
T3096STEM	5559	189
T3096STEM-BS	6614	197
T36108B	5018	186
T36108B-BS	5830	194
T36108E	5727	186
T36108E-BS	6400	194
T36108EB	5596	186
T36108EB-BS	6192	194
T36108EM	6689	186
T36108EM-BS	7689	194
T36108GTB	5074	188
T36108GTB-BS	5870	196
T36108GTE	5954	188
T36108GTE-BS	6622	196
T36108GTEB	5649	188
T36108GTEB-BS	6233	196
T36108GTEM	6917	188
T36108GTEM-BS	8136	196
T36108SB	6738	187
T36108SB-BS	7393	195
T36108SE	7785	187
T36108SE-BS	8589	195
T36108SEB	7347	187
T36108SEB-BS	7993	195
T36108SEM	8444	187
T36108SEM-BS	9234	195
T36108STB	6764	189
T36108STB-BS	7609	197
T36108STE	8004	189
T36108STE-BS	8816	197
T36108STEB	7489	189
T36108STEB-BS	7980	197
T36108STEM	8663	189
T36108STEM-BS	9465	197
T36120B	5129	186
T36120B-BS	5958	194
T36120E	5863	186
T36120E-BS	6534	194
T36120EB	5727	186
T36120EB-BS	6322	194
T36120EM	6823	186
T36120EM-BS	7816	194
T36120GTB	5350	188
T36120GTB-BS	6170	196
T36120GTE	6087	188
T36120GTE-BS	6759	196
T36120GTEB	5954	188
T36120GTEB-BS	6549	196
T36120GTEM	7050	188
T36120GTEM-BS	8265	196
T36120SB	6875	187
T36120SB-BS	7522	195
T36120SE	7919	187
T36120SE-BS	8727	195
T36120SEB	7475	187
T36120SEB-BS	8118	195
T36120SEM	8566	187
T36120SEM-BS	9372	195
T36120STB	7087	189
T36120STB-BS	7739	197
T36120STE	8139	189
T36120STE-BS	8942	197
T36120STEB	7707	189
T36120STEB-BS	8349	197
T36120STEM	8792	189
T36120STEM-BS	9597	197
T36132B	5258	186
T36132B-BS	6120	194
T36132E	6123	186
T36132E-BS	6936	194
T36132EB	5919	186
T36132EB-BS	6509	194
T36132EM	7227	186
T36132EM-BS	8252	194
T36132GTB	5466	188
T36132GTB-BS	6333	196
T36132GTE	6343	188
T36132GTE-BS	6956	196
T36132GTEB	6136	188
T36132GTEB-BS	6722	196
T36132GTEM	7456	188
T36132GTEM-BS	8709	196
T36132SB	7117	187
T36132SB-BS	7973	195
T36132SE	8510	187
T36132SE-BS	9069	195
T36132SEB	7794	187
T36132SEB-BS	8428	195
T36132SEM	9154	187
T36132SEM-BS	9964	195
T36132STB	7325	189
T36132STB-BS	7949	197
T36132STE	8470	189
T36132STE-BS	9567	197
T36132STEB	8139	189
T36132STEB-BS	8655	197
T36132STEM	9370	189
T36132STEM-BS	10184	197
T36144B	5550	186
T36144B-BS	6247	194
T36144E	6437	186
T36144E-BS	7077	194
T36144EB	6048	186
T36144EB-BS	6834	194
T36144EM	7365	186
T36144EM-BS	8380	194
T36144GTB	5760	188
T36144GTB-BS	6453	196
T36144GTE	6470	188
T36144GTE-BS	7084	196
T36144GTEB	6452	188
T36144GTEB-BS	6852	196
T36144GTEM	7589	188
T36144GTEM-BS	8844	196
T36144SB	7449	187
T36144SB-BS	8112	195
T36144SE	8640	187
T36144SE-BS	9475	195
T36144SEB	8149	187
T36144SEB-BS	8562	195
T36144SEM	9289	187
T36144SEM-BS	10098	195
T36144STB	7449	189
T36144STB-BS	8074	197
T36144STE	8874	189
T36144STE-BS	9715	197
T36144STEB	8375	189
T36144STEB-BS	8778	197
T36144STEM	9507	189
T36144STEM-BS	10317	197
T3648B	1960	186
T3648B-BS	2703	194
T3648E	2222	186
T3648E-BS	2897	194
T3648EB	2156	186
T3648EB-BS	2816	194
T3648EM	3519	186
T3648EM-BS	4394	194
T3648GTB	2182	188
T3648GTB-BS	2919	196
T3648GTE	2717	188
T3648GTE-BS	3127	196
T3648GTEB	2378	188
T3648GTEB-BS	3036	196
T3648GTEM	3738	188
T3648GTEM-BS	4739	196
T3648SB	2630	187
T3648SB-BS	3276	195
T3648SE	3108	187
T3648SE-BS	3932	195
T3648SEB	2939	187
T3648SEB-BS	3659	195
T3648SEM	4366	187
T3648SEM-BS	5184	195
T3648STB	2855	189
T3648STB-BS	3489	197
T3648STE	3329	189
T3648STE-BS	4153	197
T3648STEB	3164	189
T3648STEB-BS	3886	197
T3648STEM	4586	189
T3648STEM-BS	4954	197
T3660B	2208	186
T3660B-BS	2923	194
T3660E	2489	186
T3660E-BS	3329	194
T3660EB	2419	186
T3660EB-BS	3220	194
T3660EM	3795	186
T3660EM-BS	4670	194
T3660GTB	2427	188
T3660GTB-BS	3144	196
T3660GTE	2725	188
T3660GTE-BS	3550	196
T3660GTEB	2638	188
T3660GTEB-BS	3444	196
T3660GTEM	4009	188
T3660GTEM-BS	5025	196
T3660SB	2914	187
T3660SB-BS	3562	195
T3660SE	3423	187
T3660SE-BS	4430	195
T3660SEB	3220	187
T3660SEB-BS	4130	195
T3660SEM	4696	187
T3660SEM-BS	5510	195
T3660STB	3129	189
T3660STB-BS	3772	197
T3660STE	3648	189
T3660STE-BS	4658	197
T3660STEB	3444	189
T3660STEB-BS	4344	197
T3660STEM	4922	189
T3660STEM-BS	5562	197
T3672B	2417	186
T3672B-BS	3105	194
T3672E	2715	186
T3672E-BS	3565	194
T3672EB	2625	186
T3672EB-BS	3443	194
T3672EM	4040	186
T3672EM-BS	4929	194
T3672GTB	2630	188
T3672GTB-BS	3217	196
T3672GTE	2939	188
T3672GTE-BS	3785	196
T3672GTEB	2840	188
T3672GTEB-BS	3660	196
T3672GTEM	4267	188
T3672GTEM-BS	5294	196
T3672SB	3186	187
T3672SB-BS	3844	195
T3672SE	3737	187
T3672SE-BS	4748	195
T3672SEB	3516	187
T3672SEB-BS	4429	195
T3672SEM	5034	187
T3672SEM-BS	5847	195
T3672STB	3406	189
T3672STB-BS	4049	197
T3672STE	3972	189
T3672STE-BS	4980	197
T3672STEB	3737	189
T3672STEB-BS	4650	197
T3672STEM	5256	189
T3672STEM-BS	6075	197
T3684B	3320	186
T3684B-BS	3666	194
T3684E	3633	186
T3684E-BS	4174	194
T3684EB	3565	186
T3684EB-BS	4030	194
T3684EM	4873	186
T3684EM-BS	5795	194
T3684GTB	3536	188

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
T3684GTB-BS	3885	196
T3684GTE	3887	188
T3684GTE-BS	4404	196
T3684GTEB	3785	188
T3684GTEB-BS	4260	196
T3684GTEM	5099	188
T3684GTEM-BS	6186	196
T3684SB	4404	187
T3684SB-BS	5049	195
T3684SE	5059	187
T3684SE-BS	5659	195
T3684SEB	4778	187
T3684SEB-BS	5263	195
T3684SEM	6139	187
T3684SEM-BS	6958	195
T3684STB	4625	189
T3684STB-BS	5259	197
T3684STE	5277	189
T3684STE-BS	5888	197
T3684STEB	4992	189
T3684STEB-BS	5493	197
T3684STEM	6366	189
T3684STEM-BS	7183	197
T3696B	3530	186
T3696B-BS	4122	194
T3696E	3886	186
T3696E-BS	4693	194
T3696EB	3778	186
T3696EB-BS	4532	194
T3696EM	5105	186
T3696EM-BS	6030	194
T3696GTB	3705	188
T3696GTB-BS	4197	196
T3696GTE	4108	188
T3696GTE-BS	4919	196
T3696GTEB	3999	188
T3696GTEB-BS	4748	196
T3696GTEM	5337	188
T3696GTEM-BS	6433	196
T3696SB	4747	187
T3696SB-BS	5388	195
T3696SE	5440	187
T3696SE-BS	6062	195
T3696SEB	5122	187
T3696SEB-BS	5634	195
T3696SEM	6515	187
T3696SEM-BS	7338	195
T3696STB	4962	189
T3696STB-BS	5612	197
T3696STE	5659	189
T3696STE-BS	6285	197
T3696STEB	5350	189
T3696STEB-BS	5860	197
T3696STEM	6748	189
T3696STEM-BS	7562	197
T48108E	13507	186
T48108EM	15244	186
T48108GTE	13722	188
T48108GTEM	15456	188
T48108SE	15437	187
T48108SEM	17173	187
T48108STE	15684	189
T48108STEM	17386	189
T48120E	13664	186
T48120EM	15366	186
T48120GTE	13875	188
T48120GTEM	15587	188
T48120SE	15573	187
T48120SEM	17299	187
T48120STE	15788	189
T48120STEM	17514	189
T48132E	14840	186
T48132EM	16552	186
T48132GTE	15065	188
T48132GTEM	16763	188
T48132SE	16744	187
T48132SEM	18469	187
T48132STE	16984	189
T48132STEM	18687	189
T48144E	14949	186
T48144EM	16683	186
T48144GTE	15189	188
T48144GTEM	16894	188
T48144SE	16869	187
T48144SEM	18599	187
T48144STE	17075	189
T48144STEM	18815	189
T4848E	5182	186
T4848EM	6903	186
T4848GTE	5395	188
T4848GTEM	7084	188
T4848SE	6006	187
T4848SEM	7734	187
T4848STE	6456	189
T4848STEM	7950	189
T4860E	5789	186
T4860EM	7516	186
T4860GTE	6018	188
T4860GTEM	7734	188
T4860SE	6643	187
T4860SEM	8380	187
T4860STE	6862	189
T4860STEM	8603	189
T4872E	6287	186
T4872EM	8017	186
T4872GTE	6512	188
T4872GTEM	8388	188
T4872SE	7255	187
T4872SEM	8992	187
T4872STE	7473	189
T4872STEM	9198	189
T4884E	8538	186
T4884EM	10258	186
T4884GTE	8763	188
T4884GTEM	10475	188
T4884SE	9808	187
T4884SEM	11536	187
T4884STE	10040	189
T4884STEM	11759	189
T4896E	9029	186
T4896EM	10756	186
T4896GTE	9238	188
T4896GTEM	10975	188
T4896SE	10587	187
T4896SEM	12320	187
T4896STE	10803	189
T4896STEM	12528	189
TB1016-3	59	51
TB1016-6	63	51
TB1035XL	47	173
TB1050XL	54	173
TB1722-3	95	51,53
TB1722-6	112	51,53
TB1722-9	132	51,53
TB2035XL	55	173
TB2060XL	77	173
TB2080XL	85	173
TB3030XL	132	173
TB3060XL	137	173
TB3080XL	166	173
TB3120XL	228	173
TBC-P	1393	172
TBC-R	1264	172
TBC-S	170	172
TBC-SD	160	172
TBC1-P	1307	172
TBC1-R	1275	172
TBC2-P	1899	172
TBC2-R	1862	172
TBC3-P	2665	172
TBC3-R	2627	172
TD2448-BSP	2038	39
TD2448-SP	993	39
TD2460-BSP	2048	39
TD2460-SP	1040	39
TD3	4528	213
TD3L	5112	213
TEP74-C	303	59
TEP74-E	325	59
TEP74-Z	269	59
TEP86-C	337	59
TEP86-E	362	59
TEP86-Z	315	59
TM108APR	2885	216
TM108PR	3582	216
TM108PRS	3104	216
TM120APR	2973	216
TM120PR	3729	216
TM120PRS	3134	216
TM132APR	3059	216
TM132PR	3918	216
TM132PRS	3273	216
TM144APR	3162	216
TM144PR	3992	216
TM144PRS	3309	216
TM36APR	1719	216
TM36PR	2055	216
TM36PRS	838	216
TM48APR	1788	216
TM48PR	2172	216
TM48PRS	906	216
TM60APR	1848	216
TM60PR	2287	216
TM60PRS	973	216
TM72APR	1936	216
TM72PR	2407	216
TM72PRS	1045	216
TM84APR	2307	216
TM84PR	2844	216
TM84PRS	1122	216
TM96APR	2378	216
TM96PR	2962	216
TM96PRS	1243	216
TMS2424	1573	205
TMS2424S	1909	205
TMS3024	1640	205
TMS3024S	2006	205
TMS3030	1826	205
TMS3030S	2272	205
TMS3036	1874	205
TMS3036S	2309	205
TMS3636	1966	205
TMS3636S	2418	205
TPH-C	82	128
TPH-EP	106	128
TPH-S	94	128
TR10	97	91
TR18BL	94	52
TR18C	84	52
TS1417	189	51
TS18-C	156	53
TS18-E	184	53
TS2021	198	51
TS24-C	166	53
TS24-E	193	53
TS2517	197	51
U2-1836C	609	29
U2-1836C-RP	616	25
U2-1836S	1634	29
U2-1836Z	600	29
U2-1842C	647	29
U2-1842S	1806	29
U2-1842Z	628	29
U2-2136C	654	29
U2-2136S	1773	29
U2-2136Z	628	29
U2-2142C	689	29
U2-2142S	1944	29
U2-2142Z	663	29
U2-2148C	699	29
U2-2148S	1944	29
U2-2148Z	676	29
U2-2436C	683	29
U2-2436S	1869	29
U2-2436Z	654	29
U2-2442C	729	29
U2-2442S	2106	29
U2-2442Z	699	29
U2-2448C	742	29
U2-2448S	2106	29
U2-2448Z	710	29
U2-2460C	810	29
U2-2460S	2417	29
U2-2460Z	792	29
U3-1836C	736	29
U3-1836C-RP	742	25
U3-1836S	2095	29
U3-1836Z	726	29
U3-1842C	795	29
U3-1842S	2354	29
U3-1842Z	770	29
U3-2136C	808	29
U3-2136CS	1112	28
U3-2136S	2304	29
U3-2136Z	769	29
U3-2142C	859	29
U3-2142S	2554	29
U3-2142Z	816	29
U3-2148C	873	29
U3-2148S	2554	29

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
U3-2148Z	830	29
U3-2436C	837	29
U3-2436CS	1172	28
U3-2436S	2438	29
U3-2436Z	807	29
U3-2442C	917	29
U3-2442S	2798	29
U3-2442Z	870	29
U3-2448C	934	29
U3-2448S	2798	29
U3-2448Z	884	29
U3-2460C	1037	29
U3-2460S	3263	29
U3-2460Z	1007	29
UC-311	1256	27
UC-322	1293	27
UCB24120SE	10352	202
UCB2436SE	5630	202
UCB2448SE	6297	202
UCB2460SE	6765	202
UCB2472SE	7255	202
UCB2484SE	8294	202
UCB2496SE	8962	202
UCB30120SE	10797	202
UCB3036SE	5880	202
UCB3048SE	6534	202
UCB3060SE	7053	202
UCB3072SE	7577	202
UCB3084SE	8523	202
UCB3096SE	9334	202
UCBH24120SE	11250	202
UCBH2436SE	6899	202
UCBH2448SE	7226	202
UCBH2460SE	7704	202
UCBH2472SE	8174	202
UCBH2484SE	9197	202
UCBH2496SE	9864	202
UCBH30120SE	11687	202
UCBH3036SE	7133	202
UCBH3048SE	7460	202
UCBH3060SE	7984	202
UCBH3072SE	8504	202
UCBH3084SE	9439	202
UCBH3096SE	10239	202
UH	25	91
UH18-C	82	29
UH18-S	205	29
UH21-C	83	29
UH21-S	208	29
UH24-C	83	29
UH24-S	214	29
UOB24120SE	7080	202
UOB2436SE	4410	202
UOB2448SE	4580	202
UOB2460SE	4900	202
UOB2472SE	5226	202
UOB2484SE	5685	202
UOB2496SE	5972	202
UOB30120SE	7527	202
UOB3036SE	4659	202
UOB3048SE	4820	202
UOB3060SE	5183	202
UOB3072SE	5543	202
UOB3084SE	5930	202
UOB3096SE	6544	202
UR-501	1275	205
UR1836C	896	36,161
UR1848C	958	36,161
UR1860C	1036	36,161
URS1836C	1174	36,161
URS1848C	1287	36,161
URS1860C	1474	36,161
US0824-16/3	1098	253
US0836-16/3	1264	253
US0848-16/3	1599	253
US18-S	107	53
US21-S	118	53
US24-S	122	53
US30-S	130	53
USS24-S	242	53
USS30-S	292	53
UT24108B	4275	190
UT24108E	4660	190
UT24108EB	4437	190
UT24108GTB	4362	192
UT24108GTE	4873	192
UT24108GTEB	4659	192
UT24108SB	5507	191
UT24108SE	6437	191
UT24108SEB	5954	191
UT24108STB	5562	193
UT24108STE	6664	193
UT24108STEB	6006	193
UT24120B	4362	190
UT24120E	4932	190
UT24120EB	4700	190
UT24120GTB	4628	192
UT24120GTE	5144	192
UT24120GTEB	4925	192
UT24120SB	5634	191
UT24120SE	6572	191
UT24120SEB	6087	191
UT24120STB	5849	193
UT24120STE	6803	193
UT24120STEB	6312	193
UT2412STE	1593	200
UT2412STEB	1466	200
UT24132B	4405	190
UT24132E	5194	190
UT24132EB	4789	190
UT24132GTB	4636	192
UT24132GTE	5258	192
UT24132GTEB	5004	192
UT24132SB	5752	191
UT24132SE	6776	191
UT24132SEB	6436	191
UT24132STB	5967	193
UT24132STE	6995	193
UT24132STEB	6467	193
UT24144B	4430	190
UT24144E	5349	190
UT24144EB	5065	190
UT24144GTB	4654	192
UT24144GTE	5387	192
UT24144GTEB	5128	192
UT24144SB	6053	191
UT24144SE	7117	191
UT24144SEB	6566	191
UT24144STB	5973	193
UT24144STE	7338	193
UT24144STEB	6604	193
UT2415STE	1629	200
UT2415STEB	1499	200
UT2418STE	1704	200
UT2418STEB	1567	200
UT2424B	1456	190
UT2424E	1665	190
UT2424EB	1603	190
UT2424GTB	1674	192
UT2424GTE	2054	192
UT2424GTEB	1825	192
UT2424SB	1985	191
UT2424SE	2259	191
UT2424SEB	2104	191
UT2424STB	2236	193
UT2424STE	2477	193
UT2424STEB	2322	193
UT2430B	1573	190
UT2430E	1826	190
UT2430EB	1720	190
UT2430GTB	1788	192
UT2430GTE	2145	192
UT2430GTEB	1947	192
UT2430SB	2144	191
UT2430SE	2488	191
UT2430SEB	2299	191
UT2430STB	2359	193
UT2430STE	2715	193
UT2430STEB	2527	193
UT2436B	1680	190
UT2436E	1948	190
UT2436EB	1837	190
UT2436GTB	1900	192
UT2436GTE	2182	192
UT2436GTEB	2062	192
UT2436SB	2256	191
UT2436SE	2608	191
UT2436SEB	2426	191
UT2436STB	2477	193
UT2436STE	2830	193
UT2436STEB	2643	193
UT2448B	1708	190
UT2448E	1983	190
UT2448EB	1872	190
UT2448GTB	1927	192
UT2448GTE	2287	192
UT2448GTEB	2093	192
UT2448SB	2318	191
UT2448SE	2715	191
UT2448SEB	2504	191
UT2448STB	2529	193
UT2448STE	2939	193
UT2448STEB	2726	193
UT2460B	1806	190
UT2460E	2145	190
UT2460EB	2014	190
UT2460GTB	2018	192
UT2460GTE	2364	192
UT2460GTEB	2238	192
UT2460SB	2482	191
UT2460SE	2947	191
UT2460SEB	2699	191
UT2460STB	2699	193
UT2460STE	3165	193
UT2460STEB	2922	193
UT2472B	1919	190
UT2472E	2309	190
UT2472EB	2162	190
UT2472GTB	2137	192
UT2472GTE	2530	192
UT2472GTEB	2394	192
UT2472SB	2649	191
UT2472SE	3172	191
UT2472SEB	2897	191
UT2472STB	2870	193
UT2472STE	3395	193
UT2472STEB	3127	193
UT2484B	2392	190
UT2484E	3094	190
UT2484EB	3033	190
UT2484GTB	2609	192
UT2484GTE	3317	192
UT2484GTEB	3252	192
UT2484SB	3234	191
UT2484SE	4266	191
UT2484SEB	3932	191
UT2484STB	3453	193
UT2484STE	4482	193
UT2484STEB	4153	193
UT2496B	2704	190
UT2496E	3296	190
UT2496EB	3228	190
UT2496GTB	2920	192
UT2496GTE	3519	192
UT2496GTEB	3452	192
UT2496SB	3465	191
UT2496SE	4554	191
UT2496SEB	4184	191
UT2496STB	3675	193
UT2496STE	4786	193
UT2496STEB	4416	193
UT30108B	4330	190
UT30108E	5084	190
UT30108EB	4836	190
UT30108GTB	4429	192
UT30108GTE	5299	192
UT30108GTEB	5065	192
UT30108SB	5839	191
UT30108SE	6884	191
UT30108SEB	6363	191
UT30108STB	5887	193
UT30108STE	7099	193
UT30108STEB	6584	193
UT30120B	4455	190
UT30120E	5217	190
UT30120EB	4976	190
UT30120GTB	4666	192
UT30120GTE	5440	192
UT30120GTEB	5196	192
UT30120SB	5970	191
UT30120SE	7016	191
UT30120SEB	6492	191
UT30120STB	6185	193
UT30120STE	7227	193
UT30120STEB	6717	193
UT3012STE	1720	200
UT3012STE	1720	200
UT3012STEB	1584	200
UT30132B	4680	190
UT30132E	5376	190

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
UT30132EB	5112	190
UT30132GTB	4764	192
UT30132GTE	5759	192
UT30132GTEB	5330	192
UT30132SB	6149	191
UT30132SE	7512	191
UT30132SEB	6723	191
UT30132STB	6354	193
UT30132STE	7734	193
UT30132STEB	6944	193
UT30144B	4814	190
UT30144E	5503	190
UT30144EB	5236	190
UT30144GTB	4888	192
UT30144GTE	5905	192
UT30144GTEB	5456	192
UT30144SB	6272	191
UT30144SE	7649	191
UT30144SEB	7055	191
UT30144STB	6488	193
UT30144STE	7869	193
UT30144STEB	7280	193
UT3015STE	1759	200
UT3015STEB	1617	200
UT3018STE	1858	200
UT3018STEB	1708	200
UT3030B	1612	190
UT3030E	1877	190
UT3030EB	1783	190
UT3030GTB	1825	192
UT3030GTE	2104	192
UT3030GTEB	2007	192
UT3030SB	2252	191
UT3030SE	2625	191
UT3030SEB	2429	191
UT3030STB	2474	193
UT3030STE	2840	193
UT3030STEB	2662	193
UT3036B	1720	190
UT3036E	1996	190
UT3036EB	1900	190
UT3036GTB	1938	192
UT3036GTE	2222	192
UT3036GTEB	2123	192
UT3036SB	2365	191
UT3036SE	2738	191
UT3036SEB	2554	191
UT3036STB	2587	193
UT3036STE	2962	193
UT3036STEB	2777	193
UT3048B	1745	190
UT3048E	2067	190
UT3048EB	1947	190
UT3048GTB	1964	192
UT3048GTE	2296	192
UT3048GTEB	2165	192
UT3048SB	2452	191
UT3048SE	2895	191
UT3048SEB	2674	191
UT3048STB	2674	193
UT3048STE	3125	193
UT3048STEB	2888	193
UT3060B	1893	190
UT3060E	2270	190
UT3060EB	2136	190
UT3060GTB	2106	192
UT3060GTE	2489	192
UT3060GTEB	2353	192
UT3060SB	2665	191
UT3060SE	3178	191
UT3060SEB	2922	191
UT3060STB	2885	193
UT3060STE	3410	193
UT3060STEB	3145	193
UT3072B	2038	190
UT3072E	2467	190
UT3072EB	2309	190
UT3072GTB	2252	192
UT3072GTE	2686	192
UT3072GTEB	2530	192
UT3072SB	2884	191
UT3072SE	3462	191
UT3072SEB	3172	191
UT3072STB	3092	193
UT3072STE	3686	193
UT3072STEB	3395	193
UT3084B	2506	190
UT3084E	3252	190
UT3084EB	3065	190
UT3084GTB	2725	192
UT3084GTE	3476	192
UT3084GTEB	3285	192
UT3084SB	3358	191
UT3084SE	4444	191
UT3084SEB	4094	191
UT3084STB	3573	193
UT3084STE	4666	193
UT3084STEB	4319	193
UT3096B	2872	190
UT3096E	3530	190
UT3096EB	3328	190
UT3096GTB	3089	192
UT3096GTE	3752	192
UT3096GTEB	3548	192
UT3096SB	3728	191
UT3096SE	4906	191
UT3096SEB	4517	191
UT3096STB	3945	193
UT3096STE	5122	193
UT3096STEB	4733	193
UT36108B	5183	190
UT36108E	5745	190
UT36108EB	5567	190
UT36108GTB	5398	192
UT36108GTE	5960	192
UT36108GTEB	5830	192
UT36108SB	6912	191
UT36108SE	7962	191
UT36108SEB	7306	191
UT36108STB	6927	193
UT36108STE	8185	193
UT36108STEB	7525	193
UT36120B	5315	190
UT36120E	6043	190
UT36120EB	5910	190
UT36120GTB	5527	192
UT36120GTE	6267	192
UT36120GTEB	6133	192
UT36120SB	7049	191
UT36120SE	8099	191
UT36120SEB	7659	191
UT36120STB	7259	193
UT36120STE	8320	193
UT36120STEB	7877	193
UT3612STE	1833	200
UT3612STEB	1687	200
UT36132B	5427	190
UT36132E	6300	190
UT36132EB	6092	190
UT36132GTB	5637	192
UT36132GTE	6514	192
UT36132GTEB	6312	192
UT36132SB	7492	191
UT36132SE	8433	191
UT36132SEB	7969	191
UT36132STB	7486	193
UT36132STE	8614	193
UT36132STEB	8178	193
UT36144B	5722	190
UT36144E	6429	190
UT36144EB	6222	190
UT36144GTB	5764	192
UT36144GTE	6643	192
UT36144GTEB	6445	192
UT36144SB	7636	191
UT36144SE	8822	191
UT36144SEB	8337	191
UT36144STB	7617	193
UT36144STE	8788	193
UT36144STEB	8559	193
UT3615STE	1888	200
UT3615STEB	1740	200
UT3618STE	1964	200
UT3618STEB	1806	200
UT3648B	2136	190
UT3648E	2404	190
UT3648EB	2339	190
UT3648GTB	2352	192
UT3648GTE	2625	192
UT3648GTEB	2562	192
UT3648SB	2803	191
UT3648SE	3282	191
UT3648SEB	3109	191
UT3648STB	3016	193
UT3648STE	3514	193
UT3648STEB	3332	193
UT3660B	2382	190
UT3660E	2674	190
UT3660EB	2592	190
UT3660GTB	2600	192
UT3660GTE	2888	192
UT3660GTEB	2820	192
UT3660SB	3080	191
UT3660SE	3600	191
UT3660SEB	3410	191
UT3660STB	3300	193
UT3660STE	3823	193
UT3660STEB	3626	193
UT3672B	2588	190
UT3672E	2886	190
UT3672EB	2806	190
UT3672GTB	2803	192
UT3672GTE	3109	192
UT3672GTEB	3033	192
UT3672SB	3364	191
UT3672SE	3918	191
UT3672SEB	3699	191
UT3672STB	3582	193
UT3672STE	4140	193
UT3672STEB	3918	193
UT3684B	3489	190
UT3684E	3845	190
UT3684EB	3737	190
UT3684GTB	3714	192
UT3684GTE	4065	192
UT3684GTEB	3972	192
UT3684SB	4573	191
UT3684SE	5240	191
UT3684SEB	4959	191
UT3684STB	4789	193
UT3684STE	5456	193
UT3684STEB	5180	193
UT3696B	3699	190
UT3696E	4063	190
UT3696EB	3954	190
UT3696GTB	3917	192
UT3696GTE	4287	192
UT3696GTEB	4174	192
UT3696SB	4919	191
UT3696SE	5629	191
UT3696SEB	5299	191
UT3696STB	5128	193
UT3696STE	5840	193
UT3696STEB	5526	193
UUC-311	1304	27
UUC-322	1340	27
UWT3048SE	1797	183
UWT3048SEB	1270	183
UWT3048SEM	2517	183
UWT3060SE	2048	183
UWT3060SEB	1487	183
UWT3060SEM	2688	183
UWT3072SE	2395	183
UWT3072SEB	1666	183
UWT3072SEM	3036	183
W1436-GBC	487	131
W1436-GBS	1460	131
W1448-GBC	537	131
W1448-GBS	1620	131
W1460-GBC	585	131
W1460-GBS	1692	131
W1472-GBC	614	131
W1472-GBS	1794	131
W1916	5255	236
W1916-FA	2744	236
WAL-1-1836	647	90
WAL-1-1848	714	90
WAL-2-1836	1180	90
WAL-2-1848	1317	90
WB	63	91
WB14-C	84	49,97
WB14-S	197	49,97
WB14-VG	85	49,97
WB18-C	85	49,97
WB18-S	210	49,97
WB18-VG	86	49,97
WB21-C	85	49,97
WB21-S	216	49,97
WB21-VG	86	49,97
WB24-C	86	49,97

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
WB24-S	220	49,97
WB24-VG	92	49,97
WBC1836C-1B1W	622	27,159
WBC1836C-2B	549	27,159
WBS1836C	180	40,159
WCH-24	8344	98,209
WCH-24C-L	7737	253
WCH-24C-LL	8208	253
WCH-24C-R	7737	253
WCH-24C-RL	8208	253
WCH-30	9247	98,209
WCH-36	9407	98,209
WCH-42	9886	98,209
WCH-48	10192	98,209
WCH-54	10423	98,209
WCH-60	11686	98,209
WCH-66	11772	98,209
WCH-72	13094	98,209
WCH-84	13460	98,209
WCH-90	14223	98,209
WCH-96	14664	98,209
WCH4-24C-L	6983	253
WCH4-24C-LL	7454	253
WCH4-24C-R	6983	253
WCH4-24C-RL	7454	253
WCO-24	6149	98,209
WCO-30	6156	98,209
WCO-36	6384	98,209
WCO-48	7354	98,209
WCO-60	8048	98,209
WCO-72	8539	98,209
WCO-84	9009	98,209
WCO-96	10089	98,209
WCS-120	16732	98,209
WCS-24	6956	98,209
WCS-30	8475	98,209
WCS-36	8738	98,209
WCS-42	8782	98,209
WCS-48	9572	98,209
WCS-54	9749	98,209
WCS-60	11069	98,209
WCS-72	12398	98,209
WCS-84	12719	98,209
WCS-90	13469	98,209
WCS-96	13887	98,209
WDR203608-A	464	39
WDR203612-A	464	39
WDR204808-A	536	39
WDR204812-A	536	39
WDR206008-A	603	39
WDR206012-A	603	39
WDR243608-A	519	39
WDR243612-A	519	39
WDR244808-A	585	39
WDR244812-A	585	39
WDR246008-A	676	39
WDR246012-A	676	39
WM108APR	1192	217
WM108PR	1633	217
WM120APR	1205	217
WM120PR	1729	217
WM132APR	1394	217
WM132PR	1753	217
WM144APR	1497	217
WM144PR	2207	217
WM1836	155	90
WM1848	198	90
WM1860	232	90
WM2448	236	90
WM2472	272	90
WM2484	325	90
WM2496	343	90
WM3354	395	90
WM36APR	499	217
WM36PR	577	217
WM4848	383	90
WM48APR	525	217
WM48PR	698	217
WM60APR	596	217
WM60PR	744	217
WM72APR	764	217
WM72PR	944	217
WM84APR	803	217
WM84PR	1026	217
WM96APR	985	217
WM96PR	1454	217
WOAC2436T-1C-1W	1798	140,178
WOAC2436T-1H-1W	1798	140,178
WOAC2436T-2C	1798	140,178
WOAC2436T-2H	1798	140,178
WOAC2436T-2W	1798	140,178
WOAC2448T-1C-1W	2045	140,178
WOAC2448T-1H-1W	2045	140,178
WOAC2448T-2C	2045	140,178
WOAC2448T-2H	2045	140,178
WOAC2448T-2W	2045	140,178
WOAC2460T-1C-1W	2297	140,178
WOAC2460T-1H-1W	2297	140,178
WOAC2460T-2C	2297	140,178
WOAC2460T-2H	2297	140,178
WOAC2460T-2W	2297	140,178
WOAC3036T-1C-1W	1900	140,178
WOAC3036T-1H-1W	1900	140,178
WOAC3036T-2C	1900	140,178
WOAC3036T-2H	1900	140,178
WOAC3036T-2W	1900	140,178
WOAC3048T-1C-1W	2218	140,178
WOAC3048T-1H-1W	2218	140,178
WOAC3048T-2C	2218	140,178
WOAC3048T-2H	2218	140,178
WOAC3048T-2W	2218	140,178
WOAC3060T-1C-1W	2498	140,178
WOAC3060T-1H-1W	2498	140,178
WOAC3060T-2C	2498	140,178
WOAC3060T-2H	2498	140,178
WOAC3060T-2W	2498	140,178
WOAC3636T-1C-1W	2307	140,178
WOAC3636T-1H-1W	2307	140,178
WOAC3636T-2C	2307	140,178
WOAC3636T-2H	2307	140,178
WOAC3636T-2W	2307	140,178
WOAC3648T-1C-1W	2610	140,178
WOAC3648T-1H-1W	2610	140,178
WOAC3648T-2C	2610	140,178
WOAC3648T-2H	2610	140,178
WOAC3648T-2W	2610	140,178
WOAC3660T-1C-1W	2836	140,178
WOAC3660T-1H-1W	2836	140,178
WOAC3660T-2C	2836	140,178
WOAC3660T-2H	2836	140,178
WOAC3660T-2W	2836	140,178
WOAEP2436T-1C-1W	3867	141
WOAEP2436T-1H-1W	3867	141
WOAEP2436T-2C	3867	141
WOAEP2436T-2H	3867	141
WOAEP2436T-2W	3867	141
WOAEP2448T-1C-1W	4473	141
WOAEP2448T-1H-1W	4473	141
WOAEP2448T-2C	4473	141
WOAEP2448T-2H	4473	141
WOAEP2448T-2W	4473	141
WOAEP2460T-1C-1W	5429	141
WOAEP2460T-1H-1W	5429	141
WOAEP2460T-2C	5429	141
WOAEP2460T-2H	5429	141
WOAEP2460T-2W	5429	141
WOAEP3036T-1C-1W	4550	141
WOAEP3036T-1H-1W	4550	141
WOAEP3036T-2C	4550	141
WOAEP3036T-2H	4550	141
WOAEP3036T-2W	4550	141
WOAEP3048T-1C-1W	5304	141
WOAEP3048T-1H-1W	5304	141
WOAEP3048T-2C	5304	141
WOAEP3048T-2H	5304	141
WOAEP3048T-2W	5304	141
WOAEP3060T-1C-1W	5997	141
WOAEP3060T-1H-1W	5997	141
WOAEP3060T-2C	5997	141
WOAEP3060T-2H	5997	141
WOAEP3060T-2W	5997	141
WOAEP3636T-1C-1W	4955	141
WOAEP3636T-1H-1W	4955	141
WOAEP3636T-2C	4955	141
WOAEP3636T-2H	4955	141
WOAEP3636T-2W	4955	141
WOAEP3648T-1C-1W	5836	141
WOAEP3648T-1H-1W	5836	141
WOAEP3648T-2C	5836	141
WOAEP3648T-2H	5836	141
WOAEP3648T-2W	5836	141
WOAEP3660T-1C-1W	6807	141
WOAEP3660T-1H-1W	6807	141
WOAEP3660T-2C	6807	141
WOAEP3660T-2H	6807	141
WOAEP3660T-2W	6807	141
WOAP2436T-1C-1W	3553	141
WOAP2436T-1H-1W	3553	141
WOAP2436T-2C	3553	141
WOAP2436T-2H	3553	141
WOAP2436T-2W	3553	141
WOAP2448T-1C-1W	4165	141
WOAP2448T-1H-1W	4165	141
WOAP2448T-2C	4165	141
WOAP2448T-2H	4165	141
WOAP2448T-2W	4165	141
WOAP2460T-1C-1W	4798	141
WOAP2460T-1H-1W	4798	141
WOAP2460T-2C	4798	141
WOAP2460T-2H	4798	141
WOAP2460T-2W	4798	141
WOAP3036T-1C-1W	3839	141
WOAP3036T-1H-1W	3839	141
WOAP3036T-2C	3839	141
WOAP3036T-2H	3839	141
WOAP3036T-2W	3839	141
WOAP3048T-1C-1W	4539	141
WOAP3048T-1H-1W	4539	141
WOAP3048T-2C	4539	141
WOAP3048T-2H	4539	141
WOAP3048T-2W	4539	141
WOAP3060T-1C-1W	5194	141
WOAP3060T-1H-1W	5194	141
WOAP3060T-2C	5194	141
WOAP3060T-2H	5194	141
WOAP3060T-2W	5194	141
WOAP3636T-1C-1W	4352	141
WOAP3636T-1H-1W	4352	141
WOAP3636T-2C	4352	141
WOAP3636T-2H	4352	141
WOAP3636T-2W	4352	141
WOAP3648T-1C-1W	5110	141
WOAP3648T-1H-1W	5110	141
WOAP3648T-2C	5110	141
WOAP3648T-2H	5110	141
WOAP3648T-2W	5110	141
WOAP3660T-1C-1W	5863	141
WOAP3660T-1H-1W	5863	141
WOAP3660T-2C	5863	141
WOAP3660T-2H	5863	141
WOAP3660T-2W	5863	141
WOAPEP2436T-1C-1W	4332	141
WOAPEP2436T-1H-1W	4332	141
WOAPEP2436T-2C	4332	141
WOAPEP2436T-2H	4332	141
WOAPEP2436T-2W	4332	141
WOAPEP2448T-1C-1W	5056	141
WOAPEP2448T-1H-1W	5056	141
WOAPEP2448T-2C	5056	141
WOAPEP2448T-2H	5056	141
WOAPEP2448T-2W	5056	141
WOAPEP2460T-1C-1W	6016	141
WOAPEP2460T-1H-1W	6016	141
WOAPEP2460T-2C	6016	141
WOAPEP2460T-2H	6016	141
WOAPEP2460T-2W	6016	141
WOAPEP3036T-1C-1W	5136	141
WOAPEP3036T-1H-1W	5136	141
WOAPEP3036T-2C	5136	141
WOAPEP3036T-2H	5136	141
WOAPEP3036T-2W	5136	141
WOAPEP3048T-1C-1W	5885	141
WOAPEP3048T-1H-1W	5885	141
WOAPEP3048T-2C	5885	141
WOAPEP3048T-2H	5885	141
WOAPEP3048T-2W	5885	141
WOAPEP3060T-1C-1W	6575	141
WOAPEP3060T-1H-1W	6575	141
WOAPEP3060T-2C	6575	141
WOAPEP3060T-2H	6575	141
WOAPEP3060T-2W	6575	141
WOAPEP3636T-1C-1W	5388	141
WOAPEP3636T-1H-1W	5388	141
WOAPEP3636T-2C	5388	141
WOAPEP3636T-2H	5388	141
WOAPEP3636T-2W	5388	141
WOAPEP3648T-1C-1W	6345	141
WOAPEP3648T-1H-1W	6345	141
WOAPEP3648T-2C	6345	141
WOAPEP3648T-2H	6345	141

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment


Part Number	List Price	Page No.
WOAPEP3648T-2W	6345	141
WOAPEP3660T-1C-1W	7404	141
WOAPEP3660T-1H-1W	7404	141
WOAPEP3660T-2C	7404	141
WOAPEP3660T-2H	7404	141
WOAPEP3660T-2W	7404	141
WOAS2436T-1C-1W	3112	140,178
WOAS2436T-1H-1W	3112	140,178
WOAS2436T-2C	3112	140,178
WOAS2436T-2H	3112	140,178
WOAS2436T-2W	3112	140,178
WOAS2448T-1C-1W	3616	140,178
WOAS2448T-1H-1W	3616	140,178
WOAS2448T-2C	3616	140,178
WOAS2448T-2H	3616	140,178
WOAS2448T-2W	3616	140,178
WOAS2460T-1C-1W	4245	140,178
WOAS2460T-1H-1W	4245	140,178
WOAS2460T-2C	4245	140,178
WOAS2460T-2H	4245	140,178
WOAS2460T-2W	4245	140,178
WOAS3036T-1C-1W	3412	140,178
WOAS3036T-1H-1W	3412	140,178
WOAS3036T-2C	3412	140,178
WOAS3036T-2H	3412	140,178
WOAS3036T-2W	3412	140,178
WOAS3048T-1C-1W	3986	140,178
WOAS3048T-1H-1W	3986	140,178
WOAS3048T-2C	3986	140,178
WOAS3048T-2H	3986	140,178
WOAS3048T-2W	3986	140,178
WOAS3060T-1C-1W	4640	140,178
WOAS3060T-1H-1W	4640	140,178
WOAS3060T-2C	4640	140,178
WOAS3060T-2H	4640	140,178
WOAS3060T-2W	4640	140,178
WOAS3636T-1C-1W	3799	140,178
WOAS3636T-1H-1W	3799	140,178
WOAS3636T-2C	3799	140,178
WOAS3636T-2H	3799	140,178
WOAS3636T-2W	3799	140,178
WOAS3648T-1C-1W	4559	140,178
WOAS3648T-1H-1W	4559	140,178
WOAS3648T-2C	4559	140,178
WOAS3648T-2H	4559	140,178
WOAS3648T-2W	4559	140,178
WOAS3660T-1C-1W	5315	140,178
WOAS3660T-1H-1W	5315	140,178
WOAS3660T-2C	5315	140,178
WOAS3660T-2H	5315	140,178
WOAS3660T-2W	5315	140,178
WR18-BL	38	33
WR18-C	33	33
WR18-V	40	33
WR18-VG	40	33
WR18-Z	29	33
WS10108-14/3	2183	94
WS10108-16/3	1983	94
WS10108-16/4	1395	94
WS10120-14/3	2460	94
WS10120-16/3	2239	94
WS10120-16/4	1465	94
WS1024-14/3	1096	94
WS1024-16/3	997	94
WS1024-16/4	850	94
WS1024TL	374	93
WS1036-14/3	1239	94
WS1036-16/3	1123	94
WS1036-16/4	915	94
WS1036TL	398	93
WS1048-14/3	1312	94
WS1048-16/3	1200	94
WS1048-16/4	925	94
WS1048TL	454	93
WS1060-14/3	1452	94
WS1060-16/3	1327	94
WS1060-16/4	986	94
WS1060TL	512	93
WS1072-14/3	1585	94
WS1072-16/3	1448	94
WS1072-16/4	1054	94
WS1084-14/3	1717	94
WS1084-16/3	1567	94
WS1084-16/4	1110	94
WS1096-14/3	1986	94
WS1096-16/3	1807	94
WS1096-16/4	1283	94
WS12108-14/3	2359	94
WS12108-16/3	2152	94
WS12108-16/4	1554	94
WS12120-14/3	2500	94
WS12120-16/3	2272	94
WS12120-16/4	1617	94
WS1224-14/3	1173	94
WS1224-16/3	1063	94
WS1224-16/4	915	94
WS1224TL	400	93
WS1236-14/3	1309	94
WS1236-16/3	1195	94
WS1236-16/4	983	94
WS1236TL	433	93
WS1248-14/3	1408	94
WS1248-16/3	1280	94
WS1248-16/4	1005	94
WS1248TL	489	93
WS1260-14/3	1552	94
WS1260-16/3	1414	94
WS1260-16/4	1069	94
WS1260TL	547	93
WS1272-14/3	1692	94
WS1272-16/3	1544	94
WS1272-16/4	1145	94
WS1284-14/3	1843	94
WS1284-16/3	1675	94
WS1284-16/4	1210	94
WS1296-14/3	2016	94
WS1296-16/3	1833	94
WS1296-16/4	1419	94
WS2436C	433	135
WS2436S	1599	135
WS2436WT	664	135
WS2436WT-S	2504	135
WS2448C	493	135
WS2448S	1744	135
WS2448WT	770	135
WS2448WT-S	2565	135
WSP10108	2509	95
WSP10120	2566	95
WSP10132	2720	95
WSP10144	2777	95
WSP1036	1547	95
WSP1048	1577	95
WSP1060	1648	95
WSP1072	1707	95
WSP1084	1789	95
WSP1096	1914	95
WSP12108	2665	95
WSP12120	2727	95
WSP12132	2867	95
WSP12144	2920	95
WSP1236	1605	95
WSP1248	1662	95
WSP1260	1740	95
WSP1272	1806	95
WSP1284	1909	95
WSP1296	1954	95
WSP15108	3443	95
WSP15120	3498	95
WSP15132	3759	95
WSP15144	3820	95
WSP1536	2096	95
WSP1548	2142	95
WSP1560	2433	95
WSP1572	2643	95
WSP1584	3026	95
WSP1596	3170	95
WSP18108	4009	95
WSP18120	4072	95
WSP18132	4152	95
WSP18144	4216	95
WSP1836	2509	95
WSP1848	2550	95
WSP1860	2684	95
WSP1872	2872	95
WSP1884	3117	95
WSP1896	3299	95
WT3048SE	1527	183
WT3048SE-BS	1908	183
WT3048SEB	1082	183
WT3048SEB-BS	1347	183
WT3048SEM	2144	183
WT3048SEM-BS	2680	183
WT3060SE	1744	183
WT3060SE-BS	2180	183
WT3060SEB	1264	183
WT3060SEB-BS	1577	183
WT3060SEM	2285	183
WT3060SEM-BS	2858	183
WT3072SE	2038	183
WT3072SE-BS	2547	183
WT3072SEB	1417	183
WT3072SEB-BS	1769	183
WT3072SEM	2582	183
WT3072SEM-BS	3223	183
WTFT-1215-FGG	19116	264
WTFT-1215-SG	21060	264
WTFT-1218-FGG	20074	264
WTFT-1218-SG	21527	264
WTFT-1224-FGG	20393	264
WTFT-1224-SG	21782	264
WTFT-1230-FGG	20783	264
WTFT-1230-SG	21950	264
WTFT-1236-FGG	20996	264
WTFT-1236-SG	22120	264
WTFT-1248-FGG	21680	264
WTFT-1248-SG	23480	264
WTFT-1260-FGG	22123	264
WTFT-1260-SG	24903	264
WTFT-1272-FGG	22870	264
WTFT-1272-SG	26176	264
WTFT-1284-FGG	23482	264
WTFT-1284-SG	27896	264
WTFT-1296-FGG	24136	264
WTFT-1296-SG	28228	264
WTFT-1518-FGG	19534	264
WTFT-1518-SG	21337	264
WTFT-1524-FGG	20470	264
WTFT-1524-SG	22128	264
WTFT-1530-FGG	20826	264
WTFT-1530-SG	22264	264
WTFT-1536-FGG	21034	264
WTFT-1536-SG	23070	264
WTFT-1548-FGG	21745	264
WTFT-1548-SG	24526	264
WTFT-1560-FGG	22292	264
WTFT-1560-SG	25927	264
WTFT-1572-FGG	22999	264
WTFT-1572-SG	27362	264
WTFT-1584-FGG	23686	264
WTFT-1584-SG	28800	264
WTFT-1596-FGG	24264	264
WTFT-1596-SG	30149	264
WTFT-1824-FGG	20776	264
WTFT-1824-SG	22456	264
WTFT-1830-FGG	21233	264
WTFT-1830-SG	22797	264
WTFT-1836-FGG	21584	264
WTFT-1836-SG	23139	264
WTFT-1848-FGG	22414	264
WTFT-1848-SG	25437	264
WTFT-1860-FGG	23119	264
WTFT-1860-SG	26308	264
WTFT-1872-FGG	23439	264
WTFT-1872-SG	28585	264
WTFT-1884-FGG	24794	264
WTFT-1884-SG	29589	264
WTFT-1896-FGG	25572	264
WTFT-1896-SG	31684	264
WTFT-2424-FGG	21087	264
WTFT-2424-SG	23748	264
WTFT-2430-FGG	21686	264
WTFT-2430-SG	24049	264
WTFT-2436-FGG	22104	264
WTFT-2436-SG	25130	264
WTFT-2448-FGG	23106	264
WTFT-2448-SG	26515	264
WTFT-2460-FGG	24097	264
WTFT-2460-SG	27749	264
WTFT-2472-FGG	24164	264
WTFT-2472-SG	29594	264
WTFT-2484-FGG	26084	264
WTFT-2484-SG	30828	264
WTFT-2496-FGG	27004	264
WTFT-2496-SG	32366	264
WTRE20-Z	945	168
WTRE38-Z	954	168
WTRS20-Z	945	168
WTRS38-Z	954	168
WTSA30	330	200

NOTES

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

Get our latest brochures…


Cleanroom



Casework



Life Science



Electronics




Click on the brochure cover to download the latest brochure

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

100 Industrial Boulevard, Clayton, DE 19938
Phone: 302-653-3000 • Fax: 302-653-2065
Eagle MHC website: www.eaglemhc.com
Eagle Group website: www.eaglegrp.com

Some of our new products featured inside…



Breath/Safety Shields
pages 269-273



Q-LEVER Storage Solutions
pages 72-85



Portable Hand Sink with Open Base
page 228



Mop Sink Splash Kits
page 252



Pegboards
page 120

SpecFAB® Custom Capabilities

Custom Equipment Manufactured to Your Specifications!



Manufacturing Capabilities:

- Engineering and design assistance.
- Standard and custom built stainless products.
- Small to large order capacities.
- Designed and built to SEFA standards.
- Quality controlled throughout process.
- In-house equipment capabilities and standard products provide economical solutions.





Rev 02/22 EG9065

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

100 Industrial Boulevard, Clayton, DE 19938
Phone: 302-653-3000 • Fax: 302-653-2065
Eagle MHC website: www.eaglemhc.com
Eagle Group website: www.eaglegrp.com

© 2022 EAGLE GROUP. Profit From The EAGLE Advantage® is a registered trademark of EAGLE GROUP.
Although every attempt has been made to ensure the accuracy of the data in this publication, we cannot be responsible for printing or typographical errors or omissions.