



# 2026

## WHOLESALE PLUMBING PRODUCTS PRICE LIST



Products for the Wholesale Plumbing Distributor

1-800-441-8440 • 302-653-3000 • Visit Our Website: [www.eaglemhc.com](http://www.eaglemhc.com)

# TABLE OF CONTENTS

412, 414, and 314 Series Sinks . . . . . 12-15

BPFC Sinks . . . . . 33

BPFE Sinks . . . . . 32

Chemical Storage Wall Cabinets . . . . . 39

Convenience Store Sinks . . . . . 22

Cool Trough® Water Tempering . . . . . 34-35, 39

Corner Sinks . . . . . 20

Countertop Drop-In Sinks

Options . . . . . 25

with No Deck . . . . . 23

with Self-Rim Design . . . . . 24

Countertops & Accessories . . . . . back cover

Custom Sink Modifications . . . . . 27

Floor Troughs & Drains . . . . . 36-38

Replacement Grating . . . . . 38

Hand Sink Accessories . . . . . 9-11

Hand Sinks

Electronic - AC Power . . . . . 4

Electronic - Battery Power . . . . . 4

Hand Wash Sinks . . . . . 7

Physically Challenged . . . . . 5

Portable . . . . . 8, back cover

Space-Saver Series . . . . . 6

Traditional . . . . . 3

Wall Mounted Multi-Station . . . . . 7

Hand Sinks (continued)

with End Splashes . . . . . 7

with Knee/Foot Valve Operation . . . . . 5

with Standard Towel and/or Soap Dispenser . . . . . 3

HFL-5000 Touch-Free Handwashing Systems . . . . . 2

Lavatory Sinks . . . . . 20

Mobile Soak Sinks . . . . . 20

Mop Sink Storage Cabinets . . . . . 32

Mop Sinks & Accessories . . . . . 31

Portable Hand Sink Supply Cart . . . . . back cover

Seamless Welded-In Sinks

with Drawn Bowl . . . . . 26

with Fabricated Wall . . . . . 25

Sink Accessories / Replacements . . . . . 27-30

Sink Kits . . . . . 28

SPEC-MASTER® Sinks

FFN Series Flush Front . . . . . 21

FN Series . . . . . 16-17

Supermarket Meat Platter Sinks . . . . . 21

Stainless Steel Fabricated Sinks . . . . . 22

Surgical Scrub Sinks . . . . . 6

Utility Shelves with Mop Hangers . . . . . 32

Utility Sinks . . . . . 18-19

Worktables with Sink . . . . . 39

## SINKS

### HFL-5000 Touch-Free Handwashing Systems

Automated paper towel dispenser.  
EAGLE part #384796.

Hand sanitizing dispenser.  
EAGLE part #377455.

Glove rack with single service gloves.  
EAGLE part #352855

Soft bristle white nail brush.  
EAGLE part #348602

Hand soap dispenser.  
EAGLE part #377456.

Splash-mount gooseneck faucet, with  
electronic eye sensor. Eagle part #384969 or  
EAGLE part #369865.

EAGLE hand sink with MICROGARD®  
antimicrobial protection.

description of hand sink included	model #	list
with waste receptacle	<b>HFL-5000</b>	<b>8708</b>
with skirt (no waste receptacle)	<b>HFL-5000-S</b>	<b>7763</b>
with waste receptacle and end splashes	<b>HFL-5000-LRS</b>	<b>9226</b>

Listed under Kochman AutoCAD symbol library for foodservice equipment.

## Traditional Hand Sinks



All sinks are wall mountable • Deep-drawn seamless design • Positive drain on all models • All type 304 stainless steel • Splash mount gooseneck faucet included (except #HSA-10)



HSA-10

(To order without faucet holes, add suffix "-NH" – Example: HSA-10-NH. \$247 upcharge)



HSA-10-F



HSA-10-FA



HSA-10-FAW



HSA-10-FL



HSA-10-FO

includes...	bowl size	overall size	model #	list
faucet holes on 4" centerline, basket drain	9 <sup>3</sup> / <sub>4</sub> x 13 <sup>1</sup> / <sub>2</sub> x 6 <sup>3</sup> / <sub>4</sub>	14 <sup>3</sup> / <sub>4</sub> x 18 <sup>7</sup> / <sub>8</sub> x 12 <sup>3</sup> / <sub>4</sub>	HSA-10 *	1063
faucet, basket drain	9 <sup>3</sup> / <sub>4</sub> x 13 <sup>1</sup> / <sub>2</sub> x 6 <sup>3</sup> / <sub>4</sub>	14 <sup>3</sup> / <sub>4</sub> x 18 <sup>7</sup> / <sub>8</sub> x 12 <sup>3</sup> / <sub>4</sub>	HSA-10-F *	1244
faucet, p-trap, tail piece, basket drain	9 <sup>3</sup> / <sub>4</sub> x 13 <sup>1</sup> / <sub>2</sub> x 6 <sup>3</sup> / <sub>4</sub>	14 <sup>3</sup> / <sub>4</sub> x 18 <sup>7</sup> / <sub>8</sub> x 12 <sup>3</sup> / <sub>4</sub>	HSA-10-FA *	1314
faucet with wrist handles, p-trap, tail piece, basket drain	9 <sup>3</sup> / <sub>4</sub> x 13 <sup>1</sup> / <sub>2</sub> x 6 <sup>3</sup> / <sub>4</sub>	14 <sup>3</sup> / <sub>4</sub> x 18 <sup>7</sup> / <sub>8</sub> x 12 <sup>3</sup> / <sub>4</sub>	HSA-10-FAW *	1673
faucet, polymer lever drain	10" x 14" x 5"	14 <sup>3</sup> / <sub>4</sub> x 18 <sup>7</sup> / <sub>8</sub> x 12 <sup>1</sup> / <sub>2</sub>	HSA-10-FL	1782
faucet, polymer lever drain with overflow	10" x 14" x 5"	14 <sup>3</sup> / <sub>4</sub> x 18 <sup>7</sup> / <sub>8</sub> x 12 <sup>1</sup> / <sub>2</sub>	HSA-10-FO	1476

\* MICROGARD® available: To order, add suffix "-MG" to model number. Add \$243 to list price.

## Hand Sinks with Standard Towel Dispenser and/or Soap Dispenser



Deep-drawn positive drain and splash mount gooseneck faucet on all models • All 304 series stainless steel, including towel dispenser • Soap dispenser holds 12 ounces, except where noted • Towel dispenser holds 4" x 10" C-fold disposable paper towels



HSA-10-FDP



HSA-10-FDPS



HSA-10-FLDP



HSA-10-FODP



HSA-10-F-DS



HSA-10-FWLDP-LRS

includes...	bowl size	overall size	model #	list
faucet, towel dispenser, soap dispenser, basket drain	9 <sup>3</sup> / <sub>4</sub> x 13 <sup>1</sup> / <sub>2</sub> x 6 <sup>3</sup> / <sub>4</sub>	14 <sup>3</sup> / <sub>4</sub> x 19 <sup>1</sup> / <sub>4</sub> x 28 <sup>3</sup> / <sub>4</sub>	HSA-10-FDP *	2617
faucet, towel dispenser, soap dispenser, skirt, basket drain	9 <sup>3</sup> / <sub>4</sub> x 13 <sup>1</sup> / <sub>2</sub> x 6 <sup>3</sup> / <sub>4</sub>	14 <sup>3</sup> / <sub>4</sub> x 19 <sup>1</sup> / <sub>4</sub> x 30"	HSA-10-FDPS *	3994
faucet, towel disp., soap disp., polymer lever drain	10" x 14" x 5"	14 <sup>3</sup> / <sub>4</sub> x 19 <sup>1</sup> / <sub>4</sub> x 28"	HSA-10-FLDP	3142
faucet, towel disp., soap disp., polymer lever dr. w/overflow	10" x 14" x 5"	14 <sup>3</sup> / <sub>4</sub> x 19 <sup>1</sup> / <sub>4</sub> x 28"	HSA-10-FODP	3209
faucet, deck-mount 16-oz. soap dispenser, basket drain	9 <sup>3</sup> / <sub>4</sub> x 13 <sup>1</sup> / <sub>2</sub> x 6 <sup>1</sup> / <sub>2</sub>	14 <sup>13</sup> / <sub>16</sub> x 18 <sup>7</sup> / <sub>8</sub> x 12 <sup>3</sup> / <sub>4</sub>	HSA-10-F-DS *	1637
faucet w/wrist handles, towel dispenser, soap dispenser, side splashes, polymer lever drain	10" x 14" x 5"	14 <sup>3</sup> / <sub>4</sub> x 19 <sup>1</sup> / <sub>4</sub> x 28"	HSA-10-FWLDP-LRS	4239

NOTE: On #HSA-10-F-DS, overall height does not include soap dispenser bottle. See page 6 for "Space-Saver" hand sink with deck-mount soap dispenser.

\* MICROGARD® available: To order, add suffix "-MG" to model number. Add \$243 to list price.

MICROGARD® is an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew on shelf surface that causes stains, odors and degradation.

# HAND SINKS

## Electronic Hand Sinks - AC Power

**NSF** Electronic "eye" sensor beam activates water flow and adjusts from 3" to 12" • Requires 120-volt, 15-amp electricity • 12-volt adapter • Splash mount gooseneck spout • Lever or basket drain • Y-Inlet Non-Adjustable Mixing Valve

For regulating water temperature, Temperature Adjustment Valve (see page 10) is required.



HSA-10-FE



HSA-10-FOE



HSA-10-FA-PE



HSA-10-FDPE



HSA-10-FODPE



HSA-10-FDPEE

includes spout with electronic-eye and...	bowl size	overall size	model #	list
basket drain	9 <sup>3</sup> / <sub>4</sub> " x 13 <sup>1</sup> / <sub>2</sub> " x 6 <sup>3</sup> / <sub>4</sub> "	14 <sup>3</sup> / <sub>4</sub> " x 18 <sup>7</sup> / <sub>8</sub> " x 12 <sup>3</sup> / <sub>4</sub> "	<a href="#">HSA-10-FE *</a>	<b>4523</b>
polymer lever drain w/overflow	10" x 14" x 5"	14 <sup>3</sup> / <sub>4</sub> " x 18 <sup>7</sup> / <sub>8</sub> " x 12 <sup>1</sup> / <sub>2</sub> "	<a href="#">HSA-10-FOE</a>	<b>4754</b>
soap dispenser, p-trap, tail piece, basket drain	9 <sup>3</sup> / <sub>4</sub> " x 13 <sup>1</sup> / <sub>2</sub> " x 6 <sup>3</sup> / <sub>4</sub> "	14 <sup>3</sup> / <sub>4</sub> " x 18 <sup>7</sup> / <sub>8</sub> " x 40 <sup>3</sup> / <sub>4</sub> "	<a href="#">HSA-10-FA-PE *</a>	<b>6019</b>
soap dispenser, towel dispenser, basket drain	9 <sup>3</sup> / <sub>4</sub> " x 13 <sup>1</sup> / <sub>2</sub> " x 6 <sup>3</sup> / <sub>4</sub> "	14 <sup>3</sup> / <sub>4</sub> " x 19 <sup>1</sup> / <sub>4</sub> " x 28 <sup>3</sup> / <sub>4</sub> "	<a href="#">HSA-10-FDPE *</a>	<b>6473</b>
soap dispenser, towel dispenser, poly lever drain w/o.f.	10" x 14" x 5"	14 <sup>3</sup> / <sub>4</sub> " x 19 <sup>1</sup> / <sub>4</sub> " x 28"	<a href="#">HSA-10-FODPE</a>	<b>6499</b>
electronic soap dispenser, towel dispenser, basket drain	9 <sup>3</sup> / <sub>4</sub> " x 13 <sup>1</sup> / <sub>2</sub> " x 6 <sup>3</sup> / <sub>4</sub> "	14 <sup>3</sup> / <sub>4</sub> " x 19 <sup>1</sup> / <sub>4</sub> " x 31 <sup>1</sup> / <sub>4</sub> "	<a href="#">HSA-10-FDPEE *</a>	<b>7087</b>

\* **MICROGARD® available:** To order, add suffix "-MG" to model number. Add \$243 to list price.

## Electronic Hand Sinks - Battery Power

**NSF**

Electronic-eye faucet which operates on four "AA" batteries (included) • Y-Inlet Non-Adjustable Mixing Valve • "Low battery" indicator light



HSA-10-FDPEE-B-T



HSA-10-FE-B-DS



HSA-10-FE-B-DS



HSAP-14-ADA-FE-B



HSA-10-FE-B-NB-MG



HSA-10-FE-B-T-NB-MG

(Note: On "-DS" sinks, overall height listed does not include soap dispenser bottle. See page 6 for "Space-Saver" hand sink with deck-mount soap dispenser.)

includes battery-powered electronic-eye faucet and...	bowl size	overall size	model #	list
towel disp, elec soap disp, waste receptacle/skirt, basket dr	9 <sup>3</sup> / <sub>4</sub> " x 13 <sup>1</sup> / <sub>2</sub> " x 6 <sup>3</sup> / <sub>4</sub> "	14 <sup>3</sup> / <sub>4</sub> " x 19 <sup>1</sup> / <sub>4</sub> " x 47 <sup>1</sup> / <sub>2</sub> "	<a href="#">HSA-10-FDPEE-B-T *</a>	<b>9949</b>
deck-mount soap dispenser, basket drain	9 <sup>3</sup> / <sub>4</sub> " x 13 <sup>1</sup> / <sub>2</sub> " x 6 <sup>3</sup> / <sub>4</sub> "	14 <sup>13</sup> / <sub>16</sub> " x 18 <sup>7</sup> / <sub>8</sub> " x 12 <sup>3</sup> / <sub>4</sub> "	<a href="#">HSA-10-FE-B-DS *</a>	<b>5618</b>
deck-mount soap dispenser, basket drain	13 <sup>1</sup> / <sub>2</sub> " x 9 <sup>3</sup> / <sub>4</sub> " x 6 <sup>3</sup> / <sub>4</sub> "	17 <sup>13</sup> / <sub>16</sub> " x 12 <sup>1</sup> / <sub>8</sub> " x 14 <sup>1</sup> / <sub>4</sub> "	<a href="#">HSA-10-FE-B-DS</a>	<b>6294</b>
faucet, c-fold towel disp, deck-mt soap disp, skirt, basket dr.	16" x 14" x 5"	24" x 22" x 24 <sup>1</sup> / <sub>2</sub> "	<a href="#">HSAP-14-ADA-FE-B</a>	<b>9922</b>
faucet, deck-mt soap disp., basket dr., MICROGARD® finish	9 <sup>3</sup> / <sub>4</sub> " x 13 <sup>1</sup> / <sub>2</sub> " x 6 <sup>3</sup> / <sub>4</sub> "	14 <sup>13</sup> / <sub>16</sub> " x 18 <sup>7</sup> / <sub>8</sub> " x 12 <sup>3</sup> / <sub>4</sub> "	<a href="#">HSA-10-FE-B-NB-MG</a>	<b>5728</b>
splash-mt nail brush holder w/brush, waste receptacle, skirt, basket drain, MICROGARD® finish	9 <sup>3</sup> / <sub>4</sub> " x 13 <sup>1</sup> / <sub>2</sub> " x 6 <sup>3</sup> / <sub>4</sub> "	14 <sup>13</sup> / <sub>16</sub> " x 18 <sup>7</sup> / <sub>8</sub> " x 29 <sup>1</sup> / <sub>8</sub> "	<a href="#">HSA-10-FE-B-T-NB-MG</a>	<b>7059</b>

\* **MICROGARD® available:** To order, add suffix "-MG" to model number. Add \$243 to list price.

**MICROGARD®** is an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew on shelf surface that causes stains, odors and degradation.

## Hand Sinks with Knee/Foot Valve Operation



Wall mount unit with knee pedal, or pedestal unit with foot pedal • Deep-drawn seamless design • Positive drain on all models • All type 304 stainless steel • Requires piping from knee/foot valve to spout • Splash mount gooseneck spout • Basket drain



HSA-10-FA-P



HSA-10-FA-1P



HSA-10-FK



HSA-10-FKP



HSA-10-1FK



HSA-10-FDPK

(NOTE: On sinks with knee pedal, overall height listed does not include skirt and knee valves.)

includes spout and...	bowl size	overall size	model #	list
double foot pedal, p-trap, tail piece, basket drain	9 <sup>3</sup> / <sub>4</sub> " x 13 <sup>1</sup> / <sub>2</sub> " x 6 <sup>3</sup> / <sub>4</sub> "	14 <sup>3</sup> / <sub>4</sub> " x 18 <sup>7</sup> / <sub>8</sub> " x 40 <sup>1</sup> / <sub>8</sub> "	HSA-10-FA-P *	2750
single foot pedal, p-trap, tail piece, basket drain	9 <sup>3</sup> / <sub>4</sub> " x 13 <sup>1</sup> / <sub>2</sub> " x 6 <sup>3</sup> / <sub>4</sub> "	14 <sup>3</sup> / <sub>4</sub> " x 18 <sup>7</sup> / <sub>8</sub> " x 40 <sup>1</sup> / <sub>8</sub> "	HSA-10-FA-1P *	2750
double knee pedal, skirt, basket drain	9 <sup>3</sup> / <sub>4</sub> " x 13 <sup>1</sup> / <sub>2</sub> " x 6 <sup>3</sup> / <sub>4</sub> "	14 <sup>3</sup> / <sub>4</sub> " x 18 <sup>7</sup> / <sub>8</sub> " x 17 <sup>1</sup> / <sub>2</sub> "	HSA-10-FK *	2696
single pedal knee valve, skirt, basket drain	9 <sup>3</sup> / <sub>4</sub> " x 13 <sup>1</sup> / <sub>2</sub> " x 6 <sup>3</sup> / <sub>4</sub> "	14 <sup>3</sup> / <sub>4</sub> " x 18 <sup>7</sup> / <sub>8</sub> " x 17 <sup>1</sup> / <sub>2</sub> "	HSA-10-FKP *	3005
single knee pedal, skirt, basket drain	9 <sup>3</sup> / <sub>4</sub> " x 13 <sup>1</sup> / <sub>2</sub> " x 6 <sup>3</sup> / <sub>4</sub> "	14 <sup>3</sup> / <sub>4</sub> " x 18 <sup>7</sup> / <sub>8</sub> " x 17 <sup>1</sup> / <sub>2</sub> "	HSA-10-1FK *	2696
double knee pedal, skirt, soap disp., towel disp., basket dr.	9 <sup>3</sup> / <sub>4</sub> " x 13 <sup>1</sup> / <sub>2</sub> " x 6 <sup>3</sup> / <sub>4</sub> "	14 <sup>3</sup> / <sub>4</sub> " x 19 <sup>1</sup> / <sub>4</sub> " x 33"	HSA-10-FDPK *	4127

\* MICROGARD® available: To order, add suffix "-MG" to model number. Add \$243 to list price.

## Physically Challenged Hand Sinks



16 gauge type 304 all-welded stainless steel • Standard with faucet and basket drain

**Designed for unique applications!**



**ADA-compliant hand sinks for maximum accessibility.**



HSAP-14-FW



HSAP-14-ADA-FW



c-fold towel dispenser in front



HSAP-14-ADA-FE-B

includes...	bowl size	overall size	model #	list
deck-mount faucet w/wrist handles, wall brackets, basket drain	16" x 14" x 5"	24 <sup>7</sup> / <sub>8</sub> " x 19" x 16 <sup>1</sup> / <sub>2</sub> "	HSAP-14-FW	3577
splash-mt faucet w/wrist handles, deck-mt soap dispenser, c-fold towel dispenser, mixer valve, skirt, basket drain	16" x 14" x 5"	24" x 22" x 24 <sup>1</sup> / <sub>2</sub> "	HSAP-14-ADA-FW	8486
splash-mt battery-powered electronic-eye spout, deck-mt soap dispenser, c-fold towel dispenser, skirt, basket drain	16" x 14" x 5"	24" x 22" x 24 <sup>1</sup> / <sub>2</sub> "	HSAP-14-ADA-FE-B	9922

### T&S Extra Heavy Duty Faucets

• For #HSAP-14-ADA-FW only.

description	model #	list
splash mounted, gooseneck spout	306134	1110
splash mounted, wrist handles, gooseneck spout	313305	1108



#313305

MICROGARD® is an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew on shelf surface that causes stains, odors and degradation.

# HAND SINKS

## Surgical Scrub Sinks



16 gauge stainless steel construction • Features include 4"-high backsplash • Squared front and sides  
 • Removable access panel • Temperature mixing valve • 1½" NPS stainless steel flat strainer drain with p-trap and tail piece.



unit includes...	bowl size	overall size	model #	list
deck-mount electronic-eye faucet	17½" x 20" x 11"	24" x 24½" x 28"	<b>SHS2424-1D</b>	<b>9107</b>
splash-mount electronic-eye faucet, ADA-compliant design	16½" x 20" x 6½"	20" x 24" x 29½"	<b>SHS2424-1W-ADA</b>	<b>8230</b>

SHS2424-1W-ADA

SHS2424-1D

## "Space-Saver" Hand Sinks



- Only 12" side-to-side to maximize space efficiency.
- Standard with faucet and basket drain.



HSAN-10-F



HSAND-10-F



HSANT-FS



HSAN-10-F-DS

includes 12" width, basket drain and...	bowl size	overall size	model #	list
Splash-mount faucet	13½" x 9¾" x 6¾"	18" x 12" x 14¼"	<b>HSAN-10-F *</b>	<b>1480</b>
Deck-mount faucet	13½" x 9¾" x 6¾"	19⅝" x 12" x 14¼"	<b>HSAND-10-F</b>	<b>1236</b>
Splash-mount faucet, 19½"-high backsplash, skirt	13½" x 9¾" x 6¾"	18" x 12" x 26½"	<b>HSANT-FS</b>	<b>1748</b>
Splash-mount faucet, deck-mount soap dispenser	13½" x 9¾" x 6½"	17⅜" x 12⅝" x 14¼"	<b>HSAN-10-F-DS **</b>	<b>1888</b>

\* **MICROGARD® available:** To order, add suffix "-MG" to model number. Add \$243 to list price.

\*\* Overall height does not include soap dispenser bottle.

## Miscellaneous Hand Sinks



*Designed for unique applications!*



HSA-10-FW



HSA-10-FTWS



HSAD-10-F



HSAE-10-FA



HSA-10-FDP-T



HSA-10-8



HSA-10-8F

includes basket drain and...	bowl size	overall size	model #	list
Splash-mount faucet with wrist handles	9¾" x 13½" x 6¾"	14¾" x 18⅞" x 12¾"	<b>HSA-10-FW *</b>	<b>1438</b>
Splash-mount faucet, tubular wall brackets	9¾" x 13½" x 6¾"	14¾" x 18⅞" x 12¾"	<b>HSA-10-FTWS *</b>	<b>1962</b>
Deck-mount faucet	9¾" x 13½" x 6¾"	16½" x 18⅞" x 12¾"	<b>HSAD-10-F</b>	<b>1149</b>
Deck-mt faucet, p-trap, tail piece, wall brackets, 4" backsplash	10" x 14" x 5"	15" x 16¾" x 9"	<b>HSAE-10-FA</b>	<b>1383</b>
Splash-mt faucet, soap disp., towel disp., waste receptacle/skirt	9¾" x 13½" x 6¾"	14¾" x 19¼" x 44⅝"	<b>HSA-10-FDP-T *</b>	<b>3812</b>
Faucet holes on 8" centerline	9¾" x 13½" x 6¾"	14¾" x 18⅞" x 12¾"	<b>HSA-10-8 *</b>	<b>1030</b>
Splash-mount faucet on 8" centerline	9¾" x 13½" x 6¾"	14¾" x 18⅞" x 12¾"	<b>HSA-10-8F *</b>	<b>1326</b>

\* **MICROGARD® available:** To order, add suffix "-MG" to model number. Add \$243 to list price.

## Hand Sinks with End Splashes



Wall mount units • Deep-drawn seamless design • Positive drain • All type 304 stainless steel • Splash mount gooseneck faucet or spout • Basket drain



HSA-10-F-LRS



HSA-10-FTWS-LRS



HSAN-10-F-LRS



HSA-10-FDPE-LRS

includes side splashes, basket drain and...	bowl size	overall size	model #	list
Faucet	9 <sup>3</sup> / <sub>4</sub> " x 13 <sup>1</sup> / <sub>2</sub> " x 6 <sup>3</sup> / <sub>4</sub> "	14 <sup>3</sup> / <sub>4</sub> " x 18 <sup>7</sup> / <sub>8</sub> " x 12 <sup>3</sup> / <sub>4</sub> "	<a href="#">HSA-10-F-LRS</a>	<b>2198</b>
Faucet, tubular wall supports	9 <sup>3</sup> / <sub>4</sub> " x 13 <sup>1</sup> / <sub>2</sub> " x 6 <sup>3</sup> / <sub>4</sub> "	14 <sup>3</sup> / <sub>4</sub> " x 18 <sup>7</sup> / <sub>8</sub> " x 12 <sup>3</sup> / <sub>4</sub> "	<a href="#">HSA-10-FTWS-LRS</a>	<b>2915</b>
Faucet, 12" side-to-side	13 <sup>1</sup> / <sub>2</sub> " x 9 <sup>3</sup> / <sub>4</sub> " x 6 <sup>3</sup> / <sub>4</sub> "	18" x 12" x 14 <sup>1</sup> / <sub>4</sub> "	<a href="#">HSAN-10-F-LRS</a>	<b>2432</b>
Spout w/electronic eye, towel dispenser, soap dispenser	9 <sup>3</sup> / <sub>4</sub> " x 13 <sup>1</sup> / <sub>2</sub> " x 6 <sup>3</sup> / <sub>4</sub> "	14 <sup>3</sup> / <sub>4</sub> " x 19 <sup>1</sup> / <sub>4</sub> " x 28 <sup>1</sup> / <sub>4</sub> "	<a href="#">HSA-10-FDPE-LRS</a>	<b>7423</b>

## Hand Wash Sinks



Type 304 stainless steel all-welded construction • 1<sup>1</sup>/<sub>2</sub>" bull nose front edge • Hinged door with pull handle and magnetic catch • Pump-action soap dispenser on rear deck • Built-in front-loading C-fold towel dispenser located in front of sink bowl • Deck-mounted faucet • Basket drain • Crumb cup

**Space-Saver Models** — Wall-mountable. Furnished with Z-clips to secure to wall.

bowl size (W x L x D)	overall size (W x L x H)	WITH STANDARD FAUCET		WITH T&S FAUCET	
		model #	list	model #	list
9 <sup>3</sup> / <sub>4</sub> " x 11 <sup>1</sup> / <sub>2</sub> " x 6"	16 <sup>3</sup> / <sub>8</sub> " x 14" x 21 <sup>1</sup> / <sub>4</sub> "	<a href="#">HWC-E</a>	<b>4985</b>	<a href="#">HWC-T</a>	<b>5442</b>

**Drop-In Models**

bowl size (W x L x D)	overall size (W x L x H)	cutout (W x L)	WITH STANDARD FAUCET		WITH T&S FAUCET	
			model #	list	model #	list
9 <sup>3</sup> / <sub>4</sub> " x 11 <sup>1</sup> / <sub>2</sub> " x 6"	17 <sup>1</sup> / <sub>2</sub> " x 16 <sup>1</sup> / <sub>2</sub> " x 17 <sup>1</sup> / <sub>4</sub> "	16" x 14 <sup>1</sup> / <sub>6</sub> "	<a href="#">HWB-E</a>	<b>5215</b>	<a href="#">HWB-T</a>	<b>5666</b>



## Wall Mounted Multi-Station Hand Sinks

Single full-length bowl with basket drain(s)\* and rolled edge • 14/3 stainless steel construction • Wall-mounted tubular supports consists of 16 gauge 1<sup>5</sup>/<sub>8</sub>"-diameter tubing • Faucet holes at 8" centers • 9<sup>1</sup>/<sub>2</sub>" backsplash

bowl size (W x L x D)	overall size (W x L x H)	# of faucets required	model #	list
14" x 43" x 8"	21 <sup>5</sup> / <sub>8</sub> " x 48" x 27 <sup>1</sup> / <sub>8</sub> "	2	<a href="#">HSA-WM-48</a>	<b>8895</b>
14" x 55" x 8"	21 <sup>5</sup> / <sub>8</sub> " x 60" x 27 <sup>1</sup> / <sub>8</sub> "	2	<a href="#">HSA-WM-60</a>	<b>9132</b>
14" x 67" x 8"	21 <sup>5</sup> / <sub>8</sub> " x 72" x 27 <sup>1</sup> / <sub>8</sub> "	3	<a href="#">HSA-WM-72</a>	<b>9345</b>
14" x 91" x 8"	21 <sup>5</sup> / <sub>8</sub> " x 96" x 27 <sup>1</sup> / <sub>8</sub> "	4	<a href="#">HSA-WM-96 *</a>	<b>10845</b>

\* Two drains on sink #HSA-WM-96

\* Other models available

**Consult factory for these Multi-Station Hand Sinks also available...**

- Units with Faucets
- Units with Electronic-Eye Faucets
- Units with Single- or Double-Knee Valve Operation



# HAND SINKS

## Portable Hand Sinks with Stainless Steel Cabinets

- NSF** Stainless steel cabinet with lockable door • Stainless steel top features box marine edge and rear backsplash • 5-gallon fresh water tank • 7-gallon soiled water tank • NEMA 5-15 plug & cord • 4" swivel casters—two with brake • Paper towel dispenser • Soap dispenser • Trash chute and trash receptacle included

### Sinks with Stainless Steel Sink Bowl

With deck-mount faucet.		COLD WATER ONLY		HOT & COLD WATER	
bowl size (W x L x D)	overall size (W x L x H)	model #	list	model #	list
14" x 16" x 5"	24" x 26" x 44½"	<b>PHS-S-C</b>	10560	<b>PHS-S-H</b>	13038



#PHS-S-H portable hand sink

### Sinks with Three-Compartment Bowl

		COLD WATER ONLY		HOT & COLD WATER	
bowl size (W x L x D)	overall size (W x L x H)	model #	list	model #	list
11⅞" x 6⅞" x 5"	24" x 26" x 44½"	<b>PHS-S3-C</b>	10903	<b>PHS-S3-H</b>	13725

## Portable Hand Sinks with Laminated Cabinets

- NSF** 3/4"-thick plywood cabinet features Wilsonart® Biltmore laminate • Stainless steel top features box marine edge and rear backsplash • Lockable doors • Deck-mount faucet with 8" swivel spout • 5-gallon fresh water tank • 7-gallon soiled water tank • NEMA 5-15 GFCI plug & 10' -long cord • 3" swivel casters • Paper towel dispenser • Soap dispenser • 6"-diameter scrap chute and trash receptacle.



#PHS-S-H-LB portable hand sink

### Sinks with Single Bowl

		COLD WATER ONLY		HOT & COLD WATER*	
bowl size (W x L x D)	overall size (W x L x H)	model #	list	model #	list
14" x 10" x 5"	25" x 28" x 44½"	<b>PHS-S-C-LB</b>	11826	<b>PHS-S-H-LB</b>	13245

### Sinks with Three-Compartment Bowl

		COLD WATER ONLY		HOT & COLD WATER*	
bowl size (W x L x D)	overall size (W x L x H)	model #	list	model #	list
11⅞" x 6⅞" x 5"	25" x 28" x 44½"	<b>PHS-S3-C-LB</b>	11992	<b>PHS-S3-H-LB</b>	15598

\* Sinks with hot & cold water feature a 2.5-gallon water heater and bracket.

## Touch-Free Portable Hand Sinks



#PHS-S-H-TF touch-free portable hand sink

- Heavy gauge stainless steel cabinet with double pan hinged stainless steel door and lock • Furnished with 14" x 10" x 5" -deep stainless steel sink bowl • Deck mount electronic-eye faucet • Splash-mount electronic soap dispenser • Electronic paper towel dispenser • 6"-diameter trash chute • 115-volt pump • 5-gallon fresh water tank • 7-gallon waste water tank • GFCI electrical outlet receptacle.

### Touch-Free Portable Hand Sinks

		COLD WATER ONLY		HOT & COLD WATER*	
bowl size (W x L x D)	overall size (W x L x H)	model #	list	model #	list
14" x 10" x 5"	24" x 26" x 56½"	<b>PHS-S-C-TF</b>	12666	<b>PHS-S-H-TF</b>	13836

# HAND SINK ACCESSORIES

## Faucets



### Standard Faucets

- With 4" center, except #313075.

description	model #	list
splash mounted, gooseneck spout	303987	344
wrist handles	307120	217
splash mounted with wrist handles, gooseneck spout	306495	717
deck mounted, gooseneck spout, 1/4-turn handles	302004	382
deck mounted, 8" spout, 1/4-turn handles	301248	342
drinking bubbler	318495	1206
splash mounted, gooseneck spout, 8" center	313075	337

### Repair Kit for Standard Faucets

- For faucets #303987, 302004, and 301248 only.



description	model #	list
hot/cold ceramic cartridge	368421	63

### Short 90° for Splash Mount Faucets



description	model #	list
Set of two, 1/2" NPT female x male	376740	116

### Spouts/Spout Assemblies

description	model #	list
Splash mounted replacement gooseneck for 120V AC electronic or pedal-operated models	312162	697



### Battery-Powered Electronic-Eye Faucet

- Used as a replacement to AC-Powered Electronic-Eye Hand Sinks (page 4) by adding suffix "-B", or as a replacement faucet for Battery-Powered sinks (page 4) via the model numbers below.



description	model #	list
Splash mount. Comes with 6-volt battery and built-in low-battery indicator	326014	3248
Upgrade: T&S electric-eye faucet, splash-mtd with battery and AC adapter for dual operation With AC adapter plugged in, faucet automatically switches to AC power to conserve battery	356128	3480

## Accessories To Fit On Faucets

### Shut-Off Valve



- Antibacterial surface.
- Screws onto faucet aerator.
- Polished chrome finish.



description	model #	list
shut-off push bar	349921	145

### Faucet-Mount Emergency Eye Wash Units

- Fits in place of standard aerator on spout.
- Both units meet ANSI Z358.1 standards.



description	model #	list
pull valve activation, includes two dust covers, chrome finish	326272	980
rotate to activate, polished stainless finish, "eye-pod" design	377563	1955

**IMPORTANT NOTE:** If anti-scald valve (see below) is needed, order #373848 only.

## Antiscald Valves...

### ...for Standard Use with Faucet

- Automatic shutdown with either hot or cold water failure.

**IMPORTANT: Not for use with Faucet-Mount Emergency Eye Wash Units.**



description	model #	list
1/2" NPT, 100 - 145°F	326696	1303

### ...for Faucet-Mount Emergency Eye Wash Unit

- This is the ONLY anti-scald valve to be used with Faucet-Mount Emergency Eye Wash Units (above).
- Meets ANSI Z358.1 standard.



description	model #	list
1/2" NPT, 65 - 90°F	373848	4414

# HAND SINK ACCESSORIES

## Valves

### Temperature Adjustment Valve ("Mixing Valve")

- For hand sinks with AC-powered electronic faucet or hand sinks with single pedal valves.
- Cast brass body.
- 3/8" all connections.



description	model #	list
Built-in check valves to prevent backflow and adjustment screw valves to mix hot and cold	<b>326015</b>	<b>226</b>

### Non-Adjustable Y-Inlet Mixing Valve

- For electronic hand sinks and hand sinks with single pedal valves only.
- "Y" shaped single-piece component. Chrome-plated brass body.



description	model #	list
Male connections; threads are 3/16"-24 UNEF	<b>342938</b>	<b>67</b>

### Tempering Valve

- Maximum output of 120°F.
- Maximum pressure of 150 psi.
- ASSE 1016 and 1070 listed.



description	model #	list
Thermoplastic body, 3/8" male compression fittings, 80°F-120°F, 0.5-2.5 gpm, built-in check valve	<b>375612</b>	<b>700</b>



single foot pedal valve



double foot pedal valve



knee pedal valve

### Pedal Valves

Replacement cartridge for all pedal valves.

Model #**374955**. List: **\$48**

description	DOUBLE PEDALS		SINGLE PEDALS	
	model #	list	model #	list
foot pedal valve, floor mount	<b>300604</b>	<b>777</b>	<b>355994</b>	<b>777</b>
knee pedal valve	<b>313481</b>	<b>1038</b>	<b>351738</b>	<b>1038</b>

## Dispensers



#DP-10



#318496

### Towel/Soap Dispensers

description	model #	list
type 304 with conventional soap dispenser	<b>DP-10 *</b>	<b>1700</b>
type 304 stainless, with electric eye soap dispenser	<b>DP-20 *</b>	<b>3540</b>
type 304 stainless, wall mounted	<b>318496</b>	<b>596</b>
break-resistant plastic, touchless, wall mounted	<b>384796</b>	<b>416</b>

\* Fits all HSA hand sinks except Space Saver models.

### Hand Sanitizing Dispenser

description	model #	list
Purell/LTX, wall mounted	<b>377455</b>	<b>547</b>



hand sanitizing dispenser



#300602



#377456



#324074

### Soap Dispensers

description	model #	list
soap dispenser, conventional, 12-oz	<b>300602</b>	<b>66</b>
soap dispenser, wall mounted with electric eye	<b>377456</b>	<b>547</b>
soap dispenser, deck-mount, 16-oz	<b>324074</b>	<b>252</b>

## Plumbing

1 1/2" IPS connection.




tail piece



P-trap

description	model #	list
tail piece, nickel-plated, 4"-long	<b>300791</b>	<b>37</b>
P-trap, nickel-plated	<b>300789</b>	<b>192</b>

## Nail Brush & Nail Brush Holder



nail brush

nail brush holder

description	add suffix*	list
infectious-control nail brush made of FDA-approved material, splash-mount stainless steel nail brush holder	<b>-NB</b>	<b>234</b>

\* Example: HSA-10-F-NB

# HAND SINK ACCESSORIES

## Waste Receptacle

- U.S. Patent #5,732,422.
- 20 gauge stainless steel.
- Removable.
- Comes with skirt.
- Must be factory installed.

**PATENTED DESIGN**

waste skirt  
waste receptacle



description	add suffix*	list
HSA-10; HSA-10-F; HSA-10-FA; HSA-10-FDP; HSA-10-FE; HSA-10-FDPE; HSA-10-FDPEE; and HSA-10-FW	-T	1288

\* Example: HSA-10-FE-T

## Skirt Assembly

Type 304 stainless steel.



fits hand sink models...	model #	list
HSA-10; HSA-10-F; HSA-10-FA; HSA-10-FDP; HSA-10-FE; HSA-10-FDPE; HSA-10-FDPEE; and HSA-10-FW.	606215	1007
HSAN-10-F	607560	714

## Wall Brackets

14 gauge type 304 stainless steel.



description	model #	list
side mounting, one pair, does not fit Space Saver hand sinks	606396	450
side mounting, one pair, for Space-Saver models only	611869	450

## End Splashes

Type 304 stainless steel.

hand sink with  
optional end splashes



Note: Will not work with "Space Saver" Hand Sinks (page 6) that have faucets with wrist handles.

See page 7 for hand sinks  
with standard end splashes.



#HSA-SSK

### ...Factory-installed

Note: MICROGARD® cannot be put on hand sinks with end splashes.

description	add suffix*	list
left end splash only	-LS	482
right end splash only	-RS	482
left and right end splash	-LRS	963

\* Example: HSA-10-F-LRS

### ...for Field-installation

description	add suffix	list each
one self-adhesive side splash, can be used for right or left application	HSA-SSK	306
same as above, but fits only on Physically- Challenged Hand Sinks	HSAP-SSK	370

## Hot Water Heater

**99% EFFICIENT! Flow switch activates heater  
only on demand—no standby heat loss.**

- For EAGLE hand sinks with 10" x 14" rounded sink bowl.
- Stainless steel pedestal base features notches for electrical wiring and front access panel.
- Comes with energy-saving tankless water heater. 120V 29A electricity. 0.5 GPM. 150 PSI maximum operating pressure (minimum 25 PSI).
- Water heated instantly when faucet is on.

**No temperature/pressure relief valve needed  
(check local codes), reducing installation cost.**

Note: Must be field-wired.

description	add * suffix	list each
HSA-10; HSA-10-F; HSA-10-FA; HSA-10-FDP; HSA-10-FE; HSA-10-FDPE; HSA-10-FDPEE; HSA-10-FW; HSA-10-FA-P; and HSAD-10-F	-WH	4742

\* Example: HSA-10-FDPEE-WH

**with  
TANKLESS  
WATER  
HEATER**



## Drains



#319931

description	max. flow rate		model #	list
	gallons per minute	gallons per hour		
polymer lever drain fits 3/4"-diameter holes	11	660	319931	164
overflow assembly for lever drain #319931 (above)	-	-	319932	75
1 1/2" drain assembly, fits 2"-dia. hole	12	720	300886	29
mini crumb cup for 1 1/2" drain	-	-	300966	9
s/s basket drain assembly fits 3/4"-diameter holes with crumb cups	18	1080	300287	45
cast metal lever drain with overflow asby, with 7/8" long lever, fits 3/4"-diameter holes	-	-	347771	458

# COVED CORNER SINKS

## 412, 414, 314 Series Sinks — One Compartment

**NSF**

Deep-drawn seamless covered corner bowl with generous radius • 2"-wide euro-style edging on front and sides

- 1 $\frac{1}{8}$ "-diameter galvanized legs welded adjacent to sink bowl • 1"-diameter galvanized front-to-back crossbraced • 9 $\frac{1}{2}$ " backsplash with 1" upturn and tile edge • Basket-type waste drains with 1 $\frac{1}{2}$ " outlet • 30" and 36" drainboards available upon request



### GOOD

#### 412 Series

- All heavy gauge type 430 construction.
- 10 $\frac{1}{2}$ "-deep sink bowl.
- 44" overall height.

#### 412 Series

### BETTER

#### 414 Series

- 14"-deep heavy gauge type 304 sink bowl, with type 430 drainboards and backsplash.
- 44" overall height.

#### 414 Series

### BEST

#### 314 Series

- All heavy gauge type 304 construction.
- 14"-deep sink bowl.
- 44" overall height.

#### 314 Series

### One-Compartment, No Drainboards

bowl size (W x L)	drainboard length	overall size (W x L)	model #	list	model #	list	model #	list
20" x 16"	n/a	27 $\frac{1}{2}$ " x 23 $\frac{1}{4}$ "	<a href="#">412-16-1</a>	3475	<a href="#">414-16-1</a>	3994	<a href="#">314-16-1</a>	4517
24" x 18"	n/a	31 $\frac{1}{4}$ " x 25 $\frac{1}{2}$ "	n/a	n/a	<a href="#">414-18-1</a>	4676	<a href="#">314-18-1</a>	5227
22" x 22"	n/a	29 $\frac{3}{4}$ " x 29 $\frac{1}{2}$ "	n/a	n/a	<a href="#">414-22-1</a>	4972	<a href="#">314-22-1</a>	5258
24" x 24"	n/a	31 $\frac{1}{4}$ " x 31 $\frac{1}{2}$ "	n/a	n/a	<a href="#">414-24-1</a>	5040	<a href="#">314-24-1</a>	5615

### One-Compartment, One Drainboard

Drainboard at right ("R") or left ("L") in model number.



#### 412 Series

#### 414 Series

#### 314 Series

bowl size (W x L)	drainboard length	overall size (W x L)	model #	list	model #	list	model #	list
20" x 16"	18"	27 $\frac{1}{2}$ " x 38 $\frac{1}{2}$ "	<a href="#">412-16-1-18R or L</a>	4874	<a href="#">414-16-1-18R or L</a>	5473	<a href="#">314-16-1-18R or L</a>	6063
	24"	27 $\frac{1}{2}$ " x 44 $\frac{1}{8}$ "	<a href="#">412-16-1-24R or L</a>	4909	<a href="#">414-16-1-24R or L</a>	5537	<a href="#">314-16-1-24R or L</a>	6139
24" x 18"	18"	31 $\frac{1}{4}$ " x 40 $\frac{3}{4}$ "	n/a	n/a	<a href="#">414-18-1-18R or L</a>	6019	<a href="#">314-18-1-18R or L</a>	6623
	24"	31 $\frac{1}{4}$ " x 46 $\frac{3}{4}$ "	n/a	n/a	<a href="#">414-18-1-24R or L</a>	6063	<a href="#">314-18-1-24R or L</a>	6666
22" x 22"	18"	29 $\frac{3}{4}$ " x 45"	n/a	n/a	<a href="#">414-22-1-18R or L</a>	6577	<a href="#">314-22-1-18R or L</a>	6815
	24"	29 $\frac{3}{4}$ " x 51"	n/a	n/a	<a href="#">414-22-1-24R or L</a>	6622	<a href="#">314-22-1-24R or L</a>	6863
24" x 24"	18"	31 $\frac{1}{4}$ " x 46 $\frac{3}{4}$ "	n/a	n/a	<a href="#">414-24-1-18R or L</a>	7267	<a href="#">314-24-1-18R or L</a>	7908
	24"	31 $\frac{1}{4}$ " x 52 $\frac{3}{4}$ "	n/a	n/a	<a href="#">414-24-1-24R or L</a>	7340	<a href="#">314-24-1-24R or L</a>	8022

### One-Compartment, Double Drainboards

Drainboard at right and left ends.



#### 412 Series

#### 414 Series

#### 314 Series

bowl size (W x L)	drainboard length	overall size (W x L)	model #	list	model #	list	model #	list
20" x 16"	18"	27 $\frac{1}{2}$ " x 54 $\frac{1}{2}$ "	<a href="#">412-16-1-18</a>	5167	<a href="#">414-16-1-18</a>	5728	<a href="#">314-16-1-18</a>	6337
	24"	27 $\frac{1}{2}$ " x 66 $\frac{1}{2}$ "	<a href="#">412-16-1-24</a>	5180	<a href="#">414-16-1-24</a>	5910	<a href="#">314-16-1-24</a>	6528
24" x 18"	18"	31 $\frac{1}{4}$ " x 56"	n/a	n/a	<a href="#">414-18-1-18</a>	6543	<a href="#">314-18-1-18</a>	7186
	24"	31 $\frac{1}{4}$ " x 68"	n/a	n/a	<a href="#">414-18-1-24</a>	6604	<a href="#">314-18-1-24</a>	7253
22" x 22"	18"	29 $\frac{3}{4}$ " x 60 $\frac{1}{2}$ "	n/a	n/a	<a href="#">414-22-1-18</a>	7166	<a href="#">314-22-1-18</a>	7415
	24"	29 $\frac{3}{4}$ " x 72 $\frac{1}{2}$ "	n/a	n/a	<a href="#">414-22-1-24</a>	7223	<a href="#">314-22-1-24</a>	7475
24" x 24"	18"	31 $\frac{1}{4}$ " x 62"	n/a	n/a	<a href="#">414-24-1-18</a>	7563	<a href="#">314-24-1-18</a>	8089
	24"	31 $\frac{1}{4}$ " x 74"	n/a	n/a	<a href="#">414-24-1-24</a>	7675	<a href="#">314-24-1-24</a>	8380

## 412, 414, 314 Series Sinks — Two Compartments



Deep-drawn seamless covered corner bowl with generous radius • 2"-wide euro-style edging on front and sides • 1½"-diameter galvanized legs welded adjacent to sink bowl • 1"-diameter galvanized front-to-back crossbraced • 9½" backsplash with 1" upturn and tile edge • Basket-type waste drains with 1½" outlet • 30" and 36" drainboards available upon request



<b>GOOD</b>	<b>BETTER</b>	<b>BEST</b>
<b>412 Series</b> <ul style="list-style-type: none"> <li>All heavy gauge type 430 construction.</li> <li>10½"-deep sink bowl.</li> <li>44" overall height.</li> </ul>	<b>414 Series</b> <ul style="list-style-type: none"> <li>14"-deep heavy gauge type 304 sink bowl, with type 430 drainboards and backsplash.</li> <li>44" overall height.</li> </ul>	<b>314 Series</b> <ul style="list-style-type: none"> <li>All heavy gauge type 304 construction.</li> <li>14"-deep sink bowl.</li> <li>44" overall height.</li> </ul>
<b>412 Series</b>	<b>414 Series</b>	<b>314 Series</b>

**Two-Compartment, No Drainboards**

bowl size (W x L)	drainboard length	overall size (W x L)	model #	list	model #	list	model #	list
20" x 16"	n/a	27½" x 41"	<a href="#">412-16-2</a>	4750	<a href="#">414-16-2</a>	5469	<a href="#">314-16-2</a>	6062
24" x 18"	n/a	31¾" x 45½"	n/a	n/a	<a href="#">414-18-2</a>	6293	<a href="#">314-18-2</a>	7269
22" x 22"	n/a	29¾" x 53½"	n/a	n/a	<a href="#">414-22-2</a>	6865	<a href="#">314-22-2</a>	7485
24" x 24"	n/a	31¾" x 57½"	n/a	n/a	<a href="#">414-24-2</a>	7586	<a href="#">314-24-2</a>	8622

**Two-Compartment, One Drainboard**  
Drainboard at right ("R") or left ("L") in model number.



bowl size (W x L)	drainboard length	overall size (W x L)	model #	list	model #	list	model #	list
20" x 16"	18"	27½" x 56⅞"	<a href="#">412-16-2-18R or L</a>	6295	<a href="#">414-16-2-18R or L</a>	7234	<a href="#">314-16-2-18R or L</a>	7912
	24"	27½" x 62⅝"	<a href="#">412-16-2-24R or L</a>	6359	<a href="#">414-16-2-24R or L</a>	7347	<a href="#">314-16-2-24R or L</a>	8365
24" x 18"	18"	31¾" x 60⅞"	n/a	n/a	<a href="#">414-18-2-18R or L</a>	8450	<a href="#">314-18-2-18R or L</a>	9518
	24"	31¾" x 66¼"	n/a	n/a	<a href="#">414-18-2-24R or L</a>	8500	<a href="#">314-18-2-24R or L</a>	9575
22" x 22"	18"	29¾" x 69"	n/a	n/a	<a href="#">414-22-2-18R or L</a>	9406	<a href="#">314-22-2-18R or L</a>	9986
	24"	29¾" x 75"	n/a	n/a	<a href="#">414-22-2-24R or L</a>	9455	<a href="#">314-22-2-24R or L</a>	10038
24" x 24"	18"	31¾" x 72⅞"	n/a	n/a	<a href="#">414-24-2-18R or L</a>	10205	<a href="#">314-24-2-18R or L</a>	11087
	24"	31¾" x 78¼"	n/a	n/a	<a href="#">414-24-2-24R or L</a>	10426	<a href="#">314-24-2-24R or L</a>	11830

**Two-Compartment, Double Drainboards**  
Drainboard at right and left ends.



bowl size (W x L)	drainboard length	overall size (W x L)	model #	list	model #	list	model #	list
20" x 16"	18"	27½" x 72¼"	<a href="#">412-16-2-18</a>	6504	<a href="#">414-16-2-18</a>	7516	<a href="#">314-16-2-18</a>	8544
	24"	27½" x 84¼"	<a href="#">412-16-2-24</a>	6605	<a href="#">414-16-2-24</a>	7653	<a href="#">314-16-2-24</a>	8687
24" x 18"	18"	31¾" x 76"	n/a	n/a	<a href="#">414-18-2-18</a>	8703	<a href="#">314-18-2-18</a>	9789
	24"	31¾" x 88"	n/a	n/a	<a href="#">414-18-2-24</a>	8799	<a href="#">314-18-2-24</a>	9893
22" x 22"	18"	29¾" x 84½"	n/a	n/a	<a href="#">414-22-2-18</a>	9699	<a href="#">314-22-2-18</a>	10283
	24"	29¾" x 96½"	n/a	n/a	<a href="#">414-22-2-24</a>	9809	<a href="#">314-22-2-24</a>	10389
24" x 24"	18"	31¾" x 88"	n/a	n/a	<a href="#">414-24-2-18</a>	10544	<a href="#">314-24-2-18</a>	11549
	24"	31¾" x 100"	n/a	n/a	<a href="#">414-24-2-24</a>	10872	<a href="#">314-24-2-24</a>	12058

# COVED CORNER SINKS

## 412, 414, 314 Series Sinks — Three Compartments



Deep-drawn seamless covered corner bowl with generous radius • 2"-wide euro-style edging on front and sides • 1½"-diameter galvanized legs welded adjacent to sink bowl • 1"-diameter galvanized front-to-back crossbraced • 9½" backsplash with 1" upturn and tile edge • Basket-type waste drains with 1½" outlet • 30" and 36" drainboards available upon request



### GOOD

#### 412 Series

- All heavy gauge type 430 construction.
- 10½"-deep sink bowl.
- 44" overall height.

#### 412 Series

### BETTER

#### 414 Series

- 14"-deep heavy gauge type 304 sink bowl, with type 430 drainboards and backsplash.
- 44" overall height.

#### 414 Series

### BEST

#### 314 Series

- All heavy gauge type 304 construction.
- 14"-deep sink bowl.
- 44" overall height.

#### 314 Series

### Three-Compartment, No Drainboards

bowl size (W x L)	drainboard length	overall size (W x L)	model #	list	model #	list	model #	list
20" x 16"	n/a	27½" x 58¾"	412-16-3	6020	414-16-3	6627	314-16-3	7582
24" x 18"	n/a	31¾" x 65½"	n/a		414-18-3 *	8186	314-18-3 *	9596
22" x 22"	n/a	29¾" x 77½"	n/a		414-22-3 *	9103	314-22-3 *	10047
24" x 24"	n/a	31¾" x 83½"	n/a		414-24-3 *	9930	314-24-3 *	11203

\* Features two sets of faucet holes.

### Three-Compartment, One Drainboard

Drainboard at right ("R") or left ("L") in model number.



#### 412 Series

#### 414 Series

#### 314 Series

bowl size (W x L)	drainboard length	overall size (W x L)	model #	list	model #	list	model #	list
20" x 16"	18"	27½" x 74¾"	412-16-3-18R or L	6363	414-16-3-18R or L	8383	314-16-3-18R or L	10177
	24"	27½" x 80¾"	412-16-3-24R or L	8449	414-16-3-24R or L	8449	314-16-3-24R or L	10252
24" x 18"	18"	31¾" x 80¾"	n/a		414-18-3-18R or L *	10528	314-18-3-18R or L *	12038
	24"	31¾" x 86¾"	n/a		414-18-3-24R or L *	10569	314-18-3-24R or L *	12080
22" x 22"	18"	29¾" x 93"	n/a		414-22-3-18R or L *	11848	314-22-3-18R or L *	12754
	24"	29¾" x 99"	n/a		414-22-3-24R or L *	11895	314-22-3-24R or L *	12807
24" x 24"	18"	31¾" x 98¾"	n/a		414-24-3-18R or L *	13094	314-24-3-18R or L *	14317
	24"	31¾" x 104¾"	n/a		414-24-3-24R or L *	13278	314-24-3-24R or L *	14917

\* Features two sets of faucet holes.

### Three-Compartment, Double Drainboards

Drainboard at right and left ends.



#### 412 Series

#### 414 Series

#### 314 Series

bowl size (W x L)	drainboard length	overall size (W x L)	model #	list	model #	list	model #	list
20" x 16"	18"	27½" x 90"	412-16-3-18	6586	414-16-3-18	8609	314-16-3-18	10426
	24"	27½" x 102"	412-16-3-24	6699	414-16-3-24	8744	314-16-3-24	10572
24" x 18"	18"	31¾" x 96"	n/a		414-18-3-18 *	10804	314-18-3-18 *	12327
	24"	31¾" x 108"	n/a		414-18-3-24 *	11072	314-18-3-24 *	12538
22" x 22"	18"	29¾" x 108½"	n/a		414-22-3-18 *	12172	314-22-3-18 *	13074
	24"	29¾" x 120½"	n/a		414-22-3-24 *	12485	314-22-3-24 *	13387
24" x 24"	18"	31¾" x 114"	n/a		414-24-3-18 *	13105	314-24-3-18 *	14192
	24"	31¾" x 126"	n/a		414-24-3-24 *	13680	314-24-3-24 *	15340


\* Features two sets of faucet holes.

## 412, 414, 314 Series Sinks — Four Compartments



Deep-drawn seamless covered corner bowl with generous radius • 2"-wide euro-style edging on front and sides • 1½"-diameter galvanized legs welded adjacent to sink bowl • 1"-diameter galvanized front-to-back crossbraced • 9½" backsplash with 1" upturn and tile edge • Basket-type waste drains with 1½" outlet • 30" and 36" drainboards available upon request

**TWO sets of faucet holes on all sinks!**



### BETTER

#### 414 Series

- 14"-deep heavy gauge type 304 sink bowl, with type 430 drainboards and backsplash.
- 44" overall height.

#### 414 Series

### BEST

#### 314 Series

- All heavy gauge type 304 construction.
- 14"-deep sink bowl.
- 44" overall height.

#### 314 Series

### Four-Compartment, No Drainboards

bowl size (W x L)	drainboard length	overall size (W x L)	model #	list	model #	list
20" x 16"	n/a	27½" x 76½"	414-16-4	8949	314-16-4	10714
24" x 18"	n/a	31¾" x 85½"	414-18-4	10342	314-18-4	12172
24" x 24"	n/a	31¾" x 109½"	414-24-4	12745	314-24-4	14693

### Four-Compartment, One Drainboard

Drainboard at right ("R") or left ("L") in model number.

bowl size (W x L)	drainboard length	overall size (W x L)	model #	list	model #	list
20" x 16"	18"	27½" x 92¾"	414-16-4-18R or L	10873	314-16-4-18R or L	12740
	24"	27½" x 98¾"	414-16-4-24R or L	10945	314-16-4-24R or L	12814
24" x 18"	18"	31¾" x 100¾"	414-18-4-18R or L	13056	314-18-4-18R or L	14967
	24"	31¾" x 106¾"	414-18-4-24R or L	13394	314-18-4-24R or L	15017
24" x 24"	18"	31¾" x 124¾"	414-24-4-18R or L	15662	314-24-4-18R or L	18106
	24"	31¾" x 130¾"	414-24-4-24R or L	16850	314-24-4-24R or L	18994

### Four-Compartment, Double Drainboards

Drainboard at right and left ends.

bowl size (W x L)	drainboard length	overall size (W x L)	model #	list	model #	list
20" x 16"	18"	27½" x 107¾"	414-16-4-18	11322	314-16-4-18	13204
	24"	27½" x 119¾"	414-16-4-24	11494	314-16-4-24	13387
24" x 18"	18"	31¾" x 116"	414-18-4-18	13266	314-18-4-18	15238
	24"	31¾" x 128"	414-18-4-24	13420	314-18-4-24	15404
24" x 24"	18"	31¾" x 140"	414-24-4-18	16482	314-24-4-18	18489
	24"	31¾" x 152"	414-24-4-24	17230	314-24-4-24	19384

## Options for 412, 414, 314 Series Sinks

- **Stainless steel legs with front-to-back crossbracing** available (does not include stainless steel feet). To order, **add \$749 to list price** and suffix **"-SL"** to model number (example: 414-16-1-SL).
- To order stainless steel legs and gussets, **add \$1036 to list price** and suffix **"-SLG"** to model number (example: 414-16-1-SLG).
- **Left-to-right crossbracing** available. For galvanized, **add 5% to list price** and suffix **"-CBG"** to model number. For stainless steel (does not include stainless steel legs), **add 10% to list price** and suffix **"-CBS"** to model number (example: 414-16-1-CBS).
- **Twist drain brackets** available. Works in conjunction with optional twist handle drains (not included – see page 31). To order, **add \$63 per compartment to list price** and suffix **"-TB"** to model number (example: 414-16-1-TB).
- For overflow hole (does not include drain), **add \$93 per compartment to list price** and suffix **"-OF"** to model number (example: 414-16-1-OF).

# COVERED CORNER SINKS



## Spec-Master® FN Series Sinks — One and Two Compartments



14 gauge 300 series 18-8 stainless steel • 14"-deep bowls with 5/8" radius corners • Stainless steel gussets, feet, legs and crossbracing • Adjustable crossbracing front-to-back and side-to-side • 9 1/2" standard backsplash with 1" upturn and tile edge • Basket-type waste drain, with 1 1/2" outlet, included to fit sink bowls' 3 1/2" opening • 30" and 36" drainboards available upon request

- **Twist drain brackets** available. Works in conjunction with optional twist handle drains (not included). To order, add **\$63 per compartment** to list price and suffix "-TB" to model number (example: FN2016-1-14/3-TB).
- For **overflow hole** (does not include drain), add **\$93 per compartment** to list price and suffix "-OF" to model number (example: FN2016-1-14/3-OF).

See pages 30-31 for accessories.

### One-Compartment Sinks



### Two-Compartment Sinks



### Sinks with No Drainboards

bowl size (W x L)	drainboard length	overall size (W x L)	model #	list	overall size (W x L)	model #	list
20" x 16"	n/a	27" x 21"	FN2016-1-14/3	5992	27" x 39"	FN2032-2-14/3	8009
20" x 18"	n/a	27" x 23"	FN2018-1-14/3	6750	27" x 43"	FN2036-2-14/3	8797
20" x 20"	n/a	27" x 25"	FN2020-1-14/3	6750	27" x 47"	FN2040-2-14/3	8797
24" x 24"	n/a	31" x 29"	FN2424-1-14/3	7226	31" x 55"	FN2448-2-14/3	10456
28" x 20"	n/a	35" x 25"	FN2820-1-14/3	7969	35" x 47"	FN2840-2-14/3	10476

### Sinks with One Drainboard

Drainboard at right ("R") or left ("L") in model number.

bowl size (W x L)	drainboard length	overall size (W x L)	model #	list	overall size (W x L)	model #	list
20" x 16"	18"	27" x 37 1/2"	FN2016-1-18R or L-14/3	6378	27" x 55 1/2"	FN2032-2-18R or L-14/3	8608
	24"	27" x 43 1/2"	FN2016-1-24R or L-14/3	6485	27" x 61 1/2"	FN2032-2-24R or L-14/3	8758
20" x 18"	18"	27" x 39 1/2"	FN2018-1-18R or L-14/3	6993	27" x 59 1/2"	FN2036-2-18R or L-14/3	9738
	24"	27" x 45 1/2"	FN2018-1-24R or L-14/3	7112	27" x 65 1/2"	FN2036-2-24R or L-14/3	9860
20" x 20"	24"	27" x 47 1/2"	FN2020-1-24R or L-14/3	7112	27" x 69 1/2"	FN2040-2-24R or L-14/3	9860
24" x 24"	24"	31" x 51 1/2"	FN2424-1-24R or L-14/3	8133	31" x 77 1/2"	FN2448-2-24R or L-14/3	11860
28" x 20"	24"	35" x 47 1/2"	FN2820-1-24R or L-14/3	8314	35" x 69 1/2"	FN2840-2-24R or L-14/3	11860

### Sinks with Double Drainboards

Drainboard at right and left ends.

bowl size (W x L)	drainboard length	overall size (W x L)	model #	list	overall size (W x L)	model #	list
20" x 16"	18"	27" x 54"	FN2016-1-18-14/3	6626	27" x 72"	FN2032-2-18-14/3	8908
	24"	27" x 66"	FN2016-1-24-14/3	6886	27" x 84"	FN2032-2-24-14/3	9122
20" x 18"	18"	27" x 56"	FN2018-1-18-14/3	7276	27" x 76"	FN2036-2-18-14/3	9547
	24"	27" x 68"	FN2018-1-24-14/3	7509	27" x 88"	FN2036-2-24-14/3	10218
20" x 20"	24"	27" x 70"	FN2020-1-24-14/3	7509	27" x 92"	FN2040-2-24-14/3	10218
24" x 24"	24"	31" x 74"	FN2424-1-24-14/3	8608	31" x 100"	FN2448-2-24-14/3	12284
28" x 20"	24"	35" x 70"	FN2820-1-24-14/3	8693	35" x 92"	FN2840-2-24-14/3	12364

# COVERED CORNER SINKS



## Spec-Master® FN Series Sinks — Three and Four Compartments



14 gauge 300 series 18-8 stainless steel • 14"-deep bowls with 5/8" radius corners • Stainless steel gussets, feet, legs and crossbracing • Adjustable crossbracing front-to-back and side-to-side • 9 1/2" standard backsplash with 1" upturn and tile edge • Basket-type waste drain, with 1 1/2" outlet, included to fit sink bowls' 3 1/2" opening • 30" and 36" drainboards available upon request

- **Twist drain brackets** available. Works in conjunction with optional twist handle drains (not included). To order, add \$63 per compartment to list price and suffix "-TB" to model number (example: FN2016-1-14/3-TB).
- For **overflow hole** (does not include drain), add \$93 per compartment to list price and suffix "-OF" to model number (example: FN2016-1-14/3-OF).



See pages 30-31 for accessories.



### Sinks with No Drainboards

bowl size (W x L)	drainboard length	overall size (W x L)	model #	list	overall size (W x L)	model #	list
20" x 16"	n/a	27" x 57"	FN2048-3-14/3	9903	27" x 75"	FN2064-4-14/3	12660
20" x 18"	n/a	27" x 63"	FN2054-3-14/3 *	11318	27" x 83"	FN2072-4-14/3	14223
20" x 20"	n/a	27" x 69"	FN2060-3-14/3 *	11318	27" x 91"	FN2080-4-14/3	14223
24" x 24"	n/a	31" x 81"	FN2472-3-14/3 *	13164	31" x 107"	FN2496-4-14/3	16364
28" x 20"	n/a	35" x 69"	FN2860-3-14/3 *	13562	35" x 91"	FN2880-4-14/3	17309

\* Features two sets of faucet holes.





### Sinks with One Drainboard

Drainboard at right ("R") or left ("L") in model number.

bowl size (W x L)	drainboard length	overall size (W x L)	model #	list	overall size (W x L)	model #	list
20" x 16"	18"	27" x 73 1/2"	FN2048-3-18R or L-14/3	10316	27" x 91 1/2"	FN2064-4-18R or L-14/3	12753
	24"	27" x 79 1/2"	FN2048-3-24R or L-14/3	10418	27" x 97 1/2"	FN2064-4-24R or L-14/3	12869
20" x 18"	18"	27" x 79 1/2"	FN2054-3-18R or L-14/3 *	12162	27" x 99 1/2"	FN2072-4-18R or L-14/3	15053
	24"	27" x 85 1/2"	FN2054-3-24R or L-14/3 *	12247	27" x 105 1/2"	FN2072-4-24R or L-14/3	15139
20" x 20"	24"	27" x 91 1/2"	FN2060-3-24R or L-14/3 *	12247	27" x 113 1/2"	FN2080-4-24R or L-14/3	15139
24" x 24"	24"	31" x 103 1/2"	FN2472-3-24R or L-14/3 *	14887	31" x 129 1/2"	FN2496-4-24R or L-14/3	17909
28" x 20"	24"	35" x 91 1/2"	FN2860-3-24R or L-14/3 *	15155	35" x 113 1/2"	FN2880-4-24R or L-14/3	18416

\* Features two sets of faucet holes.



### Sinks with Double Drainboards

Drainboard at right and left ends.

bowl size (W x L)	drainboard length	overall size (W x L)	model #	list	overall size (W x L)	model #	list
20" x 16"	18"	27" x 90"	FN2048-3-18-14/3	10566	27" x 108"	FN2064-4-18-14/3	13222
	24"	27" x 102"	FN2048-3-24-14/3	10782	27" x 120"	FN2064-4-24-14/3	13470
20" x 18"	18"	27" x 96"	FN2054-3-18-14/3	12448	27" x 116"	FN2072-4-18-14/3	15432
	24"	27" x 108"	FN2054-3-24-14/3	12808	27" x 128"	FN2072-4-24-14/3	15576
20" x 20"	24"	27" x 114"	FN2060-3-24-14/3	12808	27" x 136"	FN2080-4-24-14/3	15576
24" x 24"	24"	31" x 126"	FN2472-3-24-14/3	15280	31" x 152"	FN2496-4-24-14/3	18410
28" x 20"	24"	35" x 114"	FN2860-3-24-14/3	15685	35" x 136"	FN2880-4-24-14/3	18942

\* Features two sets of faucet holes.



100 Industrial Boulevard, Clayton, DE 19938  
 Phone: (800) 441-8440 • Fax: (302) 653-2065 • www.eaglemhc.com

# SQUARE CORNER SINKS

## Utility Sinks — One and Two Compartments

For numerous applications when NSF construction is not required • Square-corner construction • 8" backsplash • Adjustable bullet feet • Heavy gauge stainless steel • 13 3/4" deep sink compartments • 1 5/8" diameter galvanized legs located directly under sink compartments • 42 3/4" overall height



For all Utility Sinks on pages 18 and 19...

- Overflow hole available (does not include drain). To order, add \$93 per compartment to list price and suffix "-OF" to model number. Example: 1818-1-16/3-OF
- For NSF-approved utility sinks, add 35% to list price and add prefix "N-" to model number. Example: N-2460-2-16/3

For sink with no drainboards, optional detachable drainboards are available. See page 19.

### One-Compartment, No Drainboards

			Type 430 Stainless		Type 304 Stainless	
bowl size (W x L)	drainboard length	overall size (W x L)	model #	list	model #	list
18" x 18"	n/a	22" x 19 3/4"	1818-1-16/4	1962	1818-1-16/3	2289
18" x 24"	n/a	22" x 25 3/4"	1824-1-16/4	1976	1824-1-16/3	2394
21" x 18"	n/a	25" x 19 3/4"	2118-1-16/4	1955	2118-1-16/3	2347
21" x 24"	n/a	25" x 25 3/4"	2124-1-16/4	2025	2124-1-16/3	2460
21" x 36"	n/a	25" x 37 3/4"	2136-1-16/4	2177	2136-1-16/3	2732
24" x 24"	n/a	28" x 25 3/4"	2424-1-16/4	2107	2424-1-16/3	2580
24" x 36"	n/a	28" x 37 3/4"	2436-1-16/4	2242	2436-1-16/3	2860

### One-Compartment, Double Drainboards

bowl size (W x L)	drainboard length	overall size (W x L)	model #	list	model #	list
21" x 24"	18"	25" x 60 1/4"	2124-1-18-16/4	4353	2124-1-18-16/3	5306
24" x 24"	24"	28" x 72 1/4"	2424-1-24-16/4	4684	2424-1-24-16/3	5482



For all Utility Sinks on pages 18 and 19...

- Overflow hole available (does not include drain). To order, add \$93 per compartment to list price and suffix "-OF" to model number. Example: 1818-1-16/3-OF
- For NSF-approved utility sinks, add 35% to list price and add prefix "N-" to model number. Example: N-2460-2-16/3

For sink with no drainboards, optional detachable drainboards are available. See page 19.

### Two-Compartment, No Drainboards

			Type 430 Stainless		Type 304 Stainless	
bowl size (W x L)	drainboard length	overall size (W x L)	model #	list	model #	list
18" x 18"	n/a	22" x 37 3/4"	1836-2-16/4	2647	1836-2-16/3	3236
18" x 24"	n/a	22" x 49 3/4"	1848-2-16/4	2775	1848-2-16/3	3485
21" x 18"	n/a	25" x 37 3/4"	2136-2-16/4	2704	2136-2-16/3	3330
21" x 24"	n/a	25" x 49 3/4"	2148-2-16/4	2737	2148-2-16/3	3517
24" x 24"	n/a	28" x 49 3/4"	2448-2-16/4	3004	2448-2-16/3	3736
24" x 30"	n/a	28" x 61 3/4"	2460-2-16/4	3725	2460-2-16/3	4289

### Two-Compartment, Double Drainboards

bowl size (W x L)	drainboard length	overall size (W x L)	model #	list	model #	list
21" x 24"	18"	25" x 72 1/4"	2136-2-18-16/4	5363	2136-2-18-16/3	6482
24" x 24"	24"	28" x 96 1/4"	2448-2-24-16/4	5584	2448-2-24-16/3	6704

# SQUARE CORNER SINKS

## Utility Sinks — Three and Four Compartments

For numerous applications when NSF construction is not required • Square-corner construction • 8" backsplash • adjustable bullet feet • Heavy gauge stainless steel • 13 $\frac{3}{8}$ "-deep sink compartments • 1 $\frac{5}{8}$ "-diameter galvanized legs located directly under sink compartments



### Three-Compartment, No Drainboards

#### Type 430 Stainless

#### Type 304 Stainless

bowl size (W x L)	drainboard length	overall size (W x L)	model #	list	model #	list
18" x 12"	n/a	22" x 37 $\frac{3}{8}$ "	1836-3-16/4	3049	1836-3-16/3	3705
18" x 16"	n/a	22" x 49 $\frac{3}{8}$ "	1848-3-16/4	3180	1848-3-16/3	3937
18" x 18"	n/a	22" x 55 $\frac{3}{8}$ "	1854-3-16/4	3614	1854-3-16/3	4299
21" x 12"	n/a	25" x 37 $\frac{3}{8}$ "	2136-3-16/4	3128	2136-3-16/3	3827
21" x 16"	n/a	25" x 49 $\frac{3}{8}$ "	2148-3-16/4	3266	2148-3-16/3	4066
21" x 18"	n/a	25" x 55 $\frac{3}{8}$ "	2154-3-16/4	3626	2154-3-16/3	4417
21" x 20"	n/a	25" x 61 $\frac{3}{8}$ "	2160-3-16/4 *	3747	2160-3-16/3 *	6316
24" x 16"	n/a	28" x 49 $\frac{3}{8}$ "	2448-3-16/4	3428	2448-3-16/3	4248
24" x 20"	n/a	28" x 61 $\frac{3}{8}$ "	2460-3-16/4 *	3964	2460-3-16/3 *	4766
24" x 24"	n/a	28" x 73 $\frac{3}{8}$ "	2472-3-16/4 *	4060	2472-3-16/3 *	5045

### Three-Compartment, Double Drainboards

bowl size (W x L)	drainboard length	overall size (W x L)	model #	list	model #	list
21" x 12"	18"	25" x 72 $\frac{1}{4}$ "	2136-3-18-16/4	5480	2136-3-18-16/3	6528
21" x 16"	18"	25" x 84 $\frac{1}{4}$ "	2148-3-18-16/4	5660	2148-3-18-16/3	6975
21" x 18"	18"	25" x 90 $\frac{1}{4}$ "	2154-3-18-16/4	6183	2154-3-18-16/3	7414
24" x 24"	24"	28" x 120 $\frac{1}{4}$ "	2472-3-24-16/4*	6667	2472-3-24-16/3*	8495



### Four-Compartment, No Drainboards

#### Type 430 Stainless

#### Type 304 Stainless

bowl size (W x L)	drainboard length	overall size (W x L)	model #	list	model #	list
18" x 18"	n/a	22" x 73 $\frac{3}{8}$ "	1872-4-16/4 *	4154	1872-4-16/3*	5178
21" x 18"	n/a	25" x 73 $\frac{3}{8}$ "	2172-4-16/4 *	4353	2172-4-16/3*	5259
24" x 18"	n/a	28" x 73 $\frac{3}{8}$ "	2472-4-16/4 *	4470	2472-4-16/3*	5505


### Four-Compartment, Double Drainboards

bowl size (W x L)	drainboard length	overall size (W x L)	model #	list	model #	list
21" x 18"	18"	25" x 108 $\frac{1}{4}$ "	2172-4-18-16/4 *	6855	2172-4-18-16/3*	7998

\* Features two sets of faucet holes.

## Detachable Drainboards for Utility Sinks

Unique die-stamped rolled rim construction • Fully reversible, allowing for left- or right-hand operation • "Easy clip-on installation" utilizes two support brackets that bolt to sink gussets • Available in 430 or 304 series stainless steel



detachable drainboard

Note: Drainboards will not work on NSF Utility Sinks.

#### Type 430 Stainless

#### Type 304 Stainless

width (front-to-back) x length (side-to-side)	model #	list	model #	list
18" x 18"	18x18 RRDEDB	553	18x18 RRDEDB-16/3	923
18" x 24"	18x24 RRDEDB	586	18x24 RRDEDB-16/3	970
18" x 30"	18x30 RRDEDB *	996	18x30 RRDEDB-16/3 *	1085
21" x 18"	21x18 RRDEDB	553	21x18 RRDEDB-16/3	923
21" x 24"	21x24 RRDEDB	594	21x24 RRDEDB-16/3	970
21" x 30"	21x30 RRDEDB *	1110	21x30 RRDEDB-16/3 *	1167
24" x 18"	24x18 RRDEDB	569	24x18 RRDEDB-16/3	910
24" x 24"	24x24 RRDEDB	616	24x24 RRDEDB-16/3	1004
24" x 30"	24x30 RRDEDB *	1092	24x30 RRDEDB-16/3 *	1149

\* Drainboards 30"-long are furnished with legs

# LAVATORY SINKS • MOBILE SOAK SINKS

## 314 Series Corner Sinks



Deep-drawn, heavy gauge type 304 construction • Poly cutting board/sink cover • Two sets of faucet holes



All sinks have three compartments.

bowl size width x length x depth	drain boards	overall width x length	model #	list
10" x 14" x 10"	two 12"	39" x 43"	<a href="#">C314-10-3-12</a>	<b>10362</b>
16" x 20" x 14"	two 18"	57 $\frac{1}{4}$ " x 59 $\frac{1}{4}$ "	<a href="#">C314-16-3-18</a>	<b>13629</b>
22" x 22" x 14"	two 18"	69" x 69"	<a href="#">C314-22-3-18</a>	<b>14784</b>
24" x 24" x 14"	two 24"	79" x 79"	<a href="#">C314-24-3-24</a>	<b>15976</b>

**Twist drain brackets available.** Works in conjunction with optional twist handle drains (not included – see page 31). To order, add **\$63 per compartment** to list price and suffix **“-TB”** to model number. Example: C314-10-3-12-TB

## Lavatory Sinks



Marine edge • Type 304 stainless steel sink bowl • Gooseneck spout • Soap dispenser • Basket drain • Wall mount (“W”) and pedestal (“P”) models available



W1916-FA



W1916



P1916



P1916FE

includes basket drain and...	bowl size	overall size	model #	list
Splash-mount gooseneck faucet, soap dispenser	15 $\frac{3}{4}$ " x 19 $\frac{3}{4}$ " x 8 $\frac{7}{8}$ "	23" x 24 $\frac{5}{16}$ " x 16 $\frac{1}{16}$ "	<a href="#">W1916-FA</a>	<b>3049</b>
Splash-mount spout, soap dispenser, knee valves	15 $\frac{3}{4}$ " x 19 $\frac{3}{4}$ " x 8 $\frac{7}{8}$ "	23" x 24 $\frac{5}{16}$ " x 16 $\frac{1}{16}$ "	<a href="#">W1916</a>	<b>5839</b>
Splash-mount spout, soap dispenser, pedestal w/foot valves	15 $\frac{3}{4}$ " x 19 $\frac{3}{4}$ " x 8 $\frac{7}{8}$ "	23" x 24 $\frac{5}{16}$ " x 39 $\frac{1}{16}$ "	<a href="#">P1916</a>	<b>5142</b>
Splash-mount spout w/electronic eye, soap dispenser, pedestal	15 $\frac{3}{4}$ " x 19 $\frac{3}{4}$ " x 8 $\frac{7}{8}$ "	23" x 24 $\frac{5}{16}$ " x 39 $\frac{1}{16}$ "	<a href="#">P1916FE</a>	<b>6883</b>

### Replacements for Lavatory Sinks

to fit description	process sink model #	model #	list
splash mount spout	P1916, P1916FE, W1916	<a href="#">300600</a>	<b>393</b>
drain assembly	P1916, P1916FE, W1916,	<a href="#">300287</a>	<b>45</b>
temperature adjustment valve, or “mixing valve”	P1916FE	<a href="#">326015</a>	<b>198</b>

## Mobile Soak Sinks



8" deep sink • 14 gauge • Lever drain • 5" casters (two with brake) • Stainless steel legs  
• Stainless steel gussets • stainless steel crossbraces



#MSS2020

		33" Height	20" Height with Removable Silver Chute and Silverware Basket	
width x length	model #	list	model #	list
23" x 23"	<a href="#">MSS2020</a>	<b>6292</b>	<a href="#">MSS2020SC</a>	<b>6905</b>
27" x 27"	<a href="#">MSS2424</a>	<b>6406</b>	<a href="#">MSS2424SC</a>	<b>7048</b>

# FLUSH FRONT SINKS • MEAT PLATTER SINKS

## Spec-Master® FFN Series Flush Front Sinks

Full front and 10" high backsplash are 14 gauge stainless steel • 14 gauge double drainboards, rolled rims and sink bowl partitions • 1" downturn at rear • Sink compartments feature 3/4" covered inside radii • Basket-type waste drain fits 3 1/2" opening and features 1 1/2" outlet • Legs located directly under sink bowls • All-welded base constructed of 1 5/8"-diameter tubular stainless steel • Adjustable stainless steel bullet feet • 14" water level and swirl-away drainage

### Two-Compartment Sinks

inside bowl width x length	drainboard length	overall width x length	model #	list
27" x 18"	24"	30 1/2" x 85 5/8"	FFN2736-2-24-14/3	22820
	30"	30 1/2" x 97 5/8"	FFN2736-2-30-14/3	25542
27" x 20"	24"	30 1/2" x 89 5/8"	FFN2740-2-24-14/3	23873
	30"	30 1/2" x 101 5/8"	FFN2740-2-30-14/3	26582
27" x 24"	24"	30 1/2" x 97 5/8"	FFN2748-2-24-14/3	25962
	30"	30 1/2" x 109 5/8"	FFN2748-2-30-14/3	28683
27" x 30"	24"	30 1/2" x 109 5/8"	FFN2760-2-24-14/3	29107
	30"	30 1/2" x 121 5/8"	FFN2760-2-30-14/3	31815



### Three-Compartment Sinks \*

inside bowl width x length	drainboard length	overall width x length	model #	list
27" x 18"	24"	30 1/2" x 105 1/4"	FFN2754-3-24-14/3	27529
	30"	30 1/2" x 117 1/4"	FFN2754-3-30-14/3	30667
27" x 20"	24"	30 1/2" x 111 1/4"	FFN2760-3-24-14/3	29107
	30"	30 1/2" x 123 1/4"	FFN2760-3-30-14/3	32247
27" x 24"	24"	30 1/2" x 123 1/4"	FFN2772-3-24-14/3	32247
	30"	30 1/2" x 135 1/4"	FFN2772-3-30-14/3	35377
27" x 30"	24"	30 1/2" x 141 1/4"	FFN2790-3-24-14/3	36952
	30"	30 1/2" x 153 1/4"	FFN2790-3-30-14/3	40094

\* Three-Compartment sinks feature two sets of faucet holes.

## Spec-Master® Supermarket Meat Platter Sinks



All bowls have 14" depth, 5/8" radius corners • 14 gauge type 304 18-8 stainless steel construction • Available with one, two, or no drainboards

### Two-Compartment Sinks

inside bowl width x length	overall width x length	drain boards	model #	list
14" x 32"	37" x 37"	none	SFN2832-2-14/3	10188
14" x 32"	37" x 53 1/2"	one 18" right	SFN2832-2-18R-14/3	11464
14" x 32"	37" x 53 1/2"	one 18" left	SFN2832-2-18L-14/3	11464
14" x 32"	37" x 70"	two 18" right & left	SFN2832-2-18-14/3	12550



### Three-Compartment Sinks

inside bowl width x length	overall width x length	drain boards	model #	list
two 14" x 32", one 20" x 30"	37" x 59"	none	SFN3052-3-14/3	13056
two 14" x 32", one 20" x 30"	37" x 75 1/2"	one 18" right	SFN3052-3-18R-14/3	14133
two 14" x 32", one 20" x 30"	37" x 75 1/2"	one 18" left	SFN3052-3-18L-14/3	14133
two 14" x 32", one 20" x 30"	37" x 92"	two 18" right & left	SFN3052-3-18-14/3	14494
(3) 32" x 14"	39" x 51"	none	SFN3242-3-14/3	13605
(3) 32" x 14"	39" x 67 1/2"	one 18" right	SFN3242-3-18R-14/3	14026
(3) 32" x 14"	39" x 67 1/2"	one 18" left	SFN3242-3-18L-14/3	14026
(3) 32" x 14"	39" x 84"	two 18" right & left	SFN3242-3-18-14/3	14528



# S14 & S16 SERIES • CONVENIENCE STORE SINKS

## Stainless Steel Fabricated Sinks



20" x 20" bowls (except where noted) • One set of faucet holes (except where noted) on 8" centers • 14"-deep bowls with 5/8" radius corners • 9 1/2"-high backsplash with 1" upturn and tile edge

### One-Compartment Sinks

bowl size width x length	drain boards qty/length	overall width x length	S14 Series		S16 Series	
			model #	list	model #	list
20" x 20"	0	27" x 29"	S14-20-1-SL	3358	S16-20-1	2959

**S14 Series**  
• Stainless steel legs, crossbracing, gussets and bullet feet.

**S16 Series**  
• Galvanized legs, crossbracing and gussets.  
• Plastic bullet feet.

### Two-Compartment Sinks

bowl size width x length	drain boards qty/length	overall width x length	S14 Series		S16 Series	
			model #	list	model #	list
20" x 20"	one 18" (right end)	27" x 67 1/2"	S14-20-2-18R-SL	5837	S16-20-2-18R	5139
20" x 20"	one 18" (left end)	27" x 67 1/2"	S14-20-2-18L-SL	5837	S16-20-2-18L	5139
20" x 20"	two 18" (both ends)	27" x 81"	S14-20-2-18-SL	6140	S16-20-2-18	5406

### Three-Compartment Sinks

bowl size width x length	drain boards qty/length	overall width x length	S14 Series		S16 Series	
			model #	list	model #	list
20" x 20"	one 18" (right end)	27" x 89 1/2"	S14-20-3-18R-SL	7697	S16-20-3-18R	6773
20" x 20"	one 18" (left end)	27" x 89 1/2"	S14-20-3-18L-SL	7697	S16-20-3-18L	6773
20" x 20"	two 18" (both ends)	27" x 103"	S14-20-3-18-SL	8103	S16-20-3-18	7128
20" x 20"	one 24" (right end)	27" x 95 1/2"	S14-20-3-24R-SL	8026	S16-20-3-24R	7063
20" x 20"	one 24" (left end)	27" x 95 1/2"	S14-20-3-24L-SL	8026	S16-20-3-24L	7063
20" x 20"	two 24" (both ends)	27" x 115"	S14-20-3-24-SL	8452	S16-20-3-24	7433
28" x 20"	two 18" (both ends)	35" x 103"	S14-28-3-18-SL*	10259	S16-28-3-18*	9020



#S14-20-3-18-SL  
three-compartment sink

\* #S14-28-3-18-SL and S16-28-3-18 feature TWO sets of faucet holes.

## Convenience Store Sinks



Heavy gauge type 304 construction • Deep-drawn sink bowls (except where noted) • 9 1/2" backsplash with 1" upturn and tile edge for easy installation and feathering to wall/splash surface • 2"-wide euro-style edging

**310 Series** — All sinks have three compartments.

bowl size width x length x depth	drain boards	overall	
		width x length	model #
14" x 10" x 9 1/2"	two 12"	21 1/16" x 60"	310-10-3-12
14" x 10" x 9 1/2"	two 18"	21 1/16" x 72"	310-10-3-18
14" x 10" x 9 1/2"	two 24"	21 1/16" x 84"	310-10-3-24

**312 Series** — All sinks have three compartments.

bowl size width x length x depth	drain boards	overall	
		width x length	model #
20" x 12" x 12"	two 12"	27 1/16" x 66"	312-12-3-12*
14" x 16" x 12"	two 12"	23 1/16" x 72"	312-14-3-12

\* #312-12-3-12 features fabricated sink bowls.

### Faucet for Convenience Store Sinks

description	model #	list
10" spout	300489	573

Twist drain brackets available. Works in conjunction with optional twist handle drains (not included – see page 31). To order, add \$63 per compartment to list price and suffix "-TB" to model number. Example: 310-10-3-12-TB



(faucet not included)

# DROP-IN SINKS

## Countertop Drop-Ins With No Deck



300 series stainless steel sinks are self rimming • 1<sup>3</sup>/<sub>16</sub>" trim on all four sides •  
 Positive holddown clamping tabs for top mount • 16 gauge bowls are fabricated construction  
 • 18 & 20 gauge bowls are deep-drawn construction.

Note: width = front-to-back, length = side-to-side



(basket drains shown sold separately)

### One-Compartment

inside bowl width x length x depth	overall width x length	TOP MOUNT cutout width x length	BOTTOM MOUNT cutout* width x length	gauge	model #	list
14" x 10" x 5"	19" x 12 <sup>3</sup> / <sub>4</sub> "	15 <sup>1</sup> / <sub>4</sub> " x 11 <sup>1</sup> / <sub>4</sub> "	14 <sup>13</sup> / <sub>16</sub> " x 10 <sup>13</sup> / <sub>16</sub> "	20	SR10-14-5-1-ND	915
14" x 10" x 9 <sup>1</sup> / <sub>2</sub> "	18 <sup>7</sup> / <sub>8</sub> " x 12 <sup>3</sup> / <sub>4</sub> "	15 <sup>1</sup> / <sub>4</sub> " x 11 <sup>1</sup> / <sub>4</sub> "	14 <sup>13</sup> / <sub>16</sub> " x 10 <sup>13</sup> / <sub>16</sub> "	18	SR10-14-9.5-1-ND	1204
14" x 12" x 9 <sup>1</sup> / <sub>2</sub> "	19" x 14 <sup>3</sup> / <sub>4</sub> "	15 <sup>1</sup> / <sub>4</sub> " x 13 <sup>3</sup> / <sub>4</sub> "	14 <sup>3</sup> / <sub>8</sub> " x 12 <sup>3</sup> / <sub>8</sub> "	16	SR12-14-9.5-1-ND	1448
16" x 14" x 9 <sup>1</sup> / <sub>2</sub> "	21" x 16 <sup>3</sup> / <sub>4</sub> "	17 <sup>1</sup> / <sub>4</sub> " x 15 <sup>3</sup> / <sub>4</sub> "	16 <sup>5</sup> / <sub>8</sub> " x 14 <sup>5</sup> / <sub>8</sub> "	16	SR14-16-9.5-1-ND	1645
20" x 16" x 8"	24 <sup>3</sup> / <sub>4</sub> " x 18 <sup>5</sup> / <sub>8</sub> "	21" x 17"	20 <sup>5</sup> / <sub>8</sub> " x 16 <sup>5</sup> / <sub>8</sub> "	18	SR16-19-8-1-ND	1482
20" x 16" x 13 <sup>1</sup> / <sub>2</sub> "	24 <sup>3</sup> / <sub>4</sub> " x 18 <sup>5</sup> / <sub>8</sub> "	21" x 17"	20 <sup>5</sup> / <sub>8</sub> " x 16 <sup>5</sup> / <sub>8</sub> "	18	SR16-19-13.5-1-ND	1630
24" x 18" x 13 <sup>1</sup> / <sub>2</sub> "	28 <sup>3</sup> / <sub>4</sub> " x 20 <sup>1</sup> / <sub>2</sub> "	25" x 19"	24 <sup>5</sup> / <sub>8</sub> " x 18 <sup>5</sup> / <sub>8</sub> "	18	SR18-24-13.5-1-ND	1738
22" x 22" x 13 <sup>1</sup> / <sub>2</sub> "	27" x 24 <sup>3</sup> / <sub>4</sub> "	23 <sup>3</sup> / <sub>4</sub> " x 23 <sup>1</sup> / <sub>4</sub> "	22 <sup>5</sup> / <sub>8</sub> " x 22 <sup>5</sup> / <sub>8</sub> "	16	SR22-22-13.5-1-ND	2999
24" x 24" x 13 <sup>1</sup> / <sub>2</sub> "	28 <sup>3</sup> / <sub>4</sub> " x 26 <sup>1</sup> / <sub>2</sub> "	25" x 25"	24 <sup>11</sup> / <sub>16</sub> " x 24 <sup>11</sup> / <sub>16</sub> "	18	SR24-24-13.5-1-ND	1903

\* See page 26 for Bottom Mount Kit

### Two-Compartment

inside bowl width x length x depth	overall width x length	TOP MOUNT cutout width x length	BOTTOM MOUNT cutout* width x length	gauge	model #	list
14" x 10" x 9 <sup>1</sup> / <sub>2</sub> "	18 <sup>7</sup> / <sub>8</sub> " x 24 <sup>3</sup> / <sub>4</sub> "	15 <sup>1</sup> / <sub>4</sub> " x 23 <sup>3</sup> / <sub>4</sub> "	14 <sup>13</sup> / <sub>16</sub> " x 23"	18	SR10-14-9.5-2-ND	2273
14" x 12" x 9 <sup>1</sup> / <sub>2</sub> "	19" x 28 <sup>3</sup> / <sub>4</sub> "	15 <sup>1</sup> / <sub>4</sub> " x 27 <sup>1</sup> / <sub>4</sub> "	14 <sup>3</sup> / <sub>8</sub> " x 26 <sup>5</sup> / <sub>8</sub> "	16	SR12-14-9.5-2-ND	2627
16" x 14" x 9 <sup>1</sup> / <sub>2</sub> "	21" x 32 <sup>3</sup> / <sub>4</sub> "	17 <sup>1</sup> / <sub>4</sub> " x 31 <sup>1</sup> / <sub>4</sub> "	16 <sup>5</sup> / <sub>8</sub> " x 30 <sup>5</sup> / <sub>8</sub> "	16	SR14-16-9.5-2-ND	2809
20" x 16" x 8"	24 <sup>3</sup> / <sub>4</sub> " x 36 <sup>3</sup> / <sub>4</sub> "	21" x 34 <sup>3</sup> / <sub>4</sub> "	20 <sup>5</sup> / <sub>8</sub> " x 34 <sup>1</sup> / <sub>2</sub> "	18	SR16-19-8-2-ND	2236
20" x 16" x 13 <sup>1</sup> / <sub>2</sub> "	24 <sup>3</sup> / <sub>4</sub> " x 36 <sup>3</sup> / <sub>4</sub> "	21" x 34 <sup>3</sup> / <sub>4</sub> "	20 <sup>5</sup> / <sub>8</sub> " x 34 <sup>1</sup> / <sub>2</sub> "	18	SR16-19-13.5-2-ND	2530
24" x 18" x 13 <sup>1</sup> / <sub>2</sub> "	28 <sup>3</sup> / <sub>4</sub> " x 40 <sup>1</sup> / <sub>4</sub> "	25" x 38 <sup>3</sup> / <sub>4</sub> "	24 <sup>5</sup> / <sub>8</sub> " x 38 <sup>1</sup> / <sub>2</sub> "	18	SR18-24-13.5-2-ND	3038
22" x 22" x 13 <sup>1</sup> / <sub>2</sub> "	27" x 48 <sup>3</sup> / <sub>4</sub> "	23 <sup>3</sup> / <sub>4</sub> " x 47 <sup>1</sup> / <sub>4</sub> "	22 <sup>5</sup> / <sub>8</sub> " x 46 <sup>5</sup> / <sub>8</sub> "	16	SR22-22-13.5-2-ND	5576
24" x 24" x 13 <sup>1</sup> / <sub>2</sub> "	28 <sup>3</sup> / <sub>4</sub> " x 52 <sup>5</sup> / <sub>8</sub> "	25" x 50 <sup>5</sup> / <sub>8</sub> "	24 <sup>13</sup> / <sub>16</sub> " x 50 <sup>1</sup> / <sub>4</sub> "	18	SR24-24-13.5-2-ND	3209

\* See page 26 for Bottom Mount Kit

### Three-Compartment

inside bowl width x length x depth	overall width x length	TOP MOUNT cutout width x length	BOTTOM MOUNT cutout* width x length	gauge	model #	list
14" x 10" x 9 <sup>1</sup> / <sub>2</sub> "	18 <sup>7</sup> / <sub>8</sub> " x 36 <sup>3</sup> / <sub>4</sub> "	15 <sup>1</sup> / <sub>4</sub> " x 35 <sup>3</sup> / <sub>4</sub> "	14 <sup>13</sup> / <sub>16</sub> " x 35"	18	SR10-14-9.5-3-ND	2423
14" x 12" x 9 <sup>1</sup> / <sub>2</sub> "	19" x 42 <sup>3</sup> / <sub>4</sub> "	15 <sup>1</sup> / <sub>4</sub> " x 41 <sup>1</sup> / <sub>4</sub> "	14 <sup>3</sup> / <sub>8</sub> " x 40 <sup>5</sup> / <sub>8</sub> "	16	SR12-14-9.5-3-ND	3615
16" x 14" x 9 <sup>1</sup> / <sub>2</sub> "	21" x 48 <sup>3</sup> / <sub>4</sub> "	17 <sup>1</sup> / <sub>4</sub> " x 47 <sup>1</sup> / <sub>4</sub> "	16 <sup>5</sup> / <sub>8</sub> " x 46 <sup>5</sup> / <sub>8</sub> "	16	SR14-16-9.5-3-ND	3876
20" x 16" x 8"	24 <sup>3</sup> / <sub>4</sub> " x 54"	21" x 52 <sup>1</sup> / <sub>2</sub> "	20 <sup>5</sup> / <sub>8</sub> " x 52 <sup>1</sup> / <sub>4</sub> "	18	SR16-19-8-3-ND	3147
20" x 16" x 13 <sup>1</sup> / <sub>2</sub> "	24 <sup>3</sup> / <sub>4</sub> " x 54"	21" x 52 <sup>1</sup> / <sub>2</sub> "	20 <sup>5</sup> / <sub>8</sub> " x 52 <sup>1</sup> / <sub>4</sub> "	18	SR16-19-13.5-3-ND	3492
24" x 18" x 13 <sup>1</sup> / <sub>2</sub> "	28 <sup>3</sup> / <sub>4</sub> " x 60"	25" x 58 <sup>1</sup> / <sub>2</sub> "	24 <sup>5</sup> / <sub>8</sub> " x 58 <sup>1</sup> / <sub>4</sub> "	18	SR18-24-13.5-3-ND	4196

\* See page 26 for Bottom Mount Kit

## Countertop Drop-In Self-Rim Design Sinks



300 series stainless steel • Faucet and 1½" outlet basket drain • 16 gauge bowls are fabricated construction  
 • 18 & 20 gauge bowls are deep-drawn construction.

**Not NSF approved for warewashing and/or food preparation operations. Not intended for NSF installation into stainless steel worksurface. Please consult factory if need arises.**

Faucet holes are punched on 4" centers. To order sinks with faucet holes punched on 8" centers, add \$325 to list price and add suffix "-8CL" (example: SR18-24-13.5-3-8CL). Faucets sold separately for "-8CL" sinks. See page 26.  
 Recommended for 1"-thick countertops. If countertop is thicker than 1", please indicate at time of order.



Note: width = front-to-back, length = side-to-side

**One-Compartment** – Furnished with #302004 faucet with gooseneck spout, except where noted. See page 26 for other available faucets.

inside bowl width x length x depth	overall width x length	TOP MOUNT cutout width x length	BOTTOM MOUNT cutout* width x length	gauge	model #	list
14" x 10" x 5"	19" x 12¾"	17⅞" x 11¼"	14⅜" x 10⅜"	18	SR10-14-5-1	1006
14" x 10" x 9½"	18⅞" x 12¾"	17½" x 11¼"	14⅜" x 10⅜"	18	SR10-14-9.5-1	1104
14" x 12" x 9½"	19" x 14¾"	17⅞" x 13¼"	14⅞" x 12⅞"	16	SR12-14-9.5-1	1480
10" x 14" x 5"	15" x 16¾"	13⅞" x 15¼"	10⅞" x 14⅜"	18	SR14-10-5-1	1006
10" x 14" x 5"	15" x 16¾"	13⅞" x 15¼"	n/a	18	SRU14-10-5-1**	1894
10" x 14" x 9½"	15" x 16⅞"	13⅞" x 15⅞"	10⅜" x 14⅜"	18	SR14-10-9.5-1	1438
12" x 14" x 9½"	17" x 16¾"	15⅞" x 15¼"	12⅞" x 14⅞"	16	SR14-12-9.5-1	1464
16" x 14" x 9½"	21" x 16¾"	19⅞" x 15¼"	16⅞" x 14⅞"	16	SR14-16-9.5-1	1725
14" x 16" x 9½"	19" x 18¾"	17⅞" x 17¼"	14⅞" x 16⅞"	16	SR16-14-9.5-1	1725
20" x 16" x 8"	24¾" x 18½"	23⅞" x 17"	20⅞" x 16⅞"	18	SR16-19-8-1 ▼	1476
20" x 16" x 13½"	24¾" x 18⅞"	23⅞" x 17"	20⅞" x 16⅞"	18	SR16-19-13.5-1 ▼	1847
24" x 18" x 13½"	28¾" x 20½"	27⅞" x 19"	24⅞" x 18⅞"	18	SR18-24-13.5-1 ▼	1958
16" x 20" x 8"	20¾" x 22½"	19⅞" x 21"	16⅞" x 20⅞"	18	SR19-16-8-1 ■	1725
16" x 20" x 13½"	20¾" x 22½"	19⅞" x 21"	16⅞" x 20⅞"	18	SR19-16-13.5-1 ■	1847
12" x 20" x 6½"	17" x 22¾"	15⅞" x 21¼"	12⅞" x 20⅞"	20	SR20-12-6.5-1	1862
22" x 22" x 13½"	27" x 24¾"	25⅞" x 23¼"	see template included w/sink	16	SR22-22-13.5-1 ■	3099
18" x 24" x 13½"	22¾" x 26½"	21⅞" x 25"	18⅞" x 24⅞"	18	SR24-18-13.5-1 ▼	1797
24" x 24" x 13½"	28¾" x 26½"	27⅞" x 25"	24⅜" x 24⅜"	18	SR24-24-13.5-1 ■	2355

\* See page 26 for Bottom Mount Kit; \*\* #SRU14-10-5-1 features an upturn on sides and rear; These sinks utilize #300490 faucet with 12" swivel spout; These sinks utilize #301248 faucet with 8" swivel spout.

**Two-Compartment** – Furnished with #300490 faucet with 12" spout, except where noted. See page 26 for other available faucets.

inside bowl width x length x depth	overall width x length	TOP MOUNT cutout width x length	BOTTOM MOUNT cutout* width x length	gauge	model #	list
14" x 10" x 9½"	18⅞" x 24¾"	17⅞" x 23¼"	14⅞" x 23"	18	SR10-14-9.5-2 ■	2329
14" x 12" x 9½"	19" x 28¾"	17⅞" x 27¼"	14⅞" x 26⅞"	16	SR12-14-9.5-2	2563
16" x 14" x 9½"	21" x 32¾"	19⅞" x 31¼"	16⅞" x 30⅞"	16	SR14-16-9.5-2	2729
20" x 16" x 8"	24¾" x 36¼"	23⅞" x 34¼"	20⅞" x 34¼"	18	SR16-19-8-2	3063
20" x 16" x 13½"	24¾" x 36⅞"	23⅞" x 34¼"	20⅞" x 34¼"	18	SR16-19-13.5-2	3217
24" x 18" x 13½"	28¾" x 40¼"	27⅞" x 38¾"	24⅞" x 38½"	18	SR18-24-13.5-2	3686
22" x 22" x 13½"	27" x 48¾"	25⅞" x 47¼"	see template included w/sink	16	SR22-22-13.5-2	5518
24" x 24" x 13½"	28¾" x 52⅞"	27⅞" x 50⅞"	24⅜" x 50¼"	18	SR24-24-13.5-2	4974

\* See page 26 for Bottom Mount Kit; Model #SR10-14-9.5-2 utilizes #301248 faucet with 8" swivel spout.

**Three-Compartment** – Furnished with #300490 faucet with 12" spout, except where noted. See page 26 for other available faucets.

inside bowl width x length x depth	overall width x length	TOP MOUNT cutout width x length	BOTTOM MOUNT cutout* width x length	gauge	model #	list
14" x 10" x 9½"	18⅞" x 36¾"	17⅞" x 35¼"	14⅞" x 35"	18	SR10-14-9.5-3	3115
14" x 12" x 9½"	19" x 42¾"	17⅞" x 41¼"	14⅞" x 40⅞"	16	SR12-14-9.5-3	3759
16" x 14" x 9½"	21" x 48¾"	19⅞" x 47¼"	16⅞" x 46⅞"	16	SR14-16-9.5-3	3836
20" x 16" x 8"	24¾" x 54"	23⅞" x 52½"	20⅞" x 52⅞"	18	SR16-19-8-3	3984
20" x 16" x 13½"	24¾" x 54"	23⅞" x 52½"	20⅞" x 52⅞"	18	SR16-19-13.5-3	4218
24" x 18" x 13½"	28¾" x 60"	27⅞" x 58½"	24⅞" x 58¼"	18	SR18-24-13.5-3 ■	5116

\* See page 26 for Bottom Mount Kit; These sinks utilize #301440 faucet with 14" swivel spout.

# UNDERMOUNT SINKS

## Options for Countertop Drop-In Sinks

Faucets listed are lead-free AB1953-compliant.

### Standard Deck Mount Faucets — with 1/4-turn handles

description	model #	list
gooseneck faucet, 4" center, for single bowls	302004	382
8" spout, 4" centers, for single and double bowls	301248	342
12" spout, 4" centers, for triple bowls	300490	364
14" spout, 4" centers, for triple bowls	301440	394



### T&S Deck Mount Faucets



description	model #	list
gooseneck faucet, 4" center, for single bowls	313308	909
8" spout, 4" center, for single and double bowls	313306	876
8" spout, 8" center, for single and double bowls, with spray arm	303560 *	1009
12" spout, 4" center, for triple bowls	313303	907
12" spout, 8" center, for triple bowls, with spray arm	303561 *	1143
14" spout, 4" center, for triple bowls	313307	909
14" spout, 8" center, for triple bowls, with spray arm	303562 *	1139

\* Faucets with spray arm require special faucet holes.




### Deck-Mount Electronic-Eye Faucets — For One-Compartment Sinks only. CONSULT FACTORY FOR LIST PRICE.

description	add suffix # *
rigid gooseneck spout; AC-DC control module (four "AA" batteries, 100-240 VAC adapter); temperature-control mixing valve	-FE

\* Example: SR10-14-5-1-FE

### Bottom-Mount Kit — (1) kit per one-compartment sink, (2) kits per two-compartment sink; (3) kits per three-compartment sink.


description	model #	list
8 undermount clips per kit	362188	55



## Seamless Welded-In Sinks with Fabricated Wall



For NSF-approved welded fabrication • Type 304 18-8 stainless steel construction • Bowls are tapered to allow for 60% nesting which facilitates shipping and storage • 5/8" radius corners • 3 1/2" drain hole with sump • Swirl-away drainage



inside bowl width x length x depth	gauge	model #	list
9" x 12" x 6"	16	<a href="#">FNWNF-9-12-6-1</a>	1359
9" x 14" x 8"	16	<a href="#">FNWNF-9-14-8-1</a>	1444
12" x 14" x 8"	16	<a href="#">FNWNF-12-14-8-1</a>	1487
14" x 16" x 8"	16	<a href="#">FNWNF-14-16-8-1</a>	1556
18" x 18" x 10"	14	<a href="#">FNWNF-18-18-10-1</a>	1394
18" x 18" x 12"	14	<a href="#">FNWNF-18-18-12-1</a>	1414
20" x 20" x 10"	14	<a href="#">FNWNF-20-20-10-1</a>	1476
20" x 20" x 12"	14	<a href="#">FNWNF-20-20-12-1</a>	1549
20" x 20" x 14"	14	<a href="#">FNWNF-20-20-14-1</a>	1633
20" x 27" x 6"	14	<a href="#">FNWNF-20-27-6-1</a>	1394
20 1/2" x 20 1/2" x 5"	14	<a href="#">FNWNF-20.5-20.5-5-1</a>	1283
20 1/2" x 20 1/2" x 8"	14	<a href="#">FNWNF-20.5-20.5-8-1</a>	1407
24" x 24" x 12"	14	<a href="#">FNWNF-24-24-12-1</a>	1725
24" x 24" x 14"	14	<a href="#">FNWNF-24-24-14-1</a>	1809

## Seamless Welded-In Sinks



For NSF-approved welded fabrication • Seamless bowls •  
Type 304 stainless steel construction • Basket drain

### One-Compartment

inside bowl width x length x depth	overall width x length	gauge	drain hole	model #	list
14" x 10" x 5"	16" x 12"	20	3/2"	FDI-10-14-5-1	663
14" x 10" x 9 1/2"	16" x 12"	18	3/2"	FDI-10-14-9.5-1	736
14" x 12" x 9 1/2"	16" x 14"	16	3/2"	FDI-12-14-9.5-1	765
20" x 12" x 6 1/2"	22" x 14"	20	2"	FDI-12-20-6.5-1	800
16" x 14" x 6"	18" x 16"	20	3/2"	FDI-14-16-6-1	822
16" x 14" x 9 1/2"	18" x 16"	16	3/2"	FDI-14-16-9.5-1	845
20" x 16" x 8"	21 3/4" x 18"	18	3/2"	FDI-16-19-8-1	1033
20" x 16" x 13 1/2"	21 3/4" x 18"	18	3/2"	FDI-16-19-13.5-1	1043
24" x 18" x 13 1/2"	26" x 20"	18	3/2"	FDI-18-24-13.5-1	1266
20" x 20" x 5"	22" x 22"	20	3/2"	FDI-20-20-5-1	809
22" x 22" x 13 1/2"	24" x 24"	16	3/2"	FDI-22-22-13.5-1	1476
24" x 24" x 13 1/2"	26" x 26"	18	3/2"	FDI-24-24-13.5-1	1540

\*16 gauge bowls are fabricated. 18 & 20 gauge bowls are deep-drawn.

### Two-Compartment

inside bowl width x length x depth	overall width x length	gauge	drain hole	model #	list
14" x 10" x 9 1/2"	16" x 24"	18	3/2"	FDI-10-14-9.5-2	1414
14" x 12" x 9 1/2"	16" x 28"	16	3/2"	FDI-12-14-9.5-2	1525
16" x 14" x 9 1/2"	18" x 32"	16	3/2"	FDI-14-16-9.5-2	1642
20" x 16" x 8"	21 3/4" x 36"	18	3/2"	FDI-16-19-8-2	1997
20" x 16" x 13 1/2"	21 3/4" x 36"	18	3/2"	FDI-16-19-13.5-2	2053
24" x 18" x 13 1/2"	26" x 40"	18	3/2"	FDI-18-24-13.5-2	2396
22" x 22" x 13 1/2"	24" x 48"	16	3/2"	FDI-22-22-13.5-2	2840
24" x 24" x 13 1/2"	26" x 52"	18	3/2"	FDI-24-24-13.5-2	2962

\*16 gauge bowls are fabricated. 18 & 20 gauge bowls are deep-drawn.

### Three-Compartment

inside bowl width x length x depth	overall width x length	gauge	drain hole	model #	list
14" x 10" x 9 1/2"	16" x 36"	18	3/2"	FDI-10-14-9.5-3	2109
14" x 12" x 9 1/2"	16" x 42"	16	3/2"	FDI-12-14-9.5-3	2132
16" x 14" x 9 1/2"	18" x 48"	16	3/2"	FDI-14-16-9.5-3	2393
20" x 16" x 8"	21 3/4" x 54"	18	3/2"	FDI-16-19-8-3	2880
20" x 16" x 13 1/2"	21 3/4" x 54"	18	3/2"	FDI-16-19-13.5-3	3005
24" x 18" x 13 1/2"	26" x 60"	18	3/2"	FDI-18-24-13.5-3	3482
22" x 22" x 13 1/2"	24" x 72"	16	3/2"	FDI-22-22-13.5-3	3945
24" x 24" x 13 1/2"	26" x 78"	18	3/2"	FDI-24-24-13.5-3	4117

\*16 gauge bowls are fabricated. 18 & 20 gauge bowls are deep-drawn.


### Four-Compartment

inside bowl width x length x depth	overall width x length	gauge	drain hole	model #	list
14" x 10" x 9 1/2"	16" x 48"	18	3/2"	FDI-10-14-9.5-4	2536
14" x 12" x 9 1/2"	16" x 56"	16	3/2"	FDI-12-14-9.5-4	2834
16" x 14" x 9 1/2"	18" x 64"	16	3/2"	FDI-14-16-9.5-4	2943
20" x 16" x 8"	21 3/4" x 72"	18	3/2"	FDI-16-19-8-4	3482
20" x 16" x 13 1/2"	21 3/4" x 72"	18	3/2"	FDI-16-19-13.5-4	3594
24" x 18" x 13 1/2"	26" x 80"	18	3/2"	FDI-18-24-13.5-4	4096
22" x 22" x 13 1/2"	24" x 96"	16	3/2"	FDI-22-22-13.5-4	4787
24" x 24" x 13 1/2"	26" x 104"	18	3/2"	FDI-24-24-13.5-4	4984

\*16 gauge bowls are fabricated. 18 & 20 gauge bowls are deep-drawn.


### For Undermount...

An understructure\* is secured atop cabinet, then the sink's flanges are secured between understructure and countertop.



# SINK ACCESSORIES / REPLACEMENTS

## Custom Sink Modifications



Note: Sink modifications may be added to NSF-certified products.

(not pictured)

description	model #	list
NSF sprayed-on latex sound deadening - up to 12' - for each additional foot	E37 E37A	1414 115
Cantilever mount up to 6' - add to wall shelf price	E38-6*	822
Cantilever mount up to 12' - add to wall shelf price	E38-12*	1229
Enclosed backsplash	E39	177/lin. ft.
Sink cover holders, sized for stainless steel or poly (includes upper and lower track)	E47	1404/slot
Stainless steel apron, to cover sink bowls - 2 or 3 compartment - for each additional compartment over 3	E48 E48A	2244 376
s/s undershelf under drainboards - up to 24" w/short legs - for each additional foot over 24"	E49 E49A	1207 529
Provision for water pump	E50	3145
Optional size drainboard	E51	697/lin. ft.
High backsplash up to 13"	E52	364/lin. ft.
High backsplash up to 18"	E53	649/lin. ft.
Working height revision	E54	614/sink
Drainboard corner turn	E55	2830/ea.
overflow hole	E56	93

\* Applicable to wall mount shelves and pot racks.

# SINK ACCESSORIES / REPLACEMENTS

## Sink Kits...



lever drain (with Sink Kits B)



lever drain with overflow  
(with Sink Kits C)



twist handle drain  
(with Sink Kits D)



T&S faucet #313293  
(with all Sink Kits)

### ...for 314, 412, and 414 Series Sinks

Standard components: Stainless steel gusset, stainless steel crossbraced legs, stainless steel feet, and T&S faucet #313293.

#### Kit A

Standard components (listed above).

description	add * suffix	add to list price
1 faucet	-CLF	2497
2 faucets	-CLF	3744

#### Kit B

Standard components, plus lever drain.

description	add * suffix	add to list price
1 faucet	-CLFD	2497
2 faucets	-CLFD	3744
per lever drain	-CLFD	485

#### Kit C

Standard components, plus lever drain with overflow.

description	add * suffix	add to list price
1 faucet	-CLFDO	2497
2 faucets	-CLFDO	3744
per lever drain with overflow	-CLFDO	988

#### Kit D

Standard components, plus twist handle drain and twist handle bracket.

description	add * suffix	add to list price
1 faucet	-CLFDT	2497
2 faucets	-CLFDT	3369
per twist handle drain	-CLFDT	507

#### Kit E

Standard components, plus twist handle drain with overflow and twist handle bracket.

description	add * suffix	add to list price
1 faucet	-CLFDOT	2497
2 faucets	-CLFDOT	3369
per twist handle drain w/overflow	-CLFDOT	1149

\* Example: 414-16-2-18-CLFD

### ...for Spec-Master® FN Series Sinks

Consists of T&S faucet #313293.

#### Kit A

T&S faucet #313293.

description	add * suffix	add to list price
1 faucet	-F	1247
2 faucets	-F	2493

#### Kit B

T&S faucet #313293, plus lever drain.

description	add * suffix	add to list price
1 faucet	-FD	1247
2 faucets	-FD	2493
per lever drain	-FD	436

#### Kit C

T&S faucet #313293, plus lever drain with overflow.

description	add * suffix	add to list price
1 faucet	-FDO	1247
2 faucets	-FDO	2493
per lever drain with overflow	-FDO	988

#### Kit D

T&S faucet #313293, plus twist handle drain and twist handle bracket.

description	add * suffix	add to list price
1 faucet	-FDT	1247
2 faucets	-FDT	2493
per twist handle drain	-FDT	507

#### Kit E

T&S faucet #313293, plus twist handle drain with overflow and twist handle bracket.

description	add * suffix	add to list price
1 faucet	-FDOT	1247
2 faucets	-FDOT	2493
per twist handle drain w/overflow	-FDOT	1149

\* Example: FN2036-2-18-14/3-FD

# SINK ACCESSORIES / REPLACEMENTS

## Faucets

Faucets listed are lead-free AB1953-compliant.

### Standard Faucets

- 8" centers.
- Splash mounted



description	model #	list
8" spout, standard	313918	456
12" spout, standard	300716	465
14" spout, standard	300804	482
16" spout, standard	313919	485
12" spout, heavy duty	301001	1125
14" spout, heavy duty	301002	1139
19" double-jointed spout	301003	1263
gooseneck, 8" center	313075	337

### Repair Kits for Standard Faucets

description	for faucets #	model #	list
hot/cold stems, handles, seats, bonnet nuts, O-rings	313918, 313919	304146	207
hot/cold ceramic cartridge	300716, 300804	368421	63

### Standard Faucets with Wrist Handles

- Deck mounted with 4" centers.
- 4"-long wrist handles and gooseneck spout.

description	model #	list
standard, rigid gooseneck spout	301005	645
heavy duty, swivel gooseneck spout	301004	1048



### T&S Extra Heavy Duty Faucet with Wrist Handles

- Top-of-the-line T&S quality.
- Deck mounted with 4" centers.
- 4"-long wrist handles and rigid gooseneck spout.



description	model #	list
extra heavy duty	313304	1244

### T&S Extra Heavy Duty Faucets

- Top-of-the-line.
- Splash mounted with 8" centers.
- T&S quality products.



description	model #	list
8" spout	313920	1217
10" spout	340380	1243
12" spout	313293	1247
14" spout	313294	1259

## Prerinse Units and Components

### Standard

description	model #	list
splash mounted spray unit	300719	2328
deck mounted spray unit	300718	2322
faucet add-on with 12" spout	301189	617
wall bracket	301190	156
prerinse hose, 36" length	313116	445
prerinse spray valve assembly for spray units #300718 and 300719	313323	384

### T&S Extra Heavy Duty - Top-of-the-line.



description	model #	list
splash mounted spray unit with wall bracket	313296	3045
deck mounted spray unit with wall bracket	313295	2869
faucet add-on with 12" spout for use with #313296 faucet	313297	760



# SINK ACCESSORIES / REPLACEMENTS

## Sink Covers



*polyboard sink cover*



*stainless steel sink cover*

### Sink Covers...

For 412, 414, 314, and Spec-Master® FN Series Sinks only.

fits sink bowl size	Polyboard		Stainless Steel	
	model #	list	model #	list
14" x 10"	<a href="#">313207</a>	<b>280</b>	<a href="#">321555</a>	<b>344</b>
16" x 20"	<a href="#">351584</a>	<b>316</b>	<a href="#">351585</a>	<b>393</b>
20" x 18"	<a href="#">335377</a>	<b>327</b>	<a href="#">346175</a>	<b>416</b>
20" x 20"	<a href="#">326267</a>	<b>333</b>	<a href="#">305428</a>	<b>418</b>
22" x 22"	<a href="#">313204</a>	<b>342</b>	<a href="#">321557</a>	<b>439</b>
24" x 18"	<a href="#">326268</a>	<b>334</b>	<a href="#">326270</a>	<b>426</b>
24" x 24"	<a href="#">313205</a>	<b>369</b>	<a href="#">321558</a>	<b>539</b>
28" x 20"	<a href="#">326269</a>	<b>367</b>	<a href="#">326271</a>	<b>432</b>

## Control Bracket

Requires custom mounting.



description	model #	list
3" x 5", extra heavy duty	<a href="#">309796</a>	<b>145</b>

## Leg Components



#313835

description	model #	list
19" stainless steel leg for utility sinks	<a href="#">300315</a>	<b>67</b>
stainless steel bullet feet	<a href="#">300692</a>	<b>40</b>
stainless steel flanged bullet feet	<a href="#">313835</a>	<b>59</b>
plastic bullet feet	<a href="#">300293</a>	<b>6</b>

## Drains



*crumb cup strainer*



*twist handle drain*



*lever handle drain*

description	max. flow rate		model #	list
	gal. per minute	gal. per hour		
lever handle drain with 1.5" or 2" NPS connection	27	1620	<a href="#">300720</a>	<b>485</b>
lever handle drain with 2" NPS connection	32	1920	<a href="#">300721</a>	<b>485</b>
lever handle drain with 2" NPS connection and overflow	32	1920	<a href="#">300722</a>	<b>988</b>
twist handle drain with 1.5" or 2" NPS connection	27	1620	<a href="#">341189</a> *	<b>507</b>
twist handle drain with 2" NPS connection	32	1920	<a href="#">336002</a> *	<b>507</b>
twist handle drain with 2" NPS connection and overflow	32	1920	<a href="#">341190</a> *	<b>1149</b>
nickel-plated brass rotary drain with 1.5" or 2" NPS connection	40	2400	<a href="#">369653</a>	<b>820</b>
crumb cup strainer with 1.5" outlet	18	1080	<a href="#">300287</a>	<b>45</b>

\* **Twist handle bracket**, for use with twist handle drain, should be ordered as sink option "-TB" at time of sink order —or see 'Sink Kits' on page 29.



*lever handle drain with overflow*

## Plumbing Components

description	model #	list
P-trap, nickel-plated	<a href="#">300789</a>	<b>192</b>
tail piece for 1.5" IPS connection, nickel-plated	<a href="#">300791</a>	<b>37</b>
anti-siphon vacuum breaker	<a href="#">313832</a>	<b>367</b>
backflow preventer	<a href="#">313834</a>	<b>429</b>



*P-trap*



*tail piece*




#313832



#313834

## Mop Sinks / Corner Mop Sinks / Mop Sink Storage Cabinets

18-gauge type 304 stainless steel construction • Sink bowl is heavy gauge with deep-drawn covered corners • 3¼"-high backsplash • Drain with flat strainer plate



3-pole mop holder

4-pole mop holder



hose & bracket



service faucet



### Optional 16" Splash Kits...

16 gauge type 304 stainless steel. 3" radius on front of end splashes. Kits come with hardware for attaching to mop sink.

bowl size width x length x depth	overall size width x length x height	model #	list
16" x 20" x 8"	21½" x 24¾" x 15½"	F1916 *	3049
16" x 20" x 12"	21½" x 24¾" x 19½"	F1916-12 **	3156
20" x 28" x 8"	25" x 32½" x 15½"	F2820 *	3488
20" x 28" x 12"	25" x 32½" x 19½"	F2820-12 **	3875

\* Includes 12½" deck height.  
\*\* Includes 16½" deck height.

### Optional Accessories for Mop Sink

description	model #	list
3-pole mop holder, 18" length	312688	393
4-pole mop holder, 24" length	321561	573
30" hose & wall mounted bracket	312689	376
service faucet (comes with vacuum breaker)	312690	1094

### ...for "F1916" Mop Sinks

### ...for "F2820" Mop Sinks

description	model #	list	model #	list
left and rear splash kit	503095	1097	503098	1162
right and rear splash kit	503096	1097	503099	1162
left, right and rear splash kit	503097	1729	503100	1897

## Corner Mop Sinks with Drop/Flush Front Edge



- Five-sided corner construction saves space.
- Available with drop-front edge or flush front edge.
- Heavy gauge type 304 stainless steel bowl and skirt
- Bowl is fully welded in skirt.
- Fabricated bowl is fully welded and polished.



flush edge



drop edge

### Drop Front Edge

bowl size width x length x depth	overall size width x length x height	model #	list
21" x 21" x 8"	24" x 24" x 12"	F2121-8-CDE	4228
21" x 21" x 12"	24" x 24" x 16"	F2121-12-CDE	4478
24" x 24" x 8"	27" x 27" x 12"	F2424-8-CDE	4343
24" x 24" x 12"	27" x 27" x 16"	F2424-12-CDE	4610

### Flush Front Edge

bowl size width x length x depth	overall size width x length x height	model #	list
21" x 21" x 8"	24" x 24" x 12"	F2121-8-CNR	4215
21" x 21" x 12"	24" x 24" x 16"	F2121-12-CNR	4516
24" x 24" x 8"	27" x 27" x 12"	F2424-8-CNR	4353
24" x 24" x 12"	27" x 27" x 16"	F2424-12-CNR	4685

## Flush Floor Mop Sinks

- Heavy gauge type 304 stainless steel construction • 16½"-high standard backsplash, with end splash on left, right, or both sides
- Available with subway-style fiberglass or stainless steel grates • Anti-splash angles at front and rear of mop sink help eliminate spillage.
- Built-in pitch towards drain ensures complete drainage • Flow rate of 20 gallons per minute • Stainless steel drain accommodates up to 4" diameter pipe, and features removable perforated stainless steel basket.



unit with left and right splashes (with fiberglass grating)



unit with right splash (with stainless steel grating)

### With Fiber Glass Grating

location of splash(es)	bowl size width x length x depth	overall size width x length x height	model #	list
left side	19" x 21" x 10"	23⅝" x 23⅝" x 32¾"	FF2119-FG-LS	4740
right side	19" x 21" x 10"	23⅝" x 23⅝" x 32¾"	FF2119-FG-RS	4740
both sides	19" x 21" x 10"	23⅝" x 21⅞" x 32¾"	FF2119-FG-LRS	4930

### With Stainless Steel Grating

location of splash(es)	bowl size width x length x depth	overall size width x length x height	model #	list
left side	19" x 21" x 10"	23⅝" x 23⅝" x 32¾"	FF2119-SG-LS	5836
right side	19" x 21" x 10"	23⅝" x 23⅝" x 32¾"	FF2119-SG-RS	5836
both sides	19" x 21" x 10"	23⅝" x 21⅞" x 32¾"	FF2119-SG-LRS	6049

# MOP SINK STORAGE CABINETS

## Utility Shelves/Mop Sink Storage Cabinets

### Utility Shelves with Mop Hangers

- 16 gauge type 304 stainless steel.
- Mop hangers. Flat hooks.
- Hangers and hooks are riveted to front of shelf.



width x length	model #	list
8" x 24"	US0824-16/3	1220
8" x 36"	US0836-16/3	1405
8" x 48"	US0848-16/3	1777

### Mop Sink Storage Cabinets

- 16" x 20" x 8" stainless steel mop sink.
- Heavy gauge stainless steel cabinet body.
- 12"-wide center shelf.
- Double-pan stainless steel hinged doors.
- Transverse rod handles with keyed locks.
- Top is slanted at a 15° angle.
- Sides are louvered along the top for ventilation.
- Comes with service faucet, 30" hose and wall mounted bracket.
- 84 1/4" height.

**Double-Width Cabinets available!**



description	width x length	model #	list
single-width	22 1/4" x 25"	F1916-VSCS	11334
double-width, mop sink on left	22 1/4" x 47 1/2"	F1916-VSCS-DL	12948
double-width, mop sink on right	22 1/4" x 47 1/2"	F1916-VSCS-DR	12948

Optional upgrade to type 300 stainless steel cabinet available.

To order, add 15% to list price and suffix "-SE" to model number (example: F1916-VSCS-SE).

## BPFE SINKS

### BPFE-18 & 16 Gauge Sinks - 300 Stainless Steel

- 12" deep bowl • Galvanized legs and gussets • Plastic bullet feet
- Bowl straps between bowls • Basket drain • Faucet holes on 8" center.



#### BPFE-18 Gauge Sinks

bowl size (W x L)	# of comp.	# of drbs.	overall size (W x L)	model #	list
18" x 18"	1	0	23"	BPS-1818-1-FE	350
18" x 18"	1	1	38.5"	BPS-1818-1-18R-FE	475
18" x 18"	1	1	38.5"	BPS-1818-1-18L-FE	475
18" x 18"	2	0	41"	BPS-1836-2-FE	674
18" x 18"	2	1	56.5"	BPS-1836-2-18R-FE	770
18" x 18"	2	1	56.5"	BPS-1836-2-18L-FE	770
18" x 18"	2	2	72"	BPS-1836-2-18-FE	823
18" x 18"	3	0	59"	BPS-1854-3-FE	877
18" x 18"	3	1	74.5"	BPS-1854-3-18R-FE	917
18" x 18"	3	1	74.5"	BPS-1854-3-18L-FE	917
18" x 18"	3	2	90"	BPS-1854-3-18-FE	938

#### BPFE-16 Gauge Sinks

bowl size (W x L)	# of comp.	# of drbs.	overall size (W x L)	model #	list
24" x 24"	3	0	77"	BPS-2472-3-FE*	1326
24" x 24"	3	1	98.5"	BPS-2472-3-24R-FE*	1433
24" x 24"	3	1	98.5"	BPS-2472-3-24L-FE*	1433
24" x 24"	3	2	120"	BPS-2472-3-24-FE*	1548

# BPFC SINKS

## BPFC-16 Gauge Sinks - 300 Stainless Steel

- 14" deep bowl\*\* (EXCEPT WHERE NOTED) • 16 gauge stainless steel legs, gussets, bullet feet
- Stainless steel crossbracing • Bowl straps between bowls • Basket drain
  - Faucet holes on 8" center.



### BPFC-16 Gauge Sinks

bowl size (W x L)	# of comp.	# of drbs.	overall size (W x L)	model #	list
12" x 20"	3	2	60"	BPS-2036-3-12-FC	1426
15" x 15"	3	0	50"	BPS-1545-3-FC	1297
15" x 15"	3	1	62.5"	BPS-1545-3-15R-FC	1454
15" x 15"	3	1	62.5"	BPS-1545-3-15L-FC	1454
15" x 15"	3	2	75"	BPS-1545-3-15-FC	1528
15" x 15"	2	0	35"	BPS-1530-2-FC	993
16" x 20"	3	2	84"	BPS-2048-3-18-FC**	1559
18" x 18"	1	0	23"	BPS-1818-1-FC	518
18" x 18"	1	1	38.5"	BPS-1818-1-18R-FC	628
18" x 18"	1	1	38.5"	BPS-1818-1-18L-FC	628
18" x 18"	1	2	54"	BPS-1818-1-18-FC	1008
18" x 18"	3	0	59"	BPS-1854-3-FC	1497
18" x 18"	3	1	74.5"	BPS-1854-3-18R-FC	1365
18" x 18"	3	1	74.5"	BPS-1854-3-18L-FC	1365
18" x 18"	3	2	90"	BPS-1854-3-18-FC	1455
18" x 18"	3	1	80.5"	BPS-1854-3-24R-FC	1725
18" x 18"	3	1	80.5"	BPS-1854-3-24L-FC	1725
18" x 18"	3	2	102"	BPS-1854-3-24-FC	1808
18" X 24"	3	2	102"	BPS-2454-3-24-FC	1876
18" X 24"	3	0	59"	BPS-2454-3-FC	1495
18" X 24"	3	1	75.5"	BPS-2454-3-18R-FC	1639
18" X 24"	3	1	75.5"	BPS-2454-3-18L-FC	1639
18" X 24"	3	2	90"	BPS-2454-3-18-FC	1696
18" X 24"	3	1	80.5"	BPS-2454-3-24R-FC	1867
18" X 24"	3	1	80.5"	BPS-2454-3-24L-FC	1867
24" x 18"	1	1	44.5"	BPS-2418-1-24L-FC	1151
24" x 18"	2	2	84"	BPS-2436-2-24-FC	1627
24" X 24"	1	0	29"	BPS-2424-1-FC	712
24" X 24"	2	0	53"	BPS-2448-2-FC	1275
24" X 24"	2	1	75.5"	BPS-2448-2-24R-FC	1396
24" X 24"	2	1	75.5"	BPS-2448-2-24L-FC	1396
24" X 24"	2	2	96"	BPS-2448-2-24-FC	1597
24" X 24"	3	0	77"	BPS-2472-3-FC*	1770
24" X 24"	3	1	98.5"	BPS-2472-3-24R-FC*	1985
24" X 24"	3	1	98.5"	BPS-2472-3-24L-FC*	1985
24" X 24"	3	2	120"	BPS-2472-3-24-FC*	2030
28" x 20"	3	2	108"	BPS-2860-3-24-FC	2584
28" x 20"	3	2	120"	BPS-2860-3-30-FC	2703

\*\* Sink is only 12" deep, not 14" deep

\* These sinks feature two sets of faucet holes



### Hand Sinks

- 18 gauge 304 stainless steel construction • 10"W x 14"L x 5"D bowl
- Features left and right side splashes • Basket drain included

model #	description	list
BPHS-1014-LRS	handsink with end splashes and faucet	245
BPHS-1014-LRS-NF	handsink with end splashes	203



# WATER TEMPERING SYSTEMS

## Cool Trough® Water Tempering Systems

Water entering a drainage system cannot exceed 140°F, which could cause problems with PVC pipes and create other safety & environmental issues. Cool Trough® is designed to activate when drainage water is at 130°F. The mixing valve turns on, allowing cool inlet water to “temper” the dangerously hot drainage water. When the water is reduced down to 120°F, the mixing valve turns off, thus saving water.



**PATENTED!**  
(patent #9,588,525)

- Built-in pitch towards drain ensures complete drainage.
- Lift-out grating available in anti-slip gray fiberglass or stainless steel.
- 4”-diameter drain with removable basket style strainer.
- No electrical connection required.
- Shutoff valve provided accepts 1” water line \*.
- Reduced pressure valve—includes two check valves.
- Stainless steel anchor clip.
- 14 gauge stainless steel access compartment.
- Available in widths ranging from 12” to 24”.
- 15” to 96” lengths available.
- Anti-splash Cool Trough® available (see next page).

\* Water line and connection provided by plumbing contractor.

**Note:** Cool Trough® with ADA-compliant Grating\* available. Provides a more solid walking area, and objects are less likely to fall through. Available for Cool Trough® with Fiberglass AND Stainless Steel Grating! ADA grating is available in grey only. For fiberglass, replace suffix -FGG with “-FG-ADA”. Example: WTFT-1224-FG-ADA. For stainless steel, add suffix “-ADA”. Example: WTFT-1224-SG-ADA.

### ...with Gray Fiberglass Grating

\*Troughs with optional ADA-compliant Fiberglass Grating features wider T-bars resistant to corrosion, skid, fire, chipping and cracking. To order, add 5% to list price.

		12” Wide Troughs		15” Wide Troughs		18” Wide Troughs		24” Wide Troughs	
		dimension A: 7” dimension B: 9” dimension C: 12”		dimension A: 10” dimension B: 12” dimension C: 15”		dimension A: 13” dimension B: 15” dimension C: 18”		dimension A: 19” dimension B: 21” dimension C: 24”	
dimension D	dimension E	model #	list	model #	list	model #	list	model #	list
in.	in.								
15”	12”	WTFT-1215-FGG	21240	n/a		n/a		n/a	
18”	15”	WTFT-1218-FGG	22305	WTFT-1518-FGG	21705	n/a		n/a	
24”	21”	WTFT-1224-FGG	22659	WTFT-1524-FGG	22745	WTFT-1824-FGG	23085	WTFT-2424-FGG	23430
30”	27”	WTFT-1230-FGG	23093	WTFT-1530-FGG	23140	WTFT-1830-FGG	23593	WTFT-2430-FGG	24096
36”	33”	WTFT-1236-FGG	23329	WTFT-1536-FGG	23372	WTFT-1836-FGG	23983	WTFT-2436-FGG	24560
48”	45”	WTFT-1248-FGG	24089	WTFT-1548-FGG	24162	WTFT-1848-FGG	24905	WTFT-2448-FGG	25674
60”	57”	WTFT-1260-FGG	24582	WTFT-1560-FGG	24769	WTFT-1860-FGG	25688	WTFT-2460-FGG	26775
72”	69”	WTFT-1272-FGG	25412	WTFT-1572-FGG	25555	WTFT-1872-FGG	26044	WTFT-2472-FGG	26849
84”	81”	WTFT-1284-FGG	26092	WTFT-1584-FGG	26318	WTFT-1884-FGG	27549	WTFT-2484-FGG	28983
96”	93”	WTFT-1296-FGG	26818	WTFT-1596-FGG	26960	WTFT-1896-FGG	28414	WTFT-2496-FGG	30005

### ...with Stainless Steel Grating

\*Troughs with optional ADA-compliant Stainless Steel Grating features added stainless steel flat bars spaced only 1/4” apart. Call factory for pricing

		12” Wide Troughs		15” Wide Troughs		18” Wide Troughs		24” Wide Troughs	
		dimension A: 7” dimension B: 9” dimension C: 12”		dimension A: 10” dimension B: 12” dimension C: 15”		dimension A: 13” dimension B: 15” dimension C: 18”		dimension A: 19” dimension B: 21” dimension C: 24”	
dimension D	dimension E	model #	list	model #	list	model #	list	model #	list
in.	in.								
15”	12”	WTFT-1215-SG	23400	n/a		n/a		n/a	
18”	15”	WTFT-1218-SG	23919	WTFT-1518-SG	23708	n/a		n/a	
24”	21”	WTFT-1224-SG	24203	WTFT-1524-SG	24587	WTFT-1824-SG	24952	WTFT-2424-SG	26387
30”	27”	WTFT-1230-SG	24389	WTFT-1530-SG	24738	WTFT-1830-SG	25330	WTFT-2430-SG	26722
36”	33”	WTFT-1236-SG	24578	WTFT-1536-SG	25634	WTFT-1836-SG	25710	WTFT-2436-SG	27923
48”	45”	WTFT-1248-SG	26089	WTFT-1548-SG	27252	WTFT-1848-SG	28264	WTFT-2448-SG	29462
60”	57”	WTFT-1260-SG	27670	WTFT-1560-SG	28808	WTFT-1860-SG	29232	WTFT-2460-SG	30833
72”	69”	WTFT-1272-SG	29085	WTFT-1572-SG	30403	WTFT-1872-SG	31762	WTFT-2472-SG	32883
84”	81”	WTFT-1284-SG	30996	WTFT-1584-SG	32000	WTFT-1884-SG	32877	WTFT-2484-SG	34254
96”	93”	WTFT-1296-SG	31365	WTFT-1596-SG	33499	WTFT-1896-SG	35205	WTFT-2496-SG	35963

# WATER TEMPERING SYSTEMS


## Anti-Splash Cool Trough® Water Tempering Systems



Same benefits as Cool Trough® seen on page 34, plus “anti-splash” design to prevent splash back onto floor while assuring complete drainage.



**PATENTED!**  
(patent #9,588,525)



**Note:** Cool Trough® with ADA-compliant Grating\* available. Provides a more solid walking area, and objects are less likely to fall through. Available for Cool Trough® with Fiberglass AND Stainless Steel Grating! ADA grating is available in grey only. For fiberglass, replace suffix -FGG with “-FG-ADA”. Example: ASWTFT-1224-FG-ADA. For stainless steel, add suffix “-ADA”. Example: ASWTFT-1224-SG-ADA.

### ...with Gray Fiberglass Grating

\* Troughs with optional ADA-compliant Fiberglass Grating features wider T-bars resistant to corrosion, skid, fire, chipping and cracking. To order, add 5% to list price.

		12" Wide Troughs		15" Wide Troughs		18" Wide Troughs		24" Wide Troughs	
		dimension A: 7" dimension B: 9" dimension C: 12"		dimension A: 10" dimension B: 12" dimension C: 15"		dimension A: 13" dimension B: 15" dimension C: 18"		dimension A: 19" dimension B: 21" dimension C: 24"	
dimension D	dimension E	model #	list	model #	list	model #	list	model #	list
in.	in.								
15"	12"	ASWTFT-1215-FGG	22315	n/a		n/a		n/a	
18"	15"	ASWTFT-1218-FGG	22816	ASWTFT-1518-FGG	22763	n/a		n/a	
24"	21"	ASWTFT-1224-FGG	23210	ASWTFT-1524-FGG	23314	ASWTFT-1824-FGG	23695	ASWTFT-2424-FGG	24084
30"	27"	ASWTFT-1230-FGG	23704	ASWTFT-1530-FGG	23752	ASWTFT-1830-FGG	24265	ASWTFT-2430-FGG	24838
36"	33"	ASWTFT-1236-FGG	23966	ASWTFT-1536-FGG	24016	ASWTFT-1836-FGG	24700	ASWTFT-2436-FGG	25352
48"	45"	ASWTFT-1248-FGG	24819	ASWTFT-1548-FGG	24905	ASWTFT-1848-FGG	25734	ASWTFT-2448-FGG	26604
60"	57"	ASWTFT-1260-FGG	25370	ASWTFT-1560-FGG	25695	ASWTFT-1860-FGG	26614	ASWTFT-2460-FGG	27830
72"	69"	ASWTFT-1272-FGG	26305	ASWTFT-1572-FGG	26473	ASWTFT-1872-FGG	27606	ASWTFT-2472-FGG	27927
84"	81"	ASWTFT-1284-FGG	27075	ASWTFT-1584-FGG	27320	ASWTFT-1884-FGG	28716	ASWTFT-2484-FGG	30325
96"	93"	ASWTFT-1296-FGG	27885	ASWTFT-1596-FGG	28050	ASWTFT-1896-FGG	29676	ASWTFT-2496-FGG	31463

### ...with Stainless Steel Grating

\* Troughs with optional ADA-compliant Stainless Steel Grating features added stainless steel flat bars spaced only 1/4" apart. Call factory for pricing

dimension D	dimension E	model #	list						
in.	in.								
15"	12"	ASWTFT-1215-SG	24454	n/a		n/a		n/a	
18"	15"	ASWTFT-1218-SG	24609	ASWTFT-1518-SG	23314	n/a		n/a	
24"	21"	ASWTFT-1224-SG	24643	ASWTFT-1524-SG	24429	ASWTFT-1824-SG	25395	ASWTFT-2424-SG	26823
30"	27"	ASWTFT-1230-SG	24937	ASWTFT-1530-SG	25123	ASWTFT-1830-SG	25877	ASWTFT-2430-SG	28194
36"	33"	ASWTFT-1236-SG	25236	ASWTFT-1536-SG	26255	ASWTFT-1836-SG	26369	ASWTFT-2436-SG	28578
48"	45"	ASWTFT-1248-SG	26967	ASWTFT-1548-SG	27898	ASWTFT-1848-SG	28008	ASWTFT-2448-SG	30339
60"	57"	ASWTFT-1260-SG	28763	ASWTFT-1560-SG	28923	ASWTFT-1860-SG	30330	ASWTFT-2460-SG	31926
72"	69"	ASWTFT-1272-SG	30395	ASWTFT-1572-SG	30395	ASWTFT-1872-SG	31600	ASWTFT-2472-SG	34203
84"	81"	ASWTFT-1284-SG	32528	ASWTFT-1584-SG	33166	ASWTFT-1884-SG	34412	ASWTFT-2484-SG	35788
96"	93"	ASWTFT-1296-SG	33120	ASWTFT-1596-SG	34663	ASWTFT-1896-SG	35008	ASWTFT-2496-SG	37716



# FLOOR TROUGHS & FLOOR DRAINS

## Floor Troughs

**NSF** Built-in pitch towards drain ensures complete drainage • Secured with anchor straps • Stainless steel drain accommodates up to a 4"-diameter pipe, and removable perforated stainless steel basket • Stainless steel subway-style grating or fiberglass grating



floor trough with subway-style grating



(see chart below for dimensions A through E)

**Note:** Floor Troughs with ADA-compliant Grating\* available. Provides a more solid walking area, and objects are less likely to fall through. Available for Floor Troughs with Fiberglass AND Stainless Steel Grating! ADA grating is available in grey only. To order, add suffix "-ADA". **Example:** FT-1224-FG-ADA.

Custom sizes available. Contact factory for pricing.

Gray Fiberglass Grating available. To order, add suffix "G" to model #. Example: FT-1218-FGG

### Troughs with Yellow Fiberglass Grating

\* Troughs with optional ADA-compliant Fiberglass Grating features wider T-bars resistant to corrosion, skid, fire, chipping and cracking. To order, add 5% to list price.

12" Wide Troughs	15" Wide Troughs	18" Wide Troughs	24" Wide Troughs
dimension A: 7" dimension B: 9" dimension C: 12"	dimension A: 10" dimension B: 12" dimension C: 15"	dimension A: 13" dimension B: 15" dimension C: 18"	dimension A: 19" dimension B: 21" dimension C: 24"

dimension D in.	dimension E in.	model #	list	model #	list	model #	list	model #	list
18"	15"	FT-1218-FG	3962	n/a		n/a		n/a	
24"	21"	FT-1224-FG	4294	FT-1524-FG	4383	FT-1824-FG	4703	FT-2424-FG	5034
30"	27"	FT-1230-FG	4715	FT-1530-FG	4760	FT-1830-FG	5193	FT-2430-FG	5673
36"	33"	FT-1236-FG	4938	FT-1536-FG	4980	FT-1836-FG	5564	FT-2436-FG	6117
48"	45"	FT-1248-FG	5666	FT-1548-FG	5734	FT-1848-FG	6442	FT-2448-FG	7182
60"	57"	FT-1260-FG	6137	FT-1560-FG	6405	FT-1860-FG	7194	FT-2460-FG	8232
72"	69"	FT-1272-FG	6932	FT-1572-FG	7070	FT-1872-FG	8040	FT-2472-FG	8306
84"	81"	FT-1284-FG	7582	FT-1584-FG	7798	FT-1884-FG	8975	FT-2484-FG	10350
96"	93"	FT-1296-FG	8273	FT-1596-FG	8416	FT-1896-FG	9803	FT-2496-FG	11325
120"	117"	FT-12120-FG	9655	FT-15120-FG	10185	FT-18120-FG	11873	FT-24120-FG	13773

### Troughs with Subway-Style Stainless Steel Grating

\* Troughs with optional ADA-compliant Stainless Steel Grating features added stainless steel flat bars spaced only 1/4" apart. Call factory for pricing


dimension D in.	dimension E in.	model #	list						
18"	15"	FT-1218-SG	5507	n/a		n/a		n/a	
24"	21"	FT-1224-SG	5774	FT-1524-SG	6140	FT-1824-SG	6493	FT-2424-SG	7862
30"	27"	FT-1230-SG	5952	FT-1530-SG	6288	FT-1830-SG	6855	FT-2430-SG	8185
36"	33"	FT-1236-SG	6136	FT-1536-SG	7143	FT-1836-SG	7217	FT-2436-SG	9333
48"	45"	FT-1248-SG	7580	FT-1548-SG	8693	FT-1848-SG	8582	FT-2448-SG	10807
60"	57"	FT-1260-SG	9089	FT-1560-SG	10177	FT-1860-SG	10588	FT-2460-SG	12117
72"	69"	FT-1272-SG	10448	FT-1572-SG	11708	FT-1872-SG	11592	FT-2472-SG	14084
84"	81"	FT-1284-SG	12278	FT-1584-SG	13239	FT-1884-SG	14075	FT-2484-SG	15395
96"	93"	FT-1296-SG	12628	FT-1596-SG	14675	FT-1896-SG	14437	FT-2496-SG	17032
120"	117"	FT-12120-SG	16598	FT-15120-SG	17870	FT-18120-SG	19132	FT-24120-SG	20628

# FLOOR TROUGHS & FLOOR DRAINS

## Anti-Splash Floor Troughs



“Anti-splash” design assures complete drainage while preventing splashing back onto the floor • Built-in pitch towards drain ensures complete drainage • Secured with anchor straps • Stainless steel drain accommodates up to a 4”-diameter pipe, and removable perforated stainless steel basket • Stainless steel subway-style grating or fiberglass grating



(see chart below for dimensions A through E)



**Note:** Floor Troughs with ADA-compliant Grating\* available! Provides a more solid walking area, and objects are less likely to fall through. Available for Floor Troughs with Fiberglass AND Stainless Steel Grating! ADA grating is available in grey only. To order, add suffix “-ADA”. **Example:** ASFT-1224-SG-ADA.

**Custom sizes** available. Contact factory for pricing.

**Gray Fiberglass Grating available.** To order, add suffix “G” to model #. Example: ASFT-1218-FGG

### Yellow Fiberglass Grating

\* Troughs with optional ADA-compliant Fiberglass Grating features wider T-bars resistant to corrosion, skid, fire, chipping and cracking. To order, add 5% to list price.

12" Wide Troughs	15" Wide Troughs	18" Wide Troughs	24" Wide Troughs
dimension A: 7" dimension B: 9" dimension C: 12"	dimension A: 10" dimension B: 12" dimension C: 15"	dimension A: 13" dimension B: 15" dimension C: 18"	dimension A: 19" dimension B: 21" dimension C: 24"

dimension D in.	dimension E in.	model #	list						
18"	15"	ASFT-1218-FG	4449	n/a		n/a		n/a	
24"	21"	ASFT-1224-FG	4826	ASFT-1524-FG	4923	ASFT-1824-FG	5285	ASFT-2424-FG	5660
30"	27"	ASFT-1230-FG	5296	ASFT-1530-FG	5342	ASFT-1830-FG	5837	ASFT-2430-FG	6380
36"	33"	ASFT-1236-FG	5548	ASFT-1536-FG	5596	ASFT-1836-FG	6252	ASFT-2436-FG	6876
48"	45"	ASFT-1248-FG	6364	ASFT-1548-FG	6442	ASFT-1848-FG	7238	ASFT-2448-FG	8072
60"	57"	ASFT-1260-FG	6893	ASFT-1560-FG	7206	ASFT-1860-FG	8080	ASFT-2460-FG	9247
72"	69"	ASFT-1272-FG	7789	ASFT-1572-FG	7943	ASFT-1872-FG	9032	ASFT-2472-FG	9339
84"	81"	ASFT-1284-FG	8519	ASFT-1584-FG	8758	ASFT-1884-FG	10092	ASFT-2484-FG	11630
96"	93"	ASFT-1296-FG	9297	ASFT-1596-FG	9455	ASFT-1896-FG	11012	ASFT-2496-FG	12722
120"	117"	ASFT-12120-FG	10848	ASFT-15120-FG	11445	ASFT-18120-FG	13340	ASFT-24120-FG	14699

### Troughs with Subway-Style Stainless Steel Grating

\* Troughs with optional ADA-compliant Stainless Steel Grating features added stainless steel flat bars spaced only 1/4" apart. Call factory for pricing

dimension D in.	dimension E in.	model #	list						
18"	15"	ASFT-1218-SG	6167	n/a		n/a		n/a	
24"	21"	ASFT-1224-SG	6194	ASFT-1524-SG	5993	ASFT-1824-SG	6914	ASFT-2424-SG	8283
30"	27"	ASFT-1230-SG	6478	ASFT-1530-SG	6658	ASFT-1830-SG	7380	ASFT-2430-SG	9596
36"	33"	ASFT-1236-SG	6762	ASFT-1536-SG	7737	ASFT-1836-SG	7847	ASFT-2436-SG	9963
48"	45"	ASFT-1248-SG	8419	ASFT-1548-SG	9314	ASFT-1848-SG	9416	ASFT-2448-SG	11650
60"	57"	ASFT-1260-SG	10136	ASFT-1560-SG	10294	ASFT-1860-SG	11639	ASFT-2460-SG	13164
72"	69"	ASFT-1272-SG	11703	ASFT-1572-SG	12586	ASFT-1872-SG	12855	ASFT-2472-SG	15344
84"	81"	ASFT-1284-SG	13739	ASFT-1584-SG	14317	ASFT-1884-SG	15548	ASFT-2484-SG	16860
96"	93"	ASFT-1296-SG	14312	ASFT-1596-SG	15784	ASFT-1896-SG	16115	ASFT-2496-SG	18707
120"	117"	ASFT-12120-SG	18698	ASFT-15120-SG	19636	ASFT-18120-SG	21222	ASFT-24120-SG	22728

# FLOOR TROUGHS & FLOOR DRAINS

## Floor Drains

Perforated waste cup can be inverted to double as a bee hive strainer • Yellow fiberglass or stainless steel grating



shown with no grating

description	width x length	model #	list
with yellow fiberglass grating	12" x 12"	<b>FD-FG</b>	<b>3153</b>
with subway-style stainless grating	12" x 12"	<b>FD-SG</b>	<b>4198</b>

Note: Floor opening is 11½" x 11½"

**Gray Fiberglass Grating available.** To order add suffix "G" to model #. Example: FD-FGG

## Replacement Subway-Style Grating for Floor Troughs & Drains



### Stainless Steel Grating

- Constructed of 3/16" x 1" vertically positioned bars, spaced 1" apart to allow for ease of drainage.
- 13/16" clearance between bars prevents casters on mobile equipment from wedging in grate.
- Two 5/16" rods, set 2¼" in from each edge, are welded to the bars to eliminate swaying.
- Standard on floor troughs.
- Sizes available fit floor drains up to 24" wide.
- Grates 12" and 15" wide feature three rods.
- Grates 21" wide feature five rods.



for floor trough widths	grate width x length	model #	list ea
12"	9" x 7½"	<b>341169</b>	<b>762</b>
12"	9" x 9"	<b>341117</b>	<b>970</b>
12"	9" x 12"	<b>341123</b>	<b>1056</b>
15"	12" x 9"	<b>340992</b>	<b>1156</b>
15"	12" x 12"	<b>331006</b>	<b>1247</b>
18"	15" x 6"	<b>341330</b>	<b>1074</b>
18"	15" x 7½"	<b>341110</b>	<b>1140</b>
18"	15" x 9"	<b>341113</b>	<b>1220</b>
18"	15" x 12"	<b>336992</b>	<b>1337</b>
18"	15" x 15"	<b>345934</b>	<b>1449</b>
24"	21" x 9"	<b>341109</b>	<b>1382</b>
24"	21" x 11"	<b>351572</b>	<b>1482</b>
24"	21" x 12"	<b>336976</b>	<b>1528</b>

### Wide "T" Bar Fiberglass Grating — ADA-compliant!

- Conforms with the Americans with Disabilities Act for use with the physically handicapped.
- Provides a more solid walking area than traditional "T" bar shape, and prevents objects from falling through grating.
- Corrosion-, skid- and fire-resistant.
- High strength, low thermal conductivity.
- Resistant to chipping and cracking.
- Temperature rating of 250°F.



Gray

for floor trough widths	grate width x length	model #	list ea
12"	9" x 9"	<b>370000</b>	<b>299</b>
12"	9" x 12"	<b>370001</b>	<b>364</b>
12"	9" x 15"	<b>370002</b>	<b>393</b>
15"	12" x 9"	<b>370003</b>	<b>309</b>
15"	12" x 12"	<b>370004</b>	<b>382</b>
18"	15" x 9"	<b>370005</b>	<b>396</b>
18"	15" x 12"	<b>370006</b>	<b>494</b>
18"	15" x 15"	<b>370007</b>	<b>612</b>
24"	21" x 9"	<b>370008</b>	<b>504</b>
24"	21" x 12"	<b>370009</b>	<b>633</b>

### Fiberglass Grating

- Constructed of 1"-high yellow or gray polyester material with a non-slip grit on top surface.
- Tapered "I" beam construction for ease of cleaning and draining.
- Temperature rating of 250°F.
- Other sizes available—consult factory.



for floor trough widths	grate width x length	Yellow		Gray	
		model #	list ea	model #	list ea
12"	9" x 9"	<b>362648</b>	<b>242</b>	<b>374015</b>	<b>254</b>
12"	9" x 12"	<b>362647</b>	<b>287</b>	<b>374018</b>	<b>304</b>
12"	9" x 15"	<b>373030</b>	<b>306</b>	<b>374021</b>	<b>322</b>
15"	12" x 9"	<b>362650</b>	<b>242</b>	<b>374044</b>	<b>254</b>
15"	12" x 12"	<b>362649</b>	<b>287</b>	<b>374047</b>	<b>304</b>
18"	15" x 9"	<b>362652</b>	<b>308</b>	<b>374073</b>	<b>327</b>
18"	15" x 12"	<b>362651</b>	<b>376</b>	<b>374076</b>	<b>394</b>
18"	15" x 15"	<b>373206</b>	<b>463</b>	<b>374079</b>	<b>493</b>
24"	21" x 9"	<b>362654</b>	<b>377</b>	<b>374102</b>	<b>396</b>
24"	21" x 12"	<b>362653</b>	<b>467</b>	<b>374105</b>	<b>498</b>


## Chemical Storage Wall Cabinets



- Ideal for storing hazardous liquids in a clean environment
- Available with heavy gauge type 300 or 430 series stainless steel construction
- Stainless steel fixed center shelf with safety edges
- Top is sloped to reduce dust build-up and for ease of cleaning
- Back is recessed, with concealed mounting plate for installation
- Double-panel stainless steel hinged door(s), with magnetic catch, removable for cleaning
- All units are 15" front-to-back, 24" side-to-side, and 28" overall height.

description	Type 300		Type 430	
	model #	list	model #	list
all stainless steel, with left-hinged door	<a href="#">WCH-24C-L</a>	8597	<a href="#">WCH4-24C-L</a>	7759
all stainless steel, with left-hinged door with key lock	<a href="#">WCH-24C-LL</a>	9120	<a href="#">WCH4-24C-LL</a>	8283
all stainless steel, with right-hinged door	<a href="#">WCH-24C-R</a>	8597	<a href="#">WCH4-24C-R</a>	7759
all stainless steel, with right-hinged door with key lock	<a href="#">WCH-24C-RL</a>	9120	<a href="#">WCH4-24C-RL</a>	8283

## Portable Cool Trough® Water Tempering System



**PATENTED!**  
(patent #9,588,525)

- Built-in pitch towards drain ensures complete drainage
- 4"-diameter drain with removable basket style strainer
- 3"-diameter casters—two rigid, two swivel with brake
- No electrical connection required
- Shutoff valve provided accepts 3/4" hose bib connection. Water line and connection provided by plumbing contractor
- 12 gauge base

overall side-to-side	overall * front-to-back	overall * height	model #	list
15"	12"	36"	<a href="#">PWTFT-1215</a>	19726

\* Includes base and handle.

## Worktables with Sink



Worktables 60" and longer feature three hat channels • 16" x 20" x 14" sink bowl with faucet and drain • Tables are prepunched and include attachment bolts for installation of drawer assemblies.

patented  
**uni-lok**<sup>®</sup>  
system  
(Patent #5,165,349)

sink bowl located at...	overall width x length	model #	list
left end of table	30" x 48"	<a href="#">T3048SEB-BS-E23L</a>	5786
right end of table	30" x 48"	<a href="#">T3048SEB-BS-E23R</a>	5786
left end of table	30" x 60"	<a href="#">T3060SEB-BS-E23L</a>	6082
right end of table	30" x 60"	<a href="#">T3060SEB-BS-E23R</a>	6082
left end of table	30" x 72"	<a href="#">T3072SEB-BS-E23L</a>	6364
right end of table	30" x 72"	<a href="#">T3072SEB-BS-E23R</a>	6364
left end of table	30" x 96"	<a href="#">T3096SEB-BS-E23L</a>	7204
right end of table	30" x 96"	<a href="#">T3096SEB-BS-E23R</a>	7204

Go to the back page to view  
NEW PORTABLE HAND SINKS.

## Portable Hand Sinks with Open Base

Stainless steel top with box marine edge • Deck-mount faucet with gooseneck spout • 5-gallon fresh water tank(s) • 7-gallon soiled water tank(s) • NEMA 5-15 GFCI plug • 4" swivel casters • Removable 10<sup>3</sup>/<sub>8</sub>" x 12<sup>3</sup>/<sub>4</sub>" x 6" pan • Paper towel dispenser • Soap dispenser • 6"-diameter scrap chute and trash receptacle.



shown with optional wrist handle faucet



### ...with Solid Undershelf

overall size* (W x L x H)	COLD WATER ONLY		HOT & COLD WATER*	
	model #	list	model #	list
30" x 30" x 34 <sup>7</sup> / <sub>8</sub> "	PHSE-S-C	8833	PHSE-S-H	10796

### ...with Wire Undershelf

overall size* (W x L x H)	COLD WATER ONLY		HOT & COLD WATER*	
	model #	list	model #	list
30" x 42" x 37 <sup>1</sup> / <sub>8</sub> "	PHSEWB-S-C	4375	PHSEWB-S-H	4967

\* Working height, excludes height of faucet.

## Portable Hand Sink Supply Cart



24" x 24" chrome-plated wire shelf with patented Quad-Truss® design (patent #5,390,803) • 17<sup>3</sup>/<sub>8</sub>"-long x 7<sup>1</sup>/<sub>2</sub>"-wide x 10"-high chrome-plated wire storage basket • 24" x 24" chrome-plated four-sided wire truss frame • accommodates two 5-gallon tanks and two 7-gallon tanks • 5"-diameter casters (two with brake) with resilient tread and donut bumper • push handle

overall size (W x L x H)	model #	list
31 <sup>1</sup> / <sub>8</sub> " x 26 <sup>3</sup> / <sub>16</sub> " x 39"	PHS-SUPCRT-A	1184

## COUNTERTOPS

### Stainless Steel Countertops

- 16 or 14 gauge, type 304 or 316 stainless steel. Other gauges and types of stainless available to meet the function and chemical resistant demands of highly specialized labs.
- Standard front edge Square or Box Marine, unless otherwise specified. See *detail 1* on next page.
- Back and end splashes are manufactured per specification. See *details 2 & 3* on next page. All working surfaces and sink bowls have covered sanitary horizontal and vertical corners.
- Either a mechanical hairline seam or field welded joint available per your specifications. Maximum length without seam is 144" if no end splash. Length is reduced by 5<sup>1</sup>/<sub>2</sub>" for each end splash that may be required.
- Fabricated sink bowls available in most any size and depth with single or multiple compartments.
- For backsplash mounted faucets, splash will need to be at least 2" deep for plumbing access, holes for deck mounted faucets are typically centered 11<sup>1</sup>/<sub>2</sub>" from the edge of sink bowl.
- Both L-shaped and U-shaped tops are available per your drawings.
  - Corners are mitered and factory welded.
  - Maximum size without field joint provisions is 96" x 96" to fit into standard trailer for ground shipment.
- Countertops have stainless steel reinforcing hat channels. Sound deadening tape is factory installed. Top support options include National Sanitation Foundation (NSF)-listed sprayed latex sound deadening and marine grade plywood backing with white laminate facing.
- Standard packaging is wood reinforced cardboard and is included in the cost. Should full crating be required, it too will be included in the cost.



100 Industrial Boulevard,  
Clayton, DE 19938-8903 USA  
Phone: (302) 653-3000  
FAX (302) 653-2065

[www.eagle-mhc.com](http://www.eagle-mhc.com)

