

EAGLE
NSF
Model # HSA-10-FE-B-MQ
Serial # 0405241430
100 Industrial Blvd., Clayton, DE 19936
800-441-6442 www.eaglegrp.com



EAGLE GROUP HAND SINKS

GOT SOAP?

EAGLE
GROUP

Profit from the Eagle Advantage®

Eagle Hand Sinks

Hand-transmission is a critical factor in the spread of bacteria, pathogens and viruses which cause disease and foodborne illness. Foodborne illness kills over 3,000 people each year. Over 65% of all outbreaks originate in foodservice operations and as many as 38% are the result of poor hand washing and cross-contamination.

— Sources: Center for Disease Control, Food & Drug Administration

Eagle offers many different styles of hand sinks to help control the spread of foodborne illness.



Over 40 models including...

...Traditional:



Includes "the industry standard" – the HSA-10-F

...Hand Sinks with Standard Towel & Soap Dispenser:



Modeled after our Traditional Hand Sinks, but come standard with C-fold towel dispenser and soap dispenser

...Valve-Operated:



Great for hospitals, "hands free" operation for less contamination

...Electronic:



Sensor-activated faucet conserves water; electronic "eye" soap dispenser minimizes cross-contamination between soap & water dispenser

...Space Savers:



Designed for maximum space efficiency – only 12" from side to side!




Optional MICROGARD® for Hand Sinks

- MICROGARD® is an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew on the surface that cause stains, odors and degradation.
- MICROGARD® combines inorganic antimicrobial silver ions with a patented delivery system. The patented delivery system triggers the release of silver ions which react with bacteria in three ways: 1) suffocates the cell, 2) stops the cell reproduction system, 3) stops the cell from growing.
- MICROGARD® is a second line of defense. In keeping with good hygiene practices, clean this product as usual. The protection will not wash out, while organic bactericides may.*
- Note: To clean, use mild soap and water, rinse, and wipe entire surface dry. Soft non-abrasive cleaners may be used when necessary. Strong abrasive cleaners will scratch and dull the surface.
- MICROGARD® is applied onto top and underside of sink deck, backsplash, and inside & outside of sink bowl (excludes faucets, drains, towel/soap dispensers, waste receptacle, skirt, pedal valves, and nail brush holder).

To order MICROGARD® on Hand Sinks:
Add suffix "-MG" to model number.
Example: HSA-10-F-MG

* MICROGARD® does not protect users or others against bacteria, viruses, germs or other disease organisms. Always clean this product thoroughly after each use.

HFL-5000 Touch-Free Handwashing Systems



- Eagle hand sink with MICROGARD® antimicrobial protection.
- Automated paper towel dispenser. Eagle part #384796.
- Splash-mount gooseneck faucet, with electronic-eye sensor. Eagle part #369865.
- Hand sanitizing dispenser. Eagle part #377455.
- Hand soap dispenser. Eagle part #377456.
- Glove rack with single service gloves. Eagle part #352855.
- Soft bristle white nail brush. Eagle part #348602.

Description of hand sink included	Model #
with waste receptacle	HFL-5000
with skirt (no waste receptacle)	HFL-5000-S
with waste receptacle and end splashes	HFL-5000-LRS

Traditional Hand Sinks

These units are wall mounted and come with basket drain or lever drain, and “Z” wall mount bracket. Basket drain and lever drain come with crumb cup. Most of these units have accessories as standard components.



HSA-10*
Basic hand sink

Comes standard with:

- Holes punched 4" apart for splash mount faucet (not included)
- 1½" Basket Drain

Bowl Size: 9¾"W x 13½"L x 6¾"D
Overall Size: 14¾"W x 18¾"L x 12½"H



HSA-10-F*
The industry standard

Comes standard with:

- Splash Mount Gooseneck Faucet
- 1½" Basket Drain

Bowl Size: 9¾"W x 13½"L x 6¾"D
Overall Size: 14¾"W x 18¾"L x 12½"H



HSA-10-FA*

Comes standard with:

- Splash Mount Gooseneck Faucet
- P-trap and Tail Piece
- 1½" Basket Drain

Bowl Size: 9¾"W x 13½"L x 6¾"D
Overall Size: 14¾"W x 18¾"L x 12½"H



HSA-10-FAW*

Comes standard with:

- Splash Mount Gooseneck Faucet with Wrist Handles
- P-trap and Tail Piece
- 1½" Basket Drain

Bowl Size: 9¾"W x 13½"L x 6¾"D
Overall Size: 14¾"W x 18¾"L x 12½"H



HSA-10-FL

Comes standard with:

- Splash Mount Gooseneck Faucet
- 1½" Polymer Lever Drain

Bowl Size: 10"W x 14"L x 5"D
Overall Size: 14¾"W x 18¾"L x 12½"H



HSA-10-F0

Comes standard with:

- Splash Mount Gooseneck Faucet
- 1½" Polymer Lever Drain
- Overflow

Bowl Size: 10"W x 14"L x 5"D
Overall Size: 14¾"W x 18¾"L x 12½"H

W = front to back
L = side to side
D = depth of sink bowl
H = top of backsplash to bottom of sink bowl



*MICROGARD® available for these hand sinks. See page 2 for details.

Electronic Hand Sinks – AC Power



AC Power: Electronic “eye” sensor beam (adjustable from 3” to 12”) activates water flow. Requires 120-volt, 15-amp electric. 120-volt adapter included. All units come with #342938 Y-inlet non-adjustable mixing valve. For regulating water temperature, #326015 temperature adjustment valve is required. See page 11.
All units except #HSA-10-FA-PE come with “Z” wall mount bracket. All drains come with crumb cup.



HSA-10-FE*

Comes standard with:

- Splash Mount Gooseneck Spout
- Electric Eye/Sensor Beam Operation
- 1½” Basket Drain

Bowl Size: 9¼”W x 13½”L x 6¼”D

Overall Size: 14¼”W x 18½”L x 12½”H



HSA-10-FA-PE*

Comes standard with:

- Splash Mount Gooseneck Spout
- Electric Eye/Sensor Beam Operation
- Soap Dispenser
- P-Trap and Tail Piece
- 1½” Basket Drain

Bowl Size: 9¼”W x 13½”L x 6¼”D

Overall Size: 14¼”W x 18½”L x 40¼”H



HSA-10-FOE

Comes standard with:

- Splash Mount Gooseneck Spout
- Electric Eye/Sensor Beam Operation
- 1½” Polymer Lever Drain
- Overflow

Bowl Size: 10”W x 14”L x 5”D

Overall Size: 14¼”W x 18½”L x 12½”H



HSA-10-FDPE*

Comes standard with:

- Splash Mount Gooseneck Spout
- Electric Eye/Sensor Beam Operation
- C-Fold Towel Dispenser
- Soap Dispenser
- 1½” Basket Drain

For optional waste receptacle, see page 11.

Bowl Size: 9¼”W x 13½”L x 6¼”D

Overall Size: 14¼”W x 19¼”L x 28¼”H



HSA-10-FODPE

Comes standard with:

- Splash Mount Gooseneck Spout
- Electric Eye/Sensor Beam Operation
- C-Fold Towel Dispenser
- Soap Dispenser
- 1½” Polymer Lever Drain
- Overflow

Bowl Size: 10”W x 14”L x 5”D

Overall Size: 14¼”W x 19¼”L x 28”H



HSA-10-FDPEE*

Comes standard with:

- Splash Mount Gooseneck Spout
- Electric Eye/Sensor Beam Operation
- C-Fold Towel Dispenser
- Electronic Soap Dispenser (requires 4 “D” batteries)
- 1½” Basket Drain

For optional waste receptacle, see page 11.

Bowl Size: 9¼”W x 13½”L x 6¼”D

Overall Size: 14¼”W x 19¼”L x 31¼”H

*MICROGARD® available for these hand sinks. See page 2 for details.

Electronic Hand Sinks – Battery Power

These sinks feature a battery-powered electronic-eye faucet which operates on four “AA” batteries (included). Also features a built-in “low battery” indicator light. All units come with #342938 Y-inlet non-adjustable mixing valve. For regulating water temperature, #326015 temperature adjustment valve is required. See page 11.



HSA-10-FE-B-DS*

Comes standard with:

- Battery-Powered Electronic-Eye Faucet
- Deck Mount Soap Dispenser
- 1½" Basket Drain

Bowl Size: 9¼"W x 13½"L x 6¼"D

Overall Size: 14⅜"W x 18⅞"L x 12½"H

(note: overall size does not include soap dispenser bottle)



HSAN-10-FE-B-DS

Comes standard with:

- Battery-Powered Electronic-Eye Faucet
- Deck Mount Soap Dispenser
- 1½" Basket Drain

Bowl Size: 13½"W x 9¼"L x 6¼"D

Overall Size: 17⅞"W x 12¾"L x 14¼"H

(note: overall size does not include soap dispenser bottle)



HSAP-14-ADA-FE-B

Comes standard with:

- Battery-Powered Electronic-Eye Faucet
- Deck Mount Soap Dispenser
- Front-Loading Towel Dispenser
- Skirt
- 1½" Basket Drain

Bowl Size: 16"W x 14"L x 5"D

Overall Size: 24"W x 22"L x 24½"H



HSA-10-FE-B-NB-MG

Comes standard with:

- Battery-Powered Electronic-Eye Faucet
- Nail Brush and Nail Brush Holder
- Standard MICROGARD® Antimicrobial Protection
- 1½" Basket Drain

Bowl Size: 9¼"W x 13½"L x 6¼"D

Overall Size: 14⅜"W x 18⅞"L x 12½"H



*U.S. Patent
#5,732,422*

HSA-10-FE-B-T-NB-MG

Comes standard with:

- Battery-Powered Electronic-Eye Faucet
- Nail Brush and Nail Brush Holder
- Standard MICROGARD® Antimicrobial Protection
- Waste Receptacle & Skirt
- 1½" Basket Drain

Bowl Size: 9¼"W x 13½"L x 6¼"D

Overall Size: 14⅜"W x 18⅞"L x 29⅞"H



*U.S. Patent
#5,732,422*

HSA-10-FDPEE-B-T*

Comes standard with:

- Battery-Powered Electronic-Eye Faucet
- C-Fold Towel Dispenser
- Electronic Soap Dispenser (requires 4 size “D” batteries)
- 1½" Basket Drain
- Waste Receptacle & Skirt

Bowl Size: 9¼"W x 13½"L x 6¼"D

Overall Size: 14⅜"W x 19⅞"L x 47⅞"H



W = front to back
L = side to side
D = depth of sink bowl
H = top of backsplash to bottom of sink bowl

*MICROGARD® available for these hand sinks. See page 2 for details.

Hand Sinks with Standard Towel and/or Soap Dispensers

These wall mounted sinks come standard with towel dispenser designed to accommodate 4" x 10" C-fold disposable paper towels; and/or 16-oz. soap dispenser. "Z" wall mount bracket, drain and faucet also included. Basket drain and lever drain standard with crumb cup.



HSA-10-FDP*

Comes standard with:

- Splash Mount Gooseneck Faucet
- C-Fold Towel Dispenser
- Soap Dispenser
- 1½" Basket Drain

Bowl Size: 9¼"W x 13½"L x 6¼"D

Overall Size: 14¼"W x 19¼"L x 28¼"H



HSA-10-FDPS*

Comes standard with:

- Splash Mount Gooseneck Faucet
- C-Fold Towel Dispenser
- Soap Dispenser
- 1½" Basket Drain
- Skirt

Bowl Size: 9¼"W x 13½"L x 6¼"D

Overall Size: 14¼"W x 19¼"L x 30"H



HSA-10-FLDP

Comes standard with:

- Splash Mount Gooseneck Faucet
- C-Fold Towel Dispenser
- Soap Dispenser
- 1½" Polymer Lever Drain

Bowl Size: 10"W x 14"L x 5"D

Overall Size: 14¼"W x 19¼"L x 28"H



HSA-10-FDPK

Comes standard with:

- Splash Mount Gooseneck Spout
- Knee Pedals
- C-Fold Towel Dispenser
- Soap Dispenser
- 1½" Basket Drain
- Skirt

Bowl Size: 9¼"W x 13½"L x 6¼"D

Overall Size: 14¼"W x 19¼"L x 33"H



HSA-10-FODP

Comes standard with:

- Splash Mount Gooseneck Faucet
- C-Fold Towel Dispenser
- Soap Dispenser
- 1½" Polymer Lever Drain
- Overflow

Bowl Size: 10"W x 14"L x 5"D

Overall Size: 14¼"W x 19¼"L x 28"H



HSA-10-FWLDP-LRS

Comes standard with:

- Splash Mount Gooseneck Faucet with Wrist Handles
- C-Fold Towel Dispenser
- Soap Dispenser
- 1½" Polymer Lever Drain
- Side Splashes

Bowl Size: 10"W x 14"L x 5"D

Overall Size: 14¼"W x 19¼"L x 28"H



HSA-10-F-DS*

Comes standard with:

- Splash Mount Gooseneck Faucet
- Deck Mount Soap Dispenser
- 1½" Basket Drain

Bowl Size: 9¼"W x 13½"L x 6¼"D

Overall Size: 14¼"W x 18¼"L x 12¼"H

(note: overall size does not include soap dispenser globe)

*MICROGARD® available for these hand sinks. See page 2 for details.

Knee/Foot Valve Operated Hand Sinks

“Hands-free” operation! All units feature splash mount gooseneck spout and basket drain with crumb cup. All sinks are available with MICROGARD®. See page 2 for more information.



Knee Valve Operated

All units come with “Z” wall mount bracket.
(note: overall sizes do not include knee valves)



HSA-10-1FK

Comes standard with:

- Splash Mount Gooseneck Spout
- Single Knee Pedal
- Skirt
- 1½" Basket Drain

Bowl Size: 9¼"W x 13½"L x 6¼"D

Overall Size: 14¾"W x 18¾"L x 17½"H



HSA-10-FK

Comes standard with:

- Splash Mount Gooseneck Spout
- Knee Pedals
- Skirt
- 1½" Basket Drain

Bowl Size: 9¼"W x 13½"L x 6¼"D

Overall Size: 14¾"W x 18¾"L x 17½"H



HSA-10-FKP

Comes standard with:

- Splash Mount Gooseneck Spout
- Single Knee Valve Plate
- Skirt
- 1½" Basket Drain

Bowl Size: 9¼"W x 13½"L x 6¼"D

Overall Size: 14¾"W x 18¾"L x 17½"H

Foot Valve Operated



HSA-10-FA-1P

Comes standard with:

- Splash Mount Gooseneck Spout
- Single Foot Pedal Valve
- P-Trap and Tail Piece
- 1½" Basket Drain

Bowl Size: 9¼"W x 13½"L x 6¼"D

Overall Size: 14¾"W x 18¾"L x 40¾"H



HSA-10-FA-P

Comes standard with:

- Splash Mount Gooseneck Spout
- Foot Pedal Valves
- P-Trap and Tail Piece
- 1½" Basket Drain

Bowl Size: 9¼"W x 13½"L x 6¼"D

Overall Size: 14¾"W x 18¾"L x 40¾"H

W = front to back
L = side to side
D = depth of sink bowl
H = top of backsplash to bottom of sink bowl

Hand Sinks with Standard Wrist Handles



HSA-10-FW

Comes standard with:

- Splash Mount Gooseneck Faucet with Wrist Handles
- 1½" Basket Drain

Bowl Size: 9¾"W x 13½"L x 6¾"D

Overall Size: 14¾"W x 18¾"L x 12¾"H



HSA-10-FAW

Comes standard with:

- Splash Mount Gooseneck Faucet with Wrist Handles
- P-trap and Tail Piece
- 1½" Basket Drain

Bowl Size: 9¾"W x 13½"L x 6¾"D

Overall Size: 14¾"W x 18¾"L x 12¾"H

W = front to back
L = side to side
D = depth of sink bowl
H = top of backsplash to bottom of sink bowl

Hand Sink with Tubular Wall Support

Includes "Z" wall mount bracket and basket drain with crumb cup.

Available with MICROGARD®.

See page 2 for details.



HSA-10-FTWS

Comes standard with:

- Splash Mount Gooseneck Faucet
- Tubular Wall Brackets
- 1½" Basket Drain

Bowl Size: 9¾"W x 13½"L x 6¾"D

Overall Size: 14¾"W x 18¾"L x 12¾"H

Surgical Scrub Sinks

16 gauge stainless steel construction. Features include 4"-high backsplash, squared front and sides. removable access panel, temperature mixing valve, and electronic-eye gooseneck faucet. Includes flat strainer, with p-trap and tail piece. Standard model features deck-mount faucet. ADA-compliant model features splash mount faucet.



SHS2424-1D

Comes standard with:

- Deck-mount Faucet



SHS2424-1W-ADA

Comes standard with:

- Splash-mount Faucet



Special Purpose Hand Sinks

All units come standard with faucet (except where noted) and basket drain with crumb cup.

with Waste Receptacle



U.S. Patent
#5,732,422

HSA-10-FDP-T*

Comes standard with:

- Splash Mount Gooseneck Faucet
- Soap/Towel dispenser
- Waste Skirt
- Waste Receptacle
- 1½" Basket Drain

Bowl Size: 9¼"W x 13¾"L x 6¼"D
Overall Size: 14¼"W x 19¼"L x 44¼"H

Standard

Same as HSA-10-F with exception of deck mount faucet



HSAD-10-F

Comes standard with:

- Deck Mount Gooseneck Faucet
- 1½" Basket Drain

Bowl Size:
9"W x 13¾"L x 6¼"D
Overall Size: 16½"W x 18¾"L x 14¼"H

Economical



HSAE-10-FA

Comes standard with:

- Deck Mount Gooseneck Faucet
- Wall Brackets
- 4" High Backsplash
- 1½" Basket Drain
- P-trap
- Tail piece

Bowl Size: 10"W x 14"L x 5"D
Overall Size: 15"W x 16¼"L x 9"H

with 8" Centerline Faucet Holes



HSA-10-8*

Comes standard with:

- Holes punched 8" apart for splash mount faucet (not included)
- 1½" Basket Drain

Bowl Size: 9¼"W x 13¾"L x 6¼"D
Overall Size: 14¼"W x 18¾"L x 12¼"H

* To order sink with faucet, add suffix "F" (example: HSA-10-8F)



Physically Challenged



HSAP-14-FW

Comes standard with:

- Deck Mount Gooseneck Faucet with Wrist Handles
- Wall Brackets
- 1½" Basket Drain

Bowl Size: 16"W x 14"L x 5"D
Overall Size: 24¼"W x 19"L x 16¼"H



HSAP-14-ADA-FE-B

Comes standard with:

- Battery-Powered Electronic-Eye Faucet
- Deck Mount Soap Dispenser
- Front-Loading C-Fold Towel Dispenser
- Skirt
- 1½" Basket Drain

Bowl Size: 16"W x 14"L x 5"D
Overall Size: 24"W x 22"L x 24¼"H



HSAP-14-ADA-FW**

Comes standard with:

- Faucet with Wrist Handles
- Deck Mount Soap Dispenser
- Front-Loading C-Fold Towel Dispenser
- Skirt
- 1½" Basket Drain

Bowl Size: 16"W x 14"L x 5"D
Overall Size: 24"W x 22"L x 24¼"H

** See page 17 for Replacement T&S Faucets

*MICROGARD® available for these hand sinks. See page 2 for details.

Hand Sink with Eyewash—ADA and OSHA compliant



HSAP-14-EYE

Comes standard with:

- Deck-mounted soap dispenser
- Electronic-eye splash-mounted faucet
- OSHA-compliant, splash-mounted eyewash
- Fully enclosed skirt with access panel.
- Multi-Fold Paper Towel Holder

Bowl Size: 9½"W x 8¼"L x 5"D

Overall Size: 19½"W x 13"L x 22½"H

HSAP-10-EYE

Comes standard with:

- Wall-mounted soap dispenser
- Electronic-eye deck-mounted faucet
- OSHA-compliant, deck-mounted eye wash faucet
- Fully enclosed skirt with access panel.
- Multi-fold paper towel holder

Bowl Size: 9½"W x 8¼"L x 5"D

Overall Size: 19½"W x 13"L x 22½"H

Introducing Eagle's newest addition: The Hand Sink with Built-In Eyewash! The unit's design saves space and fits easily into any work environment. Eyewash unit operates quickly by pulling swing arm down 90° over sink. Vandal-resistant ceramic valve limits wear and tear on moving parts, providing dependability and long lasting performance. Safe, steady water flow under varying water supply conditions, from 30 to 90 PSI, is assured by integral flow. Eyewash and spray heads contain an antimicrobial agent to protect the spray heads. Features protective hinged dust covers. Gentle spray bathes eyes and face. Ceramic discs provide a precise 20° activation and deactivation angle, minimizing excessive splashing when the unit is activated. Chrome-plated brass pipe and fittings.

Space Savers



Only 12" from side to side!!



HSAN-10-F

Comes standard with:

- Splash Mount
- Gooseneck Faucet
- 1½" Basket Drain

Bowl Size: 13½"W x 9¼"L x 6¼"D

Overall Size: 18"W x 12"L x 14¼"H



HSAND-10-F

Comes standard with:

- Deck Mount
- Gooseneck Faucet
- 1½" Basket Drain

Bowl Size: 13½"W x 9¼"L x 6¼"D

Overall Size: 19½"W x 12"L x 14¼"H



HSANT-FS

Comes standard with:

- Splash Mount Gooseneck Faucet
- 1½" Basket Drain
- 19"-high Backsplash
- Skirt

Bowl Size: 13½"W x 9¼"L x 6¼"D

Overall Size: 18"W x 12"L x 26½"H



HSAN-10-F-DS*

Comes standard with:

- Splash Mount
- Gooseneck Faucet
- Deck Mount Soap Dispenser
- 1½" Basket Drain

Bowl Size: 13½"W x 9¼"L x 6¼"D

Overall Size: 17½"W x 12"L x 14¼"H

(note: overall size does not include soap dispenser globe)

W = front to back
L = side to side
D = depth of sink bowl
H = top of backsplash to bottom of sink bowl

*MICROGARD® available for these hand sinks. See page 2 for details.

Portable Hand Sinks with Open Base

Features heavy gauge stainless steel tabletop with 10 $\frac{3}{8}$ " x 12 $\frac{3}{4}$ " x 6" removable pan, deckmount faucet, and trash chute.



sink with solid undershelf

Overall Size: 30"W x 30"L x 34 $\frac{1}{8}$ "H

Description	Model #
Cold Water	PHSE-S-C
Cold & Hot Water	PHSE-S-H



sink with wire undershelf

Overall Size: 42"W x 30"L x 37 $\frac{1}{8}$ "H

Description	Model #
Cold Water	PHSEWB-S-C
Cold & Hot Water	PHSEWB-S-H

Touch Free Portable Hand Sinks

Features heavy gauge stainless steel cabinet with double pan hinged stainless steel door and lock. Paper towel dispenser, soap dispenser, and faucet are all TOUCH-FREE, critical in clean watermanagement while promoting good hygiene practice.

Eagle Group is a proud partner with



[Click to learn more about our partnership](#)

Description	Model #
without water heater	PHS-S-C-TF
with water heater	PHS-S-H-TF



Bowl Size: 14"W x 10"L x 5"D
Overall Size: 24"W x 26"L x 56 $\frac{3}{4}$ "H

Portable Hand Sinks

Features heavy gauge stainless steel cabinet with lockable door, stainless steel top with "v"-marine edge and rear backsplash, 5-gallon fresh water tank, 7-gallon soiled water tank, 4" swivel casters (two with brake), towel rack, trash chute, and NEMA 5-15 plug & cord.



with Stainless Steel Bowl

PHS-S-H

Comes standard with:

- 2.5-gallon hot water heater
- 14" x 16" x 5" Sink Bowl
- Deck-mount Faucet

PHS-S-C

Comes standard with:

- 14" x 16" x 5" Sink Bowl
- Deck-mount Faucet

Bowl Size: 16W x 14L x 5D
Overall Size: 24W x 26L x 44½H



with Acrylic Bowl

PHS-A-H

Comes standard with:

- 2.5-gallon hot water heater
- 12½" x 16" Polycarbonate Water Plate
- Stainless Steel Trough
- Deck-Mount Faucet

PHS-A-C

Comes standard with:

- 12½" x 16" Polycarbonate Water Plate
- Stainless Steel Trough
- Deck-Mount Faucet

Bowl Size: 12½W x 16L
Overall Size: 24W x 26L x 44½H



with Three Bowls

PHS-S3-H

Comes standard with:

- 2.5-gallon hot water heater
- Deck-Mount Faucet

- 21" x 13" x 5" Sink Bowl
- Each compartment is 11½" x 6⅞" x 5"

PHS-S3-C

Comes standard with:

- 21" x 13" x 5" Sink Bowl
- Each compartment is 11½" x 6⅞" x 5"
- Deck-Mount Faucet

Bowl Size: 21W x 13L x 5D
Overall Size: 24W x 26L x 44½H

Portable Hand Sinks with Laminated Cabinet

Features 3/4"-thick plywood cabinet with Wilsonart® Biltmore laminate, stainless steel top with "v"-marine edge and rear backsplash, lockable doors, 5-gallon fresh water tank, 7-gallon soiled water tank, deck faucet with 8" swivel spout, deck mount soap dispenser, 3" swivel plate casters, towel rack, trash chute with trash receptacle, and NEMA 5-15 GFCI plug with 10' cord.



with Single Bowl

PHS-S-H-LB

Comes standard with:

- 2.5-gallon hot water heater
- Deck-Mount Faucet
- 1½" Basket Drain

PHS-S-C-LB

Comes standard with:

- Deck-Mount Faucet
- 1½" Basket Drain

model #PHS-S-H-LB

Bowl Size: 14W x 10L x 5D
Overall Size: 25W x 28L x 44½H



with Three Bowls

PHS-S3-H-LB

Comes standard with:

- 2.5-gallon hot water heater
- Deck-Mount Faucet
- 1½" Basket Drain

PHS-S3-C-LB

Comes standard with:

- Deck-Mount Faucet
- 1½" Basket Drain

Bowl Size: 11½W x 6⅞L x 5D
Overall Size: 25W x 28L x 44½H



with Acrylic Bowl

PHS-A-H-LB

Comes standard with:

- 2.5-gallon hot water heater
- Patented removable acrylic water plate (patent #9,790,674) is 12½" x 16"

PHS-A-C-LB

Comes standard with:

- Patented removable acrylic water plate (patent #9,790,674) is 12½" x 16"

Bowl Size: 12½W x 16L
Overall Size: 25W x 28L x 44½H

Optional Poly Cutting Board available! 3/4"-thick.Green. Model #376509

Hand Wash Sinks



Features heavy gauge 304 Series stainless steel all-welded construction, hinged door with pull handle and magnetic catch, built-in C-fold towel dispenser, soap dispenser, faucet, and basket drain with crumb cup.

Wall-mountable Sinks

Model #HWC-E

Comes standard with:

- 1½" Bull Nose Front Edge
- Gooseneck Faucet
- "Z" Clips
- 1½" Basket Drain

Bowl Size: 9¾"W x 11½"L x 6"D Overall
Size: 16⅞"W x 14"L x 21¼"H



Drop-In Sinks

Model #HWB-E

Comes standard with:

- 1½" Bull Nose Front Edge
- Gooseneck Faucet
- Flange on sides and rear
- 1½" Basket Drain

Bowl Size: 9¾"W x 11½"L x 6"D Overall
Size: 17½"W x 16½"L x 17¼"



NOTE: T&S faucet available for both style sinks. To order, replace suffix "-E" with "-T". Example: HWC-T

Lavatory Sinks with Marine Edge

All units have a marine edge and come standard with gooseneck spout faucet, soap dispenser and basket drain.

Wall mounted



W1916-FA

Bowl Size: 15¾"W x 19¼"L x 8¾"D
Overall Size: 23"W x 24⅝"L x 16⅞"D

Wall mounted, knee valve operation



W1916

Bowl Size: 15¾"W x 19¼"L x 8¾"D
Overall Size: 23"W x 24⅝"L x 22¾"D
(note: overall size does not include knee pedals)

Pedestal mounted, foot pedal valve operation



P1916

Bowl Size: 15¾"W x 19¼"L x 8¾"D
Overall Size: 23"W x 24⅝"L x 39"D

Pedestal mounted, electronic-eye operation



P1916FE

Bowl Size: 15¾"W x 19¼"L x 8¾"D
Overall Size: 23"W x 24⅝"L x 39"D

Hand Sink Accessories/Replacements



hot water heater

Hot Water Heater

Includes stainless steel pedestal with removable front access panel and with notches for electrical wiring. Energy-saving tankless water heater features 120V 29A electricity and 0.5 GPM. Water is heated instantaneously when faucet is turned on. No standby heat loss. To order, add suffix “-WH” to hand sink model number. Example: HSA-10-FDPEE-WH.

IMPORTANT: Field wiring required.

Applicable models include: HSA-10, HSA-10-F, HSA-10-FA, HSA-10-FDP, HSA-10-FE, HSA-10-FDPE, HSA-10-FDPEE, HSA-10-FW, HSA-10-FA-P and HSAD-10-F



Waste Receptacle

U.S. Patent #5,732,422

20 gauge type 304 stainless steel. Removable. Comes with skirt. Must be factory installed. To order, and suffix “-T” to hand sink model number. Example: HSA-10-FDPEE-B-T.

Fits Models: HSA-10, HSA-10-F, HSA-10-FA, HSA-10-FDP, HSA-10-FE, HSA-10-FDPE, HSA-10-FDPEE, and HSA-10-FW

waste receptacle



Dispensers

Towel/Soap Dispensers

Fits all HSA hand sinks except Space Savers.

Model #DP-10

Comes with conventional soap dispenser.



model #DP-10

Model #DP-20

Comes with electronic-eye soap dispenser. Requires 4 size “D” batteries.



model #DP-20

Soap Dispensers

Conventional

Holds 16 ounces.

Model #300602



Deck Mount

4” spout, 16-oz. underside globe.

Model #324074



Wall Mounted with Electronic Eye

Model #377456



Towel Dispensers

Wall mounted. Stainless steel.

Model #318496



Wall mounted. Touchless. Break-resistant plastic.

Model #384796



Hand Sanitizing Dispenser

Model #377455



Hand Sink Accessories/Replacements

Stainless Steel Hand Sink End Splashes

Factory-installed

To order, add to hand sink model numbers the following suffixes:

Left end splash only: **-LS**

Right end splash only: **-RS**

Left and right end splash: **-LRS**

(Note: will not work on Space Saver sinks with wrist handles.
MICROGARD® cannot be applied to hand sinks with end splashes.)



hand sink with
optional end splashes

For Field-installation: Model #HSA-SSK
Self-adhesive splash can be used for right or left application.

Stainless Steel Wall Brackets

Side mounting, one pair; does not fit space-saver models

Model #606396



wall bracket

Stainless Steel Skirt Assemblies

Model #606215

Fits all HSA hand sinks with rounded bowls except Space Saver models and HSAD-10-F.

Model #607560

Fits #HSAN-10-F and HSAND-10-FS hand sinks.



skirt assembly

Drains



crumb cup strainer



polymer lever drain

Description	Model #
polymer lever drain fits 3.5" (89mm)-diameter holes, with crumb cup	319931
overflow assembly for lever drain #319931 (above)	319932
1.5" (38mm) drain assembly fits 2"-diameter holes	300886
mini crumb cup for 1.5" (38mm) drain	300966
s/s basket drain assembly fits 3.5" (89mm)-diameter holes, with crumb cup	300287
cast metal lever drain with overflow assembly, with 7.25" (185mm)-long lever, fits 3.5" (89mm)-diameter holes	347771

Valves

Anti-Scald Valve

Features automatic shutdown with either hot or cold water failure. ASSE1016 and ASSE1017 listed.

IMPORTANT: Not for use with Emergency Eye Wash Units (page 10).

Model #326696



anti-scald valve

Non-Adjustable Y-Inlet Mixing Valve

For electronic hand sinks and hand sinks with single pedal valve only. "Y" shaped single-piece component. Chrome-plated brass body.

Model #342938



Y-inlet mixing valve

Temperature Adjustment Valve

Features check valve to prevent backflow. For hand sinks with AC-powered electronic faucets and hand sinks with single foot or knee valves.

Model #326015



temperature adjustment valve

Anti-Scald Valve for Emergency Eye Wash Units

This is the only anti-scald valve to be used with Emergency Eye Wash Unit (page 10). Meets ANSI Z358.1 and ASSE 1071 standards. 65°-90°F, ½" NPT.

Model #373848

Tempering Valve

120°F maximum output. 150 psi maximum pressure. ASSE 1016 and 1070 listed.

Model #375612



Plumbing

Tail Piece

Nickel-plated brass.

Model #300791



tail piece

P-Trap

Nickel-plated brass.

Model #300789



p-trap

Pedal Valves

Foot Pedal Valves

Floor mount.



double foot pedal
Model #300604



single foot pedal
Model #355994

Knee Pedal Valve



double knee pedal
Model #313481



single knee pedal
Model #351738

NEW replacement cartridge available. Fits all pedal valves listed. **Model #374955**

Hand Sink Faucets, Spouts, and Accessories

All faucets below feature 4" (102mm) centers, except where noted.



splash mount faucet
model #303987



deck mount faucet
model #302004



deck mount faucet
with 8" spout
model #301248



T&S faucet model
#306134



T&S faucet model
#313305



emergency eye wash unit
model #326272



short 90°
#376740



spout assembly
model #312162

No
Electric
Needed



splash-mount
battery-powered
electronic-eye faucet
model #326014



splash-mount T&S
electronic-eye faucet
model #356128



#377563



shut-off valve
model #349921

Standard Faucets

Description	Model #
splash mount, 4" center	303987*
wrist handles	307120
splash mount w/wrist handles, gooseneck, 4" ctr	306495
deck mount, gooseneck, 4" center, 1/4-turn handles	302004*
deck mount, 8" spout, 4" center, 1/4-turn handles	301248*
splash mount, gooseneck, 8" center	313075
drinking bubbler	318495

* Repair kit available for these faucets. Model #368421

T&S Extra Heavy Duty Faucets **T&S OUR BEST** Replacements for #HSAP-14-ADA-FW (page 9).

Description	Model #
splash mounted	306134
splash mounted, wrist handles	313305

Spout Assembly

Description	Model #
splash mounted replacement gooseneck for knee/foot valve-operated models	312162

Short 90° for Splash Mount Faucets

Description	Model #
Set of two, 1/2" NOT female x male	376740

Faucet-Mount Emergency Eye Wash Units

Fits in place of standard aerator on spout. Both units meet ANSI Z358.1 standards

IMPORTANT: If anti-scald valve (page 16) is needed, order #373848 only.

Description	Model #
pull valve activates fountain, chrome finish	326272
rotate to activate "eye-pod," stainless finish	377563

Shut-Off Valve

Antibacterial surface. NSF-approved. Screws onto faucet aerator. Polished chrome finish.

Description	Model #
shut-off push bar	349921

Battery-Powered Electronic-Eye Faucet

Offered as a replacement faucet for sinks on page 5.

Description	Model #
Splash mount. Comes with (4) "AA" batteries and built-in low-battery indicator	326014

Upgrade: T&S electronic-eye faucet, splash-mtd with batteries and AC adapter for dual operation. With AC adapter plugged in, faucet automatically switches to AC power to conserve batteries.

356128

Counter Drop-In Self Rim Design Hand Sinks

These countertop-mounted sinks are heavy gauge 304 Series stainless steel and come standard with mounting hardware (for top-mount), faucet, and basket drain with crumb cup.

For bottom-mount, order Bottom-Mount Kit #362188 (one kit per one-compartment sink, two kits per two-compartment sink, three kits per three-compartment sink).



One-Compartment



SR10-14-5-1

Comes standard with:

- Gooseneck Faucet
- Mounting Hardware
- 1½" Basket Drain

Bowl Size: 14"W x 10"L x 5"D
Overall Size: 19"W x 12¾"L



SR10-14-9.5-1

Comes standard with:

- Gooseneck Faucet
- Mounting Hardware
- 1½" Basket Drain

Bowl Size: 14"W x 10"L x 9½"D
Overall Size: 18¾"W x 12¾"L



SR14-10-5-1

Comes standard with:

- Gooseneck Faucet
- Mounting Hardware
- 1½" Basket Drain

Bowl Size: 10"W x 14"L x 5"D
Overall Size: 15"W x 16¾"L



SRU14-10-5-1

Comes standard with:

- Gooseneck Faucet
- Mounting Hardware
- 1½" Basket Drain
- Upturn on Rear and Sides

Bowl Size: 10"W x 14"L x 5"D
Overall Size: 15"W x 16¾"L

Other One-Compartment Models:

Description	Overall Length	Model #	Gauge	Bowl
10"W x 14"L x 9½"D bowl	16¾"	SR14-10-9.5-1	18	Deep-Drawn
14"W x 12"L x 9½"D bowl	14¾"	SR12-14-9.5-1	20	Fabricated
12"W x 14"L x 9½"D bowl	16¾"	SR14-12-9.5-1	20	Fabricated
16"W x 14"L x 9½"D bowl	16¾"	SR14-16-9.5-1	20	Fabricated
14"W x 16"L x 9½"D bowl	18¾"	SR16-14-9.5-1	20	Fabricated
20"W x 16"L x 13½"D bowl	18½"	SR16-19-8-1	18	Deep-Drawn
20"W x 16"L x 13½"D bowl	18½"	SR16-19-13.5-1	18	Deep-Drawn
16"W x 20"L x 8"D bowl	22½"	SR19-16-8-1	18	Deep-Drawn
16"W x 20"L x 13½"D bowl	22½"	SR19-16-13.5-1	18	Deep-Drawn
24"W x 18"L x 13½"D bowl	20½"	SR18-24-13.5-1	18	Deep-Drawn
12"W x 20"L x 6"D bowl	22½"	SR20-12-6.5-1	20	Fabricated
22"W x 22"L x 13½"D bowl	24¾"	SR22-22-13.5-1	18	Fabricated
18"W x 24"L x 13½"D bowl	26½"	SR24-18-13.5-1	18	Deep-Drawn
24"W x 24"L x 13½"D bowl	26½"	SR24-24-13.5-1	18	Deep-Drawn

W = front to back; L = side to side; D = depth of sink bowl; H = top (excluding faucet) to bottom of sink bowl

Other Two-Compartment Models:

Description	Overall Length	Model #	Gauge	Bowl Type
14"W x 12"L x 9½"D bowl	28¾"	SR12-14-9.5-2	20	Fabricated
16"W x 14"L x 9½"D bowl	32¾"	SR14-16-9.5-2	20	Fabricated
20"W x 16"L x 8"D bowl	36¼"	SR16-19-8-2	18	Deep-Drawn
20"W x 16"L x 13½"D bowl	36¼"	SR16-19-13.5-2	18	Deep-Drawn
24"W x 18"L x 13½"D bowl	40¼"	SR18-24-13.5-2	18	Deep-Drawn
22"W x 22"L x 13½"D bowl	48¾"	SR22-22-13.5-2	18	Fabricated
24"W x 24"L x 13½"D bowl	52½"	SR24-24-13.5-2	18	Deep-Drawn

Two-Compartment



SR10-14-9.5-2

Comes standard with:

- Swivel Faucet
- Mounting Hardware
- 1½" Basket Drain

Bowl Size: 14"W x 10"L x 9½"D
Overall Size: 18¾"W x 24¾"L

Three-Compartment



SR10-14-9.5-3

Comes standard with:

- Swivel Faucet
- Mounting Hardware
- 1½" Basket Drain

Bowl Size: 14"W x 10"L x 9½"D
Overall Size: 18¾"W x 36¾"L

Other Three-Compartment Models:

Description	Overall Length	Model #	Gauge	Bowl Type
14"W x 12"L x 9½"D bowl	42¾"	SR12-14-9.5-3	20	Fabricated
16"W x 14"L x 9½"D bowl	48¾"	SR14-16-9.5-3	20	Fabricated
20"W x 16"L x 8"D bowl	54"	SR16-19-8-3	18	Deep-Drawn
19"W x 16"L x 13½"D bowl	54"	SR16-19-13.5-3	18	Deep-Drawn
24"W x 18"L x 13½"D bowl	60"	SR18-24-13.5-3	18	Deep-Drawn

Countertop Drop-Ins with No Deck

300 series stainless steel sinks are deep-drawn and self rimming.

1 $\frac{3}{8}$ " trim on all four sides. Positive holddown clamping tabs for top mount.

One-Compartment Models:

Inside Bowl Dimensions width x length x depth	Overall width x length	Model #	Gauge	Bowl Type
14" x 10" x 5"	16 $\frac{1}{2}$ " x 12 $\frac{3}{4}$ "	SR10-14-5-1-ND	20	Deep-Drawn
14" x 10" x 9 $\frac{1}{2}$ "	16 $\frac{1}{2}$ " x 12 $\frac{3}{4}$ "	SR10-14-9.5-1-ND	18	Deep-Drawn
14" x 12" x 9 $\frac{1}{2}$ "	16 $\frac{1}{2}$ " x 14 $\frac{1}{4}$ "	SR12-14-9.5-1-ND	16	Fabricated
16" x 14" x 9 $\frac{1}{2}$ "	18 $\frac{1}{2}$ " x 16 $\frac{1}{4}$ "	SR14-16-9.5-1-ND	16	Fabricated
20" x 16" x 8"	22 $\frac{1}{2}$ " x 18 $\frac{1}{2}$ "	SR16-19-8-1-ND	18	Deep-Drawn
20" x 16" x 13 $\frac{1}{2}$ "	22 $\frac{1}{2}$ " x 18 $\frac{1}{2}$ "	SR16-19-13.5-1-ND	18	Deep-Drawn
24" x 18" x 13 $\frac{1}{2}$ "	26 $\frac{1}{2}$ " x 20 $\frac{1}{2}$ "	SR18-24-13.5-1-ND	18	Deep-Drawn
22" x 22" x 13 $\frac{1}{2}$ "	24 $\frac{1}{2}$ " x 24 $\frac{3}{4}$ "	SR22-22-13.5-1-ND	16	Fabricated
24" x 24" x 13 $\frac{1}{2}$ "	26 $\frac{1}{2}$ " x 26 $\frac{1}{2}$ "	SR24-24-13.5-1-ND	18	Deep-Drawn



one-compartment
deep-drawn




one-compartment
fabricated

Two-Compartment Models:

Inside Bowl Dimensions width x length x depth	Overall width x length	Model #	Gauge	Bowl Type
14" x 10" x 9 $\frac{1}{2}$ "	16 $\frac{1}{2}$ " x 24 $\frac{1}{4}$ "	SR10-14-9.5-2-ND	18	Deep-Drawn
14" x 12" x 9 $\frac{1}{2}$ "	16 $\frac{1}{2}$ " x 28 $\frac{1}{4}$ "	SR12-14-9.5-2-ND	16	Fabricated
16" x 14" x 9 $\frac{1}{2}$ "	18 $\frac{1}{2}$ " x 32 $\frac{1}{4}$ "	SR14-16-9.5-2-ND	16	Fabricated
20" x 16" x 8"	22 $\frac{1}{2}$ " x 36 $\frac{1}{4}$ "	SR16-19-8-2-ND	18	Deep-Drawn
20" x 16" x 13 $\frac{1}{2}$ "	22 $\frac{1}{2}$ " x 36 $\frac{1}{4}$ "	SR16-19-13.5-2-ND	18	Deep-Drawn
24" x 18" x 13 $\frac{1}{2}$ "	26 $\frac{1}{2}$ " x 40 $\frac{1}{4}$ "	SR18-24-13.5-2-ND	18	Deep-Drawn
22" x 22" x 13 $\frac{1}{2}$ "	24 $\frac{1}{2}$ " x 48 $\frac{1}{4}$ "	SR22-22-13.5-2-ND	16	Fabricated
24" x 24" x 13 $\frac{1}{2}$ "	26 $\frac{1}{2}$ " x 52 $\frac{1}{8}$ "	SR24-24-13.5-2-ND	18	Deep-Drawn



two-compartment
deep-drawn



two-compartment
fabricated

Three-Compartment Models:

Inside Bowl Dimensions width x length x depth	Overall width x length	Model #	Gauge	Bowl Type
14" x 10" x 9 $\frac{1}{2}$ "	16 $\frac{1}{2}$ " x 36 $\frac{3}{4}$ "	SR10-14-9.5-3-ND	18	Deep-Drawn
14" x 12" x 9 $\frac{1}{2}$ "	16 $\frac{1}{2}$ " x 42 $\frac{3}{4}$ "	SR12-14-5-3-ND	16	Fabricated
16" x 14" x 9 $\frac{1}{2}$ "	18 $\frac{1}{2}$ " x 48 $\frac{3}{4}$ "	SR14-16-9.5-3-ND	16	Fabricated
20" x 16" x 8"	22 $\frac{1}{2}$ " x 54"	SR16-19-8-3-ND	18	Deep-Drawn
20" x 16" x 13 $\frac{1}{2}$ "	22 $\frac{1}{2}$ " x 54"	SR16-19-13.5-3-ND	18	Deep-Drawn
24" x 18" x 13 $\frac{1}{2}$ "	26 $\frac{1}{2}$ " x 60"	SR18-24-13.5-3-ND	18	Deep-Drawn



three-compartment
deep-drawn



three-compartment
fabricated



W = front to back
L = side to side
D = depth of sink bowl
H = top of backsplash to bottom of sink bowl

Explore More Products from Eagle.....



**Click on the cover to
download the brochure**

© 2024 Eagle Group. Although every attempt has been made to ensure the accuracy of the data in this publication, we cannot be responsible for printing or typographical errors or omissions.

The Eagle Advantage™ begins right here in our state of the art manufacturing facility - with 14 acres under one roof - where the most comprehensive broadband product offering in the industry takes shape. This all-inclusive design and production capability offers distinct advantages to our customers. Streamlined ordering and shipping substantially reduce freight, receiving, installation and administrative costs.

Supporting it all is a framework of highly responsive customer service representatives, the most innovative, versatile and durable equipment available on the market today, a fleet of company-owned trucks, plus amply stocked distribution centers in strategic locations nationwide - which guarantees product availability and delivery.

Together, it adds up to product excellence enhanced by measurable cost savings and value. We call it **The Eagle Advantage™** and you can profit from it.



www.eaglegrp.com



Corporate Headquarters:

100 Industrial Boulevard
Clayton, DE 19938-8903 USA
Phone: (302) 653-3000

www.eaglegrp.com

www.eaglemhc.com

EG7006 Rev 07/2024