EAGLE GROUP HAND SINKS GOT SOAP?



Eagle Hand Sinks

Hand-transmission is a critical factor in the spread of bacteria, pathogens and viruses which cause disease and foodborne illness. Foodborne illness kills over 3,000 people each year. Over 65% of all outbreaks originate in foodservice operations and as many as 38% are the result of poor hand washing and cross-contamination.

-Sources: Center for Disease Control, Food & Drug Administration

Eagle offers many different styles of hand sinks to help control the spread of foodborne illness.

Over 40 models including...

... Traditional:



industry standard"

...Valve-Operated:



Great for hospitals, "hands free"operation for less contamination

...Hand Sinks with Standard **Towel & Soap Dispenser:**



Modeled after our Traditional Hand Sinks. but come standard with C-fold towel dispenser and soap dispenser

... Electronic:



Sensor-activated faucet conserves water; electronic "eye" soap dispenser minimizes cross-contamination between soap & water dispenser

.Space Savers: Designed for maximum

space efficiency - only 12" from side to side!

HFL-5000 Touch-Free Handwashing Systems

- Eagle hand sink with MICROGARD® antimicrobial protection.
- Automated paper towel dispenser. Eagle part #384796.
- · Splash-mount gooseneck faucet, with electronic-eye sensor. Eagle part #369865.
- Hand sanitizing dispenser. Eagle part #377455.
- Hand soap dispenser. Eagle part #377456.
- Glove rack with single service gloves. Eagle part #352855.
- Soft bristle white nail brush. Eagle part #348602.

Description of hand sink included	Model #
with waste receptacle	HFL-5000
with skirt (no waste receptacle)	HFL-5000-S
with waste receptacle and end splashes	HFL-5000-LRS

Optional MICROGARD® for Hand Sinks

- MICROGARD[®] is an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew on the surface that cause stains, odors and degradation.
- MICROGARD[®] combines inorganic antimicrobial silver ions with a patented delivery system. The patented delivery system triggers the release of silver ions which react with bacteria in three ways: 1) suffocates the cell, 2) stops the cell reproduction system, 3) stops the cell from arowina.
- MICROGARD[®] is a second line of defense. In keeping with good hygiene practices, clean this product as usual. The protection will not wash out, while organic bactericides may.*
- Note: To clean, use mild soap and water, rinse, and wipe entire surface dry. Soft non-abrasive cleaners may be used when necessary. Strong abrasive cleaners will scratch and dull the surface.
- MICROGARD[®] is applied onto top and underside of sink deck, backsplash, and inside & outside of sink bowl (excludes faucets, drains, towel/soap dispensers, waste receptacle, skirt, pedal valves, and nail brush holder).
- To order MICROGARD[®] on Hand Sinks: Add suffix "-MG" to model number. Example: HSA-10-F-MG
- * MICROGARD[®] does not protect users or others against bacteria, viruses, germs or other disease organisms. Always clean this product thoroughly after each use.





Traditional Hand Sinks (NSF

These units are wall mounted and come with basket drain or lever drain, and "Z" wall mount bracket. Basket drain and lever drain come with crumb cup. Most of these units have accessories as standard components.



HSA-10* Basic hand sink

Comes standard with:

• Holes punched 4" apart for splash mount faucet (not included) • 1¹/₂" Basket Drain

Bowl Size: 9¾ W x 13½ L x 6¾ D Overall Size: 14¾ W x 181% L x 121/2 H



HSA-10-F* The industry standard

Comes standard with:

Splash Mount Gooseneck Faucet

• 11/2" Basket Drain

Bowl Size: 9¾ W x 13½ L x 6¾ D Overall Size: 14¾ W x 18% L x 12½ H



Comes standard with:

- Splash Mount Gooseneck Faucet with Wrist Handles
- P-trap and Tail Piece
- 1¹/₂" Basket Drain

Bowl Size: 9¾ W x 13½ L x 6¾ D Overall Size: 14¾ W x 18% L x 12½ H



HSA-10-FL

Comes standard with: Splash Mount Gooseneck Faucet

• 1¹/₂" Polymer Lever Drain

Bowl Size: 10°W x 14°L x 5°D Overall Size: 14¾ W x 18% L x 12½ H

> W = front to back L = side to sideD = depth of sink bowl H = top of backsplash to bottom of sink bowl



Comes standard with: Splash Mount Gooseneck Faucet • P-trap and Tail Piece • 11/2" Basket Drain Bowl Size: 9¾W x 13½L x 6¾D Overall Size: 14¾ W x 18% L x 12½ H



HSA-10-F0

Comes standard with:


- Splash Mount Gooseneck Faucet
- 1¹/₂" Polymer Lever Drain
- Overflow

Bowl Size: 10°W x 14°L x 5°D Overall Size: 14¾ W x 18% L x 12½ H



*MICROGARD[®] available for these hand sinks. See page 2 for details.

Electronic Hand Sinks – AC Power (NSF



All units except #HSA-10-FA-PE come with "Z" wall mount bracket. All drains come with crumb cup.



HSA-10-FE* Comes standard with:

- Splash Mount Gooseneck Spout
- Electric Eye/Sensor Beam
 Operation
- 1¹/₂" Basket Drain

Bowl Size: 9¼ W x 13½ L x 6¾ D Overall Size: 14¼ W x 18¼ L x 12½ H



HSA-10-FDPE*

Comes standard with:

- Splash Mount Gooseneck Spout
- Electric Eye/Sensor Beam
 Operation
- C-Fold Towel Dispenser
- Soap Dispenser
- 1¹/₂" Basket Drain

For optional waste receptacle, see page 11. Bowl Size: 9¾W x 13½L x 6¾D

Overall Size: 14³/₄⁴W x 19¹/₄⁴L x 28¹/₄⁴H



HSA-10-FA-PE*

Comes standard with:

- Splash Mount Gooseneck Spout
- Electric Eye/Sensor Beam Operation
- Soap Dispenser
- P-Trap and Tail Piece
- 1¹/₂" Basket Drain

Bowl Size: 9¾W x 13½L x 6¾D Overall Size: 14¾W x 18¾L x 40¾H



HSA-10-FODPE

Comes standard with:

- Splash Mount Gooseneck Spout
- Electric Eye/Sensor Beam Operation
- C-Fold Towel Dispenser
- Soap Dispenser
- 11/2" Polymer Lever Drain

Overflow

Bowl Size: 10[°]W x 14[°]L x 5[°]D Overall Size: 14[%]/[°]W x 19[%]/[°]L x 28[°]H



HSA-10-F0E Comes standard with:

- Splash Mount Gooseneck Spout
- Electric Eye/Sensor Beam
- Operation
- 1¹/₂" Polymer Lever Drain
- Overflow

Bowl Size: 10[°]W x 14[°]L x 5[°]D Overall Size: 14³/₄[°]W x 18⁷/₈[°]L x 12¹/₂[°]H



HSA-10-FDPEE*

Comes standard with:

- Splash Mount Gooseneck Spout
- Electric Eye/Sensor Beam
 Operation
- C-Fold Towel Dispenser
- Electronic Soap Dispenser (requires 4 "D" batteries)
- 1¹/₂" Basket Drain For optional waste receptacle, see page 11.

Bowl Size: 9¼ W x 13½ L x 6¼ D Overall Size: 14¼ W x 19¼ L x 31¼ H

*MICROGARD[®] available for these hand sinks. See page 2 for details.



Electronic Hand Sinks – Battery Power (NSF

These sinks feature a battery-powered electronic-eye faucet which operates on four "AA" batteries (included). Also features a built-in "low battery" indicator light. All units come with #342938 Y-inlet non-adjustable mixing valve. For regulating water temperature, #326015 temperature adjustment valve is required. See page 11.



HSA-10-FE-B-DS*

Comes standard with:

- Battery-Powered Electronic-Eye Faucet
- Deck Mount Soap Dispenser
- 1¹/₂" Basket Drain

Bowl Size: 9¾ W x 13½ L x 6¾ D

Overall Size: 1413/16 W x 18% L x 121/2 H

(note: overall size does not include soap dispenser bottle)



HSAN-10-FE-B-DS

Comes standard with: • Battery-Powered Electronic-Eye Faucet

- Deck Mount Soap Dispenser
- 11/2" Basket Drain

Bowl Size: 13½ W x 9¼ L x 6¼ D Overall Size: 171% W x 12½ L x 14¼ H

(note: overall size does not include soap dispenser bottle)



HSA-10-FE-B-NB-MG

Comes standard with:

- Battery-Powered Electronic-Eye Faucet
- Nail Brush and Nail Brush Holder
- Standard MICROGARD[®]
 Antimicrobial Protection
- 1¹/₂" Basket Drain

Bowl Size: 9¾ W x 13½ L x 6¾ D Overall Size: 141‰ W x 18% L x 12½ H





HSA-10-FE-B-T-NB-MG

Comes standard with:

- Battery-Powered Electronic-Eye
 Faucet
- Nail Brush and Nail Brush Holder
 Standard MICROGARD[®]
- Antimicrobial Protection
 Waste Receptacle & Skirt
- 1¹/₂" Basket Drain

Bowl Size: 9¾ W x 13½ L x 6¾ D Overall Size: 141‰ W x 18% L x 29% H

W = front to back

- L = side to side
- D = depth of sink bowl
- H = top of backsplash to bottom of sink bowl



HSAP-14-ADA-FE-B Comes standard with:

Battery-Powered Electronic-Eye Faucet

- Deck Mount Soap Dispenser
- Front-Loading Towel Dispenser
- Skirt
- 1¹/₂" Basket Drain

Bowl Size: 16°W x 14°L x 5°D Overall Size: 24°W x 22°L x 24½°H



HSA-10-FDPEE-B-T*

Comes standard with:

- Battery-Powered Electronic-Eye
 Faucet
- C-Fold Towel Dispenser
- Electronic Soap Dispenser (requires 4 size "D" batteries)
- 1¹/₂" Basket Drain

• Waste Receptacle & Skirt Bowl Size: 9% W x 13½ L x 6% D Overall Size: 14% W x 19% L x 47½ H



*MICROGARD[®] available for these hand sinks. See page 2 for details.

Hand Sinks with Standard Towel and/or Soap Dispensers (NSF

These wall mounted sinks come standard with towel dispenser designed to accommodate 4" x 10" C-fold disposable paper towels; and/or 16-oz. soap dispenser. "Z" wall mount bracket, drain and faucet also included. Basket drain and lever drain standard with crumb cup.



Comes standard with:Splash Mount Gooseneck

- Faucet
- C-Fold Towel Dispenser
- Soap Dispenser
- 11/2" Basket Drain

Bowl Size: 9¾W x 13½L x 6¾D Overall Size: 14¾W x 19¼L x 28¼H



Comes standard with:

- Splash Mount Gooseneck Faucet
- C-Fold Towel Dispenser
- Soap Dispenser
- 1¹/₂" Basket Drain
- Skirt

Bowl Size: 9¼W x 13½L x 6¾D Overall Size: 14¾W x 19¼L x 30H



HSA-10-FLDP

Comes standard with:

- Splash Mount Gooseneck Faucet
- C-Fold Towel Dispenser
- Soap Dispenser
- 1¹/₂" Polymer Lever Drain

Bowl Size: 10[°]W x 14[°]L x 5[°]D Overall Size: 14[%]/[°]W x 19¹/[°]L x 28[°]H



HSA-10-FDPK

- Comes standard with: • Splash Mount Gooseneck Spout
- Knee Pedals
- C-Fold Towel Dispenser
- Soap Dispenser
- 11/2" Basket Drain
- Skirt

Bowl Size: 9¼ W x 13½ L x 6¾ D Overall Size: 14¼ W x 19¼ L x 33 H





HSA-10-FODP

Comes standard with:

- Splash Mount Gooseneck Faucet
- C-Fold Towel Dispenser
- Soap Dispenser
- 1¹/₂" Polymer Lever Drain
- Overflow Bowl Size: 10[°]W x 14[°]L x 5[°]D Overall Size: 14[°]A[°]W x 19[°]A[°]L x 28[°]H



HSA-10-FWLDP-LRS

- Comes standard with:
- Splash Mount Gooseneck
- Faucet with Wrist Handles
- C-Fold Towel Dispenser
- Soap Dispenser
- 11/2" Polymer Lever Drain
- Side Splashes

Bowl Size: 10[°]W x 14[°]L x 5[°]D Overall Size: 14³/4[°]W x 19¹/4[°]L x 28[°]H



HSA-10-F-DS*

Comes standard with:

- Splash Mount Gooseneck
 Faucet
- Deck Mount Soap Dispenser
- 1½" Basket Drain Bowl Size: 9¾W x 13½"L x 6½"D Overall Size: 14™6W x 18%"L x 12¾"H

(note: overall size does not include soap dispenser globe)

*MICROGARD[®] available for these hand sinks. See page 2 for details.

EAGLE

Knee/Foot Valve Operated Hand Sinks

"Hands-free" operation! All units feature splash mount gooseneck spout and basket drain with crumb cup. All sinks are available with MICROGARD[®]. See page 2 for more information.

Knee Valve Operated All units come with "Z" wall mount bracket. (note: overall sizes do not include knee valves)





Hand Sinks with Standard Wrist Handles | Hand Sink with Tubular



Comes standard with: • Splash Mount Gooseneck Faucet with Wrist Handles

HSA-10-FAW

- P-trap and Tail Piece
- 1½ Basket Drain Bowl Size: 9¼W x 13½L x 6¾D Overall Size: 14¼W x 18%L x 12¼H

Hand Sink with Tubular Wall Support

Includes "Z" wall mount bracket and basket drain with crumb cup. Available with MICROGARD[®]. See page 2 for details.



HSA-10-FTWS Comes standard with: • Splash Mount Gooseneck Faucet

- Tubular Wall Brackets
- 11/2" Basket Drain

Bowl Size: 9% W x 13½ L x 6% D Overall Size: 14% W x 18% L x 12% H

W = front to back

- L = side to side
- D = depth of sink bowl

Bowl Size: 9¾ W x 13½ L x 6¾ D

Overall Size: 14¾ W x 18% L x 12¾ H

H = top of backsplash to bottom of sink bowl

Surgical Scrub Sinks

16 gauge stainless steel construction. Features include 4["]-high backsplash, squared front and sides. removable access panel, temperature mixing valve, and electronic-eye gooseneck faucet. Includes flat strainer, with p-trap and tail piece. Standard model features deck-mount faucet. ADA-compliant model features splash mount faucet.





Special Purpose Hand Sinks (NSF

All units come standard with faucet (except where noted) and basket drain with crumb cup.


with Waste **Receptacle**



HSA-10-FDP-T*

- Comes standard with:
- Splash Mount Gooseneck Faucet
- Soap/Towel dispenser
- Waste Skirt
- Waste Receptacle
- 11/2" Basket Drain

Bowl Size: 9¾ W x 13½ L x 6¾ D Overall Size: 14¾ W x 19¼ L x 445/8 H



Standard



HSAD-10-F Comes standard with: • Deck Mount Gooseneck Faucet

• 11/2" Basket Drain

Bowl Size: 9¾W x 13½L x 6¾D Overall Size: 161/2 W x 181/2 L x 141/4 H



HSAE-10-FA Comes standard with:

- Deck Mount Gooseneck Faucet
- Wall Brackets
- 4" High Backsplash
- 11/2" Basket Drain
- P-trap Tail piece

Bowl Size: 10°W x 14°L x 5°D Overall Size: 15 W x 16³/₄ L x 9 H

Physically Challenged



HSAP-14-ADA-FW**

- Comes standard with: • Faucet with Wrist Handles
- Deck Mount Soap Dispenser
- Front-Loading C-Fold Towel Dispenser
- Skirt
- 1¹/₂" Basket Drain

Bowl Size: 16°W x 14°L x 5°D Overall Size: 24[°]W x 22[°]L x 24½"H

** See page 17 for



HSAP-14-FW Comes standard with:

- Deck Mount **Gooseneck Faucet** with Wrist Handles
- Wall Brackets
- 1¹/₂" Basket Drain

Bowl Size: 16 W x 14 L x 5 D Overall Size: 241/2"W x 19"L x 16½″H



HSAP-14-ADA-FE-B Comes standard with:

- Battery-Powered Electronic-Eye Faucet
- Deck Mount Soap Dispenser
- Front-Loading C-Fold **Towel Dispenser**
- Skirt
- 11/2" Basket Drain

Bowl Size: 16 W x 14 L x 5 D Overall Size: 24'W x 22'L x 24½″H



with 8" Centerline

Faucet Holes

HSA-10-8*

• Holes punched 8" apart for

splash mount faucet (not

Bowl Size: 9¾ W x 13½ L x 6¾ D

Overall Size: 14¾ W x 18% L x

12¾H

* To order sink with faucet.

add suffix "F" (example:

HSA-10-8F)

Comes standard with:


included)

• 1¹/₂" Basket Drain

*MICROGARD[®] available for these hand sinks. See page 2 for details.

Hand Sink with Eyewash—ADA and OSHA compliant





HSAP-14-EYE

Comes standard with:

- Deck-mounted soap dispenser
- Electronic-eye splash-mounted faucet
- OSHA-compliant, splash-mounted eyewash
- Fully enclosed skirt with access panel.
- Multi-Fold Paper Towel Holder

Bowl Size: 9½ W x 8¼ L x 5D Overall Size: 19½ W x 13 L x 22% H

HSAP-10-EYE

Comes standard with:

- Wall-mounted soap dispenser
- Electronic-eye deck-mounted faucet
- OSHA-compliant, deck-mounted eye wash faucet
- Fully enclosed skirt with access panel.
- Multi-fold paper towel holder

Bowl Size: 9½ W x 8¼ L x 5D Overall Size: 19½ W x 13 L x 22% H

Introducing Eagle's newest addition: The Hand Sink with Built-In Eyewash! The unit's design saves space and fits easily into any work environment. Eyewash unit operates quickly by pulling swing arm down 90° over sink. Vandal-resistant ceramic valve limits wear and tear on moving parts, providing dependability and long lasting performance. Safe, steady water flow under varying water supply conditions, from 30 to 90 PSI, is assured by integral flow. Eyewash and spray heads contain an antimicrobial agent to protect the spray heads. Features protective hinged dust covers. Gentle spray bathes eyes and face. Ceramic discs provide a precise 20° activation and deactivation angle, minimizing excessive splashing when the unit is activated. Chrome-plated brass pipe and fittings.





Portable Hand Sinks with Open Base (NSF

Features heavy gauge stainless steel tabletop with 10%" x 12¾" x 6" removable pan, deckmount faucet, and trash chute.



Touch Free Portable Hand Sinks

Features heavy gauge stainless steel cabinet with double pan hinged stainless steel door and lock. Paper towel dispenser, soap dispenser, and faucet are all TOUCH-FREE, critical in clean watermanagement while promoting good hygiene practice.





Portable Hand Sinks

Features heavy gauge stainless steel cabinet with lockable door, stainless steel top with "v"-marine edge and rear backsplash, 5-gallon fresh water tank, 7-gallon soiled water tank, 4^r swivel casters (two with brake), towel rack, trash chute, and NEMA 5-15 plug & cord.



GFCI plug with 10' cord. with Three Bowls with Single Bowl with Acrylic Bowl PHS-S3-H-LB PHS-A-H-LB PHS-S-H-LB Comes standard Comes standard with: with: Comes 10 2.5-gallon hot water 2.5-gallon hot standard with: 11 water heater 2.5-gallon hot heater • Deck-Mount Faucet water heater Deck-Mount Faucet 11 • 1¹/₂" Basket Drain • 1¹/₂" Basket Drain Patented removable PHS-S-C-LB acrylic water Comes standard with: PHS-S3-C-LB plate (patent Deck-Mount Faucet Comes standard with: PHS-A-C-LB #9,790,674) • 1% Basket Drain • Deck-Mount Faucet **Comes standard** is 121/2" x 16" Bowl Size: 14W x 10[°]L x 5[°]D • 1¹/₂" Basket Drain with: model #PHS-S-H-LB • Patented removable Overall Size: 25 W x 28 L x 441/2 H Bowl Size: 11% W x 61/1 x 5D acrylic water plate Overall Size: 25 W x 28 L x 441/2 H (patent #9,790,674) is 121/2" x 16" Bowl Size: 121/2"W x 16"L Overall Size: 25'W x 28'L x 441/2"H Optional Poly Cutting Board available! 3/4"-thick.Green. Model #376509



Hand Wash Sinks (MSF



Features heavy gauge 304 Series stainless steel all-welded construction, hinged door with pull handle and magnetic catch, built-in C-fold towel dispenser, soap dispenser, faucet, and basket drain with crumb cup.



NOTE: T&S faucet available for both style sinks. To order, replace suffix "-E" with "-T". Example: HWC-T

Lavatory Sinks with Marine Edge

All units have a marine edge and come standard with gooseneck spout faucet, soap dispenser and basket drain.

Wall mounted



W1916-FA Bowl Size: 15% W x 19% L x 8% D Overall Size: 23 W x 24% L x 16% D




Wall mounted, knee

Bowl Size: 15¾ W x 19¾ L x 8‰ D Overall Size: 23 W x 24‰ L x 22‰ D (note: overall size does not include knee pedals)

Pedestal mounted, foot pedal valve operation

P1916 Bowl Size: 15% W x 19% L x 8% D Overall Size: 23 W x 24% L x 39 D





P1916FE Bowl Size: 15% W x 19% L x 8% D Overall Size: 23 W x 24% L x 39 D



Hand Sink Accessories/Replacements



Towel/Soap Dispensers

Comes with conventional

Model #DP-10

soap dispenser.

Hot Water Heater

Includes stainless steel pedestal with removable front access panel and with notches for electrical wiring. Energy-saving tankless water heater features 120V 29A electricity and 0.5 GPM. Water is heated instantaneously when faucet is turned on. No standby heat loss. To order, add suffix "-WH" to hand sink model number. Example: HSA-10-FDPEE-WH.

IMPORTANT: Field wiring required.

Applicable models include: HSA-10, HSA-10-F, HSA-10-FA, HSA-10-FDP, HSA-10-FE, HSA-10-FDPE, HSA-10-FDPEE, HSA-10-FW, HSA-10-FA-P and HSAD-10-F



Waste Receptacle

U.S. Patent #5,732,422

20 gauge type 304 stainless steel. Removable. Comes with skirt. Must be factory installed. To order. and suffix "-T" to hand sink model number. Example: HSA-10-FDPEE-B-T.

Fits Models: HSA-10, HSA-10-F, HSA-10-FA, HSA-10-FDP, HSA-10-FE, HSA-10-FDPE, HSA-10-FDPEE, and HSA-10-FW

waste receptacle



Towel Dispensers

Wall mounted. Stainless steel. Model #318496



Wall mounted. Touchless. Break-resistant plastic. Model #384796



Fits all HSA hand sinks except Space Savers.

Model #DP-20 Comes with electronic-eye soap dispenser. Requires 4 size "D" batteries.



model #DP-10

model #DP-20



Dispensers

Soap Dispensers

Conventional

Holds 16 ounces.

Model #300602

Wall Mounted with **Electronic Eye**

Model #377456









Hand Sink Accessories/Replacements

Stainless Steel Hand Sink End Splashes

Factory-installed

To order, add to hand sink model numbers the following suffixes:

Left end splash only: -LS

Right end splash only: -RS

Left and right end splash: -LRS

(Note: will not work on Space Saver sinks with wrist handles. MICROGARD[®] cannot be applied to hand sinks with end splashes.)





hand sink with optional end splashes

For Field-installation: Model #HSA-SSK Self-adhesive splash can be used for right or left application.

Stainless Steel Wall Brackets

Side mounting, one pair; does not fit space-saver models

Model #606396



Stainless Steel Skirt Assemblies

Model #606215

Fits all HSA hand sinks with rounded bowls except Space Saver models and HSAD-10-F.

Model #607560

Fits #HSAN-10-F and HSAND-10-FS hand sinks.



skirt assembly



crumb cup strainer



polymer lever drain

Drains

Description	Model #
polymer lever drain fits 3.5" (89mm)-diameter holes, with crumb cup	319931
overflow assembly for lever drain #319931 (above)	319932
1.5" (38mm) drain assembly fits 2"-diameter holes	300886
mini crumb cup for 1.5" (38mm) drain	300966
s/s basket drain assembly fits 3.5" (89mm)-diameter holes, with crumb cup	300287
cast metal lever drain with overflow assembly, with 7.25" (185mm)-long lever, fits 3.5" (89mm)-diameter holes	347771





anti-scald

valve

Non-Adjustable Y-Inlet Mixing Valve

For electronic hand sinks and hand sinks with single pedal valve only. "Y" shaped single-piece component. Chrome-plated brass body.

Model #342938

Temperature Adjustment Valve

Features check valve to prevent backflow. For hand sinks with AC-powered electronic faucets and hand sinks with single foot or knee valves.

Model #326015

Tempering Valve

120°F maximum output. 150 psi maximum pressure ASSE 1016 and 1070 listed.

Model #375612



Knee Pedal Valve

P-Trap Nickel-plated brass. Model #300789



Pedal Valves

Foot Pedal Valves Floor mount.

Tail Piece

Nickel-plated brass

Model #300791



Anti-Scald Valve

Wash Units (page 10).

1071 standards. 65°-90°F, 1/2" NPT.

Model #326696

Model #373848

Features automatic shutdown with either hot or cold

water failure. ASSE1016 and ASSE1017 listed.

IMPORTANT: Not for use with Emergency Eye

Anti-Scald Valve for Emergency Eye Wash Units

This is the only anti-scald valve to be used with Emergency

Eye Wash Unit (page 10). Meets ANSI Z358.1 and ASSE

double foot pedal Model #300604



single foot pedal Model #355994 double knee pedal Model #313481 single knee pedal Model #351738

NEW replacement cartridge available. Fits all pedal valves listed. Model #374955





Y-inlet mixing

valve

temperature

adjustment valve



tail piece

Plumbing

Hand Sink Faucets, Spouts, and Accessories

All faucets below feature 4" (102mm) centers, except where noted.



Standard Faucets

Description	Model #
splash mount, 4" center	303987*
wrist handles	307120
splash mount w/wrist handles, gooseneck, 4" ctr	306495
deck mount, gooseneck, 4" center, 1/4-turn handles	302004*
deck mount, 8" spout, 4" center, 1/4-turn handles	301248*
splash mount, gooseneck, 8" center	313075
drinking bubbler	318495
* Repair kit available for these faucets. Model #368421	

T&S Extra Heavy Duty Faucets W OUR BEST

Replacements for #HSAP-14-ADA-FW (page 9).		
Description	Model #	
splash mounted	306134	
splash mounted, wrist handles	313305	

Spout Assembly

Description	Model #
splash mounted replacement gooseneck	312162
for knee/foot valve-operated models	

Short 90° for Splash Mount Faucets

cherren en e	
Description	Model #
Set of two, 1/2" NOT female x male	376740

Faucet-Mount Emergency Eye Wash Units

Fits in place of standard aerator on spout. IMPORTANT: If anti-scald valve (page 11) is needed, order #373848 onlv.

Description	Model #
pull valve activates fountain, chrome finish	326272
rotate to activate "eye-pod," stainless finish	377563

Shut-Off Valve

Antibacterial surface. NSF-approved. Screws onto faucet aerator. Polished chrome finish.

Description	Model #
shut-off push bar	349921

Battery-Powered Electronic-Eve Faucet

Offered as a replacement faucet for sinks on page 5.

	page e.
Description	Model #
Splash mount. Comes with (4) "AA" batteries and built-in low-battery indicator	326014
Upgrade: T&S electronic-eye faucet, splash-mtd v	vith
batteries and AC adapter for dual operation.	356128
With AC adapter plugged in, faucet automatically	330120
switches to AC power to conserve batteries.	

Counter Drop-In Self Rim Design Hand Sinks



These countertop-mounted sinks are heavy gauge 304 Series stainless steel and come standard with mounting hardware (for top-mount), faucet, and basket drain with crumb cup.

For bottom-mount, order Bottom-Mount Kit #362188 (one kit per one-compartment sink, two kits per two-compartment sink, three kits per three-compartment sink).



other one-compartment models:			
Description	Overall Length	Model #	18 or 20 gauge
<u>10'W x 14'L x 9½'D bowl</u>	16 %″	SR14-10-9.5-1	18
14 W x 12 L x 9½ D bowl	14 ¾″	SR12-14-9.5-1	20
12 W x 14 L x 9½ D bowl	16¾″	SR14-12-9.5-1	20
16 W x 14 L x 9½ D bowl	16¾″	SR14-16-9.5-1	20
14 W x 16 L x 9½ D bowl	18¾″	SR16-14-9.5-1	20
20 W x 16 L x 13 ½ D bowl	18 ½″	SR16-19-8-1	18
20 W x 16 L x 13 ½ D bowl	18½″	SR16-19-13.5-1	18
16 W x 20 L x 8 D bowl	22 ¹ / ₂ ″	SR19-16-8-1	18
16 W x 20 L x 13 ½ D bowl	22 ¹ / ₂ ″	SR19-16-13.5-1	18
24 W x 18 L x 13½ D bowl	20 ¹ / ₂ ″	SR18-24-13.5-1	18
12 W x 20 L x 6 D bowl	22 ¹ / ₂ ″	SR20-12-6.5-1	20
22 W x 22 L x 13 ½ D bowl	24 ¾	SR22-22-13.5-1	18
18 W x 24 L x 13½ D bowl	26 ¹ / ₂ ″	SR24-18-13.5-1	18
24'W x 24'L x 13½'D bowl	26 ¹ / ₂ ″	SR24-24-13.5-1	18

W = front to back; L = side to side; D = depth of sink bowl; H = top (excluding faucet) to bottom of sink bowl

Description

Two-Compartment



SR10-14-9.5-2

Comes

- Swive Mount
- 1½″ Ba

Bowl Size: Overall S

Three-Compartment

- SR10-14-9.5-3
- Comes standard w Swivel Faucet
- Mounting Hardwar
- 1¹/₂" Basket Drain
- Bowl Size: 14 W x 10 L x Overall Size: 18% W x 36% L

Other Two-Compartment Models: Overall Length Model

standard with: <u>14'W x 12'L x 9'/'D bowl</u> 28%'' SR12-14-9.5-2	20
el Faucet <u>16´W x 14´L x 9½´D bowl 32¾´´ SR14-16-9.5-2</u>	20
nting Hardware 20'W x 16'L x 8'D bowl 36'4' SR16-19-8-2	18
Basket Drain 20'W x 16'L x 13½'D bowl 36¼" SR16-19-13.5-2	18
40 ¹ / ₄ SR18-24-13.5-2	18
e: 14^{2} x 10^{1} x $9^{1/2}$ 22'W x 22^{1} x $13^{1/2}$ D bowl $48^{1/4}$ SR22-22-13.5-2	18
Size: 18% W x 24% L 24 W x 24 L x 13% D bowl 52% SR24-24-13.5-2	18

Other Three-Compartment Models:

with:	Description	Overall Length	Model #	18 or 20 gauge
	14 W x 12 L x 9½ D bowl	42 ³ / ₄ ″	SR12-14-9.5-3	20
are	<u>16 W x 14 L x 9½ D bowl</u>	48 ¾	SR14-16-9.5-3	20
	20 W x 16 L x 8 D bowl	54″	SR16-19-8-3	18
(9½″D	<u>19 W x 16 L x 13½ D bowl</u>	54″	SR16-19-13.5-3	18
3/2 U	24 W x 18 L x 13 ½ D bowl	60″	SR18-24-13.5-3	18



18 or 20 gauge



Countertop Drop-Ins with No Deck (NSF)

300 series stainless steel sinks are deep-drawn and self rimming. 1%" trim on all four sides. Positive holddown clamping tabs for top mount.



One-Compartment Models:

inside bowl dimensions width x length x depth	overall width x length	model #	16, 18 or 20 gauge*
14″ x 10″ x 5″	16 ⁵ / ⁸ x 12 ³ / ₄ "	SR10-14-5-1-ND	20
14″ x 10″ x 9½″	16 ¹ / ₂ " x 12 ³ / ₄ "	SR10-14-9.5-1-ND	18
14″ x 12″ x 9½″	16 ⁵ /8" x 14 ³ /4"	SR12-14-9.5-1-ND	16
16″ x 14″ x 9½″	18 ⁵ /8" x 16 ³ /4"	SR14-16-9.5-1-ND	16
20″ x 16″ x 8″	223/8" x 181/2"	SR16-19-8-1-ND	18
20″ x 16″ x 13½″	223/8" x 181/2"	SR16-19-13.5-1-ND	18
24″ x 18″ x 13½″	263/8" x 201/2"	SR18-24-13.5-1-ND	18
22" x 22" x 13½"	24 ⁵ / ₈ " x 24 ³ / ₄ "	SR22-22-13.5-1-ND	16
24″ x 24″ x 13½″	263/8" x 261/2"	SR24-24-13.5-1-ND	18

W = front to back L = side to side

- D = depth of sink bowl
- H = top of backsplash to bottom of sink bowl



* 16 gauge bowls are fabricated. 18 & 20 gauge bowls are deep-drawn.

Two-Compartment Models:

inside bowl dimensions width x length x depth	overall width x length	model #	16, 18 or 20 gauge*
14″ x 10″ x 9½″	16½ x 24¾	SR10-14-9.5-2-ND	18
14″ x 12″ x 9½″	16 ⁵ / ⁸ x 28 ³ / ₄	SR12-14-9.5-2-ND	16
16″ x 14″ x 9½″	185/8" x 323/4"	SR14-16-9.5-2-ND	16
20″ x 16″ x 8″	22 ³ / ₈ " x 36 ¹ / ₄ "	SR16-19-8-2-ND	18
20" x 16" x 13½"	223/8" x 361/4"	SR16-19-13.5-2-ND	18
24″ x 18″ x 13½″	26 ³ / ₈ " x 40 ¹ / ₄ "	SR18-24-13.5-2-ND	18
22" x 22" x 13½"	24 ⁵ / ₈ " x 48 ³ / ₄ "	SR22-22-13.5-2-ND	16
24" x 24" x 13½"	26¾ x 521/8	SR24-24-13.5-2-ND	18



two-compartment

* 16 gauge bowls are fabricated. 18 & 20 gauge bowls are deep-drawn.

Three-Compartment Models:

inside bowl dimensions width x length x depth	overall width x length	model #	16, 18 or 20 gauge*
14″ x 10″ x 9½″	16½ x 36¾	SR10-14-9.5-3-ND	18
14″ x 12″ x 9½″	16 ⁵ /8" x 42 ³ /4"	SR12-14-5-3-ND	16
16" x 14" x 9½"	18 ⁵ / ⁸ x 48 ³ / ₄	SR14-16-9.5-3-ND	16
20″ x 16″ x 8″	22¾ x 54″	SR16-19-8-3-ND	18
20" x 16" x 13½"	22¾ x 54″	SR16-19-13.5-3-ND	18
24" x 18" x 131/2"	26¾ x 60″	SR18-24-13.5-3-ND	18


* 16 gauge bowls are fabricated. 18 & 20 gauge bowls are deep-drawn.



three-compartment



Explore More Products from Eagle.....



© 2022 Eagle Group. Although every attempt has been made to ensure the accuracy of the data in this publication, we cannot be responsible for printing or typographical errors or omissions.

Click on the cover to

download the brochure.

The Eagle AdvantageTM begins right here in our state of the art manufacturing facility - with 14 acres under one roof - where the most comprehensive broadline product offering in the industry takes shape. This all-inclusive design and production capability offers distinct advantages to our customers. Streamlined ordering and shipping substantially reduce freight, receiving, installation and administrative costs.

Accessories

EAGLE

Supporting it all is a framework of highly responsive customer service representatives, the most innovative, versatile and durable equipment available on the market today, a fleet of company-owned trucks, plus amply

stocked distribution centers in strategic locations nationwide - which guarantees product availability and delivery. Together, it adds up to product excellence enhanced by measurable cost savings and value. We call it



Profit from the Eagle Advantage[®]







Corporate Headquarters: 100 Industrial Boulevard Clayton, DE 19938-8903 USA Phone: (302) 653-3000 • 800-441-8440 www.eaglegrp.com • www.eaglemhc.com

EG7006 Rev 12/23