



# HOSPITAL SEGMENTS

- ◆ SURGICAL SERVICES
- ◆ EMERGENCY DEPARTMENT
- ◆ PATIENT CARE AREAS
- ◆ SAME DAY SERVICES
- ◆ LABORATORY
- ◆ STERILE PROCESSING & SUPPLY DISTRIBUTION
- ◆ PHARMACY
- ◆ ENVIRONMENTAL & LINEN SERVICES
- ◆ FACILITIES & BIOMEDICAL ENGINEERING

## PRODUCTS FOR HEALTHCARE

MAKE THE MOST OF YOUR SPACE



*Material Handling, Healthcare & Cleanroom Equipment*



Phone: 1-800-441-8440 • F: 302-653-2065 • [www.eaglemhc.com](http://www.eaglemhc.com)

Click on the EG number button to download the spec sheet for each product.

## Stainless Steel Inset Casework

- Casework construction and performance characteristics are in full compliance with SEFA 8M Metal Standards.
- Available in sitting and standing heights.



- Base Cabinets
- Door/Drawer Combos
- Upper Cabinets
- Tall Cabinets
- Pegboards
- Bench Frames
- Filler Panels
- Stainless Steel Countertops

**Download**  
Casework Brochure  
EG7024

## Open Case Carts

patented  
**QuadTruss®**  
design

(Patent #5,390,803)

**Patented QuadTruss® Design** makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.



**Open Surgical Case Cart**

**Download**  
Spec Sheet  
EG05.15



**Open Wire Surgical Case Cart**

**Download**  
Spec Sheet  
EG05.17

- All type 304 stainless steel.
- Features adjustable shelves and hemmed safety edges.

## Linen Cart

- Two models available: standard and heavy-duty.
- Both models feature four chrome-plated wire shelves and one solid stainless steel shelf.
- Optional cart cover available.



**Linen Cart**

**Download**  
Spec Sheet  
EG05.02

## Vertical Storage Cabinets



**Vertical Storage Cabinet - Stationary**

**Download**  
Spec Sheet  
EG04.11

- All Type 304 stainless steel construction.
- Four adjustable intermediate shelves.
- Stainless steel hinged doors with wire-style pulls.
- Stationary and mobile units available.
- Available with flat or slanted top.



**Vertical Storage Cabinet - Mobile**



## Catheter Carts

Capable of holding a variety of sizes and styles of catheter packages.



**Catheter Procedure Cart**  
– Combination Style

**Download**  
Spec Sheet  
EG05.03



**Catheter Procedure Cart**  
– Bulk Storage Style

**Download**  
Spec Sheet  
EG05.03

- All components are adjustable.
- Support bars are readily removable.
- 5" swivel casters with polyurethane tread, two with brakes.
- 73" height.

## Instrument Table



- Available with H-frame or undershelf.
- Edges of the top are safety hemmed.
- All welded assembly.
- 4" swivel casters.

**Instrument Tables**

**Download**  
Spec Sheet  
EG05.01

## Sterile Wrap Cart



- Features chrome frame, posts, and bottom shelf.
- Optional cart cover available.

**Sterile Wrap Cart**

**Download**  
Spec Sheet  
EG05.05

## Suture Cart



- Shelves adjust up to a 30° slant.
- All models include three dividers per shelf.

**Suture Cart**  
– 4 or 5 Shelf Option

**Download**  
Spec Sheet  
EG05.08

## Gowning Benches

- All models feature flanged stainless steel foot plates for convenient attachment to floor.
- Solid models are available in brushed finish stainless steel.



**Heavy Duty Gowning Bench**

**Download**  
Spec Sheet  
EG04.13



**Gowning Bench**  
–with Undershelves

**Download**  
Spec Sheet  
EG04.03



**Wire Gowning Bench**

**Download**  
Spec Sheet  
EG04.03



**Solid Gowning Bench**

**Download**  
Spec Sheet  
EG04.03

## IV Stand

**Download**  
Spec Sheet  
EG05.19

**IV Stand**

- Features knob operation for height adjustment.
- Five-leg heavy duty base.
- Accessories available.



## Utility Carts



- 800 lb. maximum weight capacity for heavy duty wire carts.

**Utility Cart**  
– 3-Shelf Heavy Duty

**Download**  
Spec Sheet  
EG01.10



- Features 2 chrome wire shelves and one stainless steel solid shelf.

**Utility Cart**  
– with Solid Shelf

**Download**  
Spec Sheet  
EG01.10



- 500 lb. maximum weight capacity for medium duty stainless steel carts.

**Utility Cart**  
– Stainless Steel Construction

**Download**  
Spec Sheet  
EG01.42

## Gowning Dispensers

All units feature #4 brushed finish type 304 stainless steel construction. Compartment size and quantity can be customized to specific needs.



Eye Protection Holder

- Compartments are sized for safety glasses and may be customized for goggles and other PPE.

**Download**  
Spec Sheet  
EG03.90



- Garment Dispenser  
• Compartment is sized for folded garments, such as scrubs, gowns, and aprons.

**Download**  
Spec Sheet  
EG03.91



Packaged Glove Dispenser

- Single compartment is 12 $\frac{1}{4}$ " wide, 22 $\frac{3}{8}$ " tall, and 7 $\frac{1}{4}$ ".


**Download**  
Spec Sheet  
EG03.92



Loose Glove Dispenser

- Single compartment is 8 $\frac{1}{16}$ " wide, 17" tall, and 8" deep.

**Download**  
Spec Sheet  
EG03.93



Loose Glove Dispenser  
with Catch Basin

- Single compartment is 8 $\frac{1}{16}$ " wide, 39" tall, and 8" deep.

**Download**  
Spec Sheet  
EG03.93

## Security Modules

### Security Units

- 2' x 2' mesh panels.
- Stationary or mobile units available for full-size models.
- Three styles available: full-size units, full-size dolly truck units, and mini units.



- 40" overall height.
  - Optional shelves available.
- Mini Security Unit**  
– Chrome Finish

**Download**  
Spec Sheet  
EG01.22



additional  
center  
shelves  
optional

**Mobile Security Unit**  
– Chrome Finish

**Download**  
Spec Sheet  
EG01.22

- 69" overall height.
- Features dolly with wrap around bumper.
- Four swivel 5" poly plate casters, two with brakes.

**Dolly Truck Security Unit**  
– Chrome Finish

**Download**  
Spec Sheet  
EG01.22



**Module Unit\***  
– Flip-Up Door

**Download**  
Spec Sheet  
EG01.16

\*Shelving Unit Sold Separately



**Module Unit\***  
– Hinged Door

**Download**  
Spec Sheet  
EG01.16

- Converts a portion of a shelving unit into a lockable enclosed security unit.

- More than one module can be added to a unit depending on the unit's overall height.



## Shelving Units

- QuadTruss® makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.



channel of shelf corner fits into slot of collar attached to split sleeve

**PATENTED!**

(Patent #7,992,731)

Click on the EG number button to download the spec sheet for each product.



**QuadTruss® Units**  
– 4 or 5 Shelf Units

**Download**  
Spec Sheet  
EG01.25



Add to your existing shelving without having to disassemble the entire unit.

**Quad-Adjust® Units**  
– 4 or 5 Shelf Units

**Download**  
Spec Sheet  
EG01.14

**RFID Compliant**





**QuadPLUS® Polymer Units**  
– 4 or 5 Shelf Units

**Download**  
Spec Sheet  
EG01.47A-B

## Floor-Trak®

**ADA Compliant**



**Download**  
Spec Sheet  
EG01.39A

**Single Deep Floor-Trak® Unit**  
shown assembled with wire starter unit  
– wire shelving unit sold separately

- Single-deep kit comes complete with all necessary parts and hardware.
- Skates are aircraft-quality aluminum with stainless steel inserts and hardened steel ball bearings.
- Weight capacity of 2000 lbs. per mobile section.



**QuadPLUS® Polymer Shelving - Green Panels**

**Download**  
Spec Sheet  
EG01.39B



**Double-Deep Multiple Unit Configuration**



## adjustable®

- Stainless steel tabletop/worksurface.
- Chrome wire undershelves (adjustable on 1" increments) or c-frame base.
- Available with basic flat top or one-tier or two-tier overshelves.

Click on the EG number button to download the spec sheet for each product.



**adjustable® Work Surface System**

**Download**  
Spec Sheet  
EG04.04A



**adjustable® Work Surface System - with Cantilevered Overhead System**

**Download**  
Spec Sheet  
EG04.04B



**adjustable® Work Surface System - with Wire Overhead System**

**Download**  
Spec Sheet  
EG04.04C

## Stainless Steel Cleanroom Tables

- Type 304 stainless steel tables available with solid or perforated tops.
- Featuring brushed finish.
- Standard table bases are C-Frame, H-Frame or solid undershelf.
- Custom sizes available upon request.

**Cleanroom Tables**

**Download**  
Spec Sheet  
EG04.02



**Solid Top, C-Frame Base**



**Solid Backsplash Top with H-Frame Base**



**Solid Top with Undershelf**



**Perforated Top with C-Frame Base**



**Perforated Backsplash Top with H-Frame Base**



**Perforated Top with Solid Undershelf**

## Workstations for Non-Critical Environments Also Available

- 14 or 16 gauge stainless steel tops.
- Available with adjustable stainless steel undershelf or tubular base.
- Accommodates Eagle's Flex-Master overshelf system.
- Custom sizes available upon request.

**Download**  
Spec Sheet  
EG10.70

**Workstations for Non-Critical Environments**

**Download**  
Spec Sheet  
EG10.08

**Flex-Master Overshelf Systems**

Click on the EG number button to download the spec sheet for each product.

## Stainless Steel Countertops



Stainless Steel  
Countertops

Download  
Spec Sheet  
EG04.12

- 14 or 16 gauge Type 304 or 316 stainless steel.
- Standard front edge Square or Box Marine, unless otherwise specified.
- Fabricated sink bowls available in many sizes.
- Custom configurations available, consult factory.

## Countertop Drop-In Self Rim Sinks

- Constructed of durable 304 stainless steel.
- Comes standard with mounting hardware, swivel faucet and 1½" basket drain.
- Available with one, two, or three compartments.
- Deep-Drawn and Fabricated construction available.

Download  
Spec Sheet  
EG20.39A-B



Three-Compartment

## Countertop Drop-In Sinks - No Deck

- Constructed of durable 304 stainless steel.
- Comes standard with 1½" basket drain.
- Features 1¾" trim on all four sides.
- Available with one, two, or three compartments.
- Deep-Drawn and Fabricated construction available.



One-Compartment

Download  
Spec Sheet  
EG20.17A-B

## Scrub Sinks



Scrub Sink  
-Standard Design

- 11" -deep sink is 20" end-to-end and features a deep sloped basin.
- Includes faucet and an 18" flexible stainless steel supply hoses.



Scrub Sink  
-ADA Compliant

Download  
Spec Sheet  
EG05.11

## Hand Sinks

- Widest range of hand sink models to meet any requirement.
- Industry's only positive-drain bowl, assuring complete drainage.
- Type 304 stainless steel all-welded construction.

Download  
Hand Sink Brochure  
EG7006



Download  
Spec Sheet  
EG20.42



Traditional Hand Sink  
-with Foot Pedal

Download  
Spec Sheet  
EG20.44



Traditional Hand Sink  
-with Knee Valve

Download  
Spec Sheet  
EG20.44




## Gowning Racks

- Single, double and cantilever gowning rack models available for non-removable hangers and removable hangers. Hangers sold separately.
- Freestanding gowning racks with wire components available with hanger slots, with hooks, or with a hanger tube.




**Cantilevered Gowning Rack**

**Download**  
Spec Sheet  
EG04.01A



**Freestanding Gowning Rack with Hooks**

**Download**  
Spec Sheet  
EG04.01B



**Wall Mounted  
-with Optional Hangers**

**Download**  
Spec Sheet  
EG04.08



**Wall Mounted  
-with Hooks**

**Download**  
Spec Sheet  
EG04.08

## Gowning Benches

- All models feature flanged stainless steel foot plates for convenient attachment to floor.
- Solid models are available in brushed finish stainless steel.



**Solid Gowning Bench**

**Download**  
Spec Sheet  
EG04.03



**Heavy Duty Gowning Bench**

**Download**  
Spec Sheet  
EG04.13



**Wire Gowning Bench**

**Download**  
Spec Sheet  
EG04.03



**Gowning Bench  
-with Undershelves**

**Download**  
Spec Sheet  
EG04.03

## Utility Carts



- 800 lb. maximum weight capacity for heavy duty wire carts.
- Utility Cart  
- 3-Shelf Heavy Duty**

**Download**  
Spec Sheet  
EG01.10



- Features 2 chrome wire shelves and one stainless steel solid shelf.
- Utility Cart  
- with Solid Shelf**

**Download**  
Spec Sheet  
EG01.10



- 500 lb. maximum weight capacity for medium duty stainless steel carts.
- Utility Cart  
- Stainless Steel Construction**

**Download**  
Spec Sheet  
EG01.42

**Click on the  
EG number button  
to download the  
spec sheet for  
each product.**



## Stainless Steel Countertops



Stainless Steel  
Countertops

Download  
Spec Sheet  
EG04.12

- 14 or 16 gauge Type 304 or 316 stainless steel.
- Standard front edge Square or Box Marine, unless otherwise specified.
- Fabricated sink bowls available in many sizes.
- Custom configurations available, consult factory.

Click on the  
EG number button  
to download the  
spec sheet for  
each product.

## Countertop Drop-In Self Rim Sinks

- Constructed of durable 304 stainless steel.
- Comes standard with mounting hardware, swivel faucet and 1½" basket drain.
- Available with one, two, or three compartments.
- Deep-Drawn and Fabricated construction available.

Download  
Spec Sheet  
EG20.39A-B



Three-Compartment

## Countertop Drop-In Sinks - No Deck

- Constructed of durable 304 stainless steel.
- Comes standard with 1½" basket drain.
- Features 1¾" trim on all four sides.
- Available with one, two, or three compartments.
- Deep-Drawn and Fabricated construction available.



One-Compartment

Download  
Spec Sheet  
EG20.17A-B

## Stainless Steel Instrument Table



- Available with H-frame or undershelf.
- Edges of the top are safety hemmed.
- All welded assembly.
- 4" swivel casters.

Instrument Table

Download  
Spec Sheet  
EG05.01

## Hand Sinks

- Widest range of hand sink models to meet any requirement.
- Industry's only positive-drain bowl, assuring complete drainage.
- Type 304 stainless steel all-welded construction.

Download  
EG7006  
Hand Sink Brochure



Traditional Hand Sink  
-with Battery Powered Faucet

Download  
Spec Sheet  
EG20.42



Traditional Hand Sink  
-with Foot Pedal

Download  
Spec Sheet  
EG20.44



Traditional Hand Sink  
-with Knee Valve

Download  
Spec Sheet  
EG20.44

## adjustable®



**adjustable® Work Surface System**

**Download**  
Spec Sheet  
EG04.04A



**adjustable® Work Surface System - with Cantilevered Overhead System**

**Download**  
Spec Sheet  
EG04.04B



**adjustable® Work Surface System - with Wire Overhead System**

**Download**  
Spec Sheet  
EG04.04C

Click on the EG number button to download the spec sheet for each product.

## Stainless Steel Cleanroom Tables

- Type 304 stainless steel tables available with solid or perforated tops.
- Featuring brushed finish.
- Standard table bases are C-Frame, H-Frame or solid undershelf.
- Custom sizes available upon request.

**Download**  
Spec Sheet  
EG04.02

**Cleanroom Tables**



**Solid Top, C-Frame Base**



**Solid Backsplash Top with H-Frame Base**



**Solid Top with Undershelf**



**Perforated Top with C-Frame Base**



**Perforated Backsplash Top with H-Frame Base**



**Perforated Top with Solid Undershelf**

## Lab Workstations for Non-Critical Environments Also Available

- 14 or 16 gauge stainless steel tops.
- Available with adjustable stainless steel undershelf or tubular base.
- Accommodates Eagle's Flex-Master® overshelf system.
- Custom sizes available upon request.

**Download**  
Spec Sheet  
EG10.70

**Workstations for Non-Critical Environments**

**Download**  
Spec Sheet  
EG10.08

**Flex-Master® Overshelf Systems**



## Stainless Steel Inset Casework

- Casework construction and performance characteristics are in full compliance with SEFA 8M Metal Standards.
- Available in sitting and standing heights.




Download  
Casework Brochure  
EG7024



- Base Cabinets
- Door/Drawer Combos
- Upper Cabinets
- Tall Cabinets
- Pegboards
- Bench Frames
- Filler Panels
- Stainless Steel Countertops

Visit our website to download copies of our Casework General Architectural Specification, SEFA 8M Test Results – Casework and SEFA 3 Test Results - Worksurfaces, get CAD/Revit drawings or Request a Quote from Our Sales Team.

[www.eaglemhc.com/casework](http://www.eaglemhc.com/casework)



## Stainless Steel Vertical Storage Cabinets



- Shelves are adjustable on 4" vertical centers.
- Double pan stainless steel hinged doors feature transverse rod handles featuring keyed locks.
- Available with flat top or slanted top.
- For installation images, see back cover.

Vertical Storage  
Cabinet

Download  
Spec Sheet  
EG04.11

## Stainless Steel Pegboards



- Heavy gauge 304 stainless steel construction.
- Comes standard with 6" white polymer pegs.
- 4" integral drip trough comes with 36" long clear flexible drain tubing.
- Wall mounting bracket included.

Pegboards

Download  
Spec Sheet  
EG03.06

## Healthcare Storage Cabinets



- Heavy gauge type 304 stainless steel construction.
- 45 slides accommodate a variety of Pegasus medical baskets and trays (sold separately).
- Comes with solid or framed glass doors.
- Offered in single or double width.

Download  
Spec Sheet  
EG03.70

Baskets and Trays  
for Healthcare  
Storage Cabinets

Download  
Spec Sheet  
EG03.71



## Laboratory

### Shelving Units

- QuadTruss® makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.



**QuadTruss® Units**  
– 4 or 5 Shelf Units

**Download**  
Spec Sheet  
EG01.25



channel of shelf  
corner fits into  
slot of collar  
attached to split  
sleeve

**PATENTED!**

(Patent #7,992,731)



**PLAY VIDEO**

*Add to your existing shelving without having to  
disassemble the entire unit.*

**Quad-Adjust® Units**  
– 4 or 5 Shelf Units

**Download**  
Spec Sheet  
EG01.14

Click on the  
EG number button  
to download the  
spec sheet for  
each product.



**RFID Compliant**


**PLAY VIDEO**

**QuadPLUS® Polymer Units**  
– 4 or 5 Shelf Units

**Download**  
Spec Sheet  
EG01.47A-B

### Floor-Trak®


**ADA  
Compliant**



**Download**  
Spec Sheet  
EG01.39A

**Single Deep Floor-Trak® Unit**  
shown assembled with wire starter unit  
– wire shelving unit sold separately

- Single-deep kit comes complete with all necessary parts and hardware.
- Skates are aircraft-quality aluminum with stainless steel inserts and hardened steel ball bearings.
- Weight capacity of 2000 lbs. per mobile section.



dimensions of  
floor track



**QuadPLUS® Polymer Shelving -  
Green Panels**



**Double-Deep Multiple Unit Configuration**

**Download**  
Spec Sheet  
EG01.39B



## Wall Shelves



**Download**  
Spec Sheet  
EG02.01

**Snap-n-Slide®**  
-Solid Shelves

- Snap n-Slide® wall shelves feature a unique design – brackets can be mounted to wall studs, with no tools required to attach shelf to wall brackets.



wire shelf sold separately  
**Wire Wall Mounts**  
-Stationary

**Download**  
Spec Sheet  
EG02.12




**Equipment Shelf**  
-with Cord Cutout

**Download**  
Spec Sheet  
EG02.10M

## Gowning Dispensers

All units feature #4 brushed finish type 304 stainless steel construction. Compartment size and quantity can be customized to specific needs.



Eye Protection Holder

- Compartments are sized for safety glasses and may be customized for goggles and other PPE.


**Download**  
Spec Sheet  
EG03.90



Garment Dispenser

- Compartment is sized for folded garments, such as scrubs, gowns, and aprons.

**Download**  
Spec Sheet  
EG03.91



Packaged Glove Dispenser

- Single compartment is 12¼" wide, 22¾" tall, and 7¾".


**Download**  
Spec Sheet  
EG03.92



Loose Glove Dispenser

- Single compartment is 8½" wide, 17" tall, and 8" deep.

**Download**  
Spec Sheet  
EG03.93



Loose Glove Dispenser  
with Catch Basin

**Download**  
Spec Sheet  
EG03.93

- Single compartment is 8½" wide, 39" tall, and 8" deep.

## Security Modules

\*Shelving Unit Sold Separately

## Security Units

- 2" x 2" mesh panels.
- Stationary or mobile units available for full-size models.
- Three styles available: full-size units, full-size dolly truck units, and mini units.



**Mini Security Unit**  
- Chrome Finish

**Download**  
Spec Sheet  
EG01.22



**Mobile Security Unit**  
- Chrome Finish

additional center  
shelves  
optional

**Dolly Truck  
Security Unit**  
- Chrome Finish

- 69" overall height.
- Features dolly with wraparound bumper.
- Four swivel 5" poly plate casters, two with brakes.

**Download**  
Spec Sheet  
EG01.22

**Download**  
Spec Sheet  
EG01.22



**Module Unit\***  
- Hinged Door

- Converts a portion of a shelving unit into a lockable enclosed security unit.

- More than one module can be added to a unit depending on the unit's overall height.

**Download**  
Spec Sheet  
EG01.16



**Module Unit\***  
- Flip-Up Door


**Download**  
Spec Sheet  
EG01.16

# Sterile Processing & Supply Distribution

Click on the EG number button to download the spec sheet for each product.

## Floor-Trak®

ADA  
Compliant



Download  
Spec Sheet  
EG01.39A

Single Deep Floor-Trak® Unit  
shown assembled with wire starter unit  
– wire shelving unit sold separately

- Single-deep kit complete with all necessary parts and hardware.
- Skates are aircraft-quality aluminum with stainless steel inserts and hardened steel ball bearings.
- Weight capacity of 2000 lbs. per mobile section.

## Sterile Wrap Cart

- Features a chrome bottom shelf, chrome channel frame and 5" swivel casters.
- Optional cart covers and additional support bars available.

Download  
Spec Sheet  
EG05.05



## Stainless Steel Inset Casework

- Casework construction and performance characteristics are in full compliance with SEFA 8M Metal Standards.
- Available in sitting and standing heights.



- Base Cabinets
- Door/Drawer Combos
- Upper Cabinets
- Tall Cabinets
- Pegboards
- Bench Frames
- Filler Panels
- Stainless Steel Countertops



Download  
Casework Brochure  
EG7024



Double-Deep Multiple Unit  
Configuration

## Utility Carts



Utility Cart  
– 3-Shelf Heavy Duty

Download  
Spec Sheet  
EG01.10



Utility Cart  
– Stainless Steel Construction

Download  
Spec Sheet  
EG01.42

## Healthcare Storage Cabinets



- Heavy gauge type 304 stainless steel construction.
- 45 slides accommodate a variety of Pegasus medical baskets and trays (sold separately).
- Comes with solid or framed glass doors.
- Offered in single or double width.

Download  
Spec Sheet  
EG03.70

Baskets and Trays  
for Healthcare  
Storage Cabinets

Download  
Spec Sheet  
EG03.71





# Sterile Processing & Supply Distribution

Click on the EG number button to download the spec sheet for each product.

## Shelving Units

- QuadTruss® makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.



**QuadTruss® Units**  
– 4 or 5 Shelf Units

**Download**  
Spec Sheet  
EG01.25



Add to your existing shelving without having to disassemble the entire unit.

channel of shelf corner fits into slot of collar attached to split sleeve

**PATENTED!**  
(Patent #7,992,731)



**PLAY VIDEO**

**Quad-Adjust® Units**  
– 4 or 5 Shelf Units

**Download**  
Spec Sheet  
EG01.14

**RFID Compliant**



**PLAY VIDEO**

**QuadPLUS® Polymer Units**  
– 4 or 5 Shelf Units

**Download**  
Spec Sheet  
EG01.47A-B

## Stainless Steel Cleanroom Tables



**Solid Top, C-Frame Base**



**Solid Backsplash Top with H-Frame Base**



**Solid Top with Undershelf**

**Download**  
Spec Sheet  
EG04.02

**Cleanroom Tables**



**Perforated Top with C-Frame Base**



**Perforated Backsplash Top with H-Frame Base**



**Perforated Top with Solid Undershelf**

## Processing Sinks

- Bowls are 14" deep and have 5/8" radius corners, both vertical and horizontal.



**Download**  
Spec Sheet  
EG20.35

**FN Sinks**  
– 1-4 Compartments



**Corner Sinks**  
– 3 Compartment

- Features two sets of faucet holes and a poly cutting board/sink cover.

**Download**  
Spec Sheet  
EG20.09

## Stainless Steel Countertops



**Stainless Steel  
Countertops**

**Download  
Spec Sheet  
EG04.12**

- 14 or 16 gauge Type 304 or 316 stainless steel.
- Standard front edge Square or Box Marine, unless otherwise specified.
- Fabricated sink bowls available in many sizes.
- Custom configurations available, consult factory.

## Lavatory Sinks



- Available with foot pedal valve, knee valve or electronic eye faucet.
- Type 304 stainless steel sink bowl.
- gooseneck faucet spout and soap dispenser.
- Wall mount and pedestal models.

### Lavatory Sinks

**Download  
Spec Sheet  
EG20.12**

## Countertop Drop-In Self Rim Sinks

- Constructed of durable 304 stainless steel.
- Comes standard with mounting hardware, swivel faucet and 1½" basket drain.
- Available with one, two, or three compartments.
- Deep-Drawn and Fabricated construction available.



**Three-Compartment**

**Download  
Spec Sheet  
EG20.39A-B**

## Hand Sinks

- Widest range of hand sink models to meet any requirement.
- Industry's only positive-drain bowl, assuring complete drainage.
- Type 304 stainless steel all-welded construction.

**Download  
EG7006  
Handsink Brochure**



**Traditional Hand Sink  
with Battery Powered Faucet**

**Download  
Spec Sheet  
EG20.42**



**Traditional Hand Sink  
-with Foot Pedal**

**Download  
Spec Sheet  
EG20.44**

**Traditional Hand Sink  
-with Knee Valve**

**Download  
Spec Sheet  
EG20.44**

## Countertop Drop-In Sinks - No Deck

- Constructed of durable 304 stainless steel.
- Comes standard with 1½" basket drain.
- Features 1¾" trim on all four sides.
- Available with one, two, or three compartments.
- Deep-Drawn and Fabricated construction available.



**Download  
Spec Sheet  
EG20.17A-B**


**One-Compartment**





## Stainless Steel Inset Casework

- Casework construction and performance characteristics are in full compliance with SEFA 8M Metal Standards.
- Available in sitting and standing heights.



Download  
Casework Brochure  
EG7024



- Base Cabinets
- Door/Drawer Combos
- Upper Cabinets
- Tall Cabinets
- Pegboards
- Bench Frames
- Filler Panels
- Stainless Steel Countertops

## Stainless Steel Vertical Storage Cabinets



Vertical Storage  
Cabinet - Stationary

- All Type 304 stainless steel construction.
- Four adjustable intermediate shelves.
- Stainless steel hinged doors with wire-style pulls.
- Stationary and mobile units available.
- Available with flat or slanted top.

Download  
Spec Sheet  
EG04.11



Vertical Storage  
Cabinet - Mobile



Wall Mounted Cabinet  
-Glass Doors

**EAGLE**  
SpecFAB Division

Quality Stainless & Millwork Fabrication

quotes@eaglegrp.com

Click on the  
EG number  
button to  
download the  
spec sheet for  
each product.

## Custom Equipment

### Manufactured to Your Specifications!

CUSTOM APPLICATIONS COMPRISED OF SPECIALLY FABRICATED, STAINLESS STEEL EQUIPMENT OR PRE-FAB MODULAR COMPONENTS, OR A COMBINATION OF BOTH, WORK THEIR WAY QUICKLY THROUGH A SIMPLE YET SOPHISTICATED DESIGN, APPROVAL AND FABRICATION PROCESS.

EQUIPMENT BUILT TO YOUR EXACT SPECIFICATIONS, PRE-WIRED AND PRE-PLUMBED, IS SHIPPED WITH SHORTER LEAD TIMES AND AT A LOWER OVERALL COST.

Click on the EG number button to download the spec sheet for each product.

## adjustable®



**adjustable® Work Surface System**

**Download**  
Spec Sheet  
EG04.04A



**adjustable® Work Surface System - with Cantilevered Overhead System**

**Download**  
Spec Sheet  
EG04.04B



**adjustable® Work Surface System - with Wire Overhead System**

**Download**  
Spec Sheet  
EG04.04C

## Stainless Steel Cleanroom Tables

- Type 304 stainless steel tables available with solid or perforated tops.
- Featuring brushed finish.
- Standard table bases are C-Frame, H-Frame or solid undershelf.
- Custom sizes available upon request.

**Download**  
Spec Sheet  
EG04.02

**Cleanroom Tables**



**Solid Top, C-Frame Base**



**Solid Backsplash Top with H-Frame Base**



**Solid Top with Undershelf**



**Perforated Top with C-Frame Base**



**Perforated Backsplash Top with H-Frame Base**



**Perforated Top with Solid Undershelf**

## Lab Workstations for Non-Critical Environments Also Available

- 14 or 16 gauge stainless steel tops.
- Available with adjustable stainless steel undershelf or tubular base.
- Accommodates Eagle's Flex-Master® overshelf system.
- Custom sizes available upon request.

**Download**  
Spec Sheet  
EG10.70

**Workstations for Non-Critical Environments**

**Download**  
Spec Sheet  
EG10.08


**Flex-Master® Overshelf Systems**



Click on the EG number button to download the spec sheet for each product.

## Floor-Trak®

**ADA Compliant**



- Single-deep kit comes complete with all necessary parts and hardware.
- Skates are aircraft-quality aluminum with stainless steel inserts and hardened steel ball bearings.
- Weight capacity of 2000 lbs. per mobile section.

**Single**

**Download**  
Spec Sheet  
EG01.39A

**Double**

**Download**  
Spec Sheet  
EG01.39B



**QuadPLUS® Polymer Shelving - Green Panels**



**Double Deep Floor-Trak® shown with bin rails, sold separately.**

## Carts

**Collapsible X-frame is ideal for pharmacy, lab, medical records and other small tasks.**



**Basket Cart**

**Download**  
Spec Sheet  
EG05.04



**Utility Cart  
– with Solid Shelf**

**Download**  
Spec Sheet  
EG01.10



**Angled Shelf Utility Cart**

**Download**  
Spec Sheet  
EG07.02

- Features two chrome wire shelves and one stainless steel solid shelf.

- Features an angled wire shelf with 3/4" upturn and a zinc-plated undershelf.

## Shelving Units

- QuadTruss® makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.



**QuadTruss® Units**  
– 4 or 5 Shelf Units

**Download**  
Spec Sheet  
EG01.25

**QuadTruss®**  
**Stem Caster Carts**

**Download**  
Spec Sheet  
EG01.07



**RFID Compliant**

**PLAY VIDEO**

**QuadPLUS® Polymer Units**  
– 4 or 5 Shelf Units

**Download**  
Spec Sheet  
EG01.47A-B

*Add to your existing shelving without having to disassemble the entire unit.*

## PATENTED!

(Patent #7,992,731)



*channel of shelf corner fits into slot of collar attached to split sleeve*



**PLAY VIDEO**

**Quad-Adjust® Units**  
– 4 or 5 Shelf Units

**Download**  
Spec Sheet  
EG01.14

## Angled Shelf Cart & Storage Bins



- Shelves adjust up to a 30° slant.
- All models include three dividers per shelf.

**Angled Shelf Cart**  
– 4 or 5 Shelf Option

**Download**  
Spec Sheet  
EG05.08



**Storage Bins**

**Download**  
Spec Sheet  
EG05.07

**The perfect solution to organizing or storing small items. Lightweight but durable.**



## Security Modules



**Module Unit\***  
– Flip-Up Door

**Download**  
Spec Sheet  
EG01.16



**Module Unit\***  
– Hinged Door

**Download**  
Spec Sheet  
EG01.16

*\*Shelving Unit Sold Separately*

– Converts a portion of a shelving unit into a lockable enclosed security unit.

– More than one module can be added to a unit depending on the unit's overall height

## Security Units

- 2' x 2' mesh panels.
- Stationary or mobile units available for full-size models.
- Three styles available: full-size units, full-size dolly truck units, and mini units.



- 40" overall height.
- Optional shelves available.

**Mini Security Unit**  
– Chrome Finish

**Download**  
Spec Sheet  
EG01.22



**Mobile Security Unit**  
– Chrome Finish

**Download**  
Spec Sheet  
EG01.22

additional  
center  
shelves  
optional



- 69" overall height.
- Features dolly with wraparound bumper.
- Four swivel 5" poly plate casters, two with brakes.

**Dolly Truck Security Unit**  
– Chrome Finish

**Download**  
Spec Sheet  
EG01.22

## Wall Shelves

- Snap n-Slide® wall shelves feature a unique design – brackets can be mounted to wall studs, with no tools required to attach shelf to wall brackets.



**Snap-n-Slide®**  
– Solid Shelves

**Download**  
Spec Sheet  
EG02.01



wire shelf sold separately

**Wire Wall Mounts**  
Stationary

**Download**  
Spec Sheet  
EG02.12



**Equipment Shelf**  
with Cord Cutout

**Download**  
Spec Sheet  
EG02.10M

Click on the EG number button to download the spec sheet for each product.

## Linen Carts



**Linen Cart**

**Download  
Spec Sheet  
EG05.02**

- Two styles available; standard duty and heavy duty.
- Features four chrome-plated wire shelves, and one solid stainless steel shelf.



**Cart Cover  
shown with  
custom logo**

**Download  
Spec Sheet  
EG01.09**

## Exchange Carts

- Chrome-plated posts are grooved and are numbered on one-inch increments, enabling shelving to be adjusted up and down.
- Open-wire construction reduces dust and contamination build-up.
- With various shelving configurations, caster styles, accessory packages, and a number of sizes, these carts are the ultimate in versatility!



**Exchange Carts**

**Download  
Spec Sheet  
EG05.09A-C**

## Security Units

- 2' x 2' mesh panels.
- Stationary or mobile units available for full-size models.
- Three styles available: full-size units, full-size dolly truck units, and mini units.




**Mobile Security Unit  
– Chrome Finish**

**Download  
Spec Sheet  
EG01.22**

Click on the  
EG number  
button to  
download the  
spec sheet for  
each product.

## Garment Rack



- 5" polyurethane tread casters.
- Options include addition wire or solid shelves and open or closed loop hangers.

**Mobile Garment Rack**

**Download  
Spec Sheet  
EG01.28**

## Mop Sink Cabinet



(mop not included)

- Heavy gauge stainless steel construction.
- Includes mop sink, service faucet, spray hose and bracket.
- Double mop sink model also available.

**Mop Sink Cabinet**

**Download  
Spec Sheet  
EG20.04**



Click on the EG number button to download the spec sheet for each product.

## Shelving Units

**RFID Compliant**



**QuadPLUS® Polymer Units**  
– 4 or 5 Shelf Units

**Download**  
Spec Sheet  
EG01.47A-B



channel of shelf corner fits into slot of collar attached to split sleeve

**PATENTED!**  
(Patent #7,992,731)



*without having to disassemble the entire unit*

**Quad-Adjust® Units**  
– 4 or 5 Shelf Units

**Download**  
Spec Sheet  
EG01.14




**QuadTruss® Units**  
– 4 or 5 Shelf Units

**Download**  
Spec Sheet  
EG01.25


## Floor-Trak®

**ADA Compliant**



**Single Deep Floor-Trak® Unit**  
shown assembled with wire starter unit  
– wire shelving unit sold separately

**Download**  
Spec Sheet  
EG01.39A



- Single-deep kit comes complete with all necessary parts and hardware.
- Skates are aircraft-quality aluminum with stainless steel inserts and hardened steel ball bearings.
- Weight capacity of 2000 lbs. per mobile section.




**Double Deep Floor-Trak® Shown with**  
**QuadPLUS® polymer shelving**

**Download**  
Spec Sheet  
EG01.39B

## Floor-Trak®

**ADA  
Compliant**



*Single Deep Floor-Trak® Unit  
shown assembled with wire starter unit  
– wire shelving unit sold separately*

- Single-deep kit comes complete with all necessary parts and hardware.
- Skates are aircraft-quality aluminum with stainless steel inserts and hardened steel ball bearings.
- Weight capacity of 2000 lbs. per mobile section.

**Download  
Spec Sheet  
EG01.39A**

*Single*

**Download  
Spec Sheet  
EG01.39B**

*Double*



**QuadPLUS® Polymer Shelving -  
Green Panels**



**Double Deep Floor-Trak® shown with bin rails, sold  
separately.**

## Utility Carts



**Utility Cart  
– 3-Shelf Heavy Duty**

- 800 lb. maximum weight capacity for heavy duty wire carts.

**Download  
Spec Sheet  
EG01.10**

**Utility Cart  
– Stainless Steel Construction**

**Download  
Spec Sheet  
EG01.42**



**Utility Cart  
– with Solid Shelf**

- Features 2 chrome wire shelves and one stainless steel solid shelf.

**Download  
Spec Sheet  
EG01.10**

- 500 lb. maximum weight capacity for medium duty stainless steel carts.



## Shelving Units

- QuadTruss® makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.



**QuadTruss® Units**  
– 4 or 5 Shelf Units

**Download**  
Spec Sheet  
EG01.25

**QuadTruss®**  
**Stem Caster Carts**

**Download**  
Spec Sheet  
EG01.07



**QuadPLUS® Polymer Units**  
– 4 or 5 Shelf Units

Click on the  
EG number button  
to download the  
spec sheet for  
each product.

**RFID Compliant**

**PLAY**  
**VIDEO**

**Download**  
Spec Sheet  
EG01.47A-B

## Angled Shelf Cart & Storage Bins

Add to your existing shelving without having to  
disassemble the entire unit.



channel of shelf  
corner fits into  
slot of collar  
attached to split  
sleeve

**PATENTED!**  
(Patent #7,992,731)



**Quad-Adjust® Units**  
– 4 or 5 Shelf Units

**Download**  
Spec Sheet  
EG01.14



- Shelves adjust up to a 30° slant.
- All models include three dividers per shelf.

**Angled Shelf Cart**  
– 4 or 5 Shelf Option

**Download**  
Spec Sheet  
EG05.08




**Storage Bins**

**Download**  
Spec Sheet  
EG05.07

**The perfect solution to organizing or storing small  
items. Lightweight but durable.**

### Stainless Steel Inset Casework

- Casework construction and performance characteristics are in full compliance with SEFA 8M Metal Standards.
- Available in sitting and standing heights.



- Base Cabinets
- Door/Drawer Combos
- Upper Cabinets
- Tall Cabinets
- Pegboards
- Bench Frames
- Filler Panels
- Stainless Steel Countertops

Click on the  
EG number button  
to download the  
spec sheet for  
each product.

### Custom Equipment

### Manufactured to Your Specifications!

CUSTOM APPLICATIONS COMPRISED OF SPECIALLY FABRICATED, STAINLESS STEEL EQUIPMENT OR PRE-FAB MODULAR COMPONENTS, OR A COMBINATION OF BOTH, WORK THEIR WAY QUICKLY THROUGH A SIMPLE YET SOPHISTICATED DESIGN, APPROVAL AND FABRICATION PROCESS.

EQUIPMENT BUILT TO YOUR EXACT SPECIFICATIONS, PRE-WIRED AND PRE-PLUMBED, IS SHIPPED WITH SHORTER LEAD TIMES AND AT A LOWER OVERALL COST.

### Stainless Steel Vertical Storage Cabinets

- All Type 304 stainless steel construction.
- Four adjustable intermediate shelves.
- Stainless steel hinged doors with wire-style pulls.
- Stationary and mobile units available.
- Available with flat or slanted top.



**Vertical Storage  
Cabinet - Stationary**



**Vertical Storage  
Cabinet - Mobile**



**Wall Mounted Cabinet  
-Glass Doors**



**EAGLE**  
SpecFAB Division  
Quality Stainless & Millwork Fabrication  
[quotes@eaglegrp.com](mailto:quotes@eaglegrp.com)

Click on the  
EG number button  
to download the  
spec sheet for  
each product.

### Stainless Steel Overlays & Countertops



**Stainless Steel  
Countertops**

- 14 or 16 gauge Type 304 or 316 stainless steel.
- Standard front edge Square or Box Marine, unless otherwise specified.
- Fabricated sink bowls available in many sizes.
- Custom configurations available, consult factory.

**Download  
Spec Sheet  
EG04.12**

### Countertop Drop-In Self Rim Sinks

- Constructed of durable 304 stainless steel.
- Comes standard with mounting hardware, swivel faucet and 1½" basket drain.
- Available with one, two, or three compartments.
- Deep-Drawn and Fabricated construction available.

**Download  
Spec Sheet  
EG20.39A-B**



**Three-Compartment**

### Countertop Drop-In Sinks - No Deck

- Constructed of durable 304 stainless steel.
- Comes standard with 1½" basket drain.
- Features 1¾" trim on all four sides.
- Available with one, two, or three compartments.
- Deep-Drawn and Fabricated construction available.



**One-Compartment**

**Download  
Spec Sheet  
EG20.17A-B**

### Wall Mount Worktables



- Wall mounted for environments with frequent wash downs.
- 200 lb. weight capacity.

**Wall Mounted  
Worktables**

**Download  
Spec Sheet  
EG10.01**

### Hand Sinks

- Widest range of hand sink models to meet any requirement.
- Industry's only positive-drain bowl, assuring complete drainage.
- Type 304 stainless steel all-welded construction.

**Download  
EG7006  
Hand Sink Brochure**



**Traditional Hand Sink  
-with Battery Powered Faucet**

**Download  
Spec Sheet  
EG20.42**



**Traditional Hand Sink  
-with Foot Pedal**

**Download  
Spec Sheet  
EG20.44**



**Traditional Hand Sink  
-with Knee Valve**

**Download  
Spec Sheet  
EG20.44**



# SPACE Planning



Since joining the Revit® community in late 2012, Eagle has been working diligently to create our Revit® content library of catalog items.

You can access Eagle's Revit® library through our website—[www.eaglemhc.com](http://www.eaglemhc.com)—which features a link on the homepage which takes you directly to our offering in the KCL library.




## Contact us...

If you are interested in a model that is not yet available via our website please contact us via email at: [revit@eaglegrp.com](mailto:revit@eaglegrp.com)

Please include the following information with your request, if applicable:

- Contact information
- Project name
- Requested timeline
- Deliverable media
- Plans and/or specifications related
- Special considerations
- Revit version (2011-2018 available)
- Custom or standard (include Model #)


## IVF Lab Installation:



## Shelf Select™

A No-Cost Design & Layout Service for Shelving Products.

1. Supply us with details of your project.
2. We'll provide you with drawings and a quote.



Plan View



Perspective View

Quote includes model numbers, net prices and shipping weights for all components in specified job. (Provided after plan view is approved.)



To get started:

E-Mail: [quotes@eaglegrp.com](mailto:quotes@eaglegrp.com)

Fax: 302-653-3091

A completed Shelf Select™ custom layout and quotation will be mailed, e-mailed or faxed back to you within 48 hrs.

©2024 Eagle Group.

Although every attempt has been made to ensure the accuracy of the data in this publication, we cannot be responsible for printing or typographical errors or omissions.



Healthcare Products



Material Handling, Healthcare & Cleanroom Equipment

100 Industrial Blvd. Clayton DE, 19938  
P: (800) 441-8440 • F: (302) 653-2065  
[www.eaglemhc.com](http://www.eaglemhc.com)



Rev 11/24 EG7047