

Wire Shelving Styles and Finishes



Quad-Truss® Wire Shelving

The patented Quad-Truss® system makes shelves up to 25% stronger, and provides a retaining ledge for increased strength and product retention. Available with a variety of finishes (listed at right). EAGLEgard® epoxy finish standard with MICROGARD®, an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew on the surface of the shelves that cause stains, odors and degradation.



Quad-Truss® Wire Shelving

Shelves feature special interlocking corners that fit in slots of collars mounted to split sleeves, allowing addition or removal of a shelf without the need to disassemble the entire shelf unit.

Utilizes the patented Quad-Truss® system (patent #5,390,803) which makes shelves up to 25% stronger, and provides a retaining ledge for increased strength and product retention. Available in a variety of finishes (listed at right). Accommodates all standard wire shelving accessories.




- Numerically calibrated grooved posts, tapered plastic split sleeves and shelf collars combine to make shelving assembly a simple two step process: 1)
 Snap the split sleeves onto the post over the number of your choice; 2) Slide the shelf collars over the split sleeves. A positive lock between shelf and post is created without the use of any tools.
- Tapered split sleeves of high-temperature-resistant ABS plastic create a positive lock that becomes stronger as the load increases.
- Posts are numbered in 1" increments to ensure fast and level assembly.
- Leveling feet are provided to help compensate for uneven floors.



split sleeves

patented QuadTruss dessign (Patent #5,390,803)







(NOTE: Wire shelves feature MasterSeal® sealer.

Posts feature air-dry lacquer, NSF-listed for all environments.)

followed by clear chromate plating with

MasterSeal® sealer for improved rust protection. 3 Year Warranty

Security Units

Full-Size Security Units


- · Safely store and transport costly materials subject to pilferage.
- Available in chrome, EAGLEgard[®], green epoxy and stainless steel.
- · Styles include stationary, mobile, and units with dolly trucks.
- · Additional center shelves and optional pre-assembly available.



Security Modules

- · Converts portion of existing shelving into a lockable security unit.
- · Kit includes end panels, rear panes and door(s).
- Two door styles available, hinged or flip-up.
- Modules fit between 2 wire shelves spaced 20" apart.
- More than one module can be added depending on unit's overall height.
- Available in zinc, chrome, EAGLEgard® green epoxy and stainless steel.







security module with hinged doors shown assembled to wire shelf unit

NOTE: Shelves and posts sold separately.

Stainless Steel Casework

Stainless Steel Inset Casework



Stainless Steel Vertical Storage Cabinets

- All Type 304 stainless steel construction.
- Four adjustable intermediate shelves.
- · Stainless steel hinged doors with wire-style pulls.
- · Stationary and mobile units available.





Pegboards

- Heavy gauge 304 stainless steel construction.
- Comes standard with 6" white polymer pegs.
- · Wall mounting bracket included.
- 2" or 4" integral drip trough comes with 36" long clear flexible drain tubing





Mobile Shelving Systems (NSF)





ECE Series Exchange Carts

- Includes five chrome-plated wire shelves.
- Chrome-plated posts with chrome dolly frame and wraparound bumper.
- 8" polyurethane casters (two with brake).
- Side and back enclosure panels, one or two slide assemblies, two or four tote boxes 6" deep with box dividers, four or six shelf dividers, and 12 plastic shelf markers.
- 72" overall height.

Note: "ECES Series" also available, which is the same except the fifth wire shelf is replaced by a stainless steel solid shelf.



ECDT Series Exchange Carts

- · Four chrome-plated wire shelves and choice of chrome-plated wire or stainless steel solid fifth shelf.
- · Chrome-plated posts, three slide assemblies, six tote boxes with box dividers with 6" polyurethane casters (two with brake).
- Three shelf dividers, six plastic shelf markers, and a chrome dolly frame with wraparound bumper. 60" shelf length.
- 70" overall height.



Tote Box Carriers

Accommodates a wide variety of containers.

- Each tote box carrier comes with two brake and two swivel casters.
- One-, two-, or three-bay carrier models available with standard resilient or poly casters.





Master Trak® (NSF)

Overhead Track High-Density Storage System

- Maximum storage in a minimum amount of space.
- · Requires only single-aisle access.
- Allows longer track length without a stationary intermediate unit.
- · Quick and easy assembly.
- Offered in a wide selection of sizes, with shelves ranging from 18" to 36" wide and 24" to 72" long, and overhead track ranging from 6 to 21 long.





Floor-Trak® High-Density Storage

- Industrial-type bearings allow loaded units to glide effortlessly over track.
- Low profile, non-corrosive track constructed of stainless steel and anodized aluminum.
- Consolidates space.
- ADA compliant.
- · Simple and easy to install.
- Can be built double deep and not impede rollability.
- Easy to add-on additional tracks and
- Open construction allows for the use of cart covers when required.

Floor-Trak® Units shown with QuadPLUS® Polymer Shelf Mats

(wire shelving unit sold separately)












QuadPLUS® Polymer Shelf Mats NSF



Gowning Dispensers

All units feature #4 brushed finish type 304 stainless steel construction. Compartment size and quantity can be customized to specific needs.



Compartments are sized for safety glasses and may be customized for goggles and other



Garment Dispenser

Compartment is sized for folded garments, such as scrubs, gowns, and aprons.



Packaged Glove Dispenser

Single compartment is $12\frac{1}{4}$ wide, $22\frac{3}{8}$ tall, and $7\frac{3}{4}$.



Loose Glove Dispenser

Single compartment is $8\frac{1}{6}$ wide, 17 tall, and 8 deep.



Loose Glove Dispenser with Catch Basin

Single compartment is $8\frac{1}{16}$ wide, 39 tall, and 8 deep.

NEW!

PPE.

NEW!

Laboratory Exhaust Canopies

Island or wall mount exhaust canopies feature 16 gauge type 304 stainless steel construction, fully welded seams, polished interior and exterior, steel rod suspension brackets, full perimeter condensation edge, 19" overall height, and integral duct collar. Exhaust canopies are available in 30" and 36" depths, and widths ranging from 36" to 96".









Cleanroom Applications



EAGLE GROUP's cleanroom line offers wire shelving with superior strength - while at the same time allowing for 62% laminar flow. EAGLE GROUP offers the preferred transport and storage vehicle by providing numerous ergonomic and visual advantages, and does not hold particulates. Numerous options allow customization for any environment or situation. The open-wire construction promotes higher visibility by allowing light to pass through the shelves, permits greater air circulation reducing dust and contamination buildup, and increases the effectiveness of fire-suppression systems.

Wire Freestanding Gowning Racks

- These racks incorporate standard wire shelving components with specially designed gown storage options.
- They offer a more economical rack option in less demanding environments.
- Racks available in chrome or stainless steel.

Wire Wall Mounted Gowning Racks

- Models with hanger slots, hanger tube, or hook rack available.
- All racks feature standard wire shelf and wall mount brackets.
- Available in chrome or stainless steel.



Perforated Gowning Benches

- Perforated seat with wire undershelf provides superior laminar flow.
- Wire undershelves offer optional bootie storage.
- Optional dividers and additional wire undershelves.
- Available in No. 4 brushed stainless steel.



Solid Gowning Benches

- 14 gauge type 304 stainless steel.
- Available in both standard and heavy duty designs.
- Stainless steel legs and footplaes.
- · Stainless steel legs and feet.
- Heavy duty models available with welded or adjustable H-frame or 4-sided frame.









Cleanroom Applications



Roll Bag Dispensers

- Standard unit features two 14" x 48" wire shelves, one 3-sided channel frame, eight removable dispensing bars, and four post with 30" outrigger feet.
- Dispenser bars are adjustable on 1" increments.
- Available in stainless steel or chrome finish.

Shoe Racks

- Wire shelves offer the optimum combination of laminar flow and ventilation for the storage of cleanroom shoes.
- Rods & tabs run through shelves to create cubbies for each pair of shoes.
- Available finishes are chrome and stainless steel.



Stainless Steel Worktables



adjusTable® Work Surface Systems




patented QuadTruss design

(Patent #5,390,803)

- Customize workstations to meet your needs.
- Choose from additional wire undershelves, solid undershelves, wire overshelves, keyboard drawers, wire grids, hanging baskets, hooks, bin holders, dividers, ledges, casters, and power strips.
- Tops available in 16/304 or 14/304 stainless steel.
- For chair or stool accessability, choose an H-frame or C-frame.

Wall Mounted Tables

- · Available in 16 or 14 gauge on 304 or 316 series stainless steel.
- Integral sink bowls, drawers, and end splashes available.
- · Optional latex sound deadening.
- · Facilitates small rolling cabinets which can be moved in and out.









Stainless Steel Worktables (NSF)



Lab Worktables

- Spec-Master[®] workstations feature a 14 or 16 gauge stainless steel top.
- · All workstations are available with an adjustable stainless steel undershelf or tubular base.
- Left and right ends are turned down 90° providing a flat surface so tables can be placed end to end.
- Sound deadening insulation tape runs between hat channel and table top.
- All workstations feature our patented uni-lok[®] system which provides greater strength and a bullnose edge on front and rear (without backsplash).

Mobile Table with Flex-Master® and Drawer

- A unique custom-style overshelf system utilizing standard components.
- 10" and 12" shelf widths can be intermixed on same posts.
- Overshelf heigh adjustable on 1" increments.
- Unsurpassed style, strength, performance and flexibility.
- · Customize your table with an appropriate sink.




Our uni-lok® gusset system recesses and welds the gusset to the backing plate channel so that legs have unmatched strength and stability.

Increased Stability -

The gussets are recessed into the channels to minimize lateral movement.

Exclusive Design -

The uni-lok® is patented and unmatched in the industry.





Cleanroom Tables

Available with solid or perforated tops. Perforated tops allow up to 40% laminar flow depending on size. All tops are 14 gauge type 304 stainless steel. Cleanroom tables are alcohol wiped and bagged.





with solid top



cleanroom table with perforated top

CRT SERIES (Brushed stainless solid top)

- **CRPT SERIES** (Brushed stainless perforated top)
- > Choose H-frame or C-frame.
- > Undershelf can be solid or perforated.
- > Knocked-down or welded construction.



patented



(Patent #5,165,349)









Laboratory Shelves and Foot Rest





with downturned bookends

Laboratory Wall Shelves

- 16 gauge stainless steel shelves, with center hat channel and 11/4" rear upturn
- Adjustable on 11/2" increments
- 36" tall, 1" square tubular uprights

Foot Rests

- Heavy gauge stainless steel all-welded construction.
- 1" square tubular welded frame, with non-slip rubber feet.
- Platform at 12° angle, removable for cleanability.
- Adjusts from 4½" to 9¾" (lowest leading edge to the floor).



Worktables/Workstations

Pinned Leg Adjustable Height Tables



- 2" square legs with leveling mount.
- Adjustable from 30" to 37" height.
- 1 72 or 28" Jesth.

Electronic Drive Adjustable Height Tables



- 2" square legs with leveling mount.
- 29" to 40" height adjustment.
- Electromechanical drive in each leg.
- 22" or 28" depth.





Lab Sinks (NSF)

FN Series

- 14 gauge stainless steel throughout.
- All bowls are 14" deep and have 5/8" radius corners, both vertical and horizontal.
- Legs are crossbraced front-to-back and side-to-side to increase stability.
- Standard 10" backsplash and includes a 1" upturn.
- Sinks come standard in one, two, three, or four compartments with or without drainboards.

314 Series

- 14" deep drawn sink bowls have a generous radius and are rectangular for maximum capacity.
- Legs are galvanized, 1 5/8" diameter and welded adjacent to sink bowl for maximum stability and support.
- Sinks come standard in one, two, three, or four compartments with or without drainboards.

Counter Drop-in Self Rim Design

- · Hand sinks are type 304 stainless steel all-welded construction.
- Deep-Drawn and Fabricated construction available.
- Available in wall mount and pedestal type models.

Hand Sinks

- Hand sinks are type 304 stainless steel all-welded construction.
- Deep-drawn, one-piece, seamless bowls.
- Available in wall mount and pedestal type models.



Floor Troughs and Drains (NSF)



- Heavy duty 14 gauge type 304 stainless steel all-welded construction.
- Designed for assurance of complete drainage.
- Stainless steel drain accommodates up to a 4" diameter pipe and features a removable perforated stainless steel basket.
- Floor drains and floor troughs come with subway-style stainless steel or fiberglass grating.
- Custom lengths available. Consult factory for details.
- Troughs with Wide T-Bar Fiberglass Grating available. ADA-approved for use with the physically handicapped. Wide T-bar width provides a more solid walking area, and prevents objects from fall through. Resistant to corrosion, skid, fire, chipping and cracking.


Anti-Splash

- Patented "anti-splash" design (patent #D519,618 S) assures complete drainage while preventing splash back onto floor.
- Built-in pitch towards drain insures complete drainage.
- Floor troughs come with subway-style stainless steel or fiberglass grating.
- · Custom lengths available. Consult factory for details.





Stainless Steel Countertops



- NOTE: Drawings to be submitted for approval prior to fabrication using the latest version of AutoCad software. They will be emailed in Adobe Acrobat format (.pdf) unless specified otherwise. AutoCad files (.dwg) are available upon request.
 - Complete field welding and finishing services are available at additional expense.

SpecFAB® Custom Capabilities

Custom Equipment

Manufactured to Your Specifications!

CUSTOM APPLICATIONS COMPRISED OF SPECIALLY FABRICATED, STAINLESS STEEL EQUIPMENT

OR PRE-FAB MODULAR COMPONENTS,

OR A COMBINATION OF BOTH, WORK THEIR WAY QUICKLY THROUGH A SIMPLE YET SOPHISTICATED DESIGN, APPROVAL AND FABRICATION PROCESS.

EQUIPMENT BUILT TO YOUR EXACT SPECIFICATIONS, PRE-WIRED AND PRE-PLUMBED (IF APPLICABLE),

IS SHIPPED WITH SHORTER LEAD TIMES AND AT A LOWER OVERALL COST.

Manufacturing Capabilities:

- Engineering and design assistance.
- · Room layouts provided.
- Standard and custom built stainless products.
- Small to large order capacities.
- Designed and built to industtry standards.
- Quality controlled throughout process.
- In-house equipment capabilities and standard products provide economical solutions.










Storage Cabinets

Storage Cabinets







single-width unit with baskets

- Type 304 stainless steel construction.
- · 45 pairs of slides on inner panels.
- Hinged doors, with 4" wire-style pulls, available solid or with framed glass.
- Single- and double-width units available.
- 83" height.



Baskets and Trays for Storage Cabinets






#PSST-ST8 shown with dividers

- Cream-colored ABS material.
- · Tray stopper keeps basket / tray from falling.
- 23 5/8 x 15 ¾".



Accessories for Baskets and Trays



- · vertical label holder: can be adhered to top of dividers or front edge of baskets
- horizontal label holder: can be adhered to top of dividers or front edge of baskets
- label handle: color-coded, over 20 colors available
- · T-holder for dividers: allows use of custom-length dividers
- · basket stop: prevents basket from falling out when pulled



DON'T FORGET ABOUT THE OTHER MARKETS WE SERVE!

Healthcare • Cleanroom • Lab • Material Handling • Plumbing











Material Handling, Healthcare & Cleanroom Equipment

CLICK ON BROCHURE IMAGE TO DOWNLOAD A COPY















Design Services for Carts, Work Flow, and Room Layouts

Shelf-Select™

A no-cost design and layout service for wire shelving products.

Provide us with...


- Dimensions of the space available
- · Number of shelves required per unit
- · Post heights
- . Indicate stationary, mobile or high-density
- . Any additional pertinent storage requirements

And we'll provide you with...

 Plan View
 Shelving systems layout makes the most efficient utilization of your available space.

 Perspective View Illustrates the proposed equipment assembled in the available space. A great tool for presentation which reduces field assembly time provided to your installer.

 Quote Includes model numbers, net prices and shipping weights for all components in specified job.





©2024 Eagle Group.





