




Material Handling, Healthcare & Cleanroom Equipment



Industrial Material Handling Solutions



WIRE SHELVING

Stainless Steel Finish—OUR BEST!

Stainless Steel

- NSF-listed for all environments.
- Type 304 stainless steel.

**15-YEAR
LIMITED
WARRANTY**

EAGLEgard® Hybrid Epoxy

Zinc Chloride
Clear Chromate
MasterSeal® Sealer
Blue Green (translucent)
- hybrid epoxy with MICROGARD®

- NSF-listed for all environments.
- Zinc chloride plating followed by clear chromate plating with MasterSeal® Sealer and a hybrid epoxy final coat.

**12-YEAR
LIMITED
WARRANTY**

Valu-Gard® Green Epoxy

Phosphate Conversion Coating
MasterSeal® Sealer
Green (opaque)
- hybrid metallic epoxy

- NSF-listed for wet or dry storage environments.
- Phosphate conversion coating followed by green hybrid epoxy coating.

**5-YEAR
LIMITED
WARRANTY**

VALU-MASTER® Grey Epoxy

Phosphate Conversion Coating
MasterSeal® Sealer
Pewter Gray Epoxy

- NSF-listed for wet or dry storage environments.
- Phosphate conversion coating followed by metallic gray epoxy coating.

**5-YEAR
LIMITED
WARRANTY**

Chrome Finish

Bright Nickel
Chrome
Air-dry Lacquer

- NSF-listed for dry storage environments.
 - Bright nickel plating followed by chrome plating.
- NOTE: Optional clear hybrid epoxy, NSF-listed for all environments, is available.

**1-YEAR
LIMITED
WARRANTY**

EAGLEbrite® Zinc

Zinc chloride
Clear Chromate
MasterSeal® Sealer

- NSF-listed for dry storage environments.
- Bright zinc chloride plating followed by clear chromate plating with MasterSeal® sealer for improved rust protection.

**3-YEAR
LIMITED
WARRANTY**

Standard Wire Shelving

Super-strong patented Quad-Truss®* design (patent #5,390,803) makes shelves up to 25% stronger and provides a retaining ledge for increased storage stability. Open-wire construction promotes higher visibility, allows light to pass through the shelves, permits greater air circulation which helps reduce moisture and dust build-up, and increases the effectiveness of fire-suppression systems. Posts are numbered on vertical 1" increments to help ensure fast and level assembly, and are available in a wide variety of heights.



starter unit with standard shelves

Quad-Adjust® Wire Shelving

Features patented Quad-Truss®* design (patent #5,390,803), open-wire construction, and numbered posts. Shelves utilize special interlocking corners that fit in collars mounted to the posts, allowing addition or removal of a shelf without the need to disassemble the entire shelf unit. Optional ESD grounding clips available. One clip per shelf. Mounts to shelf and post.




* The patented Quad-Truss® system makes EAGLE wire shelving products the strongest in the industry.

Accessories -

Reverse Mat Shelves

Features built-in ledges. 250-lb. capacity. Available in chrome, stainless steel, and color epoxies.



reverse mat shelves available in 36" and 48" lengths and widths of 14" to 24".

Ledges and Dividers

Available in chrome or stainless steel. 8" dividers help keep shelf content organized, and 1" or 4" high ledges prevent contents from falling off shelf.



1" ledge



divider

Plastic Label Holders

Snap onto shelf edge. Provides easy identification of shelf contents or sections. Holds 1" to 1 1/4" high labels. Available in gray, black or clear.



black shelf marker

**patented
QuadTruss®
design**
(Patent #5,390,803)

SECURITY SHELVING

Security Modules

- Converts portion of shelf unit into a lockable enclosed security unit, adding versatility and flexibility.
- Includes end panels, rear panel, and door(s).
- Available with hinged doors or with single flip-up door.
- Fits in between two wire shelves spaced 20" apart.
- More than one module can be added, depending on unit's overall height.
- Available for 18", 21", and 24" wide shelving units.



flip up door



hinged door



mobile hinged door

Security Units

- Heavy-gauge open-wire construction keeps contents visible for quick inventory checks.
- Variety of sizes are available in stationary models or with casters for easy mobility.
- Quick-action locking feature with hasp for padlock.
- All units feature full-access double doors swinging out at approximately 270°.
- Plated finishes include EAGLEbrite® zinc, EAGLEgard® green epoxy with MICROGARD®, stainless steel or chrome for a durable easy-to-clean finish.



full size stationary



full size mobile



full size dolly



mini security cage

SHELVING



Solid Shelving


- Available in 18 gauge type 304 stainless steel or 18 gauge VALU-MASTER® gray epoxy coated galvanized steel.
- Shelves feature aluminum castings which utilize split sleeves.
- Shelves can be adjusted in 1" increments, allowing you to update your shelving as often as you update your stock.
- Shelving remains accessible from all sides, while leveling feet help compensate for uneven flooring surfaces.

Quik-Set® Heavy Duty Solid Shelving

- Constructed of either 14 or 16 gauge type 300 stainless steel or galvanized steel coated with VALU-MASTER® gray epoxy.
- All sides of shelves are constructed with a 2" downturn and marine edge.
- Posts feature an adjustable foot or is fitted for optional 5" diameter caster.
- No tools required for assembly.



**ALSO AVAILABLE:
Embossed and Louvered**




Wire Dunnage Racks

(Eagleard®, chrome, stainless steel) dunnage shelf with 1"-diameter posts grooved on 1" centers, and three-sided frame to help support maximum weight loads. 14" height. Stationary or Mobile units, which include four 5" swivel casters (two with brake).



mobile



wire

Eagle Platform

(Eagleard®, chrome, zinc). Wire shelf with patented Quad-Truss® design assembled to 14"-high posts. 600-lb. weight capacity.



platform



polymer

Polymer Dunnage Racks

Constructed of durable polyethylene. Weight capacity ranges from 2,000 to 3,500 pounds.

Aluminum Dunnage Racks

All aluminum welded construction with 1 1/2" square tubular legs with bottom plastic caps.



aluminum




nesting

Nesting Dunnage Racks

All aluminum welded construction. 2,700- to 3,200-lb. weight capacity. Racks are stackable.

QUADPLUS WIRE SHELVING




Quad-Adjust® Truss Frame...

Allows the addition or removal of a shelf without having to disassemble the entire shelf unit.



...or Standard Wire Truss Frame



blue shelf mats—louvered and solid—
shown assembled as shelving unit

Blue or green polymer shelf mats available!

Mats snap in place!




removable shelf mats shown
with Quad-Adjust® wire truss
frame




green louvered shelf mats shown
assembled as shelving unit

Easy Assembly! No tools needed!



Step 1

Position polymer mats onto wire truss frame accordingly.



Step 2

Gently push each mat down along the front and rear to snap them into place.



Easy to clean!

- Mats snap into truss frame.
- Injection-molded polypropylene mats feature MICROGARD® antimicrobial protection.
- Easy cleaning.
- Dishwasher-safe.
- Blue mats come with truss frames coated with chrome or Valu-Master® gray epoxy finish.
- Green mats come with truss frames coated with EAGLEgard® epoxy or Valu-Gard® epoxy finish.
- Both style of truss frames can be fitted onto the same shelving unit.
- Set of four split sleeves (included with each truss frame) snap onto Eagle's 1"-diameter posts.
- Temperature rating of shelf mats: -20°F to 125°F.

louvered shelf mat

solid shelf mat

MICROGARD®

is an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew on shelf surface that causes stains, odors and degradation.

Standard on all QuadPLUS®


MATERIAL HANDLING CARTS

Double-Sided Bin-Holder Rails

Bin-holder rails are sold as an accessory or can be purchased with posts as a cart. Stainless steel finish. Bins can be attached to both sides of rail - no tools required. Available in 24" or 30" widths and 36" through 60" rail lengths. May be mixed with standard wire shelves.

Double-Sided Bin-Holder Rail Carts

Carts consist of four bin-holder rails, four - 63" posts with 5" diameter resilient casters. Posts are numbered in 1" increments to ensure fast and level assembly. 68" overall cart height.



Burn-In Carts

A mobile testing and preparation station for electronic products. Also for transporting products to and from testing areas. Cart is 28" wide, 64" long and 69" high. Features resilient swivel casters with donut bumpers. Standard power harness is designed to be used on 4-shelf units.

Utility Carts

A highly flexible and maneuverable transport product which can be configured with wire or solid shelves, or a combination of both. Handles are available in chrome plated steel or stainless steel. Standard casters are resilient swivel in 4" and 5" diameter depending on cart size. Medium duty supports up to 500 lbs., and heavy duty max capacity is 800 lbs. Available with two or three shelves. Newly added to our offering: wire basket shelves. Choose from 2 options: 1 wire basket shelf and 1 QuadTruss® wire shelf, or 2 wire basket shelves.



Bin-holder rails can also be used on Eagle Floor-Trak® units.

Stem Caster Carts

These sturdy mobile four shelf carts are available in EAGLEbrite® zinc or chrome. Carts consist of four 63" posts, four wire shelves, plastic split sleeves, donut bumpers and 5" casters. Fast assembly without the use of tools.



STORAGE SYSTEMS

Master Trak®

Overhead Track High-Density Storage System

- Maximum storage in a minimum amount of space.
- Requires only single-aisle access.
- Allows longer track length without a stationary intermediate unit.
- Quick and easy assembly.
- Offered in a wide selection of sizes, with shelves ranging from 18" to 36" wide and 24" to 72" long, and overhead track ranging from 6' to 21' long.

*Now patented, unique roller assembly provide smooth operation without binding, which can occur in over track systems.
Patent #5,680,942*



Floor-Trak® High-Density Storage Systems

- Industrial-type bearings allow loaded units to glide effortlessly over track.
- Low profile, non-corrosive track constructed of stainless steel and anodized aluminum.
- Consolidates space.
- ADA-compliant.
- Simple and easy to install.
- Can be built double deep and not impede rollability.
- Easy to add-on additional tracks and units.
- Open construction allows for the use of cart covers, when required.
- Optional shim kit and foot brake kit available.



Q-LEVER® HEAVY DUTY CANTILEVER SHELVING SYSTEMS



PATENTED!
(patent #10,159,339)



Starter and Add-On Units joined



5-tier starter unit

Q-LEVER® Shelving

Has a load bearing capacity of 600 lbs. per shelf and 1,000 lbs. on the bottom dunnage shelf. Unit safely holds up to 2,800 lbs.

Overview...

- Maximizes storage, free standing shelving allows access to all corners.
- With no front uprights, accessibility and productivity are improved.
- Uprights utilize 2" adjustment for shelf and accessory spacing.
- Shelves and accessories can be easily adjusted without tools.
- Can be expanded side to side with Add-on units which share a common upright with existing unit; saving cost and space.
- Units allow for sheet metal or wire overlays.
- Sizing available:
 - Widths: 18", 21", 24" and 30".
 - Lengths: 24", 30", 36", 42", 48", 54", 60", 66" and 72".
 - Heights: 36", 56", 66", 76", and 86".



ADDITIONAL NOTES

- Evenly distribute the weight across each shelf, and keep heavier loads on the bottom.
- Unit must be bolted to the floor if bottom shelf is removed.
- Unit must be placed on a level surface to avoid a tipping hazard.

Q-LEVER® standard starter and add-on units feature standard wire shelves and dunnage shelves.
The Q-LEVER® system can also accommodate...

Solid Shelves • Quad-PLUS® • Double Wire Mat Shelves • Reverse Mat Shelves • Dunnage Shelves...or a mixture of same based upon your storage needs.



Contact Factory for a quotation on a Q-LEVER® System utilizing these shelving options.

Q-LEVER® HEAVY DUTY CANTILEVER SHELVING SYSTEMS



Q-LEVER® Task Stations

- Features tabletop, two 76" uprights with legs & feet, X-brace assembly, wall grid, and two adjustable overshelves.
- Wall grid features 3" x 3" mesh.
- Tabletop is removable, no need for tools.
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves.
- Valu-Master® gray epoxy finish on uprights.

Q-LEVER® Utility Stations

- Features tabletop, drawers, two 76" uprights with legs & feet, X-brace assembly, wall grid, two adjustable overshelves, and heavy duty dunnage shelf.
- Overshelves adjust on 2" increments.
- Tabletop is removable, no need for tools.
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves.
- Valu-Master® gray epoxy finish on uprights.



Q-LEVER® Manager Stations

- Features tabletop, drawers, two 76" uprights with legs & feet, X-brace assembly, power strip, overhead light, monitor arm, wall grid, and bin holder.
- Tabletop is removable, no need for tools.
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves.
- Valu-Master® gray epoxy finish on uprights.

CHECK OUT OUR CANTILEVER
BROCHURE TO LEARN MORE!



adjuSTable® WORK SURFACE SYSTEM

adjuSTable® Work Surface Systems

Allows you to create work surfaces of your choice with single or multiple cantilevered overhead or wire overshelf systems. A stainless steel tabletop/work surface, unsurpassed in the industry for quality. The four chrome posts are numbered in 1" increments for flexible and level positioning of the two chrome wire undershelves. Create an unlimited number of custom configurations by adding additional wire or solid stainless steel undershelves, H-frame or C-frame, chrome wire overshelves or solid stainless steel overshelves. A variety of options available including utility drawers, cantilever shelves, reel holders, bench power centers, bin holders, and dividers allow for complete customization to fit your needs.



Various Configurations of adjuSTable® Available

Eagle Group workstations are flexible and can be adapted when field conditions change. An unlimited number of configurations are available to fit your unique requirements, and even more configurations can be created utilizing accessories and options.




Customize Your Work Surface

WALL SHELVES


Wall Mounted Shelving

- Post wall mounts are ideal where floor space is limited, maximizing storage capacity and minimizing clutter. Especially convenient for mounting over work surfaces.
- Adjustable shelving components are designed to allow the intermixing of shelf widths or customizing of units to fit every specification need.
- Stationary wall mounts are designed and offered complete with mounting brackets, engineered for fixed applications where vertical adjustments are not required.




Wire or Solid Snap-n-Slide®

- Wire brackets can be mounted to studs – no wall backing required.
- Upturn on rear of shelf and downturn on front of shelf.
- Heavy gauge wire construction.




WALL-MOUNTED GOWNING RACKS




Racks with Hanger Slots

This gowning rack is available in lengths of 48" [17 hangers], 60" [22 hangers], or 72" [27 hangers] and width of 24". Wall mounted, and includes open wire top shelf for laminar flow. Available in stainless steel or chrome finish. Hangers are optional.



Racks with Hanger Tube

Like the freestanding model, this model features a 1" diameter tubular bar which mounts easily to underside of wire shelf and comes in width of 18" and lengths of 48", 60", and 72". Wire design facilitates laminar flow. Available in stainless steel or chrome finish.



Racks with Hooks

This compact design is 14" in width and comes in lengths of 48" [30 hooks], 60" [38 hooks] or 72" [46 hooks]. Available in stainless steel or chrome finish.

GOWNING RACKS

Gowning Racks with Hanger Rail

These racks are designed for efficient storage of garments in any environment. Available in stainless steel. The stainless steel construction offers a non-contaminating surface that eliminates particle shedding, for the most demanding requirements. 24" width, 73" height, and available in 48" to 84" lengths. Hanger slots are 2½" standard centers. Other center configurations are available.



single



double



cantilevered

Gowning Racks with Wire Shelving Components

These racks incorporate standard wire shelving featuring patented QuadTruss® design, with specially designed gown storage options. They offer a more economical rack option in less demanding environments. Available in chrome-plated steel as well as stainless steel models. Available in 14" and 24" widths, and 48" to 72" lengths. 86" height.



*hanger slots on
standard 2½" centers
(shown with optional hangers)*



*hooks welded on standard 1½" centers
on all four shelf sides*

patented
QuadTruss®
design
(patent #5,390,803)



*1"-diameter tubular bar
mounted underneath wire shelf*

GOWNING BENCHES



Solid Gowning Bench

Benches include flanged stainless steel foot plates for convenient attachment to the floor. Available in brushed 304 stainless steel finish. Widths of 9" and 12", lengths up to 84", and height of 17".



*heavy duty gowning bench
with adjustable 4-sided frame*

EL Series Heavy Duty Solid Gowning Bench

Heavy-duty benches feature hat channel on underside of seat. Stainless steel foot plates. 14 gauge type 304 stainless steel. 16" front-to-rear, lengths up to 84", and 17" height. Available with welded or adjustable h-frame, or with adjustable 4-sided frame.



wire gowning bench

Gowning Bench with Undershelf Storage

Available with perforated or solid seat. Wire undershelves offer optional bootie storage. These units come complete with designated seat, legs, foot plates, and one wire undershelf (additional wire shelves and dividers are optional). Available in stainless steel finish. Seating area is 18" wide, and wire undershelf is 14" wide. Length up to 72" and height of 19".



*gowning bench with standard undershelf
(shown with optional additional shelf and dividers)*

Wire Gowning Bench

Economical gowning bench with wire shelving components offers 62% laminar flow. Ideal for less demanding environments or for use during construction as the room is brought into clean. All units feature four 18" legs with foot plates, one three-sided channel frame, and one wire shelf. 14" width, 18" height, and available in lengths up to 72".

ENCLOSED WORKTABLES

Enclosed Worktables

14 gauge type 304 stainless steel top. Wrapper is heavy gauge 430 stainless steel. Models with open front, stainless steel sliding doors, or stainless steel hinged doors available. Optional fixed center shelf available. Full length, 2/3" width. Width 24" and 30". Length 36" to 120". Options include casters, door locks, sink bowls, duplex receptacles, and overselves. Tabletop with marine counter edge also available.

Enclosed Worktables with Open Front:

Front is open for easy access.



- with open front and flat top



- with open front and upturn



- with open front and backsplash

Enclosed Worktables with Sliding Doors:

Tables 84" and longer have two sets of doors.



- with sliding doors and flat top



- with sliding doors and upturn



- with sliding doors and backsplash

Enclosed Worktables with Hinged Doors:

Tables 84" and longer have two sets of doors.



- with hinged doors and flat top



- with hinged doors and upturn



- with hinged doors and backsplash

Knocked Down Worktables with Cabinet Kit

Three sizes to choose from - 36", 48" and 60". Standard 30" width with 4½" backsplash. Uni-lok® channel construction. Ships knocked down and easy to assemble with machine screws and threaded inserts. Two cabinet-style bases available - hinged or sliding door. Features stainless steel enclosed sides and front.

Note: These tables have an open back.



knocked down cabinet with backsplash and hinged doors

Tier Drawers

Stainless steel cabinet with three roller-track drawers. Available with or without legs. Includes glides, roller slides and stainless steel drawers.



tier drawer with legs




tier drawer

STANDARD WORKTABLES

Standard Worktables

Choose from SPEC-MASTER® Marine Series, SPEC-MASTER® Series, Deluxe Series or Budget Series. Available with C-frame tubular base or undershelf and galvanized or stainless steel legs. Choose from a flat top, 1½" upturn or a 4½" backslash. Widths of 24", 30", 36" or 48". Lengths from 24" to 144". Optional drawers, casters, and built-in sinks available!



flat top and undershelf



upturn and undershelf



4½" backslash and undershelf



flat top and tubular base




upturn and tubular base




4½" backslash and tubular base


Optional Table Edges



square edge



marine edge



bullnose edge

FLEX-MASTER® Overshelf System


Create your own customized workstation design using standard components. Any worktable can be customized with overshelves of the same length. System can easily be changed or expanded as needed. Overshelves' height is adjustable in 1" increments for flexible and accurate placement. 10" and 12" shelf widths can be intermixed on same posts.

Kit A - includes two 12"-wide 16 gauge type 304 shelves, two 30" stainless steel front posts, two 48" stainless steel rear posts and two utility racks.

Kit B - includes two 12"-wide 16 gauge type 304 shelves and four 30" stainless steel posts.

EASY TO ORDER!

FLEX-MASTER® overshelf system & utility racks mounted onto worktable



HANDSINKS



Eagle Handsinks

Let the industry's clean leader help by giving you the widest range of hand sink choices. We offer the industry's only deep-drawn positive-drain bowl, assuring complete drainage and meeting even the most stringent health code requirements. Many of our hand sinks are available with our exclusive MICROGARD® option. The MICROGARD® antimicrobial finish is an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew on surfaces that causes stains, odors and degradation. With over 40 models to choose from and a wide array of configurations and accessories, you'll find a solution for every application.

- Traditional Hand Sinks
- Space-Saver Hand Sinks
- Hand Sinks with Wrist Handles
- Electronic Hand Sinks - AC & Battery Power
- Knee/Foot Valve
- Operated Hand Sinks
- Hand Sinks with Towel and/or Soap Dispensers
- Special Purpose Hand Sinks
- Hand Wash Sinks with Side Splashes
- Lavatory Sinks with Marine Edge
- Touch-Free Hand Sinks

PORTABLE SINKS



Touch-Free Portable Hand Sinks

Hands-free operation matches the portability of this newest addition to Eagle's line of Portable Hand Sinks. Convenient for indoor facilities, while durable for outdoor use where water is limited and hands-free cleanliness is of utmost importance. Paper towel dispenser, soap dispenser, and faucet are all TOUCH-FREE, critical in clean water management while promoting good hygiene practice.

Portable Hand Sinks with Stainless Steel Cabinet

Features stainless steel cabinet body with double pan hinged stainless steel locking door. 4" casters (2 w/brake, 2 swivel) with non-marking tread.



Portable Hand Sinks with Open Base

Features heavy gauge stainless steel tabletop with 10³/₈" x 12³/₄" x 6" removable pan, deckmount faucet, and trash chute.

Portable Hand Sinks with Laminated Cabinet

Features plywood cabinet base with "Biltmore Cherry" Wilsonart® laminated millwork, locking doors with satin finish handles, and 3" recessed plate casters with rubber tread.



Portable Hand Sink Supply Carts

Features a 24" x 24" wire shelf with patented Quad-Truss® design. All components are chrome plated.

SINKS



Spec-Master® FN Series Sinks

Designed to handle the most demanding institutional requirements - constructed of 304 stainless steel, 14" deep bowls to meet the most stringent health codes, feature adjustable crossbracing on all four sides and an extra-high 9½" backsplash with upturn, available in one - four compartment models.



Cove Corner Sinks

Designed to handle the most demanding institutional requirements - constructed of 304 stainless steel, 14" deep bowls to meet the most stringent health codes, feature adjustable crossbracing on all four sides and an extra-high 9½" backsplash with upturn, available in one - four compartment models.



Space Saving Sinks

Designed to handle the most demanding institutional requirements - constructed of 304 stainless steel, 14" deep bowls to meet the most stringent health codes, feature adjustable crossbracing on all four sides and an extra-high 9½" backsplash with upturn, available in one - four compartment models.

Floor Drains & Troughs

Complete line includes troughs, anti-splash troughs, drains and replacement grating.



anti-splash floor trough

Utility Sinks

Feature bullnosed front edge design, all 16 gauge stainless steel construction with rolled rim partition.



Countertop Drop-In Self Rim Design Sinks

Can be top-mounted in solid countertops up to 1½" thick* and come standard with mounting hardware. Sinks can be bottom-mounted, using bottom-mount kit (sold separately).

** For countertops thicker than 1", consult factory.*



3-compartment counter drop-in



MOP SINKS & CABINETS

Mop Sinks - Floor Mount for Ease of Use

Eagle mop sinks feature deep-drawn one piece seamless heavy gauge type 300 stainless steel construction, using state-of-the-art hydraulic presses. Exclusive anti-splash double-offset "V" edge prevents spillage. Full skirt allows for tight sanitary seal. Eagle also offers accessories including service faucet, hose & bracket, mop holders and utility shelves with integrated mop holders.



*19" x 16", standard depth,
8" deep*



*19" x 16", added depth,
12" deep*



*28" x 20", standard depth,
8" deep*



*28" x 20", added depth,
12" deep*

Mop Sink Cabinets - Conveniently Combines Sink & Storage

Eagle mop sink cabinets incorporate cabinet storage with our deep-drawn one piece seamless heavy gauge Heavy duty stainless steel cabinet body features an open back which allows cabinet to envelop standard wall mounted service faucet, spray hose and spray hose bracket long with mop holder. Stainless steel hinged doors feature transverse rod handles with keyed locks. Cabinet tops are slanted at a 15 degree angle and sides are louvered along the top for ventilation. Single width cabinets feature one 12" center shelf while double width cabinets feature one fixed shelf above mop sink and three fixed shelves on cabinet side.



single width cabinet



*Double width cabinet with
mop sink on left*

Corner Mop Sinks - with Drop Front Edge & with Flush Front Edge

Constructed of type 304 stainless steel, with 8"- or 12"-deep fabricated bowl with drop edge. Includes full apron and drain with flat strainer plate. Corner design saves valuable space and drop front edge facilitates bucket dumping.



Flush Front Edge



Drop Front Edge

STORAGE CABINETS



Chemical Storage Cabinets

Available with heavy gauge type 300 or 430 series stainless steel construction, with stainless steel fixed center shelf and top sloped for cleaning. Back is recessed, with concealed mounting plate for installation. Available with left- or right-hinged door, with or without factory-installed door lock. Door is double-panel stainless steel, with magnetic catch, and removable for cleaning. All units are 24" end-to-end, 15" front-to-back.

Vertical Storage Cabinets

All stainless steel type 304 enclosed cabinet. Four adjustable shelves, 18" or 24"-deep by 36"- or 48"-long. Available with sloped top for laminar flow. Mobile units also available.



The Eagle Advantage™ begins right here in our state of the art manufacturing facility – with 14 acres under one roof – where the most comprehensive broadline product offering in the industry takes shape. This all-inclusive design and production capability offers distinct advantages to our customers. Streamlined ordering and shipping substantially reduce freight, receiving, installation and administrative costs.

Supporting it all is a framework of highly responsive customer service representatives, the most innovative, versatile and durable equipment available on the market today, a fleet of company-owned trucks, plus amply stocked distribution centers in strategic locations nationwide - which guarantees product availability and delivery. Together, it adds up to product excellence enhanced by measurable cost savings and value. We call it **The Eagle Advantage™** and you can profit from it.



©2024 Eagle MHC

Although every attempt has been made to ensure the accuracy of the data in this publication, we cannot be responsible for printing or typographical errors or omissions.



100 Industrial Blvd. Clayton DE, 19938
P: (800) 441-8440 • F: (302) 653-2065
www.eaglemhc.com



Rev 03/2024 EG7085