INSTRUCTION SHEET #313929


adjusTable® Work Surface System

ASSEMBLY INSTRUCTIONS

For adjusTable® with Cantilevered Overshelf System, see page 2. For adjusTable® with Wire Overshelf System, see page 3.

CAUTION

INSPECT CONTENTS IMMEDIATELY AND FILE CLAIM WITH DELIVERING CARRIER FOR ANY DAMAGE. **SAVE YOUR BOX AND ALL PACKING MATERIALS.** YOU ARE RESPONSIBLE FOR DAMAGE TO YOUR UNIT IF RETURNED IMPROPERLY PACKED.




Parts List

item #	<u>qty</u>	<u>description</u>
#1	1	tabletop
#2	4	33" post
#3	8	pair of split sleeves*

^{*} Four pairs of split sleeves come with each C-frame, H-frame, and wire undershelf



Base combinations available for adjusTable® Work Surface Systems





EG9958 Rev 04/24




- 100 Industrial Boulevard, Clayton, Delaware 19938-8903 U.S.A.
- Phone: 302/653-3000 800/441-8440
- Fax: 302/653-2065 www.eaglegrp.com

adjusTable® with Cantilevered Overshelf System

ASSEMBLY INSTRUCTIONS


For adjusTable® without overshelves, see front page. For adjusTable® with Wire Overshelf System, see page 3.




Parts List

item #	<u>qty</u>	<u>description</u>
#1	1 or 2	cantilevered wire overshelf
#2	1	tabletop
#3	2	33" post
#4	2	54" post (for units with one overshelf), or
	2	63" post (for units with two overshelves)
#5	10 or 12	pair of split sleeves*

^{*} Four pairs of split sleeves come with each C-frame, H-frame, and wire undershelf. Two pairs come with each cantilevered overshelf.



adjusTable® Work Surface Systems with Cantilevered Overshelf System** shown with all available base combinations




^{**} Available with one or two cantilevered overshelves (shown with two overshelves)



adjusTable® with Wire Overshelf System

ASSEMBLY INSTRUCTIONS

For adjusTable® without overshelves, see front page. For adjusTable® with Cantilevered Overshelf System, see page 2.




shown with two overshelves


Parts List

item #	<u>qty</u>	<u>description</u>
#1	1 or 2	cantilevered wire overshelf
#2	2	21" post (for units with one overshelf), or
	2	29" post (for units with two overshelves)
#3	1	tabletop
#4	2	33" post
#5	2	54" post (for units with one overshelf), or
	2	63" post (for units with two overshelves)
#6	12 or 16	pair of split sleeves*

^{*} Four pairs of split sleeves come with each C-frame, H-frame, and wire undershelf. Four pairs come with each wire overshelf.



adjusTable® Work Surface Systems with Wire Overshelf System** shown with all available base combinations



^{**} Available with one or two wire overshelves (shown with two overshelves)


(continued on next page)

adjusTable®

ASSEMBLY INSTRUCTIONS


Note: The instructions below show unit with two wire undershelves. Units with all other base configurations follow similar steps.


If you have casters. attach casters to posts now.





Insert caster into bottom of each post and drive in, using a mallet or hammer (see left).


Afterwards, go to Step 1.














1) Undershelves

- Referencing numbers on posts, snap plastic tapered split sleeves onto each post (for units with overshelves, two longest posts go in the back and two 33" in the front) at desired location of undershelf. The thicker part of the taper goes toward the bottom. Refer to figures 1 and 2. Make sure rib on split sleeve is seated into a groove on the post.
- Lower the shelf onto the posts until the plastic tapered split sleeves are snugly fitted within the shelf collars. Repeat this step for second undershelf. Refer to

Note: The wider wire shelves are the undershelves. The narrow wire shelves are the overshelves.

2) Stainless Steel Tabletop

- Snap the plastic tapered split sleeves onto the very top of the shorter posts. Be sure that the plastic tapered split sleeves get snapped to the same groove on the longer posts.
- Lower the tabletop over the longer posts until the tabletop is seated snugly on the split sleeves. Refer to figure 4.

For units with overshelves, continue with Steps 3 and 4.

3) Posts for Units with Wire Overshelves

Note: For units with Cantilevered Overshelf, skip to Step 4.

Bolt the two 21" (for 1-tier units) or 29" posts (for 2-tier) onto the tabletop. One end of these posts has a nut welded in it. This is the end for the bolt. Refer to figure 5a.

4) Overshelves (Wire and Cantilevered)

Note: If 2-tier unit, install the bottom overshelf first. Wire overshelves shown.

- Referencing numbers on posts, snap plastic tapered split sleeves onto each post at desired location of overshelf. The thicker part of the taper goes toward the bottom. Make sure rib on split sleeve is seated into a groove on the post.
- Lower the overshelf onto the posts until the plastic tapered split sleeves are snugly fitted within the shelf collars.
- Repeat this step for top overshelf (if 2-tier unit). Refer to figure 6.

5) Seat Shelves

Securely seat all shelves by lightly tapping with a rubber mallet to secure shelving to split sleeve and post.





- 100 Industrial Boulevard, Clayton, Delaware 19938-8903 U.S.A.
- Phone: 302/653-3000 800/441-8440
- Fax: 302/653-2065 www.eaglegrp.com