

Profit from the Eagle Advantage®

# **Specification Sheet**

## **Short Form Specifications**

Eagle MHC One-Compartment Laboratory Sink, model \_\_\_\_\_\_. Constructed of 14-gauge type 304 stainless steel, with #4 brushed finish. Fully welded and polished bowl with radius corners. Rolled edges on front and sides, 8"-high backsplash with downturn edge and mounting clips. Stainless legs, gussets, and feet standard. Faucet holes punched on 8" centers. 3-1/2" basket drain with 1-1/2" outlet. Drainboards, when included, sloped and integral to bowls. NSF/CSA-approved.

Item No.:	
Project No.:	
S.I.S. No.:	

# Laboratory Sinks —One-Compartment

#### **MODELS:**

□ SSC-2415-1*	□ SSC-2424-1*
□ SSC-2418-1*	□ SSC-2430-1*
☐ SSC-2421-1*	□ SSC-2436-1*

<sup>\*</sup> See table on back for complete model numbers.



## **Design & Construction Features:**

- 14-gauge 304 stainless construction
- 8" (203mm)-high backsplash, with downturn edge & Z-clip
- Stainless legs, gussets, and feet
- Faucet punched on 8" (203mm) centerlines
- Integral sloped drainboards
- 14" (356mm)-deep, 24" (610mm) front-to-back sink bowl available in lengths ranging from 15" to 36" (381 to 914mm).
- Overall sink lengths available range from 19" to 84" (483 to 2134mm), depending on quantity and length of drainboards.

#### **Options / Accessories**

- ☐ 316 stainless construction
- Stainless crossbracing
- ☐ Faucets
- □ Drains
- Custom sizes

#### **EAGLE GROUP**

100 Industrial Boulevard, Clayton, DE 19938-8903 USA Phone: 302-653-3000 • 800-441-8440 • Fax: 302-653-2065

www.eaglegrp.com www.eaglemhc.com Certifications / Approvals

NSF.




For custom configuration or fabrication needs, contact our **SpecFAB® Division.** Phone: 302-653-3000 • Fax: 302-653-2065 • e-mail: quotes@eaglegrp.com


EG03.67 Rev. 04/25

<b>EAGLE</b> ®
GROUP
Profit from the Faale Advantage®

Item No.:	
Project No.:	
S.I.S. No.:	

# **Laboratory Sinks – One-Compartment**





	BOWL DIMENSIONS   width length				DRAIN	OVE wid	RALL [	weight					
model #	in.	mm	in.	mm	quantity	in.	mm	in.	mm	in.	mm	lbs.	kg
SSC-2415-1	24"	610	15″	381	0		-	28″	711	19"	483	127	57.6
SSC-2415-1-18R or L *	24"	610	15″	381	1	18″	457	28″	711	35"	889	141	64.0
SSC-2415-1-18	24"	610	15″	381	2	18″	457	28″	711	51″	1294	183	83.0
SSC-2418-1	24"	610	18″	457	0		-	28″	711	22"	559	131	59.4
SSC-2418-1-18R or L *	24"	610	18″	457	1	18″	457	28″	711	38″	965	148	67.1
SSC-2418-1-18	24"	610	18″	457	2	18"	457	28″	711	54"	1372	188	85.3
SSC-2421-1	24"	610	21″	533	0		-	28″	711	25"	635	136	61.7
SSC-2421-1-24R or L *	24"	610	21"	533	1	24"	457	28″	711	47"	1194	158	71.7
SSC-2421-1-24	24"	610	21″	533	2	24"	610	28″	711	69"	1753	227	103.0
SSC-2424-1	24"	610	24"	610	0		-	28″	711	28"	711	140	63.5
SSC-2424-1-24R or L *	24"	610	24"	610	1	24"	457	28″	711	50"	1270	185	83.9
SSC-2424-1-24	24"	610	24"	610	2	24"	610	28″	711	72"	1829	231	104.8
SSC-2430-1	24"	610	30″	762	0		-	28″	711	34"	864	149	67.6
SSC-2430-1-24R or L *	24"	610	30"	762	1	24"	610	28″	711	56"	1422	194	88.0
SSC-2430-1-24	24"	610	30"	762	2	24"	610	28″	711	78″	1981	240	108.9
SSC-2436-1	28″	711	36″	914	0		-	28″	711	40"	1016	161	73.0
SSC-2436-1-24R or L *	28″	711	36″	914	1	24"	610	28″	711	62"	1575	208	94.4
SSC-2436-1-24	28″	711	36"	914	2	24"	610	28″	711	84"	2134	255	115.6

<sup>\* &</sup>quot;R" indicates drainboard is located at the right end of the unit, and "L" indicates drainboard is at the left end.

**EAGLE GROUP** 

100 Industrial Boulevard, Clayton, DE 19938-8903 USA Phone: 302-653-3000 or 800-441-8440 • Fax: 302-653-2065 www.eaglegrp.com • www.eaglemhc.com

Printed in U.S.A. ©2025 by Eagle Group

Rev. 04/25



Profit from the Eagle Advantage®

# **Specification Sheet**

## **Short Form Specifications**

Eagle MHC Two-Compartment Laboratory Sink, model \_\_\_\_\_\_. Constructed of 14-gauge type 304 stainless steel, with #4 brushed finish. Fully welded and polished bowls with radius corners. Rolled edges on front and sides, 8"-high backsplash with downturn edge and mounting clips. Stainless legs, gussets, and feet standard. Faucet holes punched on 8" centers. 3-1/2" basket drain with 1-1/2" outlet. Drainboards, when included, sloped and integral to bowls. NSF/CSA-approved.


Item No.:	
Project No.:	
S.I.S. No.:	

# Laboratory Sinks —Two-Compartment

#### **MODELS:**

□ SSC-2430-2*	□ SSC-2448-2*
□ SSC-2436-2*	□ SSC-2460-2*
SSC-2442-2*	□ SSC-2472-2*

<sup>\*</sup> See table on back for complete model numbers.



## **Design & Construction Features:**

- 14-gauge 304 stainless construction
- 8" (203mm)-high backsplash, with downturn edge & Z-clip
- · Stainless legs, gussets, and feet
- Faucet punched on 8" (203mm) centerlines
- Integral sloped drainboards
- 14" (356mm)-deep, 24" (610mm) front-to-back sink bowls available in lengths ranging from 15" to 36" (381 to 914mm).
- Overall sink lengths available range from 34" to 120" (864 to 3048mm), depending on quantity and length of drainboards.

## **Options / Accessories**

- ☐ 316 stainless construction
- Stainless crossbracing
- ☐ Faucets
- □ Drains
- Custom sizes

#### **EAGLE GROUP**

100 Industrial Boulevard, Clayton, DE 19938-8903 USA Phone: 302-653-3000 • 800-441-8440 • Fax: 302-653-2065

www.eaglegrp.com www.eaglemhc.com Certifications / Approvals

NSF.



For custom configuration or fabrication needs, contact our **SpecFAB® Division**. Phone: 302-653-3000 • Fax: 302-653-2065 • e-mail: quotes@eaglegrp.com


sink with two drainboards

EG03.68 Rev. 04/25




Item No.: _	
Project No.: _	
S.I.S. No.: _	

# **Laboratory Sinks – Two-Compartment**



FRONT VIEWS



	BOWL DIMENSIONS   width length			DRAIN	OVE wid	RALL D	weight						
model #	in.	mm	in.	mm	quantity	in.	mm	in.	mm	in.	mm	lbs.	kg
SSC-2430-2	24"	610	15″	381	0		-	28″	711	34"	864	183	83.0
SSC-2430-2-18R or L *	24"	610	15″	381	1	18″	457	28″	711	50"	1270	222	100.7
SSC-2430-2-18	24"	610	15″	381	2	18″	457	28″	711	66″	1676	245	111.1
SSC-2436-2	24"	610	18″	457	0		-	28″	711	40"	1016	199	90.3
SSC-2436-2-18R or L *	24"	610	18″	457	1	18″	457	28″	711	56″	1422	235	106.6
SSC-2436-2-18	24"	610	18″	457	2	18″	457	28″	711	72"	1829	277	125.7
SSC-2442-2	24"	610	21″	533	0		-	28″	711	46"	1168	212	96.2
SSC-2442-2-24R or L *	24"	610	21″	533	1	24"	610	28″	711	68″	1727	258	117.0
SSC-2442-2-24	24"	610	21″	533	2	24"	610	28″	711	90″	2286	305	138.4
SSC-2448-2	24″	610	24"	610	0		-	28″	711	52"	1321	247	112.0
SSC-2448-2-24R or L *	24"	610	24"	610	1	24"	610	28″	711	74″	1880	290	131.5
SSC-2448-2-24	24"	610	24"	610	2	24"	610	28″	711	96″	2438	333	151.1
SSC-2460-2	24"	610	30″	762	0		-	28″	711	64"	1626	278	126.1
SSC-2460-2-24R or L *	24"	610	30"	762	1	24"	610	28″	711	86"	2184	321	145.6
SSC-2460-2-24	24″	610	30″	762	2	24″	610	28″	711	108″	2743	365	165.6
SSC-2472-2	24"	610	36″	914	0		-	28″	711	76″	1930	322	146.1
SSC-2472-2-24R or L *	24"	610	36″	914	1	24"	610	28″	711	98″	2489	362	164.2
SSC-2472-2-24	24"	610	36″	914	2	24"	610	28″	711	120"	3048	395	179.2

<sup>\* &</sup>quot;R" indicates drainboard is located at the right end of the unit, and "L" indicates drainboard is at the left end.

#### **EAGLE GROUP**

100 Industrial Boulevard, Clayton, DE 19938-8903 USA Phone: 302-653-3000 or 800-441-8440 • Fax: 302-653-2065 www.eaglegrp.com • www.eaglemhc.com

Printed in U.S.A. ©2025 by Eagle Group

Rev. 04/25



Profit from the Eagle Advantage®

# **Specification Sheet**

## **Short Form Specifications**

Eagle MHC Three-Compartment Laboratory Sink, model . Constructed of 14-gauge type 304 stainless steel, with #4 brushed finish. Fully welded and polished bowls with radius corners. Rolled edges on front and sides, 8"-high backsplash with downturn edge and mounting clips. Stainless legs, gussets, and feet standard. Faucet holes punched on 8" centers. 3-1/2" basket drain with 1-1/2" outlet. Drainboards, when included, sloped and integral to bowls. NSF/CSA-approved.

Item No.: .	
Project No.: .	
S.I.S. No.: .	

# **Laboratory Sinks** —Three-Compartment

#### **MODELS:**

- ☐ SSC-2445-3\*
- □ SSC-2454-3\*
- □ SSC-2463-3\*
- □ SSC-2472-3\*
- \* See table on back for complete model numbers.





# **Design & Construction Features:**

- 14-gauge 304 stainless construction
- 8" (203mm)-high backsplash, with downturn edge & Z-clip
- Stainless legs, gussets, and feet
- Faucet punched on 8" (203mm) centerlines
- Integral sloped drainboards
- 14" (356mm)-deep, 24" (610mm) front-to-back sink bowls available in lengths ranging from 15" to 21" (381 to 610mm).
- Overall sink lengths available range from 49" to 120" (1245 to 3048mm), depending on quantity and length of drainboards.



sink with two drainboards

### **Options / Accessories**

- ☐ 316 stainless construction
- Stainless crossbracing
- Faucets
- □ Drains
- Custom sizes

#### **EAGLE GROUP**

100 Industrial Boulevard, Clayton, DE 19938-8903 USA Phone: 302-653-3000 • 800-441-8440 • Fax: 302-653-2065

www.eaglegrp.com www.eaglemhc.com **Certifications / Approvals** 




For custom configuration or fabrication needs, contact our SpecFAB® Division. Phone: 302-653-3000 • Fax: 302-653-2065 • e-mail: quotes@eaglegrp.com

EG03.69 Rev. 04/25



# **Laboratory Sinks – Three-Compartment**



	BOWL DIMENSIONS			DRAIN	OVE	RALL D							
	wi	width length			length			width I			gth	weight	
model #	in.	mm	in.	mm	quantity	in.	mm	in.	mm	in.	mm	lbs.	kg
SSC-2445-3	24"	610	15″	381	0		-	28″	711	49"	1245	284	128.8
SSC-2445-3-18R or L *	24"	610	15″	381	1	18"	457	28″	711	65"	1651	303	137.4
SSC-2445-3-18	24"	610	15″	381	2	18″	457	28″	711	81″	2057	345	156.5
SSC-2454-3	24"	610	18″	457	0		-	28″	711	58″	1473	309	140.2
SSC-2454-3-18R or L *	24"	610	18″	457	1	18″	457	28″	711	74"	1880	347	157.4
SSC-2454-3-18	24"	610	18″	457	2	18″	457	28″	711	90"	2286	370	167.8
SSC-2463-3	24"	610	21″	533	0		-	28″	711	67″	1702	339	153.8
SSC-2463-3-24R or L *	24"	610	21"	533	1	24"	610	28″	711	89"	2261	382	173.3
SSC-2463-3-24	24"	610	21″	533	2	24"	610	28″	711	111″	2819	426	193.2
SSC-2472-3	24"	610	24"	610	0		-	28″	711	76″	1930	383	173.7
SSC-2472-3-24R or L *	24"	610	24"	610	1	24"	610	28″	711	98″	2489	422	191.4
SSC-2472-3-24	24"	610	24"	610	2	24"	610	28″	711	120″	3048	456	206.8

<sup>\* &</sup>quot;R" indicates drainboard is located at the right end of the unit, and "L" indicates drainboard is at the left end.

#### **EAGLE GROUP**

100 Industrial Boulevard, Clayton, DE 19938-8903 USA Phone: 302-653-3000 or 800-441-8440 • Fax: 302-653-2065 www.eaglegrp.com • www.eaglemhc.com

Printed in U.S.A. ©2025 by Eagle Group

Rev. 04/25