

JUNE 2022 PRICE LIST

MATERIAL HANDLING, HEALTHCARE, CLEANROOM, LAB

- WIRE SHELVING
- CASEWORK
- WORKTABLES
- COUNTERTOPS
- SINKS
- FLOOR TROUGHS
- GOWNING EQUIPMENT
- CUSTOM FABRICATION

EAGLE™
MHC Division
Material Handling, Healthcare & Cleanroom Equipment

www.eaglemhc.com

Stainless Steel Inset Casework

(pages 99 through 124)









Eagle MHC manufactures a broad line of stainless steel inset casework featuring a wide variety of drawer and door configurations to meet your laboratory requirements with all casework proudly made in the U.S.A.

Our casework construction and performance characteristics are in full compliance with SEFA 8M Metal standards.

In addition to our extensive casework product line, Eagle MHC offers stainless steel countertops, custom stainless steel fabrication, laboratory sinks, workstations, shelving and other storage solutions.







EAGLE™
MHC Division
Material Handling, Healthcare & Cleanroom Equipment

- Standard Terms and Conditions of Sale - Effective January 2025

These terms and conditions, as may be modified by Metal Masters Foodservice Equipment Co., Inc. d/b/a Eagle Group's ("Eagle") sales quotation or proposal, and all documents incorporated by specific reference therein are the complete agreement ("Agreement") governing the sale of goods ("Goods") by Eagle to the customer ("Customer"). Customer's placement of an order manifests Customer's assent to this Agreement. This Agreement shall govern in the event of a conflict between this Agreement and any purchase order or other document from the Customer. This Agreement shall not be modified without a writing signed by Eagle and Customer.

PRICES

All merchandise will be billed at our current published list prices in effect at the time of shipment. Freight charges are in addition to merchandise charges unless shipped freight collect or freight prepaid at customer expense. Any sales tax or export fee Eagle must collect will be added to the Customer's invoice. Order consolidation is available for an additional charge.

PERFORMANCE

All shipping dates are approximate. Eagle is not responsible for any delays in processing, production, or shipping. Fulfillment is always subject to the availability of material and to conditions affecting shipment that are beyond our control. Eagle shall not be held liable for any delay.

SHORTAGE

All claims for shortage must be brought to our attention within five (5) business days from the date merchandise is received. Failure to notify Eagle Group of any shortage within five (5) business days of receipt shall result in a waiver of any claim of a shortage. Please be certain that you receive the number of packages signed for. A clear delivery ticket constitutes shipment was delivered without shortage and releases Eagle from liability.

CANCELLATIONS

Cancellations are not accepted on orders in transit, custom items, and electro-polished items. Standard orders that are canceled in production will be subject to up to a 30% cancellation charge.

RETURNS

Custom, modified standard equipment, and electro-polished items are non-returnable.

Authorization Policy for Standard Returns:

- ✔ $75.00 minimum on merchandise returns exclusive of freight.
- ✔ Written approval from Eagle's Customer Service is mandatory on all returns.
- ✔ Return authorization must be requested within 60 days from the date of shipment.
- ✔ Authorized return shipments, in which merchandise is not defective and orders have been properly filled, must be shipped prepaid and properly packaged in original Eagle Group packaging to prevent merchandise damage.
- ✔ Each return authorization number must be written on the outside of each carton returned to Eagle.
- ✔ No credits will be processed for a return until we have confirmation that the item has been received, has been inspected, and is confirmed that the item is in unused, new, and sellable condition. All items returned without proper authorization will not be credited and Eagle Group will not be responsible for shipping costs associated with the attempted return.

Restocking:

- ✔ Restocking and equipment repair fees for merchandise damaged during return shipment to Eagle will be withheld from the issued credit.
- ✔ Returns of made-to-stock merchandise are subject to a 30% restocking fee.
- ✔ Returns of standard made-to-order merchandise are subject to a 50% restocking fee.
- ✔ Returns of Cool Trough® Water Tempering System floor troughs (Models beginning with ASWT and WT) are subject to a 100% restocking fee.
- ✔ The minimum restocking fee on merchandise returns shall be $75.00.

CUSTOM ORDERS & DRAWINGS

Custom orders require submittal drawings for customer approval prior to the start of fabrication. All prints and drawings submitted with orders are accepted as final approval in the custom order process. Errors that arise due to incorrect submittals are the responsibility of the customer. If an order is canceled after drawings are provided by Eagle, a drawing fee equal to 10% of the custom item's net value will apply. Orders for custom work already in production are not permitted to be canceled.

DAMAGES

EAGLE's responsibility ceases immediately upon our retaining receipt of pickup from our dock by the transportation company. Therefore, all liability passes to the customer at our loading dock (FOB Origin), regardless of who pays the carrier, except in the rare case that we deliver using our truck (not a common carrier). If a container shows rough handling, do not give the carrier a clear delivery receipt and inspect the merchandise immediately or refuse the piece(s) of damaged merchandise. Note the damage on the delivery receipt/bill of lading while the driver is there. If you sign your name on the freight bill without noting any damages, then you are stating you have received your order/shipment in acceptable condition. Upon finding damage while unpacking the product, call the carrier without further unpackaging, ask for an inspection, and follow-through by filing a claim with the carrier immediately. Concealed damage claims must be reported in writing to the carrier within five (5) business days of receipt.

ORDER APPROVAL

All orders are subject to final approval by Eagle's home office. Acceptance and/or performance shall be at all times subject to the approval of Eagle's Credit Department. A deposit may be required on larger orders, the amount of the deposit is to be determined at Eagle's sole discretion based on payment history and D&B reports. Minimum order of $50.00 net after any credits required. Shipping cost is not included towards the minimum order.

- MONETARY VALUES ARE BASED ON U.S. CURRENCY. -

- Standard Terms and Conditions of Sale - Effective January 2025

These terms and conditions, as may be modified by Metal Masters Foodservice Equipment Co., Inc. d/b/a Eagle Group's ("Eagle") sales quotation or proposal, and all documents incorporated by specific reference therein are the complete agreement ("Agreement") governing the sale of goods ("Goods") by Eagle to the customer ("Customer"). Customer's placement of an order manifests Customer's assent to this Agreement. This Agreement shall govern in the event of a conflict between this Agreement and any purchase order or other document from the Customer. This Agreement shall not be modified without a writing signed by Eagle and Customer.

TERMS

- Discount and discount dates are clearly marked at the bottom of each invoice should you be entitled to any discount, subject to the current status of your account. If any payment owed to Eagle is not paid when due, it shall bear interest at 1.5% per month, from the date on which it is due, until it is paid. Eagle shall have the right, among other remedies, in the event of delinquency to suspend further performance under this Agreement and/or other agreements with Customer. The customer shall be liable for all expenses, including attorneys' fees, relating to the collection of past due amounts.
- Credit memos expire one year from date of issuance, hold no cash value and cannot be redeemed or refunded for cash unless previously agreed upon by both parties.
- Sales Tax - Customers claiming sales tax exemptoin must provide a valid and up-to-date exemption certificate at the time of purchase. Once an order has been invoiced, customers are liable for any tax incurred, and Eagle Group will not issue credits or allowances.

UPS/FEDEX

All UPS and FedEx shipments will be charged a minimum shipping fee of $25.00.

FOB/FREIGHT

All orders ship FOB Origin unless otherwise specified. All orders shipped prepaid/add will receive an administrative surcharge added to the freight charge.

Freight rates are based on standard dock to dock shipments via Eagle's preferred carriers. Guaranteed delivery, expedited freight, and dedicated shipments are all subject to additional charges. Eagle is not responsible for any unauthorized accessorial charges including but not limited to lift gate, re-delivery, advance notification, limited access, residential, inside delivery, diversion miles, etc. All unauthorized accessorial charges will be billed back to the Customer. These charges will be applied after shipment in the form of a separate invoice. The customer is responsible for arranging and all costs associated with overweight, over height, and overwidth shipments and any logistical obligations such as permits and transportation escorts. Eagle reserves the right to make partial shipments and to segregate special orders and made-to-order Goods. Estimated shipping dimensions and weights serve as a guide only. The customer's shipping documents will include freight charges based on class.

ASSIGNMENT

Customer shall not assign its rights or duties hereunder without the prior written consent of Eagle. The rights and obligations of Eagle under this Agreement shall inure to the benefit of the successors, affiliates, and assigns of Eagle.

PATENTS AND COPYRIGHTS

In the event Eagle sells Customer an item infringing any valid U.S. patent or copyright and the use of such Goods is enjoined, Eagle shall have the right at its option and expense to: (i) procure for Customer the right to continue using such Goods; or (ii) replace them with non-infringing Goods; or (iii) modify same to become non-infringing; or (iv) grant Customer a credit for the depreciated value of such Goods and accept return of them. Any additional remedy is waived by the customer.

Eagle's (and its affiliates') name, logo, designs, drawings, trademarks, and other intellectual property remains the property of Eagle and may not be disclosed, reproduced, or used without its prior written consent.

USE OF GOODS

Customer shall not use any Goods for an unlawful purpose.

JURISDICTION

This Agreement shall be construed in accordance with the laws of the State of Delaware without regard to conflicts of laws. The parties hereto each irrevocably consent to the exclusive jurisdiction of the State courts of the State of Delaware for the resolution of any dispute hereunder and waive removal to Federal Court. This Agreement shall be deemed to be performed in Delaware. Customer specifically agrees to accept service of process by hand-delivery or Certified Mail even if same is not effectuated upon Customer within the territorial jurisdiction of the State of Delaware.

THIRD PARTY OFFERS

EAGLE Group only will honor pricing on proposals submitted by Eagle Group. No third-party pricing offers shall be valid.

CONTROLLING LAW

This Agreement is made under and shall be governed by, construed, and enforced in accordance with, the laws of Delaware without regard to conflicts of law principles.

EXCLUSIVE JURISDICTION

The parties consent to the exclusive jurisdiction of the courts of Delaware and/or the United States District Court for the District of Delaware in any action between the parties arising out of this and Agreement.

LIMITED WARRANTY

Eagle Group warrants only that goods supplied hereunder manufactured by Eagle Group will be free from defects in material and workmanship at the time they leave our factory and are fit only for the purposes intended and no other use or purpose. Remedies in the event of a breach or default by Eagle Group of any kind, including but not limited to the foregoing, arising or not arising under this Agreement, are limited to the cost of goods sold, exclusive of shipping charges. Eagle Group makes no implied warranties to end-users or third persons except as set forth specifically in its written warranties. To view our complete warranty information please visit our website.

- MONETARY VALUES ARE BASED ON U.S. CURRENCY. -


All orders are to be sent to our corporate office.
Please call our corporate office to place your order.
All addresses are subject to change.

Delaware (corporate office):
EAGLE GROUP
100 Industrial Blvd., Clayton, DE 19938
Toll Free Ph: 1-800-441-8440

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

WARRANTY INFORMATION



CLICK HERE FOR FULL WARRANTY INFORMATION

General Terms

- Warranty does not cover any cost associated with maintenance, misuse, abuse, or improper installation.
- Warranty applies in the contiguous United States only.
- Eagle will cover mileage up to 2 hrs or 100 miles round trip up to a maximum of $150.00 for approved warranty work, any overage is a customer responsibility.
- Any warranty work must be authorized by Eagle's service department before the repair appointment.
- The cost of warranty work cannot exceed the cost of the original item.
- Warranty does not cover items purchased as excess, seconds, or closeout inventory.
- Repair parts will be sent on ground transportation, air options available at customer expense.
- All purchases made by the Buyer from the Seller are subject to the seller's warranty and return policy.

To Obtain Service Under Eagle Warranty:

1. **Email our service department at service@eaglegrp.com**
2. **Include with email the following information…**
   a. Date of purchase and installation
   b. Proof of purchase (copy of the original dated invoice)
   c. Description of nature of the defect
   d. Model number, serial number, or description of model or component part
   e. Photographs, if applicable
3. **Wait for disposition from our service team.**

Note: Service work performed without Eagle approval will not be covered.


EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment
100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

OTHERS' WIRE SHELVES COMPARED TO EAGLE GROUP'S…

(18″ x 60″ shelves shown)

EAGLE GROUP's shelves…


…incorporate more perimeter and interior serpentine trusses and mat continuity support wires than any competitive shelves.



EAGLE's patented QuadTruss® design (U.S. Patent #5,390,803) uses four truss wires for up to 25% greater strength!!!

Metro and most imported shelves…

…incorporate both perimeter and interior serpentine trusses and mat continuity support wires, *but* fewer *than EAGLE GROUP's.*



Eagle Group has the strongest wire shelf in the industry—no matter how you stack it!

SHELF AND POST FINISHES AVAILABLE

Stainless Steel Finish—*OUR BEST!*

Stainless Steel

- NSF-listed for all environments.
- Type 304 stainless steel.

NOTE: Stainless steel shelving is electropolished.

15-YEAR LIMITED WARRANTY

EAGLEgard® Hybrid Epoxy

Zinc Chloride
Clear Chromate
MasterSeal® Sealer
Blue Green (translucent)
- hybrid epoxy with MICROGARD®*

- NSF-listed for all environments.
- Zinc chloride plating followed by clear chromate plating with MasterSeal® Sealer and a hybrid epoxy final coat.

12-YEAR LIMITED WARRANTY

Valu-Gard® Green Epoxy

Phosphate Conversion Coating
MasterSeal® Sealer
Green (opaque)
- hybrid metallic epoxy

- NSF-listed for wet or dry storage environments.
- Phosphate conversion coating followed by green hybrid epoxy coating.

5-YEAR LIMITED WARRANTY

VALU-MASTER® Gray Epoxy

Phosphate Conversion Coating
MasterSeal® Sealer
Pewter Gray Epoxy

- NSF-listed for wet or dry storage environments.
- Phosphate conversion coating followed by metallic gray epoxy coating.

5-YEAR LIMITED WARRANTY

Chrome Finish

Bright Nickel
Chrome
Air-dry Lacquer

- NSF-listed for dry storage environments.
- Bright nickel plating followed by chrome plating.

NOTE: Optional clear hybrid epoxy, NSF-listed for all environments, is available.

1-YEAR LIMITED WARRANTY

EAGLEbrite® Zinc

Zinc chloride
Clear Chromate
MasterSeal® Sealer

- NSF-listed for dry storage environments.
- Bright zinc chloride plating followed by clear chromate plating with MasterSeal® sealer for improved rust protection.

NOTE: Wire shelves feature MasterSeal® Sealer. NSF-listed for all environments.

3-YEAR LIMITED WARRANTY

*** MICROGARD®…**

…is an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew on shelf surface that causes stains, odors and degradation.

…combines inorganic antimicrobial silver ions with a patented delivery system. The silver ions react with bacteria in three ways: 1) suffocates the cell, 2) stops the cell reproduction system, and 3) stops the cell from growing.

…is standard on all EAGLEgard® shelving.

Accessories/Components

Casters 9, 10, 61, 66
Casting for Leveling Feet 47
Collar Plug 47
Dividers 16, 49, 62
Enclosure Panels 48
Foot Plates 47
Glides 47
Inlays 61
Label Holders 25, 40
Ledges 50, 62
Leveling Feet 47
Post Cap 47
Post Clamps 47
Retaining Clamp 47
Rods & Tabs 48
"S" Hooks 47
Split Sleeves 47
More Accessories and Components 8-9, 47-55

Add-A-Shelf® and Accessories 22-23

Cantilever Shelving System Wall Mount 67-71

Carts

Angled Shelf/ Visual Merchandising Carts 33-34
Black Polymer Utility Cart 34
Cart Covers 31-32
Mobile Platform Carts 34
Polymer Utility Carts 34
Utility Carts 25, 27, 28-29
Stem Caster Carts 30
Wire Basket Utility Carts 27

Dolly Frames / Dolly Trucks

Aluminum Truck Dollies 39
Dolly Frames 40
Dolly Trucks 35

Posts 8, 23, 62

Q-LEVER® Cantilever Shelving System 72-86

Accessories 85-86
Four- and Five-Tier Units 75-80
Manager's Stations 83
Overhead Storage Systems 82
Task Stations 82
Units with Cabinets 84
Utility Stations 83
Worktables 81

QuadPLUS® Polymer Shelf Mats, Starter Units, Accessories 13-16

Quik-Set® Solid Shelving 63-66

Racks and Platforms

Dunnage Racks 37-39
Platforms 36
Polymer Dunnage Racks 38
Tank Racks/Accessories 45

Redi-Pak®

Utility Carts 25
Wire Shelving Units 24

Retail Display Shelving and Accessories

Accessories/Components 60-62
Decorative Shelves 60
Garment Racks/Accessories 36

Security Units and Accessories 41-44

Shelves / Shelving Units / Kits

Adjustable Wire Shelving
• Add-A-Shelf® 22-23
• Quad-Adjust® 11-12
Cantilever Shelves 8, 61
Dunnage Shelf; Starter Units 38
Four-/Five-Shelf Add-On Units 19, 21
Four-/Five-Shelf Starter Units 12, 15, 18, 20
Hybrid Shelves 26-27
Reverse Mat Shelves/ Label Holders 25
Seismic Footplate Kits 17
Slanted Shelves 49
Sliding Shelf 53
Solid Shelves/Accessories 7
Triangle Shelf 52
Wire Basket Shelf 40
Wire Shelves 6

Tables 46

Track Systems

Floor Track Storage Systems 58-59
Overhead Track Storage Systems 56-57

Workstations

Modular Desks/Workstations 45

For the "Wall Shelves" section, go to pages 89–100.

Wire Shelves (NSF)

see spec sheet **EG01.00**



patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

WEIGHT CAPACITIES:

- Shelves up to 48″ *(1219mm)*: 800 lb. *(363 kg)*.
- 54″-72″ *(1372-1829mm)* shelves: 600 lb. *(272 kg)* - evenly distributed static load.

Note: Shelving units should not exceed 2400 lbs. *(1089 kg)* per set of four posts.

PACKAGING:

- 24″-48″ *(610-1219mm)* lengths: Four per box.
- 54″-72″ *(1372-1829mm)* lengths: Two per box.
- Four pairs of split sleeves per shelf.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		weight		cu	EAGLEbrite®		chrome		Valu-Master®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
14″ width *(356mm)*	24″	610	6	2.7	0.5	**1424Z** •	97	**1424C** •	115	**1424V** •	116	**1424VG** •	116	**1424E** •	133	**1424S**	395
	30″	762	7	3.2	0.5	**1430Z** •	105	**1430C** •	118	**1430V** •	125	**1430VG** •	125	**1430E** •	139	**1430S**	399
	36″	914	8	3.6	0.5	**1436Z** •	110	**1436C** •	129	**1436V** •	132	**1436VG** •	132	**1436E** •	**145**	**1436S** •	404
	42″	1067	9	4.1	0.7	**1442Z** •	132	**1442C** •	145	**1442V** •	152	**1442VG** •	152	**1442E** •	166	**1442S**	495
	48″	1219	10	4.5	0.7	**1448Z** •	132	**1448C** •	145	**1448V** •	152	**1448VG** •	152	**1448E** •	166	**1448S** •	495
	54″	1372	12	5.5	0.9	**1454Z** •	134	**1454C** •	152	**1454V** •	173	**1454VG** •	173	**1454E** •	192	**1454S**	629
	60″	1524	14	6.4	0.9	**1460Z** •	155	**1460C** •	164	**1460V** •	173	**1460VG** •	173	**1460E** •	192	**1460S** •	629
	72″	1829	17	7.7	1.1	**1472Z** •	176	**1472C** •	192	**1472V** •	203	**1472VG** •	203	**1472E** •	219	**1472S** •	714
18″ width *(457mm)*	24″	610	7	3.2	0.7	**1824Z** •	125	**1824C** •	129	**1824V** •	132	**1824VG** •	132	**1824E** •	152	**1824S** •	486
	30″	762	8	3.6	0.7	**1830Z** •	129	**1830C** •	130	**1830V** •	142	**1830VG** •	142	**1830E** •	156	**1830S** •	493
	36″	914	9	4.1	0.7	**1836Z** •	132	**1836C** •	133	**1836V** •	147	**1836VG** •	147	**1836E** •	162	**1836S** •	495
	42″	1067	11	5.0	0.9	**1842Z** •	152	**1842C** •	159	**1842V** •	174	**1842VG** •	174	**1842E** •	196	**1842S** •	594
	48″	1219	12	5.5	0.9	**1848Z** •	152	**1848C** •	159	**1848V** •	174	**1848VG** •	174	**1848E** •	196	**1848S** •	594
	54″	1372	15	6.8	1.2	**1854Z** •	176	**1854C** •	188	**1854V** •	210	**1854VG** •	210	**1854E** •	233	**1854S**	756
	60″	1524	17	7.7	1.2	**1860Z** •	176	**1860C** •	188	**1860V** •	210	**1860VG** •	210	**1860E** •	233	**1860S** •	756
	72″	1829	20	9.1	1.3	**1872Z** •	207	**1872C** •	220	**1872V** •	242	**1872VG** •	242	**1872E** •	269	**1872S** •	897
21″ width *(533mm)*	24″	610	8	3.6	0.7	**2124Z** •	134	**2124C** •	147	**2124V** •	148	**2124VG** •	148	**2124E** •	173	**2124S**	563
	30″	762	9	4.1	0.7	**2130Z** •	139	**2130C** •	152	**2130V** •	159	**2130VG** •	159	**2130E** •	176	**2130S**	567
	36″	914	11	5.0	0.8	**2136Z** •	145	**2136C** •	156	**2136V** •	162	**2136VG** •	162	**2136E** •	185	**2136S** •	573
	42″	1067	12	5.5	1.1	**2142Z** •	164	**2142C** •	180	**2142V** •	192	**2142VG** •	192	**2142E** •	215	**2142S**	660
	48″	1219	14	6.4	1.1	**2148Z** •	164	**2148C** •	180	**2148V** •	192	**2148VG** •	192	**2148E** •	215	**2148S** •	660
	54″	1372	16	7.3	1.3	**2154Z** •	203	**2154C** •	214	**2154V** •	232	**2154VG** •	232	**2154E** •	252	**2154S**	877
	60″	1524	18	8.2	1.3	**2160Z** •	203	**2160C** •	214	**2160V** •	232	**2160VG** •	232	**2160E** •	252	**2160S** •	877
	72″	1829	24	10.9	1.4	**2172Z** •	242	**2172C** •	254	**2172V** •	278	**2172VG** •	278	**2172E** •	307	**2172S**	1042
24″ width *(610mm)*	24″	610	9	4.1	0.8	**2424Z** •	145	**2424C** •	155	**2424V** •	160	**2424VG** •	160	**2424E** •	189	**2424S** •	608
	30″	762	11	5.0	0.8	**2430Z** •	148	**2430C** •	160	**2430V** •	173	**2430VG** •	173	**2430E** •	194	**2430S** •	612
	36″	914	13	5.9	0.8	**2436Z** •	155	**2436C** •	164	**2436V** •	176	**2436VG** •	176	**2436E** •	197	**2436S** •	617
	42″	1067	15	6.8	1.2	**2442Z** •	185	**2442C** •	197	**2442V** •	219	**2442VG** •	219	**2442E** •	242	**2442S** •	749
	48″	1219	16	7.3	1.2	**2448Z** •	185	**2448C** •	197	**2448V** •	219	**2448VG** •	219	**2448E** •	242	**2448S** •	749
	54″	1372	19	8.6	1.5	**2454Z** •	226	**2454C** •	238	**2454V** •	256	**2454VG** •	256	**2454E** •	285	**2454S** •	914
	60″	1524	21	9.5	1.5	**2460Z** •	226	**2460C** •	238	**2460V** •	256	**2460VG** •	256	**2460E** •	285	**2460S** •	914
	72″	1829	26	11.8	1.6	**2472Z** •	255	**2472C** •	278	**2472V** •	300	**2472VG** •	300	**2472E** •	334	**2472S** •	1140
30″ width *(762mm)*	30″	762	16	7.3	1.0	**3030Z**	188	**3030C**	214	**3030V**	217	**3030VG**	217	**3030E**	254	**3030S**	722
	36″	914	17	7.7	1.0	**3036Z** •	210	**3036C** •	242	**3036V**	245	**3036VG**	245	**3036E** •	293	**3036S**	818
	48″	1219	20	9.1	1.5	**3048Z** •	242	**3048C** •	278	**3048V**	285	**3048VG**	285	**3048E** •	333	**3048S**	954
	60″	1524	25	11.4	1.8	**3060Z** •	272	**3060C** •	306	**3060V**	319	**3060VG**	319	**3060E** •	377	**3060S**	1056
	72″	1829	30	13.6	2.3	**3072Z** •	327	**3072C** •	367	**3072V**	382	**3072VG**	382	**3072E** •	454	**3072S**	1283
36″ width *(914mm)*	36″	914	21	9.5	1.3	**3636Z** •	232	**3636C** •	270	**3636V**	272	**3636VG**	272	**3636E** •	327	**3636S**	914
	48″	1219	26	11.8	1.9	**3648Z** •	273	**3648C** •	308	**3648V**	325	**3648VG**	325	**3648E** •	377	**3648S**	1074
	60″	1524	34	15.4	2.3	**3660Z** •	312	**3660C** •	358	**3660V**	369	**3660VG**	369	**3660E** •	445	**3660S**	1250
	72″	1829	43	19.5	2.8	**3672Z** •	377	**3672C** •	419	**3672V**	448	**3672VG**	448	**3672E** •	523	**3672S**	1489

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Solid Shelves (NSF)

see spec sheet **EG01.01**



Raised ¼″-high "V" Edge on all sides and double hem bending provides quality and strength!

side view of solid shelf, showing raised "V" edge

FEATURES:

- Shelf corner collars and tapered split sleeves create locking mechanism to fasten shelves to posts.

Notes: Contact factory for availability of 72″-long shelves. Availability based on application.

PACKAGING:

- 24″-48″ *(610-1219mm)* lengths: Four per box.
- 54″-72″ *(1372-1829mm)* lengths: Two per box.
- Four pairs of split sleeves per shelf.

All items can be shipped UPS.

Notes: For cleanroom applications, add prefix **"CR"** to stainless steel model number. **Example: CRSS1424S.** Alcohol-wiped & bagged, at NO ADDITIONAL PRICE. 316 stainless steel available. Consult factory.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Shelves are autoclave and cart washable when used with Autoclave Posts and Aluminum Split Sleeves **#A208908**. To order Autoclave Posts: model **#CP33-S-CAP** (33″ height), **#CP54-S-CAP** (54″ height), or **#CP63-S-CAP** (63″ height).

	length		weight		cu	galvanized		VALU-MASTER®		Valu-Gard®		stainless	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list
14″ width *(356mm)*	24″	610	10	4.5	0.5	**SS1424G**	289	**SS1424V**	319	**SS1424VG**	319	**SS1424S**	485
	30″	762	12	5.5	0.5	**SS1430G**	297	**SS1430V**	326	**SS1430VG**	326	**SS1430S**	499
	36″	914	14	6.4	0.5	**SS1436G**	308	**SS1436V**	337	**SS1436VG**	337	**SS1436S** •	499
	42″	1067	15	6.8	0.7	**SS1442G**	319	**SS1442V**	350	**SS1442VG**	350	**SS1442S**	599
	48″	1219	17	7.7	0.7	**SS1448G**	325	**SS1448V**	355	**SS1448VG**	355	**SS1448S** •	599
	54″	1372	20	9.1	0.9	**SS1454G**	349	**SS1454V**	386	**SS1454VG**	386	**SS1454S**	655
	60″	1524	22	10.0	0.9	**SS1460G**	350	**SS1460V**	396	**SS1460VG**	396	**SS1460S** •	720
18″ width *(457mm)*	24″	610	11	5.0	0.7	**SS1824G**	287	**SS1824V**	326	**SS1824VG**	326	**SS1824S** •	548
	30″	762	14	6.4	0.7	**SS1830G**	303	**SS1830V**	330	**SS1830VG**	330	**SS1830S** •	560
	36″	914	16	7.3	0.7	**SS1836G** •	307	**SS1836V**	344	**SS1836VG**	344	**SS1836S** •	560
	42″	1067	18	8.2	0.9	**SS1842G**	327	**SS1842V**	358	**SS1842VG**	358	**SS1842S**	686
	48″	1219	20	9.1	0.9	**SS1848G** •	330	**SS1848V** •	367	**SS1848VG**	367	**SS1848S** •	686
	54″	1372	22	10.0	1.2	**SS1854G**	356	**SS1854V**	396	**SS1854VG**	396	**SS1854S**	776
	60″	1524	24	10.9	1.2	**SS1860G** •	366	**SS1860V**	404	**SS1860VG**	404	**SS1860S** •	822
21″ width *(533mm)*	24″	610	13	5.9	0.7	**SS2124G**	308	**SS2124V**	343	**SS2124VG**	343	**SS2124S**	612
	30″	762	15	6.8	0.7	**SS2130G**	319	**SS2130V**	353	**SS2130VG**	353	**SS2130S**	626
	36″	914	18	8.2	0.8	**SS2136G**	340	**SS2136V**	372	**SS2136VG**	372	**SS2136S** •	626
	42″	1067	21	9.5	1.1	**SS2142G**	344	**SS2142V**	386	**SS2142VG**	386	**SS2142S**	784
	48″	1219	23	10.5	1.1	**SS2148G**	355	**SS2148V**	393	**SS2148VG**	393	**SS2148S**	784
	54″	1372	25	11.4	1.3	**SS2154G**	384	**SS2154V**	429	**SS2154VG**	429	**SS2154S**	815
	60″	1524	28	12.7	1.3	**SS2160G**	384	**SS2160V**	432	**SS2160VG**	432	**SS2160S**	960
24″ width *(610mm)*	24″	610	15	6.8	0.8	**SS2424G** •	309	**SS2424V**	344	**SS2424VG**	344	**SS2424S** •	660
	30″	762	17	7.7	0.8	**SS2430G**	325	**SS2430V**	353	**SS2430VG**	353	**SS2430S**	672
	36″	914	19	8.6	0.8	**SS2436G** •	342	**SS2436V** •	376	**SS2436VG**	376	**SS2436S** •	672
	42″	1067	23	10.5	1.0	**SS2442G**	353	**SS2442V**	395	**SS2442VG**	395	**SS2442S** •	820
	48″	1219	24	10.9	1.2	**SS2448G** •	366	**SS2448V**	403	**SS2448VG**	403	**SS2448S** •	820
	54″	1372	27	12.3	1.5	**SS2454G**	393	**SS2454V**	437	**SS2454VG**	437	**SS2454S**	919
	60″	1524	31	14.1	1.5	**SS2460G** •	403	**SS2460V**	452	**SS2460VG**	452	**SS2460S** •	964

Solid Shelf Joining Clamp

see spec sheet **EG01.03D**



model #	list per pair
A203078	59

Note: Two required per shelf.


FEATURES:

- Clamp and two additional posts create various shelving add-on configurations.
- Joins shelves end-to-end, back-to-back, or at right angles.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Posts (NSF)

see spec sheets **EG01.00** **EG01.01** **EG01.11A** **EG01.14**



Posts are numbered on vertical 1″ (25mm) increments to help ensure fast and level assembly.

FEATURES:

- Height includes leveling bolt and cap.
- EAGLEbrite® posts feature air-dry lacquer and can be used for walk-in coolers.

Notes: For special length post, apply price at next higher length plus a cutting charge of **$22.00 list per post.**

See page 9 for appropriate stem casters.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

For Stationary Applications

height		cu	weight		EAGLEbrite®		chrome		Valu-Gard®		VALU-MASTER®		EAGLEgard®		stainless steel	
in.	mm	ft	lb.	kg	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
7″	178	0.1	1.0	0.5	**P7-Z** •	25	**P7-C**	28	**P7-VG**	29	**P7-V**	29	**P7-E** •	33	**P7-S**	65
14″	356	0.1	1.0	0.5	**P14-Z** •	29	**P14-C** •	32	**P14-VG**	33	**P14-V**	33	**P14-E** •	36	**P14-S**	67
18″	457	0.1	1.5	0.7	**P18-Z** •	33	**P18-C** •	36	**P18-VG**	37	**P18-V**	37	**P18-E**	48	**P18-S** •	95
33″	838	0.1	2.0	0.9	**P33-Z** •	36	**P33-C** •	37	**P33-VG** •	40	**P33-V** •	40	**P33-E** •	49	**P33-S** •	109
54″	1372	0.1	3.0	1.4	**P54-Z** •	45	**P54-C** •	48	**P54-VG** •	49	**P54-V** •	49	**P54-E** •	53	**P54-S** •	125
63″	1600	0.3	3.5	1.8	**P63-Z** •	48	**P63-C** •	49	**P63-VG** •	53	**P63-V** •	53	**P63-E** •	60	**P63-S** •	136
74″	1880	0.5	4.0	1.8	**P74-Z** •	49	**P74-C** •	55	**P74-VG** •	59	**P74-V** •	59	**P74-E** •	65	**P74-S** •	155
86″	2184	0.8	5.0	2.3	**P86-Z** •	62	**P86-C** •	66	**P86-VG** •	67	**P86-V** •	67	**P86-E** •	74	**P86-S** •	176
96″	2438	0.9	6.0	2.7	n/a		**P96-C** •*	75	n/a		n/a		n/a		**P96-S** •*	197

* 96″ (*2438mm*) posts are NOT to be used on units less than 24″ *(610mm)* front-to-back. Recommend using in conjunction with foot plates to affix to floor, and with post clamps where applicable.

For Mobile Applications

height		cu	weight		EAGLEbrite®		chrome		Valu-Gard®		VALU-MASTER®		EAGLEgard®		stainless steel	
in.	mm	ft	lb.	kg	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
7″	178	0.1	1.0	0.5	**CP7-Z**	25	**CP7-C**	28	**CP7-VG**	29	**CP7-V**	29	**CP7-E**	33	**CP7-S**	65
14″	356	0.1	1.0	0.5	**CP14-Z**	29	**CP14-C**	32	**CP14-VG**	33	**CP14-V**	33	**CP14-E**	36	**CP14-S**	67
18″	457	0.1	1.5	0.7	**CP18-Z**	33	**CP18-C**	36	**CP18-VG**	37	**CP18-V**	37	**CP18-E**	48	**CP18-S**	95
33″	838	0.1	2.0	0.9	**CP33-Z** •	36	**CP33-C** •	37	**CP33-VG** •	40	**CP33-V**	40	**CP33-E**	49	**CP33-S** •	109
54″	1372	0.1	3.0	1.4	**CP54-Z** •	45	**CP54-C** •	48	**CP54-VG**	49	**CP54-V**	49	**CP54-E**	53	**CP54-S**	125
63″	1600	0.3	3.5	1.8	**CP63-Z** •	48	**CP63-C** •	49	**CP63-VG** •	53	**CP63-V** •	53	**CP63-E** •	60	**CP63-S** •	136
74″	1880	0.5	4.0	1.8	**CP74-Z** •	49	**CP74-C** •	55	**CP74-VG** •	59	**CP74-V** •	59	**CP74-E** •	65	**CP74-S** •	155
86″	2184	0.8	5.0	2.3	**CP86-Z** •	62	**CP86-C** •	66	**CP86-VG** •	67	**CP86-V**	67	**CP86-E** •	74	**CP86-S**	176

Cantilever Shelves

see spec sheet **EG01.03E**



FEATURES:

- 1″ *(25mm)* wraparound ledge.
- 12″ *(305mm)* wide shelves.
- 75 lb. *(34 kg)* - evenly distributed static load.

NOTE: When ordering back posts, confirm with customer service, the correct post height to accommodate these shelves.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

length		weight		cubic	chrome		stainless steel	
in.	mm	lb.	kg	feet	model #	list	model #	list
24″	610	5	2.3	0.5	**CS1224-C**	125	**CS1224-S**	389
30″	762	5	2.3	0.8	**CS1230-C**	132	**CS1230-S**	420
36″	914	6	2.7	0.8	**CS1236-C**	134	**CS1236-S**	439
42″	1067	7	3.2	0.9	**CS1242-C**	152	**CS1242-S**	465
48″	1219	8	3.6	1.0	**CS1248-C** •	156	**CS1248-S**	488
54″	1372	9	4.1	1.1	**CS1254-C**	169	**CS1254-S**	519
60″	1524	10	4.5	1.3	**CS1260-C** •	180	**CS1260-S**	573

Ideal for adding extra storage above an existing shelving unit. Packaged two per box.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Stem Casters (NSF)

see spec sheet EG01.05A

Note: Decorative stem casters also available *(see page 61).*
Conductive stem casters available *(see page 176).*
These casters cannot be used with Master Trak®.

Add mobility to your stationary unit.

FEATURES:
- Use with posts.
- Donut bumpers.
- Swivel casters have a temperature rating of -15˚F.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Cart-Washable Casters

- Features stainless steel boot, swivel stem, sealed precision bearings, and polyurethane wheels.



type	capacity lbs.	capacity kg	wheel diameter in.	wheel diameter mm	wheel face in.	wheel face mm	weight lbs.	weight kg	cubic feet	model #	list
swivel	300	136.1	5˝	127	1¼˝	32	2.0	0.9	0.1	**CSS5WPS-300**	270
w/brake	300	136.1	5˝	127	1¼˝	32	2.0	0.9	0.1	**CSB5WPS-300**	294

Resilient



resilient

type	capacity lbs.	capacity kg	wheel diameter in.	wheel diameter mm	wheel face in.	wheel face mm	weight lbs.	weight kg	cu ft	zinc model #	zinc list
swivel	175	79.4	3˝	76	1˝	25	1.1	0.5	0.1	**CSS3-175**	47
w/brake	175	79.4	3˝	76	1˝	25	1.1	0.5	0.1	**CSB3-175**	52
swivel	125	56.7	4˝	102	1˝	25	1.1	0.5	0.1	**CSS4-125** •	48
swivel	125	56.7	5˝	127	1˝	25	2.0	0.9	0.1	**CSS5-125** •	53
swivel	300	136.1	5˝	127	1¼˝	32	2.5	1.2	0.1	**CSS5-300** •	60
w/brake	300	136.1	5˝	127	1¼˝	32	2.8	1.3	0.1	**CSB5-300** •	69
rigid ▼	300	136.1	5˝	127	1¼˝	32	3.5	1.6	0.1	**CSR5-300** •	66

Polyurethane

- Also available: Eaglebrite® zinc caster with step-pedal brake. Model **#CSPB5-300**. List **$103**



(nickel plated) swivel stem caster with polyurethane tread

type	capacity lbs.	capacity kg	wheel diameter in.	wheel diameter mm	wheel face in.	wheel face mm	weight lbs.	weight kg	cu ft	nickel plated model #	nickel plated list	stainless steel model #	stainless steel list
swivel	300	136.1	5˝	127	1¼˝	32	2.5	1.2	0.1	**CSS5P-300** •	95	**CSS5PS-300** •	293
w/brake	300	136.1	5˝	127	1¼˝	32	2.8	1.3	0.1	**CSB5P-300** •	105	**CSB5PS-300** •	325
rigid ▼	300	136.1	5˝	127	1¼˝	32	3.5	1.6	0.1	**CSR5P-300** •	106	**CSR5PS-300**	270

Cart Washable Polymer Casters


- Corrosion-resistant stainless steel axle, stainless steel stem, polymer horn, and 5˝ *(127mm)*-diameter polyurethane wheel.



type	type of bearing	capacity lbs.	capacity kg	wheel diameter in.	wheel diameter mm	wheel face in.	wheel face mm	weight lbs.	weight kg	cu ft	model #	list
swivel	delrin	250	113.4	5˝	127	1¼˝	32	2.0	0.9	0.1	**CPSS5-250** •	153
w/brake	delrin	250	113.4	5˝	127	1¼˝	32	2.0	0.9	0.1	**CPSB5-250** •	188

▼ Channel Frames for Rigid Stem Casters

Please note: Shelf width must be known when ordering rigid stem casters in order to ship appropriate channel frame to lock rigid casters.



channel frame for rigid stem casters

shelf width in.	shelf width mm	weight lbs.	weight kg	cubic feet	model #	list
14˝	356	1.5	0.7	0.1	**A201706**	33
18˝	457	2.0	0.9	0.1	**A201007**	42
21˝	533	2.5	1.1	0.1	**A201008**	53
24˝	610	2.8	1.3	0.1	**A201009**	53
30˝	762	3.5	1.6	0.1	**A204795**	59
36˝	914	4.0	1.8	0.1	**A207562**	60

Replacement Donut Bumpers for Stem Casters

description	model #	list
3½˝ *(89mm)* diameter	**A200019** •	14
5˝ *(127mm)* diameter, with swivel center	**A213261** •	29



donut bumper

Plate Casters (NSF)

see spec sheet **EG01.05B**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Cart Washable Polymer - Polyurethane tread.



type	capacity lbs.	capacity kg	wheel diameter in.	wheel diameter mm	wheel face in.	wheel face mm	weight lbs.	weight kg	model #	list
swivel	250	90.7	5″	127	1¼″	32	2.8	1.3	**PCPS5-250**	118
lock	250	90.7	5″	127	1¼″	32	2.8	1.3	**PCPL5-250**	148

Resilient



type	capacity lbs.	capacity kg	wheel diameter in.	wheel diameter mm	wheel face in.	wheel face mm	weight lbs.	weight kg	cu ft	EAGLEbrite® zinc model #	list
swivel	200	90.7	5″	127	1⅛″	29	2.8	1.3	0.5	**CPS5-200**	75
brake	200	90.7	5″	127	1⅛″	29	2.8	1.3	0.5	**CPB5-200**	86
rigid	200	90.7	5″	127	1⅛″	29	2.8	1.3	0.5	**CPR5-200**	86
swivel	250	90.7	5″	127	1¼″	32	3.0	1.4	0.5	**CPS5-250** •	96
brake	250	90.7	5″	127	1¼″	32	3.0	1.4	0.5	**CPB5-250**	105
rigid	250	90.7	5″	127	1¼″	32	3.0	1.4	0.5	**CPR5-250**	105
swivel	500	226.8	6″	152	2″	51	9.0	4.1	0.5	**CPS6-500**	145
brake	500	226.8	6″	152	2″	51	9.0	4.1	0.5	**CPB6-500**	160
rigid	500	226.8	6″	152	2″	51	9.0	4.1	0.5	**CPR6-500**	145

Polyurethane



with brake

type	capacity lbs.	capacity kg	wheel diameter in.	wheel diameter mm	wheel face in.	wheel face mm	weight lbs.	weight kg	cu ft	EAGLEbrite® zinc model #	list
swivel	300	136.1	5″	127	1¼″	32	3.0	1.4	0.5	**CPS5P-300** •	86
brake	300	136.1	5″	127	1¼″	32	3.0	1.4	0.5	**CPB5P-300** •	94
rigid	300	136.1	5″	127	1¼″	32	3.0	1.4	0.5	**CPR5P-300**	87
swivel	500	226.8	5″	127	2″	51	8.0	3.6	0.5	**CPS5P-500** •	169
brake	500	226.8	5″	127	2″	51	8.0	3.6	0.5	**CPB5P-500** •	194
rigid	500	226.8	5″	127	2″	51	8.0	3.6	0.5	**CPR5P-500**	194
swivel	600	272.1	6″	152	2″	51	9.0	4.1	0.5	**CPS6P-600** •	188
brake	600	272.1	6″	152	2″	51	9.0	4.1	0.5	**CPB6P-600** •	210
rigid	600	272.1	6″	152	2″	51	9.0	4.1	0.5	**CPR6P-600**	210
swivel	700	317.5	8″	203	2″	51	10.5	4.8	1.0	**CPS8P-700**	210
brake	700	317.5	8″	203	2″	51	10.5	4.8	1.0	**CPB8P-700**	238
rigid	700	317.5	8″	203	2″	51	10.5	4.8	1.0	**CPR8P-700**	238

Swivel/Lock Casters - Polyurethane tread.



type	capacity lbs.	capacity kg	wheel diameter in.	wheel diameter mm	wheel face in.	wheel face mm	weight lbs.	weight kg	cu ft	EAGLEbrite® zinc model #	list
swivel/lock	800	362.9	6″	152	2″	51	9.0	4.1	1.0	**CPL6Z-800**	350
swivel	800	362.9	6″	152	2″	51	9.0	4.1	1.0	**CPS6Z-800**	147
rigid	800	362.9	6″	152	2″	51	9.0	4.1	1.0	**CPR6Z-800**	136
brake	800	362.9	6″	152	2″	51	9.0	4.1	1.0	**CPB6Z-800**	174
swivel/lock	900	408.2	8″	203	2″	51	10.0	4.8	1.0	**CPL8Z-900**	362
swivel	900	408.2	8″	203	2″	51	10.0	4.8	1.0	**CPS8Z-900**	164
rigid	900	408.2	8″	203	2″	51	10.0	4.8	1.0	**CPR8Z-900**	152
brake	900	408.2	8″	203	2″	51	10.0	4.8	1.0	**CPB8Z-900**	192

Stainless Steel Pressure Washable Casters - Polyurethane tread.



with brake


type	capacity lbs.	capacity kg	wheel diameter in.	wheel diameter mm	wheel face in.	wheel face mm	weight lbs.	weight kg	cu ft	stainless steel model #	list
swivel	300	136.1	5″	127	1¼″	32	3.0	1.4	0.5	**CPS5S-300**	278
brake	300	136.1	5″	127	1¼″	32	3.0	1.4	0.5	**CPB5S-300**	303

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment


Quad-Adjust® Wire Shelving NSF

see spec sheet **EG01.14A**



Quad-Adjust® shelf assembled to posts (see page 8 for posts)

PATENTED! (patent #7,992,731)



Each shelf corner fits in collar mounted to split sleeve

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design

makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

FEATURES:

- Shelves feature special interlocking corners that fit in collars mounted to split sleeves, allowing addition or removal of a shelf without the need to disassemble the entire shelf unit.
- Tapered split sleeves create a positive lock that becomes stronger as the load increases.
- Posts *(page 8)* are numbered in increments of 1″ *(25mm)* to ensure fast and level assembly.
- Leveling feet are provided to help compensate for uneven floor surfaces.
- Shelves utilize patented QuadTruss® design: the mat wires are sandwiched between two top truss wires, adding significant strength and distributing the entire load without stress and strain on the welds.

Note: To create a mobile shelf unit, top and bottom shelves must be standard shelves *(page 6)*.


HOW TO ASSEMBLE:



Snap split sleeves onto post over number of your choice.



Attach Quad-Adjust® collar onto split sleeves.



Slide shelf into slots in collar to complete.

Weight capacities and packaging are the same as that of Wire Shelves (page 6).

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Quad-Adjust® Shelves

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless steel	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
14″ width *(356mm)*	24″	610	6	2.7	0.5	**QA1424Z**	174	**QA1424C**	192	**QA1424V**	185	**QA1424VG**	185	**QA1424E**	210	**QA1424S**	542
	30″	762	7	3.2	0.5	**QA1430Z**	185	**QA1430C**	197	**QA1430V**	194	**QA1430VG**	194	**QA1430E**	217	**QA1430S**	549
	36″	914	8	3.6	0.5	**QA1436Z**	189	**QA1436C**	203	**QA1436V**	205	**QA1436VG**	205	**QA1436E**	226	**QA1436S**	550
	42″	1067	9	4.1	0.7	**QA1442Z**	203	**QA1442C**	220	**QA1442V**	232	**QA1442VG**	232	**QA1442E**	244	**QA1442S**	658
	48″	1219	10	4.6	0.7	**QA1448Z**	210	**QA1448C**	228	**QA1448V**	238	**QA1448VG**	238	**QA1448E**	256	**QA1448S**	659
	54″	1372	12	5.5	0.9	**QA1454Z**	226	**QA1454C**	238	**QA1454V**	240	**QA1454VG**	240	**QA1454E**	269	**QA1454S**	807
	60″	1524	14	6.4	0.9	**QA1460Z**	238	**QA1460C**	244	**QA1460V**	269	**QA1460VG**	269	**QA1460E**	278	**QA1460S**	825
	72″	1829	17	7.7	1.1	**QA1472Z**	266	**QA1472C**	278	**QA1472V**	284	**QA1472VG**	284	**QA1472E**	307	**QA1472S**	923
18″ width *(457mm)*	24″	610	7	3.2	0.7	**QA1824Z**	200	**QA1824C**	203	**QA1824V**	200	**QA1824VG**	200	**QA1824E**	238	**QA1824S**	652
	30″	762	8	3.6	0.7	**QA1830Z**	204	**QA1830C**	207	**QA1830V**	219	**QA1830VG**	219	**QA1830E**	239	**QA1830S**	658
	36″	914	9	4.1	0.7	**QA1836Z**	210	**QA1836C** •	214	**QA1836V** •	233	**QA1836VG** •	233	**QA1836E** •	243	**QA1836S**	663
	42″	1067	11	5.0	0.9	**QA1842Z**	228	**QA1842C**	238	**QA1842V**	245	**QA1842VG**	245	**QA1842E**	278	**QA1842S**	770
	48″	1219	12	5.5	0.9	**QA1848Z**	238	**QA1848C**	240	**QA1848V** •	269	**QA1848VG** •	269	**QA1848E** •	284	**QA1848S**	783
	54″	1372	15	6.8	1.2	**QA1854Z**	256	**QA1854C**	269	**QA1854V**	284	**QA1854VG**	284	**QA1854E**	312	**QA1854S**	966
	60″	1524	17	7.7	1.2	**QA1860Z**	266	**QA1860C**	273	**QA1860V** •	297	**QA1860VG** •	297	**QA1860E** •	326	**QA1860S**	978
	72″	1829	20	9.1	1.3	**QA1872Z**	297	**QA1872C**	308	**QA1872V**	344	**QA1872VG**	344	**QA1872E**	358	**QA1872S**	1148
21″ width *(533mm)*	24″	610	8	3.6	0.8	**QA2124Z**	214	**QA2124C**	228	**QA2124V**	217	**QA2124VG**	217	**QA2124E**	256	**QA2124S**	738
	30″	762	9	4.1	0.8	**QA2130Z**	217	**QA2130C**	238	**QA2130V**	238	**QA2130VG**	238	**QA2130E**	266	**QA2130S**	752
	36″	914	11	5.0	0.8	**QA2136Z**	226	**QA2136C**	239	**QA2136V**	256	**QA2136VG**	256	**QA2136E**	270	**QA2136S**	759
	42″	1067	12	5.5	1.1	**QA2142Z**	240	**QA2142C**	258	**QA2142V**	273	**QA2142VG**	273	**QA2142E**	297	**QA2142S**	858
	48″	1219	14	6.4	1.1	**QA2148Z**	244	**QA2148C**	269	**QA2148V**	284	**QA2148VG**	284	**QA2148E**	300	**QA2148S**	863
	54″	1372	16	7.3	1.3	**QA2154Z**	284	**QA2154C**	294	**QA2154V**	306	**QA2154VG**	306	**QA2154E**	338	**QA2154S**	1118
	60″	1524	18	8.2	1.3	**QA2160Z**	285	**QA2160C**	299	**QA2160V**	308	**QA2160VG**	308	**QA2160E**	349	**QA2160S**	1125
	72″	1829	24	10.9	1.4	**QA2172Z**	337	**QA2172C**	350	**QA2172V**	375	**QA2172VG**	375	**QA2172E**	408	**QA2172S**	1322
24″ width *(610mm)*	24″	610	9	4.1	0.8	**QA2424Z**	226	**QA2424C**	238	**QA2424V**	239	**QA2424VG**	239	**QA2424E**	276	**QA2424S**	799
	30″	762	11	5.0	0.8	**QA2430Z**	232	**QA2430C**	240	**QA2430V**	256	**QA2430VG**	256	**QA2430E**	280	**QA2430S**	803
	36″	914	13	5.9	0.8	**QA2436Z**	238	**QA2436C**	244	**QA2436V** •	270	**QA2436VG** •	270	**QA2436E** •	285	**QA2436S**	810
	42″	1067	15	6.8	1.2	**QA2442Z**	266	**QA2442C**	280	**QA2442V**	289	**QA2442VG**	289	**QA2442E**	328	**QA2442S**	960
	48″	1219	16	7.3	1.2	**QA2448Z**	270	**QA2448C** •	285	**QA2448V** •	309	**QA2448VG** •	309	**QA2448E** •	337	**QA2448S**	964
	54″	1372	19	8.6	1.5	**QA2454Z**	307	**QA2454C**	325	**QA2454V**	340	**QA2454VG**	340	**QA2454E**	376	**QA2454S**	1164
	60″	1524	21	9.5	1.5	**QA2460Z**	309	**QA2460C**	327	**QA2460V** •	358	**QA2460VG** •	358	**QA2460E** •	384	**QA2460S**	1173
	72″	1829	26	11.8	1.6	**QA2472Z**	353	**QA2472C**	375	**QA2472V**	417	**QA2472VG**	417	**QA2472E**	438	**QA2472S**	1445


Note: MICROGARD® antimicrobial protection standard on all EAGLEgard® shelving.

Quad-Adjust® Wire Shelving (continued)

NSF

see spec sheet **EG01.14A**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



Quad-Adjust® Reverse Mat Shelves

Built-in ledges prevent shelf contents from falling off.

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless steel	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
14″ (356mm)	24″	610	6	2.7	0.5	QAR1424Z	189	QAR1424C	203	QAR1424V	196	QAR1424VG	196	QAR1424E	226	QAR1424S	574
	36″	914	8	3.6	0.5	QAR1436Z	200	QAR1436C	215	QAR1436V	219	QAR1436VG	219	QAR1436E	239	QAR1436S	585
	48″	1219	10	4.6	0.7	QAR1448Z	215	QAR1448C	240	QAR1448V	245	QAR1448VG	245	QAR1448E	276	QAR1448S	700
18″ (457mm)	24″	610	7	3.2	0.7	QAR1824Z	210	QAR1824C	214	QAR1824V	217	QAR1824VG	217	QAR1824E	245	QAR1824S	693
	36″	914	9	4.1	0.7	QAR1836Z	226	QAR1836C	228	QAR1836V	243	QAR1836VG	243	QAR1836E	258	QAR1836S	708
	48″	1219	12	5.5	0.9	QAR1848Z	245	QAR1848C	255	QAR1848V	283	QAR1848VG	283	QAR1848E	300	QAR1848S	830
21″ (533mm)	24″	610	8	3.6	0.7	QAR2124Z	219	QAR2124C	220	QAR2124V	233	QAR2124VG	233	QAR2124E	263	QAR2124S	714
	36″	914	11	5.0	0.8	QAR2136Z	239	QAR2136C	254	QAR2136V	276	QAR2136VG	276	QAR2136E	284	QAR2136S	800
	48″	1219	14	6.4	1.1	QAR2148Z	266	QAR2148C	283	QAR2148V	300	QAR2148VG	300	QAR2148E	325	QAR2148S	919
24″ (610mm)	24″	610	9	4.1	0.8	QAR2424Z	240	QAR2424C	245	QAR2424V	252	QAR2424VG	252	QAR2424E	293	QAR2424S	850
	36″	914	13	5.9	0.8	QAR2436Z	252	QAR2436C	266	QAR2436V	284	QAR2436VG	284	QAR2436E	303	QAR2436S	863
	48″	1219	16	7.3	1.2	QAR2448Z	284	QAR2448C	303	QAR2448V	334	QAR2448VG	334	QAR2448E	355	QAR2448S	1023

Note: MICROGARD® antimicrobial protection standard on all EAGLEgard® shelving.

Quad-Adjust® 4-Tier Starter Units

see spec sheet **EG01.14B**

patented QuadTruss® design (Patent #5,390,803)

Convenient easy-to-order starter unit kits.



Consists of (2) standard wire shelves, (2) Quad-Adjust® shelves (patent #7,992,731), and (4) *74″ (1880mm)* posts.

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless steel	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18″ width (457mm)	36″	914	65	40	2.7	F2QA2-74-1836Z	873	F2QA2-74-1836C	• 894	F2QA2-74-1836V	• 967	F2QA2-74-1836VG	• 967	F2QA2-74-1836E	•1029	F2QA2-74-1836S	2923
	48″	1219	78	36	3.6	F2QA2-74-1848Z	960	F2QA2-74-1848C	998	F2QA2-74-1848V	•1095	F2QA2-74-1848VG	•1095	F2QA2-74-1848E	•1177	F2QA2-74-1848S	3353
	60″	1524	102	46	4.3	F2QA2-74-1860Z	1069	F2QA2-74-1860C	1127	F2QA2-74-1860V	•1220	F2QA2-74-1860VG	•1220	F2QA2-74-1860E	•1332	F2QA2-74-1860S	4070
	72″	1819	117	53	5.1	F2QA2-74-1872Z	1195	F2QA2-74-1872C	1267	F2QA2-74-1872V	1386	F2QA2-74-1872VG	1386	F2QA2-74-1872E	1476	F2QA2-74-1872S	4692
24″ width (610mm)	36″	914	81	37	3.6	F2QA2-74-2436Z	967	F2QA2-74-2436C	1023	F2QA2-74-2436V	•1105	F2QA2-74-2436VG	•1105	F2QA2-74-2436E	•1184	F2QA2-74-2436S	3464
	48″	1219	98	45	4.6	F2QA2-74-2448Z	1097	F2QA2-74-2448C	•1172	F2QA2-74-2448V	•1273	F2QA2-74-2448VG	•1273	F2QA2-74-2448E	•1374	F2QA2-74-2448S	4029
	60″	1524	122	55	5.7	F2QA2-74-2460Z	1263	F2QA2-74-2460C	1327	F2QA2-74-2460V	•1444	F2QA2-74-2460VG	•1444	F2QA2-74-2460E	•1554	F2QA2-74-2460S	4774
	72″	1819	149	68	6.9	F2QA2-74-2472Z	1400	F2QA2-74-2472C	1509	F2QA2-74-2472V	1639	F2QA2-74-2472VG	1639	F2QA2-74-2472E	1764	F2QA2-74-2472S	5774

Note: MICROGARD® antimicrobial protection standard on all EAGLEgard® shelving.




100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

QuadPLUS® Polymer Shelf Mats… (NSF)

see spec sheets **EG01.47A** **EG01.47B**



FEATURES

- Blue* polymer louvered or solid shelf mats.
- MICROGARD® antimicrobial protection standard on mats.
- Easy assembly—no tools required!

Note: Packaging is the same as that of Wire Shelves *(page 6)*.

WEIGHT CAPACITIES:

- Shelves up to 48″ *(1219mm)*: 800 lb. *(363 kg)*.
- 54″-72″ *(1372-1829mm)* shelves: 600 lb. *(272 kg)* - evenly distributed static load.

Note: Shelving units should not exceed 2400 lbs. *(1089 kg)* per set of four posts.

…with Standard Wire Truss Frame…

	length		weight		cu	…with Louvered Mats				…with Solid Mats			
						w/chrome finish*		w/Valu-Master® finish*		w/chrome finish*		w/Valu-Master® finish*	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list
18″ width (457mm)	24″	610	7	3.2	0.7	QPF-1824C-BL	177	QPF-1824V-BL	188	QPF-1824C-BS	188	QPF-1824V-BS	197
	30″	762	8	3.6	0.7	QPF-1830C-BL	188	QPF-1830V-BL	197	QPF-1830C-BS	197	QPF-1830V-BS	206
	36″	914	10	4.5	0.7	QPF-1836C-BL	188	QPF-1836V-BL	197	QPF-1836C-BS	197	QPF-1836V-BS	206
	42″	1067	11	5.0	0.9	QPF-1842C-BL	226	QPF-1842V-BL	238	QPF-1842C-BS	239	QPF-1842V-BS	248
	48″	1219	12	5.4	0.9	QPF-1848C-BL	226	QPF-1848V-BL	238	QPF-1848C-BS	239	QPF-1848V-BS	248
	54″	1372	15	6.8	1.2	QPF-1854C-BL	266	QPF-1854V-BL	280	QPF-1854C-BS	280	QPF-1854V-BS	294
	60″	1524	17	7.7	1.2	QPF-1860C-BL	266	QPF-1860V-BL	280	QPF-1860C-BS	280	QPF-1860V-BS	294
	72″	1829	20	9.0	1.3	QPF-1872C-BL	303	QPF-1872V-BL	319	QPF-1872C-BS	319	QPF-1872V-BS	334
21″ width (533mm)	24″	610	8	3.6	0.7	QPF-2124C-BL	203	QPF-2124V-BL	210	QPF-2124C-BS	210	QPF-2124V-BS	220
	30″	762	9	4.1	0.7	QPF-2130C-BL	206	QPF-2130V-BL	217	QPF-2130C-BS	217	QPF-2130V-BS	232
	36″	914	11	5.0	0.8	QPF-2136C-BL	206	QPF-2136V-BL	217	QPF-2136C-BS	217	QPF-2136V-BS	232
	42″	1067	13	5.9	1.1	QPF-2142C-BL	243	QPF-2142V-BL	255	QPF-2142C-BS	255	QPF-2142V-BS	270
	48″	1219	14	6.4	1.1	QPF-2148C-BL	243	QPF-2148V-BL	255	QPF-2148C-BS	255	QPF-2148V-BS	270
	54″	1372	16	7.3	1.3	QPF-2154C-BL	285	QPF-2154V-BL	300	QPF-2154C-BS	303	QPF-2154V-BS	319
	60″	1524	18	8.2	1.3	QPF-2160C-BL	285	QPF-2160V-BL	300	QPF-2160C-BS	303	QPF-2160V-BS	319
	72″	1829	23	10.4	1.4	QPF-2172C-BL	349	QPF-2172V-BL	367	QPF-2172C-BS	369	QPF-2172V-BS	389
24″ width (610mm)	24″	610	10	4.5	0.8	QPF-2424C-BL	220	QPF-2424V-BL	234	QPF-2424C-BS	238	QPF-2424V-BS	245
	30″	762	11	5.0	0.8	QPF-2430C-BL	226	QPF-2430V-BL	239	QPF-2430C-BS	240	QPF-2430V-BS	252
	36″	914	13	5.9	0.8	QPF-2436C-BL	226	QPF-2436V-BL	239	QPF-2436C-BS	240	QPF-2436V-BS	252
	42″	1067	15	6.8	1.2	QPF-2442C-BL	276	QPF-2442V-BL	289	QPF-2442C-BS	287	QPF-2442V-BS	303
	48″	1219	16	7.3	1.2	QPF-2448C-BL	276	QPF-2448V-BL	289	QPF-2448C-BS	287	QPF-2448V-BS	303
	54″	1372	19	8.6	1.5	QPF-2454C-BL	327	QPF-2454V-BL	342	QPF-2454C-BS	342	QPF-2454V-BS	358
	60″	1524	21	9.5	1.5	QPF-2460C-BL	327	QPF-2460V-BL	342	QPF-2460C-BS	342	QPF-2460V-BS	358
	72″	1829	25	11.3	1.6	QPF-2472C-BL	382	QPF-2472V-BL	399	QPF-2472C-BS	399	QPF-2472V-BS	420

…with Quad-Adjust® Truss Frame…


	length		weight		cu	…with Louvered Mats				…with Solid Mats			
						w/chrome finish*		w/Valu-Master® finish*		w/chrome finish*		w/Valu-Master® finish*	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list
18″ width (457mm)	24″	610	7	3.2	0.7	QPF-QA1824C-BL	207	QPF-QA1824V-BL	217	QPF-QA1824C-BS	217	QPF-QA1824V-BS	233
	30″	762	8	3.6	0.7	QPF-QA1830C-BL	217	QPF-QA1830V-BL	233	QPF-QA1830C-BS	233	QPF-QA1830V-BS	243
	36″	914	10	4.5	0.7	QPF-QA1836C-BL	217	QPF-QA1836V-BL	233	QPF-QA1836C-BS	233	QPF-QA1836V-BS	243
	42″	1067	11	5.0	0.9	QPF-QA1842C-BL	266	QPF-QA1842V-BL	276	QPF-QA1842C-BS	280	QPF-QA1842V-BS	294
	48″	1219	12	5.4	0.9	QPF-QA1848C-BL	266	QPF-QA1848V-BL	276	QPF-QA1848C-BS	280	QPF-QA1848V-BS	294
	54″	1372	15	6.8	1.2	QPF-QA1854C-BL	309	QPF-QA1854V-BL	328	QPF-QA1854C-BS	328	QPF-QA1854V-BS	344
	60″	1524	17	7.7	1.2	QPF-QA1860C-BL	309	QPF-QA1860V-BL	328	QPF-QA1860C-BS	328	QPF-QA1860V-BS	344
	72″	1829	20	9.0	1.3	QPF-QA1872C-BL	355	QPF-QA1872V-BL	372	QPF-QA1872C-BS	372	QPF-QA1872V-BS	394
21″ width (533mm)	24″	610	8	3.6	0.7	QPF-QA2124C-BL	239	QPF-QA2124V-BL	245	QPF-QA2124C-BS	245	QPF-QA2124V-BS	258
	30″	762	9	4.1	0.7	QPF-QA2130C-BL	243	QPF-QA2130V-BL	255	QPF-QA2130C-BS	255	QPF-QA2130V-BS	270
	36″	914	11	5.0	0.8	QPF-QA2136C-BL	243	QPF-QA2136V-BL	255	QPF-QA2136C-BS	255	QPF-QA2136V-BS	270
	42″	1067	13	5.9	1.1	QPF-QA2142C-BL	285	QPF-QA2142V-BL	300	QPF-QA2142C-BS	300	QPF-QA2142V-BS	316
	48″	1219	14	6.4	1.1	QPF-QA2148C-BL	285	QPF-QA2148V-BL	300	QPF-QA2148C-BS	300	QPF-QA2148V-BS	316
	54″	1372	16	7.3	1.3	QPF-QA2154C-BL	337	QPF-QA2154V-BL	354	QPF-QA2154C-BS	355	QPF-QA2154V-BS	372
	60″	1524	18	8.2	1.3	QPF-QA2160C-BL	337	QPF-QA2160V-BL	354	QPF-QA2160C-BS	355	QPF-QA2160V-BS	372
	72″	1829	23	10.4	1.4	QPF-QA2172C-BL	407	QPF-QA2172V-BL	430	QPF-QA2172C-BS	436	QPF-QA2172V-BS	454
24″ width (610mm)	24″	610	10	4.5	0.8	QPF-QA2424C-BL	258	QPF-QA2424V-BL	273	QPF-QA2424C-BS	276	QPF-QA2424V-BS	289
	30″	762	11	5.0	0.8	QPF-QA2430C-BL	266	QPF-QA2430V-BL	280	QPF-QA2430C-BS	283	QPF-QA2430V-BS	297
	36″	914	13	5.9	0.8	QPF-QA2436C-BL	266	QPF-QA2436V-BL	280	QPF-QA2436C-BS	283	QPF-QA2436V-BS	297
	42″	1067	15	6.8	1.2	QPF-QA2442C-BL	326	QPF-QA2442V-BL	340	QPF-QA2442C-BS	338	QPF-QA2442V-BS	355
	48″	1219	16	7.3	1.2	QPF-QA2448C-BL	326	QPF-QA2448V-BL	340	QPF-QA2448C-BS	338	QPF-QA2448V-BS	355
	54″	1372	19	8.6	1.5	QPF-QA2454C-BL	384	QPF-QA2454V-BL	403	QPF-QA2454C-BS	403	QPF-QA2454V-BS	423
	60″	1524	21	9.5	1.5	QPF-QA2460C-BL	384	QPF-QA2460V-BL	403	QPF-QA2460C-BS	403	QPF-QA2460V-BS	423
	72″	1829	25	11.3	1.6	QPF-QA2472C-BL	450	QPF-QA2472V-BL	474	QPF-QA2472C-BS	474	QPF-QA2472V-BS	494

*Available with green polymer mats and truss frames coated with EAGLEgard® green epoxy (w/MICROGARD®) or Valu-Gard® green epoxy finish.
See spec sheets **EG01.47A** and **EG01.47B**.


QuadPLUS® Wire Baskets and Truss Frames

see spec sheet **EG01.47DM**

These baskets are used in conjunction with specially-made truss frames. Once truss frame is assembled to posts, set basket inside frame. It's that easy!



QuadPLUS® wire basket



truss frame



standard truss frame corner

Wire Baskets

	length in.	length mm	depth in.	depth mm	chrome finish model #	chrome finish list	Valu-Master® gray epoxy model #	Valu-Master® gray epoxy list
18″ width (457mm)	16″	406	6″	152	**QPB1816C-6**	406	**QPB1816V-6**	417
	16″	406	9″	229	**QPB1816C-9**	437	**QPB1816V-9**	445
	22″	559	6″	152	**QPB1822C-6**	452	**QPB1822V-6**	462
	22″	559	9″	229	**QPB1822C-9**	485	**QPB1822V-9**	493
24″ width (610mm)	16″	406	6″	152	**QPB2416C-6**	423	**QPB2416V-6**	430
	16″	406	9″	229	**QPB2416C-9**	453	**QPB2416V-9**	463
	22″	559	6″	152	**QPB2422C-6**	467	**QPB2422V-6**	480
	22″	559	9″	229	**QPB2422C-9**	498	**QPB2422V-9**	512

Truss Frames with Standard Corners

	length in.	length mm	chrome finish model #	chrome finish list	Valu-Master® gray epoxy model #	Valu-Master® gray epoxy list	Basket Capacity per Frame: quantity of 16″-long basket	Basket Capacity per Frame: quantity of 22″-long basket
18″ width (457mm)	24″	610	**QPAF-1824C**	128	**QPAF-1824V**	129		1
	30″	760	**QPAF-1830C**	130	**QPAF-1830V**	132		1
	36″	914	**QPAF-1836C**	133	**QPAF-1836V**	134		2
	42″	1060	**QPAF-1842C**	136	**QPAF-1842V**	139	1	1
	48″	1220	**QPAF-1848C**	142	**QPAF-1848V**	143		2
	54″	1372	**QPAF-1854C**	143	**QPAF-1854V**	145		2
	60″	1524	**QPAF-1860C**	147	**QPAF-1860V**	148	2	1
	72″	1829	**QPAF-1872C**	152	**QPAF-1872V**	155		3
24″ width (610mm)	24″	610	**QPAF-2424C**	143	**QPAF-2424V**	145		1
	30″	760	**QPAF-2430C**	148	**QPAF-2430V**	152		1
	36″	914	**QPAF-2436C**	153	**QPAF-2436V**	156		2
	42″	1060	**QPAF-2442C**	156	**QPAF-2442V**	160	1	1
	48″	1220	**QPAF-2448C**	166	**QPAF-2448V**	173		2
	54″	1372	**QPAF-2454C**	169	**QPAF-2454V**	174		2
	60″	1524	**QPAF-2460C**	169	**QPAF-2460V**	174	2	1
	72″	1829	**QPAF-2472C**	189	**QPAF-2472V**	194		3

Truss Frames with Quad-Adjust® Corners

	length in.	length mm	chrome finish model #	chrome finish list	Valu-Master® gray epoxy model #	Valu-Master® gray epoxy list	Basket Capacity per Frame: quantity of 16″-long basket	Basket Capacity per Frame: quantity of 22″-long basket
18″ width (457mm)	24″	610	**QPAF-QA1824C**	263	**QPAF-QA1824V**	269		1
	30″	760	**QPAF-QA1830C**	266	**QPAF-QA1830V**	272		1
	36″	914	**QPAF-QA1836C**	266	**QPAF-QA1836V**	272		2
	42″	1060	**QPAF-QA1842C**	270	**QPAF-QA1842V**	276	1	1
	48″	1220	**QPAF-QA1848C**	273	**QPAF-QA1848V**	280		2
	54″	1372	**QPAF-QA1854C**	283	**QPAF-QA1854V**	287		2
	60″	1524	**QPAF-QA1860C**	285	**QPAF-QA1860V**	293	2	1
	72″	1829	**QPAF-QA1872C**	287	**QPAF-QA1872V**	294		3
24″ width (610mm)	24″	610	**QPAF-QA2424C**	276	**QPAF-QA2424V**	283		1
	30″	760	**QPAF-QA2430C**	283	**QPAF-QA2430V**	287		1
	36″	914	**QPAF-QA2436C**	287	**QPAF-QA2436V**	294		2
	42″	1060	**QPAF-QA2442C**	294	**QPAF-QA2442V**	300	1	1
	48″	1220	**QPAF-QA2448C**	300	**QPAF-QA2448V**	306		2
	54″	1372	**QPAF-QA2454C**	306	**QPAF-QA2454V**	309		2
	60″	1524	**QPAF-QA2460C**	307	**QPAF-QA2460V**	312	2	1
	72″	1829	**QPAF-QA2472C**	322	**QPAF-QA2472V**	327		3



Quad-Adjust® truss frame corner (allows addition or removal of a shelf without having to disassemble the entire shelf unit)

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

QuadPLUS® 5-Tier Starter Units

see spec sheet **EG01.36M**

Convenient Easy-To-Order Starter Unit Kits

CONSISTS OF:

- One (1) Standard collar truss frame with louvered QuadPLUS® blue shelf mats.
- Three (3) Quad-Adjust® collar truss frames with louvered QuadPLUS® blue shelf mats.
- One (1) Standard collar truss frame with solid QuadPLUS® blue shelf mats.
- Four (4) 74″ *(1880mm)* posts. Mobile units feature 5″ *(127mm)* resilient swivel stem casters—two with brake.

Stationary Units

	length		with chrome finish		with Valu-Master® finish	
	in.	mm	model #	list	model #	list
18″ width *(457mm)*	36″	914	**QPSU1836C-B5-74**	1487	**QPSU1836V-B5-74**	1240
	48″	1219	**QPSU1848C-B5-74**	1708	**QPSU1848V-B5-74**	1460
	60″	1524	**QPSU1860C-B5-74**	1933	**QPSU1860V-B5-74**	1684
21″ width *(533mm)*	36″	914	**QPSU2136C-B5-74**	1605	**QPSU2136V-B5-74**	1355
	48″	1219	**QPSU2148C-B5-74**	1807	**QPSU2148V-B5-74**	1555
	60″	1524	**QPSU2160C-B5-74**	2045	**QPSU2160V-B5-74**	1796
24″ width *(610mm)*	36″	914	**QPSU2436C-B5-74**	1712	**QPSU2436V-B5-74**	1463
	48″	1219	**QPSU2448C-B5-74**	1987	**QPSU2448V-B5-74**	1737
	60″	1524	**QPSU2460C-B5-74**	2267	**QPSU2460V-B5-74**	2017

Mobile Units

	length		with chrome finish		with Valu-Master® finish	
	in.	mm	model #	list	model #	list
18″ width *(457mm)*	36″	914	**QPMU1836C-B5-74**	1555	**QPMU1836V-B5-74**	1308
	48″	1219	**QPMU1848C-B5-74**	1770	**QPMU1848V-B5-74**	1519
	60″	1524	**QPMU1860C-B5-74**	2017	**QPMU1860V-B5-74**	1766
21″ width *(533mm)*	36″	914	**QPMU2136C-B5-74**	1673	**QPMU2136V-B5-74**	1420
	48″	1219	**QPMU2148C-B5-74**	1884	**QPMU2148V-B5-74**	1634
	60″	1524	**QPMU2160C-B5-74**	2139	**QPMU2160V-B5-74**	1889
24″ width *(610mm)*	36″	914	**QPMU2436C-B5-74**	1787	**QPMU2436V-B5-74**	1540
	48″	1219	**QPMU2448C-B5-74**	2070	**QPMU2448V-B5-74**	1823
	60″	1524	**QPMU2460C-B5-74**	2369	**QPMU2460V-B5-74**	2119



QuadPLUS® Accessories

see spec sheet **EG01.47CM**

See page 16 for more QuadPLUS® Accessories.



tray drying rack

Tray Drying Racks

Fits over existing QuadPlus® polymer shelving. Constructed of 6-gauge wire with chrome or Valu-Master® gray epoxy coating. Comes in widths of 18", 21" and 24". Lengths range from 24" long to 60".


	length		…with 1-1/2″ (38mm) Spacing				…with 3″ (76mm) Spacing			
			with Valu-Master®		with stainless finish		with Valu-Master®		with stainless finish	
	in.	mm	model #	list	model #	list	model #	list	model #	list
24″ width *(610mm)*	36″	914	**QTR24361-V**	417	**QTR24361-S**	452	**QTR24363-V**	407	**QTR24363-S**	443
	48″	1219	**QTR24481-V**	436	**QTR24481-S**	485	**QTR24483-V**	429	**QTR24483-S**	476
	60″	1524	**QTR24601-V**	463	**QTR24601-S**	522	**QTR24603-V**	454	**QTR24603-S**	516

QuadPLUS® Accessories

see spec sheet **EG01.47CM**

Drop-In Drying Racks


Wire rack hangs onto front, center and rear trusses of frame included. All drying racks are stainless steel, with your choice of Valu-Master® gray epoxy or stainless steel truss frame.



drop-in drying rack

	length		w/Valu-Master® finish on truss frame		with stainless finish on truss frame	
	in.	mm	model #	list	model #	list
24″ width *(610mm)*	36″	914	**QDR2436-V**	517	**QDR2436-S**	700
	48″	1219	**QDR2448-V**	539	**QDR2448-S**	765
	60″	1524	**QDR2460-V**	567	**QDR2460-S**	844

Ledges



Front-to-Back Ledges…

			1″-high (25mm)						4″-high (102mm)					
width		cu	weight		w/chrome		w/Valu-Master®		weight		w/chrome		w/Valu-Master®	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
18″	457	0.3	0.3	0.1	**QL18W-1C**	65	**QL18W-1V**	66	0.9	0.4	**QL18W-4C**	66	**QL18W-4V**	67
21″	533	0.3	0.4	0.2	**QL21W-1C**	67	**QL21W-1V**	69	1.0	0.5	**QL21W-4C**	70	**QL21W-4V**	74
24″	610	0.3	0.5	0.2	**QL24W-1C**	69	**QL24W-1V**	70	1.2	0.6	**QL24W-4C**	70	**QL24W-4V**	74

Left-to-Right Ledges…

			1″-high (25mm)						4″-high (102mm)					
length		cu	weight		w/chrome		w/Valu-Master®		weight		w/chrome		w/Valu-Master®	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
24″	610	0.3	0.5	0.2	**QL24L-1C**	69	**QL24L-1V**	70	1.2	0.6	**QL24L-4C**	70	**QL24L-4V**	74
30″	762	0.5	0.7	0.3	**QL30L-1C**	83	**QL30L-1V**	86	1.4	0.6	**QL30L-4C**	93	**QL30L-4V**	94
36″	914	0.6	0.9	0.4	**QL36L-1C**	96	**QL36L-1V**	97	1.6	0.7	**QL36L-4C**	108	**QL36L-4V**	109
42″	1067	0.6	1.1	0.5	**QL42L-1C**	103	**QL42L-1V**	104	1.8	0.8	**QL42L-4C**	109	**QL42L-4V**	110
48″	1092	0.7	1.3	0.6	**QL48L-1C**	104	**QL48L-1V**	105	2.0	0.9	**QL48L-4C**	110	**QL48L-4V**	115
54″	1372	0.8	1.5	0.7	**QL54L-1C**	110	**QL54L-1V**	115	2.2	1.0	**QL54L-4C**	116	**QL54L-4V**	118
60″	1524	0.8	1.7	0.8	**QL60L-1C**	128	**QL60L-1V**	129	2.4	1.1	**QL60L-4C**	133	**QL60L-4V**	134
72″	1829	1.0	2.1	1.0	**QL72L-1C**	136	**QL72L-1V**	139	2.6	1.2	**QL72L-4C**	145	**QL72L-4V**	147

QuadPLUS® Dividers

8″ *(203mm)* height.



length		w/chrome		w/Valu-Master®	
in.	mm	model #	list	model #	list
18″	457	**QPSD18-C**	139	**QPSD18-V**	142
21″	533	**QPSD21-C**	142	**QPSD21-V**	145
24″	610	**QPSD24-C**	152	**QPSD24-V**	153

Post Clamps

Provides maximum strength when shelving units are connected by clamping posts securely together.



stainless steel		black epoxy	
model #	list	model #	list
ADD-A-CLAMP	14	**ADD-A-CLAMP-BL**	19

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Seismic Footplate Kits

see spec sheet **EG01.27**



bolt plate for #SFP10-1 | *two-post bolt plate for #SFP10-2* | *four-post bolt plate for #SFP10-4*

FEATURES

- For 1″-diameter posts of pre-existing shelf units.
- 20 PSF per shelf weight capacity.
- Includes hardware to attach to posts.
- Bolt plate is zinc-plated.
- Post straps are chrome-plated.

Note: Shelves and posts sold separately.


Converts standard shelving into seismic shelving!




post strap for #SFP10-2 and #SFP10-4

description	quantity of bolt plates per kit	width x length x height in.	mm	kit model #	list
one-post bolt plate	4	2⅞″ x 7″ x 4¼″	73 x 178 x 108	**SFP10-1**	340
two-post bolt plate, 2 sets of post straps*	2	8″ x 11″ x 4¼″	203 x 279 x 108	**SFP10-2**	563
four-post bolt plate, 4 sets of post straps*	1	11″ x 11″ x 4¼″	279 x 279 x 108	**SFP10-4**	532


* Post straps come with hardware for assembly, and split sleeves for attaching to posts.




For single shelving unit, you need…




one (1) #SFP10-1 kit




For TWO adjacent shelving units, you need…




one (1) #SFP10-1 kit




one (1) #SFP10-2 kit




For FOUR adjacent shelving units, you need…



one (1) #SFP10-1 kit



two (2) #SFP10-2 kits



one (1) #SFP10-4 kit

OSHPD APPROVED
OPM-0349-13

Approved by the California Office of Statewide Health Planning and Development.

Note: OSHPD ongoing evaluation may affect EAGLE GROUP's approve/pre-approve status. Consult factory.

Four-Shelf Starter Units

see spec sheet **EG01.25**



EAGLEgard® finish standard with MICROGARD® protection.

See bottom of page 4 for details.

INCLUDES:

- Four shelves.
- Four posts *(same finish as shelves).*
- Shipped knocked-down.

Note: 54″ *(1372mm)* shelves available *(see page 6).*

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

Models with 63″ *(1600mm)* Height

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18″ width *(457mm)*	24″	610	42	19	1.8	S4-63-1824Z •	670	S4-63-1824C •	695	S4-63-1824V •	720	S4-63-1824VG •	720	S4-63-1824E •	823	S4-63-1824S •	2475
	30″	762	47	21	2.2	S4-63-1830Z •	686	S4-63-1830C •	700	S4-63-1830V •	760	S4-63-1830VG •	760	S4-63-1830E •	849	S4-63-1830S •	2506
	36″	914	53	24	2.6	S4-63-1836Z •	700	S4-63-1836C •	720	S4-63-1836V •	784	S4-63-1836VG •	784	S4-63-1836E •	873	S4-63-1836S •	2522
	42″	1067	57	26	3.0	S4-63-1842Z •	784	S4-63-1842C •	823	S4-63-1842V •	887	S4-63-1842VG •	887	S4-63-1842E •	999	S4-63-1842S •	2907
	48″	1219	63	29	3.5	S4-63-1848Z •	784	S4-63-1848C •	823	S4-63-1848V •	887	S4-63-1848VG •	887	S4-63-1848E •	999	S4-63-1848S •	2907
	60″	1524	82	37	4.2	S4-63-1860Z •	877	S4-63-1860C •	934	S4-63-1860V •	1042	S4-63-1860VG •	1042	S4-63-1860E •	1147	S4-63-1860S •	3552
	72″	1829	94	43	5.0	S4-63-1872Z •	1065	S4-63-1872C •	1072	S4-63-1872V •	1160	S4-63-1872VG •	1160	S4-63-1872E •	1289	S4-63-1872S •	4115
21″ width *(533mm)*	24″	610	46	21	2.1	S4-63-2124Z •	720	S4-63-2124C •	776	S4-63-2124V •	789	S4-63-2124VG •	789	S4-63-2124E •	905	S4-63-2124S	2783
	30″	762	52	24	2.6	S4-63-2130Z •	734	S4-63-2130C •	789	S4-63-2130V •	830	S4-63-2130VG •	830	S4-63-2130E •	919	S4-63-2130S	2804
	36″	914	59	27	3.0	S4-63-2136Z •	760	S4-63-2136C •	816	S4-63-2136V •	849	S4-63-2136VG •	849	S4-63-2136E •	960	S4-63-2136S •	2819
	42″	1067	65	30	3.5	S4-63-2142Z •	838	S4-63-2142C •	912	S4-63-2142V •	960	S4-63-2142VG •	960	S4-63-2142E •	1082	S4-63-2142S	3176
	48″	1219	71	32	4.0	S4-63-2148Z •	838	S4-63-2148C •	912	S4-63-2148V •	960	S4-63-2148VG •	960	S4-63-2148E •	1082	S4-63-2148S •	3176
	60″	1524	88	40	5.0	S4-63-2160Z •	983	S4-63-2160C •	1042	S4-63-2160V •	1112	S4-63-2160VG •	1112	S4-63-2160E •	1222	S4-63-2160S •	4053
	72″	1829	98	45	7.8	S4-63-2172Z •	1147	S4-63-2172C •	1204	S4-63-2172V •	1307	S4-63-2172VG •	1307	S4-63-2172E •	1452	S4-63-2172S	4693
24″ width *(610mm)*	24″	610	50	23	2.4	S4-63-2424Z •	760	S4-63-2424C •	808	S4-63-2424V •	838	S4-63-2424VG •	838	S4-63-2424E •	975	S4-63-2424S •	2958
	30″	762	57	26	2.9	S4-63-2430Z •	776	S4-63-2430C •	830	S4-63-2430V •	877	S4-63-2430VG •	877	S4-63-2430E •	995	S4-63-2430S •	2973
	36″	914	65	30	3.5	S4-63-2436Z •	799	S4-63-2436C •	849	S4-63-2436V •	897	S4-63-2436VG •	897	S4-63-2436E •	1008	S4-63-2436S •	3005
	42″	1067	72	33	3.6	S4-63-2442Z •	919	S4-63-2442C •	975	S4-63-2442V •	1042	S4-63-2442VG •	1042	S4-63-2442E •	1185	S4-63-2442S •	3527
	48″	1219	79	36	4.5	S4-63-2448Z •	919	S4-63-2448C •	975	S4-63-2448V •	1042	S4-63-2448VG •	1042	S4-63-2448E •	1185	S4-63-2448S •	3527
	60″	1524	98	45	5.6	S4-63-2460Z •	1082	S4-63-2460C •	1129	S4-63-2460V •	1222	S4-63-2460VG •	1222	S4-63-2460E •	1359	S4-63-2460S •	4188
	72″	1829	120	55	6.8	S4-63-2472Z •	1204	S4-63-2472C •	1300	S4-63-2472V •	1394	S4-63-2472VG •	1394	S4-63-2472E •	1554	S4-63-2472S •	5087

Models with 74″ *(1880mm)* Height

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18″ width *(457mm)*	24″	610	51	23	1.9	S4-74-1824Z •	678	S4-74-1824C •	712	S4-74-1824V •	734	S4-74-1824VG •	734	S4-74-1824E •	849	S4-74-1824S •	2548
	30″	762	58	26	2.3	S4-74-1830Z •	695	S4-74-1830C •	720	S4-74-1830V •	776	S4-74-1830VG •	776	S4-74-1830E •	873	S4-74-1830S •	2577
	36″	914	65	30	2.7	S4-74-1836Z •	712	S4-74-1836C •	734	S4-74-1836V •	799	S4-74-1836VG •	799	S4-74-1836E •	897	S4-74-1836S •	2594
	42″	1067	70	32	3.1	S4-74-1842Z •	789	S4-74-1842C •	838	S4-74-1842V •	905	S4-74-1842VG •	905	S4-74-1842E •	1025	S4-74-1842S •	2982
	48″	1219	78	36	3.6	S4-74-1848Z •	789	S4-74-1848C •	838	S4-74-1848V •	905	S4-74-1848VG •	905	S4-74-1848E •	1025	S4-74-1848S •	2982
	60″	1524	102	46	4.3	S4-74-1860Z •	887	S4-74-1860C •	954	S4-74-1860V •	1056	S4-74-1860VG •	1056	S4-74-1860E •	1172	S4-74-1860S •	3626
	72″	1829	117	53	5.1	S4-74-1872Z •	1072	S4-74-1872C •	1092	S4-74-1872V •	1177	S4-74-1872VG •	1177	S4-74-1872E •	1314	S4-74-1872S •	4188
21″ width *(533mm)*	24″	610	57	26	2.2	S4-74-2124Z •	726	S4-74-2124C •	789	S4-74-2124V •	808	S4-74-2124VG •	808	S4-74-2124E •	929	S4-74-2124S	2852
	30″	762	64	29	2.7	S4-74-2130Z •	740	S4-74-2130C •	808	S4-74-2130V •	849	S4-74-2130VG •	849	S4-74-2130E •	944	S4-74-2130S	2876
	36″	914	73	33	3.1	S4-74-2136Z •	765	S4-74-2136C •	830	S4-74-2136V •	863	S4-74-2136VG •	863	S4-74-2136E •	983	S4-74-2136S •	2893
	42″	1067	81	37	3.6	S4-74-2142Z •	849	S4-74-2142C •	929	S4-74-2142V •	975	S4-74-2142VG •	975	S4-74-2142E •	1106	S4-74-2142S	3245
	48″	1219	88	40	4.1	S4-74-2148Z •	849	S4-74-2148C •	929	S4-74-2148V •	975	S4-74-2148VG •	975	S4-74-2148E •	1106	S4-74-2148S •	3245
	60″	1524	109	50	5.1	S4-74-2160Z •	995	S4-74-2160C •	1056	S4-74-2160V •	1129	S4-74-2160VG •	1129	S4-74-2160E •	1248	S4-74-2160S •	4122
	72″	1829	122	55	7.7	S4-74-2172Z •	1153	S4-74-2172C •	1217	S4-74-2172V •	1322	S4-74-2172VG •	1322	S4-74-2172E •	1477	S4-74-2172S	4766
24″ width *(610mm)*	24″	610	62	28	2.5	S4-74-2424Z •	765	S4-74-2424C •	823	S4-74-2424V •	856	S4-74-2424VG •	856	S4-74-2424E •	999	S4-74-2424S •	3029
	30″	762	71	32	3.0	S4-74-2430Z •	784	S4-74-2430C •	849	S4-74-2430V •	897	S4-74-2430VG •	897	S4-74-2430E •	1017	S4-74-2430S •	3045
	36″	914	81	37	3.6	S4-74-2436Z •	808	S4-74-2436C •	863	S4-74-2436V •	912	S4-74-2436VG •	912	S4-74-2436E •	1030	S4-74-2436S •	3078
	42″	1067	89	40	3.7	S4-74-2442Z •	929	S4-74-2442C •	995	S4-74-2442V •	1056	S4-74-2442VG •	1056	S4-74-2442E •	1208	S4-74-2442S •	3600
	48″	1219	98	45	4.6	S4-74-2448Z •	929	S4-74-2448C •	995	S4-74-2448V •	1056	S4-74-2448VG •	1056	S4-74-2448E •	1208	S4-74-2448S •	3600
	60″	1524	122	55	5.7	S4-74-2460Z •	1092	S4-74-2460C •	1147	S4-74-2460V •	1243	S4-74-2460VG •	1243	S4-74-2460E •	1387	S4-74-2460S •	4260
	72″	1829	149	68	6.9	S4-74-2472Z •	1208	S4-74-2472C •	1314	S4-74-2472V •	1412	S4-74-2472VG •	1412	S4-74-2472E •	1578	S4-74-2472S •	5162

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Four-Shelf Add-On Units

see spec sheet **EG01.25**



EAGLEgard® finish standard with MICROGARD® protection.
See bottom of page 4 for details.

INCLUDES:
- Four shelves.
- Two posts *(same finish as shelves).*
- Two "S" hooks per shelf.
- Shipped knocked-down.

Note: 54″ *(1372mm)* shelves available *(see page 6).*

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

patented QuadTruss® design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

Models with 63″ *(1600mm)* Height

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18″ width *(457mm)*	24″	610	35	16	1.8	A4-63-1824Z •	627	A4-63-1824C •	647	A4-63-1824V •	665	A4-63-1824VG •	665	A4-63-1824E •	760	A4-63-1824S •	2252
	30″	762	40	18	2.2	A4-63-1830Z •	642	A4-63-1830C •	655	A4-63-1830V •	705	A4-63-1830VG •	705	A4-63-1830E •	784	A4-63-1830S •	2284
	36″	914	46	21	2.6	A4-63-1836Z •	659	A4-63-1836C •	670	A4-63-1836V •	728	A4-63-1836VG •	728	A4-63-1836E •	808	A4-63-1836S •	2303
	42″	1067	50	23	3.0	A4-63-1842Z •	737	A4-63-1842C •	776	A4-63-1842V •	834	A4-63-1842VG •	834	A4-63-1842E •	934	A4-63-1842S •	2687
	48″	1219	56	25	3.5	A4-63-1848Z •	737	A4-63-1848C •	776	A4-63-1848V •	834	A4-63-1848VG •	834	A4-63-1848E •	934	A4-63-1848S •	2687
	60″	1524	75	34	4.2	A4-63-1860Z •	834	A4-63-1860C •	887	A4-63-1860V •	987	A4-63-1860VG •	987	A4-63-1860E •	1082	A4-63-1860S •	3330
	72″	1829	87	40	5.0	A4-63-1872Z •	1022	A4-63-1872C •	1025	A4-63-1872V •	1109	A4-63-1872VG •	1109	A4-63-1872E •	1222	A4-63-1872S •	3896
21″ width *(533mm)*	24″	610	39	18	2.1	A4-63-2124Z •	673	A4-63-2124C •	726	A4-63-2124V •	737	A4-63-2124VG •	737	A4-63-2124E •	838	A4-63-2124S	2556
	30″	762	45	21	2.6	A4-63-2130Z •	692	A4-63-2130C •	740	A4-63-2130V •	782	A4-63-2130VG •	782	A4-63-2130E •	856	A4-63-2130S	2580
	36″	914	52	24	3.0	A4-63-2136Z •	717	A4-63-2136C •	765	A4-63-2136V •	794	A4-63-2136VG •	794	A4-63-2136E •	897	A4-63-2136S •	2598
	42″	1067	58	26	3.5	A4-63-2142Z •	794	A4-63-2142C •	863	A4-63-2142V •	909	A4-63-2142VG •	909	A4-63-2142E •	1017	A4-63-2142S	2949
	48″	1219	64	29	4.0	A4-63-2148Z •	794	A4-63-2148C •	863	A4-63-2148V •	909	A4-63-2148VG •	909	A4-63-2148E •	1017	A4-63-2148S •	2949
	60″	1524	81	37	5.0	A4-63-2160Z •	939	A4-63-2160C •	995	A4-63-2160V •	1062	A4-63-2160VG •	1062	A4-63-2160E •	1160	A4-63-2160S •	3828
	72″	1829	92	42	7.8	A4-63-2172Z •	1104	A4-63-2172C •	1153	A4-63-2172V •	1253	A4-63-2172VG •	1253	A4-63-2172E •	1387	A4-63-2172S	4474
24″ width *(610mm)*	24″	610	43	20	2.4	A4-63-2424Z •	717	A4-63-2424C •	760	A4-63-2424V •	787	A4-63-2424VG •	787	A4-63-2424E •	909	A4-63-2424S •	2734
	30″	762	50	23	2.9	A4-63-2430Z •	728	A4-63-2430C •	784	A4-63-2430V •	827	A4-63-2430VG •	827	A4-63-2430E •	923	A4-63-2430S •	2752
	36″	914	58	26	3.5	A4-63-2436Z •	756	A4-63-2436C •	799	A4-63-2436V •	844	A4-63-2436VG •	844	A4-63-2436E •	939	A4-63-2436S •	2785
	42″	1067	65	30	3.6	A4-63-2442Z •	875	A4-63-2442C •	929	A4-63-2442V •	987	A4-63-2442VG •	987	A4-63-2442E •	1117	A4-63-2442S •	3306
	48″	1219	72	33	4.5	A4-63-2448Z •	875	A4-63-2448C •	929	A4-63-2448V •	987	A4-63-2448VG •	987	A4-63-2448E •	1117	A4-63-2448S •	3306
	60″	1524	91	41	5.6	A4-63-2460Z •	1036	A4-63-2460C •	1082	A4-63-2460V •	1174	A4-63-2460VG •	1174	A4-63-2460E •	1294	A4-63-2460S •	3966
	72″	1829	113	51	6.8	A4-63-2472Z •	1156	A4-63-2472C •	1248	A4-63-2472V •	1343	A4-63-2472VG •	1343	A4-63-2472E •	1487	A4-63-2472S •	4867

Models with 74″ *(1880mm)* Height

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18″ width *(457mm)*	24″	610	43	20	1.9	A4-74-1824Z •	633	A4-74-1824C •	655	A4-74-1824V •	673	A4-74-1824VG •	673	A4-74-1824E •	769	A4-74-1824S •	2288
	30″	762	50	23	2.3	A4-74-1830Z •	650	A4-74-1830C •	663	A4-74-1830V •	717	A4-74-1830VG •	717	A4-74-1830E •	794	A4-74-1830S •	2322
	36″	914	57	26	2.7	A4-74-1836Z •	667	A4-74-1836C •	678	A4-74-1836V •	737	A4-74-1836VG •	737	A4-74-1836E •	820	A4-74-1836S •	2337
	42″	1067	62	28	3.1	A4-74-1842Z •	740	A4-74-1842C •	784	A4-74-1842V •	844	A4-74-1842VG •	844	A4-74-1842E •	947	A4-74-1842S •	2723
	48″	1219	70	32	3.6	A4-74-1848Z •	740	A4-74-1848C •	784	A4-74-1848V •	844	A4-74-1848VG •	844	A4-74-1848E •	947	A4-74-1848S •	2723
	60″	1524	93	42	4.3	A4-74-1860Z •	845	A4-74-1860C •	897	A4-74-1860V •	997	A4-74-1860VG •	997	A4-74-1860E •	1094	A4-74-1860S •	3369
	72″	1829	108	49	5.1	A4-74-1872Z •	980	A4-74-1872C •	1030	A4-74-1872V •	1117	A4-74-1872VG •	1117	A4-74-1872E •	1240	A4-74-1872S •	3930
21″ width *(533mm)*	24″	610	48	22	2.2	A4-74-2124Z •	678	A4-74-2124C •	734	A4-74-2124V •	748	A4-74-2124VG •	748	A4-74-2124E •	852	A4-74-2124S	2594
	30″	762	56	26	2.7	A4-74-2130Z •	695	A4-74-2130C •	752	A4-74-2130V •	787	A4-74-2130VG •	787	A4-74-2130E •	869	A4-74-2130S	2617
	36″	914	65	30	3.1	A4-74-2136Z •	720	A4-74-2136C •	776	A4-74-2136V •	803	A4-74-2136VG •	803	A4-74-2136E •	909	A4-74-2136S •	2634
	42″	1067	73	33	3.6	A4-74-2142Z •	799	A4-74-2142C •	873	A4-74-2142V •	915	A4-74-2142VG •	915	A4-74-2142E •	1028	A4-74-2142S	2988
	48″	1219	80	36	4.1	A4-74-2148Z •	799	A4-74-2148C •	873	A4-74-2148V •	915	A4-74-2148VG •	915	A4-74-2148E •	1028	A4-74-2148S •	2988
	60″	1524	101	46	5.1	A4-74-2160Z •	944	A4-74-2160C •	999	A4-74-2160V •	1069	A4-74-2160VG •	1069	A4-74-2160E •	1174	A4-74-2160S •	3865
	72″	1829	113	51	7.7	A4-74-2172Z •	1106	A4-74-2172C •	1160	A4-74-2172V •	1263	A4-74-2172VG •	1263	A4-74-2172E •	1398	A4-74-2172S	4510
24″ width *(610mm)*	24″	610	53	24	2.5	A4-74-2424Z •	720	A4-74-2424C •	765	A4-74-2424V •	794	A4-74-2424VG •	794	A4-74-2424E •	915	A4-74-2424S •	2769
	30″	762	62	28	3.0	A4-74-2430Z •	734	A4-74-2430C •	789	A4-74-2430V •	834	A4-74-2430VG •	834	A4-74-2430E •	932	A4-74-2430S •	2788
	36″	914	73	33	3.6	A4-74-2436Z •	760	A4-74-2436C •	808	A4-74-2436V •	852	A4-74-2436VG •	852	A4-74-2436E •	947	A4-74-2436S •	2819
	42″	1067	81	37	3.7	A4-74-2442Z •	877	A4-74-2442C •	934	A4-74-2442V •	997	A4-74-2442VG •	997	A4-74-2442E •	1125	A4-74-2442S •	3342
	48″	1219	90	41	4.6	A4-74-2448Z •	877	A4-74-2448C •	934	A4-74-2448V •	997	A4-74-2448VG •	997	A4-74-2448E •	1125	A4-74-2448S •	3342
	60″	1524	113	51	5.7	A4-74-2460Z •	1042	A4-74-2460C •	1092	A4-74-2460V •	1180	A4-74-2460VG •	1180	A4-74-2460E •	1304	A4-74-2460S •	4004
	72″	1829	141	64	6.9	A4-74-2472Z •	1160	A4-74-2472C •	1256	A4-74-2472V •	1352	A4-74-2472VG •	1352	A4-74-2472E •	1495	A4-74-2472S •	4906

Five-Shelf Starter Units

see spec sheet **EG01.25**



EAGLEgard® finish standard with MICROGARD® protection.

See bottom of page 4 for details.

INCLUDES:

- Five wire shelves.
- Four posts *(same finish as shelves).*
- Shipped knocked-down.

Note: 54″ *(1372mm)* shelves available *(see page 6).*

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

Models with 74″ *(1880mm)* Height

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18″ width *(457mm)*	24″	610	51	23	1.9	S5-74-1824Z •	799	S5-74-1824C •	834	S5-74-1824V •	863	S5-74-1824VG •	863	S5-74-1824E •	997	S5-74-1824S •	3029
	30″	762	58	26	2.3	S5-74-1830Z •	820	S5-74-1830C •	845	S5-74-1830V •	914	S5-74-1830VG •	914	S5-74-1830E •	1026	S5-74-1830S •	3070
	36″	914	65	30	2.7	S5-74-1836Z •	838	S5-74-1836C •	865	S5-74-1836V •	944	S5-74-1836VG •	944	S5-74-1836E •	1056	S5-74-1836S •	3087
	42″	1067	70	32	3.1	S5-74-1842Z •	939	S5-74-1842C •	997	S5-74-1842V •	1074	S5-74-1842VG •	1074	S5-74-1842E •	1217	S5-74-1842S •	3573
	48″	1219	78	36	3.6	S5-74-1848Z •	939	S5-74-1848C •	997	S5-74-1848V •	1074	S5-74-1848VG •	1074	S5-74-1848E •	1217	S5-74-1848S •	3573
	60″	1524	102	46	4.3	S5-74-1860Z •	1062	S5-74-1860C •	1139	S5-74-1860V •	1267	S5-74-1860VG •	1267	S5-74-1860E •	1398	S5-74-1860S •	4380
	72″	1829	117	53	5.1	S5-74-1872Z •	1292	S5-74-1872C •	1308	S5-74-1872V •	1417	S5-74-1872VG •	1417	S5-74-1872E •	1578	S5-74-1872S •	5082
21″ width *(533mm)*	24″	610	57	26	2.2	S5-74-2124Z •	859	S5-74-2124C •	934	S5-74-2124V •	955	S5-74-2124VG •	955	S5-74-2124E •	1096	S5-74-2124S	3414
	30″	762	64	29	2.7	S5-74-2130Z •	877	S5-74-2130C •	958	S5-74-2130V •	1006	S5-74-2130VG •	1006	S5-74-2130E •	1117	S5-74-2130S	3442
	36″	914	73	33	3.1	S5-74-2136Z •	910	S5-74-2136C •	984	S5-74-2136V •	1025	S5-74-2136VG •	1025	S5-74-2136E •	1167	S5-74-2136S •	3463
	42″	1067	81	37	3.6	S5-74-2142Z •	1009	S5-74-2142C •	1108	S5-74-2142V •	1164	S5-74-2142VG •	1164	S5-74-2142E •	1316	S5-74-2142S	3905
	48″	1219	88	40	4.1	S5-74-2148Z •	1009	S5-74-2148C •	1108	S5-74-2148V •	1164	S5-74-2148VG •	1164	S5-74-2148E •	1316	S5-74-2148S •	3905
	60″	1524	109	50	5.1	S5-74-2160Z •	1192	S5-74-2160C •	1269	S5-74-2160V •	1355	S5-74-2160VG •	1355	S5-74-2160E •	1499	S5-74-2160S •	5004
	72″	1829	122	55	7.7	S5-74-2172Z •	1393	S5-74-2172C •	1466	S5-74-2172V •	1598	S5-74-2172VG •	1598	S5-74-2172E •	1783	S5-74-2172S	5807
24″ width *(610mm)*	24″	610	62	28	2.5	S5-74-2424Z •	910	S5-74-2424C •	975	S5-74-2424V •	1012	S5-74-2424VG •	1012	S5-74-2424E •	1186	S5-74-2424S •	3633
	30″	762	71	32	3.0	S5-74-2430Z •	930	S5-74-2430C •	1007	S5-74-2430V •	1065	S5-74-2430VG •	1065	S5-74-2430E •	1207	S5-74-2430S •	3654
	36″	914	81	37	3.6	S5-74-2436Z •	960	S5-74-2436C •	1026	S5-74-2436V •	1084	S5-74-2436VG •	1084	S5-74-2436E •	1226	S5-74-2436S •	3695
	42″	1067	89	40	3.7	S5-74-2442Z •	1110	S5-74-2442C •	1186	S5-74-2442V •	1267	S5-74-2442VG •	1267	S5-74-2442E •	1449	S5-74-2442S •	4349
	48″	1219	98	45	4.6	S5-74-2448Z •	1110	S5-74-2448C •	1186	S5-74-2448V •	1267	S5-74-2448VG •	1267	S5-74-2448E •	1449	S5-74-2448S •	4349
	60″	1524	122	55	5.7	S5-74-2460Z •	1312	S5-74-2460C •	1380	S5-74-2460V •	1497	S5-74-2460VG •	1497	S5-74-2460E •	1672	S5-74-2460S •	5172
	72″	1829	149	68	6.9	S5-74-2472Z •	1463	S5-74-2472C •	1588	S5-74-2472V •	1707	S5-74-2472VG •	1707	S5-74-2472E •	1912	S5-74-2472S •	6296

Models with 86″ *(2184mm)* Height

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18″ width *(457mm)*	24″	610	55	25	3.9	S5-86-1824Z •	838	S5-86-1824C •	884	S5-86-1824V •	912	S5-86-1824VG •	912	S5-86-1824E •	1036	S5-86-1824S •	3109
	30″	762	60	27	3.9	S5-86-1830Z •	859	S5-86-1830C •	893	S5-86-1830V •	962	S5-86-1830VG •	962	S5-86-1830E •	1066	S5-86-1830S •	3149
	36″	914	65	30	3.9	S5-86-1836Z •	877	S5-86-1836C •	914	S5-86-1836V •	995	S5-86-1836VG •	995	S5-86-1836E •	1096	S5-86-1836S •	3173
	42″	1067	75	34	4.9	S5-86-1842Z •	980	S5-86-1842C •	1044	S5-86-1842V •	1120	S5-86-1842VG •	1120	S5-86-1842E •	1256	S5-86-1842S •	3654
	48″	1219	80	36	4.9	S5-86-1848Z •	980	S5-86-1848C •	1044	S5-86-1848V •	1120	S5-86-1848VG •	1120	S5-86-1848E •	1256	S5-86-1848S •	3654
	60″	1524	105	48	6.4	S5-86-1860Z •	1104	S5-86-1860C •	1185	S5-86-1860V •	1314	S5-86-1860VG •	1314	S5-86-1860E •	1439	S5-86-1860S •	4456
	72″	1829	120	54	7.4	S5-86-1872Z •	1334	S5-86-1872C •	1355	S5-86-1872V •	1464	S5-86-1872VG •	1464	S5-86-1872E •	1618	S5-86-1872S •	5162
21″ width *(533mm)*	24″	610	60	27	3.9	S5-86-2124Z •	899	S5-86-2124C •	983	S5-86-2124V •	1004	S5-86-2124VG •	1004	S5-86-2124E •	1139	S5-86-2124S	3489
	30″	762	65	30	3.9	S5-86-2130Z •	919	S5-86-2130C •	1006	S5-86-2130V •	1053	S5-86-2130VG •	1053	S5-86-2130E •	1156	S5-86-2130S	3522
	36″	914	75	34	4.4	S5-86-2136Z •	950	S5-86-2136C •	1033	S5-86-2136V •	1072	S5-86-2136VG •	1072	S5-86-2136E •	1207	S5-86-2136S •	3543
	42″	1067	80	36	5.9	S5-86-2142Z •	1050	S5-86-2142C •	1154	S5-86-2142V •	1215	S5-86-2142VG •	1215	S5-86-2142E •	1356	S5-86-2142S	3984
	48″	1219	90	41	5.9	S5-86-2148Z •	1050	S5-86-2148C •	1154	S5-86-2148V •	1215	S5-86-2148VG •	1215	S5-86-2148E •	1356	S5-86-2148S •	3984
	60″	1524	110	50	6.9	S5-86-2160Z •	1233	S5-86-2160C •	1315	S5-86-2160V •	1405	S5-86-2160VG •	1405	S5-86-2160E •	1542	S5-86-2160S •	5082
	72″	1829	140	64	8.4	S5-86-2172Z •	1433	S5-86-2172C •	1517	S5-86-2172V •	1645	S5-86-2172VG •	1645	S5-86-2172E •	1823	S5-86-2172S	5886
24″ width *(610mm)*	24″	610	65	30	4.4	S5-86-2424Z •	950	S5-86-2424C •	1025	S5-86-2424V •	1063	S5-86-2424VG •	1063	S5-86-2424E •	1226	S5-86-2424S •	3714
	30″	762	75	34	4.4	S5-86-2430Z •	970	S5-86-2430C •	1055	S5-86-2430V •	1112	S5-86-2430VG •	1112	S5-86-2430E •	1247	S5-86-2430S •	3732
	36″	914	85	39	4.4	S5-86-2436Z •	999	S5-86-2436C •	1074	S5-86-2436V •	1132	S5-86-2436VG •	1132	S5-86-2436E •	1269	S5-86-2436S •	3773
	42″	1067	95	43	6.4	S5-86-2442Z •	1152	S5-86-2442C •	1239	S5-86-2442V •	1314	S5-86-2442VG •	1314	S5-86-2442E •	1488	S5-86-2442S •	4427
	48″	1219	100	45	6.4	S5-86-2448Z •	1152	S5-86-2448C •	1239	S5-86-2448V •	1314	S5-86-2448VG •	1314	S5-86-2448E •	1488	S5-86-2448S •	4427
	60″	1524	125	57	7.9	S5-86-2460Z •	1353	S5-86-2460C •	1426	S5-86-2460V •	1547	S5-86-2460VG •	1547	S5-86-2460E •	1708	S5-86-2460S •	5252
	72″	1829	150	68	9.4	S5-86-2472Z •	1505	S5-86-2472C •	1638	S5-86-2472V •	1758	S5-86-2472VG •	1758	S5-86-2472E •	1948	S5-86-2472S •	6380

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Five-Shelf Add-On Units

see spec sheet **EG01.25**



INCLUDES:

- Five wire shelves.
- Two posts *(same finish as shelves).*
- Two "S" hooks per shelf.
- Shipped knocked-down.

Note: 54″ *(1372mm)* shelves available *(see page 6).*

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

EAGLEgard® finish standard with MICROGARD® protection.

See bottom of page 4 for details.

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

Models with 74″ *(1880mm)* Height

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18″ width *(457mm)*	24″	610	43	20	1.9	A5-74-1824Z •	763	A5-74-1824C •	789	A5-74-1824V •	816	A5-74-1824VG •	816	A5-74-1824E •	934	A5-74-1824S •	2788
	30″	762	50	23	2.3	A5-74-1830Z •	784	A5-74-1830C •	800	A5-74-1830V •	865	A5-74-1830VG •	865	A5-74-1830E •	966	A5-74-1830S •	2827
	36″	914	57	26	2.7	A5-74-1836Z •	803	A5-74-1836C •	822	A5-74-1836V •	897	A5-74-1836VG •	897	A5-74-1836E •	997	A5-74-1836S •	2848
	42″	1067	62	28	3.1	A5-74-1842Z •	905	A5-74-1842C •	954	A5-74-1842V •	1026	A5-74-1842VG •	1026	A5-74-1842E •	1156	A5-74-1842S •	3330
	48″	1219	80	36	3.6	A5-74-1848Z •	905	A5-74-1848C •	954	A5-74-1848V •	1026	A5-74-1848VG •	1026	A5-74-1848E •	1156	A5-74-1848S •	3330
	60″	1524	93	42	4.3	A5-74-1860Z •	1025	A5-74-1860C •	1094	A5-74-1860V •	1217	A5-74-1860VG •	1217	A5-74-1860E •	1339	A5-74-1860S •	4137
	72″	1829	108	49	5.1	A5-74-1872Z •	1255	A5-74-1872C •	1266	A5-74-1872V •	1369	A5-74-1872VG •	1369	A5-74-1872E •	1518	A5-74-1872S •	4839
21″ width *(533mm)*	24″	610	48	22	2.2	A5-74-2124Z •	823	A5-74-2124C •	889	A5-74-2124V •	910	A5-74-2124VG •	910	A5-74-2124E •	1036	A5-74-2124S	3173
	30″	762	56	26	2.7	A5-74-2130Z •	844	A5-74-2130C •	912	A5-74-2130V •	960	A5-74-2130VG •	960	A5-74-2130E •	1056	A5-74-2130S	3203
	36″	914	65	30	3.1	A5-74-2136Z •	874	A5-74-2136C •	942	A5-74-2136V •	980	A5-74-2136VG •	980	A5-74-2136E •	1108	A5-74-2136S •	3219
	42″	1067	73	33	3.6	A5-74-2142Z •	974	A5-74-2142C •	1063	A5-74-2142V •	1119	A5-74-2142VG •	1119	A5-74-2142E •	1256	A5-74-2142S	3663
	48″	1219	80	36	4.1	A5-74-2148Z •	974	A5-74-2148C •	1063	A5-74-2148V •	1119	A5-74-2148VG •	1119	A5-74-2148E •	1256	A5-74-2148S •	3663
	60″	1524	101	46	5.1	A5-74-2160Z •	1154	A5-74-2160C •	1220	A5-74-2160V •	1312	A5-74-2160VG •	1312	A5-74-2160E •	1439	A5-74-2160S •	4760
	72″	1829	113	51	7.7	A5-74-2172Z •	1355	A5-74-2172C •	1423	A5-74-2172V •	1552	A5-74-2172VG •	1552	A5-74-2172E •	1722	A5-74-2172S	5564
24″ width *(610mm)*	24″	610	53	24	2.5	A5-74-2424Z •	874	A5-74-2424C •	932	A5-74-2424V •	970	A5-74-2424VG •	970	A5-74-2424E •	1118	A5-74-2424S •	3389
	30″	762	62	28	3.0	A5-74-2430Z •	893	A5-74-2430C •	962	A5-74-2430V •	1022	A5-74-2430VG •	1022	A5-74-2430E •	1140	A5-74-2430S •	3414
	36″	914	73	33	3.6	A5-74-2436Z •	923	A5-74-2436C •	982	A5-74-2436V •	1042	A5-74-2436VG •	1042	A5-74-2436E •	1159	A5-74-2436S •	3450
	42″	1067	81	37	3.7	A5-74-2442Z •	1074	A5-74-2442C •	1144	A5-74-2442V •	1219	A5-74-2442VG •	1219	A5-74-2442E •	1382	A5-74-2442S •	4106
	48″	1219	90	41	4.6	A5-74-2448Z •	1074	A5-74-2448C •	1144	A5-74-2448V •	1219	A5-74-2448VG •	1219	A5-74-2448E •	1382	A5-74-2448S •	4106
	60″	1524	113	51	5.7	A5-74-2460Z •	1275	A5-74-2460C •	1337	A5-74-2460V •	1453	A5-74-2460VG •	1453	A5-74-2460E •	1600	A5-74-2460S •	4930
	72″	1829	141	64	6.9	A5-74-2472Z •	1426	A5-74-2472C •	1547	A5-74-2472V •	1664	A5-74-2472VG •	1664	A5-74-2472E •	1844	A5-74-2472S •	6056


Models with 86″ *(2184mm)* Height

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18″ width *(457mm)*	24″	610	45	20	3.7	A5-86-1824Z •	784	A5-86-1824C •	816	A5-86-1824V •	838	A5-86-1824VG •	838	A5-86-1824E •	958	A5-86-1824S •	2827
	30″	762	51	23	3.7	A5-86-1830Z •	803	A5-86-1830C •	825	A5-86-1830V •	888	A5-86-1830VG •	888	A5-86-1830E •	984	A5-86-1830S •	2867
	36″	914	56	25	3.7	A5-86-1836Z •	823	A5-86-1836C •	845	A5-86-1836V •	919	A5-86-1836VG •	919	A5-86-1836E •	1017	A5-86-1836S •	2888
	42″	1067	66	30	4.7	A5-86-1842Z •	923	A5-86-1842C •	975	A5-86-1842V •	1050	A5-86-1842VG •	1050	A5-86-1842E •	1177	A5-86-1842S •	3372
	48″	1219	71	32	4.7	A5-86-1848Z •	923	A5-86-1848C •	975	A5-86-1848V •	1050	A5-86-1848VG •	1050	A5-86-1848E •	1177	A5-86-1848S •	3372
	60″	1524	96	44	6.2	A5-86-1860Z •	1044	A5-86-1860C •	1117	A5-86-1860V •	1243	A5-86-1860VG •	1243	A5-86-1860E •	1356	A5-86-1860S •	4176
	72″	1829	111	50	7.2	A5-86-1872Z •	1275	A5-86-1872C •	1288	A5-86-1872V •	1393	A5-86-1872VG •	1393	A5-86-1872E •	1542	A5-86-1872S •	4880
21″ width *(533mm)*	24″	610	51	23	3.7	A5-86-2124Z •	844	A5-86-2124C •	915	A5-86-2124V •	933	A5-86-2124VG •	933	A5-86-2124E •	1056	A5-86-2124S	3208
	30″	762	56	25	3.7	A5-86-2130Z •	863	A5-86-2130C •	934	A5-86-2130V •	983	A5-86-2130VG •	983	A5-86-2130E •	1075	A5-86-2130S	3242
	36″	914	66	30	4.2	A5-86-2136Z •	893	A5-86-2136C •	966	A5-86-2136V •	1006	A5-86-2136VG •	1006	A5-86-2136E •	1127	A5-86-2136S •	3259
	42″	1067	71	32	5.7	A5-86-2142Z •	996	A5-86-2142C •	1085	A5-86-2142V •	1147	A5-86-2142VG •	1147	A5-86-2142E •	1277	A5-86-2142S	3703
	48″	1219	81	37	5.7	A5-86-2148Z •	996	A5-86-2148C •	1085	A5-86-2148V •	1147	A5-86-2148VG •	1147	A5-86-2148E •	1277	A5-86-2148S •	3703
	60″	1524	101	46	6.7	A5-86-2160Z •	1176	A5-86-2160C •	1247	A5-86-2160V •	1338	A5-86-2160VG •	1338	A5-86-2160E •	1458	A5-86-2160S •	4797
	72″	1829	131	59	8.2	A5-86-2172Z •	1376	A5-86-2172C •	1449	A5-86-2172V •	1577	A5-86-2172VG •	1577	A5-86-2172E •	1739	A5-86-2172S	5604
24″ width *(610mm)*	24″	610	56	25	4.2	A5-86-2424Z •	893	A5-86-2424C •	958	A5-86-2424V •	996	A5-86-2424VG •	996	A5-86-2424E •	1140	A5-86-2424S •	3429
	30″	762	66	30	4.2	A5-86-2430Z •	914	A5-86-2430C •	984	A5-86-2430V •	1044	A5-86-2430VG •	1044	A5-86-2430E •	1159	A5-86-2430S •	3450
	36″	914	76	35	4.2	A5-86-2436Z •	944	A5-86-2436C •	1007	A5-86-2436V •	1065	A5-86-2436VG •	1065	A5-86-2436E •	1178	A5-86-2436S •	3489
	42″	1067	86	39	6.2	A5-86-2442Z •	1095	A5-86-2442C •	1167	A5-86-2442V •	1245	A5-86-2442VG •	1245	A5-86-2442E •	1400	A5-86-2442S •	4144
	48″	1219	91	41	6.2	A5-86-2448Z •	1095	A5-86-2448C •	1167	A5-86-2448V •	1245	A5-86-2448VG •	1245	A5-86-2448E •	1400	A5-86-2448S •	4144
	60″	1524	116	53	7.7	A5-86-2460Z •	1299	A5-86-2460C •	1356	A5-86-2460V •	1478	A5-86-2460VG •	1478	A5-86-2460E •	1623	A5-86-2460S •	4972
	72″	1829	141	64	9.2	A5-86-2472Z •	1448	A5-86-2472C •	1569	A5-86-2472V •	1687	A5-86-2472VG •	1687	A5-86-2472E •	1865	A5-86-2472S •	6097

Add-A-Shelf® (NSF)

see spec sheet **EG01.11A**





Add-A-Shelf® Collars

allows addition or removal of shelf without breaking down the entire unit.

description	model #	list
set of four	**A208891**	22

- *One set of four included with each shelf.*
- *Must be used with split sleeves. To order: Model # **PLASTIC SPLIT SLEEVES**, list (per set of four): $9.*

WEIGHT CAPACITY:

- 300 lb. *(136.1 kg)*; per shelf. - using an evenly distributed load.

Note: Top and bottom shelves of unit must be standard shelves. Post are sold separately.

(For Chrome finish, see page 6; for black, red, or white epoxy, see page 60).

WARNING:

- Use Add-A-Shelf® shelves for intermediate shelves. Add-A-Shelf® is not recommended for mobile applications.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

Add-A-Shelf® Adjustable Shelves - Patent # 5,884,567


	t length		weight		cu	EAGLEbrite®		chrome		black		red		white	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
14″ width *(356mm)*	36″	914	8	3.6	0.5	**A1436Z**	130	**A1436C** •	139	**A1436BL** •	142	**A1436R**	142	**A1436W**	142
	48″	1219	10	4.5	0.7	**A1448Z**	145	**A1448C** •	159	**A1448BL**	160	**A1448R**	160	**A1448W**	160
18″ width *(457mm)*	36″	914	9	4.1	0.7	**A1836Z**	142	**A1836C** •	145	**A1836BL**	147	**A1836R**	147	**A1836W**	147
	48″	1219	12	5.5	0.9	**A1848Z**	164	**A1848C** •	173	**A1848BL**	174	**A1848R**	174	**A1848W**	174
	60″	1524	15	6.8	1.0	**A1860Z**	194	**A1860C**	203	**A1860BL**	204	**A1860R**	204	**A1860W**	204
21″ width *(533mm)*	36″	914	11	5.0	0.8	**A2136Z**	159	**A2136C**	169	**A2136BL**	173	**A2136R**	173	**A2136W**	173
	48″	1219	14	6.4	1.1	**A2148Z**	180	**A2148C**	196	**A2148BL**	197	**A2148R**	197	**A2148W**	197
	60″	1524	17	7.7	1.3	**A2160Z**	215	**A2160C**	240	**A2160BL**	242	**A2160R**	242	**A2160W**	242
24″ width *(610mm)*	36″	914	13	5.9	0.8	**A2436Z**	166	**A2436C** •	180	**A2436BL**	185	**A2436R**	185	**A2436W**	185
	48″	1219	16	7.3	1.2	**A2448Z**	197	**A2448C** •	214	**A2448BL**	215	**A2448R**	215	**A2448W**	215
	60″	1524	21	9.5	1.5	**A2460Z**	240	**A2460C** •	272	**A2460BL**	273	**A2460R**	273	**A2460W**	273

PACKAGING:

- 36″ and 48″ lengths: Four per box.
- 60″ lengths: Two per box.
- Four pairs split sleeves per shelf.
- Four-pack collars per shelf.

Add-A-Shelf® Reverse Mat Shelves - Patent # 5,884,567

	length		weight		cu	EAGLEbrite®		chrome		black		red		white	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
14″ width *(356mm)*	36″	914	8	3.6	0.5	**D1436Z**	133	**D1436C**	145	**D1436BL**	147	**D1436R**	147	**D1436W**	147
	48″	1219	10	4.5	0.7	**D1448Z**	148	**D1448C**	162	**D1448BL**	164	**D1448R**	164	**D1448W**	164
18″ width *(457mm)*	36″	914	9	4.1	0.7	**D1836Z**	147	**D1836C**	148	**D1836BL**	152	**D1836R**	152	**D1836W**	152
	48″	1219	12	5.5	0.9	**D1848Z**	169	**D1848C**	176	**D1848BL**	177	**D1848R**	177	**D1848W**	177
21″ width *(533mm)*	36″	914	11	5.0	0.8	**D2136Z**	162	**D2136C**	174	**D2136BL**	176	**D2136R**	176	**D2136W**	176
	48″	1219	14	6.4	1.1	**D2148Z**	188	**D2148C**	203	**D2148BL**	204	**D2148R**	204	**D2148W**	204
24″ width *(610mm)*	36″	914	13	5.9	0.8	**D2436Z**	173	**D2436C**	188	**D2436BL**	189	**D2436R**	189	**D2436W**	189
	48″	1219	16	7.3	1.2	**D2448Z**	204	**D2448C**	217	**D2448BL**	219	**D2448R**	219	**D2448W**	219



HOW TO ASSEMBLE: Add-A-Shelf® Collar


Numerically calibrated grooved posts, tapered plastic split sleeves and shelf collars combine to make shelving assembly a SIMPLE 3 STEP EXERCISE:



Snap split sleeves onto post over the number of your choice.



Slide collar over split sleeves. When together, a positive lock is created without the use of tools.



Place shelf over collar to complete.



Add-A-Shelf® as a merchandise display unit

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Posts for Add-A-Shelf®

see spec sheet **EG01.11A**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



post height		weight		cu	EAGLEbrite®		chrome		black		red		white	
in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
7″	178	0.8	0.4	0.1	**P7-Z** •	25	**P7-C**	28	**P7-BL**	29	**P7-R**	29	**P7-W**	29
14″	356	1.0	0.5	0.1	**P14-Z** •	29	**P14-C** •	32	**P14-BL** •	33	**P14-R**	33	**P14-W**	33
33″	838	2.0	0.9	0.1	**P33-Z** •	36	**P33-C** •	37	**P33-BL** •	40	**P33-R**	40	**P33-W**	40
54″	1372	3.0	1.4	0.1	**P54-Z** •	45	**P54-C** •	48	**P54-BL** •	49	**P54-R**	49	**P54-W**	49
63″	1600	3.5	1.8	0.3	**P63-Z** •	48	**P63-C** •	49	**P63-BL** •	53	**P63-R**	53	**P63-W**	53
74″	1880	4.0	1.8	0.5	**P74-Z** •	49	**P74-C** •	55	**P74-BL** •	59	**P74-R**	59	**P74-W**	59
86″	2184	5.0	2.3	0.8	**P86-Z** •	62	**P86-C** •	66	**P86-BL** •	67	**P86-R**	67	**P86-W**	67

Add-A-Shelf® Post Clamps

see spec sheet **EG01.11A**



stainless steel		black epoxy	
model #	list	model #	list
ADD-A-CLAMP	12	**ADD-A-CLAMP-BL**	17

Add-A-Shelf® Starter Units

NSF

see spec sheet **EG01.11B**



KIT INCLUDES:

- Two standard shelves.
- Two Add-A-Shelf® shelves.
- Four Redi-Pak® posts.
- Four bags of split sleeves.
- Two bags of Add-A-Shelf® collars.

ALL IN ONE BOX
LOWERING SHIPPING COST!

FEATURES:

- Front edge of shelf can be lowered 4″ *(102mm)* to create slanted shelf.

Note: Top and bottom shelves of unit must be standard shelves.

WARNING:

- Use Add-A-Shelf® shelves for intermediate shelves. Add-A-Shelf® is not recommended for mobile applications.

patented QuadTruss® design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

	length		Units with 63″ *(1600mm)* Posts						Units with 74″ *(1880mm)* Posts					
			weight		chrome		black epoxy		weight		chrome		black epoxy	
	in.	mm	lbs.	kg	model #	list	model #	list	lbs.	kg	model #	list	model #	list
14″ width *(356mm)*	36″	914	46	20.9	**RS4-63-A1436C**	978	**RS4-63-A1436BL**	988	48	21.8	**RS4-74-A1436C**	1042	**RS4-74-A1436BL**	1050
	48″	1219	54	24.5	**RS4-63-A1448C**	1043	**RS4-63-A1448BL**	1053	56	25.4	**RS4-74-A1448C**	1105	**RS4-74-A1448BL**	1116
18″ width *(457mm)*	36″	914	50	22.7	**RS4-63-A1836C**	1044	**RS4-63-A1836BL**	1055	52	23.6	**RS4-74-A1836C**	1110	**RS4-74-A1836BL**	1119
	48″	1219	62	28.1	**RS4-63-A1848C**	1129	**RS4-63-A1848BL**	1140	64	29.0	**RS4-74-A1848C**	1194	**RS4-74-A1848BL**	1206
21″ width *(533mm)*	36″	914	58	26.3	**RS4-63-A2136C**	1074	**RS4-63-A2136BL**	1084	60	27.2	**RS4-74-A2136C**	1140	**RS4-74-A2136BL**	1152
	48″	1219	70	31.8	**RS4-63-A2148C**	1182	**RS4-63-A2148BL**	1200	72	32.7	**RS4-74-A2148C**	1247	**RS4-74-A2148BL**	1259
24″ width *(610mm)*	36″	914	66	29.9	**RS4-63-A2436C**	1140	**RS4-63-A2436BL**	1152	68	30.8	**RS4-74-A2436C**	1204	**RS4-74-A2436BL**	1215
	48″	1219	78	35.4	**RS4-63-A2448C**	1303	**RS4-63-A2448BL**	1314	80	36.3	**RS4-74-A2448C**	1359	**RS4-74-A2448BL**	1374

Redi-Pak® Wire Shelving Units

see spec sheet **EG01.26**





Packed and shipped in one box.

SAVES UP TO 50% ON SHIPPING COSTS!

4-Shelf Units:
- Four wire shelves.
- Four two-piece posts.

5-Shelf Units:
- Five wire shelves.
- Four two-piece posts.

Can be shipped UPS.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

4-Shelf Units, 63″ *(1600mm)* Height

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
18″ width *(457mm)*	36″	914	52	23.6	2.8	**1836Z63**	845	**1836C63**	898	**1836V63**	966	**1836VG63**	966	**1836EG63**	1093
	48″	1219	64	29.0	3.6	**1848Z63**	954	**1848C63**	1022	**1848V63**	1097	**1848VG63**	1097	**1848EG63**	1250
	60″	1524	84	38.1	4.8	**1860Z63**	1119	**1860C63**	1156	**1860V63**	1247	**1860VG63**	1247	**1860EG63**	1426
24″ width *(610mm)*	36″	914	68	30.8	3.2	**2436Z63**	964	**2436C63**	1048	**2436V63**	1127	**2436VG63**	1127	**2436EG63**	1263
	48″	1219	80	36.3	4.8	**2448Z63**	1106	**2448C63**	1207	**2448V63**	1299	**2448VG63**	1299	**2448EG63**	1489
	60″	1524	100	45.4	6.0	**2460Z63**	1294	**2460C63**	1404	**2460V63**	1506	**2460VG63**	1506	**2460EG63**	1695

4-Shelf Units, 74″ *(1880mm)* Height

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
18″ width *(457mm)*	36″	914	52	23.6	2.8	**1836Z74**	859	**1836C74**	915	**1836V74**	983	**1836VG74**	983	**1836EG74**	1095
	48″	1219	74	33.6	3.6	**1848Z74**	996	**1848C74**	1060	**1848V74**	1140	**1848VG74**	1140	**1848EG74**	1289
	60″	1524	84	38.1	4.8	**1860Z74**	1119	**1860C74**	1182	**1860V74**	1275	**1860VG74**	1275	**1860EG74**	1515
24″ width *(610mm)*	36″	914	68	30.8	3.2	**2436Z74**	997	**2436C74**	1065	**2436V74**	1147	**2436VG74**	1147	**2436EG74**	1288
	48″	1219	80	36.3	4.8	**2448Z74**	1156	**2448C74**	1243	**2448V74**	1337	**2448VG74**	1337	**2448EG74**	1543
	60″	1524	100	45.4	6.0	**2460Z74**	1344	**2460C74**	1439	**2460V74**	1548	**2460VG74**	1548	**2460EG74**	1739

5-Shelf Units, 63″ *(1600mm)* Height

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
18″ width *(457mm)*	36″	914	61	27.7	3.5	**1836Z63-5**	1017	**1836C63-5**	1083	**1836V63-5**	1162	**1836VG63-5**	1162	**1836E63-5**	1299
	48″	1219	76	34.5	4.5	**1848Z63-5**	1162	**1848C63-5**	1239	**1848V63-5**	1332	**1848VG63-5**	1332	**1848E63-5**	1523
	60″	1524	101	45.8	6.0	**1860Z63-5**	1269	**1860C63-5**	1418	**1860V63-5**	1528	**1860VG63-5**	1528	**1860E63-5**	1750
24″ width *(610mm)*	36″	914	81	36.7	4.0	**2436Z63-5**	1182	**2436C63-5**	1277	**2436V63-5**	1369	**2436VG63-5**	1369	**2436E63-5**	1542
	48″	1219	96	43.6	6.0	**2448Z63-5**	1367	**2448C63-5**	1497	**2448V63-5**	1609	**2448VG63-5**	1609	**2448E63-5**	1674
	60″	1524	121	54.9	7.5	**2460Z63-5**	1598	**2460C63-5**	1696	**2460V63-5**	1826	**2460VG63-5**	1826	**2460E63-5**	2067

5-Shelf Units, 74″ *(1880mm)* Height

	length		weight		cu	EAGLEbrite®		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
18″ width *(457mm)*	36″	914	61	27.7	3.5	**1836Z74-5**	1019	**1836C74-5**	1120	**1836V74-5**	1207	**1836VG74-5**	1207	**1836E74-5**	1359
	48″	1219	76	34.5	4.5	**1848Z74-5**	1203	**1848C74-5**	1289	**1848V74-5**	1394	**1848VG74-5**	1394	**1848E74-5**	1584
	60″	1524	101	45.8	6.0	**1860Z74-5**	1289	**1860C74-5**	1466	**1860V74-5**	1578	**1860VG74-5**	1578	**1860E74-5**	1819
24″ width *(610mm)*	36″	914	81	36.7	4.0	**2436Z74-5**	1218	**2436C74-5**	1327	**2436V74-5**	1423	**2436VG74-5**	1423	**2436E74-5**	1600
	48″	1219	96	43.6	6.0	**2448Z74-5**	1414	**2448C74-5**	1540	**2448V74-5**	1655	**2448VG74-5**	1655	**2448E74-5**	1894
	60″	1524	121	54.9	7.5	**2460Z74-5**	1642	**2460C74-5**	1739	**2460V74-5**	1870	**2460VG74-5**	1870	**2460E74-5**	2130

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Redi-Pak® Utility Carts

see spec sheet **EG01.10**



Packed and shipped in one box.

SAVES UP TO 50% ON SHIPPING COSTS!



Easy handling and inventory tracking!

WEIGHT CAPACITY:
- Medium-duty 500 lb. *(227 kg)*.

INCLUDES:
- 36½″ *(927mm)* height.
- One handle.
- Two posts.
- Four resilient 4″ *(102mm)* casters with donut bumpers.
- Either two or three chrome shelves with built-in 1″ *(25mm)* ledge on three sides.

Can be shipped UPS.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

				2-Shelf Unit				3-Shelf Unit			
	length		cubic	weight				weight			
width	in.	mm	feet	lb.	kg	model #	list	lbs.	kg	model #	list
18″ *(457mm)*	36″	914	3.0	38	17.2	**U2-1836C-RP**	685	45	20.4	**U3-1836C-RP**	825

patented QuadTruss® design


(Patent #5,390,803)

Reverse Mat Shelves

see spec sheet **EG01.03E**

WEIGHT CAPACITY:
- 250 lb. *(113 kg)*; per shelf.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



Shelves have built-in ledges which prevent contents from falling off!

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

	length		weight		cu	EAGLEbrite®		chrome		black		red		white	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
14″ width *(356mm)*	36″	914	7	3.2	0.5	**RM1436Z**	116	**RM1436C**	132	**RM1436BL**	133	**RM1436R**	133	**RM1436W**	133
	48″	1219	10	4.5	0.7	**RM1448Z**	134	**RM1448C**	148	**RM1448BL** •	152	**RM1448R**	152	**RM1448W**	152
18″ width *(457mm)*	36″	914	9	4.1	0.7	**RM1836Z**	134	**RM1836C**	134	**RM1836BL**	136	**RM1836R**	136	**RM1836W**	136
	48″	1219	11	4.9	0.9	**RM1848Z**	156	**RM1848C**	162	**RM1848BL**	164	**RM1848R**	164	**RM1848W**	164
21″ width *(533mm)*	36″	914	11	4.9	0.8	**RM2136Z**	148	**RM2136C**	160	**RM2136BL**	162	**RM2136R**	162	**RM2136W**	162
	48″	1219	13	5.9	1.1	**RM2148Z**	169	**RM2148C**	188	**RM2148BL**	189	**RM2148R**	189	**RM2148W**	189
24″ width *(610mm)*	24″	610	9	4.1	0.8	**RM2424Z**	148	**RM2424C**	159	**RM2424BL**	160	**RM2424R**	160	**RM2424W**	160
	36″	914	12	5.4	0.8	**RM2436Z**	159	**RM2436C**	169	**RM2436BL**	173	**RM2436R**	173	**RM2436W**	173
	48″	1219	15	6.8	1.2	**RM2448Z**	189	**RM2448C**	204	**RM2448BL**	205	**RM2448R**	205	**RM2448W**	205

Label Holders for Reverse Mat Shelves

see spec sheet **EG01.03E**



length		fits shelf size			
in.	mm	in.	mm	model #	list
3¼″	83	all		**A225494**	10
13″	330	18″	457	**A225512**	22
19″	483	24″	610	**A225513**	28
25″	635	30″	762	**A225514**	32
31″	787	36″	914	**A225515**	49
43″	1092	48″	1219	**A225516**	55
45″	1143	48″	1219	**A225517**	94
55″	1397	60″	1524	**A225518**	96
67″	1702	72″	1829	**A225519**	103

FEATURES:
- Clear plastic.
- Snaps onto shelf edge.
- Provides easy identification of shelf contents or section.
- Holds 1¼″ *(32mm)* high labels.


Note: These also work on standard shelves.

Hybrid Shelves

see spec sheet EG01.46



four-post system with hybrid shelves



hybrid shelf

- Shelves mount over two crossbraces of a four-post high-density system.
- Available for new systems or can be retrofitted to existing systems.
- Can be mixed or matched with solid metal shelves as required.
- Load tested to 250 lbs. *(113.4 kg).*
- Open-wire construction.

FEATURES:

- 24″-48″ *(610-1219mm)* lengths: Four per box.

PACKAGING:

Additional Side-to-Side Partitions for Optional Center Stop Assemblies

length		EAGLEbrite®	
in.	mm	model #	list
30″	762	**A219390**	87
36″	914	**A219391**	133
42″	1067	**A219392**	145
48″	1219	**A219393**	155



Optional Center Stop Assemblies

- For Standard Four-Post Series only.
- Comes with one side-to-side partition that interlocks with two front-to-back ledges to form an “H”.

Standard Four-Post Series

	length		EAGLEbrite®		VALU-MASTER®		stainless steel		EAGLEbrite®		VALU-MASTER®		stainless steel	
	in.	mm	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
12″ width *(305mm)*	24″	610	**SP1224Z**	130	**SP1224V**	142	**SP1224S**	218	**SPD1224-Z**	172	**SPD1224-V**	184	**SPD1224-S**	295
	36″	914	**SP1236Z**	144	**SP1236V**	155	**SP1236S**	306	**SPD1236-Z**	185	**SPD1236-V**	205	**SPD1236-S**	410
	42″	1067	**SP1242Z**	149	**SP1242V**	183	**SP1242S**	338	**SPD1242-Z**	203	**SPD1242-V**	242	**SPD1242-S**	445
	48″	1219	**SP1248Z**	184	**SP1248V**	189	**SP1248S**	344	**SPD1248-Z**	244	**SPD1248-V**	254	**SPD1248-S**	454
15″ width *(381mm)*	30″	762	**SP1530Z**	142	**SP1530V**	145	**SP1530S**	239	**SPD1530-Z**	242	**SPD1530-V**	254	**SPD1530-S**	309
	36″	914	**SP1536Z**	155	**SP1536V**	165	**SP1536S**	319	**SPD1536-Z**	304	**SPD1536-V**	317	**SPD1536-S**	426
	42″	1067	**SP1542Z**	183	**SP1542V**	189	**SP1542S**	349	**SPD1542-Z**	317	**SPD1542-V**	340	**SPD1542-S**	463
	48″	1219	**SP1548Z**	189	**SP1548V**	200	**SP1548S**	356	**SPD1548-Z**	338	**SPD1548-V**	350	**SPD1548-S**	478
16″ width *(406mm)*	30″	762	**SP1630Z**	147	**SP1630V**	155	**SP1630S**	240	**SPD1630-Z**	252	**SPD1630-V**	265	**SPD1630-S**	315
	36″	914	**SP1636Z**	165	**SP1636V**	172	**SP1636S**	278	**SPD1636-Z**	309	**SPD1636-V**	322	**SPD1636-S**	372
	42″	1067	**SP1642Z**	185	**SP1642V**	196	**SP1642S**	322	**SPD1642-Z**	320	**SPD1642-V**	344	**SPD1642-S**	437
	48″	1219	**SP1648Z**	200	**SP1648V**	205	**SP1648S**	365	**SPD1648-Z**	344	**SPD1648-V**	356	**SPD1648-S**	486
18″ width *(457mm)*	30″	762	**SP1830Z**	149	**SP1830V**	159	**SP1830S**	265	**SPD1830-Z**	254	**SPD1830-V**	266	**SPD1830-S**	349
	36″	914	**SP1836Z**	166	**SP1836V**	177	**SP1836S**	308	**SPD1836-Z**	315	**SPD1836-V**	338	**SPD1836-S**	414
	42″	1067	**SP1842Z**	185	**SP1842V**	196	**SP1842S**	356	**SPD1842-Z**	320	**SPD1842-V**	350	**SPD1842-S**	478
	48″	1219	**SP1848Z**	200	**SP1848V**	205	**SP1848S**	406	**SPD1848-Z**	347	**SPD1848-V**	365	**SPD1848-S**	537
21″ width *(533mm)*	30″	762	**SP2130Z**	165	**SP2130V**	172	**SP2130S**	293	**SPD2130-Z**	265	**SPD2130-V**	276	**SPD2130-S**	384
	36″	914	**SP2136Z**	183	**SP2136V**	189	**SP2136S**	344	**SPD2136-Z**	320	**SPD2136-V**	344	**SPD2136-S**	454
	42″	1067	**SP2142Z**	196	**SP2142V**	204	**SP2142S**	392	**SPD2142-Z**	344	**SPD2142-V**	356	**SPD2142-S**	523
	48″	1219	**SP2148Z**	207	**SP2148V**	218	**SP2148S**	443	**SPD2148-Z**	354	**SPD2148-V**	372	**SPD2148-S**	587
24″ width *(610mm)*	30″	762	**SP2430Z**	185	**SP2430V**	196	**SP2430S**	376	**SPD2430-Z**	276	**SPD2430-V**	293	**SPD2430-S**	503
	36″	914	**SP2436Z**	189	**SP2436V**	200	**SP2436S**	443	**SPD2436-Z**	342	**SPD2436-V**	355	**SPD2436-S**	587
	42″	1067	**SP2442Z**	232	**SP2442V**	242	**SP2442S**	512	**SPD2442-Z**	350	**SPD2442-V**	369	**SPD2442-S**	686
	48″	1219	**SP2448Z**	240	**SP2448V**	252	**SP2448S**	566	**SPD2448-Z**	367	**SPD2448-V**	383	**SPD2448-S**	762
30″ width *(762mm)*	30″	762	**SP3030Z**	218	**SP3030V**	239	**SP3030S**	445	**SPD3030-Z**	303	**SPD3030-V**	315	**SPD3030-S**	594
	36″	914	**SP3036Z**	232	**SP3036V**	242	**SP3036S**	514	**SPD3036-Z**	365	**SPD3036-V**	378	**SPD3036-S**	687
	42″	1067	**SP3042Z**	265	**SP3042V**	272	**SP3042S**	600	**SPD3042-Z**	376	**SPD3042-V**	398	**SPD3042-S**	800
	48″	1219	**SP3048Z**	283	**SP3048V**	299	**SP3048S**	664	**SPD3048-Z**	392	**SPD3048-V**	414	**SPD3048-S**	893
32″ width *(813mm)*	36″	914	**SP3236Z**	245	**SP3236V**	256	**SP3236S**	522	**SPD3236-Z**	426	**SPD3236-V**	450	**SPD3236-S**	696
	42″	1067	**SP3242Z**	284	**SP3242V**	303	**SP3242S**	522	**SPD3242-Z**	445	**SPD3242-V**	466	**SPD3242-S**	696
	48″	1219	**SP3248Z**	304	**SP3248V**	317	**SP3248S**	678	**SPD3248-Z**	458	**SPD3248-V**	482	**SPD3248-S**	903
36″ width *(914mm)*	36″	914	**SP3636Z**	272	**SP3636V**	293	**SP3636S**	676	**SPD3636-Z**	443	**SPD3636-V**	463	**SPD3636-S**	900
	42″	1067	**SP3642Z**	299	**SP3642V**	309	**SP3642S**	776	**SPD3642-Z**	458	**SPD3642-V**	482	**SPD3642-S**	1033
	48″	1219	**SP3648Z**	309	**SP3648V**	333	**SP3648S**	883	**SPD3648-Z**	474	**SPD3648-V**	495	**SPD3648-S**	1172

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Hybrid Shelves (Cont.)

see spec sheet EG01.46

Case Work Series

	length		EAGLEbrite®		VALU-MASTER®		stainless steel	
	in.	mm	model #	list	model #	list	model #	list
12″ width (305mm)	28″	711	SPL1224Z	130	SPL1224V	142	SPL1224S	218
	34″	864	SPL1236Z	144	SPL1236V	155	SPL1236S	306
	40″	1016	SPL1242Z	149	SPL1242V	183	SPL1242S	338
	46″	1168	SPL1248Z	184	SPL1248V	189	SPL1248S	344
15″ width (381mm)	28″	711	SPL1530Z	142	SPL1530V	145	SPL1530S	239
	34″	864	SPL1536Z	155	SPL1536V	165	SPL1536S	319
	40″	1016	SPL1542Z	183	SPL1542V	189	SPL1542S	349
	46″	1168	SPL1548Z	189	SPL1548V	200	SPL1548S	356
16″ width (406mm)	28″	711	SPL1630Z	147	SPL1630V	155	SPL1630S	240
	34″	864	SPL1636Z	165	SPL1636V	172	SPL1636S	278
	40″	1016	SPL1642Z	185	SPL1642V	196	SPL1642S	322
	46″	1168	SPL1648Z	200	SPL1648V	205	SPL1648S	365
18″ width (457mm)	28″	711	SPL1830Z	149	SPL1830V	159	SPL1830S	265
	34″	864	SPL1836Z	166	SPL1836V	177	SPL1836S	308
	40″	1016	SPL1842Z	185	SPL1842V	196	SPL1842S	356
	46″	1168	SPL1848Z	200	SPL1848V	205	SPL1848S	406

	length		EAGLEbrite®		VALU-MASTER®		stainless steel	
	in.	mm	model #	list	model #	list	model #	list
21″ width (533mm)	28″	711	SPL2130Z	165	SPL2130V	172	SPL2130S	293
	34″	864	SPL2136Z	183	SPL2136V	189	SPL2136S	344
	40″	1016	SPL2142Z	196	SPL2142V	204	SPL2142S	392
	46″	1168	SPL2148Z	207	SPL2148V	218	SPL2148S	443
24″ width (610mm)	28″	711	SPL2430Z	185	SPL2430V	196	SPL2430S	376
	34″	864	SPL2436Z	189	SPL2436V	200	SPL2436S	443
	40″	1016	SPL2442Z	232	SPL2442V	242	SPL2442S	512
	46″	1168	SPL2448Z	240	SPL2448V	252	SPL2448S	566
30″ width (762mm)	28″	711	SPL3030Z	218	SPL3030V	239	SPL3030S	445
	34″	864	SPL3036Z	232	SPL3036V	242	SPL3036S	514
	40″	1016	SPL3042Z	265	SPL3042V	272	SPL3042S	600
	46″	1168	SPL3048Z	283	SPL3048V	299	SPL3048S	664
32″ width (813mm)	34″	864	SPL3236Z	245	SPL3236V	256	SPL3236S	522
	40″	1016	SPL3242Z	284	SPL3242V	303	SPL3242S	522
	46″	1168	SPL3248Z	304	SPL3248V	317	SPL3248S	678
36″ width (914mm)	34″	864	SPL3636Z	272	SPL3636V	293	SPL3636S	676
	40″	1016	SPL3642Z	299	SPL3642V	309	SPL3642S	776
	46″	1168	SPL3648Z	309	SPL3648V	333	SPL3648S	883

Wire Basket Utility Carts (NSF)

see spec sheet EG01.35

FEATURES:

- Includes four 4″ *(102mm)* swivel stem casters with bumpers and two push handles.
- 40″ *(1016mm)* overall cart height.

description	weight lbs.	weight kg	model #	list
1 chrome basket shelf, 1 chrome standard shelf	31	14.1	WBC1836C-1B1W	692
2 chrome basket shelves	32	14.5	WBC1836C-2B	610



Replacement Wire Basket Shelf — 400-lb. (181.4 kg) weight capacity.

width x length in.	width x length mm	weight lbs.	weight kg	chrome model #	chrome list
18″ x 36″	457 x 914	10	4.5	WBS1836C	200



Stainless Utility Carts (NSF)

see spec sheet EG01.42

Shelves are hemmed for further strength and stability!



#UUC-322

FEATURES:

- Type 430 stainless steel construction.
- Three stainless steel hemmed shelves welded to angle legs.
- Galvanized bottom channel frame featuring four 4″ *(102mm)* swivel plate casters, two with brakes.
- 1″-diameter handle on one end.
- 500-lb. weight capacity.

overall width x length x height in.	overall width x length x height mm	shelf width x length (inner dimensions) in.	shelf width x length (inner dimensions) mm	shelf clearance in.	shelf clearance mm	weight lbs.	weight kg	with * standard upturns model #	with * standard upturns list	with upturn on all sides of all shelves model #	with upturn on all sides of all shelves list
16¾″ x 29⅝″ x 32″	426 x 753 x 813	16½″ x 25⅝″	419 x 643	12½″	318	95	43.1	UC-311	1396	UUC-311	1449
19″ x 33″ x 32″	483 x 838 x 813	18¾″ x 28¹¹⁄₁₆″	476 x 729	12½″	318	95	43.1	UC-322	1437	UUC-322	1489

* Upturn on sides and rear of top and center shelves.

A highly flexible and maneuverable transport product which can be configured in either wire or solid shelves, or a combination of both.

Medium Duty Utility Carts

see spec sheet **EG01.10**



patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

WEIGHT CAPACITY:
- 500 lb. *(227 kg)* maximum.

INCLUDES:
- Two utility handles.
- Four resilient rubber casters.
- 18″ wide carts have 4″ *(102mm)* casters.
- 21″ and 24″ carts have 5″ *(127mm)* casters.

Note: For conductive use, order aluminum split sleeves or plastic conductive split sleeves *(page 47)*, and optional grounding cable or anti-static drag chain *(page 168)*.

See page 29 for optional stainless steel handles.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

2-Shelf Units

	width	length in.	length mm	cu ft	weight lbs.	weight kg	EAGLEbrite® model #	EAGLEbrite® list	chrome model #	chrome list	stainless steel model #	stainless steel list
40″ height* *(1016mm)* *including casters*	**18″** *(457mm)*	24″	610	2.5	32	14.5	**EU2-1824Z** •	587	**EU2-1824C** •	594	**EU2-1824S**	1460
		30″	762	2.5	35	15.8	**EU2-1830Z** •	603	**EU2-1830C** •	610	**EU2-1830S**	1585
		36″	914	2.5	38	17.2	**EU2-1836Z** •	614	**EU2-1836C** •	617	**EU2-1836S**	1672
	21″ *(533mm)*	36″	914	2.9	42	19.1	**EU2-2136Z** •	667	**EU2-2136C** •	695	**EU2-2136S**	1867
	24″ *(610mm)*	36″	914	2.9	45	20.4	**EU2-2436Z** •	695	**EU2-2436C** •	719	**EU2-2436S**	1970

* Stainless steel cart are 40″ *(1016mm)* height. Chrome carts 37¾″ *(959mm)* height including casters.

3-Shelf Units

	width	length in.	length mm	cu ft	weight lbs.	weight kg	EAGLEbrite® model #	EAGLEbrite® list	chrome model #	chrome list	stainless steel model #	stainless steel list
40″ height* *(1016mm)* *including casters*	**18″** *(457mm)*	24″	610	2.5	37	16.7	**EU3-1824Z** •	719	**EU3-1824C** •	726	**EU3-1824S**	1870
		30″	762	2.5	41	18.5	**EU3-1830Z** •	737	**EU3-1830C** •	749	**EU3-1830S**	2056
		36″	914	2.5	45	20.4	**EU3-1836Z** •	759	**EU3-1836C** •	763	**EU3-1836S**	2180
	21″ *(533mm)*	36″	914	2.9	48	21.8	**EU3-2136Z** •	823	**EU3-2136C** •	859	**EU3-2136S**	2448
	24″ *(610mm)*	36″	914	2.9	58	26.3	**EU3-2436Z** •	858	**EU3-2436C** •	897	**EU3-2436S**	2605

* Stainless steel cart are 40″ *(1016mm)* height. Chrome carts 37¾″ *(959mm)* height including casters.

Utility Carts with Solid Shelf

see spec sheet **EG01.10**



patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

INCLUDES:
- Two chrome handles.
- Four casters.
- Two chrome finish open-wire shelves.
- One stainless steel solid shelf.

Note: For conductive use, order aluminum split sleeves or plastic conductive split sleeves *(page 47)*, and optional grounding cable or anti-static drag chain *(page 168)*.

See page 29 for optional stainless steel handles.

	width	length in.	length mm	caster diameter in.	caster diameter mm	weight lbs.	weight kg	cu ft	model #	list
37¾″ height *(959mm)* *including casters*	**18″** *(457mm)*	24″	610	4″	102	36	16.3	2.5	**EU3-1824CS**	1042
		30″	762	4″	102	39	17.7	2.5	**EU3-1830CS**	1078
		36″	914	4″	102	42	19.1	2.5	**EU3-1836CS**	1130
	21″ *(533mm)*	36″	914	5″	127	65	29.5	2.9	**U3-2136CS**	1236
	24″ *(610mm)*	36″	914	5″	127	71	32.2	3.3	**U3-2436CS**	1303

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Heavy Duty Utility Carts

see spec sheet EG01.10



patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

WEIGHT CAPACITY:
- 800 lb. *(363 kg)* maximum.

INCLUDES:
- Two handles *(see below)*—one on each end.
- Four 5″ *(127mm)* resilient rubber swivel casters.

Note: Carts can be made conductive with the use of aluminum split sleeves or plastic conductive split sleeves *(page 47)*, and optional grounding cable or anti-static drag chain *(page 168)*.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

2-Shelf Units

		length		cu	weight		EAGLEbrite®		chrome		stainless steel	
		in.	mm	ft	lbs.	kg	model #	list	model #	list	model #	list
40″ height* (1016mm) including casters	18″ width (457mm)	36″	914	2.5	38	17.2	U2-1836Z •	667	U2-1836C •	677	U2-1836S	1816
		42″	1067	2.9	41	18.5	U2-1842Z •	698	U2-1842C •	719	U2-1842S	2007
	21″ width (533mm)	36″	914	2.9	42	19.1	U2-2136Z •	698	U2-2136C •	727	U2-2136S	1970
		42″	1067	3.4	44	20.0	U2-2142Z •	737	U2-2142C •	766	U2-2142S	2160
		48″	1219	3.9	48	21.8	U2-2148Z •	752	U2-2148C •	777	U2-2148S	2160
	24″ width (610mm)	36″	914	3.3	46	20.9	U2-2436Z •	727	U2-2436C •	759	U2-2436S	2077
		42″	1067	3.9	50	22.7	U2-2442Z •	777	U2-2442C •	810	U2-2442S	2340
		48″	1219	4.4	52	23.6	U2-2448Z •	789	U2-2448C •	825	U2-2448S	2340
		60″	1524	5.5	62	28.1	U2-2460Z •	880	U2-2460C •	900	U2-2460S	2686

* Stainless steel cart are 40″ *(1016mm)* height. Chrome carts 37¾″ *(959mm)* height including casters.

3-Shelf Units

		length		cu	weight		EAGLEbrite®		chrome		stainless steel	
		in.	mm	ft	lbs.	kg	model #	list	model #	list	model #	list
40″ height* (1016mm) including casters	18″ width (457mm)	36″	914	2.5	48	21.8	U3-1836Z •	807	U3-1836C •	818	U3-1836S	2328
		42″	1067	2.9	52	23.6	U3-1842Z •	856	U3-1842C •	884	U3-1842S	2616
	21″ width (533mm)	36″	914	2.9	53	24.0	U3-2136Z •	855	U3-2136C •	898	U3-2136S	2560
		42″	1067	3.4	56	25.4	U3-2142Z •	907	U3-2142C •	955	U3-2142S	2838
		48″	1219	3.9	62	28.1	U3-2148Z •	923	U3-2148C •	970	U3-2148S	2838
	24″ width (610mm)	36″	914	3.3	59	26.8	U3-2436Z •	897	U3-2436C •	930	U3-2436S	2709
		42″	1067	3.9	65	29.5	U3-2442Z •	967	U3-2442C •	1019	U3-2442S	3109
		48″	1219	4.4	68	30.8	U3-2448Z •	983	U3-2448C •	1038	U3-2448S	3109
		60″	1524	5.5	83	37.6	U3-2460Z •	1119	U3-2460C •	1153	U3-2460S	3626

* Stainless steel cart are 40″ *(1016mm)* height. Chrome carts 37¾″ *(959mm)* height including casters.

Handles for Utility Carts

see spec sheets EG01.03B

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



width		weight		cubic	chrome*		stainless steel**	
in.	mm	lbs.	kg	feet	model #	list	model #	list
18″	457	4.0	1.8	0.9	UH18-C •	92	UH18-S	228
21″	533	4.2	1.9	0.9	UH21-C •	93	UH21-S	232
24″	610	4.5	2.1	0.9	UH24-C •	93	UH24-S	238

* 31½″ *(800mm)* height without casters
** 33⅜″ *(848mm)* height without casters

Stem Caster Carts

NSF

see spec sheet **EG01.07**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



INCLUDES:

- Four 63″ *(1600mm)* posts.
- Four shelves.
- Plastic split sleeves.
- Donut bumpers.
- Indicated 5″ x 1¼″ *(127 x 32mm)* casters.
- 68″ *(1727mm)* overall height.
- Fast assembly without the use of tools.
- Shipped knocked-down.

Note: Carts can be made conductive with the use of aluminum split sleeves or plastic conductive split sleeves *(page 47)*, and optional grounding cable or anti-static drag chain *(page 168)*.

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

		weight		cu	caster	wheel	EAGLEbrite®			chrome		
		lbs.	kg	ft	type	tread	model #		list	model #		list
18″ width *(457mm)*	36″ length *(914mm)*	58	26.3	2.6	swivel	resilient	CC1836Z-S	•	984	CC1836C-S	•	997
					swivel	poly	CC1836Z-SP	•	1132	CC1836C-SP	•	1144
					swivel/brake	resilient	CC1836Z-SB	•	1009	CC1836C-SB	•	1019
					swivel/brake	poly	CC1836Z-SBP	•	1156	CC1836C-SBP	•	1173
					swivel/rigid	resilient	CC1836Z-SR	•	1036	CC1836C-SR	•	1065
					swivel/rigid	poly	CC1836Z-SRP	•	1159	CC1836C-SRP	•	1200
	48″ length *(1219mm)*	70	31.7	3.5	swivel	resilient	CC1848Z-S	•	997	CC1848C-S	•	1092
					swivel	poly	CC1848Z-SP	•	1144	CC1848C-SP	•	1242
					swivel/brake	resilient	CC1848Z-SB	•	1117	CC1848C-SB	•	1148
					swivel/brake	poly	CC1848Z-SBP	•	1266	CC1848C-SBP	•	1294
					swivel/rigid	resilient	CC1848Z-SR	•	1125	CC1848C-SR	•	1178
					swivel/rigid	poly	CC1848Z-SRP	•	1250	CC1848C-SRP	•	1312
	60″ length *(1524mm)*	86	39.0	4.4	swivel	resilient	CC1860Z-S	•	1205	CC1860C-S	•	1242
					swivel	poly	CC1860Z-SP	•	1349	CC1860C-SP	•	1387
					swivel/brake	resilient	CC1860Z-SB	•	1236	CC1860C-SB	•	1266
					swivel/brake	poly	CC1860Z-SBP	•	1383	CC1860C-SBP	•	1414
					swivel/rigid	resilient	CC1860Z-SR	•	1239	CC1860C-SR	•	1289
					swivel/rigid	poly	CC1860Z-SRP	•	1367	CC1860C-SRP	•	1418
21″ width *(533mm)*	36″ length *(914mm)*	67	30.4	3.0	swivel	resilient	CC2136Z-S	•	1060	CC2136C-S	•	1112
					swivel	poly	CC2136Z-SP	•	1205	CC2136C-SP	•	1256
					swivel/brake	resilient	CC2136Z-SB	•	1084	CC2136C-SB	•	1140
					swivel/brake	poly	CC2136Z-SBP	•	1236	CC2136C-SBP	•	1284
					swivel/rigid	resilient	CC2136Z-SR	•	1094	CC2136C-SR	•	1174
					swivel/rigid	poly	CC2136Z-SRP	•	1220	CC2136C-SRP	•	1304
	48″ length *(1219mm)*	79	35.8	4.0	swivel	resilient	CC2148Z-S	•	1153	CC2148C-S	•	1217
					swivel	poly	CC2148Z-SP	•	1303	CC2148C-SP	•	1365
					swivel/brake	resilient	CC2148Z-SB	•	1178	CC2148C-SB	•	1244
					swivel/brake	poly	CC2148Z-SBP	•	1327	CC2148C-SBP	•	1393
					swivel/rigid	resilient	CC2148Z-SR	•	1185	CC2148C-SR	•	1277
					swivel/rigid	poly	CC2148Z-SRP	•	1315	CC2148C-SRP	•	1405
	60″ length *(1524mm)*	96	43.5	5.0	swivel	resilient	CC2160Z-S	•	1303	CC2160C-S	•	1349
					swivel	poly	CC2160Z-SP	•	1445	CC2160C-SP	•	1503
					swivel/brake	resilient	CC2160Z-SB	•	1327	CC2160C-SB	•	1383
					swivel/brake	poly	CC2160Z-SBP	•	1477	CC2160C-SBP	•	1528
					swivel/rigid	resilient	CC2160Z-SR	•	1339	CC2160C-SR	•	1412
					swivel/rigid	poly	CC2160Z-SRP	•	1475	CC2160C-SRP	•	1536
24″ width *(610mm)*	36″ length *(914mm)*	74	33.5	3.5	swivel	resilient	CC2436Z-S	•	1104	CC2436C-S	•	1153
					swivel	poly	CC2436Z-SP	•	1248	CC2436C-SP	•	1303
					swivel/brake	resilient	CC2436Z-SB	•	1129	CC2436C-SB	•	1178
					swivel/brake	poly	CC2436Z-SBP	•	1275	CC2436C-SBP	•	1327
					swivel/rigid	resilient	CC2436Z-SR	•	1143	CC2436C-SR	•	1206
					swivel/rigid	poly	CC2436Z-SRP	•	1269	CC2436C-SRP	•	1337
	48″ length *(1219mm)*	90	40.8	4.5	swivel	resilient	CC2448Z-S	•	1226	CC2448C-S	•	1288
					swivel	poly	CC2448Z-SP	•	1372	CC2448C-SP	•	1438
					swivel/brake	resilient	CC2448Z-SB	•	1253	CC2448C-SB	•	1316
					swivel/brake	poly	CC2448Z-SBP	•	1340	CC2448C-SBP	•	1464
					swivel/rigid	resilient	CC2448Z-SR	•	1263	CC2448C-SR	•	1345
					swivel/rigid	poly	CC2448Z-SRP	•	1394	CC2448C-SRP	•	1482
	60″ length *(1524mm)*	110	49.9	5.6	swivel	resilient	CC2460Z-S	•	1407	CC2460C-S	•	1445
					swivel	poly	CC2460Z-SP	•	1554	CC2460C-SP	•	1597
					swivel/brake	resilient	CC2460Z-SB	•	1430	CC2460C-SB	•	1477
					swivel/brake	poly	CC2460Z-SBP	•	1577	CC2460C-SBP	•	1618
					swivel/rigid	resilient	CC2460Z-SR	•	1439	CC2460C-SR	•	1507
					swivel/rigid	poly	CC2460Z-SRP	•	1569	CC2460C-SRP	•	1642

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Cart Covers

see spec sheet **EG01.09**

Meets J.C.A.H. standards for transporting clean linen!



cart cover enveloping entire cart/truck



cart cover with panel folded back for easy shelf accessibility

Light weight, easy to handle!

FEATURES:

- Top corners are reinforced.
- Choice of coated nylon or uncoated polyester.
- Coated cart covers available in powder blue *(suffix "**PB**")* and light green *(suffix "**LG**")*. Example: CVC-63-1836**PB**. Other colors available—consult factory.
- 10˝ x 12˝ *(254 x 305mm)* paperwork pouch at right side, when facing front of cart cover.
- Covers are nonreturnable.

Note: Cart covers to fit Security Units *(pages 42-43)* available. To order cart cover for Stationary or Mobile Security Unit, add suffix "**-S**" to end of model number (ex: CV-63-2436-**S**) and add 20% to list price. To order cart cover for Dolly Truck Security Unit, add suffix "**-D**" to end of model number (ex: CV-63-2436-**D**) and add 20% to list price.

Double-Flap option available. **$74 upcharge.** To order, add suffix "**-DF**" to model number (ex: CV-63-2436-**DF**).

Black electrostatic discharge (ESD) cart covers also available—see page 176.

	length		post height		weight		cu	White Coated Nylon*				White Uncoated Polyester			
								with zipper		with velcro		with zipper		with velcro	
	in.	mm	in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list
18˝ width *(457mm)*	36˝	914	54˝	1372	10	4.5	1	**CZC-54-1836**	476	**CVC-54-1836**	489	**CZ-54-1836**	276	**CV-54-1836**	303
			63˝	1600				**CZC-63-1836**	485	**CVC-63-1836**	512	**CZ-63-1836**	293	**CV-63-1836**	309
	48˝	1219	54˝	1372	10	4.5	1	**CZC-54-1848**	489	**CVC-54-1848**	518	**CZ-54-1848**	307	**CV-54-1848**	327
			63˝	1600				**CZC-63-1848**	506	**CVC-63-1848**	523	**CZ-63-1848**	308	**CV-63-1848**	333
	60˝	1524	54˝	1372	11	5.0	1	**CZC-54-1860**	532	**CVC-54-1860**	550	**CZ-54-1860**	319	**CV-54-1860**	337
			63˝	1600				**CZC-63-1860**	542	**CVC-63-1860**	563	**CZ-63-1860**	325	**CV-63-1860**	340
21˝ width *(533mm)*			54˝	1372				**CZC-54-2148**	548	**CVC-54-2148**	569	**CZ-54-2148**	355	**CV-54-2148**	376
	48˝	1219	63˝	1600	10	4.5	1	**CZC-63-2148**	569	**CVC-63-2148**	596	**CZ-63-2148**	393	**CV-63-2148**	408
			74˝	1880				**CZC-74-2148**	577	**CVC-74-2148**	598	**CZ-74-2148**	448	**CV-74-2148**	474
			54˝	1372				**CZC-54-2160**	628	**CVC-54-2160**	645	**CZ-54-2160**	370	**CV-54-2160**	396
	60˝	1524	63˝	1600	11	5.0	1	**CZC-63-2160**	637	**CVC-63-2160**	659	**CZ-63-2160**	408	**CV-63-2160**	430
			74˝	1880				**CZC-74-2160**	647	**CVC-74-2160**	670	**CZ-74-2160**	480	**CV-74-2160**	489
24˝ width *(610mm)*	24˝	610	54˝	1372	10	4.5	1	**CZC-54-2424**	577	**CVC-54-2424**	582	**CZ-54-2424**	649	**CV-54-2424**	430
			63˝	1600				**CZC-63-2424**	587	**CVC-63-2424**	603	**CZ-63-2424**	672	**CV-63-2424**	517
			54˝	1372				**CZC-54-2436**	485	**CVC-54-2436**	512	**CZ-54-2436**	316	**CV-54-2436**	334
	36˝	914	63˝	1600	10	4.5	1	**CZC-63-2436**	512	**CVC-63-2436**	532	**CZ-63-2436**	327	**CV-63-2436**	350
			74˝	1880				**CZC-74-2436**	522	**CVC-74-2436**	544	**CZ-74-2436**	396	**CV-74-2436**	407
			86˝	2184				**CZC-86-2436**	566	**CVC-86-2436**	603	**CZ-86-2436**	494	**CV-86-2436**	506
			54˝	1372				**CZC-54-2448**	574	**CVC-54-2448**	597	**CZ-54-2448**	340	**CV-54-2448**	367
	48˝	1219	63˝	1600	10	4.5	1	**CZC-63-2448**	598	**CVC-63-2448**	628	**CZ-63-2448**	403	**CV-63-2448**	426
			74˝	1880				**CZC-74-2448**	614	**CVC-74-2448**	633	**CZ-74-2448**	436	**CV-74-2448**	463
			86˝	2184				**CZC-86-2448**	704	**CVC-86-2448**	725	**CZ-86-2448**	527	**CV-86-2448**	544
			54˝	1372				**CZC-54-2460**	642	**CVC-54-2460**	663	**CZ-54-2460**	456	**CV-54-2460**	480
	60˝	1524	63˝	1600	11	5.0	1	**CZC-63-2460**	652	**CVC-63-2460**	678	**CZ-63-2460**	476	**CV-63-2460**	489
			74˝	1880				**CZC-74-2460**	663	**CVC-74-2460**	685	**CZ-74-2460**	539	**CV-74-2460**	560
			86˝	2184				**CZC-86-2460**	764	**CVC-86-2460**	764	**CZ-86-2460**	628	**CV-86-2460**	647
			54˝	1372				**CZC-54-2472**	652	**CVC-54-2472**	678	**CZ-54-2472**	474	**CV-54-2472**	487
	72˝	1829	63˝	1600	12	5.4	1	**CZC-63-2472**	664	**CVC-63-2472**	693	**CZ-63-2472**	506	**CV-63-2472**	523
			74˝	1880				**CZC-74-2472**	683	**CVC-74-2472**	697	**CZ-74-2472**	550	**CV-74-2472**	574
			86˝	2184				**CZC-86-2472**	800	**CVC-86-2472**	789	**CZ-86-2472**	659	**CV-86-2472**	678

* White-coated nylon covers are fire-retardant

Helps keep equipment clean on shelf carts and shelf trucks.

Transparent Vinyl Cart Covers

see spec sheet **EG01.09**

Meets J.C.A.H. standards for transporting clean linen!



transparent cart cover

Light weight, easy to handle!

FEATURES:

- Transparent vinyl allows for ease of viewing cart contents.
- Top corners are reinforced.
- Choice of zipper or velcro closure.
- Fully transparent except for the seams.
- 10˝ x 12˝ *(254 x 305mm)* paperwork pouch at right side, when facing front of cart cover.
- Covers are nonreturnable.

Note: Cart covers to fit Security Units *(pages 42-43)* available. To order cart cover for Stationary or Mobile Security Unit, add suffix "**-S**" to end of model number (ex: CV-63-2436-**S**) and add 20% to list price. To order cart cover for Dolly Truck Security Unit, add suffix "**-D**" to end of model number (ex: CV-63-2436-**D**) and add 20% to list price.

Double-Flap option available. **$74 upcharge.** To order, add suffix "**-DF**" to model number (ex: CV-63-2436-**DF**).

Black electrostatic discharge (ESD) cart covers also available—see page 176.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		post height		weight		cu	with zipper		with velcro	
	in.	mm	in.	mm	lbs.	kg	ft	model #	list	model #	list
18˝ width *(457mm)*	36˝	914	54˝	1372	10	4.5	1	**CZ-54-1836-T**	612	**CV-54-1836-T**	672
			63˝	1600				**CZ-63-1836-T**	612	**CV-63-1836-T**	672
	48˝	1219	54˝	1372	10	4.5	1	**CZ-54-1848-T**	618	**CV-54-1848-T**	683
			63˝	1600				**CZ-63-1848-T**	618	**CV-63-1848-T**	683
	60˝	1524	54˝	1372	11	5.0	1	**CZ-54-1860-T**	642	**CV-54-1860-T**	704
			63˝	1600				**CZ-63-1860-T**	685	**CV-63-1860-T**	752
21˝ width *(533mm)*			54˝	1372				**CZ-54-2148-T**	678	**CV-54-2148-T**	748
	48˝	1219	63˝	1600	10	4.5	1	**CZ-63-2148-T**	722	**CV-63-2148-T**	792
			74˝	1880				**CZ-74-2148-T**	760	**CV-74-2148-T**	834
			54˝	1372				**CZ-54-2160-T**	754	**CV-54-2160-T**	828
	60˝	1524	63˝	1600	11	5.0	1	**CZ-63-2160-T**	799	**CV-63-2160-T**	877
			74˝	1880				**CZ-74-2160-T**	843	**CV-74-2160-T**	923
24˝ width *(610mm)*	24˝	610	54˝	1372	10	4.5	1	**CZ-54-2424-T**	652	**CV-54-2424-T**	719
			63˝	1600				**CZ-63-2424-T**	652	**CV-63-2424-T**	719
			54˝	1372				**CZ-54-2436-T**	663	**CV-54-2436-T**	727
	36˝	914	63˝	1600	10	4.5	1	**CZ-63-2436-T**	663	**CV-63-2436-T**	727
			74˝	1880				**CZ-74-2436-T**	808	**CV-74-2436-T**	888
			86˝	2184				**CZ-86-2436-T**	852	**CV-86-2436-T**	938
			54˝	1372				**CZ-54-2448-T**	697	**CV-54-2448-T**	765
	48˝	1219	63˝	1600	10	4.5	1	**CZ-63-2448-T**	697	**CV-63-2448-T**	765
			74˝	1880				**CZ-74-2448-T**	722	**CV-74-2448-T**	792
			86˝	2184				**CZ-86-2448-T**	897	**CV-86-2448-T**	984
			54˝	1372				**CZ-54-2460-T**	764	**CV-54-2460-T**	844
	60˝	1524	63˝	1600	11	5.0	1	**CZ-63-2460-T**	764	**CV-63-2460-T**	844
			74˝	1880				**CZ-74-2460-T**	932	**CV-74-2460-T**	1025
			86˝	2184				**CZ-86-2460-T**	980	**CV-86-2460-T**	1078
			54˝	1372				**CZ-54-2472-T**	856	**CV-54-2472-T**	942
	72˝	1829	63˝	1600	12	5.4	1	**CZ-63-2472-T**	874	**CV-63-2472-T**	960
			74˝	1880				**CZ-74-2472-T**	960	**CV-74-2472-T**	1056
			86˝	2184				**CZ-86-2472-T**	1008	**CV-86-2472-T**	1109

Helps keep equipment clean on shelf carts and shelf trucks.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Angled Shelf/ Visual Merchandising Carts

see spec sheet EG01.44



visual merchandising cart with optional shelf dividers

Ideal for displaying POINT-OF-SALE or SPECIAL SALE ITEMS.

FEATURES:

- 68″ *(1727mm)* height.
- 3¼″ *(83mm)* upturn at front
- 1¼″ *(32mm)* downturn at rear.
- Shelves are reversible.
- Units available in 2´ to 5´ lengths *(610 to 1524mm)*.

WEIGHT CAPACITY:

- 300 lbs. *(136.1 kg)* per shelf.

INCLUDES:

- Four shelves adjust on 1″ *(25mm)* vertical increments and the 0˚-30˚ slope of each shelf.
- Four posts.
- Four 5″ x 1¼″ *(127 x 32mm)* resilient swivel casters, two with brake.
- Additional caster sizes are available.
- Standard wire shelves *(page 6)* can be used.


Note: To order red or white epoxy finish, add suffix "**R**" *(red)* or "**W**" *(white)*. **Example: M1836R.** *Priced same as black epoxy.*

Additional shelves and wire dividers available as options.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

All carts listed are 18″ (457mm)-wide. 24″ (610mm)-wide carts available.

length		weight		cu	EAGLEbrite®		chrome		black		VALU-MASTER®		Valu-Gard®	
in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″	610	52	23.6	3.6	**M1824Z-4**	1173	**M1824C-4**	1314	**M1824BL-4**	1338	**M1824V-4**	1338	**M1824VG-4**	1338
36″	914	60	27.2	4.4	**M1836Z-4** •	1222	**M1836C-4**	1349	**M1836BL-4**	1369	**M1836V-4**	1369	**M1836VG-4**	1369
48″	1219	68	30.8	5.8	**M1848Z-4** •	1358	**M1848C-4**	1407	**M1848BL-4**	1464	**M1848V-4**	1464	**M1848VG-4**	1464
60″	1524	76	34.5	7.3	**M1860Z-4** •	1454	**M1860C-4**	1503	**M1860BL-4**	1549	**M1860V-4**	1549	**M1860VG-4**	1549



Additional Angled Shelves for Angled Shelf / Visual Merchandising Carts - Hanger rails included.

length		weight		cu	EAGLEbrite®		chrome		black		VALU-MASTER®		Valu-Gard®	
in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″	610	4	1.8	2.2	**M1824Z**	188	**M1824C**	217	**M1824BL**	232	**M1824V**	232	**M1824VG**	232
36″	914	9	4.1	2.5	**M1836Z**	200	**M1836C**	228	**M1836BL**	239	**M1836V**	239	**M1836VG**	239
48″	1219	12	5.5	2.8	**M1848Z**	233	**M1848C**	242	**M1848BL**	255	**M1848V**	255	**M1848VG**	255
60″	1524	17	7.7	3.1	**M1860Z**	255	**M1860C**	269	**M1860BL**	278	**M1860V**	278	**M1860VG**	278

Note: If purchased as component piece for unit assembly, two 3-sided truss frames must be ordered (see page 34).



Shelf Dividers for Angled Shelf / Visual Merchandising Carts - 4½″ *(114mm)* height.

length		weight		cu	chrome		black		VALU-MASTER®		Valu-Gard®	
in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list
18″	457	1.0	0.5	0.6	**M18C**	80	**M18BL**	83	**M18V**	83	**M18VG**	83

Front-to-Back Hanger Rail for Angled Shelf / Visual Merchandising Carts



length		weight		cu	EAGLEbrite®		chrome		black		VALU-MASTER®		Valu-Gard®	
in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
18″	457	0.7	0.3	2.0	**WR18-Z**	33	**WR18-C**	37	**WR18-BL**	43	**WR18-V**	45	**WR18-VG**	45

Side-to-Side Hanger Rails for Angled Shelf / Visual Merchandising Carts

length		weight		cu	EAGLEbrite®		chrome		black		VALU-MASTER®		Valu-Gard®	
in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″	610	1.5	0.7	0.3	**LR24-Z**	45	**LR24-C**	55	**LR24-BL**	60	**LR24-V**	60	**LR24-VG**	60
36″	914	1.9	0.9	0.6	**LR36-Z**	48	**LR36-C**	65	**LR36-BL**	70	**LR36-V**	70	**LR36-VG**	70
48″	1219	2.1	1.0	0.7	**LR48-Z**	49	**LR48-C**	80	**LR48-BL**	83	**LR48-V**	83	**LR48-VG**	83
60″	1524	2.5	1.1	0.8	**LR60-Z**	55	**LR60-C**	92	**LR60-BL**	93	**LR60-V**	93	**LR60-VG**	93

Angled Shelf/ Visual Merchandising Carts (continued)

see spec sheet **EG01.44**



three-sided truss snare 18″ (457mm) front-to-back.



four-sided truss snare 18″ (457mm) front-to-back.

3-Sided Truss Frame for Angled Shelf/Visual Merchandising Cart

length		weight		cu	EAGLEbrite®		chrome		black		VALU-MASTER®		Valu-Gard®	
in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
36″	914	3.5	1.6	2	**3TF1836-Z**	65	**3TF1836-C**	67	**3TF1836-BL**	74	**3TF1836-V**	74	**3TF1836-VG**	74
48″	1219	4.0	1.8	3	**3TF1848-Z**	67	**3TF1848-C**	80	**3TF1848-BL**	86	**3TF1848-V**	86	**3TF1848-VG**	86
60″	1524	4.5	2.0	4	**3TF1860-Z**	75	**3TF1860-C**	86	**3TF1860-BL**	94	**3TF1860-V**	94	**3TF1860-VG**	94

4-Sided Truss Frame for Angled Shelf/Visual Merchandising Carts

length		weight		cu	EAGLEbrite®		chrome		black		VALU-MASTER®		Valu-Gard®	
in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
36″	914	3.5	1.6	2	**4TF1836-Z**	105	**4TF1836-C**	110	**4TF1836-BL**	125	**4TF1836-V**	125	**4TF1836-VG**	125
48″	1219	4.0	1.8	3	**4TF1848-Z**	110	**4TF1848-C**	129	**4TF1848-BL**	133	**4TF1848-V**	133	**4TF1848-VG**	133
60″	1524	4.5	2.0	4	**4TF1860-Z**	118	**4TF1860-C**	139	**4TF1860-BL**	148	**4TF1860-V**	148	**4TF1860-VG**	148

Mobile Platform Carts

see spec sheet **EG60.36**



Lifetime guarantee against rust and corrosion!

5-year guarantee against workmanship and material defects!

FEATURES:

- Heavy duty all-aluminum construction.
- 1½″ x 2¾″ *(38 x 70mm)* square tubing.
- 5″ *(127mm)* casters—two swivel with brake and two rigid.

overall dimensions width x depth x height				deck size width x depth		weight capacity			
in.		mm		in.	mm	lbs.	kg	model #	list
20″ x 37¾″ x 42″		508 x 959 x 1067		20″ x 36″	508 x 914	1200	544.3	**1202**	1327
20″ x 49¾″ x 42″		508 x 1264 x 1067		20″ x 48″	508 x 1219	1200	544.3	**1203**	1463
20″ x 61¾″ x 42″		508 x 1569 x 1067		20″ x 60″	508 x 1524	1200	544.3	**1212**	1700

Black Polymer Utility Cart

see spec sheet **EG01.06**



Utilizes three heavy duty black polymer shelves and utility handles!

WEIGHT CAPACITY:

- 200 lb. *(90.7 kg)*.

FEATURES:

- Four 4″ *(102mm)* diameter swivel casters, two with brake.
- Stylish brushed aluminum uprights.

height	width	length in.	length mm	weight lbs.	weight kg	model #	list
37¾″ *(959mm)* *including casters*	**18⅝″** *(473mm)*	33⅝″	854	30	13.6	**EU3-2030-P**	1415

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Dolly Trucks

NSF

see spec sheet **EG01.08**



FEATURES:

- Fast assembly without tools.
- Open wire construction.
- Shipped knocked-down.

INCLUDES:

- Four shelves.
- Four posts.
- Plastic split sleeves.
- Four designated 5″ x 1¼″ *(127 x 32mm)* casters.
- Aluminum truck dolly with wraparound bumper.

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

			shelf dimensions width x length in.	mm	weight lbs.	kg	cu ft	caster type	wheel tread	with EAGLEbrite® shelf unit model #	list	with chrome shelf unit model #	list
69″ height *(1753mm)*	23¾″ width *(603mm)*	40⅞″ length *(1038mm)*	18″ x 36″	457 x 914	72	32.7	4.2	swivel	resilient	DT1836-ZS	1832	DT1836-CS	1893
								swivel	poly	DT1836-ZSP	1775	DT1836-CSP	1832
								swivel/brake	resilient	DT1836-ZSB	1849	DT1836-CSB	1905
								swivel/brake	poly	DT1836-ZSBP	1796	DT1836-CSBP	1849
		52⅞″ length *(1343mm)*	18″ x 48″	457 x 1219	86	39.0	5.6	swivel	resilient	DT1848-ZS	1974	DT1848-CS	2053
								swivel	poly	DT1848-ZSP	1918	DT1848-CSP	1994
								swivel/brake	resilient	DT1848-ZSB	1988	DT1848-CSB	2069
								swivel/brake	poly	DT1848-ZSBP	1934	DT1848-CSBP	2009
		64⅞″ length *(1648mm)*	18″ x 36″	457 x 914	100	45.4	6.8	swivel	resilient	DT1860-ZS	2154	DT1860-CS	2234
								swivel	poly	DT1860-ZSP	2097	DT1860-CSP	2177
								swivel/brake	resilient	DT1860-ZSB	2173	DT1860-CSB	2248
								swivel/brake	poly	DT1860-ZSBP	2110	DT1860-CSBP	2189
	26¾″ width *(680mm)*	40⅞″ length *(1038mm)*	21″ x 36″	533 x 914	82	37.2	4.8	swivel	resilient	DT2136-ZS	1934	DT2136-CS	2032
								swivel	poly	DT2136-ZSP	1885	DT2136-CSP	1976
								swivel/brake	resilient	DT2136-ZSB	1945	DT2136-CSB	2053
								swivel/brake	poly	DT2136-ZSBP	1898	DT2136-CSBP	1994
		52⅞″ length *(1343mm)*	21″ x 48″	533 x 1219	98	44.5	6.4	swivel	resilient	DT2148-ZS	2077	DT2148-CS	2183
								swivel	poly	DT2148-ZSP	2025	DT2148-CSP	2132
								swivel/brake	resilient	DT2148-ZSB	2094	DT2148-CSB	2204
								swivel/brake	poly	DT2148-ZSBP	2037	DT2148-CSBP	2145
		64⅞″ length *(1648mm)*	21″ x 60″	533 x 1524	114	51.7	7.9	swivel	resilient	DT2160-ZS	2284	DT2160-CS	2372
								swivel	poly	DT2160-ZSP	2232	DT2160-CSP	2322
								swivel/brake	resilient	DT2160-ZSB	2303	DT2160-CSB	2388
								swivel/brake	poly	DT2160-ZSBP	2244	DT2160-CSBP	2414
	29¾″ width *(756mm)*	40⅞″ length *(1038mm)*	24″ x 36″	610 x 914	90	40.8	5.6	swivel	resilient	DT2436-ZS	1970	DT2436-CS	2062
								swivel	poly	DT2436-ZSP	1915	DT2436-CSP	2000
								swivel/brake	resilient	DT2436-ZSB	1987	DT2436-CSB	2077
								swivel/brake	poly	DT2436-ZSBP	1933	DT2436-CSBP	2025
		52⅞″ length *(1343mm)*	24″ x 48″	610 x 1219	112	50.8	7.2	swivel	resilient	DT2448-ZS	2145	DT2448-CS	2260
								swivel	poly	DT2448-ZSP	2094	DT2448-CSP	2204
								swivel/brake	resilient	DT2448-ZSB	2165	DT2448-CSB	2272
								swivel/brake	poly	DT2448-ZSBP	2107	DT2448-CSBP	2218
		64⅞″ length *(1648mm)*	24″ x 60″	610 x 1524	134	60.8	8.9	swivel	resilient	DT2460-ZS	2383	DT2460-CS	2469
								swivel	poly	DT2460-ZSP	2328	DT2460-CSP	2419
								swivel/brake	resilient	DT2460-ZSB	2403	DT2460-CSB	2485
								swivel/brake	poly	DT2460-ZSBP	1534	DT2460-CSBP	1592

Garment Racks



model # GR1836C

see spec sheet **EG01.28**

patented QuadTruss® design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

INCLUDES:

- Four chrome post with adjustable feet.
- Two wire chrome plated shelves.
- *74˝ (1880mm)* height on stationary units.
- 80˝ *(3032mm)* height on mobile units.
- Mobile racks four 5˝ *(127mm)* polyurethane tread casters, with rubber donut bumper.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Convenient storage of coats, uniforms, or garments.

	length		weight		cu		STATIONARY		MOBILE	
	in.	mm	lbs.	kg	ft	description	model #	list	model #	list
18˝ width *(457mm)*	36˝	914	48	21.8	2.2	unit as shown	**GR1836C**	629	**UR1836C**	996
	36˝	914	64	29.0	2.2	same, plus 1 solid shelf	**GRS1836C**	870	**URS1836C**	1305
	48˝	1219	52	23.6	2.6	unit as shown	**GR1848C**	685	**UR1848C**	1065
	48˝	1219	72	32.7	2.6	same, plus 1 solid shelf	**GRS1848C**	955	**URS1848C**	1430
	60˝	1524	58	26.3	3.2	unit as shown	**GR1860C**	766	**UR1860C**	1152
	60˝	1524	82	37.2	3.2	same, plus 1 solid shelf	**GRS1860C**	1094	**URS1860C**	1638

Optional Wire Shelves

	length		weight		cu		
	in.	mm	lbs.	kg	ft	model #	list
18˝ width *(457mm)*	36˝	914	9	4.1	0.7	**1836C** •	133
	48˝	1219	12	5.5	0.9	**1848C** •	159
	60˝	1524	17	7.7	1.2	**1860C** •	188


Optional Hangers

	weight		cu	chrome	
description	lbs.	kg	ft	model #	list
open loop hanger	0.4	0.2	0.3	**OLH-C** •	29
closed loop hanger	0.4	0.2	0.3	**CLH-C**	29

Replacement Coat Hanger Tubes

length		weight		cubic		
in.	mm	lbs.	kg	feet	model #	list
24˝	610	1.5	0.7	0.1	**CH24**	75
30˝	762	1.7	0.8	0.1	**CH30**	82
36˝	914	2.2	1.0	0.1	**CH36**	86
42˝	1067	2.7	1.2	0.1	**CH42**	87
48˝	1219	3.2	1.5	0.1	**CH48** •	92
54˝	1372	3.5	1.6	0.2	**CH54**	95
60˝	1524	3.8	1.7	0.2	**CH60**	103





Platforms

NSF


see spec sheet **EG01.13**

FEATURES:

- Open-wire construction for improved air circulation, minimizing dust.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Note: Optional 3-Sided Channel Frames available. See page 55.



600 lbs. weight capacity

patented QuadTruss® design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

		length		weight		cu	EAGLEbrite®		chrome		EAGLEgard®	
		in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
14˝ height *(356mm)*	18˝ width *(457mm)*	24˝	610	10	4.5	0.7	**PF1824-Z** •	228	**PF1824-C** •	240	**PF1824-E** •	284
		30˝	762	11	5.0	0.7	**PF1830-Z** •	232	**PF1830-C** •	242	**PF1830-E** •	289
		36˝	914	13	5.9	0.7	**PF1836-Z** •	238	**PF1836-C** •	244	**PF1836-E** •	297
	21˝ width *(533mm)*	24˝	610	12	5.4	0.7	**PF2124-Z** •	240	**PF2124-C** •	258	**PF2124-E** •	306
		30˝	762	13	5.9	0.7	**PF2130-Z** •	243	**PF2130-C** •	269	**PF2130-E** •	308
		36˝	914	14	6.4	0.8	**PF2136-Z** •	245	**PF2136-C** •	272	**PF2136-E** •	312
	24˝ width *(610mm)*	24˝	610	13	5.9	0.8	**PF2424-Z** •	245	**PF2424-C** •	270	**PF2424-E** •	325
		30˝	762	15	6.8	0.8	**PF2430-Z** •	254	**PF2430-C** •	276	**PF2430-E** •	327
		36˝	914	17	7.7	0.8	**PF2436-Z** •	256	**PF2436-C** •	280	**PF2436-E** •	330

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Dunnage Shelves

see spec sheet EG01.13



Improves your system's weight-bearing capacity.

FEATURES:

- Four-sided frame with center supports.
- Removable heavy duty 5/16″ *(8mm)*-diameter wire mat assembly.

Note: All weights and cubic feet are approximate.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		weight		cu	chrome		EAGLEgard®		stainless steel	
	in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
18″ width *(457mm)*	24″	610	14	6.4	0.6	**DS1824-C**	307	**DS1824-E**	389	n/a	n/a
	30″	762	18	8.2	0.7	**DS1830-C**	338	**DS1830-E**	408	n/a	n/a
	36″	914	21	9.5	0.8	**DS1836-C**	358	**DS1836-E**	437	**DS1836-S**	1125
	48″	1219	28	12.7	1.1	**DS1848-C**	418	**DS1848-E** •	516	**DS1848-S**	1367
	60″	1524	33	15.0	1.3	**DS1860-C**	486	**DS1860-E** •	577	**DS1860-S**	1609
21″ width *(533mm)*	24″	610	15	6.8	0.6	**DS2124-C**	344	**DS2124-E**	423	n/a	n/a
	30″	762	19	8.6	0.8	**DS2130-C**	355	**DS2130-E**	439	n/a	n/a
	36″	914	22	10.0	0.9	**DS2136-C**	377	**DS2136-E**	463	n/a	n/a
	48″	1219	28	12.7	1.2	**DS2148-C**	432	**DS2148-E**	527	n/a	n/a
	60″	1524	34	15.4	1.5	**DS2160-C**	493	**DS2160-E**	626	n/a	n/a
24″ width *(610mm)*	24″	610	16	7.3	0.8	**DS2424-C**	334	**DS2424-E**	407	n/a	n/a
	30″	762	20	9.0	0.9	**DS2430-C**	367	**DS2430-E**	439	n/a	n/a
	36″	914	24	10.9	1.1	**DS2436-C**	395	**DS2436-E**	476	**DS2436-S**	1226
	48″	1219	30	13.6	1.4	**DS2448-C**	445	**DS2448-E** •	542	**DS2448-S**	1482
	60″	1524	37	16.8	1.8	**DS2460-C**	527	**DS2460-E** •	637	**DS2460-S**	1777

Dunnage Racks

see spec sheet EG01.13



Store large items off the floor!

Snag-free wire surface.

WEIGHT CAPACITY:

- Up to 36″ long: 1600 lbs. *(726 kg)*.
- 48″ long: 1300 lbs. *(590 kg)*.
- 60″ long: 1000 lbs. *(454 kg)*.
  - static load equally distributed.

Note: All weights and cubic feet are approximate.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

		length		weight		cu	chrome		EAGLEgard®		stainless steel	
		in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
14″ overall height *(356mm)*	**18″ width** *(457mm)*	24″	610	21	9.5	0.5	**DR1824-C**	494	**DR1824-E**	577	n/a	n/a
		30″	762	24	10.9	1.0	**DR1830-C**	526	**DR1830-E**	617	n/a	n/a
		36″	914	31	14.1	1.6	**DR1836-C**	560	**DR1836-E**	655	**DR1836-S**	1423
		48″	1219	37	16.8	2.2	**DR1848-C**	660	**DR1848-E** •	784	**DR1848-S**	1898
		60″	1524	43	19.5	3.0	**DR1860-C**	818	**DR1860-E**	865	n/a	n/a
	21″ width *(533mm)*	24″	610	24	10.9	0.8	**DR2124-C**	517	**DR2124-E**	614	n/a	n/a
		30″	762	27	12.2	2.0	**DR2130-C**	553	**DR2130-E**	655	n/a	n/a
		36″	914	33	15.0	2.0	**DR2136-C**	589	**DR2136-E**	695	n/a	n/a
		48″	1219	39	17.6	2.9	**DR2148-C**	698	**DR2148-E**	820	n/a	n/a
		60″	1524	45	20.4	3.3	**DR2160-C**	795	**DR2160-E**	898	n/a	n/a
	24″ width *(610mm)*	24″	610	27	12.2	1.4	**DR2424-C**	527	**DR2424-E**	626	n/a	n/a
		30″	762	30	13.6	1.8	**DR2430-C**	567	**DR2430-E**	659	n/a	n/a
		36″	914	35	15.9	2.1	**DR2436-C** •	608	**DR2436-E** •	714	**DR2436-S**	1634
		48″	1219	41	18.6	2.8	**DR2448-C** •	717	**DR2448-E** •	843	**DR2448-S**	2078
		60″	1524	47	21.3	3.5	**DR2460-C**	823	**DR2460-E**	945	n/a	n/a

Mobile Dunnage Racks

see spec sheet **EG01.13**



Easy to maneuver!

WEIGHT CAPACITY:
- 800 lbs. *(363 kg)*.
  - equally distributed on the top surface.

INCLUDES:
- Four 5″ swivel polyurethane tread casters, two with brakes.
- 3-sided frame with 1″ *(25mm)*-square tubing.
- Snag-free wire surface.

Note: All weights and cubic feet are approximate.

		length		weight		cu	chrome		EAGLEgard®		stainless steel	
		in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
14″ overall height *(356mm)*	18″ width *(457mm)*	24″	610	33	15.0	1.0	**MDR1824-C**	1110	**MDR1824-E**	1277	n/a	n/a
		30″	762	36	16.3	2.3	**MDR1830-C**	1132	**MDR1830-E**	1304	n/a	n/a
		36″	914	43	19.5	2.3	**MDR1836-C**	1217	**MDR1836-E**	1359	**MDR1836-S**	2260
		48″	1219	49	22.2	3.0	**MDR1848-C**	1325	**MDR1848-E**	1549	**MDR1848-S**	2667
		60″	1524	55	24.9	4.5	**MDR1860-C**	1345	**MDR1860-E**	1569	n/a	n/a
	21″ width *(533mm)*	24″	610	36	16.3	3.1	**MDR2124-C**	1143	**MDR2124-E**	1314	n/a	n/a
		30″	762	39	17.6	3.3	**MDR2130-C**	1152	**MDR2130-E**	1334	n/a	n/a
		36″	914	45	20.4	3.0	**MDR2136-C**	1177	**MDR2136-E**	1359	n/a	n/a
		48″	1219	51	23.1	4.0	**MDR2148-C**	1284	**MDR2148-E**	1492	n/a	n/a
		60″	1524	57	25.9	5.0	**MDR2160-C**	1387	**MDR2160-E**	1576	n/a	n/a
	24″ width *(610mm)*	24″	610	40	18.1	3.0	**MDR2424-C**	1148	**MDR2424-E**	1327	n/a	n/a
		30″	762	42	19.1	3.0	**MDR2430-C**	1159	**MDR2430-E**	1340	n/a	n/a
		36″	914	47	21.3	3.0	**MDR2436-C**	1253	**MDR2436-E**	1407	**MDR2436-S**	2414
		48″	1219	53	24.0	4.0	**MDR2448-C**	1367	**MDR2448-E**	1548	**MDR2448-S**	2847
		60″	1524	63	28.6	5.0	**MDR2460-C**	1418	**MDR2460-E**	1654	n/a	n/a

Polymer Dunnage Racks

see spec sheet **EG01.17**

Durable polyethylene construction prevents corrosion and rust.



FEATURES:
- No assembly required.

	width		length		weight		cubic	capacity				
	in.	mm	in.	mm	lbs.	kg	feet	lbs.	kg	color	model #	list
12″ height *(305mm)*	22″	559	36″	914	18	8.2	5.5	2000	907	black	**PD3622**	615
	22″	559	48″	1219	24	10.9	7.3	3000	1361	black	**PD4822**	738
	22″	559	60″	1524	28	12.7	9.2	3000	1361	black	**PD6022**	852
	36″	914	48″	1219	35	15.9	14.5	3500	1588	black	**PD4836**	816

Starter Units with Dunnage Shelf

see spec sheet **EG01.19**



Heavy duty dunnage shelf improves the units overall weight-bearing capacity.

FEATURES:
- Tapered split sleeves create a positive lock that becomes stronger as the load increases.
- 74″ *(1880mm)* posts numbered in increments of 1″ *(25mm)* to ensure fast and level assembly.

Stationary

width x length		zinc		chrome		EAGLEgard®	
in.	mm	model #	list	model #	list	model #	list
24″ x 48″	610 x 1219	**DS4-P74-2448Z**	1412	**DS4-P74-2448C**	1616	**DS4-P74-2448E**	1654

patented QuadTruss® design **(Patent #5,390,803)**

Mobile

width x length		zinc		chrome		EAGLEgard®	
in.	mm	model #	list	model #	list	model #	list
24″ x 48″	610 x 1219	**DS4-CP74-2448Z**	1615	**DS4-CP74-2448C**	1826	**DS4-CP74-2448E**	1859

Note: Mobile models feature 5″ resilient swivel casters with bumpers.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Aluminum Dunnage Racks

see spec sheet **EG01.17**

FEATURES:
- 1½″ *(38mm)* square tubing.
- Plastic feet.



(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		weight		cubic	weight capacity		number	RACKS WITH 8″ (203mm) HEIGHT		RACKS WITH 12″ (305mm) HEIGHT	
	in.	mm	lbs.	kg	feet	lbs.	kg	of lats	model #	list	model #	list
20″ width *(508mm)*	36″	914	10	4.5	6.8	2000	907	4	**WDR203608-A** •	516	**WDR203612-A** •	516
	48″	1219	14	6.4	8.9	2000	907	4	**WDR204808-A** •	596	**WDR204812-A** •	596
	60″	1524	18	8.2	11.0	1500	680	4	**WDR206008-A** •	670	**WDR206012-A** •	670
24″ width *(610mm)*	36″	914	12	5.4	8.0	2000	907	5	**WDR243608-A** •	577	**WDR243612-A** •	577
	48″	1219	16	7.3	10.5	2000	907	5	**WDR244808-A** •	650	**WDR244812-A** •	650
	60″	1524	20	9.1	13.1	1500	680	5	**WDR246008-A** •	752	**WDR246012-A** •	752

Nesting Dunnage Racks

see spec sheet **EG01.17**

FEATURES:
- All-aluminum construction.



Racks are stackable, saving space when not in use.

2,700 to 3,200 lb. (1225 to 1452 kg) weight capacity.

		length		weight		cubic	weight capacity			
		in.	mm	lbs.	kg	feet	lbs.	kg	model #	list
12″ height *(305mm)*	**18″ width** *(457mm)*	24″	610	8	3.6	3.0	3200	1452	**NDR182412-A**	489
		36″	914	10	4.5	4.5	3200	1452	**NDR183612-A**	566
		48″	1219	12	5.4	6.0	2700	1225	**NDR184812-A**	630
	20″ width *(508mm)*	24″	610	8	3.6	3.4	3200	1452	**NDR202412-A**	489
		36″	914	10	4.5	5.1	3200	1452	**NDR203612-A**	566
		48″	1219	12	5.4	6.7	2700	1225	**NDR204812-A**	630
	24″ width *(610mm)*	24″	610	9	4.1	4.0	3200	1452	**NDR242412-A**	582
		36″	914	11	5.0	6.0	3200	1452	**NDR243612-A**	647
		48″	1219	14	6.4	8.0	2700	1225	**NDR244812-A**	752

Aluminum Truck Dollies

see spec sheet **EG01.03B**

INCLUDES:
- Four designated 5″ x 1¼″ *(127 x 32mm)* casters with poly tread.
- Wraparound bumpers.



	length		weight		cubic	caster	caster load rate (each)			
	in.	mm	lbs.	kg	feet	type	lbs.	kg	model #	list
29¾″ width *(756mm)*	52⅞″	1343	41	18.6	6.3	swivel	300	136.1	**TD2448-SP**	1104
	52⅞″	1343	44	20.0	6.3	swivel/brake	300	136.1	**TD2448-BSP**	2265
	64⅞″	1648	48	21.8	7.6	swivel	300	136.1	**TD2460-SP**	1156
	64⅞″	1648	50	22.7	7.6	swivel/brake	300	136.1	**TD2460-BSP**	2276

Dolly Frames with Wraparound Bumper

see spec sheet **EG01.03B**



dolly frames with wraparound bumper

ORDERING:

- If ordering casters list dolly frame and caster model numbers separately.
- Holes are prepunched for use with plate casters on page 10.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		Aluminum					Chrome Plated Steel				
	in.	mm	weight lbs.	weight kg	cu ft	model #	list	weight lbs.	weight kg	cu ft	model #	list
23¾″ width *(603mm)*	40⅞″	1038	14	6.4	1.6	**DF1836-A**	652	16	7.3	1.6	**DF1836-C**	983
	46⅞″	1191	16	7.3	1.9	**DF1842-A**	685	18	8.2	1.9	**DF1842-C**	1033
	52⅞″	1343	18	8.2	2.1	**DF1848-A**	708	20	9.1	2.1	**DF1848-C**	1065
	64⅞″	1648	21	9.6	2.6	**DF1860-A**	777	23	10.4	2.6	**DF1860-C**	1177
	76⅞″	1953	23	10.4	2.9	**DF1872-A**	905	25	11.3	2.9	**DF1872-C**	1365
26¾″ width *(680mm)*	40⅞″	1038	17	7.7	1.8	**DF2136-A**	700	19	8.6	1.8	**DF2136-C**	1056
	46⅞″	1191	19	8.6	2.1	**DF2142-A**	726	21	9.6	2.1	**DF2142-C**	1094
	52⅞″	1343	21	9.6	2.4	**DF2148-A**	760	24	10.9	2.4	**DF2148-C**	1143
	64⅞″	1648	23	10.4	2.9	**DF2160-A**	816	23	11.8	2.9	**DF2160-C**	1222
	76⅞″	1953	25	11.3	3.5	**DF2172-A**	856	28	12.7	3.5	**DF2172-C**	1294
29¾″ width *(756mm)*	40⅞″	1038	21	9.6	2.1	**DF2436-A**	689	23	10.4	2.1	**DF2436-C**	1042
	46⅞″	1191	26	11.8	2.4	**DF2442-A**	723	29	13.2	2.4	**DF2442-C**	1092
	52⅞″	1343	29	13.2	3.9	**DF2448-A**	752	32	14.5	3.9	**DF2448-C**	1130
	64⅞″	1648	31	14.1	4.2	**DF2460-A** •	816	34	15.4	4.2	**DF2460-C**	1222
	76⅞″	1953	39	17.7	4.5	**DF2472-A**	955	42	19.1	4.5	**DF2472-C**	1438

Plastic Label Holders

see spec sheet **EG01.03D**



gray plastic label holder



black plastic label holder



clear plastic label holder

FEATURES:

- Snaps onto shelf edge.
- Provides easy identification of shelf contents or section.
- Holds 1″ to 1¼″ *(25 to 32mm)* high labels.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

length		fits shelf size		gray		black		clear	
in.	mm	in.	mm	model #	list	model #	list	model #	list
3″	76	all	all	**A204331** *	8	**A206216** *	8	**A208746**	8
13″	330	18″	457	**A206196**	14	**A206217**	14	**A208747**	14
19″	483	24″	610	**A206197**	22	**A206218**	22	**A208749**	22
25″	635	30″	762	**A206198**	25	**A206219**	25	**A208750**	25
31″	787	36″	914	**A206199**	28	**A206220**	28	**A208751** •	28
33″	838	36″	914	**A213096**	17	**A227763**	17	**A227764**	17
37″	940	42″	1067	**A223747**	29	**A223748**	29	**A223749**	29
43″	1092	48″	1219	**A206200**	32	**A206221**	32	**A208752**	32
45″	1143	48″	1219	**A212494**	37	**A225208**	37	**A217621**	37
55″	1397	60″	1524	**A206201**	42	**A206222**	42	**A208753**	42
67″	1702	72″	1829	**A227842**	35	**A227841**	35	**A222144**	35

* Actual length: 3¼″ *(83mm)*



Wire Basket Shelf

NSF

see spec sheet **EG01.03E**

FEATURES:

- Chrome-plated.
- For use with standard shelving posts.
- 4¼″ *(107mm)* depth.

400-lb. (181.4 kg) weight capacity!



width	length in	length mm	weight lbs.	weight kg	model #	list
18″ *(457mm)*	36″	914	10	4.5	**WBS1836C**	200

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Security Modules

see spec sheet EG01.16



shown with hinged door
(shown mounted to shelf unit sold separately)




shown with flip-up door
(shown mounted to shelf unit sold separately)

INCLUDES:

- End panels.
- Rear panel.
- Door(s).
- Fits in between two wire shelves spaced 20″ *(508mm)* apart.

Note: Shelving units sold separately—see pages 18 and 20.



Converts portion of shelf unit into a lockable enclosed security unit, adding versatility to shelf unit. More than one module can be added to unit, depending on unit's overall height.

Hinged Doors

	length		weight		EAGLEbrite® zinc		chrome		Valu-Gard® green		EAGLEgard®		stainless steel	
	in.	mm	lb.	kg	model #	list	model #	list	model #	list	model #	list	model #	list
18″ width *(457mm)*	30″	762	25	11.3	**SECM1830Z**	704	**SECM1830C**	920	**SECM1830VG**	959	**SECM1830E**	970	**SECM1830S**	2487
	36″	914	26	11.8	**SECM1836Z**	720	**SECM1836C**	932	**SECM1836VG**	970	**SECM1836E**	982	**SECM1836S**	2532
	48″	1219	34	15.4	**SECM1848Z**	764	**SECM1848C**	988	**SECM1848VG**	1030	**SECM1848E**	1043	**SECM1848S**	2708
	60″	1524	39	17.6	**SECM1860Z***	769	**SECM1860C***	1112	**SECM1860VG***	1159	**SECM1860E***	1172	**SECM1860S***	2725
21″ width *(533mm)*	30″	762	26	11.8	**SECM2130Z**	719	**SECM2130C**	930	**SECM2130VG**	967	**SECM2130E**	980	**SECM2130S**	2525
	36″	914	29	13.2	**SECM2136Z**	732	**SECM2136C**	945	**SECM2136VG**	985	**SECM2136E**	997	**SECM2136S**	2577
	48″	1219	33	15.0	**SECM2148Z**	784	**SECM2148C**	1008	**SECM2148VG**	1049	**SECM2148E**	1063	**SECM2148S**	2775
	60″	1524	39	17.6	**SECM2160Z***	794	**SECM2160C***	1127	**SECM2160VG***	1174	**SECM2160E***	1185	**SECM2160S***	2804
24″ width *(610mm)*	30″	762	26	11.8	**SECM2430Z**	727	**SECM2430C**	944	**SECM2430VG**	984	**SECM2430E**	996	**SECM2430S**	2565
	36″	914	31	14.1	**SECM2436Z**	754	**SECM2436C**	1008	**SECM2436VG**	1049	**SECM2436E**	1063	**SECM2436S**	2658
	48″	1219	36	16.3	**SECM2448Z**	800	**SECM2448C**	1144	**SECM2448VG**	1193	**SECM2448E**	1206	**SECM2448S**	2836
	60″	1524	39	17.6	**SECM2460Z***	850	**SECM2460C***	1283	**SECM2460VG***	1337	**SECM2460E***	1345	**SECM2460S***	3023

* 60″ (1524mm)-long Security Modules with Hinged Doors require notched shelves to accommodate for latch. Consult factory.


Flip-Up Door

	length		weight		EAGLEbrite® zinc		chrome		Valu-Gard® green		EAGLEgard®		stainless steel	
	in.	mm	lb.	kg	model #	list	model #	list	model #	list	model #	list	model #	list
18″ width *(457mm)*	30″	762	25	11.3	**SECM1830FZ**	828	**SECM1830FC**	983	**SECM1830FVG**	1023	**SECM1830FE**	1042	**SECM1830FS**	2905
	36″	914	26	11.8	**SECM1836FZ**	838	**SECM1836FC**	997	**SECM1836FVG**	1040	**SECM1836FE**	1049	**SECM1836FS**	2945
	48″	1219	34	15.4	**SECM1848FZ**	875	**SECM1848FC**	1044	**SECM1848FVG**	1087	**SECM1848FE**	1097	**SECM1848FS**	3093
	60″	1524	39	17.6	**SECM1860FZ**	884	**SECM1860FC**	1044	**SECM1860FVG**	1087	**SECM1860FE**	1186	**SECM1860FS**	3109
21″ width *(533mm)*	30″	762	26	11.8	**SECM2130FZ**	836	**SECM2130FC**	997	**SECM2130FVG**	1040	**SECM2130FE**	1049	**SECM2130FS**	2942
	36″	914	30	13.6	**SECM2136FZ**	852	**SECM2136FC**	1008	**SECM2136FVG**	1049	**SECM2136FE**	1063	**SECM2136FS**	2985
	48″	1219	33	15.0	**SECM2148FZ**	905	**SECM2148FC**	1065	**SECM2148FVG**	1109	**SECM2148FE**	1119	**SECM2148FS**	3145
	60″	1524	39	17.6	**SECM2160FZ**	915	**SECM2160FC**	1147	**SECM2160FVG**	1194	**SECM2160FE**	1207	**SECM2160FS**	3178
24″ width *(610mm)*	30″	762	28	12.7	**SECM2430FZ**	849	**SECM2430FC**	1006	**SECM2430FVG**	1047	**SECM2430FE**	1056	**SECM2430FS**	2973
	36″	914	32	14.5	**SECM2436FZ**	865	**SECM2436FC**	1056	**SECM2436FVG**	1105	**SECM2436FE**	1116	**SECM2436FS**	3049
	48″	1219	38	17.2	**SECM2448FZ**	907	**SECM2448FC**	1162	**SECM2448FVG**	1214	**SECM2448FE**	1219	**SECM2448FS**	3200
	60″	1524	43	19.5	**SECM2460FZ**	950	**SECM2460FC**	1266	**SECM2460FVG**	1317	**SECM2460FE**	1334	**SECM2460FS**	3349

FULL-SIZE SECURITY UNITS

Safely store and transport costly materials and items subject to pilferage.

Full-Size Stationary Security Units



see spec sheet **EG01.22**

additional center shelves (see page 43)

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

FEATURES:

- 2″ x 2″ *(51 x 51mm)* mesh.
- Shipped knocked-down.


Note: See pages 31-32 for optional cart covers available.

Doors on front and rear of unit available. To order, add suffix "**-2D**" (ex: SC2436S-**2D**). **20% upcharge**.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

		length		weight		cu	chrome		EAGLEgard®		stainless steel	
		in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
67″ overall height *(1702mm)*	17¼″ width *(438mm)*	33¼″	845	114	51.7	5	**SC1430**	2053	**SC1430E**	2062	**SC1430S**	4862
		39¼″	997	123	55.8	5	**SC1436** •	2278	**SC1436E**	2288	**SC1436S**	5398
		51¼″	1302	141	64.0	9	**SC1448** •	2834	**SC1448E**	2869	**SC1448S**	6572
		63¼″	1607	159	72.1	10	**SC1460**	3140	**SC1460E**	3108	**SC1460S**	6849
	27¼″ width *(692mm)*	33¼″	845	123	55.8	9	**SC2430**	2188	**SC2430E**	2673	**SC2430S**	6060
		39¼″	997	145	65.8	9	**SC2436** •	2428	**SC2436E** •	2973	**SC2436S**	6729
		51¼″	1302	171	77.6	13	**SC2448** •	3029	**SC2448E** •	3695	**SC2448S**	8197
		63¼″	1607	197	89.4	15	**SC2460** •	3284	**SC2460E**	4007	**SC2460S**	8488
	33¼″ width *(845mm)*	33¼″	845	145	65.8	15	**SC3030**	2752	**SC3030E**	3270	**SC3030S**	7572
		39¼″	997	163	73.9	13	**SC3036**	3054	**SC3036E**	3630	**SC3036S**	8414
		51¼″	1302	181	82.1	15	**SC3048**	3806	**SC3048E**	4748	**SC3048S**	10252
		63¼″	1607	207	93.9	18	**SC3060**	4106	**SC3060E**	5105	**SC3060S**	10609

Full-Size Mobile Security Units



see spec sheet **EG01.22**

additional center shelves (see page 43)

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

FEATURES:

- Four swivel 5″ x 1¼″ *(127 x 32mm)* stem casters with polyurethane tread, two with brake.
- 2″ x 2″ *(51 x 51mm)* mesh.
- Shipped knocked-down.

Note: All stainless steel mobile security units come with stainless steel casters with polyurethane tread. See page 9 for other stem casters available.

See pages 30-31 for optional cart covers available.

Doors on front and rear of unit available. To order, add suffix "**-2D**" (ex: CSC2430-**2D**). **20% upcharge**.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

		length		weight		cu	chrome		EAGLEgard®		stainless steel	
		in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
69″ overall height *(1753mm)*	27¼″ width *(692mm)*	33¼″	845	135	61.2	9	**CSC2430**	2572	**CSC2430E**	3053	**CSC2430S**	6060
		39¼″	997	161	73.0	9	**CSC2436** •	2858	**CSC2436E** •	3389	**CSC2436S**	6729
		51¼″	1302	185	83.9	13	**CSC2448** •	3452	**CSC2448E** •	4120	**CSC2448S**	8198
		63¼″	1607	204	92.5	15	**CSC2460** •	3714	**CSC2460E**	4430	**CSC2460S**	8488
	33¼″ width *(845mm)*	33¼″	845	161	73.0	15	**CSC3030**	3248	**CSC3030E**	3910	**CSC3030S**	7572
		39¼″	997	179	87.2	13	**CSC3036**	3612	**CSC3036E**	4350	**CSC3036S**	8414
		51¼″	1302	203	92.1	15	**CSC3048**	4354	**CSC3048E** •	5277	**CSC3048S**	10252
		63¼″	1607	221	100.2	18	**CSC3060** •	4683	**CSC3060E**	5684	**CSC3060S**	10609

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Full-Size Dolly Truck Security Units

see spec sheet EG01.22



patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

INCLUDES:
- Dolly with wraparound bumper.
- 2″ x 2″ *(51x 51mm)* mesh.
- Four swivel 5″ x 1¼″ *(127 x 32mm)* poly plate casters, two with brakes.
- Shipped knocked down.

Note: See page 10 for optional plate casters.
See pages 31-32 for optional cart covers available.
Doors on front and rear of unit available. To order, add suffix "**-2D**" (ex: DTSC2448-**2D**). **20% upcharge**.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

		length		weight		cu	chrome shelf unit with aluminum dolly		EAGLEgard® shelf unit with aluminum dolly		stainless steel shelf unit with stainless steel dolly	
		in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
69″ overall height *(1753mm)*	**29¾″ width** *(756mm)*	34⅞″	886	161	73.0	7.3	**DTSC2430**	3087	**DTSC2430E**	5352	**DTSC2430S**	9960
		40⅞″	1038	177	80.3	10.7	**DTSC2436**	3429	**DTSC2436E**	5944	**DTSC2436S**	11069
		52⅞″	1343	214	97.1	18.5	**DTSC2448**	4069	**DTSC2448E**	7075	**DTSC2448S**	13136
		64⅞″	1648	245	111.1	22.9	**DTSC2460**	4374	**DTSC2460E**	7803	**DTSC2460S**	13483

Optional Posts for Full-Size Security Units

post height		weight		cu	chrome		EAGLEgard®		stainless steel	
in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
74″	1880	4	1.8	0.5	**SP74-CS**	65	**SP74-ES**	75	**SP74-SS**	162
86″	2184	5	2.3	0.8	**SP86-CS**	80	**SP86-ES**	86	**SP86-SS**	188

Optional Shelves for Full-Size Security Units

Wire Shelves — Must be installed when assembling unit.

Optional Quad-Adjust® Shelves — For use as intermediate shelves only.

	length		weight		cu	chrome		EAGLEgard®		stainless steel		chrome		EAGLEgard®		stainless steel	
	in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
14″ width* *(356mm)*	30″	762	7	3.2	0.5	**1430C** •	118	**1430E** •	139	**1430S**	399	n/a		n/a		n/a	
	36″	914	8	3.6	0.5	**1436C** •	129	**1436E** •	145	**1436S** •	404	**QA1436C**	203	**QA1436E**	226	**QA1436S**	550
	48″	1219	10	4.5	0.7	**1448C** •	145	**1448E** •	166	**1448S** •	495	**QA1448C**	228	**QA1448E**	256	**QA1448S**	659
	60″	1524	14	6.4	0.9	**1460C** •	164	**1460E** •	192	**1460S** •	629	**QA1460C**	244	**QA1460E**	278	**QA1460S**	825
24″ width *(610mm)*	30″	762	11	5.0	0.8	**2430C** •	160	**2430E** •	194	**2430S** •	612	n/a		n/a		n/a	
	36″	914	13	5.9	0.8	**2436C** •	164	**2436E** •	197	**2436S** •	617	**QA2436C**	244	**QA2436E**	285	**QA2436S**	810
	48″	1219	16	7.3	1.2	**2448C** •	197	**2448E** •	242	**2448S** •	749	**QA2448C**	285	**QA2448E**	337	**QA2448S**	964
	60″	1524	21	9.5	1.5	**2460C** •	238	**2460E** •	285	**2460S** •	914	**QA2460C**	327	**QA2460E**	384	**QA2460S**	1173
30″ width* *(762mm)*	30″	762	16	7.3	1.0	**3030C**	214	**3030E**	254	**3030S**	722						
	36″	914	17	7.7	1.0	**3036C** •	242	**3036E** •	293	**3036S** •	818						
	48″	1219	20	9.1	1.5	**3048C** •	278	**3048E** •	333	**3048S** •	954		-				
	60″	1524	25	11.4	1.8	**3060C** •	306	**3060E** •	377	**3060S** •	1056						

* 14″ and 30″ widths *(356 and 762mm) do not fit Full-Size Dolly Truck Security Units.*

Ordering Full Size Security Units Assembled:

- Security carts shipped assembled, **add $2159** to list price and add suffix "**-A**". **Example: SC1460E-A.**
- For assembled unit with center shelves installed *(evenly spaced)*, indicate number of center shelves wanted by adding a number before the **"A"** in suffix **"-A"**.
- For **example, suffix "-1A"** indicates assembled unit with one center shelf, suffix **"-2A"** indicates assembled unit with two center shelves, and so on. **Example: SC1460E-2A.**
- **PRICING: add $2159 to list price** of security unit, and add list price of each applicable center shelf to be added.

Mini Security Units

see spec sheet EG01.22



patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

FEATURES:
- Stationary chrome plated units.
- 40″ *(1016mm)* height.
- Shipped knocked down.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		weight		cubic		
	in.	mm	lbs.	kg	feet	model #	list
16″ width *(406mm)*	38″	965	88	39.9	8.6	**MSC1436** •	1966
	50″	1270	104	47.2	9.6	**MSC1448**	2512
26″ width *(660mm)*	38″	965	100	45.4	9.2	**MSC2436** *	2040
	50″	1270	114	51.7	10.6	**MSC2448** *	2605

* Optional stem casters *(page 9)* available only for these models.

Optional Shelves for Mini Security Units

- With chrome plated finish.

	length		weight		cubic		
	in.	mm	lbs.	kg	feet	model #	list
14″ width *(356mm)*	36″	914	8	3.6	0.5	**1436C** •	129
	48″	1219	10	4.5	0.7	**1448C** •	145
24″ width *(610mm)*	36″	914	13	6.0	0.8	**2436C** •	164
	48″	1219	16	7.3	1.2	**2448C** •	197



Optional Add-A-Shelf® Adjustable Shelves for All Security Units

see spec sheet EG01.22



optional Add-A-Shelf® (patent #5,884,567) being added to security unit

	length		weight		cubic		
	in.	mm	lbs.	kg	feet	model #	list
14″ width *(356mm)*	36″	914	8	3.6	0.5	**A1436C** •	139
	48″	1219	10	4.6	0.7	**A1448C** •	159
24″ width *(610mm)*	36″	914	13	5.9	0.8	**A2436C** •	180
	48″	1219	16	7.3	1.2	**A2448C** •	214
	60″	1524	21	9.5	1.5	**A2460C** •	272

WEIGHT CAPACITY:
- 300 lb.*(136.1 kg)* per shelf.

Note: Top and bottom shelves of unit must be standard shelves—see page 43.

WARNING:
- Use Add-A-Shelf® shelves for intermediate shelves.

FEATURES:
- Chrome finish.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

Just a quick note...

GET FREE DOWNLOADS

• Spec Sheet • Product Instructions • Special Flyers • Brochures •

www.eaglemhc.com

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Tank Racks

see spec sheet EG01.31

FEATURES:
- All models chrome-plated.
- Two styles available.



style "B" tank rack with optional drip pan shown



style "A" tank rack with optional drip pan shown

Style "A" – 33″ *(838mm)* height
Includes:
- One dunnage mat with frame.
- One 3-sided frame.
- Four 33″ *(838mm)* posts.
- Cable assembly.

Style "B" – 74″ *(1880mm)* height
Includes:
- One dunnage mat with frame.
- One 3-sided frame.
- Four 74″ *(1880mm)* posts.
- Cable assembly.
- Two standard shelves.

	length		weight		cu			weight		cu		
	in.	mm	lb.	kg	ft	model #	list	lb.	kg	ft	model #	list
24″ width *(610mm)*	30″	762	40	18.1	0.2	**STR2430A**	907	68	30.8	0.3	**STR2430B**	1383
	48″	1219	50	22.7	0.3	**STR2448A**	1084	88	39.9	0.4	**STR2448B**	1677

Optional Drip Pans for Tank Racks

- Stainless steel.



	length		weight		cu		
	in.	mm	lb.	kg	ft	model #	list
24″ width *(610mm)*	30″	762	8	3.6	0.2	**DP30**	485
	48″	1219	12	5.4	0.3	**DP48**	549

Optional Cylinder Retainer for Tank Racks

- Chrome-plated.
- Cylinders are secured to retainer to further prevent damage.

width		weight		cu		
in.	mm	lb.	kg	ft	model #	list
24″	610	7	3.2	0.3	**CRR24-C**	232



Modular Desks / Workstations

see spec sheet EG01.02

FEATURES:
- Heavy gauge type 304 stainless steel.
- Two chrome cantilever open-wire shelves.
- 16 gauge 1″ *(25mm)* diameter chrome-plated posts with exclusive MasterSeal® coating.
- Rear grid panel with chrome finish.
- Three-sided 1″ *(25mm)* channel frame.
- Leveling feet.
- 74″ *(1880mm)* O.A. height.




	length		weight		cubic		
	in.	mm	lb.	kg	feet	model #	list
24″ width *(610mm)*	36″	914	78	35.3	1.0	**MD2436**	2489
	48″	1219	85	38.6	1.0	**MD2448**	2697

Optional Keyboard Station

- Mounts under tabletop.
- 20½″ wide x 11½″ deep *(521 x 292mm)*.

weight		cu	chrome		stainless	
lbs.	kg	ft	model #	list	model #	list
6.0	2.7	0.35	**KBD-1**	519	**KBD-1/SS**	722



adjusTable® Work Surface Systems

see spec sheet **EG10.09**



basic unit



2-tier unit

CUSTOMIZABLE WORK SURFACE CONFIGURATIONS TO MEET YOUR NEEDS!



1-tier unit

CUSTOM:

- Unit can be expanded and customized by adding optional shelving accessories *(pages 48-53)*.
- Custom configurations available, including alternate finishes and solid shelving. Contact factory to configure your custom workstation.
- Optional drawers available *(see pages 212-215)*.

Note: To order table with 5″ *(127mm)* resilient-tread casters, add suffix **"-CAH"** and **add to list price $1096**. **Example: T3036EBW-1-CAH.**

To order table with 5″ *(127mm)* poly-tread casters, add suffix **"-CAHP"** and **add to list price $950**. **Example: T3036EBW-1-CAHP.**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

patented QuadTruss® design
(Patent #5,390,803)

Patented QuadTruss® Design makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

adjusTable® **Additional wire undershelves, solid stainless steel undershelves, chrome wire overshelves, or solid stainless steel overshelves make the possibilities almost unlimited.**

Basic Units
33½″ *(851mm)* overall height.

1-tier Units
54½″ *(1384mm)* overall height.

2-tier Units
62½″ *(1588mm)* overall height.

	length		cu	weight		16/304		14/304		weight		16/304		14/304		weight		16/304		14/304	
	in.	mm	ft	lbs.	kg	model #	list	model #	list	lbs.	kg	model #	list	model #	list	lbs.	kg	model #	list	model #	list
24″ width *(610mm)*	36″	914	4.5	65	29.5	**T2436EBW**	1729	**T2436EW**	1897	73	33.1	**T2436EBW-1**	2153	**T2436EW-1**	2318	81	36.7	**T2436EBW-2**	2359	**T2436EW-2**	2528
	48″	1219	5.7	81	36.7	**T2448EBW**	1877	**T2448EW**	2177	91	41.3	**T2448EBW-1**	2414	**T2448EW-1**	2638	101	45.8	**T2448EBW-2**	2660	**T2448EW-2**	2889
	60″	1524	7.1	99	44.9	**T2460EBW**	2200	**T2460EW**	2503	113	51.3	**T2460EBW-1**	2725	**T2460EW-1**	2982	127	57.6	**T2460EBW-2**	2993	**T2460EW-2**	3250
30″ width *(762mm)*	36″	914	4.5	75	34.0	**T3036EBW**	1915	**T3036EW**	2145	83	37.6	**T3036EBW-1**	2338	**T3036EW-1**	2577	91	41.3	**T3036EBW-2**	2544	**T3036EW-2**	2785
	48″	1219	5.7	94	42.6	**T3048EBW**	2162	**T3048EW**	2463	104	47.2	**T3048EBW-1**	2627	**T3048EW-1**	2917	114	51.7	**T3048EBW-2**	2873	**T3048EW-2**	3180
	60″	1524	7.1	115	52.2	**T3060EBW**	2503	**T3060EW**	2848	129	58.5	**T3060EBW-1**	2982	**T3060EW-1**	3333	143	64.9	**T3060EBW-2**	3248	**T3060EW-2**	3606

CONSISTS OF:
- Stainless steel table top/work surface with hat channel supports.
- Four 33″ *(838mm)* chrome posts.
- Two chrome wire undershelves.*

CONSISTS OF:
- Stainless steel table top/work surface with hat channel supports.
- Two 54″ *(1372mm)* rear chrome posts.
- Two 33″ *(838mm)* front chrome posts.
- Two 21″ *(533mm)* front chrome posts for overshelf.
- One 14″ *(356mm)* wide chrome wire overshelf.
- Two chrome wire undershelves.*

CONSISTS OF:
- Stainless steel table top/work surface with hat channel supports.
- Two 63″ *(1600mm)* rear chrome posts.
- Two 33″ *(838mm)* front chrome posts.
- Two 29″ *(737mm)* front chrome posts for overshelves.
- Two 14″ *(356mm)* wide chrome wire overshelves.
- Two chrome wire undershelves.*

* 18″ *(457mm)* wide undershelves used for 24″ *(610mm)* wide tables; 24″ *(610mm)* wide undershelves used for 30″ *(762mm)* wide tables.

Table Mount / Wire Mount

weight		cu	Table Mount				Wire Mount			
			chrome		stainless		chrome		stainless	
lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list
6.0	2.7	0.35	**KBD-1**	519	**KBD-1/SS**	722	**KBD-2** •	452	**KBD-2/SS**	786



table mount keyboard station



wire mount keyboard station

Post Clamp for 1-tier and 2-tier Units

- Attaches 3″ x 3″ *(76 x 76mm)* grid panel *(see enclosure panels on page 48 and wall mats on page 90)* onto AdjusTable® systems with overshelves.
- Chrome-plated collar with ¼-20 weld stud, chrome acorn nut and heavy gauge clamp.

model #	list each
A210098	9



100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Shelving Components / Accessories

see spec sheets **EG01.03A** **EG01.03D**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Collar Plug

- Fills shelf corner openings where posts have been eliminated by use of "S" hooks.
- Packed four per bag.



model #	list
COLLAR PLUG *(set of four)*	18

Post Cap

- Fills post end openings at top of shelving unit.



model #	list ea
POST CAP	5

Post Clamps

- Provides maximum strength when shelving units are connected by clamping posts securely together.



chrome		black epoxy	
model #	list ea	model #	list ea
POST CLAMP	14	**A214169**	18

Note: Will not work with QuadPLUS® or Add-A-Shelf®

Retaining Clamp

- Chrome-plated.
- For use with enclosure panels *(page 48)* in conjunction with wire shelf.



model #	list ea
RETAINING CLAMP	8

Glides

- Fits under leveling bolt to protect floors from abrasion.



model #	list ea
GLIDES	6

Aluminum Split Sleeves

- For conductive, over-the-road or high-temperature installations.
- Set of four.



aluminum split sleeves and ring

with zinc rings		with stainless rings	
model #	list	model #	list
A208909 •	36	**A208908** •	55

Plastic Split Sleeves

- Four included with each shelf.
- High-temperature-resistant ABS plastic create a positive lock that becomes stronger as the load increases.



model #	list
PLASTIC SPLIT SLEEVES *(set of four)*	9

Plastic Conductive Split Sleeves

- Packed four per bag.



model #	list
A219236	25

Casting

- Stabilizes leveling foot.



casting

model #	list ea
A203568	6

Leveling Foot

- Use these to accommodate for uneven floors.



leveling foot

model #	list ea
LEVELING FOOT	5

Security "S" Hooks

- Discourages separation of adjoined shelf units.
- Hardware included.



model #	list ea
S-HOOKS-SK	16

"S" Hooks

- Join individual shelving units in a number of combinations using "S" hooks.
- Joins end-to-end, back-to-back, or at right angles.
- Two hooks required per connection.
- Stainless steel.



model #	list ea
A200012 •	8

Foot Plates

- These allow unit to be bolted to the floor.
- Can be used without bolts when a wider foot is desired for more stability.



triangular *square* *space-saving square* *space-saving "slim"*

type of foot plate	chrome model #	chrome list ea	black epoxy model #	black epoxy list ea	stainless steel model #	stainless steel list ea
Triangular	**FOOT PLATE**	29	**FOOT PLATE-BL**	32	**FOOT PLATE-S**	55
Square	**A207199**	42	**A226104**	42	**A208627**	60
"Space-Saving" Square	**A226093**	45	**A226105**	45	**A226096**	65
Space-Saving "Slim"	**A230624**	45	**A230625**	45	**A230612**	62

Enclosure Panels




see spec sheet **EG01.03A**

• Includes four retaining clamps.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Note: These do not work with corner castings of solid shelves. Recommended for use with wire shelves only.

Helps secure shelf contents, enclosing the back and sides of unit.



shelf	panel width in.	panel width mm	post height in.	post height mm	weight lb.	weight kg	cubic feet	chrome model #	chrome list	stainless model #	stainless list
18″ width (457mm)	14″	356	54″	1372	6	2.7	1.5	**E1854-C**	134	**E1854-S**	299
	14″	356	63″	1600	7	3.2	1.8	**E1863-C** •	142	**E1863-S**	319
	14″	356	74″	1880	8	3.6	2.0	**E1874-C** •	155	**E1874-S**	376
	14″	356	86″	2184	9	4.1	2.3	**E1886-C**	278	**E1886-S**	388
24″ width (610mm)	20″	233	54″	1372	9	4.1	2.1	**E2454-C**	159	**E2454-S**	358
	20″	233	63″	1600	10	4.5	2.3	**E2463-C** •	169	**E2463-S**	394
	20″	233	74″	1880	11	5.0	2.6	**E2474-C** •	176	**E2474-S**	430
	20″	233	86″	2184	12	5.4	2.8	**E2486-C**	308	**E2486-S**	453

CONSULT THESE TABLES FOR NUMBER OF PANELS REQUIRED:

Panels sold individually. Consult charts below for number of panels needed.

For the Back of Unit

shelf length in.	shelf length mm	for 54″ (1372mm) post height —panel(s) required	for 63″ (1600mm) post height —panel(s) required	for 74″ (1880mm) post height —panel(s) required	for 86″ (2184mm) post height —panel(s) required
30″	762	one (1) **E2454**	one (1) **E2463**	one (1) **E2474**	one (1) **E2486**
36″	914	two (2) **E1854**	two (2) **E1863**	two (2) **E1874**	two (2) **E1886**
42″	1067	one (1) **E1854**	one (1) **E1863**	one (1) **E1874**	one (1) **E1886**
		one (1) **E2454**	one (1) **E2463**	one (1) **E2474**	one (1) **E2486**
48″	1092	two (2) **E2454**	two (2) **E2463**	two (2) **E2474**	two (2) **E2486**
54″	1372	two (2) **E1854**	two (2) **E1863**	two (2) **E1874**	two (2) **E1886**
		one (1) **E2454**	one (1) **E2463**	one (1) **E2474**	one (1) **E2486**
60″	1524	two (2) **E2454**	two (2) **E2463**	two (2) **E2474**	two (2) **E2486**
		one (1) **E1854**	one (1) **E1863**	one (1) **E1874**	one (1) **E1886**
72″	1829	three (3) **E2454**	three (3) **E2463**	three (3) **E2474**	three (3) **E2486**

For Each End

shelf width in.	shelf width mm	for 54″ (1372mm) post height —panel(s) required	for 63″ (1600mm) post height —panel(s) required	for 74″ (1880mm) post height —panel(s) required	for 86″ (2184mm) post height —panel(s) required
18″	457	one (1) **E1854**	one (1) **E1863**	one (1) **E1874**	one (1) **E1886**
21″	533	one (1) **E1854**	one (1) **E1863**	one (1) **E1874**	one (1) **E1886**
24″	610	one (1) **E2454**	one (1) **E2463**	one (1) **E2474**	one (1) **E2486**
30″	762	one (1) **E2454**	one (1) **E2463**	one (1) **E2474**	one (1) **E2486**
36″	914	two (2) **E1854**	two (2) **E1863**	two (2) **E1874**	one (1) **E1886**

Clips for Solid Shelves (ONLY)

spec sheet **EG01.03A**

Sold individually.



model #	list each
A204318	5

Rods and Tabs

see spec sheet **EG01.03D**



chrome model #	chrome list ea	stainless steel model #	stainless steel list ea
R54-C	25	**R54-S**	70
R63-C •	28	**R63-S**	80
R74-C •	29	**R74-S**	92
R86-C •	33	**R86-S**	95

FEATURES:

- Used to enclose backs or sides of shelving units to prevent contents from falling.
- Also used to partition shelving units by positioning rods interior to shelves.
- Model number indicates height.
- Each rod comes with four tabs.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Dividers

see spec sheet EG01.03A


FEATURES:
- 8″ high *(203mm)* dividers keep shelf contents organized.

Solid Shelving Dividers

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

length in.	length mm	cubic feet	weight lb.	weight kg	chrome model #	chrome list	stainless steel model #	stainless steel list
14″	356	0.6	1.0	0.5	**SSD14-C**	48	**SSD14-S**	155
18″	457	0.6	1.3	0.6	**SSD18-C**	55	**SSD18-S**	160
21″	533	0.8	1.5	0.7	**SSD21-C**	60	**SSD21-S**	189
24″	610	1.0	1.8	0.8	**SSD24-C** •	66	**SSD24-S**	194
30″	762	1.2	2.3	1.0	**SSD30-C**	92	**SSD30-S**	240
36″	914	1.4	3.0	1.4	**SSD36-C**	109	**SSD36-S**	283






Wire Shelving Dividers NSF

length in.	length mm	cubic feet	weight lb.	weight kg	chrome model #	chrome list	VALU-MASTER® model #	VALU-MASTER® list	Valu-Gard® model #	Valu-Gard® list	EAGLEgard® model #	EAGLEgard® list	stainless model #	stainless list
14″	356	0.6	1.0	0.5	**SD14-C** •	48	**SD14-V**	49	**SD14-VG**	49	**SD14-E**	53	**SD14-S**	134
18″	457	0.6	1.0	0.5	**SD18-C**	55	**SD18-V**	59	**SD18-VG**	59	**SD18-E**	60	**SD18-S**	153
21″	533	0.8	2.0	0.9	**SD21-C** •	60	**SD21-V**	62	**SD21-VG**	62	**SD21-E**	66	**SD21-S**	174
24″	610	1.0	2.0	0.9	**SD24-C** •	67	**SD24-V**	74	**SD24-VG**	74	**SD24-E**	82	**SD24-S** •	188
30″	762	1.2	2.0	0.9	**SD30-C**	82	**SD30-V**	83	**SD30-VG**	83	n/a	n/a	**SD30-S**	228
36″	914	1.4	3.0	1.4	**SD36-C**	94	**SD36-V**	97	**SD36-VG**	97	n/a	n/a	**SD36-S**	273

Slanted Shelves

see spec sheet EG01.03E

FEATURES:
- 2″ *(51mm)* slope.
- Shipped knocked-down.



optional slanted shelves

2″ slant increases visibility, allows easy access to shelf contents.

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

	length in.	length mm	weight lb.	weight kg	cubic feet	EAGLEbrite® model #	EAGLEbrite® list	chrome model #	chrome list	EAGLEgard® model #	EAGLEgard® list
21″ width *(533mm)*	36″	914	11	5.0	0.8	**SL2136Z**	197	**SL2136C**	217	**SL2136E**	255
	48″	1219	14	6.4	1.1	**SL2148Z**	255	**SL2148C**	283	**SL2148E**	338
	60″	1524	18	8.2	1.1	**SL2160Z**	276	**SL2160C**	303	**SL2160E**	394
24″ width *(610mm)*	36″	914	13	5.9	0.8	**SL2436Z**	243	**SL2436C**	272	**SL2436E**	326
	48″	1219	16	7.3	1.2	**SL2448Z**	284	**SL2448C**	312	**SL2448E**	382
	60″	1524	21	9.5	1.5	**SL2460Z**	307	**SL2460C**	333	**SL2460E**	404

Stationary Wire Wall Mounts NSF

see spec sheet EG02.12



end unit

Designed for fixed application

Note: Shelves *(page 6)* sold separately.

END UNIT:
- One single shelf support and mounting plate.

MID UNIT:
- One double shelf support and mounting plate.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

			End Units*								Mid Units							
length in.	length mm	cu ft	weight** lbs.	weight** kg	chrome model #	chrome list	Valu-Gard® model #	Valu-Gard® list	stainless** model #	stainless** list	weight** lbs.	weight** kg	chrome model #	chrome list	Valu-Gard® model #	Valu-Gard® list	stainless** model #	stainless** list
14″	356	0.5	6	2.7	**WB14-C** •	94	**WB14-VG** •	95	**WB14-S** •	219	8	3.6	**DWB14-C** •	139	**DWB14-VG**	142	**DWB14-S**	333
18″	457	0.5	8	3.6	**WB18-C** •	95	**WB18-VG** •	96	**WB18-S** •	234	10	4.5	**DWB18-C** •	143	**DWB18-VG**	145	**DWB18-S**	353
21″	533	0.7	10	4.5	**WB21-C** •	95	**WB21-VG**	96	**WB21-S**	240	12	5.5	**DWB21-C**	143	**DWB21-VG**	145	**DWB21-S**	362
24″	610	0.7	12	5.5	**WB24-C** •	96	**WB24-VG**	103	**WB24-S** •	245	14	6.4	**DWB24-C** •	145	**DWB24-VG**	148	**DWB24-S**	376


*End Units priced per piece; **For stainless steel units, add 1 lb. *(0.5 kg)* weight.

Ledges

see spec sheet **EG01.03A**

FEATURES:
- Prevents contents from falling off unit.
- Easily attaches without the use of tools.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



1˝-high (25mm) ledge for wire shelving



4˝-high (102mm) ledge for wire shelving

Ledges are stackable!

Solid Shelving Ledges

length		cu	1˝-high *(25mm)* Ledges *						4˝-high *(102mm)* Ledges					
			weight		chrome		stainless steel		weight		chrome		stainless steel	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
14˝	356	0.2	0.2	0.1	**SL14-1C**	37	**SL14-1S**	74	0.8	0.4	**SL14-4C**	48	**SL14-4S**	92
18˝	457	0.3	0.3	0.1	**SL18-1C**	40	**SL18-1S**	80	0.9	0.4	**SL18-4C**	49	**SL18-4S**	94
21˝	533	0.3	0.4	0.2	**SL21-1C**	42	**SL21-1S**	86	1.0	0.5	**SL21-4C**	53	**SL21-4S**	105
24˝	610	0.3	0.5	0.2	**SL24-1C**	48	**SL24-1S**	95	1.2	0.6	**SL24-4C**	55	**SL24-4S**	125
30˝	762	0.5	0.7	0.3	**SL30-1C**	59	**SL30-1S**	115	1.4	0.6	**SL30-4C**	65	**SL30-4S**	142
36˝	914	0.6	0.9	0.4	**SL36-1C**	62	**SL36-1S**	133	1.6	0.7	**SL36-4C**	70	**SL36-4S**	169
42˝	1067	0.6	1.1	0.5	**SL42-1C**	65	**SL42-1S**	145	1.8	0.8	**SL42-4C**	75	**SL42-4S**	192
48˝	1092	0.7	1.3	0.6	**SL48-1C**	70	**SL48-1S**	166	2.0	0.9	**SL48-4C**	87	**SL48-4S**	238
54˝	1372	0.8	1.5	0.7	**SL54-1C**	75	**SL54-1S**	185	2.2	1.0	**SL54-4C**	92	**SL54-4S**	269
60˝	1524	0.8	1.7	0.8	**SL60-1C**	80	**SL60-1S**	194	2.4	1.1	**SL60-4C**	93	**SL60-4S**	284
72˝	1829	1.0	2.1	1.0	**SL72-1C**	87	**SL72-1S**	215	2.6	1.2	**SL72-4C**	106	**SL72-4S**	293

* When installed, actual height of ledge is 1½˝ *(38mm)*.

Wire Shelving 1˝-high *(25mm)* Ledges *

length		cu	weight		chrome		VALU-MASTER®		Valu-Gard®		stainless	
in.	mm	ft	lb.	kg	model #	list	model #	list	model #	list	model #	list
14˝	356	0.2	0.2	0.1	**L14-1C**	29	**L14-1V**	32	**L14-1VG**	32	**L14-1S**	45
18˝	457	0.3	0.3	0.1	**L18-1C**	32	**L18-1V**	33	**L18-1VG**	33	**L18-1S**	49
21˝	533	0.3	0.4	0.2	**L21-1C**	33	**L21-1V**	36	**L21-1VG**	36	**L21-1S**	55
24˝	610	0.3	0.5	0.2	**L24-1C** •	36	**L24-1V**	37	**L24-1VG**	37	**L24-1S**	60
30˝	762	0.5	0.7	0.3	**L30-1C**	40	**L30-1V**	42	**L30-1VG**	42	**L30-1S**	82
36˝	914	0.6	0.9	0.4	**L36-1C**	48	**L36-1V**	49	**L36-1VG**	49	**L36-1S**	92
42˝	1067	0.6	1.1	0.5	**L42-1C**	49	**L42-1V**	53	**L42-1VG**	53	**L42-1S**	97
48˝	1092	0.7	1.3	0.6	**L48-1C** •	53	**L48-1V**	55	**L48-1VG**	55	**L48-1S**	97
54˝	1372	0.8	1.5	0.7	**L54-1C** •	59	**L54-1V**	60	**L54-1VG**	60	**L54-1S**	125
60˝	1524	0.8	1.7	0.8	**L60-1C** •	59	**L60-1V**	62	**L60-1VG**	62	**L60-1S**	125
72˝	1829	1.0	2.1	1.0	**L72-1C**	60	**L72-1V**	65	**L72-1VG**	65	**L72-1S**	136

* When installed, actual height of ledge is 1½˝ *(38mm)*.

Wire Shelving 4˝-high *(102mm)* Ledges

length		cu	weight		chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®		stainless	
in.	mm	ft	lb.	kg	model #	list	model #	list	model #	list	model #	list	model #	list
14˝	356	0.2	0.8	0.4	**L14-4C** •	37	**L14-4V**	40	**L14-4VG**	40	**L14-4E**	42	**L14-4S**	80
18˝	457	0.3	0.9	0.4	**L18-4C** •	40	**L18-4V**	42	**L18-4VG**	42	**L18-4E**	49	**L18-4S** •	87
21˝	533	0.3	1.0	0.5	**L21-4C** •	42	**L21-4V**	45	**L21-4VG**	45	**L21-4E**	53	**L21-4S**	97
24˝	610	0.3	1.2	0.6	**L24-4C** •	48	**L24-4V**	49	**L24-4VG**	49	**L24-4E**	55	**L24-4S** •	105
30˝	762	0.5	1.4	0.6	**L30-4C** •	55	**L30-4V**	59	**L30-4VG**	59	**L30-4E**	65	**L30-4S**	130
36˝	914	0.6	1.6	0.7	**L36-4C** •	60	**L36-4V**	62	**L36-4VG**	62	**L36-4E**	67	**L36-4S** •	152
42˝	1067	0.6	1.8	0.8	**L42-4C** •	70	**L42-4V**	75	**L42-4VG**	75	**L42-4E**	86	**L42-4S**	192
48˝	1092	0.7	2.0	0.9	**L48-4C** •	70	**L48-4V**	80	**L48-4VG**	80	**L48-4E**	86	**L48-4S**	192
54˝	1372	0.8	2.2	1.0	**L54-4C**	80	**L54-4V**	83	**L54-4VG**	83	**L54-4E**	93	**L54-4S**	217
60˝	1524	0.8	2.4	1.1	**L60-4C** •	80	**L60-4V**	86	**L60-4VG**	86	**L60-4E**	93	**L60-4S**	217
72˝	1829	1.0	2.6	1.2	**L72-4C** •	94	**L72-4V**	97	**L72-4VG**	97	**L72-4E**	109	**L72-4S** •	273

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Slide Systems

see spec sheet **EG01.03C**

LOAD CAPACITY:
- Up to 35 lbs. *(15.9 kg).*

FEATURES:
- Easily attaches without the use of tools.



slide system with tote boxes



Clever way to improve space efficiency.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

fits shelf width	adaptable tote boxes	width x length x depth	weight lbs.	weight kg	cubic feet	model #	list
24″ *(610mm)*	TB1722-3, TB1722-6, TB1722-9	21⅝″ x 20″ x 10¼″ *(683 x 508 x 260mm)*	7.5	3.4	3.8	**TS2021** •	220
21″ *(533mm)*	TB1016-3, TB1016-6	17⅛″ x 14″ x 10¼″ *(543 x 356 x 260mm)*	4.0	1.8	1.8	**TS1417**	210
21″ *(533mm)*	TB1722-3*, TB1722-6*, TB1722-9*	17⅛″ x 25⅛″ x 10¼″ *(543 x 797 x 260mm)*	5.0	2.3	4.0	**TS2517**	219

* Fits TS2517 sideways

Tote Boxes for Slide Systems

see spec sheet **EG01.03C**

FEATURES:
- Dividable up to 1⅛″ *(29mm)* square compartments.
- Injection molded from high-density polyethylene material.

Note: Also available in molded fiberglass *(see page 52).*



ESD Tote Boxes and Accessories also available! See pages 173 and 174.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

fits slide system	width x length x depth inches	width x length x depth mm	weight lbs.	weight kg	cubic feet	color	model #	list
TS1417	10⅞″ x 16½″ x 3½″	276 x 419 x 89	1.0	0.5	0.4	gray	**TB1016-3**	66
TS1417	10⅞″ x 16½″ x 6″	276 x 419 x 152	1.5	0.7	0.8	gray	**TB1016-6**	70
TS2021, TS2517	17½″ x 22½″ x 3″	444 x 572 x 76	2.3	1.0	0.8	gray	**TB1722-3** *	106
TS2021, TS2517	17½″ x 22½″ x 6″	444 x 572 x 152	3.5	1.6	1.5	gray	**TB1722-6** * •	125
TS2021, TS2517	17½″ x 22½″ x 8″	444 x 572 x 203	4.0	1.8	3.0	gray	**TB1722-9** *	147

* Fits TS2517 sideways

Tote Box Dividers and Covers

		Long Dividers			Short Dividers			Covers	
fits tote box	color	model #	list	max. # accepted	model #	list	max. # accepted	model #	list
TB1016-3	gray	**A217766**	8	7	**A217760**	8	11	**A217765**	62
TB1016-6	gray	**A203841**	9	7	**A203843**	8	11	**A217765**	62
TB1722-3	gray	**A217763**	8	11	**A217764**	8	15	**A217638**	75
TB1722-6	gray	**A203842**	9	11	**A203844**	10	15	**A217638**	75
TB1722-9	gray	**A203845**	14	11	**A203846**	10	15	**A217638**	75



cover



dividers

Card Holders for Tote Boxes

see spec sheet **EG01.03C**

FEATURES:
- Clear vinyl.



holds labels in.	holds labels mm	model #	list
2″ x 8″	51 x 203	**CH28**	18
3″ x 5″	76 x 127	**CH35**	22
5″ x 8″	127 x 203	**CH58**	25

Molded Fiberglass Boxes and Trays

see spec sheet **EG01.03C**

FEATURES:
- Made of thermoset polyester composite material.
- Flame and chemical resistant.

Boxes are stackable for maximum storage efficiency!



assorted molded fiberglass boxes and trays

description	bottom inside dimensions length x width x depth in.	bottom inside dimensions mm	top outside dimensions length x width x height in.	top outside dimensions mm	cu ft	model #	list
tray	24⅜″ x 16¼″ x 1″	619 x 413 x 25	25¾″ x 17⅞″ x 1⅛″	654 x 454 x 29	0.1	**A208505**	155
stacking box	23⅞″ x 15⅞″ x 2⅛″	606 x 403 x 73	25¾″ x 17¾″ x 3″	654 x 451 x 76	0.6	**A208506**	205
stacking box	23⅞″ x 15⅞″ x 4½″	606 x 403 x 114	25¾″ x 17¾″ x 4½″	654 x 451 x 114	1.0	**A208507**	189
stacking box	23⅞″ x 15⅞″ x 5¾″	606 x 403 x 146	25¾″ x 17¾″ x 6″	654 x 451 x 152	1.3	**A208508**	180
lid	—	—	25¾″ x 17¾″	654 x 451	—	**A208513***	109

* Model #A208513 lid fits models A208506, A208507, and A208508 stacking boxes.

Storage Baskets

see spec sheet **EG01.03E**

FEATURES:
- Chrome-plated.
- Easily attaches to hanger rail or side of wire shelf.



width x length x height in.	width x length x height mm	weight lbs.	weight kg	cubic feet	model #	list
13⅜″ x 5″ x 7″	340 x 127 x 178	9	4.1	0.4	**A216650**	80
17⅜″ x 7½″ x 5″	441 x 191 x 127	7	3.2	0.6	**A216651**	86
17⅜″ x 7½″ x 10″	441 x 191 x 254	11	5.0	1.0	**A216652**	115

File Basket

see spec sheet **EG01.03E**

FEATURES:
- Chrome-plated.
- Fits all widths.



Ideal for organizing standard-sized file folders.

width x length x height in.	width x length x height mm	weight lbs.	weight kg	cubic feet	model #	list
2⅝″ x 12¾″ x 8¾″	67 x 324 x 222	2	0.9	0.3	**A216649**	94

Triangle Shelf

see spec sheet **EG01.03E**

FEATURES:
- Attached to standard posts *(sold separately —see pages 8 and 23)*, can be a freestanding unit.
- Or added onto standard 18″ wide wire shelving *(page 6)* via “S” hooks.




width	weight lbs.	weight kg	chrome model #	chrome list	black epoxy model #	black epoxy list
18″ *(457mm)*	16	7.3	**TR18C**	94	**TR18BL**	105

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Sliding Shelf

see spec sheet **EG01.03E**




FEATURES:
- Chrome-plated.
- For use with standard 1″ *(25mm)*-diameter posts—on wire shelf or solid shelf units.

width x length in	width x length mm	weight lbs.	weight kg	chrome model #	chrome list
18″ x 36″	457 x 914	9	4.1	**SLS1836C**	164

Tray Slides NSF

see spec sheet **EG01.03C**



FEATURES:
- 1¾″ *(45mm)* spacing, 22″ *(559mm)* height.
- Sold as a set of two.
- 18″ or 24″ *(457 or 610mm)* wide applications.
- Can be used with tote boxes on page 51.

Standard — Holds 9 trays.

Heavy Duty — Holds 11 trays. Features panel assembly welded to the back of slides

width	cu ft	Standard weight lbs.	Standard weight kg	Standard chrome model #	Standard chrome list	Standard EAGLEgard® model #	Standard EAGLEgard® list	Heavy Duty weight lbs.	Heavy Duty weight kg	Heavy Duty chrome model #	Heavy Duty chrome list	Heavy Duty EAGLEgard® model #	Heavy Duty EAGLEgard® list
17⅛″ *(435mm)*	2.3	9	4.1	**TS18-C**	174	**TS18-E**	205	12	5.4	**HDTS18-C**	407	**HDTS18-E**	453
23⅛″ *(587mm)*	3.0	11	5.0	**TS24-C**	185	**TS24-E**	215	15	6.8	**HDTS24-C**	450	**HDTS24-E**	498

Adjustable Undershelf Slides

see spec sheet **EG01.03C**



adjustable undershelf slides with tote box

FEATURES:
- Stainless steel.
- Accommodates any tote box side-to-side dimension.
- Sold as a set.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

description	weight lbs.	weight kg	model #	list
slides for 18″ *(457mm)* wide shelf	3	1.4	**US18-S**	119
slides for 21″ *(533mm)* wide shelf	3	1.4	**US21-S**	132
slides for 24″ *(610mm)* wide shelf	3	1.4	**US24-S**	136
slides for 30″ *(762mm)* wide shelf	4	1.8	**US30-S**	145
slides with side-to-side mount, for 24″ *(610mm)* wide shelf	3	1.4	**USS24-S**	269
slides with side-to-side mount, for 30″ *(762mm)* wide shelf	4	1.8	**USS30-S**	325

Tote Boxes for Adjustable Undershelf Slides

width x length x depth in.	width x length x depth mm	weight lbs.	weight kg	cubic feet	model #	list
17½″ x 22⅜″ x 3″	446 x 568 x 76	2	0.9	0.8	**TB1722-3**	106
17½″ x 22⅜″ x 6″	446 x 568 x 152	3	1.4	1.4	**TB1722-6** •	125
17½″ x 22⅜″ x 8″	446 x 568 x 203	4	1.8	2.3	**TB1722-9**	147

One-Piece Slides

see spec sheet **EG01.03C**



one-piece slide with tote box

FEATURES:
- Easily attaches to shelf.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Helps prevent shelf clutter!


description	weight lbs.	weight kg	cubic feet	model #	list
slides for 18″ *(457mm)* wide shelf	6	2.7	0.4	**OUS18**	255
slides for 21″ *(533mm)* wide shelf	8	3.6	0.6	**OUS21**	258
slides for 24″ *(610mm)* wide shelf	9	4.1	0.8	**OUS24**	273

Tote Box for One-Piece Slides

width x length x depth in.	width x length x depth mm	weight lbs.	weight kg	cubic feet	model #	list
17½″ x 22⅜″ x 6″	446 x 568 x 152	3.5	1.6	1.5	**TB1722-6** •	125

Post Extension Kit and Components

see spec sheet **EG01.03D**



Post Extension Kit

description	model #	list
consists of components listed below, set of four	**4PEK**	132

Components

item	model #	list
double-threaded bolt	**A200868**	6
wall bracket	**B201023**	22
casting	**A207351**	9

FEATURES:


- Screw posts together with double-threaded bolt and extra foot casting.

Note: DO NOT attempt to use any higher combinations than P54 and P86 maximum, 140″ *(3556mm)* total. Any combinations higher than 86″ *(2184mm)* must be attached to walls using wall bracket on post adjacent to wall. Place units only against wall, not in center of room.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

3-Sided Double Truss Frames

see spec sheet **EG01.03B**



two trusses in one

Note: See page 55 for 3-Sided Channel Frames.

Improves support and stability!

	length		weight		cu	chrome		EAGLEgard®		stainless steel	
	in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
18″ width *(457mm)*	24″	610	5	2.2	0.7	**DTF1824-C**	145	**DTF1824-E**	160	**DTF1824-S**	437
	30″	762	6	2.7	0.7	**DTF1830-C**	147	**DTF1830-E**	164	**DTF1830-S**	450
	36″	914	6	2.7	0.7	**DTF1836-C**	148	**DTF1836-E**	173	**DTF1836-S**	458
	42″	1067	7	3.2	0.8	**DTF1842-C**	152	**DTF1842-E**	174	**DTF1842-S**	475
	48″	1219	7	3.2	0.8	**DTF1848-C**	156	**DTF1848-E**	176	**DTF1848-S**	485
	60″	1524	8	3.6	1.0	**DTF1860-C**	176	**DTF1860-E**	205	**DTF1860-S**	554
	72″	1829	9	4.1	1.4	**DTF1872-C**	197	**DTF1872-E**	232	**DTF1872-S**	615
21″ width *(533mm)*	24″	610	5	2.2	0.8	**DTF2124-C**	148	**DTF2124-E**	169	**DTF2124-S**	443
	30″	762	6	2.7	0.8	**DTF2130-C**	152	**DTF2130-E**	173	**DTF2130-S**	450
	36″	914	6	2.7	0.8	**DTF2136-C**	156	**DTF2136-E**	176	**DTF2136-S**	456
	42″	1067	7	3.2	0.9	**DTF2142-C**	160	**DTF2142-E**	192	**DTF2142-S**	487
	48″	1219	8	3.6	0.9	**DTF2148-C**	162	**DTF2148-E**	194	**DTF2148-S**	493
	60″	1524	8	3.6	1.1	**DTF2160-C**	196	**DTF2160-E**	228	**DTF2160-S**	573
	72″	1829	10	4.5	1.4	**DTF2172-C**	254	**DTF2172-E**	300	**DTF2172-S**	628
24″ width *(610mm)*	24″	610	6	2.7	1.5	**DTF2424-C**	148	**DTF2424-E**	173	**DTF2424-S**	445
	30″	762	7	3.2	1.5	**DTF2430-C**	152	**DTF2430-E**	174	**DTF2430-S**	456
	36″	914	7	3.2	1.5	**DTF2436-C**	159	**DTF2436-E**	188	**DTF2436-S**	478
	42″	1067	8	3.6	2.0	**DTF2442-C**	160	**DTF2442-E**	192	**DTF2442-S**	488
	48″	1219	9	4.1	2.5	**DTF2448-C**	164	**DTF2448-E**	197	**DTF2448-S**	494
	60″	1524	10	4.5	2.5	**DTF2460-C**	197	**DTF2460-E**	232	**DTF2460-S**	577
	72″	1829	11	5.0	2.7	**DTF2472-C**	254	**DTF2472-E**	300	**DTF2472-S**	874
30″ width *(762mm)*	36″	914	7	3.2	2.0	**DTF3036-C**	180	**DTF3036-E**	214	**DTF3036-S**	585
	48″	1219	9	4.1	2.5	**DTF3048-C**	196	**DTF3048-E**	228	**DTF3048-S**	615
	60″	1524	10	4.5	2.5	**DTF3060-C**	214	**DTF3060-E**	245	**DTF3060-S**	708
	72″	1829	11	5.0	2.7	**DTF3072-C**	272	**DTF3072-E**	326	**DTF3072-S**	777
36″ width *(914mm)*	36″	914	7	3.2	2.5	**DTF3636-C**	210	**DTF3636-E**	242	**DTF3636-S**	608
	48″	1219	9	4.1	2.7	**DTF3648-C**	220	**DTF3648-E**	254	**DTF3648-S**	626
	60″	1524	10	4.5	2.7	**DTF3660-C**	243	**DTF3660-E**	278	**DTF3660-S**	719
	72″	1829	11	5.0	3.0	**DTF3672-C**	306	**DTF3672-E**	354	**DTF3672-S**	789

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

3-Sided Channel Frames

see spec sheet **EG01.03B**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



	length		weight		cu	chrome		EAGLEgard®		stainless steel	
	in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
18″ width *(457mm)*	24″	610	5	2.2	0.7	**CF1824-C**	194	**CF1824-E**	228	**CF1824-S**	494
	30″	762	6	2.7	0.7	**CF1830-C**	203	**CF1830-E**	240	**CF1830-S**	519
	36″	914	6	2.7	0.7	**CF1836-C**	204	**CF1836-E**	242	**CF1836-S**	540
	42″	1067	7	3.2	0.8	**CF1842-C**	210	**CF1842-E**	245	**CF1842-S**	544
	48″	1219	7	3.2	0.8	**CF1848-C**	214	**CF1848-E**	252	**CF1848-S**	553
	60″	1524	8	3.6	1.0	**CF1860-C**	239	**CF1860-E**	283	**CF1860-S**	633
	72″	1829	9	4.1	1.4	**CF1872-C**	269	**CF1872-E**	325	**CF1872-S**	696
21″ width *(533mm)*	24″	610	5	2.2	0.8	**CF2124-C**	197	**CF2124-E**	233	**CF2124-S**	504
	30″	762	6	2.7	0.8	**CF2130-C**	204	**CF2130-E**	242	**CF2130-S**	519
	36″	914	6	2.7	0.8	**CF2136-C**	210	**CF2136-E**	245	**CF2136-S**	528
	42″	1067	7	3.2	0.9	**CF2142-C**	217	**CF2142-E**	255	**CF2142-S**	553
	48″	1219	8	3.6	0.9	**CF2148-C**	219	**CF2148-E**	256	**CF2148-S**	559
	60″	1524	8	3.6	1.1	**CF2160-C**	254	**CF2160-E**	306	**CF2160-S**	655
	72″	1829	10	4.5	1.4	**CF2172-C**	354	**CF2172-E**	429	**CF2172-S**	722
24″ width *(610mm)*	24″	610	6	2.7	1.5	**CF2424-C**	204	**CF2424-E**	242	**CF2424-S**	519
	30″	762	7	3.2	1.5	**CF2430-C**	210	**CF2430-E**	245	**CF2430-S**	542
	36″	914	7	3.2	1.5	**CF2436-C**	217	**CF2436-E**	255	**CF2436-S**	553
	42″	1067	8	3.6	2.0	**CF2442-C**	219	**CF2442-E**	256	**CF2442-S**	573
	48″	1219	9	4.1	2.5	**CF2448-C** •	220	**CF2448-E** •	269	**CF2448-S**	577
	60″	1524	10	4.5	2.5	**CF2460-C** •	269	**CF2460-E** •	325	**CF2460-S**	677
	72″	1829	11	5.0	2.7	**CF2472-C**	369	**CF2472-E**	439	**CF2472-S**	738
30″ width *(762mm)*	36″	914	7	3.2	2.0	**CF3036-C**	228	**CF3036-E**	276	**CF3036-S**	677
	48″	1219	9	4.1	2.5	**CF3048-C**	238	**CF3048-E**	283	**CF3048-S**	696
	60″	1524	10	4.5	2.5	**CF3060-C**	372	**CF3060-E**	340	**CF3060-S**	807
	72″	1829	11	5.0	2.7	**CF3072-C**	394	**CF3072-E**	478	**CF3072-S**	887
36″ width *(914mm)*	36″	914	7	3.2	2.5	**CF3636-C**	244	**CF3636-E**	299	**CF3636-S**	692
	48″	1219	9	4.1	2.7	**CF3648-C**	254	**CF3648-E**	306	**CF3648-S**	720
	60″	1524	10	4.5	2.7	n/a	n/a	**CF3660-E**	367	**CF3660-S**	822
	72″	1829	11	5.0	3.0	n/a	n/a	**CF3672-E**	517	**CF3672-S**	912


Handles for Caster Carts

NSF

see spec sheet **EG01.03B**



Push Handles
Easily slips over posts.




Extended Push Handles
Designed to prevent damage to knuckles.

FEATURES:
- Fits unit widths only.

width		weight		cubic	chrome		stainless steel		cubic	chrome		stainless steel	
in.	mm	lbs.	kg	feet	model #	list	model #	list	feet	model #	list	model #	list
14″	356	1.7	0.8	0.1	**PH14-C**	59	**PH14-S**	152	0.2	**EH14-C**	200	**EH14-S**	215
18″	457	1.9	0.9	0.1	**PH18-C** •	65	**PH18-S**	173	0.3	**EH18-C**	205	**EH18-S**	258
21″	533	2.1	1.0	0.1	**PH21-C**	66	**PH21-S**	189	0.3	**EH21-C**	206	**EH21-S**	272
24″	610	2.3	1.1	0.2	**PH24-C** •	66	**PH24-S**	204	0.4	**EH24-C**	207	**EH24-S**	289
30″	762	2.6	1.2	0.3	**PH30-C**	83	**PH30-S**	220	0.5	**EH30-C**	214	**EH30-S**	303
36″	914	3.0	1.4	0.3	**PH36-C**	94	**PH36-S**	238	0.5	**EH36-C**	215	**EH36-S**	328

Note: Stainless steel models include electropolished finish.



patented QuadTruss design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.



UNIQUE ROLLER DESIGN

- Patent #5,680,942.
- Makes moving mobile units easy.
- Eliminates binding due to uneven floors.
- Rollers also support track.




SHELVES
sold separately *(see page 6)* are available in EAGLEbrite® zinc, chrome, VALU-MASTER® pewter gray epoxy, EAGLEgard® green epoxy, and stainless steel finish.

Maximum shelf length should not exceed 60″ *(1524mm)*.

Master Trak®

Overhead Track High-Density Storage System NSF

Note: Master Trak® not recommended for use in carpeted areas.



Components

Shelves sold separately *(see page 6)*.

A front & rear overhead tracks
B stationary end units
C mobile units
D open aisle—30″ to 36″ *(762 to 914mm)* is recommended
E stationary mid unit *(optional—use same model # as stationary end unit kit)*

Stationary End / Intermediate Unit Kits

see spec sheet **EG01.18**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

- Posts.
- Hardware necessary for connecting stationary end units to track.
- One kit is required for each end unit.
- End units must be anchored to the floor to prevent movement.
- Priced per kit.

Note: Shelves sold separately *(see page 6)*.

74″ *(1880mm)* Posts								86″ *(2184mm)* Posts							
weight		cu	EAGLEbrite®		chrome		EAGLEgard®		weight		cu	EAGLEbrite®		chrome		EAGLEgard®	
lbs.	kg	ft	model #	list	model #	list	model #	list	lbs.	kg	ft	model #	list	model #	list	model #	list
17	7.7	0.1	**EP74-Z** •	394	**EP74-C** •	420	**EP74-E** •	462	21	9.5	0.1	**EP86-Z**	410	**EP86-C**	445	**EP86-E**	493

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment



(Shelves shown are sold separately—see page 6)

Master Trak® Mobile Unit Kits

see spec sheet **EG01.18**

- Posts.
- Casters are 5″ x 1½″ *(127 x 38mm)* polymer.
- All parts and necessary hardware.
- One kit is required for each mobile unit.
- Priced per kit.

WEIGHT CAPACITY:
- 900 lbs. *(408 kg).*

Note: Shelves sold separately see page 6.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Replacement Caster
Offset rigid poly caster replacement

model #	list
CSR05P-300	85

width		cu	74″ *(1880mm)* Height*								86″ *(2184mm)* Height*							
			weight		EAGLEbrite®		chrome		EAGLEgard®		weight		EAGLEbrite®		chrome		EAGLEgard®	
in.	mm	ft	lbs.	kg	model #	list	model #	list	model #	list	lbs.	kg	model #	list	model #	list	model #	list
18″	457	0.1	33	15.0	**MUK18-Z**	818	**MUK18-C** •	907	**MUK18-E**	1514	37	16.8	**MUK18-Z86**	849	**MUK18-C86**	939	**MUK18-E86**	1536
21″	533	0.1	34	15.4	**MUK21-Z**	845	**MUK21-C**	930	**MUK21-E**	1534	38	17.2	**MUK21-Z86**	880	**MUK21-C86**	967	**MUK21-E86**	1576
24″	610	0.1	35	15.9	**MUK24-Z**	855	**MUK24-C** •	944	**MUK24-E** •	1555	39	17.6	**MUK24-Z86**	893	**MUK24-C86**	983	**MUK24-E86**	1614
30″	762	0.1	35	15.9	**MUK30-Z**	873	**MUK30-C**	967	**MUK30-E**	1600	39	17.6	**MUK30-Z86**	907	**MUK30-C86**	1007	**MUK30-E86**	1655
36″	914	0.1	36	16.3	**MUK36-Z**	889	**MUK36-C**	1009	**MUK36-E**	1645	40	18.1	**MUK36-Z86**	920	**MUK36-C86**	1055	**MUK36-E86**	1697

* Casters are included in post height.

Master Trak® Overhead Track Kits

see spec sheet **EG01.18**

- All necessary sections of front and rear tracks for assembling track lengths of 6′ to 21′ *(1829 to 6401mm)*, plus all hardware.

PACKAGING:
- Kits 13′ *(3962mm)* and longer are wood-crated.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Note: Any kits 9′ *(2743mm)* or longer include two or more front and rear track sections, with joiner pieces and all hardware. A mid-stationary unit is recommended on lengths of over 30′ *(9144mm)*.


length		weight		cu		
ft.	mm	lbs.	kg	ft	model #	list
6′	1829	18	8.2	1.8	**OHT-6**	889
7′	2134	21	9.5	2.1	**OHT-7**	995
8′	2438	24	10.9	2.4	**OHT-8**	1489
9′	2743	27	12.2	2.7	**OHT-9**	1618
10′	3048	30	13.6	3.0	**OHT-10**	1758

length		weight		cu		
ft.	mm	lbs.	kg	ft	model #	list
11′	3353	33	15.0	3.3	**OHT-11**	1889
12′	3658	36	16.3	3.6	**OHT-12**	2025
13′	3962	39	17.7	3.9	**OHT-13**	2145
14′	4267	42	19.1	4.2	**OHT-14**	2270
15′	4572	45	20.4	4.5	**OHT-15**	2758

length		weight		cu		
ft.	mm	lbs.	kg	ft	model #	list
16′	4877	48	21.8	4.8	**OHT-16**	2893
17′	5181	51	23.1	5.1	**OHT-17** •	3025
18′	5486	54	24.5	5.4	**OHT-18**	3153
19′	5791	57	25.9	5.7	**OHT-19**	3280
20′	6096	60	27.2	6.0	**OHT-20**	3412
21′	6401	63	28.6	6.3	**OHT-21**	3534

Single-Deep
Floor-Trak® High-Density Storage System (NSF)

see spec sheet **EG01.39A**



single deep unit shown assembled with wire starter unit

dimensions of floor track

FEATURES:

- Non-corrosive track constructed of anodized aluminum.
- The system is ADA-compliant. NSF approved.
- Simple and easy to install.
- Easy to add on additional units.
- Open construction allows for the use of cart covers when required.
- Industrial-type, hardened steel bearings allow loaded units to glide effortlessly over the track.

Note: Unit will tilt if not loaded properly.
LOAD BOTTOM FIRST!

Single-Deep Skate Kits

- Two skates.
- All necessary parts and hardware.
- One kit is required for each mobile unit.
- Skates are aircraft-quality aluminum with stainless steel inserts and hardened steel ball bearings.
- Weight capacity of 2000 lbs *(907.2 kg)* per mobile section.

Note: Shelves *(page 6)* and posts *(page 8)* sold separately.

width		weight		cu		
in.	mm	lbs.	kg	ft	model #	list
18˝	457	6	2.7	0.09	**SDSK-18**	1153
21˝	533	7	3.2	0.11	**SDSK-21**	1195
24˝	610	7	3.2	0.23	**SDSK-24**	1244
30˝	762	8	3.6	0.15	**SDSK-30**	1389
36˝	914	10	4.5	0.18	**SDSK-36**	1837

Anti-Tip Brackets for use with Floor-Trak® Skate Kits

Stainless steel. Set of four.



model #	list
SDSKATB-S	404

…sold individually

Hardware included.

model #	list
SKATB-S	136

Optional Shim Kits

Accommodates uneven floors.

model #	list
912991	308

Optional Foot Brake Kit

Mounts onto frontmost skate.

model #	list
MFBK-S	196

Single-Deep Floor Track Kits

- Pair of aluminum tracks with plastic end stops.
- All hardware included.

Note: Not recommended to piece tracks together. Order length needed. Custom lengths available. Consult factory.


length		weight		cu		
ft.	mm	lbs.	kg	ft	model #	list
6´	1829	5	2.3	0.06	**SDFT-6**	1173
7´	2134	5	2.3	0.07	**SDFT-7**	1327
8´	2438	6	2.7	0.08	**SDFT-8**	1483
9´	2743	7	3.2	0.09	**SDFT-9**	1642
10´	3048	8	3.6	0.10	**SDFT-10**	1796
11´	3353	8	3.6	0.11	**SDFT-11**	1947
12´	3658	9	4.1	0.12	**SDFT-12**	2108
13´	3962	10	4.5	0.13	**SDFT-13**	2267
14´	4267	11	5.0	0.14	**SDFT-14**	2423
15´	4572	11	5.0	0.15	**SDFT-15**	2577
16´	4877	12	5.4	0.16	**SDFT-16**	2738
17´	5181	13	5.8	0.17	**SDFT-17**	2895
18´	5486	14	6.4	0.18	**SDFT-18**	3050
19´	5791	14	6.4	0.19	**SDFT-19**	3205
20´	6096	15	6.8	0.20	**SDFT-20**	3365
21´	6401	16	7.3	0.21	**SDFT-21**	3519
22´	6706	17	7.7	0.21	**SDFT-22**	3606
23´	7010	18	8.2	0.21	**SDFT-23**	3660
24´	7315	19	8.6	0.21	**SDFT-24**	3808
25´	7620	20	9.0	0.21	**SDFT-25**	3959
26´	7925	21	9.5	0.21	**SDFT-26**	4106
27´	8230	22	10.0	0.21	**SDFT-27**	4253
28´	8534	23	10.4	0.21	**SDFT-28**	4403
29´	8839	24	10.9	0.21	**SDFT-29**	4552
30´	9144	25	11.3	0.21	**SDFT-30**	4703

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Double-Deep Floor-Trak® High-Density Storage System

see spec sheet EG01.39B



double deep unit shown assembled with wire starter unit

dimensions of floor track

Double-Deep Skate Kits

- Three skates.
- All necessary parts and hardware.
- One kit is required for each mobile unit.
- Skates are aircraft-quality aluminum with stainless steel inserts and hardened steel ball bearings.
- Weight capacity of 1500 lbs *(680.4 kg)* per mobile section —3000 lbs. *(1361 kg)* at middle skate.

Note: Shelves *(see page 6)* and posts *(see page 8)* sold separately.

width		weight		cu		
in.	mm	lbs.	kg	ft	model #	list
18″	457	10	4.5	0.14	**DDSK-18**	2094
21″	533	11	5.0	0.16	**DDSK-21**	2153
24″	610	12	5.4	0.18	**DDSK-24**	2232
30″	762	14	6.4	0.23	**DDSK-30**	2448
36″	914	16	7.3	0.27	**DDSK-36**	3115

Optional Shim Kits

Accommodates uneven floors.

model #	list
912991	308

Optional Foot Brake Kit

Mounts onto frontmost skate.

model #	list
MFBK-S	196

Note: Unit will tilt if not loaded properly. **LOAD BOTTOM FIRST!**

Double-Deep Floor Track Kits

- Three aluminum tracks with plastic end stops.
- All hardware included.

Note: Not recommended to piece tracks together. Order length needed. Custom lengths available. Consult factory.

Double-deep units should not exceed depths of 12' *(3658mm)*. 11' and 12' *(2794 and 3658mm)*-deep units should be used only with 24", 30" *or* 36" *(610, 762, or 914mm)*-wide shelves.

length		weight		cu		
ft.	mm	lbs.	kg	ft	model #	list
6´	1829	7	3.2	0.09	**DDFT-6**	1753
7´	2134	8	3.6	0.11	**DDFT-7**	1988
8´	2438	9	4.1	0.12	**DDFT-8**	2220
9´	2743	10	4.5	0.14	**DDFT-9**	2456
10´	3048	13	5.8	0.16	**DDFT-10**	2696
11´	3353	14	6.4	0.17	**DDFT-11**	2929
12´	3658	15	6.8	0.18	**DDFT-12**	3167
13´	3962	16	7.3	0.20	**DDFT-13**	3396
14´	4267	16	7.3	0.21	**DDFT-14**	3634
15´	4572	17	7.7	0.23	**DDFT-15**	3869
16´	4877	18	8.2	0.24	**DDFT-16**	4099
17´	5181	19	8.6	0.26	**DDFT-17**	4339
18´	5486	21	9.5	0.27	**DDFT-18**	4576
19´	5791	22	10.0	0.29	**DDFT-19**	4809
20´	6096	23	10.4	0.30	**DDFT-20**	5044
21´	6401	24	10.9	0.32	**DDFT-21**	5277
22´	6706	25	11.3	0.32	**DDFT-22**	5418
23´	7010	26	11.8	0.32	**DDFT-23**	5485
24´	7315	27	12.2	0.32	**DDFT-24**	5708
25´	7620	28	12.7	0.32	**DDFT-25**	5933
26´	7925	29	13.2	0.32	**DDFT-26**	6156
27´	8230	30	13.6	0.32	**DDFT-27**	6380
28´	8534	31	14.1	0.32	**DDFT-28**	6605
29´	8839	32	14.5	0.32	**DDFT-29**	6832
30´	9144	33	15.0	0.32	**DDFT-30**	7053

Anti-Tip Brackets for use with Floor-Trak® Skate Kits

Stainless steel. Set of six.

model #	list
DDSKATB-S	550



…sold individually

Hardware included.

model #	list
SKATB-S	136

Inside Posts for Double-Deep Units

- Each double-deep unit requires a set of four 'inside' posts *(listed below)* along with four standard stationary posts.

Note: See page 8 for standard stationary posts and page 6 for wire shelves *(posts and shelves sold separately)*.

Sets of four 74″ *(1880mm)* posts

weight		cu	EAGLEbrite®		chrome		EAGLEgard®	
lbs.	kg	ft	model #	list	model #	list	model #	list
17	7.7	0.1	**TEP74-Z**	299	**TEP74-C**	337	**TEP74-E**	362

Sets of four 86″ *(2184mm)* posts

weight		cu	EAGLEbrite®		chrome		EAGLEgard®	
lbs.	kg	ft	model #	list	model #	list	model #	list
21	9.5	0.1	**TEP86-Z**	350	**TEP86-C**	375	**TEP86-E**	403

IMPORTANT: Maximum post height per skate size: 18″-, 21″-, and 24″-wide skates on 74″ post height or less; 30″- and 36″-wide skates on 86″ post height or less.

STAND OUTS™

Show-off your merchandise when you use our wire display shelving units in various configurations highlighted by our brilliant finishes.

- Open wire grid shelf allows maximum merchandise visibility.
- Easy to assemble.
- Shelf spacing adjusts in seconds.
- Choose from our custom and standard colors.

Decorative Shelves

see spec sheet **EG01.34A**



patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

INCLUDES:

- Four plastic split sleeves per shelf ordered, packaged four per bag.
- Black sleeves except white shelves.
- White shelves come with white sleeves.

Note: To order custom decorative colors, add suffix **"BM"** *(black matte)*, **"L"** *(lilac)*, **"M"** *(maroon)*, **"SV"** *(silver vein)*, **"SA"** *(sapphire)*, **"SG"** *(smoked glass)*, **"T"** *(teal)*, **"GV"** *(gold vein)*, **"CV"** *(copper vein)*, or **"RU"** *(ruby)* to the desired shelf size model number when ordering. **Call for custom decorative color pricing.** There is also a **$363 NET set up charge** for any custom color orders less than 250 pieces.



(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		weight		cubic	red		white		black	
	in.	mm	lbs.	kg	feet	model #	list	model #	list	model #	list
14″ width *(356mm)*	24″	610	6	2.9	0.5	**1424R**•	116	**1424W**•	116	**1424BL**•	116
	30″	762	7	3.2	0.5	**1430R**	125	**1430W**	125	**1430BL**	125
	36″	914	8	3.6	0.5	**1436R**	132	**1436W**	132	**1436BL**•	132
	42″	1067	9	3.9	0.7	**1442R**	147	**1442W**	147	**1442BL**	147
	48″	1219	10	4.4	0.7	**1448R**	152	**1448W**	152	**1448BL**•	152
	54″	1372	12	5.4	0.9	**1454R**	164	**1454W**	164	**1454BL**•	164
	60″	1524	14	6.4	0.9	**1460R**	173	**1460W**	173	**1460BL**•	173
	72″	1829	17	7.7	1.1	**1472R**	203	**1472W**	203	**1472BL**•	203
18″ width *(457mm)*	24″	610	7	3.2	0.7	**1824R**	132	**1824W**	132	**1824BL**	132
	30″	762	8	3.6	0.7	**1830R**	142	**1830W**•	142	**1830BL**•	142
	36″	914	9	3.9	0.7	**1836R**	147	**1836W**	147	**1836BL**•	147
	42″	1067	11	5.0	0.9	**1842R**	162	**1842W**	162	**1842BL**•	162
	48″	1219	12	5.4	0.9	**1848R**	174	**1848W**	174	**1848BL**	174
	54″	1372	15	6.8	1.2	**1854R**	207	**1854W**	207	**1854BL**•	207
	60″	1524	17	7.7	1.2	**1860R**	210	**1860W**	210	**1860BL**•	210
	72″	1829	20	9.1	1.3	**1872R**	242	**1872W**	242	**1872BL**	242
21″ width *(533mm)*	24″	610	8	3.7	0.7	**2124R**	148	**2124W**	148	**2124BL**	148
	30″	762	9	4.1	0.7	**2130R**	159	**2130W**	159	**2130BL**•	159
	36″	914	11	5.0	0.8	**2136R**	162	**2136W**	162	**2136BL**	162
	42″	1067	12	5.4	1.1	**2142R**	189	**2142W**	189	**2142BL**•	189
	48″	1219	14	6.4	1.1	**2148R**	192	**2148W**	192	**2148BL**	192
	54″	1372	16	7.3	1.3	**2154R**	226	**2154W**	226	**2154BL**	226
	60″	1524	18	8.2	1.3	**2160R**	232	**2160W**	232	**2160BL**	232
	72″	1829	24	10.9	1.4	**2172R**	278	**2172W**	278	**2172BL**•	278
24″ width *(610mm)*	24″	610	9	4.1	0.8	**2424R**	160	**2424W**	160	**2424BL**	160
	30″	762	11	5.0	0.8	**2430R**•	173	**2430W**	173	**2430BL**•	173
	36″	914	13	5.9	0.8	**2436R**	176	**2436W**	176	**2436BL**	176
	42″	1067	15	6.8	1.2	**2442R**	210	**2442W**	210	**2442BL**•	210
	48″	1219	16	7.3	1.2	**2448R**	219	**2448W**	219	**2448BL**	219
	54″	1372	19	8.6	1.5	**2454R**	244	**2454W**	244	**2454BL**•	244
	60″	1524	21	9.5	1.5	**2460R**	256	**2460W**	256	**2460BL**•	256
	72″	1829	26	11.8	1.6	**2472R**	300	**2472W**	300	**2472BL**	300

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

STAND-OUTS™ Decorative Shelving Accessories

see spec sheet **EG01.34A** **EG01.34B**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Inlays

- Fits between posts and levels with top of shelf edge.



	length		weight**		cu	Black & White Hardboard Reversible. Priced per inlay. ⅛″-thick.		Clear * Plastic Priced per pack of four. 1/32″-thick.	
	in.	mm	lbs.	kg	ft	model #	list	model #	list
14″ width *(356mm)*	30″	762	1.0	0.5	0.2	**DSI-1430**	97	**CSI-1430**	156
	36″	914	1.0	0.5	0.2	**DSI-1436**	106	**CSI-1436**	164
	48″	1219	1.0	0.5	0.2	**DSI-1448**	125	**CSI-1448** •	200
	60″	1524	1.0	0.5	0.2	**DSI-1460**	130	**CSI-1460**	278
18″ width *(457mm)*	36″	914	1.0	0.5	0.2	**DSI-1836**	119	**CSI-1836** •	173
	48″	1219	1.0	0.5	0.2	**DSI-1848**	136	**CSI-1848**	204
	60″	1524	1.0	0.5	0.2	**DSI-1860**	142	**CSI-1860**	240
	72″	1829	1.0	0.5	0.2	**DSI-1872**	148	**CSI-1872**	273
21″ width *(533mm)*	36″	914	1.1	0.5	0.2	**DSI-2136**	133	**CSI-2136**	185
	48″	1219	1.2	0.5	0.3	**DSI-2148**	142	**CSI-2148**	214
	60″	1524	1.3	0.5	0.3	**DSI-2160**	148	**CSI-2160**	243
	72″	1829	1.4	0.5	0.3	**DSI-2172**	155	**CSI-2172**	278
24″ width *(610mm)*	24″	610	1.0	0.5	0.2	**DSI-2424**	115	**CSI-2424**	159
	30″	762	1.0	0.5	0.3	**DSI-2430**	128	**CSI-2430**	180
	36″	914	1.0	0.5	0.3	**DSI-2436**	136	**CSI-2436**	192
	48″	1219	1.1	0.5	0.3	**DSI-2448**	159	**CSI-2448**	220
	54″	1372	1.3	0.6	0.3	**DSI-2454**	166	**CSI-2454**	244
	60″	1524	1.4	0.6	0.3	**DSI-2460**	176	**CSI-2460**	280
	72″	1829	1.8	0.8	0.3	**DSI-2472**	188	**CSI-2472**	306
30″ width *(762mm)*	60″	1524	2.0	0.9	0.3	**DSI-3060**	196	**CSI-3060**	438
	72″	1829	2.5	1.1	0.3	**DSI-3072**	205	**CSI-3072**	445

* Actual width of CSI Inlays is minus 1¼″ *(32mm)*; CSI Inlays shipped with protective blue film. Remove film before installing.

** Weight shown per inlay.

Cantilever Shelves

see spec sheet **EG01.34B**

FEATURES:

- 1″ *(25mm)* wraparound ledge.
- 12″ *(305mm)* wide shelves.
- 75 lb. *(34 kg)* - evenly distributed static load.



Ideal for adding extra storage above an existing shelving unit.

Packaged two per box.

NOTE: When ordering back posts, confirm with customer service, the correct post height to accommodate these shelves.

	length		weight		cu	red		white		black	
	in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
12″ width *(305mm)*	24″	610	4	1.8	0.5	**CS1224-R**	129	**CS1224-W**	129	**CS1224-BL**	129
	30″	762	5	2.3	0.8	**CS1230-R**	134	**CS1230-W**	134	**CS1230-BL**	134
	36″	914	6	2.7	0.8	**CS1236-R**	139	**CS1236-W**	139	**CS1236-BL**	139
	42″	1067	7	3.2	0.9	**CS1242-R**	155	**CS1242-W**	155	**CS1242-BL**	155
	48″	1219	8	3.6	1.0	**CS1248-R**	160	**CS1248-W**	160	**CS1248-BL**	160
	54″	1371	8	3.6	1.0	**CS1254-R**	174	**CS1254-W**	174	**CS1254-BL**	174
	60″	1524	9	4.1	1.0	**CS1260-R**	188	**CS1260-W**	188	**CS1260-BL**	188

Decorative Casters

For use with Stationary Posts *(page 62)*. 150-lb. *(68.0 kg)* wt. cap.

	wheel diameter		weight		cubic		
type	in.	mm	lbs.	kg	feet	model #	list
swivel	2″	51	0.4	0.2	0.03	**A208903** •	22
swivel/brake	2″	51	0.4	0.2	0.03	**A208904** •	25
swivel	4″	102	0.7	0.3	0.03	**A208905** •	48
swivel/brake	4″	102	0.8	0.4	0.03	**A208906** •	62



#A208903 *#A208905*

Decorative Foot Plate



diameter			
in.	mm	model #	list
2″	51	**A204942**	9


STAND-OUTS™ Decorative Shelving Accessories

see spec sheet **EG01.34A** **EG01.34B**

Ledges

see spec sheet **EG01.34A**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*





					1″ *(25mm)* Ledges*						4″ *(102mm)* Ledges			
length		cu	weight		Model numbers				weight		Model numbers			
in.	mm	ft	lbs.	kg	red	white	black	list	lbs.	kg	red	white	black	list
14″	356	0.2	0.2	0.1	**L14-1R**	**L14-1W**	**L14-1BL**	32	0.8	0.4	**L14-4R**	**L14-4W**	**L14-4BL**	40
18″	457	0.3	0.3	0.1	**L18-1R**	**L18-1W**	**L18-1BL**	33	0.9	0.4	**L18-4R**	**L18-4W**	**L18-4BL**	42
21″	533	0.3	0.4	0.2	**L21-1R**	**L21-1W**	**L21-1BL**	36	1.0	0.5	**L21-4R**	**L21-4W**	**L21-4BL**	45
24″	610	0.3	0.5	0.2	**L24-1R**	**L24-1W**	**L24-1BL**	37	1.2	0.6	**L24-4R**	**L24-4W**	**L24-4BL**	49
30″	762	0.5	0.7	0.3	**L30-1R**	**L30-1W**	**L30-1BL**	42	1.4	0.6	**L30-4R**	**L30-4W**	**L30-4BL**	59
36″	914	0.6	0.9	0.4	**L36-1R**	**L36-1W**	**L36-1BL**	49	1.6	0.7	**L36-4R**	**L36-4W**	**L36-4BL** •	62
42″	1067	0.6	1.1	0.5	**L42-1R**	**L42-1W**	**L42-1BL**	53	1.8	0.8	**L42-4R**	**L42-4W**	**L42-4BL**	75
48″	1219	0.7	1.3	0.6	**L48-1R**	**L48-1W**	**L48-1BL**	55	2.0	0.9	**L48-4R**	**L48-4W**	**L48-4BL** •	80
54″	1372	0.8	1.5	0.7	**L54-1R**	**L54-1W**	**L54-1BL**	60	2.2	1.0	**L54-4R**	**L54-4W**	**L54-4BL**	83
60″	1524	0.8	1.7	0.8	**L60-1R**	**L60-1W**	**L60-1BL**	62	2.4	1.1	**L60-4R**	**L60-4W**	**L60-4BL**	86
72″	1829	1.0	2.1	1.0	**L72-1R**	**L72-1W**	**L72-1BL**	65	2.6	1.2	**L72-4R**	**L72-4W**	**L72-4BL**	97


* When installed, actual height of ledge is 1½″ *(38mm)*.

Shelf Dividers

see spec sheet **EG01.34A**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Organize shelf contents with these snap-on dividers!



length		weight		cubic	red		white		black	
in.	mm	lbs.	kg	feet	model #	list	model #	list	model #	list
14″	356	1.0	0.5	0.6	**SD14-R**	49	**SD14-W**	49	**SD14-BL**	49
18″	457	1.3	0.6	0.6	**SD18-R**	59	**SD18-W**	59	**SD18-BL**	59
21″	533	1.5	0.7	0.8	**SD21-R**	62	**SD21-W**	62	**SD21-BL**	62
24″	610	1.8	0.8	1.0	**SD24-R**	74	**SD24-W**	74	**SD24-BL**	74
30″	762	2.2	1.0	1.2	**SD30-R**	83	**SD30-W**	83	**SD30-BL**	83
36″	914	2.7	1.2	1.4	**SD36-R**	97	**SD36-W**	97	**SD36-BL**	97

Posts

see spec sheet **EG01.34A**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



					For Stationary Applications				For Mobile Applications			
height		weight		cu	Model #				Model #			
in.	mm	lbs.	kg	ft	red	white	black	list	red	white	black	list
7″	178	0.8	0.4	0.1	**P7-R**	**P7-W**	**P7-BL**	29	**CP7-R**	**CP7-W**	**CP7-BL**	29
14″	356	1.0	0.5	0.1	**P14-R**	**P14-W**	**P14-BL** •	33	**CP14-R**	**CP14-W**	**CP14-BL**	33
33″	838	2.0	0.9	0.1	**P33-R**	**P33-W**	**P33-BL** •	40	**CP33-R**	**CP33-W**	**CP33-BL**	40
54″	1372	3.0	1.4	0.1	**P54-R**	**P54-W**	**P54-BL** •	49	**CP54-R**	**CP54-W**	**CP54-BL** •	49
63″	1600	3.5	1.8	0.3	**P63-R**	**P63-W**	**P63-BL** •	53	**CP63-R**	**CP63-W**	**CP63-BL**	53
74″	1880	4.0	1.8	0.5	**P74-R**	**P74-W**	**P74-BL** •	59	**CP74-R**	**CP74-W**	**CP74-BL** •	59
86″	2184	5.0	2.3	0.8	**P86-R**	**P86-W**	**P86-BL** •	67	**CP86-R**	**CP86-W**	**CP86-BL**	66

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Quik-Set® Flat Solid Shelves

see spec sheet **EG01.23**



FEATURES:

- Heavy duty.
- All sides of shelves are constructed with a 2″ *(51mm)* downturn and marine edge.
- Each corner is fitted with a heavy-duty aluminum casting to accept a split sleeve.
- No tools are required for assembly.

Stainless Steel

	length		cu	14 gauge weight				16 gauge weight			
	in.	mm	ft	lb.	kg	model #	list	lb.	kg	model #	list
18″ width (457mm)	36″	914	0.8	24	10.9	**SHDS1836SF**	877	19	8.6	**HDS1836SF**	843
	42″	1067	0.9	26	11.8	**SHDS1842SF**	975	21	9.5	**HDS1842SF**	914
	48″	1219	1.0	29	13.2	**SHDS1848SF**	1063	24	10.9	**HDS1848SF**	984
	54″	1372	1.1	33	15.0	**SHDS1854SF**	1156	27	12.2	**HDS1854SF**	1078
	60″	1524	1.3	36	16.3	**SHDS1860SF**	1247	29	13.2	**HDS1860SF**	1177
24″ width (610mm)	36″	914	1.0	35	15.9	**SHDS2436SF**	1140	28	12.7	**HDS2436SF**	1044
	42″	1067	1.2	39	17.6	**SHDS2442SF**	1248	32	14.5	**HDS2442SF**	1177
	48″	1219	1.3	43	19.5	**SHDS2448SF**	1404	36	16.3	**HDS2448SF**	1275
	54″	1372	1.5	48	21.8	**SHDS2454SF**	1515	41	18.6	**HDS2454SF**	1389
	60″	1524	1.7	55	24.9	**SHDS2460SF**	1623	47	21.3	**HDS2460SF**	1489

VALU-MASTER® Gray Epoxy

	length		cu	14 gauge weight				16 gauge weight			
	in.	mm	ft	lb.	kg	model #	list	lb.	kg	model #	list
18″ width (457mm)	36″	914	0.8	24	10.9	**SHDS1836VF**	450	19	8.6	**HDS1836VF**	436
	42″	1067	0.9	26	11.8	**SHDS1842VF**	478	21	9.5	**HDS1842VF**	454
	48″	1219	1.0	29	13.2	**SHDS1848VF**	489	24	10.9	**HDS1848VF**	474
	54″	1372	1.1	33	15.0	**SHDS1854VF**	526	27	12.2	**HDS1854VF**	475
	60″	1524	1.3	36	16.3	**SHDS1860VF**	550	29	13.2	**HDS1860VF**	519
24″ width (610mm)	36″	914	1.0	35	15.9	**SHDS2436VF**	487	28	12.7	**HDS2436VF**	465
	42″	1067	1.2	39	17.6	**SHDS2442VF**	514	32	14.5	**HDS2442VF**	486
	48″	1219	1.3	43	19.5	**SHDS2448VF**	527	36	16.3	**HDS2448VF**	499
	54″	1372	1.5	48	21.8	**SHDS2454VF**	576	41	18.6	**HDS2454VF**	542
	60″	1524	1.7	55	24.9	**SHDS2460VF**	594	47	21.3	**HDS2460VF**	564

Valu-Gard® Green Epoxy

	length		cu	14 gauge weight				16 gauge weight			
	in.	mm	ft	lb.	kg	model #	list	lb.	kg	model #	list
18″ width (457mm)	36″	914	0.8	24	10.9	**SHDS1836VGF**	450	19	8.6	**HDS1836VGF**	436
	42″	1067	0.9	26	11.8	**SHDS1842VGF**	478	21	9.5	**HDS1842VGF**	454
	48″	1219	1.0	29	13.2	**SHDS1848VGF**	489	24	10.9	**HDS1848VGF**	474
	54″	1372	1.1	33	15.0	**SHDS1854VGF**	526	27	12.2	**HDS1854VGF**	475
	60″	1524	1.3	36	16.3	**SHDS1860VGF**	550	29	13.2	**HDS1860VGF**	519
24″ width (610mm)	36″	914	1.0	35	15.9	**SHDS2436VGF**	487	28	12.7	**HDS2436VGF**	465
	42″	1067	1.2	39	17.6	**SHDS2442VGF**	514	32	14.5	**HDS2442VGF**	486
	48″	1219	1.3	43	19.5	**SHDS2448VGF**	527	36	16.3	**HDS2448VGF**	499
	54″	1372	1.5	48	21.8	**SHDS2454VGF**	576	41	18.6	**HDS2454VGF**	542
	60″	1524	1.7	55	24.9	**SHDS2460VGF**	594	47	21.3	**HDS2460VGF**	564

Quik-Set® Embossed Solid Shelves

see spec sheet **EG01.23**



FEATURES:

- Heavy duty.
- Constructed with a 2″ *(51mm)* downturn and marine edge.
- Each corner is fitted with a heavy-duty aluminum casting to accept a split sleeve.
- Top of shelf is die stamped with a 1″ *(25mm)* diameter drawn impression to provide a raised area for air circulation.
- Each emboss is on 3″ *(76mm)* centers for the width and 3″ *(76mm)* centers for the length.

Stainless Steel

	length		cu	14 gauge weight				16 gauge weight			
	in.	mm	ft	lb.	kg	model #	list	lb.	kg	model #	list
18″ width *(457mm)*	36″	914	0.8	24	10.9	**SHDS1836SE**	959	19	8.6	**HDS1836SE**	930
	42″	1067	0.9	26	11.8	**SHDS1842SE**	1063	21	9.5	**HDS1842SE**	1029
	48″	1219	1.0	29	13.2	**SHDS1848SE**	1154	24	10.9	**HDS1848SE**	1127
	54″	1372	1.1	33	15.0	**SHDS1854SE**	1242	27	12.2	**HDS1854SE**	1177
	60″	1524	1.3	36	16.3	**SHDS1860SE**	1325	29	13.2	**HDS1860SE**	1239
24″ width *(610mm)*	36″	914	1.0	35	15.9	**SHDS2436SE**	1195	28	12.7	**HDS2436SE**	1112
	42″	1067	1.2	39	17.6	**SHDS2442SE**	1226	32	14.5	**HDS2442SE**	1208
	48″	1219	1.3	43	19.5	**SHDS2448SE**	1332	36	16.3	**HDS2448SE**	1283
	54″	1372	1.5	48	21.8	**SHDS2454SE**	1492	41	18.6	**HDS2454SE**	1423
	60″	1524	1.7	55	24.9	**SHDS2460SE**	1654	47	21.3	**HDS2460SE**	1528

VALU-MASTER® Gray Epoxy

	length		cu	14 gauge weight				16 gauge weight			
	in.	mm	ft	lb.	kg	model #	list	lb.	kg	model #	list
18″ width *(457mm)*	36″	914	0.8	24	10.9	**SHDS1836VE**	465	19	8.6	**HDS1836VE**	445
	42″	1067	0.9	26	11.8	**SHDS1842VE**	487	21	9.5	**HDS1842VE**	467
	48″	1219	1.0	29	13.2	**SHDS1848VE**	495	24	10.9	**HDS1848VE**	478
	54″	1372	1.1	33	15.0	**SHDS1854VE**	539	27	12.2	**HDS1854VE**	517
	60″	1524	1.3	36	16.3	**SHDS1860VE**	559	29	13.2	**HDS1860VE**	527
24″ width *(610mm)*	36″	914	1.0	35	15.9	**SHDS2436VE**	494	28	12.7	**HDS2436VE**	478
	42″	1067	1.2	39	17.6	**SHDS2442VE**	519	32	14.5	**HDS2442VE**	493
	48″	1219	1.3	43	19.5	**SHDS2448VE**	539	36	16.3	**HDS2448VE**	516
	54″	1372	1.5	48	21.8	**SHDS2454VE**	584	41	18.6	**HDS2454VE**	554
	60″	1524	1.7	55	24.9	**SHDS2460VE**	610	47	21.3	**HDS2460VE**	573

Valu-Gard® Green Epoxy

	length		cu	14 gauge weight				16 gauge weight			
	in.	mm	ft	lb.	kg	model #	list	lb.	kg	model #	list
18″ width *(457mm)*	36″	914	0.8	24	10.9	**SHDS1836VGE**	465	19	8.6	**HDS1836VGE**	445
	42″	1067	0.9	26	11.8	**SHDS1842VGE**	487	21	9.5	**HDS1842VGE**	467
	48″	1219	1.0	29	13.2	**SHDS1848VGE**	495	24	10.9	**HDS1848VGE**	478
	54″	1372	1.1	33	15.0	**SHDS1854VGE**	539	27	12.2	**HDS1854VGE**	517
	60″	1524	1.3	36	16.3	**SHDS1860VGE**	559	29	13.2	**HDS1860VGE**	527
24″ width *(610mm)*	36″	914	1.0	35	15.9	**SHDS2436VGE**	494	28	12.7	**HDS2436VGE**	478
	42″	1067	1.2	39	17.6	**SHDS2442VGE**	519	32	14.5	**HDS2442VGE**	493
	48″	1219	1.3	43	19.5	**SHDS2448VGE**	539	36	16.3	**HDS2448VGE**	516
	54″	1372	1.5	48	21.8	**SHDS2454VGE**	584	41	18.6	**HDS2454VGE**	554
	60″	1524	1.7	55	24.9	**SHDS2460VGE**	610	47	21.3	**HDS2460VGE**	573

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Quik-Set® Louvered Solid Shelves

see spec sheet **EG01.23**



FEATURES:

- Heavy duty.
- Shelves are constructed with a 2″ *(51mm)* downturn and marine edge.
- Each corner is fitted with a heavy-duty aluminum casting to accept a split sleeve.
- Top of shelf is die stamped with a 2¾″ x ½″ *(70 x 13mm)* opening with a 1/16″ *(2mm)* drawn depression around the opening to provide reinforcement.
- Each opening is on 3″ *(76mm)* centers for the width and 3″ *(76mm)* centers for the length.

Stainless Steel

	length		cu	14 gauge weight				16 gauge weight			
	in.	mm	ft	lb.	kg	model #	list	lb.	kg	model #	list
18″ width (457mm)	36″	914	0.8	24	10.9	**SHDS1836SL**	959	17	7.7	**HDS1836SL**	930
	42″	1067	0.9	26	11.8	**SHDS1842SL**	1063	19	8.6	**HDS1842SL**	1029
	48″	1219	1.0	29	13.2	**SHDS1848SL**	1154	22	10.0	**HDS1848SL**	1127
	54″	1372	1.1	33	15.0	**SHDS1854SL**	1242	25	11.3	**HDS1854SL**	1177
	60″	1524	1.3	36	16.3	**SHDS1860SL**	1325	27	12.2	**HDS1860SL**	1239
24″ width (610mm)	36″	914	1.0	35	15.9	**SHDS2436SL**	1195	26	11.8	**HDS2436SL**	1112
	42″	1067	1.2	39	17.6	**SHDS2442SL**	1226	30	13.6	**HDS2442SL**	1208
	48″	1219	1.3	43	19.5	**SHDS2448SL**	1332	34	15.4	**HDS2448SL**	1316
	54″	1372	1.5	48	21.8	**SHDS2454SL**	1492	39	17.6	**HDS2454SL**	1423
	60″	1524	1.7	55	24.9	**SHDS2460SL**	1654	45	20.4	**HDS2460SL**	1528

VALU-MASTER® Gray Epoxy

	length		cu	14 gauge weight				16 gauge weight			
	in.	mm	ft	lb.	kg	model #	list	lb.	kg	model #	list
18″ width (457mm)	36″	914	0.8	22	10.4	**SHDS1836VL**	474	17	7.7	**HDS1836VL**	448
	42″	1067	0.9	24	10.9	**SHDS1842VL**	489	19	8.6	**HDS1842VL**	475
	48″	1219	1.0	27	12.2	**SHDS1848VL**	512	22	10.0	**HDS1848VL**	486
	54″	1372	1.1	31	14.5	**SHDS1854VL**	518	25	11.3	**HDS1854VL**	504
	60″	1524	1.3	34	15.4	**SHDS1860VL**	566	27	12.2	**HDS1860VL**	522
24″ width (610mm)	36″	914	1.0	33	15.0	**SHDS2436VL**	499	26	11.8	**HDS2436VL**	480
	42″	1067	1.2	37	16.8	**SHDS2442VL**	523	30	13.6	**HDS2442VL**	495
	48″	1219	1.3	41	18.6	**SHDS2448VL**	548	34	15.4	**HDS2448VL**	518
	54″	1372	1.5	47	21.3	**SHDS2454VL**	594	39	17.6	**HDS2454VL**	566
	60″	1524	1.7	53	24.0	**SHDS2460VL**	615	45	20.4	**HDS2460VL**	577

Valu-Gard® Green Epoxy

	length		cu	14 gauge weight				16 gauge weight			
	in.	mm	ft	lb.	kg	model #	list	lb.	kg	model #	list
18″ width (457mm)	36″	914	0.8	22	10.4	**SHDS1836VGL**	474	17	7.7	**HDS1836VGL**	448
	42″	1067	0.9	24	10.9	**SHDS1842VGL**	489	19	8.6	**HDS1842VGL**	475
	48″	1219	1.0	27	12.2	**SHDS1848VGL**	512	22	10.0	**HDS1848VGL**	486
	54″	1372	1.1	31	14.5	**SHDS1854VGL**	518	25	11.3	**HDS1854VGL**	504
	60″	1524	1.3	34	15.4	**SHDS1860VGL**	566	27	12.2	**HDS1860VGL**	522
24″ width (610mm)	36″	914	1.0	33	15.0	**SHDS2436VGL**	499	26	11.8	**HDS2436VGL**	480
	42″	1067	1.2	37	16.8	**SHDS2442VGL**	523	30	13.6	**HDS2442VGL**	495
	48″	1219	1.3	41	18.6	**SHDS2448VGL**	548	34	15.4	**HDS2448VGL**	518
	54″	1372	1.5	47	21.3	**SHDS2454VGL**	594	39	17.6	**HDS2454VGL**	566
	60″	1524	1.7	53	24.0	**SHDS2460VGL**	615	45	20.4	**HDS2460VGL**	577

Quik-Set® Solid Shelving Accessories

see spec sheet **EG01.23A**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



Posts

1⅝″ *(42mm)* diameter. Grooved in 2″ *(51mm)* increments.

height		weight		cu	Stationary Posts		Caster Posts	
					stainless steel		stainless steel	
in.	mm	lb.	kg	ft	model #	list	model #	list
14″	356	1.0	0.5	0.2	**HDSP14-S**	109	**HDSCP14-S**	109
33″	838	2.0	0.9	0.2	**HDSP33-S**	152	**HDSCP33-S**	152
54″	1372	3.0	1.4	0.2	**HDSP54-S**	159	**HDSCP54-S**	159
63″	1600	3.5	1.8	0.2	**HDSP63-S**	185	**HDSCP63-S**	185
74″	1880	4.0	1.8	0.2	**HDSP74-S**	207	**HDSCP74-S**	207

Adjustable Foot

Adjust from minimum height of 1½″ to maximum height of 2½″ *(38 to 64mm)*.

weight			
lb.	kg	model #	list
0.25	0.1	**301036**	22



Post Cap

Black plastic cap fits inside 1⅝″ *(32mm)* diameter post.

weight			
lb.	kg	model #	list
0.25	0.1	**330010**	8



Casters

- 5″ *(127mm)* diameter.
- Set of four *(two swivel, two with brake)*.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



Polymer Cart Washable with Polymer Tread

weight capacity per caster			list per
lbs.	kg	model #	set
250	113.4	**CAHW4-SB** •	1178

Nickel with Poly Tread

weight capacity per caster			list per
lbs.	kg	model #	set
250	113.4	**CAHP4-SB** •	950

Stainless Steel Caster Cradle®

see product announcement **EG8108M**



FEATURES:

- The only caster stabilizing device with a patented uniform circular design (patent #US 8,678,335 B2) that allows for approach from any angle.
- Units are secured to the floor where the casters are to be centered.

description	model #	list/pkg
quantity of 2 per package	**CC-S-2**	185
quantity of 10 per package	**CC-S-10**	728
quantity of 60 per package	**CC-S-60**	4080

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment



Weight Capacities

Allowable Bracket Loading * ***(per bracket)***

bracket length in.	mm	maximum load recommended lb.	kg
14″	356	540	244.9
18″	457	465	210.9
21″	533	395	179.2
24″	610	360	163.3

Shelf Load Capacity ***(per shelf)***
Shelves not included.

shelf description	weight capacity lb.	kg
Shelves 24″ to 48″ *(610 to 1219mm)* long	800	362.8
Shelves 54″ to 72″ *(1372 to 1829mm)* long	600	272.2

* Pertains to brackets only on pages 69 and 70.

Features:

- Requires no post supports to get in the way, making shelf loading and unloading easier.
- 100% usable shelving surface, from section to section, wall to wall, and front to back.
- Floor is unobstructed.
- Infinite height adjustability, no slots or keyholes to line up for leveling.
- Heavy-duty, rugged construction.
- Cantilever shelving components are listed on pages 67 through 71.

Cantilever Shelving Systems

Standard Uprights

see spec sheet **EG01.45A**



For wall-mounted storage.

FEATURES:

- 14 gauge.
- Continuously seam-welded.
- Rust and corrosion resistant.

Note: Prices do not include ceiling brackets.

height		cu	Stainless Steel weight		REGULAR		NSF		Aluminum weight		REGULAR		NSF	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
12″	305	0.02	1	0.5	**MMUSS-1**	166	**MMNSUSS-1**	176	1	0.5	**MMU/A-1**	49	**MMNSU/A-1**	59
24″	610	0.04	3	1.4	**MMUSS-2**	303	**MMNSUSS-2**	316	2	0.9	**MMU/A-2**	92	**MMNSU/A-2**	94
36″	914	0.06	4	1.8	**MMUSS-3**	453	**MMNSUSS-3**	480	2	0.9	**MMU/A-3**	142	**MMNSU/A-3**	148
48″	1219	0.08	5	2.3	**MMUSS-4**	603	**MMNSUSS-4**	630	3	1.4	**MMU/A-4**	164	**MMNSU/A-4**	176
60″	1524	0.10	7	3.2	**MMUSS-5**	759	**MMNSUSS-5**	795	4	1.8	**MMU/A-5**	206	**MMNSU/A-5**	219
72″	1829	0.13	8	3.6	**MMUSS-6**	900	**MMNSUSS-6**	938	4	1.8	**MMU/A-6**	245	**MMNSU/A-6**	269
84″	2134	0.15	9	4.1	**MMUSS-7**	1049	**MMNSUSS-7**	1095	5	2.3	**MMU/A-7**	293	**MMNSU/A-7**	309
96″	2438	0.17	11	5.0	**MMUSS-8**	1195	**MMNSUSS-8**	1253	6	2.7	**MMU/A-8**	334	**MMNSU/A-8**	362
108″	2743	0.19	12	5.4	**MMUSS-9**	1340	**MMNSUSS-9**	1408	7	3.2	**MMU/A-9**	376	**MMNSU/A-9**	408
120″	3048	0.21	13	5.8	**MMUSS-10**	1487	**MMNSUSS-10**	1565	7	3.2	**MMU/A-10**	420	**MMNSU/A-10**	453
144″	3658	0.23	16	7.3	**MMUSS-12**	1787	**MMNSUSS-12**	1877	9	4.1	**MMU/A-12**	518	**MMNSU/A-12**	559
156″	3962	0.25	-	-	n/a	n/a	n/a	n/a	10	4.5	**MMU/A-14**	608	**MMNSU/A-14**	649
168″	4267	0.30	-	-	n/a	n/a	n/a	n/a	12	5.4	**MMU/A-16**	689	**MMNSU/A-16**	738

Back-To-Back Uprights — Floor-To-Ceiling

see spec sheet **EG01.45A**

FEATURES:
- Attaches to floor and ceiling.
- Two uprights are bolted or welded back-to-back.

Note: Prices do not include ceiling brackets.



For center room storage.


			Stainless Steel						Aluminum			
height		cu	weight		REGULAR		NSF		weight		REGULAR	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list
48″	1219	0.29	11	5.0	**MMBBSS/FC-4**	1203	**MMNSBBSS/FC-4**	1374	11	5.0	**MMBB/FC/A-4**	358
60″	1524	0.37	24	10.9	**MMBBSS/FC-5**	1506	**MMNSBBSS/FC-5**	1728	14	6.4	**MMBB/FC/A-5**	450
72″	1829	0.44	28	12.7	**MMBBSS/FC-6**	1787	**MMNSBBSS/FC-6**	2058	17	7.7	**MMBB/FC/A-6**	540
84″	2134	0.51	33	15.0	**MMBBSS/FC-7**	2086	**MMNSBBSS/FC-7**	2400	20	9.0	**MMBB/FC/A-7**	633
96″	2438	0.59	38	17.2	**MMBBSS/FC-8**	2380	**MMNSBBSS/FC-8**	2734	23	10.4	**MMBB/FC/A-8**	727
108″	2743	0.66	42	19.1	**MMBBSS/FC-9**	2675	**MMNSBBSS/FC-9**	3077	26	11.8	**MMBB/FC/A-9**	822
120″	3048	0.73	47	21.3	**MMBBSS/FC-10**	2975	**MMNSBBSS/FC-10**	3419	29	13.2	**MMBB/FC/A-10**	1134
144″	3658	0.88	57	25.9	**MMBBSS/FC-12**	3573	**MMNSBBSS/FC-12**	4108	34	15.4	**MMBB/FC/A-12**	1172

Heavy-Duty Back-To-Back Uprights — Floor-To-Ceiling

see spec sheet **EG01.45C**

FEATURES:
- Double-faced unitized uprights.
- Attaches to floor and ceiling.
- Two uprights are bolted or welded back-to-back.

Note: Prices do not include ceiling brackets.



For center room storage.

			Stainless Steel						Aluminum			
height		cu	weight		REGULAR		NSF		weight		REGULAR	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list
48″	1219	0.29	11	5.0	**MMBBSS-4**	1426	**MMNSBBSS-4**	1638	14	6.4	**MMBB/A-4**	628
60″	1524	0.37	24	10.9	**MMBBSS-5**	1795	**MMNSBBSS-5**	2065	17	7.7	**MMBB/A-5**	712
72″	1829	0.44	28	12.7	**MMBBSS-6**	2164	**MMNSBBSS-6**	2483	21	9.5	**MMBB/A-6**	849
84″	2134	0.51	33	15.0	**MMBBSS-7**	2523	**MMNSBBSS-7**	2889	24	10.9	**MMBB/A-7**	997
96″	2438	0.59	38	17.2	**MMBBSS-8**	2882	**MMNSBBSS-8**	3304	28	12.7	**MMBB/A-8**	1132
108″	2743	0.66	42	19.1	**MMBBSS-9**	3239	**MMNSBBSS-9**	3717	31	14.1	**MMBB/A-9**	1280
120″	3048	0.73	47	21.3	**MMBBSS-10**	3596	**MMNSBBSS-10**	4133	34	15.4	**MMBB/A-10**	1417
144″	3658	0.88	57	25.9	**MMBBSS-12**	4334	**MMNSBBSS-12**	4947	41	18.6	**MMBB/A-12**	1700

Ceiling Brackets for Standard and Back-To-Back Uprights

see spec sheet **EG01.45B**

Note: Required for all installations.

Note: In a run of shelving, left or right brackets can be used as "center" brackets.




	Stainless Steel				Aluminum			
	REGULAR		NSF		REGULAR		NSF	
description	model #	list	model #	list	model #	list	model #	list
left	**MMCBSS-6-L**	109	**MMNSCBSS-6-L**	115	**MMCB/A6-L**	70	**MMNSCB/A6-L**	70
right	**MMCBSS-6-R**	109	**MMNSCBSS-6-R**	115	**MMCB/A6-R**	70	**MMNSCB/A6-R**	70

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Heavy Duty Crossbraces

see spec sheet EG01.45C



FEATURES:
- Adds to stability of unit.
- 1″ *(25mm)* wide 7-gauge steel.

fits shelf length		crossbrace length		weight		Nickel	
in.	mm	in.	mm	lb.	kg	model #	list
36″	914	48″	1219	2	0.9	**MMXB-N-48**	125
48″	1219	60″	1524	3	1.4	**MMXB-N-60**	148
60″	1524	72″	1829	4	1.8	**MMXB-N-72**	176
72″	1829	84″	2134	5	2.3	**MMXB-N-84**	205

Single Knob Brackets

see spec sheet EG01.45B





right single knob bracket

FEATURES:
- With flange on top left or right, these brackets support single shelf or end of shelf run.

Note: For weight capacities, see page 67

Left Single Knob Brackets

length		cu	Stainless Steel: weight		REGULAR		NSF		Aluminum: weight		REGULAR		NSF	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
14″	356	0.09	2	0.9	**MMBSS-K-14-L**	263	**MMNSBSS-K-14-L**	284	1	0.5	**MMB-K/A-14-L**	142	**MMNSB-K/A-14-L**	152
18″	457	0.12	2	0.9	**MMBSS-K-18-L**	366	**MMNSBSS-K-18-L**	377	1	0.5	**MMB-K/A-18-L**	159	**MMNSB-K/A-18-L**	174
21″	533	0.15	3	1.4	**MMBSS-K-21-L**	436	**MMNSBSS-K-21-L**	456	1	0.5	**MMB-K/A-21-L**	176	**MMNSB-K/A-21-L**	197
24″	610	0.17	3	1.4	**MMBSS-K-24-L**	474	**MMNSBSS-K-24-L**	489	2	0.9	**MMB-K/A-24-L**	204	**MM NSB-K/A-24-L**	21 9

Right Single Knob Brackets

length		cu	Stainless Steel: weight		REGULAR		NSF		Aluminum: weight		REGULAR		NSF	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
14″	356	0.09	2	0.9	**MMBSS-K-14-R**	263	**MMNSBSS-K-14-R**	284	1	0.5	**MMB-K/A-14-R**	142	**MMNSB-K/A-14-R**	152
18″	457	0.12	2	0.9	**MMBSS-K-18-R**	366	**MMNSBSS-K-18-R**	377	1	0.5	**MMB-K/A-18-R**	159	**MMNSB-K/A-18-R**	174
21″	533	0.15	3	1.4	**MMBSS-K-21-R**	436	**MMNSBSS-K-21-R**	456	1	0.5	**MMB-K/A-21-R**	176	**MMNSB-K/A-21-R**	197
24″	610	0.17	3	1.4	**MMBSS-K-24-R**	474	**MMNSBSS-K-24-R**	489	2	0.9	**MMB-K/A-24-R**	204	**MMNSB-K/A-24-R**	219

Double Knob Brackets

see spec sheet EG01.45B



For use with wire or solid shelving

FEATURES:
- With flanges on top left and right, these brackets support two adjoining wire or solid shelves on a common upright.

Note: For weight capacities, see page 67

length		cu	Stainless Steel: weight		REGULAR		NSF		Aluminum: weight		REGULAR		NSF	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
14″	356	0.19	3	1.4	**MMDBSS-K-14**	366	**MMNSDBSS-K-14**	394	1	0.5	**MMDB-K/A-14**	207	**MMNSDB-K/A-14**	233
18″	457	0.25	3	1.4	**MMDBSS-K-18**	522	**MMNSDBSS-K-18**	550	2	0.9	**MMDB-K/A-18**	273	**MMNSDB-K/A-18**	299
21″	533	0.29	4	1.8	**MMDBSS-K-21**	622	**MMNSDBSS-K-21**	658	2	0.9	**MMDB-K/A-21**	293	**MMNSDB-K/A-21**	325
24″	610	0.33	4	1.8	**MMDBSS-K-24**	678	**MMNSDBSS-K-24**	697	2	0.9	**MMDB-K/A-24**	307	**MMNSDB-K/A-24**	340

Optional Single Foot Brackets with Knobs

see spec sheet **EG01.45B**



For use with wire and solid shelving

FEATURES:

- Serves as a base for bottom shelf.
- Left brackets and right brackets available.
- 9⅜″ *(238mm)* height.

Note: For weight capacities, see page 67

Left Single Foot Brackets with Knobs

Stainless Steel

length		cu	weight		REGULAR		NSF	
in.	mm	ft	lb.	kg	model #	list	model #	list
14″	356	0.13	4	1.8	**MMFBSSK-149-L**	598	**MMNSFBSSK-149-L**	689
18″	457	0.17	6	2.7	**MMFBSSK-189-L**	792	**MMNSFBSSK-189-L**	907
24″	610	0.21	7	3.2	**MMFBSSK-249-L**	1022	**MMNSFBSSK-249-L**	1172

Right Single Foot Brackets with Knobs

Stainless Steel

length		cu	weight		REGULAR		NSF	
in.	mm	ft	lb.	kg	model #	list	model #	list
14″	356	0.13	4	1.8	**MMFBSSK-149-R**	598	**MMNSFBSSK-149-R**	689
18″	457	0.17	6	2.7	**MMFBSSK-189-R**	792	**MMNSFBSSK-189-R**	907
24″	610	0.21	7	3.2	**MMFBSSK-249-R**	1022	**MMNSFBSSK-249-R**	1172

Optional Double Foot Brackets with Knobs

see spec sheet **EG01.45B**



FEATURES:

- For use with wire or solid shelving.
- Serves as a base for adjoining two bottom shelves.
- 9⅜″ *(238mm)* height.

Note: For weight capacities, see page 67

Stainless Steel

length		cu	weight		REGULAR		NSF	
in.	mm	ft	lb.	kg	model #	list	model #	list
14″	356	0.26	5	2.3	**MMDFBSSK-149**	686	**MMNSDFBSSK-149**	789
18″	457	0.33	7	3.2	**MMDFBSSK-189**	874	**MMNSDFBSSK-189**	1008
21″	533	0.39	-	-	n/a	n/a	n/a	n/a
24″	610	0.42	8	3.6	**MMDFBSSK-249**	1162	**MMNSDFBSSK-249**	1340

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com


EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Heavy Duty Single Knob "C" Brackets

see spec sheet **EG01.45C**

FEATURES:

- For dynamic loads.
- For use with wire or solid shelving.



Allowable Bracket Loading
(per Heavy Duty Bracket)

bracket length		maximum load recommended	
in.	mm	lb.	kg
18″	457	465	210.9
21″	533	395	179.2
24″	610	360	163.3

Left Single Knob Brackets

length		cu	weight		Stainless Steel				Aluminum			
					REGULAR		NSF		weight		REGULAR		NSF	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
18″	457	0.12	2	0.9	**MMBCSS-K-18-L**	240	**MMNSBCSS-K-18-L**	252	1	0.5	**MMBC-K/A-18-L**	125	**MMNSBC-K/A-18-L**	132
21″	533	0.15	3	1.4	**MMBCSS-K-21-L**	297	**MMNSBCSS-K-21-L**	326	1	0.5	**MMBC-K/A-21-L**	142	**MMNSBC-K/A-21-L**	148
24″	610	0.17	3	1.4	**MMBCSS-K-24-L**	353	**MMNSBCSS-K-24-L**	377	2	0.9	**MMBC-K/A-24-L**	148	**MMNSBC-K/A-24-L**	159

Right Single Knob Brackets


length		cu	weight		Stainless Steel				Aluminum			
					REGULAR		NSF		weight		REGULAR		NSF	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
18″	457	0.12	2	0.9	**MMBCSS-K-18-R**	240	**MMNSBCSS-K-18-R**	252	1	0.5	**MMBC-K/A-18-R**	125	**MMNSBC-K/A-18-R**	132
21″	533	0.15	3	1.4	**MMBCSS-K-21-R**	297	**MMNSBCSS-K-21-R**	326	1	0.5	**MMBC-K/A-21-R**	142	**MMNSBC-K/A-21-R**	148
24″	610	0.17	3	1.4	**MMBCSS-K-24-R**	353	**MMNSBCSS-K-24-R**	377	2	0.9	**MMBC-K/A-24-R**	148	**MMNSBC-K/A-24-R**	159

Heavy Duty Double Knob "C" Brackets

see spec sheet **EG01.45C**

FEATURES:


- For dynamic loads.
- With flanges on top left and right, these brackets support two adjoining wire or solid shelves on a common upright.



Allowable Bracket Loading
(per Heavy Duty Bracket)

bracket length		maximum load recommended	
in.	mm	lb.	kg
18″	457	465	210.9
21″	533	395	179.2
24″	610	360	163.3

length		cu	weight		Stainless Steel				Aluminum			
					REGULAR		NSF		weight		REGULAR		NSF	
in.	mm	ft	lb.	kg	model #	list	model #	list	lb.	kg	model #	list	model #	list
18″	457	0.25	3	1.4	**MMDBCSS-K-18**	358	**MMNSDBCSS-K-18**	377	2	0.9	**MMDBC-K/A-18**	196	**MMNSDBC-K/A-18**	210
21″	533	0.29	4	1.8	**MMDBCSS-K-21**	417	**MMNSDBCSS-K-21**	443	2	0.9	**MMDBC-K/A-21**	220	**MMNSDBC-K/A-21**	233
24″	610	0.33	4	1.8	**MMDBCSS-K-24**	463	**MMNSDBCSS-K-24**	495	2	0.9	**MMDBC-K/A-24**	240	**MMNSDBC-K/A-24**	240



UP TO 2,800-LB. WEIGHT CAPACITY

PATENTED!
(patent #10,159,339)

SEE PAGES 75–80 FOR Q-LEVER® STARTER AND ADD-ON UNITS.

SEE PAGES 81–83 FOR VARIOUS Q-LEVER® WORKSTATIONS.

SEE PAGE 84 FOR *NEW* Q-LEVER® UNITS WITH TOP AND/OR BOTTOM CABINETS.

Q-LEVER®

CLEVER STORAGE SOLUTIONS


Heavy Duty Cantilever Shelving Systems

(pages 73 through 86)

NSF

No one else offers brackets that can be positioned…






100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Q-LEVER

CLEVER STORAGE SOLUTIONS



up to 2,800-lb. CAPACITY

PATENTED!
(patent #10,159,339)

Q-LEVER® Shelving has a load bearing capacity of 600 lbs. per shelf and 1,000 lbs. on the bottom dunnage shelf. Unit safely holds up to 2,800 lbs.

ADDITIONAL NOTES

- Evenly distribute the weight across each shelf, and keep heavier loads on the bottom.
- Unit must be bolted to the floor if bottom shelf is removed.
- Unit must be placed on a level surface to avoid a tipping hazard.



5-Tier Starter Unit




Starter and Add-On Units joined

Overview…

- Maximizes storage, free standing shelving allows access to all corners.
- With no front uprights, accessibility and productivity are improved.
- Uprights utilize 2″ adjustment for shelf and accessory spacing.
- Shelves and accessories can be easily adjusted without tools.
- Can be expanded side to side with Add-On units which share a common upright with existing unit; saving cost and space.
- Units allow for sheet metal or wire overlays.
- Sizing available:
  - Widths: 18″, 21″, 24″ and 30″.
  - Lengths: 24″, 30″, 36″, 42″, 48″, 54″, 60″, 66″ and 72″.

Q-LEVER

CLEVER STORAGE SOLUTIONS




Overview of chart dimensions…

- Add **4″** to the shelf length for nominal length of starter unit.
- Add **1/2″** to the shelf length for nominal length of add-on unit.
- Add **5″** to the shelf width for both starter unit and add-on unit.

Applicable charts are on pages 75 through 80.

Q-LEVER® standard starter and add-on units feature standard wire shelves and dunnage shelves. The Q-LEVER® system can also accommodate...

Solid Shelves • Quad-PLUS® • Double Wire Mat Shelves • Reverse Mat Shelves • Dunnage Shelves
…or a mixture of same based upon your storage needs.






100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Q-LEVER® 76″ (1930mm) Four-Tier Starter Units

see spec sheets **EG01.58A** *and* **EG01.58B**



unit with all wire shelves



unit with bottom dunnage shelf

FEATURES:

- Features two 76″ *(1930mm)* uprights, two braces, X-brace assembly, and hardware.
- Uprights utilize pins on 2″ *(51mm)* centers for maximum flexibility for shelves and accessories
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on uprights.

Consult factory for pricing.

Starter Units with All Wire Shelves

Includes four wire shelves and three pairs of brackets. To order units with Valu-Gard® green epoxy coated shelves, replace "V" in model number with **VG**. Example: Q2442**VG**76-4

shelf length		unit** length		…with 18″ (457mm)-wide Shelves *			…with 21″ (533mm)-wide Shelves *			…with 24″ (610mm)-wide Shelves *			…with 30″ (762mm)-wide Shelves *		
				weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy
in.	mm	in.	mm	lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves
24″	610	28″	711	142	64	**Q1824V76-4**	155	70	**Q2124V76-4**	160	73	**Q2424V76-4**	–		–
30″	762	34″	864	147	66	**Q1830V76-4**	156	71	**Q2130V76-4**	169	77	**Q2430V76-4**	201	91	**Q3030V76-4**
36″	914	40″	1016	152	69	**Q1836V76-4**	165	75	**Q2136V76-4**	178	81	**Q2436V76-4**	206	93	**Q3036V76-4**
42″	1067	46″	1168	161	73	**Q1842V76-4**	170	77	**Q2142V76-4**	187	85	**Q2442V76-4**	219	99	**Q3042V76-4**
48″	1219	52″	1320	166	75	**Q1848V76-4**	179	81	**Q2148V76-4**	192	87	**Q2448V76-4**	228	103	**Q3048V76-4**
54″	1372	58″	1473	179	81	**Q1854V76-4**	188	85	**Q2154V76-4**	205	93	**Q2454V76-4**	233	106	**Q3054V76-4**
60″	1524	64″	1626	188	85	**Q1860V76-4**	197	89	**Q2160V76-4**	214	97	**Q2460V76-4**	242	110	**Q3060V76-4**
66″	1676	70″	1778	202	91	**Q1866V76-4**	211	96	**Q2166V76-4**	228	104	**Q2466V76-4**	256	116	**Q3066V76-4**
72″	1829	76″	1930	204	92	**Q1872V76-4**	225	102	**Q2172V76-4**	238	108	**Q2472V76-4**	266	121	**Q3072V76-4**

* For unit width, add 5″ (127mm) to shelf width.
** Dimensions are nominal.

Starter Units with Bottom Dunnage Shelf

Includes three wire shelves, three pairs of brackets and one dunnage shelf. To order units with Valu-Gard® green epoxy coated shelves, replace "V" in model number with **VG**. Example: Q2448**VG**76-4D

shelf length		unit** length		…with 18″ (457mm)-wide Shelves *			…with 21″ (533mm)-wide Shelves *			…with 24″ (610mm)-wide Shelves *			…with 30″ (762mm)-wide Shelves *		
				weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy
in.	mm	in.	mm	lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves
24″	610	28″	711	149	67	**Q1824V76-4D**	161	73	**Q2124V76-4D**	167	76	**Q2424V76-4D**	–		–
30″	762	34″	864	157	71	**Q1830V76-4D**	166	75	**Q2130V76-4D**	178	81	**Q2430V76-4D**	210	95	**Q3030V76-4D**
36″	914	40″	1016	164	74	**Q1836V76-4D**	175	79	**Q2136V76-4D**	189	86	**Q2436V76-4D**	219	99	**Q3036V76-4D**
42″	1067	46″	1168	178	80	**Q1842V76-4D**	186	84	**Q2142V76-4D**	202	92	**Q2442V76-4D**	237	107	**Q3042V76-4D**
48″	1219	52″	1320	182	82	**Q1848V76-4D**	193	87	**Q2148V76-4D**	206	94	**Q2448V76-4D**	244	110	**Q3048V76-4D**
54″	1372	58″	1473	197	89	**Q1854V76-4D**	206	93	**Q2154V76-4D**	223	101	**Q2454V76-4D**	256	116	**Q3054V76-4D**
60″	1524	64″	1626	204	92	**Q1860V76-4D**	213	97	**Q2160V76-4D**	230	104	**Q2460V76-4D**	263	119	**Q3060V76-4D**
66″	1676	70″	1778	220	100	**Q1866V76-4D**	232	105	**Q2166V76-4D**	248	113	**Q2466V76-4D**	283	128	**Q3066V76-4D**
72″	1829	76″	1930	222	100	**Q1872V76-4D**	243	110	**Q2172V76-4D**	256	116	**Q2472V76-4D**	291	132	**Q3072V76-4D**

* For unit width, add 5″ (127mm) to shelf width.
** Dimensions are nominal.

Q-LEVER® 76″ (1930mm) Four-Tier Add-On Units

see spec sheets **EG01.59A** *and* **EG01.59B**



unit with all wire shelves

unit with bottom dunnage shelf

FEATURES:

- Features one 76″ *(1930mm)* upright, two braces, X-brace assembly, and hardware.
- Uprights utilize pins on 2″ *(51mm)* centers for maximum flexibility for shelves and accessories
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on upright.

Consult factory for pricing.

Add-On Units with All Wire Shelves

Includes four wire shelves and three pairs of brackets. To order units with Valu-Gard® green epoxy coated shelves, replace "V" in model number with **VG**. Example: Q2442**VG**76A-4

shelf length		unit** length		…with 18″ (457mm)-wide Shelves *			…with 21″ (533mm)-wide Shelves *			…with 24″ (610mm)-wide Shelves *			…with 30″ (762mm)-wide Shelves *		
				weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy
in.	mm	in.	mm	lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves
24″	610	25½″	648	107	49	**Q1824V76A-4**	119	54	**Q2124V76A-4**	124	56	**Q2424V76A-4**	–		–
30″	762	31½″	800	112	51	**Q1830V76A-4**	120	55	**Q2130V76A-4**	133	60	**Q2430V76A-4**	163	74	**Q3030V76A-4**
36″	914	37½″	953	117	53	**Q1836V76A-4**	129	59	**Q2136V76A-4**	142	64	**Q2436V76A-4**	168	76	**Q3036V76A-4**
42″	1067	43½″	1105	126	57	**Q1842V76A-4**	134	61	**Q2142V76A-4**	151	68	**Q2442V76A-4**	181	82	**Q3042V76A-4**
48″	1219	49½″	1257	131	59	**Q1848V76A-4**	143	65	**Q2148V76A-4**	156	71	**Q2448V76A-4**	190	86	**Q3048V76A-4**
54″	1372	55½″	1410	144	65	**Q1854V76A-4**	152	69	**Q2154V76A-4**	169	76	**Q2454V76A-4**	195	88	**Q3054V76A-4**
60″	1524	61½″	1562	153	69	**Q1860V76A-4**	161	73	**Q2160V76A-4**	178	81	**Q2460V76A-4**	204	92	**Q3060V76A-4**
66″	1676	67½″	1715	167	76	**Q1866V76A-4**	175	80	**Q2166V76A-4**	192	87	**Q2466V76A-4**	218	99	**Q3066V76A-4**
72″	1829	73½″	1867	169	77	**Q1872V76A-4**	189	86	**Q2172V76A-4**	202	91	**Q2472V76A-4**	228	103	**Q3072V76A-4**

* For unit width, add 5″ (127mm) to shelf width.
** Dimensions are nominal.

Add-On Units with Bottom Dunnage Shelf

Includes three wire shelves, three pairs of brackets and one dunnage shelf. To order units with Valu-Gard® green epoxy coated shelves, replace "V" in model number with **VG**. Example: Q2448**VG**76A-4D

shelf length		unit** length		…with 18″ (457mm)-wide Shelves *			…with 21″ (533mm)-wide Shelves *			…with 24″ (610mm)-wide Shelves *			…with 30″ (762mm)-wide Shelves *		
				weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy
in.	mm	in.	mm	lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves
24″	610	25½″	648	114	52	**Q1824V76A-4D**	125	57	**Q2124V76A-4D**	131	59	**Q2424V76A-4D**	–		–
30″	762	31½″	800	122	55	**Q1830V76A-4D**	130	59	**Q2130V76A-4D**	142	64	**Q2430V76A-4D**	172	78	**Q3030V76A-4D**
36″	914	37½″	953	129	59	**Q1836V76A-4D**	139	63	**Q2136V76A-4D**	153	69	**Q2436V76A-4D**	181	82	**Q3036V76A-4D**
42″	1067	43½″	1105	143	65	**Q1842V76A-4D**	150	68	**Q2142V76A-4D**	166	75	**Q2442V76A-4D**	198	90	**Q3042V76A-4D**
48″	1219	49½″	1257	147	67	**Q1848V76A-4D**	157	71	**Q2148V76A-4D**	170	77	**Q2448V76A-4D**	205	93	**Q3048V76A-4D**
54″	1372	55½″	1410	162	73	**Q1854V76A-4D**	170	77	**Q2154V76A-4D**	187	85	**Q2454V76A-4D**	218	99	**Q3054V76A-4D**
60″	1524	61½″	1562	169	77	**Q1860V76A-4D**	177	80	**Q2160V76A-4D**	194	88	**Q2460V76A-4D**	225	102	**Q3060V76A-4D**
66″	1676	67½″	1715	185	84	**Q1866V76A-4D**	196	89	**Q2166V76A-4D**	212	96	**Q2466V76A-4D**	245	111	**Q3066V76A-4D**
72″	1829	73½″	1867	187	85	**Q1872V76A-4D**	207	94	**Q2172V76A-4D**	220	100	**Q2472V76A-4D**	253	115	**Q3072V76A-4D**

* For unit width, add 5″ (127mm) to shelf width.
** Dimensions are nominal.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Q-LEVER® 76″ (1930mm) Five-Tier Starter Units

see spec sheets **EG01.58C** *and* **EG01.58D**



unit with all wire shelves



unit with bottom dunnage shelf

FEATURES:

- Features two 76″ *(1930mm)* uprights, two braces, X-brace assembly, and hardware.
- Uprights utilize pins on 2″ *(51mm)* centers for maximum flexibility for shelves and accessories
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on uprights.

Consult factory for pricing.

Starter Units with All Wire Shelves

Includes five wire shelves and four pairs of brackets. To order units with Valu-Gard® green epoxy coated shelves, replace "V" in model number with **VG**. Example: Q2442**VG**76-5

shelf length		unit** length		…with 18″ (457mm)-wide Shelves *			…with 21″ (533mm)-wide Shelves *			…with 24″ (610mm)-wide Shelves *			…with 30″ (762mm)-wide Shelves *		
				weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy
in.	mm	in.	mm	lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves
24″	610	28″	711	160	73	**Q1824V76-5**	176	80	**Q2124V76-5**	183	83	**Q2424V76-5**	–		–
30″	762	34″	864	166	75	**Q1830V76-5**	177	80	**Q2130V76-5**	194	88	**Q2430V76-5**	234	106	**Q3030V76-5**
36″	914	40″	1016	172	78	**Q1836V76-5**	188	85	**Q2136V76-5**	205	93	**Q2436V76-5**	240	109	**Q3036V76-5**
42″	1067	46″	1168	183	83	**Q1842V76-5**	194	86	**Q2142V76-5**	216	98	**Q2442V76-5**	256	116	**Q3042V76-5**
48″	1219	52″	1320	189	86	**Q1848V76-5**	205	93	**Q2148V76-5**	222	101	**Q2448V76-5**	267	121	**Q3048V76-5**
54″	1372	58″	1473	205	93	**Q1854V76-5**	216	98	**Q2154V76-5**	238	108	**Q2454V76-5**	273	124	**Q3054V76-5**
60″	1524	64″	1626	216	96	**Q1860V76-5**	227	103	**Q2160V76-5**	249	113	**Q2460V76-5**	284	129	**Q3060V76-5**
66″	1676	70″	1778	233	106	**Q1866V76-5**	244	111	**Q2166V76-5**	266	121	**Q2466V76-5**	301	136	**Q3066V76-5**
72″	1829	76″	1930	235	107	**Q1872V76-5**	261	119	**Q2172V76-5**	278	126	**Q2472V76-5**	313	142	**Q3072V76-5**

* For unit width, add 5″ (127mm) to shelf width.
** Dimensions are nominal.

Starter Units with Bottom Dunnage Shelf

Includes four wire shelves, four pairs of brackets and one dunnage shelf. To order units with Valu-Gard® green epoxy coated shelves, replace "V" in model number with **VG**. Example: Q2448**VG**76-5D

shelf length		unit** length		…with 18″ (457mm)-wide Shelves *			…with 21″ (533mm)-wide Shelves *			…with 24″ (610mm)-wide Shelves *			…with 30″ (762mm)-wide Shelves *		
				weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy
in.	mm	in.	mm	lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves
24″	610	28″	711	167	76	**Q1824V76-5D**	182	83	**Q2124V76-5D**	190	86	**Q2424V76-5D**	–		–
30″	762	34″	864	176	80	**Q1830V76-5D**	187	85	**Q2130V76-5D**	203	92	**Q2430V76-5D**	243	110	**Q3030V76-5D**
36″	914	40″	1016	184	83	**Q1836V76-5D**	198	90	**Q2136V76-5D**	216	98	**Q2436V76-5D**	253	115	**Q3036V76-5D**
42″	1067	46″	1168	200	91	**Q1842V76-5D**	210	95	**Q2142V76-5D**	231	105	**Q2442V76-5D**	273	124	**Q3042V76-5D**
48″	1219	52″	1320	205	93	**Q1848V76-5D**	219	100	**Q2148V76-5D**	236	107	**Q2448V76-5D**	282	128	**Q3048V76-5D**
54″	1372	58″	1473	223	101	**Q1854V76-5D**	234	106	**Q2154V76-5D**	256	116	**Q2454V76-5D**	296	134	**Q3054V76-5D**
60″	1524	64″	1626	232	105	**Q1860V76-5D**	243	110	**Q2160V76-5D**	265	120	**Q2460V76-5D**	305	138	**Q3060V76-5D**
66″	1676	70″	1778	251	114	**Q1866V76-5D**	265	114	**Q2166V76-5D**	286	130	**Q2466V76-5D**	328	149	**Q3066V76-5D**
72″	1829	76″	1930	253	115	**Q1872V76-5D**	279	115	**Q2172V76-5D**	296	134	**Q2472V76-5D**	338	153	**Q3072V76-5D**

* For unit width, add 5″ (127mm) to shelf width.
** Dimensions are nominal.

Q-LEVER® 76″ (1930mm) Five-Tier Add-On Units

see spec sheets **EG01.59C** *and* **EG01.59D**



unit with all wire shelves

unit with bottom dunnage shelf

FEATURES:

- Features one 76″ *(1930mm)* upright, two braces, X-brace assembly, and hardware.
- Uprights utilize pins on 2″ *(51mm)* centers for maximum flexibility for shelves and accessories
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on upright(s)

Consult factory for pricing.

Add-On Units with All Wire Shelves

Includes five wire shelves and four pairs of brackets. To order units with Valu-Gard® green epoxy coated shelves, replace "V" in model number with **VG**. Example: Q2442**VG**76A-5

shelf length		unit** length		…with 18″ (457mm)-wide Shelves *			…with 21″ (533mm)-wide Shelves *			…with 24″ (610mm)-wide Shelves *			…with 30″ (762mm)-wide Shelves *		
				weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy
in.	mm	in.	mm	lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves
24″	610	25½″	648	126	57	**Q1824V76A-5**	141	64	**Q2124V76A-5**	146	66	**Q2424V76A-5**	–		–
30″	762	31½″	800	132	60	**Q1830V76A-5**	142	64	**Q2130V76A-5**	157	71	**Q2430V76A-5**	195	89	**Q3030V76A-5**
36″	914	37½″	953	138	62	**Q1836V76A-5**	153	69	**Q2136V76A-5**	168	76	**Q2436V76A-5**	201	91	**Q3036V76A-5**
42″	1067	43½″	1105	149	67	**Q1842V76A-5**	159	72	**Q2142V76A-5**	179	81	**Q2442V76A-5**	217	99	**Q3042V76A-5**
48″	1219	49½″	1257	155	70	**Q1848V76A-5**	170	77	**Q2148V76A-5**	185	84	**Q2448V76A-5**	226	104	**Q3048V76A-5**
54″	1372	55½″	1410	171	77	**Q1854V76A-5**	181	82	**Q2154V76A-5**	201	91	**Q2454V76A-5**	234	106	**Q3054V76A-5**
60″	1524	61½″	1562	182	82	**Q1860V76A-5**	192	87	**Q2160V76A-5**	212	96	**Q2460V76A-5**	245	111	**Q3060V76A-5**
66″	1676	67½″	1715	199	90	**Q1866V76A-5**	209	95	**Q2166V76A-5**	229	104	**Q2466V76A-5**	262	119	**Q3066V76A-5**
72″	1829	73½″	1867	201	91	**Q1872V76A-5**	226	102	**Q2172V76A-5**	226	109	**Q2472V76A-5**	274	124	**Q3072V76A-5**

* For unit width, add 5″ (127mm) to shelf width.
** Dimensions are nominal.

Add-On Units with Bottom Dunnage Shelf

Includes four wire shelves, four pairs of brackets and one dunnage shelf. To order units with Valu-Gard® green epoxy coated shelves, replace "V" in model number with **VG**. Example: Q2448**VG**76A-4D

shelf length		unit** length		…with 18″ (457mm)-wide Shelves *			…with 21″ (533mm)-wide Shelves *			…with 24″ (610mm)-wide Shelves *			…with 30″ (762mm)-wide Shelves *		
				weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy
in.	mm	in.	mm	lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves
24″	610	25½″	648	133	60	**Q1824V76A-5D**	147	67	**Q2124V76A-5D**	153	69	**Q2424V76A-5D**	–		–
30″	762	31½″	800	142	64	**Q1830V76A-5D**	152	69	**Q2130V76A-5D**	166	75	**Q2430V76A-5D**	204	93	**Q3030V76A-5D**
36″	914	37½″	953	150	68	**Q1836V76A-5D**	163	74	**Q2136V76A-5D**	179	81	**Q2436V76A-5D**	214	97	**Q3036V76A-5D**
42″	1067	43½″	1105	166	75	**Q1842V76A-5D**	175	79	**Q2142V76A-5D**	194	88	**Q2442V76A-5D**	235	106	**Q3042V76A-5D**
48″	1219	49½″	1257	171	77	**Q1848V76A-5D**	184	83	**Q2148V76A-5D**	199	90	**Q2448V76A-5D**	244	111	**Q3048V76A-5D**
54″	1372	55½″	1410	189	85	**Q1854V76A-5D**	199	90	**Q2154V76A-5D**	219	99	**Q2454V76A-5D**	258	117	**Q3054V76A-5D**
60″	1524	61½″	1562	198	90	**Q1860V76A-5D**	208	94	**Q2160V76A-5D**	228	103	**Q2460V76A-5D**	267	121	**Q3060V76A-5D**
66″	1676	67½″	1715	217	98	**Q1866V76A-5D**	230	104	**Q2166V76A-5D**	249	113	**Q2466V76A-5D**	289	131	**Q3066V76A-5D**
72″	1829	73½″	1867	219	99	**Q1872V76A-5D**	244	111	**Q2172V76A-5D**	259	118	**Q2472V76A-5D**	299	136	**Q3072V76A-5D**

* For unit width, add 5″ (127mm) to shelf width.
** Dimensions are nominal.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Q-LEVER® 86″ (2184mm) Five-Tier Starter Units

see spec sheets **EG01.58E** *and* **EG01.58F**



unit with all wire shelves

unit with bottom dunnage shelf

FEATURES:

- Features two 86″ *(2184mm)* uprights, two braces, X-brace assembly, and hardware.
- Uprights utilize pins on 2″ *(51mm)* centers for maximum flexibility for shelves and accessories
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on upright(s)

Consult factory for pricing.

Starter Units with All Wire Shelves

Includes five wire shelves and four pairs of brackets. To order units with Valu-Gard® green epoxy coated shelves, replace "V" in model number with **VG**. Example: Q2442**VG**86-5

shelf length		unit** length		…with 18″ (457mm)-wide Shelves *			…with 21″ (533mm)-wide Shelves *			…with 24″ (610mm)-wide Shelves *			…with 30″ (762mm)-wide Shelves *		
				weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy
in.	mm	in.	mm	lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves
24″	610	28″	711	166	75	**Q1824V86-5**	182	83	**Q2124V86-5**	189	86	**Q2424V86-5**	–		–
30″	762	34″	864	172	78	**Q1830V86-5**	183	83	**Q2130V86-5**	200	91	**Q2430V86-5**	240	109	**Q3030V86-5**
36″	914	40″	1016	178	81	**Q1836V86-5**	194	88	**Q2136V86-5**	211	96	**Q2436V86-5**	246	111	**Q3036V86-5**
42″	1067	46″	1168	189	86	**Q1842V86-5**	200	91	**Q2142V86-5**	222	101	**Q2442V86-5**	262	119	**Q3042V86-5**
48″	1219	52″	1320	195	88	**Q1848V86-5**	211	96	**Q2148V86-5**	228	103	**Q2448V86-5**	273	124	**Q3048V86-5**
54″	1372	58″	1473	211	96	**Q1854V86-5**	222	101	**Q2154V86-5**	244	111	**Q2454V86-5**	279	126	**Q3054V86-5**
60″	1524	64″	1626	222	101	**Q1860V86-5**	233	106	**Q2160V86-5**	255	116	**Q2460V86-5**	290	131	**Q3060V86-5**
66″	1676	70″	1778	239	108	**Q1866V86-5**	250	114	**Q2166V86-5**	272	123	**Q2466V86-5**	307	139	**Q3066V86-5**
72″	1829	76″	1930	241	109	**Q1872V86-5**	267	121	**Q2172V86-5**	284	129	**Q2472V86-5**	319	144	**Q3072V86-5**

* For unit width, add 5″ (127mm) to shelf width.
** Dimensions are nominal.

Starter Units with Bottom Dunnage Shelf

Includes four wire shelves, four pairs of brackets and one dunnage shelf. To order units with Valu-Gard® green epoxy coated shelves, replace "V" in model number with **VG**. Example: Q2448**VG**86-5D

shelf length		unit** length		…with 18″ (457mm)-wide Shelves *			…with 21″ (533mm)-wide Shelves *			…with 24″ (610mm)-wide Shelves *			…with 30″ (762mm)-wide Shelves *		
				weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy
in.	mm	in.	mm	lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves
24″	610	28″	711	173	78	**Q1824V86-5D**	188	85	**Q2124V86-5D**	196	89	**Q2424V86-5D**	–		–
30″	762	34″	864	182	83	**Q1830V86-5D**	193	88	**Q2130V86-5D**	209	95	**Q2430V86-5D**	249	113	**Q3030V86-5D**
36″	914	40″	1016	190	86	**Q1836V86-5D**	204	93	**Q2136V86-5D**	222	101	**Q2436V86-5D**	259	117	**Q3036V86-5D**
42″	1067	46″	1168	206	93	**Q1842V86-5D**	216	98	**Q2142V86-5D**	237	107	**Q2442V86-5D**	279	127	**Q3042V86-5D**
48″	1219	52″	1320	211	96	**Q1848V86-5D**	225	104	**Q2148V86-5D**	242	110	**Q2448V86-5D**	288	131	**Q3048V86-5D**
54″	1372	58″	1473	229	104	**Q1854V86-5D**	240	109	**Q2154V86-5D**	262	119	**Q2454V86-5D**	302	137	**Q3054V86-5D**
60″	1524	64″	1626	238	108	**Q1860V86-5D**	249	113	**Q2160V86-5D**	271	123	**Q2460V86-5D**	311	141	**Q3060V86-5D**
66″	1676	70″	1778	257	117	**Q1866V86-5D**	271	123	**Q2166V86-5D**	292	132	**Q2466V86-5D**	334	151	**Q3066V86-5D**
72″	1829	76″	1930	259	117	**Q1872V86-5D**	285	129	**Q2172V86-5D**	302	137	**Q2472V86-5D**	344	155	**Q3072V86-5D**

* For unit width, add 5″ (127mm) to shelf width.
** Dimensions are nominal.

Q-LEVER® 86″ (2184mm) Five-Tier Add-On Units

see spec sheets **EG01.59E** *and* **EG01.59F**



unit with all wire shelves



unit with bottom dunnage shelf

FEATURES:

- Features one 86″ *(2184mm)* upright, two braces, X-brace assembly, and hardware.
- Uprights utilize pins on 2″ *(51mm)* centers for maximum flexibility for shelves and accessories
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves
- Valu-Master® gray epoxy finish on upright(s)

Consult factory for pricing.

Add-On Units with All Wire Shelves

Includes five wire shelves and four pairs of brackets. To order units with Valu-Gard® green epoxy coated shelves, replace "V" in model number with **VG**. Example: Q2442**VG**86A-5

shelf length		unit** length		…with 18″ (457mm)-wide Shelves *			…with 21″ (533mm)-wide Shelves *			…with 24″ (610mm)-wide Shelves *			…with 30″ (762mm)-wide Shelves *		
				weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy
in.	mm	in.	mm	lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves
24″	610	25½″	648	129	58	**Q1824V86A-5**	144	65	**Q2124V86A-5**	149	68	**Q2424V86A-5**	–		–
30″	762	31½″	800	135	61	**Q1830V86A-5**	145	66	**Q2130V86A-5**	160	73	**Q2430V86A-5**	198	90	**Q3030V86A-5**
36″	914	37½″	953	141	64	**Q1836V86A-5**	156	71	**Q2136V86A-5**	171	78	**Q2436V86A-5**	204	93	**Q3036V86A-5**
42″	1067	43½″	1105	152	69	**Q1842V86A-5**	162	73	**Q2142V86A-5**	182	83	**Q2442V86A-5**	220	100	**Q3042V86A-5**
48″	1219	49½″	1257	158	71	**Q1848V86A-5**	173	78	**Q2148V86A-5**	188	85	**Q2448V86A-5**	231	105	**Q3048V86A-5**
54″	1372	55½″	1410	174	79	**Q1854V86A-5**	184	83	**Q2154V86A-5**	204	93	**Q2454V86A-5**	237	108	**Q3054V86A-5**
60″	1524	61½″	1562	185	84	**Q1860V86A-5**	195	88	**Q2160V86A-5**	215	98	**Q2460V86A-5**	248	113	**Q3060V86A-5**
66″	1676	67½″	1715	202	91	**Q1866V86A-5**	212	96	**Q2166V86A-5**	232	105	**Q2466V86A-5**	265	120	**Q3066V86A-5**
72″	1829	73½″	1867	204	92	**Q1872V86A-5**	229	104	**Q2172V86A-5**	244	111	**Q2472V86A-5**	277	126	**Q3072V86A-5**

* For unit width, add 5″ (127mm) to shelf width.
** Dimensions are nominal.

Add-On Units with Bottom Dunnage Shelf

Includes four wire shelves, four pairs of brackets and one dunnage shelf. To order units with Valu-Gard® green epoxy coated shelves, replace "V" in model number with **VG**. Example: Q2448**VG**86A-4D

shelf length		unit** length		…with 18″ (457mm)-wide Shelves *			…with 21″ (533mm)-wide Shelves *			…with 24″ (610mm)-wide Shelves *			…with 30″ (762mm)-wide Shelves *		
				weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy	weights		w/Valu-Master® gray epoxy
in.	mm	in.	mm	lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves	lbs.	kg	coated shelves
24″	610	25½″	648	136	61	**Q1824V86A-5D**	150	68	**Q2124V86A-5D**	156	71	**Q2424V86A-5D**	–		–
30″	762	31½″	800	145	66	**Q1830V86A-5D**	155	70	**Q2130V86A-5D**	169	77	**Q2430V86A-5D**	207	94	**Q3030V86A-5D**
36″	914	37½″	953	153	69	**Q1836V86A-5D**	166	75	**Q2136V86A-5D**	182	83	**Q2436V86A-5D**	217	99	**Q3036V86A-5D**
42″	1067	43½″	1105	169	76	**Q1842V86A-5D**	178	81	**Q2142V86A-5D**	197	89	**Q2442V86A-5D**	238	108	**Q3042V86A-5D**
48″	1219	49½″	1257	174	79	**Q1848V86A-5D**	187	85	**Q2148V86A-5D**	202	92	**Q2448V86A-5D**	247	112	**Q3048V86A-5D**
54″	1372	55½″	1410	192	87	**Q1854V86A-5D**	202	92	**Q2154V86A-5D**	222	101	**Q2454V86A-5D**	261	118	**Q3054V86A-5D**
60″	1524	61½″	1562	201	91	**Q1860V86A-5D**	211	96	**Q2160V86A-5D**	231	105	**Q2460V86A-5D**	270	122	**Q3060V86A-5D**
66″	1676	67½″	1715	220	100	**Q1866V86A-5D**	233	106	**Q2166V86A-5D**	252	114	**Q2466V86A-5D**	292	133	**Q3066V86A-5D**
72″	1829	73½″	1867	222	100	**Q1872V86A-5D**	247	112	**Q2172V86A-5D**	262	119	**Q2472V86A-5D**	302	137	**Q3072V86A-5D**

* For unit width, add 5″ (127mm) to shelf width.
** Dimensions are nominal.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Q-LEVER® Workstations with Open Base

see spec sheet **EG01.60**



worktable with open base

FEATURES:

- Features tabletop, two 36″ *(914mm)* uprights with legs & feet, and X-brace assembly.
- Tabletop constructed of 14 gauge type 304 stainless steel.
- Removable tabletop, no need for tools.
- 4½″ backsplash.
- Valu-Master® gray epoxy finish on uprights.

Consult factory for pricing.

				…with 24″ (610mm)-wide Tabletop*				…with 30″ (762mm)-wide Tabletop*			
tabletop length		unit* length		weights		w/Valu-Master® gray epoxy coated shelves	w/Valu-Gard® green epoxy coated shelves	weights		w/Valu-Master® gray epoxy coated shelves	w/Valu-Gard® green epoxy coated shelves
in.	mm	in.	mm	lbs.	kg			lbs.	kg		
36″	914	40″	1016	108	49	Q2436V36-WO	Q2436VG36-WO	117	53	Q3036V36-WO	Q3036VG36-WO
42″	1067	46″	1168	117	53	Q2442V36-WO	Q2442VG36-WO	124	56	Q3042V36-WO	Q3042VG36-WO
48″	1219	52″	1320	122	55	Q2448V36-WO	Q2448VG36-WO	131	59	Q3048V36-WO	Q3048VG36-WO
54″	1372	58″	1473	129	58	Q2454V36-WO	Q2454VG36-WO	138	62	Q3054V36-WO	Q3054VG36-WO
60″	1524	64″	1626	135	61	Q2460V36-WO	Q2460VG36-WO	145	66	Q3060V36-WO	Q3060VG36-WO

* Dimensions are nominal.

Q-LEVER® Workstations with Storage Shelf

see spec sheet **EG01.60**



worktable with storage shelf

FEATURES:

- Features tabletop, two 36″ *(914mm)* uprights with legs & feet, X-brace assembly, and heavy duty dunnage shelf.
- Tabletop constructed of 14 gauge type 304 stainless steel.
- Removable tabletop, no need for tools.
- 4½″ backsplash.
- Valu-Master® gray epoxy finish on uprights.

Consult factory for pricing.

				…with 24″ (610mm)-wide Tabletop*				…with 30″ (762mm)-wide Tabletop*			
tabletop length		unit* length		weights		w/Valu-Master® gray epoxy coated shelves	w/Valu-Gard® green epoxy coated shelves	weights		w/Valu-Master® gray epoxy coated shelves	w/Valu-Gard® green epoxy coated shelves
in.	mm	in.	mm	lbs.	kg			lbs.	kg		
36″	914	40″	1016	140	63	Q2436V36-WS	Q2436VG36-WS	154	70	Q3036V36-WS	Q3036VG36-WS
42″	1067	46″	1168	153	69	Q2442V36-WS	Q2442VG36-WS	167	76	Q3042V36-WS	Q3042VG36-WS
48″	1219	52″	1320	161	73	Q2448V36-WS	Q2448VG36-WS	178	80	Q3048V36-WS	Q3048VG36-WS
54″	1372	58″	1473	175	79	Q2454V36-WS	Q2454VG36-WS	192	87	Q3054V36-WS	Q3054VG36-WS
60″	1524	64″	1626	184	83	Q2460V36-WS	Q2460VG36-WS	205	93	Q3060V36-WS	Q3060VG36-WS

* Dimensions are nominal.

Q-LEVER® Overhead Storage Stations

see spec sheet **EG01.61**



FEATURES:

- Features two 76″ *(1930mm)* uprights with legs & feet, X-brace assembly, and two overshelves.
- Overshelves adjust on 2″ *(51mm)* increments.
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves.
- Valu-Master® gray epoxy finish on uprights.

Consult factory for pricing.

shelf length		unit* length		…with 24″ (610mm) Overall Width*				…with 30″ (762mm) Overall Width*			
				weights		w/Valu-Master® gray epoxy coated shelves	w/Valu-Gard® green epoxy coated shelves	weights		w/Valu-Master® gray epoxy coated shelves	w/Valu-Gard® green epoxy coated shelves
in.	mm	in.	mm	lbs.	kg			lbs.	kg		
36″	914	40″	1016	137	62	Q2436V76-OS	Q2436VG76-OS	154	70	q3036V76-OS	Q3036VG76-OS
42″	1067	46″	1168	142	64	Q2442V76-OS	Q2442VG76-OS	161	73	Q3042V76-OS	Q3042VG76-OS
48″	1219	52″	1320	145	66	Q2448V76-OS	Q2448VG76-OS	166	75	Q3048V76-OS	Q3048VG76-OS
54″	1372	58″	1473	152	69	Q2454V76-OS	Q2454VG76-OS	169	76	Q3054V76-OS	Q3054VG76-OS
60″	1524	64″	1626	157	71	Q2460V76-OS	Q2460VG76-OS	174	79	Q3060V76-OS	Q3060VG76-OS

* Dimensions are nominal.

Q-LEVER® Task Stations

see spec sheet **EG01.61**



FEATURES:

- Features tabletop, two 76″ *(1930mm)* uprights with legs & feet, X-brace assembly, wall grid, and two adjustable overshelves.
- Wall grid features 3″ x 3″ *(76 x 76mm)* mesh.
- Tabletop is removable, no need for tools.
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves.
- Valu-Master® gray epoxy finish on uprights.

Consult factory for pricing.

shelf length		unit* length		…with 24″ (610mm)-wide Tabletop*				…with 30″ (762mm)-wide Tabletop*			
				weights		w/Valu-Master® gray epoxy coated shelves	w/Valu-Gard® green epoxy coated shelves	weights		w/Valu-Master® gray epoxy coated shelves	w/Valu-Gard® green epoxy coated shelves
in.	mm	in.	mm	lbs.	kg			lbs.	kg		
36″	914	40″	1016	198	90	Q2436V76-TS	Q2436VG76-TS	207	94	Q3036V76-TS	Q3036VG76-TS
42″	1067	46″	1168	213	97	Q2442V76-TS	Q2442VG76-TS	222	101	Q3042V76-TS	Q3042VG76-TS
48″	1219	52″	1320	222	101	Q2448V76-TS	Q2448VG76-TS	231	105	Q3048V76-TS	Q3048VG76-TS
54″	1372	58″	1473	237	108	Q2454V76-TS	Q2454VG76-TS	246	112	Q3054V76-TS	Q3054VG76-TS
60″	1524	64″	1626	249	113	Q2460V76-TS	Q2460VG76-TS	258	117	Q3060V76-TS	Q3060VG76-TS

* Dimensions are nominal.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Q-LEVER® Utility Stations

see spec sheet **EG01.62**



- Features tabletop, drawers, two 76″ *(1930mm)* uprights with legs & feet, X-brace assembly, wall grid, two adjustable overshelves, and heavy duty dunnage shelf.
- Overshelves adjust on 2″ *(51mm)* increments.
- Tabletop is removable, no need for tools.
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves.
- Valu-Master® gray epoxy finish on uprights.

FEATURES:

Consult factory for pricing.

tabletop length		unit* length		…with 24″ (610mm)-wide Tabletop* weights		w/Valu-Master® gray epoxy coated shelves	w/Valu-Gard® green epoxy coated shelves	…with 30″ (762mm)-wide Tabletop* weights		w/Valu-Master® gray epoxy coated shelves	w/Valu-Gard® green epoxy coated shelves
in.	mm	in.	mm	lbs.	kg			lbs.	kg		
36″	914	40″	1016	244	111	Q2436V76-US	Q2436VG76-US	273	124	Q3036V76-US	Q3036VG76-US
42″	1067	46″	1168	263	119	Q2442V76-US	Q2442VG76-US	294	133	Q3042V76-US	Q3042VG76-US
48″	1219	52″	1320	275	125	Q2448V76-US	Q2448VG76-US	311	141	Q3048V76-US	Q3048VG76-US
54″	1372	58″	1473	297	135	Q2454V76-US	Q2454VG76-US	329	149	Q3054V76-US	Q3054VG76-US
60″	1524	64″	1626	312	141	Q2460V76-US	Q2460VG76-US	348	158	Q3060V76-US	Q3060VG76-US

* Dimensions are nominal.

Q-LEVER® Manager's Stations

see spec sheet **EG01.62**



shown with optional storage baskets, supply bins and hooks

- Features tabletop, drawers, two 76″ *(1930mm)* uprights with legs & feet, X-brace assembly, power strip, overhead light, monitor arm, wall grid, and bin holder.
- Tabletop is removable, no need for tools.
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on shelves.
- Valu-Master® gray epoxy finish on uprights.

FEATURES:

.

Consult factory for pricing.

tabletop length		unit* length		…with 24″ (610mm)-wide Tabletop* weights		w/Valu-Master® gray epoxy coated shelves	w/Valu-Gard® green epoxy coated shelves	…with 30″ (762mm)-wide Tabletop* weights		w/Valu-Master® gray epoxy coated shelves	w/Valu-Gard® green epoxy coated shelves
in.	mm	in.	mm	lbs.	kg			lbs.	kg		
36″	914	40″	1016	297	135	Q2436V76-MS	Q2436VG76-MS	315	143	Q3036V76-MS	Q3036VG76-MS
42″	1067	46″	1168	322	146	Q2442V76-MS	Q2442VG76-MS	342	155	Q3042V76-MS	Q3042VG76-MS
48″	1219	52″	1320	339	154	Q2448V76-MS	Q2448VG76-MS	360	163	Q3048V76-MS	Q3048VG76-MS
54″	1372	58″	1473	366	166	Q2454V76-MS	Q2454VG76-MS	387	176	Q3054V76-MS	Q3054VG76-MS
60″	1524	64″	1626	386	175	Q2460V76-MS	Q2460VG76-MS	410	186	Q3060V76-MS	Q3060VG76-MS


* Dimensions are nominal.

NEW

Q-LEVER® Units with Top and/or Bottom Cabinets

see product announcement **EG8214**

see spec sheet **EG01.64** **EG01.65**



Features:

- Freestanding units maximize overall storage.
- Choose to add top cabinet, base cabinet, or both top and base cabinets.
- With no front uprights, accessibility and productivity are improved.
- Wall bolting not required.
- Uprights utilize 2″ adjustment for height of cabinets.
- Base cabinet suspended off the floor at desired height.
- Can be expanded side-to-side with Add-on units which share a common upright with existing unit, saving cost and space.

Consult factory for pricing.

1 Start with "Skeleton" unit.

Consists of two 86″-tall uprights, two lateral braces, one x-brace assembly, and hardware. Valu-Master® gray epoxy finish.

for cabinet width		for cabinet length		unit length*		
in.	mm	in.	mm	in.	mm	model
30″	762	36″	914	40″	1016	**Q3036V86**
30″	762	42″	1067	46″	1168	**Q3042V86**
30″	762	48″	1219	52″	1321	**Q3048V86**

* Dimensions are nominal.



2 Add base cabinet…

Includes heavy gauge stainless steel top with hat channel reinforcement. Rear of cabinet interlocks into pegs of each upright, allowing for height adjustment without the use of tools. Units available with open front, sliding doors, or hinged doors.

width		length		weight		WITH OPEN FRONT	WITH HINGED DOORS**	WITH SLIDING DOORS**
in.	mm	in.	mm	lbs.	kg	model #	model #	model #
30″	762	36″	914	137	62.1	**QOB3036SEB**	**QCBH3036SEB**	**QCB3036SEB**
30″	762	42″	1067	152	68.9	**QOB3042SEB**	**QCBH3042SEB**	**QCB3042SEB**
30″	762	48″	1219	167	75.8	**QOB3048SEB**	**QCBH3048SEB**	**QCB3048SEB**



** Optional door lock available for cabinets with doors. To order, add suffix **-L** (example: QCBH3036SEB-**L**)

3 …and/or top cabinet.

Heavy gauge stainless steel. Features sloped top. Rear of cabinet interlocks into pegs of each upright, allowing for height adjustment without the use of tools. Available with open front, sliding doors, or hinged doors.

width		length		weight		WITH OPEN FRONT	WITH HINGED DOORS**	WITH SLIDING DOORS**
in.	mm	in.	mm	lbs.	kg	model #	model #	model #
15″	381	36″	914	125	56.7	**QWCO-36**	**QWCH-36**	**QWCS-36**
15″	381	42″	1067	145	65.8	**QWCO-42**	**QWCH-42**	**QWCS-42**
15″	381	48″	1219	165	74.8	**QWCO-48**	**QWCH-48**	**QWCS-48**



** Optional door lock available for cabinets with doors. To order, add suffix **-L** (example: QWBH-36-**L**)

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Q-LEVER® Accessories

see spec sheet **EG01.63**

Drawers

- Stainless steel construction.
- Choice of two 3″ *(76mm)* tall drawers, or one 6″ tall drawer.
- Screws into existing holes in underside of Q-LEVER® workstation top.
- Precision steel ball bearing drawer slides for medium-duty applications.
- Drawer profile features an easy to operate disconnect finger release trigger.
- Load capacity is 100 lbs. (45 kg).

description	weight lbs.	weight kg	model #
one 6″-tall drawer	28	13	**QDRAWER-1**
two 3″-tall drawers	30	14	**QDRAWER-2**



Tabletops

- Heavy gauge polished stainless steel construction.
- 4½″ *(114mm)* backsplash.
- Square edges are turned down 90°, with a 30° kick in the front.
- Reinforced with hat channel construction underneath.
- Channel construction provides holes to accept drawers.
- Tabletops are removable.



		24″ (610mm)-wide			30″ (762mm)-wide		
length in.	length mm	weight lbs.	weight kg	model	weight lbs.	weight kg	model
24″	610	26	12	**Q2424T**	32	15	**Q3024T**
30″	762	32	15	**Q2430T**	35	16	**Q3030T**
36″	914	28	17	**Q2436T**	41	19	**Q3036T**
42″	1067	46	21	**Q2442T**	47	21	**Q3042T**
48″	1219	50	23	**Q2448T**	53	24	**Q3048T**
54″	1372	56	25	**Q2454T**	59	27	**Q3054T**
60″	1524	61	28	**Q2460T**	65	30	**Q3060T**
72″	1829	71	32	**Q2472T**	74	34	**Q3072T**

Overhead Lights

- Overhead light shelf is powder-coated Valu-Master® gray.
- Dimmable light fixture is powder white.
- Built-in ON/OFF switch with a high/low output option.
- Color temp = Warm White
- Power cord is 78″ *(1981mm)* in length.
- Adjustable on Q-LEVER® uprights.



length in.	length mm	weight lbs.	weight kg	model	length in.	length mm	weight lbs.	weight kg	model
24″	610	4	2	**Q24VO**	48″	1219	16	7	**Q48VO**
30″	762	7	3	**Q30VO**	54″	1372	19	9	**Q54VO**
36″	914	9	4	**Q36VO**	60″	1524	22	10	**Q60VO**
42″	1067	13	6	**Q42VO**	72″	1829	24	11	**Q72VO**

Power Strips


- Power strip is powder-coated black, mount is powder-coated Valu-Master® gray.
- 120-volt, NEMA 5-15P.
- Outlets are placed at right angle to accommodate bulky transformers.
- Comes with a 15´ AC power cord.
- Lighted power switch confirms power ON/OFF status.
- Snap-in switch guard prevents accidental turnoff.
- Uses a 15-amp circuit breaker.
- Adjustable on Q-LEVER® uprights.



length in.	length mm	weight lbs.	weight kg	model	length in.	length mm	weight lbs.	weight kg	model
24″	610	9	4	**Q24VP**	48″	1219	13	6	**Q48VP**
30″	762	10	5	**Q30VP**	54″	1372	14	6	**Q54VP**
36″	914	11	5	**Q36VP**	60″	1524	15	7	**Q60VP**
42″	1067	12	5	**Q42VP**	72″	1829	17	8	**Q72VP**

Flat Panel Monitor Arm

- Plated powder-coated black.
- Can pivot left-to-right.
- Universal VESA mount – 100 x 100mm and 75 x 75 mm hole pattern.
- Accepts all flat pattern monitors 10″ to 30″.
- Has internal area for internal cable management for a neat appearance.
- Adjustable on Q-LEVER® uprights.
- Can be mounted on either side of upright.
- Weight capacity is 14 lbs (6.4 kg).



weight lbs.	weight kg	model #
5	2	**QARM**


Consult factory for pricing.

Q-LEVER® Accessories

see spec sheet **EG01.63**

Wall Grids

- Wires are 2-gauge mild steel, crisscrossed to create a 3″ x 3″ mesh.
- Easily hooks onto uprights without the need for tools.
- Holds wall mat accessories.
- Valu-Master® gray epoxy finish.



height x length				
in.	mm	weight lbs.	weight kg	model
18″ x 36″	457 x 914	7	3	**Q1836VW**
18″ x 48″	457 x 1219	11	5	**Q1848VW**
18″ x 60″	457 x 1524	15	7	**Q1860VW**
30″ x 36″	762 x 914	11	5	**Q3036VW**
30″ x 48″	762 x 1219	15	7	**Q3048VW**

Hanger Rails

- Easily hooks onto uprights.
- Accommodates all accessories.
- Can be used as a backstop.
- Valu-Master® gray epoxy finish.



length		weight		
in.	mm	lbs.	kg	model
24″	610	3	1	**Q24VH**
30″	762	3	1	**Q30VH**
36″	914	4	2	**Q36VH**
42″	1067	5	2	**Q42VH**

length		weight		
in.	mm	lbs.	kg	model
48″	1219	6	3	**Q48VH**
54″	1372	7	3	**Q54VH**
60″	1524	8	4	**Q60VH**
72″	1829	10	5	**Q72VH**

Supply Bins

- Made of durable polypropylene, providing longlasting years of service.
- Integral molded slots accept ID labels.



color	width x length x height in.	mm	carton quantity	model
blue	5½″ x 10⅞″ x 5″	140 x 276 x 127	12	**A203877**
blue	11″ x 10⅞″ x 5″	279 x 276 x 127	6	**A203879**
blue	8¼″ x 14¾″ x 7″	210 x 375 x 178	12	**A203881**
blue	16½″ x 14¾″ x 7″	419 x 375 x 178	6	**A203883**

Storage Baskets

- Easily attaches to hanger rail or side of wire shelf.
- Valu-Master® gray epoxy finish.



width x length x height		weight		
in.	mm	lbs.	kg	model
5″ x 13⅜″ x 7″	127 x 340 x 178	3	1	**WB-V**
7½″ x 17⅜″ x 5″	191 x 441 x 127	5	2	**WB-M-V**
7½″ x 17⅜″ x 10″	191 x 441 x 254	6	3	**WB-L-V**

Consult factory for pricing.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

NOTES

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Wall Shelves

Adjustable Post Wire Wall Mounts

Sold as Components....97
Sold as Prepackaged Units....96

Snap-n-Slide®

Wall Shelves....92
Wire Wall Shelves....93

Wall Shelves

Piggyback Wall Mounted Shelf Kits....94
Shelves with Removable Hooks....95
Single Bar Utility Racks....95
Stationary Wire Wall Mounts....97
Tab Lock Shelves....93
Wall Mounted Shelves....94
Equipment Shelves with Cord Cutout....96
Wire Wall Shelf Kits....93

WALSTOR® Modular Wall System....90

WALSTOR® Modular Wall System Accessories....91

Printer Shelves

see spec sheet **EG02.17**



slanted printer shelf



standard printer shelf

Designed for label printers!

FEATURES:

- Heavy gauge stainless steel.
- Hole with grommet, for wiring, located at rear.
- Four mounting holes.
- Available in standard or slanted.

Can be shipped UPS.

shelf size				weight		Standard		Slanted	
side-to-side		front-to-rear							
in.	mm	in.	mm	lbs.	kg	model #	list	model #	list
7″	178	10″	254	3	1.4	**MWS0710-PS**	160	**MWS0710-SPS**	166
9″	229	12″	305	4	1.8	**MWS0912-PS**	192	**MWS0912-SPS**	196

WALSTOR® Modular Wall System



Convert wasted wall space into a productive and organized work area.

Imagine the possibilities!

- Maximize space.
- Keep every thing within easy reach, without taking up valuable floor space.
- Organize room effectively and efficiently with total flexibility.
- Sway-resistant design locks individual shelves firmly into place uneven loads safely on the system.
- Positioned anywhere on a wall, regardless of stud position.


To learn more about WalStor®, see pages 90 and 91.



Single Shelf Kit



Double Shelf Kit (with extra shelves)



WALSTOR®

WalStor® system shown demonstrating an uneven load capability.

Modular Wall System (NSF)

see spec sheet **EG02.00A**

Note: WalStor® must be mounted to a solid surface or studs in a wall. User needs to determine installation materials and methods suitable to hold and support the WalStor® system.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Wall Mats


- 3″ x 3″ *(76 x 76mm)* zinc-plated grids.
- Required only for hanging accessories.

height	length in.	length mm	weight lbs.	weight kg	cubic feet	model #	list
18″ *(457mm)*	36″	914	9	4.1	0.2	**WM1836** •	173
	48″	1219	11	5.0	0.3	**WM1848** •	220
	60″	1524	14	6.4	0.3	**WM1860**	258
24″ *(609mm)*	48″	1219	13	5.8	0.3	**WM2448** •	263
	72″	1828	19	8.6	0.5	**WM2472**	303
	84″	2133	22	9.9	0.6	**WM2484**	362
	96″	2438	25	11.3	0.7	**WM2496**	382
33″ *(838mm)*	54″	1372	22	9.9	0.5	**WM3354**	439
48″ *(1219mm)*	48″	1219	19	8.6	0.7	**WM4848**	426

Vertical Wall Uprights

- Zinc-plated finish.
- Sold in pairs.

height in.	height mm	weight lbs.	weight kg	cu ft	model #	list
12″	305	2	0.9	0.2	**PR12VU** •	103
30″	762	4	1.8	0.4	**PR30VU** •	164
45″	1143	5	2.3	0.5	**PR45VU** •	204




wall mats and vertical wall uprights

Wire Shelf Brackets


- Zinc-plated finish.
- Sold in pairs.

(**Note:** Must be ordered with Vertical Wall Uprights)



depth in.	depth mm	weight lbs.	weight kg	cubic feet	model #	list
14″	356	3	1.5	0.1	**PR14B** •	218
18″	457	4	2.0	0.1	**PR18B** •	239
21″	533	4	2.0	0.1	**PR21B**	244
24″	610	5	2.0	0.1	**PR24B**	315


Single Shelf Kits



- One EAGLEbrite® shelf with patented QuadTruss® design (patent #5,390,803).
- One wall mat.
- One pair of 30″ *(762mm)* vertical wall uprights.
- One pair of 18″ *(457mm)* wire shelf brackets.

	shelf and wall mat size in.	shelf and wall mat size mm	weight lbs.	weight kg	cu ft	model #	list
18″ width *(457mm)*	36″	914	35	15.9	3.5	**WAL-1-1836**	719
	48″	1219	36	16.3	4.5	**WAL-1-1848**	794

Double Shelf Kits




- Two EAGLEbrite® shelves with patented QuadTruss® design (patent #5,390,803).
- Two wall mats.
- One pair of 45″ *(1143mm)* vertical wall uprights.
- Two pairs of 18″ *(457mm)* wire shelf brackets.

	shelf dimensions in.	shelf dimensions mm	weight lbs.	weight kg	cubic feet	model #	list
18″ width *(457mm)*	36″	914	41	18.6	2.0	**WAL-2-1836**	1312
	48″	1219	49	22.2	2.4	**WAL-2-1848**	1464

Wall Grid Shelving - *see spec sheet* EG02.00C

Can be used with **NEW** Wall Brackets (see page 92).

width x length in.	width x length mm	weight lbs.	weight kg	cubic feet	chrome model #	chrome list	Valu-Gard® model #	Valu-Gard® list	EAGLEbrite® model #	EAGLEbrite® list
14″ x 30″	356 x 762	7	3.2	3.1	**1430WGS-C**	244	**1430WGS-VG**	254	**1430WGS-Z**	226
14″ x 36″	356 x 914	9	4.1	3.6	**1436WGS-C**	255	**1436WGS-VG**	265	**1436WGS-Z**	240
18″ x 30″	457 x 762	9	4.1	3.7	**1830WGS-C**	263	**1830WGS-VG**	269	**1830WGS-Z**	244
18″ x 36″	457 x 914	12	5.4	4.5	**1836WGS-C**	272	**1836WGS-VG**	283	**1836WGS-Z**	252
18″ x 48″	457 x 1219	15	6.8	6.0	**1848WGS-C**	315	**1848WGS-VG** •	325	**1848WGS-Z**	289



100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

WALSTOR®

Custom configurations allow you to personalize your WalStor® system for merchandise displays or over-the-workstation storage. Engineered with the idea that a perfect storage system adapts easily to individual requirements.

Modular Wall System Accessories

see spec sheet **EG02.00B**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



WalStor® system with optional accessories shown

shelf collar plugs ➤
Model #: **COLLAR PLUG**
List: **$16** *(set of four)*



utensil rack ➤
Model #: **SCOOP10-VG.** List: **$116**
5″ depth x 10-1/2″ length *(127 x 267mm)*,
2 lbs., 0.5 cu. ft. ValuGard® epoxy finish.



small snap hook** ➤



large snap hook** ➤



utensil hook** ➤



large double hook** ➤



book holder ➤




light duty utility shelf ➤



grid shelf ➤



triangle shelf ➤



towel rack ➤



spice rack ➤



merchandising display hook** ➤



large bin ➤



small bin ➤



hanging file holder ➤



plastic bin holder ➤




grid panel wall bracket ➤



⅓-size pan holder ➤



drop basket ➤



wire basket ➤



grid panel basket ➤



description	length x width x height in.	mm	weight lbs.	kg	cu ft	model #	list
⅓ size pan holder	12″ x 8″ x 3″	305 x 203 x 76	1.0	0.5	0.2	**PH3RD**	109
book holder	3″ x 12″ x 10″	76 x 305 x 254	2.0	0.9	0.2	**BH-1**	308
drop basket *(for 18″ wire shelf)*	22″ x 18″ x 11″	559 x 457 x 280	3.0	1.4	0.3	**DB**	238
grid shelf	16¾″ x 16¾″	426 x 426	6.0	2.7	0.6	**GS17**	306
hanging file holder	12″ x 8″ x 3″	305 x 203 x 76	1.0	0.5	0.2	**HFH**	108
large double hook	2¼″ x 4¼″ x ⅜″	57 x 108 x 3	0.3	0.1	0.1	**LDH** ** •	22
large plastic bin	10⅞″ x 11″ x 5″	276 x 280 x 127	1.0	0.5	0.3	**A203879** *	49
large snap hook	2¼″ x 4¼″ x ⅜″	57 x 108 x 3	0.3	0.1	0.1	**LH** ** •	14
lt. duty utility shelf	11¼″ x 8″ x 3½″	286 x 203 x 89	5.0	2.3	0.2	**LDUS12**	132
merch. dspl hook	4″ x 3″	101 x 76	0.2	0.1	0.1	**MDH-4** **	32
merch. dspl hook	6″ x 3″	152 x 76	0.2	0.1	0.1	**MDH-6** **	33
merch. dspl hook	8″ x 3″	203 x 76	0.2	0.1	0.1	**MDH-8** **	43
merch. dspl hook	10″ x 3″	254 x 76	0.2	0.1	0.1	**MDH-10** **	45
merch. dspl hook	12″ x 3″	304 x 76	0.2	0.1	0.1	**MDH-12** **	49

description	length x width x height in.	mm	weight lbs.	kg	cu ft	model #	list
plastic bin dividers	10⅞″ x 5″	276 x 127	2.0	0.9	0.1	**A204237**	43
plastic bin holder	4″ x 2″	102 x 51	0.3	0.1	0.4	**PBH** •	82
small plastic bin	10⅞″ x 5½″ x 5″	276 x 140 x 127	0.75	0.3	0.2	**A203877** *	38
small snap hook	1¼″ x 4¼″ x ⅜″	32 x 127 x 76	0.3	0.1	0.1	**SH** ** •	8
spice rack	14″ x 2″	356 x 51	1.0	0.5	0.1	**SR14**	134
spice rack	24″ x 2″	610 x 51	1.5	0.7	0.2	**SR24**	143
towel rack	10½″ x 5″ x 3.5″	267 x 127 x 76	1.0	0.5	0.3	**TR10**	108
utensil hook	2½″ x 2″	64 x 51	0.3	0.1	0.1	**UH** ** •	28
wire basket	13⅜″ x 5″ x 7″	340 x 127 x 178	0.5	0.2	0.2	**WB** •	70
2-deck can rack	8⅝″ x 13″ x 14″	219 x 330 x 356	1.0	0.5	0.1	**CR2D**	350
4-deck can rack	8¼″ x 8½″ x 28½″	210 x 216 x 724	3.0	1.3	1.2	**CR4D**	392
wall bracket	3″ x 4″ x 4″	76 x 102 x 102	3.0	1.3	0.1	**GPWB**	48
triangle shelf	24″ x 24″	610 x 610	5.0	2.3	0.5	**GPS24-C**	153
grid panel basket	15″ x 24″	381 x 610	2.8	1.2	0.4	**GBP15-C**	172

*A203877 requires (1) PBH. A203879 requires (2) PBH. **All hooks are heavy gauge chrome-plated.

NEW


Wall Brackets for Wall Grid Shelving

see spec sheet **EG02.14**

Features:

- 14 gauge type 300 series stainless steel.
- ¼″ *(6mm)*-diameter mounting holes spaced 4″ *(102mm)* apart.
- Stoppers prevent shelf from sliding off.

Note: Hardware for mounting to wall not included.



standard bracket shown with wall grid shelf (sold separately—see page 90)

bracket length		weight		Standard Design		Slanted Design	
in.	mm	lbs.	kg	model #	list	model #	list
32″	818	10	4.4	**WSR-36-S**	183	**WSR-36-S-15**	208
38″	965	11	4.8	**WSR-42-S**	211	**WSR-42-S-15**	239
44″	1104	12	5.3	**WSR-48-S**	228	**WSR-48-S-15**	258
50″	1270	13	5.8	**WSR-54-S**	249	**WSR-54-S-15**	278
56″	1422	14	6.7	**WSR-60-S**	270	**WSR-60-S-15**	304

Snap-n-Slide® Wall Shelves

see spec sheet **EG02.01**



FEATURES:

- Brackets can be mounted to wall studs – no wall backing required.
- 1½″ *(38mm)* upturn on rear and ends.
- Heavy gauge stainless steel construction.
- No tools required to attach shelf to wall brackets.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Optional Dividers for Snap-n-Slide® Wall Shelves

- 4″ *(102mm)* height.

description	model #	list
for 12″ *(305mm)* shelving	**358114**	83
for 15″ *(381mm)* shelving	**358115**	87



Weight capacities* of Snap-n-Slide® on this page

All 24″ (610mm) shelves . . . . . 90 lbs. (40.8 kg)
All 36″ (914mm) shelves . . . . . 135 lbs. (61.2 kg)
All 48″ (1219mm) shelves . . . . . 180 lbs. (81.6 kg)
All 60″ (1524mm) shelves . . . . . 225 lbs. (102.1 kg)
All 72″ (1829mm) shelves . . . . . 270 lbs. (122.5 kg)

* Weight capacities pertain to evenly distributed weight.

12″ *(305mm)* wide Snap-n-Slide® Shelves with Rolled Front Edge

length		weight		cubic	16 gauge type 430		16 gauge type 304		14 gauge type 304	
in.	mm	lbs.	kg	feet	model #	list	model #	list	model #	list
24″	610	12	5.4	0.7	**SWS1224-16/4•**	498	**SWS1224-16/3•**	597	**SWS1224-14/3**	633
36″	915	14	6.4	1.1	**SWS1236-16/4•**	539	**SWS1236-16/3•**	756	**SWS1236-14/3•**	807
48″	1219	17	7.7	1.4	**SWS1248-16/4•**	660	**SWS1248-16/3•**	836	**SWS1248-14/3•**	899
60″	1524	23	10.4	1.8	**SWS1260-16/4•**	700	**SWS1260-16/3•**	914	**SWS1260-14/3**	974
72″	1829	25	11.3	2.1	**SWS1272-16/4•**	869	**SWS1272-16/3•**	1125	**SWS1272-14/3**	1233

15″ *(381mm)* wide Snap-n-Slide® Shelves with Rolled Front Edge

length		weight		cubic	16 gauge type 430		16 gauge type 304		14 gauge type 304	
in.	mm	lbs.	kg	feet	model #	list	model #	list	model #	list
24″	610	15	6.8	1.1	**SWS1524-16/4**	539	**SWS1524-16/3**	654	**SWS1524-14/3**	712
36″	915	17	7.7	1.7	**SWS1536-16/4•**	554	**SWS1536-16/3•**	782	**SWS1536-14/3**	877
48″	1219	21	9.5	2.2	**SWS1548-16/4•**	665	**SWS1548-16/3•**	947	**SWS1548-14/3**	1069
60″	1524	28	12.7	2.7	**SWS1560-16/4•**	725	**SWS1560-16/3•**	1040	**SWS1560-14/3**	1097
72″	1829	30	13.6	3.3	**SWS1572-16/4**	886	**SWS1572-16/3**	1294	**SWS1572-14/3**	1463

15″ *(381mm)* wide Snap-n-Slide® Shelves with "V" Marine Front Edge


					14 gauge				16 gauge			
length		weight		cu	14 gauge type 304		14 gauge type 316		16 gauge type 430		16 gauge type 304	
in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list
24″	610	15	6.8	1.1	**SWS1524-14/304-VMAR**	923	**SWS1524-14/316-VMAR**	1029	**SWS1524-16/430-VMAR**	807	**SWS1524-16/304-VMAR**	907
36″	915	17	7.7	1.7	**SWS1536-14/304-VMAR**	966	**SWS1536-14/316-VMAR**	1192	**SWS1536-16/430-VMAR**	875	**SWS1536-16/304-VMAR**	1008
48″	1219	21	9.5	2.2	**SWS1548-14/304-VMAR**	1255	**SWS1548-14/316-VMAR**	1480	**SWS1548-16/430-VMAR**	1030	**SWS1548-16/304-VMAR**	1206
60″	1524	28	12.7	2.7	**SWS1560-14/304-VMAR**	1396	**SWS1560-14/316-VMAR**	1664	**SWS1560-16/430-VMAR**	1108	**SWS1560-16/304-VMAR**	1325
72″	1829	30	13.6	3.3	**SWS1572-14/304-VMAR**	1653	**SWS1572-14/316-VMAR**	1948	**SWS1572-16/430-VMAR**	1304	**SWS1572-16/304-VMAR**	1549

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Snap-n-Slide® Wire Wall Shelves

see spec sheet EG02.02



FEATURES:
- Wire design allows for air circulation.
- Brackets can be mounted to studs with no backing required.

Note: See page 92 for solid Snap-n-Slide® Wall Shelves.

	length		weight		weight * capacity		cu	chrome		VALU-MASTER®		Valu-Gard®		EAGLEgard®	
	in.	mm	lbs.	kg	lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list
12″ width (305mm)	24″	610	5	2.3	70	31.8	0.7	SNSW1224C	232	SNSW1224V	242	SNSW1224VG	242	SNSW1224E	267
	36″	915	7	3.2	105	47.6	1.1	SNSW1236C	303	SNSW1236V	319	SNSW1236VG	319	SNSW1236E	344
	48″	1219	9	4.1	140	63.5	1.4	SNSW1248C	376	SNSW1248V	394	SNSW1248VG	394	SNSW1248E	419
	60″	1524	11	5.0	175	79.5	1.8	SNSW1260C	407	SNSW1260V	429	SNSW1260VG	429	SNSW1260E	460
	72″	1829	14	6.4	210	95.3	2.1	SNSW1272C	522	SNSW1272V	550	SNSW1272VG	550	SNSW1272E	576

* Weight capacity pertains to evenly distributed weight.

Wire Wall Shelf Kits

see spec sheet EG02.04



INCLUDES:
- One wire shelf.
- Two stationary wire wall mounts.

	length		weight		chrome		VALU-MASTER®		Valu-Gard®	
	in.	mm	lb.	kg	model #	list	model #	list	model #	list
14″ width (356mm)	36″	914	12	5.4	GWB1436C	239	GWB1436V	242	GWB1436VG	242
	48″	1219	14	6.4	GWB1448C	265	GWB1448V	269	GWB1448VG	269
18″ width (457mm)	36″	914	14	6.4	GWB1836C	252	GWB1836V	269	GWB1836VG	269
	48″	1219	17	7.7	GWB1848C	280	GWB1848V	306	GWB1848VG	306

Tab Lock Shelves

see spec sheet EG02.09




FEATURES:
- 16 gauge, type 430 stainless steel.
- 1½″ *(38mm)* roll on front.
- 1½″ *(38mm)* upturn on rear and ends.
- Tab lock for easy assembly.
- Die-formed stainless steel mounting brackets.
- Not available in other widths.
- 60″ *(1524mm)* length max.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		weight		cubic		
	in.	mm	lbs.	kg	feet	model #	list
10″ width (254mm)	24″	610	10	4.5	0.6	WS1024TL •	416
	36″	915	12	5.4	0.9	WS1036TL •	443
	48″	1219	15	6.8	1.3	WS1048TL •	505
	60″	1524	20	9.0	1.6	WS1060TL •	569
12″ width (305mm)	24″	610	12	5.4	0.6	WS1224TL •	445
	36″	915	14	6.4	0.9	WS1236TL •	482
	48″	1219	17	7.7	1.3	WS1248TL •	544
	60″	1524	21	9.5	1.6	WS1260TL •	608

Wall Mounted Shelves

see spec sheet EG02.05



Die-formed stainless steel mounting brackets are stud-welded to shelf.

FEATURES:
- 1½″ *(38mm)* roll on front.
- 1½″ *(38mm)* upturn on rear and ends.

Note: 15″ and 18″ *(381 and 457mm)* wide shelves available. To order, replace "12" in model number with a **"15"** or **"18"** indicating desired shelf width ***(example: WS1548-16/3)***. For 15″ *(381mm)* wide shelves, **add 15% to list price** of 12″ *(305mm)* wide models. For 18″ wide shelves, **add 30% to list price** of 12″ *(305mm)* shelves.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		weight		cubic	16 gauge, type 430		16 gauge, type 304		14 gauge, type 304	
	in.	mm	lbs.	kg	feet	model #	list	model #	list	model #	list
10″ width *(254mm)*	24″	610	10	4.5	0.5	**WS1024-16/4**	945	**WS1024-16/3**	1108	**WS1024-14/3**	1218
	36″	915	12	5.4	0.7	**WS1036-16/4** •	1017	**WS1036-16/3**	1248	**WS1036-14/3**	1377
	48″	1219	15	6.8	0.9	**WS1048-16/4** •	1028	**WS1048-16/3**	1334	**WS1048-14/3**	1458
	60″	1524	20	9.0	1.2	**WS1060-16/4** •	1096	**WS1060-16/3**	1475	**WS1060-14/3**	1614
	72″	1829	22	10.0	1.4	**WS1072-16/4** •	1172	**WS1072-16/3**	1609	**WS1072-14/3**	1762
	84″	2133	24	10.9	1.7	**WS1084-16/4**	1234	**WS1084-16/3**	1742	**WS1084-14/3**	1908
	96″	2438	29	13.2	1.9	**WS1096-16/4**	1426	**WS1096-16/3**	2008	**WS1096-14/3**	2207
	108″	2743	32	14.5	2.1	**WS10108-16/4**	1550	**WS10108-16/3**	2204	**WS10108-14/3**	2426
	120″	3048	34	15.4	2.3	**WS10120-16/4**	1628	**WS10120-16/3**	2488	**WS10120-14/3**	2734
12″ width *(305mm)*	24″	610	12	5.4	0.6	**WS1224-16/4** •	1017	**WS1224-16/3** •	1182	**WS1224-14/3**	1304
	36″	915	14	6.4	0.9	**WS1236-16/4** •	1093	**WS1236-16/3** •	1328	**WS1236-14/3**	1455
	48″	1219	17	7.7	1.1	**WS1248-16/4** •	1117	**WS1248-16/3** •	1423	**WS1248-14/3**	1565
	60″	1524	23	10.4	1.4	**WS1260-16/4** •	1188	**WS1260-16/3** •	1572	**WS1260-14/3**	1725
	72″	1829	25	11.3	1.7	**WS1272-16/4** •	1273	**WS1272-16/3** •	1716	**WS1272-14/3** •	1880
	84″	2133	28	12.7	2.0	**WS1284-16/4** •	1345	**WS1284-16/3** •	1862	**WS1284-14/3**	2048
	96″	2438	31	14.1	2.2	**WS1296-16/4** •	1577	**WS1296-16/3** •	2037	**WS1296-14/3**	2240
	108″	2743	36	16.3	2.5	**WS12108-16/4**	1727	**WS12108-16/3**	2392	**WS12108-14/3**	2622
	120″	3048	39	17.6	2.8	**WS12120-16/4**	1797	**WS12120-16/3**	2525	**WS12120-14/3**	2778

Piggyback Wall Mounted Shelf Kits

see spec sheet EG02.13

PATENTED! *(patent #8,025,163 B2)*



FEATURES:
- Brackets can be mounted to studs – no wall backing required.
- Freedom to move the shelves left or right.
- Wire design allows for air circulation.
- 18″ *(457mm)* width.
- No tools required to attach shelf to wall brackets.

Additional Brackets (pair)

18″ (457mm) width. Chrome.

description	weight lbs.	weight kg	model #	list
three-tier	7.3	3.3	**SSW18B3-C**	188
five-tier	10.8	4.9	**SSW18B5-C**	219

Three-Tier Units – Includes one pair of 23⅞″ *(606mm)*-high brackets.

shelf width x length in.	shelf width x length mm	Units with One Chrome Shelf weight lbs.	weight kg	model #	list	Units with Two Chrome Shelves weight lbs.	weight kg	model #	list	Units with Three Chrome Shelves weight lbs.	weight kg	model #	list
18″ x 24″	457 x 610	12	5.4	**S1-3B-SSW1824C**	239	17	7.7	**S2-3B-SSW1824C**	362	22	10.0	**S3-3B-SSW1824C**	485
18″ x 30″	457 x 762	13	5.9	**S1-3B-SSW1830C**	266	19	8.6	**S2-3B-SSW1830C**	416	25	11.3	**S3-3B-SSW1830C**	560
18″ x 36″	457 x 914	14	6.4	**S1-3B-SSW1836C**	283	21	9.5	**S2-3B-SSW1836C**	448	28	12.7	**S3-3B-SSW1836C**	612
18″ x 42″	457 x 1067	16	7.3	**S1-3B-SSW1842C**	307	24	10.9	**S2-3B-SSW1842C**	506	33	15.0	**S3-3B-SSW1842C**	704
18″ x 48″	457 x 1219	17	7.7	**S1-3B-SSW1848C**	325	27	12.2	**S2-3B-SSW1848C**	532	37	16.8	**S3-3B-SSW1848C**	738
18″ x 60	457 x 1524	22	10.0	**S1-3B-SSW1860C**	377	37	16.8	**S2-3B-SSW1860C**	642	51	23.1	**S3-3B-SSW1860C**	905

Additional Shelves

chrome weight lbs.	chrome weight kg	chrome model #	chrome list
5	2.3	**SSW1824C**	129
6	2.7	**SSW1830C**	155
7	3.2	**SSW1836C**	173
9	4.1	**SSW1842C**	206
10	4.5	**SSW1848C**	217
15	6.8	**SSW1860C**	276

Five-Tier Units – Includes one pair of 33⅞″ *(860mm)*-high brackets.

shelf width x length in.	shelf width x length mm	Units with Three Chrome Shelf weight lbs.	weight kg	model #	list	Units with Four Chrome Shelves weight lbs.	weight kg	model #	list	Units with Five Chrome Shelves weight lbs.	weight kg	model #	list
18″ x 24″	457 x 610	19	8.6	**S3-5B-SSW1824C**	526	22	10.0	**S4-5B-SSW1824C**	645	29	13.2	**S5-5B-SSW1824C**	763
18″ x 30″	457 x 762	22	10.0	**S3-5B-SSW1830C**	599	28	12.7	**S4-5B-SSW1830C**	754	34	15.4	**S5-5B-SSW1830C**	900
18″ x 36″	457 x 914	25	11.3	**S3-5B-SSW1836C**	654	32	14.5	**S4-5B-SSW1836C**	818	39	17.6	**S5-5B-SSW1836C**	983
18″ x 42″	457 x 1067	30	13.6	**S3-5B-SSW1842C**	747	38	17.2	**S4-5B-SSW1842C**	944	47	21.3	**S5-5B-SSW1842C**	1140
18″ x 48″	457 x 1219	34	15.4	**S3-5B-SSW1848C**	784	44	20.0	**S4-5B-SSW1848C**	993	54	24.5	**S5-5B-SSW1848C**	1203
18″ x 60	457 x 1524	49	22.2	**S3-5B-SSW1860C**	945	64	29.0	**S4-5B-SSW1860C**	1208	79	35.8	**S5-5B-SSW1860C**	1475

Additional Shelves

chrome weight lbs.	chrome weight kg	chrome model #	chrome list
5	2.3	**SSW1824C**	129
6	2.7	**SSW1830C**	155
7	3.2	**SSW1836C**	173
9	4.1	**SSW1842C**	206
10	4.5	**SSW1848C**	217
15	6.8	**SSW1860C**	276

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Shelves with Removable Hooks

see spec sheet EG02.06



FEATURES:

- 16 gauge type 430 shelf with type 304 stainless steel pot rack.
- 1½″ *(38mm)* roll on front.
- 1½″ *(38mm)* upturn on rear and ends.
- Furnished with one double-prong hook per foot.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

length		10″ *(254mm)* Wide Shelves					12″ *(305mm)* Wide Shelves				
		weight		cu			weight		cu		
in.	mm	lbs.	kg	ft	model #	list	lbs.	kg	ft	model #	list
36″	914	17	7.7	1.0	**WSP1036**	1719	22	10.0	1.1	**WSP1236**	1784
48″	1219	23	10.4	1.3	**WSP1048**	1753	29	13.2	1.5	**WSP1248** •	1847
60″	1524	37	16.8	1.6	**WSP1060**	1832	43	19.5	1.8	**WSP1260** •	1934
72″	1829	51	23.1	1.9	**WSP1072**	1897	57	25.9	2.2	**WSP1272** •	2007
84″	2134	65	29.5	2.2	**WSP1084**	1988	71	32.2	2.6	**WSP1284**	2122
96″	2438	79	35.8	2.5	**WSP1096**	2127	85	38.6	2.9	**WSP1296**	2172
108″	2743	93	42.2	2.8	**WSP10108**	2788	99	44.9	3.3	**WSP12108**	2962
120″	3048	107	48.5	3.1	**WSP10120**	2852	113	51.3	3.6	**WSP12120**	3030
132″	3353	121	54.9	3.4	**WSP10132**	3023	127	57.6	4.0	**WSP12132**	3186
144″	3658	135	61.2	3.7	**WSP10144**	3086	141	64.0	4.4	**WSP12144**	3245

length		15″ *(381mm)* Wide Shelves					18″ *(457mm)* Wide Shelves				
		weight		cu			weight		cu		
in.	mm	lbs.	kg	ft	model #	list	lbs.	kg	ft	model #	list
36″	914	27	12.3	1.3	**WSP1536**	2329	32	14.5	1.6	**WSP1836**	2788
48″	1219	35	15.9	1.8	**WSP1548**	2380	41	18.6	2.2	**WSP1848**	2834
60″	1524	49	22.2	2.3	**WSP1560**	1773	55	24.9	2.7	**WSP1860**	1955
72″	1829	63	28.6	2.7	**WSP1572**	2937	69	31.3	3.2	**WSP1872**	3192
84″	2134	77	34.9	3.2	**WSP1584**	3363	83	37.6	3.7	**WSP1884**	3464
96″	2438	91	41.3	3.6	**WSP1596**	3523	97	44.0	4.3	**WSP1896**	3666
108″	2743	105	47.6	4.0	**WSP15108**	3826	111	50.3	4.8	**WSP18108**	4455
120″	3048	119	54.0	4.5	**WSP15120**	3887	125	56.7	5.3	**WSP18120**	4525
132″	3353	133	60.3	4.9	**WSP15132**	4177	139	63.1	5.9	**WSP18132**	4614
144″	3658	147	66.7	5.4	**WSP15144**	4245	153	69.4	6.4	**WSP18144**	4685



Additional Hook for Shelves with Removable Hooks

- Stainless steel.

weight		cu		list
lbs.	kg	ft	model #	ea.
0.2	0.1	0.1	**300696**	59

Single Bar Utility Racks

see spec sheet EG10.06



FEATURES:

- Flat 3⁄16″ *(5mm)*-thick, 2″ *(51mm)*-wide solid bar.
- 24″ *(610mm)* racks are one-piece, all others come with support brackets.
- Includes one two-prong hook per foot.



Additional Hook for Single Bar Utility Racks

- Stainless steel.

weight		cu		list
lbs.	kg	ft	model #	ea.
0.2	0.1	0.1	**300696**	59

	length*		ALUMINUM				STAINLESS STEEL			
			weight				weight			
	in.	mm	lbs.	kg	model #	list	lbs.	kg	model #	list
8½″ width *(216mm)*	24″	610	5	2.3	**SBPR-24-A**	327	9	4.1	**SBPR-24-S**	439
	36″	915	6	2.7	**SBPR-36-A**	495	12	5.4	**SBPR-36-S**	622
	48″	1219	7	3.2	**SBPR-48-A**	527	15	6.8	**SBPR-48-S**	697
	60″	1524	9	4.1	**SBPR-60-A**	566	18	8.2	**SBPR-60-S**	770
	72″	1829	11	5.0	**SBPR-72-A**	782	21	9.5	**SBPR-72-S**	1007
	84″	2134	13	5.9	**SBPR-84-A**	809	25	11.3	**SBPR-84-S**	1074
	96″	2438	15	6.8	**SBPR-96-A**	1009	29	13.2	**SBPR-96-S**	1299
	108″	2743	17	7.7	**SBPR-108-A**	1082	34	15.4	**SBPR-108-S**	1404
	120″	3048	20	9.0	**SBPR-120-A**	1110	39	17.6	**SBPR-120-S**	1474

* For overall lengths, add 5-1/8″ *(130mm)*.

Equipment Shelves with Cord Cutout (NSF)

see spec sheet **EG02.10M**



FEATURES:


- 24″ *(610mm)* length.
- Made of highly polished heavy gauge type 430 stainless steel.
- Marine counter edge in front that prevents contents from sliding off.
- Hole with grommet at center rear for wiring.

width		weight		cubic		
in.	mm	lbs.	kg	feet	model #	list
18″	457	17	7.7	4.8	**MWS1824** •	1008
24″	610	23	10.4	4.8	**MWS2424** •	1149

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Adjustable Post Wire Wall Mounts Sold as Prepackaged Units (NSF)

see spec sheet **EG02.11**



Adjustable post wall mounts are sold as prepackaged end and mid units, or sold as components (see page 97). The prepackaged units contain all needed components except shelves and wall bolts. Wall bolts must be selected according to wall type.

FEATURES:

END UNITS.

- Two posts, single shelf brackets, post supports.
- Number of shelf brackets depends on the height of the posts.
  - 14″ *(356mm)* posts: one row of brackets.
  - 33″ *(838mm)* posts: two rows of brackets
  - …and so on.

MID UNITS

- One post, double shelf brackets, post supports.
- Number of shelf brackets corresponds to post height the same as end units.

ORDERING:

- One shelf long, order only one end unit.
- Two shelves long, order one end and one mid unit.
- Three shelves long, order one end and two mid units. And so on.

Note: Shelves *(page 6)* and accessories *(pages 49 & 50)* are sold separately.

	post height		# of	cu	weight*		Prepackaged End Units						Prepackaged Mid Units					
							chrome		Valu-Gard®		stainless steel		chrome		Valu-Gard®		stainless steel	
	in.	mm	shelves	ft	lbs.	kg	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
14″ width *(356mm)*	14″	356	1	0.6	7	3.2	**PWE14-1C**	384	**PWE14-1VG**	384	**PWE14-1S**	1033	**PWM14-1C**	245	**PWM14-1VG**	245	**PWM14-1S**	686
	33″	838	2	0.7	14	6.4	**PWE14-2C**	617	**PWE14-2VG**	617	**PWE14-2S**	1888	**PWM14-2C**	418	**PWM14-2VG**	418	**PWM14-2S**	1243
	54″	1372	3	0.7	22	10.0	**PWE14-3C**	856	**PWE14-3VG**	856	**PWE14-3S**	2426	**PWM14-3C**	588	**PWM14-3VG**	588	**PWM14-3S**	1655
	63″	1600	4	0.7	28	13.0	**PWE14-4C**	1033	**PWE14-4VG**	1033	**PWE14-4S**	2975	**PWM14-4C**	728	**PWM14-4VG**	728	**PWM14-4S**	2073
18″ width *(457mm)*	14″	356	1	0.6	8	3.6	**PWE18-1C**	388	**PWE18-1VG**	388	**PWE18-1S**	1097	**PWM18-1C**	252	**PWM18-1VG**	252	**PWM18-1S**	708
	33″	838	2	0.6	15	6.8	**PWE18-2C**	617	**PWE18-2VG**	617	**PWE18-2S**	1970	**PWM18-2C**	419	**PWM18-2VG**	419	**PWM18-2S**	1294
	54″	1372	3	0.7	23	10.0	**PWE18-3C**	859	**PWE18-3VG**	859	**PWE18-3S**	2539	**PWM18-3C**	597	**PWM18-3VG**	597	**PWM18-3S**	1715
	63″	1600	4	0.7	29	13.0	**PWE18-4C**	1038	**PWE18-4VG**	1038	**PWE18-4S**	3129	**PWM18-4C**	736	**PWM18-4VG**	736	**PWM18-4S**	1997
21″ width *(533mm)*	14″	356	1	0.7	9	4.1	**PWE21-1C**	393	**PWE21-1VG**	393	**PWE21-1S**	1108	**PWM21-1C**	258	**PWM21-1VG**	258	**PWM21-1S**	720
	33″	838	2	0.8	16	7.3	**PWE21-2C**	637	**PWE21-2VG**	637	**PWE21-2S**	1983	**PWM21-2C**	448	**PWM21-2VG**	448	**PWM21-2S**	1307
	54″	1372	3	0.9	25	11.0	**PWE21-3C**	888	**PWE21-3VG**	888	**PWE21-3S**	2556	**PWM21-3C**	627	**PWM21-3VG**	627	**PWM21-3S**	1739
	63″	1600	4	0.9	32	15.0	**PWE21-4C**	1082	**PWE21-4VG**	1082	**PWE21-4S**	3129	**PWM21-4C**	783	**PWM21-4VG**	783	**PWM21-4S**	2142
24″ width *(610mm)*	14″	356	1	0.7	10	4.5	**PWE24-1C**	393	**PWE24-1VG**	393	**PWE24-1S**	1130	**PWM24-1C**	263	**PWM24-1VG**	263	**PWM24-1S**	726
	33″	838	2	0.8	17	7.7	**PWE24-2C**	645	**PWE24-2VG**	645	**PWE24-2S**	2026	**PWM24-2C**	448	**PWM24-2VG**	448	**PWM24-2S**	1312
	54″	1372	3	0.9	26	12.0	**PWE24-3C**	899	**PWE24-3VG**	899	**PWE24-3S**	2617	**PWM24-3C**	630	**PWM24-3VG**	630	**PWM24-3S**	1762
	63″	1600	4	0.9	34	16.0	**PWE24-4C**	1092	**PWE24-4VG**	1092	**PWE24-4S**	3233	**PWM24-4C**	786	**PWM24-4VG**	786	**PWM24-4S**	2219

* For stainless steel units, add 1 lb. *(0.5 kg)* weight.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment


Adjustable Post Wire Wall Mounts Sold as Components

see spec sheet **EG02.11**

FEATURES:

- Designed to allow inter-mixing of shelf widths or customizing of units to fit specification needs.
- All components priced individually.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



brackets used in conjunction with posts and center supports

End Brackets

length		weight		cu	chrome		Valu-Gard®		stainless steel	
in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
14″	356	3	1.4	0.5	**PWB14C** •	94	**PWB14VG** •	94	**PWB14S** •	300
18″	457	4	1.8	0.6	**PWB18C** •	95	**PWB18VG** •	95	**PWB18S**	306
21″	533	5	2.3	1.0	**PWB21C** •	96	**PWB21VG**	96	**PWB21S**	325
24″	610	6	2.7	1.0	**PWB24C** •	104	**PWB24VG**	104	**PWB24S** •	333

Note: Must be used with posts to mount to the wall.

Posts

height		weight		cu	chrome		Valu-Gard®		stainless steel	
in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
14″	356	2	0.9	0.1	**PW14C** •	108	**PW14VG** •	108	**PW14S**	306
33″	838	3	1.4	0.1	**PW33C** •	136	**PW33VG** •	136	**PW33S**	488
54″	1372	5	2.3	0.1	**PW54C** •	172	**PW54VG**	172	**PW54S**	495
63″	1524	6	2.7	0.2	**PW63C**	174	**PW63VG**	174	**PW63S**	506

Mid Brackets

length		weight		cu	chrome		Valu-Gard®		stainless steel	
in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
14″	356	6	2.7	0.5	**PDWB14C** •	145	**PDWB14VG** •	145	**PDWB14S**	454
18″	457	8	3.6	0.6	**PDWB18C** •	152	**PDWB18VG**	152	**PDWB18S**	465
21″	533	10	4.5	1.0	**PDWB21C** •	156	**PDWB21VG**	156	**PDWB21S**	488
24″	610	12	5.4	1.0	**PDWB24C**	160	**PDWB24VG**	160	**PDWB24S**	495

Note: Must be used with posts to mount to the wall.

Center Support for Posts

weight		cu	chrome		Valu-Gard®		stainless steel	
lbs.	kg	ft	model #	list	model #	list	model #	list
1	0.5	0.5	**A228162**	28	**A218017**	28	**A207016**	93

Note: Must be used in conjunction with post.

Stationary Wire Wall Mounts

see spec sheet **EG02.12**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Designed for fixed application where vertical adjustment is not required.





End Units*

One single shelf support and mounting plate.

Mid Units

One double shelf support and mounting plate.

length		cu	weight**		chrome		Valu-Gard®		stainless**		weight**		chrome		Valu-Gard®		stainless**	
in.	mm	ft	lbs.	kg	model #	list	model #	list	model #	list	lbs.	kg	model #	list	model #	list	model #	list
14″	356	0.5	6	2.7	**WB14-C** •	94	**WB14-VG** •	95	**WB14-S** •	219	8	3.6	**DWB14-C** •	139	**DWB14-VG**	142	**DWB14-S**	333
18″	457	0.5	8	3.6	**WB18-C** •	95	**WB18-VG** •	96	**WB18-S** •	234	10	4.5	**DWB18-C** •	143	**DWB18-VG**	145	**DWB18-S**	353
21″	533	0.7	10	4.5	**WB21-C** •	95	**WB21-VG**	96	**WB21-S**	240	12	5.5	**DWB21-C**	143	**DWB21-VG**	145	**DWB21-S**	362
24″	610	0.7	12	5.5	**WB24-C** •	96	**WB24-VG**	103	**WB24-S** •	245	14	6.4	**DWB24-C** •	145	**DWB24-VG**	148	**DWB24-S**	376

*End Units priced per piece; **For stainless steel units, add 1 lb. *(0.5 kg)* weight.

Wall Mounted Drop Tables/Shelves

see product announcement **EG02.15**

FEATURES:

- 3/4″ *(19mm)* thick shelf.
- Pair of chrome-plated drop brackets.
- Weight capacity of 80 lbs. *(36.3 kg)*.



drop bracket shown in raised-up position



poly drop table/shelf mounted onto wall —shown in dropped-down position

width		length		Poly *				Richlite® **				16/3 Stainless Steel with Wooden Core			
				weight				weight				weight			
in.	mm	in.	mm	lb.	kg	model #	list	lb.	kg	model #	list	lb.	kg	model #	list
10″	254	24″	610	8	3.6	**DSP-1024**	504	9	4.1	**DSR-1024**	759	12	5.4	**DSS-1024**	588
10″	254	30″	762	10	4.5	**DSP-1030**	526	11	5.0	**DSR-1030**	863	14	6.4	**DSS-1030**	598
10″	254	36″	914	11	5.0	**DSP-1036**	554	13	5.9	**DSR-1036**	980	16	7.3	**DSS-1036**	628
12″	305	24″	610	8	3.6	**DSP-1224**	517	10	4.5	**DSR-1224**	822	14	6.4	**DSS-1224**	594
12″	305	30″	762	11	5.0	**DSP-1230**	544	14	6.4	**DSR-1230**	827	16	7.3	**DSS-1230**	627
12″	305	36″	914	13	5.9	**DSP-1236**	582	19	8.6	**DSR-1236**	1110	18	8.2	**DSS-1236**	645

* Poly tables/shelves can withstand hot items up to 180˚F without discoloration.

** Richlite® tables/shelves can withstand hot items up to 350˚F without discoloration.

Wall Cabinets

see spec sheet **EG02.07**

FEATURES:

- Heavy gauge stainless steel.
- Back is recessed with full-length concealed mounting plate for easy installation.
- Fixed center shelf.
- Hinged doors provided with lift-off pin hinges.
- 15″ *(381mm)* width. 28″ *(711mm)* overall height.



wall cabinet with hinged doors



wall cabinet with sliding doors

length		cu	Open Front				Hinged Doors				Sliding Doors			
			weight				weight				weight			
in.	mm	ft	lbs.	kg	model #	list	lbs.	kg	model #	list	lbs.	kg	model #	list
24″	610	13.5	117	53.1	**WCO-24**	6833	136	61.7	**WCH-24**	9272	136	61.7	**WCS-24**	7729
30″	762	17.3	129	58.5	**WCO-30**	6840	154	69.9	**WCH-30**	10275	154	69.9	**WCS-30**	9417
36″	914	18.0	141	64.0	**WCO-36**	7094	172	78.0	**WCH-36**	10453	172	78.0	**WCS-36**	9709
42″	1067	18.2	–		–		191	86.6	**WCH-42**	10985	191	86.6	**WCS-42**	9758
48″	1219	18.3	165	74.8	**WCO-48**	8172	208	94.3	**WCH-48**	11325	208	94.3	**WCS-48**	10636
54″	1372	25.4	–		–		226	102.5	**WCH-54**	11582	226	102.5	**WCS-54**	10833
60″	1524	22.6	189	85.7	**WCO-60**	8943	244	110.7	**WCH-60**	12985	244	110.7	**WCS-60**	12299
66″	1676	30.6	–		–		256	115.1	**WCH-66**	13080	–		–	
72″	1829	26.8	213	96.6	**WCO-72**	9488	262	118.8	**WCH-72**	14549	262	118.8	**WCS-72**	13776
84″	2134	38.5	225	102.1	**WCO-84**	10010	281	127.5	**WCH-84** *	14956	281	127.5	**WCS-84** *	14133
90″	2286	41.7	–		–		298	135.3	**WCH-90** *	15804	298	135.3	**WCS-90** *	14966
96″	2438	35.2	249	112.9	**WCO-96**	11210	316	143.3	**WCH-96** *	16294	316	143.3	**WCS-96** *	15430
120″	3048	55.8	–		–		–		–		359	162.9	**WCS-120** *	18592

* Features two pairs of doors.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Stainless Steel Modular Casework

Adjustable Height Tables
- Electronic Drive 119
- Pinned Leg 119

Base Units - Sitting Height Cabinets
- Corner Base Cabinets 109
- with Door/Drawer Combo 109
- with Drawer Bank 108
- with Full-Height Door(s) 108
- with Open Front 108
- Sink Bases 109

Base Units - Standing Height Cabinets
- Corner Base Cabinets 107
- with Door/Drawer Combo 105-106
- with Drawer Bank(s) 103-104
- with Full-Height Door(s) 103
- with Open Front 103
- Sink Bases 107

Base Fillers
- Corner Fillers 111
- Knee Space Apron Kits 110
- Knee Space Panels 110
- Rear Filler Panels 111
- Rear Filler Scribes 111
- Toe Fillers 110
- Toe Scribes 110

Bench Frames
- Standard 117
- with Drawer(s) 118

Healthcare Storage 116

Lab Benches 100

Laboratory Sinks 100-101

Laboratory Wall Shelves 120

Pegboards 120

Stainless Steel Countertops 122-123

Tall Cabinets
- Framed Glass Swinging Tall Cases 115
- Open Tall Cases 114
- Solid Swinging Tall Cases 114

Upper Cabinets
- Corner Cases 113
- Framed Glass Swinging Wall Cases 113
- Open Wall Cases 112
- Solid Swinging Wall Cases 112

Vertical Storage Cabinets 117

Pharmaceutical • Biotech • Medical Device • Cleanroom • Lab • Research




Eagle MHC manufactures a broadline of stainless steel inset casework featuring a wide variety of drawer and door configurations to meet your laboratory requirements.

Our casework construction and performance characteristics are in full compliance with SEFA 8M Metal standards.

In addition to our extensive casework product line, Eagle MHC offers stainless steel countertops, custom stainless steel fabrication, laboratory sinks, workstations and storage solutions.

Visit **www.eaglemhc.com/casework** to…

- Explore our Casework Products
- Download Standard Casework Construction Specifications
- View projects featuring Eagle's casework
- Request a Quote from Our Sales Team
- Get CAD/Revit drawings



NEW Lab Benches

SEFA

see spec sheets **EG03.82** **EG03.83**



unit with adjustable height



unit with fixed height

FEATURES:

- All-stainless steel type 304 construction, with #4 brushed finish.
- Worksurface height is 36″. Overall height 72″.
- Frame and leg constructed with 2″ square tubes.
- 16 gauge type 304 countertop, 1″ thick, with square edge on all sides.
- Slotted rear uprights with two (2) 16 gauge lab-style shelves with 1-1/4″ rear upturn, square edge front and upturned bookends.
- Legs provided with leveling mounts.
- Designed to meet SEFA recommended practices

width in	width mm	length in	length mm	…with Adjustable* Height model #	…with Fixed* Height model #
30″	762	36″	914	**SSC-AHLB-3036-72-D**	**SSC-HTLB-3036-72-D**
30″	762	48″	1270	**SSC-AHLB-3048-72-D**	**SSC-HTLB-3048-72-D**
30″	762	60″	1524	**SSC-AHLB-3060-72-D**	**SSC-HTLB-3060-72-D**
30″	762	72″	1829	**SSC-AHLB-3072-72-D**	**SSC-HTLB-3072-72-D**
30″	762	84″	2134	**SSC-AHLB-3084-72-D**	**SSC-HTLB-3084-72-D**
30″	762	96″	2438	**SSC-AHLB-3096-72-D**	**SSC-HTLB-3096-72-D**

* On Tables with Adjustable Height, overall height adjusts from 67″ to 74″ (1702 to 1880mm). Tables with Fixed Height feature 72″ (1829mm) overall height.

NEW Laboratory Sinks

NSF



FEATURES:

- Constructed of 14-gauge type 304 stainless steel, with #4 brushed finish.
- Fully welded and polished bowl with radius corners.
- Rolled edges on front and sides, 8″-high backsplash with downturn edge and “Z” clips.
- Stainless legs, gussets, and feet standard.
- Faucet holes punched on 8″ centers.
- 3-1/2″ basket drain with 1-1/2″ outlet.
- Drainboards, when included, sloped and integral to bowls.
- NSF/CSA-approved.

One-Compartment – *See spec sheet* **EG03.67**

bowl size width x length in.	bowl size width x length mm	drainboard(s)	overall size width x length in.	overall size width x length mm	model #
24″ x 15″	610 x 381	none	28″ x 19″	711 x 483	**SSC-2415-1**
24″ x 15″	610 x 381	one 18″ (457mm) R or L *	28″ x 35″	711 x 889	**SSC-2415-1-18R** or **L**
24″ x 15″	610 x 381	two 18″ (457mm)	28″ x 51″	711 x 1294	**SSC-2415-1-18**
24″ x 18″	610 x 457	none	28″ x 22″	711 x 483	**SSC-2418-1**
24″ x 18″	610 x 457	one 18″ (457mm) R or L *	28″ x 38″	711 x 889	**SSC-2418-1-18R** or **L**
24″ x 18″	610 x 457	two 18″ (457mm)	28″ x 54″	711 x 1294	**SSC-2418-1-18**
24″ x 21″	610 x 533	none	28″ x 25″	711 x 483	**SSC-2421-1**
24″ x 21″	610 x 533	one 24″ (610mm) R or L *	28″ x 47″	711 x 889	**SSC-2421-1-24R** or **L**
24″ x 21″	610 x 533	two 24″ (610mm)	28″ x 69″	711 x 1294	**SSC-2421-1-24**
24″ x 24″	610 x 610	none	28″ x 28″	711 x 711	**SSC-2424-1**
24″ x 24″	610 x 610	one 24″ (610mm) R or L *	28″ x 50″	711 x 1270	**SSC-2424-1-24R** or **L**
24″ x 24″	610 x 610	two 24″ (610mm)	28″ x 72″	711 x 1829	**SSC-2424-1-24**
24″ x 30″	610 x 762	none	28″ x 34″	711 x 483	**SSC-2430-1**
24″ x 30″	610 x 762	one 24″ (610mm) R or L *	28″ x 56″	711 x 889	**SSC-2430-1-24R** or **L**
24″ x 30″	610 x 762	two 24″ (610mm)	28″ x 78″	711 x 1294	**SSC-2430-1-24**
24″ x 36″	610 x 914	none	28″ x 40″	711 x 483	**SSC-2436-1**
24″ x 36″	610 x 914	one 24″ (610mm) R or L *	28″ x 62″	711 x 889	**SSC-2436-1-24R** or **L**
24″ x 36″	610 x 914	two 24″ (610mm)	28″ x 84″	711 x 1294	**SSC-2436-1-24**

* “**R**” indicates drainboard is located at the right end of the unit, and “**L**” indicates drainboard is at the left end.




Consult factory for pricing.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

NEW Laboratory Sinks

NSF SEFA





FEATURES:

- Constructed of 14-gauge type 304 stainless steel, with #4 brushed finish.
- Fully welded and polished bowl with radius corners.
- Rolled edges on front and sides, 8″-high backsplash with downturn edge and "Z" clips.
- Stainless legs, gussets, and feet standard.
- Faucet holes punched on 8″ centers.
- 3-1/2″ basket drain with 1-1/2″ outlet.
- Drainboards, when included, sloped and integral to bowls.

Two-Compartment – *See spec sheet* EG03.68

bowl size width x length in.	bowl size width x length mm	drainboard(s)	overall size width x length in.	overall size width x length mm	model #
24″ x 15″	610 x 381	none	28″ x 34″	711 x 864	**SSC-2430-2**
24″ x 15″	610 x 381	one 18″ (457mm) R or L *	28″ x 50″	711 x 1270	**SSC-2430-2-18R** or **L**
24″ x 15″	610 x 381	two 18″ (457mm)	28″ x 66″	711 x 1676	**SSC-2430-2-18**
24″ x 18″	610 x 457	none	28″ x 40″	711 x 1016	**SSC-2436-2**
24″ x 18″	610 x 457	one 18″ (457mm) R or L *	28″ x 56″	711 x 1422	**SSC-2436-2-18R** or **L**
24″ x 18″	610 x 457	two 18″ (457mm)	28″ x 72″	711 x 1829	**SSC-2436-2-18**
24″ x 21″	610 x 533	none	28″ x 46″	711 x 1168	**SSC-2442-2**
24″ x 21″	610 x 533	one 24″ (610mm) R or L *	28″ x 68″	711 x 1727	**SSC-2442-2-24R** or **L**
24″ x 21″	610 x 533	two 24″ (610mm)	28″ x 90″	711 x 2286	**SSC-2442-2-24**
24″ x 24″	610 x 610	none	28″ x 52″	711 x 1321	**SSC-2448-2**
24″ x 24″	610 x 610	one 24″ (610mm) R or L *	28″ x 74″	711 x 1880	**SSC-2448-2-24R** or **L**
24″ x 24″	610 x 610	two 24″ (610mm)	28″ x 96″	711 x 2438	**SSC-2448-2-24**
24″ x 30″	610 x 762	none	28″ x 64″	711 x 1626	**SSC-2460-2**
24″ x 30″	610 x 762	one 24″ (610mm) R or L *	28″ x 86″	711 x 2184	**SSC-2460-2-24R** or **L**
24″ x 30″	610 x 762	two 24″ (610mm)	28″ x 108″	711 x 2743	**SSC-2460-2-24**
24″ x 36″	610 x 914	none	28″ x 76″	711 x 1930	**SSC-2472-2**
24″ x 36″	610 x 914	one 24″ (610mm) R or L *	28″ x 98″	711 x 2489	**SSC-2472-2-24R** or **L**
24″ x 36″	610 x 914	two 24″ (610mm)	28″ x 120″	711 x 3048	**SSC-2472-2-24**

* "**R**" indicates drainboard is located at the right end of the unit, and "**L**" indicates drainboard is at the left end.

Three-Compartment – *See spec sheet* EG03.69


bowl size width x length in.	bowl size width x length mm	drainboard(s)	overall size width x length in.	overall size width x length mm	model #
24″ x 15″	610 x 381	none	28″ x 49″	711 x 1245	**SSC-2445-3**
24″ x 15″	610 x 381	one 18″ (457mm) R or L *	28″ x 65″	711 x 1651	**SSC-2445-3-18R** or **L**
24″ x 15″	610 x 381	two 18″ (457mm)	28″ x 81″	711 x 2057	**SSC-2445-3-18**
24″ x 18″	610 x 457	none	28″ x 58″	711 x 1473	**SSC-2454-3**
24″ x 18″	610 x 457	one 18″ (457mm) R or L *	28″ x 74″	711 x 1880	**SSC-2454-3-18R** or **L**
24″ x 18″	610 x 457	two 18″ (457mm)	28″ x 90″	711 x 2286	**SSC-2454-3-18**
24″ x 21″	610 x 533	none	28″ x 67″	711 x 1702	**SSC-2463-3**
24″ x 21″	610 x 533	one 24″ (610mm) R or L *	28″ x 89″	711 x 2261	**SSC-2463-3-24R** or **L**
24″ x 21″	610 x 533	two 24″ (610mm)	28″ x 111″	711 x 2819	**SSC-2464-3-24**
24″ x 24″	610 x 610	none	28″ x 76″	711 x 1930	**SSC-2472-3**
24″ x 24″	610 x 610	one 24″ (610mm) R or L *	28″ x 98″	711 x 2489	**SSC-2472-3-24R** or **L**
24″ x 24″	610 x 610	two 24″ (610mm)	28″ x 120″	711 x 3048	**SSC-2472-3-24**


* "**R**" indicates drainboard is located at the right end of the unit, and "**L**" indicates drainboard is at the left end.

Consult factory for pricing.

Standard Casework Construction Specifications







Click on the buttons below to download copies of our Casework General Architectural Specifications, SEFA 8M Test Results – Casework, SEFA 3 Test Results – Worksurfaces, and CAD & REVIT files.

Download General Architectural Specifications

Download SEFA3 Test Results Worksurfaces

Download SEFA8 Test Results Casework

Download CAD and REVIT Files

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment


Base Units - Standing Height Cabinets

with Open Base

see spec sheet **EG03.00**

depth		width		weight			
in	mm	in	mm	lbs.	kg	description	model #
22″	559	18″	457	74	33.6	open base	**SSC-HOB-18**
22″	559	24″	610	99	44.9	open base	**SSC-HOB-24**
22″	559	30″	762	124	56.2	open base	**SSC-HOB-30**
22″	559	36″	914	133	60.3	open base	**SSC-HOB-36**
22″	559	48″	1218	149	67.6	open base	**SSC-HOB-48**

FEATURES:
- Open Base with interior shelf
- Standing Height - 35″ *(889mm)* high.
- 22″ *(559mm)* depth.



with Full-Height Door(s)

see spec sheet **EG03.00**

depth		width		weight			
in	mm	in	mm	lbs.	kg	description	model #
22″	559	18″	457	99	44.9	left swing door	**SSC-HCBL-18**
22″	559	18″	457	99	44.9	right swing door	**SSC-HCBR-18**
22″	559	24″	610	124	56.2	left swing door	**SSC-HCBL-24**
22″	559	24″	610	124	56.2	right swing door	**SSC-HCBR-24**
22″	559	30″	762	174	78.9	double doors	**SSC-HCB-30**
22″	559	36″	914	183	83.0	double doors	**SSC-HCB-36**
22″	559	48″	1219	199	90.3	double doors	**SSC-HCB-48**

FEATURES:
- Full-height hinged door(s) with wire style pull.
- Intermediate shelf.
- Standing Height - 35″ *(889mm)* high.
- 22″ *(559mm)* depth.



SSC-HCBL-18



SSC-HCBR-24



SSC-HCB-30

with Single-Bank Drawers

see spec sheet **EG03.01**

FEATURES:
- Units with single-bank full-length drawers.
- Standing Height - 35″ *(889mm)* high.
- 22″ *(559mm)* depth.

Four 7″ (178mm) Drawers Per Unit

22″	559	18″	457	142	64.4	4	7″	178	**SSC-HDB7-18**
22″	559	24″	610	167	75.7	4	7″	178	**SSC-HDB7-24**
22″	559	30″	762	260	117.9	4	7″	178	**SSC-HDB7-30**
22″	559	36″	914	269	122.0	4	7″	178	**SSC-HDB7-36**
22″	559	48″	1219	285	129.0	4	7″	178	**SSC-HDB7-48**



SSC-HDB7-24



SSC-HDB7-36

Three 10″ (254mm) Drawers Per Unit

depth		width		weight		no. of	drawer height		
in	mm	in	mm	lbs.	kg	drawers	in.	mm	model #
22″	559	18″	457	134	60.8	3	10″	254	**SSC-HDB10-18**
22″	559	24″	610	159	72.1	3	10″	254	**SSC-HDB10-24**
22″	559	30″	762	244	110.7	3	10″	254	**SSC-HDB10-30**
22″	559	36″	914	253	114.8	3	10″	254	**SSC-HDB10-36**
22″	559	48″	1219	269	122.1	3	10″	254	**SSC-HDB10-48**



SSC-HDB10-24

Consult factory for pricing.

Base Units - Standing Height Cabinets (continued)

with Single-Bank Drawers (continued)


see spec sheet **EG03.01**

FEATURES:

- Units with single-bank full-length drawers.
- Standing Height - 35″ *(889mm)* high.
- 22″ *(559mm)* depth.

Ten 3″ (76mm) Drawers Per Unit

depth		width		weight		no. of	drawer height		
in	mm	in	mm	lbs.	kg	drawers	in.	mm	model #
22″	559	18″	457	174	78.9	10	3″	76	**SSC-HDB3-18**
22″	559	24″	610	199	90.3	10	3″	76	**SSC-HDB3-24**
22″	559	30″	762	324	146.9	10	3″	76	**SSC-HDB3-30**
22″	559	36″	914	333	151.0	10	3″	76	**SSC-HDB3-36**
22″	559	48″	1219	349	158.0	10	3″	76	**SSC-HDB3-48**



SSC-HDB3-24

Five 6″ (152mm) Drawers Per Unit

depth		width		weight		no. of	drawer height		
in	mm	in	mm	lbs.	kg	drawers	in.	mm	model #
22″	559	18″	457	149	67.6	5	6″	152	**SSC-HDB6-18**
22″	559	24″	610	174	78.9	5	6″	152	**SSC-HDB6-24**
22″	559	30″	762	274	124.3	5	6″	152	**SSC-HDB6-30**
22″	559	36″	914	283	128.4	5	6″	152	**SSC-HDB6-36**
22″	559	48″	1219	299	135.6	5	6″	152	**SSC-HDB6-48**



SSC-HDB6-18



SSC-HDB6-48

with Double-Bank Drawers

see spec sheet **EG03.02**

FEATURES:

- Units with double-bank of drawers.
- Standing Height - 35″ *(889mm)* high.
- 22″ *(559mm)* depth.

Ten 6″ (152mm) Drawers Per Unit

depth		width		weight		no. of	drawer height		
in	mm	in	mm	lbs.	kg	drawers	in.	mm	model #
22″	559	30″	762	548	248.6	10	6″	152	**SSC-HDBD6-30**
22″	559	36″	914	566	256.7	10	6″	152	**SSC-HDBD6-36**
22″	559	48″	1219	598	271.2	10	6″	152	**SSC-HDBD6-48**



SSC-HDBD6-36

Eight 7″ (178mm) Drawers Per Unit

depth		width		weight		no. of	drawer height		
in	mm	in	mm	lbs.	kg	drawers	in.	mm	model #
22″	559	30″	762	520	235.9	8	7″	152	**SSC-HDBD7-30**
22″	559	36″	914	538	244.0	8	7″	152	**SSC-HDBD7-36**
22″	559	48″	1219	570	258.6	8	7″	152	**SSC-HDBD7-48**



SSC-HDBD7-48

Consult factory for pricing.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Base Units - Standing Height Cabinets (continued)

with Door/Drawer Combination


see spec sheet **EG03.03**

FEATURES:

- Units with hinged door(s) and drawer(s).
- Standing Height - 35″ *(889mm)* high.
- 22″ *(559mm)* depth.









Units with 3″ (76mm) Drawers

depth in	depth mm	width in	width mm	weight lbs.	weight kg	no. of drawers	drawer height in.	drawer height mm	description	model #
22″	559	18″	457	94	42.6	2	3″	76	left swing door	**SSC-HDDLT3-18**
22″	559	18″	457	94	42.6	2	3″	76	right swing door	**SSC-HDDRT3-18**
22″	559	24″	610	119	53.9	2	3″	76	left swing door	**SSC-HDDLT3-24**
22″	559	24″	610	119	53.9	2	3″	76	right swing door	**SSC-HDDRT3-24**
22″	559	30″	762	214	97.1	2	3″	76	double doors	**SSC-HDDT3-30**
22″	559	36″	914	223	101.1	2	3″	76	double doors	**SSC-HDDT3-36**
22″	559	48″	1219	239	108.4	2	3″	76	double doors	**SSC-HDDT3-48**
22″	559	30″	762	224	101.6	4	3″	76	double doors	**SSC-HDDT3D-30**
22″	559	36″	914	233	105.7	4	3″	76	double doors	**SSC-HDDT3D-36**
22″	559	48″	1219	249	112.9	4	3″	76	double doors	**SSC-HDDT3D-48**



SSC-HDDLT6-18



SSC-HDDLR6-18



SSC-HDDT6D-30

Units with One or Two 6″ (152mm) Drawers

depth in	depth mm	width in	width mm	weight lbs.	weight kg	no. of drawers	drawer height in.	drawer height mm	description	model #
22″	559	18″	457	114	51.7	1	6″	152	left swing door	**SSC-HDDLT6-18**
22″	559	18″	457	114	51.7	1	6″	152	right swing door	**SSC-HDDRT6-18**
22″	559	24″	610	139	63.0	1	6″	152	left swing door	**SSC-HDDLT6-24**
22″	559	24″	610	139	63.0	1	6″	152	right swing door	**SSC-HDDRT6-24**
22″	559	30″	762	204	92.5	1	6″	152	double doors	**SSC-HDDT6-30**
22″	559	36″	914	213	96.6	1	6″	152	double doors	**SSC-HDDT6-36**
22″	559	48″	1218	229	103.9	1	6″	152	double doors	**SSC-HDDT6-48**
22″	559	30″	762	214	97.1	2	6″	152	double doors	**SSC-HDDT6D-30**
22″	559	36″	914	223	101.2	2	6″	152	double doors	**SSC-HDDT6D-36**
22″	559	48″	1218	239	108.4	2	6″	152	double doors	**SSC-HDDT6D-48**

Consult factory for pricing.

Base Units - Standing Height Cabinets (continued)

with Door/Drawer Combination (cont.)

see spec sheet **EG03.04** *and* **EG03.05**

FEATURES:

- Units with door(s) and drawer(s).
- Standing Height - 35″ *(889mm)* high.
- 22″ *(559mm)* depth.

Units with Five 6″ (152mm) Drawers

depth in	depth mm	width in	width mm	weight lbs.	weight kg	no. of drawers	drawer height in.	drawer height mm	description	model #
22″	559	30″	762	209	94.8	5	6″	152	left swing door	**SSC-HDDL6-30**
22″	559	30″	762	209	94.8	5	6″	152	right swing door	**SSC-HDDR6-30**
22″	559	36″	914	218	98.9	5	6″	152	left swing door	**SSC-HDDL6-36**
22″	559	36″	914	218	98.9	5	6″	152	right swing door	**SSC-HDDR6-36**
22″	559	48″	1219	234	106.1	5	6″	152	left swing door	**SSC-HDDL6-48**
22″	559	48″	1219	234	106.1	5	6″	152	right swing door	**SSC-HDDR6-48**



SSC-HDDL6-30



SSC-HDDR6-30

Units with Six 6″ (152mm) Drawers

depth in	depth mm	width in	width mm	weight lbs.	weight kg	no. of drawers	drawer height in.	drawer height mm	description	model #
22″	559	30″	762	234	106.1	6	6″	152	left swing door	**SSC-HDDLT6D-30**
22″	559	30″	762	234	106.1	6	6″	152	right swing door	**SSC-HDDRT6D-30**
22″	559	36″	914	243	110.2	6	6″	152	left swing door	**SSC-HDDLT6D-36**
22″	559	36″	914	243	110.2	6	6″	152	right swing door	**SSC-HDDRT6D-36**
22″	559	48″	1219	259	117.5	6	6″	152	left swing door	**SSC-HDDLT6D-48**
22″	559	48″	1219	259	117.5	6	6″	152	right swing door	**SSC-HDDRT6D-48**



SSC-HDDLT6D-48



SSC-HDDRT6D-48

Units with Four 7″ (178mm) Drawers

depth in	depth mm	width in	width mm	weight lbs.	weight kg	no. of drawers	drawer height in.	drawer height mm	description	model #
22″	559	30″	762	202	91.6	4	7″	178	left swing door	**SSC-HDDL7-30**
22″	559	30″	762	202	91.6	4	7″	178	right swing door	**SSC-HDDR7-30**
22″	559	36″	914	211	95.7	4	7″	178	left swing door	**SSC-HDDL7-36**
22″	559	36″	914	211	95.7	4	7″	178	right swing door	**SSC-HDDR7-36**
22″	559	48″	1219	227	102.9	4	7″	178	left swing door	**SSC-HDDL7-48**
22″	559	48″	1219	227	102.9	4	7″	178	right swing door	**SSC-HDDR7-48**



SSC-HDDL7-36



SSC-HDDR7-36

Units with Five 7″ (178mm) Drawers

depth in	depth mm	width in	width mm	weight lbs.	weight kg	no. of drawers	drawer height in.	drawer height mm	description	model #
22″	559	30″	762	244	110.7	5	7″	178	left swing door	**SSC-HDDLT7D-30**
22″	559	30″	762	244	110.7	5	7″	178	right swing door	**SSC-HDDRT7D-30**
22″	559	36″	914	253	114.8	5	7″	178	left swing door	**SSC-HDDLT7D-36**
22″	559	36″	914	253	114.8	5	7″	178	right swing door	**SSC-HDDRT7D-36**
22″	559	48″	1219	269	122.0	5	7″	178	left swing door	**SSC-HDDLT7D-48**
22″	559	48″	1219	269	122.0	5	7″	178	right swing door	**SSC-HDDRT7D-48**



SSC-HDDLT7D-30

Consult factory for pricing.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Base Units - Standing Height Cabinets (continued)

Sink Bases

see spec sheet **EG03.06**

FEATURES:
- Units with hinged door(s).
- Standing Height - 35″ *(889mm)* high.
- Partial height back panel.
- 22″ *(559mm)* depth.

depth in	depth mm	width in	width mm	weight lbs.	weight kg	description	model #
22″	559	18″	457	99	44.9	left swing door	**SSC-HSBL-18**
22″	559	18″	457	99	44.9	right swing door	**SSC-HSBR-18**
22″	559	24″	610	124	56.2	left swing door	**SSC-HSBL-24**
22″	559	24″	610	124	56.2	right swing door	**SSC-HSBR-24**
22″	559	30″	762	174	78.9	double doors	**SSC-HSB-30**
22″	559	36″	914	183	83.0	double doors	**SSC-HSB-36**
22″	559	48″	1219	199	90.2	double doors	**SSC-HSB-48**
22″	559	56″	1422	219	99.3	double doors	**SSC-HSB-56**
22″	559	58″	1473	222	100.7	double doors	**SSC-HSB-58**





Angled Sink Bases

see spec sheet **EG03.06**

FEATURES:
- Removable access panel at front
- Open design at rear for plumbing
- Mounts to adjacent freestanding base units

depth in	depth mm	width in	width mm	weight lbs.	weight kg	model #
22″	559	24″	610	53	24.0	**SSC-HSBA-24**
22″	559	30″	762	56	25.4	**SSC-HSBA-30**
22″	559	36″	914	62	28.2	**SSC-HSBA-36**
22″	559	48″	1219	75	34.0	**SSC-HSBA-48**



SSC-HSBS-36

NEW Corner Base Cabinets


see spec sheet **EG03.07**

FEATURES:
- Standing Height - 35″ *(889mm)* high.
- Intermediate shelf adjustable on ½″ (12mm) increments.
- 22″ *(559mm)* depth.

depth in	depth mm	width* in	width* mm	weight lbs.	weight kg	description	model #
22″	559	49″	1245	142	64.4	open base	**SSC-HCOB-18**
22″	559	49″	1245	149	67.6	left swing door	**SSC-HCCBL-18**
22″	559	49″	1245	149	67.6	right swing door	**SSC-HCCBR-18**

* Overall end-to-end dimension.





Consult factory for pricing.


Base Units - Sitting Height Cabinets

with Open Base

see spec sheet **EG03.10**

FEATURES:
- Open Base with interior shelf
- Sitting Height - 29⅛″ *(740mm)* high.
- 22″ *(559mm)* depth.

depth		width		weight			
in	mm	in	mm	lbs.	kg	description	model #
22″	559	18″	457	72	32.7	open base	**SSC-SOB-18**
22″	914	24″	610	97	44.0	open base	**SSC-SOB-24**
22″	914	30″	610	122	55.3	open base	**SSC-SOB-30**
22″	914	36″	610	131	59.4	open base	**SSC-SOB-36**
22″	914	48″	610	147	66.7	open base	**SSC-SOB-48**



with Full Height Door(s)

see spec sheet **EG03.10**

FEATURES:
- Full height door with interior shelf
- Sitting Height - 29⅛″ *(740mm)* high.
- 22″ *(559mm)* depth.

depth		width		weight			
in	mm	in	mm	lbs.	kg	description	model #
22″	559	18″	457	97	44.0	left swing door	**SSC-SCBL-18**
22″	914	18″	457	97	44.0	right swing door	**SSC-SCBR-18**
22″	914	24″	610	122	55.3	left swing door	**SSC-SCBL-24**
22″	914	24″	610	122	55.3	right swing door	**SSC-SCBR-24**
22″	914	30″	762	172	78.0	double doors	**SSC-SCB-30**
22″	914	36″	914	181	82.1	double doors	**SSC-SCB-36**
22″	914	48″	1219	197	89.4	double doors	**SSC-SCB-48**



SSC-HCBL-18



SSC-HCBR-24



SSC-HCB-30

with Drawers

see spec sheet **EG03.11**

FEATURES:
- Units with single-bank full-length drawers.
- Sitting Height - 29⅛″ *(740mm)* high.
- 22″ *(559mm)* depth.

Two 12″ (305mm) Drawers Per Unit

depth		width		weight		no. of	drawer height		
in	mm	in	mm	lbs.	kg	drawers	in.	mm	model #
22″	559	18″	457	112	50.8	2	12″	305	**SSC-SDB12-18**
22″	559	24″	610	137	62.1	2	12″	305	**SSC-SDB12-24**



SSC-SDB12-18

Four 6″ (152mm) Drawers Per Unit

depth		width		weight		no. of	drawer height		
in	mm	in	mm	lbs.	kg	drawers	in.	mm	model #
22″	559	18″	457	132	59.9	4	6″	152	**SSC-SDB6-18**
22″	559	24″	610	157	71.2	4	6″	152	**SSC-SDB6-24**



SSC-SDB6-18

Consult factory for pricing.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Base Units - Sitting Height Cabinets (continued)

with Door/Drawer Combination

see spec sheet **EG03.12**

FEATURES:
- Units with door(s) and drawer(s).
- Sitting Height - 29⅛″ *(740mm)* high.
- 22″ *(559mm)* depth.

depth		width			Units with Two 3″ (76mm)-high Drawers			Units with One 6″ (152mm)-high Drawer		
					weight			weight		
in	mm	in	mm	description	lbs.	kg	model #	lbs.	kg	model #
22″	559	18″	457	left swing door	117	53.1	**SSC-SDDLT3-18**	112	50.8	**SSC-SDDLT6-18**
22″	559	18″	457	right swing door	117	53.1	**SSC-SDDRT3-18**	112	50.8	**SSC-SDDRT6-18**
22″	559	24″	610	left swing door	142	64.4	**SSC-SDDLT3-24**	137	62.1	**SSC-SDDLT6-24**
22″	559	24″	610	right swing door	142	64.4	**SSC-SDDRT3-24**	137	62.1	**SSC-SDDRT6-24**



SSC-SDDLT3-24



SSC-SDDRT6-18

Sink Bases

see spec sheet **EG03.13**

FEATURES:
- Units with hinged door(s).
- Sitting Height - 29⅛″ *(740mm)* high.
- Partial height back panel.
- 22″ *(559mm)* depth.

depth		width		weight			
in	mm	in	mm	lbs.	kg	description	model #
22″	559	18″	457	97	44.0	left swing door	**SSC-SSBL-18**
22″	914	18″	457	97	44.0	right swing door	**SSC-SSBR-18**
22″	914	24″	610	122	55.3	left swing door	**SSC-SSBL-24**
22″	914	24″	610	122	55.3	right swing door	**SSC-SSBR-24**
22″	914	30″	762	172	78.0	double doors	**SSC-SSB-30**
22″	914	36″	914	181	82.1	double doors	**SSC-SSB-36**
22″	914	48″	1219	197	89.4	double doors	**SSC-SSB-48**
22″	559	56	1422	217	98.4	double doors	**SSC-SSB-56**
22″	559	58	1473	220	99.8	double doors	**SSC-SSB-58**



SSC-SSBL-24



SSC-SSB-56

Angled Sink Bases

see spec sheet **EG03.13**

FEATURES:
- Removable access panel at front
- Open design at rear for plumbing
- Mounts to adjacent freestanding base units

depth		width		weight		
in	mm	in	mm	lbs.	kg	model #
22″	559	24″	610	49	22.2	**SSC-SSBA-24**
22″	559	30″	762	52	23.6	**SSC-SSBA-30**
22″	559	36″	914	56	25.4	**SSC-SSBA-36**
22″	559	48″	1219	65	29.5	**SSC-SSBA-48**



SSC-SSBA-18


NEW Corner Base Cabinets

see spec sheet **EG03.14**

FEATURES:
- Sitting Height - 29⅛″ *(740mm)* high.
- Intermediate shelf adjustable on ½″ (12mm) increments.
- 22″ *(559mm)* depth.

depth		width*		weight			
in	mm	in	mm	lbs.	kg	description	model #
22″	559	49″	1245	138	62.6	open base	**SSC-SCOB-18**
22″	559	49″	1245	145	65.8	left swing door	**SSC-SCCBL-18**
22″	559	49″	1245	145	65.8	right swing door	**SSC-SCCBR-18**

* Overall end-to-end dimension.





Consult factory for pricing.

Base Fillers

Knee Space Apron Kits

see spec sheet **EG03.20**

FEATURES:
- Ships knocked down.
- Mounts to adjacent freestanding bases.
- Kits with Drawer feature 3″ drawer assembly with wire pull.

				without Drawer			w/One 3″ Drawer		
depth		width		weight			weight		
in	mm	in.	mm	lbs.	kg	model #	lbs.	kg	model #
22″	559	24″	610	32	14.5	**SSC-KAK-24**	46	20.8	**SSC-KAK1D-24**
22″	559	30″	762	35	15.9	**SSC-KAK-30**	49	22.2	**SSC-KAK1D-30**
22″	559	36″	914	38	17.2	**SSC-KAK-36**	52	23.6	**SSC-KAK1D-36**
22″	559	48″	1219	41	18.5	**SSC-KAK-48**	55	25.0	**SSC-KAK1D-48**



Knee-Space Filler Panels

see spec sheet **EG03.20**

FEATURES:
- 29⅛″ *(740mm)* Sitting or 35″ *(889mm)* Standing Height.
- For use with no apron above.



		35″ Standing Height			29⅛″ Sitting Height		
width		weight			weight		
in	mm	lbs.	kg	model #	lbs.	kg	model #
24″	610	20.0	9.1	**SSC-HKPL-24**	17.0	7.7	**SSC-SKPL-24**
30″	762	22.0	10.1	**SSC-HKPL-30**	18.5	8.6	**SSC-SKPL-30**
36″	914	24.0	10.9	**SSC-HKPL-36**	20.0	9.0	**SSC-SKPL-36**

Toe Fillers

see spec sheet **EG03.20**

FEATURES:
- 29⅛″ *(740mm)* Sitting, 35″ *(889mm)* Standing Height, or 84″ *(2134mm)* Tall Height.



				35″ Standing Height			29⅛″ Sitting Height			84″ Tall Height		
depth		width		weight		weight						
in	mm	in.	mm	lbs.	kg	model #	lbs.	kg	model #	lbs.	kg	model #
1″	25	3″	76	1.0	0.5	**SSC-HTF-3**	0.9	0.5	**SSC-STF-3**	2.4	1.1	**SSC-TTF-3**
1″	25	6″	152	2.0	0.9	**SSC-HTF-6**	1.7	0.8	**SSC-STF-6**	4.8	2.2	**SSC-TTF-6**
1	25	12″	305	3.0	1.4	**SSC-HTF-12**	2.5	1.1	**SSC-STF-12**	9.6	4.4	**SSC-TTF-12**

Toe Scribes

see spec sheet **EG03.20**

FEATURES:
- 29⅛″ *(740mm)* Sitting, 35″ *(889mm)* Standing Height, or 84″ *(2134mm)* Tall Height.



					35″ Standing Height			29⅛″ Sitting Height			84″ Tall Height		
depth		width			weight			weight			weight		
in	mm	in.	mm	orientation	lbs.	kg	model #	lbs.	kg	model #	lbs.	kg	model #
1″	25	1″	25	left	1.0	0.5	**SSC-HTSL-1**	0.9	0.5	**SSC-STSL-1**	2.4	1.1	**SSC-TTSL-1**
1″	25	2″	51	left	1.5	0.7	**SSC-HTSL-2**	1.0	0.5	**SSC-STSL-2**	3.6	1.6	**SSC-TTSL-2**
1″	25	3″	76	left	2.0	0.9	**SSC-HTSL-3**	1.3	0.6	**SSC-STSL-3**	4.8	2.2	**SSC-TTSL-3**
1″	25	1″	25	right	1.0	0.5	**SSC-HTSR-1**	0.9	0.5	**SSC-STSR-1**	2.4	1.1	**SSC-TTSR-1**
1″	25	2″	51	right	1.5	0.7	**SSC-HTSR-2**	1.0	0.5	**SSC-STSR-2**	3.6	1.6	**SSC-TTSR-2**
1″	25	3″	76	right	2.0	0.9	**SSC-HTSR-3**	1.3	0.6	**SSC-STSR-3**	4.8	2.2	**SSC-TTSR-3**

Consult factory for pricing.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Base Fillers (continued)

Rear Filler Panels

see spec sheet **EG03.21**

FEATURES:
- 29⅛″ *(740mm)* Sitting, 35″ *(889mm)* Standing Height, or 84″ *(2134mm)* Tall Height.

				35″ Standing Height			29⅛″ Sitting Height			84″ Tall Height		
depth		width		weight			weight			weight		
in	mm	in.	mm	lbs.	kg	model #	lbs.	kg	model #	lbs.	kg	model #
3″	76	6″	152	4.0	1.8	**SSC-HRFP-6**	3.0	1.4	**SSC-SRFP-6**	9.6	4.4	**SSC-TRFP-6**
3″	76	12″	305	5.0	2.3	**SSC-HRFP-12**	4.0	1.8	**SSC-SRFP-12**	14.4	6.5	**SSC-TRFP-12**



Rear Filler Scribes

see spec sheet **EG03.21**

FEATURES:
- 29⅛″ *(740mm)* Sitting, 35″ *(889mm)* Standing Height, or 84″ *(2134mm)* Tall Height.

					35″ Standing Height			29⅛″ Sitting Height			84″ Tall Height		
depth		width			weight			weight			weight		
in	mm	in.	mm	orientation	lbs.	kg	model #	lbs.	kg	model #	lbs.	kg	model #
1″	25	1″	25	left	1.2	0.5	**SSC-HRFSL-1**	1.0	0.5	**SSC-SRFSL-1**	2.9	1.3	**SSC-TRFSL-1**
1″	25	2″	51	left	1.4	0.6	**SSC-HRFSL-2**	1.0	0.5	**SSC-SRFSL-2**	3.4	1.5	**SSC-TRFSL-2**
1″	25	3″	76	left	2.2	1.0	**SSC-HRFSL-3**	2.0	0.9	**SSC-SRFSL-3**	5.3	2.4	**SSC-TRFSL-3**
1″	25	6″	152	left	3.3	1.5	**SSC-HRFSL-6**	3.0	1.4	**SSC-SRFSL-6**	7.9	3.6	**SSC-TRFSL-6**
1″	25	1″	25	right	1.2	0.5	**SSC-HRFSR-1**	1.0	0.5	**SSC-SRFSR-1**	2.9	1.3	**SSC-TRFSR-1**
1″	25	2″	51	right	1.4	0.6	**SSC-HRFSR-2**	1.0	0.5	**SSC-SRFSR-2**	3.4	1.5	**SSC-TRFSR-2**
1″	25	3″	76	right	2.2	1.0	**SSC-HRFSR-3**	2.0	0.9	**SSC-SRFSR-3**	5.3	2.4	**SSC-TRFSR-3**
1″	25	6″	152	right	3.3	1.5	**SSC-HRFSR-6**	3.0	1.4	**SSC-SRFSR-6**	7.9	3.6	**SSC-TRFSR-6**



Corner Fillers

see spec sheet **EG03.21**

FEATURES:
- 29⅛″ *(740mm)* Sitting, 35″ *(889mm)* Standing Height, or 84″ *(2134mm)* Tall Height.

				35″ Standing Height			29⅛″ Sitting Height			84″ Tall Height		
depth		width		weight			weight			weight		
in	mm	in.	mm	lbs.	kg	model #	lbs.	kg	model #	lbs.	kg	model #
1″	25	3″	76	2.0	0.9	**SSC-HCF-3**	1.5	0.7	**SSC-SCF-3**	4.8	2.2	**SSC-TCF-3**
1″	25	6″	152	3.0	1.4	**SSC-HCF-6**	2.5	1.1	**SSC-SCF-6**	7.2	3.3	**SSC-TCF-6**



Consult factory for pricing.

Upper Cabinets

Open Wall Cases

see spec sheet **EG03.30**

FEATURES:
- Open front.
- Two adjustable shelves.
- 31″ *(787mm)* height.
- 13″ *(330mm)* or 16″ *(406mm)* depth.

depth		width		with Flat Top weight			with Sloped Top weight		
in	mm	in	mm	lbs.	kg	model #	lbs.	kg	model #
13″	330	18″	457	117	53.1	**SSC-WCO-1318**	132	59.9	**SSC-WCOST-1318**
13	330	24	610	123	55.8	**SSC-WCO-1324**	138	62.6	**SSC-WCOST-1324**
13	330	30	762	129	58.5	**SSC-WCO-1330**	144	65.3	**SSC-WCOST-1330**
13	330	36	914	141	63.9	**SSC-WCO-1336**	156	70.7	**SSC-WCOST-1336**
13	330	48	1219	165	74.8	**SSC-WCO-1348**	180	81.6	**SSC-WCOST-1348**
16	406	18	457	122	55.3	**SSC-WCO-1618**	137	62.1	**SSC-WCOST-1618**
16	406	24	610	128	58.0	**SSC-WCO-1624**	143	64.9	**SSC-WCOST-1624**
16	406	30	762	134	60.8	**SSC-WCO-1630**	149	67.6	**SSC-WCOST-1630**
16	406	36	914	146	66.2	**SSC-WCO-1636**	161	73.0	**SSC-WCOST-1636**
16	406	48	1219	170	77.1	**SSC-WCO-1648**	185	83.9	**SSC-WCOST-1648**



Solid Swinging Wall Cases

see spec sheet **EG03.31**

FEATURES:
- Full height solid hinged door(s).
- Two adjustable shelves.
- 31″ *(787mm)* height.
- 13″ *(330mm)* or 16″ *(406mm)* depth.

with Flat Top

depth		width		weight			
in	mm	in	mm	lbs.	kg	description	model #
13″	330	18″	457	136	61.7	left swing door	**SSC-WCHL-1318**
13″	330	18″	457	136	61.7	right swing door	**SSC-WCHR-1318**
13″	330	24″	610	142	64.4	left swing door	**SSC-WCHL-1324**
13″	330	24″	610	142	64.4	right swing door	**SSC-WCHR-1324**
13″	330	30″	762	154	69.8	double doors	**SSC-WCH-1330**
13″	330	36″	914	172	78.0	double doors	**SSC-WCH-1336**
13″	330	48″	1219	208	94.3	double doors	**SSC-WCH-1348**
16″	406	18″	457	142	64.4	left swing door	**SSC-WCHL-1618**
16″	406	18	457	142	64.4	right swing door	**SSC-WCHR-1618**
16″	406	24″	610	148	67.1	left swing door	**SSC-WCHL-1624**
16″	406	24″	610	148	67.1	right swing door	**SSC-WCHR-1624**
16″	406	30″	762	160	72.6	double doors	**SSC-WCH-1630**
16″	406	36″	914	166	75.3	double doors	**SSC-WCH-1636**
16″	406	48″	1219	214	97.1	double doors	**SSC-WCH-1648**



SSC-WCHL-1324



SSC-WCHR-1324



SSC-WCH-1348

with Sloped Top

depth		width		weight			
in	mm	in	mm	lbs.	kg	description	model #
13″	330	18″	457	156	70.7	left swing door	**SSC-WCHLST-1318**
13″	330	18″	457	156	70.7	right swing door	**SSC-WCHRST-1318**
13″	330	24″	610	162	73.5	left swing door	**SSC-WCHLST-1324**
13″	330	24″	610	162	73.5	right swing door	**SSC-WCHRST-1324**
13″	330	30″	762	174	78.9	double doors	**SSC-WCHST-1330**
13″	330	36″	914	192	87.1	double doors	**SSC-WCHST-1336**
13″	330	48″	1219	228	103.4	double doors	**SSC-WCHST-1348**
16″	406	18″	457	162	73.5	left swing door	**SSC-WCHLST-1618**
16″	406	18	457	162	73.5	right swing door	**SSC-WCHRST-1618**
16″	406	24″	610	168	76.2	left swing door	**SSC-WCHLST-1624**
16″	406	24″	610	168	76.2	right swing door	**SSC-WCHRST-1624**
16″	406	30″	762	180	81.6	double doors	**SSC-WCHST-1630**
16″	406	36″	914	186	84.4	double doors	**SSC-WCHST-1636**
16″	406	48″	1219	234	106.1	double doors	**SSC-WCHST-1648**



SSC-WCHLST-1324



SSC-WCHRST-1324



SSC-WCHST-1330

Consult factory for pricing.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Upper Cabinets (continued)

Framed Glass Swinging Wall Cases

see spec sheet **EG03.32**

FEATURES:

- Full height hinged door(s) with framed glass.
- Two adjustable shelves.
- 31″ *(787mm)* height.
- 13″ *(330mm)* or 16″ *(406mm)* depth.

with Flat Top


depth		width		weight			
in	mm	in	mm	lbs.	kg	description	model #
13″	330	18″	457	166	75.3	left swing door	**SSC-WCGHL-1318**
13″	330	18″	457	166	75.3	right swing door	**SSC-WCGHR-1318**
13″	330	24″	610	172	78.0	left swing door	**SSC-WCGHL-1324**
13″	330	24″	610	172	78.0	right swing door	**SSC-WCGHR-1324**
13″	330	30″	762	184	83.4	double doors	**SSC-WCGH-1330**
13″	330	36″	914	184	83.4	double doors	**SSC-WCGH-1336**
13″	330	48″	1219	202	91.6	double doors	**SSC-WCGH-1348**
16″	406	18″	457	172	78.0	left swing door	**SSC-WCGHL-1618**
16″	406	18″	457	172	78.0	right swing door	**SSC-WCGHR-1618**
16″	406	24″	610	178	80.7	left swing door	**SSC-WCGHL-1624**
16″	406	24″	610	178	80.7	right swing door	**SSC-WCGHR-1624**
16″	406	30″	762	160	72.6	double doors	**SSC-WCGH-1630**
16″	406	36″	914	166	75.3	double doors	**SSC-WCGH-1636**
16″	406	48″	1219	214	97.1	double doors	**SSC-WCGH-1648**



SSC-WCGHL-1324



SSC-WCGHR-1324



SSC-WCGH-1348

with Sloped Top


depth		width		weight			
in	mm	in	mm	lbs.	kg	description	model #
13″	330	18″	457	186	84.4	left swing door	**SSC-WCGHLST-1318**
13″	330	18″	457	186	84.4	right swing door	**SSC-WCGHRST-1318**
13″	330	24″	610	192	87.1	left swing door	**SSC-WCGHLST-1324**
13″	330	24″	610	192	87.1	right swing door	**SSC-WCGHRST-1324**
13″	330	30″	762	244	110.7	double doors	**SSC-WCGHST-1330**
13″	330	36″	914	222	100.7	double doors	**SSC-WCGHST-1336**
13″	330	48″	1219	158	71.7	double doors	**SSC-WCGHST-1348**
16″	406	18″	457	192	87.1	left swing door	**SSC-WCGHLST-1618**
16″	406	18″	457	192	87.1	right swing door	**SSC-WCGHRST-1618**
16″	406	24″	610	198	89.8	left swing door	**SSC-WCGHLST-1624**
16″	406	24″	610	198	89.8	right swing door	**SSC-WCGHRST-1624**
16″	406	30″	762	210	95.2	double doors	**SSC-WCGHST-1630**
16″	406	36″	914	216	98.0	double doors	**SSC-WCGHST-1636**
16″	406	48″	1219	264	119.7	double doors	**SSC-WCGHST-1648**



SSC-WCGHLST-1324



SSC-WCGHRST-1324



SSC-WCGHST-1630

NEW Corner Cases


see spec sheet **EG03.33**

FEATURES:

- Open front or solid hinged left or right door.
- Two adjustable shelves.
- 31″ *(787mm)* height.
- 13″ *(330mm)* or 16″ *(406mm)* depth.

depth		width*		weight			
in	mm	in	mm	lbs.	kg	description	model #
13″	330	36⅜″	924	120	54.4	open front	**SSC-WCCO-1318**
13″	330	18″	457	126	57.2	left swing door	**SSC-WCCHL-1318**
13″	330	18″	457	126	57.2	right swing door	**SSC-WCCHR-1318**
16″	406	18″	457	135	61.2	open front	**SSC-WCCO-1618**
16″	406	18″	457	141	64.0	left swing door	**SSC-WCCHL-1618**
16″	406	18″	457	141	64.0	right swing door	**SSC-WCCHR-1618**

* Overall end-to-end dimension.



SSC-WCCHR-1318

Consult factory for pricing.

Tall Cabinets

Open Tall Cases

see spec sheet **EG03.40**

depth		width		with Flat Top weight			with Sloped Top weight		
in	mm	in	mm	lbs.	kg	model #	lbs.	kg	model #
18″	457	24″	610	263	119.3	**SSC-TOB-1824**	283	128.3	**SSC-TOBST-1824**
18″	457	30″	762	293	132.9	**SSC-TOB-1830**	313	142.0	**SSC-TOBST-1830**
18″	457	36″	914	301	136.5	**SSC-TOB-1836**	321	145.6	**SSC-TOBST-1836**
18″	457	48″	1219	331	150.1	**SSC-TOB-1848**	351	159.2	**SSC-TOBST-1848**
24″	610	24″	610	338	153.3	**SSC-TOB-2424**	358	162.4	**SSC-TOBST-2424**
24″	610	30″	762	368	166.9	**SSC-TOB-2430**	388	176.0	**SSC-TOBST-2430**
24″	610	36″	914	413	187.3	**SSC-TOB-2436**	433	196.4	**SSC-TOBST-2436**
24″	610	48″	1219	443	200.9	**SSC-TOB-2448**	463	210.0	**SSC-TOBST-2448**

FEATURES:

- Open front.
- Five adjustable shelves.
- 84″ *(2134mm)* height.
- 18″ *(457mm)* or 24″ *(610mm)* depth.





Solid Swinging Tall Cases

see spec sheet **EG03.41**

FEATURES:

- Full height solid hinged door(s).
- Five adjustable shelves.
- 84″ *(2134mm)* height.
- 18″ *(457mm)* or 24″ *(610mm)* depth.

with Flat Top

depth		width		weight			
in	mm	in	mm	lbs.	kg	description	model #
18″	457	24″	610	343	64.4	left swing door	**SSC-TCBL-1824**
18″	457	24″	610	343	64.4	right swing door	**SSC-TCBR-1824**
18″	457	30″	762	381	69.8	double doors	**SSC-TCB-1830**
18″	457	36″	914	413	78.0	double doors	**SSC-TCB-1836**
18″	457	48″	1219	418	94.3	double doors	**SSC-TCB-1848**
24″	610	24″	610	373	67.1	left swing door	**SSC-TCBL-2424**
24″	610	24″	610	373	67.1	right swing door	**SSC-TCBR-2424**
24″	610	30″	762	448	72.6	double doors	**SSC-TCB-2430**
24″	610	36″	914	493	75.3	double doors	**SSC-TCB-2436**
24″	610	48″	1219	523	97.1	double doors	**SSC-TCB-2448**

with Sloped Top

depth		width		weight			
in	mm	in	mm	lbs.	kg	description	model #
18″	457	24″	610	363	164.6	left swing door	**SSC-TCBSTL-1824**
18″	457	24″	610	363	164.6	right swing door	**SSC-TCBSTR-1824**
18″	457	30″	762	401	181.9	double doors	**SSC-TCBST-1830**
18″	457	36″	914	431	195.5	double doors	**SSC-TCBST-1836**
18″	457	48″	1219	438	198.6	double doors	**SSC-TCBST-1848**
24″	610	24″	610	393	178.2	left swing door	**SSC-TCBSTL-2424**
24″	610	24″	610	393	178.2	right swing door	**SSC-TCBSTR-2424**
24″	610	30″	762	468	212.2	double doors	**SSC-TCBST-2430**
24″	610	36″	914	513	232.7	double doors	**SSC-TCBST-2436**
24″	610	48″	1219	543	246.3	double doors	**SSC-TCBST-2448**



SSC-TCBL-1824



SSC-TCBR-1824



SSC-TCB-1830



SSC-TCBSTL-1824



SSC-TCBSTR-1824



SSC-TCBST-1830

Consult factory for pricing.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Tall Cabinets (continued)



Framed Glass Swinging Tall Cases

see spec sheet **EG03.42**

FEATURES:

- Full height hinged door(s) with framed glass.
- Five adjustable shelves.
- 84″ *(2134mm)* height.
- 18″ *(457mm)* or 24″ *(610mm)* depth.

with Flat Top

depth		width		weight			
in	mm	in	mm	lbs.	kg	description	model #
18″	457	24″	610	443	200.9	left swing door	**SSC-TCBGL-1824**
18″	457	24″	610	443	200.9	right swing door	**SSC-TCBGR-1824**
18″	457	30″	762	481	218.1	double doors	**SSC-TCBG-1830**
18″	457	36″	914	481	218.1	double doors	**SSC-TCBG-1836**
18″	457	48″	1219	518	234.9	double doors	**SSC-TCBG-1848**
24″	610	24″	610	473	214.5	left swing door	**SSC-TCBGL-2424**
24″	610	24″	610	473	214.5	right swing door	**SSC-TCBGR-2424**
24″	610	30″	762	548	248.5	double doors	**SSC-TCBG-2430**
24″	610	36″	914	593	268.9	double doors	**SSC-TCBG-2436**
24″	610	48″	1219	623	282.5	double doors	**SSC-TCBG-2448**

with Sloped Top

depth		width		weight			
in	mm	in	mm	lbs.	kg	description	model #
18″	457	24″	610	463	210.0	left swing door	**SSC-TCBGLST-1824**
18″	457	24″	610	463	210.0	right swing door	**SSC-TCBGRST-1824**
18″	457	30″	762	501	227.2	double doors	**SSC-TCBGST-1830**
18″	457	36″	914	531	240.8	double doors	**SSC-TCBGST-1836**
18″	457	48″	1219	538	244.0	double doors	**SSC-TCBGST-1848**
24″	610	24″	610	493	223.6	left swing door	**SSC-TCBGLST-2424**
24″	610	24″	610	493	223.6	right swing door	**SSC-TCBGRST-2424**
24″	610	30″	762	568	257.6	double doors	**SSC-TCBGST-2430**
24″	610	36″	914	613	278.0	double doors	**SSC-TCBGST-2436**
24″	610	48″	1219	643	291.6	double doors	**SSC-TCBGST-2448**


SSC-TCBGL-1818


SSC-TCBGR-1824


SSC-TCBG-1830


SSC-TCBGLST-1824


SSC-TCBGRST-1824


SSC-TCBGST-1830

Consult factory for pricing.

NEW Healthcare Storage Cabinets SEFA

see spec sheet EG03.70



double-width unit with baskets

FEATURES:

- Type 304 stainless steel construction.
- 45 pairs of slides on inner panels.
- Hinged doors, with 4″ *(102mm)* wire-style pulls, available solid or with framed glass.
- Single- and double-width units available.
- 83″ *(2108mm)* height.

			Single-Width Units			Double-Width Units		
depth			width			width		
in	mm	description	in.	mm	model #	in.	mm	model #
18″	457	solid	28″	711	**PSSC-TCB-1828**	54″	1372	**PSSC-TCB-1854**
18″	457	with framed glass	28″	711	**PSSC-TCBG-1828**	54″	1372	**PSSC-TCBG-1854**
26″	661	solid	20″	508	**PSSC-TCB-2620**	38″	965	**PSSC-TCB-2638**
26″	661	with framed glass	20″	508	**PSSC-TCBG-2620**	38″	965	**PSSC-TCBG-2638**

NEW Baskets and Trays for Healthcare Storage Cabinets SEFA

see spec sheet EG03.71

FEATURES:

- Cream-colored ABS material.
- Tray stopper keeps basket / tray from falling.
- 23⅝″ x 15¾″ *(600 x 400mm)*.



#PSST-SB4




#PSST-ST8 shown with dividers

Baskets and Trays

height		length x width		number of slide*	OPEN BASKETS	SOLID TRAYS	Optional Dividers	
							SHORT	LONG
in.	mm	in.	mm	spaces used	model #	model #	model #	model #
2″	51	23⅝″ x 15¾″	600 x 400	2 slide spaces	-	**PSSC-ST2**	**PSSC-SD2**	**PSSC-LD2**
4″	102	23⅝″ x 15¾″	600 x 400	3 slide spaces	**PSSC-SB4**	**PSSC-ST4**	**PSSC-SD4**	**PSSC-LD4**
8″	203	23⅝″ x 15¾″	600 x 400	5 slide spaces	**PSSC-SB8**	**PSSC-ST8**	**PSSC-SD8**	**PSSC-LD8**

* Standard 83″ (2108mm) cabinets have 45 available slide spaces.



Accessories for Baskets and Trays

description	model #
vertical label holder: can be adhered to top of dividers or front edge of baskets	**PSSC-LHV**
horizontal label holder: can be adhered to top of dividers or front edge of baskets	**PSSC-LHH**
blue color strip: other colors available	**PSSC-HDLS-BL**
T-holder for dividers: allows use of custom-length dividers	**PSSC-THD**
basket stop: prevents basket from falling out when pulled	**PSSC-BSKSTP**
divider lock: keeps dividers locked in place	**PSSC-DL**
pull handle: attaches to 23-5/8″ (600mm) basket side	**PSSC-LHAN-W**
pull handle: attaches to 15-3/4″ (400mm) basket side	**PSSC-LHAN-S**

Consult factory for pricing.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Vertical Storage Cabinets

see spec sheet **EG04.11**



vertical storage cabinet with flat top

Note: Custom sizes, glass doors, locks, and additional shelves available upon request. Please contact factory for pricing on these options.


FEATURES:

- Type 304 stainless steel construction.
- Four (4) adjustable intermediate shelves.
- Hinged doors with wire-style pulls.
- Stationary units feature stainless steel legs with 1″ *(25mm)* adjustable bullet feet.
- Mobile "-CPB" units include 5″ *(127mm)*-diameter swivel/brake stainless steel casters with poly tread.


					with Flat Top					with Sloped Top				
depth		width			height		weight			height		weight		
in	mm	in.	mm		in.	mm	lbs.	kg	model #	in.	mm	lbs.	kg	model #
18″	457	36″	914	stationary	72″	1829	416	188.7	**SSC-TSC-1836**	77″	1956	419	190.0	**SSC-TSCST-1836**
18″	457	48″	1219	stationary	72″	1829	490	222.3	**SSC-TSC-1848**	77″	1956	495	224.5	**SSC-TSCST-1848**
24″	610	36″	914	stationary	72″	1829	458	207.7	**SSC-TSC-2436**	77″	1956	461	209.1	**SSC-TSCST-2436**
24″	610	48″	1219	stationary	72″	1829	539	244.5	**SSC-TSC-2448**	77″	1956	545	247.2	**SSC-TSCST-2448**
24″	610	36″	914	mobile	72″	1829	462	209.6	**SSC-TSC-2436-CPB**	78″	1981	465	210.9	**SSC-TSCST-2436-CPB**
24″	610	48″	1219	mobile	72″	1829	543	246.3	**SSC-TSC-2448-CPB**	78″	1981	549	249.0	**SSC-TSCST-2448-CPB**

Bench Frames

Model Number Configuration



#SSC-HT-2460 shown



Model Number: **SSC** - **HT** - **2460**

- *stainless steel casework*
- *"HT" = Standing Height "ST" = Sitting Height*
- *actual dimension of top (in inches)*

Note: Allow 1″ overhang from each side of table frame to be fitted for top.

Standard Bench Frames


see spec sheet **EG03.50**

FEATURES:

- Standing and Sitting-Height models available.
- 22″ *(559mm)* or 28″ *(712mm)* depth.

				35″ Standing Height			29⅛″ Sitting Height		
depth		width		weight			weight		
in	mm	in	mm	lbs.	kg	model #	lbs.	kg	model #
22″	559	22″	559	50	22.7	**SSC-HT-2424**	48	21.8	**SSC-ST-2424**
22″	559	28″	711	55	24.9	**SSC-HT-2430**	53	24.0	**SSC-ST-2430**
22″	559	34″	864	60	27.2	**SSC-HT-2436**	58	26.3	**SSC-ST-2436**
22″	559	40″	1016	65	29.5	**SSC-HT-2442**	63	28.6	**SSC-ST-2442**
22″	559	46″	1168	70	31.7	**SSC-HT-2448**	68	30.8	**SSC-ST-2448**
22″	559	58″	1473	78	35.4	**SSC-HT-2460**	76	34.5	**SSC-ST-2460**
22″	559	64″	1626	84	38.1	**SSC-HT-2466**	82	37.2	**SSC-ST-2466**
22″	559	70″	1778	90	40.8	**SSC-HT-2472**	88	39.9	**SSC-ST-2472**
28″	711	22″	559	55	24.9	**SSC-HT-3024**	53	24.0	**SSC-ST-3024**
28″	711	28″	711	58	26.3	**SSC-HT-3030**	56	25.4	**SSC-ST-3030**
28″	711	34″	864	65	29.5	**SSC-HT-3036**	63	28.6	**SSC-ST-3036**
28″	711	40″	1016	70	31.7	**SSC-HT-3042**	68	30.8	**SSC-ST-3042**
28″	711	46″	1168	75	34.0	**SSC-HT-3048**	73	33.1	**SSC-ST-3048**
28″	711	58″	1473	84	38.1	**SSC-HT-3060**	82	37.2	**SSC-ST-3060**
28″	711	64″	1626	91	41.3	**SSC-HT-3066**	89	40.4	**SSC-ST-3066**
28″	711	70″	1778	98	44.4	**SSC-HT-3072**	96	43.5	**SSC-ST-3072**

Legs feature #4 stainless steel brushed finish.



Consult factory for pricing.

Bench Frames with Drawers


with One Drawer

see spec sheet **EG03.51**

FEATURES:
- Standing and Sitting-Height models available.
- 22″ *(559mm)* or 28″ *(712mm)* depth.

Legs feature #4 stainless steel brushed finish.

				35″ Standing Height			29⅛″ Sitting Height		
depth		width		weight			weight		
in	mm	in	mm	lbs.	kg	model #	lbs.	kg	model #
22″	559	22″	559	50	22.7	SSC-HT1D-2424	48	21.8	SSC-ST1D-2424
22″	559	28″	711	55	24.9	SSC-HT1D-2430	53	24.0	SSC-ST1D-2430
22″	559	34″	864	60	27.2	SSC-HT1D-2436	58	26.3	SSC-ST1D-2436
22″	559	40″	1016	65	29.5	SSC-HT1D-2442	63	28.6	SSC-ST1D-2442
22″	559	46″	1168	70	31.7	SSC-HT1D-2448	68	30.8	SSC-ST1D-2448
22″	559	58″	1473	78	35.4	SSC-HT1D-2460	76	34.5	SSC-ST1D-2460
22″	559	64″	1626	84	38.1	SSC-HT1D-2466	82	37.2	SSC-ST1D-2466
22″	559	70″	1778	90	40.8	SSC-HT1D-2472	88	39.9	SSC-ST1D-2472
28″	711	22″	559	55	24.9	SSC-HT1D-3024	53	24.0	SSC-ST1D-3024
28″	711	28″	711	58	26.3	SSC-HT1D-3030	56	25.4	SSC-ST1D-3030
28″	711	34″	864	65	29.5	SSC-HT1D-3036	63	28.6	SSC-ST1D-3036
28″	711	40″	1016	70	31.7	SSC-HT1D-3042	68	30.8	SSC-ST1D-3042
28″	711	46″	1168	75	34.0	SSC-HT1D-3048	73	33.1	SSC-ST1D-3048
28″	711	58″	1473	84	38.1	SSC-HT1D-3060	82	37.2	SSC-ST1D-3060
28″	711	64″	1626	91	41.3	SSC-HT1D-3066	89	40.4	SSC-ST1D-3066
28″	711	70″	1778	98	44.4	SSC-HT1D-3072	96	43.5	SSC-ST1D-3072



with Two Drawers

see spec sheet **EG03.52**

FEATURES:
- Standing and Sitting-Height models available.
- 22″ *(559mm)* or 28″ *(712mm)* depth.

Legs feature #4 stainless steel brushed finish.

				35″ Standing Height			29⅛″ Sitting Height		
depth		width		weight			weight		
in	mm	in	mm	lbs.	kg	model #	lbs.	kg	model #
22″	559	22″	559	50	22.7	SSC-HT2D-2424	48	21.8	SSC-ST2D-2424
22″	559	28″	711	55	24.9	SSC-HT2D-2430	53	24.0	SSC-ST2D-2430
22″	559	34″	864	60	27.2	SSC-HT2D-2436	58	26.3	SSC-ST2D-2436
22″	559	40″	1016	65	29.5	SSC-HT2D-2442	63	28.6	SSC-ST2D-2442
22″	559	46″	1168	70	31.7	SSC-HT2D-2448	68	30.8	SSC-ST2D-2448
22″	559	58″	1473	78	35.4	SSC-HT2D-2460	76	34.5	SSC-ST2D-2460
22″	559	64″	1626	84	38.1	SSC-HT2D-2466	82	37.2	SSC-ST2D-2466
22″	559	70″	1778	90	40.8	SSC-HT2D-2472	88	39.9	SSC-ST2D-2472
28″	711	22″	559	55	24.9	SSC-HT2D-3024	53	24.0	SSC-ST2D-3024
28″	711	28″	711	58	26.3	SSC-HT2D-3030	56	25.4	SSC-ST2D-3030
28″	711	34″	864	65	29.5	SSC-HT2D-3036	63	28.6	SSC-ST2D-3036
28″	711	40″	1016	70	31.7	SSC-HT2D-3042	68	30.8	SSC-ST2D-3042
28″	711	46″	1168	75	34.0	SSC-HT2D-3048	73	33.1	SSC-ST2D-3048
28″	711	58″	1473	84	38.1	SSC-HT2D-3060	82	37.2	SSC-ST2D-3060
28″	711	64″	1626	91	41.3	SSC-HT2D-3066	89	40.4	SSC-ST2D-3066
28″	711	70″	1778	98	44.4	SSC-HT2D-3072	96	43.5	SSC-ST2D-3072



Consult factory for pricing.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Adjustable Height Tables

Pinned Leg Adjustable Height Tables

see spec sheets **EG03.53** **EG03.55**

FEATURES:

- 2″ *(51mm)* square legs with leveling mount.
- Adjustable from 30″ to 37″ *(762 to 940mm)* height*.
- 22″ *(559mm)* or 28″ *(712mm)* depth*.



Legs feature #4 stainless steel brushed finish.

depth*		width*		Frame Assemblies Only	Units with Stainless Steel Tabletop*▾	NEW Units with Phenolic Tabletop*
in	mm	in	mm	model #	model #	model #
22″	559	22″	559	SSC-AHTP-2424	SSC-AHTTP-2424	SSC-AHTFP-2424
22″	559	28″	711	SSC-AHTP-2430	SSC-AHTTP-2430	SSC-AHTFP-2430
22″	559	34″	864	SSC-AHTP-2436	SSC-AHTTP-2436	SSC-AHTFP-2436
22″	559	46″	1168	SSC-AHTP-2448	SSC-AHTTP-2448	SSC-AHTFP-2448
22″	559	58″	1473	SSC-AHTP-2460	SSC-AHTTP-2460	SSC-AHTFP-2460
22″	559	70″	1778	SSC-AHTP-2472	SSC-AHTTP-2472	SSC-AHTFP-2472
28″	711	28″	711	SSC-AHTP-3030	SSC-AHTTP-3030	SSC-AHTFP-3030
28″	711	34″	864	SSC-AHTP-3036	SSC-AHTTP-3036	SSC-AHTFP-3036
28″	711	46″	1168	SSC-AHTP-3048	SSC-AHTTP-3048	SSC-AHTFP-3048
28″	711	58″	1473	SSC-AHTP-3060	SSC-AHTTP-3060	SSC-AHTFP-3060
28″	711	70″	1778	SSC-AHTP-3072	SSC-AHTTP-3072	SSC-AHTFP-3072

Electronic Drive Adjustable Height Tables

see spec sheet **EG03.54**

- 2″ *(51mm)* square legs with leveling mount.
- 29″ to 40″ *(737 to 1016mm)* height adjustment*.
- Electromechanical drive in each leg.
- 22″ *(559mm)* or 28″ *(712mm)* depth*.

depth*		width*		Frame Assemblies Only	Units with Stainless*▾ Steel Tabletop
in	mm	in	mm	model #	model #
22″	559	22″	559	SSC-AHTM-2424	SSC-AHTTM-2424
22″	559	28″	711	SSC-AHTM-2430	SSC-AHTTM-2430
22″	559	34″	864	SSC-AHTM-2436	SSC-AHTTM-2436
22″	559	46″	1168	SSC-AHTM-2448	SSC-AHTTM-2448
22″	559	58″	1473	SSC-AHTM-2460	SSC-AHTTM-2460
22″	559	70″	1778	SSC-AHTM-2472	SSC-AHTTM-2472
28″	711	28″	711	SSC-AHTM-3030	SSC-AHTTM-3030
28″	711	34″	864	SSC-AHTM-3036	SSC-AHTTM-3036
28″	711	46″	1168	SSC-AHTM-3048	SSC-AHTTM-3048
28″	711	58″	1473	SSC-AHTM-3060	SSC-AHTTM-3060
28″	711	70″	1778	SSC-AHTM-3072	SSC-AHTTM-3072

Legs feature #4 stainless steel brushed finish.



* For units with tabletop, add 2″ to width and depth, and 1″ to adjustable height. Squared edge on all four sides.
▾ Stainless steel tabletop is 16 gauge type 304, with support channels and sound-deadening tape.

Consult factory for pricing.

Pegboards

see spec sheet **EG03.60**



#SSC-PB2436-4



#SSC-PB1824-4

FEATURES:

- Heavy gauge 304 stainless steel construction
- Comes standard with 6″ white polymer pegs
- 2″ or 4″ integral drip trough
- All drip troughs come with 36″ long clear flexible drain tubing
- Wall mounting bracket included

width in	width mm	height in	height mm	weight lbs.	weight kg	no. of pegs	WITH 2″-DEEP DRIP TROUGH model #	WITH 4″-DEEP DRIP TROUGH model #
18″	457	24″	610	13	5.9	15	SSC-PB1824-2	SSC-PB1824-4
24″	610	18″	457	15	6.8	16	SSC-PB2418-2	SSC-PB2418-4
24″	610	24″	610	17	7.7	20	SSC-PB2424-2	SSC-PB2424-4
24″	610	30″	762	23	10.4	32	SSC-PB2430-2	SSC-PB2430-4
24″	610	36″	914	25	11.3	40	SSC-PB2436-2	SSC-PB2436-4
30″	762	24″	610	23	10.4	25	SSC-PB3024-2	SSC-PB3024-4
30″	762	30″	762	25	11.3	50	SSC-PB3030-2	SSC-PB3030-4
30″	762	36″	914	25	11.3	40	SSC-PB3036-2	SSC-PB3036-4
36″	914	24″	610	25	11.3	30	SSC-PB3624-2	SSC-PB3624-4
36″	914	30″	762	26	11.8	60	SSC-PB3630-2	SSC-PB3630-4
36″	914	36″	914	27	12.2	66	SSC-PB3636-2	SSC-PB3636-4
48″	1219	24″	610	26	11.8	40	SSC-PB4824-2	SSC-PB4824-4
48″	1219	30″	762	28	12.7	48	SSC-PB4830-2	SSC-PB4830-4
48″	1219	36″	914	30	13.6	88	SSC-PB4836-2	SSC-PB4836-4

Options for Pegboards

description	weight lbs.	weight kg	model #
10-pack of pegs	4	1.8	SSC-PB-6PEG
10-pack of hole covers	4	1.8	SSC-PB-BLANK

NEW Laboratory Wall Shelves

see spec sheets **EG03.80** **EG03.81**





150-LB. MAX. WEIGHT CAPACITY!

FEATURES:

- 16 gauge stainless steel shelves, with center hat channel and 1¼″ rear upturn
- Adjustable on 1½″ increments
- 36″ tall, 1″ square tubular uprights

For Laboratory Wall Shelves sold by component, see page 146.

shelf depth in	shelf depth mm	shelf length in	shelf length mm	overall length in	overall length mm	weight lbs.	weight kg	WITH UPTURNED BOOKENDS STANDARD SHELVES model #	WITH UPTURNED BOOKENDS WITH WIRE LEDGE model #	WITH DOWNTURNED BOOKENDS STANDARD SHELVES model #	WITH DOWNTURNED BOOKENDS WITH WIRE LEDGE model #
12″	305	30″	762	31″	787	38	17.2	LS1230-36-3	LS1230-36-3L	LSD1230-36-3	LSD1230-36-3L
12″	305	36″	914	37″	939	43	19.5	LS1236-36-3	LS1236-36-3L	LSD1236-36-3	LSD1236-36-3L
12″	305	48″	1219	49″	1244	52	23.6	LS1248-36-3	LS1248-36-3L	LSD1248-36-3	LSD1248-36-3L
12″	305	60″	1524	61″	1549	62	28.1	LS1260-36-3	LS1260-36-3L	LSD1260-36-3	LSD1260-36-3L
12″	305	72″	1828	73″	1854	71	32.2	LS1272-36-3	LS1272-36-3L	LSD1272-36-3	LSD1272-36-3L
15″	381	30″	762	31″	787	44	20.0	LS1530-36-3	LS1530-36-3L	LSD1530-36-3	LSD1530-36-3L
15″	381	36″	914	37″	939	50	22.7	LS1536-36-3	LS1536-36-3L	LSD1536-36-3	LSD1536-36-3L
15″	381	48″	1219	49″	1244	61	27.7	LS1548-36-3	LS1548-36-3L	LSD1548-36-3	LSD1548-36-3L
15″	381	60″	1524	61″	1549	72	32.7	LS1560-36-3	LS1560-36-3L	LSD1560-36-3	LSD1560-36-3L
15″	381	72″	1828	73″	1854	83	37.6	LS1572-36-3	LS1572-36-3L	LSD1572-36-3	LSD1572-36-3L
18″	457	30″	762	31″	787	51	23.1	LS1830-36-3	LS1830-36-3L	LSD1830-36-3	LSD1830-36-3L
18″	457	36″	914	37″	939	57	25.9	LS1836-36-3	LS1836-36-3L	LSD1836-36-3	LSD1836-36-3L
18″	457	48″	1219	49″	1244	70	31.8	LS1848-36-3	LS1848-36-3L	LSD1848-36-3	LSD1848-36-3L
18″	457	60″	1524	61″	1549	83	37.5	LS1860-36-3	LS1860-36-3L	LSD1860-36-3	LSD1860-36-3L
18″	457	72″	1828	73″	1854	97	44.0	LS1872-36-3	LS1872-36-3L	LSD1872-36-3	LSD1872-36-3L


Consult factory for pricing.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com


EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

NEW Laboratory Exhaust Canopies

see spec sheet **EG03.85**



#SSC-IEC-3630-18



#SSC-WEC-3630-18

FEATURES:

- 16 gauge 304 stainless steel construction
- Fully welded seams
- Polished interior and exterior
- Full-perimeter cndensation edge
- Integral 8″-diameter duct collar
- Island and wall models available

				ISLAND MODELS			WALL MODELS		
depth		width		overall* height			overall* height		
in	mm	in	mm	in	mm	model #	in	mm	model #
30″	762	36″	914	19″	483	**SSC-IEC-3630-18**	20″	508	**SSC-WEC-3630-18**
30″	762	48″	1219	19″	483	**SSC-IEC-4830-18**	20″	508	**SSC-WEC-4830-18**
30″	762	60″	1524	19″	483	**SSC-IEC-6030-18**	20″	508	**SSC-WEC-6030-18**
30″	762	72″	1828	19″	483	**SSC-IEC-7230-18**	20″	508	**SSC-WEC-7230-18**
30″	762	84″	2133	19″	483	**SSC-IEC-8430-18**	20″	508	**SSC-WEC-8430-18**
30″	762	96″	2438	19″	483	**SSC-IEC-9630-18**	20″	508	**SSC-WEC-9630-18**
36″	914	36″	914	19″	483	**SSC-IEC-3636-18**	20″	508	**SSC-WEC-3636-18**
36″	914	48″	1219	19″	483	**SSC-IEC-4836-18**	20″	508	**SSC-WEC-4836-18**
36″	914	60″	1524	19″	483	**SSC-IEC-6036-18**	20″	508	**SSC-WEC-6036-18**
36″	914	72″	1828	19″	483	**SSC-IEC-7236-18**	20″	508	**SSC-WEC-7236-18**
36″	914	84″	2133	19″	483	**SSC-IEC-8436-18**	20″	508	**SSC-WEC-8436-18**
36″	914	96″	2438	19″	483	**SSC-IEC-9636-18**	20″	508	**SSC-WEC-9636-18**

* Height includes 2″-tall duct collar.

NEW Gowning Dispensers

(continued on page 122)

Garment Dispensers

see spec sheet **EG03.91**



#SSC-0AD-1014

FEATURES:

- Type 304 stainless steel construction, with #4 brushed finish
- Hinged lid, open front, high-visibility level slots, mounting hardware covers
- Sized for folded garments such as scrubs, gowns and aprons
- Customized compartment sizes available.

length		depth		height		weight		
in	mm	in	mm	in	mm	lbs.	kg	model #
14¼″	361	10¼″	260	29¾″	756	24	10.9	**SSC-0AD-1014**
16¼″	413	12¼″	311	29¾″	756	27	12.3	**SSC-0AD-1216**

Consult factory for pricing.

NEW Gowning Dispensers *(continued)*

All Gowning Dispensers feature type 304 stainless steel construction, with #4 brushed finish

Packaged Glove Dispensers

see spec sheet **EG03.92**



#SSC-CGD-1



#SSC-CGD-2

FEATURES:

- Features hinged lid, closed body, and mounting hardware covers
- Sized for folded garments such as scrubs, gowns and aprons
- May be customized for specific sizes.

length in	length mm	height in	height mm	weight lbs.	weight kg	quantity of bays	model #
12 1/4″	311	24 1/16″	611	17	7.7	1	**SSC-CGD-1**
24 1/2″	622	24 1/16″	611	27	12.3	2	**SSC-CGD-2**
36 3/4″	933	24 1/16″	611	38	17.2	3	**SSC-CGD-3**

Loose Glove Dispensers

see spec sheet **EG03.93**



#SSC-GDCB-1-39



#SSC-GD-1-17

FEATURES:

- Features hinged lid, high-visibility level slots, and mounting hardware covers
- Available with or without catch basin.
- Offered with up to five (5) bays.
- May be customized for specific sizes.

			without Catch Basin				with Catch Basin			
length in.	length mm	quantity of bays	height in.	height mm	weight lbs.	weight kg	model #	height in.	height mm	weight lbs.	weight kg	model #
8 1/16″	205	1	17″	432	11	5.0	**SSC-GD-1-17**	24″	610	14	6.4	**SSC-GDCB-1-24**
8 1/16″	205	1	32″	813	17	7.7	**SSC-GD-1-32**	39″	991	20	9.1	**SSC-GDCB-1-39**
15 13/16″	402	2	17″	432	16	7.3	**SSC-GD-2-17**	24″	610	21	9.5	**SSC-GDCB-2-24**
15 13/16″	402	2	32″	813	26	11.8	**SSC-GD-2-32**	39″	991	31	14.1	**SSC-GDCB-2-39**
23 11/16″	602	3	17″	432	21	9.5	**SSC-GD-3-17**	24″	610	27	12.3	**SSC-GDCB-3-24**
23 11/16″	602	3	32″	813	35	15.9	**SSC-GD-3-32**	39″	991	41	18.6	**SSC-GDCB-3-39**
31 7/8″	810	4	17″	432	27	12.3	**SSC-GD-4-17**	24″	610	35	15.9	**SSC-GDCB-4-24**
31 7/8″	810	4	32″	813	43	19.5	**SSC-GD-4-32**	39″	991	51	23.1	**SSC-GDCB-4-39**
39 7/16″	1002	5	17″	432	32	14.5	**SSC-GD-5-17**	24″	610	42	19.1	**SSC-GDCB-5-24**
39 7/16″	1002	5	32″	813	52	23.6	**SSC-GD-5-32**	39″	991	62	28.1	**SSC-GDCB-5-39**

Eye Protection Holders

see spec sheet **EG03.90**



#SSC-EPH-24

FEATURES:

- Type 304 stainless steel construction, with #4 brushed finish
- Lift-off hinged compartment features sloped openings
- Lift-off access allows for deep cleaning.
- Sized for safety glasses, may be customized for goggles and other PPE.

length in	length mm	height in	height mm	weight lbs.	weight kg	quantity of compartments	model #
10 1/8″	257	10 7/16″	265	17	7.7	12	**SSC-EPH-12**
10 1/8″	257	15 5/16″	389	22	10.0	18	**SSC-EPH-18**
10 1/8″	257	20 1/4″	514	27	12.3	24	**SSC-EPH-24**
13 1/2″	343	20 1/4″	514	35	15.9	32	**SSC-EPH-32**
16 7/8″	429	20 1/4″	514	43	19.5	40	**SSC-EPH-40**
20 3/16″	513	20 1/4″	514	50	22.7	48	**SSC-EPH-48**

Consult factory for pricing.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Stainless Steel Countertops





stainless steel countertops fabricated to drawings indicating backsplash height, raised edge and field condition requirements


- 16 or 14 gauge, type 304 or 316 stainless steel. Other gauges and types of stainless available to meet the function and chemical resistant demands of highly specialized labs.
- Standard front edge Square or Box Marine, unless otherwise specified. See *detail 1* on next page.
- Back and end splashes are manufactured per specification. See *details 2 & 3* on next page. All working surfaces and sink bowls have coved sanitary horizontal and vertical corners.
- Either a mechanical hairline seam or field welded joint available per your specifications.
  Maximum length without seam is 144″ if no end splash. Length is reduced by 5½″ for each end splash that may be required.
- Fabricated sink bowls available in most any size and depth with single or multiple compartments.
- For backsplash mounted faucets, splash will need to be at least 2″ deep for plumbing access, holes for deck mounted faucets are typically centered 1½″ from the edge of sink bowl.
- Both L-shaped and U-shaped tops are available per your drawings.
  - Corners are mitered and factory welded.
  - Maximum size without field joint provisions is 96″ x 96″ to fit into standard trailer for ground shipment.
- Countertops have stainless steel reinforcing hat channels. Sound deadening tape is factory installed. Top support options include National Sanitation Foundation (NSF)-listed sprayed latex sound deadening and marine grade plywood backing with white laminate facing.
- Standard packaging is wood reinforced cardboard and is included in the cost. Should full crating be required, it too will be included in the cost.







Stainless Steel Countertops


see spec sheet **EG04.12**








detail 1: edges



detail 2:
4" backsplash with 1" return and turndown. Z-clip provided for wall attachement.



detail 3:
4-1/2" backsplash with 1" return.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Accessories/Components

Hangers & Hanger Bar Kits 128-129
Polymer Stem Casters 129
Replacement Garment Hanger Tubes..... 129

adjusTable® Work Surface Systems

adjusTable® Work Surface Systems..... 136-137
with Cantilevered Overhead System 138-139
with Wire Overshelf System 140-141

Freestanding Gowning Racks

with Hanger Rail 126
with Wire Shelving Components..... 127

Workstations

Mobile Computer Workstations 135
Workstations..... 135

More Cleanroom/Lab Equipment

Cleanroom Tables 132-134
Foot Rest 134,137,139,141
Gowning Benches..... 130-131
Laboratory Wall Shelves..... 146
Roll Bag Dispensers..... 142
Shoe Racks 143
Stainless Steel Countertops 144-145
Vertical Storage Cabinets..... 143
Wall Mounted Gowning Racks 128

See page 146 for the NEW *Laboratory Wall Shelves*



Breath/Safety Shields

See pages 269-273

- A variety of styles to choose from, including countertop, bolted-on, and ceiling-mounted shields.
- All shields feature 1″ *(25mm)* radius corners.
- All models constructed of durable 7/32″ *(6mm)* Plexiglas®.
- Custom sizes available upon request.

Freestanding Gowning Racks with Hanger Rail

see spec sheet **EG04.01A**



*single gowning rack**



*double gowning rack**



*cantilevered gowning rack**

** hangers shown sold separately*

FEATURES:

- Stainless steel construction offers a non-contaminating surface that eliminates particle shedding.
- *73″ (1854mm)* height.
- Hanger slots are standard *2½″ (64mm)* centers, but other center configurations are available.

Notes: All models use open loop hangers—sold separately. See page 128.

Prices do not include hangers.

25% upcharge to change slot spacing from standard.

Casters not available for these units.

Designed for efficient storage of garments in the cleanroom.

Single Rack Models

	length		weight		cu	number of	for Non-Removable Hangers		for Removable Hangers	
							stainless steel		stainless steel	
	in.	mm	lbs.	kg	ft	hanger slots	model #	list	model #	list
24″ width *(610mm)*	48″	1219	40	18.1	15.0	17	**S2448-SGRN**	5143	**S2448-SGRR**	4458
	60″	1524	45	20.4	15.0	22	**S2460-SGRN**	5258	**S2460-SGRR**	4549
	72″	1829	50	22.7	15.0	26	**S2472-SGRN**	5343	**S2472-SGRR**	4665
	84″	2134	55	24.9	17.5	31	**S2484-SGRN**	5728	**S2484-SGRR**	5012

Double Rack Models

	length		weight		cu	number of	for Non-Removable Hangers		for Removable Hangers	
							stainless steel		stainless steel	
	in.	mm	lbs.	kg	ft	hanger slots	model #	list	model #	list
24″ width *(610mm)*	48″	1219	59	26.7	15.0	38	**S2448-DGRN**	7693	**S2448-DGRR**	6975
	60″	1524	68	30.8	15.0	48	**S2460-DGRN**	8006	**S2460-DGRR**	7398
	72″	1829	77	34.9	15.0	58	**S2472-DGRN**	8355	**S2472-DGRR**	7637
	84″	2134	86	39.0	17.5	66	**S2484-DGRN**	8723	**S2484-DGRR**	8008

Cantilevered Rack Models

	length		weight		cu	number of	for Non-Removable Hangers		for Removable Hangers	
							stainless steel		stainless steel	
	in.	mm	lbs.	kg	ft	hanger slots	model #	list	model #	list
24″ width *(610mm)*	48″	1219	45	20.4	15.0	19	**S2448-CGRN**	5143	**S2448-CGRR**	4458
	60″	1524	50	22.7	15.0	24	**S2460-CGRN**	5258	**S2460-CGRR**	4549
	72″	1829	55	24.9	15.0	29	**S2472-CGRN**	5343	**S2472-CGRR**	4665
	84″	2134	60	27.2	17.5	33	**S2484-CGRN**	5727	**S2484-CGRR**	5012

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

EAGLE offers gowning racks that incorporate wire shelving components with specially designed gown storage options. They offer a more economical rack option in less demanding environments in chrome plated steel as well as stainless steel models.

Freestanding Gowning Racks with Wire Shelving Components

see spec sheet **EG04.01B**

FEATURES:

- 86″ *(2184mm)* height.
- Wire shelf features QuadTruss® Design. Patent #5,390,803.

Note: See each model for spacing centers. 25% upcharge to change slot spacing from standard.

with Hanger Slots

- Hanger slots on standard 2½″ *(64mm)* centers.
- Custom spacing available.
- Prices do not include hangers – see page 128 for optional hangers.

	length		weight		cubic	number of	chrome		stainless steel	
	in.	mm	lbs.	kg	feet	hanger slots	model #	list	model #	list
24″ width *(610mm)*	48″	1219	53	24.0	5.4	17	**C2448-GR**	1070	**S2448-GR**	2417
	60″	1524	66	29.9	6.5	22	**C2460-GR**	1207	**S2460-GR**	2771
	72″	1829	71	32.2	7.0	27	**C2472-GR**	1374	**S2472-GR**	2823



*gowning rack – freestanding with hanger slots**

Optional Keeper Bars for above Gowning Racks

- Makes hangers non-removable.

length		number of	chrome		stainless steel	
in.	mm	hanger slots	model #	list	model #	list
48″	1219	17	**KB48-C**	132	**KB48-S**	158
60″	1524	22	**KB60-C**	147	**KB60-S**	176
72″	1829	27	**KB72-C**	160	**KB72-S**	192



closeup of hooks

gowning rack – freestanding with hooks

with Hooks

- Hooks welded on all four shelf sides are spaced on 1½″ *(38mm)* centers and are staggered 1″ *(25mm)* vertically hook-to-hook for ease of access.

	length		weight		cubic	number of	chrome		stainless steel	
	in.	mm	lbs.	kg	feet	hooks	model #	list	model #	list
14″ width *(356mm)*	48″	1219	56	25.4	5.4	72	**C1448-GRH**	2530	**S1448-GRH**	3106
	60″	1524	68	30.8	6.5	88	**C1460-GRH**	2636	**S1460-GRH**	3353
	72″	1829	80	36.3	7.0	104	**C1472-GRH**	3162	**S1472-GRH**	4022

with Hanger Tube

- 1″ *(25mm)* diameter tubular bar which easily mounts to underside of wire shelf.
- Facilitates laminar flow.
- See page 129 for replacement garment hanger tubes.

	length		weight		cubic	chrome		stainless steel	
	in.	mm	lbs.	kg	feet	model #	list	model #	list
24″ width *(610mm)*	48″	1219	56	25.4	5.4	**C2448-GRT**	737	**S2448-GRT**	1856
	60″	1524	68	30.8	6.5	**C2460-GRT**	800	**S2460-GRT**	2026
	72″	1829	82	37.2	7.0	**C2472-GRT**	905	**S2472-GRT**	2243

Convenient for storage of lab coats, uniforms and garments.

Weight Capacity: 50 lbs.



*gowning rack – freestanding with hanger tube**

** hangers shown sold separately*

Wall Mounted Gowning Racks


see spec sheet **EG04.08**

FEATURES:

- Open wire top shelf for laminar flow. Features QuadTruss® Design. Patent #5,390,803.
- Hangers are not included.

Note: See bottom of this page for optional hangers available.

When space management is critical, EAGLE offers three wall mounted options for garment storage.



gowning rack –
wall mounted with optional hangers

with Hanger Slots

- Hanger slots on 2½″ *(64mm)* centers. Prices do not include hangers.

	length		weight		cubic	number of	chrome		stainless steel	
	in.	mm	lbs.	kg	feet	hanger slots	model #	list	model #	list
24″ width *(610mm)*	48″	1219	19	8.6	1.4	17	**C2448-WGR**	822	**S2448-WGR**	1002
	60″	1524	24	10.9	1.7	22	**C2460-WGR**	996	**S2460-WGR**	1266
	72″	1829	29	13.2	2.0	27	**C2472-WGR**	1144	**S2472-WGR**	1400

Optional Keeper Bars for above Gowning Racks

- Makes hangers non-removable.

length		number of	chrome		stainless steel	
in.	mm	hanger slots	model #	list	model #	list
48″	1219	17	**KB48-C**	132	**KB48-S**	158
60″	1524	22	**KB60-C**	147	**KB60-S**	176
72″	1829	27	**KB72-C**	160	**KB72-S**	192



gowning rack –
wall mounted with hooks

with Hooks

- Hooks welded on 1½″ *(38mm)* centers.

	length		weight		cubic	number of	chrome		stainless steel	
	in.	mm	lbs.	kg	feet	hooks	model #	list	model #	list
14″ width *(356mm)*	48″	1219	21	9.5	1.4	30	**C1448-WGRH**	1153	**S1448-WGRH**	1506
	60″	1524	27	12.2	1.7	38	**C1460-WGRH**	1327	**S1460-WGRH**	1667
	72″	1829	31	14.1	2.0	46	**C1472-WGRH**	1614	**S1472-WGRH**	1963



wall mounted tubular gowning rack

with Hanger Tube

- See page 129 for replacement garment hanger tubes.


	length		weight		cubic	chrome		stainless steel	
	in.	mm	lbs.	kg	feet	model #	list	model #	list
18″ width *(457mm)*	48″	1219	17	7.7	1.4	**C1848-WGRT**	432	**S1848-WGRT**	1033
	60″	1524	22	10.0	1.7	**C1860-WGRT**	463	**S1860-WGRT**	1185
	72″	1829	27	12.2	2.0	**C1872-WGRT**	495	**S1872-WGRT**	1383

Hangers

see spec sheet **EG04.06**

Note: For freestanding or wall mounted gowning racks, removable or non-removable models *(pages 126-128).*

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



open loop hanger



closed loop hanger

			Open Loop Hangers				Closed Loop Hangers			
weight		cu	chrome		stainless steel		chrome		stainless steel	
lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list
0.4	0.2	0.3	**OLH-C** •	29	**OLH-S** •	40	**CLH-C**	29	**CLH-S**	40

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Accessories

Hanger Bar Kits

see spec sheet EG04.06



Note: For freestanding or wall mounted gowning racks, removable or non-removable models (*pages 126-128*).

FEATURES:

- For use with 2-piece and open loop hangers.
- Retrofits existing shelving into freestanding or wall mounted gowning racks.
- 24″ *(610mm)* wide shelves only.
- Hanger slots on standard 2½″ *(64mm)* centers.
- Custom spacing available.
- Prices do not include hangers.

length		weight		cu	number of	chrome		stainless steel	
in.	mm	lbs.	kg	ft	hanger slots	model #	list	model #	list
48″	1219	7.0	3.2	0.8	17	**HBK-48C**	465	**HBK-48S**	563
60″	1524	9.5	4.3	1.2	22	**HBK-60C**	534	**HBK-60S**	626
72″	1829	12.0	5.4	1.6	27	**HBK-72C**	594	**HBK-72S**	693

Replacement Garment Hanger Tubes

see spec sheet EG04.07

Weight Capacity: 50 lbs.

Note: Mounts onto 18″, 21″, and 24″ *(457, 533, and 610mm)* wide shelves only.

For freestanding or wall mounted gowning racks with hanger tubes *(pages 127 & 128)*.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

length		weight		cubic	chrome		stainless steel	
in.	mm	lbs.	kg	feet	model #	list	model #	list
24″	610	1.5	0.7	0.1	**CH24**	75	**CH24-S**	162
30″	762	1.7	0.8	0.1	**CH30**	82	**CH30-S**	166
36″	914	2.2	1.0	0.1	**CH36**	86	**CH36-S**	173
42″	1067	2.7	1.2	0.1	**CH42**	87	**CH42-S**	178
48″	1219	3.2	1.5	0.1	**CH48** •	92	**CH48-S**	185
54″	1372	3.5	1.6	0.2	**CH54**	95	**CH54-S**	206
60″	1524	3.8	1.7	0.2	**CH60**	103	**CH60-S**	226
72″	1929	4.7	2.1	0.2	**CH72**	106	**CH72-S**	234



garment hanger tube

Stainless Steel Posts

see spec sheet EG04.07



stationary post

Numbered on 1″ increments for fast and easy assembly.

post height		weight		cu	…Stationary		…Mobile	
in.	mm	lbs.	kg	ft	model #	list	model #	list
33″	383	2.0	0.9	0.4	**P33-S**	109	**CP33-S**	109
54″	1372	3.0	1.4	0.4	**P54-S**	125	**CP54-S**	125
63″	1600	3.5	1.6	0.4	**P63-S**	136	**CP63-S**	136
74″	1880	4.0	1.8	0.5	**P74-S**	155	**CP74-S**	155
86″	2184	5.0	2.3	0.5	**P86-S**	176	**CP86-S**	176

Polymer Stem Casters

see spec sheets EG01.05 EG04.07

- Stainless steel axle.
- Zinc-plated stem.
- Polymer horn.
- Polyurethane wheel.

Note: For use with mobile posts *(see above)*.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*




These casters offer total corrosion resistance.

Note: These casters are not autoclave.

type	type of bearing	capacity lbs.	capacity kg	wheel diameter in.	wheel diameter mm	wheel face in.	wheel face mm	weight lbs.	weight kg	cu ft	model #	list
stem/swivel	delrin	250	113.4	5″	127	1¼″	32	2.0	0.9	0.1	**CPSS5-250** •	153
stem/brake	delrin	250	113.4	5″	127	1¼″	32	2.0	0.9	0.1	**CPSB5-250** •	188

Stainless Steel Caster Cradle®

see spec sheet **EG10.05M**



PATENTED!
(patent #US 8,678,335 B2)


FEATURES:

- The only caster stabilizing device with a patented uniform circular design (patent #US 8,678,335 B2) that allows for approach from any angle.
- Units are secured to the floor where the casters are to be centered.

description	model #	list/pkg
quantity of 2 per package	**CC-S-2**	185
quantity of 10 per package	**CC-S-10**	728
quantity of 60 per package	**CC-S-60**	4080

EL Series Heavy Duty Solid Gowning Benches

see spec sheet **EG04.13**




…with adjustable 4-sided frame and two optional shelf sections

FEATURES:


- 14 gauge type 304 stainless steel.
- Available with welded or adjustable h-frame or 4-sided frame.
- Hat channels on underside of seat.
- Stainless steel legs and foot plates.
- 17″ *(432mm)* overall height.

Optional Shelf Section

10″ x 12″ *(254 x 305mm)*. For units with 4-sided frame only.



model	list
ELGB-TRAY	125



…with welded H-frame

	length		weight		cu.	…with Adjustable Frame				…with Welded Frame			
						4-SIDED FRAME		H-FRAME BASE		4-SIDED FRAME		H-FRAME BASE	
	in.	mm	lbs.	kg	ft.	model #	list	model #	list	model #	list	model #	list
16″ width *(406mm)*	24″	610	20	9.1	4.1	**ELGB1624-4**	2480	**ELGB1624-H**	2566	**ELGB1624-4W**	3155	**ELGB1624-HW**	3207
	30″	762	26	11.8	3.7	**ELGB1630-4**	2557	**ELGB1630-H**	2645	**ELGB1630-4W**	3252	**ELGB1630-HW**	3306
	36″	914	33	15.0	2.6	**ELGB1636-4**	2636	**ELGB1636-H**	2726	**ELGB1636-4W**	3350	**ELGB1636-HW**	3408
	48″	1219	40	18.1	3.0	**ELGB1648-4**	2775	**ELGB1648-H**	2840	**ELGB1648-4W**	3455	**ELGB1636-HW**	3523
	60″	1524	47	21.3	3.7	**ELGB1660-4**	4355	**ELGB1660-H**	3026	**ELGB1660-4W**	5036	**ELGB1636-HW**	3705
	72″	1829	54	24.5	4.3	**ELGB1672-4**	4396	**ELGB1672-H**	3069	**ELGB1672-4W**	5080	**ELGB1636-HW**	3750
	84″	2134	61	27.7	5.2	**ELGB1684-4**	4528	**ELGB1684-H**	3161	**ELGB1684-4W**	5233	**ELGB1684-HW**	3863
	96″	2438	70	31.8	4.2	**ELGB1696-4**	4664	**ELGB1696-H**	3256	**ELGB1696-4W**	5390	**ELGB1696-HW**	3979

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Standard Gowning Benches

see spec sheet **EG04.03**

FEATURES:

- Flanged stainless foot plates for convenient attachment to the floor.
- Type 304 stainless steel brushed finish.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Solid

- 14 gauge type 304 stainless steel seat.
- Front and rear feature a rolled edge, with ends turned down at 90˚.
- Shipped knocked-down.
- 17″ *(432mm)* overall height.

Hold up to 500 lbs.!

	length		weight		cubic	stainless steel	
	in.	mm	lbs.	kg	feet	model #	list
9″ width *(229mm)*	36″	914	26	11.8	5.8	**CRB0936**	2036
	48″	1219	32	14.5	8.2	**CRB0948**	2137
	60″	1524	39	17.6	11.0	**CRB0960**	2284
	72″	1829	50	22.7	14.6	**CRB0972**	2482
12″ width *(305mm)*	24″	610	25	11.3	2.2	**CRB1224**	2173
	36″	914	28	12.7	2.5	**CRB1236** •	2173
	48″	1219	34	15.4	3.4	**CRB1248** •	2283
	60″	1524	53	24.0	3.6	**CRB1260** •	2384
	72″	1829	56	25.4	4.3	**CRB1272** *•	2588
	84″	2134	62	28.1	5.2	**CRB1284** *	2696

* Comes with six legs.



#CRB0948



#CRB1284

Wire

- Four (4) 18″ *(457mm)* legs with foot plates.
- One (1) three-sided channel frame.
- One (1) wire shelf featuring QuadTruss® Design (patent #5,390,803).

	length		weight		cubic	chrome		stainless steel	
	in.	mm	lbs.	kg	feet	model #	list	model #	list
14″ width *(356mm)*	36″	914	18	8.2	0.5	**W1436-GBC**	542	**W1436-GBS**	1623
	48″	1219	22	10.0	0.7	**W1448-GBC**	597	**W1448-GBS**	1800
	60″	1524	25	11.3	0.9	**W1460-GBC**	650	**W1460-GBS**	1880
	72″	1829	30	13.6	1.1	**W1472-GBC**	683	**W1472-GBS**	1994



An economical gowning bench using wire shelving components that offers 62% laminar flow.

Ideal for less demanding environments, or during construction as the room is brought into clean.

Gowning Benches with Standard Undershelf…

- Designated seat, legs, foot plates, and one wire undershelf *(additional wire undershelves and dividers are optional)*.
- 72″ *(1829mm)* units have six legs.
- Standard undershelf for all 72″ *(1829mm)* units consists of two #1436S wire shelves with S-hooks.
- All wire undershelves are 14″ *(356mm)*-wide and feature QuadTruss® Design (patent #5,390,803).
- 19″ *(483mm)* overall height.

…with Perforated Seat

¾″ *(19mm)* perforations on 1″ *(25mm)* center.

Seats hold up to 500 lbs.!

	length		weight		cubic	stainless steel	
	in.	mm	lbs.	kg	feet	model #	list
18″ width *(457mm)*	36″	914	44	20.0	4.4	**PCRB1836**	3375
	48″	1219	50	22.7	5.7	**PCRB1848**	3553
	60″	1524	56	25.4	7.1	**PCRB1860**	3769
	72″	1829	62	28.1	8.5	**PCRB1872**	4067

…with Solid Seat

	length		weight		cubic	stainless steel	
	in.	mm	lbs.	kg	feet	model #	list
18″ width *(457mm)*	36″	914	44	20.0	4.4	**CRB1836**	2929
	48″	1219	50	22.7	5.7	**CRB1848**	3085
	60″	1524	56	25.4	7.1	**CRB1860**	3265
	72″	1829	62	28.1	8.5	**CRB1872**	3530



gowning bench with standard undershelf and perforated seat, shown with additional undershelf and dividers

Options for Gowning Benches with Undershelf

Dividers — 4″ high.

weight			
lbs.	kg	model	list
1	0.5	**SD14-4S**	108

Additional Undershelves*

weight			
lbs.	kg	model	list
8	0.5	**1436S** •*	404
10	4.5	**1448S** •	495
14	6.4	**1460S** •	629

* 72″ *(1829mm)*-long benches require two #1436S undershelves and two **#A200012** S-hooks (**$7 List** ea.).

Cleanroom Tables with Flat Top—Stainless

see spec sheets **EG04.02A** *and* **EG04.02B**

All tables feature brushed stainless steel finish.

Please note: Cleanroom Tables are not eligible for returns.

FEATURES:

- Available with solid or perforated top, with C-Frame, H-Frame, or undershelf base.
- All tops are 14 gauge type 304* stainless.
- Perforated tops *(¾″-dia. holes on 1″ center)*. allow for 40% laminar flow, depending on size.
- Shipped knocked down, reducing freight costs and the potential for freight damage.
- 35½″ overall height.

* To upgrade to **316 stainless steel construction**, add suffix "**-316**" (ex: CRT3060T-C-**316**) with 35% upcharge.

"CRT" Series tables – Solid top with choice of:

- Knocked down stainless steel C-frame
- Knocked down stainless steel H-frame
- Solid stainless steel adjustable undershelf.

See page 134 for Optional Casters, Glides and Foot Rest.

	length		weight		cu	C-FRAME BASE		H-FRAME BASE		UNDERSHELF BASE	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list
24″ width *(610mm)*	24″	610	45	20.4	2.9	**CRT2424T-C**	2530	**CRT2424T-H**	2530	**CRT2424T-US**	3162
	36″	914	54	24.5	3.5	**CRT2436T-C**	2810	**CRT2436T-H**	2810	**CRT2436T-US**	3514
	48″	1219	85	29.5	4.6	**CRT2448T-C**	2937	**CRT2448T-H**	2937	**CRT2448T-US**	3670
	60″	1524	83	37.7	5.7	**CRT2460T-C**	3054	**CRT2460T-H**	3054	**CRT2460T-US**	3818
	72″	1829	98	44.5	6.9	**CRT2472T-C**	3470	**CRT2472T-H**	3470	**CRT2472T-US**	4337
	84″	2134	126	57.2	7.9	**CRT2484T-C**	4192	**CRT2484T-H**	4192	**CRT2484T-US**	5240
	96″	2438	187	84.8	9.1	**CRT2496T-C**	4478	**CRT2496T-H**	4478	**CRT2496T-US**	5596
30″ width *(762mm)*	30″	762	56	25.4	2.9	**CRT3030T-C**	2569	**CRT3030T-H**	2569	**CRT3030T-US**	3209
	36″	914	63	28.6	3.5	**CRT3036T-C**	2855	**CRT3036T-H**	2855	**CRT3036T-US**	3567
	48″	1219	71	32.2	4.6	**CRT3048T-C**	2964	**CRT3048T-H**	2964	**CRT3048T-US**	3705
	60″	1524	89	40.5	5.7	**CRT3060T-C**	3383	**CRT3060T-H**	3383	**CRT3060T-US**	4230
	72″	1829	105	47.6	6.9	**CRT3072T-C**	3677	**CRT3072T-H**	3677	**CRT3072T-US**	4597
	84″	2134	132	59.9	7.9	**CRT3084T-C**	4358	**CRT3084T-H**	4358	**CRT3084T-US**	5448
	96″	2438	212	96.2	9.1	**CRT3096T-C**	4659	**CRT3096T-H**	4659	**CRT3096T-US**	5823
36″ width *(914mm)*	36″	914	69	31.3	4.4	**CRT3636T-C**	2959	**CRT3636T-H**	2959	**CRT3636T-US**	3698
	48″	1219	84	38.1	5.5	**CRT3648T-C**	3110	**CRT3648T-H**	3110	**CRT3648T-US**	3887
	60″	1524	94	42.6	6.8	**CRT3660T-C**	3938	**CRT3660T-H**	3938	**CRT3660T-US**	4925
	72″	1829	120	54.4	8.1	**CRT3672T-C**	4272	**CRT3672T-H**	4272	**CRT3672T-US**	5340
	84″	2134	183	83.0	9.5	**CRT3684T-C**	4559	**CRT3684T-H**	4559	**CRT3684T-US**	5698
	96″	2438	247	112.0	10.8	**CRT3696T-C**	4997	**CRT3696T-H**	4997	**CRT3696T-US**	6248



with solid top and C-frame



with perforated top and H-frame

"CRPT" Series – Perforated top *(¾″-dia. holes on 1″ center)* with choice of:

- Knocked down stainless steel H-frame
- Knocked down stainless steel C-frame
- Perforated stainless steel adjustable undershelf *(¾″-dia. holes on 1″ center)*

See page 134 for Optional Casters, Glides and Foot Rest.


	length		weight		cu	C-FRAME BASE		H-FRAME BASE		UNDERSHELF BASE	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list
24″ width *(610mm)*	24″	610	32	14.5	2.9	**CRPT2424T-C**	2886	**CRPT2424T-H**	2886	**CRPT2424T-US**	3606
	36″	914	50	22.7	3.5	**CRPT2436T-C**	3394	**CRPT2436T-H**	3394	**CRPT2436T-US**	4243
	48″	1219	65	29.5	4.6	**CRPT2448T-C**	3969	**CRPT2448T-H**	3969	**CRPT2448T-US**	4960
	60″	1524	70	31.8	5.7	**CRPT2460T-C**	4287	**CRPT2460T-H**	4287	**CRPT2460T-US**	5355
	72″	1829	83	37.7	6.9	**CRPT2472T-C**	5487	**CRPT2472T-H**	5487	**CRPT2472T-US**	6860
	84″	2134	95	43.1	7.9	**CRPT2484T-C**	6082	**CRPT2484T-H**	6082	**CRPT2484T-US**	7600
	96″	2438	157	71.2	9.1	**CRPT2496T-C**	7908	**CRPT2496T-H**	7908	**CRPT2496T-US**	9886
30″ width *(762mm)*	30″	762	43	19.5	2.9	**CRPT3030T-C**	2997	**CRPT3030T-H**	2997	**CRPT3030T-US**	3747
	36″	914	53	24.0	3.5	**CRPT3036T-C**	3530	**CRPT3036T-H**	3530	**CRPT3036T-US**	4415
	48″	1219	73	33.1	4.6	**CRPT3048T-C**	4096	**CRPT3048T-H**	4096	**CRPT3048T-US**	5118
	60″	1524	83	37.7	5.7	**CRPT3060T-C**	4427	**CRPT3060T-H**	4427	**CRPT3060T-US**	5536
	72″	1829	105	47.6	6.9	**CRPT3072T-C**	5505	**CRPT3072T-H**	5505	**CRPT3072T-US**	6880
	84″	2134	132	59.9	7.9	**CRPT3084T-C**	6563	**CRPT3084T-H**	6563	**CRPT3084T-US**	8204
	96″	2438	158	71.7	9.1	**CRPT3096T-C**	8106	**CRPT3096T-H**	8106	**CRPT3096T-US**	10133
36″ width *(914mm)*	36″	914	74	33.6	4.4	**CRPT3636T-C**	3705	**CRPT3636T-H**	3705	**CRPT3636T-US**	4634
	48″	1219	84	38.1	5.5	**CRPT3648T-C**	4217	**CRPT3648T-H**	4217	**CRPT3648T-US**	5269
	60″	1524	88	39.9	6.8	**CRPT3660T-C**	4897	**CRPT3660T-H**	4897	**CRPT3660T-US**	6122
	72″	1829	107	43.5	8.1	**CRPT3672T-C**	5540	**CRPT3672T-H**	5540	**CRPT3672T-US**	6926
	84″	2134	183	83.0	9.5	**CRPT3684T-C**	6618	**CRPT3684T-H**	6618	**CRPT3684T-US**	8270
	96″	2438	203	92.1	10.8	**CRPT3696T-C**	8314	**CRPT3696T-H**	8314	**CRPT3696T-US**	10388

Optional Base Frames available for Cleanroom Tables

The following options are not included in the table price. Contact Customer Service for pricing.

For CRT and CRPT Series tables only:

- Welded construction C-frame.
- Welded construction H-frame.



100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Cleanroom Tables with Backsplash—Stainless

see spec sheets **EG04.02E** *and* **EG04.02F**

All tables feature brushed stainless steel finish.

Please note: Cleanroom Tables are not eligible for returns.

FEATURES:

- Available with solid or perforated top, with C-Frame, H-Frame, or undershelf base.
- All tops are 14 gauge type 304* stainless.
- Perforated tops *(¾″-dia. holes on 1″ center)*. allow for 40% laminar flow, depending on size.
- 4½″ *(114mm)* backsplash.
- Shipped knocked down.
- 35½″ overall height.

* To upgrade to **316 stainless steel construction**, add suffix "**-316**" (ex: CRT3060T-BS-C**-316**) with 35% upcharge.

"**CRT**" Series tables – Solid top with 4½″ backsplash, with choice of:

- Knocked down stainless steel C-frame
- Knocked down stainless steel H-frame
- Solid stainless steel adjustable undershelf.

	length		weight		cu	C-FRAME BASE		H-FRAME BASE		UNDERSHELF BASE	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list
24″ width *(610mm)*	24″	610	55	25.0	2.9	**CRT2424T-BS-C**	2912	**CRT2424T-BS-H**	2912	**CRT2424T-BS-US**	3637
	36″	914	65	29.5	3.5	**CRT2436T-BS-C**	3232	**CRT2436T-BS-H**	3232	**CRT2436T-BS-US**	4040
	48″	1219	70	31.8	4.6	**CRT2448T-BS-C**	3376	**CRT2448T-BS-H**	3376	**CRT2448T-BS-US**	4220
	60″	1524	86	39.0	5.7	**CRT2460T-BS-C**	3510	**CRT2460T-BS-H**	3510	**CRT2460T-BS-US**	4392
	72″	1829	94	42.6	6.9	**CRT2472T-BS-C**	3993	**CRT2472T-BS-H**	3993	**CRT2472T-BS-US**	4987
	84″	2134	145	65.8	7.9	**CRT2484T-BS-C**	4819	**CRT2484T-BS-H**	4819	**CRT2484T-BS-US**	6026
	96″	2438	169	76.7	9.1	**CRT2496T-BS-C**	5148	**CRT2496T-BS-H**	5148	**CRT2496T-BS-US**	4987
30″ width *(762mm)*	30″	762	63	28.6	2.9	**CRT3030T-BS-C**	2955	**CRT3030T-BS-H**	2955	**CRT3030T-BS-US**	3695
	36″	914	66	29.9	3.5	**CRT3036T-BS-C**	3284	**CRT3036T-BS-H**	3284	**CRT3036T-BS-US**	4103
	48″	1219	83	37.7	4.6	**CRT3048T-BS-C**	3412	**CRT3048T-BS-H**	3412	**CRT3048T-BS-US**	4263
	60″	1524	92	41.7	5.7	**CRT3060T-BS-C**	3893	**CRT3060T-BS-H**	3893	**CRT3060T-BS-US**	4864
	72″	1829	113	51.3	6.9	**CRT3072T-BS-C**	4230	**CRT3072T-BS-H**	4230	**CRT3072T-BS-US**	5288
	84″	2134	150	68.0	7.9	**CRT3084T-BS-C**	5012	**CRT3084T-BS-H**	5012	**CRT3084T-BS-US**	6266
	96″	2438	180	81.7	9.1	**CRT3096T-BS-C**	5356	**CRT3096T-BS-H**	5356	**CRT3096T-BS-US**	6695
36″ width *(914mm)*	36″	914	74	33.6	4.4	**CRT3636T-BS-C**	3403	**CRT3636T-BS-H**	3403	**CRT3636T-BS-US**	4252
	48″	1219	84	38.1	5.5	**CRT3648T-BS-C**	3576	**CRT3648T-BS-H**	3576	**CRT3648T-BS-US**	4469
	60″	1524	99	44.9	6.8	**CRT3660T-BS-C**	4528	**CRT3660T-BS-H**	4528	**CRT3660T-BS-US**	5664
	72″	1829	115	52.2	8.1	**CRT3672T-BS-C**	4912	**CRT3672T-BS-H**	4912	**CRT3672T-BS-US**	6140
	84″	2134	183	83.0	9.5	**CRT3684T-BS-C**	5242	**CRT3684T-BS-H**	5242	**CRT3684T-BS-US**	6552
	96″	2438	203	92.1	10.8	**CRT3696T-BS-C**	5747	**CRT3696T-BS-H**	5747	**CRT3696T-BS-US**	7184

See page 134 for Optional Casters, Glides and Foot Rest.

"**CRPT**" Series – Perforated top *(¾″-dia. holes on 1″ center)* with 4½″ backsplash, with choice of:

- Knocked down stainless steel H-frame
- Knocked down stainless steel C-frame
- Perforated stainless steel adjustable undershelf *(¾″-dia. holes on 1″ center)*

	length		weight		cu	C-FRAME BASE		H-FRAME BASE		UNDERSHELF BASE	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list
24″ width *(610mm)*	24″	610	55	25.0	2.9	**CRPT2424T-BS-C**	3318	**CRPT2424T-BS-H**	3318	**CRPT2424T-BS-US**	4144
	36″	914	65	29.5	3.5	**CRPT2436T-BS-C**	3903	**CRPT2436T-BS-H**	3903	**CRPT2436T-BS-US**	4880
	48″	1219	70	31.8	4.6	**CRPT2448T-BS-C**	4563	**CRPT2448T-BS-H**	4563	**CRPT2448T-BS-US**	5704
	60″	1524	86	39.0	5.7	**CRPT2460T-BS-C**	4926	**CRPT2460T-BS-H**	4926	**CRPT2460T-BS-US**	6158
	72″	1829	94	42.6	6.9	**CRPT2472T-BS-C**	6309	**CRPT2472T-BS-H**	6309	**CRPT2472T-BS-US**	7888
	84″	2134	145	65.8	7.9	**CRPT2484T-BS-C**	6994	**CRPT2484T-BS-H**	6994	**CRPT2484T-BS-US**	8742
	96″	2438	169	76.7	9.1	**CRPT2496T-BS-C**	9094	**CRPT2496T-BS-H**	9094	**CRPT2496T-BS-US**	7888
30″ width *(762mm)*	30″	762	63	28.6	2.9	**CRPT3030T-BS-C**	3444	**CRPT3030T-BS-H**	3444	**CRPT3030T-BS-US**	4308
	36″	914	66	29.9	3.5	**CRPT3036T-BS-C**	4059	**CRPT3036T-BS-H**	4059	**CRPT3036T-BS-US**	5075
	48″	1219	83	37.7	4.6	**CRPT3048T-BS-C**	4710	**CRPT3048T-BS-H**	4710	**CRPT3048T-BS-US**	5886
	60″	1524	92	41.7	5.7	**CRPT3060T-BS-C**	5092	**CRPT3060T-BS-H**	5092	**CRPT3060T-BS-US**	6364
	72″	1829	113	51.3	6.9	**CRPT3072T-BS-C**	6329	**CRPT3072T-BS-H**	6329	**CRPT3072T-BS-US**	7909
	84″	2134	150	68.0	7.9	**CRPT3084T-BS-C**	7544	**CRPT3084T-BS-H**	7544	**CRPT3084T-BS-US**	9433
	96″	2438	180	81.7	9.1	**CRPT3096T-BS-C**	9322	**CRPT3096T-BS-H**	9322	**CRPT3096T-BS-US**	11653
36″ width *(914mm)*	36″	914	74	33.6	4.4	**CRPT3636T-BS-C**	4263	**CRPT3636T-BS-H**	4263	**CRPT3636T-BS-US**	5330
	48″	1219	84	38.1	5.5	**CRPT3648T-BS-C**	4847	**CRPT3648T-BS-H**	4847	**CRPT3648T-BS-US**	6059
	60″	1524	99	44.9	6.8	**CRPT3660T-BS-C**	5634	**CRPT3660T-BS-H**	5634	**CRPT3660T-BS-US**	7038
	72″	1829	115	52.2	8.1	**CRPT3672T-BS-C**	6374	**CRPT3672T-BS-H**	6374	**CRPT3672T-BS-US**	7966
	84″	2134	183	83.0	9.5	**CRPT3684T-BS-C**	7609	**CRPT3684T-BS-H**	7609	**CRPT3684T-BS-US**	9512
	96″	2438	203	92.1	10.8	**CRPT3696T-BS-C**	9560	**CRPT3696T-BS-H**	9560	**CRPT3696T-BS-US**	11944

See page 134 for Optional Casters, Glides and Foot Rest.

Optional Casters and Glides for Cleanroom Tables

see spec sheet **EG10.59**





For Cleanroom Tables on pages 132 and 133.

Polymer Cart Washable Casters with Polymer Tread (NSF)

description	weight lbs.	weight kg	model #	list
5″ *(127mm)* dia., set of four *(two swivel, two w/brake)*	250	113.4	**CAHW4-SB**	1178
5″ *(127mm)* dia., set of six *(three swivel, three w/brake)*	250	113.4	**CAHW6-SB**	1769

Glides for Cleanroom Table Foot

description	model #	list ea.
black, plastic, fits on hex foot	**387622**	9

Foot Rest

see product announcement **EG04.14**



Designed with stress relief in mind.

- Heavy gauge stainless steel all-welded construction.
- 1″ square tubular welded frame, with non-slip rubber feet.
- Platform at 12° angle.
- Adjusts from 4½″ to 9¾″ (lowest leading edge to the floor).

width x length x height in.	width x length x height mm	model #	list
11 1/16″ x 21″ x 12 7/8″	281 x 533 x 327	**FR-1221-SS**	1085

NEW! *Gowning Dispensers*

All units feature #4 brushed finish type 304 stainless steel construction. Compartment size and quantity can be customized to specific needs.



Eye Protection Holders

Download
Eye Protection Holders
Spec EG03.90



Garment Dispensers

Download
Garment Dispensers
Spec EG03.91



Packaged Glove Dispensers

Download
Packaged Glove Dispensers
Spec EG03.92



Loose Glove Dispensers



…with Catch Basin

Download
Loose Glove Dispensers
Spec EG03.93

NEW! *Laboratory Exhaust Canopies*

Island or wall mount exhaust canopies feature 16 gauge type 304 stainless steel construction, fully welded seams, polished interior and exterior, steel rod suspension brackets, full perimeter condensation edge, 19″ overall height, and integral duct collar. Exhaust canopies are available in 30″ and 36″ depths, and widths ranging from 36″ to 96″.



wall hood



island hood

Download
Laboratory Exhaust Canopies
Spec EG03.85

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Workstations

see spec sheet **EG04.10**



basic wire workstation



wire top workstation with two overshelves

WEIGHT CAPACITY:

- Up to 800 lb. *(363kg)* load-bearing capacity.

FEATURES:

- Mobile units come with four 5″ *(127mm)* poly stem casters *(two with brake)*.
- Wire units offer 62% laminar flow.
- All units have standard working height of 33″ *(838mm)*.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Basic Wire Units

	length		cu	weight		Stationary Units: chrome		Stationary Units: stainless steel		weight		Mobile Units: chrome		Mobile Units: stainless steel	
	in.	mm	ft	lbs.	kg	model #	list	model #	list	lbs.	kg	model #	list	model #	list
24″ width *(610mm)*	36″	914	3.0	21	9.5	**WS2436C**	482	**WS2436S**	1777	29	13.2	**MWS2436C**	1106	**MWS2436S**	2455
	48″	1219	3.8	28	12.7	**WS2448C**	548	**WS2448S**	1938	36	16.3	**MWS2448C**	1172	**MWS2448S**	2617

Wire Top Units with Two Overshelves

	length		cu	weight		Stationary Units: chrome		Stationary Units: stainless steel		weight		Mobile Units: chrome		Mobile Units: stainless steel	
	in.	mm	ft	lbs.	kg	model #	list	model #	list	lbs.	kg	model #	list	model #	list
24″ width *(610mm)*	36″	914	4.4	45	20.4	**WS2436WT**	738	**WS2436WT-S**	2783	56	25.4	**MWS2436WT**	1374	**MWS2436WT-S**	3272
	48″	1219	5.5	53	24.0	**WS2448WT**	856	**WS2448WT-S**	2850	61	27.7	**MWS2448WT**	1480	**MWS2448WT-S**	3530

Optional Keyboard Stations for Workstations

- 20½″ wide x 11½″ deep *(521 x 292mm)*.
- Works on 24″ *(610mm)* wide shelves.

weight		cubic	chrome		stainless steel	
lbs.	kg	feet	model #	list	model #	list
9.0	4.1	0.35	**KBD-2** •	452	**KBD-2/SS**	786



chrome keyboard station shown

Mobile Computer Workstations

see spec sheet **EG01.04**



with optional mouse shelf

FEATURES:

- 5″ *(127mm)* casters–two with brake.
- Cantilevered shelf, undershelf, keyboard drawer.
- 38⅜″ *(981mm)* working height.
- 53⅜″ *(1362mm)* overall height.

Note: Call factory for information on other casters available.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Optional Mouse Shelf

width x length			cu	weight		chrome	
in.		mm	ft	lbs.	kg	model #	list
7″ x 7″		178 x 178	0.1	2.0	0.9	**MS-C**	28

patented QuadTruss® design (Patent #5,390,803)

	length		weight		cu	with Resilient-Tread Casters: chrome		with Resilient-Tread Casters: stainless steel		w/Polyurethane-Tread Casters: chrome		w/Polyurethane-Tread Casters: stainless steel	
	in.	mm	lbs.	kg	ft	model #	*list	model #	*list	model #	*list	model #	*list
24″ *(610mm)*	24″	610	40	18.1	3.7	**MCWS2424C**	• 1685	**MCWS2424S**	2710	**MCWS2424C-P**	1722	**MCWS2424S-P**	2748
30″ *(762mm)*	30″	762	56	25.4	4.5	**MCWS3030C**	1818	**MCWS3030S**	2830	**MCWS3030C-P**	1856	**MCWS3030S-P**	2864

* List prices do not include cost of mouse shelf.

** 24″ x 24″ *(610 x 610mm)* units feature 14″ x 24″ *(357 x 610mm)* undershelf, 30″ x 30″ *(762 x 762mm)* units feature 18″ x 30″ *(457 x 762mm)* undershelf.

adjusTable® Work Surface Systems

NSF

Now NSF!

see spec sheet EG04.04A

adjusTable®

FEATURES:

- Four 33″ *(838mm)* posts and your choice of base combination.
- Tabletops on all models feature hat channels underneath for added strength.
- 34½″ *(876mm)* overall height.



with H-frame base and wire shelf (suffix "-1H-1W")



with C-frame base and wire shelf (suffix "-1C-1W")

EAGLE's adjusTable® system allows you to create work surfaces in the configuration of your choice.

Note: To order table with 5″ *(127mm)* resilient tread casters, add suffix **"-CAH"** and **add to list price $1096**.
Example: AC2436T-2H-CAH.
To order table with 5″ *(127mm)* poly tread casters, add suffix **"-CAHP"** and **add to list price $950**.
Example: AS2436T-2H-CAHP.
See page 142 for optional drawers and keyboard station.

"AC" Series tables – Brushed 16/304 stainless steel solid top with choice of:

- Two knocked down chrome C-frames
- Two knocked down chrome H-frames
- One chrome C-frame and one chrome wire undershelf
- One chrome H-frame and one chrome wire undershelf
- Two chrome wire undershelves

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width *(610mm)*	36″	914	65	29.5	4.5	**AC2436T-2C**	1586	**AC2436T-2H**	1586	**AC2436T-1C-1W**	1586	**AC2436T-1H-1W**	1586	**AC2436T-2W**	1586
	48″	1219	81	36.7	5.7	**AC2448T-2C**	1856	**AC2448T-2H**	1856	**AC2448T-1C-1W**	1856	**AC2448T-1H-1W**	1856	**AC2448T-2W**	1856
	60″	1524	97	44.0	7.1	**AC2460T-2C**	2094	**AC2460T-2H**	2094	**AC2460T-1C-1W**	2094	**AC2460T-1H-1W**	2094	**AC2460T-2W**	2094
	72″	1829	113	51.3	8.5	**AC2472T-2C**	2278	**AC2472T-2H**	2278	**AC2472T-1C-1W**	2278	**AC2472T-1H-1W**	2278	**AC2472T-2W**	2278
30″ width *(762mm)*	36″	914	75	34.0	4.5	**AC3036T-2C**	1729	**AC3036T-2H**	1729	**AC3036T-1C-1W**	1729	**AC3036T-1H-1W**	1729	**AC3036T-2W**	1729
	48″	1219	94	42.6	5.7	**AC3048T-2C**	2049	**AC3048T-2H**	2049	**AC3048T-1C-1W**	2049	**AC3048T-1H-1W**	2049	**AC3048T-2W**	2049
	60″	1524	113	51.3	7.1	**AC3060T-2C**	2325	**AC3060T-2H**	2325	**AC3060T-1C-1W**	2325	**AC3060T-1H-1W**	2325	**AC3060T-2W**	2325
	72″	1829	132	59.9	8.5	**AC3072T-2C**	2530	**AC3072T-2H**	2530	**AC3072T-1C-1W**	2530	**AC3072T-1H-1W**	2530	**AC3072T-2W**	2530
36″ width *(914mm)*	36″	914	85	38.6	5.6	**AC3636T-2C**	2178	**AC3636T-2H**	2178	**AC3636T-1C-1W**	2178	**AC3636T-1H-1W**	2178	**AC3636T-2W**	2178
	48″	1219	108	49.0	7.1	**AC3648T-2C**	2489	**AC3648T-2H**	2489	**AC3648T-1C-1W**	2489	**AC3648T-1H-1W**	2489	**AC3648T-2W**	2489
	60″	1524	131	59.4	8.9	**AC3660T-2C**	2726	**AC3660T-2H**	2726	**AC3660T-1C-1W**	2726	**AC3660T-1H-1W**	2726	**AC3660T-2W**	2726
	72″	1829	154	69.9	10.6	**AC3672T-2C**	3030	**AC3672T-2H**	3030	**AC3672T-1C-1W**	3030	**AC3672T-1H-1W**	3030	**AC3672T-2W**	3030

"AS" Series tables – Brushed 16/304 stainless steel solid top with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one chrome wire undershelf
- Two stainless steel wire undershelves

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width *(610mm)*	36″	914	65	29.5	4.5	**AS2436T-2C**	2387	**AS2436T-2H**	2387	**AS2436T-1C-1W**	2387	**AS2436T-1H-1W**	2387	**AS2436T-2W**	2387
	48″	1219	81	36.7	5.7	**AS2448T-2C**	2754	**AS2448T-2H**	2754	**AS2448T-1C-1W**	2754	**AS2448T-1H-1W**	2754	**AS2448T-2W**	2754
	60″	1524	97	44.0	7.1	**AS2460T-2C**	3192	**AS2460T-2H**	3192	**AS2460T-1C-1W**	3192	**AS2460T-1H-1W**	3192	**AS2460T-2W**	3192
	72″	1829	113	51.3	8.5	**AS2472T-2C**	3633	**AS2472T-2H**	3633	**AS2472T-1C-1W**	3633	**AS2472T-1H-1W**	3633	**AS2472T-2W**	3633
30″ width *(762mm)*	36″	914	75	34.0	4.5	**AS3036T-2C**	2717	**AS3036T-2H**	2717	**AS3036T-1C-1W**	2717	**AS3036T-1H-1W**	2717	**AS3036T-2W**	2717
	48″	1219	94	42.6	5.7	**AS3048T-2C**	3167	**AS3048T-2H**	3167	**AS3048T-1C-1W**	3167	**AS3048T-1H-1W**	3167	**AS3048T-2W**	3167
	60″	1524	113	51.3	7.1	**AS3060T-2C**	3630	**AS3060T-2H**	3630	**AS3060T-1C-1W**	3630	**AS3060T-1H-1W**	3630	**AS3060T-2W**	3630
	72″	1829	132	59.9	8.5	**AS3072T-2C**	4236	**AS3072T-2H**	4236	**AS3072T-1C-1W**	4236	**AS3072T-1H-1W**	4236	**AS3072T-2W**	4236
36″ width *(914mm)*	36″	914	85	38.6	5.6	**AS3636T-2C**	3153	**AS3636T-2H**	3153	**AS3636T-1C-1W**	3153	**AS3636T-1H-1W**	3153	**AS3636T-2W**	3153
	48″	1219	108	49.0	7.1	**AS3648T-2C**	3808	**AS3648T-2H**	3808	**AS3648T-1C-1W**	3808	**AS3648T-1H-1W**	3808	**AS3648T-2W**	3808
	60″	1524	131	59.4	8.9	**AS3660T-2C**	4383	**AS3660T-2H**	4383	**AS3660T-1C-1W**	4383	**AS3660T-1H-1W**	4383	**AS3660T-2W**	4383
	72″	1829	154	69.9	10.6	**AS3672T-2C**	5006	**AS3672T-2H**	5006	**AS3672T-1C-1W**	5006	**AS3672T-1H-1W**	5006	**AS3672T-2W**	5006

Contact factory for custom workstation configurations.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

adjusTable® Work Surface Systems

see spec sheet **EG04.04A**

(continued from page 136)

Note: To order table with 5″ *(127mm)* resilient tread casters, add suffix **"-CAH"** and **add to list price $1096. Example: AP2436T-2H-CAH.**
To order table with 5″ *(127mm)* poly tread casters, add suffix **"-CAHP"** and **add to list price $950. Example: AP2436T-2H-CAHP.**
See page 142 for optional drawers and keyboard station.

"**AP**" Series tables – Brushed 14/304 stainless steel perforated* top *(¾″-dia. holes on 1″ center)* with choice of

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one s/s wire undershelf
- Two stainless steel wire undershelves

* For perforated tops, laminar air flow is 23-25% depending on size.

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width *(610mm)*	36″	914	65	29.5	4.5	**AP2436T-2C**	2997	**AP2436T-2H**	2997	**AP2436T-1C-1W**	2997	**AP2436T-1H-1W**	2997	**AP2436T-2W**	2997
	48″	1219	81	36.7	5.7	**AP2448T-2C**	3374	**AP2448T-2H**	3374	**AP2448T-1C-1W**	3374	**AP2448T-1H-1W**	3374	**AP2448T-2W**	3374
	60″	1524	97	44.0	7.1	**AP2460T-2C**	3810	**AP2460T-2H**	3810	**AP2460T-1C-1W**	3810	**AP2460T-1H-1W**	3810	**AP2460T-2W**	3810
	72″	1829	113	51.3	8.5	**AP2472T-2C**	4252	**AP2472T-2H**	4252	**AP2472T-1C-1W**	4252	**AP2472T-1H-1W**	4252	**AP2472T-2W**	4252
30″ width *(762mm)*	36″	914	75	34.0	4.5	**AP3036T-2C**	3330	**AP3036T-2H**	3330	**AP3036T-1C-1W**	3330	**AP3036T-1H-1W**	3330	**AP3036T-2W**	3330
	48″	1219	94	42.6	5.7	**AP3048T-2C**	3785	**AP3048T-2H**	3785	**AP3048T-1C-1W**	3785	**AP3048T-1H-1W**	3785	**AP3048T-2W**	3785
	60″	1524	113	51.3	7.1	**AP3060T-2C**	4250	**AP3060T-2H**	4250	**AP3060T-1C-1W**	4250	**AP3060T-1H-1W**	4250	**AP3060T-2W**	4250
	72″	1829	132	59.9	8.5	**AP3072T-2C**	4847	**AP3072T-2H**	4847	**AP3072T-1C-1W**	4847	**AP3072T-1H-1W**	4847	**AP3072T-2W**	4847
36″ width *(914mm)*	36″	914	85	38.6	5.6	**AP3636T-2C**	3766	**AP3636T-2H**	3766	**AP3636T-1C-1W**	3766	**AP3636T-1H-1W**	3766	**AP3636T-2W**	3766
	48″	1219	108	49.0	7.1	**AP3648T-2C**	4423	**AP3648T-2H**	4423	**AP3648T-1C-1W**	4423	**AP3648T-1H-1W**	4423	**AP3648T-2W**	4423
	60″	1524	131	59.4	8.9	**AP3660T-2C**	4995	**AP3660T-2H**	4995	**AP3660T-1C-1W**	4995	**AP3660T-1H-1W**	4995	**AP3660T-2W**	4995
	72″	1829	154	69.9	10.6	**AP3672T-2C**	5320	**AP3672T-2H**	5320	**AP3672T-1C-1W**	5320	**AP3672T-1H-1W**	5320	**AP3672T-2W**	5320

Contact factory for custom workstation configurations.

Foot Rest

see product announcement **EG04.14**



Designed with stress relief in mind.

- Heavy gauge stainless steel all-welded construction.
- 1″ square tubular welded frame, with non-slip rubber feet.
- Platform at 12° angle.
- Adjusts from 4½″ to 9¾″ (lowest leading edge to the floor).

width x length x height			
in.	mm	model #	list
11 1/16″ x 21″ x 12 7/8″	281 x 533 x 327	**FR-1221-SS**	1085

EXPLORE OUR EXTENSIVE LINE OF CASEWORK...

CLICK ON THE COVER TO DOWNLOAD, OR VISIT EAGLEMHC.COM



adjusTable® Work Surface Systems with Cantilevered Overhead System

NSF

see spec sheet EG04.04B

Now NSF!

FEATURES:

- 34½″ *(876mm)* working height.
- 63″ *(1600mm)* overall height.

Note: To order table with 5″ *(127mm)* resilient tread casters, add suffix **"-CAH"** and **add to list price $1096**.
Example: OAC2436T-2H--CAH.
To order table with 5″ *(127mm)* poly tread casters, add suffix **"-CAHP"** and **add to list price $950**.
Example: OAC2436T-2H-CAHP.
See page 142 for optional drawers and keyboard station.



shown with two C-frame bases (suffix "-2C")

adjusTable®

Allows you to create work surfaces of your choice. Tabletops on all models feature hat channels underneath for added strength.

Work surface of your choice is combined with two 33″ *(838mm)* front posts, two 63″ *(1600mm)* rear posts, two cantilevered wire overshelves, and your choice of base combination. Overall height of 63″ *(1600mm)*.

"OAC" Series tables – Brushed 16/304 stainless steel solid top and chrome wire overshelves, with choice of:

- Two knocked down chrome C-frames
- Two knocked down chrome H-frames
- One chrome C-frame and one chrome wire undershelf
- One chrome H-frame and one chrome wire undershelf
- Two chrome wire undershelves

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	36″	914	65	29.5	4.4	OAC2436T-2C	1889	OAC2436T-2H	1889	OAC2436T-1C-1W	1889	OAC2436T-1H-1W	1889	OAC2436T-2W	1889
	48″	1219	81	36.7	5.7	OAC2448T-2C	2176	OAC2448T-2H	2176	OAC2448T-1C-1W	2176	OAC2448T-1H-1W	2176	OAC2448T-2W	2176
	60″	1524	97	44.0	7.0	OAC2460T-2C	2464	OAC2460T-2H	2464	OAC2460T-1C-1W	2464	OAC2460T-1H-1W	2464	OAC2460T-2W	2464
30″ width (762mm)	36″	914	75	34.0	4.4	OAC3036T-2C	2009	OAC3036T-2H	2009	OAC3036T-1C-1W	2009	OAC3036T-1H-1W	2009	OAC3036T-2W	2009
	48″	1219	94	42.6	5.7	OAC3048T-2C	2370	OAC3048T-2H	2370	OAC3048T-1C-1W	2370	OAC3048T-1H-1W	2370	OAC3048T-2W	2370
	60″	1524	113	51.3	7.0	OAC3060T-2C	2693	OAC3060T-2H	2693	OAC3060T-1C-1W	2693	OAC3060T-1H-1W	2693	OAC3060T-2W	2693
36″ width (914mm)	36″	914	85	38.6	5.0	OAC3636T-2C	2454	OAC3636T-2H	2454	OAC3636T-1C-1W	2454	OAC3636T-1H-1W	2454	OAC3636T-2W	2454
	48″	1219	108	49.0	7.0	OAC3648T-2C	2807	OAC3648T-2H	2807	OAC3648T-1C-1W	2807	OAC3648T-1H-1W	2807	OAC3648T-2W	2807
	60″	1524	131	59.4	9.0	OAC3660T-2C	3065	OAC3660T-2H	3065	OAC3660T-1C-1W	3065	OAC3660T-1H-1W	3065	OAC3660T-2W	3065

"OAS" Series tables – Brushed 16/304 stainless steel solid top and stainless steel wire overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one chrome wire undershelf
- Two stainless steel wire undershelves

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	36″	914	65	29.5	4.4	OAS2436T-2C	3284	OAS2436T-2H	3284	OAS2436T-1C-1W	3284	OAS2436T-1H-1W	3284	OAS2436T-2W	3284
	48″	1219	81	36.7	5.7	OAS2448T-2C	3756	OAS2448T-2H	3756	OAS2448T-1C-1W	3756	OAS2448T-1H-1W	3756	OAS2448T-2W	3756
	60″	1524	97	44.0	7.0	OAS2460T-2C	4356	OAS2460T-2H	4356	OAS2460T-1C-1W	4356	OAS2460T-1H-1W	4356	OAS2460T-2W	4356
30″ width (762mm)	36″	914	75	34.0	4.4	OAS3036T-2C	3617	OAS3036T-2H	3617	OAS3036T-1C-1W	3617	OAS3036T-1H-1W	3617	OAS3036T-2W	3617
	48″	1219	94	42.6	5.7	OAS3048T-2C	4166	OAS3048T-2H	4166	OAS3048T-1C-1W	4166	OAS3048T-1H-1W	4166	OAS3048T-2W	4166
	60″	1524	113	51.3	7.0	OAS3060T-2C	4797	OAS3060T-2H	4797	OAS3060T-1C-1W	4797	OAS3060T-1H-1W	4797	OAS3060T-2W	4797
36″ width (914mm)	36″	914	85	38.6	5.0	OAS3636T-2C	4048	OAS3636T-2H	4048	OAS3636T-1C-1W	4048	OAS3636T-1H-1W	4048	OAS3636T-2W	4048
	48″	1219	108	49.0	7.0	OAS3648T-2C	4800	OAS3648T-2H	4800	OAS3648T-1C-1W	4800	OAS3648T-1H-1W	4800	OAS3648T-2W	4800
	60″	1524	131	59.4	9.0	OAS3660T-2C	5542	OAS3660T-2H	5542	OAS3660T-1C-1W	5542	OAS3660T-1H-1W	5542	OAS3660T-2W	5542

Contact factory for custom workstation configurations.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

adjusTable® Work Surface Systems with Cantilevered Overhead System

see spec sheet **EG04.04B**

(continued from page 138)

Note: To order table with 5″ *(127mm)* resilient tread casters, add suffix **"-CAH"** and **add to list price $1096. Example: OAP2436T-2H-CAH.**
To order table with 5″ *(127mm)* poly tread casters, add suffix **"-CAHP"** and **add to list price $950. Example: OAP2436T-2H-CAHP.**
See page 142 for optional drawers and keyboard station.

"**OAP**" Series tables – Brushed 14/304 stainless steel top with ¾″ *(19mm)* perforations* on 1″ *(25mm)* centers and stainless steel wire overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one s/s wire undershelf
- Two stainless steel wire undershelves

* For perforated tops, laminar air flow is 23-25% depending on size.

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width *(610mm)*	36″	914	65	29.5	4.4	**OAP2436T-2C**	3774	**OAP2436T-2H**	3774	**OAP2436T-1C-1W**	3774	**OAP2436T-1H-1W**	3774	**OAP2436T-2W**	3774
	48″	1219	81	36.7	5.7	**OAP2448T-2C**	4370	**OAP2448T-2H**	4370	**OAP2448T-1C-1W**	4370	**OAP2448T-1H-1W**	4370	**OAP2448T-2W**	4370
	60″	1524	97	44.0	7.0	**OAP2460T-2C**	4974	**OAP2460T-2H**	4974	**OAP2460T-1C-1W**	4974	**OAP2460T-1H-1W**	4974	**OAP2460T-2W**	4974
30″ width *(762mm)*	36″	914	75	34.0	4.4	**OAP3036T-2C**	4232	**OAP3036T-2H**	4232	**OAP3036T-1C-1W**	4232	**OAP3036T-1H-1W**	4232	**OAP3036T-2W**	4232
	48″	1219	94	42.6	5.7	**OAP3048T-2C**	4784	**OAP3048T-2H**	4784	**OAP3048T-1C-1W**	4784	**OAP3048T-1H-1W**	4784	**OAP3048T-2W**	4784
	60″	1524	113	51.3	7.0	**OAP3060T-2C**	5417	**OAP3060T-2H**	5417	**OAP3060T-1C-1W**	5417	**OAP3060T-1H-1W**	5417	**OAP3060T-2W**	5417
36″ width *(914mm)*	36″	914	85	38.6	5.0	**OAP3636T-2C**	4665	**OAP3636T-2H**	4665	**OAP3636T-1C-1W**	4665	**OAP3636T-1H-1W**	4665	**OAP3636T-2W**	4665
	48″	1219	108	49.0	7.0	**OAP3648T-2C**	5418	**OAP3648T-2H**	5418	**OAP3648T-1C-1W**	5418	**OAP3648T-1H-1W**	5418	**OAP3648T-2W**	5418
	60″	1524	131	59.4	9.0	**OAP3660T-2C**	6156	**OAP3660T-2H**	6156	**OAP3660T-1C-1W**	6156	**OAP3660T-1H-1W**	6156	**OAP3660T-2W**	6156

Contact factory for custom workstation configurations.

Foot Rest

see product announcement **EG04.14**



Designed with stress relief in mind.

- Heavy gauge stainless steel all-welded construction.
- 1″ square tubular welded frame, with non-slip rubber feet.
- Platform at 12° angle.
- Adjusts from 4½″ to 9¾″ (lowest leading edge to the floor).

width x length x height			
in.	mm	model #	list
11 1/16″ x 21″ x 12⅞″	281 x 533 x 327	**FR-1221-SS**	1085

CHECK IT OUT...

CLICK ON THE COVER TO DOWNLOAD, OR VISIT EAGLEMHC.COM



adjusTable® Work Surface Systems with Wire Overshelf System

see spec sheet EG04.04C

Now NSF!

FEATURES:
- 34½″ *(876mm)* working height.
- 63″ *(1600mm)* overall height.



shown with two C-frame bases (suffix "-2C")

adjusTable®

Note: To order table with 5″ *(127mm)* resilient tread casters, add suffix **"-CAH"** and **add to list price $1096**.
Example: WOAC2436T-2H-CAH.
To order table with 5″ *(127mm)* poly tread casters, add suffix **"-CAHP"** and **add to list price $950**.
Example: WOAS2436T-2H-CAHP.
See page 142 for optional drawers and keyboard station.

Allows you to create work surfaces of your choice. Tabletops on all models feature hat channels underneath for added strength.

Work surface of your choice is combined with two 33″ *(838mm)* front posts, two 63″ *(1600mm)* rear posts, two wire overshelves, two 29″ *(737mm)* front posts for wire overshelves, and your choice of base combination. 63″ *(1600mm)* overall height.

"WOAC" Series tables – 16/304 brushed stainless solid top and chrome overshelves, with choice of:

- Two knocked down chrome C-frames
- Two knocked down chrome H-frames
- One chrome C-frame and one chrome wire undershelf
- One chrome H-frame and one chrome wire undershelf
- Two chrome wire undershelves

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	36″	914	65	29.5	4.4	WOAC2436T-2C	1998	WOAC2436T-2H	1998	WOAC2436T-1C-1W	1998	WOAC2436T-1H-1W	1998	WOAC2436T-2W	1998
	48″	1219	81	36.7	5.7	WOAC2448T-2C	2273	WOAC2448T-2H	2273	WOAC2448T-1C-1W	2273	WOAC2448T-1H-1W	2273	WOAC2448T-2W	2273
	60″	1524	97	44.0	7.0	WOAC2460T-2C	2553	WOAC2460T-2H	2553	WOAC2460T-1C-1W	2553	WOAC2460T-1H-1W	2553	WOAC2460T-2W	2553
30″ width (762mm)	36″	914	75	34.0	4.4	WOAC3036T-2C	2112	WOAC3036T-2H	2112	WOAC3036T-1C-1W	2112	WOAC3036T-1H-1W	2112	WOAC3036T-2W	2112
	48″	1219	94	42.6	5.7	WOAC3048T-2C	2465	WOAC3048T-2H	2465	WOAC3048T-1C-1W	2465	WOAC3048T-1H-1W	2465	WOAC3048T-2W	2465
	60″	1524	113	51.3	7.0	WOAC3060T-2C	2776	WOAC3060T-2H	2776	WOAC3060T-1C-1W	2776	WOAC3060T-1H-1W	2776	WOAC3060T-2W	2776
36″ width (914mm)	36″	914	85	38.6	5.0	WOAC3636T-2C	2564	WOAC3636T-2H	2564	WOAC3636T-1C-1W	2564	WOAC3636T-1H-1W	2564	WOAC3636T-2W	2564
	48″	1219	108	49.0	7.0	WOAC3648T-2C	2900	WOAC3648T-2H	2900	WOAC3648T-1C-1W	2900	WOAC3648T-1H-1W	2900	WOAC3648T-2W	2900
	60″	1524	131	59.4	9.0	WOAC3660T-2C	3152	WOAC3660T-2H	3152	WOAC3660T-1C-1W	3152	WOAC3660T-1H-1W	3152	WOAC3660T-2W	3152

"WOAS" Series tables – 16/304 brushed stainless solid top and stainles steel overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one chrome wire undershelf
- Two stainless steel wire undershelves

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	36″	914	65	29.5	4.4	WOAS2436T-2C	3458	WOAS2436T-2H	3458	WOAS2436T-1C-1W	3458	WOAS2436T-1H-1W	3458	WOAS2436T-2W	3458
	48″	1219	81	36.7	5.7	WOAS2448T-2C	4018	WOAS2448T-2H	4018	WOAS2448T-1C-1W	4018	WOAS2448T-1H-1W	4018	WOAS2448T-2W	4018
	60″	1524	97	44.0	7.0	WOAS2460T-2C	4717	WOAS2460T-2H	4717	WOAS2460T-1C-1W	4717	WOAS2460T-1H-1W	4717	WOAS2460T-2W	4717
30″ width (762mm)	36″	914	75	34.0	4.4	WOAS3036T-2C	3792	WOAS3036T-2H	3792	WOAS3036T-1C-1W	3792	WOAS3036T-1H-1W	3792	WOAS3036T-2W	3792
	48″	1219	94	42.6	5.7	WOAS3048T-2C	4429	WOAS3048T-2H	4429	WOAS3048T-1C-1W	4429	WOAS3048T-1H-1W	4429	WOAS3048T-2W	4429
	60″	1524	113	51.3	7.0	WOAS3060T-2C	5156	WOAS3060T-2H	5156	WOAS3060T-1C-1W	5156	WOAS3060T-1H-1W	5156	WOAS3060T-2W	5156
36″ width (914mm)	36″	914	85	38.6	5.0	WOAS3636T-2C	4222	WOAS3636T-2H	4222	WOAS3636T-1C-1W	4222	WOAS3636T-1H-1W	4222	WOAS3636T-2W	4222
	48″	1219	108	49.0	7.0	WOAS3648T-2C	5066	WOAS3648T-2H	5066	WOAS3648T-1C-1W	5066	WOAS3648T-1H-1W	5066	WOAS3648T-2W	5066
	60″	1524	131	59.4	9.0	WOAS3660T-2C	5906	WOAS3660T-2H	5906	WOAS3660T-1C-1W	5906	WOAS3660T-1H-1W	5906	WOAS3660T-2W	5906

Contact factory for custom workstation configurations.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

adjusTable® Work Surface Systems with Wire Overshelf System

see spec sheet EG04.04C

(continued from page 140)

Note: To order table with 5″ *(127mm)* resilient tread casters, add suffix **"-CAH"** and **add to list price $1096**
Example: WOAP2436T-2H-CAH.
To order table with 5″ *(127mm)* poly tread casters, add suffix **"-CAHP"** and **add to list price $950**.
Example: WOAP2436T-2H-CAHP.
See page 142 for optional drawers and keyboard station.

"**WOAP**" Series tables – 14/304 brushed stainless steel top with ¾″ *(19mm)* perforations on 1″ *(25mm)* centers and stainless steel overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one s/s wire undershelf
- Two stainless steel wire undershelves

* For perforated tops, laminar air flow is 23-25% depending on size.

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	36″	914	65	29.5	4.4	WOAP2436T-2C	3948	WOAP2436T-2H	3948	WOAP2436T-1C-1W	3948	WOAP2436T-1H-1W	3948	WOAP2436T-2W	3948
	48″	1219	81	36.7	5.7	WOAP2448T-2C	4628	WOAP2448T-2H	4628	WOAP2448T-1C-1W	4628	WOAP2448T-1H-1W	4628	WOAP2448T-2W	4628
	60″	1524	97	44.0	7.0	WOAP2460T-2C	5332	WOAP2460T-2H	5332	WOAP2460T-1C-1W	5332	WOAP2460T-1H-1W	5332	WOAP2460T-2W	5332
30″ width (762mm)	36″	914	75	34.0	4.4	WOAP3036T-2C	4266	WOAP3036T-2H	4266	WOAP3036T-1C-1W	4266	WOAP3036T-1H-1W	4266	WOAP3036T-2W	4266
	48″	1219	94	42.6	5.7	WOAP3048T-2C	5044	WOAP3048T-2H	5044	WOAP3048T-1C-1W	5044	WOAP3048T-1H-1W	5044	WOAP3048T-2W	5044
	60″	1524	113	51.3	7.0	WOAP3060T-2C	5772	WOAP3060T-2H	5772	WOAP3060T-1C-1W	5772	WOAP3060T-1H-1W	5772	WOAP3060T-2W	5772
36″ width (914mm)	36″	914	85	38.6	5.0	WOAP3636T-2C	4836	WOAP3636T-2H	4836	WOAP3636T-1C-1W	4836	WOAP3636T-1H-1W	4836	WOAP3636T-2W	4836
	48″	1219	108	49.0	7.0	WOAP3648T-2C	5678	WOAP3648T-2H	5678	WOAP3648T-1C-1W	5678	WOAP3648T-1H-1W	5678	WOAP3648T-2W	5678
	60″	1524	131	59.4	9.0	WOAP3660T-2C	6515	WOAP3660T-2H	6515	WOAP3660T-1C-1W	6515	WOAP3660T-1H-1W	6515	WOAP3660T-2W	6515

Contact factory for custom workstation configurations.

Foot Rest

see product announcement EG04.14



Designed with stress relief in mind.

- Heavy gauge stainless steel all-welded construction.
- 1″ square tubular welded frame, with non-slip rubber feet.
- Platform at 12° angle.
- Adjusts from 4½″ to 9¾″ (lowest leading edge to the floor).

width x length x height			
in.	mm	model #	list
11 1/16″ x 21″ x 12 7/8″	281 x 533 x 327	**FR-1221-SS**	1085

CHECK OUT THE LATEST...

CLICK ON THE COVER TO DOWNLOAD, OR VISIT EAGLEMHC.COM



Options for adjusTable® Work Surface Systems

Optional Table Mount Keyboard Station

20½″ wide x 11½″ deep *(521 x 292mm)*.

weight lbs.	weight kg	cubic feet	stainless steel model #	stainless steel list
6.0	2.7	0.35	**KBD-1/SS**	722



keyboard station

Optional Utility Drawers

Stainless steel construction. Enclosed assembly comes complete with housing, drawer, drawer pan, and drawer front. Guides and rollers included.

			with Pull Flange and Full Front				Enclosed Assembly			
length x width x height in.	length x width x height mm	cu ft	weight lbs.	weight kg	part #	list	weight lbs.	weight kg	part #	list
20″ x 20″ x 5″	508 x 508 x 127	3.0	25	11.3	**501571** •	820	35	15.9	**501572** •	1488



model #501571 utility drawer



model #501572 enclosed assembly

Roll Bag Dispensers

see spec sheet **EG04.00**



Not recommended on casters.

An effective means for dispensing rolls of bags, film, or tube stock. An easy way to establish protocol by avoiding inadvertent mixing of non-compatible chemicals.

FEATURES:

- Two 14″ x 48″ *(356 x 1219mm)* wire shelves.
- Eight removable dispensing bars.
- One 3-sided channel frame.
- Four 74″ *(1829mm)* posts with 30″ *(762mm)* outrigger feet—featuring triangular foot plates — for stability.
- Dispensing bars are adjustable on 1″ *(25mm)* increments.
- Custom sizes available.

60-lb. weight capacity per bar!


overall width x length in.	overall width x length mm	shelf width x length in.	shelf width x length mm	weight lbs.	weight kg	cu ft	chrome model #	chrome list	stainless steel model #	stainless steel list
30″ x 48″	762 x 1219	14″ x 48″	356 x 1219	79	35.8	2.3	**BD1448C**	3216	**BD1448S**	4794

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Shoe Racks

see spec sheet **EG04.09**



patented QuadTruss® design (Patent #5,390,803)

Wire shelves offer the optimum combination of laminar flow and ventilation for the storage of cleanroom shoes.

FEATURES:

- Rods & tabs run through the shelves to create the cubbies for each pair of shoes.
- Shoe racks may be configured in chrome plated steel as well as stainless steel.
- Foot plates are included for fastening to the floor.
- 86″ *(2184mm)* post height.

Note: Optional snap-on plastic label holders are available for identification of each cubby.

	length*		weight		cu	# of	cubby size width x height		chrome		stainless steel	
	in.	mm	lbs.	kg	ft	cubbies	in.	mm	model #	list	model #	list
14″ width *(356mm)*	36″	914	133	60.3	4	40	9″ x 6½″	229 x 165	**SR1436C**	2405	**SR1436S**	8299
	48″	102	153	69.4	4	50	9½″ x 6½″	241 x 165	**SR1448C**	2734	**SR1448S**	7352
	60″	1524	201	91.2	8	60	10″ x 6½″	254 x 165	**SR1460C**	3086	**SR1460S**	8628
	72″	1829	220	99.8	8	80	9″ x 6½″	229 x 165	**SR1472C**	3416	**SR1472S**	10392

*Available in any shelf length. For information on shelf lengths, see “Wire Shelves,” page 6.

Vertical Storage Cabinets

see spec sheet **EG04.11**



vertical storage cabinet with flat top

FEATURES:

- Type 304 stainless steel construction.
- Four (4) adjustable intermediate shelves.
- Hinged doors with wire-style pulls.
- Stationary units feature stainless steel legs with 1″ *(25mm)* adjustable bullet feet.
- Mobile “-CPB” units include 5″ *(127mm)*-diameter swivel/brake stainless steel casters with poly tread.

Note: Custom sizes, glass doors, locks, and additional shelves available upon request. Please contact factory for pricing on these options.

Consult factory for pricing.

					with Flat Top					with Sloped Top				
depth		width			height		weight			height		weight		
in	mm	in.	mm		in.	mm	lbs.	kg	model #	in.	mm	lbs.	kg	model #
18″	457	36″	914	stationary	72″	1829	416	188.7	**SSC-TSC-1836**	77″	1956	419	190.0	**SSC-TSCST-1836**
18″	457	48″	1219	stationary	72″	1829	490	222.3	**SSC-TSC-1848**	77″	1956	495	224.5	**SSC-TSCST-1848**
24″	610	36″	914	stationary	72″	1829	458	207.7	**SSC-TSC-2436**	77″	1956	461	209.1	**SSC-TSCST-2436**
24″	610	48″	1219	stationary	72″	1829	539	244.5	**SSC-TSC-2448**	77″	1956	545	247.2	**SSC-TSCST-2448**
24″	610	36″	914	mobile	72″	1829	462	209.6	**SSC-TSC-2436-CPB**	78″	1981	465	210.9	**SSC-TSCST-2436-CPB**
24″	610	48″	1219	mobile	72″	1829	543	246.3	**SSC-TSC-2448-CPB**	78″	1981	549	249.0	**SSC-TSCST-2448-CPB**

Stainless Steel Countertops





stainless steel countertops fabricated to drawings indicating backsplash height, raised edge and field condition requirements

- 16 or 14 gauge, type 304 or 316 stainless steel. Other gauges and types of stainless available to meet the function and chemical resistant demands of highly specialized labs.
- Standard front edge Square or Box Marine, unless otherwise specified. See *detail 1* on next page.
- Back and end splashes are manufactured per specification. See *details 2 & 3* on next page. All working surfaces and sink bowls have coved sanitary horizontal and vertical corners.
- Either a mechanical hairline seam or field welded joint available per your specifications.
  Maximum length without seam is 144″ if no end splash. Length is reduced by 5½″ for each end splash that may be required.
- Fabricated sink bowls available in most any size and depth with single or multiple compartments.
- For backsplash mounted faucets, splash will need to be at least 2″ deep for plumbing access, holes for deck mounted faucets are typically centered 1½″ from the edge of sink bowl.
- Both L-shaped and U-shaped tops are available per your drawings.
  - Corners are mitered and factory welded.
  - Maximum size without field joint provisions is 96″ x 96″ to fit into standard trailer for ground shipment.
- Countertops have stainless steel reinforcing hat channels. Sound deadening tape is factory installed. Top support options include National Sanitation Foundation (NSF)-listed sprayed latex sound deadening and marine grade plywood backing with white laminate facing.
- Standard packaging is wood reinforced cardboard and is included in the cost. Should full crating be required, it too will be included in the cost.







100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com


EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Stainless Steel Countertops

see spec sheet EG04.12









box marine edge

detail 1: edges



detail 2:
4" backsplash with 1" return and turndown.
Z-clip provided for wall attachement.



detail 3:
4-1/2" backsplash with 1" return.

Consult factory for pricing.

NOTE: – Drawings to be submitted for approval prior to fabrication using the latest version of AutoCad software. They will be emailed in Adobe Acrobat format (.pdf) unless specified otherwise. AutoCad files (.dwg) are available upon request.
– Complete field welding and finishing services are available at additional expense.

NEW Laboratory Wall Shelves

SEFA

see spec sheets EG03.80 EG03.81

FEATURES:

- 16 gauge stainless steel shelves, with center hat channel and 1¼″ rear upturn
- Available with or without front wire ledge.
- 4½″ bookends on each shelf.
- Shelves adjustable on 1½″ increments
- 36″ tall, 1″ square tubular uprights





150-LB. MAXIMUM WEIGHT CAPACITY!

Complete Shelf Units

Consists of three (3) shelves and two (2) uprights.

shelf depth in	shelf depth mm	shelf length in	shelf length mm	overall length in	overall length mm	weight lbs.	weight kg	w/Upturned Bookends: w/STANDARD SHELVES model #	w/Upturned Bookends: WITH WIRE LEDGE model #	w/Downturned Bookends: w/STANDARD SHELVES model #	w/Downturned Bookends: WITH WIRE LEDGE model #
12″	305	30″	762	31″	787	38	17.2	LS1230-36-3	LS1230-36-3L	LSD1230-36-3	LSD1230-36-3L
12″	305	36″	914	37″	939	43	19.5	LS1236-36-3	LS1236-36-3L	LSD1236-36-3	LSD1236-36-3L
12″	305	48″	1219	49″	1244	52	23.6	LS1248-36-3	LS1248-36-3L	LSD1248-36-3	LSD1248-36-3L
12″	305	60″	1524	61″	1549	62	28.1	LS1260-36-3	LS1260-36-3L	LSD1260-36-3	LSD1260-36-3L
12″	305	72″	1828	73″	1854	71	32.2	LS1272-36-3	LS1272-36-3L	LSD1272-36-3	LSD1272-36-3L
15″	381	30″	762	31″	787	44	20.0	LS1530-36-3	LS1530-36-3L	LSD1530-36-3	LSD1530-36-3L
15″	381	36″	914	37″	939	50	22.7	LS1536-36-3	LS1536-36-3L	LSD1536-36-3	LSD1536-36-3L
15″	381	48″	1219	49″	1244	61	27.7	LS1548-36-3	LS1548-36-3L	LSD1548-36-3	LSD1548-36-3L
15″	381	60″	1524	61″	1549	72	32.7	LS1560-36-3	LS1560-36-3L	LSD1560-36-3	LSD1560-36-3L
15″	381	72″	1828	73″	1854	83	37.6	LS1572-36-3	LS1572-36-3L	LSD1572-36-3	LSD1572-36-3L
18″	457	30″	762	31″	787	51	23.1	LS1830-36-3	LS1830-36-3L	LSD1830-36-3	LSD1830-36-3L
18″	457	36″	914	37″	939	57	25.9	LS1836-36-3	LS1836-36-3L	LSD1836-36-3	LSD1836-36-3L
18″	457	48″	1219	49″	1244	70	31.8	LS1848-36-3	LS1848-36-3L	LSD1848-36-3	LSD1848-36-3L
18″	457	60″	1524	61″	1549	83	37.5	LS1860-36-3	LS1860-36-3L	LSD1860-36-3	LSD1860-36-3L
18″	457	72″	1828	73″	1854	97	44.0	LS1872-36-3	LS1872-36-3L	LSD1872-36-3	LSD1872-36-3L

By Component

Single Shelves…

shelf depth in	shelf depth mm	shelf length in	shelf length mm	…with Upturned Bookends: STANDARD SHELF model #	…with Upturned Bookends: SHELF WITH WIRE LEDGE model #	…with Downturned Bookends: STANDARD SHELF model #	…with Downturned Bookends: SHELF WITH WIRE LEDGE model #
12″	305	30″	762	LS1230	LS1230L	LSD1230	LSD1230L
12″	305	36″	914	LS1236	LS1236L	LSD1236	LSD1236L
12″	305	48″	1219	LS1248	LS1248L	LSD1248	LSD1248L
12″	305	60″	1524	LS1260	LS1260L	LSD1260	LSD1260L
12″	305	72″	1828	LS1272	LS1272L	LSD1272	LSD1272L
15″	381	30″	762	LS1530	LS1530L	LSD1530	LSD1530L
15″	381	36″	914	LS1536	LS1536L	LSD1536	LSD1536L
15″	381	48″	1219	LS1548	LS1548L	LSD1548	LSD1548L
15″	381	60″	1524	LS1560	LS1560L	LSD1560	LSD1560L
15″	381	72″	1828	LS1572	LS1572L	LSD1572	LSD1572L
18″	457	30″	762	LS1830	LS1830L	LSD1830	LSD1830L
18″	457	36″	914	LS1836	LS1836L	LSD1836	LSD1836L
18″	457	48″	1219	LS1848	LS1848L	LSD1848	LSD1848L
18″	457	60″	1524	LS1860	LS1860L	LSD1860	LSD1860L
18″	457	72″	1828	LS1872	LS1872L	LSD1872	LSD1872L

Uprights

Can be used between two shelves shelves. Sold individually.

height in	height mm	model #
18″	457	LS18VU
24″	610	LS24VU
30″	762	LS30VU
36″	914	LS36VU
48″	1219	LS48VU
60″	1524	LS60VU
72″	1828	LS72VU

Consult factory for pricing.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Exchange Carts

EC Series....150
ECD Series....150
ECD7/ECE7 Series....153
ECDS Series....151
ECDT Series....152
ECE Series....150
ECES Series....151
ECET Series....153
ECS Series....151
ECT Series....152

Carts

Basket....159
Catheter Procedure....158
Catheter Storage....157
Inhalation Therapy....156
Linen....156
Mail....156
Patient Article Carts/Accessories....154
Sterile Wrap....157
Suture....155
Wire Basket Utility....159

Steril-Eze® Surgical Case Carts

Open....160
Open Wire....160

More Healthcare

Cart Covers....162
Double-Sided Bin-Holder Rails....164
Foot Stools....155
I.V. Stands....154
Instrument Tables....161
Mobile Garment Racks....161
Plate Casters....154
Stainless Steel Overlays....164
Storage Bins....163
Surgical Scrub Sinks....166
Wall Mounted Multi-Station Hand Sinks....165

Kanban Supply Storage Carts

see spec sheet **EG05.22**



patented QuadTruss® design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

Consult factory for additional configurations.

FEATURES:

- Six wire reverse mat shelves each contain a lip on all sides to ensure bins stay in place. Each shelf accommodates two rows of 14¾″ *(375mm)*-deep bins (see photo at left).
- Shelf slanted for ease of sliding supply bins forward, and for greater visibility of contents.
- 68″ *(1727mm)* overall height includes 63″ (1600mm)-high 1″ *(25mm)* diameter posts, and 5″ *(127mm)*-diameter swivel casters—two with brake.
- Shelves and posts feature chrome finish.

width x length		bin capacity per shelf				
		bin size:	bin size:	bin size:		
in.	mm	14-3/4″ x 5-1/2″ x 5″	14-3/4″ x 8-1/4″ x 7″	14-3/4″ x 16-1/2″ x 7″	model #	list
30″ x 36″	914 x 914	12	8	4	**ELKB-3036-C**	3303
30″ x 48″	914 x 1219	12	10	4	**ELKB-3048-C**	3772



Optional Supply Bins

width		length		height			
in.	mm	in.	mm	in.	mm	model #	list
14¾″	375	5½″	140	7″	178	**KB-234-BL**	45
14¾″	375	8¼″	210	7″	178	**KB-240-BL**	74
14¾″	375	16½″	419	7″	178	**KB-250-BL**	119

Healthcare Products For Hospitals

Products for Environmental Services



Products for Facilities and Biomedical



Products for Laboratories



Products for Pharmacy



Click on the brochure cover to download the latest brochure

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Healthcare Products For Hospitals

Products for Sterile Processing



Products for Facilities and Biomedical



Stainless Steel Inset Casework



Safety Breath Shields



Click on the brochure cover to download the latest brochure

Exchange Carts

see spec sheet **EG05.09A**

Meets all requirements for supply exchange in any healthcare environment.

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

FEATURES:

- Chrome-plated posts are grooved and are numbered on one-inch increments, enabling shelving to be adjusted up and down.
- Open-wire construction reduces dust and contamination build-up.
- Five chrome-plated wire shelves.
- With various shelving configurations, caster styles, accessory packages, and a number of sizes, these carts are the ultimate in versatility!



#EC2160C

EC Series

5˝ *(127mm)* resilient stem casters *(two with brake)*. Six plastic label holders. 69˝ *(1753mm)* overall height.

shelf width x length		weight		cubic		
in.	mm	lbs.	kg	feet	model #	list
21˝ x 48˝	533 x 1219	93	42.2	6.3	**EC2148C**	1292
21˝ x 60˝	533 x 1524	114	51.7	7.3	**EC2160C**	1445
24˝ x 48˝	610 x 1219	106	48.1	6.8	**EC2448C**	1394
24˝ x 60˝	610 x 1524	131	59.4	8.3	**EC2460C**	1574



#ECD2448C

ECD Series

6˝ *(152mm)* polyurethane casters *(two with brake)*. Chrome dolly frame with wraparound bumper. 6˝ *(152mm)* deep tote boxes with dividers. Shelf dividers. Six plastic label holders. One slide assembly. 70˝ *(1778mm)* overall height.

shelf width x length		weight		cubic	# of tote	# of shelf		
in.	mm	lbs.	kg	feet	boxes	dividers	model #	list
21˝ x 48˝	533 x 1219	123	55.8	9.9	2	2	**ECD2148C**	3917
21˝ x 60˝	533 x 1524	146	66.2	12.2	2	3	**ECD2160C**	4108
24˝ x 48˝	610 x 1219	163	73.9	19.6	2	2	**ECD2448C**	4053
24˝ x 60˝	610 x 1524	188	85.3	19.6	2	3	**ECD2460C**	4304



#ECE2448C

ECE Series

8˝ *(203mm)* polyurethane casters *(two with brake)*. Chrome dolly frame with wraparound bumper. Side and back enclosure panels. Slide assemblies. 6˝ *(152mm)* deep tote boxes with box dividers. Shelf dividers. 12 plastic label holders. 72˝ *(1829mm)* overall height.

shelf width x length		weight		cubic	# of tote	# of shelf	# of super		
in.	mm	lbs.	kg	feet	boxes	dividers	slides	model #	list
21˝ x 48˝	533 x 1219	160	72.6	20.3	2	4	1	**ECE2148C**	4750
21˝ x 60˝	533 x 1524	185	83.9	25.2	4	6	2	**ECE2160C**	5593
24˝ x 48˝	610 x 1219	178	80.7	23.5	2	4	1	**ECE2448C**	4883
24˝ x 60˝	610 x 1524	203	92.1	34.8	4	6	2	**ECE2460C**	5803

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Exchange Carts

see spec sheet **EG05.09A** **EG05.09B**

Meets all requirements for supply exchange in any healthcare environment.

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

FEATURES:

- Chrome-plated posts are grooved and are numbered on one-inch increments, enabling shelving to be adjusted up and down.
- Open-wire construction reduces dust and contamination build-up.
- Four chrome-plated wire shelves.
- With various shelving configurations, caster styles, accessory packages, and a number of sizes, these carts are the ultimate in versatility!

ECS Series

5″ *(127mm)* resilient stem casters *(two with brake).* One stainless steel solid shelf. Six plastic label holders. 69″ *(1753mm)* overall height.

shelf width x length		weight		cubic		
in.	mm	lbs.	kg	feet	model #	list
21″ x 48″	533 x 1219	158	71.6	6.3	**ECS2148C**	1653
21″ x 60″	533 x 1524	183	83.0	7.3	**ECS2160C**	1859
24″ x 48″	610 x 1219	173	78.5	6.8	**ECS2448C**	1760
24″ x 60″	610 x 1524	193	87.5	8.3	**ECS2460C**	2004



#ECS2160C

ECDS Series

6″ *(152mm)* polyurethane casters *(two with brake).* One stainless steel solid shelf. Chrome dolly frame with wraparound bumper. One slide assembly. 6″ *(152mm)* deep tote boxes with box dividers. Shelf dividers. Six plastic label holders. 70″ *(1778mm)* overall height.

shelf width x length		weight		cubic	# of tote	# of shelf		
in.	mm	lbs.	kg	feet	boxes	dividers	model #	list
21″ x 48″	533 x 1219	185	83.9	15.8	2	2	**ECDS2148C**	4282
21″ x 60″	533 x 1524	200	90.7	19.2	2	3	**ECDS2160C**	4567
24″ x 48″	610 x 1219	192	87.1	15.8	2	2	**ECDS2448C**	4364
24″ x 60″	610 x 1524	218	98.9	19.2	2	3	**ECDS2460C**	4733



#ECDS2160C

ECES Series

8″ *(203mm)* polyurethane casters *(two with brake).* One stainless steel solid shelf. Chrome dolly frame with wraparound bumper. Side and back enclosure panels. Slide assemblies. 6″ *(152mm)* deep tote boxes with box dividers. Shelf dividers. 12 plastic label holders. 72″ *(1829mm)* overall height.

shelf width x length		weight		cubic	# of tote	# of shelf	# of super		
in.	mm	lbs.	kg	feet	boxes	dividers	slides	model #	list
21″ x 48″	533 x 1219	160	72.6	20.3	2	4	1	**ECES2148C**	5036
21″ x 60″	533 x 1524	185	83.9	25.2	4	6	2	**ECES2160C**	5594
24″ x 48″	610 x 1219	178	80.7	23.5	2	4	1	**ECES2448C**	5154
24″ x 60″	610 x 1524	203	92.1	34.8	4	6	2	**ECES2460C**	5947



#ECES2160C

Exchange Carts

see spec sheet **EG05.09B** **EG05.09C**

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

FEATURES:

- Chrome-plated posts are grooved and are numbered on one-inch increments, enabling shelving to be adjusted up and down.
- Open-wire construction reduces dust and contamination build-up.
- Four chrome-plated wire shelves.
- Choice of chrome-plated wire or stainless steel solid fifth shelf.

Meets all requirements for supply exchange in any healthcare environment.

With various shelving configurations, caster styles, accessory packages, and a number of sizes, these exchange carts are the ultimate in versatility.



#ECT2160C

ECT Series

5″ *(127mm)* resilient stem casters *(two with brake)*. One slide assembly. Two 6″ *(152mm)* deep tote boxes with box dividers. Six plastic label holders. 69″ *(1753mm)* overall height.

shelf width x length		weight		cubic	# of tote			
in.	mm	lbs.	kg	feet	boxes	shelves	model #	list
21″ x 60″	533 x 1524	166	75.3	11.6	2	5-wire	**ECT2160C**	1888
21″ x 60″	533 x 1524	191	86.6	11.6	2	4-wire, 1-solid	**ECTS2160C**	2308
24″ x 60″	610 x 1524	181	82.1	11.6	2	5-wire	**ECT2460C**	2023
24″ x 60″	610 x 1524	206	93.4	11.6	2	4-wire, 1-solid	**ECTS2460C**	2453



#ECDTS2160C

ECDT Series

6″ *(152mm)* polyurethane casters *(two with brake)*. Chrome dolly frame with wraparound bumper. Three slide assemblies. Six tote boxes with box dividers. Three shelf dividers. Six plastic label holders. 70″ *(1778mm)* overall height.

shelf width x length		weight		cu	tote boxes	tote boxes	tote boxes			
in.	mm	lbs.	kg	ft	3″ (76mm)	6″ (152mm)	9″ (229mm)	shelves	model #	list
21″ x 60″	533 x 1524	231	104.7	26.6	1	4	1	5-wire	**ECDT2160C**	5032
21″ x 60″	533 x 1524	241	109.3	26.6	1	4	1	4-wire, 1-solid	**ECDTS2160C**	5453
24″ x 60″	610 x 1524	246	111.6	26.6	1	4	1	5-wire	**ECDT2460C**	5204
24″ x 60″	610 x 1524	256	116.1	26.6	1	4	1	4-wire, 1-solid	**ECDTS2460C**	5633

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Exchange Carts

see spec sheet **EG05.09C**

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

FEATURES:

- Chrome-plated posts are grooved and are numbered on one-inch increments, enabling shelving to be adjusted up and down.
- Open-wire construction reduces dust and contamination build-up.
- Four chrome-plated wire shelves.
- Choice of chrome-plated wire or stainless steel solid fifth shelf.

Meets all requirements for supply exchange in any healthcare environment.

With various shelving configurations, caster styles, accessory packages, and a number of sizes, these exchange carts are the ultimate in versatility.



ECET Series

6″ *(152mm)* polyurethane casters (two with brake). Chrome dolly frame with wraparound bumper. Side and back enclosure panels. Three slide assemblies. Six tote boxes with box dividers. 12 plastic label holders. 72″ *(1829mm)* overall height.

shelf width x length		weight		cu	tote boxes	tote boxes	tote boxes			
in.	mm	lbs.	kg	ft	3″ (76mm)	6″ (152mm)	9″ (229mm)	shelves	model #	list
21″ x 60″	533 x 1524	250	113.4	29.6	1	4	1	5-wire	**ECET2160C**	5606
21″ x 60″	533 x 1524	260	117.9	29.6	1	4	1	4-wire, 1-solid	**ECETS2160C**	6028
24″ x 60″	610 x 1524	262	118.8	29.6	1	4	1	5-wire	**ECET2460C**	5734
24″ x 60″	610 x 1524	272	123.4	29.6	1	4	1	4-wire, 1-solid	**ECETS2460C**	6166



ECD7/ECE7 Series


8″ *(203mm)* polyurethane casters *(two with brake)*. Choice of three shelf dividers or side and back enclosure panels. Three slide assemblies. Seven tote boxes with snap on card holders and box dividers. 12 plastic label holders. Chrome dolly frame with wraparound bumper. 72″ *(1829mm)* overall height.

shelf width x length		weight		cu	tote boxes	tote boxes				
in.	mm	lbs.	kg	ft	3″ (76mm)	6″ (152mm)	shelves	other	model #	list
24″ x 60″	610 x 1524	226	102.5	19.6	2	5	5-wire	shelf dividers	**ECD72460C**	5538
24″ x 60″	610 x 1524	236	107.0	19.6	2	5	4-wire, 1-solid	shelf dividers	**ECD7S2460C**	5972
24″ x 60″	610 x 1524	250	113.4	28.8	2	5	5-wire	enclosure panels	**ECE72460C**	6084
24″ x 60″	610 x 1524	260	117.9	28.8	2	5	4-wire, 1-solid	enclosure panels	**ECE7S2460C**	6516

I.V. Stands

see product announcement **EG05.19**

description	weight lbs.	weight kg	cu ft	model #	list
with black epoxy coated top	28	12.7	2.7	**IV-1**	958
with blue epoxy coated top	28	12.7	2.7	**IV-2**	958
with green epoxy coated top	28	12.7	2.7	**IV-3**	958
with red epoxy coated top	28	12.7	2.7	**IV-4**	958



FEATURES:

- 16 gauge type 304 stainless steel 1″ *(25mm)*-diameter pole.
- Heavy carbon steel five-leg base with black epoxy finish.
- 3″ *(76mm)* swivel casters with chrome-plated hood and rubber tread—two with brake.
- Four-hook top with stainless steel finish.

Accessories for I.V. Stands

description	weight lbs.	weight kg	model #	list
patient handle & accessory tray	3	1.4	**380401**	303
two-cylinder holder	5	2.3	**380402**	245
electrical strip	4	1.8	**380403**	900
wire basket	4	1.8	**380404**	245


#380401


#380402


#380404

Patient Article Carts

see spec sheet **EG05.10**

FEATURES:

- 24″ *(610mm)* long coat hanger tube and 12 rods.

Overall Heights:
"PC" carts = 68″ (1727mm)
"PCH" carts = 68½″ (1740mm)


PCH model shown

	length in.	length mm	weight lbs.	weight kg	cu ft	intermediate shelf length in.	intermediate shelf length mm	style	# of dividers	# of bin markers	model #	list
24″ width *(610mm)*	48″	1219	103	46.7	13.6	24″	610	standard	8	12	**PC2448-C**	2255
	60″	1524	126	57.2	18.2	36″	914	standard	12	16	**PC2460-C**	2625
	48″	1219	166	75.8	24.8	24″	610	heavy duty	8	12	**PCH2448-C**	2687
	60″	1524	188	85.3	25.4	36″	914	heavy duty	12	16	**PCH2460-C**	2947

Patient Article Cart Covers

shelf width x length in.	shelf width x length mm	post height in.	post height mm	weight lbs.	weight kg	cu ft	uncoated w/zipper model #	uncoated w/zipper list	coated w/zipper model #	coated w/zipper list
24″ x 48″	610 x 1219	63″	1600	4	1.8	0.5	**CZ-63-2448**	403	**CZC-63-2448**	598
24″ x 60″	610 x 1524	63″	1600	5	2.3	0.6	**CZ-63-2460**	476	**CZC-63-2460**	652

Accessories for Patient Article Carts

description	weight lbs.	weight kg	cubic feet	model #	list
8″ *(203mm)* divider	1.8	0.8	0.5	**SD24-C**	67
rod *(includes 4 fastening tabs)*	0.5	0.2	0.4	**R63-C**	28
plastic label holder	—	—	—	**A204331**	8
24″ x 24″ *(610 x 610mm)* chrome shelf	9.5	4.3	0.8	**2424C**	155
24″ x 36″ *(610 x 914mm)* chrome shelf	13.6	6.2	0.8	**2436C**	164

Polyurethane Plate Casters

see spec sheet **EG01.05B**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

type	capacity lbs.	capacity kg	wheel diameter in.	wheel diameter mm	wheel face in.	wheel face mm	weight lbs.	weight kg	cu ft	EAGLEbrite® zinc model #	list
swivel	600	272.1	6″	152	2″	51	9.0	4.1	0.5	**CPS6P-600** •	188
brake	600	272.1	6″	152	2″	51	9.0	4.1	0.5	**CPB6P-600** •	210
rigid	600	272.1	6″	152	2″	51	9.0	4.1	0.5	**CPR6P-600**	210
swivel	700	317.5	8″	203	2″	51	10.5	4.8	1.0	**CPS8P-700**	210
brake	700	317.5	8″	203	2″	51	10.5	4.8	1.0	**CPB8P-700**	238
rigid	700	317.5	8″	203	2″	51	10.5	4.8	1.0	**CPR8P-700**	238


with brake

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Suture Carts

see spec sheet **EG05.08**



FEATURES:

- 18″ *(457mm)* width.
- Four or five specially designed, adjustable slanted shelves for quick and easy access to sutures.
- Shelves adjust up to 30˚ slant.
- Open-wire construction.
- All models include three dividers per shelf.
- 5″ *(127mm)* casters, two of which have brakes, are chrome-plated with polyurethane tread.
- All components are chrome-plated.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

4-Shelf Units — 63″ *(1600mm)* overall height.

	length		post height		weight		cu		
	in.	mm	in.	mm	lbs.	kg	ft	model #	list
18″ width *(457mm)*	36″	914	54″	1372	62	28.1	2.5	**SCH1836C-4**	1876
	48″	1219	54″	1372	66	29.9	3.5	**SCH1848C-4**	1884

5-Shelf Units — 70″ *(1778mm)* overall height.

	length		post height		weight		cu		
	in.	mm	in.	mm	lbs.	kg	ft	model #	list
18″ width *(457mm)*	36″	914	63″	1600	73	33.1	3.5	**SCH1836C-5**	2244
	48″	1219	63″	1600	81	36.7	5.3	**SCH1848C-5**	2367

Options for Suture Carts

Customize your unit to suit any application.

length		weight		cubic			
in.	mm	lbs.	kg	feet	description	model #	list
36″	914	3	1.4	1.0	shelf add-on	**SCH1836C**	194
48″	1219	5	2.3	1.8	shelf add-on	**SCH1848C**	217
18″	457	1	0.5	0.3	divider	**M18C** •	80

Suture Cart Covers…

							…White Coated Nylon*				…White Uncoated Polyester			
shelf width x length		post height		weight		cu	with zipper		with velcro		with zipper		with velcro	
in.	mm	in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list
18″ x 36″	457 x 914	54″	1372	3	1.4	1	**CZC-54-1836**	476	**CVC-54-1836**	489	**CZ-54-1836**	276	**CV-54-1836**	303
18″ x 48″	457 x 1219	54″	1372	4	1.8	1	**CZC-54-1848**	489	**CVC-54-1848**	518	**CZ-54-1848**	307	**CV-54-1848**	327
18″ x 36″	457 x 914	63″	1600	3	1.4	1	**CZC-63-1836**	485	**CVC-63-1836**	512	**CZ-63-1836**	293	**CV-63-1836**	309
18″ x 48″	457 x 1219	63″	1600	4	1.8	1	**CZC-63-1848**	506	**CVC-63-1848**	523	**CZ-63-1848**	308	**CV-63-1848**	333

* White-coated nylon covers are fire-retardant.

Foot Stools

see spec sheet **EG05.04**



300-lb. Weight capacity!

FEATURES:

- Single-step foot stool.
- All-welded construction.
- Flared legs with rubber tips.
- Non-slip rubber mat.
- Chrome or stainless steel finish.

width x length x height		weight		cubic			
in.	mm	lbs.	kg	feet	finish	model #	list
11⅜″ x 14¼″ x 9″	289 x 362 x 229	9	4.1	1.0	stainless steel	**SFS16S**	697
11⅜″ x 14¼″ x 9″	289 x 362 x 229	7	3.2	1.0	chrome	**SFS14C**	258

Linen Carts

see spec sheet **EG05.02**



STANDARD FEATURES:

- Four chrome-plated wire shelves.
- One solid stainless steel shelf.
- Chrome-plated 63″ *(1600mm)* posts.
- 5″ *(127mm)* resilient stem casters *(two with brake)*.
- Donut bumpers.

HEAVY DUTY FEATURES:

- Four chrome-plated wire shelves.
- One solid stainless steel shelf.
- Chrome-plated dolly frame with wraparound bumper.
- 6″ *(152mm)* polyurethane casters *(two with brake)*.
- Side and back enclosure panels.
- Chrome plated posts, aluminum split sleeves.
- Locking hardware.

Heavy Duty Linen Cart — 69″ *(1753mm)* overall height.

*width x length		weight		cubic		
in.	mm	lbs.	kg	feet	model #	list
24″ x 60″	610 x 1524	240	108.9	29	**LCD2460C**	5006

* Shelf width x length. Dolly is 29¾″ width x 64⅞″ length *(756 x 1648mm)*.

Standard Duty Linen Cart — 72″ *(1829mm)* overall height.

*width x length		weight		cubic		
in.	mm	lbs.	kg	feet	model #	list
24″ x 60″	610 x 1524	190	86.2	8.3	**LC2460C**	2007

* Shelf width x length. Dolly is 29¾″ width x 64⅞″ length *(756 x 1648mm)*.

Mail Cart

see spec sheet **EG05.04**



Designed to handle internal/external mail distribution.

FEATURES:

- 5″ *(127mm)* swivel casters on front.
- 10″ *(254mm)* rigid roller-bearing casters on rear.
- Nickel-chrome finished.
- 1″ *(25mm)* tubular frame.
- 11″ *(279mm)* height top basket for files.
- 7″ *(178mm)* height bottom basket for boxes.

overall width x length x height		weight		cubic		
in.	mm	lbs.	kg	feet	model #	list
28″ x 47″ x 38½″	711 x 1194 x 978	68	30.9	6.0	**MC-1**	2017

Inhalation Therapy Cart

see spec sheet **EG05.12**



patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

FEATURES:

- Bottom shelf, handles and trussed frames are chrome plated.
- Cylinder racks are 5/16″ *(8mm)* in diameter with 4½″ x 4½″ *(114 x 114mm)* openings for gas cylinders.
- Racks accommodate twelve D or E cylinders and are plastisol coated.
- Cart design conforms to NFPA-99.
- Aluminum split sleeves and four UL recognized 5″ *(127mm)* conductive casters.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

width x length x height		weight		cubic		
in.	mm	lbs.	kg	feet	model #	list
20″ x 27″ x 31½″	508 x 686 x 1016	41	19	3.5	**GCC1** •	1436

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Sterile Wrap Carts

see spec sheet **EG05.05**



FEATURES:

- Chrome bottom shelf.
- Channel frame - chrome.
- Post material are chrome.
- 5″ *(127mm)* swivel casters with poly tread.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

width x length x height in.	width x length x height mm	weight lbs.	weight kg	cubic feet	model #	list
24″ x 48″ x 68″	610 x 1219 x 1727	83	37.6	7.6	**SWC2448C**	2305
24″ x 60″ x 68″	610 x 1524 x 1727	94	42.6	8.3	**SWC2460C**	2480

Sterile Wrap Cart Covers

shelf width x length in.	shelf width x length mm	post height in.	post height mm	weight lbs.	weight kg	cu ft	uncoated model #	uncoated list	coated model #	coated list
24″ x 48″	610 x 1219	63″	1600	4	1.8	0.4	**CZ-63-2448**	403	**CZC-63-2448**	598
24″ x 48″	610 x 1219	63″	1600	4	1.8	0.4	**CV-63-2448**	426	**CVC-63-2448**	628
24″ x 60″	610 x 1524	63″	1600	5	2.3	0.4	**CZ-63-2460**	476	**CZC-63-2460**	652
24″ x 60″	610 x 1524	63″	1600	5	2.3	0.4	**CV-63-2460**	489	**CVC-63-2460**	678

NOTE: In model numbers, "Z" stands for zipper and "V" for velcro enclosures

Additional Support Bars

length in.	length mm	weight lbs.	weight kg	cu ft	model #	list
48″	1219	2.7	1.2	0.1	**SB48**	129
60″	1524	3.4	1.5	0.2	**SB60**	147


Catheter Storage Carts

see spec sheet **EG05.21**

	length in.	length mm	# of slides	# of hooks per slide	chrome model #	chrome list
18″ width *(457mm)*	36″	914	6	5	**ELCTH-1836C**	5430
	48″	1219	7	5	**ELCTH-1848C**	6253
	60″	1524	10	5	**ELCTH-1860C**	8518
	72″	1829	13	5	**ELCTH-1872C**	10945
21″ width *(533mm)*	36″	914	6	6	**ELCTH-2136C**	5660
	48″	1219	7	6	**ELCTH-2148C**	6585
	60″	1524	10	6	**ELCTH-2160C**	9054
	72″	1829	13	6	**ELCTH-2172C**	11486
24″ width *(610mm)*	36″	914	6	7	**ELCTH-2436C**	5972
	48″	1219	7	7	**ELCTH-2448C**	6947
	60″	1524	10	7	**ELCTH-2460C**	9474
	72″	1829	13	7	**ELCTH-2472C**	12030

FEATURES:

- Catheter storage slides hang from underside of top shelf.
- Each slide accommodates 5 to 7 catheters.
- Card holder featured on front of each slide.
- Intermediate three-sided truss frame.
- Four 5″-diameter swivel casters, two with brake, with resilient tread and donut bumpers.
- 80″ *(203mm)* total height.
- Chrome finish.





#ELCTH-2436C

Catheter Storage Cart Covers

White coated nylon, with velcro fasteners.

	length in.	length mm	model #	list
18″ width *(457mm)*	36″	914	**CVC-74-1836**	534
	48″	1219	**CVC-74-1848**	549
	60″	1524	**CVC-74-1860**	588
	72″	1829	**CVC-74-1872**	622
21″ width *(533mm)*	36″	914	**CVC-74-2136**	569
	48″	1219	**CVC-74-2148**	598
	60″	1524	**CVC-74-2160**	670
	72″	1829	**CVC-74-2172**	693
24″ width *(610mm)*	36″	914	**CVC-74-2436**	544
	48″	1219	**CVC-74-2448**	633
	60″	1524	**CVC-74-2460**	685
	72″	1829	**CVC-74-2472**	697

Optional Additional Single Storage Slides

fits shelves	model #	list
18″ (457mm) front-to-back	**ELCTH-18**	726
21″ (533mm) front-to-back	**ELCTH-21**	763
24″ (610mm) front-to-back	**ELCTH-24**	8004

Catheter Procedure Carts

see spec sheet **EG05.03**



model #CPC6024D



model #CPC48B

FEATURES:

- All components are adjustable.
- Support bars are readily removable.
- Hooks, boxes, slides, bins, and wire ledges included with appropriate models.
- 5″ *(127mm)* swivel casters with polyurethane tread, two with brakes.
- 69″ *(1753mm)* height.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

patented QuadTruss® design

(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

Capable of holding a variety of sizes and styles of catheter packages.

Combination-Style Carts with 36″ *(914mm)* Side Shelves and four 24″ *(610mm)* Bars

	length		weight		cubic	# of hooks	maximum # of hooks	max. # of	tote	super			
	in.	mm	lbs.	kg	feet	included	per bar	boxes	slides	bins	ledges	model #	list
24″ width *(610mm)*	60″	1524	146	66.2	15.0	16	5	N/A	N/A	N/A	N/A	**CPC6036**	3506
	60″	1524	174	78.9	17.8	16	5	2	1	6	6	**CPC6036D**	4582

Combination-Style Carts with 24″ *(610mm)* Side Shelves and four 36″ *(914mm)* Bars

	length		weight		cubic	# of hooks	maximum # of hooks	max. # of	tote	super			
	in.	mm	lbs.	kg	feet	included	per bar	boxes	slides	bins	ledges	model #	list
24″ width *(610mm)*	60″	1524	149	67.6	9.8	24	9	N/A	N/A	N/A	N/A	**CPC6024**	3756
	60″	1524	162	73.5	18.6	24	9	2	1	6	6	**CPC6024D**	4770

Bulk Storage Carts with four 48″ *(1219mm)* Bars

	length		weight		cubic	# of hooks	maximum # of hooks	max. # of	tote	super			
width	in.	mm	lbs.	kg	feet	included	per bar	boxes	slides	bins	ledges	model #	list
24″ *(610mm)*	48″	1219	82	37.2	8.7	32	13	N/A	N/A	6	6	**CPC48B**	3699

Bulk Storage Carts with four 60″ *(1524mm)* Bars

	length		weight		cubic	# of hooks	maximum # of hooks	max. # of	tote	super			
width	in.	mm	lbs.	kg	feet	included	per bar	boxes	slides	bins	ledges	model #	list
24″ *(610mm)*	60″	1524	101	45.8	7.4	40	17	N/A	N/A	6	6	**CPC60B**	4089

Replacement Catheter Hook

11¾″ *(299mm)* length. Black epoxy finish.

model #	list
A204176	337

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Basket Carts

see spec sheet **EG05.04**

Collapsible X-frame is ideal for mail, pharmacy, lab, medical records and other small tasks.

FEATURES:

- Maneuvers easily and quietly on 3″ *(76mm)* swivel casters with rubber tread.
- Tubular, chrome plated frame.
- Poly-coated wire baskets and basket support.



width x length x height in.	mm	weight lbs.	kg	cubic feet	description	model #	list
18″ x 26″ x 37″	457 x 661 x 940	26	11.8	12.0	cart with (2) 6″ baskets	**BC18**	1233
18″ x 26″ x 37″	457 x 661 x 940	36	16.6	12.0	cart with (1) 6″ and (1) 12″ basket	**BC18-1**	1280

Baskets for Basket Carts - Poly-coated white wire baskets.

width x length x height in.	mm	weight lbs.	kg	cubic feet	model #	list
14¼″ x 24½″ x 6″	362 x 620 x 152	4	1.8	1.8	**A203895**	142
14¼″ x 24½″ x 12″	362 x 620 x 305	6	2.7	2.8	**A203929**	192

Wire Basket Utility Carts (NSF)

spec sheet **EG01.35**



FEATURES:

- Includes swivel stem casters with bumpers and two push handles.
- 36½″ *(927mm)* overall cart height.

description	weight lbs.	kg	model #	list
1 chrome basket shelf, 1 chrome standard shelf	31	14.1	**WBC1836C-1B1W**	692
2 chrome basket shelves	32	14.5	**WBC1836C-2B**	610
1 replacement chrome basket shelf	10	4.5	**WBS1836C**	200

NEW

Wall Mounted Bumper Guard Rails

see spec sheet **EG05.23**

FEATURES:

- 16 gauge type 300 stainless steel construction.
- 17″ *(432mm)*-long 14 gauge stainless steel wall-mounted "z-clip" bracket(s).
- Designed to protect walls against everyday dings, scratches etc.



length in.	mm	qty of wall brackets included	4″-HIGH UNITS model #	list	6″-HIGH UNITS model #	list	8″-HIGH UNITS model #	list
36″	914	1	**BGR-36-4**	391	**BGR-36-6**	404	**BGR-36-8**	431
48″	1219	2	**BGR-48-4**	462	**BGR-48-6**	486	**BGR-48-8**	520
60″	1524	2	**BGR-60-4**	493	**BGR-60-6**	522	**BGR-60-8**	563
72″	1829	2	**BGR-72-4**	526	**BGR-72-6**	563	**BGR-72-8**	615
84″	2134	2	**BGR-84-4**	572	**BGR-84-6**	614	**BGR-84-8**	649
96″	2438	2	**BGR-96-4**	602	**BGR-96-6**	649	**BGR-96-8**	697

Steril-Eze® Open Surgical Case Carts

see spec sheet **EG05.15**



FEATURES:

- Adjustable shelves.
- All type 304 stainless steel.
- Hemmed safety edges.
- 5″ *(127mm)* swivel casters with polyurethane tread, two with brakes.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

width x length x height in.	width x length x height mm	weight lbs.	weight kg	cu ft	description	model #	list
24″ x 36″ x 36″	610 x 914 x 914	89	40.4	3.8	open surgical case cart	**OSCC2436**	3482
24″ x 48″ x 36″	610 x 1219 x 914	118	53.5	3.8	open surgical case cart	**OSCC2448**	3704

Steril-Eze® Open Wire Surgical Case Carts

see spec sheet **EG05.17**



patented QuadTruss® design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

FEATURES:

- Wire shelves.
- Tote boxes & slides.
- Enclosure panels.
- Stainless steel finish.
- 5″ *(127mm)* swivel casters with polyurethane tread, two with brakes.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

width x length x height* in.	width x length x height* mm	weight lbs.	weight kg	description	model #	list
24″ x 24″ x 60¼″	610 x 610 x 1530	88	39.9	4 wire shelves, 1 tote box	**OCC2424S**	5007
24″ x 48″ x 60¼″	610 x 1219 x 1530	130	59.0	4 wire shelves, 2 tote boxes	**OCC2448S**	6034

* Height includes casters.

Quality... Value... Reliability!
Service for over 70 years.

Just a quick note...

GET FREE DOWNLOADS
• Spec Sheet • Product Instructions • Special Flyers • Brochures •
www.eaglegrp.com

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Mobile Garment Racks

see spec sheet **EG01.28**



model # UR1836C

Convenient storage or transportation of lab coats, uniforms, or garments.

FEATURES:

- Top shelf for hats or flat items.
- Bottom shelf *(shelves)* for drying shoes or boots.
- 74″ *(1880mm)* height on stationary units,
- 80″ *(2032mm)* height on mobile units.
- 5″ *(127mm)* polyurethane tread casters.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

width x length x height in.	mm	weight lbs.	kg	cubic feet	description	model #	list
18″ x 36″ x 80″	457 x 914 x 2032	48	21.8	2.2	unit as shown	**UR1836C**	996
18″ x 36″ x 80″	457 x 914 x 2032	64	29.0	2.2	same, plus 1 solid shelf	**URS1836C**	1305
18″ x 48″ x 80″	457 x 1219 x 2032	52	23.6	2.6	unit as shown	**UR1848C**	1065
18″ x 48″ x 80″	457 x 1219 x 2032	72	32.7	2.6	same, plus 1 solid shelf	**URS1848C**	1430
18″ x 60″ x 80″	457 x 1524 x 2032	58	26.3	3.2	unit as shown	**UR1860C**	1152
18″ x 60″ x 80″	457 x 1524 x 2032	82	37.2	3.2	same, plus 1 solid shelf	**URS1860C**	1638

Optional Wire Shelves

width x length in.	mm	weight lbs.	kg	cubic feet	model #	list
18″ x 36″	457 x 914	9	4.1	0.7	**1836C**	133
18″ x 48″	457 x 1219	12	5.5	0.9	**1848C**	159
18″ x 60″	457 x 1524	17	7.7	1.2	**1860C**	188

Optional Open Loop Hangers

weight lbs.	kg	cubic feet	chrome model #	list	stainless steel model #	list
0.4	0.2	0.3	**OLH-C** •	29	**OLH-S** •	40

Optional Closed Loop Hangers

weight lbs.	kg	cubic feet	chrome model #	list	stainless steel model #	list
0.4	0.2	0.3	**CLH-C**	29	**CLH-S**	40

Replacement Coat Hanger Tubes

length in.	mm	weight lbs.	kg	cubic feet	model #	list
24″	610	1.5	0.7	0.1	**CH24**	75
30″	762	1.7	0.8	0.1	**CH30**	82
36″	914	2.2	1.0	0.1	**CH36**	86
42″	1067	2.7	1.2	0.1	**CH42**	87
48″	1219	3.2	1.5	0.1	**CH48**	92
54″	1372	3.5	1.6	0.2	**CH54**	95
60″	1524	3.8	1.7	0.2	**CH60**	103

Instrument Tables

see spec sheet **EG05.01**



with undershelf

All Welded Assembly.

FEATURES:

- Top surface, undershelf, and legs are heavy gauge type 304 stainless steel.
- Edges of the top are safety hemmed.
- 1″ *(25mm)* diameter tubular legs with 4″ *(102mm)* diameter swivel casters.
- 34″ *(864mm)* overall height.

width x length in.	mm	weight lbs.	kg	cu ft	with H-frame model #	list	with undershelf model #	list
16″ x 20″	406 x 508	25	11.3	6.3	**ITT1620**	2217	**ITU1620**	2093
16″ x 30″	406 x 762	30	13.6	9.5	**ITT1630**	2270	**ITU1630**	2177
18″ x 34″	457 x 864	33	15.0	12.1	**ITT1834**	2288	**ITU1834**	2215
20″ x 36″	508 x 914	36	16.3	14.2	**ITT2036**	2333	**ITU2036**	2308
20″ x 48″	508 x 1219	47	21.3	18.9	**ITT2048**	2414	**ITU2048**	2445
24″ x 36″	610 x 914	39	17.7	17.0	**ITT2436**	2375	**ITU2436**	2387
24″ x 46″	610 x 1168	50	22.7	21.8	**ITT2446**	2449	**ITU2446**	2523
24″ x 58″	610 x 1473	59	26.8	37.4	**ITT2458**	2534	**ITU2458**	2675

Cart Covers (NSF)

see spec sheet **EG01.09**



cart cover enveloping entire cart/truck



cart cover with panel folded back for easy shelf accessibility

FEATURES:

- Top corners are reinforced.
- Choice of white coated, white uncoated, or transparent vinyl.
- Coated cart covers available in powder blue *(suffix "**PB**")* and light green *(suffix "**LG**")*. Example: CVC-63-1836**PB**
- 10˝ x 12˝ *(254 x 305mm)* paperwork pouch at right side, when facing front of cart cover.
- Covers are nonreturnable.

Note: Black electrostatic discharge (ESD) cart covers also available—see page 176.

Double-Flap option available. **$74 upcharge.** To order, add suffix "**-DF**" to model number (ex: CV-63-2436-**DF**).

Light weight, easy to handle!

Meets J.C.A.H. standards for transporting clean linen!

								White Coated Nylon*				White Uncoated Polyester				Transparent**			
	length		post height		weight		cu	zipper		velcro		zipper		velcro		zipper		velcro	
	in.	mm	in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list	model #	list
18˝ width *(457mm)*	36˝	914	54˝	1372	3	1.4	1	**CZC-54-1836**	476	**CVC-54-1836**	489	**CZ-54-1836**	276	**CV-54-1836**	303	**CZ-54-1836-T**	612	**CV-54-1836-T**	672
			63˝	1600				**CZC-63-1836**	485	**CVC-63-1836**	512	**CZ-63-1836**	293	**CV-63-1836**	309	**CZ-63-1836-T**	612	**CV-63-1836-T**	672
	48˝	1219	54˝	1372	4	1.8	1	**CZC-54-1848**	489	**CVC-54-1848**	518	**CZ-54-1848**	307	**CV-54-1848**	327	**CZ-54-1848-T**	618	**CV-54-1848-T**	683
			63˝	1600				**CZC-63-1848**	506	**CVC-63-1848**	523	**CZ-63-1848**	308	**CV-63-1848**	333	**CZ-63-1848-T**	618	**CV-63-1848-T**	683
	60˝	1524	54˝	1372	5	2.3	1	**CZC-54-1860**	532	**CVC-54-1860**	550	**CZ-54-1860**	319	**CV-54-1860**	337	**CZ-54-1860-T**	642	**CV-54-1860-T**	704
			63˝	1600				**CZC-63-1860**	542	**CVC-63-1860**	563	**CZ-63-1860**	325	**CV-63-1860**	340	**CZ-63-1860-T**	685	**CV-63-1860-T**	752
21˝ width *(533mm)*			54˝	1372				**CZC-54-2148**	548	**CVC-54-2148**	569	**CZ-54-2148**	355	**CV-54-2148**	376	**CZ-54-2148-T**	678	**CV-54-2148-T**	748
	48˝	1219	63˝	1600	4	1.8	1	**CZC-63-2148**	569	**CVC-63-2148**	596	**CZ-63-2148**	393	**CV-63-2148**	408	**CZ-63-2148-T**	722	**CV-63-2148-T**	792
			74˝	1880				**CZC-74-2148**	577	**CVC-74-2148**	598	**CZ-74-2148**	448	**CV-74-2148**	474	**CZ-74-2148-T**	760	**CV-74-2148-T**	834
			54˝	1372				**CZC-54-2160**	628	**CVC-54-2160**	645	**CZ-54-2160**	370	**CV-54-2160**	396	**CZ-54-2160-T**	754	**CV-54-2160-T**	828
	60˝	1524	63˝	1600	5	2.3	1	**CZC-63-2160**	637	**CVC-63-2160**	659	**CZ-63-2160**	408	**CV-63-2160**	430	**CZ-63-2160-T**	799	**CV-63-2160-T**	877
			74˝	1880				**CZC-74-2160**	647	**CVC-74-2160**	670	**CZ-74-2160**	480	**CV-74-2160**	489	**CZ-74-2160-T**	843	**CV-74-2160-T**	923
24˝ width *(610mm)*	24˝	610	54˝	1372	3	1.4	1	**CZC-54-2424**	577	**CVC-54-2424**	582	**CZ-54-2424**	649	**CV-54-2424**	430	**CZ-54-2424-T**	652	**CV-54-2424-T**	719
			63˝	1600				**CZC-63-2424**	587	**CVC-63-2424**	603	**CZ-63-2424**	672	**CV-63-2424**	517	**CZ-63-2424-T**	652	**CV-63-2424-T**	719
			54˝	1372				**CZC-54-2436**	485	**CVC-54-2436**	512	**CZ-54-2436**	316	**CV-54-2436**	334	**CZ-54-2436-T**	663	**CV-54-2436-T**	727
	36˝	914	63˝	1600	3	1.4	1	**CZC-63-2436**	512	**CVC-63-2436**	532	**CZ-63-2436**	327	**CV-63-2436**	350	**CZ-63-2436-T**	663	**CV-63-2436-T**	727
			74˝	1880				**CZC-74-2436**	522	**CVC-74-2436**	544	**CZ-74-2436**	396	**CV-74-2436**	407	**CZ-74-2436-T**	808	**CV-74-2436-T**	888
			86˝	2184				**CZC-86-2436**	566	**CVC-86-2436**	603	**CZ-86-2436**	494	**CV-86-2436**	506	**CZ-86-2436-T**	852	**CV-86-2436-T**	938
			54˝	1372				**CZC-54-2448**	574	**CVC-54-2448**	597	**CZ-54-2448**	340	**CV-54-2448**	367	**CZ-54-2448-T**	697	**CV-54-2448-T**	765
	48˝	1219	63˝	1600	4	1.8	1	**CZC-63-2448**	598	**CVC-63-2448**	628	**CZ-63-2448**	403	**CV-63-2448**	426	**CZ-63-2448-T**	697	**CV-63-2448-T**	765
			74˝	1880				**CZC-74-2448**	614	**CVC-74-2448**	633	**CZ-74-2448**	436	**CV-74-2448**	463	**CZ-74-2448-T**	722	**CV-74-2448-T**	792
			86˝	2184				**CZC-86-2448**	704	**CVC-86-2448**	725	**CZ-86-2448**	527	**CV-86-2448**	544	**CZ-86-2448-T**	897	**CV-86-2448-T**	984
			54˝	1372				**CZC-54-2460**	642	**CVC-54-2460**	663	**CZ-54-2460**	456	**CV-54-2460**	480	**CZ-54-2460-T**	764	**CV-54-2460-T**	844
	60˝	1524	63˝	1600	5	2.3	1	**CZC-63-2460**	652	**CVC-63-2460**	678	**CZ-63-2460**	476	**CV-63-2460**	489	**CZ-63-2460-T**	764	**CV-63-2460-T**	844
			74˝	1880				**CZC-74-2460**	663	**CVC-74-2460**	685	**CZ-74-2460**	539	**CV-74-2460**	560	**CZ-74-2460-T**	932	**CV-74-2460-T**	1025
			86˝	2184				**CZC-86-2460**	764	**CVC-86-2460**	764	**CZ-86-2460**	628	**CV-86-2460**	647	**CZ-86-2460-T**	980	**CV-86-2460-T**	1078
			54˝	1372				**CZC-54-2472**	652	**CVC-54-2472**	678	**CZ-54-2472**	474	**CV-54-2472**	487	**CZ-54-2472-T**	856	**CV-54-2472-T**	942
	72˝	1829	63˝	1600	6	2.7	1	**CZC-63-2472**	664	**CVC-63-2472**	693	**CZ-63-2472**	506	**CV-63-2472**	523	**CZ-63-2472-T**	874	**CV-63-2472-T**	960
			74˝	1880				**CZC-74-2472**	683	**CVC-74-2472**	697	**CZ-74-2472**	550	**CV-74-2472**	574	**CZ-74-2472-T**	960	**CV-74-2472-T**	1056
			86˝	2184				**CZC-86-2472**	800	**CVC-86-2472**	789	**CZ-86-2472**	659	**CV-86-2472**	678	**CZ-86-2472-T**	1008	**CV-86-2472-T**	1109

* White-coated nylon covers are fire-retardant; ** Entire cover is transparent except for the seams.

Helps keep equipment clean on shelf carts and shelf trucks.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Storage Bins

see spec sheet **EG05.07**

The perfect solution to organizing or storing small, easy-to-lose items. Lightweight but durable.

Exchange Bins

Available in three sizes.



color	length x width x height in.	mm	weight lbs.	kg	cubic feet	minimum order qty	model #	list each
blue	18″ x 4⅛″ x 4″	457 x 105 x 102	8	3.6	0.2	12	**A203885**	10
blue	18″ x 6⅝″ x 4″	457 x 168 x 102	12	5.5	0.3	12	**A203887**	18
blue	23⅝″ x 6⅝″ x 4″	600 x 168 x 102	8	3.6	0.4	6	**A203889**	32

Dividers for Exchange Bins

Note: Sold only in cartons of 24.

color	length x height in.	mm	weight lbs.	kg	cubic feet	carton quantity	model #	list per ctn.
black	4⅛″ x 4″	105 x 102	1	0.5	—	24	**A204235**	42
black	6⅝″ x 4″	168 x 102	2	0.9	—	24	**A204236**	53

Supply Bins

Available in four sizes.



color	length x width x height in.	mm	weight lbs.	kg	cubic feet	minimum order qty	model #	list each
blue	10⅞″ x 5½″ x 5″	276 x 140 x 127	12	5.5	0.2	12	**A203877**	38
blue	10⅞″ x 11″ x 5″	276 x 280 x 127	9	4.1	0.4	6	**A203879**	49
blue	14¾″ x 8¼″ x 7″	374 x 210 x 178	22	10.0	0.6	12	**A203881**	45
blue	14¾″ x 16½″ x 7″	374 x 419 x 178	18	8.1	1.0	6	**A203883**	62

Dividers for Supply Bins

Note: Sold only in cartons of 6.

color	length x height in.	mm	weight lbs.	kg	cubic feet	carton quantity	model #	list per ctn.
black	10⅞″ x 5″	276 x 127	2	0.9	—	6	**A204237**	43
black	14¾″ x 7″	374 x 178	3	1.4	—	6	**A204238**	55

Stock Bin

These stackable bins are built for heavy-duty use.



color	length x width x height in.	mm	weight lbs.	kg	cubic feet	carton quantity	model #	list each
beige	17⅞″ x 8½″ x 4″	454 x 216 x 102	21	9.5	0.8	6	**A203891**	65

Divider for Stock Bin

Note: Shipped in cartons only.

color	length x height in.	mm	weight lbs.	kg	cubic feet	carton quantity	model #	list each
black	8½″ x 4″	216 x 102	1	0.5	—	6	**A204239**	36

Bulk Supply Tub

Durable. Perfect for transporting or storing larger items.




color	length x width x height in.	mm	weight lbs.	kg	cubic feet	carton quantity	model #	list each
gray	24½″ x 19″ x 9½″	622 x 483 x 241	20	9.1	2.8	6	**A203893**	125

Stainless Steel Overlays

see spec sheet **EG05.00**

width x length * in.	mm	model#	list
24″ x 24″	610 x 610	**353761**	818
24″ x 30″	610 x 762	**353762**	859
24″ x 36″	610 x 914	**353763**	915
24″ x 48″	610 x 1219	**353764**	1019
24″ x 51″	610 x 1295	**353765**	1074
24″ x 60″	610 x 1524	**353766**	1256
24″ x 72″	610 x 1829	**353767**	1386
24″ x 96″	610 x 2438	**353768**	1703
30″ x 30″	762 x 762	**353770**	910
30″ x 36″	762 x 914	**353771**	982
30″ x 48″	762 x 1219	**353772**	1108
30″ x 51″	762 x 1295	**353773**	1154
30″ x 60″	762 x 1524	**353774**	1374
30″ x 72″	762 x 1829	**353775**	1495
30″ x 96″	762 x 2438	**353776**	1850
36″ x 60″	914 x 1524	**382984**	1962
36″ x 72″	914 x 1829	**362659**	2178

* inside measurements



overlay fitted onto tabletop



FEATURES:

- For process tables.
- Economical upgrade to existing work surface, with no fasteners required.
- 16 gauge type 304 stainless steel construction with satin finish.
- Liquid adhesive could be used per application.
- Durable finish allowing easy cleanup.
- Bottom edge with medical deburr on all four sides.
- Corners are welded and polished.
- Custom sizes and material gauges are available.


Double-Sided Bin-Holder Rails

PATENTED! (patent #8,141,724 B2)

see spec sheet **EG07.14**



*shown assembled as a cart (*bins sold separately)*



Assembly — numerically calibrated grooved posts, tapered plastic split sleeves and rail collars combine to make shelving assembly a simple two-step exercise:

1) Snap the split sleeves onto a post over the number of your choice
2) Slide a rail collar over the split sleeves. A positive lock between rail bin and post is created without the use of any tools.

BIN-HOLDER RAILS:

- Bin-holder rails are sold as an accessory or purchased with posts as a kit.
- All stainless steel construction.
- Bins attach to both sides of rail - no tools required.

BIN-HOLDER RAIL CARTS:

- Carts consist of four bin-holder rails and four 63″ posts with casters.
- Posts are numbered in increments of 1″ *(25mm)* to ensure fast and level assembly.



Bin holder rails can also be used on EAGLE Floor-Trak® units

*For additional information on Floor-Trak® Systems, refer to spec sheets EG01.39A & B, or visit us online at www.eaglegrp.com.

	length		weight		Bin-Holder Rails: Zinc		Bin-Holder Rails: Chrome		weight		Bin-Holder Rail Carts: Zinc		Bin-Holder Rail Carts: Chrome	
	in.	mm	lbs.	kg	model #	list	model#	list	lbs.	kg	model #	list	model#	list
24″ width *(610mm)*	36″	914	11.0	5.0	**DBH2436Z**	325	**DBH2436C**	445	64	29.0	**DBHC2436Z-4**	1992	**DBHC2436C-4**	2097
	42″	1067	12.5	5.7	**DBH2442Z**	443	**DBH2442C**	452	70	31.8	**DBHC2442Z-4**	2128	**DBHC2442C-4**	2128
	48″	1219	14.0	6.4	**DBH2448Z**	467	**DBH2448C**	518	76	34.5	**DBHC2448Z-4**	2198	**DBHC2448C-4**	2387
	54″	1372	15.5	7.0	**DBH2454Z**	480	**DBH2454C**	526	82	37.2	**DBHC2454Z-4**	2242	**DBHC2454C-4**	2423
	60″	1524	17.0	7.7	**DBH2460Z**	512	**DBH2460C**	567	88	39.9	**DBHC2460Z-4**	2362	**DBHC2460C-4**	2587
30″ width *(762mm)*	36″	914	12.5	5.7	**DBH3036Z**	438	**DBH3036C**	487	70	31.8	**DBHC3036Z-4**	2089	**DBHC3036C-4**	2269
	42″	1067	14.0	6.4	**DBH3042Z**	450	**DBH3042C**	506	76	34.5	**DBHC3042Z-4**	2132	**DBHC3042C-4**	2339
	48″	1219	15.5	7.0	**DBH3048Z**	334	**DBH3048C**	573	82	37.2	**DBHC3048Z-4**	2359	**DBHC3048C-4**	2614
	54″	1372	17.0	7.7	**DBH3054Z**	519	**DBH3054C**	597	88	39.9	**DBHC3054Z-4**	2405	**DBHC3054C-4**	2709
	60″	1524	18.5	8.4	**DBH3060Z**	563	**DBH3060C**	672	94	42.6	**DBHC3060Z-4**	2569	**DBHC3060C-4**	3009

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Wall Mounted Multi-Station Hand Sinks

see spec sheets **EG05.20A** **EG05.20B** **EG05.20C**





FEATURES:

- Single full-length bowl with basket drain(s) and rolled edge.
- 14/3 stainless steel construction.
- Wall-mounted tubular supports consists of 16 gauge 1⅝″ *(41mm)*-diameter tubing.
- Basket drain—two drains on 96″ *(2438mm)* sinks.
- 9½″ *(241mm)* backsplash.

Faucet holes at 8″ (203mm) on center.

overall width x length x height		bowl width x length x depth		# of faucets	…without faucets*				…with faucets			
					weight				weight			
in.	mm	in.	mm	req/included	lbs.	kg	model #	list	lbs.	kg	model #	list
21⅝″ x 48″ x 27⅛″	549 x 1219 x 689	14″ x 43″ x 8″	356 x 1092 x 203	2	61	27.2	**HSA-WM-48**	8895	69	31.3	**HSA-WM-48-F**	10528
21⅝″ x 60″ x 27⅛″	549 x 1524 x 689	14″ x 55″ x 8″	356 x 1397 x 203	2	72	32.7	**HSA-WM-60**	9132	80	36.3	**HSA-WM-60-F**	10874
21⅝″ x 72″ x 27⅛″	549 x 1829 x 689	14″ x 67″ x 8″	356 x 1702 x 203	3	81	36.7	**HSA-WM-72**	9345	93	42.2	**HSA-WM-72-F**	10822
21⅝″ x 96″ x 27⅛″	549 x 2438 x 689	14″ x 91″ x 8″	356 x 2311 x 203	4	102	46.3	**HSA-WM-96**	10845	116	53.5	**HSA-WM-96-F**	14429

* Optional faucet available. **Model #313075; List: $303**





Knee-Valve Operated Units…

NEW

Spouts included.

overall width x length x height		bowl width x length x depth		# of spouts	…with single knee valves				…with double knee valves			
					weight				weight			
in.	mm	in.	mm	included	lbs.	kg	model #	list	lbs.	kg	model #	list
21⅝″ x 48″ x 27⅛″	549 x 1219 x 689	14″ x 43″ x 8″	356 x 1092 x 203	2	70	31.8	**HSA-WM-48-1FK**	10807	72	32.7	**HSA-WM-48-FK**	11143
21⅝″ x 60″ x 27⅛″	549 x 1524 x 689	14″ x 55″ x 8″	356 x 1397 x 203	2	81	36.7	**HSA-WM-60-1FK**	11138	83	37.7	**HSA-WM-60-FK**	11474
21⅝″ x 72″ x 27⅛″	549 x 1829 x 689	14″ x 67″ x 8″	356 x 1702 x 203	3	95	43.1	**HSA-WM-72-1FK**	11263	98	44.5	**HSA-WM-72-FK**	11765
21⅝″ x 96″ x 27⅛″	549 x 2438 x 689	14″ x 91″ x 8″	356 x 2311 x 203	4	120	54.4	**HSA-WM-96-1FK**	15035	124	56.3	**HSA-WM-96-FK**	15706



Units with Electronic-Eye Faucets

NEW

120-volt AC-powered.

overall width x length x height		bowl width x length x depth		# of faucets	weight			
in.	mm	in.	mm	included	lbs.	kg	model #	list
21⅝″ x 48″ x 27⅛″	549 x 1219 x 689	14″ x 43″ x 8″	356 x 1092 x 203	2	74	33.6	**HSA-WM-48-FE**	11989
21⅝″ x 60″ x 27⅛″	549 x 1524 x 689	14″ x 55″ x 8″	356 x 1397 x 203	2	85	38.6	**HSA-WM-60-FE**	12325
21⅝″ x 72″ x 27⅛″	549 x 1829 x 689	14″ x 67″ x 8″	356 x 1702 x 203	3	100	45.4	**HSA-WM-72-FE**	13030
21⅝″ x 96″ x 27⅛″	549 x 2438 x 689	14″ x 91″ x 8″	356 x 2311 x 203	4	128	58.1	**HSA-WM-96-FE**	17393

Surgical Scrub Sinks

see spec sheet **EG05.11**



#SHS2424-1D

ADA-compliant



#SHS2424-1W-ADA

FEATURES:

- 16 gauge type 304 stainless steel.
- Removable front access panel.
- Electronic-eye gooseneck faucet.
- 4″ *(102mm)*-high backsplash.
- Square edge on front and sides.
- Sink bowl with deep slope basin.
- Temperature control mixing valve.
- Z-clips for wall mounting.
- Includes stainless steel flat strainer drain, tail piece, and p-trap.
- Includes flexible stainless steel supply hoses.

description	overall width x length x height in.	mm	bowl width x length x depth in.	mm	weight lbs.	kg	model #	list
wall-mount unit with deck mount faucet	24½″ x 24″ x 28″	622 x 610 x 711	17½″ x 20″ x 11″	445 x 508 x 279	160	72.6	**SHS2424-1D**	9107
ADA wall-mount unit with splash-mount faucet	20″ x 24″ x 29½″	508 x 610 x 749	16½″ x 20″ x 6½″	419 x 508 x 165	165	74.8	**SHS2424-1W-ADA**	8230

NOTES

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Electronics

Accessories

Card Holders.....174
Conductive Bins and Dividers 175
Conductive Casters.....176
Dividers for ESD Tote Boxes.....174
ESD Cart Covers 176
ESD Tote Boxes & Accessories..... 173-174
Split Sleeves.....176

adjusTable®

Extras 179
with Cantilever Overhead System 177
with Wire Overshelf System 178

Carts

Burn-In Carts.....170
Electronic Tray 168
Electronic Vibration Dampening 168
Gravity Flow Line Feed 169


More Electronics

All-Welded Units with Solid Tray Racks 170
Benchside Tote Box Carriers 173
Double-Sided Bin-Holder Rails.....180
Mobile Computer Workstation 171
Reel Shelves.....171
Stencil Shelf 170
Tote Box Carriers 172



Electronic Tray Carts

see spec sheet **EG07.05**



FEATURES:

- Knock-down units.
- EAGLEbrite® zinc-plated wire shelves.
- Chrome posts.
- Aluminum split sleeves.
- End-load and side-load racks offer a practical and economical method of transporting or storing 17⅞″ x 25¾″ *(454 x 654mm)* product on trays.
- Units require no tools for assembly.
- 5″ *(127mm)* diameter resilient swivel casters, two with brake.
- Units can be made conductive by adding drag chain or ESD cable.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

description	overall dimensions width x length x height in.	mm	weight lbs.	kg	cu ft	sliding space in.	mm	full size pan capacity	model #	list
end load	30″ x 21″ x 67⅜″	762 x 533 x 1711	65	29.5	15.0	1½″	38	38	**WTRE38-Z**	1060
end load	30″ x 21″ x 67⅜″	762 x 533 x 1711	74	33.6	15.0	3″	76	20	**WTRE20-Z**	1050
side load	21″ x 30″ x 67⅜″	533 x 762 x 1711	65	29.5	15.0	1½″	38	38	**WTRS38-Z**	1060
side load	21″ x 30″ x 67⅜″	533 x 762 x 1711	74	33.6	15.0	3″	76	20	**WTRS20-Z**	1050

Electronic Vibration Dampening Tray Carts

see spec sheet **EG07.04**



electronic vibration dampening tray cart (half size)

Engineered to provide maximum benefit in three key areas: vibration transfer, ESD safe, and cost.

FEATURES:


- Polyurethane 50 shore A casters dramatically reduce vibration transfer.
- Standard caster configuration features two swivel and two with brake.
- Carts are made ESD safe with the use of aluminum split sleeves and optional grounding device.
- EAGLEbrite® zinc-plated wire shelves.
- Product safety is ensured with front and back locks on all models.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

description	overall dimensions width x length x height in.	mm	weight lbs.	kg	cu ft	sliding space in.	mm	full size pan capacity	model #	list
end load, half height	31¾″ x 21⅝″ x 49⅜″	807 x 543 x 1254	80	36.3	15.0	1¾″	45	20	**ETCE20-Z**	1719
end load, full height	31¾″ x 21⅝″ x 62⅜″	807 x 543 x 1584	97	44.0	15.0	1¾″	45	30	**ETCE30-Z** *	1938
side load, half height	21⅝″ x 31¾″ x 49⅜″	543 x 807 x 1254	80	36.3	15.0	1¾″	45	20	**ETCS20-Z**	1719
side load, full height	21⅝″ x 31¾″ x 62⅜″	543 x 807 x 1584	97	44.0	15.0	1¾″	45	30	**ETCS30-Z** *	1938

* Half-height carts include two ergonomically positioned push handles.


Options for Electronic Tray Carts and Vibration Dampening Tray Carts



Optional ESD Grounding Cable

- Provides greater dependability on mobile units.
- Replaces conductive casters when used with conductive split sleeves.
- Easily installed.

model #	list
GC-16	48



Optional Anti-Static Drag Chain

- 16″ *(406mm)* long.
- Used for conductive applications.
- Clips into shelf.

model #	list
DC16-S •	45

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Gravity Flow Line Feed Carts

see spec sheet EG07.03



Offers the ergonomic advantage of an angled shelf along with added visibility in the storage bins.

FEATURES:

- Standard model includes three EAGLEbrite® zinc-plated angled shelves, four posts, four casters *(two with brake)*, one 3-sided truss, and one 4-sided truss.
- Flexibility to adjust shelves on 1″ *(25mm)* vertical increments and the slope of each shelf.
- Open-wire construction for high visibility of merchandise.
- Chrome posts.
- 5″ x 1¼″ *(127 x 32mm)* standard resilient swivel casters, two with brake — each with a weight capacity of 300 lbs. *(136.1 kg)*.
- Mobile units are 69″ *(1753mm)* height, including casters.
- Stationary units are 63″ *(1600mm)* height.

Note: Additional shelves available as options. Additional caster sizes available.

length		weight		cubic	Stationary		Mobile	
					EAGLEbrite®		EAGLEbrite®	
in.	mm	lbs.	kg	feet	model #	list	model #	list
36″	914	93	42.2	6	**SM3636Z-3**	1255	**M3636Z-3**	1465
48″	1219	114	51.7	8	**SM3648Z-3**	1408	**M3648Z-3**	1618
60″	1524	144	65.3	10	**SM3660Z-3**	1737	**M3660Z-3**	1906


Replacement/Additional Components for Gravity Flow Line Feed Carts:



Angled Shelves

- Hanger rails included.

length		weight		cubic	EAGLEbrite®	
in.	mm	lbs.	kg	feet	model #	list
36″	914	26	11.8	5	**M3636Z**	354
48″	1219	32	14.5	7	**M3648Z**	384
60″	1524	40	18.1	9	**M3660Z**	456



D-Truss Profile

Side-to-Side Hanger Rails…

length		weight		cubic	EAGLEbrite®	
in.	mm	lbs.	kg	feet	model #	list
36″	914	3	1.4	1.5	**A215543**	66
48″	1219	4	1.8	2.0	**A215544**	74
60″	1524	5	2.3	2.5	**A215546**	80



3-Sided Truss Frame

- 36″ *(914mm)* wide.

length		weight		cubic	EAGLEbrite®	
in.	mm	lbs.	kg	feet	model #	list
36″	914	7	3.2	2	**A215538**	80
48″	1219	10	4.5	3	**A215539**	103
60″	1524	12	5.4	4	**A215541**	109



4-Sided Truss Frame

- 36″ *(914mm)* wide.

length		weight		cubic	EAGLEbrite®	
in.	mm	lbs.	kg	feet	model #	list
36″	914	9	4.1	2	**A215532**	116
48″	1219	12	5.4	3	**A215534**	139
60″	1524	15	6.8	4	**A215536**	159

Burn-In Carts

see spec sheet **EG07.07**



A simple testing and preparation station for electronic products.

FEATURES:

- For transporting products to and from testing areas.
- Casters are resilient swivel 5″ *(127mm)* diameter and include donut bumpers.
- Standard power harness is designed to be used on four-shelf unit as shown.
- 69″ *(1753mm)* high.
- Aluminum split sleeves.

width x length in.	mm	weight lbs.	kg	cubic feet	chrome model #	list	zinc model #	list
28″ x 64″	711 x 1626	114	51.7	6.0	**BIC**	7696	**BIC-Z**	7650

Replacement Power Harness Nine outlets each. NEMA 5-15P plug.

description	weight lbs.	kg	cubic feet	model #	list
one strip w/cord & plug	2	0.9	0.7	**MHPH**	1584
four strips wired to one cord & plug	8	3.6	2.8	**MHPH-4**	2988

patented QuadTruss design

(Patent #5,390,803)

Patented QuadTruss® Design makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

All-Welded Units with Solid Tray Racks

see spec sheet **EG07.00**



Holds 18″ x 26″ pans.

FEATURES:

- All-welded aluminum frame construction.
- Frame and supports are 1″ *(25mm)* square aluminum tubing.
- Tray slides are 1½″ *(38mm)* wide with two raised beads to minimize friction.
- 5″ *(127mm)* casters.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

description	overall dimensions width x length x height in.	mm	weight lbs.	kg	cu ft	sliding space in.	mm	full size pan capacity	model #	list
front load	20½″ x 26″ x 69¼″	518 x 660 x 1759	47	21.3	21.0	2″	51	30	**OUR-1830-2/W** •	2130
side load	28½″ x 20″ x 69¼″	724 x 457 x 1759	59	26.8	25.2	2″	51	30	**OUR-2630-2/W**	2045


Aluminum Tray

description	dimensions in.	mm	model #	list
solid, 18 gauge	17¾″ x 25¾″	451 x 654	**SP1826-18** •	65



Stencil Shelf

see spec sheet **EG07.08**



two tiers of stencil shelves shown in mobile unit configuration

The stencil shelf may be used with any combination of posts and casters that best meets your requirements.

posts and casters sold separately —see pages 8 & 9

FEATURES:

- EAGLEbrite® zinc finish.
- One bottom and one top partitioned shelf.
- One ST1836Z-13 is required for each tier desired.
- Each unit has (15) 2″ *(51mm)* partitions.

Note: Stationary unit can be made conductive with the use of optional aluminum split sleeves *(page 176)*.

Mobile unit may be made conductive with the use of optional aluminum split sleeves *(page 176)* and an optional drag chain *(page 168)*.

#ST1836Z-13 includes two shelves.

width x length in.	mm	weight lbs.	kg	cu ft	capacity	model #	list
18″ x 36″	457 x 914	18	8.2	5.0	holds (15) stencils	**ST1836Z-13**	627

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Mobile Computer Workstations

see spec sheet **EG01.04**



with optional mouse shelf

patented QuadTruss® design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

FEATURES:

- 5″ *(127mm)* casters–two with brake.
- Cantilevered shelf, undershelf, keyboard drawer.
- 38⅜″ *(981mm)* working height.
- 53⅜″ *(1362mm)* overall height.

Note: See page 176 for other casters available.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

						with Resilient-Tread Casters				w/Polyurethane-Tread Casters			
	length		weight		cu	chrome		stainless steel		chrome		stainless steel	
width**	in.	mm	lbs.	kg	ft	model #	*list	model #	*list	model #	*list	model #	*list
24″ *(610mm)*	24″	610	40	18.1	3.7	**MCWS2424C**	• 1685	**MCWS2424S**	2710	**MCWS2424C-P**	1722	**MCWS2424S-P**	2748
30″ *(762mm)*	30″	762	56	25.4	4.5	**MCWS3030C**	1818	**MCWS3030S**	2830	**MCWS3030C-P**	1856	**MCWS3030S-P**	2864

* List prices do not include cost of mouse shelf.

** 24″ x 24″ *(610 x 610mm)* units feature 14″ x 24″ *(357 x 610mm)* undershelf, 30″ x 30″ *(762 x 762mm)* units feature 18″ x 30″ *(457 x 762mm)* undershelf.


Optional Mouse Shelf for Mobile Computer Workstation

width x length		cu	weight		chrome	
in.	mm	ft	lbs.	kg	model #	list
7″ x 7″	178 x 178	0.1	2.0	0.9	**MS-C**	28



Reel Shelves

see spec sheet **EG07.06**



R1836Z-7 shelves

R1836Z-13 shelves

reel shelves shown in mobile unit configuration - posts and casters sold separately (see pages 8 & 9)

FEATURES:

- EAGLEbrite® zinc plated finish with MasterSeal®, 9-gauge wire for the mat, and 6-gauge wire for the cradle and trusses.
- R1836-7 has a ¾″ *(19mm)* open space for each reel.
- R1836-13 has a 2″ *(51mm)* open space for each reel.
- The reel shelves may be used with any combination of posts and casters that best meets your requirements.


The perfect solution to store and transport surface mount reels.

width x length		weight		cubic			
in.	mm	lbs.	kg	feet	capacity	model #	list
18″ x 36″	457 x 914	10	4.5	5.0	holds (78) 7″-diameter reels	**R1836Z-7**	380
18″ x 36″	457 x 914	9	4.1	5.0	holds (15) 13″-diameter reels or 15″-diameter reels	**R1836Z-13**	338


Tote Box Carriers

see spec sheet **EG07.01**


The ideal way to transport totes, trays, and other containers.



slide section dimensions



inside clearances of adjustable model



inside clearances of standard non-adjustable model

FEATURES:

- Three sets of tote box slides.
- Two brake and two swivel casters, resilient or polymer.
- 68″ *(1727mm)* height, includes casters
- 63″ *(1600mm)* 16-gauge chrome-plated posts.
- 26″ *(660mm)* length from front to back.

Note: See pages 173 and 174 for tote boxes and tote box accessories.

Note: To order units with aluminum split sleeves in place of standard plastic split sleeves, add suffix "**-ESD**". Example: TBC1-R-**ESD**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

One-Bay

- Adjustable or standard.
- Comes with three single slide sets.

width x length in.	width x length mm	weight lbs.	weight kg	cubic feet	caster type	description	model #	list
26″ x 22⅝″	660 x 575	55	24.9	3.5	resilient	1 section, non-adjustable	**TBC1-R** *	1417
		55	24.9	3.5	poly	1 section, non-adjustable	**TBC1-P** *	1453
26″ x 20⅝″	660 x 524	55	24.9	3.5	resilient	1 section, adjustable	**TBC-R**	1405
to 26″ x 29⅜″	to 660 x 746	55	24.9	3.5	poly	1 section, adjustable	**TBC-P**	1548

* For Non-Adjustable units, applicable tote boxes are #TB3030XL, TB3060XL, TB3080XL, and TB3120XL *(page 173)*.



one-bay tote box carrier shown with optional tote boxes

Two-Bay

- Comes with three single slide sets and three double slides.

width x length in.	width x length mm	weight lbs.	weight kg	cubic feet	caster type	description	model #	list
26″ x 41¾″	660 x 1060	112	50.8	9	resilient	2 section, non-adjustable	**TBC2-R** *	2069
26″ x 41¾″	660 x 1060	112	50.8	9	poly	2 section, non-adjustable	**TBC2-P** *	2110

* For Non-Adjustable units, applicable tote boxes are #TB3030XL, TB3060XL, TB3080XL, and TB3120XL *(page 173)*.



two-bay tote box carrier shown with optional tote boxes

Three-Bay

- Comes with three single slide sets and six double slides.

width x length in.	width x length mm	weight lbs.	weight kg	cubic feet	caster type	description	model #	list
26″ x 60⅞″	660 x 1546	168	76.2	12	resilient	3 section, non-adjustable	**TBC3-R** *	2919
26″ x 60⅞″	660 x 1546	168	76.2	12	poly	3 section, non-adjustable	**TBC3-P** *	2962

* For Non-Adjustable units, applicable tote boxes are #TB3030XL, TB3060XL, TB3080XL, and TB3120XL *(page 173)*.



three-bay tote box carrier shown with optional tote boxes and additional slides

Tote Box Slides for Tote Box Carriers

- Made of 16 gauge chrome plated steel with a channel opening of 1⅛″ *(29mm)*.

type	weight lbs.	weight kg	cubic feet	model #	list
single slides *(sold in pairs)*	1.5	0.7	0.5	**TBC-S** •	189 per pair
double slide *(sold individually)*	3.0	1.4	0.5	**TBC-SD**	178 each

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Benchside Tote Box Carriers

see spec sheet **EG07.02**

FEATURES:

- Angled wire shelf with 3½″ (*89mm*) upturn.
- Wire undershelf.
- Posts joined to 5″ (*127mm*)-diameter swivel casters with resilient tread—two with brake.
- All shelves and posts are zinc-plated.

Note: For static dissipation, add aluminum split sleeves *(page 176)* and drag chain *(page 168)*.

Variable shelf angle is ergonomically sensitive to repetitive pick-and-place activity.



benchside tote box carrier shown with optional tote boxes

width x length in.	width x length mm	height	in.	mm	weight lbs.	weight kg	cubic feet	caster type	model #	list
18″ x 24″	457 x 610	(rear) (front)	39″ 30″	991 762	50	22.7	3.3	(2) 5″ resilient swivel (2) 5″ resilient w/brake	**1824BTZ**	818
18″ x 36″	457 x 914	(rear) (front)	39″ 30″	991 762	55	24.9	4.5	(2) 5″ resilient swivel (2) 5″ resilient w/brake	**1836BTZ**	855
18″ x 48″	457 x 1219	(rear) (front)	39″ 30″	991 762	60	27.2	6.0	(2) 5″ resilient swivel (2) 5″ resilient w/brake	**1848BTZ**	899
18″ x 60″	457 x 1524	(rear) (front)	39″ 30″	991 762	65	29.5	7.5	(2) 5″ resilient swivel (2) 5″ resilient w/brake	**1860BTZ**	985

Optional ESD Tote Boxes & Tote Box Accessories

see spec sheet **EG07.09**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



ESD Tote Boxes

- Made of conductive material.
- Fits tote box carriers *(page 172)*.
- Containers can be divided into compartments by length and/or width.
- Dividers are on 1¼″ *(32mm)* centers.

dimensions of outside top length x width x height in.	dimensions of outside top length x width x height mm	weight lbs.	weight kg	cu ft	max. divider slots long in.	max. divider slots long mm	max. divider slots short in.	max. divider slots short mm	model #	list
10.8″ x 8.5″ x 3.5″	274 x 216 x 89	0.7	0.3	0.2	5″	127	7″	178	**TB1035XL**	53
10.8″ x 8.5″ x 5.0″	274 x 216 x 127	0.9	0.4	0.3	5″	127	7″	178	**TB1050XL**	60
16.5″ x 10.9″ x 3.5″	419 x 277 x 89	1.2	0.5	0.4	7″	178	11″	279	**TB2035XL**	62
16.5″ x 10.9″ x 6.0″	419 x 277 x 152	1.6	0.7	0.6	7″	178	11″	279	**TB2060XL**	86
16.5″ x 10.9″ x 8.0″	419 x 277 x 203	2.0	0.9	0.8	7″	178	11″	279	**TB2080XL**	95
22.4″ x 17.4″ x 3.0″	567 x 442 x 76	1.8	0.8	0.7	11″	279	15″	381	**TB3030XL** *	147
22.4″ x 17.4″ x 6.0″	567 x 442 x 152	3.5	1.6	1.3	11″	279	15″	381	**TB3060XL** *	153
22.4″ x 17.4″ x 8.0″	567 x 442 x 203	4.1	1.9	1.8	11″	279	15″	381	**TB3080XL** *	185
22.4″ x 17.4″ x 12.0″	567 x 442 x 305	6.0	2.7	1.7	11″	279	15″	381	**TB3120XL** *	254

* Only the TB3000 series tote boxes fit non-adjustable tote box carriers *(page 172)*.

ESD Snap-On Tote Box Covers

Conductive. Black.

Protect the contents of your divider box with these hi-density injection molded covers.


for container model	weight lbs.	weight kg	cubic feet	model #	list
TB1000 Series	0.2	0.1	0.1	**CTB1000-XL**	40
TB2000 Series	0.5	0.2	0.1	**CTB2000-XL**	70
TB3000 Series	1.2	0.5	0.3	**CTB3000-XL**	115



ESD Tote Box Accessories (continued)

see spec sheet **EG07.09**

Dividers



Conductive. These injection molded dividers compartmentalize width and length of box interior to prevent part movement.

	Long Dividers			Short Dividers		
fits tote box	model #	list	max. # accepted	model #	list	max. # accepted
TB1035XL	**DL1035-XL**	8	5	**DS1035-XL**	7	7
TB1050XL	**DL1050-XL**	9	5	**DS1050-XL**	8	7
TB2035XL	**DL2035-XL**	9	7	**DS2035-XL**	8	11
TB2060XL	**DL2060-XL**	14	7	**DS2060-XL**	10	11
TB2080XL	**DL2080-XL**	22	7	**DS2080-XL**	14	11
TB3030XL	**DL3030-XL**	14	11	**DS3030-XL**	9	15
TB3060XL	**DL3060-XL**	18	11	**DS3060-XL**	10	15
TB3080XL	**DL3080-XL**	22	11	**DS3080-XL**	14	15
TB3120XL	**DL3120-XL**	55	11	**DS3120-XL**	45	15

Card Holders for ESD Tote Boxes



FEATURES:

- Static dissipative.
- Transparent blue vinyl material.
- Easily snaps onto TB3000 Series divider boxes *(page 173)*.

holds labels			
in.	mm	model #	list
2″ x 8″	51 x 203	**CH28S**	22
3″ x 5″	76 x 127	**CH35S**	28
5″ x 8″	127 x 203	**CH58S**	29

Go Green. Go ECO-Built™ by EAGLE.

For institutions concerned about meeting their own green standards, buying Eco-Built™ is simply the right thing to do.

Look for the ECO-Built™ tag on the bar code

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com


EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Conductive Bins and Dividers


see spec sheet EG07.11

FEATURES:

- Molded with a carbon-filled copolymer poly propylene material which protects sensitive electronic components from typical electromagnetic interference (EMI).



Ultra-strong stackable containers are ideal for storage and transportation of electronic components and parts, assemblies, and loaded circuit boards.



assorted conductive bins



bins with dividers

overall dimensions width x length x height in.	mm	weight* lbs.	kg	cu* ft	carton quantity	Bins model #	Bins list each	Dividers model #	Dividers list each
4⅛″ x 4½″ x 3″	105 x 114 x 76	0.5	0.2	0.7	48	**A208336**	10	**A208348**	18
4⅛″ x 5½″ x 3″	105 x 138 x 76	0.5	0.2	0.8	48	**A208337**	10	**A208349**	22
4⅛″ x 7½″ x 3″	105 x 191 x 76	0.5	0.2	1.0	48	**A208338**	18	**A208350**	29
5½″ x 11″ x 5″	138 x 279 x 127	0.5	0.2	0.6	12	**A208339**	43	**A208351**	40
11″ x 11″ x 5″	279 x 279 x 127	1.5	0.7	0.5	8	**A208341**	60	**A208353**	40
8¼″ x 11″ x 7″	210 x 279 x 178	1.5	0.7	0.5	8	**A208342**	62	**A208354**	65
8¼″ x 14¾″ x 7″	210 x 375 x 178	1.5	0.7	1.1	8	**A208343**	66	**A208355**	75
16½″ x 14¾″ x 7″	419 x 375 x 178	3.0	1.4	1.8	6	**A208344**	116	**A208356**	75
11″ x 16″ x 8″	279 x 406 x 203	2.5	1.1	1.3	4	**A208345**	125	**A208357**	93
11″ x 18″ x 10″	279 x 457 x 254	2.8	1.2	1.7	4	**A208346**	139	**A208358**	105
16½″ x 18″ x 11″	419 x 457 x 279	4.0	1.8	2.6	4	**A208347**	188	**A208359**	105

* Total carton



ESD Cart Covers

see spec sheet **EG07.12**

Controls electrostatic discharge while protecting contents from moisture and contamination.



Black outside, Green inside.

FEATURES:

- Controls electrostatic discharge while protecting contents from moisture and contamination.
- All cart covers have a flap on one side.
- "ETC" model cart covers have both side and end flaps for side or end load.
- Comes with paperwork pouch.
- ESD cart covers are waterproof, tear-resistant, antibacterial and flame retardant.

shelf width x length in.	mm	post height in.	mm	weight lbs.	kg	cubic feet	model #	list
18″ x 36″	457 x 914	63″	1600	3	1.4	2.5	**CZ-63-1836-ESD**	863
18″ x 48″	457 x 1219	63″	1600	4	1.8	2.5	**CZ-63-1848-ESD**	967
24″ x 24″	610 x 610	63″	1600	3	1.4	2.5	**CZ-63-2424-ESD**	863
24″ x 36″	610 x 914	63″	1600	3	1.4	2.5	**CZ-63-2436-ESD**	900
24″ x 48″	610 x 1219	63″	1600	4	1.8	2.5	**CZ-63-2448-ESD**	1048
24″ x 60″	610 x 1524	63″	1600	5	2.3	2.5	**CZ-63-2460-ESD**	1130
fits #ETCE20-Z (page 168) fits #ETCS20-Z (page 168)		49″	1245	3	1.4	2.5	**CZ-49-ETC**	884
fits #ETCE30-Z (page 168) fits #ETCS30-Z (page 168)		63″	1600	4	1.8	2.5	**CZ-63-ETC**	998

Conductive Casters

see spec sheets **EG01.05A** **EG07.12**

FEATURES:

- Meets federal specification FF-C-88C regarding conductivity.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



type	capacity lbs.	kg	wheel diameter in.	mm	wheel face in.	mm	weight lbs.	kg	cu ft	zinc model #	list
stem/swivel	200	90.7	5″	127	1¼″	32	2.5	1.2	0.1	**CSS5-CC** •	119
stem/brake	200	90.7	5″	127	1¼″	32	2.8	1.3	0.1	**CSB5-CC** •	133
stem/rigid*	200	90.7	5″	127	1¼″	32	3.5	1.6	0.1	**CSR5-CC**	136

* Channel frames for rigid stem casters available. See page 9.

Split Sleeves

see spec sheets **EG01.03D** **EG07.12**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Aluminum Split Sleeves

- For conductive, over the road or high-temperature installations.
- Set of four.

with zinc rings model #	list	with stainless rings model #	list
A208909 •	36	**A208908** •	55



aluminum split sleeves and ring

Plastic Conductive Split Sleeves

- Packed four per bag.

model #	list
A219236	25



100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

adjusTable® Work Surface Systems with Cantilevered Overhead System

NSF

Now NSF!

see spec sheet EG07.13A



adjusTable® with overhead cantilevered system shown with H-frame & wire undershelf base, and optional bin holder, reel holder, and bench power center

adjusTable®

FEATURES:

- 34½″ *(876mm)* working height.
- Tabletops on all models feature hat channels underneath for added strength.

Note: To order table with 5″ *(127mm)* resilient tread casters, add suffix **"-CAH"** and **add to list price $1096**.
Example: OAC2436T-2H-CAH.

To order table with 5″ *(127mm)* poly tread casters, add suffix **"-CAHP"** and **add to list price $950**.
Example: OAC2436T-2H-CAHP.

Allows you to create work surfaces of your choice. Tabletops on all models feature hat channels underneath for added strength.

Work surface of your choice is combined with two 33″ *(838mm)* front posts, two 63″ *(1600mm)* rear posts, two cantilevered wire overshelves, and your choice of base combination. Overall height of 63″ *(1600mm)*.

"OAC" Series tables – Brushed 16/304 stainless steel solid top and chrome wire overshelves, with choice of:

- Two knocked down chrome C-frames
- Two knocked down chrome H-frames
- One chrome C-frame and one chrome wire undershelf
- One chrome H-frame and one chrome wire undershelf
- Two chrome wire undershelves

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	36″	914	65	29.5	4.4	OAC2436T-2C	1889	OAC2436T-2H	1889	OAC2436T-1C-1W	1889	OAC2436T-1H-1W	1889	OAC2436T-2W	1889
	48″	1219	81	36.7	5.7	OAC2448T-2C	2176	OAC2448T-2H	2176	OAC2448T-1C-1W	2176	OAC2448T-1H-1W	2176	OAC2448T-2W	2176
	60″	1524	97	44.0	7.0	OAC2460T-2C	2464	OAC2460T-2H	2464	OAC2460T-1C-1W	2464	OAC2460T-1H-1W	2464	OAC2460T-2W	2464
30″ width (762mm)	36″	914	75	34.0	4.4	OAC3036T-2C	2009	OAC3036T-2H	2009	OAC3036T-1C-1W	2009	OAC3036T-1H-1W	2009	OAC3036T-2W	2009
	48″	1219	94	42.6	5.7	OAC3048T-2C	2370	OAC3048T-2H	2370	OAC3048T-1C-1W	2370	OAC3048T-1H-1W	2370	OAC3048T-2W	2370
	60″	1524	113	51.3	7.0	OAC3060T-2C	2693	OAC3060T-2H	2693	OAC3060T-1C-1W	2693	OAC3060T-1H-1W	2693	OAC3060T-2W	2693
36″ width (914mm)	36″	914	85	38.6	5.0	OAC3636T-2C	2454	OAC3636T-2H	2454	OAC3636T-1C-1W	2454	OAC3636T-1H-1W	2454	OAC3636T-2W	2454
	48″	1219	108	49.0	7.0	OAC3648T-2C	2807	OAC3648T-2H	2807	OAC3648T-1C-1W	2807	OAC3648T-1H-1W	2807	OAC3648T-2W	2807
	60″	1524	131	59.4	9.0	OAC3660T-2C	3065	OAC3660T-2H	3065	OAC3660T-1C-1W	3065	OAC3660T-1H-1W	3065	OAC3660T-2W	3065

"OAS" Series tables – Brushed 16/304 stainless steel solid top and stainless steel wire overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one chrome wire undershelf
- Two stainless steel wire undershelves

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	36″	914	65	29.5	4.4	OAS2436T-2C	3284	OAS2436T-2H	3284	OAS2436T-1C-1W	3284	OAS2436T-1H-1W	3284	OAS2436T-2W	3284
	48″	1219	81	36.7	5.7	OAS2448T-2C	3756	OAS2448T-2H	3756	OAS2448T-1C-1W	3756	OAS2448T-1H-1W	3756	OAS2448T-2W	3756
	60″	1524	97	44.0	7.0	OAS2460T-2C	4356	OAS2460T-2H	4356	OAS2460T-1C-1W	4356	OAS2460T-1H-1W	4356	OAS2460T-2W	4356
30″ width (762mm)	36″	914	75	34.0	4.4	OAS3036T-2C	3617	OAS3036T-2H	3617	OAS3036T-1C-1W	3617	OAS3036T-1H-1W	3617	OAS3036T-2W	3617
	48″	1219	94	42.6	5.7	OAS3048T-2C	4166	OAS3048T-2H	4166	OAS3048T-1C-1W	4166	OAS3048T-1H-1W	4166	OAS3048T-2W	4166
	60″	1524	113	51.3	7.0	OAS3060T-2C	4797	OAS3060T-2H	4797	OAS3060T-1C-1W	4797	OAS3060T-1H-1W	4797	OAS3060T-2W	4797
36″ width (914mm)	36″	914	85	38.6	5.0	OAS3636T-2C	4048	OAS3636T-2H	4048	OAS3636T-1C-1W	4048	OAS3636T-1H-1W	4048	OAS3636T-2W	4048
	48″	1219	108	49.0	7.0	OAS3648T-2C	4800	OAS3648T-2H	4800	OAS3648T-1C-1W	4800	OAS3648T-1H-1W	4800	OAS3648T-2W	4800
	60″	1524	131	59.4	9.0	OAS3660T-2C	5542	OAS3660T-2H	5542	OAS3660T-1C-1W	5542	OAS3660T-1H-1W	5542	OAS3660T-2W	5542

Contact factory for custom workstation configurations.

adjusTable® Work Surface Systems with Wire Overshelf System

NSF Now NSF!

see spec sheet EG07.13A

FEATURES:

- 34½″ *(876mm)* working height.
- Tabletops on all models feature hat channels underneath for added strength.



shown with two C-frame bases (suffix "-2C")

adjusTable®

Note: To order table with 5″ *(127mm)* resilient tread casters, add suffix **"-CAH"** and **add to list price $1096**.
Example: WOAC2436T-2H-CAH.
To order table with 5″ *(127mm)* poly tread casters, add suffix **"-CAHP"** and **add to list price $950**.
Example: WOAC2436T-2H-CAHP.

Allows you to create work surfaces of your choice. Tabletops on all models feature hat channels underneath for added strength.

Work surface of your choice is combined with two 33″ *(838mm)* front posts, two 63″ *(1600mm)* rear posts, two wire overshelves, two 29″ *(737mm)* front posts for wire overshelves, and your choice of base combination. 63″ *(1600mm)* overall height.

"**WOAC**" Series tables – 16/304 brushed stainless solid top and chrome overshelves, with choice of:

- Two knocked down chrome C-frames
- Two knocked down chrome H-frames
- One chrome C-frame and one chrome wire undershelf
- One chrome H-frame and one chrome wire undershelf
- Two chrome wire undershelves

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width *(610mm)*	36″	914	65	29.5	4.4	**WOAC2436T-2C**	1998	**WOAC2436T-2H**	1998	**WOAC2436T-1C-1W**	1998	**WOAC2436T-1H-1W**	1998	**WOAC2436T-2W**	1998
	48″	1219	81	36.7	5.7	**WOAC2448T-2C**	2273	**WOAC2448T-2H**	2273	**WOAC2448T-1C-1W**	2273	**WOAC2448T-1H-1W**	2273	**WOAC2448T-2W**	2273
	60″	1524	97	44.0	7.0	**WOAC2460T-2C**	2553	**WOAC2460T-2H**	2553	**WOAC2460T-1C-1W**	2553	**WOAC2460T-1H-1W**	2553	**WOAC2460T-2W**	2553
30″ width *(762mm)*	36″	914	75	34.0	4.4	**WOAC3036T-2C**	2112	**WOAC3036T-2H**	2112	**WOAC3036T-1C-1W**	2112	**WOAC3036T-1H-1W**	2112	**WOAC3036T-2W**	2112
	48″	1219	94	42.6	5.7	**WOAC3048T-2C**	2465	**WOAC3048T-2H**	2465	**WOAC3048T-1C-1W**	2465	**WOAC3048T-1H-1W**	2465	**WOAC3048T-2W**	2465
	60″	1524	113	51.3	7.0	**WOAC3060T-2C**	2776	**WOAC3060T-2H**	2776	**WOAC3060T-1C-1W**	2776	**WOAC3060T-1H-1W**	2776	**WOAC3060T-2W**	2776
36″ width *(914mm)*	36″	914	85	38.6	5.0	**WOAC3636T-2C**	2564	**WOAC3636T-2H**	2564	**WOAC3636T-1C-1W**	2564	**WOAC3636T-1H-1W**	2564	**WOAC3636T-2W**	2564
	48″	1219	108	49.0	7.0	**WOAC3648T-2C**	2900	**WOAC3648T-2H**	2900	**WOAC3648T-1C-1W**	2900	**WOAC3648T-1H-1W**	2900	**WOAC3648T-2W**	2900
	60″	1524	131	59.4	9.0	**WOAC3660T-2C**	3152	**WOAC3660T-2H**	3152	**WOAC3660T-1C-1W**	3152	**WOAC3660T-1H-1W**	3152	**WOAC3660T-2W**	3152

"**WOAS**" Series tables – 16/304 brushed stainless solid top and stainles steel overshelves, with choice of:

- Two knocked down stainless steel C-frames
- Two knocked down stainless steel H-frames
- One stainless steel C-frame and one stainless steel wire undershelf
- One stainless steel H-frame and one chrome wire undershelf
- Two stainless steel wire undershelves

	length		weight		cu	WITH TWO C-FRAMES		WITH TWO H-FRAMES		WITH ONE C-FRAME AND ONE WIRE SHELF		WITH ONE H-FRAME AND ONE WIRE SHELF		WITH TWO WIRE SHELVES	
	in.	mm	lb.	kg	ft	model #	list	model #	list	model #	list	model #	list	model #	list
24″ width *(610mm)*	36″	914	65	29.5	4.4	**WOAS2436T-2C**	3458	**WOAS2436T-2H**	3458	**WOAS2436T-1C-1W**	3458	**WOAS2436T-1H-1W**	3458	**WOAS2436T-2W**	3458
	48″	1219	81	36.7	5.7	**WOAS2448T-2C**	4018	**WOAS2448T-2H**	4018	**WOAS2448T-1C-1W**	4018	**WOAS2448T-1H-1W**	4018	**WOAS2448T-2W**	4018
	60″	1524	97	44.0	7.0	**WOAS2460T-2C**	4717	**WOAS2460T-2H**	4717	**WOAS2460T-1C-1W**	4717	**WOAS2460T-1H-1W**	4717	**WOAS2460T-2W**	4717
30″ width *(762mm)*	36″	914	75	34.0	4.4	**WOAS3036T-2C**	3792	**WOAS3036T-2H**	3792	**WOAS3036T-1C-1W**	3792	**WOAS3036T-1H-1W**	3792	**WOAS3036T-2W**	3792
	48″	1219	94	42.6	5.7	**WOAS3048T-2C**	4429	**WOAS3048T-2H**	4429	**WOAS3048T-1C-1W**	4429	**WOAS3048T-1H-1W**	4429	**WOAS3048T-2W**	4429
	60″	1524	113	51.3	7.0	**WOAS3060T-2C**	5156	**WOAS3060T-2H**	5156	**WOAS3060T-1C-1W**	5156	**WOAS3060T-1H-1W**	5156	**WOAS3060T-2W**	5156
36″ width *(914mm)*	36″	914	85	38.6	5.0	**WOAS3636T-2C**	4222	**WOAS3636T-2H**	4222	**WOAS3636T-1C-1W**	4222	**WOAS3636T-1H-1W**	4222	**WOAS3636T-2W**	4222
	48″	1219	108	49.0	7.0	**WOAS3648T-2C**	5066	**WOAS3648T-2H**	5066	**WOAS3648T-1C-1W**	5066	**WOAS3648T-1H-1W**	5066	**WOAS3648T-2W**	5066
	60″	1524	131	59.4	9.0	**WOAS3660T-2C**	5906	**WOAS3660T-2H**	5906	**WOAS3660T-1C-1W**	5906	**WOAS3660T-1H-1W**	5906	**WOAS3660T-2W**	5906

Contact factory for custom workstation configurations.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Extras for adjusTable® with Overhead Systems

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

see spec sheet **EG07.13B**

Bin Holders

- Accommodates supply and conductive bins.
- Constructed of 1⅝″ x ½″ *(41 x 13mm)* 12-gauge mild steel, angle-welded to two conical collars for support.
- Shipped with two plastic split sleeves for attachment to posts.



Chrome-plated bin holders allow you to sort, store and separate supplies.

workstation length		weight		cu	bin capacity			
in.	mm	lbs.	kg	ft	in.	mm	model #	list
36″	914	3.0	1.4	0.1	33″	838	**BH36C**	66
48″	1219	4.0	1.8	0.1	45″	1143	**BH48C** •	69
60″	1524	4.5	2.0	0.3	57″	1448	**BH60C** •	74

Reel Holders

- Constructed of 1¼″ x 1¼″ x 3″ *(32 x 32 x 76mm)* chrome-plated 14-gauge “C” channel, welded to a conical collar.
- Shipped with plastic split sleeves for attachment to posts.
- Rod is constructed of ⅝″ *(16mm)* diameter 16 gauge stainless steel tubing.
- Tubing is held within rod holders with removable 1½″ *(38mm)* long zinc-plated hairpin cotter clips.



Chrome-plated reel holders allow you to sort and store wire and labels.

workstation length		weight		cu	reel capacity			
in.	mm	lbs.	kg	ft	in.	mm	model #	list
36″	914	3.0	1.4	0.1	31″	787	**RH36-C**	147
48″	1219	4.0	1.8	0.1	42″	1067	**RH48-C**	153
60″	1524	4.5	2.0	0.3	54″	1372	**RH60-C**	156

Bench Power Centers Ⓤ

- UL-approved 115-volt, 20-amp power strip comes complete with mounting hardware and 6′ *(1829mm)* cord.
- Cleat included to secure power cord when not in use.



workstation length		weight		cu	outlet capacity		
in.	mm	lbs.	kg	ft	115V - 20A	model #	list
36″	914	10	4.5	0.1	5	**BPC36C**	672
48″	1219	15	6.8	0.1	7	**BPC48C**	678
60″	1524	20	9.0	0.3	9	**BPC60C**	686

See pages 212-215 for optional utility drawers.

Stainless Steel Cleaner & Polish



FEATURES:

- Cleans and polishes in one step.
- Does not streak or leave fingerprints.
- Leaves a protective invisible coating.


weight			
oz.	kg	model #	list
15	0.4	**004026**	36

Double-Sided Bin-Holder Rails

see product announcement **EG07.14**



shown assembled as a cart (bins sold separately)



bin holder rail (bins sold separately)

PATENTED! (patent #8,141,724 B2)

Bin-Holder Rails:

- Bin-holder rails are sold as an accessory or purchased with posts as a kit.
- EAGLEbrite® zinc or chrome plated.
- Bins attach to both sides of rail – no tools required.

Bin-Holder Rail Carts:

- Carts consist of four bin-holder rails and four 63″ *(1600mm)* posts with casters.
- Posts are numbered in increments of 1″ *(25mm)* to ensure fast and level assembly.
- Assembly — numerically calibrated grooved posts, tapered plastic split sleeves and rail collars combine to make shelving assembly a simple two-step exercise:
  1) snap the split sleeves onto a post over the number of your choice; and
  2) slide a rail collar over the split sleeves. A positive lock between rail bin and post is created without the use of any tools.

Bin-Holder Rails

	length		weight		Zinc		Chrome	
	in.	mm	lbs.	kg	model #	list	model#	list
24″ width *(610mm)*	36″	914	11.0	5.0	**DBH2436Z**	325	**DBH2436C**	445
	42″	1067	12.5	5.7	**DBH2442Z**	443	**DBH2442C**	452
	48″	1219	14.0	6.4	**DBH2448Z**	467	**DBH2448C**	518
	54″	1372	15.5	7.0	**DBH2454Z**	480	**DBH2454C**	526
	60″	1524	17.0	7.7	**DBH2460Z**	512	**DBH2460C**	567
30″ width *(762mm)*	36″	914	12.5	5.7	**DBH3036Z**	438	**DBH3036C**	487
	42″	1067	14.0	6.4	**DBH3042Z**	450	**DBH3042C**	506
	48″	1219	15.5	7.0	**DBH3048Z**	512	**DBH3048C**	573
	54″	1372	17.0	7.7	**DBH3054Z**	519	**DBH3054C**	597
	60″	1524	18.5	8.4	**DBH3060Z**	563	**DBH3060C**	672



Bin holder rails can also be used on Eagle Floor-Trak® units

For additional information on Floor-Trak® Systems, refer to spec sheet EG01.39, or visit us online at *www.eaglegrp.com*

Bin-Holder Rail Carts

	length		weight		Zinc		Chrome	
	in.	mm	lbs.	kg	model #	list	model#	list
24″ width *(610mm)*	36″	914	64	29.0	**DBHC2436Z-4**	1992	**DBHC2436C-4**	2097
	42″	1067	70	31.8	**DBHC2442Z-4**	2128	**DBHC2442C-4**	2128
	48″	1219	76	34.5	**DBHC2448Z-4**	2198	**DBHC2448C-4**	2387
	54″	1372	82	37.2	**DBHC2454Z-4**	2242	**DBHC2454C-4**	2423
	60″	1524	88	39.9	**DBHC2460Z-4**	2362	**DBHC2460C-4**	2587
30″ width *(762mm)*	36″	914	70	31.8	**DBHC3036Z-4**	2089	**DBHC3036C-4**	2269
	42″	1067	76	34.5	**DBHC3042Z-4**	2132	**DBHC3042C-4**	2339
	48″	1219	82	37.2	**DBHC3048Z-4**	2359	**DBHC3048C-4**	2614
	54″	1372	88	39.9	**DBHC3054Z-4**	2405	**DBHC3054C-4**	2709
	60″	1524	94	42.6	**DBHC3060Z-4**	2569	**DBHC3060C-4**	3009

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

NOTES

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Tables for Non-Critical Environments

Accessories/Components

Casters.....198-199, 205
More Accessories and Components.....198, 200, 209-211

Custom Options.....218

Drawers.....212-215

Hardwood Worktables.....199

Overshelves / Table Mounted

Flex-Master® Adjustable.....207-209
Microwave.....211
Non-Adjustable / All-Welded.....210

SPEC-MASTER®

Enclosed Worktables
with Backsplash.....203
with Flat Top.....201
with Upturn.....202

Specialty Tables

adjusTable® Work Surface Systems.....204
Folding Tables.....206

Stands

Mobile Utility Stands.....206
Mobile with Undershelf.....206
Stationary Utility Stands.....205

Utility Tool Racks.....216-217

Wall Cabinets.....209

Worktables w/Stainless Steel Top

with Backsplash and Tubular Base.....196-197
with Backsplash and Undershelf Base.....194-195
with Flat Top and Tubular Base.....188-189
with Flat Top and Undershelf Base.....186-187
with Upturn and Tubular Base.....192-193
with Upturn and Undershelf Base.....190-191
Filler Tables.....200
Knock Down Worktables with Cabinet Kit.....200

For Wall Shelves, see page 89.

Wall Mounted Stainless Steel Tables

see spec sheet **EG10.01**

Facilitates small rolling cabinets which can be moved in and out.




table featuring flat top with box marine counter edge

FEATURES:

- Tabletop available in 16- or 14-gauge stainless steel.
- 14-gauge brackets with hole for electrical wire run.
- Wall mounted for environments with frequent wash downs.
- Available in same configuration as a standard worktable *(pages 186-197)*.
- 200 lb. *(90.7 kg)* weight capacity.
- Options available include integral sink bowls, drawers, end splashes, and sound deadening.


	length in.	length mm	weights lbs.	weights kg	no. of brackets	16/304 TABLETOP WITH ROLLED EDGE model #	16/304 TABLETOP WITH ROLLED EDGE list	14/304 TABLETOP WITH ROLLED EDGE model #	14/304 TABLETOP WITH ROLLED EDGE list	14/304 TABLETOP WITH BOX MARINE COUNTER EDGE model #	14/304 TABLETOP WITH BOX MARINE COUNTER EDGE list
Tables with Flat Top											
30″ width (762mm)	48″	1219	82	37.2	3	**WT3048SEB**	1203	**WT3048SE**	1697	**WT3048SEM**	2383
	60″	1524	91	41.3	3	**WT3060SEB**	1405	**WT3060SE**	1938	**WT3060SEM**	2539
	72″	1829	112	50.8	4	**WT3072SEB**	1575	**WT3072SE**	2265	**WT3072SEM**	2869
Tables with 1½″ Upturn											
30″ width (762mm)	48″	1219	85	38.6	3	**UWT3048SEB**	1412	**UWT3048SE**	1997	**UWT3048SEM**	2797
	60″	1524	94	42.6	3	**UWT3060SEB**	1653	**UWT3060SE**	2276	**UWT3060SEM**	2987
	72″	1829	115	52.2	4	**UWT3072SEB**	1852	**UWT3072SE**	2662	**UWT3072SEM**	3374
Tables with 4½″ Backsplash											
30″ width (762mm)	48″	1219	88	39.9	3	**WT3048SEB-BS**	1497	**WT3048SE-BS**	2120	**WT3048SEM-BS**	2978
	60″	1524	97	44.0	3	**WT3060SEB-BS**	1753	**WT3060SE-BS**	2423	**WT3060SEM-BS**	3176
	72″	1829	118	53.5	4	**WT3072SEB-BS**	1966	**WT3072SE-BS**	2830	**WT3072SEM-BS**	3582

Optional table edges available:



SPEC-MASTER® Marine Series

14 gauge, 300 series stainless steel tabletop.
Features a marine counter edge to prevent spillage.





WITH FLAT TOP AND UNDERSHELF…
See pages 186-187



WITH FLAT TOP AND TUBULAR BASE…
See pages 188-189



WITH 4½″ *(267MM)* BACKSPLASH AND UNDERSHELF…
See pages 194-195




WITH 4½″ *(267MM)* BACKSPLASH AND TUBULAR BASE...
See pages 196-197

EM, SEM, GTEM, and STEM Series

SPEC-MASTER® Series

14 gauge, 300 series stainless steel tabletop.





WITH FLAT TOP AND UNDERSHELF…
See pages 186-187



WITH UPTURN AND UNDERSHELF…
See pages 190-191



WITH BACKSPLASH AND UNDERSHELF…
See pages 194-195



WITH FLAT TOP AND TUBULAR BASE…
See pages 188-189



WITH UPTURN AND TUBULAR BASE…
See pages 192-193



WITH BACKSPLASH AND TUBULAR BASE...
See pages 196-197


E, SE, GTE, and STE Series

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Deluxe Series

16 gauge, 300 series stainless steel table top.





WITH FLAT TOP AND UNDERSHELF...

See pages 186-187



WITH UPTURN AND UNDERSHELF...

See pages 190-191



WITH BACKSPLASH AND UNDERSHELF...

See pages 194-195



WITH FLAT TOP AND TUBULAR BASE...

See pages 188-189



WITH UPTURN AND TUBULAR BASE...

See pages 192-193




WITH BACKSPLASH AND TUBULAR BASE...

See pages 196-197

EB, SEB, GTEB, and STEB Series

Budget Series

16 gauge, type 430 stainless steel table top.





WITH FLAT TOP AND UNDERSHELF...

See pages 186-187



WITH UPTURN AND UNDERSHELF...

See pages 190-191



WITH BACKSPLASH AND UNDERSHELF...

See pages 194-195



WITH FLAT TOP AND TUBULAR BASE...

See pages 188-189



WITH UPTURN AND TUBULAR BASE...

See pages 192-193




WITH BACKSPLASH AND TUBULAR BASE...

See pages 196-197

B, SB, GTB, and STB Series

Worktables with Stainless Steel Flat Top & Galvanized Legs/Undershelf (NSF)

see spec sheets EG10.40A EG10.40B EG10.40C EG10.40D



Adjustable undershelf welded gusset standard on all tables!

patented uni-lok® system (Patent #5,165,349)

FEATURES:

- 1⅝″ *(41mm)* diameter legs and adjustable undershelf are heavy gauge galvanized steel.
- Heavy gauge polished stainless steel top.
- Offers worktables with a rolled edge on front and rear, with ends turned 90°, except SPEC-MASTER® Marine edge.
- 35⅛″ - 36⅛″ *(892 - 918mm)* adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **$1414 to list price** and suffix **"-SD"**. **Example: T2424B-SD.**

Optional fixed undershelf available in place of standard adjustable undershelf. To order, **add 10% to list price**, and **"-F"** to end of suffix. **Example: T2424B-F.**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.



See page 198 for optional casters available.

	length		# of	weight		cu	BUDGET 16 ga. type 430 top		DELUXE 16 ga. 300 series top		SPEC-MASTER® 14 ga. 300 series top		▼ Marine 14 ga. 300 series top	
	in.	mm	legs	lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	24″	610	4	44	20.0	3.5	T2424B •	1432	T2424EB	1577	T2424E	1659	T2424EM	2766
	30″	762	4	51	23.1	3.8	T2430B •	1550	T2430EB	1722	T2430E	1834	T2430EM	2964
	36″	914	4	53	24.0	4.4	T2436B •	1686	T2436EB	1850	T2436E	1963	T2436EM	3095
	48″	1219	4	67	30.4	5.7	T2448B •	1719	T2448EB	1880	T2448E	1998	T2448EM	3145
	60″	1524	4	79	35.8	7.1	T2460B •	1810	T2460EB	2040	T2460E	2189	T2460EM	3328
	72″	1829	4	94	42.6	8.5	T2472B •	1939	T2472EB	2207	T2472E	2374	T2472EM	3532
	84″	2134	4	130	59.0	11.2	T2484B	2475	T2484EB	3156	T2484E	3233	T2484EM	4312
	96″	2438	6	157	71.2	11.2	T2496B •	2812	T2496EB	3386	T2496E	3473	T2496EM	4560
	108″	2743	6	162	73.5	14.0	T24108B	4576	T24108EB	4888	T24108E	4787	T24108EM	5982
	120″	3048	6	165	74.8	14.0	T24120B	4703	T24120EB	5029	T24120E	5273	T24120EM	6119
	132″	3353	8	177	80.3	16.8	T24132B	4728	T24132EB	5118	T24132E	5549	T24132EM	6565
	144″	3658	8	234	106.6	16.8	T24144B	4732	T24144EB	5273	T24144E	5567	T24144EM	6708
30″ width (762mm)	30″	762	4	55	25.0	3.8	T3030B •	1597	T3030EB	1784	T3030E	1897	T3030EM	3030
	36″	914	4	62	28.1	4.4	T3036B •	1725	T3036EB	1912	T3036E	2026	T3036EM	3173
	48″	1219	4	77	34.9	5.7	T3048B •	1749	T3048EB •	1970	T3048E	2107	T3048EM	3250
	60″	1524	4	87	39.5	7.1	T3060B •	1912	T3060EB •	2165	T3060E	2322	T3060EM	3486
	72″	1829	4	105	47.6	8.5	T3072B •	2078	T3072EB •	2374	T3072E	2539	T3072EM	3722
	84″	2134	4	132	59.9	11.2	T3084B •	2593	T3084EB	3207	T3084E	3412	T3084EM	4499
	96″	2438	6	169	76.7	11.2	T3096B •	3004	T3096EB	3495	T3096E	3727	T3096EM	4814
	108″	2743	6	205	93.0	14.0	T30108B	4620	T30108EB	5180	T30108E	5452	T30108EM	6433
	120″	3048	6	215	97.5	14.0	T30120B	4774	T30120EB	5332	T30120E	5598	T30120EM	6577
	132″	3353	8	225	102.1	16.8	T30132B	5014	T30132EB	5626	T30132E	5783	T30132EM	6964
	144″	3658	8	239	108.4	16.8	T30144B	5162	T30144EB	5666	T30144E	6104	T30144EM	7112
36″ width (914mm)	48″	1219	4	84	38.1	7.0	T3648B	2178	T3648EB	2396	T3648E	2469	T3648EM	3910
	60″	1524	4	99	44.9	8.8	T3660B	2454	T3660EB	2688	T3660E	2766	T3660EM	4217
	72″	1829	4	114	51.7	10.5	T3672B	2686	T3672EB	2917	T3672E	3017	T3672EM	4489
	84″	2134	4	183	83.0	12.2	T3684B	3689	T3684EB	3962	T3684E	4037	T3684EM	5415
	96″	2438	6	203	92.1	13.9	T3696B	3923	T3696EB	4198	T3696E	4318	T3696EM	5673
	108″	2743	6	210	95.3	17.3	T36108B	5576	T36108EB	6218	T36108E	6364	T36108EM	7433
	120″	3048	6	217	98.4	17.3	T36120B	5699	T36120EB	6364	T36120E	6515	T36120EM	7582
	132″	3353	8	234	106.1	20.7	T36132B	5843	T36132EB	6577	T36132E	6804	T36132EM	8030
	144″	3658	8	241	109.3	20.7	T36144B	6167	T36144EB	6720	T36144E	7153	T36144EM	8184
48″ width (1219mm)	48″	1219	4	147	66.7	9.3	–		–		T4848E	5758	T4848EM	7670
	60″	1524	4	162	73.5	14.0	–		–		T4860E	6433	T4860EM	8352
	72″	1829	6	182	82.6	14.0	–		–		T4872E	6986	T4872EM	8908
	84″	2134	8	195	88.5	18.7	–		–		T4884E	9487	T4884EM	11398
	96″	2438	8	241	109.3	18.7	–		–		T4896E	10033	T4896EM	11952
	108″	2743	8	278	126.1	23.3	–		–		T48108E	15008	T48108EM	16938
	120″	3048	8	316	143.3	23.3	–		–		T48120E	15183	T48120EM	17074
	132″	3353	10	353	160.1	27.9	–		–		T48132E	16489	T48132EM	18392
	144″	3658	10	391	177.4	27.9	–		–		T48144E	16610	T48144EM	18537

▼ SPEC-MASTER® Marine tables feature a marine counter edge to prevent spillage.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Worktables with Stainless Steel Flat Top & Stainless Steel Legs/Undershelf

see spec sheets EG10.41A EG10.41B EG10.41C EG10.41D



FEATURES:

- 1⅝″ *(41mm)* diameter legs and adjustable undershelf are heavy gauge stainless steel.
- Heavy gauge polished stainless steel top.
- Offers worktables with a rolled edge on front and rear, with ends turned 90°, except SPEC-MASTER® Marine.
- 35⅛″ - 36⅛″ *(892 - 918mm)* adjustable working height.

patented uni-lok system (Patent #5,165,349)



See page 198 for optional casters available.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **$1414** to list price and suffix **"-SD"**. **Example: T2424SB-SD.**

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.

***NEW* Knockdown Welded Base** option available (only for worktables with stainless steel base). To order, add suffix "**-KDWB**". Example: T2460SEB-**KDWB**. Consult factory for pricing.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*


	length		# of	weight		cu	BUDGET 16 ga. type 430 top		DELUXE 16 ga. 300 series top		*SPEC-MASTER® 14 ga. 300 series top		* ▼ Marine 14 ga. 300 series top	
	in.	mm	legs	lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	24″	610	4	44	20.0	3.5	T2424SB	2008	T2424SEB •	2144	T2424SE •	2312	T2424SEM	3454
	30″	762	4	51	23.1	3.8	T2430SB	2189	T2430SEB	2359	T2430SE	2566	T2430SEM	3703
	36″	914	4	53	24.0	4.4	T2436SB •	2315	T2436SEB •	2489	T2436SE	2697	T2436SEM	3836
	48″	1219	4	67	30.4	5.7	T2448SB •	2382	T2448SEB •	2578	T2448SE	2812	T2448SEM	3956
	60″	1524	4	79	35.8	7.1	T2460SB	2572	T2460SEB	2808	T2460SE	3066	T2460SEM	4206
	72″	1829	4	82	37.2	8.5	T2472SB	2758	T2472SEB	3029	T2472SE	3320	T2472SEM	4466
	84″	2134	4	132	40.8	11.2	T2484SB	3406	T2484SEB	4166	T2484SE	4539	T2484SEM	5510
	96″	2438	6	157	45.4	11.2	T2496SB	3655	T2496SEB	4455	T2496SE	4867	T2496SEM	5825
	108″	2743	6	162	49.9	14.0	T24108SB	5933	T24108SEB	6185	T24108SE	6966	T24108SEM	7527
	120″	3048	6	163	73.9	14.0	T24120SB	6073	T24120SEB	6567	T24120SE	7107	T24120SEM	7667
	132″	3353	8	177	80.3	16.8	T24132SB	6207	T24132SEB	6758	T24132SE	7344	T24132SEM	8269
	144″	3658	8	234	106.6	16.8	T24144SB	6530	T24144SEB	6895	T24144SE	7707	T24144SEM	8416
30″ width (762mm)	30″	762	4	55	25.0	3.8	T3030SB	2278	T3030SEB •	2507	T3030SE	2720	T3030SEM	3863
	36″	914	4	62	28.1	4.4	T3036SB •	2438	T3036SEB •	2633	T3036SE	2855	T3036SEM	3994
	48″	1219	4	82	37.2	5.7	T3048SB •	2534	T3048SEB •	2766	T3048SE •	3028	T3048SEM	4154
	60″	1524	4	87	39.5	7.1	T3060SB •	2775	T3060SEB •	3049	T3060SE •	3328	T3060SEM	4467
	72″	1829	4	125	56.7	8.5	T3072SB •	3005	T3072SEB •	3320	T3072SE •	3645	T3072SEM	4938
	84″	2134	4	135	61.2	11.2	T3084SB	3530	T3084SEB	4353	T3084SE	4742	T3084SEM	5699
	96″	2438	6	203	92.1	11.2	T3096SB •	3958	T3096SEB •	4812	T3096SE •	5252	T3096SEM	5932
	108″	2743	6	209	94.8	14.0	T30108SB	6294	T30108SEB	6873	T30108SE	7443	T30108SEM	8140
	120″	3048	6	215	97.5	14.0	T30120SB	6439	T30120SEB	7018	T30120SE	7594	T30120SEM	8285
	132″	3353	8	225	102.1	16.8	T30132SB	6839	T30132SEB	7500	T30132SE	8145	T30132SEM	8830
	144″	3658	8	239	108.4	16.8	T30144SB	6983	T30144SEB	7653	T30144SE	8296	T30144SEM	8978
36″ width (914mm)	48″	1219	4	84	38.1	7.0	T3648SB	2923	T3648SEB	3266	T3648SE	3454	T3648SEM	4852
	60″	1524	4	99	44.9	8.8	T3660SB	3238	T3660SEB	3578	T3660SE	3804	T3660SEM	5218
	72″	1829	4	114	51.7	10.5	T3672SB	3540	T3672SEB	3907	T3672SE	4153	T3672SEM	5594
	84″	2134	4	183	83.0	12.2	T3684SB	4894	T3684SEB	5309	T3684SE	5622	T3684SEM	6822
	96″	2438	6	205	93.0	13.9	T3696SB	5275	T3696SEB	5692	T3696SE	6045	T3696SEM	7239
	108″	2743	6	210	95.3	17.3	T36108SB	7487	T36108SEB	8164	T36108SE	8650	T36108SEM	9383
	120″	3048	6	218	98.9	17.3	T36120SB	7639	T36120SEB	8306	T36120SE	8799	T36120SEM	9518
	132″	3353	8	234	106.1	20.7	T36132SB	7908	T36132SEB	8660	T36132SE	9456	T36132SEM	10172
	144″	3658	8	241	109.3	20.7	T36144SB	8277	T36144SEB	9055	T36144SE	9600	T36144SEM	10322
48″ width (1219mm)	48″	1219	4	147	66.7	9.3	–		–		T4848SE	6674	T4848SEM	8594
	60″	1524	4	162	73.5	14.0	–		–		T4860SE	7382	T4860SEM	9312
	72″	1829	6	182	82.6	14.0	–		–		T4872SE	8062	T4872SEM	9992
	84″	2134	8	197	89.4	18.7	–		–		T4884SE	10898	T4884SEM	12818
	96″	2438	8	241	109.3	18.7	–		–		T4896SE	11764	T4896SEM	13689
	108″	2743	8	278	126.1	23.3	–		–		T48108SE	17153	T48108SEM	19082
	120″	3048	8	316	143.3	23.3	–		–		T48120SE	17304	T48120SEM	19222
	132″	3353	10	353	160.1	27.9	–		–		T48132SE	18605	T48132SEM	20522
	144″	3658	10	391	177.4	27.9	–		–		T48144SE	18744	T48144SEM	20666

* SPEC-MASTER® and SPEC-MASTER® Marine tables feature all stainless steel construction.

▼ SPEC-MASTER® Marine tables feature a marine counter edge to prevent spillage.

Worktables with Stainless Steel Flat Top & Galvanized Tubular Base (NSF)

see spec sheets EG10.42A EG10.42B EG10.42C EG10.42D



(Patent #5,165,349)



corner connection

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.



See page 198 for optional casters available.

FEATURES:

- Tubular base.
- 1⅝″ *(41mm)*-diameter legs and 1¼″ *(32mm)*-diameter crossbracing are heavy gauge galvanized steel.
- Heavy gauge polished stainless steel top.
- Offers worktables with a rolled edge on front and rear, with ends turned 90°, except SPEC-MASTER® Marine.
- 35⅛″ - 36⅛″ *(892 - 918mm)* adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **$1414 to list price** and suffix **"-SD"**. **Example: T2424GTB-SD.**

C-frame standard. To order table with H-frame, add **$293 to list price** and suffix "**-H**". **Example: T3036GTBE-H**.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		# of	weight		cu	BUDGET 16 ga. type 430 top		DELUXE 16 ga. 300 series top		SPEC-MASTER® 14 ga. 300 series top		▼ Marine 14 ga. 300 series top	
	in.	mm	legs	lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	24″	610	4	44	20.0	3.5	T2424GTB	1673	T2424GTEB	1828	T2424GTE	1899	T2424GTEM	3019
	30″	762	4	51	23.1	3.8	T2430GTB	1795	T2430GTEB	1970	T2430GTE	2080	T2430GTEM	3205
	36″	914	4	53	24.0	4.4	T2436GTB	1926	T2436GTEB	2099	T2436GTE	2207	T2436GTEM	3340
	48″	1219	4	67	30.4	5.7	T2448GTB	1955	T2448GTEB	2130	T2448GTE	2252	T2448GTEM	3396
	60″	1524	4	79	35.8	7.1	T2460GTB	2053	T2460GTEB	2285	T2460GTE	2432	T2460GTEM	3578
	72″	1829	4	82	37.2	8.5	T2472GTB	2183	T2472GTEB	2456	T2472GTE	2615	T2472GTEM	3789
	84″	2134	4	132	59.9	11.2	T2484GTB	2709	T2484GTEB	3412	T2484GTE	3485	T2484GTEM	4563
	96″	2438	6	157	71.2	11.2	T2496GTB	3049	T2496GTEB	3637	T2496GTE	3708	T2496GTEM	4800
	108″	2743	6	160	72.6	14.0	T24108GTB	4655	T24108GTEB	5122	T24108GTE	5636	T24108GTEM	6228
	120″	3048	6	165	74.8	14.0	T24120GTB	4822	T24120GTEB	5267	T24120GTE	5695	T24120GTEM	6364
	132″	3353	8	199	90.3	16.8	T24132GTB	4939	T24132GTEB	5372	T24132GTE	5774	T24132GTEM	6812
	144″	3658	8	234	106.6	16.8	T24144GTB	4960	T24144GTEB	5515	T24144GTE	5795	T24144GTEM	6956
30″ width (762mm)	30″	762	4	55	25.0	3.8	T3030GTB	1838	T3030GTEB	2029	T3030GTE	2144	T3030GTEM	3284
	36″	914	4	62	28.1	4.4	T3036GTB	1962	T3036GTEB	2165	T3036GTE	2273	T3036GTEM	3415
	48″	1219	4	77	34.9	5.7	T3048GTB	1996	T3048GTEB	2208	T3048GTE	2355	T3048GTEM	3499
	60″	1524	4	87	39.5	7.1	T3060GTB	2154	T3060GTEB	2414	T3060GTE	2576	T3060GTEM	3736
	72″	1829	4	105	47.6	8.5	T3072GTB	2312	T3072GTEB •	2615	T3072GTE	2788	T3072GTEM	3970
	84″	2134	4	137	62.1	11.2	T3084GTB	2830	T3084GTEB	3455	T3084GTE	3653	T3084GTEM	4748
	96″	2438	6	169	76.7	11.2	T3096GTB	3244	T3096GTEB	3740	T3096GTE	3976	T3096GTEM	5066
	108″	2743	6	176	79.8	14.0	T30108GTB	4872	T30108GTEB	5419	T30108GTE	5692	T30108GTEM	6680
	120″	3048	6	182	82.6	14.0	T30120GTB	5014	T30120GTEB	5574	T30120GTE	5843	T30120GTEM	6830
	132″	3353	8	210	95.3	16.8	T30132GTB	5097	T30132GTEB	5716	T30132GTE	6028	T30132GTEM	7210
	144″	3658	8	239	108.4	16.8	T30144GTB	5393	T30144GTEB	6036	T30144GTE	6347	T30144GTEM	7358
36″ width (914mm)	48″	1219	4	84	38.1	7.0	T3648GTB	2425	T3648GTEB	2643	T3648GTE	3019	T3648GTEM	4154
	60″	1524	4	99	44.9	8.8	T3660GTB	2697	T3660GTEB	2932	T3660GTE	3028	T3660GTEM	4455
	72″	1829	4	114	51.7	10.5	T3672GTB	2923	T3672GTEB	3156	T3672GTE	3266	T3672GTEM	4742
	84″	2134	4	183	83.0	12.2	T3684GTB	3929	T3684GTEB	4206	T3684GTE	4319	T3684GTEM	5666
	96″	2438	6	203	92.1	13.9	T3696GTB	4117	T3696GTEB	4444	T3696GTE	4565	T3696GTEM	5930
	108″	2743	6	210	95.3	17.3	T36108GTB	5638	T36108GTEB	6277	T36108GTE	6616	T36108GTEM	7686
	120″	3048	6	217	98.4	17.3	T36120GTB	5945	T36120GTEB	6616	T36120GTE	6764	T36120GTEM	7834
	132″	3353	8	229	103.9	20.7	T36132GTB	6074	T36132GTEB	6818	T36132GTE	7048	T36132GTEM	8285
	144″	3658	8	241	109.3	20.7	T36144GTB	6400	T36144GTEB	7169	T36144GTE	7189	T36144GTEM	8433
48″ width (1219mm)	48″	1219	4	147	66.7	9.3	–		–		T4848GTE	5995	T4848GTEM	7872
	60″	1524	4	162	73.5	14.0	–		–		T4860GTE	6687	T4860GTEM	8594
	72″	1829	6	182	82.6	14.0	–		–		T4872GTE	7236	T4872GTEM	9320
	84″	2134	8	197	89.4	18.7	–		–		T4884GTE	9737	T4884GTEM	11639
	96″	2438	8	241	109.3	18.7	–		–		T4896GTE	10265	T4896GTEM	12195
	108″	2743	8	278	126.1	23.3	–		–		T48108GTE	15247	T48108GTEM	17174
	120″	3048	8	316	143.3	23.3	–		–		T48120GTE	15417	T48120GTEM	17319
	132″	3353	10	347	157.4	27.9	–		–		T48132GTE	16739	T48132GTEM	18626
	144″	3658	10	379	171.9	27.9	–		–		T48144GTE	16877	T48144GTEM	18772

▼ SPEC-MASTER® Marine tables feature a marine counter edge to prevent spillage.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com


EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Worktables with Stainless Steel Flat Top & Stainless Steel Tubular Base

see spec sheets EG10.43A EG10.43B EG10.43C EG10.43D





corner connection

FEATURES:

- Tubular base.
- 1⅝″ *(41mm)*-diameter legs and 1¼″ *(32mm)*-diameter crossbracing are heavy gauge stainless steel.
- Heavy gauge polished stainless steel top.
- Offers worktables with a rolled edge on front and rear, with ends turned 90°, except SPEC-MASTER® Marine.
- 35⅛″ - 36⅛″ *(892 - 918mm)* adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **$1414 to list price** and suffix **"-SD"**. **Example: T2424STB-SD.**

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.

***NEW* Knockdown Welded Base** option available (only for worktables with stainless steel base). To order, add suffix "**-KDWB**". Example: T2460STEB-**KDWB**. Consult factory for pricing.

C-frame standard. To order table with H-frame, add **$293 to list price** and suffix "**-H**". **Example: T2448STE-H**.



See page 198 for optional casters available.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		# of	weight		cu	BUDGET 16 ga. type 430 top		DELUXE 16 ga. 300 series top		*SPEC-MASTER® 14 ga. 300 series top		* ▼ Marine 14 ga. 300 series top	
	in.	mm	legs	lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list
24″ width *(610mm)*	24″	610	4	44	20.0	3.5	T2424STB	2245	T2424STEB	2392	T2424STE	2560	T2424STEM	3699
	30″	762	4	51	23.1	3.8	T2430STB	2432	T2430STEB	2610	T2430STE	2812	T2430STEM	3956
	36″	914	4	53	24.0	4.4	T2436STB	2556	T2436STEB	2742	T2436STE	2944	T2436STEM	4086
	48″	1219	4	67	30.4	5.7	T2448STB	2617	T2448STEB	2827	T2448STE	3058	T2448STEM	4099
	60″	1524	4	79	35.8	7.1	T2460STB	2808	T2460STEB	3049	T2460STE	3314	T2460STEM	4453
	72″	1829	4	82	37.2	8.5	T2472STB	2999	T2472STEB	3283	T2472STE	3573	T2472STEM	4723
	84″	2134	4	132	59.9	11.2	T2484STB	3640	T2484STEB	4420	T2484STE	4778	T2484STEM	5756
	96″	2438	6	157	71.2	11.2	T2496STB	3900	T2496STEB	4715	T2496STE	5109	T2496STEM	6194
	108″	2743	6	160	72.6	14.0	T24108STB	5992	T24108STEB	6666	T24108STE	7217	T24108STEM	7763
	120″	3048	6	165	74.8	14.0	T24120STB	6308	T24120STEB	6815	T24120STE	7353	T24120STEM	7912
	132″	3353	8	199	90.3	16.8	T24132STB	6442	T24132STEB	6997	T24132STE	7586	T24132STEM	8510
	144″	3658	8	234	106.1	16.8	T24144STB	6580	T24144STEB	7142	T24144STE	7729	T24144STEM	8655
30″ width *(762mm)*	30″	762	4	55	25.0	3.8	T3030STB	2549	T3030STEB	2753	T3030STE	2972	T3030STEM	4110
	36″	914	4	62	28.1	4.4	T3036STB	2678	T3036STEB	2880	T3036STE	3103	T3036STEM	4240
	48″	1219	4	77	34.9	5.7	T3048STB	2778	T3048STEB •	3019	T3048STE	3277	T3048STEM	4416
	60″	1524	4	87	39.5	7.1	T3060STB	3019	T3060STEB •	3293	T3060STE	3603	T3060STEM	4725
	72″	1829	4	105	47.6	8.5	T3072STB	3245	T3072STEB •	3573	T3072STE	3895	T3072STEM	5185
	84″	2134	4	137	62.1	11.2	T3084STB •	3783	T3084STEB	4599	T3084STE	4988	T3084STEM	5962
	96″	2438	6	169	76.7	11.2	T3096STB	4192	T3096STEB	5060	T3096STE	5510	T3096STEM	6177
	108″	2743	6	176	79.6	14.0	T30108STB	6530	T30108STEB	7116	T30108STE	7687	T30108STEM	8388
	120″	3048	6	182	82.6	14.0	T30120STB	6680	T30120STEB	7269	T30120STE	7837	T30120STEM	8529
	132″	3353	8	210	95.3	16.8	T30132STB	6876	T30132STEB	7527	T30132STE	8160	T30132STEM	9085
	144″	3658	8	218	98.9	16.8	T30144STB	7222	T30144STEB	7894	T30144STE	8544	T30144STEM	9230
36″ width *(914mm)*	48″	1219	4	84	38.1	7.0	T3648STB	3173	T3648STEB	3516	T3648STE	3699	T3648STEM	5096
	60″	1524	4	99	44.9	8.8	T3660STB	3477	T3660STEB	3827	T3660STE	4054	T3660STEM	5469
	72″	1829	4	114	51.7	10.5	T3672STB	3785	T3672STEB	4153	T3672STE	4414	T3672STEM	5840
	84″	2134	4	183	83.0	12.2	T3684STB	5139	T3684STEB	5547	T3684STE	5864	T3684STEM	7074
	96″	2438	6	203	92.1	13.9	T3696STB	5514	T3696STEB	5945	T3696STE	6288	T3696STEM	7498
	108″	2743	6	210	95.3	17.3	T36108STB	7516	T36108STEB	8322	T36108STE	8894	T36108STEM	9626
	120″	3048	6	217	98.4	17.3	T36120STB	7875	T36120STEB	8564	T36120STE	9044	T36120STEM	9769
	132″	3353	8	229	103.9	20.7	T36132STB	8139	T36132STEB	9044	T36132STE	9412	T36132STEM	10412
	144″	3658	8	241	109.3	20.7	T36144STB	8277	T36144STEB	9306	T36144STE	9860	T36144STEM	10564
48″ width *(1219mm)*	48″	1219	4	147	66.7	9.3	–		–		T4848STE	7174	T4848STEM	8834
	60″	1524	4	162	73.5	14.0	–		–		T4860STE	7625	T4860STEM	9559
	72″	1829	6	182	82.6	14.0	–		–		T4872STE	8304	T4872STEM	10220
	84″	2134	8	197	89.4	18.7	–		–		T4884STE	11156	T4884STEM	13066
	96″	2438	8	241	109.3	18.7	–		–		T4896STE	12004	T4896STEM	13920
	108″	2743	8	278	126.1	23.3	–		–		T48108STE	17427	T48108STEM	19318
	120″	3048	8	316	143.3	23.3	–		–		T48120STE	17543	T48120STEM	19460
	132″	3353	10	347	157.4	27.9	–		–		T48132STE	18872	T48132STEM	20764
	144″	3658	10	379	171.9	27.9	–		–		T48144STE	18973	T48144STEM	20906

* SPEC-MASTER® and SPEC-MASTER® Marine tables feature all stainless steel construction.


▼ SPEC-MASTER® Marine tables feature a marine counter edge to prevent spillage.

Worktables with Stainless Steel Top, Upturn & Galvanized Legs/Undershelf

NSF

see spec sheets **EG10.02A** **EG10.02B** **EG10.02C**





adjustable undershelf welded gusset

NOW STANDARD!

FEATURES:

- 1½″ *(38mm)* upturn at the rear of the table.
- 1⅝″ *(41mm)*-diameter legs and adjustable undershelf are heavy gauge galvanized steel.
- Heavy gauge polished stainless steel top.
- 35⅛″ - 36⅛″ *(892 - 918mm)* adjustable working height.

patented uni-lok® system
(Patent #5,165,349)

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **$1414 to list price** and **suffix "-SD"**. **Example: UT2424B-SD.**

Optional fixed undershelf available in place of standard adjustable undershelf. To order, **add 10% to list price**, and **"-F"** to end of suffix. **Example: UT2424EB-F.**

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.



See page 198 for optional casters available.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		# of	weight		cu	BUDGET 16 gauge type 430 top		DELUXE 16 gauge 300 series top		*SPEC-MASTER® 14 gauge 300 series top	
	in.	mm	legs	lbs.	kg	ft	model #	list	model #	list	model #	list
24″ width *(610mm)*	24″	610	4	50	22.7	3.5	**UT2424B**	1618	**UT2424EB**	1782	**UT2424E**	1850
	30″	762	4	52	23.6	3.8	**UT2430B** •	1748	**UT2430EB**	1912	**UT2430E**	2029
	36″	914	4	55	24.9	4.4	**UT2436B** •	1867	**UT2436EB**	2042	**UT2436E**	2165
	48″	1219	4	67	30.4	5.7	**UT2448B** •	1898	**UT2448EB**	2080	**UT2448E**	2204
	60″	1524	4	71	32.2	7.1	**UT2460B** •	2007	**UT2460EB**	2238	**UT2460E**	2384
	72″	1829	4	90	40.8	8.5	**UT2472B** •	2133	**UT2472EB**	2403	**UT2472E**	2566
	84″	2134	4	98	44.5	11.2	**UT2484B**	2658	**UT2484EB**	3370	**UT2484E**	3438
	96″	2438	6	114	51.7	11.2	**UT2496B**	3005	**UT2496EB**	3587	**UT2496E**	3663
	108″	2743	6	131	59.4	14.0	**UT24108B**	4750	**UT24108EB**	4930	**UT24108E**	5178
	120″	3048	6	148	67.1	14.0	**UT24120B**	4847	**UT24120EB**	5223	**UT24120E**	5480
	132″	3353	8	177	80.3	16.8	**UT24132B**	4895	**UT24132EB**	5322	**UT24132E**	5772
	144″	3658	8	234	106.1	16.8	**UT24144B**	4923	**UT24144EB**	5628	**UT24144E**	5944
30″ width *(762mm)*	30″	762	4	54	24.5	3.8	**UT3030B** •	1792	**UT3030EB**	1982	**UT3030E**	2086
	36″	914	4	64	29.0	4.4	**UT3036B** •	1912	**UT3036EB**	2112	**UT3036E**	2218
	48″	1219	4	74	33.6	5.7	**UT3048B** •	1939	**UT3048EB**	2164	**UT3048E**	2297
	60″	1524	4	82	37.2	7.1	**UT3060B** •	2104	**UT3060EB**	2374	**UT3060E**	2523
	72″	1829	4	105	47.6	8.5	**UT3072B** •	2265	**UT3072EB**	2566	**UT3072E**	2742
	84″	2134	4	132	59.9	11.2	**UT3084B**	2785	**UT3084EB**	3406	**UT3084E**	3614
	96″	2438	6	169	76.7	11.2	**UT3096B** •	3192	**UT3096EB**	3698	**UT3096E**	3923
	108″	2743	6	199	90.3	14.0	**UT30108B**	4812	**UT30108EB**	5374	**UT30108E**	5649
	120″	3048	6	205	93.0	14.0	**UT30120B**	4950	**UT30120EB**	5529	**UT30120E**	5797
	132″	3353	8	225	102.1	16.8	**UT30132B**	5200	**UT30132EB**	5680	**UT30132E**	5974
	144″	3658	8	240	108.9	16.8	**UT30144B**	5349	**UT30144EB**	5818	**UT30144E**	6115
36″ width *(914mm)*	48″	1219	4	83	37.7	7.0	**UT3648B**	2374	**UT3648EB**	2599	**UT3648E**	2672
	60″	1524	4	108	49.0	8.8	**UT3660B**	2647	**UT3660EB**	2880	**UT3660E**	2972
	72″	1829	4	114	51.7	10.5	**UT3672B**	2876	**UT3672EB**	3118	**UT3672E**	3207
	84″	2134	4	132	59.9	12.2	**UT3684B**	3877	**UT3684EB**	4153	**UT3684E**	4273
	96″	2438	6	149	67.6	13.9	**UT3696B**	4110	**UT3696EB**	4394	**UT3696E**	4515
	108″	2743	6	184	83.5	17.3	**UT36108B**	5759	**UT36108EB**	6186	**UT36108E**	6384
	120″	3048	6	207	93.9	17.3	**UT36120B**	5906	**UT36120EB**	6567	**UT36120E**	6715
	132″	3353	8	228	103.4	20.7	**UT36132B**	6030	**UT36132EB**	6769	**UT36132E**	7000
	144″	3658	8	261	118.4	20.7	**UT36144B**	6358	**UT36144EB**	6914	**UT36144E**	7144

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Worktables with Stainless Steel Top Upturn & Stainless Steel Legs/Undershelf

NSF

see spec sheets **EG10.48A** **EG10.48B** **EG10.48C**



FEATURES:

- 1½″ *(38mm)* upturn at the rear of the table.
- 1⅝″ *(41mm)*-diameter legs and adjustable undershelf are heavy gauge stainless steel.
- Heavy gauge polished stainless steel top.
- 35⅛″ - 36⅛″ *(892 - 918mm)* adjustable working height.

patented uni-lok system (Patent #5,165,349)



See page 198 for optional casters available.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **$1414 to list price** and suffix **"-SD"**. **Example: UT2424SB-SD.**

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.

***NEW* Knockdown Welded Base** option available (only for worktables with stainless steel base). To order, add suffix "**-KDWB**". Example: UT2460SB-**KDWB**. Consult factory for pricing.

	length		# of	weight		cu	BUDGET 16 gauge type 430 top		DELUXE 16 gauge 300 series top		*SPEC-MASTER® 14 gauge 300 series top	
	in.	mm	legs	lbs.	kg	ft	model #	list	model #	list	model #	list
24″ width *(610mm)*	24″	610	4	44	20.0	3.5	**UT2424SB**	2206	**UT2424SEB**	2338	**UT2424SE**	2510
	30″	762	4	50	22.7	3.8	**UT2430SB**	2383	**UT2430SEB**	2555	**UT2430SE**	2765
	36″	914	4	55	25.0	4.4	**UT2436SB**	2507	**UT2436SEB**	2696	**UT2436SE**	2898
	48″	1219	4	67	30.4	5.7	**UT2448SB**	2576	**UT2448SEB**	2783	**UT2448SE**	3017
	60″	1524	4	71	32.2	7.1	**UT2460SB**	2758	**UT2460SEB**	2999	**UT2460SE**	3275
	72″	1829	4	90	40.8	8.5	**UT2472SB**	2944	**UT2472SEB**	3219	**UT2472SE**	3525
	84″	2134	4	98	44.5	11.2	**UT2484SB**	3594	**UT2484SEB**	4369	**UT2484SE**	4740
	96″	2438	6	114	51.7	11.2	**UT2496SB**	3850	**UT2496SEB**	4649	**UT2496SE**	5060
	108″	2743	6	131	59.4	14.0	**UT24108SB**	6119	**UT24108SEB**	6616	**UT24108SE**	7153
	120″	3048	6	148	67.1	14.0	**UT24120SB**	6260	**UT24120SEB**	6764	**UT24120SE**	7303
	132″	3353	8	177	80.3	16.8	**UT24132SB**	6392	**UT24132SEB**	7152	**UT24132SE**	7529
	144″	3658	8	220	99.8	16.8	**UT24144SB**	6726	**UT24144SEB**	7296	**UT24144SE**	7908
30″ width *(762mm)*	30″	762	4	54	24.5	3.8	**UT3030SB**	2503	**UT3030SEB**	2699	**UT3030SE**	2917
	36″	914	4	64	29.0	4.4	**UT3036SB**	2628	**UT3036SEB**	2838	**UT3036SE**	3043
	48″	1219	4	74	33.6	5.7	**UT3048SB**	2725	**UT3048SEB**	2972	**UT3048SE**	3217
	60″	1524	4	87	39.5	7.1	**UT3060SB**	2962	**UT3060SEB**	3247	**UT3060SE**	3532
	72″	1829	4	94	42.6	8.5	**UT3072SB**	3205	**UT3072SEB**	3525	**UT3072SE**	3847
	84″	2134	4	105	47.6	11.2	**UT3084SB**	3732	**UT3084SEB**	4549	**UT3084SE**	4938
	96″	2438	6	126	57.2	11.2	**UT3096SB**	4143	**UT3096SEB**	5019	**UT3096SE**	5452
	108″	2743	6	199	90.3	14.0	**UT30108SB**	6488	**UT30108SEB**	7070	**UT30108SE**	7649
	120″	3048	6	205	93.0	14.0	**UT30120SB**	6634	**UT30120SEB**	7214	**UT30120SE**	7796
	132″	3353	8	211	95.7	16.8	**UT30132SB**	6833	**UT30132SEB**	7470	**UT30132SE**	8347
	144″	3658	8	218	98.9	16.8	**UT30144SB**	6969	**UT30144SEB**	7839	**UT30144SE**	8499
36″ width *(914mm)*	48″	1219	4	83	37.7	7.0	**UT3648SB**	3115	**UT3648SEB**	3455	**UT3648SE**	3647
	60″	1524	4	108	49.0	8.8	**UT3660SB**	3423	**UT3660SEB**	3789	**UT3660SE**	4000
	72″	1829	4	114	51.7	10.5	**UT3672SB**	3738	**UT3672SEB**	4110	**UT3672SE**	4354
	84″	2134	4	183	83.0	12.2	**UT3684SB**	5082	**UT3684SEB**	5510	**UT3684SE**	5823
	96″	2438	6	205	93.0	13.9	**UT3696SB**	5466	**UT3696SEB**	5888	**UT3696SE**	6255
	108″	2743	6	206	93.4	17.3	**UT36108SB**	7680	**UT36108SEB**	8118	**UT36108SE**	8847
	120″	3048	6	210	95.3	17.3	**UT36120SB**	7833	**UT36120SEB**	8510	**UT36120SE**	8999
	132″	3353	8	228	103.4	20.7	**UT36132SB**	8325	**UT36132SEB**	8855	**UT36132SE**	9370
	144″	3658	8	261	118.4	20.7	**UT36144SB**	8485	**UT36144SEB**	9264	**UT36144SE**	9803

* SPEC-MASTER® tables feature all stainless steel construction.

Worktables with Stainless Steel Top, Upturn & Galvanized Tubular Base

see spec sheets EG10.03A EG10.03B EG10.03C



(Patent #5,165,349)

corner connection

FEATURES:

- 1½″ *(38mm)* upturn at the rear of the table.
- Tubular base.
- 1⅝″ *(41mm)*-diameter legs and 1¼″ *(32mm)*-diameter crossbracing are heavy gauge galvanized steel.
- Heavy gauge polished stainless steel top.
- 35⅛″ - 36⅛″ *(892 - 918mm)* adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **$1414 to list price** and suffix **"-SD"**. **Example: UT2424GTB-SD.**

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.

C-frame standard. To order table with H-frame, add **$293 to list price** and suffix "**-H**". **Example: UT3036GTE-H**.



See page 198 for optional casters available.

	length		# of	weight		cu	BUDGET 16 gauge type 430 top		DELUXE 16 gauge 300 series top		*SPEC-MASTER® 14 gauge 300 series top	
	in.	mm	legs	lbs.	kg	ft	model #	list	model #	list	model #	list
24″ width *(610mm)*	24″	610	4	50	22.7	3.5	**UT2424GTB**	1860	**UT2424GTEB**	2028	**UT2424GTE**	2283
	30″	762	4	52	23.6	3.8	**UT2430GTB**	1987	**UT2430GTEB**	2164	**UT2430GTE**	2384
	36″	914	4	55	24.9	4.4	**UT2436GTB**	2112	**UT2436GTEB**	2292	**UT2436GTE**	2425
	48	1219	4	67	30.4	5.7	**UT2448GTB**	2142	**UT2448GTEB**	2326	**UT2448GTE**	2542
	60″	1524	4	71	32.2	7.1	**UT2460GTB**	2243	**UT2460GTEB**	2487	**UT2460GTE**	2627
	72″	1829	4	90	40.8	8.5	**UT2472GTB**	2375	**UT2472GTEB**	2660	**UT2472GTE**	2812
	84″	2134	4	98	44.5	11.2	**UT2484GTB**	2899	**UT2484GTEB**	3614	**UT2484GTE**	3686
	96″	2438	6	114	51.7	11.2	**UT2496GTB**	3245	**UT2496GTEB**	3836	**UT2496GTE**	3910
	108″	2743	6	142	64.4	14.0	**UT24108GTB**	4847	**UT24108GTEB**	5177	**UT24108GTE**	5415
	120″	3048	6	148	67.1	14.0	**UT24120GTB**	5143	**UT24120GTEB**	5473	**UT24120GTE**	5716
	132″	3353	8	177	80.3	16.8	**UT24132GTB**	5152	**UT24132GTEB**	5560	**UT24132GTE**	5843
	144″	3658	8	193	87.6	16.8	**UT24144GTB**	5172	**UT24144GTEB**	5698	**UT24144GTE**	5986
30″ width *(762mm)*	30″	762	4	54	24.5	3.8	**UT3030GTB**	2028	**UT3030GTEB**	2230	**UT3030GTE**	2338
	36″	914	4	64	29.0	4.4	**UT3036GTB**	2154	**UT3036GTEB**	2359	**UT3036GTE**	2469
	48″	1219	4	74	33.6	5.7	**UT3048GTB**	2183	**UT3048GTEB**	2406	**UT3048GTE**	2552
	60″	1524	4	87	39.5	7.1	**UT3060GTB**	2340	**UT3060GTEB**	2615	**UT3060GTE**	2766
	72″	1829	4	105	47.6	8.5	**UT3072GTB**	2503	**UT3072GTEB**	2812	**UT3072GTE**	2985
	84″	2134	4	122	55.3	11.2	**UT3084GTB**	3028	**UT3084GTEB**	3650	**UT3084GTE**	3863
	96″	2438	6	126	57.2	11.2	**UT3096GTB**	3433	**UT3096GTEB**	3943	**UT3096GTE**	4169
	108″	2743	6	199	90.3	14.0	**UT30108GTB**	4922	**UT30108GTEB**	5628	**UT30108GTE**	5888
	120″	3048	6	205	93.0	14.0	**UT30120GTB**	5185	**UT30120GTEB**	5774	**UT30120GTE**	6045
	132″	3353	8	210	95.3	16.8	**UT30132GTB**	5294	**UT30132GTEB**	5923	**UT30132GTE**	6399
	144″	3658	8	218	98.9	16.8	**UT30144GTB**	5432	**UT30144GTEB**	6063	**UT30144GTE**	6562
36″ width *(914mm)*	48″	1219	4	83	37.7	7.0	**UT3648GTB**	2614	**UT3648GTEB**	2847	**UT3648GTE**	2917
	60″	1524	4	108	49.0	8.8	**UT3660GTB**	2889	**UT3660GTEB**	3134	**UT3660GTE**	3209
	72″	1829	4	114	51.7	10.5	**UT3672GTB**	3115	**UT3672GTEB**	3370	**UT3672GTE**	3455
	84″	2134	4	132	59.9	12.2	**UT3684GTB**	4127	**UT3684GTEB**	4414	**UT3684GTE**	4517
	96″	2438	6	149	67.6	13.9	**UT3696GTB**	4353	**UT3696GTEB**	4638	**UT3696GTE**	4764
	108″	2743	6	203	92.1	17.3	**UT36108GTB**	5998	**UT36108GTEB**	6478	**UT36108GTE**	6623
	120″	3048	6	207	93.9	17.3	**UT36120GTB**	6142	**UT36120GTEB**	6815	**UT36120GTE**	6964
	132″	3353	8	228	103.4	20.7	**UT36132GTB**	6264	**UT36132GTEB**	7014	**UT36132GTE**	7238
	144″	3658	8	241	109.3	20.7	**UT36144GTB**	6405	**UT36144GTEB**	7162	**UT36144GTE**	7382


100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Worktables with Stainless Steel Top, Upturn & Stainless Steel Tubular Base

see spec sheets **EG10.49A** **EG10.49B** **EG10.49C**



(Patent #5,165,349)

corner connection



See page 198 for optional casters available.

FEATURES:

- 1½″ *(38mm)* upturn at the rear of the table.
- Tubular base.
- 1⅝″ *(41mm)*-diameter legs and 1¼″ *(32mm)*-diameter crossbracing are heavy gauge stainless steel.
- Heavy gauge polished stainless steel top.
- 35⅛″ - 36⅛″ *(892 - 918mm)* adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **$1414 to list price** and suffix **"-SD"**. **Example: UT2424STB-SD.**

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.

C-frame standard. To order table with H-frame, add **$293 to list price** and suffix "**-H**". **Example: UT2448STB-H**.

***NEW* Knockdown Welded Base** option available (only for worktables with stainless steel base). To order, add suffix "**-KDWB**". Example: UT2460STB-**KDWB**. Consult factory for pricing.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		# of	weight		cu	BUDGET 16 gauge type 430 top		DELUXE 16 gauge 300 series top		*SPEC-MASTER® 14 gauge 300 series top	
	in.	mm	legs	lbs.	kg	ft	model #	list	model #	list	model #	list
24″ width *(610mm)*	24″	610	4	44	20.0	3.5	**UT2424STB**	2485	**UT2424STEB**	2580	**UT2424STE**	2753
	30″	762	4	50	22.7	3.8	**UT2430STB**	2622	**UT2430STEB**	2808	**UT2430STE**	3017
	36″	914	4	55	25.0	4.4	**UT2436STB**	2753	**UT2436STEB**	2937	**UT2436STE**	3145
	48″	1219	4	67	30.4	5.7	**UT2448STB**	2810	**UT2448STEB**	3029	**UT2448STE**	3266
	60″	1524	4	71	32.2	7.1	**UT2460STB**	2999	**UT2460STEB**	3247	**UT2460STE**	3517
	72″	1829	4	90	40.8	8.5	**UT2472STB**	3189	**UT2472STEB**	3475	**UT2472STE**	3773
	84″	2134	4	98	44.5	11.2	**UT2484STB**	3837	**UT2484STEB**	4615	**UT2484STE**	4980
	96″	2438	6	100	45.4	11.2	**UT2496STB**	4084	**UT2496STEB**	4907	**UT2496STE**	5318
	108″	2743	6	114	51.7	14.0	**UT24108STB**	6180	**UT24108STEB**	6674	**UT24108STE**	7405
	120″	3048	6	131	59.4	14.0	**UT24120STB**	6499	**UT24120STEB**	7014	**UT24120STE**	7559
	132″	3353	8	184	83.5	16.8	**UT24132STB**	6630	**UT24132STEB**	7186	**UT24132STE**	7773
	144″	3658	8	220	99.8	16.8	**UT24144STB**	6637	**UT24144STEB**	7338	**UT24144STE**	8154
30″ width *(762mm)*	30″	762	4	54	24.5	3.8	**UT3030STB**	2749	**UT3030STEB**	2958	**UT3030STE**	3156
	36″	914	4	64	29.0	4.4	**UT3036STB**	2875	**UT3036STEB**	3086	**UT3036STE**	3292
	48″	1219	4	74	33.6	5.7	**UT3048STB**	2972	**UT3048STEB**	3209	**UT3048STE**	3473
	60″	1524	4	87	39.5	7.1	**UT3060STB**	3206	**UT3060STEB**	3495	**UT3060STE**	3789
	72″	1829	4	105	47.6	8.5	**UT3072STB**	3436	**UT3072STEB**	3773	**UT3072STE**	4096
	84″	2134	4	115	52.2	11.2	**UT3084STB**	3970	**UT3084STEB**	4799	**UT3084STE**	5185
	96″	2438	6	126	57.2	11.2	**UT3096STB**	4384	**UT3096STEB**	5259	**UT3096STE**	5692
	108″	2743	6	199	90.3	14.0	**UT30108STB**	6542	**UT30108STEB**	7316	**UT30108STE**	7888
	120″	3048	6	205	93.0	14.0	**UT30120STB**	6873	**UT30120STEB**	7464	**UT30120STE**	8030
	132″	3353	8	212	96.2	16.8	**UT30132STB**	7060	**UT30132STEB**	7716	**UT30132STE**	8594
	144″	3658	8	216	98.9	16.8	**UT30144STB**	7209	**UT30144STEB**	8089	**UT30144STE**	8744
36″ width *(914mm)*	48″	1219	4	83	37.7	7.0	**UT3648STB**	3352	**UT3648STEB**	3703	**UT3648STE**	3905
	60″	1524	4	108	49.0	8.8	**UT3660STB**	3667	**UT3660STEB**	4029	**UT3660STE**	4248
	72″	1829	4	114	51.7	10.5	**UT3672STB**	3980	**UT3672STEB**	4354	**UT3672STE**	4600
	84″	2134	4	132	59.8	12.2	**UT3684STB**	5322	**UT3684STEB**	5756	**UT3684STE**	6063
	96″	2438	6	149	67.6	13.9	**UT3696STB**	5698	**UT3696STEB**	6140	**UT3696STE**	6489
	108″	2743	6	202	91.6	17.3	**UT36108STB**	7697	**UT36108STEB**	8362	**UT36108STE**	9095
	120″	3048	6	207	93.9	17.3	**UT36120STB**	8066	**UT36120STEB**	8753	**UT36120STE**	9245
	132″	3353	8	228	103.4	20.7	**UT36132STB**	8318	**UT36132STEB**	9087	**UT36132STE**	9572
	144″	3658	8	248	112.5	20.7	**UT36144STB**	8464	**UT36144STEB**	9510	**UT36144STE**	9765

* SPEC-MASTER® tables feature all stainless steel construction.

Worktables with Stainless Steel Top, Backsplash & Galvanized Legs/Undershelf

NSF

see spec sheets **EG10.44A** **EG10.44B** **EG10.44C** **EG10.44D**



adjustable undershelf welded gusset

NOW STANDARD!

patented uni-lok® system
(Patent #5,165,349)

FEATURES:

- 4½″ *(114mm)* backsplash at the rear of the table.
- 1⅝″ *(41mm)*-diameter legs and adjustable undershelf are heavy gauge galvanized steel.
- Heavy gauge polished stainless steel top.
- SPEC-MASTER® Marine series worktables feature a marine counter edge on front and both ends.
- 35⅛″ - 36⅛″ *(892 - 918mm)* adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **$1414 to list price** and suffix **"-SD"**. **Example: T2424B-BS-SD.**

Optional fixed undershelf available in place of standard adjustable undershelf. To order, **add 10% to list price**, and **"-F"** to end of suffix. **Example: T3048EM-BS-F.**

For optional power strips *(only for tables with backsplash)*, see page 198.

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.



See page 198 for optional casters available.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		# of	weight		cu	BUDGET 16 ga. type 430 top		DELUXE 16 ga. 300 series top		SPEC-MASTER® 14 ga. 300 series top		Marine ▼ 14 ga. 300 series top	
	in.	mm	legs	lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	24″	610	4	44	20.0	3.5	**T2424B-BS**	1966	**T2424EB-BS**	2145	**T2424E-BS**	2203	**T2424EM-BS**	3697
	30″	762	4	51	23.1	3.8	**T2430B-BS**	2104	**T2430EB-BS**	2322	**T2430E-BS**	2392	**T2430EM-BS**	4006
	36″	914	4	53	24.0	4.4	**T2436B-BS**	2229	**T2436EB-BS**	2453	**T2436E-BS**	2522	**T2436EM-BS**	4025
	48″	1219	4	67	30.4	5.7	**T2448B-BS** •	2242	**T2448EB-BS**	2506	**T2448E-BS**	2578	**T2448EM-BS**	4206
	60″	1524	4	79	35.8	7.1	**T2460B-BS** •	2393	**T2460EB-BS**	2688	**T2460E-BS**	2766	**T2460EM-BS**	4284
	72″	1829	4	94	42.6	8.5	**T2472B-BS** •	2528	**T2472EB-BS**	2869	**T2472E-BS**	2972	**T2472EM-BS**	4486
	84″	2134	4	132	59.9	11.2	**T2484B-BS**	3099	**T2484EB-BS**	3650	**T2484E-BS**	3776	**T2484EM-BS**	5280
	96″	2438	6	157	71.2	11.2	**T2496B-BS**	3458	**T2496EB-BS**	3938	**T2496E-BS**	4029	**T2496EM-BS**	5538
	108″	2743	6	171	77.6	14.0	**T24108B-BS**	5210	**T24108EB-BS**	5578	**T24108E-BS**	5766	**T24108EM-BS**	7019
	120″	3048	6	182	82.6	14.0	**T24120B-BS**	5349	**T24120EB-BS**	5705	**T24120E-BS**	5888	**T24120EM-BS**	7378
	132″	3353	8	196	88.9	16.8	**T24132B-BS**	5480	**T24132EB-BS**	5714	**T24132E-BS**	6033	**T24132EM-BS**	7626
	144″	3658	8	234	106.1	16.8	**T24144B-BS**	5774	**T24144EB-BS**	6158	**T24144E-BS**	6359	**T24144EM-BS**	7773
30″ width (762mm)	30″	762	4	55	24.9	3.8	**T3030B-BS** •	2142	**T3030EB-BS**	2392	**T3030E-BS**	2456	**T3030EM-BS**	3932
	36″	914	4	62	28.1	4.4	**T3036B-BS** •	2272	**T3036EB-BS**	2522	**T3036E-BS**	2587	**T3036EM-BS**	3956
	48″	1219	4	77	34.9	5.7	**T3048B-BS** •	2309	**T3048EB-BS**	2599	**T3048E-BS**	2687	**T3048EM-BS**	4318
	60″	1524	4	105	47.6	7.1	**T3060B-BS** •	2480	**T3060EB-BS**	2812	**T3060E-BS**	2909	**T3060EM-BS**	4569
	72″	1829	4	121	54.9	8.5	**T3072B-BS** •	2645	**T3072EB-BS**	3036	**T3072E-BS**	3145	**T3072EM-BS**	4675
	84″	2134	4	138	62.6	11.2	**T3084B-BS**	3244	**T3084EB-BS**	3819	**T3084E-BS**	3956	**T3084EM-BS**	5639
	96″	2438	6	169	76.7	11.2	**T3096B-BS** •	3667	**T3096EB-BS**	4142	**T3096E-BS**	4289	**T3096EM-BS**	5993
	108″	2743	6	184	83.5	14.0	**T30108B-BS**	5488	**T30108EB-BS**	5864	**T30108E-BS**	6063	**T30108EM-BS**	7509
	120″	3048	6	205	93.0	14.0	**T30120B-BS**	5638	**T30120EB-BS**	6018	**T30120E-BS**	6210	**T30120EM-BS**	7649
	132″	3353	8	215	97.5	16.8	**T30132B-BS**	5972	**T30132EB-BS**	6364	**T30132E-BS**	6596	**T30132EM-BS**	8054
	144″	3658	8	257	116.6	16.8	**T30144B-BS**	6110	**T30144EB-BS**	6515	**T30144E-BS**	6747	**T30144EM-BS**	8186
36″ width (914mm)	48″	1219	4	84	38.1	7.0	**T3648B-BS**	3004	**T3648EB-BS**	3129	**T3648E-BS**	3219	**T3648EM-BS**	4883
	60″	1524	4	109	49.4	8.8	**T3660B-BS**	3248	**T3660EB-BS**	3578	**T3660E-BS**	3699	**T3660EM-BS**	5189
	72″	1829	4	129	58.1	10.5	**T3672B-BS**	3450	**T3672EB-BS**	3826	**T3672E-BS**	3962	**T3672EM-BS**	5477
	84″	2134	4	183	83.0	12.2	**T3684B-BS**	4074	**T3684EB-BS**	4478	**T3684E-BS**	4638	**T3684EM-BS**	6439
	96″	2438	6	203	92.1	13.9	**T3696B-BS**	4580	**T3696EB-BS**	5036	**T3696E-BS**	5215	**T3696EM-BS**	6700
	108″	2743	6	209	94.8	17.3	**T36108B-BS**	6478	**T36108EB-BS**	6880	**T36108E-BS**	7112	**T36108EM-BS**	8544
	120″	3048	6	211	95.7	17.3	**T36120B-BS**	6620	**T36120EB-BS**	7025	**T36120E-BS**	7260	**T36120EM-BS**	8685
	132″	3353	8	234	106.1	20.7	**T36132B-BS**	6800	**T36132EB-BS**	7233	**T36132E-BS**	7707	**T36132EM-BS**	9169
	144″	3658	8	302	137.0	20.7	**T36144B-BS**	6942	**T36144EB-BS**	7594	**T36144E-BS**	7864	**T36144EM-BS**	9312

▼ SPEC-MASTER® Marine tables feature a marine counter edge to prevent spillage.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Worktables with Stainless Steel Top, Backsplash & Stainless Steel Legs/Undershelf

NSF

see spec sheets EG10.45A EG10.45B EG10.45C EG10.45D



FEATURES:

- 4½″ *(114mm)* backsplash at the rear of the table.
- 1⅝″ *(41mm)*-diameter legs and adjustable undershelf are heavy gauge stainless steel.
- Heavy gauge polished stainless steel top.
- SPEC-MASTER® Marine series worktables feature a marine counter edge on front and both ends.
- 35⅛″ - 36⅛″ *(892 - 918mm)* adjustable working height.

patented uni-lok system (Patent #5,165,349)

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **$1414 to list price** and suffix **"-SD"**. **Example: T2424SB-BS-SD.**

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.

***NEW* Knockdown Welded Base** option available (only for worktables with stainless steel base). To order, add suffix "**-KDWB**". Example: T2460SB-BS-**KDWB**. Consult factory for pricing.

For optional power strips *(only for tables with backsplash)*, see page 198.



See page 198 for optional casters available.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		# of	weight		cu	BUDGET 16 ga. type 430 top		DELUXE 16 ga. 300 series top		SPEC-MASTER® 14 ga. 300 series top		Marine ▼ 14 ga. 300 series top	
	in.	mm	legs	lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	24″	610	4	44	20.0	3.5	T2424SB-BS	2699	T2424SEB-BS	2818	T2424SE-BS	2975	T2424SEM-BS	4353
	30″	762	4	51	23.1	3.8	T2430SB-BS	2909	T2430SEB-BS	3030	T2430SE-BS	3236	T2430SEM-BS	4600
	36″	914	4	53	24.0	4.4	T2436SB-BS	3036	T2436SEB-BS •	3173	T2436SE-BS	3438	T2436SEM-BS	4740
	48″	1219	4	67	30.4	5.7	T2448SB-BS	3099	T2448SEB-BS •	3283	T2448SE-BS •	3516	T2448SEM-BS	4862
	60″	1524	4	79	35.8	7.1	T2460SB-BS	3287	T2460SEB-BS	3525	T2460SE-BS •	3776	T2460SEM-BS	5107
	72″	1829	4	94	42.6	8.5	T2472SB-BS	3482	T2472SEB-BS	3773	T2472SE-BS •	4053	T2472SEM-BS	5359
	84″	2134	4	132	59.9	11.2	T2484SB-BS	4127	T2484SEB-BS	4838	T2484SE-BS	5185	T2484SEM-BS	6399
	96″	2438	6	137	62.1	11.2	T2496SB-BS	4374	T2496SEB-BS	5152	T2496SE-BS	5532	T2496SEM-BS	6717
	108″	2743	6	142	64.4	14.0	T24108SB-BS	6210	T24108SEB-BS	7180	T24108SE-BS	7707	T24108SEM-BS	8438
	120″	3048	6	154	69.9	14.0	T24120SB-BS	6788	T24120SEB-BS	7320	T24120SE-BS	7839	T24120SEM-BS	8575
	132″	3353	8	177	80.3	16.8	T24132SB-BS	6910	T24132SEB-BS	7750	T24132SE-BS	8086	T24132SEM-BS	9165
	144″	3658	8	234	106.1	16.8	T24144SB-BS	7260	T24144SEB-BS	7898	T24144SE-BS	8478	T24144SEM-BS	9312
30″ width (762mm)	30″	762	4	55	25.0	3.8	T3030SB-BS	3032	T3030SEB-BS	3182	T3030SE-BS	3398	T3030SEM-BS	4760
	36″	914	4	62	28.2	4.4	T3036SB-BS	3160	T3036SEB-BS •	3314	T3036SE-BS	3530	T3036SEM-BS	4894
	48″	1219	4	77	34.9	5.7	T3048SB-BS •	3266	T3048SEB-BS •	3458	T3048SE-BS •	3708	T3048SEM-BS	5059
	60″	1524	4	87	39.5	7.1	T3060SB-BS •	3494	T3060SEB-BS •	3766	T3060SE-BS •	4037	T3060SEM-BS	5370
	72″	1829	4	105	47.6	8.5	T3072SB-BS •	3714	T3072SEB-BS •	4058	T3072SE-BS •	4370	T3072SEM-BS	5678
	84″	2134	4	132	59.9	11.2	T3084SB-BS	4252	T3084SEB-BS	5019	T3084SE-BS	5386	T3084SEM-BS	6604
	96″	2438	6	169	76.7	11.2	T3096SB-BS	4676	T3096SEB-BS •	5510	T3096SE-BS	5927	T3096SEM-BS	7094
	108″	2743	6	176	79.8	14.0	T30108SB-BS	7016	T30108SEB-BS	7608	T30108SE-BS	8180	T30108SEM-BS	9044
	120″	3048	6	182	82.6	14.0	T30120SB-BS	7162	T30120SEB-BS	7760	T30120SE-BS	8328	T30120SEM-BS	9189
	132″	3353	8	225	102.0	16.8	T30132SB-BS	7560	T30132SEB-BS	8285	T30132SE-BS	8920	T30132SEM-BS	9739
	144″	3658	8	238	237.6	16.8	T30144SB-BS	7704	T30144SEB-BS	8433	T30144SE-BS	9062	T30144SEM-BS	9895
36″ width (914mm)	48″	1219	4	84	38.1	7.0	T3648SB-BS	3640	T3648SEB-BS	4066	T3648SE-BS	4369	T3648SEM-BS	5760
	60″	1524	4	99	44.9	8.8	T3660SB-BS	3958	T3660SEB-BS	4589	T3660SE-BS	4923	T3660SEM-BS	6123
	72″	1829	4	114	51.7	10.5	T3672SB-BS	4272	T3672SEB-BS	4922	T3672SE-BS	5276	T3672SEM-BS	6497
	84″	2134	4	183	83.0	12.2	T3684SB-BS	5610	T3684SEB-BS	5848	T3684SE-BS	6288	T3684SEM-BS	7732
	96″	2438	6	203	92.0	13.9	T3696SB-BS	5987	T3696SEB-BS	6260	T3696SE-BS	6736	T3696SEM-BS	8154
	108″	2743	6	207	93.9	17.3	T36108SB-BS	8215	T36108SEB-BS	8882	T36108SE-BS	9544	T36108SEM-BS	10260
	120″	3048	6	211	95.7	17.3	T36120SB-BS	8358	T36120SEB-BS	9020	T36120SE-BS	9697	T36120SEM-BS	10414
	132″	3353	8	234	106.1	20.7	T36132SB-BS	8859	T36132SEB-BS	9365	T36132SE-BS	10077	T36132SEM-BS	11072
	144″	3658	8	241	109.3	20.7	T36144SB-BS	9014	T36144SEB-BS	9514	T36144SE-BS	10528	T36144SEM-BS	11220

▼ SPEC-MASTER® Marine tables feature a marine counter edge to prevent spillage.

Worktables with Stainless Steel Top, Backsplash & Galvanized Tubular Base

NSF

see spec sheets **EG10.46A** **EG10.46B** **EG10.46C** **EG10.46D**



(Patent #5,165,349)

corner connection

FEATURES:

- 4½″ *(114mm)* backsplash at the rear of the table.
- Tubular base.
- 1⅝″ *(41mm)*-diameter legs and 1¼″ *(32mm)*-diameter crossbracing are heavy gauge galvanized steel.
- Heavy gauge polished stainless steel top.
- SPEC-MASTER® Marine series worktables feature a marine counter edge on front and both ends.
- 35⅛″ - 36⅛″ *(892 - 918mm)* adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **$1414 to list price** and suffix **"-SD"**. **Example: T2424GTB-BS-SD.**

C-frame standard. To order table with H-frame, add **$293 to list price** and suffix "**-H**". **Example: T2448GTB-BS-H**.

For optional power strips *(only for tables with backsplash)*, see page 198.

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.



See page 198 for optional casters available.

	length		# of	weight		cu	BUDGET 16 ga. type 430 top		DELUXE 16 ga. 300 series top		SPEC-MASTER® 14 ga. 300 series top		▼ Marine 14 ga. 300 series top	
	in.	mm	legs	lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	24″	610	4	44	20.0	3.5	T2424GTB-BS	2208	T2424GTEB-BS	2393	T2424GTE-BS	2450	T2424GTEM-BS	4054
	30″	762	4	51	23.1	3.8	T2430GTB-BS	2339	T2430GTEB-BS	2576	T2430GTE-BS	2629	T2430GTEM-BS	4265
	36″	914	4	53	24.0	4.4	T2436GTB-BS	2476	T2436GTEB-BS	2699	T2436GTE-BS	2765	T2436GTEM-BS	4388
	48″	1219	4	61	27.7	5.7	T2448GTB-BS	2480	T2448GTEB-BS	2749	T2448GTE-BS	2827	T2448GTEM-BS	4453
	60″	1524	4	79	35.8	7.1	T2460GTB-BS	2633	T2460GTEB-BS	2932	T2460GTE-BS	3019	T2460GTEM-BS	4649
	72″	1829	4	94	42.6	8.5	T2472GTB-BS	2769	T2472GTEB-BS	3118	T2472GTE-BS	3209	T2472GTEM-BS	4867
	84″	2134	4	132	59.9	11.2	T2484GTB-BS	3339	T2484GTEB-BS	3906	T2484GTE-BS	4026	T2484GTEM-BS	5687
	96″	2438	6	157	71.2	11.2	T2496GTB-BS	3698	T2496GTEB-BS	4144	T2496GTE-BS	4277	T2496GTEM-BS	5962
	108″	2743	6	176	79.8	14.0	T24108GTB-BS	5294	T24108GTEB-BS	5660	T24108GTE-BS	5845	T24108GTEM-BS	7489
	120″	3048	6	195	88.5	14.0	T24120GTB-BS	5589	T24120GTEB-BS	5964	T24120GTE-BS	6140	T24120GTEM-BS	7620
	132″	3353	8	214	97.1	16.8	T24132GTB-BS	5705	T24132GTEB-BS	6084	T24132GTE-BS	6270	T24132GTEM-BS	8106
	144″	3658	8	234	106.1	16.8	T24144GTB-BS	5843	T24144GTEB-BS	6260	T24144GTE-BS	6418	T24144GTEM-BS	8248
30″ width (762mm)	30″	762	4	55	25.0	3.8	T3030GTB-BS	2383	T3030GTEB-BS	2629	T3030GTE-BS	2699	T3030GTEM-BS	4320
	36″	914	4	62	28.1	4.4	T3036GTB-BS	2507	T3036GTEB-BS	2765	T3036GTE-BS	2838	T3036GTEM-BS	4453
	48″	1219	4	77	34.9	5.7	T3048GTB-BS	2542	T3048GTEB-BS	2847	T3048GTE-BS	2926	T3048GTEM-BS	4565
	60″	1524	4	87	39.5	7.1	T3060GTB-BS	2717	T3060GTEB-BS	3058	T3060GTE-BS	3153	T3060GTEM-BS	4812
	72″	1829	4	105	47.6	8.5	T3072GTB-BS	2885	T3072GTEB-BS	3288	T3072GTE-BS	3396	T3072GTEM-BS	5060
	84″	2134	4	138	62.6	11.2	T3084GTB-BS	3488	T3084GTEB-BS	4066	T3084GTE-BS	4205	T3084GTEM-BS	5886
	96″	2438	6	164	74.4	11.2	T3096GTB-BS	3906	T3096GTEB-BS	4387	T3096GTE-BS	4528	T3096GTEM-BS	6255
	108″	2743	6	187	84.8	14.0	T30108GTB-BS	5738	T30108GTEB-BS	5944	T30108GTE-BS	6308	T30108GTEM-BS	7974
	120″	3048	6	205	93.0	14.0	T30120GTB-BS	5872	T30120GTEB-BS	6269	T30120GTE-BS	6455	T30120GTEM-BS	8117
	132″	3353	8	225	102.1	16.8	T30132GTB-BS	6207	T30132GTEB-BS	6429	T30132GTE-BS	6643	T30132GTEM-BS	8529
	144″	3658	8	245	111.1	16.8	T30144GTB-BS	6364	T30144GTEB-BS	6573	T30144GTE-BS	6789	T30144GTEM-BS	8685
36″ width (914mm)	48″	1219	4	84	38.1	7.0	T3648GTB-BS	3244	T3648GTEB-BS	3374	T3648GTE-BS	3475	T3648GTEM-BS	5266
	60″	1524	4	99	44.9	8.8	T3660GTB-BS	3494	T3660GTEB-BS	3827	T3660GTE-BS	3945	T3660GTEM-BS	5584
	72″	1829	4	114	51.7	10.5	T3672GTB-BS	3575	T3672GTEB-BS	4067	T3672GTE-BS	4206	T3672GTEM-BS	5883
	84″	2134	4	183	83.0	12.2	T3684GTB-BS	4317	T3684GTEB-BS	4734	T3684GTE-BS	4894	T3684GTEM-BS	6874
	96″	2438	6	203	92.1	13.9	T3696GTB-BS	4664	T3696GTEB-BS	5276	T3696GTE-BS	5466	T3696GTEM-BS	7148
	108″	2743	6	207	93.9	17.3	T36108GTB-BS	6523	T36108GTEB-BS	6926	T36108GTE-BS	7358	T36108GTEM-BS	9040
	120″	3048	6	211	95.7	17.3	T36120GTB-BS	6856	T36120GTEB-BS	7277	T36120GTE-BS	7510	T36120GTEM-BS	9184
	132″	3353	8	230	104.3	20.7	T36132GTB-BS	7037	T36132GTEB-BS	7469	T36132GTE-BS	7729	T36132GTEM-BS	9677
	144″	3658	8	241	109.3	20.7	T36144GTB-BS	7170	T36144GTEB-BS	7614	T36144GTE-BS	7872	T36144GTEM-BS	9827

▼ SPEC-MASTER® Marine tables feature a marine counter edge to prevent spillage.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com


EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

* For Tables in Critical Environments, please see pages 125-146 in Cleanroom section of catalog.

Worktables with Stainless Steel Top, Backsplash & Stainless Steel Tubular Base

NSF

see spec sheets **EG10.47A** **EG10.47B** **EG10.47C** **EG10.47D**



(Patent #5,165,349)

corner connection

FEATURES:

- 4½″ *(114mm)* backsplash at the rear of the table.
- Tubular base.
- 1⅝″ *(41mm)*-diameter legs and 1¼″ *(32mm)*-diameter crossbracing are heavy gauge stainless steel.
- Heavy gauge polished stainless steel top.
- SPEC-MASTER® Marine series worktables feature a marine counter edge on front and both ends.
- 35⅛″ - 36⅛″ *(892 - 918mm)* adjustable working height.

Note: All shipping weights and cubic feet are approximate.

NSF sprayed-on sound deadening available. To order, add **$1414 to list price** and suffix **"-SD"**. **Example: T2424STB-BS-SD.**

C-frame standard. To order table with H-frame, add **$293 to list price** and suffix "**-H**". **Example: T2436STB-BS-H**.

***NEW* Knockdown Welded Base** option available (only for worktables with stainless steel base). To order, add suffix "**-KDWB**". Example: T2460STB-BS-**KDWB**. Consult factory for pricing.

For optional power strips *(only for tables with backsplash)*, see page 198.

For FLEX-MASTER® overshelf kits, see page 209.

For drawer kits, see page 215.



See page 198 for optional casters available.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		# of	weight		cu	BUDGET 16 ga. type 430 top		DELUXE 16 ga. 300 series top		*SPEC-MASTER® 14 ga. 300 series top		* ▼ Marine 14 ga. 300 series top	
	in.	mm	legs	lbs.	kg	ft	model #	list	model #	list	model #	list	model #	list
24″ width (610mm)	24″	610	4	44	20.0	3.5	T2424STB-BS	2942	T2424STEB-BS	3066	T2424STE-BS •	3217	T2424STEM-BS	4599
	30″	762	4	51	23.1	3.8	T2430STB-BS	3149	T2430STEB-BS	3284	T2430STE-BS	3486	T2430STEM-BS	4858
	36″	914	4	53	24.0	4.4	T2436STB-BS	3277	T2436STEB-BS	3415	T2436STE-BS	3620	T2436STEM-BS	4985
	48″	1219	4	67	30.4	5.7	T2448STB-BS	3339	T2448STEB-BS	3525	T2448STE-BS	3753	T2448STEM-BS	5097
	60″	1524	4	79	35.8	7.1	T2460STB-BS	3523	T2460STEB-BS	3773	T2460STE-BS	4026	T2460STEM-BS	5358
	72″	1829	4	94	42.6	8.5	T2472STB-BS	3725	T2472STEB-BS	4020	T2472STE-BS	4294	T2472STEM-BS	5615
	84″	2134	4	132	59.9	11.2	T2484STB-BS	4359	T2484STEB-BS	5085	T2484STE-BS	5432	T2484STEM-BS	6643
	96″	2438	6	157	71.2	11.2	T2496STB-BS	4615	T2496STEB-BS	5389	T2496STE-BS	5776	T2496STEM-BS	6969
	108″	2743	6	171	77.6	14.0	T24108STB-BS	6693	T24108STEB-BS	7209	T24108STE-BS	7716	T24108STEM-BS	8676
	120″	3048	6	195	88.5	14.0	T24120STB-BS	7030	T24120STEB-BS	7566	T24120STE-BS	8089	T24120STEM-BS	8826
	132″	3353	8	214	97.1	16.8	T24132STB-BS	7144	T24132STEB-BS	7770	T24132STE-BS	8338	T24132STEM-BS	9415
	144″	3658	8	234	106.1	16.8	T24144STB-BS	7282	T24144STEB-BS	8145	T24144STE-BS	8478	T24144STEM-BS	9562
30″ width (762mm)	30″	762	4	55	25.0	3.8	T3030STB-BS	3276	T3030STEB-BS	3428	T3030STE-BS	3645	T3030STEM-BS	5008
	36″	914	4	62	28.1	4.4	T3036STB-BS	3404	T3036STEB-BS	3564	T3036STE-BS	3785	T3036STEM-BS	5145
	48″	1219	4	77	34.9	5.7	T3048STB-BS	3495	T3048STEB-BS	3705	T3048STE-BS	3984	T3048STEM-BS	5317
	60″	1524	4	87	39.5	7.1	T3060STB-BS	3736	T3060STEB-BS	4014	T3060STE-BS	4293	T3060STEM-BS	5452
	72″	1829	4	105	47.6	8.5	T3072STB-BS	3970	T3072STEB-BS	4312	T3072STE-BS	4616	T3072STEM-BS	5932
	84″	2134	4	132	59.9	11.2	T3084STB-BS	4493	T3084STEB-BS	5259	T3084STE-BS	5636	T3084STEM-BS	6855
	96″	2438	6	169	76.7	11.2	T3096STB-BS	4922	T3096STEB-BS	5756	T3096STE-BS	6167	T3096STEM-BS	7349
	108″	2743	6	176	79.6	14.0	T30108STB-BS	7260	T30108STEB-BS	7769	T30108STE-BS	8427	T30108STEM-BS	9296
	120″	3048	6	182	82.6	14.0	T30120STB-BS	7406	T30120STEB-BS	7856	T30120STE-BS	8582	T30120STEM-BS	9448
	132″	3353	8	225	102.1	16.8	T30132STB-BS	7580	T30132STEB-BS	8529	T30132STE-BS	9169	T30132STEM-BS	9994
	144″	3658	8	245	111.1	16.8	T30144STB-BS	7710	T30144STEB-BS	8685	T30144STE-BS	9314	T30144STEM-BS	10142
36″ width (914mm)	48″	1219	4	84	38.1	7.0	T3648STB-BS	3877	T3648STEB-BS	4318	T3648STE-BS	4615	T3648STEM-BS	5505
	60″	1524	4	99	44.9	8.8	T3660STB-BS	4192	T3660STEB-BS	4827	T3660STE-BS	5176	T3660STEM-BS	6180
	72″	1829	4	114	51.7	10.5	T3672STB-BS	4499	T3672STEB-BS	5167	T3672STE-BS	5534	T3672STEM-BS	6750
	84″	2134	4	183	83.0	12.2	T3684STB-BS	5844	T3684STEB-BS	6104	T3684STE-BS	6543	T3684STEM-BS	7982
	96″	2438	6	203	92.1	13.9	T3696STB-BS	6236	T3696STEB-BS	6512	T3696STE-BS	6984	T3696STEM-BS	8403
	108″	2743	6	207	93.9	17.3	T36108STB-BS	8455	T36108STEB-BS	8867	T36108STE-BS	9796	T36108STEM-BS	10517
	120″	3048	6	211	95.7	17.3	T36120STB-BS	8599	T36120STEB-BS	9277	T36120STE-BS	9936	T36120STEM-BS	10664
	132″	3353	8	234	106.1	20.7	T36132STB-BS	8833	T36132STEB-BS	9617	T36132STE-BS	10630	T36132STEM-BS	11316
	144″	3658	8	241	109.3	20.7	T36144STB-BS	8972	T36144STEB-BS	9754	T36144STE-BS	10795	T36144STEM-BS	11464

* SPEC-MASTER® and SPEC-MASTER® Marine tables feature all stainless steel construction.

▼ SPEC-MASTER® Marine tables feature a marine counter edge to prevent spillage.

Optional Power Strips for Stainless Steel Worktables with Backsplash

length in.	length mm	number of outlets	model #	list
24″	610	8	**PS2408**	369
36″	914	12	**PS3612**	403
48″	1219	16	**PS4816**	417
60″	1524	20	**PS6020**	517

FEATURES:

- Brushed aluminum finish.
- 15′ *(4572mm)* cord and plug.
- Reset button.
- Toggle ON-OFF switch.
- Mounts via pair of stainless steel clips—no tools required.



Optional Casters

see spec sheet **EG10.59**

Note: To determine set of casters applicable, see "# of legs" column in Worktables charts *(pages 186-197).*

See page 215 for optional caster stabilizers.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

description	wt. cap. per caster lbs.	wt. cap. per caster kg	model #	list
Zinc with Resilient Tread				
4″ *(102mm)* dia., set of four *(two swivel, two w/brake)*	115	52.2	**CA4-SB** •	828
4″ *(102mm)* dia., set of six *(three swivel, three w/brake)*	115	52.2	**CA6-SB**	1240
4″ *(102mm)* dia., set of eight *(four swivel, four w/brake)*	115	52.2	**CA8-SB**	1654
5″ *(127mm)* dia., set of four *(two swivel, two w/brake)*	200	90.7	**CAH4-SB** •	1096
5″ *(127mm)* dia., set of six *(three swivel, three w/brake)*	200	90.7	**CAH6-SB**	1645
5″ *(127mm)* dia., set of eight *(four swivel, four w/brake)*	200	90.7	**CAH8-SB**	2195
Nickel with Poly Tread				
5″ *(127mm)* dia., set of four *(two swivel, two w/brake)*	250	113.4	**CAHP4-SB** •	950
5″ *(127mm)* dia., set of six *(three swivel, three w/brake)*	250	113.4	**CAHP6-SB**	1425
5″ *(127mm)* dia., set of eight *(four swivel, four w/brake)*	250	113.4	**CAHP8-SB**	1898
Polymer Cart Washable with Polymer Tread				
5″ *(127mm)* dia., set of four *(two swivel, two w/brake)*	250	113.4	**CAHW4-SB**	1178
5″ *(127mm)* dia., set of six *(three swivel, three w/brake)*	250	113.4	**CAHW6-SB**	1769
5″ *(127mm)* dia., set of eight *(four swivel, four w/brake)*	250	113.4	**CAHW8-SB**	2355



Go Green. Go ECO-Built™ by EAGLE.

The advantages may be invisible. But when you see the tag you'll know the product you purchase has been produced in the EAGLE plant, under the principles that drive the ECO-Built™ program.

For institutions concerned about meeting their own green standards, buying ECO-Built™ is simply the right thing to do.

Look for the ECO-Built™ tag on the bar code

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Hardwood Worktables

see spec sheet EG10.10

FEATURES:

- 1¾″ *(44mm)* hardwood tops.
- With flat top or with 4″ *(102mm)* coved backsplash and end splashes.
- Shipped knocked down.

Note: All shipping weights and cubic feet are approximate.

For optional drawer assemblies, see page 214.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



hardwood table with flat top and undershelf…



…with flat top and tubular base…



…with backsplash and undershelf…



…with backsplash and tubular base

Flat Top Hardwood Worktables…

36¼″ *(921mm)* overall height.

	length		cu	weight		…with Adjustable Undershelf				…with Tubular Base			
						galvanized legs & undershelf		stainless steel legs and undershelf		weight		galvanized tubular base		stainless steel tubular base	
	in.	mm	ft	lbs.	kg	model #	list	model #	list	lbs.	kg	model #	list	model #	list
24″ width *(610mm)*	48″	1219	5.3	94	42.6	**MT2448B**	1836	**MT2448S**	2207	92	41.7	**MT2448GT**	1630	**MT2448ST**	2080
	60″	1524	6.6	118	53.5	**MT2460B**	2062	**MT2460S**	2506	117	53.1	**MT2460GT**	1806	**MT2460ST**	2329
	72″	1829	8.0	141	64.0	**MT2472B**	2284	**MT2472S**	2797	138	62.6	**MT2472GT**	1980	**MT2472ST**	2588
	96″	2438	10.7	189	85.7	**MT2496B**	3238	**MT2496S**	3907	182	82.6	**MT2496GT**	2838	**MT2496ST**	3236
30″ width *(762mm)*	48″	1219	6.7	141	64.0	**MT3048B**	2028	**MT3048S**	2506	139	63.1	**MT3048GT**	1832	**MT3048ST**	2382
	60″	1524	8.3	147	66.7	**MT3060B**	2304	**MT3060S**	2874	145	65.8	**MT3060GT**	2058	**MT3060ST**	2715
	72″	1829	9.9	177	80.3	**MT3072B**	2576	**MT3072S**	3239	174	77.8	**MT3072GT**	2276	**MT3072ST**	3037
	96″	2438	13.2	235	106.6	**MT3096B**	3689	**MT3096S**	4515	230	104.3	**MT3096GT**	3280	**MT3096ST**	4244

Hardwood Worktables with Backsplash & End Splashes…

40¼″ *(1022mm)* overall height.

	length		cu	weight		…with Adjustable Undershelf				…with Tubular Base			
						galvanized legs & undershelf		stainless steel legs and undershelf		weight		galvanized tubular base		stainless steel tubular base	
	in.	mm	ft	lbs.	kg	model #	list	model #	list	lbs.	kg	model #	list	model #	list
30″ width *(762mm)*	48″	1219	7.0	110	49.9	**MT3048B-BS**	3873	**MT3048S-BS**	4978	119	54.0	**MT3048GT-BS**	3717	**MT3048ST-BS**	4723
	60″	1524	9.8	149	67.6	**MT3060B-BS**	4048	**MT3060S-BS**	5240	147	66.7	**MT3060GT-BS**	3786	**MT3060ST-BS**	4972
	72″	1829	11.7	180	81.6	**MT3072B-BS**	4867	**MT3072S-BS**	5992	177	80.3	**MT3072GT-BS**	4550	**MT3072ST-BS**	5837
	96″	2438	15.5	240	108.9	**MT3096B-BS**	6658	**MT3096S-BS**	7926	235	106.6	**MT3096GT-BS**	6236	**MT3096ST-BS**	7509

Optional Casters for Hardwood Worktables



zinc casters



cart washable casters

Note: See page 215 for optional caster stabilizers.

	Zinc with Resilient Tread				Nickel with Poly Tread				Polymer Cart Washable with Polymer Tread			
	wt. cap. per caster			list per	wt. cap. per caster			list per	wt. cap. per caster			list per
description	lbs.	kg	model #	set	lbs.	kg	model #	set	lbs.	kg	model #	set
4″ *(102mm)* dia., set of 4 *(2 swivel, 2 w/brake)*	115	52.2	**CA4-SB** •	828	–		n/a	n/a	–		n/a	n/a
4″ *(102mm)* dia., set of 6 *(3 swivel, 3 w/brake)*	115	52.2	**CA6-SB**	1240	–		n/a	n/a	–		n/a	n/a
5″ *(127mm)* dia., set of 4 *(2 swivel, 2 w/brake)*	200	90.7	**CAH4-SB** •	1096	250	113.4	**CAHP4-SB** •	950	250	113.4	**CAHW4-SB**	1178
5″ *(127mm)* dia., set of 6 *(3 swivel, 3 w/brake)*	200	90.7	**CAH6-SB**	1645	250	113.4	**CAHP6-SB**	1425	250	113.4	**CAHW6-SB**	1769

Knock Down Worktables with Cabinet Kit

see spec sheet EG10.36



FEATURES:

- Type 430 stainless steel tabletop and side panels.
- Tabletop is 30″ *(762mm)* front-to-back, with 4½″ *(114mm)* high backsplash.
- Stainless steel side panels and front doors with open rear.
- Easy assembly via machine screws and threaded inserts.
- 34½″ *(876mm)* height.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

patented uni-lok system
(Patent #5,165,349)

	length		cubic	weight		…with Hinged Doors		…with Sliding Doors	
	in.	mm	feet	lbs.	kg	model #	list	model #	list
30″ width *(914mm)*	36″	914	4.4	52	23.6	T3036BA-BS-HGD	3304	T3036BA-BS-SLD	3634
	48″	1219	5.4	66	29.9	T3048BA-BS-HGD	3525	T3048BA-BS-SLD	3877
	60″	1524	7.1	79	35.8	T3060BA-BS-HGD	3783	T3060BA-BS-SLD	4153

Filler Tables

see spec sheet EG10.51



Note: Filler tables are not designed to stand alone or to hold heavy equipment loads. Application and safe installation are the responsibility of the end user.

FEATURES:

- Standard flanged feet adds stability to 12″ and 15″ *(305 and 381mm)* long tables. 18″ *(457mm)*-long tables feature stainless steel bullet feet.
- 1½″ *(38mm)* upturn.
- Stainless steel legs crossbraced front-to-back and side-to-side.
- 34½″ *(876mm)* working height.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

patented uni-lok system
(Patent #5,165,349)

	length		cubic	weight *		Deluxe 16 gauge type 304 stainless steel top.		SPEC-MASTER® * 14 gauge type 304 stainless steel top.	
	in.	mm	feet	lbs.	kg	model #	list	model #	list
24″ width *(610mm)*	12″	305	2.9	30	13.6	UT2412STEB	1629	UT2412STE	1770
	15″	381	2.9	34	15.4	UT2415STEB	1666	UT2415STE	1810
	18″	457	2.9	36	16.3	UT2418STEB	1742	UT2418STE	1894
30″ width *(762mm)*	12″	305	2.9	34	15.4	UT3012STEB •	1760	UT3012STE	1912
	15″	381	2.9	36	16.3	UT3015STEB •	1797	UT3015STE	1955
	18″	457	2.9	40	18.1	UT3018STEB •	1898	UT3018STE	2065
36″ width *(914mm)*	12″	305	3.5	37	16.8	UT3612STEB	1875	UT3612STE	2037
	15″	381	3.5	40	18.1	UT3615STEB	1934	UT3615STE	2098
	18″	457	3.5	45	20.4	UT3618STEB	2007	UT3618STE	2183

* Add 10% weight for SPEC-MASTER®.

Worktable Stabilizer Bar (pair)

see spec sheet EG10.59



model #	list
WTSA30	367

FEATURES:

- Fits standard 30″ and 36″ *(762 and 914mm)* width worktables.
- Heavy 12 gauge steel angle and gussets.
- Valu-Master® epoxy coated.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

SPEC-MASTER® Enclosed Worktables with Flat Top


see spec sheet EG10.30







patented uni-lok system
(Patent #5,165,349)



FEATURES:

- All-welded cabinet.
- Top mechanically polished to satin finish.
- Sound-deadened between top and frame.
- 1⅝″ *(42mm)* diameter type 304 stainless legs.
- 1″ *(25mm)* adjustable feet.
- 1½″ *(38mm)* sanitary rolled rim on front and back with square edge on ends for flush fit.
- 34½″ *(876mm)* overall height.

Note: Full length fixed center shelf available. To order full width, **add 20% to list price** and suffix **"-FCS"**.
To order two-thirds width, add **20% to list price** and suffix **"-CS"**. **Example: OB2436SE-CS**.

To order table with 4″ *(102mm)* casters, add suffix **"-CA"** and **add to list price $828** *(for tables with four legs)* or **$1240** *(for tables with six legs)*.
Example: OB2436SE-CA.


To order table with 5″ *(127mm)* casters, add suffix **"-CAH"** and **add to list price $1096** *(for tables with four legs)* or **$1645** *(for tables with six legs)*.
Example: OB2436SE-CAH.

NSF sprayed-on sound deadening available.
To order, add **$1414 to list price** and suffix **"-SD"**. **Example: OB2436SE-SD.**

For enhanced utility, add overshelves from page 210.

	length		# of	cu	with Open Front				with Sliding Doors*				with Hinged Doors*			
					weight				weight				weight			
	in.	mm	legs	ft	lbs.	kg	model #	list	lbs.	kg	model #	list	lbs.	kg	model #	list
24″ width (610mm)	36″	914	4	36	179	81.2	**OB2436SE**	4900	186	84.4	**CB2436SE**	6256	197	89.4	**CBH2436SE**	7666
	48″	1219	4	49	238	108.0	**OB2448SE**	5089	249	113.0	**CB2448SE**	6997	263	119.3	**CBH2448SE**	8029
	60″	1524	4	63	298	135.2	**OB2460SE**	5445	311	141.1	**CB2460SE**	7517	328	148.8	**CBH2460SE**	8560
	72″	1829	4	72	357	161.9	**OB2472SE**	5807	369	167.4	**CB2472SE**	8062	394	178.7	**CBH2472SE**	9083
	84″	2134	6	83	417	189.2	**OB2484SE**	6317	435	197.3	**CB2484SE** **	9216	459	208.2	**CBH2484SE** **	10219
	96″	2438	6	95	476	215.9	**OB2496SE**	6636	497	225.4	**CB2496SE** **	9958	525	238.1	**CBH2496SE** **	10960
	120″	3048	6	105	595	269.9	**OB24120SE**	7867	621	281.7	**CB24120SE** **	11503	656	297.6	**CBH24120SE** **	12500
30″ width (762mm)	36″	914	4	36	186	84.4	**OB3036SE**	5177	202	91.6	**CB3036SE**	6534	207	93.9	**CBH3036SE**	7926
	48″	1219	4	49	248	112.5	**OB3048SE**	5356	270	122.5	**CB3048SE**	7260	276	125.2	**CBH3048SE**	8289
	60″	1524	4	63	309	140.2	**OB3060SE**	5759	336	152.4	**CB3060SE**	7837	344	156.0	**CBH3060SE**	8872
	72″	1829	4	72	371	168.3	**OB3072SE**	6169	404	183.3	**CB3072SE**	8419	413	187.3	**CBH3072SE**	9449
	84″	2134	6	83	431	195.5	**OB3084SE**	6589	471	213.7	**CB3084SE** **	9470	482	218.6	**CBH3084SE** **	10488
	96″	2438	6	95	494	224.1	**OB3096SE**	7272	539	244.5	**CB3096SE** **	10372	551	249.9	**CBH3096SE** **	11377
	120″	3048	6	105	616	279.4	**OB30120SE**	8364	672	304.8	**CB30120SE** **	11997	689	313.5	**CBH30120SE** **	12986

* 20 gauge stainless steel doors. To order optional door locks, add suffix "**-L**" and $308 list price; ** Tables 84″ *(2134mm)* and longer have two sets of doors.



ALSO AVAILABLE!

SPEC-MASTER® Marine Counter Edge Cabinets

To order, **add 20% to list price** and add **"M"** after **"SE"** in model number.
Example: OB2436SEM.

see spec sheet EG10.33A

SPEC-MASTER® Enclosed Worktables with Upturn (NSF)

see spec sheet **EG10.31**








patented **uni-lok** system

(Patent #5,165,349)



FEATURES:

- All-welded cabinet.
- Top mechanically polished to satin finish.
- Top is 14 gauge type 304 stainless steel reinforced with a full length "hat" channel support.
- Body is heavy gauge type 430 stainless steel.
- Sound-deadened between top and frame.
- 1⅝″ *(42mm)* diameter type 304 stainless legs.
- 1″ *(25mm)* adjustable feet.
- 1½″ *(38mm)* sanitary rolled rim on front, 1½″ *(38mm)* rear upturn, and square edge on ends for flush fit.
- 34½″ *(876mm)* working height, 36″ *(914mm)* overall height.

Note: Full length fixed center shelf available. To order full width, **add 20% to list price** and suffix **"-FCS"**. To order two-thirds width, add **20% to list price** and suffix **"-CS"**. **Example: UOB2436SE-CS**.

To order table with 4″ *(102mm)* casters, add suffix **"-CA"** and **add to list price $828** *(for tables with four legs)* or **$1240** *(for tables with six legs)*. **Example: UOB3036SE-CA.**


To order table with 5″ *(127mm)* casters, add suffix **"-CAH"** and **add to list price $1096** *(for tables with four legs)* or **$1645** *(for tables with six legs)*. **Example: UOB3036SE-CAH.**

NSF sprayed-on sound deadening available. To order, add **$1414 to list price** and suffix **"-SD"**. **Example: UOB3036SE-SD.**

For enhanced utility, add overshelves from page 210.

					with Open Front				with Sliding Doors*				with Hinged Doors*			
	length		# of	cu	weight				weight				weight			
	in.	mm	legs	ft	lbs.	kg	model #	list	lbs.	kg	model #	list	lbs.	kg	model #	list
24″ width (610mm)	36″	914	4	36	149	67.6	**UOB2436SE**	4900	187	84.8	**UCB2436SE**	6256	187	84.8	**UCBH2436SE**	7666
	48″	1219	4	49	198	90.3	**UOB2448SE**	5089	249	113.0	**UCB2448SE**	6997	249	113.0	**UCBH2448SE**	8029
	60″	1524	4	63	248	112.5	**UOB2460SE**	5445	311	141.1	**UCB2460SE**	7517	311	141.1	**UCBH2460SE**	8560
	72″	1829	4	72	297	134.7	**UOB2472SE**	5807	373	169.2	**UCB2472SE**	8062	373	169.2	**UCBH2472SE**	9083
	84″	2134	6	83	347	157.4	**UOB2484SE**	6317	435	197.3	**UCB2484SE** **	9216	435	197.3	**UCBH2484SE** **	10219
	96″	2438	6	95	396	179.6	**UOB2496SE**	6636	497	225.4	**UCB2496SE** **	9958	497	225.4	**UCBH2496SE** **	10960
	120″	3048	6	105	495	224.5	**UOB24120SE**	7867	621	281.7	**UCB24120SE** **	11503	621	281.7	**UCBH24120SE** **	12500
30″ width (762mm)	36″	914	4	36	149	67.6	**UOB3036SE**	5177	202	91.6	**UCB3036SE**	6534	209	94.8	**UCBH3036SE**	7926
	48″	1219	4	49	198	90.3	**UOB3048SE**	5356	270	122.5	**UCB3048SE**	7260	278	126.1	**UCBH3048SE**	8289
	60″	1524	4	63	248	112.5	**UOB3060SE**	5759	336	152.4	**UCB3060SE**	7837	347	157.4	**UCBH3060SE**	8872
	72″	1829	4	72	305	138.4	**UOB3072SE**	6159	404	183.3	**UCB3072SE**	8419	416	188.7	**UCBH3072SE**	9449
	84″	2134	6	83	353	160.1	**UOB3084SE**	6589	471	213.7	**UCB3084SE** **	9470	486	220.5	**UCBH3084SE** **	10488
	96″	2438	6	95	401	181.9	**UOB3096SE**	7272	539	244.5	**UCB3096SE** **	10372	555	251.8	**UCBH3096SE** **	11377
	120″	3048	6	105	495	224.5	**UOB30120SE**	8364	672	304.5	**UCB30120SE** **	11997	693	314.4	**UCBH30120SE** **	12986

* 20 gauge stainless steel doors. To order optional door locks, add suffix "**-L**" and $308 list price; ** Tables 84″ *(2134mm)* and longer have two sets of doors.



ALSO AVAILABLE!

SPEC-MASTER® Marine Counter Edge Cabinets

To order, **add 20% to list price** and add **"M"** after **"SE"** in model number. **Example: UOB2436SEM.**

see spec sheet **EG10.33B**

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com


EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

SPEC-MASTER® Enclosed Worktables with Backsplash (NSF)

see spec sheet **EG10.32**



patented uni-lok® system
(Patent #5,165,349)



FEATURES:

- All-welded cabinet.
- Top mechanically polished to satin finish.
- Top is 14 gauge type 304 stainless steel reinforced with a full length "hat" channel support.
- Body is heavy gauge type 430 stainless steel.
- Sound-deadened between top and frame.
- 1⅝″ *(42mm)* diameter type 304 stainless legs.
- 1″ *(25mm)* adjustable stainless steel feet.
- 1½″ (38mm) sanitary rolled rim on front, 4½″ *(114mm)* backsplash on rear, and square edge on ends for flush fit.
- 34½″ *(876mm)* working height, 39″ *(991mm)* overall height.

Note: Full length fixed center shelf available. To order full width, **add 20% to list price** and suffix **"-FCS"**. To order two-thirds width, add **20% to list price** and suffix **"-CS"**. **Example: UOB2436SE-BS-CS.**

To order table with 4″ *(102mm)* casters, add suffix **"-CA"** and **add to list price $828** *(for tables with four legs)* or **$1240** *(for tables with six legs).* **Example: UOB3036SE-BS-CA.**


To order table with 5″ *(127mm)* casters, add suffix **"-CAH"** and **add to list price $1096** *(for tables with four legs)* or **$1645** *(for tables with six legs).* **Example: UOB3036SE-BS-CAH.**

NSF sprayed-on sound deadening available. To order, add **$1414 to list price** and suffix **"-SD"**. **Example: UOB3036SE-BS-SD.**

For enhanced utility, add overshelves from page 210.

					with Open Front				with Sliding Doors*				with Hinged Doors*			
	length		# of	cu	weight				weight				weight			
	in.	mm	legs	ft	lbs.	kg	model #	list	lbs.	kg	model #	list	lbs.	kg	model #	list
24″ width *(610mm)*	36″	914	4	36	183	83.0	**OB2436SE-BS**	4959	190	86.2	**CB2436SE-BS**	6577	201	91.2	**CBH2436SE-BS**	7723
	48″	1219	4	49	242	109.8	**OB2448SE-BS**	5142	253	114.8	**CB2448SE-BS**	7048	267	121.1	**CBH2448SE-BS**	8080
	60″	1524	4	63	302	137.0	**OB2460SE-BS**	5512	315	142.9	**CB2460SE-BS**	7593	332	150.6	**CBH2460SE-BS**	8620
	72″	1829	4	72	361	163.8	**OB2472SE-BS**	5886	373	169.2	**CB2472SE-BS**	8145	398	180.5	**CBH2472SE-BS**	9169
	84″	2134	6	83	421	191.0	**OB2484SE-BS**	6407	439	199.1	**CB2484SE-BS** **	9305	463	210.0	**CBH2484SE-BS** **	10319
	96″	2438	6	95	480	217.7	**OB2496SE-BS**	6739	501	227.3	**CB2496SE-BS** **	10054	529	240.0	**CBH2496SE-BS** **	11075
	120″	3048	6	105	599	271.7	**OB24120SE-BS**	7998	625	283.5	**CB24120SE-BS** **	11633	660	299.4	**CBH24120SE-BS** **	12627
30″ width *(762mm)*	36″	914	4	36	190	86.2	**OB3036SE-BS**	5388	202	91.6	**CB3036SE-BS**	6792	207	93.9	**CBH3036SE-BS**	7978
	48″	1219	4	49	252	114.3	**OB3048SE-BS**	5406	274	124.3	**CB3048SE-BS**	7306	280	127.0	**CBH3048SE-BS**	8338
	60″	1524	4	63	308	139.7	**OB3060SE-BS**	6036	340	154.2	**CB3060SE-BS**	7910	348	157.9	**CBH3060SE-BS**	8927
	72″	1829	4	72	375	170.1	**OB3072SE-BS**	6243	408	185.1	**CB3072SE-BS**	8498	417	189.2	**CBH3072SE-BS**	9517
	84″	2134	6	83	431	195.5	**OB3084SE-BS**	6677	475	215.5	**CB3084SE-BS** **	9562	486	220.5	**CBH3084SE-BS** **	10585
	96″	2438	6	95	498	225.9	**OB3096SE-BS**	7376	543	246.3	**CB3096SE-BS** **	10467	555	251.8	**CBH3096SE-BS** **	12166
	120″	3048	6	105	620	281.2	**OB30120SE-BS**	5573	676	306.6	**CB30120SE-BS** **	7955	693	314.4	**CBH30120SE-BS** **	8603

* 20 gauge stainless steel doors. To order optional door locks, add suffix "**-L**" and $308 list price; ** Tables 84″ *(2134mm)* and longer have two sets of doors.



ALSO AVAILABLE!

SPEC-MASTER® Marine Counter Edge Cabinets

To order, **add 20% to list price** and add **"M"** after **"SE"** in model number. **Example: OB2436SEM-BS.**

see spec sheet **EG10.33C**

adjusTable® Work Surface Systems

see spec sheet **EG10.09**



basic unit *1-tier unit* *2-tier unit*

adjusTable®

Additional wire undershelves, solid stainless steel undershelves, chrome wire overshelves, or solid stainless steel overshelves make the possibilities almost unlimited.

patented QuadTruss® design
(Patent #5,390,803)

Patented QuadTruss® Design
makes shelves up to 25% stronger and provides a retaining ledge for increased strength and product retention.

CUSTOM:

- Unit can be further expanded and customized by adding optional shelving accessories *(pages 47-53)*.
- Custom configurations available, including alternate finishes and solid shelving. Contact factory to configure your custom workstation.
- All units come with non-marring grey vinyl foot glides.
- Optional drawers available *(see pages 212-215)*.

Note: To order table with 5″ *(127mm)* resilient tread casters, add suffix **"-CAH"** and **add to list price $1096**.
Example: T3036EBW-1-CAH.

To order table with 5″ *(127mm)* poly tread casters, add suffix **"-CAHP"** and **add to list price $950**.
Example: T3036EBW-1-CAHP.

For Post Clamps for 1-tier and 2-tier unit, see page 46.

For Keyboard stations, see page 46.

Basic Units — 33½″ *(851mm)* overall height.

	length		cu	weight		16/304		14/304	
	in.	mm	ft	lbs.	kg	model #	list	model #	list
24″ width *(610mm)*	36″	914	4.5	65	29.5	**T2436EBW**	1729	**T2436EW**	1897
	48″	1219	5.7	81	36.7	**T2448EBW**	1877	**T2448EW**	2177
	60″	1524	7.1	99	44.9	**T2460EBW**	2200	**T2460EW**	2503
30″ width *(762mm)*	36″	914	4.5	75	34.0	**T3036EBW**	1915	**T3036EW**	2145
	48″	1219	5.7	94	42.6	**T3048EBW**	2162	**T3048EW**	2463
	60″	1524	7.1	115	52.2	**T3060EBW**	2503	**T3060EW**	2848

CONSISTS OF:

- Stainless steel table top/work surface with hat channel supports.
- Four 33″ *(838mm)* chrome posts.
- Two chrome wire undershelves.*

1-tier Units — 54½″ *(1384mm)* overall height.

	length		cu	weight		16/304		14/304	
	in.	mm	ft	lbs.	kg	model #	list	model #	list
24″ width *(610mm)*	36″	914	4.5	73	33.1	**T2436EBW-1**	2153	**T2436EW-1**	2318
	48″	1219	5.7	91	41.3	**T2448EBW-1**	2414	**T2448EW-1**	2638
	60″	1524	7.1	113	51.3	**T2460EBW-1**	2725	**T2460EW-1**	2982
30″ width *(762mm)*	36″	914	4.5	83	37.6	**T3036EBW-1**	2338	**T3036EW-1**	2577
	48″	1219	5.7	104	47.2	**T3048EBW-1**	2627	**T3048EW-1**	2917
	60″	1524	7.1	129	58.5	**T3060EBW-1**	2982	**T3060EW-1**	3333

CONSISTS OF:

- Stainless steel table top/work surface with hat channel supports.
- Two 54″ *(1372mm)* rear chrome posts.
- Two 33″ *(838mm)* front chrome posts.
- Two 21″ *(533mm)* front chrome posts for overshelf.
- One 14″ *(356mm)* wide chrome wire overshelf.
- Two chrome wire undershelves.*

2-tier Units — 62½″ *(1588mm)* overall height.

	length		cu	weight		16/304		14/304	
	in.	mm	ft	lbs.	kg	model #	list	model #	list
24″ width *(610mm)*	36″	914	4.5	81	36.7	**T2436EBW-2**	2359	**T2436EW-2**	2528
	48″	1219	5.7	101	45.8	**T2448EBW-2**	2660	**T2448EW-2**	2889
	60″	1524	7.1	127	57.6	**T2460EBW-2**	2993	**T2460EW-2**	3250
30″ width *(762mm)*	36″	914	4.5	91	41.3	**T3036EBW-2**	2544	**T3036EW-2**	2785
	48″	1219	5.7	114	51.7	**T3048EBW-2**	2873	**T3048EW-2**	3180
	60″	1524	7.1	143	64.9	**T3060EBW-2**	3248	**T3060EW-2**	3606

CONSISTS OF:

- Stainless steel table top/work surface with hat channel supports.
- Two 63″ *(1600mm)* rear chrome posts.
- Two 33″ *(838mm)* front chrome posts.
- Two 29″ *(737mm)* front chrome posts for overshelves.
- Two 14″ *(356mm)* wide chrome wire overshelves.
- Two chrome wire undershelves.*

* 18″ *(457mm)* wide undershelves used for 24″ *(610mm)* wide tables; 24″ *(610mm)* wide undershelves used for 30″ *(762mm)* wide tables.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Utility Stands (NSF)

see spec sheet EG10.26A





FEATURES:
- Highly polished 16 gauge, 300 series stainless steel flat top.
- Adjustable undershelf or adjustable crossbracing.
- 24″ *(610mm)* working height.

WEIGHT CAPACITIES:
- 600 lb. *(272.2 kg)* weight capacity of top.
- 150 lb. *(68.0 kg)* weight capacity of undershelf. - evenly distributed static load.

patented uni-lok system
(Patent #5,165,349)

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

width	length in.	length mm	weight lbs.	weight kg	cubic feet	…with Undershelf: galvanized legs model #	galvanized legs list	stainless steel legs model #	stainless steel legs list	…with Tubular Base: galvanized legs model #	galvanized legs list	stainless steel legs model #	stainless steel legs list
24″ *(610mm)*	24″	610	42	19.1	3.5	MS2424 •	1748	MS2424S	2122	TMS2424	1748	TMS2424S	2122
30″ *(762mm)*	24″	610	47	21.3	3.8	MS3024 •	1823	MS3024S	2229	TMS3024	1823	TMS3024S	2229
	30″	762	56	25.4	3.8	MS3030 •	2029	MS3030S	2525	TMS3030	2029	TMS3030S	2525
	36″	914	59	26.8	4.0	MS3036 •	2083	MS3036S	2566	TMS3036	2083	TMS3036S	2566
36″ *(914mm)*	36″	914	68	30.9	4.2	MS3636	2185	MS3636S	2687	TMS3636	2185	TMS3636S	2687



caster



caster with brake


Optional Casters for Utility Stands

description	wt. cap. per caster lbs.	wt. cap. per caster kg	model #	list
4″ *(102mm)* dia., set of four *(two swivel, two w/brake)*	115	52.2	CA4-SB •	828
4″ *(102mm)* dia., set of six *(three swivel, three w/brake)*	115	52.2	CA6-SB	1240
5″ *(127mm)* dia., set of four *(two swivel, two w/brake)*	200	90.7	CAH4-SB •	1096
5″ *(127mm)* dia., set of six *(three swivel, three w/brake)*	200	90.7	CAH6-SB	1645

Optional Rack for Utility Stands

- Stainless steel.
- 54″ *(1371mm)* height.

weight lbs.	weight kg	cubic feet	model #	add to unit list
23	10.4	5.3	UR-501	1417



utility stand with undershelf and optional rack

Note: see page 215 for optional caster stabilizers.

ADA/Ergonomic Height Adjustable Tables (NSF)

Adjusts from 32″ to 40″ height!



patented uni-lok system
(Patent #5,165,349)

see spec sheet EG10.37

width	length in.	length mm	weight cap. lbs.	weight cap. kg	…with Flat Top: 16/304 top model #	16/304 top list	14/304 top model #	14/304 top list	…with 4″ Backsplash: 16/304 top model #	16/304 top list	14/304 top model	14/304 top list
24″ *(610mm)*	48″	1219	575	260.8	T2448SEB-HA	9443	T2448SE-HA	9663	T2448SEB-BS-HA	10107	T2448SE-BS-HA	10950
	60″	1524	550	249.5	T2460SEB-HA	9655	T2460SE-HA	9900	T2460SEB-BS-HA	10340	T2460SE-BS-HA	11200
	72″	1829	525	238.1	T2472SEB-HA	9867	T2472SE-HA	10145	T2472SEB-BS-HA	10569	T2472SE-BS-HA	11462
30″ *(762mm)*	48″	1219	575	260.8	T3048SEB-HA	9617	T3048SE-HA	9864	T3048SEB-BS-HA	10280	T3048SE-BS-HA	11137
	60″	1524	550	249.5	T3060SEB-HA	9889	T3060SE-HA	10152	T3060SEB-BS-HA	10566	T3060SE-BS-HA	11449
	72″	1829	525	238.1	T3072SEB-HA	10145	T3072SE-HA	10452	T3072SEB-BS-HA	10844	T3072SE-BS-HA	11764

To indicate location of crank case, add suffix "**-L**" (left end), "**-R**" (right end), or "**-C**" (center) at end of model number. Example: T2448-SE-HA-**L**

Notes: For optional mobility, only THESE 5″ casters can be used: **Model #A205340** swivel, **list $154 ea.**, **#A205341** swivel w/brake, **list $156 ea**. 5″ *(127mm)* rotary bumper: **Model #A205342**, **list $34** each.

Optional H- and C-frame tubular bases available in lieu of undershelf. Consult factory.

Mobile Utility Stands

see spec sheet **EG10.26B**



patented uni-lok system
(Patent #5,165,349)

Note: see page 215 for optional caster stabilizers.

FEATURES:

- 34″ *(864mm)* working height.
- 14 gauge 300 series stainless steel top with no-drip marine counter edge.
- Stainless steel crossbracing on three sides.
- Four 4″ *(102mm)* casters *(two with brakes)*.
- Pan rack slide holds six 18″ x 26″ *(457 x 660mm)* pans.
- 400 lb. *(181.4 kg)* total weight capacity *(top and slides)* - evenly distributed static load.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		weight		cubic	galvanized		stainless steel	
	in.	mm	lbs.	kg	feet	model #	list	model #	list
30″ width *(762mm)*	30″	762	150	68.0	3.8	**MMT3030G**	4464	**MMT3030S** •	4980
	36″	914	167	75.8	4.1	**MMT3036G**	4566	**MMT3036S**	5128

Mobile Utility Stand with Undershelf

see spec sheet **EG10.26B**



patented uni-lok system
(Patent #5,165,349)

FEATURES:

- Top is 14 gauge 300 series stainless steel with no-drip marine counter edge.
- Stainless steel undershelf.
- Two 4″ *(102mm)* casters with brake.

Note: See page 215 for optional caster stabilizers.

	length		weight		cubic		
width	in.	mm	lbs.	kg	feet	model #	list
24″ *(610mm)*	30″	762	47	21.3	3.8	**MET2430S**	3895

Stainless Steel Lok-n-Fold™ Tables

see spec sheet **EG10.57**





with removable undershelf


FEATURES:

- Heavy gauge type 430 stainless steel top.
- Folding legs constructed of heavy gauge painted mild steel.
- Locking dimples, a safety mechanism, ensure legs are locked in place.
- 30⅞″ *(784mm)* non-adjustable height.

	length		weight capacity		cu	WITH OPEN BASE				WITH REMOVABLE GALVANIZED UNDERSHELF				WITH REMOVABLE STAINLESS STEEL UNDERSHELF			
						weight				weight				weight			
	in.	mm	lbs.	kg	ft	lbs.	kg	model #	list	lbs.	kg	model #	list	lbs.	kg	model #	list
24″ width *(610mm)*	48″	1219	360	163.3	6.0	44	20.0	**T2448F**	1275	61	27.7	**T2448F-US**	1536	61	27.7	**T2448F-USS**	1665
	60″	1524	450	204.1	7.5	48	21.8	**T2460F**	1343	65	29.5	**T2460F-US**	1659	65	29.5	**T2460F-USS**	1809
	72″	1829	540	244.9	8.9	52	23.6	**T2472F**	1532	70	31.8	**T2472F-US**	1758	70	31.8	**T2472F-USS**	1943
30″ width *(762mm)*	48″	1219	450	204.1	7.4	46	20.9	**T3048F**	1398	63	28.6	**T3048F-US**	1577	63	28.6	**T3048F-USS**	1698
	60″	1524	562	254.9	9.2	50	22.7	**T3060F**	1497	69	31.3	**T3060F-US**	1700	69	31.3	**T3060F-USS**	1839
	72″	1829	675	306.2	11.0	56	25.4	**T3072F**	1587	75	34.0	**T3072F-US**	1815	75	34.0	**T3072F-USS**	1982

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment



Features:

- Any table can be customized with overshelves of the same length.
- System can easily be changed or expanded as needed.
- Tables are caster-capable for workstation mobility.
- Overshelves' height adjustable in 1″ *(25mm)* increments for flexible and accurate placement.
- 10″ and 12″ *(254 and 305mm)* shelf widths can be intermixed on same posts.
- Split sleeve.
- Tapered collar for easy assembly.
- Overshelves shipped knocked-down.
- All shipping weights and cubic feet are approximate.

FLEX-MASTER® Overshelf System NSF

Continued on pages 208 & 209

Overshelves

see spec sheet **EG10.08**

FEATURES:

- 14 gauge 300 series shelves available upon request.
- Priced per shelf.

Note: 15″ and 18″ *(381 and 457mm)* wide shelves available. To order, replace "12" in model number with a **"15"** or **"18"** indicating desired shelf width *(example: 411584)*. For 15″ *(381mm)* wide shelves, **add 15% to list price** of 12″ *(305mm)* wide models. For 18″ *(457mm)* wide shelves, **add 30% to list price** of 12″ *(305mm)* shelves.



(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	length		weight		cubic	16/430		16/300	
	in.	mm	lbs.	kg	feet	model #	list ea	model #	list ea
10″ width *(254mm)*	30″	762	10.1	4.6	0.5	**411030**	658	**421030**	719
	36″	915	12.1	5.5	0.6	**411036**	664	**421036**	738
	48″	1219	13.1	6.0	0.8	**411048**	719	**421048**	816
	60″	1524	15.2	6.9	1.0	**411060**	784	**421060**	915
	72″	1829	17.2	7.8	1.2	**411072**	887	**421072**	1025
	84″	2133	19.3	8.8	1.5	**411084**	988	**421084**	1125
	96″	2438	21.3	9.7	1.7	**411096**	1092	**421096**	1273
	108″	2743	23.4	10.6	1.9	**411010**	1180	**421010**	1365
	120″	3048	25.4	11.5	2.1	**411012**	1275	**421012**	1453
	132″	3353	27.4	12.5	2.3	**411013**	1380	**421013**	1556
	144″	3658	29.4	13.4	2.5	**411014**	1480	**421014**	1696
12″ width *(305mm)*	30″	762	11.1	5.1	0.6	**411230**	664	**421230**	738
	36″	915	12.3	5.6	0.8	**411236**	697	**421236**	827
	48″	1219	14.8	6.7	1.0	**411248** •	759	**421248**	863
	60″	1524	17.2	7.8	1.3	**411260** •	815	**421260** •	960
	72″	1829	19.7	9.1	1.5	**411272** •	932	**421272** •	1087
	84″	2133	22.1	10.0	1.8	**411284**	1038	**421284**	1218
	96″	2438	24.6	11.2	2.0	**411296**	1120	**421296**	1359
	108″	2743	27.0	12.3	2.3	**411210**	1247	**421210**	1463
	120″	3048	29.5	13.4	2.5	**411212**	1392	**421212**	1572
	132″	3353	31.5	14.3	2.7	**411213**	1488	**421213**	1672
	144″	3658	33.5	15.2	2.9	**411214**	1587	**421214**	1769

Posts - FLEX-MASTER® Overshelf System (NSF)

see spec sheet **EG10.08**



ORDERING:


- Sold in pairs.
- Each pair includes mounting plate.
- For 30″ to 72″ *(762 to 1829mm)* shelves: two pairs.
- For 84″ to 120″ *(2134 to 3048mm)* shelves: three pairs required.
- For 132″ and 144″ *(3353 and 3658mm)* shelves: four pairs required.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

height		weight		cubic	chrome		stainless steel	
in.	mm	lbs.	kg	feet	model #	list	model #	list
18″	457	1.7	0.8	0.1	**418202** •	287	**418002** •	334
30″	762	2.4	1.1	0.2	**430202** •	315	**430002** •	429
48″	1219	5.6	2.5	0.2	**448202** •	384	**448002** •	564

Utility Racks

see spec sheet **EG10.08**



FEATURES:

- Chrome plated.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

for overshelf length		weight		cubic			for overshelf length		weight		cubic		
in.	mm	lbs.	kg	feet	model #	list	in.	mm	lbs.	kg	feet	model #	list
30″	762	1.7	0.8	0.2	**PRT30-C**	155	84″	2133	4.1	1.9	0.4	**PRT84-C** *	316
36″	915	1.9	0.9	0.2	**PRT36-C**	180	96″	2438	4.9	2.2	0.4	**PRT96-C** *	370
48″	1219	2.1	1.0	0.2	**PRT48-C**	200	108″	2743	5.6	2.5	0.5	**PRT108-C** *	376
60″	1524	2.5	1.1	0.3	**PRT60-C**	234	120″	3048	6.2	2.8	0.5	**PRT120-C** *	389
72″	1829	2.9	1.3	0.4	**PRT72-C** •	272	132″	3353	6.9	3.1	0.6	**PRT132-C** **	419
							144″	3658	7.6	3.5	0.6	**PRT144-C** **	456

* Utility racks 84″ to 120″ *(2133 to 3048mm)* come in two pieces.
**132″ and 144″ *(3353 and 3658mm)* racks come in three pieces.

Mounting Plate

see spec sheet **EG10.08**



model #	list each
311915 •	53

FEATURES:


- Aluminum.
- Designed to accommodate both 10″ and 12″ *(254 and 305mm)* wide shelves.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Hooks

see spec sheet **EG10.08**

For use with utility racks.



FEATURES:

- Stainless steel double-prong with 2¼″ *(57mm)* prongs, or 6″ *(176mm)*-long chrome.
- Slips over utility racks.



(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

description	weight lbs.	weight kg	cubic feet	model #	list each
stainless double-prong hook	0.2	0.1	0.1	**300696** •	59
6″ (176mm)-long chrome hook	0.1	0.1	0.1	**379769**	10

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

FLEX-MASTER® Kits for All Stainless Steel Worktables

see spec sheet **EG10.08**

Kit A

description	for Budget tables* add to list	for all other tables add to list
fits 36″ *(914mm)* long worktables	2734	2993
fits 48″ *(1219mm)* long worktables	2895	3109
fits 60″ *(1524mm)* long worktables	3072	3369
fits 72″ *(1829mm)* long worktables	3393	3700

* **Note:** Kits for "Budget" worktables include 16 gauge type 430 shelves and stainless steel posts.

KIT A INCLUDES:

- Two 12″ *(305mm)* wide 16 gauge type 304 shelves.
- Two 30″ *(762mm)* stainless steel front posts.
- Two 48″ *(1219mm)* stainless steel rear posts.
- Two chrome utility racks.

To order, add suffix **"-FM-PL"** to model number.
Example: T3060SE-FM-PL.

Tabletops are predrilled for rear mounting of posts and shelves.

Kit B

description	for Budget tables* add to list	for all other tables add to list
fits 36″ *(914mm)* long worktables	2243	2500
fits 48″ *(1219mm)* long worktables	2362	2578
fits 60″ *(1524mm)* long worktables	2629	2769
fits 72″ *(1829mm)* long worktables	2709	3025

* **Note:** Kits for "Budget" worktables include 16 gauge type 430 shelves and stainless steel posts.

KIT B INCLUDES:

- Two 12″ *(305mm)* wide 16 gauge type 304 shelves.
- Four 30″ *(762mm)* stainless steel posts.

To order, add suffix **"-FM"** to model number.
Example: T3060SE-FM.

Stainless Steel Bins

see spec sheet **EG10.59**



width x length x height in.	width x length x height mm	weight lbs.	weight kg	cubic feet	model #	list
6½″ x 5½″ x 6″	165 x 140 x 152	1.5	0.7	0.1	**SB-1**	604

FEATURES:

- Designed for either overshelf or wall shelf applications.
- 22 gauge stainless steel with fully coved deep-drawn construction, complete with label holders.
- Removable bin must be allowed 7¾″ *(197mm)* space and slides on stainless steel angle supports secured to underside of shelf.

Note: Shipping weight and cubic feet are approximate.

Wall Cabinets

see spec sheet **EG02.07**

length in.	length mm	cu ft	Open Front weight lbs.	Open Front weight kg	Open Front model #	Open Front list	Hinged Doors weight lbs.	Hinged Doors weight kg	Hinged Doors model #	Hinged Doors list	Sliding Doors weight lbs.	Sliding Doors weight kg	Sliding Doors model #	Sliding Doors list
24″	610	13.5	117	53.1	**WCO-24**	6833	136	61.7	**WCH-24**	9272	136	61.7	**WCS-24**	7729
30″	762	17.3	129	58.5	**WCO-30**	6840	154	69.9	**WCH-30**	10275	154	69.9	**WCS-30**	9417
36″	914	18.0	141	64.0	**WCO-36**	7094	172	78.0	**WCH-36**	10453	172	78.0	**WCS-36**	9709
42″	1067	18.2	–		**–**		191	86.6	**WCH-42**	10985	191	86.6	**WCS-42**	9758
48″	1219	18.3	165	74.8	**WCO-48**	8172	208	94.3	**WCH-48**	11325	208	94.3	**WCS-48**	10636
54″	1372	25.4	–		**–**		226	102.5	**WCH-54**	11582	226	102.5	**WCS-54**	10833
60″	1524	22.6	189	85.7	**WCO-60**	8943	244	110.7	**WCH-60**	12985	244	110.7	**WCS-60**	12299
66″	1676	30.6	–		**–**		256	115.1	**WCH-66**	13080	256	115.1	**–**	
72″	1829	26.8	213	96.6	**WCO-72**	9488	262	118.8	**WCH-72**	14549	262	118.8	**WCS-72**	13776
84″	2134	38.5	225	102.1	**WCO-84**	10010	281	127.5	**WCH-84***	14956	281	127.5	**WCS-84***	14133
90″	2286	41.7	–		**–**		298	135.3	**WCH-90***	15804	298	135.3	**WCS-90***	14966
96″	2438	35.2	249	112.9	**WCO-96**	11210	316	143.3	**WCH-96***	16294	316	143.3	**WCS-96***	15430
120″	3048	55.8	–		**–**		359	162.9	**–**		359	162.9	**WCS-120***	18592

* Features two pairs of doors.

FEATURES:

- Heavy gauge stainless steel.
- Back recessed, w/full-length concealed mounting plate for easy installation.
- Fixed center shelf.
- Hinged doors with lift-off pin hinges.
- 15″ *(381mm)* width. 28″ *(711mm)* overall height.



wall cabinet with hinged doors

Overshelves, Non-Adjustable

see spec sheet EG10.28



single deck overshelf



double deck overshelf

FEATURES:

- Mounted on four stainless steel, 1″ *(25mm)* diameter tubular base legs.
- Special width shelves available.

Note: Recommended that overshelves be ordered when ordering tables. Specify choice of centered or rear-mounted on table. Otherwise, table must be field-drilled for mounting overshelves.

Single Deck Overshelves, Non-Adjustable - Shipped knocked-down.

	length		# of	weight		cu	16 gauge, type 430		16 gauge, type 304		14 gauge, type 304	
	in.	mm	legs	lbs.	kg	ft	model #	list	model #	list	model #	list
10″ width *(254mm)*	36″	915	4	15	6.8	0.9	**OS1036-16/4**	1192	**OS1036-16/3**	1442	**OS1036-14/3**	1596
	48″	1219	4	19	8.6	1.3	**OS1048-16/4**	1270	**OS1048-16/3**	1576	**OS1048-14/3**	1750
	60″	1524	4	24	10.9	1.6	**OS1060-16/4**	1345	**OS1060-16/3**	1729	**OS1060-14/3**	1922
	72″	1829	4	29	13.2	1.9	**OS1072-16/4**	1442	**OS1072-16/3**	1888	**OS1072-14/3**	2094
	84″	2133	6	34	15.4	2.2	**OS1084-16/4**	1525	**OS1084-16/3**	2037	**OS1084-14/3**	2260
	96″	2438	6	37	16.8	2.5	**OS1096-16/4**	1862	**OS1096-16/3**	2426	**OS1096-14/3**	2697
	108″	2743	6	38	17.2	2.8	**OS10108-16/4**	1908	**OS10108-16/3**	2497	**OS10108-14/3**	2766
	120″	3048	6	39	17.6	3.1	**OS10120-16/4**	1980	**OS10120-16/3**	2704	**OS10120-14/3**	3017
	132″	3353	8	42	19.1	3.7	**OS10132-16/4**	2070	**OS10132-16/3**	2875	**OS10132-14/3**	3200
	144″	3658	8	46	20.9	4.2	**OS10144-16/4**	2145	**OS10144-16/3**	3023	**OS10144-14/3**	3356
12″ width *(305mm)*	36″	915	4	16	7.3	0.9	**OS1236-16/4**	1263	**OS1236-16/3**	1505	**OS1236-14/3**	1672
	48″	1219	4	20	9.0	1.3	**OS1248-16/4**	1338	**OS1248-16/3**	1653	**OS1248-14/3**	1834
	60″	1524	4	25	11.3	1.6	**OS1260-16/4**	1426	**OS1260-16/3**	1808	**OS1260-14/3**	2008
	72″	1829	4	30	13.6	1.9	**OS1272-16/4**	1528	**OS1272-16/3**	1980	**OS1272-14/3**	2200
	84″	2133	6	35	15.9	2.2	**OS1284-16/4**	1623	**OS1284-16/3**	2137	**OS1284-14/3**	2382
	96″	2438	6	38	17.2	2.5	**OS1296-16/4**	1980	**OS1296-16/3**	2577	**OS1296-14/3**	2869
	108″	2743	6	39	17.6	2.5	**OS12108-16/4**	2104	**OS12108-16/3**	2766	**OS12108-14/3**	3082
	120″	3048	6	40	18.1	3.1	**OS12120-16/4**	2176	**OS12120-16/3**	2909	**OS12120-14/3**	3233
	132″	3353	8	43	19.5	3.7	**OS12132-16/4**	2300	**OS12132-16/3**	3108	**OS12132-14/3**	3455
	144″	3658	8	47	21.3	4.2	**OS12144-16/4**	2372	**OS12144-16/3**	3248	**OS12144-14/3**	3609

Double Deck Overshelves, Non-Adjustable - All welded construction, shipped assembled.

	length		# of	weight		cu	16 gauge, type 430		16 gauge, type 304		14 gauge, type 304	
	in.	mm	legs	lbs.	kg	ft	model #	list	model #	list	model #	list
10″ width *(254mm)*	36″	915	4	31	14.1	8.6	**DOS1036-16/4**	2338	**DOS1036-16/3**	2618	**DOS1036-14/3**	2880
	48″	1219	4	39	17.6	11.4	**DOS1048-16/4**	2414	**DOS1048-16/3**	2753	**DOS1048-14/3**	3032
	60″	1524	4	48	21.8	14.2	**DOS1060-16/4**	2593	**DOS1060-16/3**	3005	**DOS1060-14/3**	3306
	72″	1829	4	59	26.8	17.0	**DOS1072-16/4**	2753	**DOS1072-16/3**	3247	**DOS1072-14/3**	3567
	84″	2134	6	69	31.3	19.8	**DOS1084-16/4**	2915	**DOS1084-16/3**	3478	**DOS1084-14/3**	3826
	96″	2438	6	75	34.0	22.6	**DOS1096-16/4**	3560	**DOS1096-16/3**	4205	**DOS1096-14/3**	4627
	108″	2743	6	77	34.9	25.4	**DOS10108-16/4**	3810	**DOS10108-16/3**	4539	**DOS10108-14/3**	4992
	120″	3048	6	79	35.8	28.2	**DOS10120-16/4**	3889	**DOS10120-16/3**	4686	**DOS10120-14/3**	5149
	132″	3353	8	85	38.6	35.8	**DOS10132-16/4**	4144	**DOS10132-16/3**	5028	**DOS10132-14/3**	5529
	144″	3658	8	92	41.7	41.8	**DOS10144-16/4**	4222	**DOS10144-16/3**	5155	**DOS10144-14/3**	5673
12″ width *(305mm)*	36″	915	4	32	14.5	8.6	**DOS1236-16/4**	2475	**DOS1236-16/3**	2752	**DOS1236-14/3**	3192
	48″	1219	4	40	18.1	11.4	**DOS1248-16/4**	2542	**DOS1248-16/3**	2960	**DOS1248-14/3**	3426
	60″	1524	4	48	21.8	14.2	**DOS1260-16/4**	2742	**DOS1260-16/3**	3180	**DOS1260-14/3**	3686
	72″	1829	4	60	27.2	17.0	**DOS1272-16/4**	2937	**DOS1272-16/3**	3406	**DOS1272-14/3**	3959
	84″	2134	6	70	31.8	19.8	**DOS1284-16/4**	3120	**DOS1284-16/3**	3732	**DOS1284-14/3**	4252
	96″	2438	6	76	34.5	22.6	**DOS1296-16/4**	3794	**DOS1296-16/3**	4418	**DOS1296-14/3**	4715
	108″	2743	6	78	35.4	25.4	**DOS12108-16/4**	4106	**DOS12108-16/3**	4603	**DOS12108-14/3**	5066
	120″	3048	6	80	36.3	28.3	**DOS12120-16/4**	4183	**DOS12120-16/3**	4834	**DOS12120-14/3**	5320
	132″	3353	8	87	39.5	35.9	**DOS12132-16/4**	4489	**DOS12132-16/3**	5374	**DOS12132-14/3**	5910
	144″	3658	8	95	43.1	42.0	**DOS12144-16/4**	4563	**DOS12144-16/3**	5519	**DOS12144-14/3**	6069

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Extra Undershelves

see spec sheet **EG10.59**



FEATURES:

- For tables with uni-lok® hat channel frame.
- Designed for storage of shorter, smaller items under worktable where only one undershelf might not suffice.
- Available in galvanized or stainless steel.

Note: When ordering an extra or replacement undershelf, please order per the size of your tabletop. Please note the "for table size" column in chart.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

	for table size * length		weight		cu	galvanized (adjustable)		stainless steel (adjustable)			
	in.	mm	lbs.	kg	ft	model #	list	model #	list	model #	list
24″ width (610mm)	24″	610	15	6.6	1.6	**2424GADJUS**	369	**2424SADJUS-18/4**	822	**2424SADJUS-18/3**	900
	30″	762	18	8.2	1.9	**2430GADJUS**	439	**2430SADJUS-18/4**	899	**2430SADJUS-18/3**	987
	36″	915	21	9.6	2.3	**2436GADJUS**	450	**2436SADJUS-18/4**	947	**2436SADJUS-18/3**	1036
	48″	1219	27	12.2	3.0	**2448GADJUS**	464	**2448SADJUS-18/4**	1040	**2448SADJUS-18/3**	1139
	60″	1524	33	15.0	3.7	**2460GADJUS**	485	**2460SADJUS-18/4**	1172	**2460SADJUS-18/3**	1280
	72″	1829	39	17.6	4.5	**2472GADJUS**	489	**2472SADJUS-18/4**	1309	**2472SADJUS-18/3**	1438
	84″	2134	45	20.4	5.2	**2484GADJUS**	494	**2484SADJUS-18/4**	1460	**2484SADJUS-18/3**	1596
	96″	2438	51	23.1	5.9	**2496GADJUS**	526	**2496SADJUS-18/4**	1575	**2496SADJUS-18/3**	1725
	108″	2743	57	25.9	6.6	**24108GADJUS**	544	**24108SADJUS-18/4**	1795	**24108SADJUS-18/3**	1944
	120″	3048	63	28.6	7.3	**24120GADJUS**	586	**24120SADJUS-18/4**	1806	**24120SADJUS-18/3**	1963
	132″	3353	69	31.3	8.1	**24132GADJUS**	654	**24132SADJUS-18/4**	1930	**24132SADJUS-18/3**	2099
	144″	3658	75	34.0	8.8	**24144GADJUS**	722	**24144SADJUS-18/4**	2285	**24144SADJUS-18/3**	2480
30″ width (762mm)	24″	610	17	7.5	1.9	**3024GADJUS**	384	**3024SADJUS-18/4**	959	**3024SADJUS-18/3**	1043
	30″	762	21	9.5	2.4	**3030GADJUS**	464	**3030SADJUS-18/4**	1029	**3030SADJUS-18/3**	1127
	36″	915	24	10.7	2.8	**3036GADJUS**	467	**3036SADJUS-18/4**	1092	**3036SADJUS-18/3**	1186
	48″	1219	30	13.6	3.7	**3048GADJUS** •	485	**3048SADJUS-18/4**	1185	**3048SADJUS-18/3**	1303
	60″	1524	36	16.3	4.6	**3060GADJUS** •	494	**3060SADJUS-18/4**	1356	**3060SADJUS-18/3**	1487
	72″	1829	42	19.1	5.5	**3072GADJUS** •	526	**3072SADJUS-18/4**	1518	**3072SADJUS-18/3**	1660
	84″	2134	48	21.8	6.4	**3084GADJUS**	540	**3084SADJUS-18/4**	1680	**3084SADJUS-18/3**	1836
	96″	2438	54	24.5	7.3	**3096GADJUS**	544	**3096SADJUS-18/4**	1867	**3096SADJUS-18/3**	2042
	108″	2743	60	27.2	8.2	**30108GADJUS**	622	**30108SADJUS-18/4**	2063	**30108SADJUS-18/3**	2300
	120″	3048	66	29.9	9.0	**30120GADJUS**	660	**30120SADJUS-18/4**	2292	**30120SADJUS-18/3**	2426
	132″	3353	72	32.7	9.9	**30132GADJUS**	712	**30132SADJUS-18/4**	2536	**30132SADJUS-18/3**	2672
	144″	3658	78	35.4	10.8	**30144GADJUS**	787	**30144SADJUS-18/4**	2749	**30144SADJUS-18/3**	2985

* Undershelves for 30″ *(762mm)* wide tables listed above also fit 36″ *(915mm)* wide tables.

Table Mounted Microwave Shelves

see spec sheet **EG10.25**



FEATURES:

- 16 gauge type 304 stainless steel.
- 24″ x 24″ *(610 x 610mm)* microwave area.
- 16⅝″ *(422mm)* clearance above tabletop.
- Six stainless steel posts.

	length		weight		cu	Left Side		Right Side		Center				
	in.	mm	lbs.	kg	ft	model #	list	model #	list	weight lbs.	weight kg	cu ft	model #	list
12″ width (305mm)	60″	1524	30	13.6	1.9	**MOS1260L**	2232	**MOS1260R**	2232	32	14.5	2.1	**MOS1260C**	2530
	72″	1829	35	15.9	2.4	**MOS1272L**	2526	**MOS1272R**	2526	38	17.2	2.6	**MOS1272C**	2826
	84″	2133	40	18.1	3.0	**MOS1284L**	2732	**MOS1284R**	2732	43	19.5	3.2	**MOS1284C**	3028
	96″	2438	45	20.4	3.4	**MOS1296L**	3028	**MOS1296R**	3028	48	21.8	3.7	**MOS1296C**	3153

Drawers

- For stainless steel and hardwood tables.
- Type 430 stainless steel.

Note: To specify drawer assemblies for hardwood tables *(page 199)*, you must order model #605500 mounting kit *(at no additional charge)* along with drawer selected.

To specify drawer assemblies for custom equipment *(fabricated through SpecFAB®)* which requires angle frame construction, you must order model #605499 *(at no additional charge)* mounting kit along with drawer selected.

Drawer Capacity Per Table

Drawers can be centered, left or right.
Holes are predrilled for 20″ x 20″ drawers only.

table length in.	table length mm	15″ x 20″ (381 x 508mm) drawer capacity per table	20″ x 20″ (508 x 508mm) drawer capacity per table
24″	610	0	0
30″	762	1 centered	0
36″	914	1 centered	1 centered
48″	1219	1 centered; or 1 left & 1 right	1 centered
60″	1524	1 centered; or 1 left & 1 right	1 centered; or 1 left & 1 right
72″	1829	3 *(1 centered, 1 left, 1 right)*	1 centered; or 1 left & 1 right
84″	2134	4	1 centered; or 1 left & 1 right
96″	2438	4 *(2 left, 2 right)*	2 *(1 left, 1 right)*
108″	2743	4 *(2 left, 2 right)*	4 *(2 left, 2 right)*
120″	3048	4 *(2 left, 2 right)*	4 *(2 left, 2 right)*
132″	3353	6 *(2 between each set of legs)*	3 *(1 between each set of legs)*
144″	3658	6 *(2 between each set of legs)*	3 *(1 between each set of legs)*

Drawers with Polymer Slides

see spec sheet **EG10.13A**

Weight Capacity up to 20 lbs.



Note: For use on standard worktables only, not for equipment using angle frame construction.

No locks are available for these drawers.

FEATURES:

- ½″ *(13mm)* thick polycarbonate grooved friction slides.
- To specify drawer assemblies for tabletops with box marine edge, you must order one of the following based on the table width, along with drawer selected:
  - #611383 for 24″-wide tables
  - #611384 for 30″-wide tables
  - For tables 36″ and wider, consult factory.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

width x length x height in.	width x length x height mm	cu ft	For ALL 24″ STANDARD tables: weight lbs.	weight kg	model #	list	For ALL 30″ & 36″ STANDARD tables: weight lbs.	weight kg	model #	list	For 36″ tables with FRAMING specified AT 30⅛″ CENTER LINES: weight lbs.	weight kg	model #	list
20″ x 15″ x 5″	508 x 381 x 127	1.4	11	5.0	**502976*** •	370	11	5.0	**503007*** •	370	11	5.0	**503011***	370
20″ x 20″ x 5″	508 x 508 x 127	1.4	12	5.4	**502975**** •	439	12	5.4	**503006** •	439	15	6.8	**503010**	439

* Tables must be field drilled for mounting; ** #502975 will protrude past tabletop width.

Drawers with Pull Flange

see spec sheet **EG10.13A**



FEATURES:

- Includes full-extension zinc-plated steel slides with rubber stops.

Note: No locks are available for these drawers.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

width x length x height in.	width x length x height mm	weight lbs.	weight kg	cubic feet	model #	list
20″ x 15″ x 5″	508 x 381 x 127	19	8.6	1.4	**502941*** •	505
20″ x 20″ x 5″	508 x 508 x 127	20	9.0	1.4	**500772** •	584

* Tables must be field drilled for mounting.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Drawers with Pull Flange & Full Front

see spec sheet EG10.13A



FEATURES:

- Includes full-extension zinc-plated steel slides with rubber stops.
- Hemmed safety pull handle.

Note: No locks are available for these drawers.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

width x length x height in.	width x length x height mm	weight lbs.	weight kg	cubic feet	model #	list
20″ x 15″ x 5″	508 x 381 x 127	25	11.3	3.0	**502942** * •	750
20″ x 20″ x 5″	508 x 508 x 127	27	12.3	3.0	**501571** •	820

* Tables must be field drilled for mounting.

Tier Drawers - Regular

see spec sheet EG10.13B



tier drawer



tier drawer with legs

FEATURES:

- Heavy gauge type 430 stainless steel cabinet with three roller-track drawers.
- With or without legs.
- Guides.
- Full-extension zinc-plated steel slides.
- Stainless steel drawer.
- Hemmed safety pull handle on each drawer.


Note: All shipping weights and cubic feet are approximate.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

width x length x height inches	width x length x height mm	description	weight lbs.	weight kg	cubic feet	model #	list
22½″ x 24″ x 22″	572 x 610 x 559	3 drawers, nylon feet	75	34.0	9.8	**TD3** •	5032
22½″ x 24″ x 34½″	572 x 610 x 876	3 drawers, with legs	78	35.4	9.8	**TD3L**	5680

NSF-Approved Tier Drawers

see spec sheet EG10.13B



removable NSF drawer slide

model #NTD3L with NSF-certified drawer

FEATURES:

- Utilizes totally removable drawer slides certified by the National Sanitation Foundation.
- Otherwise, design and features are the same as tier drawers mentioned above.
- Hemmed safety pull handle on each drawer.

Notes: These drawers can be integrated into a table. **Model #NTD3I. $5604 list.**

Optional Pan Replacement available. **Model #608120. $214 list.**

width x length x height inches	width x length x height mm	description	weight lbs.	weight kg	cubic feet	model #	list
22½″ x 24″ x 22″	572 x 610 x 559	3 drawers, nylon feet	75	34.0	9.8	**NTD3**	5389
22½″ x 24″ x 34½″	572 x 610 x 876	3 drawers, with legs	78	35.4	9.8	**NTD3L**	5687

Drawer Assemblies

see spec sheet **EG10.13B**



enclosed drawer assembly



SPEC-MASTER® heavy duty drawer assembly

For Stainless Steel and Hardwood Tables!

FEATURES:

- Removable drawer pan.

Note: All shipping weights and cubic feet are approximate.

Lock available. **$237 list**. To order, add suffix **"-L"**. **Example: 502972-L.**

To determine number of drawers per table, see chart on page 212.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Enclosed Assemblies (NSF)

Type 430 stainless steel, front with hemmed safety pull handle, and full-extension stainless steel slides.

SPEC-MASTER® Heavy Duty Assemblies (NSF)

Type 304 stainless steel, insulated front and self-closing drawer slides that fully extend from housing.


THESE ASSEMBLIES ARE STACKABLE!!

width x length x height (drawer pan only)		cu	weight				OPTIONAL PAN REPLACEMENT		weight				OPTIONAL PAN REPLACEMENT	
in.	mm	ft	lbs.	kg	model #	list	model #	list	lbs.	kg	model #	list	model #	list
20″ x 15″ x 5″	508 x 381 x 127	3.0	35	15.9	**502943** * •	1432	**608115**	396	40	18.1	**502972** * •	2312	**608117**	485
20″ x 20″ x 5″	508 x 508 x 127	3.0	35	15.9	**501572** •	1488	**608116**	396	40	18.1	**502971** •	2393	**606826**	499

* Tables must be field drilled for mounting.

Drawer Assemblies With NSF-Approved Slides (NSF)

see spec sheet **EG10.13B**



removable NSF drawer slide



#502946 or 502947 drawer assembly

FEATURES:

- Type 430 stainless steel.
- Utilizes a totally removable drawer slide, making it easy to clean for complete sanitation.
- Requires no tools.
- All-stainless steel housing, frame, drawer front complete with full-length front pull flange, and removable drawer pan with large radius corners.
- Hemmed safety pull handle.

Note: To determine number of drawers per table, see chart on page 212. Optional lock available. **$308 list**. To order, add suffix **"-L"**. **Example: 502946-L.**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

width x length x height (drawer pan only)		weight		cubic			OPTIONAL PAN REPLACEMENT	
in.	mm	lbs.	kg	feet	model #	list	model #	list
20″ x 15″ x 5″	508 x 381 x 127	35	15.9	3.0	**502947** * •	1475	**608115**	396
20″ x 20″ x 5″	508 x 508 x 127	35	15.9	3.0	**502946** •	1544	**608116**	396

* Tables must be field drilled for mounting.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com


EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Polymer Drawers

see spec sheet EG10.13A

FEATURES:

- Made of heavy gauge polymer.
- With pull flange and built-in drawer stop.



width x length x depth in.	width x length x depth mm	weight lbs.	weight kg	cubic feet	model #	list
13⅞″ x 19″ x 3″	352 x 483 x 76	13	5.8	1.4	**502948**	596
13⅞″ x 19″ x 6″	352 x 483 x 152	14	6.4	3.0	**502949**	714
13⅞″ x 19″ x 9″	352 x 483 x 229	18	8.2	4.5	**502950**	865

Drawer Kits for All Stainless Steel Worktables

see spec sheet EG10.13A

description	add * suffix #	add to list
enclosed assembly *(#501572)* with 20″ x 20″ x 5″ *(508 x 508 x 127mm)* drawer pan	**-D1**	1488
20″ x 20″ x 5″ *(508 x 508 x 127mm)* drawer with pull flange and full front *(#501571)*	**-D2**	820
20″ x 20″ x 5″ *(508 x 508 x 127mm)* drawer with pull flange *(#500772)*	**-D3**	584

* Example: **T3060SB-D3**

Stainless Steel Caster Cradle®

see spec sheet EG10.05M

FEATURES:

- The only caster stabilizing device with a patented uniform circular design (patent #US 8,678,335 B2) that allows for approach from any angle.
- Units are secured to the floor where the casters are to be centered.



PATENTED! ***(patent #US 8,678,335 B2)***

description	model #	list/pkg
quantity of 2 per package	**CC-S-2**	185
quantity of 10 per package	**CC-S-10**	728
quantity of 60 per package	**CC-S-60**	4080

The Benefits of Broadline Manufacturing from EAGLE.

Call Your EAGLE GROUP Representative Now To Place Your Order.

Table Mounted Utility Tool Racks

see spec sheet EG10.12A



FEATURES:

- Furnished with 1⅝″ *(41mm)* stainless steel tubular supports extending through table top and fastened securely to adjustable undershelf.
- Racks are triple-bar type made of 3⁄16″ x 2″ *(5 x 51mm)*, aluminum or type 304 stainless steel bars bolted together and fitted with one two-prong sliding hook per foot.

NOTE: All shipping weights and cubic feet are approximate. Worktables with Utility Tool Rack not recommended for use with casters.


(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

				Aluminum						Stainless Steel				
fits table length		rack length		weight		cu			weight		cu			
in.	mm	in.	mm	lbs.	kg	ft	model #	list	lbs.	kg	ft	model #	list
36″	914	28″	711	38	17.2	1.7	**TM36APR**	1910	50	22.7	1.7	**TM36PR**	2284
48″	1219	40″	1016	42	19.1	1.9	**TM48APR**	1987	57	25.9	1.9	**TM48PR**	2414
60″	1524	52″	1321	46	20.9	1.9	**TM60APR**	2054	64	29.0	1.9	**TM60PR**	2542
72″	1829	64″	1626	50	22.7	1.9	**TM72APR**	2152	70	31.8	1.9	**TM72PR** •	2675
84″	2134	76″	1930	54	24.5	1.9	**TM84APR**	2564	77	34.9	1.9	**TM84PR**	3160
96″	2438	88″	2235	58	26.3	2.1	**TM96APR**	2643	83	37.6	2.1	**TM96PR**	3292
108″	2743	100″	2540	62	28.1	2.3	**TM108APR** *	3206	89	40.4	2.3	**TM108PR** *	3980
120″	3048	112″	2845	66	29.9	2.5	**TM120APR** *	3304	95	43.1	2.5	**TM120PR** *	4144
132″	3353	124″	3150	71	32.2	2.8	**TM132APR** *	3399	102	46.3	2.8	**TM132PR** *	4354
144″	3658	136″	3454	76	34.5	3.1	**TM144APR** *	3514	109	49.4	3.1	**TM144PR** *	4436

* These racks include center tubular support.

Optional Adjustable Shelves for Table Mounted Pan/Pot Racks

12″ *(305mm)* wide. 16 gauge, type 304 stainless steel.



optional adjustable shelf for table mounted pot/pan racks

shelf length		weight		cubic		
in.	mm	lbs.	kg	feet	model #	list
36″	914	16	7.3	0.9	**TM36PRS**	932
48″	1219	20	9.0	1.3	**TM48PRS**	1007
60″	1524	25	11.3	1.6	**TM60PRS**	1082
72″	1829	30	13.6	1.9	**TM72PRS**	1162
84″	2134	35	15.9	2.2	**TM84PRS**	1247
96″	2438	39	17.6	2.5	**TM96PRS**	1382
108″	2743	41	18.6	3.1	**TM108PRS**	3449
120″	3048	45	20.4	3.6	**TM120PRS**	3483
132″	3353	49	22.2	4.1	**TM132PRS**	3637
144″	3658	53	24.0	4.7	**TM144PRS**	3677

Single Bar Pot Racks

see spec sheet EG10.06

			ALUMINUM				STAINLESS STEEL			
	length		weight				weight			
	in.	mm	lbs.	kg	model #	list	lbs.	kg	model #	list
8½″ width *(216mm)*	24″	610	5	2.3	**SBPR-24-A**	327	9	4.1	**SBPR-24-S**	439
	36″	915	6	2.7	**SBPR-36-A**	495	12	5.4	**SBPR-36-S**	622
	48″	1219	7	3.2	**SBPR-48-A**	527	15	6.8	**SBPR-48-S**	697
	60″	1524	9	4.1	**SBPR-60-A**	566	18	8.2	**SBPR-60-S**	770
	72″	1829	11	5.0	**SBPR-72-A**	782	21	9.5	**SBPR-72-S**	1007
	84″	2134	13	5.9	**SBPR-84-A**	809	25	11.3	**SBPR-84-S**	1074
	96″	2438	15	6.8	**SBPR-96-A**	1009	29	13.2	**SBPR-96-S**	1299
	108″	2743	17	7.7	**SBPR-108-A**	1082	34	15.4	**SBPR-108-S**	1404
	120″	3048	20	9.0	**SBPR-120-A**	1110	39	17.6	**SBPR-120-S**	1474

* For overall lengths, add 5-1/8″ *(130mm)*.

FEATURES:

- Flat 3⁄16″ *(5mm)*-thick, 2″ *(51mm)*-wide solid bar.
- 24″ *(610mm)* racks are one-piece, all others come with support brackets.
- Includes one two-prong hook per foot.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



single bar utility rack



utility hook

Additional Hook for Single Bar Utility Racks

- Stainless steel.

weight		cu		list
lbs.	kg	ft	model #	ea.
0.2	0.1	0.1	**300696** •	59

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Ceiling Mounted Utility Tool Racks

see spec sheet **EG10.12B**



FEATURES:

- Furnished with chain hangers for ceiling suspension.
- Racks are triple-bar type made of 3⁄16″ x 2″ *(5 x 51mm)*, aluminum or type 304 stainless steel bars bolted together, and fitted with one two-prong sliding hook per foot.


Note: All shipping weights and cubic feet are approximate.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

rack length		Aluminum					Stainless Steel				
		weight		cu			weight		cu		
in.	mm	lbs.	kg	ft	model #	list	lbs.	kg	ft	model #	list
28″	711	28	12.7	0.7	**CM36APR**	1540	41	18.6	0.7	**CM36PR**	1963
40″	1016	32	14.5	0.9	**CM48APR** •	1615	48	21.8	0.9	**CM48PR** •	2053
52″	1321	36	16.3	1.2	**CM60APR** •	1687	54	24.5	1.2	**CM60PR** •	2189
64″	1626	40	18.1	1.6	**CM72APR** •	1785	60	27.2	1.6	**CM72PR** •	2318
76″	1930	44	20.0	1.9	**CM84APR**	2206	67	30.4	1.8	**CM84PR**	2820
88″	2235	48	21.8	2.1	**CM96APR**	2276	74	33.6	2.1	**CM96PR**	2944
100″	2540	53	24.0	2.5	**CM108APR**	2662	81	36.7	2.5	**CM108PR**	3705
112″	2845	58	26.3	2.9	**CM120APR**	2696	87	39.5	2.9	**CM120PR**	3910
124″	3150	63	28.6	3.3	**CM132APR**	2836	94	42.6	3.3	**CM132PR**	3964
136″	3454	68	30.8	3.7	**CM144APR**	2895	101	45.8	3.7	**CM144PR**	4523

Wall Mounted Utility Tool Racks

see spec sheet **EG10.12C**



FEATURES:

- Racks are double-bar type made of 3⁄16″ x 2″ *(5 x 51mm)*, aluminum or type 304 stainless steel bars bolted together, and fitted with one two-prong sliding hook per foot.
- Stainless steel brackets.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

rack length		Aluminum					Stainless Steel				
		weight		cu			weight		cu		
in.	mm	lbs.	kg	ft	model #	list	lbs.	kg	ft	model #	list
36″	914	13	5.8	1.0	**WM36APR** •	555	18	8.2	1.0	**WM36PR** •	642
48″	1219	15	6.8	1.2	**WM48APR** •	584	22	10.0	1.2	**WM48PR** •	776
60″	1524	17	7.7	1.4	**WM60APR** •	663	26	11.8	1.4	**WM60PR** •	827
72″	1829	19	8.6	1.8	**WM72APR** •	849	29	13.2	1.8	**WM72PR** •	1049
84″	2134	21	9.5	2.0	**WM84APR** •	893	33	15.0	2.0	**WM84PR** •	1140
96″	2438	23	10.4	2.3	**WM96APR** •	1095	37	16.8	2.3	**WM96PR** •	1616
108″	2743	25	11.3	2.6	**WM108APR**	1325	41	18.6	2.6	**WM108PR**	1815
120″	3048	28	12.7	2.9	**WM120APR**	1339	45	20.4	2.9	**WM120PR**	1922
132″	3353	31	14.1	3.2	**WM132APR**	1549	50	22.7	3.3	**WM132PR**	1948
144″	3658	34	15.4	3.5	**WM144APR**	1664	55	24.9	3.5	**WM144PR**	2453

Corner Guards


see spec sheet **EG10.14**

- Adheres to corner of adjacent wall(s).
- Heavy gauge stainless steel.
- Adhesive tape backing.



height		2″ x 2″ Inner Corner Guards		2″ x 2″ Outer Corner Guards	
in.	mm	model #	list	model #	list
36″	914	**CG-I-36**	220	**CG-O-36**	220
48″	1219	**CG-I-48**	263	**CG-O-48**	263
60″	1524	**CG-I-60**	299	**CG-O-60**	299
72″	1829	**CG-I-72**	328	**CG-O-72**	328

- Options / Accessories / Replacements -



see spec sheet **EG10.50**

Please allow six to eight weeks shipping cycle for custom fabrication after receipt of approved drawings.
Add 10% upcharge to expedite 4-week shipping cycle.

model #	description	unit	list
E10	Square edge table - front and/or rear	per table	443
E11	Marine counter edge	per table	950
E12	"V" type marine edge	per table	950
E13	Bullnose edge	per table	900
E15	Vertical tray dividers - 4-section assembly, 3″ on centers	each	1404
300698	Casters - 4″ *(102mm)*-diameter with brake	each	217
300699	Casters - 4″ *(102mm)*-diameter without brake	each	206
317635	Casters - 5″ *(127mm)*-diameter with brake	each	283
317636	Casters - 5″ *(127mm)*-diameter without brake	each	283
313835	Stainless steel flanged bullet feet	each	59
300692	Bullet feet - stainless steel	each	40
301036	Bullet feet - white metal	each	22
300293	Bullet feet - plastic	each	6
E17	Special height legs	per table	333
E18 *	Duplex receptacle and mounting plate (under table)	each	832
E18.1 *	Duplex receptacle in splash (requires at least 6″-high splash)	each	803
E18.2 *	Pedestal duplex receptacle (top of table or overshelf)	each	929
E19	Stainless steel gussets	each	73
	Sinks — complete with faucet and basket drain (Specify location)		
E20	- 10″ x 14″ x 9.5″ bowl *(254 x 356 x 241mm)*	each	2240
E21	- 14″ x 16″ x 9.5″ bowl *(356 x 406 x 241mm)*	each	2352
E22 **	- 16″ x 20″ x 8″ bowl *(406 x 508 x 203mm)*	each	2506
E23 **	- 16″ x 20″ x 14″ bowl *(406 x 508 x 356mm)*	each	2783
E24 **	- 18″ x 20″ x 14″ bowl *(457 x 508 x 356mm)*	each	3047
E24A	- 20″ x 20″ x 14″ *(508 x 508 x 356mm)*	each	3070
E25 **	- 24″ x 24″ x 14″ *(610 x 610 x 356mm)* for 36″ (914mm)-wide tables	each	4153
313304	T&S faucet upgrade - deck mount 4″ *(102mm)* centers	each	1244


model #	description	unit	list
300720	Lever drains - 1.5″ I.P.S. *(38mm)*	each	485
300721	Lever drains - 2″ I.P.S. *(51mm)*	each	485
300722	Lever drains - 2″ I.P.S. *(51mm)* with overflow	each	988
341189 ***	Twist handle drains - 1.5″ I.P.S. *(38mm)*	each	507
336002 ***	Twist handle drains - 2″ I.P.S. *(51mm)*	each	507
341190 ***	Twist handle drains - 2″ I.P.S. *(51mm)* with overflow	each	1149
E27	Top cutout - square or round (Specify location)	each	596
E28	Angle slides for pans, up to six pairs Specify location and pan size.	set	1149
E29	Urn trough, 4.5″ wide x 1.25″ deep *(114 x 32mm)* with 1.5″ *(38mm)* drain, complete with louvered grate. (Length must be maximum of 6″ shorter than table. Specify location.)	lin. ft	596
E30	End splash — per end (Specify end), all heights	each	650
E31	1.5″ *(38mm)* rear upturn for undershelf	table	263
E32	Can opener hole with under table support (Specify location)		423
E33	Sink splashes — single thickness 4″ tall *(102mm)*	each	667
E34	Column cutout (Send floor plan/sketch)	each	1383

NOT PICTURED


model #	description	unit	list
606329	Scrap chute, 6″ *(152mm)*-diameter	each	465
606331	Knife rack (fits rolled rim, poly, and square edge tables)	each	680
E35	16 gauge s/s apron in front of sinks or cutouts	lin. ft	328
E36	Fully welded - top, undershelf & legs	each	1048
E36A	Welded base only - undershelf & legs	each	704
E37	NSF sprayed-on sound deadening up to 12′ *(3658mm)*	table	1414
E37A	- for each additional foot	lin. ft	115
E38-6 ****	Cantilever mount up to 6′ *(1829mm)* - add to wall shelf price	each	822
E38-12 ****	Cantilever mount up to 12′ *(3658mm)* - add to wall shelf price	each	1229
E39	Enclosed backsplash	lin. ft	177

* For GFI receptacle, add "**-GFI**" to E number (example: E18.1**-GFI**) and $86 to list price.
** These sink bowls will not fit in a table any less than 30″ *(762mm)* wide.
*** Optional twist drain brackets available for use with twist handle drains.
**** Applicable to wall mount shelves and pot racks.


Optional Sinks Built Into Tables – Standard Locations



sink on left/right side of table




sink on center of table



sink with faucet on end of table

Optional Table Edges



100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

NOTES

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

Accessories/Replacements
- Hand Sinks 233-236
- All Other Sinks 237, 242, 259-261

Custom Options 259

412, 414, and 314 Series Sinks
- One-Compartment 238
- Two-Compartment 239
- Three-Compartment 240
- Four-Compartment 241

Cool Trough® Water Tempering Systems 264-265
- Portable Cool Trough® 267

Counter Drop-In Sinks 254-256

Floor Drains/Troughs 262-26

Hand Sinks 222-236
- Accessories 233-236
- Electronic 225-226
- HFL-5000 Touchless Handwashing System 222
- Physically Challenged / ADA 229
- With Waste Receptacle 232

Seamless Welded-In Sinks 257-259

SPEC-MASTER® Heavy Duty Sinks
- One-Compartment FN Series 243
- Two-Compartment FN Series 244
- Three-Compartment FN Series 245
- Four-Compartment FN Series 246
- FFN Series Flush Front 249
- Specialty Use/Parts Cleaning 251

Specialty Sinks
- 314 Series Corner 250
- 310 / 312 Series Specialty Use 251
- Lavatory 236
- Mop Sink Storage Cabinets 253
- Mop Sinks 252

Utility Sinks 247-249

NEW

Hand Sinks with Eyewash

see spec sheet **EG20.57**

OSHA and ADA compliant!



HSAP-10-EYE



HSAP-14-EYE

Features:
- 300 series stainless steel construction.
- Space-saving design.
- 120-volt electric-eye faucet with battery backup.
- Eyewash faucet OSHA, ANSI Z358.1 compliant: OSHA 29 CFR 1910.151(c).
- Thermostatic mixing valve to ensure correct water temperature is maintained: 60˚–100˚F *(15.6–37.8˚C)*.
- Multi-fold paper towel holder designed for Georgia-Pacific #20887.
- Fully enclosed skirt features tamper resistant hardware.
- #HSAP-10-EYE comes with wall mounted battery-powered type LTX-12 soap dispenser.

bowl size width x length x depth		overall size width x length x height			
in.	mm	in.	mm	model #	list
9½″ x 8¼″ x 5″	241 x 210 x 127	19⁹⁄₁₆″ x 13″ x 22⅜″	497 x 330 x 568	**HSAP-10-EYE**	15047
16″ x 14″ x 5″	406 x 356 x 127	24″ x 22″ x 22⅛″	610 x 559 x 562	**HSAP-14-EYE**	11730

Stainless Steel Fabricated Sinks

see spec sheets **EG20.14** **EG20.15**

FEATURES:

- 14˝-deep *(356mm)* bowls with ¾˝ *(19mm)* radius corners.
- 8˝ *(203mm)*-high backsplash with ¾˝ *(19mm)* upturn and tile edge.

20˝ x 20˝ (508 x 508mm) bowls *(except where noted*)*



S14-20-3-18-SL



S16-20-3-18

# of bowls	drainboard length in.	drainboard length mm	# of drbds	overall length in.	overall length mm	S14 Series: Stainless steel legs, crossbracing, gussets and bullet feet. 14 gauge type 304 stainless steel construction model #	list	S16 Series: Galvanized legs, crossbracing and gussets, and plastic bullet feet. 16 gauge type 304 stainless steel construction model #	list
1	n/a		0	29˝	737	**S14-20-1-SL**	3358	**S16-20-1**	2959
2	18˝	457	1	67½˝	1715	**S14-20-2-18R-SL**	5837	**S16-20-2-18R**	5139
	18˝	457	1	67½˝	1715	**S14-20-2-18L-SL**	5837	**S16-20-2-18L**	5139
	18˝	457	2	81˝	2057	**S14-20-2-18-SL**	6140	**S16-20-2-18**	5406
3	18˝	457	1	89½˝	2273	**S14-20-3-18R-SL**	7697	**S16-20-3-18R**	6773
	18˝	457	1	89½˝	2273	**S14-20-3-18L-SL**	7697	**S16-20-3-18L**	6773
	18˝	457	2	103˝	2616	**S14-20-3-18-SL**	8103	**S16-20-3-18**	7128
	24˝	610	1	95½˝	2426	**S14-20-3-24R-SL**	8026	**S16-20-3-24R**	7063
	24˝	610	1	95½˝	2426	**S14-20-3-24L-SL**	8026	**S16-20-3-24L**	7063
	24˝	610	2	115˝	2921	**S14-20-3-24-SL**	8452	**S16-20-3-24**	7433
3	18˝	457	2	103˝	2616	**S14-28-3-18-SL** *	10259	**S16-28-3-18** *	9020

* #S14-28-3-18-SL and #S16-28-3-18 sinks feature 28˝-wide x 20˝-long *(711 x 508mm)* sink bowls and two sets of faucet holes.

HFL-5000 Touch-Free Handwashing Systems

see spec sheet **EG20.55**

- EAGLE hand sink with MICROGARD® antimicrobial protection.
- Automated paper towel dispenser. EAGLE part #384796.
- Splash-mount gooseneck faucet, with electronic eye sensor. Eagle part #384969 or EAGLE part #369865.
- Hand sanitizing dispenser. EAGLE part #377455.
- Hand soap dispenser. EAGLE part #377456.
- Glove rack with single service gloves. EAGLE part #352855.
- Soft bristle white nail brush. EAGLE part #348602

Refer to specification sheet for full component details and specifications.



description of hand sink included	model #	list
with waste receptacle	**HFL-5000**	8708
with skirt *(no waste receptacle)*	**HFL-5000-S**	7763
with waste receptacle and end splashes	**HFL-5000-LRS**	9226

Optional MICROGARD®* for Hand Sinks!

(See pages 223-232 for applicable hand sinks.)

- MICROGARD® is an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew on the surface that cause stains, odors and degradation.
- MICROGARD® combines inorganic antimicrobial silver ions with a patented delivery system. The patented delivery system triggers the release of silver ions which react with bacteria in three ways:
  1) Suffocates the cell.
  2) Stops the cell reproduction system.
  3) Stops the cell from growing.
- MICROGARD® is a second line of defense. In keeping with good hygiene practices, clean this product as usual. The protection will not wash out, while organic bactericides may.**
- MICROGARD® is applied onto top and underside of sink deck, backsplash, and inside & outside of sink bowl *(excludes faucets, drains, towel/soap dispensers, waste receptacle, skirt, pedal valves, and nail brush holder).*

* MICROGARD® does not protect users or others against bacteria, viruses, germs or other disease organisms. Always clean this product thoroughly after each use.

** **Note:** To clean, use mild soap and water, rinse, and wipe entire surface dry. Soft non-abrasive cleaners may be used when necessary. Strong abrasive cleaners will scratch and dull the surface.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglegrp.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Traditional Hand Sinks (NSF)

see spec sheet **EG20.40**

MICROGARD®
an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

FEATURES:

- All sinks are wall mountable.
- Deep-drawn seamless design.
- Positive drain, included on all models.
- All type 304 stainless steel.
- Splash mount gooseneck faucet included on all models except HSA-10.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Cleanest sinks in the industry!

HSA-10* • list: 1063



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 12¾″ *(376 x 480 x 324mm)*
weight:	10 lbs. *(4.5 kg)*
cubic feet:	3.0
includes:	*4″ (102mm)* centerline faucet holes, basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $243** to list price.

HSA-10-FAW • list: 1673



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 12¾″ *(376 x 480 x 324mm)*
weight:	14 lbs. *(6.4 kg)*
cubic feet:	2.8
includes:	Faucet with wrist handles, p-trap, tail piece, basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $243** to list price.

HSA-10-F • list: 1244



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 12¾″ *(376 x 480 x 324mm)*
weight:	12 lbs. *(5.2 kg)*
cubic feet:	2.8
includes:	Faucet, basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $243** to list price.

HSA-10-FL • list: 1782



bowl size:	10″ x 14″ x 5″ *(254 x 356 x 127mm)*
overall size:	14¾″ x 18⅞″ x 12½″ *(376 x 480 x 318mm)*
weight:	15 lbs. *(6.6 kg)*
cubic feet:	3.0
includes:	Faucet, polymer lever drain.

HSA-10-FA • list: 1314



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 12¾″ *(376 x 480 x 324mm)*
weight:	14 lbs. *(6.4 kg)*
cubic feet:	3.0
includes:	Faucet, p-trap, tail piece, basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $243** to list price.

HSA-10-FO • list: 1476



bowl size:	10″ x 14″ x 5″ *(254 x 356 x 127mm)*
overall size:	14¾″ x 18⅞″ x 12½″ *(376 x 480 x 318mm)*
weight:	13 lbs. *(5.6 kg)*
cubic feet:	3.0
includes:	Faucet, polymer lever drain w/overflow.

* To order hand sink with no faucet holes, add suffix **"-NH"** to model number **(example: HSA-10-NH)**. **$278 upcharge.**

Hand Sinks with Standard Towel Dispenser and/or Soap Dispenser

see spec sheets **EG20.05** **EG20.41**

MICROGARD®
an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

FEATURES:

- Deep-drawn positive drain and splash mount gooseneck faucet included on all models.
- All 304 series stainless steel, including towel dispenser.
- Soap dispenser on all models holds 16 ounces.
- Towel dispenser holds 4″ x 10″ *(102 x 254mm)* C-fold disposable paper towels.

HSA-10-FDP — list: 2617



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 19¼″ x 28¼″ *(376 x 489 x 718mm)*
weight:	29 lbs. *(13.2 kg)*
cubic feet:	6.2
includes:	Faucet, towel dispenser, soap dispenser, basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $243** to list price.

HSA-10-FODP — list: 3209



bowl size:	10″ x 14″ x 5″ *(254 x 356 x 127mm)*
overall size:	14¾″ x 19¼″ x 28″ *(376 x 489 x 711mm)*
weight:	30 lbs. *(13.6 kg)*
cubic feet:	6.2
includes:	Faucet, towel dispenser, soap dispenser, polymer lever drain w/overflow.

HSA-10-FDPS — list: 3994



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 19¼″ x 30″ *(376 x 489 x 762mm)*
weight:	29 lbs. *(13.2 kg)*
cubic feet:	6.2
includes:	Faucet, towel dispenser, soap dispenser, skirt, basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $243** to list price.

HSA-10-F-DS* — list: 1637



(See page 231 for #HSAN-10-F-DS)

bowl size:	9¾″ x 13½″ x 6½″ *(248 x 343 x 165mm)*
overall size:	14¹³⁄₁₆″ x 18⅞″ x 12¾″ *(376 x 480 x 324mm)*
weight:	12 lbs. *(5.2 kg)*
cubic feet:	2.8
includes:	Faucet, 16-oz deck-mt soap dispenser, basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $243** to list price.

HSA-10-FLDP — list: 3142



bowl size:	10″ x 14″ x 5″ *(254 x 356 x 127mm)*
overall size:	14¾″ x 19¼″ x 28″ *(376 x 489 x 711mm)*
weight:	32 lbs. *(14.5 kg)*
cubic feet:	6.2
includes:	Faucet, towel dispenser, soap dispenser, polymer lever drain.

HSA-10-FWLDP-LRS — list: 4239



bowl size:	10″ x 14″ x 5″ *(254 x 356 x 127mm)*
overall size:	14¾″ x 19¼″ x 28″ *(376 x 489 x 711mm)*
weight:	30 lbs. *(13.6 kg)*
cubic feet:	6.2
includes:	Faucet with wrist handles, towel dispenser, soap dispenser, polymer lever drain, and side splashes.

* Overall height does not include soap dispenser bottle. See page 231 for "Space-Saver" hand sink with deck-mount soap dispenser.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Electronic Eye Hand Sinks - AC POWER

see spec sheet **EG20.42**

Note: For regulating water temperature, Temperature Adjustment Valve *(see page 234)* is required.

MICROGARD®
an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

FEATURES:

- Electronic "eye" sensor beam activates water flow and adjusts from 3″ to 12″ *(76 to 305mm).*
- Requires 120-volt, 15-amp electricity.
- 120-volt AC adapter.
- Splash mount gooseneck spout.
- Lever or basket drain.
- Y-Inlet Non-Adjustable Mixing Valve.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

HSA-10-FE*• list: 4523



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 12¾″ *(376 x 480 x 324mm)*
weight:	14 lbs. *(6.3 kg)*
cubic feet:	3.0
includes:	Spout, electronic eye, and basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $243** to list price.

HSA-10-FDPE * list: 6473



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 19¼″ x 28¼″ *(376 x 489 x 718mm)*
weight:	31 lbs. *(14.1 kg)*
cubic feet:	6.2
includes:	Spout, electronic eye, soap dispenser, towel dispenser, and basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $243** to list price.

HSA-10-FOE list: 4754



bowl size:	10″ x 14″ x 5″ *(254 x 356 x 127mm)*
overall size:	14¾″ x 18⅞″ x 12½″ *(376 x 480 x 318mm)*
weight:	13 lbs. *(5.7 kg)*
cubic feet:	3.0
includes:	Spout, electronic eye, and polymer lever drain with overflow.

HSA-10-FODPE list: 6499



bowl size:	10″ x 14″ x 5″ *(254 x 356 x 127mm)*
overall size:	14¾″ x 19¼″ x 28″ *(376 x 489 x 711mm)*
weight:	30 lbs. *(13.6 kg)*
cubic feet:	6.2
includes:	Spout, electronic eye, soap dispenser, towel dispenser, and polymer lever drain with overflow.

HSA-10-FA-PE list: 6019



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 40¾″ *(376 x 480 x 1036mm)*
weight:	28 lbs. *(12.7 kg)*
cubic feet:	9.5
includes:	Spout, electronic eye, soap dispenser, P-trap, tail piece, and basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $243** to list price.

HSA-10-FDPEE list: 7087



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 19¼″ x 31¼″ *(376 x 489 x 794mm)*
weight:	30 lbs. *(13.6 kg)*
cubic feet:	6.2
includes:	Spout, electronic eye, towel dispenser, electronic soap dispenser, and basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $243** to list price.

* Optional waste receptacle available for models HSA-10-FE, HSA-10-FPDE, and HSA-10-FDPEE. See page 235.

Electronic Hand Sinks - Battery Power

see spec sheets **EG20.07** **EG20.49**

FEATURES:

- Battery-powered electronic-eye faucet which operates on four "AA" batteries (included).
- Y-Inlet Non-Adjustable Mixing Valve.
- "Low battery" indicator light.

MICROGARD®
an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

HSA-10-FDPEE-B-T — list: 9949



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 19¼″ x 47½″ *(376 x 489 x 1207mm)*
weight:	54 lbs. *(24.5 kg)*
cubic feet:	9.8
includes:	Battery-powered electronic eye faucet, towel dispenser, electronic soap dispenser, waste receptacle & skirt, and basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $243** to list price.

HSAP-14-ADA-FE-B — list: 9922



bowl size:	16″ x 14″ x 5″ *(406 x 356 x 127mm)*
overall size:	24″ x 22″ x 24½″ *(610 x 559 x 623mm)*
weight:	65 lbs. *(29.5 kg)*
cubic feet:	19.2
includes:	Battery-powered electronic eye faucet, basket drain, c-fold towel dispenser in front, deck-mount soap dispenser, skirt.

HSA-10-FE-B-DS * — list: 5618



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¹³⁄₁₆″ x 18⅞″ x 12¾″ *(376 x 480 x 324mm)*
weight:	16 lbs. *(7.3 kg)*
cubic feet:	3.0
includes:	Battery-powered electronic eye faucet, deck-mount soap dispenser, basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $243** to list price.

HSA-10-FE-B-NB-MG — list: 5728



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¹³⁄₁₆″ x 18⅞″ x 12¾″ *(376 x 480 x 324mm)*
weight:	26 lbs. *(11.8 kg)*
cubic feet:	3.0
includes:	Battery-powered electronic eye faucet, splash-mount nail brush holder, nail brush, MICROGARD®, basket drain.

MICROGARD®
Standard

HSAN-10-FE-B-DS* — list: 6294



bowl size:	13½″ x 9¾″ x 6¾″ *(343 x 248 x 171mm)*
overall size:	17¹³⁄₁₆″ x 12⅛″ x 14¼″ *(457 x 308 x 362mm)*
weight:	16 lbs. *(7.3 kg)*
cubic feet:	2.8
includes:	Battery-powered electronic eye faucet, deck-mount soap dispenser, basket drain.

HSA-10-FE-B-T-NB-MG — list: 7059



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¹³⁄₁₆″ x 18⅞″ x 29⅛″ *(376 x 480 x 740mm)*
weight:	25 lbs. *(11.3 kg)*
cubic feet:	8.1
includes:	Battery-powered electronic eye faucet, splash-mount nail brush holder, nail brush, MICROGARD® waste receptacle & skirt, basket drain.

MICROGARD®
Standard

* Overall height does not include soap dispenser bottle.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Miscellaneous Hand Sinks

NSF

see spec sheets **EG20.21** **EG20.44**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

MICROGARD®
an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

HSA-10-FKP — list: 3005



single knee pedal valve

bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 17½″ *(376 x 480 x 445mm)*
weight:	26 lbs. *(11.8 kg)*
cubic feet:	6.0
includes:	Spout, single pedal knee valve, skirt, basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $196** to list price.

HSA-10-FA-P • — list: 2750



with Foot Valve Operation

bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 40⅛″ *(376 x 480 x 1019mm)*
weight:	32 lbs. *(14.5 kg)*
cubic feet:	7.4
includes:	Spout, foot pedal valves, P-trap, tail piece, basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $243** to list price.

HSA-10-1FK*• — list: 2696



with Knee Valve Operation

bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 17½″ *(376 x 480 x 445mm)*
weight:	27 lbs. *(12.2 kg)*
cubic feet:	4.0
includes:	Spout, single knee pedal, skirt, and basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $243** to list price.

HSA-10-FA-1P • — list: 2750



with Foot Valve Operation

bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 40⅛″ *(376 x 480 x 1019mm)*
weight:	32 lbs. *(14.5 kg)*
cubic feet:	10.2
includes:	Spout, single foot pedal valve, P-trap, tail piece, basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $243** to list price.

HSA-10-FDPK * — list: 4127



with Knee Valve Operation

bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 19¼″ x 33″ *(376 x 489 x 838mm)*
weight:	44 lbs. *(20.0 kg)*
cubic feet:	6.2
includes:	Spout, knee pedals, skirt, soap dispenser, towel dispenser, basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $243** to list price.

HSA-10-FK* • — list: 2696



with Knee Valve Operation

bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 17½″ *(376 x 480 x 445mm)*
weight:	27 lbs. *(12.2 kg)*
cubic feet:	3.9
includes:	Spout, knee pedals, skirt, and basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $243** to list price.

HSA-10-FW • — list: 1438



with Standard Wrist Handles

bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 12¾″ *(376 x 480 x 324mm)*
weight:	14 lbs. *(6.4 kg)*
cubic feet:	3.0
includes:	Faucet with wrist handles, basket drain.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $243** to list price.

* Overall height does not include skirt and knee valves.

Portable Hand Sinks

see spec sheets **EG20.06A** **EG20.06D**



portable hand sink with stainless steel cabinet and single sink bowl



portable hand sink with laminate cabinet and removable water plate.

FEATURES:

- Stainless steel top features box marine edge and rear backsplash.
- 5-gallon fresh water tank, 7-gallon gray water tank.
- Deck mount faucet with 1/4-turn handles.
- Towel rack and trash chute included.
- NEMA 5-15 plug & cord.

Notes: Optional Poly Cutting Board available. 3/4″-thick. Green color. **Model #376509**, **list $340**.

Custom portable hand sinks available through SpecFAB®.

See page 267 for NEW Touch-Free Portable Hand Sinks!

Sinks with Stainless Steel Cabinet—Comes with 4″ *(102mm)* swivel casters▾ (two with brake).

description	bowl size width x length x depth in.	mm	overall size width x length x height in.	mm	WITH COLD WATER ONLY weight * lbs.	kg	model #	list	WITH HOT & COLD WATER lbs.	kg	model #	list
with single S/S bowl	14″ x 10″ x 5″	356 x 254 x 127	24″ x 26″ x 44½″	610 x 660 x 1130	232	105.2	**PHS-S-C**	10560	251	113.9	**PHS-S-H**	13038
with 3-compartment bowl	11⅝″ x 6⅛″ x 5″	295 x 156 x 127	24″ x 26″ x 44½″	610 x 660 x 1130	232	105.2	**PHS-S3-C**	10903	251	113.9	**PHS-S3-H**	13725
with acrylic water plate**	12½″ x 16″	32 x 406	24″ x 26″ x 44½″	610 x 660 x 1130	232	105.2	**PHS-A-C**	12662	251	113.9	**PHS-A-H**	15017

Sinks with Laminated Cabinet—Features Wilsonart® "Biltmore Cherry." Comes with 3″ *(76mm)* swivel casters▾ (two with brake).

description	bowl size width x length x depth in.	mm	overall size width x length x height in.	mm	WITH COLD WATER ONLY weight * lbs.	kg	model #	list	WITH HOT & COLD WATER lbs.	kg	model #	list
with single S/S bowl	14″ x 10″ x 5″	356 x 254 x 127	25″ x 28″ x 44½″	635 x 711 x 1130	237	107.5	**PHS-S-C-LB**	11826	262	118.8	**PHS-S-H-LB**	13245
with 3-compartment bowl	11⅝″ x 6⅛″ x 5″	295 x 156 x 127	25″ x 28″ x 44½″	635 x 711 x 1130	237	107.5	**PHS-S3-C-LB**	11992	262	118.8	**PHS-S3-H-LB**	15598
with acrylic water plate**	12½″ x 16″	32 x 406	25″ x 28″ x 44½″	635 x 711 x 1130	237	107.5	**PHS-A-C-LB**	13930	262	118.8	**PHS-A-H-LB**	16519

▾ 150 lb. (68.0 kg) weight capacity per caster.
* Weights shown reflect empty tanks.
** Features 12½″ x 16″ *(32 x 406mm)* removable polycarbonate water plate which drains into a stainless steel trough, and deck-mount faucet.

Portable Hand Sinks with Open Base

see spec sheet **EG20.06B**



shown with optional wrist handle faucet

Units with Wire Undershelf also available!
—See Spec Sheet.

FEATURES:

- Same inclusions as Portable Hand Sinks with Cabinet *(above)*, but with open base instead.
- Stainless steel undershelf with cord wrap and marine edge.
- 1⅝″ *(41mm)*-diameter stainless steel legs with 4″ *(102mm)*-diameter casters, two w/brake.
- Removable 12¾″ x 10⅜″ x 6″ pan.

overall width x length x height* in	mm	WITH COLD WATER ONLY weight lbs.	kg	model #	list	WITH HOT & COLD WATER weight lbs.	kg	model #	list
30″ x 30″ x 34⅞″	762 x 762 x 886	217	98.4	**PHSE-S-C**	8833	217	98.4	**PHSE-S-H**	10796

* Working height, excludes height of faucet.

Portable Hand Sink Supply Cart

see spec sheet **EG20.06C**

Accommodates two 5-gallon tanks and two 7-gallon tanks (sold separately)
—See Spec Sheet.



FEATURES:

- 24″ x 24″ (610 x 610mm) chrome-plated wire shelf and wire storage basket and four-sided wire truss frame.
- 5″ (127mm) casters—two with brake—with resilient tread and donut bumper.

overall width x length x height in	mm	model #	list
31 15/16″ x 26 3/16″ x 39″	1811 x 665 x 991	**PHS-SUPCRT-A**	1184

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Hand Wash Sinks (NSF)

see spec sheet EG20.47



Model # HWC-E



Model # HWB-E

FEATURES:

- Type 304 stainless steel all-welded construction.
- 1½″ *(38mm)* bull nose front edge.
- Hinged door with pull handle and magnetic catch.
- Pump-action soap dispenser on rear deck.
- Built-in front-loading C-fold towel dispenser located in front of sink bowl.
- Deck-mounted faucet.
- Basket drain.
- Crumb cup.

Space-Saver Models—Wall-mountable. Furnished with Z-clips to secure to wall.

bowl size width x length x depth in.	mm	overall size width x length x height in.	mm	WITH STANDARD FAUCET weight lbs.	kg	model #	list	WITH T&S FAUCET weight lbs.	kg	model #	list
9¼″ x 11½″ x 6″	235 x 292 x 152	16⁹⁄₁₆″ x 14″ x 21¼″	421 x 356 x 540	36	16.3	**HWC-E**	4985	37	16.8	**HWC-T**	5442

Drop-In Models

bowl size width x length x depth in.	mm	overall size width x length x height in.	mm	cutout dimensions width x length in.	mm	WITH STANDARD FAUCET weight lbs.	kg	model #	list	WITH T&S FAUCET weight lbs.	kg	model #	list
9¼″ x 11½″ x 6″	235 x 292 x 152	17½″ x 16½″ x 17¼″	445 x 419 x 438	16″ x 14⅞″	406 x 378	32	14.5	**HWB-E**	5215	33	15.0	**HWB-T**	5666

Physically Challenged Hand Sinks (NSF)

see spec sheet EG20.45

Designed for unique applications!

FEATURES:

- Standard with faucet and basket drain.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*


HSAP-14-FW — list: 3577



bowl size:	16″ x 14″ x 5″ *(406 x 356 x 127mm)*
overall size:	24⅛″ x 19″ x 16½″ *(613 x 483 x 419mm)*
weight:	28 lbs. *(12.7 kg)*
cubic feet:	6.5

includes: Faucet, basket drain, and wall brackets.

HSAP-14-ADA-FE-B — list: 9922



bowl size:	16″ x 14″ x 5″ *(406 x 356 x 127mm)*
overall size:	24″ x 22″ x 24½″ *(610 x 559 x 623mm)*
weight:	65 lbs. *(29.5 kg)*
cubic feet:	19.2

includes: Battery-powered electronic eye splash-mount faucet, c-fold towel dispenser in front, deck mount soap dispenser, skirt, basket drain.

HSAP-14-ADA-FW — list: 8486



bowl size:	16″ x 14″ x 5″ *(406 x 356 x 127mm)*
overall size:	24″ x 22″ x 24½″ *(610 x 559 x 623mm)*
weight:	55 lbs. *(24.9 kg)*
cubic feet:	14.1

includes: Splash-mount faucet w/wrist handles, c-fold towel dispenser in front, deck mount soap dispenser, skirt, basket drain.

Replacement T&S Faucets for HSAP-14-ADA-FW

Top quality splash-mount faucets. 4″ center.

features	model #	list
gooseneck spout	**306134**	1110
wrist handles, gooseneck spout	**313305**	1108



#313305

Hand Sinks with Side Splashes NSF

see spec sheet **EG20.56**

FEATURES:
- Standard with faucet and basket drain.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

HSA-10-F-LRS • list: 2198



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 12¾″ *(376 x 480 x 324mm)*
weight:	14 lbs. *(6.4 kg)*
cubic feet:	3.9
includes:	Faucet, basket drain, and side splashes.

HSAN-10-F-LRS • list: 2432



bowl size:	13½″ x 9¾″ x 6¾″ *(343 x 248 x 173mm)*
overall size:	18″ x 12″ x 14¼″ *(457 x 305 x 362mm)*
weight:	17 lbs. *(7.7 kg)*
cubic feet:	2.8
includes:	12″ *(305mm)* side-to-side, faucet, basket drain, and side splashes.

HSA-10-FTWS-LRS list: 2915



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 12¾″ *(376 x 480 x 324mm)*
weight:	32 lbs. *(14.5 kg)*
cubic feet:	3.5
includes:	Faucet, tubular wall brackets, basket drain, and side splashes.

HSA-10-FDPE-LRS list: 7423



bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 19¼″ x 28¼″ *(376 x 489 x 718mm)*
weight:	33 lbs. *(15.0 kg)*
cubic feet:	2.8
includes:	Spout with electronic eye, towel dispenser, soap dispenser, basket drain, and side splashes.

Miscellaneous Hand Sinks NSF

see spec sheet **EG20.31**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

MICROGARD®
an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

HSA-10-FAW • list: 1673



with Standard Wrist Handles

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $243** to list price.

bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 12¾″ *(376 x 480 x 324mm)*
weight:	14 lbs. *(6.4 kg)*
cubic feet:	2.8
includes:	Faucet with wrist handles, P-trap, tail piece, basket drain.

HSA-10-FTWS list: 1962



with Tubular Wall Support

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $243** to list price.

bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 12¾″ *(376 x 480 x 324mm)*
weight:	30 lbs. *(13.6 kg)*
cubic feet:	3.0
includes:	Faucet, tubular wall brackets, basket drain.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Space-Saver Series Hand Sinks

see spec sheets EG20.05 EG20.43

FEATURES:
- Standard with faucet and basket drain.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

MICROGARD®
an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

HSAN-10-F • list: 1480



Only 12″ (305mm) side-to-side to maximum space efficiency.

MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $243** to list price.

bowl size:	13½″ x 9¾″ x 6¾″ *(343 x 248 x 171mm)*
overall size:	18″ x 12″ x 14¼″ *(457 x 305 x 362mm)*
weight:	15 lbs. *(6.8 kg)*
cubic feet:	2.8
includes:	Splash mount faucet, basket drain.

HSAND-10-F • list: 1236



Only 12″ (305mm) side-to-side to maximum space efficiency.

bowl size:	13½″ x 9¾″ x 6¾″ *(343 x 248 x 171mm)*
overall size:	19⅝″ x 12″ x 14¼″ *(498 x 305 x 362mm)*
weight:	15 lbs. *(6.8 kg)*
cubic feet:	2.8
includes:	Deck mount faucet, basket drain.

HSANT-FS list: 1748



19½″ (495mm) backsplash and skirt

bowl size:	13½″ x 9¾″ x 6¾″ *(343 x 248 x 171mm)*
overall size:	18″ x 12″ x 26½″ *(457 x 305 x 673mm)*
weight:	26 lbs. *(11.8 kg)*
cubic feet:	6.5
includes:	Faucet, 19½″ *(495mm)* high backsplash, basket drain.

HSAN-10-F-DS * list: 1888



bowl size:	13½″ x 9¾″ x 6½″ *(343 x 248 x 165mm)*
overall size:	17¹³⁄₁₆″ x 12⅛″ x 14¼″ *(457 x 308 x 362mm)*
weight:	14 lbs. *(6.4 kg)*
cubic feet:	2.8
includes:	Faucet, deck-mount soap dispenser, basket drain.

* Overall height does not include soap dispenser globe.

Stainless Steel Cleaner & Polish



- Cleans and polishes in one step.
- Does not streak or leave fingerprints.
- Leaves a protective invisible coating.

weight			
oz.	kg	model #	list
15	0.4	**004026**	40

Special Purpose Hand Sinks

see spec sheets **EG20.20** **EG20.36** **EG20.37** **EG20.48**

FEATURES:
- Standard with faucet and basket drain.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Designed for unique applications!

MICROGARD®
an antimicrobial agent which contains built-in protection to retard the growth of a broad range of bacteria, mold and mildew that causes stains, odors and degradation.

Hand Sink with Deck Mount Faucet

HSAD-10-F • **list: 1149**



bowl size:	9¾″ x 13½″ x 6¾″ *(249 x 343 x 171mm)*
overall size:	16½″ x 18⅞″ x 12¾″ *(419 x 479 x 324mm)*
weight:	14 lbs. *(6.4 kg)*
cubic feet:	3.0
includes:	Faucet and basket drain.

Economical Hand Sink

- Faucet is deck mounted gooseneck.

HSAE-10-FA • **list: 1383**



bowl size:	10″ x 14″ x 5″ *(254 x 356 x 127mm)*
overall size:	15″ x 16¾″ x 9″ *(381 x 425 x 229mm)*
weight:	14 lbs. *(6.4 kg)*
cubic feet:	3.0
includes:	Faucet, p-trap, tail piece, basket drain, wall brackets, 4″ *(102mm)* high backsplash.

Hand Sink with Waste Receptacle-*Patent protected*

- U.S. Patent #5,732,422.
- Faucet is splash mounted gooseneck.

HSA-10-FDP-T **list: 3812**



MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $243** to list price.

bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 19¼″ x 44⅝″ *(376 x 480 x 1133mm)*
weight:	29 lbs. *(13.2 kg)*
cubic feet:	6.2
includes:	Faucet, basket drain, 12-oz soap dispenser, towel dispenser, waste skirt, and waste receptacle.

Hand Sink with 8″ *(203mm)* Centerline Faucet Holes

• Accommodates splash-mount faucet with 8″ *(203mm)* centerline.

HSA-10-8 **list: 1030**



MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $243** to list price.

bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 12¾″ *(376 x 480 x 324mm)*
weight:	9 lbs. *(4.1 kg)*
cubic feet:	3.0
includes:	8″ *(203mm)* centerline faucet holes *(no faucet)*, basket drain

Hand Sink with 8″ *(203mm)* Centerline Faucet

- Faucet is splash mounted gooseneck.

HSA-10-8F **list: 1326**



MICROGARD® available:
To order, add suffix **"-MG"** to model # / **add $243** to list price.

bowl size:	9¾″ x 13½″ x 6¾″ *(248 x 343 x 173mm)*
overall size:	14¾″ x 18⅞″ x 12¾″ *(376 x 480 x 324mm)*
weight:	13 lbs. *(5.9 kg)*
cubic feet:	3.0
includes:	Faucet on 8″ *(203mm)* center, basket drain.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Hand Sink Accessories - Faucets & Valves

see spec sheet EG20.52A


splash mounted faucet


deck mounted faucet


deck mounted faucet with 8˝ spout


drinking bubbler

FEATURES:
- All faucets below feature 4˝ *(102mm)* centers, except where noted.

Note: Faucets listed are lead-free AB1953-compliant.

Can be shipped UPS.

Standard Faucets

- With 4˝ *(102mm)* center, except #313075.

description	model #	list
splash mounted, gooseneck spout	**303987**	344
wrist handles	**307120**	217
splash mounted with wrist handles, gooseneck spout	**306495**	717
deck mounted, gooseneck spout, 1/4-turn handles	**302004**	382
deck mounted, 8˝ *(203mm)* spout, 1/4-turn handles	**301248**	342
drinking bubbler	**318495**	1206
splash mounted, gooseneck spout, 8˝ *(203mm)* center	**313075**	337

Repair Kit for Standard Faucets



- For faucets #303987, 302004, and 301248 only.

description	model #	list
hot/cold ceramic cartridge	**368421**	63

Faucet-Mount Emergency Eyewash Units

- Fits in place of standard aerator on spout.
- Both units meet ANSI Z358.1 standards.




#377563

description	model #	list
pull valve activation, includes two dust covers, chrome finish	**326272**	980
rotate to activate, polished stainless finish, “eye-pod” design	**377563**	1955

IMPORTANT NOTE: If anti-scald valve (see below) is needed, order #373848 only.

Anti-Scald Valve for Faucet-Mount Emergency Eyewash Units

- This is the only anti-scald valve to be used with faucet-mount emergency eyewash units (above).
- Meets ANSI Z358.1 and ASSE 1071 standards.

description	model #	list
½˝ *(13mm)* NPT, 65 - 90˚F	**373848**	4414

Battery-Powered Electronic-Eye Faucets


T&S faucet

- Used as a replacement to sinks on page 225 *(by adding suffix **“-B”**)*, or as a replacement faucet for sinks on page 226 via the model number below.

description	model #	list
Splash mount. Comes with four “AA” batteries and built-in low-battery indicator	**326014**	3248
Upgrade: T&S electric-eye faucet, splash-mtd with batteries and AC adapter for dual operation. With AC adapter plugged in, faucet automatically switches to AC power to conserve batteries.	**356128**	3480

Short 90˚ for Splash Mount Faucets



description	model #	list
set of two, 1/2˝ NPT female x male	**376740**	116

Spouts/Spout Assemblies



description	model #	list
splash-mount replacement gooseneck for knee/foot valve-operated models	**312162**	697

Shut-Off Valve



- Antibacterial surface.
- Screws onto faucet aerator.
- Polished chrome finish.

description	model #	list
shut-off push bar	**349921**	145

Anti-Scald Valve



- Automatic shutdown with either hot or cold water failure.
- ASSE 1016 and 1017 listed.

IMPORTANT: Not for use with Faucet-Mount Emergency Eyewash Units.

description	model #	list
½˝ *(13mm)* NPT, 100 - 145˚F	**326696**	1303

Hand Sink Accessories - Valves

see spec sheet **EG20.52A**

Can be shipped UPS.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Temperature Adjustment Valve ("Mixing Valve")

- For hand sinks with AC-powered electronic faucet or hand sinks with single pedal valves.
- Cast brass body.
- ⅜″ *(10mm)* all connections.



description	model #	list
built-in check valves to prevent backflow and adjustment screw valves to mix hot and cold	**326015**	198

Non-Adjustable Y-Inlet Mixing Valve

- For electronic hand sinks and hand sinks with single pedal valves only.
- "Y" shaped single-piece component. Chrome-plated brass body.



description	model #	list
Male connections; threads are ⅝-24 UNEF	**342938**	67

Tempering Valve

- Maximum output of 120˚F.
- Maximum pressure of 150 psi.
- ASSE 1016 and 1070 listed.



description	model #	list
thermoplastic body, ⅜″ *(10mm)* male compression fittings, 80˚F-120˚F, 0.5-2.5 gpm, built-in check valve	**375612**	700



single foot pedal valve



double foot pedal valve



knee pedal valve

Pedal Valves

description	DOUBLE PEDALS model #	DOUBLE PEDALS list	SINGLE PEDALS model #	SINGLE PEDALS list
foot pedal valve, floor mount	**300604**	777	**355994**	777
knee pedal valve	**313481**	1038	**351738**	1038

Replacement Cartridge for all Pedal Valves: **Model # 374955. List: $65**

Hand Sink Accessories - Miscellaneous

see spec sheet **EG20.52B**

Can be shipped UPS.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*



#318496 towel dispenser



#DP-10 towel dispenser



#384796 towel dispenser

Towel/Soap Dispensers

description	model #	list
type 304 with conventional soap dispenser	**DP-10*•**	1700
type 304 stainless, with electric eye soap dispenser	**DP-20***	3540
type 304 stainless, wall mounted	**318496**	596
break-resistant plastic, touchless, wall mounted	**384796**	271

* Fits all HSA hand sinks except Space Saver models.



conventional soap dispenser



soap dispenser with electric eye



deck mount soap dispenser

Soap Dispensers

description	model #	list
soap dispenser, conventional, 12-oz	**300602**	66
soap dispenser, wall mounted with electric eye	**377456**	547
soap dispenser, deck-mount, 16-oz	**324074**	252

Hand Sanitizing Dispenser

description	model #	list
Purell/LTX, wall mounted	**377455**	547




hand sanitizing dispenser

Plumbing

description	model #	list
tail piece, nickel-plated	**300791**	37
P-trap, nickel-plated	**300789**	192





Nail Brush and Nail Brush Holder

- To order nail brush and nail brush holder, add suffix **"-NB"** to hand sink model number. **Example: HSA-10-F-NB .**

description	model #	list each
infectious-control nail brush made of FDA-approved material, splash-mount stainless steel nail brush holder	add suffix **"-NB"**	234

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Hand Sink Accessories - Miscellaneous

see spec sheet **EG20.52B**

Can be shipped UPS.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Waste Receptacle

PATENTED DESIGN

- U.S. Patent #5,732,422.
- 20 gauge stainless steel.
- Removable.
- Comes with skirt.
- Must be factory installed.

Note: To order, add suffix **"-T"** to hand sink model number.
Example: HSA-10-F-T.

for models:	model #	list
HSA-10; HSA-10-F; HSA-10-FA; HSA-10-FDP; HSA-10-FE; HSA-10-FDPE; HSA-10-FDPEE; and HSA-10-FW	add suffix **"-T"**	1288



HSA-10-FDP-T hand sink with waste receptacle

End Splashes…

- Type 304 stainless steel.

Note: Will not work with Space Saver Hand Sinks *(page 231)* that have faucets with wrist handles.

…Factory-installed

Notes: To order, add suffix **"-LS"** *(left end splash)*, **"-RS"** *(right end splash)*, or **"-LRS"** *(both end splashes)*. **Example: HSA-10-F-LRS.**

MICROGARD® cannot be put on hand sinks with end splashes.

descriptions	model #	list
left end splash only	add suffix **"-LS"**	482
right end splash only	add suffix **"-RS"**	482
left and right end splash	add suffix **"-LRS"**	963



hand sink with optional end splashes

…for Field-installation

descriptions	model #	list each
one self-adhesive side splash, can be used for right or left application	**HSA-SSK** •	306
same as above, but fits only on Physically Challenged sinks (page 229)	**HSAP-SSK**	370



pair of end splashes for field installation



polymer lever drain

Wall Brackets

- 14 gauge type 304 stainless steel.

descriptions	model #	list
side mounting, one pair	**606396** •	450
same as above, but fit only Space Saver models	**611869**	450



pair of wall brackets

Skirt Assembly

- Type 304 stainless steel.

fits models:	model #	list
HSA-10; HSA-10-F; HSA-10-FA; HSA-10-FDP; HSA-10-FE; HSA-10-FDPE; HSA-10-FDPEE; and HSA-10-FW.	**606215** •	1007
HSAN-10-F	**607560**	714



Drains

description	maximum flow rate gallons per minute	gallons per hour	model #	list
polymer lever drain fits 3½″ *(89mm)* diameter holes	11	660	**319931**	164
overflow assembly for lever drain #319931 *(above)*	-	-	**319932**	75
1½″ *(38mm)* drain assembly, fits 2″ *(51mm)* dia. hole	12	720	**300886**	29
mini crumb cup for 1½″ *(38mm)* drain	-	-	**300966**	9
s/s basket drain assembly fits 3½″ *(89mm)* diameter holes w/crumb cups	18	1080	**300287**	45
cast metal lever drain with overflow assembly, with 7¼″ *(185mm)* long lever, fits 3½″ *(89mm)* diameter holes	-	-	**347771***	458

* Applicable only for hand sinks with overflow, replaces #319931/319932 assembly.

Hot Water Heater

see spec sheet **EG20.52B**



99% EFFICIENT!
Flow switch activates heater only on demand—no standby heat loss.

No temperature/pressure relief valve needed (check local codes), reducing installation cost.

applicable hand sinks include:	add suffix #	list each
HSA-10; HSA-10-F; HSA-10-FA; HSA-10-FDP; HSA-10-FE; HSA-10-FDPE; HSA-10-FDPEE; HSA-10-FW; HSA-10-FA-P; and HSAD-10-F.	**"-WH"**	4742

FEATURES:

- For EAGLE hand sinks with 10″ x 14″ *(254 x 356mm)* rounded bowl.
- Stainless steel pedestal base features notches for electrical wiring and front access panel.
- Unit comes equipped with an energy-saving tankless water heater. 120V 29A electricity. 0.5 GPM. 150 PSI maximum operating pressure (minimum 25 PSI).
- Water is heated instantaneously when faucet is on.
- To order, add suffix **"-WH"** to model number and **add $4742 to list price** of hand sink. **Example: HSA-10-FDPEE-WH**

Note: Must be field-wired.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Lavatory Sinks NSF

see spec sheet **EG20.12**

Replacements for Lavatory Sinks

description	to fit process sink model #	model #	list
splash mount spout	P1916, P1916FE, W1916	**300600**	393
drain assembly	P1916, P1916FE, W1916,	**300287**	45
temperature adjustment valve, or "mixing valve"	P1916FE	**326015**	198

FEATURES:

- A marine edge.
- Type 304 stainless steel sink bowl.
- Gooseneck spout.
- Soap dispenser.
- Basket drain.
- Wall mount and pedestal models available.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

W1916-FA • list: 3049



wall mounted

bowl size:	15¾″ x 19¾″ x 8⅞″ *(400 x 500 x 225mm)*
sink overall size:	23″ x 24¼″ x 16¹⁄₁₆″ *(584 x 616 x 408mm)*
shipping wt:	35 lbs., 15.9 kg
cubic feet:	1.6
includes:	Gooseneck faucet, soap dispenser, basket drain.

P1916 • list: 5142



pedestal mounted, foot pedal valve

bowl size:	15¾″ x 19¾″ x 8⅞″ *(400 x 500 x 225mm)*
sink overall size:	23″ x 24¼″ x 39¹⁄₁₆″ *(584 x 616 x 992mm)*
shipping wt:	48 lbs., 21.8 kg
cubic feet:	1.6
includes:	Gooseneck spout, soap dispenser, pedestal with foot valves, basket drain.

W1916 list: 5839



wall mounted, knee valve operation

bowl size:	15¾″ x 19¾″ x 8⅞″ *(400 x 500 x 225mm)*
sink overall size:	23″ x 24¼″ x 16¹⁄₁₆″ *(584 x 616 x 408mm)*
shipping wt:	43 lbs., 19.5 kg
cubic feet:	1.6
includes:	Gooseneck spout, soap dispenser, knee valves, basket drain.

P1916FE list: 6883



pedestal mounted, electronic-eye operation

bowl size:	15¾″ x 19¾″ x 8⅞″ *(400 x 500 x 225mm)*
sink overall size:	23″ x 24¼″ x 39¹⁄₁₆″ *(584 x 616 x 992mm)*
shipping wt:	48 lbs., 21.8 kg
cubic feet:	1.6
includes:	Gooseneck spout with electronic-eye operation, soap dispenser, pedestal, basket drain.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment



Euro-style edging on front and sides.

Sink Kits for 412, 414, and 314 Series Sinks

see spec sheet **EG20.51A**


Standard Sink Kit components:

Stainless steel gussets

Stainless steel crossbraced legs

Stainless steel feet

T&S faucet #313293





lever drain (with Kit B)



twist handle drain (with Kit D)

Kit A

Add suffix **"-CLF"** to sink model number.

description	add to list price
1 faucet	2497
2 faucets	3744

Kit B

Standard sink kit components plus lever drain. Add suffix **"-CLFD"** to sink model number.

description	add to list price
1 faucet	2497
2 faucets	3744
per lever drain	485

Kit C

Standard sink kit components plus lever drain with overflow. Add suffix **"-CLFDO"** to sink model number.

description	add to list price
1 faucet	2497
2 faucets	3744
per lever drain with overflow	889

description	add to list price
1 faucet	2497
2 faucets	3744
per twist handle drain	507

Kit E

Standard sink kit components plus twist handle drain with overflow and twist handle bracket. Add suffix **"-CLFDOT"** to sink model number.

description	add to list price
1 faucet	2497
2 faucets	3744
per twist handle drain with overflow	1149

412, 414, and 314 Series Sinks
Deep Drawn Construction

- Deep drawn seamless coved corner sink bowls of all units have a generous radius and are rectangular for maximum capacity.
- Legs are galvanized, 1⅝″ *(41mm)* diameter.
- Crossbraced front-to-back with 1″ *(25mm)* diameter galvanized tubing.
- Leg gussets are welded to a die-cut heavy-gauge reinforcing plate, and welded adjacent to sink bowl for maximum stability and support.
- 9½″ *(241mm)* standard backsplash includes 1″ *(25mm)* upturn and tile edge for easy installation and feathering to wall/splash surface.
- Basket-type waste drains are included to fit sink bowl's 3½″ *(89mm)* opening and feature 1½″ *(38mm)* outlet.
- 30″ and 36″ *(762 and 914mm)* drainboards available upon request.

Note: Stainless steel legs with front-to-back crossbracing available *(does not include stainless steel feet).*

To order, **add $749 to list price** and suffix **"-SL"** to model number **(example: 414-16-1-SL)**.

To order stainless steel legs and gussets, **add $1036 to list price** and suffix **"-SLG"** to model number **(example: 414-16-1-SLG).**

Adjustable front-to-back crossbracing available.
Add suffix **"-ACB"** to model number, and **add $350** to list price. Example: 414-16-1-**ACB**

Left-to-right crossbracing available.
For galvanized, add **5% to list price** and suffix **"-CBG"** to model number.

For stainless steel *(does not include stainless steel legs)*, **add 10% to list price** and suffix **"-CBS"** to model number **(example: 414-16-1-CBS).**

Twist drain brackets available.
Works in conjunction with optional twist handle drains *(not included – see page 260).* To order, **add $63 per compartment to list price** and suffix **"-TB"** to model number. **Example: 414-16-1-TB.**

For overflow hole *(does not include drain)*, **add $93 per compartment to list price** and suffix **"-OF"** to model number **(example: 414-16-1-OF).**

Sink accessories, see pages 259-261.

All shipping weights and cubic feet are approximate.

ALL SINKS SHIPPED FULLY CRATED.

412, 414, and 314 Series Sinks
One-Compartment Sinks

NSF

see spec sheets **EG20.03** **EG20.23** **EG20.27**



2″-wide euro-style edging

one-compartment sink with double drainboards



one-compartment sink with one drainboard

412 SERIES:
- All heavy gauge type 430 construction.
- 10½″ *(267mm)* deep sink bowl.
- 44″ (1118mm) overall height.

414 SERIES:
- 14″ *(356mm)* deep heavy gauge type 304 sink bowl with type 430 drainboards, and backsplash.
- 44″ (1118mm) overall height.

314 SERIES:
- All heavy gauge type 304 construction.
- 14″ *(356mm)* deep sink bowl.
- 44″ (1118mm) overall height.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

One Compartment, No Drainboards

bowl size width x length		drainboard length		weight		cu	overall size width x length		GOOD 412 Series - see spec sheet - EG20.03		BETTER 414 Series - see spec sheet - EG20.23		BEST 314 Series - see spec sheet - EG20.27	
in.	mm	in.	mm	lbs.	kg	ft	in.	mm	model #	list	model #	list	model #	list
20″ x 16″	508 x 406	–		93	42.2	10.5	27½″ x 23¼″	699 x 591	**412-16-1** •	3475	**414-16-1** •	3994	**314-16-1** •	4517
24″ x 18″	610 x 457	–		95	43.1	10.0	31¾″ x 25½″	807 x 648	–		**414-18-1** •	4676	**314-18-1**	5227
22″ x 22″	559 x 559	–		100	45.4	14.5	29¾″ x 29½″	756 x 749	–		**414-22-1** •	4972	**314-22-1**	5258
24″ x 24″	610 x 610	–		135	61.2	16.5	31¾″ x 31½″	807 x 800	–		**414-24-1** •	5040	**314-24-1**	5615

One Compartment, One Drainboard *(right or left)*

bowl size width x length		drainboard length		weight		cu	overall size width x length		GOOD 412 Series - see spec sheet - EG20.03		BETTER 414 Series - see spec sheet - EG20.23		BEST 314 Series - see spec sheet - EG20.27	
in.	mm	in.	mm	lbs.	kg	ft	in.	mm	model #	list	model #	list	model #	list
20″ x 16″	508 x 406	18″	457	96	43.6	18.1	27½″ x 38⅞″	699 x 987	**412-16-1-18R or L** •	4874	**414-16-1-18R or L** •	5473	**314-16-1-18R or L**	6063
		24″	610	99	44.9	19.5	27½″ x 44⅞″	699 x 1140	**412-16-1-24R or L**	4909	**414-16-1-24R or L** •	5537	**314-16-1-24R or L** •	6139
24″ x 18″	610 x 457	18″	457	110	49.9	22.0	31¾″ x 40¾″	807 x 1035	–		**414-18-1-18R or L**	6019	**314-18-1-18R or L**	6623
		24″	610	120	54.4	22.9	31¾″ x 46¾″	807 x 1188	–		**414-18-1-24R or L**	6063	**314-18-1-24R or L**	6666
22″ x 22″	559 x 559	18″	457	115	52.2	23.0	29¾″ x 45″	756 x 1143	–		**414-22-1-18R or L**	6577	**314-22-1-18R or L**	6815
		24″	610	127	57.6	26.0	29¾″ x 51″	756 x 1295	–		**414-22-1-24R or L**	6622	**314-22-1-24R or L**	6863
24″ x 24″	610 x 610	18″	457	143	64.9	25.0	31¾″ x 46¾″	807 x 1188	–		**414-24-1-18R or L**	7267	**314-24-1-18R or L**	7908
		24″	610	178	80.7	28.6	31¾″ x 52¾″	787 x 1340	–		**414-24-1-24R or L** •	7340	**314-24-1-24R or L**	8022

One Compartment, Double Drainboards


bowl size width x length		drainboard length		weight		cu	overall size width x length		GOOD 412 Series - see spec sheet - EG20.03		BETTER 414 Series - see spec sheet - EG20.23		BEST 314 Series - see spec sheet - EG20.27	
in.	mm	in.	mm	lbs.	kg	ft	in.	mm	model #	list	model #	list	model #	list
20″ x 16″	508 x 406	18″	457	133	60.3	25.7	27½″ x 54½″	699 x 1384	**412-16-1-18** •	5167	**414-16-1-18**	5728	**314-16-1-18**	6337
		24″	610	135	61.2	30.8	27½″ x 66½″	699 x 1689	**412-16-1-24**	5180	**414-16-1-24**	5910	**314-16-1-24**	6528
24″ x 18″	610 x 457	18″	457	121	54.9	29.6	31¾″ x 56″	807 x 1422	–		**414-18-1-18**	6543	**314-18-1-18**	7186
		24″	610	140	63.5	38.1	31¾″ x 68″	807 x 1727	–		**414-18-1-24**	6604	**314-18-1-24**	7253
22″ x 22″	559 x 559	18″	457	125	56.7	30.3	29¾″ x 60½″	756 x 1537	–		**414-22-1-18**	7166	**314-22-1-18**	7415
		24″	610	145	65.8	37.1	29¾″ x 72½″	756 x 1842	–		**414-22-1-24**	7223	**314-22-1-24**	7475
24″ x 24″	610 x 610	18″	457	176	79.8	32.5	31¾″ x 62″	807 x 1575	–		**414-24-1-18**	7563	**314-24-1-18**	8089
		24″	610	189	85.7	40.6	31¾″ x 74″	807 x 1880	–		**414-24-1-24**	7675	**314-24-1-24**	8380

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

412, 414, and 314 Series Sinks
Two-Compartment Sinks (NSF)

see spec sheets EG20.03 EG20.24 EG20.28



two-compartment sink with double drainboards



two-compartment sink with no drainboards

412 SERIES:
- All heavy gauge type 430 construction.
- 10½″ *(267mm)* deep sink bowls.
- 44″ (1118mm) overall height.

414 SERIES:
- 14″ *(356mm)* deep heavy gauge type 304 sink bowls with type 430 drainboards, and backsplash.
- 44″ (1118mm) overall height.

314 SERIES:
- All heavy gauge type 304 construction.
- 14″ *(356mm)* deep sink bowls.
- 44″ (1118mm) overall height.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Two Compartments, No Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cu ft	overall size width x length in.	mm	GOOD 412 Series - see spec sheet - EG20.03 model #	list	BETTER 414 Series - see spec sheet - EG20.24 model #	list	BEST 314 Series - see spec sheet - EG20.28 model #	list
20″ x 16″	508 x 406	–		69	31.3	18.1	27½″ x 41″	699 x 1041	**412-16-2** •	4750	**414-16-2** •	5469	**314-16-2** •	6062
24″ x 18″	610 x 457	–		75	33.8	24.0	31¾″ x 45½″	807 x 1156	–		**414-18-2** •	6293	**314-18-2**	7269
22″ x 22″	559 x 559	–		80	36.3	25.8	29¾″ x 53½″	756 x 1359	–		**414-22-2**	6865	**314-22-2**	7485
24″ x 24″	610 x 610	–		91	41.3	29.6	31¾″ x 57½″	807 x 1461	–		**414-24-2** •	7586	**314-24-2** •	8622

Two Compartments, One Drainboard *(right or left)*

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cu ft	overall size width x length in.	mm	GOOD 412 Series - see spec sheet - EG20.03 model #	list	BETTER 414 Series - see spec sheet - EG20.24 model #	list	BEST 314 Series - see spec sheet - EG20.28 model #	list
20″ x 16″	508 x 406	18″	457	127	57.6	25.7	27½″ x 56⅝″	699 x 1438	**412-16-2-18R or L** •	6295	**414-16-2-18R or L** •	7234	**314-16-2-18R or L**	7912
		24″	610	156	70.84	28.3	27½″ x 62⅝″	699 x 1591	**412-16-2-24R or L**	6359	**414-16-2-24R or L** •	7347	**314-16-2-24R or L**	8365
24″ x 18″	610 x 457	18″	457	131	59.4	33.0	31¾″ x 60¾″	807 x 1543	–		**414-18-2-18R or L**	8450	**314-18-2-18R or L**	9518
		24″	610	158	71.7	35.0	31¾″ x 66¾″	807 x 1696	–		**414-18-2-24R or L**	8500	**314-18-2-24R or L**	9575
22″ x 22″	559 x 559	18″	457	190	86.2	34.0	29¾″ x 69″	756 x 1753	–		**414-22-2-18R or L**	9406	**314-22-2-18R or L**	9986
		24″	610	193	87.6	37.1	29¾″ x 75″	756 x 1905	–		**414-22-2-24R or L**	9455	**314-22-2-24R or L**	10038
24″ x 24″	610 x 610	18″	457	192	87.1	38.0	31¾″ x 72¾″	807 x 1847	–		**414-24-2-18R or L**	10205	**314-24-2-18R or L**	11087
		24″	610	208	94.4	41.6	31¾″ x 78¾″	807 x 2000	–		**414-24-2-24R or L** •	10426	**314-24-2-24R or L**	11830

Two Compartments, Double Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cu ft	overall size width x length in.	mm	GOOD 412 Series - see spec sheet - EG20.03 model #	list	BETTER 414 Series - see spec sheet - EG20.24 model #	list	BEST 314 Series - see spec sheet - EG20.28 model #	list
20″ x 16″	508 x 406	18″	457	154	69.9	32.8	27½″ x 72¼″	699 x 1848	**412-16-2-18** •	6504	**414-16-2-18** •	7516	**314-16-2-18**	8544
		24″	610	171	77.6	38.5	27½″ x 84¼″	660 x 2140	**412-16-2-24**	6605	**414-16-2-24** •	7653	**314-16-2-24**	8687
24″ x 18″	610 x 457	18″	457	156	70.8	43.8	31¾″ x 76″	807 x 1930	–		**414-18-2-18**	8703	**314-18-2-18**	9789
		24″	610	180	81.7	48.7	31¾″ x 88″	807 x 2235	–		**414-18-2-24**	8799	**314-18-2-24**	9893
22″ x 22″	559 x 559	18″	457	195	88.5	42.0	29¾″ x 84½″	756 x 2146	–		**414-22-2-18**	9699	**314-22-2-18**	10283
		24″	610	198	89.8	48.5	29¾″ x 96½″	756 x 2451	–		**414-22-2-24**	9809	**314-22-2-24**	10389
24″ x 24″	610 x 610	18″	457	204	92.5	47.0	31¾″ x 88″	807 x 2235	–		**414-24-2-18**	10544	**314-24-2-18**	11549
		24″	610	211	95.7	53.6	31¾″ x 100″	807 x 2540	–		**414-24-2-24** •	10872	**314-24-2-24**	12058

412, 414, and 314 Series Sinks
Three-Compartment Sinks (NSF)

see spec sheets **EG20.03** **EG20.25** **EG20.29**



three-compartment sink with double drainboards (faucet not included)

three-compartment sink with no drainboards

412 SERIES:
- All heavy gauge type 430 construction.
- 10½″ *(267mm)* deep sink bowls.
- 44″ (1118mm) overall height.

414 SERIES:
- 14″ *(356mm)* deep heavy gauge type 304 sink bowls with type 430 drainboards, and backsplash.
- 44″ (1118mm) overall height.

314 SERIES:
- All heavy gauge type 304 construction.
- 14″ *(356mm)* deep sink bowls.
- 44″ (1118mm) overall height.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Three Compartments, No Drainboards

bowl size width x length		drainboard length		weight		cu	overall size width x length		GOOD 412 Series *see spec sheet* EG20.03		BETTER 414 Series *see spec sheet* EG20.25		BEST 314 Series *see spec sheet* EG20.29	
in.	mm	in.	mm	lbs.	kg	ft	in.	mm	model #	list	model #	list	model #	list
20″ x 16″	508 x 406	–		165	74.8	25.7	27½″ x 58¾″	699 x 1492	**412-16-3** •	6020	**414-16-3** •	6627	**314-16-3** •	7582
24″ x 18″	610 x 457	–		167	75.8	33.0	31¾″ x 65½″	807 x 1664	–		**414-18-3** *•	8186	**314-18-3** *	9596
22″ x 22″	559 x 559	–		170	77.1	37.1	29¾″ x 77½″	756 x 1969	–		**414-22-3** *	9103	**314-22-3** *	10047
24″ x 24″	610 x 610	–		175	79.4	41.5	31¾″ x 83½″	807 x 2121	–		**414-24-3** *•	9930	**314-24-3** *	11203

* Features two sets of faucet holes.

Three Compartments, One Drainboard *(right or left)*

bowl size width x length		drainboard length		weight		cu	overall size width x length		GOOD 412 Series *see spec sheet* EG20.03		BETTER 414 Series *see spec sheet* EG20.25		BEST 314 Series *see spec sheet* EG20.29	
in.	mm	in.	mm	lbs.	kg	ft	in.	mm	model #	list	model #	list	model #	list
20″ x 16″	508 x 406	18″	457	170	77.1	33.3	27½″ x 74⅜″	699 x 1889	**412-16-3-18R or L** •	6363	**414-16-3-18R or L** •	8383	**314-16-3-18R or L**	10177
		24″	610	190	86.2	35.8	27½″ x 80⅜″	699 x 2042	**412-16-3-24R or L**	6428	**414-16-3-24R or L**	8449	**314-16-3-24R or L**	10252
24″ x 18″	610 x 457	18″	457	206	93.4	42.0	31¾″ x 80¾″	807 x 2051	–		**414-18-3-18R or L** *	10528	**314-18-3-18R or L** *	12038
		24″	610	228	103.4	68.0	31¾″ x 86¾″	807 x 2203	–		**414-18-3-24R or L** *	10569	**314-18-3-24R or L** *	12080
22″ x 22″	559 x 559	18″	457	224	101.6	45.0	29¾″ x 93″	756 x 2362	–		**414-22-3-18R or L** *	11848	**314-22-3-18R or L** *	12754
		24″	610	235	106.6	48.4	29¾″ x 99″	756 x 2515	–		**414-22-3-24R or L** *	11895	**314-22-3-24R or L** *	12807
24″ x 24″	610 x 610	18″	457	226	102.5	50.0	31¾″ x 98¾″	807 x 2508	–		**414-24-3-18R or L** *	13094	**314-24-3-18R or L** *	14317
		24″	610	250	113.4	54.6	31¾″ x 104¾″	807 x 2661	–		**414-24-3-24R or L** *•	13278	**314-24-3-24R or L** *	14917

* Features two sets of faucet holes.

Three Compartments, Double Drainboards

bowl size width x length		drainboard length		weight		cu	overall size width x length		GOOD 412 Series *see spec sheet* EG20.03		BETTER 414 Series *see spec sheet* EG20.25		BEST 314 Series *see spec sheet* EG20.29	
in.	mm	in.	mm	lbs.	kg	ft	in.	mm	model #	list	model #	list	model #	list
20″ x 16″	508 x 406	18″	457	175	79.4	40.9	27½″ x 90″	699 x 2286	**412-16-3-18** •	6586	**414-16-3-18** •	8609	**314-16-3-18** •	10426
		24″	610	204	92.5	46.0	27½″ x 102″	699 x 2591	**412-16-3-24** •	6699	**414-16-3-24** •	8744	**314-16-3-24** •	10572
24″ x 18″	610 x 457	18″	457	224	101.6	50.5	31¾″ x 96″	807 x 2438	–		**414-18-3-18** *•	10804	**314-18-3-18*** •	12327
		24″	610	232	105.2	57.0	31¾″ x 108″	807 x 2743	–		**414-18-3-24** *•	11072	**314-18-3-24*** •	12538
22″ x 22″	559 x 559	18″	457	231	104.8	54.0	29¾″ x 108½″	756 x 2756	–		**414-22-3-18** *•	12172	**314-22-3-18***	13074
		24″	610	239	108.4	59.6	29¾″ x 120½″	756 x 3061	–		**414-22-3-24** *•	12485	**314-22-3-24*** •	13387
24″ x 24″	610 x 610	18″	457	249	113.0	60.0	31¾″ x 114″	807 x 2896	–		**414-24-3-18** *•	13105	**314-24-3-18***	14192
		24″	610	260	117.9	65.2	31¾″ x 126″	807 x 3200	–		**414-24-3-24** *•	13680	**314-24-3-24***	15340


* Features two sets of faucet holes.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

414 and 314 Series Sinks
Four-Compartment Sinks

see spec sheets EG20.26 EG20.30



four-compartment sink with double drainboards

2″-wide euro-style edging

414 SERIES:
- 14″ *(356mm)* deep heavy gauge type 304 sink bowls with type 430 drainboards, and backsplash.
- 44″ (1118mm) overall height.
- Two sets of faucet holes.

314 SERIES:
- All heavy gauge type 304 construction.
- 14″ *(356mm)* deep sink bowls.
- 44″ (1118mm) overall height.
- Two sets of faucet holes.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Four Compartments, No Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cu ft	overall size width x length in.	mm	BETTER 414 Series - see spec sheet - EG20.26 model #	list	BEST 314 Series - see spec sheet - EG20.30 model #	list
20″ x 16″	508 x 406	n/a	n/a	180	81.7	33.3	27½″ x 76½″	699 x 1943	**414-16-4**	8949	**314-16-4**	10714
24″ x 18″	610 x 457	n/a	n/a	218	98.9	48.4	31¾″ x 85½″	807 x 2172	**414-18-4**	10342	**314-18-4**	12172
24″ x 24″	610 x 610	n/a	n/a	231	104.8	55.6	31¾″ x 109½″	807 x 2783	**414-24-4**	12745	**314-24-4**	14693

Four Compartments, One Drainboard *(right or left)*

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cu ft	overall size width x length in.	mm	BETTER 414 Series - see spec sheet - EG20.26 model #	list	BEST 314 Series - see spec sheet - EG20.30 model #	list
20″ x 16″	508 x 406	18″	457	195	88.5	41.0	27½″ x 92⅛″	699 x 2340	**414-16-4-18R or L**	10873	**314-16-4-18R or L**	12740
		24″	610	235	106.6	43.4	27½″ x 98⅛″	699 x 2492	**414-16-4-24R or L**	10945	**314-16-4-24R or L**	12814
24″ x 18″	610 x 457	18″	457	225	102.1	49.0	31¾″ x 100¾″	807 x 2559	**414-18-4-18R or L**	13056	**314-18-4-18R or L**	14967
		24″	610	254	115.2	59.6	31¾″ x 106¾″	807 x 2711	**414-18-4-24R or L**	13394	**314-18-4-24R or L**	15017
24″ x 24″	610 x 610	18″	457	248	112.5	61.0	31¾″ x 124¾″	807 x 3169	**414-24-4-18R or L**	15662	**314-24-4-18R or L**	18106
		24″	610	278	126.1	67.7	31¾″ x 130¾″	807 x 3321	**414-24-4-24R or L**	16850	**314-24-4-24R or L**	18994

Four Compartments, Double Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cu ft	overall size width x length in.	mm	BETTER 414 Series - see spec sheet - EG20.26 model #	list	BEST 314 Series - see spec sheet - EG20.30 model #	list
20″ x 16″	508 x 406	18″	457	231	104.8	48.5	27½″ x 107¾″	699 x 2737	**414-16-4-18** •	11322	**314-16-4-18**	13204
		24″	610	238	108.0	53.6	27½″ x 119¾″	699 x 3042	**414-16-4-24**	11494	**314-16-4-24**	13387
24″ x 18″	610 x 457	18″	457	247	112.0	65.0	31¾″ x 116″	807 x 2946	**414-18-4-18**	13266	**314-18-4-18**	15238
		24″	610	262	118.8	70.9	31¾″ x 128″	807 x 3251	**414-18-4-24**	13420	**314-18-4-24**	15404
24″ x 24″	610 x 610	18″	457	263	119.3	73.0	31¾″ x 140″	807 x 3556	**414-24-4-18**	16482	**314-24-4-18**	18489
		24″	610	293	132.9	79.7	31¾″ x 152″	807 x 3861	**414-24-4-24** •	17230	**314-24-4-24**	19384

Stainless Steel Cleaner & Polish

weight oz.	kg	model #	list
15	0.4	**004026**	40



FEATURES:
- Cleans and polishes in one step.
- Does not streak or leave fingerprints.
- Leaves a protective invisible coating.

Sink Kits for SPEC-MASTER® FN Series Sinks

- Includes T&S faucet #313293.



T&S faucet #313293



lever drain (with sink kits B)



lever drain with overflow (with sink kits C)

Go Green.
Go EAGLE.

Look for the tag on the bar code



Kit A

- Add suffix **"-F"** to sink model number.

description	add to list price
1 faucet	1247
2 faucets	2493

Kit B

- T&S faucet plus lever drain. Add suffix **"-FD"** to sink model number.

description	add to list price
1 faucet	1247
2 faucets	2493
per lever drain	436

Kit C

- T&S faucet plus lever drain with overflow. Add suffix **"-FDO"** to sink model number.

description	add to list price
1 faucet	1247
2 faucets	2493
per lever drain with overflow	988

Kit D

- T&S faucet plus twist handle drain and twist handle bracket. Add suffix **"-FDT"** to sink model number.

description	add to list price
1 faucet	1247
2 faucets	2493
per twist handle drain	507

Kit E

- T&S faucet plus twist handle drain with overflow and twist handle bracket. Add suffix **"-FDOT"** to sink model number.

description	add to list price
1 faucet	1247
2 faucets	2493
per twist handle drain with overflow	1149



100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

SPEC-MASTER® FN Series Coved Corner Sinks
One-Compartment Sinks NSF

see spec sheet **EG20.32**



FEATURES:

- 14 gauge 300 series 18-8 stainless steel.
- All bowls are 14″ *(356mm)* deep and have ⅝″ *(16mm)* radius corners, both vertical and horizontal.
- Stainless steel gussets, feet, legs and crossbracing.
- Adjustable crossbracing front-to-back and side-to-side for increased stability.
- 9½″ *(241mm)* standard backsplash includes 1″ *(25mm)* upturn and tile edge.
- Basket-type waste drains are included to fit sink bowl's 3½″ *(89mm)* opening and feature 1½″ *(38mm)* outlet.
- 30″ and 36″ *(762 and 914mm)* drainboards* available upon request.
- 44½″ (1130mm) overall height.

Notes: **Twist drain bracket available.**
Works in conjunction with optional twist handle drain *(not included – see page 260)*. To order, **add $63 per compartment to list price** and suffix **"-TB"** to model number **(example: FN2016-1-14/3-TB).**

For overflow hole *(does not include drain)*, **add $93 per compartment to list price** and suffix **"-OF"** to model number **(example: FN2016-1-14/3-OF).**

* On sinks with drainboard(s) 30″ and 36″, legs are under the outer end of the drainboard(s).

Note: All shipping weights and cubic feet are approximate.
ALL SINKS SHIPPED FULLY CRATED.
For sink accessories, see pages 260-261.
For sink kits, see page 242.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

One Compartment, No Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	model #	list
20″ x 16″	508 x 406	–		55	24.9	10.1	27″ x 21″	686 x 533	**FN2016-1-14/3**	5992
20″ x 18″	508 x 457	–		58	26.3	11.9	27″ x 23″	686 x 584	**FN2018-1-14/3** •	6750
20″ x 20″	508 x 508	–		60	27.2	12.9	27″ x 25″	686 x 635	**FN2020-1-14/3**	6750
24″ x 24″	610 x 610	–		122	55.3	17.8	31″ x 29″	787 x 737	**FN2424-1-14/3**	7226
28″ x 20″	711 x 508	–		79	35.8	16.7	35″ x 25″	889 x 635	**FN2820-1-14/3**	7969




One Compartment, One Drainboard *(right or left)*

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	model #	list
20″ x 16″	508 x 406	18″	457	68	30.9	18.7	27″ x 37½″	686 x 953	**FN2016-1-18R or L-14/3**	6378
		24″	610	80	33.1	21.5	27″ x 43½″	686 x 1105	**FN2016-1-24R or L-14/3**	6485
20″ x 18″	508 x 457	18″	457	76	34.4	20.3	27″ x 39½″	686 x 1003	**FN2018-1-18R or L-14/3**	6993
		24″	610	81	36.7	22.4	27″ x 45½″	686 x 1156	**FN2018-1-24R or L-14/3**	7112
20″ x 20″	508 x 508	24″	610	144	65.3	23.4	27″ x 47½″	686 x 1207	**FN2020-1-24R or L-14/3**	7112
24″ x 24″	610 x 610	24″	610	151	68.5	30.5	31″ x 51½″	787 x 1308	**FN2424-1-24R or L-14/3**	8133
28″ x 20″	711 x 508	24″	610	114	51.7	30.2	35″ x 47½″	889 x 1207	**FN2820-1-24R or L-14/3**	8314



One Compartment, Double Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	model #	list
20″ x 16″	508 x 406	18″	457	93	37.6	26.3	27″ x 54″	686 x 1372	**FN2016-1-18-14/3**	6626
		24″	610	113	51.3	32.0	27″ x 66″	686 x 1676	**FN2016-1-24-14/3**	6886
20″ x 18″	508 x 457	18″	457	96	43.5	28.7	27″ x 56″	686 x 1422	**FN2018-1-18-14/3**	7276
		24″	610	161	73.0	32.9	27″ x 68″	686 x 1727	**FN2018-1-24-14/3**	7509
20″ x 20″	508 x 508	24″	610	184	83.5	33.9	27″ x 70″	686 x 1778	**FN2020-1-24-14/3**	7509
24″ x 24″	610 x 610	24″	610	182	82.6	43.9	31″ x 74″	787 x 1880	**FN2424-1-24-14/3**	8608
28″ x 20″	711 x 508	24″	610	166	75.3	43.8	35″ x 70″	889 x 1778	**FN2820-1-24/3**	8693



SPEC-MASTER® FN Series Coved Corner Sinks
Two-Compartment Sinks (NSF)

see spec sheet **EG20.33**



FEATURES:

- 14 gauge 300 series 18-8 stainless steel.
- All bowls are 14″ *(356mm)* deep and have ⅝″ *(16mm)* radius corners, both vertical and horizontal.
- Stainless steel gussets, feet, legs and crossbracing.
- Adjustable crossbracing front-to-back and side-to-side for increased stability.
- 9½″ *(241mm)* standard backsplash includes 1″ *(25mm)* upturn and tile edge.
- Basket-type waste drains are included to fit sink bowls' 3½″ *(89mm)* opening and feature 1½″ *(38mm)* outlet.
- 30″ and 36″ *(762 and 914mm)* drainboards* available upon request.
- 44½″ (1130mm) overall height.

Notes: **Twist drain brackets available.**
Works in conjunction with optional twist handle drains *(not included – see page 260)*. To order, **add $63 per compartment to list price** and suffix **"-TB"** to model number **(example: FN2032-2-14/3-TB).**

For overflow hole *(does not include drain)*, **add $93 per compartment to list price** and suffix **"-OF"** to model number **(example: FN2032-2-14/3-OF).**

* On sinks with drainboard(s) 30″ and 36″, legs are under the outer end of the drainboard(s).

Note: All shipping weights and cubic feet are approximate.
ALL SINKS SHIPPED FULLY CRATED.
For sink accessories, see pages 260-261.
For sink kits, see page 242.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Two Compartments, No Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	model #	list
20″ x 16″	508 x 406	–		77	34.9	20.4	27″ x 39″	686 x 991	**FN2032-2-14/3**	8009
20″ x 18″	508 x 457	–		82	37.2	22.4	27″ x 43″	686 x 1092	**FN2036-2-14/3**	8797
20″ x 20″	508 x 508	–		86	39.0	23.9	27″ x 47″	686 x 1194	**FN2040-2-14/3**	8797
24″ x 24″	610 x 610	–		157	71.2	32.2	31″ x 55″	787 x 1397	**FN2448-2-14/3**	10456
28″ x 20″	711 x 508	–		165	74.8	31.3	35″ x 47″	889 x 1194	**FN2840-2-14/3**	10476




Two Compartments, One Drainboard *(right or left)*

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	model #	list
20″ x 16″	508 x 406	18″	457	96	43.6	28.2	27″ x 55½″	686 x 1410	**FN2032-2-18R or L-14/3**	8608
		24″	610	102	46.3	31.1	27″ x 61½″	686 x 1562	**FN2032-2-24R or L-14/3**	8758
20″ x 18″	508 x 457	18″	457	101	45.8	30.6	27″ x 59½″	686 x 1511	**FN2036-2-18R or L-14/3**	9738
		24″	610	107	48.5	33.1	27″ x 65½″	686 x 1664	**FN2036-2-24R or L-14/3**	9860
20″ x 20″	508 x 508	24″	610	187	84.8	35.0	27″ x 69½″	686 x 1763	**FN2040-2-24R or L-14/3**	9860
24″ x 24″	610 x 610	24″	610	183	83.0	45.0	31″ x 77½″	787 x 1969	**FN2448-2-24R or L-14/3**	11860
28″ x 20″	711 x 508	24″	610	248	112.5	45.0	35″ x 69½″	889 x 1763	**FN2840-2-24R or L-14/3**	11860



Two Compartments, Double Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	model #	list
20″ x 16″	508 x 406	18″	457	133	60.3	36.0	27″ x 72″	686 x 1829	**FN2032-2-18-14/3**	8908
		24″	610	127	57.6	41.8	27″ x 84″	686 x 2134	**FN2032-2-24-14/3**	9122
20″ x 18″	508 x 457	18″	457	120	54.4	39.4	27″ x 76″	686 x 1930	**FN2036-2-18-14/3** •	9547
		24″	610	132	59.9	43.8	27″ x 88″	686 x 2235	**FN2036-2-24-14/3**	10218
20″ x 20″	508 x 508	24″	610	240	108.9	45.7	27″ x 92″	686 x 2337	**FN2040-2-24-14/3**	10218
24″ x 24″	610 x 610	24″	610	235	106.6	58.4	31″ x 100″	787 x 2540	**FN2448-2-24-14/3**	12284
28″ x 20″	711 x 508	24″	610	330	149.7	58.8	35″ x 92″	889 x 2337	**FN2840-2-24-14/3**	12364



100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

SPEC-MASTER® FN Series Coved Corner Sinks
Three-Compartment Sinks NSF

see spec sheet **EG20.34**



(faucets not included)

FEATURES:

- 14 gauge 300 series 18-8 stainless steel.
- All bowls are 14″ *(356mm)* deep and have ⅝″ *(16mm)* radius corners, both vertical and horizontal.
- Stainless steel gussets, feet, legs and crossbracing.
- Adjustable crossbracing front-to-back and side-to-side for increased stability.
- 9½″ *(241mm)* standard backsplash includes 1″ *(25mm)* upturn and tile edge.
- Basket-type waste drains are included to fit sink bowls' 3½″ *(89mm)* opening and feature 1½″ *(38mm)* outlet.
- 30″ and 36″ *(762 and 914mm)* drainboards* available upon request.
- 44½″ (1130mm) overall height.

Notes: **Twist drain brackets available.**
Works in conjunction with optional twist handle drains *(not included – see page 260)*. To order, **add $63 per compartment** to list price and suffix **"-TB"** to model number **(example: FN2048-3-14/3-TB).**

For overflow hole *(does not include drain)*, **add $93 per compartment to list price** and suffix **"-OF"** to model number **(example: FN2048-3-14/3-OF).**

* On sinks with drainboard(s) 30″ and 36″, legs are under the outer end of the drainboard(s).

Note: All shipping weights and cubic feet are approximate.
ALL SINKS SHIPPED FULLY CRATED.
For sink accessories, see pages 260-261.
For sink kits, see page 242.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Three Compartments, No Drainboards


bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	model #	list
20″ x 16″	508 x 406	–		165	74.8	29.2	27″ x 57″	686 x 1448	**FN2048-3-14/3**	9903
20″ x 18″	508 x 457	–		175	79.4	32.1	27″ x 63″	686 x 1600	**FN2054-3-14/3 ***	11318
20″ x 20″	508 x 508	–		185	83.9	35.0	27″ x 69″	686 x 1753	**FN2060-3-14/3 ***	11318
24″ x 24″	610 x 610	–		200	90.7	46.7	31″ x 81″	787 x 2057	**FN2472-3-14/3 ***	13164
28″ x 20″	711 x 508	–		252	114.3	45.0	35″ x 69″	889 x 1753	**FN2860-3-14/3 ***	13562



* Features two sets of faucet holes.

Three Compartments, One Drainboard *(right or left)*


bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	model #	list
20″ x 16″	508 x 406	18″	457	176	79.8	36.9	27″ x 73½″	686 x 1867	**FN2048-3-18R or L-14/3**	10316
		24″	610	190	86.2	39.9	27″ x 79½″	686 x 2019	**FN2048-3-24R or L-14/3**	10418
20″ x 18″	508 x 457	18″	457	186	84.4	40.4	27″ x 79½″	686 x 2019	**FN2054-3-18R or L-14/3 ***	12162
		24″	610	210	95.3	42.8	27″ x 85½″	686 x 2172	**FN2054-3-24R or L-14/3 ***	12247
20″ x 20″	508 x 508	24″	610	221	100.3	45.7	27″ x 91½″	686 x 2324	**FN2060-3-24R or L-14/3 ***	12247
24″ x 24″	610 x 610	24″	610	240	108.9	59.5	31″ x 103½″	787 x 2629	**FN2472-3-24R or L-14/3 ***	14887
28″ x 20″	711 x 508	24″	610	310	140.6	58.8	35″ x 91½″	889 x 2324	**FN2860-3-24R or L-14/3 ***	15155



* Features two sets of faucet holes.

Three Compartments, Double Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	model #	list
20″ x 16″	508 x 406	18″	457	199	90.3	44.7	27″ x 90″	686 x 2286	**FN2048-3-18-14/3**	10566
		24″	610	204	92.5	50.6	27″ x 102″	686 x 2591	**FN2048-3-24-14/3**	10782
20″ x 18″	508 x 457	18″	457	209	94.8	49.1	27″ x 96″	686 x 2438	**FN2054-3-18-14/3 *•**	12448
		24″	610	214	97.1	53.5	27″ x 108″	686 x 2743	**FN2054-3-24-14/3 ***	12808
20″ x 20″	508 x 508	24″	610	224	101.6	56.4	27″ x 114″	686 x 2896	**FN2060-3-24-14/3 ***	12808
24″ x 24″	610 x 610	24″	610	260	117.9	72.8	31″ x 126″	787 x 3200	**FN2472-3-24-14/3 ***	15280
28″ x 20″	711 x 508	24″	610	356	161.5	72.5	35″ x 114″	889 x 2896	**FN2860-3-24-14/3 ***	15685



* Features two sets of faucet holes.

SPEC-MASTER® FN Series Coved Corner Sinks
Four-Compartment Sinks (NSF)

see spec sheet **EG20.35**



all sinks two sets of faucets holes

FEATURES:

- 14 gauge 300 series 18-8 stainless steel.
- All bowls are 14″ *(356mm)* deep and have ⅝″ *(16mm)* radius corners, both vertical and horizontal.
- Stainless steel gussets, feet, legs and crossbracing.
- Adjustable crossbracing front-to-back and side-to-side for increased stability.
- 9½″ *(241mm)* standard backsplash includes 1″ *(25mm)* upturn and tile edge.
- Basket-type waste drains are included to fit sink bowls' 3½″ *(89mm)* opening and feature 1½″ *(38mm)* outlet.
- 30″ and 36″ *(762 and 914mm)* drainboards* available upon request.
- 44½″ (1130mm) overall height.

Notes: **Twist drain brackets available.**
Works in conjunction with optional twist handle drains *(not included – see page 260)*. To order, **add $63 per compartment** to list price and suffix **"-TB"** to model number **(example: FN2064-4-14/3-TB).**

For overflow hole *(does not include drain)*, **add $93 per compartment to list price** and suffix **"-OF"** to model number **(example: FN2064-4-14/3-OF).**

* On sinks with drainboard(s) 30″ and 36″, legs are under the outer end of the drainboard(s).

Note: All shipping weights and cubic feet are approximate.
ALL SINKS SHIPPED FULLY CRATED.
For sink accessories, see pages 260-261.
For sink kits, see page 242.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*


Four Compartments, No Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	model #	list
20″ x 16″	508 x 406	–		251	113.9	35.4	27″ x 75″	686 x 1905	**FN2064-4-14/3**	12660
20″ x 18″	508 x 457	–		282	127.9	39.0	27″ x 83″	686 x 2108	**FN2072-4-14/3**	14223
20″ x 20″	508 x 508	–		293	132.9	42.7	27″ x 91″	686 x 2311	**FN2080-4-14/3**	14223
24″ x 24″	610 x 610	–		416	188.7	57.1	31″ x 107″	787 x 2718	**FN2496-4-14/3**	16364
28″ x 20″	711 x 508	–		404	183.3	54.9	35″ x 91″	889 x 2311	**FN2880-4-14/3**	17309




Four Compartments, One Drainboard *(right or left)*

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	model #	list
20″ x 16″	508 x 406	18″	457	273	123.4	45.7	27″ x 91½″	686 x 2324	**FN2064-4-18R or L-14/3**	12753
		24″	610	308	139.7	48.6	27″ x 97½″	686 x 2477	**FN2064-4-24R or L-14/3**	12869
20″ x 18″	508 x 457	18″	457	289	131.1	50.1	27″ x 99½″	686 x 2527	**FN2072-4-18R or L-14/3**	15053
		24″	610	328	148.8	52.5	27″ x 105½″	686 x 2680	**FN2072-4-24R or L-14/3**	15139
20″ x 20″	508 x 508	24″	610	328	148.8	56.4	27″ x 113½″	686 x 2883	**FN2080-4-24R or L-14/3**	15139
24″ x 24″	610 x 610	24″	610	451	204.6	68.5	31″ x 129½″	787 x 3289	**FN2496-4-24R or L-14/3**	17909
28″ x 20″	711 x 508	24″	610	438	198.7	67.7	35″ x 113½″	889 x 2883	**FN2880-4-24R or L-14/3**	18416



Four Compartments, Double Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	model #	list
20″ x 16″	508 x 406	18″	457	312	141.5	53.5	27″ x 108″	686 x 2743	**FN2064-4-18-14/3**	13222
		24″	610	355	161.0	55.4	27″ x 120″	686 x 3048	**FN2064-4-24-14/3**	13470
20″ x 18″	508 x 457	18″	457	339	153.8	54.9	27″ x 116″	686 x 2646	**FN2072-4-18-14/3** •	15432
		24″	610	373	169.2	59.0	27″ x 128″	686 x 3251	**FN2072-4-24-14/3**	15576
20″ x 20″	508 x 508	24″	610	396	179.6	62.6	27″ x 136″	686 x 3454	**FN2080-4-24-14/3**	15576
24″ x 24″	610 x 610	24″	610	519	235.4	81.4	31″ x 152″	787 x 3861	**FN2496-4-24-14/3**	18410
28″ x 20″	711 x 508	24″	610	504	228.6	110.2	35″ x 136″	889 x 3454	**FN2880-4-24-14/3**	12426



100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Utility Sinks
One- and Two-Compartment Sinks

see spec sheets **EG20.13A** **EG20.13B**





Note: Overflow hole available *(does not include drain)*. To order, **add $93 per compartment to list price** and suffix **"-OF"** to model number **(example: 1818-1-16/3-OF).**

For detachable drainboards, see page 249.

For NSF-approved utility sinks, **add 35% to list price** and add prefix **"N-"** to model number. **Example: N-2460-2-16/3.**

FEATURES:

- For numerous applications when NSF construction is not required.
- Square-corner construction.
- 8″ *(203mm)* backsplash.
- Adjustable bullet feet.
- Heavy gauge stainless steel.
- 304 and 430 series construction available.
- Sink compartments are 13⅜″ *(340mm)* deep.
- Legs are 1⅝″ *(41mm)* diameter galvanized tubing and are located directly under sink compartments for maximum stability and weight support.
- 42¾″ (1086mm) overall height.

These sinks are NOT recommended for healthcare and laboratory applications. If you are unsure as to your application needs, please contact Factory.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

One Compartment, No Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	type 430 stainless steel model #	list	type 304 stainless steel model #	list
18″ x 18″	457 x 457	–		53	24.0	0.9	22″ x 19⅜″	559 x 492	**1818-1-16/4** •	1962	**1818-1-16/3**	2289
18″ x 24″	457 x 610	–		56	25.4	11.6	22″ x 25⅜″	559 x 645	**1824-1-16/4**	1976	**1824-1-16/3**	2394
21″ x 18″	533 x 457	–		56	25.4	10.5	25″ x 19⅜″	635 x 492	**2118-1-16/4** •	1955	**2118-1-16/3**	2347
21″ x 24″	533 x 610	–		61	27.7	13.1	25″ x 25⅜″	635 x 645	**2124-1-16/4** •	2025	**2124-1-16/3**	2460
21″ x 36″	533 x 914	–		66	29.9	18.1	25″ x 37⅜″	635 x 949	**2136-1-16/4**	2177	**2136-1-16/3**	2732
24″ x 24″	610 x 610	–		60	27.2	14.6	28″ x 25⅜″	711 x 645	**2424-1-16/4** •	2107	**2424-1-16/3**	2580
24″ x 36″	610 x 914	–		68	30.8	20.2	28″ x 37⅜″	711 x 949	**2436-1-16/4** •	2242	**2436-1-16/3**	2860

One Compartment, Double Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	type 430 stainless steel model #	list	type 304 stainless steel model #	list
21″ x 24″	533 x 610	18″	457	99	44.9	28.3	25″ x 60¼″	635 x 1530	**2124-1-18-16/4**	4353	**2124-1-18-16/3**	5306
24″ x 24″	610 x 610	24″	610	108	49.0	37.1	28″ x 72¼″	711 x 1835	**2424-1-24-16/4**	4684	**2424-1-24-16/3**	5482

Two Compartments, No Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	type 430 stainless steel model #	list	type 304 stainless steel model #	list
18″ x 18″	457 x 457	–		75	34.0	16.1	22″ x 37⅜″	559 x 949	**1836-2-16/4** •	2647	**1836-2-16/3**	3236
18″ x 24″	457 x 610	–		80	36.3	20.6	22″ x 49⅜″	559 x 1254	**1848-2-16/4**	2775	**1848-2-16/3**	3485
21″ x 18″	533 x 457	–		80	36.3	18.1	25″ x 37⅜″	635 x 949	**2136-2-16/4** •	2704	**2136-2-16/3**	3330
21″ x 24″	533 x 610	–		85	38.6	23.2	25″ x 49⅜″	635 x 1254	**2148-2-16/4**	2737	**2148-2-16/3**	3517
24″ x 24″	610 x 610	–		89	40.4	25.8	28″ x 49⅜″	711 x 1254	**2448-2-16/4** •	3004	**2448-2-16/3**	3736
24″ x 30″	610 x 762	–		95	43.1	31.5	28″ x 61⅜″	711 x 1559	**2460-2-16/4**	3725	**2460-2-16/3**	4289

Two Compartments, Double Drainboards

bowl size width x length in.	mm	drainboard length in.	mm	weight lbs.	kg	cubic feet	overall size width x length in.	mm	type 430 stainless steel model #	list	type 304 stainless steel model #	list
21″ x 18″	533 x 457	18″	457	120	3048	33.3	25″ x 72¼″	635 x 1835	**2136-2-18-16/4**	5363	**2136-2-18-16/3**	6482
24″ x 24″	610 x 610	24″	610	139	3531	48.4	28″ x 96¼″	711 x 2445	**2448-2-24-16/4**	5584	**2448-2-24-16/3**	6704

Utility Sinks
Three- and Four-Compartment Sinks

see spec sheets **EG20.13C** **EG20.13D**





Note: Overflow hole available *(does not include drain)*. To order, **add $93 per compartment to list price** and suffix **"-OF"** to model number **(example: 1836-3-16/3-OF).**

For detachable drainboards, see page 249.

For NSF-approved utility sinks, **add 35% to list price** and add prefix **"N-"** to model number. **Example: N-1836-3-16/3.**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Three Compartments, No Drainboards

bowl size width x length		drainboard length		weight		cubic	overall size width x length		type 430 stainless steel		type 304 stainless steel	
in.	mm	in.	mm	lbs.	kg	feet	in.	mm	model #	list	model #	list
18″ x 12″	457 x 305	–		79	35.8	16.1	22″ x 37⅜″	559 x 949	**1836-3-16/4 •**	3049	**1836-3-16/3**	3705
18″ x 16″	457 x 406	–		90	40.8	20.6	22″ x 49⅜″	559 x 1254	**1848-3-16/4**	3180	**1848-3-16/3**	3937
18″ x 18″	457 x 457	–		97	44.0	22.8	22″ x 55⅜″	559 x 1407	**1854-3-16/4 •**	3614	**1854-3-16/3**	4299
21″ x 12″	533 x 305	–		85	38.6	18.1	25″ x 37⅜″	635 x 949	**2136-3-16/4 •**	3128	**2136-3-16/3**	3827
21″ x 16″	533 x 406	–		87	39.5	23.2	25″ x 49⅜″	635 x 1254	**2148-3-16/4 •**	3266	**2148-3-16/3**	4066
21″ x 18″	533 x 457	–		100	45.4	25.7	25″ x 55⅜″	635 x 1407	**2154-3-16/4 •**	3626	**2154-3-16/3**	4417
21″ x 20″	533 x 508	–		110	49.9	28.3	25″ x 61⅜″	635 x 1559	**2160-3-16/4 ***	3747	**2160-3-16/3 ***	6316
24″ x 16″	610 x 406	–		92	41.7	25.8	28″ x 49⅜″	711 x 1254	**2448-3-16/4**	3428	**2448-3-16/3**	4248
24″ x 20″	610 x 508	–		115	52.2	31.5	28″ x 61⅜″	711 x 1559	**2460-3-16/4 ***	3964	**2460-3-16/3 ***	4766
24″ x 24″	610 x 610	–		125	56.7	37.1	28″ x 73⅜″	711 x 1864	**2472-3-16/4 *•**	4060	**2472-3-16/3 ***	5045

* Features two sets of faucet holes.

Three Compartments, Double Drainboards

bowl size width x length		drainboard length		weight		cubic	overall size width x length		type 430 stainless steel		type 304 stainless steel	
in.	mm	in.	mm	lbs.	kg	feet	in.	mm	model #	list	model #	list
21″ x 12″	533 x 305	18″	457	125	56.7	33.3	25″ x 72¼″	635 x 1835	**2136-3-18-16/4**	5480	**2136-3-18-16/3**	6528
21″ x 16″	533 x 406	18″	457	127	57.6	38.4	25″ x 84¼″	635 x 2140	**2148-3-18-16/4**	5660	**2148-3-18-16/3**	6975
21″ x 18″	533 x 457	18″	457	140	63.5	40.9	25″ x 90¼″	635 x 2292	**2154-3-18-16/4**	6183	**2154-3-18-16/3**	7414
24″ x 24″	610 x 610	24″	610	175	79.4	59.6	28″ x 120¼″	711 x 3054	**2472-3-24-16/4***	6667	**2472-3-24-16/3 ***	8495

* Features two sets of faucet holes.

Four Compartments, No Drainboards *(All sinks feature two sets of faucet holes.)*

bowl size width x length		drainboard length		weight		cubic	overall size width x length		type 430 stainless steel		type 304 stainless steel	
in.	mm	in.	mm	lbs.	kg	feet	in.	mm	model #	list	model #	list
18″ x 18″	457 x 457	–		110	49.9	29.5	22″ x 73⅜″	559 x 1864	**1872-4-16/4**	4154	**1872-4-16/3**	5178
21″ x 18″	533 x 457	–		115	52.2	33.3	25″ x 73⅜″	635 x 1864	**2172-4-16/4**	4353	**2172-4-16/3**	5259
24″ x 18″	610 x 457	–		125	56.7	37.1	28″ x 73⅜″	711 x 1864	**2472-4-16/4**	4470	**2472-4-16/3**	5505

Four Compartments, Double Drainboards - *(All sinks feature two sets of faucet holes.)*


bowl size width x length		drainboard length		weight		cubic	overall size width x length		type 430 stainless steel		type 304 stainless steel	
in.	mm	in.	mm	lbs.	kg	feet	in.	mm	model #	list	model #	list
21″ x 18″	533 x 457	18″	457	155	70.3	48.5	25″ x 108¼″	635 x 2750	**2172-4-18-16/4**	6855	**2172-4-18-16/3**	7998

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Detachable Drainboards for Utility Sinks

see spec sheet **EG20.13E**



Drainboards will not work on NSF utility sinks!

FEATURES:

- Unique die-stamped rolled rim construction.
- All drainboards are fully reversible, allowing for left- or right-hand operation.
- "Easy clip-on installation" utilizes two support brackets that bolt to sink gussets.
- Available in 430 or 304 series stainless steel.
- Drainboards 30″ *(762mm)* long are furnished with legs.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

width (front-to-back) x length (side-to-side) in.	mm	weight lbs.	kg	cu ft	16 gauge type 430 stainless steel model #		list	16 gauge type 304 stainless steel model #	list
18″ x 18″	457 x 457	10	4.5	1.8	**18x18 RRDEDB**	•	553	**18x18 RRDEDB-16/3**	923
18″ x 24″	457 x 610	12	5.4	1.9	**18x24 RRDEDB**	•	586	**18x24 RRDEDB-16/3**	970
18″ x 30″	457 x 762	15	6.8	2.8	**18x30 RRDEDB**		996	**18x30 RRDEDB-16/3**	1085
21″ x 18″	533 x 457	14	6.4	1.8	**21x18 RRDEDB**	•	553	**21x18 RRDEDB-16/3**	923
21″ x 24″	533 x 610	16	7.3	2.1	**21x24 RRDEDB**	•	594	**21x24 RRDEDB-16/3**	970
21″ x 30″	533 x 762	20	9.0	2.5	**21x30 RRDEDB**		1110	**21x30 RRDEDB-16/3**	1167
24″ x 18″	610 x 457	17	7.7	2.3	**24x18 RRDEDB**	•	569	**24x18 RRDEDB-16/3**	910
24″ x 24″	610 x 610	18	8.2	2.4	**24x24 RRDEDB**	•	616	**24x24 RRDEDB-16/3**	1004
24″ x 30″	610 x 762	20	9.0	2.7	**24x30 RRDEDB**		1092	**24x30 RRDEDB-16/3**	1149

SPEC-MASTER® FFN Series Flush Front Sinks

see spec sheet **EG20.54**



FEATURES:

- Full front and 10″ *(254mm)* high backsplash are 14 gauge stainless steel.
- 14 gauge double drainboards, rolled rims and sink bowl partitions.
- 1″ *(25mm)* downturn at rear.
- Sink compartments feature ¾″ *(19mm)* coved inside radii.
- Basket-type waste drain fits 3½″ *(89mm)* opening and features 1½″ *(38mm)* outlet.
- Legs are located directly under sink bowls.
- All-welded base constructed of 1⅝″ *(41mm)* diameter tubular stainless steel.
- Adjustable stainless steel bullet feet.
- 14″ *(356mm)* water level and swirl-away drainage.
- 44⅝″ *(1134mm)* overall height.

				Two Compartments				Three Compartments *			
bowl size width x length in.	mm	drainboard length in.	mm	overall size width x length in.	mm	model #	list	overall size width x length in.	mm	model #	list
27″ x 18″	686 x 457	24″	610	30½″ x 85⅝″	775 x 2216	**FFN2736-2-24-14/3**	22820	30½″ x 105¼″	775 x 2673	**FFN2754-3-24-14/3**	27529
27″ x 18″	686 x 457	30″	762	30½″ x 97⅝″	775 x 2480	**FFN2736-2-30-14/3**	25542	30½″ x 117¼″	775 x 2978	**FFN2754-3-30-14/3**	30667
27″ x 20″	686 x 508	24″	610	30½″ x 89⅝″	775 x 2318	**FFN2740-2-24-14/3**	23873	30½″ x 111¼″	775 x 2826	**FFN2760-3-24-14/3**	29107
27″ x 20″	686 x 508	30″	762	30½″ x 101⅝″	775 x 2581	**FFN2740-2-30-14/3**	26582	30½″ x 123¼″	775 x 3131	**FFN2760-3-30-14/3**	32247
27″ x 24″	686 x 610	24″	610	30½″ x 97⅝″	775 x 2521	**FFN2748-2-24-14/3**	25962	30½″ x 123¼″	775 x 3131	**FFN2772-3-24-14/3**	32247
27″ x 24″	686 x 610	30″	762	30½″ x 109⅝″	775 x 2785	**FFN2748-2-30-14/3**	28683	30½″ x 135¼″	775 x 3435	**FFN2772-3-30-14/3**	35377
27″ x 30″	686 x 762	24″	610	30½″ x 109⅝″	775 x 2826	**FFN2760-2-24-14/3**	29107	30½″ x 141¼″	775 x 3588	**FFN2790-3-24-14/3**	36952
27″ x 30″	686 x 762	30″	762	30½″ x 121⅝″	775 x 3089	**FFN2760-2-30-14/3**	31815	30½″ x 153¼″	775 x 3893	**FFN2790-3-30-14/3**	40094

* Three-Compartment sinks feature two sets of faucet holes.

SPEC-MASTER® Specialty Use/Parts Cleaning Sinks NSF

see spec sheet **EG20.38**



FEATURES:

- All bowls have 14″ depth *(356mm)*, ⅝″ *(16mm)* radius corners.
- 14 gauge type 304 18-8 stainless steel construction.
- Available with one, two, or no drainboards.

Note: All shipping weights and cubic feet are approximate.

Two Compartments

inside bowl dimensions width x length in.	mm	overall dimensions width x length x height in.	mm	drain boards	weight lbs.	kg	cu ft	model #	list
14″ x 32″	356 x 813	37″ x 37″ x 44½″	902 x 940 x 1130	none	155	70.3	23	**SFN2832-2-14/3**	10188
14″ x 32″	356 x 813	37″ x 53½″ x 44½″	902 x 1359 x 1130	one 18″ *(457mm)* R or L	175	79.3	26	**SFN2832-2-18R or L-14/3**	11464
14″ x 32″	356 x 813	37″ x 70″ x 44½″	902 x 1778 x 1130	two 18″ *(457mm)* R & L	200	90.7	46	**SFN2832-2-18-14/3**	12550

Three Compartments

inside bowl dimensions width x length in.	mm	overall dimensions width x length x height in.	mm	drain boards	weight lbs.	kg	cu ft	model #	list
two 14″ x 32″ *(356 x 813mm)* bowls, & one 20″ x 30″ *(508 x 762mm)* bowl		37″ x 59″ x 44½″	902 x 1499 x 1130	none	164	74.4	36	**SFN3052-3-14/3**	13056
		37″ x 75½″ x 44½″	902 x 1918 x 1130	one 18″ *(457mm)* R or L	192	87.1	47	**SFN3052-3-18R or L-14/3**	14133
		37″ x 92″ x 44½″	902 x 2337 x 1130	two 18″ *(457mm)* R & L	210	95.3	58	**SFN3052-3-18-14/3**	14494
three 32″ x 14″ *(813 x 356mm)* bowls		39″ x 51″ x 44½″	991 x 1265 x 1130	none	160	72.6	32	**SFN3242-3-14/3**	13605
		39″ x 67½″ x 44½″	991 x 1715 x 1130	one 18″ *(457mm)* R or L	175	79.4	45	**SFN3242-3-18R or L-14/3**	14026
		39″ x 84″ x 44½″	991 x 2134 x 1130	two 18″ *(457mm)* R & L	200	90.7	56	**SFN3242-3-18-14/3**	14528

314 Series Corner Sinks NSF

see spec sheet **EG20.09**



all sinks have two sets of faucet holes

FEATURES:

- Deep-drawn, heavy gauge type 304 construction.
- Poly cutting board/sink cover.

Note: All shipping weights and cubic feet are approximate. **ALL UNITS SHIPPED FULLY CRATED.**

Twist drain brackets available. Works in conjunction with optional twist handle drains *(not included - see page 260)*. To order, **add $63 per compartment to list price** and suffix **"-TB"** to model number. **Example: C314-10-3-12-TB.**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

no. bowls	bowl size width x length x depth	drain boards	overall size width x length x height	shipping weight	cu ft	model #	list
3	10″ x 14″ x 10″ *(254 x 355 x 254mm)*	two 12″ *(305mm)*	39″ x 43″ x 44″ *(991 x 1092 x 1118mm)*	162 lbs. *(73.5 kg)*	30	**C314-10-3-12**	10362
3	16″ x 20″ x 14″ *(406 x 508 x 356mm)*	two 18″ *(457mm)*	57¼″ x 59¾″ x 44″ *(1454 x 1518 x 1118mm)*	211 lbs. *(95.7 kg)*	77	**C314-16-3-18** •	13629
3	22″ x 22″ x 14″ *(558 x 558 x 356mm)*	two 18″ *(457mm)*	69″ x 69″ x 44″ *(1753 x 1753 x 1118mm)*	300 lbs. *(136.1 kg)*	90	**C314-22-3-18**	14784
3	24″ x 24″ x 14″ *(610 x 610 x 356mm)*	two 24″ *(610mm)*	79″ x 79″ x 44″ *(2007 x 2007 x 1118mm)*	357 lbs. *(161.9.0 kg)*	108	**C314-24-3-24**	15976

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

310 and 312 Series Specialty Use Sinks

see spec sheet EG20.19



FEATURES:

- Heavy gauge type 304 construction.
- Sink bowls are deep-drawn, except where noted.
- 9½″ *(241mm)* backsplash includes 1″ *(25mm)* upturn and tile edge for easy installation and feathering to wall/splash surface.

Note: All shipping weights and cubic feet are approximate.

Twist drain brackets available.
Works in conjunction with optional twist handle drains *(not included – see page 260)*. To order, **add $63 per compartment to list price** and suffix **"-TB"** to model number **(example: 310-10-3-12-TB).**

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

310 Series

no. bowls	bowl size width x length x depth	drain boards	overall size width x length x height	shipping weight	cu ft	model #	list
3	14″ x 10″ x 9¾″ *(355 x 254 x 247mm)*	two 12″ *(305mm)*	21 11/16″ x 60″ x 41″ *(551 x 1524 x 1041mm)*	123 lbs. *(55.8 kg)*	23	**310-10-3-12** •	6177
3	14″ x 10″ x 9¾″ *(355 x 254 x 247mm)*	two 18″ *(457mm)*	21 11/16″ x 72″ x 41″ *(551 x 1829 x 1041mm)*	134 lbs. *(60.8 kg)*	27	**310-10-3-18** •	6332
3	14″ x 10″ x 9¾″ *(355 x 254 x 247mm)*	two 24″ *(610mm)*	21 11/16″ x 84″ x 41″ *(551 x 2134 x 1041mm)*	150 lbs. *(68.0 kg)*	32	**310-10-3-24**	6444

312 Series

no. bowls	bowl size width x length x depth	drain boards	overall size width x length x height	shipping weight	cu ft	model #	list
3	20″ x 12″ x 12″ *(508 x 305 x 305mm)*	two 12″ *(305mm)*	27 11/16″ x 66″ x 41″ *(703 x 1676 x 1041mm)*	143 lbs. *(64.9 kg)*	22	**312-12-3-12** •*	6553
3	14″ x 16″ x 12″ *(356 x 406 x 305mm)*	two 12″ *(305mm)*	23 11/16″ x 72″ x 41″ *(602 x 1829 x 1041mm)*	150 lbs. *(68.0 kg)*	46	**312-14-3-12** •	7018

* #312-12-3-12 features fabricated sink bowls.



Faucet for Convenience Store Sinks

description	model #	list
10″ *(254mm)* spout	**300489**	573

NEW Flush Floor Mop Sinks

see spec sheet EG20.46

Features:

- Allows ease of disposing dirty water without lifting or spilling.
- Heavy gauge type 304 construction.
- 16½″ *(419mm)* backsplash, with end splash on left, right, or both sides.
- Stainless drain accommodates up to 4-dia. pipe, features removable perforated stainless basket.
- All sinks feature bowl capacity of 17.1 gallons.


#FF2119-FG-LS


#FF2119-FG-LRS


#FF2119-SG-RS

Flow rate of 20 gallons per minute on all sinks!

location of splash(es)	OVERALL DIMENSIONS width x length x height inches	mm	BOWL DIMENSIONS width x length x height inches	mm	weight lbs.	kg	WITH FIBERGLASS GRATING model #	list	WITH STAINLESS STEEL GRATING model #	list
left side	23 5/8″ x 23 5/8″ x 32¾″	600 x 600 x 832	19″ x 21″ x 10″	483 x 533 x 254	65	29.5	**FF2119-FG-LS**	4740	**FF2119-SG-LS**	5836
right side	23 5/8″ x 23 5/8″ x 32¾″	600 x 600 x 832	19″ x 21″ x 10″	483 x 533 x 254	65	29.5	**FF2119-FG-RS**	4740	**FF2119-SG-RS**	5836
both sides	23 5/8″ x 21 1/8″ x 32¾″	600 x 537 x 832	19″ x 21″ x 10″	483 x 533 x 254	65	29.5	**FF2119-FG-LRS**	4930	**FF2119-SG-LRS**	6049

Mop Sinks (NSF)

see spec sheet **EG20.01**



FEATURES:

- 304 18-8 stainless steel construction.
- Sink bowl is heavy gauge with deep-drawn coved corners.
- Drain with flat strainer plate.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Note: See page 253 for Mop Storage Cabinets and optional Utility Shelves with Mop Hangers.

bowl width x length x depth in	bowl width x length x depth mm	cu ft	overall width x length x height in.	overall width x length x height mm	sh. weight lbs.	sh. weight kg	model #	list
16″ x 20″ x 8″	406 x 508 x 203	8.4	21½″ x 24⅝″ x 15½″	546 x 625 x 394	35	15.8	**F1916 •***	3049
16″ x 20″ x 12″	406 x 508 x 305	8.4	21½″ x 24⅝″ x 19½″	546 x 625 x 495	53	24.0	**F1916-12 ****	3156
20″ x 28″ x 8″	508 x 711 x 203	11.9	25″ x 32½″ x 15½″	635 x 826 x 394	68	30.8	**F2820 ***	3488
20″ x 28″ x 12″	508 x 711 x 305	11.9	25″ x 32½″ x 19½″	635 x 826 x 495	86	39.0	**F2820-12 ****	3875

* Includes 3¼″ high backsplash. 12½″ deck height.
** Includes 3¼″ high backsplash. 16½″ deck height.



Optional 16″ Splash Kits for Mop Sinks

16 gauge type 304 stainless steel. 3″ radius on front of end splashes. Kits come with hardware for attaching to mop sink.

descriptions	fits "F1916" mop sinks model #	fits "F1916" mop sinks list	fits "F2820" mop sinks model #	fits "F2820" mop sinks list
left and rear splash kit	**503095**	1097	**503098**	1162
right and rear splash kit	**503096**	1097	**503099**	1162
left, right and rear splash kit	**503097**	1729	**503100**	1897

NEW Corner Mop Sinks (NSF)

see spec sheets **EG20.08A** **EG20.08B**

Features:

- Type 304 stainless steel construction.
- Fully welded and polished sink bowl is creased to improve drainage.
- 2″ brass drain with 4½″ stainless steel strainer.



with 3″ drop front edge



with flush front edge

bowl width x length x depth in	bowl width x length x depth mm	O.A. width x length x height in.	O.A. width x length x height mm	sh. weight lbs.	sh. weight kg	with Drop Front Edge model #	with Drop Front Edge list	with Flush Front Edge model #	with Flush Front Edge list
21″ x 21″ x 8″	533 x 533 x 203	24″ x 24″ x 12″	610 x 610 x 305	35	15.8	**F2121-8-CDE**	4228	**F2121-8-CNR**	4215
21″ x 21″ x 12″	533 x 533 x 305	24″ x 24″ x 16″	610 x 610 x 406	53	24.0	**F2121-12-CDE**	4478	**F2121-12-CNR**	4516
24″ x 24″ x 8″	610 x 610 x 203	27″ x 27″ x 12″	686 x 686 x 305	68	30.8	**F2424-8-CDE**	4343	**F2424-8-CNR**	4353
24″ x 24″ x 12″	610 x 610 x 305	27″ x 27″ x 16″	686 x 686 x 406	86	39.0	**F2424-12-CDE**	4610	**F2121-12-CNR**	4685



3-pole mop holder



4-pole mop holder



hose & bracket



service faucet

Optional Accessories for Mop Sink

description	weight lbs.	weight kg	model #	list
3-pole mop holder, 18″ *(457mm)* length	4	1.8	**312688**	393
4-pole mop holder, 24″ *(610mm)* length	4.5	2.0	**321561 •**	573
30″ *(762mm)* hose & wall mounted bracket	8	3.6	**312689**	376
service faucet *(comes with vacuum breaker)*	11	5.0	**312690**	1094

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Chemical Storage Wall Cabinets

see spec sheet **EG20.11**



Overall dimensions of all units:
15˝ width x 24˝ length x 28˝ height.

FEATURES:

- Heavy gauge 300 or 430 series stainless steel construction.
- Stationary center shelf with safety edge.
- Top is slanted at a 15˚ angle.
- Sides are louvered along the top for ventilation.
- Double-panel removable doors with or without key lock.
- Recessed back accommodates and conceals full-length mounting plate.

features	weights lbs.	kg	TYPE 430 STAINLESS model #	list	TYPE 300 STAINLESS model #	list
left-hinged door	116	52.6	**WCH4-24C-L**	7759	**WCH-24C-L**	8597
left-hinged door with key lock	116	52.6	**WCH4-24C-LL**	8283	**WCH-24C-LL**	9120
right-hinged door	116	52.6	**WCH4-24C-R**	7759	**WCH-24C-R**	8597
right-hinged door with key lock	116	52.6	**WCH4-24C-RL**	8283	**WCH-24C-RL**	9120

Mop Sink Storage Cabinets (NSF)

see spec sheet **EG20.04**



FEATURES:

- Heavy gauge type 430 stainless steel construction.
- Overhead shelf (Double-width units feature four shelves).
- Double-pan 20 gauge stainless steel hinged doors.
- Transverse rod handles featuring keyed locks.
- Top is slanted at a 15˚ angle.
- Sides are louvered along the top for ventilation.
- Mop sink holds two mops.
- Cabinets comes with service faucet, 30˝ *(762mm)* hose and wall mounted bracket.

Note: **Optional upgrade to type 300 stainless steel cabinet available.**
To order, **add 15% to list price** and suffix **"-SE"** to model number **(example: F1916-VSCS-SE).**

description	width x length x height in.	mm	weight lbs.	kg	cubic feet	model #	list
single-width cabinet	22¼˝ x 25˝ x 84¼˝	565 x 635 x 2140	375	170.1	39.0	**F1916-VSCS**	11334
double-width cabinet, mop sink at left	22¼˝ x 47½˝ x 84¼˝	565 x 1207 x 2140	544	246.7	81.9	**F1916-VSCS-DL**	12948
double-width cabinet, mop sink at right	22¼˝ x 47½˝ x 84¼˝	565 x 1207 x 2140	544	246.7	81.9	**F1916-VSCS-DR**	12948

Utility Shelves with Mop Hangers

see spec sheet **EG20.02**

FEATURES:

- 16 gauge type 304 stainless steel.
- Mop hangers. Flat hooks.
- Hangers and hooks are riveted to front of shelf.

Note: Faucets listed are lead-free AB1953-compliant.

width x length in.	mm	weight lbs.	kg	model #	list
8˝ x 24˝	203 x 610	9	4.1	**US0824-16/3** •	1220
8˝ x 36˝	203 x 914	14	6.4	**US0836-16/3**	1405
8˝ x 48˝	203 x 1219	15	6.8	**US0848-16/3**	1777



(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Countertop Drop-In Sinks with Self Rim Design


see spec sheet EG20.39

FEATURES:

- 300 series stainless steel.
- Faucet and 1½″ *(38mm)* outlet basket drain.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Not NSF approved for warewashing and/or food preparation operations.
Not intended for NSF installation into stainless steel worksurface. Please consult factory if need arises.



#SR-10-14-9.5-1
one-compartment sink



#SR-10-14-9.5-2
two-compartment sink

Note: Faucet holes are punched on 4″ *(102mm)* centers. To order sinks with faucet holes punched on 8″ *(203mm)* centers, **add $325 to list price** and add suffix **"-8CL" (example: SR18-24-13.5-2-8CL).** Faucets sold separately for **"-8CL"** sinks. See page 255.

All weights and cubic feet in charts are approximate.

Recommended for 1″-thick countertops. If countertop is thicker than 1″, please indicate at time of order.

One Compartment – Furnished with #302004 faucet with gooseneck spout, except where noted. See page 255 for other available faucets.

inside bowl dimensions width x length x depth in.	mm	overall width x length in.	mm	TOP MOUNT cutout width x length in.	mm	BOTTOM MOUNT cutout* width x length in.	mm	gauge**	weight lbs.	kg	cu ft	model #	list
14″ x 10″ x 5″	356 x 254 x 127	19″ x 12¾″	483 x 324	17⅝″ x 11¼″	448 x 286	14¹³⁄₁₆″ x 10¹³⁄₁₆″	376 x 275	18	10	4.5	0.7	**SR10-14-5-1•**	1006
14″ x 10″ x 9½″	356 x 254 x 241	18⅞″ x 12¾″	480 x 324	17½″ x 11¼″	445 x 286	14¹³⁄₁₆″ x 10¹³⁄₁₆″	376 x 275	18	12	5.4	1.4	**SR10-14-9.5-1•**	1104
14″ x 12″ x 9½″	356 x 305 x 241	19″ x 14¾″	483 x 375	17⅝″ x 13¼″	448 x 337	14⅜″ x 12⅜″	365 x 314	16	14	6.4	1.7	**SR12-14-9.5-1•**	1480
10″ x 14″ x 5″	254 x 356 x 127	15″ x 16¾″	381 x 426	13⅜″ x 15¼″	346 x 387	10¹³⁄₁₆″ x 14¹³⁄₁₆″	275 x 376	18	10	4.5	0.8	**SR14-10-5-1**	1006
10″ x 14″ x 5″	254 x 356 x 127	15″ x 16¾″	381 x 426	13⅜″ x 15¼″	346 x 387	n/a		18	12	5.4	0.8	**SRU14-10-5-1*** **	1894
10″ x 14″ x 9½″	254 x 356 x 241	15″ x 16⅝″	381 x 422	13⅝″ x 15⅛″	346 x 384	10¹³⁄₁₆″ x 14¹³⁄₁₆″	275 x 376	18	12	5.4	1.6	**SR14-10-9.5-1**	1438
12″ x 14″ x 9½″	305 x 356 x 241	17″ x 16¾″	432 x 426	15⅝″ x 15¼″	397 x 387	12⅜″ x 14⅜″	314 x 365	16	14	6.4	1.8	**SR14-12-9.5-1**	1464
16″ x 14″ x 9½″	406 x 356 x 241	21″ x 16¾″	533 x 425	19⅝″ x 15¼″	499 x 387	16⅝″ x 14⅝″	422 x 372	16	23	10.4	2.1	**SR14-16-9.5-1•**	1725
14″ x 16″ x 9½″	356 x 406 x 241	19″ x 18¾″	483 x 476	17⅝″ x 17¼″	448 x 448	14⅝″ x 16⅝″	372 x 422	16	23	10.4	2.1	**SR16-14-9.5-1**	1725
20″ x 16″ x 8″	508 x 406 x 203	24¾″ x 18½″	629 x 470	23⅜″ x 17″	594 x 432	20⅝″ x 16⅝″	524 x 422	18	26	11.8	2.2	**SR16-19-8-1★**	1476
20″ x 16″ x 13½″	508 x 406 x 343	24¾″ x 18½″	629 x 470	23⅜″ x 17″	594 x 432	20⅝″ x 16⅝″	524 x 422	18	28	12.7	3.9	**SR16-19-13.5-1★**	1847
24″ x 18″ x 13½″	610 x 457 x 343	28¾″ x 20½″	730 x 521	27⅜″ x 19″	695 x 483	24⅝″ x 18⅝″	626 x 473	18	32	14.5	4.9	**SR18-24-13.5-1★**	1958
16″ x 20″ x 8″	406 x 508 x 203	20¾″ x 22½″	527 x 572	19⅜″ x 21″	492 x 533	16⅝″ x 20⅝″	422 x 524	18	24	10.9	2.3	**SR19-16-8-1■•**	1725
16″ x 20″ x 13½″	406 x 508 x 343	20¾″ x 22½″	527 x 572	19⅜″ x 21″	492 x 533	16⅝″ x 20⅝″	422 x 524	18	25	11.3	3.9	**SR19-16-13.5-1■•**	1847
12″ x 20″ x 6½″	305 x 508 x 165	17″ x 22¾″	432 x 578	15⅝″ x 21¼″	397 x 540	12⁹⁄₁₆″ x 20⅛″	310 x 511	20	28	12.7	1.6	**SR20-12-6.5-1**	1862
22″ x 22″ x 13½″	559 x 559 x 343	27″ x 24¾″	686 x 629	25⅝″ x 23¼″	651 x 591	see template included w/sink		16	34	15.4	5.5	**SR22-22-13.5-1■**	2033
18″ x 24″ x 13½″	457 x 610 x 343	22¾″ x 26½″	578 x 673	21⅜″ x 25″	543 x 635	18⅝″ x 24⅝″	473 x 626	18	32	14.5	5.0	**SR24-18-13.5-1★**	1797
24″ x 24″ x 13½″	610 x 610 x 343	28¾″ x 26½″	730 x 673	27⅜″ x 25″	695 x 635	24¹¹⁄₁₆″ x 24¹¹⁄₁₆″	627 x 627	18	36	16.3	6.4	**SR24-24-13.5-1■**	2355

* See page 255 for Bottom Mount Kit; ** 16 gauge bowls are fabricated, 18 and 20 gauge bowls are deep-drawn; *** #SRU14-10-5-1 features an upturn on sides and rear;
★These sinks utilize #301248 faucet with 8″ *(203mm)* swivel spout; ■These sinks utilize #300490 faucet with 12″ *(305mm)* swivel spout



deck mount electronic-eye faucet

Optional Deck-Mount Electronic-Eye Faucet for One Compartment Drop-In Sinks only

To order, add suffix **"-FE"** to model #.
Example: SR10-14-5-1**-FE.** Consult factory for list price.

Two Compartment – Furnished with #300490 faucet with 12″ *(203mm)* spout, except where noted. See page 255 for other available faucets.

inside bowl dimensions width x length x depth in.	mm	overall width x length in.	mm	TOP MOUNT cutout width x length in.	mm	BOTTOM MOUNT cutout* width x length in.	mm	gauge**	weight lbs.	kg	cu ft	model #	list
14″ x 10″ x 9½″	356 x 254 x 241	18⅞″ x 24¾″	480 x 629	17½″ x 23¼″	445 x 591	14¹³⁄₁₆″ x 23″	376 x 584	18	25	11.3	2.8	**SR10-14-9.5-2•★**	2329
14″ x 12″ x 9½″	356 x 305 x 241	19″ x 28¾″	483 x 730	17⅝″ x 27¼″	448 x 692	14⅜″ x 26⅝″	365 x 676	16	27	12.2	3.2	**SR12-14-9.5-2**	2563
16″ x 14″ x 9½″	406 x 356 x 241	21″ x 32¾″	525 x 832	19⅝″ x 31¼″	499 x 794	16⅝″ x 30⅝″	422 x 778	16	42	19.1	4.0	**SR14-16-9.5-2**	2729
20″ x 16″ x 8″	508 x 406 x 203	24¾″ x 36¼″	527 x 921	23⅜″ x 34¾″	594 x 883	20⅝″ x 34¼″	524 x 870	18	48	21.8	4.3	**SR16-19-8-2**	3063
20″ x 16″ x 13½″	508 x 406 x 343	24¾″ x 36¼″	527 x 921	23⅜″ x 34¾″	594 x 883	20⅝″ x 34¼″	524 x 870	18	52	23.6	7.5	**SR16-19-13.5-2•**	3217
24″ x 18″ x 13½″	610 x 457 x 343	28¾″ x 40¼″	578 x 1022	27⅜″ x 38¾″	695 x 984	24⅝″ x 38½″	626 x 978	18	56	24.9	9.7	**SR18-24-13.5-2**	3686
22″ x 22″ x 13½″	559 x 559 x 343	27″ x 48¾″	686 x 1238	25⅝″ x 47¼″	651 x 1200	see template included w/sink		16	57	25.9	10.7	**SR22-22-13.5-2**	5518
24″ x 24″ x 13½″	610 x 610 x 343	28¾″ x 52⅛″	730 x 1324	27⅜″ x 50⅝″	695 x 1286	24¹³⁄₁₆″ x 50¼″	630 x 1276	18	64	29.0	12.5	**SR24-24-13.5-2**	4974

* See page 255 for Bottom Mount Kit; ** 16 gauge bowls are fabricated, 18 gauge bowls are deep-drawn;
★Model #SR10-14-9.5-2 utilizes #301248 faucet with 8″ *(203mm)* swivel spout.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Countertop Drop-In Sinks with Self Rim Design

see spec sheet EG20.39

FEATURES:

- 300 series stainless steel.
- Faucet and 1½″ *(38mm)* outlet basket drain.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Not NSF approved for warewashing and/or food preparation operations.
Not intended for NSF installation into stainless steel worksurface. Please consult factory if need arises.



#SR-10-14-9.5-3
three-compartment sink

Note: Faucet holes are punched on 4″ *(102mm)* centers. To order sinks with faucet holes punched on 8″ *(203mm)* centers, **add $325 to list price** and add suffix **"-8CL" (example: SR18-24-13.5-3-8CL).** Faucets sold separately for **"-8CL"** sinks. See "T&S Deck Mount Faucets" chart below.

All weights and cubic feet in charts are approximate.

Recommended for 1″-thick countertops. For countertops thicker than 1″, consult factory.

Three Compartment – Furnished with #300490 faucet with 12″ *(305mm)* spout, except where noted. See below for other available faucets.

inside bowl dimensions width x length x depth in.	mm	overall width x length in.	mm	TOP MOUNT cutout width x length in.	mm	BOTTOM MOUNT cutout* width x length in.	mm	gauge**	weight lbs.	kg	cu ft	model #	list
14″ x 10″ x 9½″	356 x 254 x 241	18⅞″ x 36¾″	480 x 933	17½″ x 35¼″	445 x 895	14¹³⁄₁₆″ x 35″	376 x 889	18	37	16.8	4.1	**SR10-14-9.5-3•**	3115
14″ x 12″ x 9½″	356 x 305 x 241	19″ x 42¾″	483 x 1086	17⅝″ x 41¼″	448 x 1031	14⅜″ x 40⅝″	365 x 1032	16	39	17.6	4.7	**SR12-14-9.5-3**	3759
16″ x 14″ x 9½″	406 x 356 x 241	21″ x 48¾″	533 x 1238	19⅝″ x 47¼″	498 x 1200	16⅝″ x 46⅝″	422 x 1184	16	66	29.9	6.0	**SR14-16-9.5-3•**	3836
20″ x 16″ x 8″	508 x 406 x 203	24¾″ x 54″	629 x 1372	23¾″ x 52½″	594 x 1334	20⅝″ x 52¼″	524 x 1327	18	72	32.7	6.3	**SR16-19-8-3**	3984
20″ x 16″ x 13½″	508 x 406 x 343	24¾″ x 54″	629 x 1372	23¾″ x 52½″	594 x 1334	20⅝″ x 52¼″	524 x 1327	18	77	34.9	10.9	**SR16-19-13.5-3•**	4218
24″ x 18″ x 13½″	610 x 457 x 343	28¾″ x 60″	730 x 1524	27¾″ x 58½″	695 x 1486	24⅝″ x 58¼″	626 x 1480	18	82	37.2	14.1	**SR18-24-13.5-3★**	5116

* See below for Bottom Mount Kit; ** 16 gauge bowls are fabricated, 18 gauge bowls are deep-drawn;
★ Model #SR18-24-13.5-3 utilizes #301440 faucet with 14″ *(356mm)* swivel spout.

Options for Countertop Drop-In Sinks

see spec sheet EG20.39

Note: Faucets listed are lead-free AB1953-compliant.

Faucets can be shipped UPS.

Standard Deck Mount Faucets — with 1/4-turn handles

description	model #	list
gooseneck faucet, 4″ *(102mm)* center, for single bowls	**302004**	382
8″ *(203mm)* spout, 4″ *(102mm)* centers, for single and double bowls	**301248**	342
12″ *(305mm)* spout, 4″ *(102mm)* centers, for triple bowls	**300490**	364
14″ *(356mm)* spout, 4″ *(102mm)* centers, for triple bowls	**301440**	394



#302004 faucet



#301248 faucet

T&S Deck Mount Faucets *OUR BEST*

description	model #	list
gooseneck faucet, 4″ *(102mm)* center, for single bowls	**313308**	909
8″ *(203mm)* spout, 4″ *(102mm)* center, for single and double bowls	**313306**	876
8″ *(203mm)* spout, 4″ *(102mm)* center, for single and double bowls, with spray arm	**377430 ***	93
8″ *(203mm)* spout, 8″ *(203mm)* center, for single and double bowls, with spray arm	**303560 ***	1009
12″ *(305mm)* spout, 4″ *(102mm)* center, for triple bowls	**313303**	907
12″ *(305mm)* spout, 8″ *(203mm)* center, for triple bowls, with spray arm	**303561 ***	1143
14″ *(356mm)* spout, 4″ *(102mm)* center, for triple bowls	**313307**	909
14″ *(356mm)* spout, 8″ *(203mm)* center, for triple bowls, with spray arm	**303562 ***	1139

* Faucets with spray arm require special faucet holes.




#303560 faucet

Bottom-Mount Kit — One kit per one-compartment sinks, two kits per two-compartment sink, three kits per three-compartment sink.

description	model #	list
8 undermount clips per kit	**362188**	55



undermount clip



Countertop Drop-Ins with No Deck (NSF)

see spec sheet **EG20.17**

FEATURES:

- 300 series stainless steel.
- Basket drain.
- 1⅜″ trim on all four sides.



One Compartment

inside bowl dimensions width x length x depth in.	mm	overall width x length in.	mm	TOP MOUNT cutout width x length in.	mm	BOTTOM MOUNT cutout* width x length in.	mm	gauge**	weight lbs.	kg	cu ft	model #	list
14″ x 10″ x 5″	356 x 254 x 127	16⅝″ x 12¾″	422 x 324	15¼″ x 11¼″	387 x 286	14 13/16″ x 10 13/16″	376 x 275	20	10	4.5	0.7	**SR10-14-5-1-ND** •	915
14″ x 10″ x 9½″	356 x 254 x 241	16½″ x 12¾″	419 x 324	15¼″ x 11¼″	387 x 286	14 13/16″ x 10 13/16″	376 x 275	18	12	5.4	1.4	**SR10-14-9.5-1-ND** •	1204
14″ x 12″ x 9½″	356 x 305 x 241	16⅝″ x 14¾″	422 x 375	15¼″ x 13¼″	387 x 337	14⅜″ x 12⅝″	365 x 314	16	14	6.4	1.7	**SR12-14-9.5-1-ND** •	1448
16″ x 14″ x 9½″	406 x 356 x 241	18⅝″ x 16¾″	473 x 425	17¼″ x 15¼″	438 x 387	16⅝″ x 14⅝″	422 x 372	16	23	10.4	2.1	**SR14-16-9.5-1-ND** •	1645
20″ x 16″ x 8″	508 x 406 x 203	22⅜″ x 18½″	568 x 470	21″ x 17″	533 x 432	20⅝″ x 16⅝″	524 x 422	18	26	11.8	2.2	**SR16-19-8-1-ND**	1482
20″ x 16″ x 13½″	508 x 406 x 343	22⅜″ x 18½″	568 x 470	21″ x 17″	533 x 432	20⅝″ x 16⅝″	524 x 422	18	28	12.7	3.9	**SR16-19-13.5-1-ND**	1630
24″ x 18″ x 13½″	610 x 457 x 343	26⅜″ x 20½″	670 x 521	25″ x 19″	635 x 483	24⅝″ x 18⅝″	626 x 473	18	32	14.5	4.9	**SR18-24-13.5-1-ND**	1738
22″ x 22″ x 13½″	559 x 559 x 343	24⅝″ x 24¾″	626 x 629	23¼″ x 23¼″	591 x 591	22⅝″ x 22⅝″	575 x 575	16	34	15.4	5.5	**SR22-22-13.5-1-ND**	2999
24″ x 24″ x 13½″	610 x 610 x 343	26⅜″ x 26½″	670 x 673	25″ x 25″	635 x 635	24 1/16″ x 24 1/16″	627 x 627	18	36	16.3	6.4	**SR24-24-13.5-1-ND**	1903

* See page 255 for Bottom Mount Kit. ** 16-gauge bowls are fabricated, 18 and 20 gauge bowls are deep-drawn.

Two Compartment

inside bowl dimensions width x length x depth in.	mm	overall width x length in.	mm	TOP MOUNT cutout width x length in.	mm	BOTTOM MOUNT cutout* width x length in.	mm	gauge**	weight lbs.	kg	cu ft	model #	list
14″ x 10″ x 9½″	356 x 254 x 241	16½″ x 24¾″	419 x 629	15¼″ x 23¼″	387 x 591	14 13/16″ x 23″	376 x 584	18	25	11.3	2.8	**SR10-14-9.5-2-ND** •	2273
14″ x 12″ x 9½″	356 x 305 x 241	16⅝″ x 28¾″	422 x 730	15¼″ x 27¼″	387 x 692	14⅜″ x 26⅝″	365 x 676	16	27	12.2	3.2	**SR12-14-9.5-2-ND**	2627
16″ x 14″ x 9½″	406 x 356 x 241	18⅝″ x 32¾″	473 x 832	17¼″ x 31¼″	438 x 794	16⅝″ x 30⅝″	422 x 778	16	42	19.1	4.0	**SR14-16-9.5-2-ND**	2809
20″ x 16″ x 8″	508 x 406 x 203	22⅜″ x 36¼″	568 x 921	21″ x 34¾″	533 x 883	20⅝″ x 34½″	524 x 876	18	48	21.8	4.3	**SR16-19-8-2-ND**	2236
20″ x 16″ x 13½″	508 x 406 x 343	22⅜″ x 36¼″	568 x 921	21″ x 34¾″	533 x 883	20⅝″ x 34½″	524 x 876	18	52	23.6	7.5	**SR16-19-13.5-2-ND** •	2530
24″ x 18″ x 13½″	610 x 457 x 343	26⅜″ x 40¼″	670 x 1022	25″ x 38¾″	635 x 984	24⅝″ x 38½″	626 x 978	18	56	24.9	9.7	**SR18-24-13.5-2-ND**	3038
22″ x 22″ x 13½″	559 x 559 x 343	24⅝″ x 48¾″	626 x 1238	23¼″ x 47¼″	591 x 1200	22⅝″ x 46⅝″	575 x 1184	16	57	25.9	10.7	**SR22-22-13.5-2-ND**	5576
24″ x 24″ x 13½″	610 x 610 x 343	26⅜″ x 52⅛″	670 x 1324	25″ x 50⅝″	635 x 1286	24 13/16″ x 50¼″	630 x 1276	18	64	29.0	12.5	**SR24-24-13.5-2-ND**	3209

* See page 255 for Bottom Mount Kit. ** 16-gauge bowls are fabricated, 18 and 20 gauge bowls are deep-drawn.

Three Compartment

inside bowl dimensions width x length x depth in.	mm	overall width x length in.	mm	TOP MOUNT cutout width x length in.	mm	BOTTOM MOUNT cutout* width x length in.	mm	gauge**	weight lbs.	kg	cu ft	model #	list
14″ x 10″ x 9½″	356 x 254 x 241	16½″ x 36¾″	419 x 933	15¼″ x 35¼″	387 x 895	14 13/16″ x 35″	376 x 889	18	37	16.8	4.1	**SR10-14-9.5-3-ND** •	2423
14″ x 12″ x 9½″	356 x 305 x 241	16⅝″ x 42¾″	422 x 1086	15¼″ x 41¼″	387 x 1031	14⅜″ x 40⅝″	331 x 1032	16	39	17.6	4.7	**SR12-14-9.5-3-ND**	3615
16″ x 14″ x 9½″	406 x 356 x 241	18⅝″ x 48¾″	473 x 1238	17¼″ x 47¼″	438 x 1200	16⅝″ x 46⅝″	422 x 1184	16	66	29.9	6.0	**SR14-16-9.5-3-ND** •	3876
20″ x 16″ x 8″	508 x 406 x 203	22⅜″ x 54″	568 x 1372	21″ x 52½″	533 x 1334	20⅝″ x 52¼″	524 x 1327	18	72	32.7	6.3	**SR16-19-8-3-ND**	3147
20″ x 16″ x 13½″	508 x 406 x 343	22⅜″ x 54″	568 x 1372	21″ x 52½″	533 x 1334	20⅝″ x 52¼″	524 x 1327	18	77	34.9	10.9	**SR16-19-13.5-3-ND** •	3492
24″ x 18″ x 13½″	610 x 457 x 343	26⅜″ x 60″	670 x 1524	25″ x 58½″	635 x 1486	24⅝″ x 58¼″	626 x 1480	18	82	37.2	14.1	**SR18-24-13.5-3-ND**	4196

* See page 255 for Bottom Mount Kit. ** 16-gauge bowls are fabricated, 18 and 20 gauge bowls are deep-drawn.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Seamless Welded-In Sinks (NSF)

see spec sheet **EG20.18**

FEATURES:


- For NSF-approved welded fabrication.
- Seamless bowls.
- Type 300 stainless steel construction.
- Basket drain.

Note: All shipping weights and cubic feet are approximate.



For Undermount…

An understructure* is secured atop cabinet, then the sink's flanges are secured between understructure and countertop.



* provided by contractor

One Compartment

inside bowl dimensions width x length x depth in.	mm	overall dimensions width x length in.	mm	gauge*	drain in.	mm	weight lbs.	kg	cu ft	model #	list
14″ x 10″ x 5″	356 x 254 x 127	16″ x 12″	406 x 305	20	3½″	89	9	4.1	1.4	**FDI-10-14-5-1**	663
14″ x 10″ x 9½″	356 x 254 x 241	16″ x 12″	406 x 305	18	3½″	89	11	5.0	1.4	**FDI-10-14-9.5-1**	736
14″ x 12″ x 9½″	356 x 305 x 241	16″ x 14″	406 x 356	16	3½″	89	13	5.8	2.4	**FDI-12-14-9.5-1**	765
20″ x 12″ x 6½″	508 x 305 x 165	22″ x 14″	559 x 356	20	2″	51	14	6.4	2.6	**FDI-12-20-6.5-1**	800
16″ x 14″ x 6″	406 x 356 x 152	18″ x 16″	457 x 406	20	3½″	89	14	6.4	2.5	**FDI-14-16-6-1**	822
16″ x 14″ x 9½″	406 x 356 x 241	18″ x 16″	457 x 406	16	3½″	89	14	6.4	2.3	**FDI-14-16-9.5-1**	845
20″ x 16″ x 8″	508 x 406 x 203	21¾″ x 18″	552 x 457	18	3½″	89	23	10.4	3.7	**FDI-16-19-8-1**	1033
20″ x 16″ x 13½″	508 x 406 x 343	21¾″ x 18″	552 x 457	18	3½″	89	25	11.3	3.7	**FDI-16-19-13.5-1**	1043
24″ x 18″ x 13½″	610 x 457 x 343	26″ x 20″	660 x 508	18	3½″	89	37	16.8	8.6	**FDI-18-24-13.5-1**	1266
20″ x 20″ x 5″	508 x 508 x 127	22″ x 22″	559 x 559	20	3½″	89	19	8.6	1.5	**FDI-20-20-5-1**	809
22″ x 22″ x 13½″	559 x 559 x 343	24″ x 24″	610 x 610	16	3½″	89	39	17.6	7.3	**FDI-22-22-13.5-1**	1476
24″ x 24″ x 13½″	610 x 610 x 343	26″ x 26″	660 x 660	18	3½″	89	41	18.6	8.3	**FDI-24-24-13.5-1**	1540

* 16 gauge bowls are fabricated, 18 and 20 gauge bowls are deep-drawn.

Two Compartment

inside bowl dimensions width x length x depth in.	mm	overall dimensions width x length in.	mm	gauge*	drain in.	mm	weight lbs.	kg	cu ft	model #	list
14″ x 10″ x 9½″	356 x 254 x 241	16″ x 24″	406 x 610	18	3½″	89	19	8.6	6.5	**FDI-10-14-9.5-2**	1414
14″ x 12″ x 9½″	356 x 305 x 241	16″ x 28″	406 x 711	16	3½″	89	21	9.5	4.5	**FDI-12-14-9.5-2**	1525
16″ x 14″ x 9½″	406 x 356 x 241	18″ x 32″	457 x 813	16	3½″	89	25	11.3	6.2	**FDI-14-16-9.5-2**	1642
20″ x 16″ x 8″	508 x 406 x 203	21¾″ x 36″	552 x 914	18	3½″	89	43	19.5	5.1	**FDI-16-19-8-2**	1997
20″ x 16″ x 13½″	508 x 406 x 343	21¾″ x 36″	552 x 914	18	3½″	89	50	22.7	7.6	**FDI-16-19-13.5-2**	2053
24″ x 18″ x 13½″	610 x 457 x 343	26″ x 40″	660 x 1016	18	3½″	89	73	33.1	15.7	**FDI-18-24-13.5-2**	2396
22″ x 22″ x 13½″	559 x 559 x 343	24″ x 48″	610 x 1219	16	3½″	89	75	34.0	12.6	**FDI-22-22-13.5-2**	2840
24″ x 24″ x 13½″	610 x 610 x 343	26″ x 52″	660 x 1321	18	3½″	89	81	36.7	15.0	**FDI-24-24-13.5-2**	2962

* 16 gauge bowls are fabricated, 18 gauge bowls are deep-drawn.

Seamless Welded-In Sinks (NSF)

see spec sheet **EG20.18**

FEATURES:


- For NSF-approved welded fabrication.
- Seamless bowls.
- Type 300 stainless steel construction.
- Basket drain.

Note: All shipping weights and cubic feet are approximate.



For Undermount…

An understructure* is secured atop cabinet, then the sink's flanges are secured between understructure and countertop.



Three Compartment

inside bowl dimensions width x length x depth in.	mm	overall dimensions width x length in.	mm	gauge*	drain in.	mm	weight lbs.	kg	cu ft	model #	list
14″ x 10″ x 9½″	356 x 254 x 241	16″ x 36″	406 x 914	18	3½″	89	27	12.2	4.0	**FDI-10-14-9.5-3**	2109
14″ x 12″ x 9½″	356 x 305 x 241	16″ x 42″	406 x 1067	16	3½″	89	30	13.6	5.3	**FDI-12-14-9.5-3**	2132
16″ x 14″ x 9½″	406 x 356 x 241	18″ x 48″	457 x 1219	16	3½″	89	36	16.3	7.2	**FDI-14-16-9.5-3**	2393
20″ x 16″ x 8″	508 x 406 x 203	21¾″ x 54″	552 x 1372	18	3½″	89	63	28.6	11.3	**FDI-16-19-8-3**	2880
20″ x 16″ x 13½″	508 x 406 x 343	21¾″ x 54″	552 x 1372	18	3½″	89	75	34.0	15.9	**FDI-16-19-13.5-3**	3005
24″ x 18″ x 13½″	610 x 457 x 343	26″ x 60″	660 x 1524	18	3½″	89	101	45.8	21.8	**FDI-18-24-13.5-3**	3482
22″ x 22″ x 13½″	559 x 559 x 343	24″ x 72″	610 x 1829	16	3½″	89	113	51.3	19.8	**FDI-22-22-13.5-3**	3945
24″ x 24″ x 13½″	610 x 610 x 343	26″ x 78″	660 x 1981	18	3½″	89	123	55.8	21.8	**FDI-24-24-13.5-3**	4117

* 16 gauge bowls are fabricated, 18 gauge bowls are deep-drawn.

Four Compartment

inside bowl dimensions width x length x depth in.	mm	overall dimensions width x length in.	mm	gauge*	drain in.	mm	weight lbs.	kg	cu ft	model #	list
14″ x 10″ x 9½″	356 x 254 x 241	16″ x 48″	406 x 1219	18	3½″	89	35	15.9	6.0	**FDI-10-14-9.5-4**	2536
14″ x 12″ x 9½″	356 x 305 x 241	16″ x 56″	406 x 1422	16	3½″	89	39	17.6	7.2	**FDI-12-14-9.5-4**	2834
16″ x 14″ x 9½″	406 x 356 x 241	18″ x 64″	457 x 1626	16	3½″	89	47	21.3	9.7	**FDI-14-16-9.5-4**	2943
20″ x 16″ x 8″	508 x 406 x 203	21¾″ x 72″	552 x 1829	18	3½″	89	83	37.6	16.9	**FDI-16-19-8-4**	3482
20″ x 16″ x 13½″	508 x 406 x 343	21¾″ x 72″	552 x 1829	18	3½″	89	100	45.4	14.8	**FDI-16-19-13.5-4**	3594
24″ x 18″ x 13½″	610 x 457 x 343	26″ x 80″	660 x 3032	18	3½″	89	129	58.5	28.4	**FDI-18-24-13.5-4**	4096
22″ x 22″ x 13½″	559 x 559 x 343	24″ x 96″	610 x 2438	16	3½″	89	151	68.6	23.5	**FDI-22-22-13.5-4**	4787
24″ x 24″ x 13½″	610 x 610 x 343	26″ x 104″	660 x 2642	18	3½″	89	163	73.9	28.5	**FDI-24-24-13.5-4**	4984

* 16 gauge bowls are fabricated, 18 gauge bowls are deep-drawn.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment


Seamless Welded-In Sinks with Fabricated Wall

see spec sheet **EG20.16**

FEATURES:

- For NSF-approved welded fabrication.
- Type 304 18-8 stainless steel construction.
- Bowls are tapered to allow for 60% nesting which facilitates shipping and storage.
- 5/8″ *(16mm)* radius corners.
- 3½″ *(89mm)* drain hole with sump.
- Swirl away drainage.


inside bowl dimensions (W x L x D) in.	inside bowl dimensions (W x L x D) mm	gauge	weight lbs.	weight kg	cu ft	model #	list
9″ x 12″ x 6″	229 x 305 x 432	16	6	2.7	0.4	**FNWNF-9-12-6-1**	1359
9″ x 14″ x 8″	229 x 356 x 203	16	8	3.6	0.5	**FNWNF-9-14-8-1**	1444
12″ x 14″ x 8″	305 x 356 x 203	16	11	5.0	0.8	**FNWNF-12-14-8-1**	1487
14″ x 16″ x 8″	356 x 406 x 203	16	12	5.4	1.0	**FNWNF-14-16-8-1**	1556
18″ x 18″ x 10″	457 x 457 x 254	14	24	10.9	1.9	**FNWNF-18-18-10-1**	1394
18″ x 18″ x 12″	457 x 457 x 305	14	27	12.2	2.3	**FNWNF-18-18-12-1**	1414
20″ x 20″ x 10″	508 x 508 x 254	14	25	11.3	2.3	**FNWNF-20-20-10-1**	1476
20″ x 20″ x 12″	508 x 508 x 305	14	29	13.2	2.8	**FNWNF-20-20-12-1**	1549
20″ x 20″ x 14″	508 x 508 x 356	14	32	14.5	3.2	**FNWNF-20-20-14-1**	1633
20″ x 27″ x 6″	508 x 686 x 432	14	20	9.0	1.5	**FNWNF-20-27-6-1**	1394
20½″ x 20½″ x 5″	521 x 521 x 127	14	18	8.2	1.2	**FNWNF-20.5-20.5-5-1**	1283
20½″ x 20½″ x 8″	521 x 521 x 203	14	24	10.9	1.9	**FNWNF-20.5-20.5-8-1**	1407
24″ x 24″ x 12″	610 x 610 x 305	14	38	17.2	4.0	**FNWNF-24-24-12-1**	1725
24″ x 24″ x 14″	610 x 610 x 356	14	42	19.1	4.7	**FNWNF-24-24-14-1**	1809



Custom Sink Modifications

see spec sheet **EG20.50**

Note: Sink modifications may be added to NSF-certified products.



model #	description	list
E30	End splash - per end, all heights	650
E40	Provision for sink heater	95
E41	Disposal provision package—collar	1523
E41A	Disposal provision package—cone	1523
E43	Stand pipe with corner guard, available only on FN-style and utility sinks	460
E44	Faucet hole revision - adding or moving	343
E45	Trough installed in drainboard	1867
E46	Rubber scrap block installed	749
E101A	Turn down backsplash - per sink, includes Z-clips	505

Not Pictured

model #	description	list
E37	NSF sprayed-on sound deadening - up to 12´ *(3658mm)*	1414
E37A	- for each additional foot	115
E38-6 *	Cantilever mount up to 6´ *(1829mm)* - add to wall shelf price	822
E38-12 *	Cantilever mount up to 12´ *(3658mm)* - add to wall shelf price	1106
E39	Enclosed backsplash	177/lin. ft.
E47	Sink cover holders, sized for stainless steel or poly (includes upper and lower track)	1404/slot
E48	Stainless steel apron, to cover sink bowls - 2 or 3 compartment	2244
E48A	- for each additional compartment over 3	376
E49	s/s undershelf under drainboards - up to 24″ *(610mm)* w/short legs	1207
E49A	- for each additional foot over 24″ *(610mm)*	529
E50	Provision for water pump	3145
E51	Optional size drainboard	697/lin. ft.
E52	High backsplash up to 13″ *(330mm)*	364/lin. ft.
E53	High backsplash up to 18″ *(457mm)*	649/lin. ft.
E54	Working height revision	614/sink
E55	Drainboard corner turn	2830/ea.
E56	overflow hole	93

* Applicable to wall mount shelves and pot racks.

Sink Accessories/Replacements

Can be shipped UPS.

see spec sheet **EG20.51A**

Sink Covers…

For 412, 414, 314, and Spec-Master® FN Series Sinks only.

	Polyboard		Stainless Steel	
fits sink bowl size	model #	list	model #	list
14″ x 10″ *(356 x 254mm)*	**313207**	280	**321555**	344
16″ x 20″ *(483 x 508mm)*	**351584**	316	**351585**	393
20″ x 18″ *(508 x 457mm)*	**335377**	327	**346175**	416
20″ x 20″ *(508 x 508mm)*	**326267**	333	**305428**	418
22″ x 22″ *(559 x 559mm)*	**313204**	342	**321557**	439
24″ x 18″ *(610 x 457mm)*	**326268**	334	**326270**	426
24″ x 24″ *(610 x 610mm)*	**313205**	369	**321558**	539
28″ x 20″ *(711 x 508mm)*	**326269**	367	**326271**	432



polyboard sink cover

stainless steel sink cover



lever handle drain with overflow



twist handle drain



crumb cup strainer



lever handle drain

Drains

description	max. flow rate gal. per minute	gal. per hour	model #	list
lever handle drain with 1.5″ or 2″ *(38 or 51mm)* NPS connection	27	1620	**300720**	485
lever handle drain with 2″ *(51mm)* NPS connection	32	1920	**300721**	485
lever handle drain with 2″ *(51mm)* NPS connection and overflow	32	1920	**300722**	988
twist handle drain with 1.5″ or 2″ *(38 or 51mm)* NPS connection	27	1620	**341189** *	507
twist handle drain with 2″ *(51mm)* NPS connection	32	1920	**336002** *	507
twist handle drain with 2″ *(51mm)* NPS connection and overflow	32	1920	**341190** *	1149
nickel-plated brass rotary drain with 1.5″ or 2″ *(38 or 51mm)* NPS connection	40	2400	**369653**	820
crumb cup strainer with 1.5″ *(38mm)* outlet	18	1080	**300287**	45

* Twist handle bracket, for use with twist handle drain, should be ordered as sink option **"-TB"** at time of sink order
—or see 'Sink Kits' on page 217 *(for 314, 412, or 414 Series sinks)* or page 242 *(for FN Series sinks).*



Control Bracket

description	model #	list each
3″ x 5″ *(76 x 127mm)*, extra heavy duty	**309796**	145

Note: Requires custom mounting.




stainless steel flanged bullet foot

Leg Components

description	model #	list each
19″ *(483mm)* stainless steel leg for utility sinks	**300315**	67
stainless steel bullet feet	**300692**	40
stainless steel flanged bullet feet	**313835**	59
plastic bullet feet	**300293**	6

Plumbing Components

description	model #	list each
P-trap, nickel-plated	**300789**	192
tail piece for 1.5″ *(38.1mm)* IPS connection, nickel-plated	**300791**	37
anti-siphon vacuum breaker	**313832**	367
backflow preventer	**313834**	429



P-trap



tail piece



anti-siphon vacuum breaker



backflow preventer

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Sink Accessories/Replacements

see spec sheet **EG20.51B**

Note: Faucets listed are lead-free AB1953-compliant.

Can be shipped UPS.

T&S Extra Heavy Duty Faucets

- Top-of-the-line, T&S quality products.
- Splash mounted with 8″ *(203mm)* centers.



12″ (305mm) T&S faucet

OUR BEST

description	model #	list
8″ *(203mm)* spout	**313920**	1217
10″ *(254mm)* spout	**340380**	1243
12″ *(305mm)* spout	**313293**	1247
14″ *(356mm)* spout	**313294**	1259

Standard Faucets

- 8″ *(203mm)* centers.
- Splash mounted

description	model #	list
8″ *(203mm)* spout, standard	**313918**	456
12″ *(305mm)* spout, standard	**300716**	465
14″ *(356mm)* spout, standard	**300804**	482
16″ *(406mm)* spout, standard	**313919**	485
12″ *(305mm)* spout, heavy duty	**301001**	1125
14″ *(356mm)* spout, heavy duty	**301002**	1139
19″ *(489mm)* double-jointed spout	**301003**	1263
gooseneck, 8″ *(203mm)* center	**313075**	337

Standard Faucets with Wrist Handles

- Deck mounted with 4″ *(102mm)* centers.
- 4″ *(102mm)* long wrist handles and gooseneck spout.

description	model #	list
standard, rigid gooseneck spout	**301005**	645
heavy duty, swivel gooseneck spout	**301004**	1048

OUR BEST

T&S Extra Heavy Duty Faucet with Wrist Handles



- Top-of-the-line T&S quality.
- Deck mounted with 4″ *(102mm)* centers.
- 4″ *(102mm)* long wrist handles and rigid gooseneck spout.

description	model #	list
extra heavy duty	**313304**	1244



19″ (483mm) double-jointed spout faucet



12″ (305mm) heavy duty faucet

Repair Kits for Standard Faucets

description	for faucets #	model #	list
hot/cold stems, handles, seats, bonnet nuts, O-rings	313918, 313919	**304146**	207
hot/cold ceramic cartridge	300716, 300804	**368421**	63



standard wrist handle faucet

Prerinse Units and Components

Standard

description	model #	list
splash mounted spray unit	**300719**	2328
deck mounted spray unit	**300718**	2322
faucet add-on with 12″ *(305mm)* spout	**301189**	617
wall bracket	**301190**	156
prerinse hose, 36″ *(914mm)* length	**313116**	445
prerinse spray valve assembly for spray units #300718 and 300719	**313323**	384



splash mounted prerinse spray unit



prerinse spray valve assembly

deck mounted prerinse spray unit

T&S Extra Heavy Duty - Top-of-the-line.

OUR BEST

description	model #	list
splash mounted spray unit with wall bracket	**313296**	3045
deck mounted spray unit with wall bracket	**313295**	2869
faucet add-on with 12″ *(305mm)* spout for use with #313296 faucet	**313297**	760



prerinse wall bracket



prerinse faucet add-on


Floor Troughs (NSF)


see spec sheet **EG25.00A** **EG25.00B**



floor trough with subway-style grading

(see chart below for dimensions A through E)





FEATURES:

- Built-in pitch towards drain ensures complete drainage.
- Secured with anchor straps.
- Stainless steel drain accommodates up to a 4″ *(102mm)* diameter pipe, and removable perforated stainless steel basket.
- Stainless steel subway-style grading or fiberglass grading.

Note: Custom sizes available. Contact factory for pricing.

Gray Fiberglass Grating available.
To order add suffix **"G"** to model #.
Example FT-1218-FGG.

(•) MTS *(made to stock)* / ( ) MTO *(made to order)*

Note: Floor Troughs with ADA-compliant Grating* available! Provides a more solid walking area, and objects are less likely to fall through. Available in gray only. For Floor Troughs with Fiberglass AND Stainless Steel Grating! To order, add suffix **"-ADA"**. **Example: FT-1224-FG-ADA**.

…with Yellow Fiberglass Grating

** Troughs with optional ADA-compliant Fiberglass Grating features wider T-bars resistant to corrosion, skid, fire, chipping and cracking. To order,* **add 5% to list price**.

dimension D in.	dimension D mm	dimension E in.	dimension E mm	12″ (305mm) WIDE TROUGHS dimension A: 7″ *(178mm)* dimension B: 9″ *(229mm)* dimension C: 12″ *(305mm)* model #	list	15″ (381mm) WIDE TROUGHS dimension A: 10″ *(254mm)* dimension B: 12″ *(305mm)* dimension C: 15″ *(381mm)* model #	list	18″ (457mm) WIDE TROUGHS dimension A: 13″ *(330mm)* dimension B: 15″ *(381mm)* dimension C: 18″ *(457mm)* model #	list	24″ (610mm) WIDE TROUGHS dimension A: 19″ *(483mm)* dimension B: 21″ *(533mm)* dimension C: 24″ *(610mm)* model #	list
18″	457	15″	381	**FT-1218-FG**	3962	-		-		-	
24″	610	21″	533	**FT-1224-FG**	4294	**FT-1524-FG**	4383	**FT-1824-FG**	4703	**FT-2424-FG**	5034
30″	762	27″	686	**FT-1230-FG**	4715	**FT-1530-FG**	4760	**FT-1830-FG**	5193	**FT-2430-FG**	5673
36″	914	33″	838	**FT-1236-FG**	4938	**FT-1536-FG**	4980	**FT-1836-FG**	5564	**FT-2436-FG** •	6117
48″	1219	45″	1143	**FT-1248-FG**	5666	**FT-1548-FG**	5734	**FT-1848-FG**	6442	**FT-2448-FG**	7182
60″	1524	57″	1448	**FT-1260-FG**	6137	**FT-1560-FG**	6405	**FT-1860-FG**	7194	**FT-2460-FG**	8232
72″	1829	69″	1753	**FT-1272-FG**	6932	**FT-1572-FG**	7070	**FT-1872-FG**	8040	**FT-2472-FG**	8306
84″	2134	81″	2057	**FT-1284-FG**	7582	**FT-1584-FG**	7798	**FT-1884-FG**	8975	**FT-2484-FG**	10350
96″	2438	93″	2362	**FT-1296-FG**	8273	**FT-1596-FG**	8416	**FT-1896-FG**	9803	**FT-2496-FG**	11325
120″	3048	117″	2972	**FT-12120-FG**	9655	**FT-15120-FG**	10185	**FT-18120-FG**	11873	**FT-24120-FG**	13773

…with Subway-Style Stainless Steel Grating

** Troughs with optional ADA-compliant Stainless Steel Grating features added stainless steel flat bars spaced only 1/4″ apart.* **Call factory for pricing**

dimension D in.	dimension D mm	dimension E in.	dimension E mm	12″ (305mm) WIDE TROUGHS dimension A: 7″ *(178mm)* dimension B: 9″ *(229mm)* dimension C: 12″ *(305mm)* model #	list	15″ (381mm) WIDE TROUGHS dimension A: 10″ *(254mm)* dimension B: 12″ *(305mm)* dimension C: 15″ *(381mm)* model #	list	18″ (457mm) WIDE TROUGHS dimension A: 13″ *(330mm)* dimension B: 15″ *(381mm)* dimension C: 18″ *(457mm)* model #	list	24″ (610mm) WIDE TROUGHS dimension A: 19″ *(483mm)* dimension B: 21″ *(533mm)* dimension C: 24″ *(610mm)* model #	list
18″	457	15″	381	**FT-1218-SG**	5507	-		-		-	
24″	610	21″	533	**FT-1224-SG** •	5774	**FT-1524-SG**	6140	**FT-1824-SG** •	6493	**FT-2424-SG**	7862
30″	762	27″	686	**FT-1230-SG**	5952	**FT-1530-SG**	6288	**FT-1830-SG**	6855	**FT-2430-SG**	8185
36″	914	33″	838	**FT-1236-SG** •	6136	**FT-1536-SG**	7143	**FT-1836-SG** •	7217	**FT-2436-SG** •	9333
48″	1219	45″	1143	**FT-1248-SG** •	7580	**FT-1548-SG**	8693	**FT-1848-SG**	8582	**FT-2448-SG**	10807
60″	1524	57″	1448	**FT-1260-SG**	9089	**FT-1560-SG**	10177	**FT-1860-SG**	10588	**FT-2460-SG**	12117
72″	1829	69″	1753	**FT-1272-SG**	10448	**FT-1572-SG**	11708	**FT-1872-SG**	11592	**FT-2472-SG**	14084
84″	2134	81″	2057	**FT-1284-SG**	12278	**FT-1584-SG**	13239	**FT-1884-SG**	14075	**FT-2484-SG**	15395
96″	2438	93″	2362	**FT-1296-SG**	12628	**FT-1596-SG**	14675	**FT-1896-SG**	14437	**FT-2496-SG**	17032
120″	3048	117″	2972	**FT-12120-SG**	16598	**FT-15120-SG**	17870	**FT-18120-SG**	19132	**FT-24120-SG**	20628

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com


EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment


Anti-Splash Floor Troughs

see spec sheet **EG25.01A** **EG25.01B**



"Anti-Splash" design assures complete drainage while preventing splashing back onto the floor.





(see chart below for dimensions A through E)

FEATURES:

- Built-in pitch towards drain ensures complete drainage.
- Secured with anchor straps.
- Stainless steel drain accommodates up to a 4″ *(102mm)* diameter pipe, and removable perforated stainless steel basket.
- Stainless steel subway-style grating or fiberglass grating.

Note: Custom sizes available. Contact factory for pricing.

Gray Fiberglass Grating available.
To order add suffix **"G"** to model #.
Example ASFT-1218-FGG.

Note: Floor Troughs with ADA-compliant Grating* available! Provides a more solid walking area, and objects are less likely to fall through. Available in gray only. For Floor Troughs with Fiberglass AND Stainless Steel Grating! To order, add suffix **"-ADA"**. **Example: ASFT-1224-SG-ADA**.

…with Yellow Fiberglass Grating

** Troughs with optional ADA-compliant Fiberglass Grating features wider T-bars resistant to corrosion, skid, fire, chipping and cracking. To order,* **add 5% to list price**.

dimension D		dimension E		12″ (305mm) WIDE TROUGHS dimension A: 7″ *(178mm)* dimension B: 9″ *(229mm)* dimension C: 12″ *(305mm)*		15″ (381mm) WIDE TROUGHS dimension A: 10″ *(254mm)* dimension B: 12″ *(305mm)* dimension C: 15″ *(381mm)*		18″ (457mm) WIDE TROUGHS dimension A: 13″ *(330mm)* dimension B: 15″ *(381mm)* dimension C: 18″ *(457mm)*		24″ (610mm) WIDE TROUGHS dimension A: 19″ *(483mm)* dimension B: 21″ *(533mm)* dimension C: 24″ *(610mm)*	
in.	mm	in.	mm	model #	list	model #	list	model #	list	model #	list
18″	457	15″	381	**ASFT-1218-FG**	4449	-		-		-	
24″	610	21″	533	**ASFT-1224-FG**	4826	**ASFT-1524-FG**	4923	**ASFT-1824-FG**	5285	**ASFT-2424-FG**	5660
30″	762	27″	686	**ASFT-1230-FG**	5296	**ASFT-1530-FG**	5342	**ASFT-1830-FG**	5837	**ASFT-2430-FG**	6380
36″	914	33″	838	**ASFT-1236-FG**	5548	**ASFT-1536-FG**	5596	**ASFT-1836-FG**	6252	**ASFT-2436-FG**	6876
48″	1219	45″	1143	**ASFT-1248-FG**	6364	**ASFT-1548-FG**	6442	**ASFT-1848-FG**	7238	**ASFT-2448-FG**	8072
60″	1524	57″	1448	**ASFT-1260-FG**	6893	**ASFT-1560-FG**	7206	**ASFT-1860-FG**	8080	**ASFT-2460-FG**	9247
72″	1829	69″	1753	**ASFT-1272-FG**	7789	**ASFT-1572-FG**	7943	**ASFT-1872-FG**	9032	**ASFT-2472-FG**	9339
84″	2134	81″	2057	**ASFT-1284-FG**	8519	**ASFT-1584-FG**	8758	**ASFT-1884-FG**	10092	**ASFT-2484-FG**	11630
96″	2438	93″	2362	**ASFT-1296-FG**	9297	**ASFT-1596-FG**	9455	**ASFT-1896-FG**	11012	**ASFT-2496-FG**	12722
120″	3048	117″	2972	**ASFT-12120-FG**	10848	**ASFT-15120-FG**	11445	**ASFT-18120-FG**	13340	**ASFT-24120-FG**	14699

…with Subway-Style Stainless Steel Grating

** Troughs with optional ADA-compliant Stainless Steel Grating features added stainless steel flat bars spaced only 1/4″ apart.* **Call factory for pricing**

dimension D		dimension E		12″ (305mm) WIDE TROUGHS dimension A: 7″ *(178mm)* dimension B: 9″ *(229mm)* dimension C: 12″ *(305mm)*		15″ (381mm) WIDE TROUGHS dimension A: 10″ *(254mm)* dimension B: 12″ *(305mm)* dimension C: 15″ *(381mm)*		18″ (457mm) WIDE TROUGHS dimension A: 13″ *(330mm)* dimension B: 15″ *(381mm)* dimension C: 18″ *(457mm)*		24″ (610mm) WIDE TROUGHS dimension A: 19″ *(483mm)* dimension B: 21″ *(533mm)* dimension C: 24″ *(610mm)*	
in.	mm	in.	mm	model #	list	model #	list	model #	list	model #	list
18″	457	15″	381	**ASFT-1218-SG**	6167	-		-		-	
24″	610	21″	533	**ASFT-1224-SG**	6194	**ASFT-1524-SG**	5993	**ASFT-1824-SG**	6914	**ASFT-2424-SG**	8283
30″	762	27″	686	**ASFT-1230-SG**	6478	**ASFT-1530-SG**	6658	**ASFT-1830-SG**	7380	**ASFT-2430-SG**	9596
36″	914	33″	838	**ASFT-1236-SG**	6762	**ASFT-1536-SG**	7737	**ASFT-1836-SG**	7847	**ASFT-2436-SG**	9963
48″	1219	45″	1143	**ASFT-1248-SG**	8419	**ASFT-1548-SG**	9314	**ASFT-1848-SG**	9416	**ASFT-2448-SG**	11650
60″	1524	57″	1448	**ASFT-1260-SG**	10136	**ASFT-1560-SG**	10294	**ASFT-1860-SG**	11639	**ASFT-2460-SG**	13164
72″	1829	69″	1753	**ASFT-1272-SG**	11703	**ASFT-1572-SG**	12586	**ASFT-1872-SG**	12855	**ASFT-2472-SG**	15344
84″	2134	81″	2057	**ASFT-1284-SG**	13739	**ASFT-1584-SG**	14317	**ASFT-1884-SG**	15548	**ASFT-2484-SG**	16860
96″	2438	93″	2362	**ASFT-1296-SG**	14312	**ASFT-1596-SG**	15784	**ASFT-1896-SG**	16115	**ASFT-2496-SG**	18707
120″	3048	117″	2972	**ASFT-12120-SG**	18698	**ASFT-15120-SG**	19636	**ASFT-18120-SG**	21222	**ASFT-24120-SG**	22728


Cool Trough® Water Tempering Systems

see spec sheet **EG25.03A**


- Integral mechanical temperature sensor maintains water temperature of 130˚F or less.
- Built-in pitch towards drain ensures complete drainage.
- No electrical connection required.


FEATURES:

PATENTED!
(patent #9,588,525)



#WTFT-1215-FGG
Cool Trough®





(see chart below for dimensions A through E)

Note: Cool Trough® with ADA-compliant Grating* available! Provides a more solid walking area, and objects are less likely to fall through. Available in gray only. For Cool Trough® with Fiberglass AND Stainless Steel Grating! For fiberglass, replace suffix -FGG with suffix "**-FG-ADA**". **Example**: WTFT-1224-**FG-ADA**. For stainless steel, add suffix "**-ADA**". Example: ASWTFT-1224-SG-**ADA** To order, add suffix **"-ADA"**. **Example:** WTFT-1224-SG-**ADA**.

…with Gray Fiberglass Grating

** Troughs with optional ADA-compliant Fiberglass Grating features wider T-bars resistant to corrosion, skid, fire, chipping and cracking. To order,* **add 5% to list price**.

dimension D		dimension E		12″ (305mm) WIDE TROUGHS dimension A: 7″ (178mm) dimension B: 9″ (229mm) dimension C: 12″ (305mm)		15″ (381mm) WIDE TROUGHS dimension A: 10″ (254mm) dimension B: 12″ (305mm) dimension C: 15″ (381mm)		18″ (457mm) WIDE TROUGHS dimension A: 13″ (330mm) dimension B: 15″ (381mm) dimension C: 18″ (457mm)		24″ (610mm) WIDE TROUGHS dimension A: 19″ (483mm) dimension B: 21″ (533mm) dimension C: 24″ (610mm)	
in.	mm	in.	mm	model #	list	model #	list	model #	list	model #	list
15″	381	12″	305	**WTFT-1215-FGG**	21240	-		-		-	
18″	457	15″	381	**WTFT-1218-FGG**	22305	**WTFT-1518-FGG**	21705	-		-	
24″	610	21″	533	**WTFT-1224-FGG**	22659	**WTFT-1524-FGG**	22745	**WTFT-1824-FGG**	23085	**WTFT-2424-FGG**	23430
30″	762	27″	686	**WTFT-1230-FGG**	23093	**WTFT-1530-FGG**	23140	**WTFT-1830-FGG**	23593	**WTFT-2430-FGG**	24096
36″	914	33″	838	**WTFT-1236-FGG**	23329	**WTFT-1536-FGG**	23372	**WTFT-1836-FGG**	23983	**WTFT-2436-FGG**	24560
48″	1219	45″	1143	**WTFT-1248-FGG**	24089	**WTFT-1548-FGG**	24162	**WTFT-1848-FGG**	24905	**WTFT-2448-FGG**	25674
60″	1524	57″	1448	**WTFT-1260-FGG**	24582	**WTFT-1560-FGG**	24769	**WTFT-1860-FGG**	25688	**WTFT-2460-FGG**	26775
72″	1829	69″	1753	**WTFT-1272-FGG**	25412	**WTFT-1572-FGG**	25555	**WTFT-1872-FGG**	26044	**WTFT-2472-FGG**	26849
84″	2134	81″	2057	**WTFT-1284-FGG**	26092	**WTFT-1584-FGG**	26318	**WTFT-1884-FGG**	27549	**WTFT-2484-FGG**	28983
96″	2438	93″	2362	**WTFT-1296-FGG**	26818	**WTFT-1596-FGG**	26960	**WTFT-1896-FGG**	28414	**WTFT-2496-FGG**	30005

…with Subway-Style Stainless Steel Grating

** Troughs with optional ADA-compliant Stainless Steel Grating features added stainless steel flat bars spaced only 1/4″ apart.* **Call factory for pricing**

dimension D		dimension E		12″ (305mm) WIDE TROUGHS dimension A: 7″ (178mm) dimension B: 9″ (229mm) dimension C: 12″ (305mm)		15″ (381mm) WIDE TROUGHS dimension A: 10″ (254mm) dimension B: 12″ (305mm) dimension C: 15″ (381mm)		18″ (457mm) WIDE TROUGHS dimension A: 13″ (330mm) dimension B: 15″ (381mm) dimension C: 18″ (457mm)		24″ (610mm) WIDE TROUGHS dimension A: 19″ (483mm) dimension B: 21″ (533mm) dimension C: 24″ (610mm)	
in.	mm	in.	mm	model #	list	model #	list	model #	list	model #	list
15″	381	12″	305	**WTFT-1215-SG**	23400	-		-		-	
18″	457	15″	381	**WTFT-1218-SG**	23919	**WTFT-1518-SG**	23708	-		-	
24″	610	21″	533	**WTFT-1224-SG**	24203	**WTFT-1524-SG**	24587	**WTFT-1824-SG**	24952	**WTFT-2424-SG**	26387
30″	762	27″	686	**WTFT-1230-SG**	24389	**WTFT-1530-SG**	24738	**WTFT-1830-SG**	25330	**WTFT-2430-SG**	26722
36″	914	33″	838	**WTFT-1236-SG**	24578	**WTFT-1536-SG**	25634	**WTFT-1836-SG**	25710	**WTFT-2436-SG**	27923
48″	1219	45″	1143	**WTFT-1248-SG**	26089	**WTFT-1548-SG**	27252	**WTFT-1848-SG**	28264	**WTFT-2448-SG**	29462
60″	1524	57″	1448	**WTFT-1260-SG**	27670	**WTFT-1560-SG**	28808	**WTFT-1860-SG**	29232	**WTFT-2460-SG**	30833
72″	1829	69″	1753	**WTFT-1272-SG**	29085	**WTFT-1572-SG**	30403	**WTFT-1872-SG**	31762	**WTFT-2472-SG**	32883
84″	2134	81″	2057	**WTFT-1284-SG**	30996	**WTFT-1584-SG**	32000	**WTFT-1884-SG**	32877	**WTFT-2484-SG**	34254
96″	2438	93″	2362	**WTFT-1296-SG**	31365	**WTFT-1596-SG**	33499	**WTFT-1896-SG**	35205	**WTFT-2496-SG**	35963

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Anti-Splash Cool Trough® Water Tempering Systems

see spec sheet **EG25.03B**


- Integral mechanical temperature sensor maintains water temperature of 130˚F or less.
- Built-in pitch towards drain ensures complete drainage.
- No electrical connection required.


FEATURES:



#ASWTFT-1215-FGG Cool Trough®

PATENTED! *(patent #9,588,525)*





(see chart below for dimensions A through E)

Note: Cool Trough® with ADA-compliant Grating* available! Provides a more solid walking area, and objects are less likely to fall through. Available in gray only. For Cool Trough® with Fiberglass AND Stainless Steel Grating! For fiberglass, replace suffix -FGG with suffix "**-FG-ADA**". **Example**: ASWTFT-1224-**FG-ADA**. For stainless steel, add suffix "**-ADA**". Example: ASWTFT-1224-SG-**ADA** To order, add suffix **"-ADA"**. **Example:** ASWTFT-1224-SG-**ADA**.

…with Gray Fiberglass Grating

** Troughs with optional ADA-compliant Fiberglass Grating features wider T-bars resistant to corrosion, skid, fire, chipping and cracking. To order,* **add 5% to list price**.

12˝ (305mm) WIDE TROUGHS
dimension A: 7˝ *(178mm)*
dimension B: 9˝ *(229mm)*
dimension C: 12˝ *(305mm)*

15˝ (381mm) WIDE TROUGHS
dimension A: 10˝ *(254mm)*
dimension B: 12˝ *(305mm)*
dimension C: 15˝ *(381mm)*

18˝ (457mm) WIDE TROUGHS
dimension A: 13˝ *(330mm)*
dimension B: 15˝ *(381mm)*
dimension C: 18˝ *(457mm)*

24˝ (610mm) WIDE TROUGHS
dimension A: 19˝ *(483mm)*
dimension B: 21˝ *(533mm)*
dimension C: 24˝ *(610mm)*

dimension D in.	dimension D mm	dimension E in.	dimension E mm	model #	list	model #	list	model #	list	model #	list
15˝	381	12˝	305	**ASWTFT-1215-FGG**	22315	-		-		-	
18˝	457	15˝	381	**ASWTFT-1218-FGG**	22816	**ASWTFT-1518-FGG**	22763	-		-	
24˝	610	21˝	533	**ASWTFT-1224-FGG**	23210	**ASWTFT-1524-FGG**	23314	**ASWTFT-1824-FGG**	23695	**ASWTFT-2424-FGG**	24084
30˝	762	27˝	686	**ASWTFT-1230-FGG**	23704	**ASWTFT-1530-FGG**	23752	**ASWTFT-1830-FGG**	24265	**ASWTFT-2430-FGG**	24838
36˝	914	33˝	838	**ASWTFT-1236-FGG**	23966	**ASWTFT-1536-FGG**	24016	**ASWTFT-1836-FGG**	24700	**ASWTFT-2436-FGG**	25352
48˝	1219	45˝	1143	**ASWTFT-1248-FGG**	24819	**ASWTFT-1548-FGG**	24905	**ASWTFT-1848-FGG**	25734	**ASWTFT-2448-FGG**	26604
60˝	1524	57˝	1448	**ASWTFT-1260-FGG**	25370	**ASWTFT-1560-FGG**	25695	**ASWTFT-1860-FGG**	26614	**ASWTFT-2460-FGG**	27830
72˝	1829	69˝	1753	**ASWTFT-1272-FGG**	26305	**ASWTFT-1572-FGG**	26473	**ASWTFT-1872-FGG**	27606	**ASWTFT-2472-FGG**	27927
84˝	2134	81˝	2057	**ASWTFT-1284-FGG**	27075	**ASWTFT-1584-FGG**	27320	**ASWTFT-1884-FGG**	28716	**ASWTFT-2484-FGG**	30325
96˝	2438	93˝	2362	**ASWTFT-1296-FGG**	27885	**ASWTFT-1596-FGG**	28050	**ASWTFT-1896-FGG**	29676	**ASWTFT-2496-FGG**	31463

…with Subway-Style Stainless Steel Grating

** Troughs with optional ADA-compliant Stainless Steel Grating features added stainless steel flat bars spaced only 1/4˝ apart.* **Call factory for pricing**

12˝ (305mm) WIDE TROUGHS
dimension A: 7˝ *(178mm)*
dimension B: 9˝ *(229mm)*
dimension C: 12˝ *(305mm)*

15˝ (381mm) WIDE TROUGHS
dimension A: 10˝ *(254mm)*
dimension B: 12˝ *(305mm)*
dimension C: 15˝ *(381mm)*

18˝ (457mm) WIDE TROUGHS
dimension A: 13˝ *(330mm)*
dimension B: 15˝ *(381mm)*
dimension C: 18˝ *(457mm)*

24˝ (610mm) WIDE TROUGHS
dimension A: 19˝ *(483mm)*
dimension B: 21˝ *(533mm)*
dimension C: 24˝ *(610mm)*

dimension D in.	dimension D mm	dimension E in.	dimension E mm	model #	list	model #	list	model #	list	model #	list
15˝	381	12˝	305	**ASWTFT-1215-SG**	24454	-		-		-	
18˝	457	15˝	381	**ASWTFT-1218-SG**	24609	**ASWTFT-1518-SG**	23314	-		-	
24˝	610	21˝	533	**ASWTFT-1224-SG**	24643	**ASWTFT-1524-SG**	24429	**ASWTFT-1824-SG**	25395	**ASWTFT-2424-SG**	26823
30˝	762	27˝	686	**ASWTFT-1230-SG**	24937	**ASWTFT-1530-SG**	25123	**ASWTFT-1830-SG**	25877	**ASWTFT-2430-SG**	28194
36˝	914	33˝	838	**ASWTFT-1236-SG**	25236	**ASWTFT-1536-SG**	26255	**ASWTFT-1836-SG**	26369	**ASWTFT-2436-SG**	28578
48˝	1219	45˝	1143	**ASWTFT-1248-SG**	26967	**ASWTFT-1548-SG**	27898	**ASWTFT-1848-SG**	28008	**ASWTFT-2448-SG**	30339
60˝	1524	57˝	1448	**ASWTFT-1260-SG**	28763	**ASWTFT-1560-SG**	28923	**ASWTFT-1860-SG**	30330	**ASWTFT-2460-SG**	31926
72˝	1829	69˝	1753	**ASWTFT-1272-SG**	30395	**ASWTFT-1572-SG**	30395	**ASWTFT-1872-SG**	31600	**ASWTFT-2472-SG**	34203
84˝	2134	81˝	2057	**ASWTFT-1284-SG**	32528	**ASWTFT-1584-SG**	33166	**ASWTFT-1884-SG**	34412	**ASWTFT-2484-SG**	35788
96˝	2438	93˝	2362	**ASWTFT-1296-SG**	33120	**ASWTFT-1596-SG**	34663	**ASWTFT-1896-SG**	35008	**ASWTFT-2496-SG**	37716

Replacement Subway-Style Grating for Floor Troughs and Drains

see spec sheet **EG25.02**

Stainless Steel Grating



- Constructed of 3/16″ x 1″ *(5 x 25mm)* vertically positioned bars, spaced 1″ *(25mm)* apart to allow ease of drainage.
- 13/16″ *(21mm)* clearance between bars prevents casters on mobile equipment from wedging in grate.
- Two 5/16″ *(8mm)* rods, set 2 1/4″ *(57mm)* in from each edge, are welded to the bars to eliminate swaying.
- Standard on floor troughs.
- Sizes available fit floor drains up to 24″ *(610mm)* wide.
- Grates 12″ and 15″ *(305 and 381mm)* wide feature three rods.
- Grates 21″ *(533mm)* wide feature five rods.

for floor trough widths		grate width x length			
in.	mm	in.	mm	model #	list each
12″	305	9″ x 7 1/2″	229 x 191	**341169**	762
12″	305	9″ x 9″	229 x 229	**341117**	970
12″	305	9″ x 12″	229 x 305	**341123**	1056
15″	381	12″ x 9″	305 x 229	**340992**	1156
15″	381	12″ x 12″	305 x 305	**331006**	1247
18″	457	15″ x 6″	381 x 154	**341330**	1074
18″	457	15″ x 7 1/2″	381 x 191	**341110**	1140
18″	457	15″ x 9″	381 x 229	**341113**	1220
18″	457	15″ x 12″	381 x 305	**336992**	1337
18″	457	15″ x 15″	381 x 381	**345934**	1449
24″	610	21″ x 9″	533 x 229	**341109**	1382
24″	610	21″ x 11″	533 x 279	**351572**	1482
24″	610	21″ x 12″	533 x 305	**336976**	1528

Wide "T" Bar Fiberglass Grating — *ADA-compliant!*



GRAY

- Conforms with the Americans with Disabilities Act for use with the physically handicapped.
- Provides a more solid walking area than traditional "T" bar shape, and prevents objects from falling through grating.
- Corrosion-, skid- and fire-resistant.
- High strength, low thermal conductivity.
- Resistant to chipping and cracking.
- Temperature rating of 250˚F.

for floor trough widths		grate width x length		Gray	
in.	mm	in.	mm	model #	list ea
12″	305	9″ x 9″	229 x 229	**370000**	299
12″	305	9″ x 12″	229 x 305	**370001**	364
12″	305	9″ x 15″	229 x 381	**370002**	393
15″	381	12″ x 9″	305 x 229	**370003**	309
15″	381	12″ x 12″	305 x 305	**370004**	382
18″	457	15″ x 9″	381 x 229	**370005**	396
18″	457	15″ x 12″	381 x 305	**370006**	494
18″	457	15″ x 15″	381 x 381	**370007**	612
24″	610	21″ x 9″	533 x 229	**370008**	504
24″	610	21″ x 12″	533 x 305	**370009**	633

Fiberglass Grating



GRAY OR YELLOW

- Constructed of 1″ *(25mm)* high yellow or gray polyester material with a non-slip grit on top surface.
- Tapered "I" beam construction for ease of cleaning and draining.
- Temperature rating of 250˚F.
- Other sizes available—consult factory.

for floor trough widths		grate width x length		Yellow		Gray	
in.	mm	in.	mm	model #	list ea	model #	list ea
12″	305	9″ x 9″	229 x 229	**362648**	242	**374015**	254
12″	305	9″ x 12″	229 x 305	**362647**	287	**374018**	304
12″	305	9″ x 15″	229 x 381	**373030**	306	**374021**	322
15″	381	12″ x 9″	305 x 229	**362650**	242	**374044**	254
15″	381	12″ x 12″	305 x 305	**362649**	287	**374047**	304
18″	457	15″ x 9″	381 x 229	**362652**	308	**374073**	327
18″	457	15″ x 12″	381 x 305	**362651**	376	**374076**	394
18″	457	15″ x 15″	381 x 381	**373206**	463	**374079**	493
24″	610	21″ x 9″	533 x 229	**362654**	377	**374102**	396
24″	610	21″ x 12″	533 x 305	**362653**	467	**374105**	498

Floor Drains

see spec sheet **EG25.00**



shown without grating

description	width x length in.	mm	model #	list
with yellow fiberglass grating	12″ x 12″	305 x 305	**FD-FG**	3153
with subway-style grating	12″ x 12″	305 x 305	**FD-SG**	4198

Note: Floor opening = 11 1/2″ x 11 1/2″ *(292 x 292)*

FEATURES:

- Perforated waste cup can be inverted to double as a bee hive strainer.
- Yellow fiberglass grating or subway-style stainless steel grating.


Note: **Gray Fiberglass Grating available.** To order add suffix **"G"** to model #. **Example FD-FGG.**

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Portable Cool Trough® Water Tempering System (NSF)

see spec sheet EG25.03C



PATENTED!
(patent #9,588,525)

FEATURES:

- Integral mechanical temperature sensor maintains water temperature of 130˚F or less.
- Built-in pitch towards drain ensures complete drainage.
- 3˝ (76mm)-diameter casters—two rigid, two swivel with brake.
- No electrical connection required.
- 12 gauge base.

Note: Water line and connection provided by plumbing contractor.

overall side-to-side in.	mm	overall * front-to-back in.	mm	overall height in.	mm	weight lbs.	kg	model #	list
15˝	381	12˝	305	36˝	914	116	52.6	**PWTFT-1215**	19726

* Includes base and handle.

NEW Touch-Free Portable Hand Sinks

see spec sheet EG20.22



See page 228 for more Portable Hand Sinks available!

FEATURES:

- Heavy gauge stainless steel cabinet with double pan hinged stainless steel door and lock.
- Box marine edge top.
- 14˝ x 10˝ x 5˝ (356 x 256 x 127mm) sink bowl.
- Deck mount electronic-eye gooseneck faucet with tempering valve.
- Touch-free splash-mount paper towel dispenser
- Touch-free splash-mount soap dispenser.
- 4˝ (102mm) swivel casters (two w/brake) with non-marking tread—weight capacity of 150 lbs. (68.0 kg) per caster.
- 5-gallon fresh water tank.
- 7-gallon soiled water tank.
- 10-ft. (3048mm) cord/plug with cord wrap.

WITHOUT WATER HEATER*

overall width x length x height in	mm	weight lbs.	kg	model #	list
24˝ x 26˝ x 56¾˝	610 x 660 x 1442	209	94.8	**PHS-S-C-TF**	12666

WITH WATER HEATER*

overall width x length x height in	mm	weight lbs.	kg	model #	list
24˝ x 26˝ x 56¾˝	610 x 660 x 1442	237	107.5	**PHS-S-H-TF**	13836

* Unit without water heater provides ambient temperature water.
Unit with water heater provides tempered water.

NOTES

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

Dividers
for Square or Round Tables..... 271
for Oval or Rectangular Tables 271

Divider Wall Extensions.....273

Freestanding Countertop.....270

Knock-Down Desk Partitions.....270

Mobile Partitions.....273

Mounted Breath Shields
Ceiling 272
Bolted-On 272
Clamp-On 272

Back to work

Promoting safer workplaces





REOPEN SAFELY.

EAGLE'S BREATH/SAFETY SHIELDS CAN HELP.

Constructed of durable plexiglass, these protective shields come in a variety of styles, sizes and installation options.

Our wide range of configurations ensure that each area of your workplace, from offices, lobbies, gathering spaces, and conference rooms are properly retrofitted to provide safe and secure protection.



For More Information or to Request a Quotation, Contact Your Eagle Account Specialist.
1-800-441-8440


SEFA

MADE IN USA

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment
100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

Freestanding Countertop Breath/Safety Shields

see spec sheet **EG06.00**



FEATURES:

- Vertical and horizontal shields available.
- 7/32″-thick durable plexiglass.
- Available with or without pass-through.
- Easy assembly—NO TOOLS required. Two 8″ x 14″ stands lock into place with shield.
- Knocks down flat for storage.
- Sold in packs of four (4).

description	height in	height mm	length in	length mm	quantity per pack	model #
solid	24″	610	24″	610	4	**BGFC-2424**
with pass through	24″	610	24″	610	4	**BGFC-2424-PT**
solid	24″	610	36″	914	4	**BGFC-2436**
with pass through	24″	610	36″	914	4	**BGFC-2436-PT**
solid	24″	610	48″	1219	4	**BGFC-2448**
with pass through	24″	610	48″	1219	4	**BGFC-2448-PT**
solid	30″	762	24″	610	4	**BGFC-3024**
with pass through	30″	762	24″	610	4	**BGFC-3024-PT**
solid	30″	762	36″	914	4	**BGFC-3036**
with pass through	30″	762	36″	914	4	**BGFC-3036-PT**
solid	30″	762	48″	1219	4	**BGFC-3048**
with pass through	30″	762	48″	1219	4	**BGFC-3048-PT**
solid	36″	914	24″	610	4	**BGFC-3624**
with pass through	36″	914	24″	610	4	**BGFC-3624-PT**

Knock-Down Desk Partitions

see spec sheet **EG06.01**



FEATURES:

- 7/32″-thick durable plexiglass.
- Paper slot pass-thru.
- Tab and slot assembly.
- Knocks down flat for storage.
- No tools required for assembly.

height in	height mm	length in	length mm	quantity per pack	model #
24″	610	24″	610	1	**BGDP-2424**
24″	610	30″	762	1	**BGDP-2430**
24″	610	36″	914	1	**BGDP-2436**
24″	610	48″	1219	1	**BGDP-2448**

Consult factory for pricing.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Dividers for Square or Round Tables

see spec sheet **EG06.02**





FEATURES:

- 7/32″-thick durable plexiglass.
- Knocks down flat for storage.
- Optional drop edge can be added to prevent sliding on tabletop.
- 3-Way dividers feature panels with curved design, which create the “Y”-shaped divider.
- 4-Way dividers feature two interlocking panels, which form the four-way “X”-shaped divider.

3-Way Dividers

height		diameter		
in	mm	in	mm	model #
24″	610	36″	914	**BGTD-3Y36**
24″	610	42″	1067	**BGTD-3Y42**
24″	610	48″	1219	**BGTD-3Y48**

4-Way Dividers

height		length		width		
in.	mm	in.	mm	in.	mm	model #
24″	610	48″	1219	48″	1219	**BGTD-2448**
24″	610	60″	1524	60″	1524	**BGTD-2460**
30″	762	48″	1219	48″	1219	**BGTD-3048**
30″	762	60″	1524	60″	1524	**BGTD-3060**

Dividers for Oval or Rectangular Tables

see spec sheet **EG06.03**

FEATURES:

- Panels interlock to create dividers to section off tabletop.
- 7/32″-thick durable plexiglass.
- Knocks down flat for storage.
- Optional drop edge can be added to prevent sliding on tabletop.







description	height		length		width		
	in	mm	in	mm	in	mm	model #
creates 4 sections	24″	610	60″	1524	30″	914	**BGTD-2460-4**
creates 4 sections	24″	610	72″	1829	30″	914	**BGTD-2472-4**
creates 6 sections	24″	610	72″	1829	30″	914	**BGTD-2472-6**
creates 8 sections	24″	610	72″	1829	30″	914	**BGTD-2472-8**
creates 4 sections	30″	914	60″	1524	30″	914	**BGTD-3060-4**
creates 4 sections	30″	762	72″	1829	30″	914	**BGTD-3072-4**
creates 6 sections	30″	762	72″	1829	30″	914	**BGTD-3072-6**
creates 8 sections	30″	762	72″	1829	30″	914	**BGTD-3072-8**

Consult factory for pricing.

Ceiling-Mounted Breath/Safety Shields

see spec sheet **EG06.03**



FEATURES:

- 7/32″-thick durable plexiglass.
- Three (3) 60″-long chains.
- Six (6) “S” hooks.

height in	height mm	length in	length mm	quantity per pack	model #
24″	610	24″	610	1	**BGCM-2424**
24″	610	36″	914	1	**BGCM-2436**
24″	610	48″	1219	1	**BGCM-2448**
30″	762	24″	610	1	**BGCM-3024**
30″	762	36″	914	1	**BGCM-3036**
30″	762	48″	1219	1	**BGCM-3048**

Bolted-On Breath/Safety Shields

see spec sheet **EG06.02**



FEATURES:

- Easily mounts onto front of counter.
- 7/32″-thick durable plexiglass.
- 1″ radius corners.
- Sold in packs of two (2).

height in	height mm	length in	length mm	quantity per pack	model #
30″	762	24″	610	2	**BGBO-3024**
30″	762	36″	914	2	**BGBO-3036**
30″	762	48″	1219	2	**BGBO-3048**
36″	914	24″	610	2	**BGBO-3624**
36″	914	36″	914	2	**BGBO-3636**
36″	914	48″	1219	2	**BGBO-3648**

Clamp-On Breath/Safety Shields

see spec sheet **EG06.01**



FEATURES:

- Shields clamp onto table edge surface.
- 7/32″-thick durable plexiglass.
- Clamp range is 1″ to 1-1/2″ (can be customized).
- Stainless clamps have protective rubber inside to protect table surface.

height in	height mm	length in	length mm	quantity per pack	model #
24″	610	24″	610	1	**BGCM-2424**
24″	610	36″	914	1	**BGCM-2436**
24″	610	48″	1219	1	**BGCM-2448**
30″	762	24″	610	1	**BGCM-3024**
30″	762	36″	914	1	**BGCM-3036**
30″	762	48″	1219	1	**BGCM-3048**


Consult factory for pricing.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Divider Wall Extension Shields

see spec sheet **EG06.07**



FEATURES:

- Clamps onto standard cubicle/divider wall to extend protection.
- Clamps provide customizable range to accommodate range of thicknesses.
- 7/32″-thick durable plexiglass.

height		length		quantity	
in	mm	in	mm	per pack	model #
24″	610	24″	610	1	**BGDW-2424**
24″	610	36″	914	1	**BGDW-2436**
24″	610	48″	1219	1	**BGDW-2448**
24″	610	60″	1524	1	**BGDW-2460**
24″	610	72″	1829	1	**BGDW-2472**

Mobile Partitions

see spec sheet **EG06.00**





with access hole



with half screen

FEATURES:

- 7/32″-thick durable plexiglass.
- 1″ stainless steel tubing frame.
- 1-1/2″ stainless tubing base.
- 2″ twin wheel casters.
- Nestable for storage.

description	height		width		model #
	in	mm	in	mm	
full screen, solid	72″	1829	30″	914	**BGMP-3072**
full screen, 2" access hole	72″	1829	30″	914	**BGMP-3072-TT**
half screen	72″	1829	30″	914	**BGMP-3072-TH**

Consult factory for pricing.

NOTES

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

SpecFAB® Custom Fabrication

Shelf Select™ 277
The SpecFAB® Division 276



EAGLE™
SpecFAB Division
Quality Stainless & Millwork Fabrication

EAGLE SpecFAB Division
Quality Stainless & Millwork Fabrication

EAGLE's SpecFAB® Division fills the gap between standard equipment and high-cost, highly customized equipment. Depending on the custom need, configurations can be designed from pre-fab pieces by using existing components, or designed completely from scratch to match exacting consultant and architect's plans and details. This flexibility means custom equipment can be delivered faster and at a lower cost directly to the job site.

Frequently Asked Questions about Project Quotations:

How do I request a Quote?

- Standard or modified product using listed 'E' numbers from the catalog:
  - Email requests to the Customer Service Representative for your geographical area or *custserv@eaglegrp.com*
  - Telephone (800) 441-8440 and ask for the Customer Service Representative for your city and state.
  - Fax (302) 653-2065
  - Eagle Group, ATTN: Customer Service, I00 Industrial Blvd., Clayton, DE 19938
- Custom products not found in the catalog:
  - Email requests to *quotes@eaglegrp.com*
  - Fax (302) 653-2065
  - Eagle Group, ATTN: Project Quotations, I00 Industrial Blvd., Clayton, DE 19938

What to include with your request?

- Your Name and Dealer Name
- Job or Project Name
- Required Date for Quote
- Bid Date for Project
- Projected Installation Date and Timeline
- Consultant Name when Applicable
- Plans and Specs related to the Project
- Special Considerations

How long will it take to process my request for a custom quote?

- Typical lead time of 72 hours for most new incoming projects.
- Large scale projects will carry longer lead times. Please be sure to communicate required bid dates.

How can I find out the status of my custom quote request?

- Customer Service - The Customer Service representative for your area can access information regarding the status of your request via email or call (800) 441-8440.
- SpecFAB® Customer Service.
- SpecFAB® Quote Coordinator - call (800) 441-8440 and ask for the Quote Coordinator.
- Outgoing email signatures for quotes sent from SpecFAB® highlight the primary points of contact.

Frequently Asked Questions about Project Submittals:

How do I get a Submittal Drawing?

- Submit a purchase order for the project with plans and specifications if not previously provided to the Quotations Department.
- Provide a letter of intent for the project.
- Request quote drawings via *quotes@eaglegrp.com*.
- Shelf Select™ requests through *quotes@eaglegrp.com*.

How long will it take to receive drawings?

- Typical requests for drawings are addressed within 72-hours.
- Large scale projects will carry longer lead times. Please be sure to communicate required bid dates.
- To contact Project Submittals regarding your drawings, contact the Submittals Manager, Bruce Moffett at *bmoffett@eaglegrp.com* or (800) 441-8440, ext. 3158.
- Outgoing email signatures for drawings sent from SpecFAB® highlight the primary points of contact.

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

Shelf Select™

A No-Cost Design & Layout Service for Shelving Products. by EAGLE SpecFAB Division

Quality Stainless & Millwork Fabrication

Typical Shelf Select™ applications include walk-in coolers and freezers; dry storage areas; supermarkets; and department stores.

Provide Us With:

- Dimensions of a storage space available.
- Number of shelves per unit.
- Post heights.
- Indicate stationary, mobile or high density shelving.
- Any additional specific or pertinent storage requirements.

And We'll Provide You With:

- ***Plan View***
  Shelving system layout makes the most efficient utilization of your space available.
- ***Perspective View****
  Illustrates the proposed equipment assembled in the available space. A great tool for presentation which reduces field assembly time when provided to your installer.
- ***Quote****
  Includes model numbers, net prices and shipping weights for all components in specified job.

* Will be provided after plan view is approved.

For more information about Shelf Select™, request Shelf Select™ service announcement **EG8027**

Simply


Email: quotes@eaglegrp.com

Fax: 302-653-2065


in your order and our trained staff will begin planning, layout and quotation upon receipt.

A completed Shelf Select™ custom layout and quotation will be mailed, emailed or faxed back to you within 48 hours.

PLAN VIEW



PERSPECTIV VIEW





FINAL OUTCOME!

NOTES

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

JUNE 2022 PRICELIST

Material Handling, Healthcare, Cleanroom, Lab

Alphanumeric Price Index

EAGLE's Alphanumeric Price Index has been developed to assist our customers in quickly locating items found in our main Price List.

EAGLE is committed to ***customer service*** and ***customer satisfaction*** along with ***quality products***.

If you need assistance,
please call EAGLE's Customer Service Center at

1-800-441-8440



ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
004026	32	179, 231, 241
1202	1327	34
1203	1463	34
1212	1700	34
1424BL	116	60
1424C	115	6
1424E	133	6
1424R	116	60
1424S	395	6
1424V	116	6
1424VG	116	6
1424W	116	60
1424Z	97	6
1430BL	125	60
1430C	118	6,43
1430E	139	6,43
1430R	125	60
1430S	399	6,43
1430V	125	6
1430VG	125	6
1430W	125	60
1430WGS-C	244	90
1430WGS-VG	254	90
1430WGS-Z	226	90
1430Z	105	6
1436BL	132	60
1436C	129	6,43,44
1436E	145	6,44
1436R	132	60
1436S	404	6,43,131
1436V	132	6
1436VG	132	6
1436W	132	60
1436WGS-C	255	90
1436WGS-VG	265	90
1436WGS-Z	240	90
1436Z	110	6
1442BL	147	60
1442C	145	6
1442E	166	6
1442R	147	60
1442S	495	6
1442V	152	6
1442VG	152	6
1442W	147	60
1442Z	132	6
1448BL	152	60
1448C	145	6,43,44
1448E	166	6,43
1448R	152	60
1448S	495	6,43,131
1448V	152	6
1448VG	152	6
1448W	152	60
1448Z	132	6
1454BL	164	60
1454C	152	6
1454E	192	6
1454R	164	60
1454S	629	6
1454V	173	6
1454VG	173	6
1454W	164	60
1454Z	134	6
1460BL	173	60
1460C	164	6,43
1460E	192	6,43
1460R	173	60
1460S	629	6,43,131
1460V	173	6
1460VG	173	6
1460W	173	60
1460Z	155	6
1472BL	203	60
1472C	192	6
1472E	219	6
1472R	203	60
1472S	714	6
1472V	203	6
1472VG	203	6
1472W	203	60
1472Z	176	6
1818-1-16/3	2289	247
1818-1-16/4	1962	247
1824-1-16/3	2394	247
1824-1-16/4	1976	247
1824BL	132	60
1824BTZ	818	173
1824C	129	6
1824E	152	6
1824R	132	60
1824S	486	6
1824V	132	6
1824VG	132	6
1824W	132	60
1824Z	125	6
1830BL	142	60
1830C	130	6
1830E	156	6
1830R	142	60
1830S	493	6
1830V	142	6
1830VG	142	6
1830W	142	60
1830WGS-C	263	90
1830WGS-VG	269	90
1830WGS-Z	244	90
1830Z	129	6
1836-2-16/3	3236	247
1836-2-16/4	2647	247
1836-3-16/3	3705	248
1836-3-16/4	3049	248
1836BL	147	60
1836BTZ	855	173
1836C	133	6,36,161
1836C63	898	24
1836C63-5	1083	24
1836C74	915	24
1836C74-5	1120	24
1836E	162	6
1836EG63	1093	24
1836E63-5	1299	24
1836EG74	1095	24
1836E74-5	1359	24
1836R	147	60
1836S	495	6
1836V	147	6
1836V63	966	24
1836V63-5	1162	24
1836V74	983	24
1836V74-5	1207	24
1836VG	147	6
1836VG63	966	24
1836VG63-5	1162	24
1836VG74	983	24
1836VG74-5	1207	24
1836W	147	60
1836WGS-C	272	90
1836WGS-VG	283	90
1836WGS-Z	252	90
1836Z	132	6
1836Z63	845	24
1836Z63-5	1017	24
1836Z74	859	24
1836Z74-5	1019	24
1842BL	162	60
1842C	159	6
1842E	196	6
1842R	162	60
1842S	594	6
1842V	174	6
1842VG	174	6
1842W	162	60
1842Z	152	6
1848-2-16/3	3485	247
1848-2-16/4	2775	247
1848-3-16/3	3937	248
1848-3-16/4	3180	248
1848BL	174	60
1848BTZ	899	173
1848C	159	6,36,161
1848C63	1022	24
1848C63-5	1239	24
1848C74	1060	24
1848C74-5	1289	24
1848E	196	6
1848EG63	1250	24
1848E63-5	1523	24
1848EG74	1289	24
1848E74-5	1584	24
1848R	174	60
1848S	594	6
1848V	174	6
1848V63	1097	24
1848V63-5	1332	24
1848V74	1140	24
1848V74-5	1394	24
1848VG	174	6
1848VG63	1097	24
1848VG63-5	1332	24
1848VG74	1140	24
1848VG74-5	1394	24
1848W	174	60
1848WGS-C	315	90
1848WGS-VG	325	90
1848WGS-Z	289	90
1848Z	152	6
1848Z63	954	24
1848Z63-5	1162	24
1848Z74	996	24
1848Z74-5	1203	24
1854-3-16/3	4299	248
1854-3-16/4	3614	248
1854BL	207	60
1854C	188	6
1854E	233	6
1854R	207	60
1854S	756	6
1854V	210	6
1854VG	210	6
1854W	207	60
1854Z	176	6
1860BL	210	60
1860BTZ	985	173
1860C	188	6,36,161
1860C63	1156	24
1860C63-5	1418	24
1860C74	1182	24
1860C74-5	1466	24
1860E	233	6
1860EG63	1426	24
1860E63-5	1750	24
1860EG74	1515	24
1860E74-5	1819	24
1860R	210	60
1860S	756	6
1860V	210	6
1860V63	1247	24
1860V63-5	1528	24
1860V74	1275	24
1860V74-5	1578	24
1860VG	210	6
1860VG63	1247	24
1860VG63-5	1528	24
1860VG74	1275	24
1860VG74-5	1578	24
1860W	210	60
1860Z	176	6
1860Z63	1119	24
1860Z63-5	1269	24
1860Z74	1119	24
1860Z74-5	1289	24
1872-4-16/3	5178	248
1872-4-16/4	4154	248
1872BL	242	60
1872C	220	6
1872E	269	6
1872R	242	60
1872S	897	6
1872V	242	6
1872VG	242	6
1872W	242	60
1872Z	207	6
18x18 RRDEDB	553	249
18x18 RRDEDB-16/3	923	249
18x24 RRDEDB	586	249
18x24 RRDEDB-16/3	970	249
18x30 RRDEDB	996	249
18x30 RRDEDB-16/3	1085	249
2118-1-16/3	2347	247
2118-1-16/4	1955	247
2124-1-16/3	2460	247
2124-1-16/4	2025	247
2124-1-18-16/3	5306	247
2124-1-18-16/4	4353	247
2124BL	148	60
2124C	147	6
2124E	173	6
2124R	148	60

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
2124S	563	6
2124V	148	6
2124VG	148	6
2124W	148	60
2124Z	134	6
2130BL	159	60
2130C	152	6
2130E	176	6
2130R	159	60
2130S	567	6
2130V	159	6
2130VG	159	6
2130W	159	60
2130Z	139	6
2136-1-16/3	2732	247
2136-1-16/4	2177	247
2136-2-16/3	3330	247
2136-2-16/4	2704	247
2136-2-18-16/3	6482	247
2136-2-18-16/4	5363	247
2136-3-16/3	3827	248
2136-3-16/4	3128	248
2136-3-18-16/3	6528	248
2136-3-18-16/4	5480	248
2136BL	162	60
2136C	156	6
2136E	185	6
2136R	162	60
2136S	573	6
2136V	162	6
2136VG	162	6
2136W	162	60
2136Z	145	6
2142BL	189	60
2142C	180	6
2142E	215	6
2142R	189	60
2142S	660	6
2142V	192	6
2142VG	192	6
2142W	189	60
2142Z	164	6
2148-2-16/3	3517	247
2148-2-16/4	2737	247
2148-3-16/3	4066	248
2148-3-16/4	3266	248
2148-3-18-16/3	6975	248
2148-3-18-16/4	5660	248
2148BL	192	60
2148C	180	6
2148E	215	6
2148R	192	60
2148S	660	6
2148V	192	6
2148VG	192	6
2148W	192	60
2148Z	164	6
2154-3-16/3	4417	248
2154-3-16/4	3626	248
2154-3-18-16/3	7414	248
2154-3-18-16/4	6183	248
2154BL	226	60
2154C	214	6
2154E	252	6
2154R	226	60
2154S	877	6
2154V	232	6
2154VG	232	6
2154W	226	60
2154Z	203	6
2160-3-16/3	6316	248
2160-3-16/4	3747	248
2160BL	232	60
2160C	214	6
2160E	252	6
2160R	232	60
2160S	877	6
2160V	232	6
2160VG	232	6
2160W	232	60
2160Z	203	6
2172-4-16/3	5259	248
2172-4-16/4	4353	248
2172-4-18-16/3	7998	248
2172-4-18-16/4	6855	248
2172BL	278	60
2172C	254	6
2172E	307	6
2172R	278	60
2172S	1042	6
2172V	278	6
2172VG	278	6
2172W	278	60
2172Z	242	6
21x18 RRDEDB	553	249
21x18 RRDEDB-16/3	923	249
21x24 RRDEDB	594	249
21x24 RRDEDB-16/3	970	249
21x30 RRDEDB	1110	249
21x30 RRDEDB-16/3	1167	249
24108GADJUS	544	211
24108SADJUS-18/3	1944	211
24108SADJUS-18/4	1795	211
24120GADJUS	586	211
24120SADJUS-18/3	1963	211
24120SADJUS-18/4	1806	211
24132GADJUS	654	211
24132SADJUS-18/3	2099	211
24132SADJUS-18/4	1930	211
24144GADJUS	722	211
24144SADJUS-18/3	2480	211
24144SADJUS-18/4	2285	211
2424-1-16/3	2580	247
2424-1-16/4	2107	247
2424-1-24-16/3	5482	247
2424-1-24-16/4	4684	247
2424BL	160	60
2424C	155	6,154
2424E	189	6
2424GADJUS	369	211
2424R	160	60
2424S	608	6
2424SADJUS-18/3	900	211
2424SADJUS-18/4	822	211
2424V	160	6
2424VG	160	6
2424W	160	60
2424Z	145	6
2430BL	173	60
2430C	160	6,43
2430E	194	6,43
2430GADJUS	439	211
2430R	173	60
2430S	612	6,43
2430SADJUS-18/3	987	211
2430SADJUS-18/4	899	211
2430V	173	6
2430VG	173	6
2430W	173	60
2430Z	148	6
2436-1-16/3	2860	247
2436-1-16/4	2242	247
2436BL	176	60
2436C	164	6,43,44, 154
2436C63	1048	24
2436C63-5	1277	24
2436C74	1065	24
2436C74	1065	24
2436C74-5	1327	24
2436E	197	6,43
2436EG63	1263	24
2436E63-5	1542	24
2436EG74	1288	24
2436E74-5	1600	24
2436GADJUS	450	211
2436R	176	60
2436S	617	6,43
2436SADJUS-18/3	1036	211
2436SADJUS-18/4	947	211
2436V	176	6
2436V63	1127	24
2436V63-5	1369	24
2436V74	1147	24
2436V74-5	1423	24
2436VG	176	6
2436VG63	1127	24
2436VG63-5	1369	24
2436VG74	1147	24
2436VG74-5	1423	24
2436W	176	60
2436Z	155	6
2436Z63	964	24
2436Z63-5	1182	24
2436Z74	997	24
2436Z74-5	1218	24
2442BL	210	60
2442C	197	6
2442E	242	6
2442R	210	60
2442S	749	6
2442V	219	6
2442VG	219	6
2442W	210	60
2442Z	185	6
2448-2-16/3	3736	247
2448-2-16/4	3004	247
2448-2-24-16/3	6704	247
2448-2-24-16/4	5584	247
2448-3-16/3	4248	248
2448-3-16/4	3428	248
2448BL	219	60
2448C	197	6,43,44
2448C63	1207	24
2448C63-5	1497	24
2448C74	1243	24
2448C74-5	1540	24
2448E	242	6,43
2448EG63	1489	24
2448E63-5	1674	24
2448EG74	1543	24
2448E74-5	1894	24
2448GADJUS	464	211
2448R	219	60
2448S	749	6,43
2448SADJUS-18/3	1139	211
2448SADJUS-18/4	1040	211
2448V	219	6
2448V63	1299	24
2448V63-5	1609	24
2448V74	1337	24
2448V74-5	1655	24
2448VG	219	6
2448VG63	1299	24
2448VG63-5	1609	24
2448VG74	1337	24
2448VG74-5	1655	24
2448W	219	60
2448Z	185	6
2448Z63	1106	24
2448Z63-5	1367	24
2448Z74	1156	24
2448Z74-5	1414	24
2454BL	244	60
2454C	238	6
2454E	285	6
2454R	244	60
2454S	914	6
2454V	256	6
2454VG	256	6
2454W	244	60
2454Z	226	6
2460-2-16/3	4289	247
2460-2-16/4	3725	247
2460-3-16/3	4766	248
2460-3-16/4	3964	248
2460BL	256	60
2460C	238	6,43
2460C63	1404	24
2460C63-5	1696	24
2460C74	1439	24
2460C74-5	1739	24
2460E	285	6,43
2460EG63	1695	24
2460E63-5	2067	24
2460EG74	1739	24
2460E74-5	2130	24
2460GADJUS	485	211
2460R	256	60
2460S	914	6,43
2460SADJUS-18/3	1280	211
2460SADJUS-18/4	1172	211
2460V	256	6
2460V63	1506	24
2460V63-5	1826	24
2460V74	1548	24
2460V74-5	1870	24
2460VG	256	6
2460VG63	1506	24
2460VG63-5	1826	24

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
2460VG74	1548	24
2460VG74-5	1870	24
2460W	256	60
2460Z	226	6
2460Z63	1294	24
2460Z63-5	1598	24
2460Z74	1344	24
2460Z74-5	1642	24
2472-3-16/3	5045	248
2472-3-16/4	4060	248
2472-3-24-16/3	8495	248
2472-3-24-16/4	6667	248
2472-4-16/3	5505	248
2472-4-16/4	4470	248
2472BL	300	60
2472C	278	6
2472E	334	6
2472GADJUS	489	211
2472R	300	60
2472S	1140	6
2472SADJUS-18/3	1438	211
2472SADJUS-18/4	1309	211
2472V	300	6
2472VG	300	6
2472W	300	60
2472Z	255	6
2484GADJUS	494	211
2484SADJUS-18/3	1596	211
2484SADJUS-18/4	1460	211
2496GADJUS	526	211
2496SADJUS-18/3	1725	211
2496SADJUS-18/4	1575	211
24x18 RRDEDB	569	249
24x18 RRDEDB-16/3	910	249
24x24 RRDEDB	616	249
24x24 RRDEDB-16/3	1004	249
24x30 RRDEDB	1092	249
24x30 RRDEDB-16/3	1149	249
300287	45	235,236, 260
300293	6	218,260
300315	67	260
300489	573	251
300490	364	255
300600	393	236
300602	66	234
300604	777	234
300692	40	218,260
300696	59	95,208, 216
300698	210	218
300699	203	218
300716	465	261
300718	2322	261
300719	2328	261
300720	485	218,260
300721	485	218,260
300722	988	218,260
300789	192	234,260
300791	37	234,260
300804	482	261
300886	29	235
300966	9	235
301001	1125	261
301002	1139	261
301003	1263	261
301004	1048	261
301005	645	261
301036	22	66,218
30108GADJUS	622	211
30108SADJUS-18/3	2300	211
30108SADJUS-18/4	2063	211
30120GADJUS	660	211
30120SADJUS-18/3	2426	211
30120SADJUS-18/4	2292	211
30132GADJUS	712	211
30132SADJUS-18/3	2672	211
30132SADJUS-18/4	2536	211
30144GADJUS	787	211
30144SADJUS-18/3	2985	211
30144SADJUS-18/4	2749	211
301189	617	261
301190	156	261
301248	342	233,255
301440	394	255
302004	382	233,255
3024GADJUS	384	211
3024SADJUS-18/3	1043	211
3024SADJUS-18/4	959	211
3030C	214	6,43
3030E	254	6,43
3030GADJUS	464	211
3030S	722	6,43
3030SADJUS-18/3	1127	211
3030SADJUS-18/4	1029	211
3030V	217	6
3030VG	217	6
3030Z	188	6
303560	1009	255
303561	1143	255
303562	1139	255
3036C	242	6,43
3036E	293	6,43
3036GADJUS	467	211
3036S	818	6,43
3036SADJUS-18/3	1186	211
3036SADJUS-18/4	1092	211
3036V	245	6
3036VG	245	6
3036Z	210	6
303987	344	233
304146	207	261
3048C	278	6,43
3048E	333	6,43
3048GADJUS	485	211
3048S	954	6,43
3048SADJUS-18/3	1303	211
3048SADJUS-18/4	1185	211
3048V	285	6
3048VG	285	6
3048Z	242	6
305428	418	260
3060C	306	6,43
3060E	377	6,43
3060GADJUS	494	211
3060S	1056	6,43
3060SADJUS-18/3	1487	211
3060SADJUS-18/4	1356	211
3060V	319	6
3060VG	319	6
3060Z	272	6
306134	1110	229
306495	717	233
307120	217	233
3072C	367	6
3072E	454	6
3072GADJUS	526	211
3072S	1283	6
3072SADJUS-18/3	1660	211
3072SADJUS-18/4	1518	211
3072V	382	6
3072VG	382	6
3072Z	327	6
3084GADJUS	540	211
3084SADJUS-18/3	1836	211
3084SADJUS-18/4	1680	211
3096GADJUS	544	211
3096SADJUS-18/3	2042	211
3096SADJUS-18/4	1867	211
309796	145	260
310-10-3-12	6177	251
310-10-3-18	6332	251
310-10-3-24	6444	251
311915	53	208
312-12-3-12	6553	251
312-14-3-12	7018	251
312162	697	233
312688	393	252
312689	376	252
312690	1094	252
313075	337	160, 233,261
313116	445	261
313204	342	260
313205	369	260
313207	280	260
313293	1247	261
313294	1259	261
313295	2869	261
313296	3045	261
313297	760	261
313303	907	255
313304	1244	218,261
313305	1108	229
313306	876	255
313307	909	255
313308	909	255
313323	384	261
313481	1038	234
313832	367	260
313834	429	260
313835	59	218,260
313918	456	261
313919	485	261
313920	1217	261
314-16-1	4517	238
314-16-1-18	6337	238
314-16-1-18L	6063	238
314-16-1-18R	6063	238
314-16-1-24	6528	238
314-16-1-24L	6139	238
314-16-1-24R	6139	238
314-16-2	6062	239
314-16-2-18	8544	239
314-16-2-18L	7912	239
314-16-2-18R	7912	239
314-16-2-24	8687	239
314-16-2-24L	8365	239
314-16-2-24R	8365	239
314-16-3	7582	240
314-16-3-18	10426	240
314-16-3-18L	10177	240
314-16-3-18R	10177	240
314-16-3-24	10572	240
314-16-3-24L	10252	240
314-16-3-24R	10252	240
314-16-4	10714	241
314-16-4-18	13204	241
314-16-4-18L	12740	241
314-16-4-18R	12740	241
314-16-4-24	13387	241
314-16-4-24L	12814	241
314-16-4-24R	12814	241
314-18-1	5227	238
314-18-1-18	7186	238
314-18-1-18L	6623	238
314-18-1-18R	6623	238
314-18-1-24	7253	238
314-18-1-24L	6666	238
314-18-1-24R	6666	238
314-18-2	7269	239
314-18-2-18	9789	239
314-18-2-18L	9518	239
314-18-2-18R	9518	239
314-18-2-24	9893	239
314-18-2-24L	9575	239
314-18-2-24R	9575	239
314-18-3	9596	240
314-18-3-18	12327	240
314-18-3-18L	12038	240
314-18-3-18R	12038	240
314-18-3-24	12538	240
314-18-3-24L	12080	240
314-18-3-24R	12080	240
314-18-4	12172	241
314-18-4-18	15238	241
314-18-4-18L	14967	241
314-18-4-18R	14967	241
314-18-4-24	15404	241
314-18-4-24L	15017	241
314-18-4-24R	15017	241
314-22-1	5258	238
314-22-1-18	7415	238
314-22-1-18L	6815	238
314-22-1-18R	6815	238
314-22-1-24	7475	238
314-22-1-24L	6863	238
314-22-1-24R	6863	238
314-22-2	7485	239
314-22-2-18	10283	239
314-22-2-18L	9986	239
314-22-2-18R	9986	239
314-22-2-24	10389	239
314-22-2-24L	10038	239
314-22-2-24R	10038	239
314-22-3	10047	240
314-22-3-18	13074	240
314-22-3-18L	12754	240
314-22-3-18R	12754	240
314-22-3-24	13387	240

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
314-22-3-24L	12807	240
314-22-3-24R	12807	240
314-24-1	5615	238
314-24-1-18	8089	238
314-24-1-18L	7908	238
314-24-1-18R	7908	238
314-24-1-24	8380	238
314-24-1-24L	8022	238
314-24-1-24R	8022	238
314-24-2	8622	239
314-24-2-18	11549	239
314-24-2-18L	11087	239
314-24-2-18R	11087	239
314-24-2-24	12058	239
314-24-2-24L	11830	239
314-24-2-24R	11830	239
314-24-3	11203	240
314-24-3-18	14192	240
314-24-3-18L	14317	240
314-24-3-18R	14317	240
314-24-3-24	15340	240
314-24-3-24L	14917	240
314-24-3-24R	14917	240
314-24-4	14693	241
314-24-4-18	18489	241
314-24-4-18L	18106	241
314-24-4-18R	18106	241
314-24-4-24	19384	241
314-24-4-24L	18994	241
314-24-4-24R	18994	241
317635	273	218
317636	273	218
318495	1206	233
318496	596	234
319931	164	235
319932	75	235
321555	344	260
321557	439	260
321558	539	260
321561	573	252
324074	252	234
326014	3248	233
326015	198	234,236
326267	333	260
326268	334	260
326269	367	260
326270	426	260
326271	432	260
326272	980	233
326696	1303	233
330010	8	66
331006	1247	266
335377	327	260
336002	507	218,260
336976	1528	266
336992	1337	266
340380	1243	261
340992	1156	266
341109	1382	266
341110	1140	266
341113	1220	266
341117	970	266
341123	1056	266
341169	762	266
341189	507	218,260
341190	1149	218,260
341330	1074	266
342938	67	234
345934	1449	266
346175	416	260
347771	458	235
349921	145	233
351572	1482	266
351584	316	260
351585	393	260
351738	1038	234
353761	818	164
353762	859	164
353763	915	164
353764	1019	164
353765	1074	164
353766	1256	164
353767	1386	164
353768	1703	164
353770	910	164
353771	982	164
353772	1108	164
353773	1154	164
353774	1374	164
353775	1495	164
353776	1850	164
355994	777	234
356128	3480	233
358114	83	92
358115	87	92
362188	55	255
362647	287	266
362648	242	266
362649	287	266
362650	242	266
362651	376	266
362652	308	266
362653	467	266
362654	377	266
362659	2178	164
3636C	270	6
3636E	327	6
3636S	914	6
3636V	272	6
3636VG	272	6
3636Z	232	6
3648C	308	6
3648E	377	6
3648S	1074	6
3648V	325	6
3648VG	325	6
3648Z	273	6
3660C	358	6
3660E	445	6
3660S	1250	6
3660V	369	6
3660VG	369	6
3660Z	312	6
3672C	419	6
3672E	523	6
3672S	1489	6
3672V	448	6
3672VG	448	6
3672Z	377	6
368421	63	233,261
369653	820	260
370000	299	266
370001	364	266
370002	393	266
370003	309	266
370004	382	266
370005	396	266
370006	494	266
370007	612	266
370008	504	266
370009	633	266
373030	306	266
373206	463	266
373848	4414	233
374015	254	266
374018	304	266
374021	322	266
374044	254	266
374047	304	266
374073	327	266
374076	394	266
374079	493	266
374102	396	266
374105	498	266
374955	70	234
375612	700	234
376509	354	228
376740	116	233
377430	93	255
377455	547	234
377456	547	234
377563	1955	233
379769	10	208
380401	303	154
380402	245	154
380403	900	154
380404	245	154
382984	1962	164
384796	416	234
387622	9	134
3TF1836-BL	74	34
3TF1836-C	67	34
3TF1836-V	74	34
3TF1836-VG	74	34
3TF1836-Z	65	34
3TF1848-BL	86	34
3TF1848-C	80	34
3TF1848-V	86	34
3TF1848-VG	86	34
3TF1848-Z	67	34
3TF1860-BL	94	34
3TF1860-C	86	34
3TF1860-V	94	34
3TF1860-VG	94	34
3TF1860-Z	75	34
411010	1180	207
411012	1275	207
411013	1380	207
411014	1480	207
411030	658	207
411036	664	207
411048	719	207
411060	784	207
411072	887	207
411084	988	207
411096	1092	207
411210	1247	207
411212	1392	207
411213	1488	207
411214	1587	207
411230	664	207
411236	697	207
411248	759	207
411260	815	207
411272	932	207
411284	1038	207
411296	1120	207
412-16-1	3475	238
412-16-1-18	5167	238
412-16-1-18L	4874	238
412-16-1-18R	4874	238
412-16-1-24	5180	238
412-16-1-24L	4909	238
412-16-1-24R	4909	238
412-16-2	4750	239
412-16-2-18	6504	239
412-16-2-18L	6295	239
412-16-2-18R	6295	239
412-16-2-24	6605	239
412-16-2-24L	6359	239
412-16-2-24R	6359	239
412-16-3	6020	240
412-16-3-18	6586	240
412-16-3-18L	6363	240
412-16-3-18R	6363	240
412-16-3-24	6699	240
412-16-3-24L	6428	240
412-16-3-24R	6428	240
414-16-1	3994	238
414-16-1-18	5728	238
414-16-1-18L	5473	238
414-16-1-18R	5473	238
414-16-1-24	5910	238
414-16-1-24L	5537	238
414-16-1-24R	5537	238
414-16-2	5469	239
414-16-2-18	7516	239
414-16-2-18L	7234	239
414-16-2-18R	7234	239
414-16-2-24	7653	239
414-16-2-24L	7347	239
414-16-2-24R	7347	239
414-16-3	6627	240
414-16-3-18	8609	240
414-16-3-18L	8383	240
414-16-3-18R	8383	240
414-16-3-24	8744	240
414-16-3-24L	8449	240
414-16-3-24R	8449	240
414-16-4	8949	241
414-16-4-18	11322	241
414-16-4-18L	10873	241
414-16-4-18R	10873	241
414-16-4-24	11494	241
414-16-4-24L	10945	241
414-16-4-24R	10945	241
414-18-1	4676	238
414-18-1-18	6543	238
414-18-1-18L	6019	238
414-18-1-18R	6019	238

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
414-18-1-24	6604	238
414-18-1-24L	6063	238
414-18-1-24R	6063	238
414-18-2	6293	239
414-18-2-18	8703	239
414-18-2-18L	8450	239
414-18-2-18R	8450	239
414-18-2-24	8799	239
414-18-2-24L	8500	239
414-18-2-24R	8500	239
414-18-3	8186	240
414-18-3-18	10804	240
414-18-3-18L	10528	240
414-18-3-18R	10528	240
414-18-3-24	11072	240
414-18-3-24L	10569	240
414-18-3-24R	10569	240
414-18-4	10342	241
414-18-4-18	13266	241
414-18-4-18L	13056	241
414-18-4-18R	13056	241
414-18-4-24	13420	241
414-18-4-24L	13394	241
414-18-4-24R	13394	241
414-22-1	4972	238
414-22-1-18	7166	238
414-22-1-18L	6577	238
414-22-1-18R	6577	238
414-22-1-24	7223	238
414-22-1-24L	6622	238
414-22-1-24R	6622	238
414-22-2	6865	239
414-22-2-18	9699	239
414-22-2-18L	9406	239
414-22-2-18R	9406	239
414-22-2-24	9809	239
414-22-2-24L	9455	239
414-22-2-24R	9455	239
414-22-3	9103	240
414-22-3-18	12172	240
414-22-3-18L	11848	240
414-22-3-18R	11848	240
414-22-3-24	12485	240
414-22-3-24L	11895	240
414-22-3-24R	11895	240
414-24-1	5040	238
414-24-1-18	7563	238
414-24-1-18L	7267	238
414-24-1-18R	7267	238
414-24-1-24	7675	238
414-24-1-24L	7340	238
414-24-1-24R	7340	238
414-24-2	7586	239
414-24-2-18	10544	239
414-24-2-18L	10205	239
414-24-2-18R	10205	239
414-24-2-24	10872	239
414-24-2-24L	10426	239
414-24-2-24R	10426	239
414-24-3	9930	240
414-24-3-18	13105	240
414-24-3-18L	13094	240
414-24-3-18R	13094	240
414-24-3-24	13680	240
414-24-3-24L	13278	240
414-24-3-24R	13278	240
414-24-4	12745	241
414-24-4-18	16482	241
414-24-4-18L	15662	241
414-24-4-18R	15662	241
414-24-4-24	17230	241
414-24-4-24L	16850	241
414-24-4-24R	16850	241
418002	334	208
418202	287	208
421010	1365	207
421012	1453	207
421013	1556	207
421014	1696	207
421030	719	207
421036	738	207
421048	816	207
421060	915	207
421072	1025	207
421084	1125	207
421096	1273	207
421210	1463	207
421212	1572	207
421213	1672	207
421214	1769	207
421230	738	207
421236	827	207
421248	863	207
421260	960	207
421272	1087	207
421284	1218	207
421296	1359	207
430002	429	208
430202	315	208
448002	564	208
448202	384	208
4PEK	132	54
4TF1836-BL	125	34
4TF1836-C	110	34
4TF1836-V	125	34
4TF1836-VG	125	34
4TF1836-Z	105	34
4TF1848-BL	133	34
4TF1848-C	129	34
4TF1848-V	133	34
4TF1848-VG	133	34
4TF1848-Z	110	34
4TF1860-BL	148	34
4TF1860-C	139	34
4TF1860-V	148	34
4TF1860-VG	148	34
4TF1860-Z	118	34
500772	584	212
501571	820	142,213
501572	1488	142,214
502941	505	212
502942	750	213
502943	1432	214
502946	1544	214
502947	1475	214
502948	596	215
502949	714	215
502950	865	215
502971	2393	214
502972	2312	214
502975	439	212
502976	370	212
503006	439	212
503007	370	212
503010	439	212
503011	370	212
503095	1097	252
503096	1097	252
503097	1729	252
503098	1162	252
503099	1162	252
503100	1897	252
606215	1007	235
606329	465	218
606331	680	218
606396	450	235
606826	499	214
607560	714	235
608115	396	214
608116	396	214
608117	485	214
611869	450	235
912991	308	58,59
A1436BL	142	22
A1436C	139	22,44
A1436R	142	22
A1436W	142	22
A1436Z	130	22
A1448BL	160	22
A1448C	159	22,44
A1448R	160	22
A1448W	160	22
A1448Z	145	22
A1836BL	147	22
A1836C	145	22
A1836R	147	22
A1836W	147	22
A1836Z	142	22
A1848BL	174	22
A1848C	173	22
A1848R	174	22
A1848W	174	22
A1848Z	164	22
A1860BL	204	22
A1860C	203	22
A1860R	204	22
A1860W	204	22
A1860Z	194	22
A200012	7	47
A200019	14	9
A200868	6	54
A201007	42	9
A201008	53	9
A201009	53	9
A201706	33	9
A203078	59	7
A203568	6	47
A203841	9	51
A203842	9	51
A203843	8	51
A203844	10	51
A203845	14	51
A203846	10	51
A203877	38	91,163
A203879	49	91,163
A203881	45	163
A203883	62	163
A203885	10	163
A203887	18	163
A203889	32	163
A203891	65	163
A203893	125	163
A203895	142	159
A203929	192	159
A204176	337	158
A204235	42	163
A204236	53	163
A204237	43	91,163
A204238	55	163
A204239	36	163
A204318	5	48
A204331	8	40,154
A204795	59	9
A204942	9	61
A206196	14	40
A206197	22	40
A206198	25	40
A206199	28	40
A206200	32	40
A206201	42	40
A206216	8	40
A206217	14	40
A206218	22	40
A206219	25	40
A206220	28	40
A206221	32	40
A206222	42	40
A207016	93	97
A207199	42	47
A207351	9	54
A207562	60	9
A208336	10	175
A208337	10	175
A208338	18	175
A208339	43	175
A208341	60	175
A208342	62	175
A208343	66	175
A208344	116	175
A208345	125	175
A208346	139	175
A208347	188	175
A208348	18	175
A208349	22	175
A208350	29	175
A208351	40	175
A208353	40	175
A208354	65	175
A208355	75	175
A208356	75	175
A208357	93	175
A208358	105	175
A208359	105	175
A208505	155	52
A208506	205	52
A208507	189	52
A208508	180	52
A208513	109	52
A208627	60	47

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
A208746	8	40
A208747	14	40
A208749	22	40
A208750	25	40
A208751	28	40
A208752	32	40
A208753	42	40
A208891	22	22
A208903	22	61
A208904	25	61
A208905	48	61
A208906	62	61
A208908	55	47,176
A208909	36	47,176
A210098	9	45
A212494	37	40
A213096	28	40
A213261	29	9
A2136BL	173	22
A2136C	169	22
A2136R	173	22
A2136W	173	22
A2136Z	159	22
A214169	18	47
A2148BL	197	22
A2148C	196	22
A2148R	197	22
A2148W	197	22
A2148Z	180	22
A215532	116	169
A215534	139	169
A215536	159	169
A215538	80	169
A215539	103	169
A215541	109	169
A215543	66	169
A215544	74	169
A215546	80	169
A2160BL	242	22
A2160C	240	22
A2160R	242	22
A2160W	242	22
A2160Z	215	22
A216649	94	52
A216650	80	52
A216651	86	52
A216652	115	52
A217621	37	40
A217638	75	51
A217760	8	51
A217763	8	51
A217764	8	51
A217765	62	51
A217766	8	51
A218017	28	97
A219236	25	47,176
A219390	87	26
A219391	133	26
A219392	145	26
A219393	155	26
A222144	55	40
A223747	29	40
A223748	29	40
A223749	29	40
A225208	37	40
A225494	10	25
A225512	22	25
A225513	28	25
A225514	32	25
A225515	49	25
A225516	55	25
A225517	94	25
A225518	96	25
A225519	103	25
A226093	45	47
A226096	65	47
A226104	42	47
A226105	45	47
A227763	28	40
A227764	28	40
A227841	55	40
A227842	55	40
A228162	28	97
A230612	62	47
A230624	45	47
A230625	45	47
A2436BL	185	22
A2436C	180	22,44
A2436R	185	22
A2436W	185	22
A2436Z	166	22
A2448BL	215	22
A2448C	214	22,44
A2448R	215	22
A2448W	215	22
A2448Z	197	22
A2460BL	273	22
A2460C	272	22,44
A2460R	273	22
A2460W	273	22
A2460Z	240	22
A4-63-1824C	647	19
A4-63-1824E	760	19
A4-63-1824S	2252	19
A4-63-1824V	665	19
A4-63-1824VG	665	19
A4-63-1824Z	627	19
A4-63-1830C	655	19
A4-63-1830E	784	19
A4-63-1830S	2284	19
A4-63-1830V	705	19
A4-63-1830VG	705	19
A4-63-1830Z	642	19
A4-63-1836C	670	19
A4-63-1836E	808	19
A4-63-1836S	2303	19
A4-63-1836V	728	19
A4-63-1836VG	728	19
A4-63-1836Z	659	19
A4-63-1842C	776	19
A4-63-1842E	934	19
A4-63-1842S	2687	19
A4-63-1842V	834	19
A4-63-1842VG	834	19
A4-63-1842Z	737	19
A4-63-1848C	776	19
A4-63-1848E	934	19
A4-63-1848S	2687	19
A4-63-1848V	834	19
A4-63-1848VG	834	19
A4-63-1848Z	737	19
A4-63-1860C	887	19
A4-63-1860E	1082	19
A4-63-1860S	3330	19
A4-63-1860V	987	19
A4-63-1860VG	987	19
A4-63-1860Z	834	19
A4-63-1872C	1025	19
A4-63-1872E	1222	19
A4-63-1872S	3896	19
A4-63-1872V	1109	19
A4-63-1872VG	1109	19
A4-63-1872Z	1022	19
A4-63-2124C	726	19
A4-63-2124E	838	19
A4-63-2124S	2556	19
A4-63-2124V	737	19
A4-63-2124VG	737	19
A4-63-2124Z	673	19
A4-63-2130C	740	19
A4-63-2130E	856	19
A4-63-2130S	2580	19
A4-63-2130V	782	19
A4-63-2130VG	782	19
A4-63-2130Z	692	19
A4-63-2136C	765	19
A4-63-2136E	897	19
A4-63-2136S	2598	19
A4-63-2136V	794	19
A4-63-2136VG	794	19
A4-63-2136Z	717	19
A4-63-2142C	863	19
A4-63-2142E	1017	19
A4-63-2142S	2949	19
A4-63-2142V	909	19
A4-63-2142VG	909	19
A4-63-2142Z	794	19
A4-63-2148C	863	19
A4-63-2148E	1017	19
A4-63-2148S	2949	19
A4-63-2148V	909	19
A4-63-2148VG	909	19
A4-63-2148Z	794	19
A4-63-2160C	995	19
A4-63-2160E	1160	19
A4-63-2160S	3828	19
A4-63-2160V	1062	19
A4-63-2160VG	1062	19
A4-63-2160Z	939	19
A4-63-2172C	1153	19
A4-63-2172E	1387	19
A4-63-2172S	4474	19
A4-63-2172V	1253	19
A4-63-2172VG	1253	19
A4-63-2172Z	1104	19
A4-63-2424C	760	19
A4-63-2424E	909	19
A4-63-2424S	2734	19
A4-63-2424V	787	19
A4-63-2424VG	787	19
A4-63-2424Z	717	19
A4-63-2430C	784	19
A4-63-2430E	923	19
A4-63-2430S	2752	19
A4-63-2430V	827	19
A4-63-2430VG	827	19
A4-63-2430Z	728	19
A4-63-2436C	799	19
A4-63-2436E	939	19
A4-63-2436S	2785	19
A4-63-2436V	844	19
A4-63-2436VG	844	19
A4-63-2436Z	756	19
A4-63-2442C	929	19
A4-63-2442E	1117	19
A4-63-2442S	3306	19
A4-63-2442V	987	19
A4-63-2442VG	987	19
A4-63-2442Z	875	19
A4-63-2448C	929	19
A4-63-2448E	1117	19
A4-63-2448S	3306	19
A4-63-2448V	987	19
A4-63-2448VG	987	19
A4-63-2448Z	875	19
A4-63-2460C	1082	19
A4-63-2460E	1294	19
A4-63-2460S	3966	19
A4-63-2460V	1174	19
A4-63-2460VG	1174	19
A4-63-2460Z	1036	19
A4-63-2472C	1248	19
A4-63-2472E	1487	19
A4-63-2472S	4867	19
A4-63-2472V	1343	19
A4-63-2472VG	1343	19
A4-63-2472Z	1156	19
A4-74-1824C	655	19
A4-74-1824E	769	19
A4-74-1824S	2288	19
A4-74-1824V	673	19
A4-74-1824VG	673	19
A4-74-1824Z	633	19
A4-74-1830C	663	19
A4-74-1830E	794	19
A4-74-1830S	2322	19
A4-74-1830V	717	19
A4-74-1830VG	717	19
A4-74-1830Z	650	19
A4-74-1836C	678	19
A4-74-1836E	820	19
A4-74-1836S	2337	19
A4-74-1836V	737	19
A4-74-1836VG	737	19
A4-74-1836Z	667	19
A4-74-1842C	784	19
A4-74-1842E	947	19
A4-74-1842S	2723	19
A4-74-1842V	844	19
A4-74-1842VG	844	19
A4-74-1842Z	740	19
A4-74-1848C	784	19
A4-74-1848E	947	19
A4-74-1848S	2723	19
A4-74-1848V	844	19
A4-74-1848VG	844	19
A4-74-1848Z	740	19
A4-74-1860C	897	19
A4-74-1860E	1094	19
A4-74-1860S	3369	19

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
A4-74-1860V	997	19
A4-74-1860VG	997	19
A4-74-1860Z	845	19
A4-74-1872C	1030	19
A4-74-1872E	1240	19
A4-74-1872S	3930	19
A4-74-1872V	1117	19
A4-74-1872VG	1117	19
A4-74-1872Z	980	19
A4-74-2124C	734	19
A4-74-2124E	852	19
A4-74-2124S	2594	19
A4-74-2124V	748	19
A4-74-2124VG	748	19
A4-74-2124Z	678	19
A4-74-2130C	752	19
A4-74-2130E	869	19
A4-74-2130S	2617	19
A4-74-2130V	787	19
A4-74-2130VG	787	19
A4-74-2130Z	695	19
A4-74-2136C	776	19
A4-74-2136E	909	19
A4-74-2136S	2634	19
A4-74-2136V	803	19
A4-74-2136VG	803	19
A4-74-2136Z	720	19
A4-74-2142C	873	19
A4-74-2142E	1028	19
A4-74-2142S	2988	19
A4-74-2142V	915	19
A4-74-2142VG	915	19
A4-74-2142Z	799	19
A4-74-2148C	873	19
A4-74-2148E	1028	19
A4-74-2148S	2988	19
A4-74-2148V	915	19
A4-74-2148VG	915	19
A4-74-2148Z	799	19
A4-74-2160C	999	19
A4-74-2160E	1174	19
A4-74-2160S	3865	19
A4-74-2160V	1069	19
A4-74-2160VG	1069	19
A4-74-2160Z	944	19
A4-74-2172C	1160	19
A4-74-2172E	1398	19
A4-74-2172S	4510	19
A4-74-2172V	1263	19
A4-74-2172VG	1263	19
A4-74-2172Z	1106	19
A4-74-2424C	765	19
A4-74-2424E	915	19
A4-74-2424S	2769	19
A4-74-2424V	794	19
A4-74-2424VG	794	19
A4-74-2424Z	720	19
A4-74-2430C	789	19
A4-74-2430E	932	19
A4-74-2430S	2788	19
A4-74-2430V	834	19
A4-74-2430VG	834	19
A4-74-2430Z	734	19
A4-74-2436C	808	19
A4-74-2436E	947	19
A4-74-2436S	2819	19
A4-74-2436V	852	19
A4-74-2436VG	852	19
A4-74-2436Z	760	19
A4-74-2442C	934	19
A4-74-2442E	1125	19
A4-74-2442S	3342	19
A4-74-2442V	997	19
A4-74-2442VG	997	19
A4-74-2442Z	877	19
A4-74-2448C	934	19
A4-74-2448E	1125	19
A4-74-2448S	3342	19
A4-74-2448V	997	19
A4-74-2448VG	997	19
A4-74-2448Z	877	19
A4-74-2460C	1092	19
A4-74-2460E	1304	19
A4-74-2460S	4004	19
A4-74-2460V	1180	19
A4-74-2460VG	1180	19
A4-74-2460Z	1042	19
A4-74-2472C	1256	19
A4-74-2472E	1495	19
A4-74-2472S	4906	19
A4-74-2472V	1352	19
A4-74-2472VG	1352	19
A4-74-2472Z	1160	19
A5-74-1824C	789	21
A5-74-1824E	934	21
A5-74-1824S	2788	21
A5-74-1824V	816	21
A5-74-1824VG	816	21
A5-74-1824Z	763	21
A5-74-1830C	800	21
A5-74-1830E	966	21
A5-74-1830S	2827	21
A5-74-1830V	865	21
A5-74-1830VG	865	21
A5-74-1830Z	784	21
A5-74-1836C	822	21
A5-74-1836E	997	21
A5-74-1836S	2848	21
A5-74-1836V	897	21
A5-74-1836VG	897	21
A5-74-1836Z	803	21
A5-74-1842C	954	21
A5-74-1842E	1156	21
A5-74-1842S	3330	21
A5-74-1842V	1026	21
A5-74-1842VG	1026	21
A5-74-1842Z	905	21
A5-74-1848C	954	21
A5-74-1848E	1156	21
A5-74-1848S	3330	21
A5-74-1848V	1026	21
A5-74-1848VG	1026	21
A5-74-1848Z	905	21
A5-74-1860C	1094	21
A5-74-1860E	1339	21
A5-74-1860S	4137	
A5-74-1860V	1217	21
A5-74-1860VG	1217	21
A5-74-1860Z	1025	21
A5-74-1872C	1266	21
A5-74-1872E	1518	21
A5-74-1872S	4839	21
A5-74-1872V	1369	21
A5-74-1872VG	1369	21
A5-74-1872Z	1255	21
A5-74-2124C	889	21
A5-74-2124E	1036	21
A5-74-2124S	3173	21
A5-74-2124V	910	21
A5-74-2124VG	910	21
A5-74-2124Z	823	21
A5-74-2130C	912	21
A5-74-2130E	1056	21
A5-74-2130S	3203	21
A5-74-2130V	960	21
A5-74-2130VG	960	21
A5-74-2130Z	844	21
A5-74-2136C	942	21
A5-74-2136E	1108	21
A5-74-2136S	3219	21
A5-74-2136V	980	21
A5-74-2136VG	980	21
A5-74-2136Z	874	21
A5-74-2142C	1063	21
A5-74-2142E	1256	21
A5-74-2142S	3663	21
A5-74-2142V	1119	21
A5-74-2142VG	1119	21
A5-74-2142Z	974	21
A5-74-2148C	1063	21
A5-74-2148E	1256	21
A5-74-2148S	3663	21
A5-74-2148V	1119	21
A5-74-2148VG	1119	21
A5-74-2148Z	974	21
A5-74-2160C	1220	21
A5-74-2160E	1439	21
A5-74-2160S	4760	21
A5-74-2160V	1312	21
A5-74-2160VG	1312	21
A5-74-2160Z	1154	21
A5-74-2172C	1423	21
A5-74-2172E	1722	21
A5-74-2172S	5564	21
A5-74-2172V	1552	21
A5-74-2172VG	1552	21
A5-74-2172Z	1355	21
A5-74-2424C	932	21
A5-74-2424E	1118	21
A5-74-2424S	3389	21
A5-74-2424V	970	21
A5-74-2424VG	970	21
A5-74-2424Z	874	21
A5-74-2430C	962	21
A5-74-2430E	1140	21
A5-74-2430S	3414	21
A5-74-2430V	1022	21
A5-74-2430VG	1022	21
A5-74-2430Z	893	21
A5-74-2436C	982	21
A5-74-2436E	1159	21
A5-74-2436S	3450	21
A5-74-2436V	1042	21
A5-74-2436VG	1042	21
A5-74-2436Z	923	21
A5-74-2442C	1144	21
A5-74-2442E	1382	21
A5-74-2442S	4106	21
A5-74-2442V	1219	21
A5-74-2442VG	1219	21
A5-74-2442Z	1074	21
A5-74-2448C	1144	21
A5-74-2448E	1382	21
A5-74-2448S	4106	21
A5-74-2448V	1219	21
A5-74-2448VG	1219	21
A5-74-2448Z	1074	21
A5-74-2460C	1337	21
A5-74-2460E	1600	21
A5-74-2460S	4930	21
A5-74-2460V	1453	21
A5-74-2460VG	1453	21
A5-74-2460Z	1275	21
A5-74-2472C	1547	21
A5-74-2472E	1844	21
A5-74-2472S	6056	21
A5-74-2472V	1664	21
A5-74-2472VG	1664	21
A5-74-2472Z	1426	21
A5-86-1824C	816	21
A5-86-1824E	958	21
A5-86-1824S	2827	21
A5-86-1824V	838	21
A5-86-1824VG	838	21
A5-86-1824Z	784	21
A5-86-1830C	825	21
A5-86-1830E	984	21
A5-86-1830S	2867	21
A5-86-1830V	888	21
A5-86-1830VG	888	21
A5-86-1830Z	803	21
A5-86-1836C	845	21
A5-86-1836E	1017	21
A5-86-1836S	2888	21
A5-86-1836V	919	21
A5-86-1836VG	919	21
A5-86-1836Z	823	21
A5-86-1842C	975	21
A5-86-1842E	1177	21
A5-86-1842S	3372	21
A5-86-1842V	1050	21
A5-86-1842VG	1050	21
A5-86-1842Z	923	21
A5-86-1848C	975	21
A5-86-1848E	1177	21
A5-86-1848S	3372	21
A5-86-1848V	1050	21
A5-86-1848VG	1050	21
A5-86-1848Z	923	21
A5-86-1860C	1117	21
A5-86-1860E	1356	21
A5-86-1860S	4176	21
A5-86-1860V	1243	21
A5-86-1860VG	1243	21
A5-86-1860Z	1044	21
A5-86-1872C	1288	21
A5-86-1872E	1542	21
A5-86-1872S	4880	21
A5-86-1872V	1393	21
A5-86-1872VG	1393	21

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
A5-86-1872Z	1275	21
A5-86-2124C	915	21
A5-86-2124E	1056	21
A5-86-2124S	3208	21
A5-86-2124V	933	21
A5-86-2124VG	933	21
A5-86-2124Z	844	21
A5-86-2130C	934	21
A5-86-2130E	1075	21
A5-86-2130S	3242	21
A5-86-2130V	983	21
A5-86-2130VG	983	21
A5-86-2130Z	863	21
A5-86-2136C	966	21
A5-86-2136E	1127	21
A5-86-2136S	3259	21
A5-86-2136V	1006	21
A5-86-2136VG	1006	21
A5-86-2136Z	893	21
A5-86-2142C	1085	21
A5-86-2142E	1277	21
A5-86-2142S	3703	21
A5-86-2142V	1147	21
A5-86-2142VG	1147	21
A5-86-2142Z	996	21
A5-86-2148C	1085	21
A5-86-2148E	1277	21
A5-86-2148S	3703	21
A5-86-2148V	1147	21
A5-86-2148VG	1147	21
A5-86-2148Z	996	21
A5-86-2160C	1247	21
A5-86-2160E	1458	21
A5-86-2160S	4797	21
A5-86-2160V	1338	21
A5-86-2160VG	1338	21
A5-86-2160Z	1176	21
A5-86-2172C	1449	21
A5-86-2172E	1739	21
A5-86-2172S	5604	21
A5-86-2172V	1577	21
A5-86-2172VG	1577	21
A5-86-2172Z	1376	21
A5-86-2424C	958	21
A5-86-2424E	1140	21
A5-86-2424S	3429	21
A5-86-2424V	996	21
A5-86-2424VG	996	21
A5-86-2424Z	893	21
A5-86-2430C	984	21
A5-86-2430E	1159	21
A5-86-2430S	3450	21
A5-86-2430V	1044	21
A5-86-2430VG	1044	21
A5-86-2430Z	914	21
A5-86-2436C	1007	21
A5-86-2436E	1178	21
A5-86-2436S	3489	21
A5-86-2436V	1065	21
A5-86-2436VG	1065	21
A5-86-2436Z	944	21
A5-86-2442C	1167	21
A5-86-2442E	1400	21
A5-86-2442S	4144	21
A5-86-2442V	1245	21
A5-86-2442VG	1245	21
A5-86-2442Z	1095	21
A5-86-2448C	1167	21
A5-86-2448E	1400	21
A5-86-2448S	4144	21
A5-86-2448V	1245	21
A5-86-2448VG	1245	21
A5-86-2448Z	1095	21
A5-86-2460C	1356	21
A5-86-2460E	1623	21
A5-86-2460S	4972	21
A5-86-2460V	1478	21
A5-86-2460VG	1478	21
A5-86-2460Z	1299	21
A5-86-2472C	1569	21
A5-86-2472E	1865	21
A5-86-2472S	6097	21
A5-86-2472V	1687	21
A5-86-2472VG	1687	21
A5-86-2472Z	1448	21
AC2436T-1C-1W	1586	136
AC2436T-1H-1W	1586	136
AC2436T-2C	1586	136
AC2436T-2H	1586	136
AC2436T-2W	1586	136
AC2448T-1C-1W	1856	136
AC2448T-1H-1W	1856	136
AC2448T-2C	1856	136
AC2448T-2H	1856	136
AC2448T-2W	1856	136
AC2460T-1C-1W	2094	136
AC2460T-1H-1W	2094	136
AC2460T-2C	2094	136
AC2460T-2H	2094	136
AC2460T-2W	2094	136
AC2472T-1C-1W	2278	136
AC2472T-1H-1W	2278	136
AC2472T-2C	2278	136
AC2472T-2H	2278	136
AC2472T-2W	2278	136
AC3036T-1C-1W	1729	136
AC3036T-1H-1W	1729	136
AC3036T-2C	1729	136
AC3036T-2H	1729	136
AC3036T-2W	1729	136
AC3048T-1C-1W	2049	136
AC3048T-1H-1W	2049	136
AC3048T-2C	2049	136
AC3048T-2H	2049	136
AC3048T-2W	2049	136
AC3060T-1C-1W	2325	136
AC3060T-1H-1W	2325	136
AC3060T-2C	2325	136
AC3060T-2H	2325	136
AC3060T-2W	2325	136
AC3072T-1C-1W	2530	136
AC3072T-1H-1W	2530	136
AC3072T-2C	2530	136
AC3072T-2H	2530	136
AC3072T-2W	2530	136
AC3636T-1C-1W	2178	136
AC3636T-1H-1W	2178	136
AC3636T-2C	2178	136
AC3636T-2H	2178	136
AC3636T-2W	2178	136
AC3648T-1C-1W	2489	136
AC3648T-1H-1W	2489	136
AC3648T-2C	2489	136
AC3648T-2H	2489	136
AC3648T-2W	2489	136
AC3660T-1C-1W	2726	136
AC3660T-1H-1W	2726	136
AC3660T-2C	2726	136
AC3660T-2H	2726	136
AC3660T-2W	2726	136
AC3672T-1C-1W	3030	136
AC3672T-1H-1W	3030	136
AC3672T-2C	3030	136
AC3672T-2H	3030	136
AC3672T-2W	3030	136
ADD-A-CLAMP	18	16,23
ADD-A-CLAMP-BL	25	16,23
AP2436T-1C-1W	2997	137
AP2436T-1H-1W	2997	137
AP2436T-2C	2997	137
AP2436T-2H	2997	137
AP2436T-2W	2997	137
AP2448T-1C-1W	3374	137
AP2448T-1H-1W	3374	137
AP2448T-2C	3374	137
AP2448T-2H	3374	137
AP2448T-2W	3374	137
AP2460T-1C-1W	3810	137
AP2460T-1H-1W	3810	137
AP2460T-2C	3810	137
AP2460T-2H	3810	137
AP2460T-2W	3810	137
AP2472T-1C-1W	4252	137
AP2472T-1H-1W	4252	137
AP2472T-2C	4252	137
AP2472T-2H	4252	137
AP2472T-2W	4252	137
AP3036T-1C-1W	3330	137
AP3036T-1H-1W	3330	137
AP3036T-2C	3330	137
AP3036T-2H	3330	137
AP3036T-2W	3330	137
AP3048T-1C-1W	3785	137
AP3048T-1H-1W	3785	137
AP3048T-2C	3785	137
AP3048T-2H	3785	137
AP3048T-2W	3785	137
AP3060T-1C-1W	4250	137
AP3060T-1H-1W	4250	137
AP3060T-2C	4250	137
AP3060T-2H	4250	137
AP3060T-2W	4250	137
AP3072T-1C-1W	4847	137
AP3072T-1H-1W	4847	137
AP3072T-2C	4847	137
AP3072T-2H	4847	137
AP3072T-2W	4847	137
AP3636T-1C-1W	3766	137
AP3636T-1H-1W	3766	137
AP3636T-2C	3766	137
AP3636T-2H	3766	137
AP3636T-2W	3766	137
AP3648T-1C-1W	4423	137
AP3648T-1H-1W	4423	137
AP3648T-2C	4423	137
AP3648T-2H	4423	137
AP3648T-2W	4423	137
AP3660T-1C-1W	4995	137
AP3660T-1H-1W	4995	137
AP3660T-2C	4995	137
AP3660T-2H	4995	137
AP3660T-2W	4995	137
AP3672T-1C-1W	5320	137
AP3672T-1H-1W	5320	137
AP3672T-2C	5320	137
AP3672T-2H	5320	137
AP3672T-2W	5320	137
AS2436T-1C-1W	2387	136
AS2436T-1H-1W	2387	136
AS2436T-2C	2387	136
AS2436T-2H	2387	136
AS2436T-2W	2387	136
AS2448T-1C-1W	2754	136
AS2448T-1H-1W	2754	136
AS2448T-2C	2754	136
AS2448T-2H	2754	136
AS2448T-2W	2754	136
AS2460T-1C-1W	3192	136
AS2460T-1H-1W	3192	136
AS2460T-2C	3192	136
AS2460T-2H	3192	136
AS2460T-2W	3192	136
AS2472T-1C-1W	3633	136
AS2472T-1H-1W	3633	136
AS2472T-2C	3633	136
AS2472T-2H	3633	136
AS2472T-2W	3633	136
AS3036T-1C-1W	2717	136
AS3036T-1H-1W	2717	136
AS3036T-2C	2717	136
AS3036T-2H	2717	136
AS3036T-2W	2717	136
AS3048T-1C-1W	3167	136
AS3048T-1H-1W	3167	136
AS3048T-2C	3167	136
AS3048T-2H	3167	136
AS3048T-2W	3167	136
AS3060T-1C-1W	3630	136
AS3060T-1H-1W	3630	136
AS3060T-2C	3630	136
AS3060T-2H	3630	136
AS3060T-2W	3630	136
AS3072T-1C-1W	4236	136
AS3072T-1H-1W	4236	136
AS3072T-2C	4236	136
AS3072T-2H	4236	136
AS3072T-2W	4236	136
AS3636T-1C-1W	3153	136
AS3636T-1H-1W	3153	136
AS3636T-2C	3153	136
AS3636T-2H	3153	136
AS3636T-2W	3153	136
AS3648T-1C-1W	3808	136
AS3648T-1H-1W	3808	136
AS3648T-2C	3808	136
AS3648T-2H	3808	136
AS3648T-2W	3808	136
AS3660T-1C-1W	4383	136
AS3660T-1H-1W	4383	136
AS3660T-2C	4383	136

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
AS3660T-2H	4383	136
AS3660T-2W	4383	136
AS3672T-1C-1W	5006	136
AS3672T-1H-1W	5006	136
AS3672T-2C	5006	136
AS3672T-2H	5006	136
AS3672T-2W	5006	136
ASFT-12120-FG	10848	263
ASFT-12120-SG	18698	263
ASFT-1218-FG	4449	263
ASFT-1218-SG	6167	263
ASFT-1224-FG	4826	263
ASFT-1224-SG	6194	263
ASFT-1230-FG	5296	263
ASFT-1230-SG	6478	263
ASFT-1236-FG	5548	263
ASFT-1236-SG	6762	263
ASFT-1248-FG	6364	263
ASFT-1248-SG	8419	263
ASFT-1260-FG	6893	263
ASFT-1260-SG	10136	263
ASFT-1272-FG	7789	263
ASFT-1272-SG	11703	263
ASFT-1284-FG	8519	263
ASFT-1284-SG	13739	263
ASFT-1296-FG	9297	263
ASFT-1296-SG	14312	263
ASFT-15120-FG	11445	263
ASFT-15120-SG	19636	263
ASFT-1524-FG	4923	263
ASFT-1524-SG	5993	263
ASFT-1530-FG	5342	263
ASFT-1530-SG	6658	263
ASFT-1536-FG	5596	263
ASFT-1536-SG	7737	263
ASFT-1548-FG	6442	263
ASFT-1548-SG	9314	263
ASFT-1560-FG	7206	263
ASFT-1560-SG	10294	263
ASFT-1572-FG	7943	263
ASFT-1572-SG	12586	263
ASFT-1584-FG	8758	263
ASFT-1584-SG	14317	263
ASFT-1596-FG	9455	263
ASFT-1596-SG	15784	263
ASFT-18120-FG	13340	263
ASFT-18120-SG	21222	263
ASFT-1824-FG	5285	263
ASFT-1824-SG	6914	263
ASFT-1830-FG	5837	263
ASFT-1830-SG	7380	263
ASFT-1836-FG	6252	263
ASFT-1836-SG	7847	263
ASFT-1848-FG	7238	263
ASFT-1848-SG	9416	263
ASFT-1860-FG	8080	263
ASFT-1860-SG	11639	263
ASFT-1872-FG	9032	263
ASFT-1872-SG	12855	263
ASFT-1884-FG	10092	263
ASFT-1884-SG	15548	263
ASFT-1896-FG	11012	263
ASFT-1896-SG	16115	263
ASFT-24120-FG	14699	263
ASFT-24120-SG	22728	263
ASFT-2424-FG	5660	263
ASFT-2424-SG	8283	263
ASFT-2430-FG	6380	263
ASFT-2430-SG	9596	263
ASFT-2436-FG	6876	263
ASFT-2436-SG	9963	263
ASFT-2448-FG	8072	263
ASFT-2448-SG	11650	263
ASFT-2460-FG	9247	263
ASFT-2460-SG	13164	263
ASFT-2472-FG	9339	263
ASFT-2472-SG	15344	263
ASFT-2484-FG	11630	263
ASFT-2484-SG	16860	263
ASFT-2496-FG	12722	263
ASFT-2496-SG	18707	263
ASWTFT-1215-FGG	22315	265
ASWTFT-1215-SG	24454	265
ASWTFT-1218-FGG	22816	265
ASWTFT-1218-SG	24609	265
ASWTFT-1224-FGG	23210	265
ASWTFT-1224-SG	24643	265
ASWTFT-1230-FGG	23704	265
ASWTFT-1230-SG	24937	265
ASWTFT-1236-FGG	23966	265
ASWTFT-1236-SG	25236	265
ASWTFT-1248-FGG	24819	265
ASWTFT-1248-SG	26967	265
ASWTFT-1260-FGG	25370	265
ASWTFT-1260-SG	28763	265
ASWTFT-1272-FGG	26305	265
ASWTFT-1272-SG	30395	265
ASWTFT-1284-FGG	27075	265
ASWTFT-1284-SG	32528	265
ASWTFT-1296-FGG	27885	265
ASWTFT-1296-SG	33120	265
ASWTFT-1518-FGG	22763	265
ASWTFT-1518-SG	23314	265
ASWTFT-1524-FGG	23314	265
ASWTFT-1524-SG	24429	265
ASWTFT-1530-FGG	23752	265
ASWTFT-1530-SG	25123	265
ASWTFT-1536-FGG	24016	265
ASWTFT-1536-SG	26255	265
ASWTFT-1548-FGG	24905	265
ASWTFT-1548-SG	27898	265
ASWTFT-1560-FGG	25695	265
ASWTFT-1560-SG	28923	265
ASWTFT-1572-FGG	26473	265
ASWTFT-1572-SG	30395	265
ASWTFT-1584-FGG	27320	265
ASWTFT-1584-SG	33166	265
ASWTFT-1596-FGG	28050	265
ASWTFT-1596-SG	34663	265
ASWTFT-1824-FGG	23695	265
ASWTFT-1824-SG	25395	265
ASWTFT-1830-FGG	24265	265
ASWTFT-1830-SG	25877	265
ASWTFT-1836-FGG	24700	265
ASWTFT-1836-SG	26369	265
ASWTFT-1848-FGG	25734	265
ASWTFT-1848-SG	28008	265
ASWTFT-1860-FGG	26614	265
ASWTFT-1860-SG	30330	265
ASWTFT-1872-FGG	27606	265
ASWTFT-1872-SG	31600	265
ASWTFT-1884-FGG	28716	265
ASWTFT-1884-SG	34412	265
ASWTFT-1896-FGG	29676	265
ASWTFT-1896-SG	35008	265
ASWTFT-2424-FGG	24084	265
ASWTFT-2424-SG	26823	265
ASWTFT-2430-FGG	24838	265
ASWTFT-2430-SG	28194	265
ASWTFT-2436-FGG	25352	265
ASWTFT-2436-SG	28578	265
ASWTFT-2448-FGG	26604	265
ASWTFT-2448-SG	30339	265
ASWTFT-2460-FGG	27830	265
ASWTFT-2460-SG	31926	265
ASWTFT-2472-FGG	27927	265
ASWTFT-2472-SG	34203	265
ASWTFT-2484-FGG	30325	265
ASWTFT-2484-SG	35788	265
ASWTFT-2496-FGG	31463	265
ASWTFT-2496-SG	37716	265
B201023	22	54
BC18	1233	159
BC18-1	1280	159
BD1448C	3216	142
BD1448S	4794	142
BGR-36-4	391	159
BGR-36-6	404	159
BGR-36-8	431	159
BGR-48-4	462	159
BGR-48-6	486	159
BGR-48-8	520	159
BGR-60-4	493	159
BGR-60-6	522	159
BGR-60-8	563	159
BGR-72-4	526	159
BGR-72-6	563	159
BGR-72-8	615	159
BGR-84-4	572	159
BGR-84-6	614	159
BGR-84-8	649	159
BGR-96-4	602	159
BGR-96-6	649	159
BGR-96-8	697	159
BH-1	308	91
BH36C	66	179
BH48C	69	179
BH60C	74	179
BIC	7696	170
BIC-Z	7650	170
BPC36C	672	179
BPC48C	678	179
BPC60C	686	179
C1448-GRH	2530	127
C1448-WGRH	1153	128
C1460-GRH	2636	127
C1460-WGRH	1327	128
C1472-GRH	3162	127
C1472-WGRH	1614	128
C1848-WGRT	432	128
C1860-WGRT	463	128
C1872-WGRT	495	128
C2448-GR	1070	127
C2448-GRT	737	127
C2448-WGR	822	128
C2460-GR	1207	127
C2460-GRT	800	127
C2460-WGR	996	128
C2472-GR	1374	127
C2472-GRT	905	127
C2472-WGR	1144	128
C314-10-3-12	10362	250
C314-16-3-18	13629	250
C314-22-3-18	14784	250
C314-24-3-24	15976	250
CA4-SB	828	198,199,205
CA6-SB	1240	198,199,205
CA8-SB	1654	198
CAH4-SB	1096	198,199,205
CAH6-SB	1645	198,199,205
CAH8-SB	2195	198
CAHP4-SB	950	66,198,199
CAHP6-SB	1425	198,199
CAHP8-SB	1898	198
CAHW4-SB	1178	66,134,198,199
CAHW6-SB	1769	134,198,199
CAHW8-SB	2355	198
CB24120SE	11503	201
CB24120SE-BS	11633	203
CB2436SE	6256	201
CB2436SE-BS	6577	203
CB2448SE	6997	201
CB2448SE-BS	7048	203
CB2460SE	7517	201
CB2460SE-BS	7593	203
CB2472SE	8062	201
CB2472SE-BS	8145	203
CB2484SE	9216	201
CB2484SE-BS	9305	203
CB2496SE	9958	201
CB2496SE-BS	10054	203
CB30120SE	11997	201
CB30120SE-BS	12127	203
CB3036SE	6534	201
CB3036SE-BS	6792	203
CB3048SE	7260	201
CB3048SE-BS	7306	203
CB3060SE	7837	201
CB3060SE-BS	7910	203
CB3072SE	8419	201
CB3072SE-BS	8498	203
CB3084SE	9470	201
CB3084SE-BS	9562	203
CB3096SE	10372	201
CB3096SE-BS	10467	203
CBH24120SE	12500	201
CBH24120SE-BS	12627	203
CBH2436SE	7666	201
CBH2436SE-BS	7723	203
CBH2448SE	8029	201
CBH2448SE-BS	8080	203
CBH2460SE	8560	201
CBH2460SE-BS	8620	203
CBH2472SE	9083	201
CBH2472SE-BS	9169	203

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
CBH2484SE	10219	201
CBH2484SE-BS	10319	203
CBH2496SE	10960	201
CBH2496SE-BS	11075	203
CBH30120SE	12986	201
CBH30120SE-BS	13115	203
CBH3036SE	7926	201
CBH3036SE-BS	7978	203
CBH3048SE	8289	201
CBH3048SE-BS	8338	203
CBH3060SE	8872	201
CBH3060SE-BS	8927	203
CBH3072SE	9449	201
CBH3072SE-BS	9517	203
CBH3084SE	10488	201
CBH3084SE-BS	10585	203
CBH3096SE	11377	201
CBH3096SE-BS	12166	203
CC-S-10	728	66,130, 215
CC-S-2	185	66,130, 215
CC-S-60	4080	66,130, 215
CC1836C-S	997	30
CC1836C-SB	1019	30
CC1836C-SBP	1173	30
CC1836C-SP	1144	30
CC1836C-SR	1065	30
CC1836C-SRP	1200	30
CC1836Z-S	984	30
CC1836Z-SB	1009	30
CC1836Z-SBP	1156	30
CC1836Z-SP	1132	30
CC1836Z-SR	1036	30
CC1836Z-SRP	1159	30
CC1848C-S	1092	30
CC1848C-SB	1148	30
CC1848C-SBP	1294	30
CC1848C-SP	1242	30
CC1848C-SR	1178	30
CC1848C-SRP	1312	30
CC1848Z-S	997	30
CC1848Z-SB	1117	30
CC1848Z-SBP	1266	30
CC1848Z-SP	1144	30
CC1848Z-SR	1125	30
CC1848Z-SRP	1250	30
CC1860C-S	1242	30
CC1860C-SB	1266	30
CC1860C-SBP	1414	30
CC1860C-SP	1387	30
CC1860C-SR	1289	30
CC1860C-SRP	1418	30
CC1860Z-S	1205	30
CC1860Z-SB	1236	30
CC1860Z-SBP	1383	30
CC1860Z-SP	1349	30
CC1860Z-SR	1239	30
CC1860Z-SRP	1367	30
CC2136C-S	1112	30
CC2136C-SB	1140	30
CC2136C-SBP	1284	30
CC2136C-SP	1256	30
CC2136C-SR	1174	30
CC2136C-SRP	1304	30
CC2136Z-S	1060	30
CC2136Z-SB	1084	30
CC2136Z-SBP	1236	30
CC2136Z-SP	1205	30
CC2136Z-SR	1094	30
CC2136Z-SRP	1220	30
CC2148C-S	1217	30
CC2148C-SB	1244	30
CC2148C-SBP	1393	30
CC2148C-SP	1365	30
CC2148C-SR	1277	30
CC2148C-SRP	1405	30
CC2148Z-S	1153	30
CC2148Z-SB	1178	30
CC2148Z-SBP	1327	30
CC2148Z-SP	1303	30
CC2148Z-SR	1185	30
CC2148Z-SRP	1315	30
CC2160C-S	1349	30
CC2160C-SB	1383	30
CC2160C-SBP	1528	30
CC2160C-SP	1503	30
CC2160C-SR	1412	30
CC2160C-SRP	1536	30
CC2160Z-S	1303	30
CC2160Z-SB	1327	30
CC2160Z-SBP	1477	30
CC2160Z-SP	1445	30
CC2160Z-SR	1339	30
CC2160Z-SRP	1475	30
CC2436C-S	1153	30
CC2436C-SB	1178	30
CC2436C-SBP	1327	30
CC2436C-SP	1303	30
CC2436C-SR	1206	30
CC2436C-SRP	1337	30
CC2436Z-S	1104	30
CC2436Z-SB	1129	30
CC2436Z-SBP	1275	30
CC2436Z-SP	1248	30
CC2436Z-SR	1143	30
CC2436Z-SRP	1269	30
CC2448C-S	1288	30
CC2448C-SB	1316	30
CC2448C-SBP	1464	30
CC2448C-SP	1438	30
CC2448C-SR	1345	30
CC2448C-SRP	1482	30
CC2448Z-S	1226	30
CC2448Z-SB	1253	30
CC2448Z-SBP	1340	30
CC2448Z-SP	1372	30
CC2448Z-SR	1263	30
CC2448Z-SRP	1394	30
CC2460C-S	1445	30
CC2460C-SB	1477	30
CC2460C-SBP	1618	30
CC2460C-SP	1597	30
CC2460C-SR	1507	30
CC2460C-SRP	1642	30
CC2460Z-S	1407	30
CC2460Z-SB	1430	30
CC2460Z-SBP	1577	30
CC2460Z-SP	1554	30
CC2460Z-SR	1439	30
CC2460Z-SRP	1569	30
CF1824-C	194	55
CF1824-E	228	55
CF1824-S	494	55
CF1830-C	203	55
CF1830-E	240	55
CF1830-S	519	55
CF1836-C	204	55
CF1836-E	242	55
CF1836-S	540	55
CF1842-C	210	55
CF1842-E	245	55
CF1842-S	544	55
CF1848-C	214	55
CF1848-E	252	55
CF1848-S	553	55
CF1860-C	239	55
CF1860-E	283	55
CF1860-S	633	55
CF1872-C	269	55
CF1872-E	325	55
CF1872-S	696	55
CF2124-C	197	55
CF2124-E	233	55
CF2124-S	504	55
CF2130-C	204	55
CF2130-E	242	55
CF2130-S	519	55
CF2136-C	210	55
CF2136-E	245	55
CF2136-S	528	55
CF2142-C	217	55
CF2142-E	255	55
CF2142-S	553	55
CF2148-C	219	55
CF2148-E	256	55
CF2148-S	559	55
CF2160-C	254	55
CF2160-E	306	55
CF2160-S	655	55
CF2172-C	354	55
CF2172-E	429	55
CF2172-S	722	55
CF2424-C	204	55
CF2424-E	242	55
CF2424-S	519	55
CF2430-C	210	55
CF2430-E	245	55
CF2430-S	542	55
CF2436-C	217	55
CF2436-E	255	55
CF2436-S	553	55
CF2442-C	219	55
CF2442-E	256	55
CF2442-S	573	55
CF2448-C	220	55
CF2448-E	269	55
CF2448-S	577	55
CF2460-C	269	55
CF2460-E	325	55
CF2460-S	677	55
CF2472-C	369	55
CF2472-E	439	55
CF2472-S	738	55
CF3036-C	228	55
CF3036-E	276	55
CF3036-S	677	55
CF3048-C	238	55
CF3048-E	283	55
CF3048-S	696	55
CF3060-C	372	55
CF3060-E	340	55
CF3060-S	807	55
CF3072-C	394	55
CF3072-E	478	55
CF3072-S	887	55
CF3636-C	244	55
CF3636-E	299	55
CF3636-S	692	55
CF3648-C	254	55
CF3648-E	306	55
CF3648-S	720	55
CF3660-E	367	55
CF3660-S	822	55
CF3672-E	517	55
CF3672-S	912	55
CG-I-36	220	217
CG-I-48	263	217
CG-I-60	299	217
CG-I-72	328	217
CG-O-36	220	217
CG-O-48	263	217
CG-O-60	299	217
CG-O-72	328	217
CH24	75	36,129, 161
CH24-S	162	129
CH28	18	52
CH28S	22	174
CH30	82	36,129, 161
CH30-S	166	129
CH35	22	52
CH35S	28	174
CH36	86	36,129, 161
CH36-S	173	129
CH42	87	36,129, 161
CH42-S	178	129
CH48	92	36,129, 161
CH48-S	185	129
CH54	95	36,129, 161
CH54-S	206	129
CH58	25	52
CH58S	29	174
CH60	103	36,129, 161
CH60-S	226	129
CH72	106	129
CH72-S	234	129
CLH-C	29	36,128, 161
CLH-S	40	128,161
CM108APR	2662	217
CM108PR	3705	217
CM120APR	2696	217

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
CM120PR	3910	217
CM132APR	2836	217
CM132PR	3964	217
CM144APR	2895	217
CM144PR	4523	217
CM36APR	1540	217
CM36PR	1963	217
CM48APR	1615	217
CM48PR	2053	217
CM60APR	1687	217
CM60PR	2189	217
CM72APR	1785	217
CM72PR	2318	217
CM84APR	2206	217
CM84PR	2820	217
CM96APR	2276	217
CM96PR	2944	217
COLLAR PLUG	18	47,91
CP14-BL	33	62
CP14-C	32	8
CP14-E	36	8
CP14-R	33	62
CP14-S	67	8
CP14-V	33	8
CP14-VG	33	8
CP14-W	33	62
CP14-Z	29	8
CP18-C	36	8
CP18-E	48	8
CP18-S	95	8
CP18-V	37	8
CP18-VG	37	8
CP18-Z	33	8
CP33-BL	40	62
CP33-C	37	8
CP33-E	49	8
CP33-R	40	62
CP33-S	109	8
CP33-V	40	8
CP33-VG	40	8
CP33-W	40	62
CP33-Z	36	8
CP54-BL	49	62
CP54-C	48	8
CP54-E	53	8
CP54-R	49	62
CP54-S	125	8
CP54-V	49	8
CP54-VG	49	8
CP54-W	49	62
CP54-Z	45	8
CP63-BL	53	62
CP63-C	49	8
CP63-E	60	8
CP63-R	53	62
CP63-S	136	8
CP63-V	53	8
CP63-VG	53	8
CP63-W	53	62
CP63-Z	48	8
CP7-BL	29	62
CP7-C	28	8
CP7-E	33	8
CP7-R	29	62
CP7-S	65	8
CP7-V	29	8
CP7-VG	29	8
CP7-W	29	62
CP7-Z	25	8
CP74-BL	59	62
CP74-C	55	8
CP74-E	65	8
CP74-R	59	62
CP74-S	155	8
CP74-V	59	8
CP74-VG	59	8
CP74-W	59	62
CP74-Z	49	8
CP86-BL	66	62
CP86-C	66	8
CP86-E	74	8
CP86-R	66	62
CP86-S	176	8
CP86-V	67	8
CP86-VG	67	8
CP86-W	66	62
CP86-Z	62	8
CPB5-200	86	10
CPB5-250	105	10
CPB5P-300	94	10
CPB5P-500	194	10
CPB5S-300	303	10
CPB6-500	160	10
CPB6P-600	210	10,154
CPB6Z-800	174	10
CPB8P-700	238	10,154
CPB8Z-900	192	10
CPC48B	3699	158
CPC6024	3756	158
CPC6024D	4770	158
CPC6036	3506	158
CPC6036D	4582	158
CPC60B	4089	158
CPL6Z-800	350	10
CPL8Z-900	362	10
CPR5-200	86	10
CPR5-250	105	10
CPR5P-300	87	10
CPR5P-500	194	10
CPR6-500	145	10
CPR6P-600	210	10,154
CPR6Z-800	136	10
CPR8P-700	238	10,154
CPR8Z-900	152	10
CPS5-200	75	10
CPS5-250	96	10
CPS5P-300	86	10
CPS5P-500	169	10
CPS5S-300	278	10
CPS6-500	145	10
CPS6P-600	188	10,154
CPS6Z-800	147	10
CPS8P-700	210	10,154
CPS8Z-900	164	10
CPSB5-250	188	9,129
CPSS5-250	153	9,129
CR2D	350	91
CR4D	392	91
CRB0936	2036	131
CRB0948	2137	131
CRB0960	2284	131
CRB0972	2482	131
CRB1224	2173	131
CRB1236	2173	131
CRB1248	2283	131
CRB1260	2384	131
CRB1272	2588	131
CRB1284	2696	131
CRB1836	2929	131
CRB1848	3085	131
CRB1860	3265	131
CRB1872	3530	131
CRPT2424T-BS-C	3318	133
CRPT2424T-BS-H	3318	133
CRPT2424T-BS-US	4144	133
CRPT2424T-C	2886	132
CRPT2424T-H	2886	132
CRPT2424T-US	3606	132
CRPT2436T-BS-C	3903	133
CRPT2436T-BS-H	3903	133
CRPT2436T-BS-US	4880	133
CRPT2436T-C	3394	132
CRPT2436T-H	3394	132
CRPT2436T-US	4243	132
CRPT2448T-BS-C	4563	133
CRPT2448T-BS-H	4563	133
CRPT2448T-BS-US	5704	133
CRPT2448T-C	3969	132
CRPT2448T-H	3969	132
CRPT2448T-US	4960	132
CRPT2460T-BS-C	4926	133
CRPT2460T-BS-H	4926	133
CRPT2460T-BS-US	6158	133
CRPT2460T-C	4287	132
CRPT2460T-H	4287	132
CRPT2460T-US	5355	132
CRPT2472T-BS-C	6309	133
CRPT2472T-BS-H	6309	133
CRPT2472T-BS-US	7888	133
CRPT2472T-C	5487	132
CRPT2472T-H	5487	132
CRPT2472T-US	6860	132
CRPT2484T-BS-C	6994	133
CRPT2484T-BS-H	6994	133
CRPT2484T-BS-US	8742	133
CRPT2484T-C	6082	132
CRPT2484T-H	6082	132
CRPT2484T-US	7600	132
CRPT2496T-BS-C	9094	133
CRPT2496T-BS-H	9094	133
CRPT2496T-BS-US	7888	133
CRPT2496T-C	7908	132
CRPT2496T-H	7908	132
CRPT2496T-US	9886	132
CRPT3030T-BS-C	3444	133
CRPT3030T-BS-H	3444	133
CRPT3030T-BS-US	4308	133
CRPT3030T-C	2997	132
CRPT3030T-H	2997	132
CRPT3030T-US	3747	132
CRPT3036T-BS-C	4059	133
CRPT3036T-BS-H	4059	133
CRPT3036T-BS-US	5075	133
CRPT3036T-C	3530	132
CRPT3036T-H	3530	132
CRPT3036T-US	4415	132
CRPT3048T-BS-C	4710	133
CRPT3048T-BS-H	4710	133
CRPT3048T-BS-US	5886	133
CRPT3048T-C	4096	132
CRPT3048T-H	4096	132
CRPT3048T-US	5118	132
CRPT3060T-BS-C	5092	133
CRPT3060T-BS-H	5092	133
CRPT3060T-BS-US	6364	133
CRPT3060T-C	4427	132
CRPT3060T-H	4427	132
CRPT3060T-US	5536	132
CRPT3072T-BS-C	6329	133
CRPT3072T-BS-H	6329	133
CRPT3072T-BS-US	7909	133
CRPT3072T-C	5505	132
CRPT3072T-H	5505	132
CRPT3072T-US	6880	132
CRPT3084T-BS-C	7544	133
CRPT3084T-BS-H	7544	133
CRPT3084T-BS-US	9433	133
CRPT3084T-C	6563	132
CRPT3084T-H	6563	132
CRPT3084T-US	8204	132
CRPT3096T-BS-C	9322	133
CRPT3096T-BS-H	9322	133
CRPT3096T-BS-US	11653	133
CRPT3096T-C	8106	132
CRPT3096T-H	8106	132
CRPT3096T-US	10133	132
CRPT3636T-BS-C	4263	133
CRPT3636T-BS-H	4263	133
CRPT3636T-BS-US	5330	133
CRPT3636T-C	3705	132
CRPT3636T-H	3705	132
CRPT3636T-US	4634	132
CRPT3648T-BS-C	4847	133
CRPT3648T-BS-H	4847	133
CRPT3648T-BS-US	6059	133
CRPT3648T-C	4217	132
CRPT3648T-H	4217	132
CRPT3648T-US	5269	132
CRPT3660T-BS-C	5634	133
CRPT3660T-BS-H	5634	133
CRPT3660T-BS-US	7038	133
CRPT3660T-C	4897	132
CRPT3660T-H	4897	132
CRPT3660T-US	6122	132
CRPT3672T-BS-C	6374	133
CRPT3672T-BS-H	6374	133
CRPT3672T-BS-US	7966	133
CRPT3672T-C	5540	132
CRPT3672T-H	5540	132
CRPT3672T-US	6926	132
CRPT3684T-BS-C	7609	133
CRPT3684T-BS-H	7609	133
CRPT3684T-BS-US	9512	133
CRPT3684T-C	6618	132
CRPT3684T-H	6618	132
CRPT3684T-US	8270	132
CRPT3696T-BS-C	9560	133
CRPT3696T-BS-H	9560	133
CRPT3696T-BS-US	11944	133
CRPT3696T-C	8314	132

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
CRPT3696T-H	8314	132
CRPT3696T-US	10388	132
CRR24-C	232	45
CRT2424T-BS-C	2912	133
CRT2424T-BS-H	2912	133
CRT2424T-BS-US	3637	133
CRT2424T-C	2530	132
CRT2424T-H	2530	132
CRT2424T-US	3162	132
CRT2436T-BS-C	3232	133
CRT2436T-BS-H	3232	133
CRT2436T-BS-US	4040	133
CRT2436T-C	2810	132
CRT2436T-H	2810	132
CRT2436T-US	3514	132
CRT2448T-BS-C	3376	133
CRT2448T-BS-H	3376	133
CRT2448T-BS-US	4220	133
CRT2448T-C	2937	132
CRT2448T-H	2937	132
CRT2448T-US	3670	132
CRT2460T-BS-C	3510	133
CRT2460T-BS-H	3510	133
CRT2460T-BS-US	4392	133
CRT2460T-C	3054	132
CRT2460T-H	3054	132
CRT2460T-US	3818	132
CRT2472T-BS-C	3993	133
CRT2472T-BS-H	3993	133
CRT2472T-BS-US	4987	133
CRT2472T-C	3470	132
CRT2472T-H	3470	132
CRT2472T-US	4337	132
CRT2484T-BS-C	4819	133
CRT2484T-BS-H	4819	133
CRT2484T-BS-US	6026	133
CRT2484T-C	4192	132
CRT2484T-H	4192	132
CRT2484T-US	5240	132
CRT2496T-BS-C	5148	133
CRT2496T-BS-H	5148	133
CRT2496T-BS-US	4987	133
CRT2496T-C	4478	132
CRT2496T-H	4478	132
CRT2496T-US	5596	132
CRT3030T-BS-C	2955	133
CRT3030T-BS-H	2955	133
CRT3030T-BS-US	3695	133
CRT3030T-C	2569	132
CRT3030T-H	2569	132
CRT3030T-US	3209	132
CRT3036T-BS-C	3284	133
CRT3036T-BS-H	3284	133
CRT3036T-BS-US	4103	133
CRT3036T-C	2855	132
CRT3036T-H	2855	132
CRT3036T-US	3567	132
CRT3048T-BS-C	3412	133
CRT3048T-BS-H	3412	133
CRT3048T-BS-US	4263	133
CRT3048T-C	2964	132
CRT3048T-H	2964	132
CRT3048T-US	3705	132
CRT3060T-BS-C	3893	133
CRT3060T-BS-H	3893	133
CRT3060T-BS-US	4864	133
CRT3060T-C	3383	132
CRT3060T-H	3383	132
CRT3060T-US	4230	132
CRT3072T-BS-C	4230	133
CRT3072T-BS-H	4230	133
CRT3072T-BS-US	5288	133
CRT3072T-C	3677	132
CRT3072T-H	3677	132
CRT3072T-US	4597	132
CRT3084T-BS-C	5012	133
CRT3084T-BS-H	5012	133
CRT3084T-BS-US	6266	133
CRT3084T-C	4358	132
CRT3084T-H	4358	132
CRT3084T-US	5448	132
CRT3096T-BS-C	5356	133
CRT3096T-BS-H	5356	133
CRT3096T-BS-US	6695	133
CRT3096T-C	4659	132
CRT3096T-H	4659	132
CRT3096T-US	5823	132
CRT3636T-BS-C	3403	133
CRT3636T-BS-H	3403	133
CRT3636T-BS-US	4252	133
CRT3636T-C	2959	132
CRT3636T-H	2959	132
CRT3636T-US	3698	132
CRT3648T-BS-C	3576	133
CRT3648T-BS-H	3576	133
CRT3648T-BS-US	4469	133
CRT3648T-C	3110	132
CRT3648T-H	3110	132
CRT3648T-US	3887	132
CRT3660T-BS-C	4528	133
CRT3660T-BS-H	4528	133
CRT3660T-BS-US	5664	133
CRT3660T-C	3938	132
CRT3660T-H	3938	132
CRT3660T-US	4925	132
CRT3672T-BS-C	4912	133
CRT3672T-BS-H	4912	133
CRT3672T-BS-US	6140	133
CRT3672T-C	4272	132
CRT3672T-H	4272	132
CRT3672T-US	5340	132
CRT3684T-BS-C	5242	133
CRT3684T-BS-H	5242	133
CRT3684T-BS-US	6552	133
CRT3684T-C	4559	132
CRT3684T-H	4559	132
CRT3684T-US	5698	132
CRT3696T-BS-C	5747	133
CRT3696T-BS-H	5747	133
CRT3696T-BS-US	7184	133
CRT3696T-C	4997	132
CRT3696T-H	4997	132
CRT3696T-US	6248	132
CS1224-BL	129	61
CS1224-C	125	8
CS1224-R	129	61
CS1224-S	389	8
CS1224-W	129	61
CS1230-BL	134	61
CS1230-C	132	8
CS1230-R	134	61
CS1230-S	420	8
CS1230-W	134	61
CS1236-BL	139	61
CS1236-C	134	8
CS1236-R	139	61
CS1236-S	439	8
CS1236-W	139	61
CS1242-BL	155	61
CS1242-C	152	8
CS1242-R	155	61
CS1242-S	465	8
CS1242-W	155	61
CS1248-BL	160	61
CS1248-C	156	8
CS1248-R	160	61
CS1248-S	488	8
CS1248-W	160	61
CS1254-BL	174	61
CS1254-C	169	8
CS1254-R	174	61
CS1254-S	519	8
CS1254-W	174	61
CS1260-BL	188	61
CS1260-C	180	8
CS1260-R	188	61
CS1260-S	573	8
CS1260-W	188	61
CSB3-175	52	9
CSB5-300	69	9
CSB5-CC	133	176
CSB5P-300	105	9
CSB5PS-300	325	9
CSB5WPS-300	294	9
CSC2430	2572	42
CSC2430E	3053	42
CSC2430S	6060	42
CSC2436	2858	42
CSC2436E	3389	42
CSC2436S	6729	42
CSC2448	3452	42
CSC2448E	4120	42
CSC2448S	8198	42
CSC2460	3714	42
CSC2460E	4430	42
CSC2460S	8488	42
CSC3030	3248	42
CSC3030E	3910	42
CSC3030S	7572	42
CSC3036	3612	42
CSC3036E	4350	42
CSC3036S	8414	42
CSC3048	4354	42
CSC3048E	5277	42
CSC3048S	10252	42
CSC3060	4683	42
CSC3060E	5684	42
CSC3060S	10609	42
CSI-1430	156	61
CSI-1436	164	61
CSI-1448	200	61
CSI-1460	278	61
CSI-1836	173	61
CSI-1848	204	61
CSI-1860	240	61
CSI-1872	273	61
CSI-2136	185	61
CSI-2148	214	61
CSI-2160	243	61
CSI-2172	278	61
CSI-2424	159	61
CSI-2430	180	61
CSI-2436	192	61
CSI-2448	220	61
CSI-2454	244	61
CSI-2460	280	61
CSI-2472	306	61
CSI-3060	438	61
CSI-3072	445	61
CSPB5-300	103	9
CSR5-300	66	9
CSR5-CC	136	176
CSR5P-300	106	9
CSR5PS-300	270	9
CSRO5P-300	106	57
CSS3-175	47	9
CSS4-125	48	9
CSS5-125	53	9
CSS5-300	60	9
CSS5-CC	119	176
CSS5P-300	95	9
CSS5PS-300	293	9
CSS5WPS-300	270	9
CTB1000-XL	40	173
CTB2000-XL	70	173
CTB3000-XL	115	173
CV-54-1836	303	31,155, 162
CV-54-1836-T	672	32,162
CV-54-1848	327	31,155, 162
CV-54-1848-T	683	32,162
CV-54-1860	337	31,162
CV-54-1860-T	704	32,162
CV-54-2148	376	31,162
CV-54-2148-T	748	32,162
CV-54-2160	396	31,162
CV-54-2160-T	828	32,162
CV-54-2424	430	31,162
CV-54-2424-T	719	32,162
CV-54-2436	334	31,162
CV-54-2436-T	727	32,162
CV-54-2448	367	31,162
CV-54-2448-T	765	32,162
CV-54-2460	480	31,162
CV-54-2460-T	844	32,162
CV-54-2472	487	31,162
CV-54-2472-T	942	32,162
CV-63-1836	309	31,155, 162
CV-63-1836-T	672	32,162
CV-63-1848	333	31,155, 162
CV-63-1848-T	683	32,162
CV-63-1860	340	31,162
CV-63-1860-T	752	32,162
CV-63-2148	408	31,162
CV-63-2148-T	792	32,162
CV-63-2160	430	31,162
CV-63-2160-T	877	32,162

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
CV-63-2424	517	31,162
CV-63-2424-T	719	32,162
CV-63-2436	350	31,162
CV-63-2436-T	727	32,162
CV-63-2448	426	31,157, 162
CV-63-2448-T	765	32,162
CV-63-2460	489	31,157, 162
CV-63-2460-T	844	32,162
CV-63-2472	523	31,162
CV-63-2472-T	960	32,162
CV-74-2148	474	31,162
CV-74-2148-T	834	32,162
CV-74-2160	489	31,162
CV-74-2160-T	923	32,162
CV-74-2436	407	31,162
CV-74-2436-T	888	32,162
CV-74-2448	463	31,162
CV-74-2448-T	792	32,162
CV-74-2460	560	31,162
CV-74-2460-T	1025	32,162
CV-74-2472	574	31,162
CV-74-2472-T	1056	32,162
CV-86-2436	506	31,162
CV-86-2436-T	938	32,162
CV-86-2448	544	31,162
CV-86-2448-T	984	32,162
CV-86-2460	647	31,162
CV-86-2460-T	1078	32,162
CV-86-2472	678	31,162
CV-86-2472-T	1109	32,162
CVC-54-1836	489	31,155, 162
CVC-54-1848	518	31,155, 162
CVC-54-1860	550	31,162
CVC-54-2148	569	31,162
CVC-54-2160	645	31,162
CVC-54-2424	582	31,162
CVC-54-2436	512	31,162
CVC-54-2448	597	31,162
CVC-54-2460	663	31,162
CVC-54-2472	678	31,162
CVC-63-1836	512	31,155, 162
CVC-63-1848	523	31,155, 162
CVC-63-1860	563	31,162
CVC-63-2148	596	31,162
CVC-63-2160	659	31,162
CVC-63-2424	603	31,162
CVC-63-2436	532	31,162
CVC-63-2448	628	31,157, 162
CVC-63-2460	678	31,157, 162
CVC-63-2472	693	31,162
CVC-74-1836	534	157
CVC-74-1848	549	157
CVC-74-1860	588	157
CVC-74-1872	622	157
CVC-74-2136	569	157
CVC-74-2148	598	31,157, 162
CVC-74-2160	670	31,157, 162
CVC-74-2172	693	157
CVC-74-2436	544	31,157, 162
CVC-74-2448	633	31,157, 162
CVC-74-2460	685	31,157, 162
CVC-74-2472	697	31,157, 162
CVC-86-2436	603	31,162
CVC-86-2448	725	31,162
CVC-86-2460	764	31,162
CVC-86-2472	789	31,162
CZ-49-ETC	884	176
CZ-54-1836	276	31,155, 162
CZ-54-1836-T	612	32,162
CZ-54-1848	307	31,155, 162
CZ-54-1848-T	618	32,162
CZ-54-1860	319	31,162
CZ-54-1860-T	642	32,162
CZ-54-2148	355	31,162
CZ-54-2148-T	678	32,162
CZ-54-2160	370	31,162
CZ-54-2160-T	754	32,162
CZ-54-2424	649	31,162
CZ-54-2424-T	652	32,162
CZ-54-2436	316	31,162
CZ-54-2436-T	663	32,162
CZ-54-2448	340	31,162
CZ-54-2448-T	697	32,162
CZ-54-2460	456	31,162
CZ-54-2460-T	764	32,162
CZ-54-2472	474	31,162
CZ-54-2472-T	856	32,162
CZ-63-1836	293	31,155, 162
CZ-63-1836-ESD	863	176
CZ-63-1836-T	612	32,162
CZ-63-1848	308	31,155, 162
CZ-63-1848-ESD	967	176
CZ-63-1848-T	618	32,162
CZ-63-1860	325	31,162
CZ-63-1860-T	685	32,162
CZ-63-2148	393	31,162
CZ-63-2148-T	722	32,162
CZ-63-2160	408	31,162
CZ-63-2160-T	799	32,162
CZ-63-2424	672	31,162
CZ-63-2424-ESD	863	176
CZ-63-2424-T	652	32,162
CZ-63-2436	327	31,162
CZ-63-2436-ESD	900	176
CZ-63-2436-T	663	32,162
CZ-63-2448	403	31,154, 157,162
CZ-63-2448-ESD	1048	176
CZ-63-2448-T	697	32,162
CZ-63-2460	476	31,154, 157,162
CZ-63-2460-ESD	1130	176
CZ-63-2460-T	764	32,162
CZ-63-2472	506	31,162
CZ-63-2472-T	874	32,162
CZ-63-ETC	998	176
CZ-74-2148	448	31,162
CZ-74-2148-T	760	32,162
CZ-74-2160	480	31,162
CZ-74-2160-T	843	32,162
CZ-74-2436	396	31,162
CZ-74-2436-T	808	32,162
CZ-74-2448	436	31,162
CZ-74-2448-T	722	32,162
CZ-74-2460	539	31,162
CZ-74-2460-T	932	32,162
CZ-74-2472	550	31,162
CZ-74-2472-T	960	32,162
CZ-86-2436	494	31,162
CZ-86-2436-T	852	32,162
CZ-86-2448	527	31,162
CZ-86-2448-T	897	32,162
CZ-86-2460	628	31,162
CZ-86-2460-T	980	32,162
CZ-86-2472	659	31,162
CZ-86-2472-T	1008	32,162
CZC-54-1836	476	31,155, 162
CZC-54-1848	489	31,155, 162
CZC-54-1860	532	31,162
CZC-54-2148	548	31,162
CZC-54-2160	628	31,162
CZC-54-2424	577	31,162
CZC-54-2436	485	31,162
CZC-54-2448	574	31,162
CZC-54-2460	642	31,162
CZC-54-2472	652	31,162
CZC-63-1836	485	31,155, 162
CZC-63-1848	506	31,155, 162
CZC-63-1860	542	31,162
CZC-63-2148	569	31,162
CZC-63-2160	637	31,162
CZC-63-2424	587	31,162
CZC-63-2436	512	31,162
CZC-63-2448	598	31,154, 157,162
CZC-63-2460	652	31,154, 157,162
CZC-63-2472	664	31,162
CZC-74-2148	577	31,162
CZC-74-2160	647	31,162
CZC-74-2436	522	31,162
CZC-74-2448	614	31,162
CZC-74-2460	663	31,162
CZC-74-2472	683	31,162
CZC-86-2436	566	31,162
CZC-86-2448	704	31,162
CZC-86-2460	764	31,162
CZC-86-2472	800	31,162
D1436BL	147	22
D1436C	145	22
D1436R	147	22
D1436W	147	22
D1436Z	133	22
D1448BL	164	22
D1448C	162	22
D1448R	164	22
D1448W	164	22
D1448Z	148	22
D1836BL	152	22
D1836C	148	22
D1836R	152	22
D1836W	152	22
D1836Z	147	22
D1848BL	177	22
D1848C	176	22
D1848R	177	22
D1848W	177	22
D1848Z	169	22
D2136BL	176	22
D2136C	174	22
D2136R	176	22
D2136W	176	22
D2136Z	162	22
D2148BL	204	22
D2148C	203	22
D2148R	204	22
D2148W	204	22
D2148Z	188	22
D2436BL	189	22
D2436C	188	22
D2436R	189	22
D2436W	189	22
D2436Z	173	22
D2448BL	219	22
D2448C	217	22
D2448R	219	22
D2448W	219	22
D2448Z	204	22
DB	238	91
DBH2436C	445	164,180
DBH2436Z	325	164,180
DBH2442C	452	164,180
DBH2442Z	443	164,180
DBH2448C	518	164,180
DBH2448Z	467	164,180
DBH2454C	526	164,180
DBH2454Z	480	164,180
DBH2460C	567	164,180
DBH2460Z	512	164,180
DBH3036C	487	164,180
DBH3036Z	438	164,180
DBH3042C	506	164,180
DBH3042Z	450	164,180
DBH3048C	573	164,180
DBH3048Z	512	164,180
DBH3054C	597	164,180
DBH3054Z	519	164,180
DBH3060C	672	164,180
DBH3060Z	563	164,180
DBHC2436C-4	2097	164,180
DBHC2436Z-4	1992	164,180
DBHC2442C-4	2128	164,180
DBHC2442Z-4	2128	164,180
DBHC2448C-4	2387	164,180
DBHC2448Z-4	2198	164,180
DBHC2454C-4	2423	164,180
DBHC2454Z-4	2242	164,180
DBHC2460C-4	2587	164,180

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
DBHC2460Z-4	2362	164,180
DBHC3036C-4	2269	164,180
DBHC3036Z-4	2089	164,180
DBHC3042C-4	2339	164,180
DBHC3042Z-4	2132	164,180
DBHC3048C-4	2614	164,180
DBHC3048Z-4	2359	164,180
DBHC3054C-4	2709	164,180
DBHC3054Z-4	2405	164,180
DBHC3060C-4	3009	164,180
DBHC3060Z-4	2569	164,180
DC16-S	45	168
DDFT-10	2696	59
DDFT-11	2929	59
DDFT-12	3167	59
DDFT-13	3396	59
DDFT-14	3634	59
DDFT-15	3869	59
DDFT-16	4099	59
DDFT-17	4339	59
DDFT-18	4576	59
DDFT-19	4809	59
DDFT-20	5044	59
DDFT-21	5277	59
DDFT-22	5418	59
DDFT-23	5485	59
DDFT-24	5708	59
DDFT-25	5933	59
DDFT-26	6156	59
DDFT-27	6380	59
DDFT-28	6605	59
DDFT-29	6832	59
DDFT-30	7053	59
DDFT-6	1753	59
DDFT-7	1988	59
DDFT-8	2220	59
DDFT-9	2456	59
DDSK-18	2094	59
DDSK-21	2153	59
DDSK-24	2232	59
DDSK-30	2448	59
DDSK-36	3115	59
DDSKATB-S	550	59
DF1836-A	652	40
DF1836-C	983	40
DF1842-A	685	40
DF1842-C	1033	40
DF1848-A	708	40
DF1848-C	1065	40
DF1860-A	777	40
DF1860-C	1177	40
DF1872-A	905	40
DF1872-C	1365	40
DF2136-A	700	40
DF2136-C	1056	40
DF2142-A	726	40
DF2142-C	1094	40
DF2148-A	760	40
DF2148-C	1143	40
DF2160-A	816	40
DF2160-C	1222	40
DF2172-A	856	40
DF2172-C	1294	40
DF2436-A	689	40
DF2436-C	1042	40
DF2442-A	723	40
DF2442-C	1092	40
DF2448-A	752	40
DF2448-C	1130	40
DF2460-A	816	40
DF2460-C	1222	40
DF2472-A	955	40
DF2472-C	1438	40
DL1035-XL	8	174
DL1050-XL	9	174
DL2035-XL	9	174
DL2060-XL	14	174
DL2080-XL	22	174
DL3030-XL	14	174
DL3060-XL	18	174
DL3080-XL	22	174
DL3120-XL	55	174
DOS10108-14/3	4992	210
DOS10108-16/3	4539	210
DOS10108-16/4	3810	210
DOS10120-14/3	5149	210
DOS10120-16/3	4686	210
DOS10120-16/4	3889	210
DOS10132-14/3	5529	210
DOS10132-16/3	5028	210
DOS10132-16/4	4144	210
DOS10144-14/3	5673	210
DOS10144-16/3	5155	210
DOS10144-16/4	4222	210
DOS1036-14/3	2880	210
DOS1036-16/3	2618	210
DOS1036-16/4	2338	210
DOS1048-14/3	3032	210
DOS1048-16/3	2753	210
DOS1048-16/4	2414	210
DOS1060-14/3	3306	210
DOS1060-16/3	3005	210
DOS1060-16/4	2593	210
DOS1072-14/3	3567	210
DOS1072-16/3	3247	210
DOS1072-16/4	2753	210
DOS1084-14/3	3826	210
DOS1084-16/3	3478	210
DOS1084-16/4	2915	210
DOS1096-14/3	4627	210
DOS1096-16/3	4205	210
DOS1096-16/4	3560	210
DOS12108-14/3	5066	210
DOS12108-16/3	4603	210
DOS12108-16/4	4106	210
DOS12120-14/3	5320	210
DOS12120-16/3	4834	210
DOS12120-16/4	4183	210
DOS12132-14/3	5910	210
DOS12132-16/3	5374	210
DOS12132-16/4	4489	210
DOS12144-14/3	6069	210
DOS12144-16/3	5519	210
DOS12144-16/4	4563	210
DOS1236-14/3	3192	210
DOS1236-16/3	2752	210
DOS1236-16/4	2475	210
DOS1248-14/3	3426	210
DOS1248-16/3	2960	210
DOS1248-16/4	2542	210
DOS1260-14/3	3686	210
DOS1260-16/3	3180	210
DOS1260-16/4	2742	210
DOS1272-14/3	3959	210
DOS1272-16/3	3406	210
DOS1272-16/4	2937	210
DOS1284-14/3	4252	210
DOS1284-16/3	3732	210
DOS1284-16/4	3120	210
DOS1296-14/3	4715	210
DOS1296-16/3	4418	210
DOS1296-16/4	3794	210
DP-10	1700	234
DP-20	3540	234
DP30	485	45
DP48	549	45
DR1824-C	494	37
DR1824-E	577	37
DR1830-C	526	37
DR1830-E	617	37
DR1836-C	560	37
DR1836-E	655	37
DR1836-S	1423	37
DR1848-C	660	37
DR1848-E	784	37
DR1848-S	1898	37
DR1860-C	818	37
DR1860-E	865	37
DR2124-C	517	37
DR2124-E	614	37
DR2130-C	553	37
DR2130-E	655	37
DR2136-C	589	37
DR2136-E	695	37
DR2148-C	698	37
DR2148-E	820	37
DR2160-C	795	37
DR2160-E	898	37
DR2424-C	527	37
DR2424-E	626	37
DR2430-C	567	37
DR2430-E	659	37
DR2436-C	608	37
DR2436-E	714	37
DR2436-S	1634	37
DR2448-C	717	37
DR2448-E	843	37
DR2448-S	2078	37
DR2460-C	823	37
DR2460-E	945	37
DS1035-XL	7	174
DS1050-XL	8	174
DS1824-C	307	37
DS1824-E	389	37
DS1830-C	338	37
DS1830-E	408	37
DS1836-C	358	37
DS1836-E	437	37
DS1836-S	1125	37
DS1848-C	418	37
DS1848-E	516	37
DS1848-S	1367	37
DS1860-C	486	37
DS1860-E	577	37
DS1860-S	1609	37
DS2035-XL	8	174
DS2060-XL	10	174
DS2080-XL	14	174
DS2124-C	344	37
DS2124-E	423	37
DS2130-C	355	37
DS2130-E	439	37
DS2136-C	377	37
DS2136-E	463	37
DS2148-C	432	37
DS2148-E	527	37
DS2160-C	493	37
DS2160-E	626	37
DS2424-C	334	37
DS2424-E	407	37
DS2430-C	367	37
DS2430-E	439	37
DS2436-C	395	37
DS2436-E	476	37
DS2436-S	1226	37
DS2448-C	445	37
DS2448-E	542	37
DS2448-S	1482	37
DS2460-C	527	37
DS2460-E	637	37
DS2460-S	1777	37
DS3030-XL	9	174
DS3060-XL	10	174
DS3080-XL	14	174
DS3120-XL	45	174
DS4-CP74-2448C	1826	38
DS4-CP74-2448E	1859	38
DS4-CP74-2448Z	1615	38
DS4-P74-2448C	1616	38
DS4-P74-2448E	1654	38
DS4-P74-2448Z	1412	38
DSI-1430	97	61
DSI-1436	106	61
DSI-1448	125	61
DSI-1460	130	61
DSI-1836	119	61
DSI-1848	136	61
DSI-1860	142	61
DSI-1872	148	61
DSI-2136	133	61
DSI-2148	142	61
DSI-2160	148	61
DSI-2172	155	61
DSI-2424	115	61
DSI-2430	128	61
DSI-2436	136	61
DSI-2448	159	61
DSI-2454	166	61
DSI-2460	176	61
DSI-2472	188	61
DSI-3060	196	61
DSI-3072	205	61
DSP-1024	504	98
DSP-1030	526	98
DSP-1036	554	98
DSP-1224	517	98
DSP-1230	544	98
DSP-1236	582	98
DSR-1024	759	98
DSR-1030	863	98

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
DSR-1036	980	98
DSR-1224	822	98
DSR-1230	827	98
DSR-1236	1110	98
DSS-1024	588	98
DSS-1030	598	98
DSS-1036	628	98
DSS-1224	594	98
DSS-1230	627	98
DSS-1236	645	98
DT1836-CS	1893	35
DT1836-CSB	1905	35
DT1836-CSBP	1849	35
DT1836-CSP	1832	35
DT1836-ZS	1832	35
DT1836-ZSB	1849	35
DT1836-ZSBP	1796	35
DT1836-ZSP	1775	35
DT1848-CS	2053	35
DT1848-CSB	2069	35
DT1848-CSBP	2009	35
DT1848-CSP	1994	35
DT1848-ZS	1974	35
DT1848-ZSB	1988	35
DT1848-ZSBP	1934	35
DT1848-ZSP	1918	35
DT1860-CS	2234	35
DT1860-CSB	2248	35
DT1860-CSBP	2189	35
DT1860-CSP	2177	35
DT1860-ZS	2154	35
DT1860-ZSB	2173	35
DT1860-ZSBP	2110	35
DT1860-ZSP	2097	35
DT2136-CS	2032	35
DT2136-CSB	2053	35
DT2136-CSBP	1994	35
DT2136-CSP	1976	35
DT2136-ZS	1934	35
DT2136-ZSB	1945	35
DT2136-ZSBP	1898	35
DT2136-ZSP	1885	35
DT2148-CS	2183	35
DT2148-CSB	2204	35
DT2148-CSBP	2145	35
DT2148-CSP	2132	35
DT2148-ZS	2077	35
DT2148-ZSB	2094	35
DT2148-ZSBP	2037	35
DT2148-ZSP	2025	35
DT2160-CS	2372	35
DT2160-CSB	2388	35
DT2160-CSBP	2414	35
DT2160-CSP	2322	35
DT2160-ZS	2284	35
DT2160-ZSB	2303	35
DT2160-ZSBP	2244	35
DT2160-ZSP	2232	35
DT2436-CS	2062	35
DT2436-CSB	2077	35
DT2436-CSBP	2025	35
DT2436-CSP	2000	35
DT2436-ZS	1970	35
DT2436-ZSB	1987	35
DT2436-ZSBP	1933	35
DT2436-ZSP	1915	35
DT2448-CS	2260	35
DT2448-CSB	2272	35
DT2448-CSBP	2218	35
DT2448-CSP	2204	35
DT2448-ZS	2145	35
DT2448-ZSB	2165	35
DT2448-ZSBP	2107	35
DT2448-ZSP	2094	35
DT2460-CS	2469	35
DT2460-CSB	2485	35
DT2460-CSBP	2428	35
DT2460-CSP	2419	35
DT2460-ZS	2383	35
DT2460-ZSB	2403	35
DT2460-ZSBP	2340	35
DT2460-ZSP	2328	35
DTF1824-C	145	54
DTF1824-E	160	54
DTF1824-S	437	54
DTF1830-C	147	54
DTF1830-E	164	54
DTF1830-S	450	54
DTF1836-C	148	54
DTF1836-E	173	54
DTF1836-S	458	54
DTF1842-C	152	54
DTF1842-E	174	54
DTF1842-S	475	54
DTF1848-C	156	54
DTF1848-E	176	54
DTF1848-S	485	54
DTF1860-C	176	54
DTF1860-E	205	54
DTF1860-S	554	54
DTF1872-C	197	54
DTF1872-E	232	54
DTF1872-S	615	54
DTF2124-C	148	54
DTF2124-E	169	54
DTF2124-S	443	54
DTF2130-C	152	54
DTF2130-E	173	54
DTF2130-S	450	54
DTF2136-C	156	54
DTF2136-E	176	54
DTF2136-S	456	54
DTF2142-C	160	54
DTF2142-E	192	54
DTF2142-S	487	54
DTF2148-C	162	54
DTF2148-E	194	54
DTF2148-S	493	54
DTF2160-C	196	54
DTF2160-E	228	54
DTF2160-S	573	54
DTF2172-C	254	54
DTF2172-E	300	54
DTF2172-S	628	54
DTF2424-C	148	54
DTF2424-E	173	54
DTF2424-S	445	54
DTF2430-C	152	54
DTF2430-E	174	54
DTF2430-S	456	54
DTF2436-C	159	54
DTF2436-E	188	54
DTF2436-S	478	54
DTF2442-C	160	54
DTF2442-E	192	54
DTF2442-S	488	54
DTF2448-C	164	54
DTF2448-E	197	54
DTF2448-S	494	54
DTF2460-C	197	54
DTF2460-E	232	54
DTF2460-S	577	54
DTF2472-C	254	54
DTF2472-E	300	54
DTF2472-S	874	54
DTF3036-C	180	54
DTF3036-E	214	54
DTF3036-S	585	54
DTF3048-C	196	54
DTF3048-E	228	54
DTF3048-S	615	54
DTF3060-C	214	54
DTF3060-E	245	54
DTF3060-S	708	54
DTF3072-C	272	54
DTF3072-E	326	54
DTF3072-S	777	54
DTF3636-C	210	54
DTF3636-E	242	54
DTF3636-S	608	54
DTF3648-C	220	54
DTF3648-E	254	54
DTF3648-S	626	54
DTF3660-C	243	54
DTF3660-E	278	54
DTF3660-S	719	54
DTF3672-C	306	54
DTF3672-E	354	54
DTF3672-S	789	54
DTSC2430	3087	43
DTSC2430E	5352	43
DTSC2430S	9960	43
DTSC2436	3429	43
DTSC2436E	5944	43
DTSC2436S	11069	43
DTSC2448	4069	43
DTSC2448E	7075	43
DTSC2448S	13136	43
DTSC2460	4374	43
DTSC2460E	7803	43
DTSC2460S	13483	43
DWB14-C	139	49,97
DWB14-S	333	49,97
DWB14-VG	142	49,97
DWB18-C	143	49,97
DWB18-S	353	49,97
DWB18-VG	145	49,97
DWB21-C	143	49,97
DWB21-S	362	49,97
DWB21-VG	145	49,97
DWB24-C	145	49,97
DWB24-S	376	49,97
DWB24-VG	148	49,97
E1854-C	134	48
E1854-S	299	48
E1863-C	142	48
E1863-S	319	48
E1874-C	155	48
E1874-S	376	48
E1886-C	278	48
E1886-S	388	48
E2454-C	159	48
E2454-S	358	48
E2463-C	169	48
E2463-S	394	48
E2474-C	176	48
E2474-S	430	48
E2486-C	308	48
E2486-S	453	48
EC2148C	1292	150
EC2160C	1445	150
EC2448C	1394	150
EC2460C	1574	150
ECD2148C	3917	150
ECD2160C	4108	150
ECD2448C	4053	150
ECD2460C	4304	150
ECD72460C	5538	153
ECD7S2460C	5972	153
ECDS2148C	4282	151
ECDS2160C	4567	151
ECDS2448C	4364	151
ECDS2460C	4733	151
ECDT2160C	5032	152
ECDT2460C	5204	152
ECDTS2160C	5453	152
ECDTS2460C	5633	152
ECE2148C	4750	150
ECE2160C	5593	150
ECE2448C	4883	150
ECE2460C	5803	150
ECE72460C	6084	153
ECE7S2460C	6516	153
ECES2148C	5036	151
ECES2160C	5594	151
ECES2448C	5154	151
ECES2460C	5947	151
ECET2160C	5606	153
ECET2460C	5734	153
ECETS2160C	6028	153
ECETS2460C	6166	153
ECS2148C	1653	151
ECS2160C	1859	151
ECS2448C	1760	151
ECS2460C	2004	151
ECT2160C	1888	152
ECT2460C	2023	152
ECTS2160C	2308	152
ECTS2460C	2453	152
EH14-C	200	55
EH14-S	215	55
EH18-C	205	55
EH18-S	258	55
EH21-C	206	55
EH21-S	272	55
EH24-C	207	55
EH24-S	289	55
EH30-C	214	55
EH30-S	303	55
EH36-C	215	55

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
EH36-S	328	55
ELCTH-18	726	157
ELCTH-1836C	5430	157
ELCTH-1848C	6253	157
ELCTH-1860C	8518	157
ELCTH-1872C	10945	157
ELCTH-21	763	157
ELCTH-2136C	5660	157
ELCTH-2148C	6585	157
ELCTH-2160C	9054	157
ELCTH-2172C	11486	157
ELCTH-24	800	157
ELCTH-2436C	5972	157
ELCTH-2448C	6947	157
ELCTH-2460C	9474	157
ELCTH-2472C	12030	157
ELGB1624-4	2480	130
ELGB1624-4W	3155	130
ELGB1624-H	2566	130
ELGB1624-HW	3207	130
ELGB1630-4	2557	130
ELGB1630-4W	3252	130
ELGB1630-H	2645	130
ELGB1630-HW	3306	130
ELGB1636-4	2636	130
ELGB1636-4W	3350	130
ELGB1636-H	2726	130
ELGB1636-HW	3408	130
ELGB1648-4	2775	130
ELGB1648-4W	3455	130
ELGB1648-H	2840	130
ELGB1648-HW	3523	130
ELGB1660-4	4355	130
ELGB1660-4W	5036	130
ELGB1660-H	3026	130
ELGB1660-HW	3705	130
ELGB1672-4	4396	130
ELGB1672-4W	5080	130
ELGB1672-H	3069	130
ELGB1672-HW	3750	130
ELGB1684-4	4528	130
ELGB1684-4W	5233	130
ELGB1684-H	3161	130
ELGB1684-HW	3863	130
ELGB1696-4	4664	130
ELGB1696-4W	5390	130
ELGB1696-H	3256	130
ELGB1696-HW	3979	130
ELGB-TRAY	125	130
ELKB-3036-C	3303	147
ELKB-3048-C	3772	147
EP74-C	420	56
EP74-E	462	56
EP74-Z	394	56
EP86-C	445	56
EP86-E	493	56
EP86-Z	410	56
ETCE20-Z	1719	168
ETCE30-Z	1938	168
ETCS20-Z	1719	168
ETCS30-Z	1938	168
EU2-1824C	594	28
EU2-1824S	1460	28
EU2-1824Z	587	28
EU2-1830C	610	28
EU2-1830S	1585	28
EU2-1830Z	603	28
EU2-1836C	617	28
EU2-1836S	1672	28
EU2-1836Z	614	28
EU2-2136C	695	28
EU2-2136S	1867	28
EU2-2136Z	667	28
EU2-2436C	719	28
EU2-2436S	1970	28
EU2-2436Z	695	28
EU3-1824C	726	28
EU3-1824CS	1042	28
EU3-1824S	1870	28
EU3-1824Z	719	28
EU3-1830C	749	28
EU3-1830CS	1078	28
EU3-1830S	2056	28
EU3-1830Z	737	28
EU3-1836C	763	28
EU3-1836CS	1130	28
EU3-1836S	2180	28
EU3-1836Z	759	28
EU3-2030-P	1415	34
EU3-2136C	859	28
EU3-2136S	2448	28
EU3-2136Z	823	28
EU3-2436C	897	28
EU3-2436S	2605	28
EU3-2436Z	858	28
F1916	3049	252
F1916-12	3156	252
F1916-VSCS	11334	253
F1916-VSCS-DL	12948	253
F1916-VSCS-DR	12948	253
F2121-12-CDE	4478	252
F2121-12-CNR	4516	252
F2121-8-CDE	4228	252
F2121-8-CNR	4215	252
F2424-12-CDE	4610	252
F2424-12-CNR	4685	252
F2424-8-CDE	4343	252
F2424-8-CNR	4353	252
F2820	3488	252
F2820-12	3875	252
F2QA2-74-1836C	894	12
F2QA2-74-1836E	1029	12
F2QA2-74-1836S	2923	12
F2QA2-74-1836V	967	12
F2QA2-74-1836VG	967	12
F2QA2-74-1836Z	873	12
F2QA2-74-1848C	998	12
F2QA2-74-1848E	1177	12
F2QA2-74-1848S	3353	12
F2QA2-74-1848V	1095	12
F2QA2-74-1848VG	1095	12
F2QA2-74-1848Z	960	12
F2QA2-74-1860C	1127	12
F2QA2-74-1860E	1332	12
F2QA2-74-1860S	4070	12
F2QA2-74-1860V	1220	12
F2QA2-74-1860VG	1220	12
F2QA2-74-1860Z	1069	12
F2QA2-74-1872C	1267	12
F2QA2-74-1872E	1476	12
F2QA2-74-1872S	4692	12
F2QA2-74-1872V	1386	12
F2QA2-74-1872VG	1386	12
F2QA2-74-1872Z	1195	12
F2QA2-74-2436C	1023	12
F2QA2-74-2436E	1184	12
F2QA2-74-2436S	3464	12
F2QA2-74-2436V	1105	12
F2QA2-74-2436VG	1105	12
F2QA2-74-2436Z	967	12
F2QA2-74-2448C	1172	12
F2QA2-74-2448E	1374	12
F2QA2-74-2448S	4029	12
F2QA2-74-2448V	1273	12
F2QA2-74-2448VG	1273	12
F2QA2-74-2448Z	1097	12
F2QA2-74-2460C	1327	12
F2QA2-74-2460E	1554	12
F2QA2-74-2460S	4774	12
F2QA2-74-2460V	1444	12
F2QA2-74-2460VG	1444	12
F2QA2-74-2460Z	1263	12
F2QA2-74-2472C	1509	12
F2QA2-74-2472E	1764	12
F2QA2-74-2472S	5774	12
F2QA2-74-2472V	1639	12
F2QA2-74-2472VG	1639	12
F2QA2-74-2472Z	1400	12
FD-FG	3153	266
FD-SG	4198	266
FDI-10-14-5-1	663	257
FDI-10-14-9.5-1	736	257
FDI-10-14-9.5-2	1414	257
FDI-10-14-9.5-3	2109	258
FDI-10-14-9.5-4	2536	258
FDI-12-14-9.5-1	765	257
FDI-12-14-9.5-2	1525	257
FDI-12-14-9.5-3	2132	258
FDI-12-14-9.5-4	2834	258
FDI-12-20-6.5-1	800	257
FDI-14-16-6-1	822	257
FDI-14-16-9.5-1	845	257
FDI-14-16-9.5-2	1642	257
FDI-14-16-9.5-3	2393	258
FDI-14-16-9.5-4	2943	258
FDI-16-19-13.5-1	1043	257
FDI-16-19-13.5-2	2053	257
FDI-16-19-13.5-3	3005	258
FDI-16-19-13.5-4	3594	258
FDI-16-19-8-1	1033	257
FDI-16-19-8-2	1997	257
FDI-16-19-8-3	2880	258
FDI-16-19-8-4	3482	258
FDI-18-24-13.5-1	1266	257
FDI-18-24-13.5-2	2396	257
FDI-18-24-13.5-3	3482	258
FDI-18-24-13.5-4	4096	258
FDI-20-20-5-1	809	257
FDI-22-22-13.5-1	1476	257
FDI-22-22-13.5-2	2840	257
FDI-22-22-13.5-3	3945	258
FDI-22-22-13.5-4	4787	258
FDI-24-24-13.5-1	1540	257
FDI-24-24-13.5-2	2962	257
FDI-24-24-13.5-3	4117	258
FDI-24-24-13.5-4	4984	258
FF2119-FG-LS	4740	251
FF2119-FG-LRS	4930	251
FF2119-FG-RS	4740	251
FF2119-SG-LS	5836	251
FF2119-SG-LRS	6049	251
FF2119-SG-RS	5836	251
FFN2736-2-24-14/3	22820	249
FFN2736-2-30-14/3	25542	249
FFN2740-2-24-14/3	23873	249
FFN2740-2-30-14/3	26582	249
FFN2748-2-24-14/3	25962	249
FFN2748-2-30-14/3	28683	249
FFN2754-3-24-14/3	27529	249
FFN2754-3-30-14/3	30667	249
FFN2760-2-24-14/3	29107	249
FFN2760-2-30-14/3	31815	249
FFN2760-3-24-14/3	29107	249
FFN2760-3-30-14/3	32247	249
FFN2772-3-24-14/3	32247	249
FFN2772-3-30-14/3	35377	249
FFN2790-3-24-14/3	36952	249
FFN2790-3-30-14/3	40094	249
FN2016-1-14/3	5992	243
FN2016-1-18-14/3	6626	243
FN2016-1-18L-14/3	6378	243
FN2016-1-18R-14/3	6378	243
FN2016-1-24-14/3	6886	243
FN2016-1-24L-14/3	6485	243
FN2016-1-24R-14/3	6485	243
FN2018-1-14/3	6750	243
FN2018-1-18-14/3	7276	243
FN2018-1-18L-14/3	6993	243
FN2018-1-18R-14/3	6993	243
FN2018-1-24-14/3	7509	243
FN2018-1-24L-14/3	7112	243
FN2018-1-24R-14/3	7112	243
FN2020-1-14/3	6750	243
FN2020-1-24-14/3	7509	243
FN2020-1-24L-14/3	7112	243
FN2020-1-24R-14/3	7112	243
FN2032-2-14/3	8009	244
FN2032-2-18-14/3	8908	244
FN2032-2-18L-14/3	8608	244
FN2032-2-18R-14/3	8608	244
FN2032-2-24-14/3	9122	244
FN2032-2-24L-14/3	8758	244
FN2032-2-24R-14/3	8758	244
FN2036-2-14/3	8797	244
FN2036-2-18-14/3	9547	244
FN2036-2-18L-14/3	9738	244
FN2036-2-18R-14/3	9738	244
FN2036-2-24-14/3	10218	244
FN2036-2-24L-14/3	9860	244
FN2036-2-24R-14/3	9860	244
FN2040-2-14/3	8797	244
FN2040-2-24-14/3	10218	244
FN2040-2-24L-14/3	9860	244
FN2040-2-24R-14/3	9860	244
FN2048-3-14/3	9903	245
FN2048-3-18-14/3	10566	245
FN2048-3-18L-14/3	10316	245
FN2048-3-18R-14/3	10316	245
FN2048-3-24-14/3	10782	245
FN2048-3-24L-14/3	10418	245
FN2048-3-24R-14/3	10418	245
FN2054-3-14/3	11318	245
FN2054-3-18-14/3	12448	245
FN2054-3-18L-14/3	12162	245
FN2054-3-18R-14/3	12162	245
FN2054-3-24-14/3	12808	245
FN2054-3-24L-14/3	12247	245
FN2054-3-24R-14/3	12247	245
FN2060-3-14/3	11318	245
FN2060-3-24-14/3	12808	245
FN2060-3-24L-14/3	12247	245
FN2060-3-24R-14/3	12247	245
FN2064-4-14/3	12660	246
FN2064-4-18-14/3	13222	246
FN2064-4-18L-14/3	12753	246
FN2064-4-18R-14/3	12753	246

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
FN2064-4-24-14/3	13470	246
FN2064-4-24L-14/3	12869	246
FN2064-4-24R-14/3	12869	246
FN2072-4-14/3	14223	246
FN2072-4-18-14/3	15432	246
FN2072-4-18L-14/3	15053	246
FN2072-4-18R-14/3	15053	246
FN2072-4-24-14/3	15576	246
FN2072-4-24L-14/3	15139	246
FN2072-4-24R-14/3	15139	246
FN2080-4-14/3	14223	246
FN2080-4-24-14/3	15576	246
FN2080-4-24L-14/3	15139	246
FN2080-4-24R-14/3	15139	246
FN2424-1-14/3	7226	243
FN2424-1-24-14/3	8608	243
FN2424-1-24L-14/3	8133	243
FN2424-1-24R-14/3	8133	243
FN2448-2-14/3	10456	244
FN2448-2-24-14/3	12284	244
FN2448-2-24L-14/3	11860	244
FN2448-2-24R-14/3	11860	244
FN2472-3-14/3	13164	245
FN2472-3-24-14/3	15280	245
FN2472-3-24L-14/3	14887	245
FN2472-3-24R-14/3	14887	245
FN2496-4-14/3	16364	246
FN2496-4-24-14/3	18410	246
FN2496-4-24L-14/3	17909	246
FN2496-4-24R-14/3	17909	246
FN2820-1-14/3	7969	243
FN2820-1-24-14/3	8693	243
FN2820-1-24L-14/3	8314	243
FN2820-1-24R-14/3	8314	243
FN2840-2-14/3	10476	244
FN2840-2-24-14/3	12364	244
FN2840-2-24L-14/3	11860	244
FN2840-2-24R-14/3	11860	244
FN2860-3-14/3	13562	245
FN2860-3-24-14/3	15685	245
FN2860-3-24L-14/3	15155	245
FN2860-3-24R-14/3	15155	245
FN2880-4-14/3	17309	246
FN2880-4-24-14/3	18942	246
FN2880-4-24L-14/3	18416	246
FN2880-4-24R-14/3	18416	246
FNWNF-12-14-8-1	1487	259
FNWNF-14-16-8-1	1556	259
FNWNF-18-18-10-1	1394	259
FNWNF-18-18-12-1	1414	259
FNWNF-20-20-10-1	1476	259
FNWNF-20-20-12-1	1549	259
FNWNF-20-20-14-1	1633	259
FNWNF-20-27-6-1	1394	259
FNWNF-20.5-20.5-5-1	1283	259
FNWNF-20.5-20.5-8-1	1407	259
FNWNF-24-24-12-1	1725	259
FNWNF-24-24-14-1	1809	259
FNWNF-9-12-6-1	1359	259
FNWNF-9-14-8-1	1444	259
FOOT PLATE	29	47
FOOT PLATE-BL	32	47
FOOT PLATE-S	55	47
FR-1221-SS	1085	134,137, 139,141
FT-12120-FG	9655	262
FT-12120-SG	16598	262
FT-1218-FG	3962	262
FT-1218-SG	5507	262
FT-1224-FG	4294	262
FT-1224-SG	5774	262
FT-1230-FG	4715	262
FT-1230-SG	5952	262
FT-1236-FG	4938	262
FT-1236-SG	6136	262
FT-1248-FG	5666	262
FT-1248-SG	7580	262
FT-1260-FG	6137	262
FT-1260-SG	9089	262
FT-1272-FG	6932	262
FT-1272-SG	10448	262
FT-1284-FG	7582	262
FT-1284-SG	12278	262
FT-1296-FG	8273	262
FT-1296-SG	12628	262
FT-15120-FG	10185	262
FT-15120-SG	17870	262
FT-1524-FG	4383	262
FT-1524-SG	6140	262
FT-1530-FG	4760	262
FT-1530-SG	6288	262
FT-1536-FG	4980	262
FT-1536-SG	7143	262
FT-1548-FG	5734	262
FT-1548-SG	8693	262
FT-1560-FG	6405	262
FT-1560-SG	10177	262
FT-1572-FG	7070	262
FT-1572-SG	11708	262
FT-1584-FG	7798	262
FT-1584-SG	13239	262
FT-1596-FG	8416	262
FT-1596-SG	14675	262
FT-18120-FG	11873	262
FT-18120-SG	19132	262
FT-1824-FG	4703	262
FT-1824-SG	6493	262
FT-1830-FG	5193	262
FT-1830-SG	6855	262
FT-1836-FG	5564	262
FT-1836-SG	7217	262
FT-1848-FG	6442	262
FT-1848-SG	8582	262
FT-1860-FG	7194	262
FT-1860-SG	10588	262
FT-1872-FG	8040	262
FT-1872-SG	11592	262
FT-1884-FG	8975	262
FT-1884-SG	14075	262
FT-1896-FG	9803	262
FT-1896-SG	14437	262
FT-24120-FG	13773	262
FT-24120-SG	20628	262
FT-2424-FG	5034	262
FT-2424-SG	7862	262
FT-2430-FG	5673	262
FT-2430-SG	8185	262
FT-2436-FG	6117	262
FT-2436-SG	9333	262
FT-2448-FG	7182	262
FT-2448-SG	10807	262
FT-2460-FG	8232	262
FT-2460-SG	12117	262
FT-2472-FG	8306	262
FT-2472-SG	14084	262
FT-2484-FG	10350	262
FT-2484-SG	15395	262
FT-2496-FG	11325	262
FT-2496-SG	17032	262
GBP15-C	172	91
GC-16	48	168
GCC1	1436	156
GLIDES	6	47
GPS24-C	153	91
GPWB	48	91
GR1836C	629	36
GR1848C	685	36
GR1860C	766	36
GRS1836C	870	36
GRS1848C	955	36
GRS1860C	1094	36
GS17	306	91
GWB1436C	239	93
GWB1436V	242	93
GWB1436VG	242	93
GWB1448C	265	93
GWB1448V	269	93
GWB1448VG	269	93
GWB1836C	252	93
GWB1836V	269	93
GWB1836VG	269	93
GWB1848C	280	93
GWB1848V	306	93
GWB1848VG	306	93
HBK-48C	465	129
HBK-48S	563	129
HBK-60C	534	129
HBK-60S	626	129
HBK-72C	594	129
HBK-72S	693	129
HDS1836SE	930	64
HDS1836SF	843	63
HDS1836SL	930	65
HDS1836VE	445	64
HDS1836VF	436	63
HDS1836VGE	445	64
HDS1836VGF	436	63
HDS1836VGL	448	65
HDS1836VL	448	65
HDS1842SE	1029	64
HDS1842SF	914	63
HDS1842SL	1029	65
HDS1842VE	467	64
HDS1842VF	454	63
HDS1842VGE	467	64
HDS1842VGF	454	63
HDS1842VGL	475	65
HDS1842VL	475	65
HDS1848SE	1127	64
HDS1848SF	984	63
HDS1848SL	1127	65
HDS1848VE	478	64
HDS1848VF	474	63
HDS1848VGE	478	64
HDS1848VGF	474	63
HDS1848VGL	486	65
HDS1848VL	486	65
HDS1854SE	1177	64
HDS1854SF	1078	63
HDS1854SL	1177	65
HDS1854VE	517	64
HDS1854VF	475	63
HDS1854VGE	517	64
HDS1854VGF	475	63
HDS1854VGL	504	65
HDS1854VL	504	65
HDS1860SE	1239	64
HDS1860SF	1177	63
HDS1860SL	1239	65
HDS1860VE	527	64
HDS1860VF	519	63
HDS1860VGE	527	64
HDS1860VGF	519	63
HDS1860VGL	522	65
HDS1860VL	522	65
HDS2436SE	1112	64
HDS2436SF	1044	63
HDS2436SL	1112	65
HDS2436VE	478	64
HDS2436VF	465	63
HDS2436VGE	478	64
HDS2436VGF	465	63
HDS2436VGL	480	65
HDS2436VL	480	65
HDS2442SE	1208	64
HDS2442SF	1177	63
HDS2442SL	1208	65
HDS2442VE	493	64
HDS2442VF	486	63
HDS2442VGE	493	64
HDS2442VGF	486	63
HDS2442VGL	495	65
HDS2442VL	495	65
HDS2448SE	1283	64
HDS2448SF	1275	63
HDS2448SL	1316	65
HDS2448VE	516	64
HDS2448VF	499	63
HDS2448VGE	516	64
HDS2448VGF	499	63
HDS2448VGL	518	65
HDS2448VL	518	65
HDS2454SE	1423	64
HDS2454SF	1389	63
HDS2454SL	1423	65
HDS2454VE	554	64
HDS2454VF	542	63
HDS2454VGE	554	64
HDS2454VGF	542	63
HDS2454VGL	566	65
HDS2454VL	566	65
HDS2460SE	1528	64
HDS2460SF	1489	63
HDS2460SL	1528	65
HDS2460VE	573	64
HDS2460VF	564	63
HDS2460VGE	573	64
HDS2460VGF	564	63
HDS2460VGL	577	65
HDS2460VL	577	65
HDSCP14-S	109	66
HDSCP33-S	152	66
HDSCP54-S	159	66
HDSCP63-S	185	66
HDSCP74-S	207	66
HDSP14-S	109	66
HDSP33-S	152	66
HDSP54-S	159	66
HDSP63-S	185	66
HDSP74-S	207	66
HDTS18-C	407	53
HDTS18-E	453	53
HDTS24-C	450	53
HDTS24-E	498	53

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
HFH	108	91
HFL-5000	8708	222
HFL-5000-LRS	9226	222
HFL-5000-S	7763	222
HSA-10	1063	223
HSA-10-1FK	2696	227
HSA-10-8	1030	232
HSA-10-8F	1326	232
HSA-10-F	1244	223
HSA-10-F-DS	1637	224
HSA-10-F-LRS	2198	230
HSA-10-FA	1314	223
HSA-10-FA-1P	2750	227
HSA-10-FA-P	2750	227
HSA-10-FA-PE	6019	225
HSA-10-FAW	1673	223,230
HSA-10-FDP	2617	224
HSA-10-FDP-T	3812	232
HSA-10-FDPE	6473	225
HSA-10-FDPE-LRS	7423	230
HSA-10-FDPEE	7087	225
HSA-10-FDPEE-B-T	9949	226
HSA-10-FDPK	4127	227
HSA-10-FDPS	3994	224
HSA-10-FE	4523	225
HSA-10-FE-B-DS	5618	226
HSA-10-FE-B-NB-MG	5728	226
HSA-10-FE-B-T-NB-MG	7059	226
HSA-10-FK	2696	227
HSA-10-FKP	3005	227
HSA-10-FL	1782	223
HSA-10-FLDP	3142	224
HSA-10-FO	1476	223
HSA-10-FODP	3209	224
HSA-10-FODPE	6499	225
HSA-10-FOE	4754	225
HSA-10-FTWS	1962	230
HSA-10-FTWS-LRS	2915	230
HSA-10-FW	1438	227
HSA-10-FWLDP-LRS	4239	224
HSA-SSK	306	235
HSA-WM-48	8005	165
HSA-WM-48-1FK	9726	165
HSA-WM-48-F	9475	165
HSA-WM-48-FE	10790	165
HSA-WM-48-FK	10028	165
HSA-WM-60	9132	165
HSA-WM-60-1FK	10024	165
HSA-WM-60-F	9786	165
HSA-WM-60-FE	11092	165
HSA-WM-60-FK	10326	165
HSA-WM-72	9345	165
HSA-WM-72-1FK	10136	165
HSA-WM-72-F	9739	165
HSA-WM-72-FE	11727	165
HSA-WM-72-FK	10588	165
HSA-WM-96	10845	165
HSA-WM-96-1FK	13531	165
HSA-WM-96-F	12986	165
HSA-WM-96-FE	15653	165
HSA-WM-96-FK	14135	165
HSAD-10-F	1149	232
HSAE-10-FA	1383	232
HSAN-10-F	1480	231
HSAN-10-F-DS	1888	231
HSAN-10-F-LRS	2432	230
HSAN-10-FE-B-DS	6294	226
HSAND-10-F	1236	231
HSANT-FS	1748	231
HSAP-10-EYE	15047	221
HSAP-14-ADA-FE-B	9922	226,229
HSAP-14-ADA-FW	8486	229
HSAP-14-EYE	11730	221
HSAP-14-FW	3577	229
HSAP-SSK	370	235
HWB-E	5215	229
HWB-T	5666	229
HWC-E	4985	229
HWC-T	5442	229
ITT1620	2217	161
ITT1630	2270	161
ITT1834	2288	161
ITT2036	2333	161
ITT2048	2414	161
ITT2436	2375	161
ITT2446	2449	161
ITT2458	2534	161
ITU1620	2093	161
ITU1630	2177	161
ITU1834	2215	161
ITU2036	2308	161
ITU2048	2445	161
ITU2436	2387	161
ITU2446	2523	161
ITU2458	2675	161
IV-1	958	154
IV-2	958	154
IV-3	958	154
IV-4	958	154
KB-234-BL	45	147
KB-240-BL	74	147
KB-250-BL	119	147
KB48-C	132	127,128
KB48-S	158	127,128
KB60-C	147	127,128
KB60-S	176	127,128
KB72-C	160	127,128
KB72-S	192	127,128
KBD-1	519	45,46
KBD-1/SS	722	45,46,142
KBD-2	452	46,135
KBD-2/SS	786	46,135
L14-1BL	32	62
L14-1C	29	50
L14-1R	32	62
L14-1S	45	50
L14-1V	32	50
L14-1VG	32	50
L14-1W	32	62
L14-4BL	40	62
L14-4C	37	50
L14-4E	42	50
L14-4R	40	62
L14-4S	80	50
L14-4V	40	50
L14-4VG	40	50
L14-4W	40	62
L18-1BL	33	62
L18-1C	32	50
L18-1R	33	62
L18-1S	49	50
L18-1V	33	50
L18-1VG	33	50
L18-1W	33	62
L18-4BL	42	62
L18-4C	40	50
L18-4E	49	50
L18-4R	42	62
L18-4S	87	50
L18-4V	42	50
L18-4VG	42	50
L18-4W	42	62
L21-1BL	36	62
L21-1C	33	50
L21-1R	36	62
L21-1S	55	50
L21-1V	36	50
L21-1VG	36	50
L21-1W	36	62
L21-4BL	45	62
L21-4C	42	50
L21-4E	53	50
L21-4R	45	62
L21-4S	97	50
L21-4V	45	50
L21-4VG	45	50
L21-4W	45	62
L24-1BL	37	62
L24-1C	36	50
L24-1R	37	62
L24-1S	60	50
L24-1V	37	50
L24-1VG	37	50
L24-1W	37	62
L24-4BL	49	62
L24-4C	48	50
L24-4E	55	50
L24-4R	49	62
L24-4S	105	50
L24-4V	49	50
L24-4VG	49	50
L24-4W	49	62
L30-1BL	42	62
L30-1C	40	50
L30-1R	42	62
L30-1S	82	50
L30-1V	42	50
L30-1VG	42	50
L30-1W	42	62
L30-4BL	59	62
L30-4C	55	50
L30-4E	65	50
L30-4R	59	62
L30-4S	130	50
L30-4V	59	50
L30-4VG	59	50
L30-4W	59	62
L36-1BL	49	62
L36-1C	48	50
L36-1R	49	62
L36-1S	92	50
L36-1V	49	50
L36-1VG	49	50
L36-1W	49	62
L36-4BL	62	62
L36-4C	60	50
L36-4E	67	50
L36-4R	62	62
L36-4S	152	50
L36-4V	62	50
L36-4VG	62	50
L36-4W	62	62
L42-1BL	53	62
L42-1C	49	50
L42-1R	53	62
L42-1S	97	50
L42-1V	53	50
L42-1VG	53	50
L42-1W	53	62
L42-4BL	75	62
L42-4C	70	50
L42-4E	86	50
L42-4R	75	62
L42-4S	192	50
L42-4V	75	50
L42-4VG	75	50
L42-4W	75	62
L48-1BL	55	62
L48-1C	53	50
L48-1R	55	62
L48-1S	97	50
L48-1V	55	50
L48-1VG	55	50
L48-1W	55	62
L48-4BL	80	62
L48-4C	70	50
L48-4E	86	50
L48-4R	80	62
L48-4S	192	50
L48-4V	80	50
L48-4VG	80	50
L48-4W	80	62
L54-1BL	60	62
L54-1C	59	50
L54-1R	60	62
L54-1S	125	50
L54-1V	60	50
L54-1VG	60	50
L54-1W	60	62
L54-4BL	83	62
L54-4C	80	50
L54-4E	93	50
L54-4R	83	62
L54-4S	217	50
L54-4V	83	50
L54-4VG	83	50
L54-4W	83	62
L60-1BL	62	62
L60-1C	59	50
L60-1R	62	62
L60-1S	125	50
L60-1V	62	50
L60-1VG	62	50
L60-1W	62	62
L60-4BL	86	62
L60-4C	80	50
L60-4E	93	50
L60-4R	86	62
L60-4S	217	50
L60-4V	86	50
L60-4VG	86	50
L60-4W	86	62

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
L72-1BL	65	62
L72-1C	60	50
L72-1R	65	62
L72-1S	136	50
L72-1V	65	50
L72-1VG	65	50
L72-1W	65	62
L72-4BL	97	62
L72-4C	94	50
L72-4E	109	50
L72-4R	97	62
L72-4S	273	50
L72-4V	97	50
L72-4VG	97	50
L72-4W	97	62
LC2460C	2007	156
LCD2460C	5006	156
LDH	22	91
LDUS12	132	91
LEVELING FOOT	5	47
LH	14	91
LR24-BL	60	33
LR24-C	55	33
LR24-V	60	33
LR24-VG	60	33
LR24-Z	45	33
LR36-BL	70	33
LR36-C	65	33
LR36-V	70	33
LR36-VG	70	33
LR36-Z	48	33
LR48-BL	83	33
LR48-C	80	33
LR48-V	83	33
LR48-VG	83	33
LR48-Z	49	33
LR60-BL	93	33
LR60-C	92	33
LR60-V	93	33
LR60-VG	93	33
LR60-Z	55	32
M1824BL	232	33
M1824BL-4	1338	33
M1824C	217	33
M1824C-4	1314	33
M1824V	232	33
M1824V-4	1338	33
M1824VG	232	33
M1824VG-4	1338	33
M1824Z	188	33
M1824Z-4	1173	33
M1836BL	239	33
M1836BL-4	1369	33
M1836C	228	33
M1836C-4	1349	33
M1836V	239	33
M1836V-4	1369	33
M1836VG	239	33
M1836VG-4	1369	33
M1836Z	200	33
M1836Z-4	1222	33
M1848BL	255	33
M1848BL-4	1464	33
M1848C	242	33
M1848C-4	1407	33
M1848V	255	33
M1848V-4	1464	33
M1848VG	255	33
M1848VG-4	1464	33
M1848Z	233	33
M1848Z-4	1358	33
M1860BL	278	33
M1860BL-4	1549	33
M1860C	269	33
M1860C-4	1503	33
M1860V	278	33
M1860V-4	1549	33
M1860VG	278	33
M1860VG-4	1549	33
M1860Z	255	33
M1860Z-4	1454	33
M18BL	83	33
M18C	80	33,155
M18V	83	33
M18VG	83	33
M3636Z	354	169
M3636Z-3	1465	169
M3648Z	384	169
M3648Z-3	1618	169
M3660Z	456	169
M3660Z-3	1906	169
MC-1	2017	156
MCWS2424C	1685	135,171
MCWS2424C-P	1722	135,171
MCWS2424S	2710	135,171
MCWS2424S-P	2748	135,171
MCWS3030C	1818	135,171
MCWS3030C-P	1856	135,171
MCWS3030S	2830	135,171
MCWS3030S-P	2864	135,171
MD2436	2489	45
MD2448	2697	45
MDH-10	45	91
MDH-12	49	91
MDH-4	32	91
MDH-6	33	91
MDH-8	43	91
MDR1824-C	1110	38
MDR1824-E	1277	38
MDR1830-C	1132	38
MDR1830-E	1304	38
MDR1836-C	1217	38
MDR1836-E	1359	38
MDR1836-S	2260	38
MDR1848-C	1325	38
MDR1848-E	1549	38
MDR1848-S	2667	38
MDR1860-C	1345	38
MDR1860-E	1569	38
MDR2124-C	1143	38
MDR2124-E	1314	38
MDR2130-C	1152	38
MDR2130-E	1334	38
MDR2136-C	1177	38
MDR2136-E	1359	38
MDR2148-C	1284	38
MDR2148-E	1492	38
MDR2160-C	1387	38
MDR2160-E	1576	38
MDR2424-C	1148	38
MDR2424-E	1327	38
MDR2430-C	1159	38
MDR2430-E	1340	38
MDR2436-C	1253	38
MDR2436-E	1407	38
MDR2436-S	2414	38
MDR2448-C	1367	38
MDR2448-E	1548	38
MDR2448-S	2847	38
MDR2460-C	1418	38
MDR2460-E	1654	38
MET2430S	3895	206
MFBK-S	196	58,59
MHPH	1584	170
MHPH-4	2988	170
MMB-K/A-14-L	142	69
MMB-K/A-14-R	142	69
MMB-K/A-18-L	159	69
MMB-K/A-18-R	159	69
MMB-K/A-21-L	176	69
MMB-K/A-21-R	176	69
MMB-K/A-24-L	204	69
MMB-K/A-24-R	204	69
MMBB/A-10	1417	68
MMBB/A-12	1700	68
MMBB/A-4	628	68
MMBB/A-5	712	68
MMBB/A-6	849	68
MMBB/A-7	997	68
MMBB/A-8	1132	68
MMBB/A-9	1280	68
MMBB/FC/A-10	1134	68
MMBB/FC/A-12	1172	68
MMBB/FC/A-4	358	68
MMBB/FC/A-5	450	68
MMBB/FC/A-6	540	68
MMBB/FC/A-7	633	68
MMBB/FC/A-8	727	68
MMBB/FC/A-9	822	68
MMBBSS-10	3596	68
MMBBSS-12	4334	68
MMBBSS-4	1426	68
MMBBSS-5	1795	68
MMBBSS-6	2164	68
MMBBSS-7	2523	68
MMBBSS-8	2882	68
MMBBSS-9	3239	68
MMBBSS/FC-10	2975	68
MMBBSS/FC-12	3573	68
MMBBSS/FC-4	1203	68
MMBBSS/FC-5	1506	68
MMBBSS/FC-6	1787	68
MMBBSS/FC-7	2086	68
MMBBSS/FC-8	2380	68
MMBBSS/FC-9	2675	68
MMBC-K/A-18-L	125	71
MMBC-K/A-18-R	125	71
MMBC-K/A-21-L	142	71
MMBC-K/A-21-R	142	71
MMBC-K/A-24-L	148	71
MMBC-K/A-24-R	148	71
MMBCSS-K-18-L	240	71
MMBCSS-K-18-R	240	71
MMBCSS-K-21-L	297	71
MMBCSS-K-21-R	297	71
MMBCSS-K-24-L	353	71
MMBCSS-K-24-R	353	71
MMBSS-K-14-L	263	69
MMBSS-K-14-R	263	69
MMBSS-K-18-L	366	69
MMBSS-K-18-R	366	69
MMBSS-K-21-L	436	69
MMBSS-K-21-R	436	69
MMBSS-K-24-L	474	69
MMBSS-K-24-R	474	69
MMCB/A6-L	70	68
MMCB/A6-R	70	68
MMCBSS-6-L	109	68
MMCBSS-6-R	109	68
MMDB-K/A-14	207	69
MMDB-K/A-18	273	69
MMDB-K/A-21	293	69
MMDB-K/A-24	307	69
MMDBC-K/A-18	196	71
MMDBC-K/A-21	220	71
MMDBC-K/A-24	240	71
MMDBCSS-K-18	358	71
MMDBCSS-K-21	417	71
MMDBCSS-K-24	463	71
MMDBSS-K-14	366	69
MMDBSS-K-18	522	69
MMDBSS-K-21	622	69
MMDBSS-K-24	678	69
MMDFBSSK-149	686	70
MMDFBSSK-189	874	70
MMDFBSSK-249	1162	70
MMFBSSK-149-L	598	70
MMFBSSK-149-R	598	70
MMFBSSK-189-L	792	70
MMFBSSK-189-R	792	70
MMFBSSK-249-L	1022	70
MMFBSSK-249-R	1022	70
MMNSB-K/A-14-L	152	69
MMNSB-K/A-14-R	152	69
MMNSB-K/A-18-L	174	69
MMNSB-K/A-18-R	174	69
MMNSB-K/A-21-L	197	69
MMNSB-K/A-21-R	197	69
MMNSB-K/A-24-L	219	69
MMNSB-K/A-24-R	219	69
MMNSBBSS-10	4133	68
MMNSBBSS-12	4947	68
MMNSBBSS-4	1638	68
MMNSBBSS-5	2065	68
MMNSBBSS-6	2483	68
MMNSBBSS-7	2889	68
MMNSBBSS-8	3304	68
MMNSBBSS-9	3717	68
MMNSBBSS/FC-10	3419	68
MMNSBBSS/FC-12	4108	68
MMNSBBSS/FC-4	1374	68
MMNSBBSS/FC-5	1728	68
MMNSBBSS/FC-6	2058	68
MMNSBBSS/FC-7	2400	68
MMNSBBSS/FC-8	2734	68
MMNSBBSS/FC-9	3077	68
MMNSBC-K/A-18-L	132	71
MMNSBC-K/A-18-R	132	71
MMNSBC-K/A-21-L	148	71
MMNSBC-K/A-21-R	148	71

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
MMNSBC-K/A-24-L	159	71
MMNSBC-K/A-24-R	159	71
MMNSBCSS-K-18-L	252	71
MMNSBCSS-K-18-R	252	71
MMNSBCSS-K-21-L	326	71
MMNSBCSS-K-21-R	326	71
MMNSBCSS-K-24-L	377	71
MMNSBCSS-K-24-R	377	71
MMNSBSS-K-14-L	284	69
MMNSBSS-K-14-R	284	69
MMNSBSS-K-18-L	377	69
MMNSBSS-K-18-R	377	69
MMNSBSS-K-21-L	456	69
MMNSBSS-K-21-R	456	69
MMNSBSS-K-24-L	489	69
MMNSBSS-K-24-R	489	69
MMNSCB/A6-L	70	68
MMNSCB/A6-R	70	68
MMNSCBSS-6-L	115	68
MMNSCBSS-6-R	115	68
MMNSDB-K/A-14	233	69
MMNSDB-K/A-18	299	69
MMNSDB-K/A-21	325	69
MMNSDB-K/A-24	340	69
MMNSDBC-K/A-18	210	71
MMNSDBC-K/A-21	233	71
MMNSDBC-K/A-24	240	71
MMNSDBCSS-K-18	377	71
MMNSDBCSS-K-21	443	71
MMNSDBCSS-K-24	495	71
MMNSDBSS-K-14	394	69
MMNSDBSS-K-18	550	69
MMNSDBSS-K-21	658	69
MMNSDBSS-K-24	697	69
MMNSDFBSSK-149	789	70
MMNSDFBSSK-189	1008	70
MMNSDFBSSK-249	1340	70
MMNSFBSSK-149-L	689	70
MMNSFBSSK-149-R	689	70
MMNSFBSSK-189-L	907	70
MMNSFBSSK-189-R	907	70
MMNSFBSSK-249-L	1172	70
MMNSFBSSK-249-R	1172	70
MMNSU/A-1	59	67
MMNSU/A-10	453	67
MMNSU/A-12	559	67
MMNSU/A-14	649	67
MMNSU/A-16	738	67
MMNSU/A-2	94	67
MMNSU/A-3	148	67
MMNSU/A-4	176	67
MMNSU/A-5	219	67
MMNSU/A-6	269	67
MMNSU/A-7	309	67
MMNSU/A-8	362	67
MMNSU/A-9	408	67
MMNSUSS-1	176	67
MMNSUSS-10	1565	67
MMNSUSS-12	1877	67
MMNSUSS-2	316	67
MMNSUSS-3	480	67
MMNSUSS-4	630	67
MMNSUSS-5	795	67
MMNSUSS-6	938	67
MMNSUSS-7	1095	67
MMNSUSS-8	1253	67
MMNSUSS-9	1408	67
MMT3030G	4464	206
MMT3030S	4980	206
MMT3036G	4566	206
MMT3036S	5128	206
MMU/A-1	49	67
MMU/A-10	420	67
MMU/A-12	518	67
MMU/A-14	608	67
MMU/A-16	689	67
MMU/A-2	92	67
MMU/A-3	142	67
MMU/A-4	164	67
MMU/A-5	206	67
MMU/A-6	245	67
MMU/A-7	293	67
MMU/A-8	334	67
MMU/A-9	376	67
MMUSS-1	166	67
MMUSS-10	1487	67
MMUSS-12	1787	67
MMUSS-2	303	67
MMUSS-3	453	67
MMUSS-4	603	67
MMUSS-5	759	67
MMUSS-6	900	67
MMUSS-7	1049	67
MMUSS-8	1195	67
MMUSS-9	1340	67
MMXB-N-48	125	69
MMXB-N-60	148	69
MMXB-N-72	176	69
MMXB-N-84	205	69
MOS1260C	2530	211
MOS1260L	2232	211
MOS1260R	2232	211
MOS1272C	2826	211
MOS1272L	2526	211
MOS1272R	2526	211
MOS1284C	3028	211
MOS1284L	2732	211
MOS1284R	2732	211
MOS1296C	3153	211
MOS1296L	3028	211
MOS1296R	3028	211
MS-C	28	135,171
MS2424	1748	205
MS2424S	2122	205
MS3024	1823	205
MS3024S	2229	205
MS3030	2029	205
MS3030S	2525	205
MS3036	2083	205
MS3036S	2566	205
MS3636	2185	205
MS3636S	2687	205
MSC1436	1966	44
MSC1448	2512	44
MSC2436	2040	44
MSC2448	2605	44
MT2448B	1836	199
MT2448GT	1630	199
MT2448S	2207	199
MT2448ST	2080	199
MT2460B	2062	199
MT2460GT	1806	199
MT2460S	2506	199
MT2460ST	2329	199
MT2472B	2284	199
MT2472GT	1980	199
MT2472S	2797	199
MT2472ST	2588	199
MT2496B	3238	199
MT2496GT	2838	199
MT2496S	3907	199
MT2496ST	3236	199
MT3048B	2028	199
MT3048B-BS	3873	199
MT3048GT	1832	199
MT3048GT-BS	3717	199
MT3048S	2506	199
MT3048S-BS	4978	199
MT3048ST	2382	199
MT3048ST-BS	4723	199
MT3060B	2304	199
MT3060B-BS	4048	199
MT3060GT	2058	199
MT3060GT-BS	3786	199
MT3060S	2874	199
MT3060S-BS	5240	199
MT3060ST	2715	199
MT3060ST-BS	4972	199
MT3072B	2576	199
MT3072B-BS	4867	199
MT3072GT	2276	199
MT3072GT-BS	4550	199
MT3072S	3239	199
MT3072S-BS	5992	199
MT3072ST	3037	199
MT3072ST-BS	5837	199
MT3096B	3689	199
MT3096B-BS	6658	199
MT3096GT	3280	199
MT3096GT-BS	6236	199
MT3096S	4515	199
MT3096S-BS	7926	199
MT3096ST	4244	199
MT3096ST-BS	7509	199
MUK18-C	907	57
MUK18-C86	939	57
MUK18-E	1514	57
MUK18-E86	1536	57
MUK18-Z	818	57
MUK18-Z86	849	57
MUK21-C	930	57
MUK21-C86	967	57
MUK21-E	1534	57
MUK21-E86	1576	57
MUK21-Z	845	57
MUK21-Z86	880	57
MUK24-C	944	57
MUK24-C86	983	57
MUK24-E	1555	57
MUK24-E86	1614	57
MUK24-Z	855	57
MUK24-Z86	893	57
MUK30-C	967	57
MUK30-C86	1007	57
MUK30-E	1600	57
MUK30-E86	1655	57
MUK30-Z	873	57
MUK30-Z86	907	57
MUK36-C	1009	57
MUK36-C86	1055	57
MUK36-E	1645	57
MUK36-E86	1697	57
MUK36-Z	889	57
MUK36-Z86	920	57
MWS0710-PS	160	89
MWS0710-SPS	166	89
MWS0912-PS	192	89
MWS0912-SPS	196	89
MWS1824	1008	96
MWS2424	1149	96
MWS2436C	1106	135
MWS2436S	2455	135
MWS2436WT	1374	135
MWS2436WT-S	3272	135
MWS2448C	1172	135
MWS2448S	2617	135
MWS2448WT	1480	135
MWS2448WT-S	3530	135
NDR182412-A	489	39
NDR183612-A	566	39
NDR184812-A	630	39
NDR202412-A	489	39
NDR203612-A	566	39
NDR204812-A	630	39
NDR242412-A	582	39
NDR243612-A	647	39
NDR244812-A	752	39
NTD3	5389	213
NTD3L	5687	213
OAC2436T-1C-1W	1889	138,177
OAC2436T-1H-1W	1889	138,177
OAC2436T-2C	1889	138,177
OAC2436T-2H	1889	138,177
OAC2436T-2W	1889	138,177
OAC2448T-1C-1W	2176	138,177
OAC2448T-1H-1W	2176	138,177
OAC2448T-2C	2176	138,177
OAC2448T-2H	2176	138,177
OAC2448T-2W	2176	138,177
OAC2460T-1C-1W	2464	138,177
OAC2460T-1H-1W	2464	138,177
OAC2460T-2C	2464	138,177
OAC2460T-2H	2464	138,177
OAC2460T-2W	2464	138,177
OAC3036T-1C-1W	2009	138,177
OAC3036T-1H-1W	2009	138,177
OAC3036T-2C	2009	138,177
OAC3036T-2H	2009	138,177
OAC3036T-2W	2009	138,177
OAC3048T-1C-1W	2370	138,177
OAC3048T-1H-1W	2370	138,177
OAC3048T-2C	2370	138,177
OAC3048T-2H	2370	138,177
OAC3048T-2W	2370	138,177
OAC3060T-1C-1W	2693	138,177
OAC3060T-1H-1W	2693	138,177
OAC3060T-2C	2693	138,177
OAC3060T-2H	2693	138,177
OAC3060T-2W	2693	138,177
OAC3636T-1C-1W	2454	138,177

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
0AC3636T-1H-1W	2454	138,177
0AC3636T-2C	2454	138,177
0AC3636T-2H	2454	138,177
0AC3636T-2W	2454	138,177
0AC3648T-1C-1W	2807	138,177
0AC3648T-1H-1W	2807	138,177
0AC3648T-2C	2807	138,177
0AC3648T-2H	2807	138,177
0AC3648T-2W	2807	138,177
0AC3660T-1C-1W	3065	138,177
0AC3660T-1H-1W	3065	138,177
0AC3660T-2C	3065	138,177
0AC3660T-2H	3065	138,177
0AC3660T-2W	3065	138,177
0AP2436T-1C-1W	3774	139
0AP2436T-1H-1W	3774	139
0AP2436T-2C	3774	139
0AP2436T-2H	3774	139
0AP2436T-2W	3774	139
0AP2448T-1C-1W	4370	139
0AP2448T-1H-1W	4370	139
0AP2448T-2C	4370	139
0AP2448T-2H	4370	139
0AP2448T-2W	4370	139
0AP2460T-1C-1W	4974	139
0AP2460T-1H-1W	4974	139
0AP2460T-2C	4974	139
0AP2460T-2H	4974	139
0AP2460T-2W	4974	139
0AP3036T-1C-1W	4232	139
0AP3036T-1H-1W	4232	139
0AP3036T-2C	4232	139
0AP3036T-2H	4232	139
0AP3036T-2W	4232	139
0AP3048T-1C-1W	4784	139
0AP3048T-1H-1W	4784	139
0AP3048T-2C	4784	139
0AP3048T-2H	4784	139
0AP3048T-2W	4784	139
0AP3060T-1C-1W	5417	139
0AP3060T-1H-1W	5417	139
0AP3060T-2C	5417	139
0AP3060T-2H	5417	139
0AP3060T-2W	5417	139
0AP3636T-1C-1W	4665	139
0AP3636T-1H-1W	4665	139
0AP3636T-2C	4665	139
0AP3636T-2H	4665	139
0AP3636T-2W	4665	139
0AP3648T-1C-1W	5418	139
0AP3648T-1H-1W	5418	139
0AP3648T-2C	5418	139
0AP3648T-2H	5418	139
0AP3648T-2W	5418	139
0AP3660T-1C-1W	6156	139
0AP3660T-1H-1W	6156	139
0AP3660T-2C	6156	139
0AP3660T-2H	6156	139
0AP3660T-2W	6156	139
0AS2436T-1C-1W	3284	138,177
0AS2436T-1H-1W	3284	138,177
0AS2436T-2C	3284	138,177
0AS2436T-2H	3284	138,177
0AS2436T-2W	3284	138,177
0AS2448T-1C-1W	3756	138,177
0AS2448T-1H-1W	3756	138,177
0AS2448T-2C	3756	138,177
0AS2448T-2H	3756	138,177
0AS2448T-2W	3756	138,177
0AS2460T-1C-1W	4356	138,177
0AS2460T-1H-1W	4356	138,177
0AS2460T-2C	4356	138,177
0AS2460T-2H	4356	138,177
0AS2460T-2W	4356	138,177
0AS3036T-1C-1W	3617	138,177
0AS3036T-1H-1W	3617	138,177
0AS3036T-2C	3617	138,177
0AS3036T-2H	3617	138,177
0AS3036T-2W	3617	138,177
0AS3048T-1C-1W	4166	138,177
0AS3048T-1H-1W	4166	138,177
0AS3048T-2C	4166	138,177
0AS3048T-2H	4166	138,177
0AS3048T-2W	4166	138,177
0AS3060T-1C-1W	4797	138,177
0AS3060T-1H-1W	4797	138,177
0AS3060T-2C	4797	138,177
0AS3060T-2H	4797	138,177
0AS3060T-2W	4797	138,177
0AS3636T-1C-1W	4048	138,177
0AS3636T-1H-1W	4048	138,177
0AS3636T-2C	4048	138,177
0AS3636T-2H	4048	138,177
0AS3636T-2W	4048	138,177
0AS3648T-1C-1W	4800	138,177
0AS3648T-1H-1W	4800	138,177
0AS3648T-2C	4800	138,177
0AS3648T-2H	4800	138,177
0AS3648T-2W	4800	138,177
0AS3660T-1C-1W	5542	138,177
0AS3660T-1H-1W	5542	138,177
0AS3660T-2C	5542	138,177
0AS3660T-2H	5542	138,177
0AS3660T-2W	5542	138,177
0B24120SE	7867	201
0B24120SE-BS	7998	203
0B2436SE	4900	201
0B2436SE-BS	4959	203
0B2448SE	5089	201
0B2448SE-BS	5142	203
0B2460SE	5445	201
0B2460SE-BS	5512	203
0B2472SE	5807	201
0B2472SE-BS	5886	203
0B2484SE	6317	201
0B2484SE-BS	6407	203
0B2496SE	6636	201
0B2496SE-BS	6739	203
0B30120SE	8364	201
0B30120SE-BS	8497	203
0B3036SE	5177	201
0B3036SE-BS	5388	203
0B3048SE	5356	201
0B3048SE-BS	5406	203
0B3060SE	5759	201
0B3060SE-BS	6036	203
0B3072SE	6169	201
0B3072SE-BS	6243	203
0B3084SE	6589	201
0B3084SE-BS	6677	203
0B3096SE	7272	201
0B3096SE-BS	7376	203
0CC2424S	5007	159
0CC2448S	6034	159
OHT-10	1758	57
OHT-11	1889	57
OHT-12	2025	57
OHT-13	2145	57
OHT-14	2270	57
OHT-15	2758	57
OHT-16	2893	57
OHT-17	3025	57
OHT-18	3153	57
OHT-19	3280	57
OHT-20	3412	57
OHT-21	3534	57
OHT-6	889	57
OHT-7	995	57
OHT-8	1489	57
OHT-9	1618	57
OLH-C	29	36,128, 161
OLH-S	40	128,161
OS10108-14/3	2766	210
OS10108-16/3	2497	210
OS10108-16/4	1908	210
OS10120-14/3	3017	210
OS10120-16/3	2704	210
OS10120-16/4	1980	210
OS10132-14/3	3200	210
OS10132-16/3	2875	210
OS10132-16/4	2070	210
OS10144-14/3	3356	210
OS10144-16/3	3023	210
OS10144-16/4	2145	210
OS1036-14/3	1596	210
OS1036-16/3	1442	210
OS1036-16/4	1192	210
OS1048-14/3	1750	210
OS1048-16/3	1576	210
OS1048-16/4	1270	210
OS1060-14/3	1922	210
OS1060-16/3	1729	210
OS1060-16/4	1345	210
OS1072-14/3	2094	210
OS1072-16/3	1888	210
OS1072-16/4	1442	210
OS1084-14/3	2260	210
OS1084-16/3	2037	210
OS1084-16/4	1525	210
OS1096-14/3	2697	210
OS1096-16/3	2426	210
OS1096-16/4	1862	210
OS12108-14/3	3082	210
OS12108-16/3	2766	210
OS12108-16/4	2104	210
OS12120-14/3	3233	210
OS12120-16/3	2909	210
OS12120-16/4	2176	210
OS12132-14/3	3455	210
OS12132-16/3	3108	210
OS12132-16/4	2300	210
OS12144-14/3	3609	210
OS12144-16/3	3248	210
OS12144-16/4	2372	210
OS1236-14/3	1672	210
OS1236-16/3	1505	210
OS1236-16/4	1263	210
OS1248-14/3	1834	210
OS1248-16/3	1653	210
OS1248-16/4	1338	210
OS1260-14/3	2008	210
OS1260-16/3	1808	210
OS1260-16/4	1426	210
OS1272-14/3	2200	210
OS1272-16/3	1980	210
OS1272-16/4	1528	210
OS1284-14/3	2382	210
OS1284-16/3	2137	210
OS1284-16/4	1623	210
OS1296-14/3	2869	210
OS1296-16/3	2577	210
OS1296-16/4	1980	210
OSCC2436	3482	160
OSCC2448	3704	160
OUR-1830-2/W	2130	170
OUR-2630-2/W	2045	170
OUS18	255	53
OUS21	258	53
OUS24	273	53
P14-BL	33	23,62
P14-C	32	8,23
P14-E	36	8
P14-R	33	23,62
P14-S	67	8
P14-V	33	8
P14-VG	33	8
P14-W	33	23,62
P14-Z	29	8,23
P18-C	36	8
P18-E	48	8
P18-S	95	8
P18-V	37	8
P18-VG	37	8
P18-Z	33	8
P1916	5142	236
P1916FE	6883	236
P33-BL	40	23,62
P33-C	37	8,23
P33-E	49	8
P33-R	40	23,62
P33-S	109	8
P33-V	40	8
P33-VG	40	8
P33-W	40	23,62
P33-Z	36	8,23
P54-BL	49	23,62
P54-C	48	8,23
P54-E	53	8
P54-R	49	23,62
P54-S	125	8
P54-V	49	8
P54-VG	49	8
P54-W	49	23,62
P54-Z	45	8,23
P63-BL	53	23,62
P63-C	49	8,23
P63-E	60	8
P63-R	53	23,62
P63-S	136	8

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
P63-V	53	8
P63-VG	53	8
P63-W	53	23,62
P63-Z	48	8,23
P7-BL	29	23,62
P7-C	28	8,23
P7-E	33	8
P7-R	29	23,62
P7-S	65	8
P7-V	29	8
P7-VG	29	8
P7-W	29	23,62
P7-Z	25	8,23
P74-BL	59	23,62
P74-C	55	8,23
P74-E	65	8
P74-R	59	23,62
P74-S	155	8
P74-V	59	8
P74-VG	59	8
P74-W	59	23,62
P74-Z	49	8,23
P86-BL	67	23,62
P86-C	66	8,23
P86-E	74	8
P86-R	67	23,62
P86-S	176	8
P86-V	67	8
P86-VG	67	8
P86-W	67	23,62
P86-Z	62	8,23
P96-C	75	8
P96-S	197	8
PBH	82	91
PC2448-C	2255	154
PC2460-C	2625	154
PCH2448-C	2687	154
PCH2460-C	2947	154
PCPL5-250	148	10
PCPS5-250	118	10
PCRB1836	3375	131
PCRB1848	3553	131
PCRB1860	3769	131
PCRB1872	4067	131
PD3622	615	38
PD4822	738	38
PD4836	816	38
PD6022	852	38
PDWB14C	145	97
PDWB14S	454	97
PDWB14VG	145	97
PDWB18C	152	97
PDWB18S	465	97
PDWB18VG	152	97
PDWB21C	156	97
PDWB21S	488	97
PDWB21VG	156	97
PDWB24C	160	97
PDWB24S	495	97
PDWB24VG	160	97
PF1824-C	240	36
PF1824-E	284	36
PF1824-Z	228	36
PF1830-C	242	36
PF1830-E	289	36
PF1830-Z	232	36
PF1836-C	244	36
PF1836-E	297	36
PF1836-Z	238	36
PF2124-C	258	36
PF2124-E	306	36
PF2124-Z	240	36
PF2130-C	269	36
PF2130-E	308	36
PF2130-Z	243	36
PF2136-C	272	36
PF2136-E	312	36
PF2136-Z	245	36
PF2424-C	270	36
PF2424-E	325	36
PF2424-Z	245	36
PF2430-C	276	36
PF2430-E	327	36
PF2430-Z	254	36
PF2436-C	280	36
PF2436-E	330	36
PF2436-Z	256	36
PH14-C	59	55
PH14-S	152	55
PH18-C	65	55
PH18-S	173	55
PH21-C	66	55
PH21-S	189	55
PH24-C	66	55
PH24-S	204	55
PH30-C	83	55
PH30-S	220	55
PH36-C	94	55
PH36-S	238	55
PH3RD	109	91
PHS-A-C	12662	228
PHS-A-C-LB	13930	228
PHS-A-H	15017	228
PHS-A-H-LB	16519	228
PHS-S-C	10560	228
PHS-S-C-LB	11826	228
PHS-S-C-TF	12666	267
PHS-S-H	13038	228
PHS-S-H-LB	13245	228
PHS-S-H-TF	13836	267
PHS-S3-C	10903	228
PHS-S3-C-LB	11992	228
PHS-S3-H	13725	228
PHS-S3-H-LB	15598	228
PHS-SUPCRT-A	1184	228
PHSE-S-C	8833	228
PHSE-S-H	10796	228
PLASTIC SPLIT SLEEVES	9	47
POST CAP	5	47
POST CLAMP	14	47
PR12VU	103	90
PR14B	218	90
PR18B	239	90
PR21B	244	90
PR24B	315	90
PR30VU	164	90
PR45VU	204	90
PRT108-C	376	208
PRT120-C	389	208
PRT132-C	419	208
PRT144-C	456	208
PRT30-C	155	208
PRT36-C	180	208
PRT48-C	200	208
PRT60-C	234	208
PRT72-C	272	208
PRT84-C	316	208
PRT96-C	370	208
PS2408	369	198
PS3612	403	198
PS4816	417	198
PS6020	517	198
PW14C	108	97
PW14S	306	97
PW14VG	108	97
PW33C	136	97
PW33S	488	97
PW33VG	136	97
PW54C	172	97
PW54S	495	97
PW54VG	172	97
PW63C	174	97
PW63S	506	97
PW63VG	174	97
PWB14C	94	97
PWB14S	300	97
PWB14VG	94	97
PWB18C	95	97
PWB18S	306	97
PWB18VG	95	97
PWB21C	96	97
PWB21S	325	97
PWB21VG	96	97
PWB24C	104	97
PWB24S	333	97
PWB24VG	104	97
PWE14-1C	384	96
PWE14-1S	1033	96
PWE14-1VG	384	96
PWE14-2C	617	96
PWE14-2S	1888	96
PWE14-2VG	617	96
PWE14-3C	856	96
PWE14-3S	2426	96
PWE14-3VG	856	96
PWE14-4C	1033	96
PWE14-4S	2975	96
PWE14-4VG	1033	96
PWE18-1C	388	96
PWE18-1S	1097	96
PWE18-1VG	388	96
PWE18-2C	617	96
PWE18-2S	1970	96
PWE18-2VG	617	96
PWE18-3C	859	96
PWE18-3S	2539	96
PWE18-3VG	859	96
PWE18-4C	1038	96
PWE18-4S	3129	96
PWE18-4VG	1038	96
PWE21-1C	393	96
PWE21-1S	1108	96
PWE21-1VG	393	96
PWE21-2C	637	96
PWE21-2S	1983	96
PWE21-2VG	637	96
PWE21-3C	888	96
PWE21-3S	2556	96
PWE21-3VG	888	96
PWE21-4C	1082	96
PWE21-4S	3129	96
PWE21-4VG	1082	96
PWE24-1C	393	96
PWE24-1S	1130	96
PWE24-1VG	393	96
PWE24-2C	645	96
PWE24-2S	2026	96
PWE24-2VG	645	96
PWE24-3C	899	96
PWE24-3S	2617	96
PWE24-3VG	899	96
PWE24-4C	1092	96
PWE24-4S	3233	96
PWE24-4VG	1092	96
PWM14-1C	245	96
PWM14-1S	686	96
PWM14-1VG	245	96
PWM14-2C	418	96
PWM14-2S	1243	96
PWM14-2VG	418	96
PWM14-3C	588	96
PWM14-3S	1655	96
PWM14-3VG	588	96
PWM14-4C	728	96
PWM14-4S	2073	96
PWM14-4VG	728	96
PWM18-1C	252	96
PWM18-1S	708	96
PWM18-1VG	252	96
PWM18-2C	419	96
PWM18-2S	1294	96
PWM18-2VG	419	96
PWM18-3C	597	96
PWM18-3S	1715	96
PWM18-3VG	597	96
PWM18-4C	736	96
PWM18-4S	1997	96
PWM18-4VG	736	96
PWM21-1C	258	96
PWM21-1S	720	96
PWM21-1VG	258	96
PWM21-2C	448	96
PWM21-2S	1307	96
PWM21-2VG	448	96
PWM21-3C	627	96
PWM21-3S	1739	96
PWM21-3VG	627	96
PWM21-4C	783	96
PWM21-4S	2142	96
PWM21-4VG	783	96
PWM24-1C	263	96
PWM24-1S	726	96
PWM24-1VG	263	96
PWM24-2C	448	96
PWM24-2S	1312	96
PWM24-2VG	448	96
PWM24-3C	630	96
PWM24-3S	1762	96
PWM24-3VG	630	96
PWM24-4C	786	96
PWM24-4S	2219	96
PWM24-4VG	786	96

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
PWTFT-1215	19726	267
QA1424C	192	11
QA1424E	210	11
QA1424S	542	11
QA1424V	185	11
QA1424VG	185	11
QA1424Z	174	11
QA1430C	197	11
QA1430E	217	11
QA1430S	549	11
QA1430V	194	11
QA1430VG	194	11
QA1430Z	185	11
QA1436C	203	11,43
QA1436E	226	11,43
QA1436S	550	11,43
QA1436V	205	11
QA1436VG	205	11
QA1436Z	189	11
QA1442C	220	11
QA1442E	244	11
QA1442S	658	11
QA1442V	232	11
QA1442VG	232	11
QA1442Z	203	11
QA1448C	228	11,43
QA1448E	256	11,43
QA1448S	659	11,43
QA1448V	238	11
QA1448VG	238	11
QA1448Z	210	11
QA1454C	238	11
QA1454E	269	11
QA1454S	807	11
QA1454V	240	11
QA1454VG	240	11
QA1454Z	226	11
QA1460C	244	11,43
QA1460E	278	11,43
QA1460S	825	11,43
QA1460V	269	11
QA1460VG	269	11
QA1460Z	238	11
QA1472C	278	11
QA1472E	307	11
QA1472S	923	11
QA1472V	284	11
QA1472VG	284	11
QA1472Z	266	11
QA1824C	203	11
QA1824E	238	11
QA1824S	652	11
QA1824V	200	11
QA1824VG	200	11
QA1824Z	200	11
QA1830C	207	11
QA1830E	239	11
QA1830S	658	11
QA1830V	219	11
QA1830VG	219	11
QA1830Z	204	11
QA1836C	214	11
QA1836E	243	11
QA1836S	663	11
QA1836V	233	11
QA1836VG	233	11
QA1836Z	210	11
QA1842C	238	11
QA1842E	278	11
QA1842S	770	11
QA1842V	245	11
QA1842VG	245	11
QA1842Z	228	11
QA1848C	240	11
QA1848E	284	11
QA1848S	783	11
QA1848V	269	11
QA1848VG	269	11
QA1848Z	238	11
QA1854C	269	11
QA1854E	312	11
QA1854S	966	11
QA1854V	284	11
QA1854VG	284	11
QA1854Z	256	11
QA1860C	273	11
QA1860E	326	11
QA1860S	978	11
QA1860V	297	11
QA1860VG	297	11
QA1860Z	266	11
QA1872C	308	11
QA1872E	358	11
QA1872S	1148	11
QA1872V	344	11
QA1872VG	344	11
QA1872Z	297	11
QA2124C	228	11
QA2124E	256	11
QA2124S	738	11
QA2124V	217	11
QA2124VG	217	11
QA2124Z	214	11
QA2130C	238	11
QA2130E	266	11
QA2130S	752	11
QA2130V	238	11
QA2130VG	238	11
QA2130Z	217	11
QA2136C	239	11
QA2136E	270	11
QA2136S	759	11
QA2136V	256	11
QA2136VG	256	11
QA2136Z	226	11
QA2142C	258	11
QA2142E	297	11
QA2142S	858	11
QA2142V	273	11
QA2142VG	273	11
QA2142Z	240	11
QA2148C	269	11
QA2148E	300	11
QA2148S	863	11
QA2148V	284	11
QA2148VG	284	11
QA2148Z	244	11
QA2154C	294	11
QA2154E	338	11
QA2154S	1118	11
QA2154V	306	11
QA2154VG	306	11
QA2154Z	284	11
QA2160C	299	11
QA2160E	349	11
QA2160S	1125	11
QA2160V	308	11
QA2160VG	308	11
QA2160Z	285	11
QA2172C	350	11
QA2172E	408	11
QA2172S	1322	11
QA2172V	375	11
QA2172VG	375	11
QA2172Z	337	11
QA2424C	238	11
QA2424E	276	11
QA2424S	799	11
QA2424V	239	11
QA2424VG	239	11
QA2424Z	226	11
QA2430C	240	11
QA2430E	280	11
QA2430S	803	11
QA2430V	256	11
QA2430VG	256	11
QA2430Z	232	11
QA2436C	244	11,43
QA2436E	285	11,43
QA2436S	810	11,43
QA2436V	270	11
QA2436VG	270	11
QA2436Z	238	11
QA2442C	280	11
QA2442E	328	11
QA2442S	960	11
QA2442V	289	11
QA2442VG	289	11
QA2442Z	266	11
QA2448C	285	11,43
QA2448E	337	11,43
QA2448S	964	11,43
QA2448V	309	11
QA2448VG	309	11
QA2448Z	270	11
QA2454C	325	11
QA2454E	376	11
QA2454S	1164	11
QA2454V	340	11
QA2454VG	340	11
QA2454Z	307	11
QA2460C	327	11,43
QA2460E	384	11,43
QA2460S	1173	11,43
QA2460V	358	11
QA2460VG	358	11
QA2460Z	309	11
QA2472C	375	11
QA2472E	438	11
QA2472S	1445	11
QA2472V	417	11
QA2472VG	417	11
QA2472Z	353	11
QAR1424C	203	12
QAR1424E	226	12
QAR1424S	574	12
QAR1424V	196	12
QAR1424VG	196	12
QAR1424Z	189	12
QAR1436C	215	12
QAR1436E	239	12
QAR1436S	585	12
QAR1436V	219	12
QAR1436VG	219	12
QAR1436Z	200	12
QAR1448C	240	12
QAR1448E	276	12
QAR1448S	700	12
QAR1448V	245	12
QAR1448VG	245	12
QAR1448Z	215	12
QAR1824C	214	12
QAR1824E	245	12
QAR1824S	693	12
QAR1824V	217	12
QAR1824VG	217	12
QAR1824Z	210	12
QAR1836C	228	12
QAR1836E	258	12
QAR1836S	708	12
QAR1836V	243	12
QAR1836VG	243	12
QAR1836Z	226	12
QAR1848C	255	12
QAR1848E	300	12
QAR1848S	830	12
QAR1848V	283	12
QAR1848VG	283	12
QAR1848Z	245	12
QAR2124C	220	12
QAR2124E	263	12
QAR2124S	714	12
QAR2124V	233	12
QAR2124VG	233	12
QAR2124Z	219	12
QAR2136C	254	12
QAR2136E	284	12
QAR2136S	800	12
QAR2136V	276	12
QAR2136VG	276	12
QAR2136Z	239	12
QAR2148C	283	12
QAR2148E	325	12
QAR2148S	919	12
QAR2148V	300	12
QAR2148VG	300	12
QAR2148Z	266	12
QAR2424C	245	12
QAR2424E	293	12
QAR2424S	850	12
QAR2424V	252	12
QAR2424VG	252	12
QAR2424Z	240	12
QAR2436C	266	12
QAR2436E	303	12
QAR2436S	863	12
QAR2436V	284	12
QAR2436VG	284	12
QAR2436Z	252	12
QAR2448C	303	12

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
QAR2448E	355	12
QAR2448S	1023	12
QAR2448V	334	12
QAR2448VG	334	12
QAR2448Z	284	12
QDR2436-S	700	16
QDR2436-V	517	16
QDR2448-S	765	16
QDR2448-V	539	16
QDR2460-S	844	16
QDR2460-V	567	16
QL18W-1C	65	16
QL18W-1V	66	16
QL18W-4C	66	16
QL18W-4V	67	16
QL21W-1C	67	16
QL21W-1V	69	16
QL21W-4C	70	16
QL21W-4V	74	16
QL24L-1C	69	16
QL24L-1V	70	16
QL24L-4C	70	16
QL24L-4V	74	16
QL24W-1C	69	16
QL24W-1V	70	16
QL24W-4C	70	16
QL24W-4V	74	16
QL30L-1C	83	16
QL30L-1V	86	16
QL30L-4C	93	16
QL30L-4V	94	16
QL36L-1C	96	16
QL36L-1V	97	16
QL36L-4C	108	16
QL36L-4V	109	16
QL42L-1C	103	16
QL42L-1V	104	16
QL42L-4C	109	16
QL42L-4V	110	16
QL48L-1C	104	16
QL48L-1V	105	16
QL48L-4C	110	16
QL48L-4V	115	16
QL54L-1C	110	16
QL54L-1V	115	16
QL54L-4C	116	16
QL54L-4V	118	16
QL60L-1C	128	16
QL60L-1V	129	16
QL60L-4C	133	16
QL60L-4V	134	16
QL72L-1C	136	16
QL72L-1V	139	16
QL72L-4C	145	16
QL72L-4V	147	16
QPAF-QA1824C	263	14
QPAF-QA1824V	269	14
QPAF-QA1830C	266	14
QPAF-QA1830V	272	14
QPAF-QA1836C	266	14
QPAF-QA1836V	272	14
QPAF-QA1842C	270	14
QPAF-QA1842V	276	14
QPAF-QA1848C	273	14
QPAF-QA1848V	280	14
QPAF-QA1854C	283	14
QPAF-QA1854V	287	14
QPAF-QA1860C	285	14
QPAF-QA1860V	293	14
QPAF-QA1872C	287	14
QPAF-QA1872V	294	14
QPAF-QA2424C	276	14
QPAF-QA2424V	283	14
QPAF-QA2430C	283	14
QPAF-QA2430V	287	14
QPAF-QA2436C	287	14
QPAF-QA2436V	294	14
QPAF-QA2442C	294	14
QPAF-QA2442V	300	14
QPAF-QA2448C	300	14
QPAF-QA2448V	306	14
QPAF-QA2454C	306	14
QPAF-QA2454V	309	14
QPAF-QA2460C	307	14
QPAF-QA2460V	312	14
QPAF-QA2472C	322	14
QPAF-QA2472V	327	14
QPAF-1824C	128	14
QPAF-1824V	129	14
QPAF-1830C	130	14
QPAF-1830V	132	14
QPAF-1836C	133	14
QPAF-1836V	134	14
QPAF-1842C	136	14
QPAF-1842V	139	14
QPAF-1848C	142	14
QPAF-1848V	143	14
QPAF-1854C	143	14
QPAF-1854V	145	14
QPAF-1860C	147	14
QPAF-1860V	148	14
QPAF-1872C	152	14
QPAF-1872V	155	14
QPAF-2424C	143	14
QPAF-2424V	145	14
QPAF-2430C	148	14
QPAF-2430V	152	14
QPAF-2436C	153	14
QPAF-2436V	156	14
QPAF-2442C	156	14
QPAF-2442V	160	14
QPAF-2448C	166	14
QPAF-2448V	173	14
QPAF-2454C	169	14
QPAF-2454V	174	14
QPAF-2460C	169	14
QPAF-2460V	174	14
QPAF-2472C	189	14
QPAF-2472V	194	14
QPB1816C-6	406	14
QPB1816C-9	437	14
QPB1816V-6	417	14
QPB1816V-9	445	14
QPB1822C-6	452	14
QPB1822C-9	485	14
QPB1822V-6	462	14
QPB1822V-9	493	14
QPB2416C-6	423	14
QPB2416C-9	453	14
QPB2416V-6	430	14
QPB2416V-9	463	14
QPB2422C-6	467	14
QPB2422C-9	498	14
QPB2422V-6	480	14
QPB2422V-9	512	14
QPF-1824C-BL	177	13
QPF-1824C-BS	188	13
QPF-1824V-BL	188	13
QPF-1824V-BS	197	13
QPF-1830C-BL	188	13
QPF-1830C-BS	197	13
QPF-1830V-BL	197	13
QPF-1830V-BS	206	13
QPF-1836C-BL	188	13
QPF-1836C-BS	197	13
QPF-1836V-BL	197	13
QPF-1836V-BS	206	13
QPF-1842C-BL	226	13
QPF-1842C-BS	239	13
QPF-1842V-BL	238	13
QPF-1842V-BS	248	13
QPF-1848C-BL	226	13
QPF-1848C-BS	239	13
QPF-1848V-BL	238	13
QPF-1848V-BS	248	13
QPF-1854C-BL	266	13
QPF-1854C-BS	280	13
QPF-1854V-BL	280	13
QPF-1854V-BS	294	13
QPF-1860C-BL	266	13
QPF-1860C-BS	280	13
QPF-1860V-BL	280	13
QPF-1860V-BS	294	13
QPF-1872C-BL	303	13
QPF-1872C-BS	319	13
QPF-1872V-BL	319	13
QPF-1872V-BS	334	13
QPF-2124C-BL	203	13
QPF-2124C-BS	210	13
QPF-2124V-BL	210	13
QPF-2124V-BS	220	13
QPF-2130C-BL	206	13
QPF-2130C-BS	217	13
QPF-2130V-BL	217	13
QPF-2130V-BS	232	13
QPF-2136C-BL	206	13
QPF-2136C-BS	217	13
QPF-2136V-BL	217	13
QPF-2136V-BS	232	13
QPF-2142C-BL	243	13
QPF-2142C-BS	255	13
QPF-2142V-BL	255	13
QPF-2142V-BS	270	13
QPF-2148C-BL	243	13
QPF-2148C-BS	255	13
QPF-2148V-BL	255	13
QPF-2148V-BS	270	13
QPF-2154C-BL	285	13
QPF-2154C-BS	303	13
QPF-2154V-BL	300	13
QPF-2154V-BS	319	13
QPF-2160C-BL	285	13
QPF-2160C-BS	303	13
QPF-2160V-BL	300	13
QPF-2160V-BS	319	13
QPF-2172C-BL	349	13
QPF-2172C-BS	369	13
QPF-2172V-BL	367	13
QPF-2172V-BS	389	13
QPF-2424C-BL	220	13
QPF-2424C-BS	238	13
QPF-2424V-BL	234	13
QPF-2424V-BS	245	13
QPF-2430C-BL	226	13
QPF-2430C-BS	240	13
QPF-2430V-BL	239	13
QPF-2430V-BS	252	13
QPF-2436C-BL	226	13
QPF-2436C-BS	240	13
QPF-2436V-BL	239	13
QPF-2436V-BS	252	13
QPF-2442C-BL	276	13
QPF-2442C-BS	287	13
QPF-2442V-BL	289	13
QPF-2442V-BS	303	13
QPF-2448C-BL	276	13
QPF-2448C-BS	287	13
QPF-2448V-BL	289	13
QPF-2448V-BS	303	13
QPF-2454C-BL	327	13
QPF-2454C-BS	342	13
QPF-2454V-BL	342	13
QPF-2454V-BS	358	13
QPF-2460C-BL	327	13
QPF-2460C-BS	342	13
QPF-2460V-BL	342	13
QPF-2460V-BS	358	13
QPF-2472C-BL	382	13
QPF-2472C-BS	399	13
QPF-2472V-BL	399	13
QPF-2472V-BS	420	13
QPF-QA1824C-BL	207	13
QPF-QA1824C-BS	217	13
QPF-QA1824V-BL	217	13
QPF-QA1824V-BS	233	13
QPF-QA1830C-BL	217	13
QPF-QA1830C-BS	233	13
QPF-QA1830V-BL	233	13
QPF-QA1830V-BS	243	13
QPF-QA1836C-BL	217	13
QPF-QA1836C-BS	233	13
QPF-QA1836V-BL	233	13
QPF-QA1836V-BS	243	13
QPF-QA1842C-BL	266	13
QPF-QA1842C-BS	280	13
QPF-QA1842V-BL	276	13
QPF-QA1842V-BS	294	13
QPF-QA1848C-BL	266	13
QPF-QA1848C-BS	280	13
QPF-QA1848V-BL	276	13
QPF-QA1848V-BS	294	13
QPF-QA1854C-BL	309	13
QPF-QA1854C-BS	328	13
QPF-QA1854V-BL	328	13
QPF-QA1854V-BS	344	13
QPF-QA1860C-BL	309	13
QPF-QA1860C-BS	328	13
QPF-QA1860V-BL	328	13
QPF-QA1860V-BS	344	13
QPF-QA1872C-BL	355	13

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
QPF-QA1872C-BS	372	13
QPF-QA1872V-BL	372	13
QPF-QA1872V-BS	394	13
QPF-QA2124C-BL	239	13
QPF-QA2124C-BS	245	13
QPF-QA2124V-BL	245	13
QPF-QA2124V-BS	258	13
QPF-QA2130C-BL	243	13
QPF-QA2130C-BS	255	13
QPF-QA2130V-BL	255	13
QPF-QA2130V-BS	270	13
QPF-QA2136C-BL	243	13
QPF-QA2136C-BS	255	13
QPF-QA2136V-BL	255	13
QPF-QA2136V-BS	270	13
QPF-QA2142C-BL	285	13
QPF-QA2142C-BS	300	13
QPF-QA2142V-BL	300	13
QPF-QA2142V-BS	316	13
QPF-QA2148C-BL	285	13
QPF-QA2148C-BS	300	13
QPF-QA2148V-BL	300	13
QPF-QA2148V-BS	316	13
QPF-QA2154C-BL	337	13
QPF-QA2154C-BS	355	13
QPF-QA2154V-BL	354	13
QPF-QA2154V-BS	372	13
QPF-QA2160C-BL	337	13
QPF-QA2160C-BS	355	13
QPF-QA2160V-BL	354	13
QPF-QA2160V-BS	372	13
QPF-QA2172C-BL	407	13
QPF-QA2172C-BS	436	13
QPF-QA2172V-BL	430	13
QPF-QA2172V-BS	454	13
QPF-QA2424C-BL	258	13
QPF-QA2424C-BS	276	13
QPF-QA2424V-BL	273	13
QPF-QA2424V-BS	289	13
QPF-QA2430C-BL	266	13
QPF-QA2430C-BS	283	13
QPF-QA2430V-BL	280	13
QPF-QA2430V-BS	297	13
QPF-QA2436C-BL	266	13
QPF-QA2436C-BS	283	13
QPF-QA2436V-BL	280	13
QPF-QA2436V-BS	297	13
QPF-QA2442C-BL	326	13
QPF-QA2442C-BS	338	13
QPF-QA2442V-BL	340	13
QPF-QA2442V-BS	355	13
QPF-QA2448C-BL	326	13
QPF-QA2448C-BS	338	13
QPF-QA2448V-BL	340	13
QPF-QA2448V-BS	355	13
QPF-QA2454C-BL	384	13
QPF-QA2454C-BS	403	13
QPF-QA2454V-BL	403	13
QPF-QA2454V-BS	423	13
QPF-QA2460C-BL	384	13
QPF-QA2460C-BS	403	13
QPF-QA2460V-BL	403	13
QPF-QA2460V-BS	423	13
QPF-QA2472C-BL	450	13
QPF-QA2472C-BS	474	13
QPF-QA2472V-BL	474	13
QPF-QA2472V-BS	494	13
QPMU1836C-B5-74	1555	15
QPMU1836V-B5-74	1308	15
QPMU1848C-B5-74	1770	15
QPMU1848V-B5-74	1519	15
QPMU1860C-B5-74	2017	15
QPMU1860V-B5-74	1766	15
QPMU2136C-B5-74	1673	15
QPMU2136V-B5-74	1420	15
QPMU2148C-B5-74	1884	15
QPMU2148V-B5-74	1634	15
QPMU2160C-B5-74	2139	15
QPMU2160V-B5-74	1889	15
QPMU2436C-B5-74	1787	15
QPMU2436V-B5-74	1540	15
QPMU2448C-B5-74	2070	15
QPMU2448V-B5-74	1823	15
QPMU2460C-B5-74	2369	15
QPMU2460V-B5-74	2119	15
QPSD18-C	139	16
QPSD18-V	142	16
QPSD21-C	142	16
QPSD21-V	145	16
QPSD24-C	152	16
QPSD24-V	153	16
QPSU1836C-B5-74	1487	15
QPSU1836V-B5-74	1240	15
QPSU1848C-B5-74	1708	15
QPSU1848V-B5-74	1460	15
QPSU1860C-B5-74	1933	15
QPSU1860V-B5-74	1684	15
QPSU2136C-B5-74	1605	15
QPSU2136V-B5-74	1355	15
QPSU2148C-B5-74	1807	15
QPSU2148V-B5-74	1555	15
QPSU2160C-B5-74	2045	15
QPSU2160V-B5-74	1796	15
QPSU2436C-B5-74	1712	15
QPSU2436V-B5-74	1463	15
QPSU2448C-B5-74	1987	15
QPSU2448V-B5-74	1737	15
QPSU2460C-B5-74	2267	15
QPSU2460V-B5-74	2017	15
QTR24361-S	452	15
QTR24361-V	417	15
QTR24363-S	443	15
QTR24363-V	407	15
QTR24481-S	485	15
QTR24481-V	436	15
QTR24483-S	476	15
QTR24483-V	429	15
QTR24601-S	522	15
QTR24601-V	463	15
QTR24603-S	516	15
QTR24603-V	454	15
R1836Z-13	338	171
R1836Z-7	380	171
R54-C	25	48
R54-S	70	48
R63-C	28	48,154
R63-S	80	48
R74-C	29	48
R74-S	92	48
R86-C	33	48
R86-S	95	48
RETAINING CLAMP	8	47
RH36-C	147	179
RH48-C	153	179
RH60-C	156	179
RM1436BL	133	25
RM1436C	132	25
RM1436R	133	25
RM1436W	133	25
RM1436Z	116	25
RM1448BL	152	25
RM1448C	148	25
RM1448R	152	25
RM1448W	152	25
RM1448Z	134	25
RM1836BL	136	25
RM1836C	134	25
RM1836R	136	25
RM1836W	136	25
RM1836Z	134	25
RM1848BL	164	25
RM1848C	162	25
RM1848R	164	25
RM1848W	164	25
RM1848Z	156	25
RM2136BL	162	25
RM2136C	160	25
RM2136R	162	25
RM2136W	162	25
RM2136Z	148	25
RM2148BL	189	25
RM2148C	188	25
RM2148R	189	25
RM2148W	189	25
RM2148Z	169	25
RM2424BL	160	25
RM2424C	159	25
RM2424R	160	25
RM2424W	160	25
RM2424Z	148	25
RM2436BL	173	25
RM2436C	169	25
RM2436R	173	25
RM2436W	173	25
RM2436Z	159	25
RM2448BL	205	25
RM2448C	204	25
RM2448R	205	25
RM2448W	205	25
RM2448Z	189	25
RS4-63-A1436BL	988	23
RS4-63-A1436C	978	23
RS4-63-A1448BL	1053	23
RS4-63-A1448C	1043	23
RS4-63-A1836BL	1055	23
RS4-63-A1836C	1044	23
RS4-63-A1848BL	1140	23
RS4-63-A1848C	1129	23
RS4-63-A2136BL	1084	23
RS4-63-A2136C	1074	23
RS4-63-A2148BL	1200	23
RS4-63-A2148C	1182	23
RS4-63-A2436BL	1152	23
RS4-63-A2436C	1140	23
RS4-63-A2448BL	1314	23
RS4-63-A2448C	1303	23
RS4-74-A1436BL	1050	23
RS4-74-A1436C	1042	23
RS4-74-A1448BL	1116	23
RS4-74-A1448C	1105	23
RS4-74-A1836BL	1119	23
RS4-74-A1836C	1110	23
RS4-74-A1848BL	1206	23
RS4-74-A1848C	1194	23
RS4-74-A2136BL	1152	23
RS4-74-A2136C	1140	23
RS4-74-A2148BL	1259	23
RS4-74-A2148C	1247	23
RS4-74-A2436BL	1215	23
RS4-74-A2436C	1204	23
RS4-74-A2448BL	1374	23
RS4-74-A2448C	1359	23
S-HOOKS-SK	18	47
S1-3B-SSW1824C	239	94
S1-3B-SSW1830C	266	94
S1-3B-SSW1836C	283	94
S1-3B-SSW1842C	307	94
S1-3B-SSW1848C	325	94
S1-3B-SSW1860C	377	94
S14-20-1-SL	3358	222
S14-20-2-18-SL	6140	222
S14-20-2-18L-SL	5837	222
S14-20-2-18R-SL	5837	222
S14-20-3-18-SL	8103	222
S14-20-3-18L-SL	7697	222
S14-20-3-18R-SL	7697	222
S14-20-3-24-SL	8452	222
S14-20-3-24L-SL	8026	222
S14-20-3-24R-SL	8026	222
S14-28-3-18-SL	10259	222
S1448-GRH	3106	127
S1448-WGRH	1506	128
S1460-GRH	3353	127
S1460-WGRH	1667	128
S1472-GRH	4022	127
S1472-WGRH	1963	128
S16-20-1	2959	222
S16-20-2-18	5406	222
S16-20-2-18L	5139	222
S16-20-2-18R	5139	222
S16-20-3-18	7128	222
S16-20-3-18L	6773	222
S16-20-3-18R	6773	222
S16-20-3-24	7433	222
S16-20-3-24L	7063	222
S16-20-3-24R	7063	222
S16-28-3-18	9020	222
S1848-WGRT	1033	128
S1860-WGRT	1185	128
S1872-WGRT	1383	128
S2-3B-SSW1824C	362	94
S2-3B-SSW1830C	416	94
S2-3B-SSW1836C	448	94
S2-3B-SSW1842C	506	94
S2-3B-SSW1848C	532	94
S2-3B-SSW1860C	642	94
S2448-CGRN	5143	126
S2448-CGRR	4458	126
S2448-DGRN	7693	126
S2448-DGRR	6975	126

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
S2448-GR	2417	127
S2448-GRT	1856	127
S2448-WGR	1002	128
S2448-SGRN	5143	126
S2448-SGRR	4458	126
S2460-CGRN	5258	126
S2460-CGRR	4549	126
S2460-DGRN	8006	126
S2460-DGRR	7398	126
S2460-GR	2771	127
S2460-GRT	2026	127
S2460-SGRN	5258	126
S2460-SGRR	4549	126
S2460-WGR	1266	128
S2472-CGRN	5343	126
S2472-CGRR	4665	126
S2472-DGRN	8355	126
S2472-DGRR	7637	126
S2472-GR	2823	127
S2472-GRT	2243	127
S2472-SGRN	5343	126
S2472-SGRR	4665	126
S2472-WGR	1400	128
S2484-CGRN	5727	126
S2484-CGRR	5012	126
S2484-DGRN	8723	126
S2484-DGRR	8008	126
S2484-SGRN	5728	126
S2484-SGRR	5012	126
S3-3B-SSW1824C	485	94
S3-3B-SSW1830C	560	94
S3-3B-SSW1836C	612	94
S3-3B-SSW1842C	704	94
S3-3B-SSW1848C	738	94
S3-3B-SSW1860C	905	94
S3-5B-SSW1824C	526	94
S3-5B-SSW1830C	599	94
S3-5B-SSW1836C	654	94
S3-5B-SSW1842C	747	94
S3-5B-SSW1848C	784	94
S3-5B-SSW1860C	945	94
S4-5B-SSW1824C	645	94
S4-5B-SSW1830C	754	94
S4-5B-SSW1836C	818	94
S4-5B-SSW1842C	944	94
S4-5B-SSW1848C	993	94
S4-5B-SSW1860C	1208	94
S4-63-1824C	695	18
S4-63-1824E	823	18
S4-63-1824S	2475	18
S4-63-1824V	720	18
S4-63-1824VG	720	18
S4-63-1824Z	670	18
S4-63-1830C	700	18
S4-63-1830E	849	18
S4-63-1830S	2506	18
S4-63-1830V	760	18
S4-63-1830VG	760	18
S4-63-1830Z	686	18
S4-63-1836C	720	18
S4-63-1836E	873	18
S4-63-1836S	2522	18
S4-63-1836V	784	18
S4-63-1836VG	784	18
S4-63-1836Z	700	18
S4-63-1842C	823	18
S4-63-1842E	999	18
S4-63-1842S	2907	18
S4-63-1842V	887	18
S4-63-1842VG	887	18
S4-63-1842Z	784	18
S4-63-1848C	823	18
S4-63-1848E	999	18
S4-63-1848S	2907	18
S4-63-1848V	887	18
S4-63-1848VG	887	18
S4-63-1848Z	784	18
S4-63-1860C	934	18
S4-63-1860E	1147	18
S4-63-1860S	3552	18
S4-63-1860V	1042	18
S4-63-1860VG	1042	18
S4-63-1860Z	877	18
S4-63-1872C	1072	18
S4-63-1872E	1289	18
S4-63-1872S	4115	18
S4-63-1872V	1160	18
S4-63-1872VG	1160	18
S4-63-1872Z	1065	18
S4-63-2124C	776	18
S4-63-2124E	905	18
S4-63-2124S	2783	18
S4-63-2124V	789	18
S4-63-2124VG	789	18
S4-63-2124Z	720	18
S4-63-2130C	789	18
S4-63-2130E	919	18
S4-63-2130S	2804	18
S4-63-2130V	830	18
S4-63-2130VG	830	18
S4-63-2130Z	734	18
S4-63-2136C	816	18
S4-63-2136E	960	18
S4-63-2136S	2819	18
S4-63-2136V	849	18
S4-63-2136VG	849	18
S4-63-2136Z	760	18
S4-63-2142C	912	18
S4-63-2142E	1082	18
S4-63-2142S	3176	18
S4-63-2142V	960	18
S4-63-2142VG	960	18
S4-63-2142Z	838	18
S4-63-2148C	912	18
S4-63-2148E	1082	18
S4-63-2148S	3176	18
S4-63-2148V	960	18
S4-63-2148VG	960	18
S4-63-2148Z	838	18
S4-63-2160C	1042	18
S4-63-2160E	1222	18
S4-63-2160S	4053	18
S4-63-2160V	1112	18
S4-63-2160VG	1112	18
S4-63-2160Z	983	18
S4-63-2172C	1204	18
S4-63-2172E	1452	18
S4-63-2172S	4693	18
S4-63-2172V	1307	18
S4-63-2172VG	1307	18
S4-63-2172Z	1147	18
S4-63-2424C	808	18
S4-63-2424E	975	18
S4-63-2424S	2958	18
S4-63-2424V	838	18
S4-63-2424VG	838	18
S4-63-2424Z	760	18
S4-63-2430C	830	18
S4-63-2430E	995	18
S4-63-2430S	2973	18
S4-63-2430V	877	18
S4-63-2430VG	877	18
S4-63-2430Z	776	18
S4-63-2436C	849	18
S4-63-2436E	1008	18
S4-63-2436S	3005	18
S4-63-2436V	897	18
S4-63-2436VG	897	18
S4-63-2436Z	799	18
S4-63-2442C	975	18
S4-63-2442E	1185	18
S4-63-2442S	3527	18
S4-63-2442V	1042	18
S4-63-2442VG	1042	18
S4-63-2442Z	919	18
S4-63-2448C	975	18
S4-63-2448E	1185	18
S4-63-2448S	3527	18
S4-63-2448V	1042	18
S4-63-2448VG	1042	18
S4-63-2448Z	919	18
S4-63-2460C	1129	18
S4-63-2460E	1359	18
S4-63-2460S	4188	18
S4-63-2460V	1222	18
S4-63-2460VG	1222	18
S4-63-2460Z	1082	18
S4-63-2472C	1300	18
S4-63-2472E	1554	18
S4-63-2472S	5087	18
S4-63-2472V	1394	18
S4-63-2472VG	1394	18
S4-63-2472Z	1204	18
S4-74-1824C	712	18
S4-74-1824E	849	18
S4-74-1824S	2548	18
S4-74-1824V	734	18
S4-74-1824VG	734	18
S4-74-1824Z	678	18
S4-74-1830C	720	18
S4-74-1830E	873	18
S4-74-1830S	2577	18
S4-74-1830V	776	18
S4-74-1830VG	776	18
S4-74-1830Z	695	18
S4-74-1836C	734	18
S4-74-1836E	897	18
S4-74-1836S	2594	18
S4-74-1836V	799	18
S4-74-1836VG	799	18
S4-74-1836Z	712	18
S4-74-1842C	838	18
S4-74-1842E	1025	18
S4-74-1842S	2982	18
S4-74-1842V	905	18
S4-74-1842VG	905	18
S4-74-1842Z	789	18
S4-74-1848C	838	18
S4-74-1848E	1025	18
S4-74-1848S	2982	18
S4-74-1848V	905	18
S4-74-1848VG	905	18
S4-74-1848Z	789	18
S4-74-1860C	954	18
S4-74-1860E	1172	18
S4-74-1860S	3626	18
S4-74-1860V	1056	18
S4-74-1860VG	1056	18
S4-74-1860Z	887	18
S4-74-1872C	1092	18
S4-74-1872E	1314	18
S4-74-1872S	4188	18
S4-74-1872V	1177	18
S4-74-1872VG	1177	18
S4-74-1872Z	1072	18
S4-74-2124C	789	18
S4-74-2124E	929	18
S4-74-2124S	2852	18
S4-74-2124V	808	18
S4-74-2124VG	808	18
S4-74-2124Z	726	18
S4-74-2130C	808	18
S4-74-2130E	944	18
S4-74-2130S	2876	18
S4-74-2130V	849	18
S4-74-2130VG	849	18
S4-74-2130Z	740	18
S4-74-2136C	830	18
S4-74-2136E	983	18
S4-74-2136S	2893	18
S4-74-2136V	863	18
S4-74-2136VG	863	18
S4-74-2136Z	765	18
S4-74-2142C	929	18
S4-74-2142E	1106	18
S4-74-2142S	3245	18
S4-74-2142V	975	18
S4-74-2142VG	975	18
S4-74-2142Z	849	18
S4-74-2148C	929	18
S4-74-2148E	1106	18
S4-74-2148S	3245	18
S4-74-2148V	975	18
S4-74-2148VG	975	18
S4-74-2148Z	849	18
S4-74-2160C	1056	18
S4-74-2160E	1248	18
S4-74-2160S	4122	18
S4-74-2160V	1129	18
S4-74-2160VG	1129	18
S4-74-2160Z	995	18
S4-74-2172C	1217	18
S4-74-2172E	1477	18
S4-74-2172S	4766	18
S4-74-2172V	1322	18
S4-74-2172VG	1322	18
S4-74-2172Z	1153	18
S4-74-2424C	823	18
S4-74-2424E	999	18
S4-74-2424S	3029	18

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
S4-74-2424V	856	18
S4-74-2424VG	856	18
S4-74-2424Z	765	18
S4-74-2430C	849	18
S4-74-2430E	1017	18
S4-74-2430S	3045	18
S4-74-2430V	897	18
S4-74-2430VG	897	18
S4-74-2430Z	784	18
S4-74-2436C	863	18
S4-74-2436E	1030	18
S4-74-2436S	3078	18
S4-74-2436V	912	18
S4-74-2436VG	912	18
S4-74-2436Z	808	18
S4-74-2442C	995	18
S4-74-2442E	1208	18
S4-74-2442S	3600	18
S4-74-2442V	1056	18
S4-74-2442VG	1056	18
S4-74-2442Z	929	18
S4-74-2448C	995	18
S4-74-2448E	1208	18
S4-74-2448S	3600	18
S4-74-2448V	1056	18
S4-74-2448VG	1056	18
S4-74-2448Z	929	18
S4-74-2460C	1147	18
S4-74-2460E	1387	18
S4-74-2460S	4260	18
S4-74-2460V	1243	18
S4-74-2460VG	1243	18
S4-74-2460Z	1092	18
S4-74-2472C	1314	18
S4-74-2472E	1578	18
S4-74-2472S	5162	18
S4-74-2472V	1412	18
S4-74-2472VG	1412	18
S4-74-2472Z	1208	18
S5-5B-SSW1824C	763	94
S5-5B-SSW1830C	900	94
S5-5B-SSW1836C	983	94
S5-5B-SSW1842C	1140	94
S5-5B-SSW1848C	1203	94
S5-5B-SSW1860C	1475	94
S5-74-1824C	834	20
S5-74-1824E	997	20
S5-74-1824S	3029	20
S5-74-1824V	863	20
S5-74-1824VG	863	20
S5-74-1824Z	799	20
S5-74-1830C	845	20
S5-74-1830E	1026	20
S5-74-1830S	3070	20
S5-74-1830V	914	20
S5-74-1830VG	914	20
S5-74-1830Z	820	20
S5-74-1836C	865	20
S5-74-1836E	1056	20
S5-74-1836S	3087	20
S5-74-1836V	944	20
S5-74-1836VG	944	20
S5-74-1836Z	838	20
S5-74-1842C	997	20
S5-74-1842E	1217	20
S5-74-1842S	3573	20
S5-74-1842V	1074	20
S5-74-1842VG	1074	20
S5-74-1842Z	939	20
S5-74-1848C	997	20
S5-74-1848E	1217	20
S5-74-1848S	3573	20
S5-74-1848V	1074	20
S5-74-1848VG	1074	20
S5-74-1848Z	939	20
S5-74-1860C	1139	20
S5-74-1860E	1398	20
S5-74-1860S	4380	20
S5-74-1860V	1267	20
S5-74-1860VG	1267	20
S5-74-1860Z	1062	20
S5-74-1872C	1308	20
S5-74-1872E	1578	20
S5-74-1872S	5082	20
S5-74-1872V	1417	20
S5-74-1872VG	1417	20
S5-74-1872Z	1292	20
S5-74-2124C	934	20
S5-74-2124E	1096	20
S5-74-2124S	3414	20
S5-74-2124V	955	20
S5-74-2124VG	955	20
S5-74-2124Z	859	20
S5-74-2130C	958	20
S5-74-2130E	1117	20
S5-74-2130S	3442	20
S5-74-2130V	1006	20
S5-74-2130VG	1006	20
S5-74-2130Z	877	20
S5-74-2136C	984	20
S5-74-2136E	1167	20
S5-74-2136S	3463	20
S5-74-2136V	1025	20
S5-74-2136VG	1025	20
S5-74-2136Z	910	20
S5-74-2142C	1108	20
S5-74-2142E	1316	20
S5-74-2142S	3905	20
S5-74-2142V	1164	20
S5-74-2142VG	1164	20
S5-74-2142Z	1009	20
S5-74-2148C	1108	20
S5-74-2148E	1316	20
S5-74-2148S	3905	20
S5-74-2148V	1164	20
S5-74-2148VG	1164	20
S5-74-2148Z	1009	20
S5-74-2160C	1269	20
S5-74-2160E	1499	20
S5-74-2160S	5004	20
S5-74-2160V	1355	20
S5-74-2160VG	1355	20
S5-74-2160Z	1192	20
S5-74-2172C	1466	20
S5-74-2172E	1783	20
S5-74-2172S	5807	20
S5-74-2172V	1598	20
S5-74-2172VG	1598	20
S5-74-2172Z	1393	20
S5-74-2424C	975	20
S5-74-2424E	1186	20
S5-74-2424S	3633	20
S5-74-2424V	1012	20
S5-74-2424VG	1012	20
S5-74-2424Z	910	20
S5-74-2430C	1007	20
S5-74-2430E	1207	20
S5-74-2430S	3654	20
S5-74-2430V	1065	20
S5-74-2430VG	1065	20
S5-74-2430Z	930	20
S5-74-2436C	1026	20
S5-74-2436E	1226	20
S5-74-2436S	3695	20
S5-74-2436V	1084	20
S5-74-2436VG	1084	20
S5-74-2436Z	960	20
S5-74-2442C	1186	20
S5-74-2442E	1449	20
S5-74-2442S	4349	20
S5-74-2442V	1267	20
S5-74-2442VG	1267	20
S5-74-2442Z	1110	20
S5-74-2448C	1186	20
S5-74-2448E	1449	20
S5-74-2448S	4349	20
S5-74-2448V	1267	20
S5-74-2448VG	1267	20
S5-74-2448Z	1110	20
S5-74-2460C	1380	20
S5-74-2460E	1672	20
S5-74-2460S	5172	20
S5-74-2460V	1497	20
S5-74-2460VG	1497	20
S5-74-2460Z	1312	20
S5-74-2472C	1588	20
S5-74-2472E	1912	20
S5-74-2472S	6296	20
S5-74-2472V	1707	20
S5-74-2472VG	1707	20
S5-74-2472Z	1463	20
S5-86-1824C	884	20
S5-86-1824E	1036	20
S5-86-1824S	3109	20
S5-86-1824V	912	20
S5-86-1824VG	912	20
S5-86-1824Z	838	20
S5-86-1830C	893	20
S5-86-1830E	1066	20
S5-86-1830S	3149	20
S5-86-1830V	962	20
S5-86-1830VG	962	20
S5-86-1830Z	859	20
S5-86-1836C	914	20
S5-86-1836E	1096	20
S5-86-1836S	3173	20
S5-86-1836V	995	20
S5-86-1836VG	995	20
S5-86-1836Z	877	20
S5-86-1842C	1044	20
S5-86-1842E	1256	20
S5-86-1842S	3654	20
S5-86-1842V	1120	20
S5-86-1842VG	1120	20
S5-86-1842Z	980	20
S5-86-1848C	1044	20
S5-86-1848E	1256	20
S5-86-1848S	3654	20
S5-86-1848V	1120	20
S5-86-1848VG	1120	20
S5-86-1848Z	980	20
S5-86-1860C	1185	20
S5-86-1860E	1439	20
S5-86-1860S	4456	20
S5-86-1860V	1314	20
S5-86-1860VG	1314	20
S5-86-1860Z	1104	20
S5-86-1872C	1355	20
S5-86-1872E	1618	20
S5-86-1872S	5162	20
S5-86-1872V	1464	20
S5-86-1872VG	1464	20
S5-86-1872Z	1334	20
S5-86-2124C	983	20
S5-86-2124E	1139	20
S5-86-2124S	3489	20
S5-86-2124V	1004	20
S5-86-2124VG	1004	20
S5-86-2124Z	899	20
S5-86-2130C	1006	20
S5-86-2130E	1156	20
S5-86-2130S	3522	20
S5-86-2130V	1053	20
S5-86-2130VG	1053	20
S5-86-2130Z	919	20
S5-86-2136C	1033	20
S5-86-2136E	1207	20
S5-86-2136S	3543	20
S5-86-2136V	1072	20
S5-86-2136VG	1072	20
S5-86-2136Z	950	20
S5-86-2142C	1154	20
S5-86-2142E	1356	20
S5-86-2142S	3984	20
S5-86-2142V	1215	20
S5-86-2142VG	1215	20
S5-86-2142Z	1050	20
S5-86-2148C	1154	20
S5-86-2148E	1356	20
S5-86-2148S	3984	20
S5-86-2148V	1215	20
S5-86-2148VG	1215	20
S5-86-2148Z	1050	20
S5-86-2160C	1315	20
S5-86-2160E	1542	20
S5-86-2160S	5082	20
S5-86-2160V	1405	20
S5-86-2160VG	1405	20
S5-86-2160Z	1233	20
S5-86-2172C	1517	20
S5-86-2172E	1823	20
S5-86-2172S	5886	20
S5-86-2172V	1645	20
S5-86-2172VG	1645	20
S5-86-2172Z	1433	20
S5-86-2424C	1025	20
S5-86-2424E	1226	20
S5-86-2424S	3714	20
S5-86-2424V	1063	20
S5-86-2424VG	1063	20

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
S5-86-2424Z	950	20
S5-86-2430C	1055	20
S5-86-2430E	1247	20
S5-86-2430S	3732	20
S5-86-2430V	1112	20
S5-86-2430VG	1112	20
S5-86-2430Z	970	20
S5-86-2436C	1074	20
S5-86-2436E	1269	20
S5-86-2436S	3773	20
S5-86-2436V	1132	20
S5-86-2436VG	1132	20
S5-86-2436Z	999	20
S5-86-2442C	1239	20
S5-86-2442E	1488	20
S5-86-2442S	4427	20
S5-86-2442V	1314	20
S5-86-2442VG	1314	20
S5-86-2442Z	1152	20
S5-86-2448C	1239	20
S5-86-2448E	1488	20
S5-86-2448S	4427	20
S5-86-2448V	1314	20
S5-86-2448VG	1314	20
S5-86-2448Z	1152	20
S5-86-2460C	1426	20
S5-86-2460E	1708	20
S5-86-2460S	5252	20
S5-86-2460V	1547	20
S5-86-2460VG	1547	20
S5-86-2460Z	1353	20
S5-86-2472C	1638	20
S5-86-2472E	1948	20
S5-86-2472S	6380	20
S5-86-2472V	1758	20
S5-86-2472VG	1758	20
S5-86-2472Z	1505	20
SB-1	604	209
SB48	129	157
SB60	147	157
SBPR-108-A	1082	95,216
SBPR-108-S	1404	95,216
SBPR-120-A	1110	95,216
SBPR-120-S	1474	95,216
SBPR-24-A	327	95,216
SBPR-24-S	439	95,216
SBPR-36-A	495	95,216
SBPR-36-S	622	95,216
SBPR-48-A	527	95,216
SBPR-48-S	697	95,216
SBPR-60-A	566	95,216
SBPR-60-S	770	95,216
SBPR-72-A	782	95,216
SBPR-72-S	1007	95,216
SBPR-84-A	809	95,216
SBPR-84-S	1074	95,216
SBPR-96-A	1009	95,216
SBPR-96-S	1299	95,216
SC1430	2053	42
SC1430E	2062	42
SC1430S	4862	42
SC1436	2278	42
SC1436E	2288	42
SC1436S	5398	42
SC1448	2834	42
SC1448E	2869	42
SC1448S	6572	42
SC1460	3140	42
SC1460E	3108	42
SC1460S	6849	42
SC2430	2188	42
SC2430E	2673	42
SC2430S	6060	42
SC2436	2428	42
SC2436E	2973	42
SC2436S	6729	42
SC2448	3029	42
SC2448E	3695	42
SC2448S	8197	42
SC2460	3284	42
SC2460E	4007	42
SC2460S	8488	42
SC3030	2752	42
SC3030E	3270	42
SC3030S	7572	42
SC3036	3054	42
SC3036E	3630	42
SC3036S	8414	42
SC3048	3806	42
SC3048E	4748	42
SC3048S	10252	42
SC3060	4106	42
SC3060E	5105	42
SC3060S	10609	42
SCH1836C	194	155
SCH1836C-4	1876	155
SCH1836C-5	2244	155
SCH1848C	217	155
SCH1848C-4	1884	155
SCH1848C-5	2367	155
SCOOP10-VG	129	91
SD14-4S	108	131
SD14-BL	49	62
SD14-C	48	49
SD14-E	53	49
SD14-R	49	62
SD14-S	134	49
SD14-V	49	49
SD14-VG	49	49
SD14-W	49	62
SD18-BL	59	62
SD18-C	55	49
SD18-E	60	49
SD18-R	59	62
SD18-S	153	49
SD18-V	59	49
SD18-VG	59	49
SD18-W	59	62
SD21-BL	62	62
SD21-C	60	49
SD21-E	66	49
SD21-R	62	62
SD21-S	174	49
SD21-V	62	49
SD21-VG	62	49
SD21-W	62	62
SD24-BL	74	62
SD24-C	67	49,154
SD24-E	82	49
SD24-R	74	62
SD24-S	188	49
SD24-V	74	49
SD24-VG	74	49
SD24-W	74	62
SD30-BL	83	62
SD30-C	82	49
SD30-R	83	62
SD30-S	228	49
SD30-V	83	49
SD30-VG	83	49
SD30-W	83	62
SD36-BL	97	62
SD36-C	94	49
SD36-R	97	62
SD36-S	273	49
SD36-V	97	49
SD36-VG	97	49
SD36-W	97	62
SDFT-10	1796	58
SDFT-11	1947	58
SDFT-12	2108	58
SDFT-13	2267	58
SDFT-14	2423	58
SDFT-15	2577	58
SDFT-16	2738	58
SDFT-17	2895	58
SDFT-18	3050	58
SDFT-19	3205	58
SDFT-20	3365	58
SDFT-21	3519	58
SDFT-22	3606	58
SDFT-23	3660	58
SDFT-24	3808	58
SDFT-25	3959	58
SDFT-26	4106	58
SDFT-27	4253	58
SDFT-28	4403	58
SDFT-29	4552	58
SDFT-30	4703	58
SDFT-6	1173	58
SDFT-7	1327	58
SDFT-8	1483	58
SDFT-9	1642	58
SDSK-18	1153	58
SDSK-21	1195	58
SDSK-24	1244	58
SDSK-30	1389	58
SDSK-36	1837	58
SDSKATB-S	404	59
SECM1830C	920	41
SECM1830E	970	41
SECM1830FC	983	41
SECM1830FE	1042	41
SECM1830FS	2905	41
SECM1830FVG	1023	41
SECM1830FZ	828	41
SECM1830S	2487	41
SECM1830VG	959	41
SECM1830Z	704	41
SECM1836C	932	41
SECM1836E	982	41
SECM1836FC	997	41
SECM1836FE	1049	41
SECM1836FS	2945	41
SECM1836FVG	1040	41
SECM1836FZ	838	41
SECM1836S	2532	41
SECM1836VG	970	41
SECM1836Z	720	41
SECM1848C	988	41
SECM1848E	1043	41
SECM1848FC	1044	41
SECM1848FE	1097	41
SECM1848FS	3093	41
SECM1848FVG	1087	41
SECM1848FZ	875	41
SECM1848S	2708	41
SECM1848VG	1030	41
SECM1848Z	764	41
SECM1860C	1112	41
SECM1860E	1172	41
SECM1860FC	1044	41
SECM1860FE	1186	41
SECM1860FS	3109	41
SECM1860FVG	1087	41
SECM1860FZ	884	41
SECM1860S	2725	41
SECM1860VG	1159	41
SECM1860Z	769	41
SECM2130C	930	41
SECM2130E	980	41
SECM2130FC	997	41
SECM2130FE	1049	41
SECM2130FS	2942	41
SECM2130FVG	1040	41
SECM2130FZ	836	41
SECM2130S	2525	41
SECM2130VG	967	41
SECM2130Z	719	41
SECM2136C	945	41
SECM2136E	997	41
SECM2136FC	1008	41
SECM2136FE	1063	41
SECM2136FS	2985	41
SECM2136FVG	1049	41
SECM2136FZ	852	41
SECM2136S	2577	41
SECM2136VG	985	41
SECM2136Z	732	41
SECM2148C	1008	41
SECM2148E	1063	41
SECM2148FC	1065	41
SECM2148FE	1119	41
SECM2148FS	3145	41
SECM2148FVG	1109	41
SECM2148FZ	905	41
SECM2148S	2775	41
SECM2148VG	1049	41
SECM2148Z	784	41
SECM2160C	1127	41
SECM2160E	1185	41
SECM2160FC	1147	41
SECM2160FE	1207	41
SECM2160FS	3178	41
SECM2160FVG	1194	41
SECM2160FZ	915	41
SECM2160S	2804	41
SECM2160VG	1174	41
SECM2160Z	794	41
SECM2430C	944	41

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
SECM2430E	996	41
SECM2430FC	1006	41
SECM2430FE	1056	41
SECM2430FS	2973	41
SECM2430FVG	1047	41
SECM2430FZ	849	41
SECM2430S	2565	41
SECM2430VG	984	41
SECM2430Z	727	41
SECM2436C	1008	41
SECM2436E	1063	41
SECM2436FC	1056	41
SECM2436FE	1116	41
SECM2436FS	3049	41
SECM2436FVG	1105	41
SECM2436FZ	865	41
SECM2436S	2658	41
SECM2436VG	1049	41
SECM2436Z	754	41
SECM2448C	1144	41
SECM2448E	1206	41
SECM2448FC	1162	41
SECM2448FE	1219	41
SECM2448FS	3200	41
SECM2448FVG	1214	41
SECM2448FZ	907	41
SECM2448S	2836	41
SECM2448VG	1193	41
SECM2448Z	800	41
SECM2460C	1283	41
SECM2460E	1345	41
SECM2460FC	1266	41
SECM2460FE	1334	41
SECM2460FS	3349	41
SECM2460FVG	1317	41
SECM2460FZ	950	41
SECM2460S	3023	41
SECM2460VG	1337	41
SECM2460Z	850	41
SFN2832-2-14/3	10188	250
SFN2832-2-18-14/3	12550	250
SFN2832-2-18L-14/3	11464	250
SFN2832-2-18R-14/3	11464	250
SFN3052-3-14/3	13056	250
SFN3052-3-18-14/3	14494	250
SFN3052-3-18L-14/3	14133	250
SFN3052-3-18R-14/3	14133	250
SFN3242-3-14/3	13605	250
SFN3242-3-18-14/3	14528	250
SFN3242-3-18L-14/3	14026	250
SFN3242-3-18R-14/3	14026	250
SFP10-1	340	17
SFP10-2	563	17
SFP10-4	532	17
SFS14C	258	155
SFS16S	697	155
SH	8	91
SHDS1836SE	959	64
SHDS1836SF	877	63
SHDS1836SL	959	65
SHDS1836VE	465	64
SHDS1836VF	450	63
SHDS1836VGE	465	64
SHDS1836VGF	450	63
SHDS1836VGL	474	65
SHDS1836VL	474	65
SHDS1842SE	1063	64
SHDS1842SF	975	63
SHDS1842SL	1063	65
SHDS1842VE	487	64
SHDS1842VF	478	63
SHDS1842VGE	487	64
SHDS1842VGF	478	63
SHDS1842VGL	489	65
SHDS1842VL	489	65
SHDS1848SE	1154	64
SHDS1848SF	1063	63
SHDS1848SL	1154	65
SHDS1848VE	495	64
SHDS1848VF	489	63
SHDS1848VGE	495	64
SHDS1848VGF	489	63
SHDS1848VGL	512	65
SHDS1848VL	512	65
SHDS1854SE	1242	64
SHDS1854SF	1156	63
SHDS1854SL	1242	65
SHDS1854VE	539	64
SHDS1854VF	526	63
SHDS1854VGE	539	64
SHDS1854VGF	526	63
SHDS1854VGL	518	65
SHDS1854VL	518	65
SHDS1860SE	1325	64
SHDS1860SF	1247	63
SHDS1860SL	1325	65
SHDS1860VE	559	64
SHDS1860VF	550	63
SHDS1860VGE	559	64
SHDS1860VGF	550	63
SHDS1860VGL	566	65
SHDS1860VL	566	65
SHDS2436SE	1195	64
SHDS2436SF	1140	63
SHDS2436SL	1195	65
SHDS2436VE	494	64
SHDS2436VF	487	63
SHDS2436VGE	494	64
SHDS2436VGF	487	63
SHDS2436VGL	499	65
SHDS2436VL	499	65
SHDS2442SE	1226	64
SHDS2442SF	1248	63
SHDS2442SL	1226	65
SHDS2442VE	519	64
SHDS2442VF	514	63
SHDS2442VGE	519	64
SHDS2442VGF	514	63
SHDS2442VGL	523	65
SHDS2442VL	523	65
SHDS2448SE	1332	64
SHDS2448SF	1404	63
SHDS2448SL	1332	65
SHDS2448VE	539	64
SHDS2448VF	527	63
SHDS2448VGE	539	64
SHDS2448VGF	527	63
SHDS2448VGL	548	65
SHDS2448VL	548	65
SHDS2454SE	1492	64
SHDS2454SF	1515	63
SHDS2454SL	1492	65
SHDS2454VE	584	64
SHDS2454VF	576	63
SHDS2454VGE	584	64
SHDS2454VGF	576	63
SHDS2454VGL	594	65
SHDS2454VL	594	65
SHDS2460SE	1654	64
SHDS2460SF	1623	63
SHDS2460SL	1654	65
SHDS2460VE	610	64
SHDS2460VF	594	63
SHDS2460VGE	610	64
SHDS2460VGF	594	63
SHDS2460VGL	615	65
SHDS2460VL	615	65
SHS2424-1D	9107	166
SHS2424-1W-ADA	8230	166
SKATB-S	136	58,59
SL14-1C	37	50
SL14-1S	74	50
SL14-4C	48	50
SL14-4S	92	50
SL18-1C	40	50
SL18-1S	80	50
SL18-4C	49	50
SL18-4S	94	50
SL21-1C	42	50
SL21-1S	86	50
SL21-4C	53	50
SL21-4S	105	50
SL2136C	217	49
SL2136E	255	49
SL2136Z	197	49
SL2148C	283	49
SL2148E	338	49
SL2148Z	255	49
SL2160C	303	49
SL2160E	394	49
SL2160Z	276	49
SL24-1C	48	50
SL24-1S	95	50
SL24-4C	55	50
SL24-4S	125	50
SL2436C	272	49
SL2436E	326	49
SL2436Z	243	49
SL2448C	312	49
SL2448E	382	49
SL2448Z	284	49
SL2460C	333	49
SL2460E	404	49
SL2460Z	307	49
SL30-1C	59	50
SL30-1S	115	50
SL30-4C	65	50
SL30-4S	142	50
SL36-1C	62	50
SL36-1S	133	50
SL36-4C	70	50
SL36-4S	169	50
SL42-1C	65	50
SL42-1S	145	50
SL42-4C	75	50
SL42-4S	192	50
SL48-1C	70	50
SL48-1S	166	50
SL48-4C	87	50
SL48-4S	238	50
SL54-1C	75	50
SL54-1S	185	50
SL54-4C	92	50
SL54-4S	269	50
SL60-1C	80	50
SL60-1S	194	50
SL60-4C	93	50
SL60-4S	284	50
SL72-1C	87	50
SL72-1S	215	50
SL72-4C	106	50
SL72-4S	293	50
SLS1836C	164	52
SM3636Z-3	1255	169
SM3648Z-3	1408	169
SM3660Z-3	1737	169
SNSW1224C	232	93
SNSW1224E	267	93
SNSW1224V	242	93
SNSW1224VG	242	93
SNSW1236C	303	93
SNSW1236E	344	93
SNSW1236V	319	93
SNSW1236VG	319	93
SNSW1248C	376	93
SNSW1248E	419	93
SNSW1248V	394	93
SNSW1248VG	394	93
SNSW1260C	407	93
SNSW1260E	460	93
SNSW1260V	429	93
SNSW1260VG	429	93
SNSW1272C	522	93
SNSW1272E	576	93
SNSW1272V	550	93
SNSW1272VG	550	93
SP1224S	218	26
SP1224V	142	26
SP1224Z	130	26
SP1236S	306	26
SP1236V	155	26
SP1236Z	144	26
SP1242S	338	26
SP1242V	183	26
SP1242Z	149	26
SP1248S	344	26
SP1248V	189	26
SP1248Z	184	26
SP1530S	239	26
SP1530V	145	26
SP1530Z	142	26
SP1536S	319	26
SP1536V	165	26
SP1536Z	155	26
SP1542S	349	26
SP1542V	189	26
SP1542Z	183	26
SP1548S	356	26
SP1548V	200	26
SP1548Z	189	26

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
SP1630S	240	26
SP1630V	155	26
SP1630Z	147	26
SP1636S	278	26
SP1636V	172	26
SP1636Z	165	26
SP1642S	322	26
SP1642V	196	26
SP1642Z	185	26
SP1648S	365	26
SP1648V	205	26
SP1648Z	200	26
SP1826-18	65	170
SP1830S	265	26
SP1830V	159	26
SP1830Z	149	26
SP1836S	308	26
SP1836V	177	26
SP1836Z	166	26
SP1842S	356	26
SP1842V	196	26
SP1842Z	185	26
SP1848S	406	26
SP1848V	205	26
SP1848Z	200	26
SP2130S	293	26
SP2130V	172	26
SP2130Z	165	26
SP2136S	344	26
SP2136V	189	26
SP2136Z	183	26
SP2142S	392	26
SP2142V	204	26
SP2142Z	196	26
SP2148S	443	26
SP2148V	218	26
SP2148Z	207	26
SP2430S	376	26
SP2430V	196	26
SP2430Z	185	26
SP2436S	443	26
SP2436V	200	26
SP2436Z	189	26
SP2442S	512	26
SP2442V	242	26
SP2442Z	232	26
SP2448S	566	26
SP2448V	252	26
SP2448Z	240	26
SP3030S	445	26
SP3030V	239	26
SP3030Z	218	26
SP3036S	514	26
SP3036V	242	26
SP3036Z	232	26
SP3042S	600	26
SP3042V	272	26
SP3042Z	265	26
SP3048S	664	26
SP3048V	299	26
SP3048Z	283	26
SP3236S	522	26
SP3236V	256	26
SP3236Z	245	26
SP3242S	522	26
SP3242V	303	26
SP3242Z	284	26
SP3248S	678	26
SP3248V	317	26
SP3248Z	304	26
SP3636S	676	26
SP3636V	293	26
SP3636Z	272	26
SP3642S	776	26
SP3642V	309	26
SP3642Z	299	26
SP3648S	883	26
SP3648V	333	26
SP3648Z	309	26
SP74-CS	65	43
SP74-ES	75	43
SP74-SS	162	43
SP86-CS	80	43
SP86-ES	86	43
SP86-SS	188	43
SPD1224-S	295	26
SPD1224-V	184	26
SPD1224-Z	172	26
SPD1236-S	410	26
SPD1236-V	205	26
SPD1236-Z	185	26
SPD1242-S	445	26
SPD1242-V	242	26
SPD1242-Z	203	26
SPD1248-S	454	26
SPD1248-V	254	26
SPD1248-Z	244	26
SPD1530-S	309	26
SPD1530-V	254	26
SPD1530-Z	242	26
SPD1536-S	426	26
SPD1536-V	317	26
SPD1536-Z	304	26
SPD1542-S	463	26
SPD1542-V	340	26
SPD1542-Z	317	26
SPD1548-S	478	26
SPD1548-V	350	26
SPD1548-Z	338	26
SPD1630-S	315	26
SPD1630-V	265	26
SPD1630-Z	252	26
SPD1636-S	372	26
SPD1636-V	322	26
SPD1636-Z	309	26
SPD1642-S	437	26
SPD1642-V	344	26
SPD1642-Z	320	26
SPD1648-S	486	26
SPD1648-V	356	26
SPD1648-Z	344	26
SPD1830-S	349	26
SPD1830-V	266	26
SPD1830-Z	254	26
SPD1836-S	414	26
SPD1836-V	338	26
SPD1836-Z	315	26
SPD1842-S	478	26
SPD1842-V	350	26
SPD1842-Z	320	26
SPD1848-S	537	26
SPD1848-V	365	26
SPD1848-Z	347	26
SPD2130-S	384	26
SPD2130-V	276	26
SPD2130-Z	265	26
SPD2136-S	454	26
SPD2136-V	344	26
SPD2136-Z	320	26
SPD2142-S	523	26
SPD2142-V	356	26
SPD2142-Z	344	26
SPD2148-S	587	26
SPD2148-V	372	26
SPD2148-Z	354	26
SPD2430-S	503	26
SPD2430-V	293	26
SPD2430-Z	276	26
SPD2436-S	587	26
SPD2436-V	355	26
SPD2436-Z	342	26
SPD2442-S	686	26
SPD2442-V	369	26
SPD2442-Z	350	26
SPD2448-S	762	26
SPD2448-V	383	26
SPD2448-Z	367	26
SPD3030-S	594	26
SPD3030-V	315	26
SPD3030-Z	303	26
SPD3036-S	687	26
SPD3036-V	378	26
SPD3036-Z	365	26
SPD3042-S	800	26
SPD3042-V	398	26
SPD3042-Z	376	26
SPD3048-S	893	26
SPD3048-V	414	26
SPD3048-Z	392	26
SPD3236-S	696	26
SPD3236-V	450	26
SPD3236-Z	426	26
SPD3242-S	696	26
SPD3242-V	466	26
SPD3242-Z	445	26
SPD3248-S	903	26
SPD3248-V	482	26
SPD3248-Z	458	26
SPD3636-S	900	26
SPD3636-V	463	26
SPD3636-Z	443	26
SPD3642-S	1033	26
SPD3642-V	482	26
SPD3642-Z	458	26
SPD3648-S	1172	26
SPD3648-V	495	26
SPD3648-Z	474	26
SPL1224S	218	27
SPL1224V	142	27
SPL1224Z	130	27
SPL1236S	306	27
SPL1236V	155	27
SPL1236Z	144	27
SPL1242S	338	27
SPL1242V	183	27
SPL1242Z	149	27
SPL1248S	344	27
SPL1248V	189	27
SPL1248Z	184	27
SPL1530S	239	27
SPL1530V	145	27
SPL1530Z	142	27
SPL1536S	319	27
SPL1536V	165	27
SPL1536Z	155	27
SPL1542S	349	27
SPL1542V	189	27
SPL1542Z	183	27
SPL1548S	356	27
SPL1548V	200	27
SPL1548Z	189	27
SPL1630S	240	27
SPL1630V	155	27
SPL1630Z	147	27
SPL1636S	278	27
SPL1636V	172	27
SPL1636Z	165	27
SPL1642S	322	27
SPL1642V	196	27
SPL1642Z	185	27
SPL1648S	365	27
SPL1648V	205	27
SPL1648Z	200	27
SPL1830S	265	27
SPL1830V	159	27
SPL1830Z	149	27
SPL1836S	308	27
SPL1836V	177	27
SPL1836Z	166	27
SPL1842S	356	27
SPL1842V	196	27
SPL1842Z	185	27
SPL1848S	406	27
SPL1848V	205	27
SPL1848Z	200	27
SPL2130S	293	27
SPL2130V	172	27
SPL2130Z	165	27
SPL2136S	344	27
SPL2136V	189	27
SPL2136Z	183	27
SPL2142S	392	27
SPL2142V	204	27
SPL2142Z	196	27
SPL2148S	443	27
SPL2148V	218	27
SPL2148Z	207	27
SPL2430S	376	27
SPL2430V	196	27
SPL2430Z	185	27
SPL2436S	443	27
SPL2436V	200	27
SPL2436Z	189	27
SPL2442S	512	27
SPL2442V	242	27
SPL2442Z	232	27
SPL2448S	566	27
SPL2448V	252	27
SPL2448Z	240	27
SPL3030S	445	27

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
SPL3030V	239	27
SPL3030Z	218	27
SPL3036S	514	27
SPL3036V	242	27
SPL3036Z	232	27
SPL3042S	600	27
SPL3042V	272	27
SPL3042Z	265	27
SPL3048S	664	27
SPL3048V	299	27
SPL3048Z	283	27
SPL3236S	522	27
SPL3236V	256	27
SPL3236Z	245	27
SPL3242S	522	27
SPL3242V	303	27
SPL3242Z	284	27
SPL3248S	678	27
SPL3248V	317	27
SPL3248Z	304	27
SPL3636S	676	27
SPL3636V	293	27
SPL3636Z	272	27
SPL3642S	776	27
SPL3642V	309	27
SPL3642Z	299	27
SPL3648S	883	27
SPL3648V	333	27
SPL3648Z	309	27
SR10-14-5-1	1006	254
SR10-14-5-1-ND	915	256
SR10-14-9.5-1	1104	254
SR10-14-9.5-1-ND	1204	256
SR10-14-9.5-2	2329	254
SR10-14-9.5-2-ND	2273	256
SR10-14-9.5-3	3115	255
SR10-14-9.5-3-ND	2423	256
SR12-14-9.5-1	1480	254
SR12-14-9.5-1-ND	1448	256
SR12-14-9.5-2	2563	254
SR12-14-9.5-2-ND	2627	256
SR12-14-9.5-3	3759	255
SR12-14-9.5-3-ND	3615	256
SR14	134	91
SR14-10-5-1	1006	254
SR14-10-9.5-1	1438	254
SR14-12-9.5-1	1464	254
SR14-16-9.5-1	1725	254
SR14-16-9.5-1-ND	1645	256
SR14-16-9.5-2	2729	254
SR14-16-9.5-2-ND	2809	256
SR14-16-9.5-3	3836	255
SR14-16-9.5-3-ND	3876	256
SR1436C	2405	143
SR1436S	8299	143
SR1448C	2734	143
SR1448S	7352	143
SR1460C	3086	143
SR1460S	8628	143
SR1472C	3416	143
SR1472S	10392	143
SR16-14-9.5-1	1725	254
SR16-19-13.5-1	1847	254
SR16-19-13.5-1-ND	1630	256
SR16-19-13.5-2	3217	254
SR16-19-13.5-2-ND	2530	256
SR16-19-13.5-3	4218	255
SR16-19-13.5-3-ND	3492	256
SR16-19-8-1	1476	254
SR16-19-8-1-ND	1482	256
SR16-19-8-2	3063	254
SR16-19-8-2-ND	2236	256
SR16-19-8-3	3984	255
SR16-19-8-3-ND	3147	256
SR18-24-13.5-1	1958	254
SR18-24-13.5-1-ND	1738	256
SR18-24-13.5-2	3686	254
SR18-24-13.5-2-ND	3038	256
SR18-24-13.5-3	5116	255
SR18-24-13.5-3-ND	4196	256
SR19-16-13.5-1	1847	254
SR19-16-8-1	1725	254
SR20-12-6.5-1	1862	254
SR22-22-13.5-1	3099	254
SR22-22-13.5-1-ND	2999	256
SR22-22-13.5-2	5518	254
SR22-22-13.5-2-ND	5576	256
SR24	143	91
SR24-18-13.5-1	1797	254
SR24-24-13.5-1	2355	254
SR24-24-13.5-1-ND	1903	256
SR24-24-13.5-2	4974	254
SR24-24-13.5-2-ND	3209	256
SRU14-10-5-1	1894	254
SS1424G	289	7
SS1424S	485	7
SS1424V	319	7
SS1424VG	319	7
SS1430G	297	7
SS1430S	499	7
SS1430V	326	7
SS1430VG	326	7
SS1436G	308	7
SS1436S	499	7
SS1436V	337	7
SS1436VG	337	7
SS1442G	319	7
SS1442S	599	7
SS1442V	350	7
SS1442VG	350	7
SS1448G	325	7
SS1448S	599	7
SS1448V	355	7
SS1448VG	355	7
SS1454G	349	7
SS1454S	655	7
SS1454V	386	7
SS1454VG	386	7
SS1460G	350	7
SS1460S	720	7
SS1460V	396	7
SS1460VG	396	7
SS1824G	287	7
SS1824S	548	7
SS1824V	326	7
SS1824VG	326	7
SS1830G	303	7
SS1830S	560	7
SS1830V	330	7
SS1830VG	330	7
SS1836G	307	7
SS1836S	560	7
SS1836V	344	7
SS1836VG	344	7
SS1842G	327	7
SS1842S	686	7
SS1842V	358	7
SS1842VG	358	7
SS1848G	330	7
SS1848S	686	7
SS1848V	367	7
SS1848VG	367	7
SS1854G	356	7
SS1854S	776	7
SS1854V	396	7
SS1854VG	396	7
SS1860G	366	7
SS1860S	822	7
SS1860V	404	7
SS1860VG	404	7
SS2124G	308	7
SS2124S	612	7
SS2124V	343	7
SS2124VG	343	7
SS2130G	319	7
SS2130S	626	7
SS2130V	353	7
SS2130VG	353	7
SS2136G	340	7
SS2136S	626	7
SS2136V	372	7
SS2136VG	372	7
SS2142G	344	7
SS2142S	784	7
SS2142V	386	7
SS2142VG	386	7
SS2148G	355	7
SS2148S	784	7
SS2148V	393	7
SS2148VG	393	7
SS2154G	384	7
SS2154S	815	7
SS2154V	429	7
SS2154VG	429	7
SS2160G	384	7
SS2160S	960	7
SS2160V	432	7
SS2160VG	432	7
SS2424G	309	7
SS2424S	660	7
SS2424V	344	7
SS2424VG	344	7
SS2430G	325	7
SS2430S	672	7
SS2430V	353	7
SS2430VG	353	7
SS2436G	342	7
SS2436S	672	7
SS2436V	376	7
SS2436VG	376	7
SS2442G	353	7
SS2442S	820	7
SS2442V	395	7
SS2442VG	395	7
SS2448G	366	7
SS2448S	820	7
SS2448V	403	7
SS2448VG	403	7
SS2454G	393	7
SS2454S	919	7
SS2454V	437	7
SS2454VG	437	7
SS2460G	403	7
SS2460S	964	7
SS2460V	452	7
SS2460VG	452	7
SSD14-C	48	49
SSD14-S	155	49
SSD18-C	55	49
SSD18-S	160	49
SSD21-C	60	49
SSD21-S	189	49
SSD24-C	66	49
SSD24-S	194	49
SSD30-C	92	49
SSD30-S	240	49
SSD36-C	109	49
SSD36-S	283	49
SSW1824C	129	94
SSW1830C	155	94
SSW1836C	173	94
SSW1842C	206	94
SSW1848C	217	94
SSW1860C	276	94
SSW18B3-C	188	94
SSW18B5-C	219	94
ST1836Z-13	627	170
STR2430A	907	45
STR2430B	1383	45
STR2448A	1084	45
STR2448B	1677	45
SWC2448C	2305	157
SWC2460C	2480	157
SWS1224-14/3	633	92
SWS1224-16/3	597	92
SWS1224-16/4	498	92
SWS1236-14/3	807	92
SWS1236-16/3	756	92
SWS1236-16/4	539	92
SWS1248-14/3	899	92
SWS1248-16/3	836	92
SWS1248-16/4	660	92
SWS1260-14/3	974	92
SWS1260-16/3	914	92
SWS1260-16/4	700	92
SWS1272-14/3	1233	92
SWS1272-16/3	1125	92
SWS1272-16/4	869	92
SWS1524-14/3	712	92
SWS1524-14/304-VMAR	923	92
SWS1524-14/316-VMAR	1029	92
SWS1524-16/3	654	92
SWS1524-16/304-VMAR	907	92
SWS1524-16/4	539	92
SWS1524-16/430-VMAR	807	92
SWS1536-14/3	877	92
SWS1536-14/304-VMAR	966	92
SWS1536-14/316-VMAR	1192	92
SWS1536-16/3	782	92

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
SWS1536-16/304-VMAR	1008	92
SWS1536-16/4	554	92
SWS1536-16/430-VMAR	875	92
SWS1548-14/3	1069	92
SWS1548-14/304-VMAR	1255	92
SWS1548-14/316-VMAR	1480	92
SWS1548-16/3	947	92
SWS1548-16/304-VMAR	1206	92
SWS1548-16/4	665	92
SWS1548-16/430-VMAR	1030	92
SWS1560-14/3	1097	92
SWS1560-14/304-VMAR	1396	92
SWS1560-14/316-VMAR	1664	92
SWS1560-16/3	1040	92
SWS1560-16/304-VMAR	1325	92
SWS1560-16/4	725	92
SWS1560-16/430-VMAR	1108	92
SWS1572-14/3	1463	92
SWS1572-14/304-VMAR	1653	92
SWS1572-14/316-VMAR	1948	92
SWS1572-16/3	1294	92
SWS1572-16/304-VMAR	1549	92
SWS1572-16/4	886	92
SWS1572-16/430-VMAR	1304	92
T24108B	4576	186
T24108B-BS	5210	194
T24108E	4787	186
T24108E-BS	5766	194
T24108EB	4888	186
T24108EB-BS	5578	194
T24108EM	5982	186
T24108EM-BS	7019	194
T24108GTB	4655	188
T24108GTB-BS	5294	196
T24108GTE	5636	188
T24108GTE-BS	5845	196
T24108GTEB	5122	188
T24108GTEB-BS	5660	196
T24108GTEM	6228	188
T24108GTEM-BS	7489	196
T24108SB	5933	187
T24108SB-BS	6210	195
T24108SE	6966	187
T24108SE-BS	7707	195
T24108SEB	6185	187
T24108SEB-BS	7180	195
T24108SEM	7527	187
T24108SEM-BS	8438	195
T24108STB	5992	189
T24108STB-BS	6693	197
T24108STE	7217	189
T24108STE-BS	7716	197
T24108STEB	6666	189
T24108STEB-BS	7209	197
T24108STEM	7763	189
T24108STEM-BS	8676	197
T24120B	4703	186
T24120B-BS	5349	194
T24120E	5273	186
T24120E-BS	5888	194
T24120EB	5029	186
T24120EB-BS	5705	194
T24120EM	6119	186
T24120EM-BS	7378	194
T24120GTB	4822	188
T24120GTB-BS	5589	196
T24120GTE	5695	188
T24120GTE-BS	6140	196
T24120GTEB	5267	188
T24120GTEB-BS	5964	196
T24120GTEM	6364	188
T24120GTEM-BS	7620	196
T24120SB	6073	187
T24120SB-BS	6788	195
T24120SE	7107	187
T24120SE-BS	7839	195
T24120SEB	6567	187
T24120SEB-BS	7320	195
T24120SEM	7667	187
T24120SEM-BS	8575	195
T24120STB	6308	189
T24120STB-BS	7030	197
T24120STE	7353	189
T24120STE-BS	8089	197
T24120STEB	6815	189
T24120STEB-BS	7566	197
T24120STEM	7912	189
T24120STEM-BS	8826	197
T24132B	4728	186
T24132B-BS	5480	194
T24132E	5549	186
T24132E-BS	6033	194
T24132EB	5118	186
T24132EB-BS	5714	194
T24132EM	6565	186
T24132EM-BS	7626	194
T24132GTB	4939	188
T24132GTB-BS	5705	196
T24132GTE	5774	188
T24132GTE-BS	6270	196
T24132GTEB	5372	188
T24132GTEB-BS	6084	196
T24132GTEM	6812	188
T24132GTEM-BS	8106	196
T24132SB	6207	187
T24132SB-BS	6910	195
T24132SE	7344	187
T24132SE-BS	8086	195
T24132SEB	6758	187
T24132SEB-BS	7750	195
T24132SEM	8269	187
T24132SEM-BS	9165	195
T24132STB	6442	189
T24132STB-BS	7144	197
T24132STE	7586	189
T24132STE-BS	8338	197
T24132STEB	6997	197
T24132STEB-BS	7770	189
T24132STEM	8510	189
T24132STEM-BS	9415	197
T24144B	4732	186
T24144B-BS	5774	194
T24144E	5567	186
T24144E-BS	6359	194
T24144EB	5273	186
T24144EB-BS	6158	194
T24144EM	6708	186
T24144EM-BS	7773	194
T24144GTB	4960	188
T24144GTB-BS	5843	196
T24144GTE	5795	188
T24144GTE-BS	6418	196
T24144GTEB	5515	188
T24144GTEB-BS	6260	196
T24144GTEM	6956	188
T24144GTEM-BS	8248	196
T24144SB	6530	187
T24144SB-BS	7260	195
T24144SE	7707	187
T24144SE-BS	8478	195
T24144SEB	6895	187
T24144SEB-BS	7898	195
T24144SEM	8416	187
T24144SEM-BS	9312	195
T24144STB	6580	189
T24144STB-BS	7282	197
T24144STE	7729	189
T24144STE-BS	8478	197
T24144STEB	7142	189
T24144STEB-BS	8145	197
T24144STEM	8655	189
T24144STEM-BS	9562	197
T2424B	1432	186
T2424B-BS	1966	194
T2424E	1659	186
T2424E-BS	2203	194
T2424EB	1577	186
T2424EB-BS	2145	194
T2424EM	2766	186
T2424EM-BS	3697	194
T2424GTB	1673	188
T2424GTB-BS	2208	196
T2424GTE	1899	188
T2424GTE-BS	2450	196
T2424GTEB	1828	188
T2424GTEB-BS	2393	196
T2424GTEM	3019	188
T2424GTEM-BS	4054	196
T2424SB	2008	187
T2424SB-BS	2699	195
T2424SE	2312	187
T2424SE-BS	2975	195
T2424SEB	2144	187
T2424SEB-BS	2818	195
T2424SEM	3454	187
T2424SEM-BS	4353	195
T2424STB	2245	189
T2424STB-BS	2942	197
T2424STE	2560	189
T2424STE-BS	3217	197
T2424STEB	2392	189
T2424STEB-BS	3066	197
T2424STEM	3699	189
T2424STEM-BS	4599	197
T2430B	1550	186
T2430B-BS	2104	194
T2430E	1834	186
T2430E-BS	2392	194
T2430EB	1722	186
T2430EB-BS	2322	194
T2430EM	2964	186
T2430EM-BS	4006	194
T2430GTB	1795	188
T2430GTB-BS	2339	196
T2430GTE	2080	188
T2430GTE-BS	2629	196
T2430GTEB	1970	188
T2430GTEB-BS	2576	196
T2430GTEM	3205	188
T2430GTEM-BS	4265	196
T2430SB	2189	187
T2430SB-BS	2909	195
T2430SE	2566	187
T2430SE-BS	3236	195
T2430SEB	2359	187
T2430SEB-BS	3030	195
T2430SEM	3703	187
T2430SEM-BS	4600	195
T2430STB	2432	189
T2430STB-BS	3149	197
T2430STE	2812	189
T2430STE-BS	3486	197
T2430STEB	2610	189
T2430STEB-BS	3284	197
T2430STEM	3956	189
T2430STEM-BS	4858	197
T2436B	1686	186
T2436B-BS	2229	194
T2436E	1963	186
T2436E-BS	2522	194
T2436EB	1850	186
T2436EB-BS	2453	194
T2436EBW	1729	46,204
T2436EBW-1	2153	46,204
T2436EBW-2	2359	46,204
T2436EM	3095	186
T2436EM-BS	4025	194
T2436EW	1897	46,204
T2436EW-1	2318	46,204
T2436EW-2	2528	46,204
T2436GTB	1926	188
T2436GTB-BS	2476	196
T2436GTE	2207	188
T2436GTE-BS	2765	196
T2436GTEB	2099	188
T2436GTEB-BS	2699	196
T2436GTEM	3340	188
T2436GTEM-BS	4388	196
T2436SB	2315	187
T2436SB-BS	3036	195
T2436SE	2697	187
T2436SE-BS	3438	195
T2436SEB	2489	187
T2436SEB-BS	3173	195
T2436SEM	3836	187
T2436SEM-BS	4740	195
T2436STB	2556	189
T2436STB-BS	3277	197
T2436STE	2944	189
T2436STE-BS	3620	197
T2436STEB	2742	189
T2436STEB-BS	3415	197
T2436STEM	4086	189
T2436STEM-BS	4985	197
T2448B	1719	186
T2448B-BS	2242	194
T2448E	1998	186
T2448E-BS	2578	194
T2448EB	1880	186
T2448EB-BS	2506	194

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
T2448EBW	1877	46,204
T2448EBW-1	2414	46,204
T2448EBW-2	2660	46,204
T2448EM	3145	186
T2448EM-BS	4206	194
T2448EW	2177	46,204
T2448EW-1	2638	46,204
T2448EW-2	2889	46,204
T2448F	1275	206
T2448F-US	1536	206
T2448F-USS	1665	206
T2448GTB	1955	188
T2448GTB-BS	2480	196
T2448GTE	2252	188
T2448GTE-BS	2827	196
T2448GTEB	2130	188
T2448GTEB-BS	2749	196
T2448GTEM	3396	188
T2448GTEM-BS	4453	196
T2448SB	2382	187
T2448SB-BS	3099	195
T2448SE	2812	187
T2448SE-BS	3516	195
T2448SE-BS-HA	10950	205
T2448SE-HA	9663	205
T2448SEB	2578	187
T2448SEB-BS	3283	195
T2448SEB-BS-HA	10107	205
T2448SEB-HA	9443	205
T2448SEM	3956	187
T2448SEM-BS	4862	195
T2448STB	2617	189
T2448STB-BS	3339	197
T2448STE	3058	189
T2448STE-BS	3753	197
T2448STEB	2827	189
T2448STEB-BS	3525	197
T2448STEM	4099	189
T2448STEM-BS	5097	197
T2460B	1810	186
T2460B-BS	2393	194
T2460E	2189	186
T2460E-BS	2766	194
T2460EB	2040	186
T2460EB-BS	2688	194
T2460EBW	2200	46,204
T2460EBW-1	2725	46,204
T2460EBW-2	2993	46,204
T2460EM	3328	186
T2460EM-BS	4284	194
T2460EW	2503	46,204
T2460EW-1	2982	46,204
T2460EW-2	3250	46,204
T2460F	1343	206
T2460F-US	1659	206
T2460F-USS	1809	206
T2460GTB	2053	188
T2460GTB-BS	2633	196
T2460GTE	2432	188
T2460GTE-BS	3019	196
T2460GTEB	2285	188
T2460GTEB-BS	2932	196
T2460GTEM	3578	188
T2460GTEM-BS	4649	196
T2460SB	2572	187
T2460SB-BS	3287	195
T2460SE	3066	187
T2460SE-BS	3776	195
T2460SE-BS-HA	11200	205
T2460SE-HA	9900	205
T2460SEB	2808	187
T2460SEB-BS	3525	195
T2460SEB-BS-HA	10340	205
T2460SEB-HA	9655	205
T2460SEM	4206	187
T2460SEM-BS	5107	195
T2460STB	2808	189
T2460STB-BS	3523	197
T2460STE	3314	189
T2460STE-BS	4026	197
T2460STEB	3049	189
T2460STEB-BS	3773	197
T2460STEM	4453	189
T2460STEM-BS	5358	197
T2472B	1939	186
T2472B-BS	2528	194
T2472E	2374	186
T2472E-BS	2972	194
T2472EB	2207	186
T2472EB-BS	2869	194
T2472EM	3532	186
T2472EM-BS	4486	194
T2472F	1532	206
T2472F-US	1758	206
T2472F-USS	1943	206
T2472GTB	2183	188
T2472GTB-BS	2769	196
T2472GTE	2615	188
T2472GTE-BS	3209	196
T2472GTEB	2456	188
T2472GTEB-BS	3118	196
T2472GTEM	3789	188
T2472GTEM-BS	4867	196
T2472SB	2758	187
T2472SB-BS	3482	195
T2472SE	3320	187
T2472SE-BS	4053	195
T2472SE-BS-HA	11462	205
T2472SE-HA	10145	205
T2472SEB	3029	187
T2472SEB-BS	3773	195
T2472SEB-BS-HA	10569	205
T2472SEB-HA	9867	205
T2472SEM	4466	187
T2472SEM-BS	5359	195
T2472STB	2999	189
T2472STB-BS	3725	197
T2472STE	3573	189
T2472STE-BS	4294	197
T2472STEB	3283	189
T2472STEB-BS	4020	197
T2472STEM	4723	189
T2472STEM-BS	5615	197
T2484B	2475	186
T2484B-BS	3099	194
T2484E	3233	186
T2484E-BS	3776	194
T2484EB	3156	186
T2484EB-BS	3650	194
T2484EM	4312	186
T2484EM-BS	5280	194
T2484GTB	2709	188
T2484GTB-BS	3339	196
T2484GTE	3485	188
T2484GTE-BS	4026	196
T2484GTEB	3412	188
T2484GTEB-BS	3906	196
T2484GTEM	4563	188
T2484GTEM-BS	5687	196
T2484SB	3406	187
T2484SB-BS	4127	195
T2484SE	4539	187
T2484SE-BS	5185	195
T2484SEB	4166	187
T2484SEB-BS	4838	195
T2484SEM	5510	187
T2484SEM-BS	6399	195
T2484STB	3640	189
T2484STB-BS	4359	197
T2484STE	4778	189
T2484STE-BS	5432	197
T2484STEB	4420	189
T2484STEB-BS	5085	197
T2484STEM	5756	189
T2484STEM-BS	6643	197
T2496B	2812	186
T2496B-BS	3458	194
T2496E	3473	186
T2496E-BS	4029	194
T2496EB	3386	186
T2496EB-BS	3938	194
T2496EM	4560	186
T2496EM-BS	5538	194
T2496GTB	3049	188
T2496GTB-BS	3698	196
T2496GTE	3708	188
T2496GTE-BS	4277	196
T2496GTEB	3637	188
T2496GTEB-BS	4144	196
T2496GTEM	4800	188
T2496GTEM-BS	5962	196
T2496SB	3655	187
T2496SB-BS	4374	195
T2496SE	4867	187
T2496SE-BS	5532	195
T2496SEB	4455	187
T2496SEB-BS	5152	195
T2496SEM	5825	187
T2496SEM-BS	6717	195
T2496STB	3900	189
T2496STB-BS	4615	197
T2496STE	5109	189
T2496STE-BS	5776	197
T2496STEB	4715	189
T2496STEB-BS	5389	197
T2496STEM	6194	189
T2496STEM-BS	6969	197
T30108B	4620	186
T30108B-BS	5488	194
T30108E	5452	186
T30108E-BS	6063	194
T30108EB	5180	186
T30108EB-BS	5864	194
T30108EM	6433	186
T30108EM-BS	7509	194
T30108GTB	4872	188
T30108GTB-BS	5738	196
T30108GTE	5692	188
T30108GTE-BS	6308	196
T30108GTEB	5419	188
T30108GTEB-BS	5944	196
T30108GTEM	6680	188
T30108GTEM-BS	7974	196
T30108SB	6294	187
T30108SB-BS	7016	195
T30108SE	7443	187
T30108SE-BS	8180	195
T30108SEB	6873	187
T30108SEB-BS	7608	195
T30108SEM	8140	187
T30108SEM-BS	9044	195
T30108STB	6530	189
T30108STB-BS	7260	197
T30108STE	7687	189
T30108STE-BS	8427	197
T30108STEB	7116	189
T30108STEB-BS	7769	197
T30108STEM	8388	189
T30108STEM-BS	9296	197
T30120B	4774	186
T30120B-BS	5638	194
T30120E	5598	186
T30120E-BS	6210	194
T30120EB	5332	186
T30120EB-BS	6018	194
T30120EM	6577	186
T30120EM-BS	7649	194
T30120GTB	5014	188
T30120GTB-BS	5872	196
T30120GTE	5843	188
T30120GTE-BS	6455	196
T30120GTEB	5574	188
T30120GTEB-BS	6269	196
T30120GTEM	6830	188
T30120GTEM-BS	8117	196
T30120SB	6439	187
T30120SB-BS	7162	195
T30120SE	7594	187
T30120SE-BS	8328	195
T30120SEB	7018	187
T30120SEB-BS	7760	195
T30120SEM	8285	187
T30120SEM-BS	9189	195
T30120STB	6680	189
T30120STB-BS	7406	197
T30120STE	7837	189
T30120STE-BS	8582	197
T30120STEB	7269	189
T30120STEB-BS	7856	197
T30120STEM	8529	189
T30120STEM-BS	9448	197
T30132B	5014	186
T30132B-BS	5972	194
T30132E	5783	186
T30132E-BS	6596	194
T30132EB	5626	186
T30132EB-BS	6364	194
T30132EM	6964	186
T30132EM-BS	8054	194
T30132GTB	5097	188

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
T30132GTB-BS	6207	196
T30132GTE	6028	188
T30132GTE-BS	6643	196
T30132GTEB	5716	188
T30132GTEB-BS	6429	196
T30132GTEM	7210	188
T30132GTEM-BS	8529	196
T30132SB	6839	187
T30132SB-BS	7560	195
T30132SE	8145	187
T30132SE-BS	8920	195
T30132SEB	7500	187
T30132SEB-BS	8285	195
T30132SEM	8830	187
T30132SEM-BS	9739	195
T30132STB	6876	189
T30132STB-BS	7580	197
T30132STE	8160	189
T30132STE-BS	9169	197
T30132STEB	7527	189
T30132STEB-BS	8529	197
T30132STEM	9085	189
T30132STEM-BS	9994	197
T30144B	5162	186
T30144B-BS	6110	194
T30144E	6104	186
T30144E-BS	6747	194
T30144EB	5666	186
T30144EB-BS	6515	194
T30144EM	7112	186
T30144EM-BS	8186	194
T30144GTB	5393	188
T30144GTB-BS	6364	196
T30144GTE	6347	188
T30144GTE-BS	6789	196
T30144GTEB	6036	188
T30144GTEB-BS	6573	196
T30144GTEM	7358	188
T30144GTEM-BS	8685	196
T30144SB	6983	187
T30144SB-BS	7704	195
T30144SE	8296	187
T30144SE-BS	9062	195
T30144SEB	7653	187
T30144SEB-BS	8433	195
T30144SEM	8978	187
T30144SEM-BS	9895	195
T30144STB	7222	189
T30144STB-BS	7710	197
T30144STE	8544	189
T30144STE-BS	9314	197
T30144STEB	7894	189
T30144STEB-BS	8685	197
T30144STEM	9230	189
T30144STEM-BS	10142	197
T3030B	1597	186
T3030B-BS	2142	194
T3030E	1897	186
T3030E-BS	2456	194
T3030EB	1784	186
T3030EB-BS	2392	194
T3030EM	3030	186
T3030EM-BS	3932	194
T3030GTB	1838	188
T3030GTB-BS	2383	196
T3030GTE	2144	188
T3030GTE-BS	2699	196
T3030GTEB	2029	188
T3030GTEB-BS	2629	196
T3030GTEM	3284	188
T3030GTEM-BS	4320	196
T3030SB	2278	187
T3030SB-BS	3032	195
T3030SE	2720	187
T3030SE-BS	3398	195
T3030SEB	2507	187
T3030SEB-BS	3182	195
T3030SEM	3863	187
T3030SEM-BS	4760	195
T3030STB	2549	189
T3030STB-BS	3276	197
T3030STE	2972	189
T3030STE-BS	3645	197
T3030STEB	2753	189
T3030STEB-BS	3428	197
T3030STEM	4110	189
T3030STEM-BS	5008	197
T3036B	1725	186
T3036B-BS	2272	194
T3036BA-BS-HGD	3304	200
T3036BA-BS-SLD	3634	200
T3036E	2026	186
T3036E-BS	2587	194
T3036EB	1912	186
T3036EB-BS	2522	194
T3036EBW	1915	46,204
T3036EBW-1	2338	46,204
T3036EBW-2	2544	46,204
T3036EM	3173	186
T3036EM-BS	3956	194
T3036EW	2145	46,204
T3036EW-1	2577	46,204
T3036EW-2	2785	46,204
T3036GTB	1962	188
T3036GTB-BS	2507	196
T3036GTE	2273	188
T3036GTE-BS	2838	196
T3036GTEB	2165	188
T3036GTEB-BS	2765	196
T3036GTEM	3415	188
T3036GTEM-BS	4453	196
T3036SB	2438	187
T3036SB-BS	3160	195
T3036SE	2855	187
T3036SE-BS	3530	195
T3036SEB	2633	187
T3036SEB-BS	3314	195
T3036SEM	3994	187
T3036SEM-BS	4894	195
T3036STB	2678	189
T3036STB-BS	3404	197
T3036STE	3103	189
T3036STE-BS	3785	197
T3036STEB	2880	189
T3036STEB-BS	3564	197
T3036STEM	4240	189
T3036STEM-BS	5145	197
T3048B	1749	186
T3048B-BS	2309	194
T3048BA-BS-HGD	3525	200
T3048BA-BS-SLD	3877	200
T3048E	2107	186
T3048E-BS	2687	194
T3048EB	1970	186
T3048EB-BS	2599	194
T3048EBW	2162	46,204
T3048EBW-1	2627	46,204
T3048EBW-2	2873	46,204
T3048EM	3250	186
T3048EM-BS	4318	194
T3048EW	2463	46,204
T3048EW-1	2917	46,204
T3048EW-2	3180	46,204
T3048F	1398	206
T3048F-US	1577	206
T3048F-USS	1698	206
T3048GTB	1996	188
T3048GTB-BS	2542	196
T3048GTE	2355	188
T3048GTE-BS	2926	196
T3048GTEB	2208	188
T3048GTEB-BS	2847	196
T3048GTEM	3499	188
T3048GTEM-BS	4565	196
T3048SB	2534	187
T3048SB-BS	3266	195
T3048SE	3028	187
T3048SE-BS	3708	195
T3048SE-BS-HA	11137	205
T3048SE-HA	9864	205
T3048SEB	2766	187
T3048SEB-BS	3458	195
T3048SEB-BS-HA	10280	205
T3048SEB-HA	9617	205
T3048SEM	4154	187
T3048SEM-BS	5059	195
T3048STB	2778	189
T3048STB-BS	3495	197
T3048STE	3277	189
T3048STE-BS	3984	197
T3048STEB	3019	189
T3048STEB-BS	3705	197
T3048STEM	4416	189
T3048STEM-BS	5317	197
T3060B	1912	186
T3060B-BS	2480	194
T3060BA-BS-HGD	3783	200
T3060BA-BS-SLD	4153	162
T3060E	2322	186
T3060E-BS	2909	194
T3060EB	2165	186
T3060EB-BS	2812	194
T3060EBW	2503	46,204
T3060EBW-1	2982	46,204
T3060EBW-2	3248	46,204
T3060EM	3486	186
T3060EM-BS	4569	194
T3060EW	2848	46,204
T3060EW-1	3333	46,204
T3060EW-2	3606	46,204
T3060F	1497	206
T3060F-US	1700	206
T3060F-USS	1839	206
T3060GTB	2154	188
T3060GTB-BS	2717	196
T3060GTE	2576	188
T3060GTE-BS	3153	196
T3060GTEB	2414	188
T3060GTEB-BS	3058	196
T3060GTEM	3736	188
T3060GTEM-BS	4812	196
T3060SB	2775	187
T3060SB-BS	3494	195
T3060SE	3328	187
T3060SE-BS	4037	195
T3060SE-BS-HA	11449	205
T3060SE-HA	10152	205
T3060SEB	3049	187
T3060SEB-BS	3766	195
T3060SEB-BS-HA	10566	205
T3060SEB-HA	9889	205
T3060SEM	4467	187
T3060SEM-BS	5370	195
T3060STB	3019	189
T3060STB-BS	3736	197
T3060STE	3603	189
T3060STE-BS	4293	197
T3060STEB	3293	189
T3060STEB-BS	4014	197
T3060STEM	4725	189
T3060STEM-BS	5452	197
T3072B	2078	186
T3072B-BS	2645	194
T3072E	2539	186
T3072E-BS	3145	194
T3072EB	2374	186
T3072EB-BS	3036	194
T3072EM	3722	186
T3072EM-BS	4675	194
T3072F	1587	206
T3072F-US	1815	206
T3072F-USS	1982	206
T3072GTB	2312	188
T3072GTB-BS	2885	196
T3072GTE	2788	188
T3072GTE-BS	3396	196
T3072GTEB	2615	188
T3072GTEB-BS	3288	196
T3072GTEM	3970	188
T3072GTEM-BS	5060	196
T3072SB	3005	187
T3072SB-BS	3714	195
T3072SE	3645	187
T3072SE-BS	4370	195
T3072SE-BS-HA	11764	205
T3072SE-HA	10452	205
T3072SEB	3320	187
T3072SEB-BS	4058	195
T3072SEB-BS-HA	10844	205
T3072SEB-HA	10145	205
T3072SEM	4938	187
T3072SEM-BS	5678	195
T3072STB	3245	189
T3072STB-BS	3970	197
T3072STE	3895	189
T3072STE-BS	4616	197
T3072STEB	3573	189
T3072STEB-BS	4312	197
T3072STEM	5185	189
T3072STEM-BS	5932	197

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
T3084B	2593	186
T3084B-BS	3244	194
T3084E	3412	186
T3084E-BS	3956	194
T3084EB	3207	186
T3084EB-BS	3819	194
T3084EM	4499	186
T3084EM-BS	5639	194
T3084GTB	2830	188
T3084GTB-BS	3488	196
T3084GTE	3653	188
T3084GTE-BS	4205	196
T3084GTEB	3455	188
T3084GTEB-BS	4066	196
T3084GTEM	4748	188
T3084GTEM-BS	5886	196
T3084SB	3530	187
T3084SB-BS	4252	195
T3084SE	4742	187
T3084SE-BS	5386	195
T3084SEB	4353	187
T3084SEB-BS	5019	195
T3084SEM	5699	187
T3084SEM-BS	6604	195
T3084STB	3783	189
T3084STB-BS	4493	197
T3084STE	4988	189
T3084STE-BS	5636	197
T3084STEB	4599	189
T3084STEB-BS	5259	197
T3084STEM	5962	189
T3084STEM-BS	6855	197
T3096B	3004	186
T3096B-BS	3667	194
T3096E	3727	186
T3096E-BS	4289	194
T3096EB	3495	186
T3096EB-BS	4142	194
T3096EM	4814	186
T3096EM-BS	5993	194
T3096GTB	3244	188
T3096GTB-BS	3906	196
T3096GTE	3976	188
T3096GTE-BS	4528	196
T3096GTEB	3740	188
T3096GTEB-BS	4387	196
T3096GTEM	5066	188
T3096GTEM-BS	6255	196
T3096SB	3958	187
T3096SB-BS	4676	195
T3096SE	5252	187
T3096SE-BS	5927	195
T3096SEB	4812	187
T3096SEB-BS	5510	195
T3096SEM	5932	187
T3096SEM-BS	7094	195
T3096STB	4192	189
T3096STB-BS	4922	197
T3096STE	5510	189
T3096STE-BS	6167	197
T3096STEB	5060	189
T3096STEB-BS	5756	197
T3096STEM	6177	189
T3096STEM-BS	7349	197
T36108B	5576	186
T36108B-BS	6478	194
T36108E	6364	186
T36108E-BS	7112	194
T36108EB	6218	186
T36108EB-BS	6880	194
T36108EM	7433	186
T36108EM-BS	8544	194
T36108GTB	5638	188
T36108GTB-BS	6523	196
T36108GTE	6616	188
T36108GTE-BS	7358	196
T36108GTEB	6277	188
T36108GTEB-BS	6926	196
T36108GTEM	7686	188
T36108GTEM-BS	9040	196
T36108SB	7487	187
T36108SB-BS	8215	195
T36108SE	8650	187
T36108SE-BS	9544	195
T36108SEB	8164	187
T36108SEB-BS	8882	195
T36108SEM	9383	187
T36108SEM-BS	10260	195
T36108STB	7516	189
T36108STB-BS	8455	197
T36108STE	8894	189
T36108STE-BS	9796	197
T36108STEB	8322	189
T36108STEB-BS	8867	197
T36108STEM	9626	189
T36108STEM-BS	10517	197
T36120B	5699	186
T36120B-BS	6620	194
T36120E	6515	186
T36120E-BS	7260	194
T36120EB	6364	186
T36120EB-BS	7025	194
T36120EM	7582	186
T36120EM-BS	8685	194
T36120GTB	5945	188
T36120GTB-BS	6856	196
T36120GTE	6764	188
T36120GTE-BS	7510	196
T36120GTEB	6616	188
T36120GTEB-BS	7277	196
T36120GTEM	7834	188
T36120GTEM-BS	9184	196
T36120SB	7639	187
T36120SB-BS	8358	195
T36120SE	8799	187
T36120SE-BS	9697	195
T36120SEB	8306	187
T36120SEB-BS	9020	195
T36120SEM	9518	187
T36120SEM-BS	10414	195
T36120STB	7875	189
T36120STB-BS	8599	197
T36120STE	9044	189
T36120STE-BS	9936	197
T36120STEB	8564	189
T36120STEB-BS	9277	197
T36120STEM	9769	189
T36120STEM-BS	10664	197
T36132B	5843	186
T36132B-BS	6800	194
T36132E	6804	186
T36132E-BS	7707	194
T36132EB	6577	186
T36132EB-BS	7233	194
T36132EM	8030	186
T36132EM-BS	9169	194
T36132GTB	6074	188
T36132GTB-BS	7037	196
T36132GTE	7048	188
T36132GTE-BS	7729	196
T36132GTEB	6818	188
T36132GTEB-BS	7469	196
T36132GTEM	8285	188
T36132GTEM-BS	9677	196
T36132SB	7908	187
T36132SB-BS	8859	195
T36132SE	9456	187
T36132SE-BS	10077	195
T36132SEB	8660	187
T36132SEB-BS	9365	195
T36132SEM	10172	187
T36132SEM-BS	11072	195
T36132STB	8139	189
T36132STB-BS	8833	197
T36132STE	9412	189
T36132STE-BS	10630	197
T36132STEB	9044	189
T36132STEB-BS	9617	197
T36132STEM	10412	189
T36132STEM-BS	11316	197
T36144B	6167	186
T36144B-BS	6942	194
T36144E	7153	186
T36144E-BS	7864	194
T36144EB	6720	186
T36144EB-BS	7594	194
T36144EM	8184	186
T36144EM-BS	9312	194
T36144GTB	6400	188
T36144GTB-BS	7170	196
T36144GTE	7189	188
T36144GTE-BS	7872	196
T36144GTEB	7169	188
T36144GTEB-BS	7614	196
T36144GTEM	8433	188
T36144GTEM-BS	9827	196
T36144SB	8277	187
T36144SB-BS	9014	195
T36144SE	9600	187
T36144SE-BS	10528	195
T36144SEB	9055	187
T36144SEB-BS	9514	195
T36144SEM	10322	187
T36144SEM-BS	11220	195
T36144STB	8277	189
T36144STB-BS	8972	197
T36144STE	9860	189
T36144STE-BS	10795	197
T36144STEB	9306	189
T36144STEB-BS	9754	197
T36144STEM	10564	189
T36144STEM-BS	11464	197
T3648B	2178	186
T3648B-BS	3004	194
T3648E	2469	186
T3648E-BS	3219	194
T3648EB	2396	186
T3648EB-BS	3129	194
T3648EM	3910	186
T3648EM-BS	4883	194
T3648GTB	2425	188
T3648GTB-BS	3244	196
T3648GTE	3019	188
T3648GTE-BS	3475	196
T3648GTEB	2643	188
T3648GTEB-BS	3374	196
T3648GTEM	4154	188
T3648GTEM-BS	5266	196
T3648SB	2923	187
T3648SB-BS	3640	195
T3648SE	3454	187
T3648SE-BS	4369	195
T3648SEB	3266	187
T3648SEB-BS	4066	195
T3648SEM	4852	187
T3648SEM-BS	5760	195
T3648STB	3173	189
T3648STB-BS	3877	197
T3648STE	3699	189
T3648STE-BS	4615	197
T3648STEB	3516	189
T3648STEB-BS	4318	197
T3648STEM	5096	189
T3648STEM-BS	5505	197
T3660B	2454	186
T3660B-BS	3248	194
T3660E	2766	186
T3660E-BS	3699	194
T3660EB	2688	186
T3660EB-BS	3578	194
T3660EM	4217	186
T3660EM-BS	5189	194
T3660GTB	2697	188
T3660GTB-BS	3494	196
T3660GTE	3028	188
T3660GTE-BS	3945	196
T3660GTEB	2932	188
T3660GTEB-BS	3827	196
T3660GTEM	4455	188
T3660GTEM-BS	5584	196
T3660SB	3238	187
T3660SB-BS	3958	195
T3660SE	3804	187
T3660SE-BS	4923	195
T3660SEB	3578	187
T3660SEB-BS	4589	195
T3660SEM	5218	187
T3660SEM-BS	6123	195
T3660STB	3477	189
T3660STB-BS	4192	197
T3660STE	4054	189
T3660STE-BS	5176	197
T3660STEB	3827	189
T3660STEB-BS	4827	197
T3660STEM	5469	189
T3660STEM-BS	6180	197
T3672B	2686	186
T3672B-BS	3450	194
T3672E	3017	186
T3672E-BS	3962	194

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
T3672EB	2917	186
T3672EB-BS	3826	194
T3672EM	4489	186
T3672EM-BS	5477	194
T3672GTB	2923	188
T3672GTB-BS	3575	196
T3672GTE	3266	188
T3672GTE-BS	4206	196
T3672GTEB	3156	188
T3672GTEB-BS	4067	196
T3672GTEM	4742	188
T3672GTEM-BS	5883	196
T3672SB	3540	187
T3672SB-BS	4272	195
T3672SE	4153	187
T3672SE-BS	5276	195
T3672SEB	3907	187
T3672SEB-BS	4922	195
T3672SEM	5594	187
T3672SEM-BS	6497	195
T3672STB	3785	189
T3672STB-BS	4499	197
T3672STE	4414	189
T3672STE-BS	5534	197
T3672STEB	4153	189
T3672STEB-BS	5167	197
T3672STEM	5840	189
T3672STEM-BS	6750	197
T3684B	3689	186
T3684B-BS	4074	194
T3684E	4037	186
T3684E-BS	4638	194
T3684EB	3962	186
T3684EB-BS	4478	194
T3684EM	5415	186
T3684EM-BS	6439	194
T3684GTB	3929	188
T3684GTB-BS	4317	196
T3684GTE	4319	188
T3684GTE-BS	4894	196
T3684GTEB	4206	188
T3684GTEB-BS	4734	196
T3684GTEM	5666	188
T3684GTEM-BS	6874	196
T3684SB	4894	187
T3684SB-BS	5610	195
T3684SE	5622	187
T3684SE-BS	6288	195
T3684SEB	5309	187
T3684SEB-BS	5848	195
T3684SEM	6822	187
T3684SEM-BS	7732	195
T3684STB	5139	189
T3684STB-BS	5844	197
T3684STE	5864	189
T3684STE-BS	6543	197
T3684STEB	5547	189
T3684STEB-BS	6104	197
T3684STEM	7074	189
T3684STEM-BS	7982	197
T3696B	3923	186
T3696B-BS	4580	194
T3696E	4318	186
T3696E-BS	5215	194
T3696EB	4198	186
T3696EB-BS	5036	194
T3696EM	5673	186
T3696EM-BS	6700	194
T3696GTB	4117	188
T3696GTB-BS	4664	196
T3696GTE	4565	188
T3696GTE-BS	5466	196
T3696GTEB	4444	188
T3696GTEB-BS	5276	196
T3696GTEM	5930	188
T3696GTEM-BS	7148	196
T3696SB	5275	187
T3696SB-BS	5987	195
T3696SE	6045	187
T3696SE-BS	6736	195
T3696SEB	5692	187
T3696SEB-BS	6260	195
T3696SEM	7239	187
T3696SEM-BS	8154	195
T3696STB	5514	189
T3696STB-BS	6236	197
T3696STE	6288	189
T3696STE-BS	6984	197
T3696STEB	5945	189
T3696STEB-BS	6512	197
T3696STEM	7498	189
T3696STEM-BS	8403	197
T48108E	15008	186
T48108EM	16938	186
T48108GTE	15247	188
T48108GTEM	17174	188
T48108SE	17153	187
T48108SEM	19082	187
T48108STE	17427	189
T48108STEM	19318	189
T48120E	15183	186
T48120EM	17074	186
T48120GTE	15417	188
T48120GTEM	17319	188
T48120SE	17304	187
T48120SEM	19222	187
T48120STE	17543	189
T48120STEM	19460	189
T48132E	16489	186
T48132EM	18392	186
T48132GTE	16739	188
T48132GTEM	18626	188
T48132SE	18605	187
T48132SEM	20522	187
T48132STE	18872	189
T48132STEM	20764	189
T48144E	16610	186
T48144EM	18537	186
T48144GTE	16877	188
T48144GTEM	18772	188
T48144SE	18744	187
T48144SEM	20666	187
T48144STE	18973	189
T48144STEM	20906	189
T4848E	5758	186
T4848EM	7670	186
T4848GTE	5995	188
T4848GTEM	7872	188
T4848SE	6674	187
T4848SEM	8594	187
T4848STE	7174	189
T4848STEM	8834	189
T4860E	6433	186
T4860EM	8352	186
T4860GTE	6687	188
T4860GTEM	8594	188
T4860SE	7382	187
T4860SEM	9312	187
T4860STE	7625	189
T4860STEM	9559	189
T4872E	6986	186
T4872EM	8908	186
T4872GTE	7236	188
T4872GTEM	9320	188
T4872SE	8062	187
T4872SEM	9992	187
T4872STE	8304	189
T4872STEM	10220	189
T4884E	9487	186
T4884EM	11398	186
T4884GTE	9737	188
T4884GTEM	11639	188
T4884SE	10898	187
T4884SEM	12818	187
T4884STE	11156	189
T4884STEM	13066	189
T4896E	10033	186
T4896EM	11952	186
T4896GTE	10265	188
T4896GTEM	12195	188
T4896SE	11764	187
T4896SEM	13689	187
T4896STE	12004	189
T4896STEM	13920	189
TB1016-3	66	51
TB1016-6	70	51
TB1035XL	53	173
TB1050XL	60	173
TB1722-3	106	51,53
TB1722-6	125	51,53
TB1722-9	147	51,53
TB2035XL	62	173
TB2060XL	86	173
TB2080XL	95	173
TB3030XL	147	173
TB3060XL	153	173
TB3080XL	185	173
TB3120XL	254	173
TBC-P	1548	172
TBC-R	1405	172
TBC-S	189	172
TBC-SD	178	172
TBC1-P	1453	172
TBC1-R	1417	172
TBC2-P	2110	172
TBC2-R	2069	172
TBC3-P	2962	172
TBC3-R	2919	172
TD2448-BSP	2265	39
TD2448-SP	1104	39
TD2460-BSP	2276	39
TD2460-SP	1156	39
TD3	5032	213
TD3L	5680	213
TEP74-C	337	59
TEP74-E	362	59
TEP74-Z	299	59
TEP86-C	375	59
TEP86-E	403	59
TEP86-Z	350	59
TM108APR	3206	216
TM108PR	3980	216
TM108PRS	3449	216
TM120APR	3304	216
TM120PR	4144	216
TM120PRS	3483	216
TM132APR	3399	216
TM132PR	4354	216
TM132PRS	3637	216
TM144APR	3514	216
TM144PR	4436	216
TM144PRS	3677	216
TM36APR	1910	216
TM36PR	2284	216
TM36PRS	932	216
TM48APR	1987	216
TM48PR	2414	216
TM48PRS	1007	216
TM60APR	2054	216
TM60PR	2542	216
TM60PRS	1082	216
TM72APR	2152	216
TM72PR	2675	216
TM72PRS	1162	216
TM84APR	2564	216
TM84PR	3160	216
TM84PRS	1247	216
TM96APR	2643	216
TM96PR	3292	216
TM96PRS	1382	216
TMS2424	1748	205
TMS2424S	2122	205
TMS3024	1823	205
TMS3024S	2229	205
TMS3030	2029	205
TMS3030S	2525	205
TMS3036	2083	205
TMS3036S	2566	205
TMS3636	2185	205
TMS3636S	2687	205
TR10	108	91
TR18BL	105	52
TR18C	94	52
TS1417	210	51
TS18-C	174	53
TS18-E	205	53
TS2021	220	51
TS24-C	185	53
TS24-E	215	53
TS2517	219	51
U2-1836C	677	29
U2-1836C-RP	685	25
U2-1836S	1816	29
U2-1836Z	667	29
U2-1842C	719	29
U2-1842S	2007	29
U2-1842Z	698	29
U2-2136C	727	29
U2-2136S	1970	29

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
U2-2136Z	698	29
U2-2142C	766	29
U2-2142S	2160	29
U2-2142Z	737	29
U2-2148C	777	29
U2-2148S	2160	29
U2-2148Z	752	29
U2-2436C	759	29
U2-2436S	2077	29
U2-2436Z	727	29
U2-2442C	810	29
U2-2442S	2340	29
U2-2442Z	777	29
U2-2448C	825	29
U2-2448S	2340	29
U2-2448Z	789	29
U2-2460C	900	29
U2-2460S	2686	29
U2-2460Z	880	29
U3-1836C	818	29
U3-1836C-RP	825	25
U3-1836S	2328	29
U3-1836Z	807	29
U3-1842C	884	29
U3-1842S	2616	29
U3-1842Z	856	29
U3-2136C	898	29
U3-2136CS	1236	28
U3-2136S	2560	29
U3-2136Z	855	29
U3-2142C	955	29
U3-2142S	2838	29
U3-2142Z	907	29
U3-2148C	970	29
U3-2148S	2838	29
U3-2148Z	923	29
U3-2436C	930	29
U3-2436CS	1303	28
U3-2436S	2709	29
U3-2436Z	897	29
U3-2442C	1019	29
U3-2442S	3109	29
U3-2442Z	967	29
U3-2448C	1038	29
U3-2448S	3109	29
U3-2448Z	983	29
U3-2460C	1153	29
U3-2460S	3626	29
U3-2460Z	1119	29
UC-311	1396	27
UC-322	1437	27
UCB24120SE	11503	202
UCB2436SE	6256	202
UCB2448SE	6997	202
UCB2460SE	7517	202
UCB2472SE	8062	202
UCB2484SE	9216	202
UCB2496SE	9958	202
UCB30120SE	11997	202
UCB3036SE	6534	202
UCB3048SE	7260	202
UCB3060SE	7837	202
UCB3072SE	8419	202
UCB3084SE	9470	202
UCB3096SE	10372	202
UCBH24120SE	12500	202
UCBH2436SE	7666	202
UCBH2448SE	8029	202
UCBH2460SE	8560	202
UCBH2472SE	9083	202
UCBH2484SE	10219	202
UCBH2496SE	10960	202
UCBH30120SE	12986	202
UCBH3036SE	7926	202
UCBH3048SE	8289	202
UCBH3060SE	8872	202
UCBH3072SE	9449	202
UCBH3084SE	10488	202
UCBH3096SE	11377	202
UH	28	91
UH18-C	92	29
UH18-S	228	29
UH21-C	93	29
UH21-S	232	29
UH24-C	93	29
UH24-S	238	29
UOB24120SE	7867	202
UOB2436SE	4900	202
UOB2448SE	5089	202
UOB2460SE	5445	202
UOB2472SE	5807	202
UOB2484SE	6317	202
UOB2496SE	6636	202
UOB30120SE	8364	202
UOB3036SE	5177	202
UOB3048SE	5356	202
UOB3060SE	5759	202
UOB3072SE	6159	202
UOB3084SE	6589	202
UOB3096SE	7272	202
UR-501	1417	205
UR1836C	996	36,161
UR1848C	1065	36,161
UR1860C	1152	36,161
URS1836C	1305	36,161
URS1848C	1430	36,161
URS1860C	1638	36,161
US0824-16/3	1220	253
US0836-16/3	1405	253
US0848-16/3	1777	253
US18-S	119	53
US21-S	132	53
US24-S	136	53
US30-S	145	53
USS24-S	269	53
USS30-S	325	53
UT24108B	4750	190
UT24108E	5178	190
UT24108EB	4930	190
UT24108GTB	4847	192
UT24108GTE	5415	192
UT24108GTEB	5177	192
UT24108SB	6119	191
UT24108SE	7153	191
UT24108SEB	6616	191
UT24108STB	6180	193
UT24108STE	7405	193
UT24108STEB	6674	193
UT24120B	4847	190
UT24120E	5480	190
UT24120EB	5223	190
UT24120GTB	5143	192
UT24120GTE	5716	192
UT24120GTEB	5473	192
UT24120SB	6260	191
UT24120SE	7303	191
UT24120SEB	6764	191
UT24120STB	6499	193
UT24120STE	7559	193
UT24120STEB	7014	193
UT2412STE	1770	200
UT2412STEB	1629	200
UT24132B	4895	190
UT24132E	5772	190
UT24132EB	5322	190
UT24132GTB	5152	192
UT24132GTE	5843	192
UT24132GTEB	5560	192
UT24132SB	6392	191
UT24132SE	7529	191
UT24132SEB	7152	191
UT24132STB	6630	193
UT24132STE	7773	193
UT24132STEB	7186	193
UT24144B	4923	190
UT24144E	5944	190
UT24144EB	5628	190
UT24144GTB	5172	192
UT24144GTE	5986	192
UT24144GTEB	5698	192
UT24144SB	6726	191
UT24144SE	7908	191
UT24144SEB	7296	191
UT24144STB	6637	193
UT24144STE	8154	193
UT24144STEB	7338	193
UT2415STE	1810	200
UT2415STEB	1666	200
UT2418STE	1894	200
UT2418STEB	1742	200
UT2424B	1618	190
UT2424E	1850	190
UT2424EB	1782	190
UT2424GTB	1860	192
UT2424GTE	2283	192
UT2424GTEB	2028	192
UT2424SB	2206	191
UT2424SE	2510	191
UT2424SEB	2338	191
UT2424STB	2485	193
UT2424STE	2753	193
UT2424STEB	2580	193
UT2430B	1748	190
UT2430E	2029	190
UT2430EB	1912	190
UT2430GTB	1987	192
UT2430GTE	2384	192
UT2430GTEB	2164	192
UT2430SB	2383	191
UT2430SE	2765	191
UT2430SEB	2555	191
UT2430STB	2622	193
UT2430STE	3017	193
UT2430STEB	2808	193
UT2436B	1867	190
UT2436E	2165	190
UT2436EB	2042	190
UT2436GTB	2112	192
UT2436GTE	2425	192
UT2436GTEB	2292	192
UT2436SB	2507	191
UT2436SE	2898	191
UT2436SEB	2696	191
UT2436STB	2753	193
UT2436STE	3145	193
UT2436STEB	2937	193
UT2448B	1898	190
UT2448E	2204	190
UT2448EB	2080	190
UT2448GTB	2142	192
UT2448GTE	2542	192
UT2448GTEB	2326	192
UT2448SB	2576	191
UT2448SE	3017	191
UT2448SEB	2783	191
UT2448STB	2810	193
UT2448STE	3266	193
UT2448STEB	3029	193
UT2460B	2007	190
UT2460E	2384	190
UT2460EB	2238	190
UT2460GTB	2243	192
UT2460GTE	2627	192
UT2460GTEB	2487	192
UT2460SB	2758	191
UT2460SE	3275	191
UT2460SEB	2999	191
UT2460STB	2999	193
UT2460STE	3517	193
UT2460STEB	3247	193
UT2472B	2133	190
UT2472E	2566	190
UT2472EB	2403	190
UT2472GTB	2375	192
UT2472GTE	2812	192
UT2472GTEB	2660	192
UT2472SB	2944	191
UT2472SE	3525	191
UT2472SEB	3219	191
UT2472STB	3189	193
UT2472STE	3773	193
UT2472STEB	3475	193
UT2484B	2658	190
UT2484E	3438	190
UT2484EB	3370	190
UT2484GTB	2899	192
UT2484GTE	3686	192
UT2484GTEB	3614	192
UT2484SB	3594	191
UT2484SE	4740	191
UT2484SEB	4369	191
UT2484STB	3837	193
UT2484STE	4980	193
UT2484STEB	4615	193
UT2496B	3005	190
UT2496E	3663	190
UT2496EB	3587	190
UT2496GTB	3245	192
UT2496GTE	3910	192

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
UT2496GTEB	3836	192
UT2496SB	3850	191
UT2496SE	5060	191
UT2496SEB	4649	191
UT2496STB	4084	193
UT2496STE	5318	193
UT2496STEB	4907	193
UT30108B	4812	190
UT30108E	5649	190
UT30108EB	5374	190
UT30108GTB	4922	192
UT30108GTE	5888	192
UT30108GTEB	5628	192
UT30108SB	6488	191
UT30108SE	7649	191
UT30108SEB	7070	191
UT30108STB	6542	193
UT30108STE	7888	193
UT30108STEB	7316	193
UT30120B	4950	190
UT30120E	5797	190
UT30120EB	5529	190
UT30120GTB	5185	192
UT30120GTE	6045	192
UT30120GTEB	5774	192
UT30120SB	6634	191
UT30120SE	7796	191
UT30120SEB	7214	191
UT30120STB	6873	193
UT30120STE	8030	193
UT30120STEB	7464	193
UT3012STE	1912	200
UT3012STE	1912	200
UT3012STEB	1760	200
UT30132B	5200	190
UT30132E	5974	190
UT30132EB	5680	190
UT30132GTB	5294	192
UT30132GTE	6399	192
UT30132GTEB	5923	192
UT30132SB	6833	191
UT30132SE	8347	191
UT30132SEB	7470	191
UT30132STB	7060	193
UT30132STE	8594	193
UT30132STEB	7716	193
UT30144B	5349	190
UT30144E	6115	190
UT30144EB	5818	190
UT30144GTB	5432	192
UT30144GTE	6562	192
UT30144GTEB	6063	192
UT30144SB	6969	191
UT30144SE	8499	191
UT30144SEB	7839	191
UT30144STB	7209	193
UT30144STE	8744	193
UT30144STEB	8089	193
UT3015STE	1955	200
UT3015STEB	1797	200
UT3018STE	2065	200
UT3018STEB	1898	200
UT3030B	1792	190
UT3030E	2086	190
UT3030EB	1982	190
UT3030GTB	2028	192
UT3030GTE	2338	192
UT3030GTEB	2230	192
UT3030SB	2503	191
UT3030SE	2917	191
UT3030SEB	2699	191
UT3030STB	2749	193
UT3030STE	3156	193
UT3030STEB	2958	193
UT3036B	1912	190
UT3036E	2218	190
UT3036EB	2112	190
UT3036GTB	2154	192
UT3036GTE	2469	192
UT3036GTEB	2359	192
UT3036SB	2628	191
UT3036SE	3043	191
UT3036SEB	2838	191
UT3036STB	2875	193
UT3036STE	3292	193
UT3036STEB	3086	193
UT3048B	1939	190
UT3048E	2297	190
UT3048EB	2164	190
UT3048GTB	2183	192
UT3048GTE	2552	192
UT3048GTEB	2406	192
UT3048SB	2725	191
UT3048SE	3217	191
UT3048SEB	2972	191
UT3048STB	2972	193
UT3048STE	3473	193
UT3048STEB	3209	193
UT3060B	2104	190
UT3060E	2523	190
UT3060EB	2374	190
UT3060GTB	2340	192
UT3060GTE	2766	192
UT3060GTEB	2615	192
UT3060SB	2962	191
UT3060SE	3532	191
UT3060SEB	3247	191
UT3060STB	3206	193
UT3060STE	3789	193
UT3060STEB	3495	193
UT3072B	2265	190
UT3072E	2742	190
UT3072EB	2566	190
UT3072GTB	2503	192
UT3072GTE	2985	192
UT3072GTEB	2812	192
UT3072SB	3205	191
UT3072SE	3847	191
UT3072SEB	3525	191
UT3072STB	3436	193
UT3072STE	4096	193
UT3072STEB	3773	193
UT3084B	2785	190
UT3084E	3614	190
UT3084EB	3406	190
UT3084GTB	3028	192
UT3084GTE	3863	192
UT3084GTEB	3650	192
UT3084SB	3732	191
UT3084SE	4938	191
UT3084SEB	4549	191
UT3084STB	3970	193
UT3084STE	5185	193
UT3084STEB	4799	193
UT3096B	3192	190
UT3096E	3923	190
UT3096EB	3698	190
UT3096GTB	3433	192
UT3096GTE	4169	192
UT3096GTEB	3943	192
UT3096SB	4143	191
UT3096SE	5452	191
UT3096SEB	5019	191
UT3096STB	4384	193
UT3096STE	5692	193
UT3096STEB	5259	193
UT36108B	5759	190
UT36108E	6384	190
UT36108EB	6186	190
UT36108GTB	5998	192
UT36108GTE	6623	192
UT36108GTEB	6478	192
UT36108SB	7680	191
UT36108SE	8847	191
UT36108SEB	8118	191
UT36108STB	7697	193
UT36108STE	9095	193
UT36108STEB	8362	193
UT36120B	5906	190
UT36120E	6715	190
UT36120EB	6567	190
UT36120GTB	6142	192
UT36120GTE	6964	192
UT36120GTEB	6815	192
UT36120SB	7833	191
UT36120SE	8999	191
UT36120SEB	8510	191
UT36120STB	8066	193
UT36120STE	9245	193
UT36120STEB	8753	193
UT3612STE	2037	200
UT3612STEB	1875	200
UT36132B	6030	190
UT36132E	7000	190
UT36132EB	6769	190
UT36132GTB	6264	192
UT36132GTE	7238	192
UT36132GTEB	7014	192
UT36132SB	8325	191
UT36132SE	9370	191
UT36132SEB	8855	191
UT36132STB	8318	193
UT36132STE	9572	193
UT36132STEB	9087	193
UT36144B	6358	190
UT36144E	7144	190
UT36144EB	6914	190
UT36144GTB	6405	192
UT36144GTE	7382	192
UT36144GTEB	7162	192
UT36144SB	8485	191
UT36144SE	9803	191
UT36144SEB	9264	191
UT36144STB	8464	193
UT36144STE	9765	193
UT36144STEB	9510	193
UT3615STE	2098	200
UT3615STEB	1934	200
UT3618STE	2183	200
UT3618STEB	2007	200
UT3648B	2374	190
UT3648E	2672	190
UT3648EB	2599	190
UT3648GTB	2614	192
UT3648GTE	2917	192
UT3648GTEB	2847	192
UT3648SB	3115	191
UT3648SE	3647	191
UT3648SEB	3455	191
UT3648STB	3352	193
UT3648STE	3905	193
UT3648STEB	3703	193
UT3660B	2647	190
UT3660E	2972	190
UT3660EB	2880	190
UT3660GTB	2889	192
UT3660GTE	3209	192
UT3660GTEB	3134	192
UT3660SB	3423	191
UT3660SE	4000	191
UT3660SEB	3789	191
UT3660STB	3667	193
UT3660STE	4248	193
UT3660STEB	4029	193
UT3672B	2876	190
UT3672E	3207	190
UT3672EB	3118	190
UT3672GTB	3115	192
UT3672GTE	3455	192
UT3672GTEB	3370	192
UT3672SB	3738	191
UT3672SE	4354	191
UT3672SEB	4110	191
UT3672STB	3980	193
UT3672STE	4600	193
UT3672STEB	4354	193
UT3684B	3877	190
UT3684E	4273	190
UT3684EB	4153	190
UT3684GTB	4127	192
UT3684GTE	4517	192
UT3684GTEB	4414	192
UT3684SB	5082	191
UT3684SE	5823	191
UT3684SEB	5510	191
UT3684STB	5322	193
UT3684STE	6063	193
UT3684STEB	5756	193
UT3696B	4110	190
UT3696E	4515	190
UT3696EB	4394	190
UT3696GTB	4353	192
UT3696GTE	4764	192
UT3696GTEB	4638	192
UT3696SB	5466	191
UT3696SE	6255	191
UT3696SEB	5888	191
UT3696STB	5698	193
UT3696STE	6489	193
UT3696STEB	6140	193

ALPHANUMERIC PRICE INDEX

Part Number	List Price	Page No.
UUC-311	1449	27
UUC-322	1489	27
UWT3048SE	1997	183
UWT3048SEB	1412	183
UWT3048SEM	2797	183
UWT3060SE	2276	183
UWT3060SEB	1653	183
UWT3060SEM	2987	183
UWT3072SE	2662	183
UWT3072SEB	1852	183
UWT3072SEM	3374	183
W1436-GBC	542	131
W1436-GBS	1623	131
W1448-GBC	597	131
W1448-GBS	1800	131
W1460-GBC	650	131
W1460-GBS	1880	131
W1472-GBC	683	131
W1472-GBS	1994	131
W1916	5839	236
W1916-FA	3049	236
WAL-1-1836	719	90
WAL-1-1848	794	90
WAL-2-1836	1312	90
WAL-2-1848	1464	90
WB	70	91
WB14-C	94	49,97
WB14-S	219	49,97
WB14-VG	95	49,97
WB18-C	95	49,97
WB18-S	234	49,97
WB18-VG	96	49,97
WB21-C	95	49,97
WB21-S	240	49,97
WB21-VG	96	49,97
WB24-C	96	49,97
WB24-S	245	49,97
WB24-VG	103	49,97
WBC1836C-1B1W	692	27,159
WBC1836C-2B	610	27,159
WBS1836C	200	40,159
WCH-24	9272	98,209
WCH-24C-L	8597	253
WCH-24C-LL	9120	253
WCH-24C-R	8597	253
WCH-24C-RL	9120	253
WCH-30	10275	98,209
WCH-36	10453	98,209
WCH-42	10985	98,209
WCH-48	11325	98,209
WCH-54	11582	98,209
WCH-60	12985	98,209
WCH-66	13080	98,209
WCH-72	14549	98,209
WCH-84	14956	98,209
WCH-90	15804	98,209
WCH-96	16294	98,209
WCH4-24C-L	7759	253
WCH4-24C-LL	8283	253
WCH4-24C-R	7759	253
WCH4-24C-RL	8283	253
WCO-24	6833	98,209
WCO-30	6840	98,209
WCO-36	7094	98,209
WCO-48	8172	98,209
WCO-60	8943	98,209
WCO-72	9488	98,209
WCO-84	10010	98,209
WCO-96	11210	98,209
WCS-120	18592	98,209
WCS-24	7729	98,209
WCS-30	9417	98,209
WCS-36	9709	98,209
WCS-42	9758	98,209
WCS-48	10636	98,209
WCS-54	10833	98,209
WCS-60	12299	98,209
WCS-72	13776	98,209
WCS-84	14133	98,209
WCS-90	14966	98,209
WCS-96	15430	98,209
WDR203608-A	516	39
WDR203612-A	516	39
WDR204808-A	596	39
WDR204812-A	596	39
WDR206008-A	670	39
WDR206012-A	670	39
WDR243608-A	577	39
WDR243612-A	577	39
WDR244808-A	650	39
WDR244812-A	650	39
WDR246008-A	752	39
WDR246012-A	752	39
WM108APR	1325	217
WM108PR	1815	217
WM120APR	1339	217
WM120PR	1922	217
WM132APR	1549	217
WM132PR	1948	217
WM144APR	1664	217
WM144PR	2453	217
WM1836	173	90
WM1848	220	90
WM1860	258	90
WM2448	263	90
WM2472	303	90
WM2484	362	90
WM2496	382	90
WM3354	439	90
WM36APR	555	217
WM36PR	642	217
WM4848	426	90
WM48APR	584	217
WM48PR	776	217
WM60APR	663	217
WM60PR	827	217
WM72APR	849	217
WM72PR	1049	217
WM84APR	893	217
WM84PR	1140	217
WM96APR	1095	217
WM96PR	1616	217
WOAC2436T-1C-1W	1998	140,178
WOAC2436T-1H-1W	1998	140,178
WOAC2436T-2C	1998	140,178
WOAC2436T-2H	1998	140,178
WOAC2436T-2W	1998	140,178
WOAC2448T-1C-1W	2273	140,178
WOAC2448T-1H-1W	2273	140,178
WOAC2448T-2C	2273	140,178
WOAC2448T-2H	2273	140,178
WOAC2448T-2W	2273	140,178
WOAC2460T-1C-1W	2553	140,178
WOAC2460T-1H-1W	2553	140,178
WOAC2460T-2C	2553	140,178
WOAC2460T-2H	2553	140,178
WOAC2460T-2W	2553	140,178
WOAC3036T-1C-1W	2112	140,178
WOAC3036T-1H-1W	2112	140,178
WOAC3036T-2C	2112	140,178
WOAC3036T-2H	2112	140,178
WOAC3036T-2W	2112	140,178
WOAC3048T-1C-1W	2465	140,178
WOAC3048T-1H-1W	2465	140,178
WOAC3048T-2C	2465	140,178
WOAC3048T-2H	2465	140,178
WOAC3048T-2W	2465	140,178
WOAC3060T-1C-1W	2776	140,178
WOAC3060T-1H-1W	2776	140,178
WOAC3060T-2C	2776	140,178
WOAC3060T-2H	2776	140,178
WOAC3060T-2W	2776	140,178
WOAC3636T-1C-1W	2564	140,178
WOAC3636T-1H-1W	2564	140,178
WOAC3636T-2C	2564	140,178
WOAC3636T-2H	2564	140,178
WOAC3636T-2W	2564	140,178
WOAC3648T-1C-1W	2900	140,178
WOAC3648T-1H-1W	2900	140,178
WOAC3648T-2C	2900	140,178
WOAC3648T-2H	2900	140,178
WOAC3648T-2W	2900	140,178
WOAC3660T-1C-1W	3152	140,178
WOAC3660T-1H-1W	3152	140,178
WOAC3660T-2C	3152	140,178
WOAC3660T-2H	3152	140,178
WOAC3660T-2W	3152	140,178
WOAP2436T-1C-1W	3948	141
WOAP2436T-1H-1W	3948	141
WOAP2436T-2C	3948	141
WOAP2436T-2H	3948	141
WOAP2436T-2W	3948	141
WOAP2448T-1C-1W	4628	141
WOAP2448T-1H-1W	4628	141
WOAP2448T-2C	4628	141
WOAP2448T-2H	4628	141
WOAP2448T-2W	4628	141
WOAP2460T-1C-1W	5332	141
WOAP2460T-1H-1W	5332	141
WOAP2460T-2C	5332	141
WOAP2460T-2H	5332	141
WOAP2460T-2W	5332	141
WOAP3036T-1C-1W	4266	141
WOAP3036T-1H-1W	4266	141
WOAP3036T-2C	4266	141
WOAP3036T-2H	4266	141
WOAP3036T-2W	4266	141
WOAP3048T-1C-1W	5044	141
WOAP3048T-1H-1W	5044	141
WOAP3048T-2C	5044	141
WOAP3048T-2H	5044	141
WOAP3048T-2W	5044	141
WOAP3060T-1C-1W	5772	141
WOAP3060T-1H-1W	5772	141
WOAP3060T-2C	5772	141
WOAP3060T-2H	5772	141
WOAP3060T-2W	5772	141
WOAP3636T-1C-1W	4836	141
WOAP3636T-1H-1W	4836	141
WOAP3636T-2C	4836	141
WOAP3636T-2H	4836	141
WOAP3636T-2W	4836	141
WOAP3648T-1C-1W	5678	141
WOAP3648T-1H-1W	5678	141
WOAP3648T-2C	5678	141
WOAP3648T-2H	5678	141
WOAP3648T-2W	5678	141
WOAP3660T-1C-1W	6515	141
WOAP3660T-1H-1W	6515	141
WOAP3660T-2C	6515	141
WOAP3660T-2H	6515	141
WOAP3660T-2W	6515	141
WOAS2436T-1C-1W	3458	140,178
WOAS2436T-1H-1W	3458	140,178
WOAS2436T-2C	3458	140,178
WOAS2436T-2H	3458	140,178
WOAS2436T-2W	3458	140,178
WOAS2448T-1C-1W	4018	140,178
WOAS2448T-1H-1W	4018	140,178
WOAS2448T-2C	4018	140,178
WOAS2448T-2H	4018	140,178
WOAS2448T-2W	4018	140,178
WOAS2460T-1C-1W	4717	140,178
WOAS2460T-1H-1W	4717	140,178
WOAS2460T-2C	4717	140,178
WOAS2460T-2H	4717	140,178
WOAS2460T-2W	4717	140,178
WOAS3036T-1C-1W	3792	140,178
WOAS3036T-1H-1W	3792	140,178
WOAS3036T-2C	3792	140,178

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

Part Number	List Price	Page No.
WOAS3036T-2H	3792	140,178
WOAS3036T-2W	3792	140,178
WOAS3048T-1C-1W	4429	140,178
WOAS3048T-1H-1W	4429	140,178
WOAS3048T-2C	4429	140,178
WOAS3048T-2H	4429	140,178
WOAS3048T-2W	4429	140,178
WOAS3060T-1C-1W	5156	140,178
WOAS3060T-1H-1W	5156	140,178
WOAS3060T-2C	5156	140,178
WOAS3060T-2H	5156	140,178
WOAS3060T-2W	5156	140,178
WOAS3636T-1C-1W	4222	140,178
WOAS3636T-1H-1W	4222	140,178
WOAS3636T-2C	4222	140,178
WOAS3636T-2H	4222	140,178
WOAS3636T-2W	4222	140,178
WOAS3648T-1C-1W	5066	140,178
WOAS3648T-1H-1W	5066	140,178
WOAS3648T-2C	5066	140,178
WOAS3648T-2H	5066	140,178
WOAS3648T-2W	5066	140,178
WOAS3660T-1C-1W	5906	140,178
WOAS3660T-1H-1W	5906	140,178
WOAS3660T-2C	5906	140,178
WOAS3660T-2H	5906	140,178
WOAS3660T-2W	5906	140,178
WR18-BL	43	33
WR18-C	37	33
WR18-V	45	33
WR18-VG	45	33
WR18-Z	33	33
WS10108-14/3	2426	94
WS10108-16/3	2204	94
WS10108-16/4	1550	94
WS10120-14/3	2734	94
WS10120-16/3	2488	94
WS10120-16/4	1628	94
WS1024-14/3	1218	94
WS1024-16/3	1108	94
WS1024-16/4	945	94
WS1024TL	416	93
WS1036-14/3	1377	94
WS1036-16/3	1248	94
WS1036-16/4	1017	94
WS1036TL	443	93
WS1048-14/3	1458	94
WS1048-16/3	1334	94
WS1048-16/4	1028	94
WS1048TL	505	93
WS1060-14/3	1614	94
WS1060-16/3	1475	94
WS1060-16/4	1096	94
WS1060TL	569	93
WS1072-14/3	1762	94
WS1072-16/3	1609	94
WS1072-16/4	1172	94
WS1084-14/3	1908	94
WS1084-16/3	1742	94
WS1084-16/4	1234	94
WS1096-14/3	2207	94
WS1096-16/3	2008	94
WS1096-16/4	1426	94
WS12108-14/3	2622	94
WS12108-16/3	2392	94
WS12108-16/4	1727	94
WS12120-14/3	2778	94
WS12120-16/3	2525	94
WS12120-16/4	1797	94
WS1224-14/3	1304	94
WS1224-16/3	1182	94
WS1224-16/4	1017	94
WS1224TL	445	93
WS1236-14/3	1455	94
WS1236-16/3	1328	94
WS1236-16/4	1093	94
WS1236TL	482	93
WS1248-14/3	1565	94
WS1248-16/3	1423	94
WS1248-16/4	1117	94
WS1248TL	544	93
WS1260-14/3	1725	94
WS1260-16/3	1572	94
WS1260-16/4	1188	94
WS1260TL	608	93
WS1272-14/3	1880	94
WS1272-16/3	1716	94
WS1272-16/4	1273	94
WS1284-14/3	2048	94
WS1284-16/3	1862	94
WS1284-16/4	1345	94
WS1296-14/3	2240	94
WS1296-16/3	2037	94
WS1296-16/4	1577	94
WS2436C	482	135
WS2436S	1777	135
WS2436WT	738	135
WS2436WT-S	2783	135
WS2448C	548	135
WS2448S	1938	135
WS2448WT	856	135
WS2448WT-S	2850	135
WSP10108	2788	95
WSP10120	2852	95
WSP10132	3023	95
WSP10144	3086	95
WSP1036	1719	95
WSP1048	1753	95
WSP1060	1832	95
WSP1072	1897	95
WSP1084	1988	95
WSP1096	2127	95
WSP12108	2962	95
WSP12120	3030	95
WSP12132	3186	95
WSP12144	3245	95
WSP1236	1784	95
WSP1248	1847	95
WSP1260	1934	95
WSP1272	2007	95
WSP1284	2122	95
WSP1296	2172	95
WSP15108	3826	95
WSP15120	3887	95
WSP15132	4177	95
WSP15144	4245	95
WSP1536	2329	95
WSP1548	2380	95
WSP1560	2704	95
WSP1572	2937	95
WSP1584	3363	95
WSP1596	3523	95
WSP18108	4455	95
WSP18120	4525	95
WSP18132	4614	95
WSP18144	4685	95
WSP1836	2788	95
WSP1848	2834	95
WSP1860	2983	95
WSP1872	3192	95
WSP1884	3464	95
WSP1896	3666	95
WSR-36-S	183	92
WSR-36-S-15	208	92
WSR-42-S	211	92
WSR-42-S-15	239	92
WSR-48-S	228	92
WSR-48-S-15	258	92
WSR-54-S	249	92
WSR-54-S-15	278	92
WSR-60-S	270	92
WSR-60-S-15	304	92
WT3048SE	1697	183
WT3048SE-BS	2120	183
WT3048SEB	1203	183
WT3048SEB-BS	1497	183
WT3048SEM	2383	183
WT3048SEM-BS	2978	183
WT3060SE	1938	183
WT3060SE-BS	2423	183
WT3060SEB	1405	183
WT3060SEB-BS	1753	183
WT3060SEM	2539	183
WT3060SEM-BS	3176	183
WT3072SE	2265	183
WT3072SE-BS	2830	183
WT3072SEB	1575	183
WT3072SEB-BS	1966	183
WT3072SEM	2869	183
WT3072SEM-BS	3582	183
WTFT-1215-FGG	21240	264
WTFT-1215-SG	23400	264
WTFT-1218-FGG	22305	264
WTFT-1218-SG	23919	264
WTFT-1224-FGG	22659	264
WTFT-1224-SG	24203	264
WTFT-1230-FGG	23093	264
WTFT-1230-SG	24389	264
WTFT-1236-FGG	23329	264
WTFT-1236-SG	24578	264
WTFT-1248-FGG	24089	264
WTFT-1248-SG	26089	264
WTFT-1260-FGG	24582	264
WTFT-1260-SG	27670	264
WTFT-1272-FGG	25412	264
WTFT-1272-SG	29085	264
WTFT-1284-FGG	26092	264
WTFT-1284-SG	30996	264
WTFT-1296-FGG	26818	264
WTFT-1296-SG	31365	264
WTFT-1518-FGG	21705	264
WTFT-1518-SG	23708	264
WTFT-1524-FGG	22745	264
WTFT-1524-SG	24587	264
WTFT-1530-FGG	23140	264
WTFT-1530-SG	24738	264
WTFT-1536-FGG	23372	264
WTFT-1536-SG	25634	264
WTFT-1548-FGG	24162	264
WTFT-1548-SG	27252	264
WTFT-1560-FGG	24769	264
WTFT-1560-SG	28808	264
WTFT-1572-FGG	25555	264
WTFT-1572-SG	30403	264
WTFT-1584-FGG	26318	264
WTFT-1584-SG	32000	264
WTFT-1596-FGG	26960	264
WTFT-1596-SG	33499	264
WTFT-1824-FGG	23085	264
WTFT-1824-SG	24952	264
WTFT-1830-FGG	23593	264
WTFT-1830-SG	25330	264
WTFT-1836-FGG	23983	264
WTFT-1836-SG	25710	264
WTFT-1848-FGG	24905	264
WTFT-1848-SG	28264	264
WTFT-1860-FGG	25688	264
WTFT-1860-SG	29232	264
WTFT-1872-FGG	26044	264
WTFT-1872-SG	31762	264
WTFT-1884-FGG	27549	264
WTFT-1884-SG	32877	264
WTFT-1896-FGG	28414	264
WTFT-1896-SG	35205	264
WTFT-2424-FGG	23430	264
WTFT-2424-SG	26387	264
WTFT-2430-FGG	24096	264
WTFT-2430-SG	26722	264
WTFT-2436-FGG	24560	264
WTFT-2436-SG	27923	264
WTFT-2448-FGG	25674	264
WTFT-2448-SG	29462	264
WTFT-2460-FGG	26775	264
WTFT-2460-SG	30833	264
WTFT-2472-FGG	26849	264
WTFT-2472-SG	32883	264
WTFT-2484-FGG	28983	264
WTFT-2484-SG	34254	264
WTFT-2496-FGG	30005	264
WTFT-2496-SG	35963	264
WTRE20-Z	1050	168
WTRE38-Z	1060	168
WTRS20-Z	1050	168
WTRS38-Z	1060	168
WTSA30	367	200

NOTES

100 Industrial Boulevard, Clayton, DE 19938-8903 U.S.A.
Phone: 302-653-3000. Fax: 302-653-2065
http://www.eaglemhc.com

Get our latest brochures…

Cleanroom



Casework



Healthcare



Material Handling



Click on the brochure cover to download the latest brochure

EAGLE
MHC Division
Material Handling, Healthcare & Cleanroom Equipment

100 Industrial Boulevard, Clayton, DE 19938
Phone: 302-653-3000 • Fax: 302-653-2065
Eagle MHC website: www.eaglemhc.com
Eagle Group website: www.eaglegrp.com

Some of our new products featured inside…



Breath/Safety Shields
pages 269-273



Q-LEVER Storage Solutions
pages 72-86



Portable Hand Sink with Open Base
page 228



Mop Sink Splash Kits
page 252



Pegboards
page 120

SpecFAB® Custom Capabilities

Custom Equipment Manufactured to Your Specifications!



Manufacturing Capabilities:

- Engineering and design assistance.
- Standard and custom built stainless products.
- Small to large order capacities.
- Designed and built to SEFA standards.
- Quality controlled throughout process.
- In-house equipment capabilities and standard products provide economical solutions.





Rev 06/25 EG9065

EAGLE MHC Division
Material Handling, Healthcare & Cleanroom Equipment

100 Industrial Boulevard, Clayton, DE 19938
Phone: 302-653-3000 • Fax: 302-653-2065
Eagle MHC website: www.eaglemhc.com
Eagle Group website: www.eaglegrp.com

© 2025 EAGLE GROUP. Profit From The EAGLE Advantage® is a registered trademark of EAGLE GROUP.
Although every attempt has been made to ensure the accuracy of the data in this publication, we cannot be responsible for printing or typographical errors or omissions.