

Pharmaceutical-Biotechnology-Healthcare-Electronics-Aerospace

Phone: 1-800-441-8440 • www.eaglemhc.com

Gowning Racks - with Hanger Rail

These racks are designed for efficient storage of garments in the cleanroom. Available in stainless steel finish. The stainless steel construction offers a non-contaminating surface that eliminates particle shedding. $24^{"}$ width, $73^{"}$ height, and available in $48^{"}$ to $84^{"}$ lengths. Hanger slots are standard $2\frac{1}{2}^{"}$ centers. Other center configurations are available.




Gowning Racks - with Wire Shelving Components

These racks incorporate standard wire shelving featuring patented QuadTruss[®] design, with specially designed gown storage options. They offer a more economical rack option in less demanding environments. Available in chrome-plated steel as well as stainless steel models. Available in 14[°] and 24[°] widths, and 48[°] to 72[°] lengths. 86[°] height.



standard 2½" centers (shown with optional hangers)

hooks welded on standard 1½" centers on all four shelf sides 1["]-diameter tubular bar mounted underneath wire shelf



rack with hanger slots (shown with optional hangers)



rack with hanger tube



Wall-Mounted Gowning Racks 'Space Management Solutions'



Racks with Hanger Slots

This gowning rack is available in lengths of 48" [17 hangers], 60" [22 hangers], or 72" [27 hangers] and width of 24". Wall mounted, and includes open wire top shelf for laminar flow. Available in stainless steel finish or chrome finish. Hangers are optional.

Racks with Hanger Tube

Like the freestanding model, this model features a 1[°] diameter tubular bar which mounts easily to underside of wire shelf and comes in width of 18[°] and lengths of 48[°], 60[°], and 72[°]. Wire design facilitates laminar flow. Available in stainless steel finish or chrome finish.

Racks with Hooks

This compact design is 14" in width and comes in lengths of 48" [30 hooks], 60" [38 hooks] or 72 [46 hooks]. Available in stainless steel finish or chrome finish.

Hangers and Hanger Bar Kits

Open Loop Hangers

For all gowning rack models that employ hangers. Available in chrome finish, or stainless steel finish.

Closed Loop Hangers


For use with tubular gowning racks. Hangers are not removable from rack. Available in chrome finish, or stainless steel finish.

Slanted Hanger Bar Kits


Used to retrofit existing shelving into freestanding or wall-mounted gowning racks. Hanger slots on $2^{1}/2^{n}$ centers. 24ⁿ shelf width required. Available in chrome finish, or stainless steel finish.

Tubular Hanger Bar Kits

Rack employs both closed loop hangers and open loop hangers. Available in chrome finish, or stainless steel finish. Width 18", and length ranges from 48" to 72".



adjustable post wire wall mount systems (shown with standard wire shelves)





Download Wire Wall Mounts Spec EG02.11

The adjustable wall mount provides wall storage and facilitates laminar flow. Use with standard wire shelves (sold separately). Designed to hold up to four tiers. The shelf widths range from 14" to 24" and the post height range from 14" to 63". Available in chrome and stainless steel.





Gowning Benches

Download Gowning Benches Spec EG04.03

Download Heavy Duty Gowning Bench Spec EG04.13

Solid Gowning Bench

Benches include flanged stainless steel foot plates for convenient attachment to the floor. Available in brushed 304 stainless steel finish. Widths of 9" and 12", lengths up to 84", and height of 17".

EL Series Heavy Duty Solid Gowning Bench

Heavy-duty benches feature hat channels on underside of seat. Stainless steel foot plates. 14 gauge type 304 stainless steel. 16" front-to-rear, lengths up to 96", and 17" height. Available with welded or adjustable h-frame, or with adjustable 4-sided frame.

Gowning Bench with Undershelf Storage

Available with perforated or solid seat. Wire undershelves offer optional bootie storage. These units come complete with designated seat, legs, foot plates, and one wire undershelf (additional wire shelves and dividers are optional). Available in stainless steel finish. Seating area is 18" wide, and wire unshelf is 14" wide. Length up to 72" and height of 19".

Wire Gowning Bench

Economical gowning bench with wire shelving components offers 62% laminar flow. Ideal for less demanding environments or for use during construction as the room is brought into clean. All units feature four 18" legs with foot plates, one three-sided channel frame, and one wire shelf. 14" width, 18" height, and available in lengths up to 72".

Carts and Wire Shelving Units

Open wire construction promotes higher visibility and permits greater air circulation, which reduces dust and contamination build-up. QuadTruss. design makes shelves up to 25% stronger. Posts are numbered on vertical 1" increments to ensure, fast, level assembly of shelves and maximum flexibility for unit/cart configuration. Numerous sizes and combinations are available. Accessories available include dividers, ledges, label holders, enclosure panels, and more.






two-shelf utility cart





stationary wire unit





Gowning Dispensers

All units feature #4 brushed finish type 304 stainless steel construction. Compartment size and quantity can be customized to specific needs.



Eye Protection Holder Compartments are sized for safety glasses and may be customized for goggles and other PPE. Compartments are 3⁵/16" wide, 2⁵/16" high, and 6¹/2" deep.





Garment Dispenser Single compartment is sized for folded garments, such as scrubs, gowns, and

aprons.





Packaged Glove Dispenser Single compartment is 12¹/₄" wide, 22³/₆"" tall, and 7³/₄" deep. Compartment is sized for folded garments, such as scrubs, gowns, and aprons. May be customized for specific sizes.





Loose Glove Dispenser Single compartment is 81/16" wide, 17" tall, and 8" deep.

Download

Spec Sheet

EG03.93



Loose Glove Dispenser with Catch Basin Single compartment is 81/16" wide, 39" tall, and 8" deep.



Download

Spec Sheet

Cleanroom Tables

Type 304 stainless steel tables are available with a solid or perforated design. All perforated tops have 3/4" perforations on 1" centers, allowing for 40% laminar flow. Available in standard widths of 24", 30", and 36" and lengths from 36" to 96". Custom sizes available upon request. All cleanroom tables are alcohol-wiped and cleanroom bagged. Standard table bases are C-frame or H-frame in brushed or solid stainless steel undershelf.





Foot Rests

Heavy gauge stainless steel all-welded construction. 1" square tubular welded frame, with non-slip rubber feet. Platform at 12° angle, removable for cleanability. Adjusts from 4½" to 9¾" (lowest leading edge to the floor).







Lab Benches

All stainless steel type 304 with #4 brushed finish. Available in adjustable height or fixed height models. Frame and leg constructed with 2" tubes. 16 gauge type 304 stainless countertop, 1" thick with square edge on all sides. Slotted rear uprights with two 16 gauge lab style shelves with 1.25" rear upturn, square edge front and upturned bookends. Designed to meet the SEFA recommended practices. Adjustable height and fixed height configurations available.



AdjusTable[®] Work Surface Systems

Eagle's AdjusTable® System allows you to create work surfaces in the configuration of your choice. Each work surface system comes with four 33" posts and your choice of the following bases: two C-frames; two H-frames; one C-frame and one wire undershelf; or one H-frame and one wire undershelf. Work surfaces are stainless steel with either a solid or perforated design. Available sizes are 24" to 36" in width and 36" to 60" in length. Table bases are available in chrome or stainless steel. Optional keyboard, utility drawers, and casters are available.





C-frame AdjusTable[®] with wire overshelf system





cantilever overshelf system



AdjusTable[°] Overshelf Systems

Eagle's AdjusTable® Overshelf System allows you to create work surfaces enhanced with two wire or cantilevered overshelves. Each work system comes with the two overshelves (two 29" posts come with wire overshelves only), two 33" front posts, two 63" rear posts, and your choice of the following table bases: two C-frames; two H-frames; one C-frame and one wire undershelf; or one H-frame and one wire undershelf. The available sizes are 24" to 36" width and 36" to 60" length. Work surfaces are stainless steel with either a solid or perforated design. Overshelves are offered in stainless steel or chrome finish. Optional keyboard, utility drawers, and casters are available.





Mobile Computer Workstations


Open wire workstation allows for laminar flow. Reduces moisture and dust build-up. Comes with standard keyboard drawer. Mouse shelf is optional. Available in chrome or stainless steel finish. 5" swivel casters (two with brake) with choice of resilient or polyurethane tread. 24" or 36" width, 24" or 36" length, 53³/⁸" overall height.

mobile computer workstation with optional mouse shelf




Shoe Racks

Wire shelves offer the optimum combination of laminar flow and ventilation for the storage of cleanroom shoes. Rods and tabs run through the shelves to create cubbies for each pair of shoes. Optional snap-on plastic label holders are available for identification of each storage unit. Available finishes are chrome and stainless steel. Foot plates are included for fastening the unit to the floor. 14" width, ranging in lengths from 24" to 72", and up to 86" in height.







shoe rack



Vertical Storage Cabinets

All stainless steel type 304 enclosed cabinet with four adjustable interior shelves. Available with flat top or optional sloped top for laminar flow. Cabinets feature stainless steel hinged doors with wirestyle pulls. Stationary units have stainless steel legs with adjustable bullet feet, while mobile units include 5"-diameter swivel/brake, stainless steel casters with poly tread. Options include glass doors, door locks, additional shelves and custom sizing.





1-bowl lab sink with drainboard

Lab Sinks

Constructed of 14 gauge type 304 stainless steel. Fully welded and polished bowls with radius corners. Rolled edges on front and sides, 8" high backsplash with downturn edges and mounting clips. Stainless legs, gussets and feet standard. Sinks available in one, two or three compartments with or without integral sloped drainboards.

Countertop Drop-In Sinks with No Deck and Self Rim Design

All units are 304 series stainless steel and come standard with mounting hardware, swivel faucet, and $1\frac{1}{2}$ basket drain. Available in one, two and three compartment. Deep-drawn and fabricated bowls available.



deep-drawn counter drop-in sink





fabricated counter drop-in sink - no deck





deep-drawn counter drop-in sink - no deck



Hand Sinks

Eagle MHC Cleanroom Hand Sinks - Engineered for **Contamination Control**

- 40+ model options, including hands-free and fully integrated units
- Available with Microgard® antimicrobial protection to inhibit microbial growth
- Exclusive deep-drawn positive-drain bowl ensures full water evacuation-ideal for cleanroom protocols
- Constructed from type 304 stainless steel, all-welded for seamless integrity
- One-piece, deep-drawn bowl eliminates crevices where contaminants could collect
- Choose from wall-mount or pedestal styles
- · Select models include touchless operation, built-in soap/ towel dispensers, and water heating





Stainless Steel Countertops

Engineered for High-Performance Labs & Specialized Environments

Material Options:

- 16 or 14 gauge, Type 304 or 316 stainless steel
- Other gauges and grades available for chemical-resistant or specialty applications

Design Features:

- Standard front edge: Square or Box Marine (custom options available)
- Back and end splashes built to spec
- All work surfaces and sink bowls include coved sanitary corners

Seams & Sizing:

- Seam options: Mechanical hairline or field-welded per your specs
- Max seamless length: 144" (Subtract 51/2" for each end splash required)

Custom Sink Bowls:

- Available in nearly any size or depth
- Single or multi-compartment configurations
- Faucet & Plumbing Accommodations:
- Backsplash-mounted faucets: Require 2" minimum splash depth
- Deck-mounted faucet holes: Centered 11⁄4″ from sink bowl edge

Layout Options:

- L-shaped and U-shaped tops built to your drawings
- Factory-mitered and welded corners
- Max size for single-shipment: 101"H x 96"W (ground transport)

Additional Features:

- Reinforced with stainless steel hat channels
- Optional NSF-listed sprayed latex sound deadening
- Standard wood crating included at no extra cost

Stainless Steel Inset Casework

Eagle MHC offers a comprehensive line of stainless steel inset casework designed to meet the diverse needs of today's laboratories. With a wide selection of drawer and door configurations, our casework provides flexibility, durability, and cleanroom-grade performance.

Our product range includes: Wall Cabinets, Base Cabinets (Door, Drawer, Combo, and Sink Bases) Tall Cabinets, Pegboards, Bench Frames, Filler Panels, and Strips.

All Eagle MHC casework is proudly manufactured in the U.S.A. and built to meet or exceed SEFA 8M Metal standards for laboratory construction and performance.











Shelf Select[™] No-Cost Shelving Design and Layout Service

You total up a few measurements. We'll send you a total shelving solution...

Looking for some help to configure your storage space for maximum utilization? Let Eagle help. You give us the details of your space and requirements and we'll provide you with a plan view, elevation and quotation – It's Simple!



GET STARTED

You provide us with:

- Dimensions of the available space.
- Number of shelves needed per unit.
- Indicate stationary , mobile or high density shelving.
- Post heights.
- Additional specific or pertinent storage requirements.
- Reference Shelf Select in your email subject line

HOW IT WORKS



STEP ONE - Plan View

After reviewing your provided information and clarifying any other information, we'll provide you with a plan view layout of the proposed shelving systems to fit your space and requirements.

STEP TWO - Elevation View

Next you'll receive an elevation view, a detailed drawing of how the assembled shelving will appear in the final phase.

STEP THREE - Quotation


The quotation includes model numbers, net prices and shipping weights for all components in the specified job.

STEP FOUR - Installed Job

Thanks to the detailed Eagle plan and elevation views you provided to your installer, your shelving is installed correctly in a short timeframe.



Casework Configurator



Check out MHC's new Stainless Steel Casework Configurator. Create a lineup for your new or existing space today!

- simplifies planning
- creates equipment list
- generates CAD/REVIT files
- facilitates quote request



SpecFAB° Custom Capabilities



Custom Stainless Steel Solutions

Tailored Designs. Streamlined Process. Precision Results.

Whether you need specially fabricated equipment, modular components, or a combination of both, our custom stainless steel solutions are built to meet your exact specifications.

Our efficient design, approval, and fabrication process ensures fast turnaround, without compromising quality. Each unit can be pre-wired and pre-plumbed (when applicable), reducing on-site installation time and costs.

We deliver repeatable precision across multiple pieces, with shorter lead times and greater value.



Manufacturing Capabilities:

- Engineering and design assistance.
- Room layouts provided.
- Standard and custom built stainless products.
- Small to large order capacities.
- Designed and built to industry standards.
- Quality controlled throughout process.
- In-house equipment capabilities and standard products provide economical solutions.

©2025 Eagle Group

Although every attempt has been made to ensure the accuracy of the data in this publication, we cannot be responsible for printing or typographical errors or omissions



100 Industrial Blvd. Clayton DE, 19938 P: (800) 441-8440 www.eaglemhc.com

